(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
28 November 2002 (28.11.2002)

PCT

(10) International Publication Number
WO 02/095010 A2

(51) International Patent Classification[7]: C12N

(21) International Application Number: PCT/US02/09785

(22) International Filing Date: 19 March 2002 (19.03.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/277,340	21 March 2001 (21.03.2001)	US
60/306,171	19 July 2001 (19.07.2001)	US
60/331,287	13 November 2001 (13.11.2001)	US

(71) Applicant *(for all designated States except US)*: **HUMAN GENOME SCIENCES, INC.** [US/US]; 9410 Key West Avenue, Rockville, MD 20850 (US).

(72) Inventors; and

(75) Inventors/Applicants *(for US only)*: **ROSEN, Craig, A.** [US/US]; 22400 Rolling Hill Lane, Laytonsville, MD 20882 (US). **RUBEN, Steven, M.** [US/US]; 18528 Heritage Hills Drive, Olney, MD 20832 (US).

(74) Agent: **HOOVER, Kenley, K.**; Human Genome Sciences, Inc., 9410 Key West Avenue, Rockville, MD 20850 (US).

(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *without international search report and to be republished upon receipt of that report*

— *with sequence listing part of description published separately in electronic form and available upon request from the International Bureau*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 02/095010 A2

(54) Title: HUMAN SECRETED PROTEINS

(57) Abstract: The present invention relates to human secreted polypeptides, and isolated nucleic acid molecules encoding said polypeptides, useful for diagnosing and treating cardiovascular diseases, disorders, and/or conditions related thereto. Antibodies that bind these polypeptides are also encompassed by the present invention. Also encompassed by the invention are vectors, host cells, and recombinant and synthetic methods for producing said polynucleotides, polypeptides, and/or antibodies. The invention further encompasses screening methods for identifying agonists and antagonists of polynucleotides and polypeptides of the invention. The present invention further encompasses methods and compositions for inhibiting or enhancing the production and function of the polypeptides of the present invention.

Human Secreted Proteins

Field of the Invention

The present invention relates to human secreted proteins/polypeptides, and isolated nucleic acid molecules encoding said proteins/polypeptides, useful for detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating cardiovascular diseases, disorders, and/or conditions related thereto. Antibodies that bind these polypeptides are also encompassed by the present invention. Also encompassed by the invention are vectors, host cells, and recombinant and synthetic methods for producing said polynucleotides, polypeptides, and/or antibodies. The invention further encompasses screening methods for identifying agonists and antagonists of polynucleotides and polypeptides of the invention. The present invention further encompasses methods and compositions for inhibiting or enhancing the production and function of the polypeptides of the present invention.

Background of the Invention

The cardiovascular system is a component of a complex physiological network involved in maintaining the oxygen and nutrient supply to tissues of the body.

The heart is the anatomical and functional centerpiece of the cardiovascular system. Weighing only 250-350 grams (less than a pound), the heart is one of our strongest and hardest working organs. It is composed of innervated muscle tissue with unique properties; e.g., it can pace itself in contraction. The main center of rhythm regulation is the sinoatrial (SA) node. Certain cardiac cells repeatedly fire impulses that trigger heart contractions. These autorhythmic cells have two important functions. One is to act as a pacemaker (set the pace for the entire heart), and the other is to form a conduction system, the route for conducting impulses throughout the heart muscle. This conduction system controls the pattern of blood flow through the heart.

The heart pumps at least five quarts of blood through a full circuit of the body every minute. The heart consists of two pumps, side by side. The pump on the right side moves blood to the lungs, where waste gases, such as carbon dioxide, are removed and oxygen is added. Freshly oxygenated blood returns to the pump on the left side, which moves it out into the rest of the body.

Blood flows away from the heart to the lungs or to the rest of your body, though blood vessels called arteries. Arteries branch extensively, each branch become smaller, forming blood vessels called arterioles. Arterioles also become repeatedly smaller and smaller until they are tiny vessels called capillaries. Throughout the arteries and smaller vessels that stem from them, the blood delivers nutrients and oxygen to the tissues and picks up waste. This task is completed in the capillaries. As the blood moves on through the capillaries the blood vessels gradually become

larger, eventually becoming veins. Veins ultimately carry blood back to the heart. The cycle then begins again.

Disorders of the cardiovascular system are many and varied, killing more Americans each year than any other category of disorders. For example, damage to the conduction system leads to arrhythmia, an irregular beating of the heart. If left untreated, the heart becomes unable to effectively pump blood, frequently leading to permanent heart damage and/or cardiac arrest.

One of the most prevalent conditions in industrialized countries today is atherosclerosis. Atherosclerosis is the buildup of fatty deposits in the intima of large and medium-sized arteries. The buildup of deposits narrowing of the arteries, reducing or potentially blocking the ability of blood to flow through the arteries. Untreated, atherosclerosis typically results in cardiac arrest and, frequently, death.

Clearly, the discovery of new human cardiovascular-associated polynucleotides, the polypeptides encoded by them, and antibodies that immunospecifically bind these polypeptides, satisfies a need in the art by providing new compositions which are useful in the diagnosis, treatment, prevention and/or prognosis of caridovascular disorders.

Cardiovascular disorders include, but are not limited to, stroke, cardiovascular abnormalities, such as arterio-arterial fistula, arteriovenous fistula, cerebral arteriovenous malformations, congenital heart defects, pulmonary atresia, and Scimitar Syndrome. Congenital heart defects include, but are not limited to, aortic coarctation, cor triatriatum, coronary vessel anomalies, crisscross heart, dextrocardia, patent ductus arteriosus, Ebstein's anomaly, Eisenmenger complex, hypoplastic left heart syndrome, levocardia, tetralogy of fallot, transposition of great vessels, double outlet right ventricle, tricuspid atresia, persistent truncus arteriosus, and heart septal defects, such as aortopulmonary septal defect, endocardial cushion defects, Lutembacher's Syndrome, trilogy of Fallot, ventricular heart septal defects.

Cardiovascular disorders also include, but are not limited to, heart disease, such as arrhythmias, carcinoid heart disease, high cardiac output, low cardiac output, cardiac tamponade, endocarditis (including bacterial), heart aneurysm, cardiac arrest, congestive heart failure, congestive cardiomyopathy, paroxysmal dyspnea, cardiac edema, heart hypertrophy, congestive cardiomyopathy, left ventricular hypertrophy, right ventricular hypertrophy, post-infarction heart rupture, ventricular septal rupture, heart valve diseases, myocardial diseases, myocardial ischemia, pericardial effusion, pericarditis (including constrictive and tuberculous), pneumopericardium, postpericardiotomy syndrome, pulmonary heart disease, rheumatic heart disease, ventricular dysfunction, hyperemia, cardiovascular pregnancy complications, Scimitar Syndrome, cardiovascular syphilis, and cardiovascular tuberculosis.

Arrhythmias include, but are not limited to, sinus arrhythmia, atrial fibrillation, atrial flutter, bradycardia, extrasystole, Adams-Stokes Syndrome, bundle-branch block, sinoatrial block, long QT syndrome, parasystole, Lown-Ganong-Levine Syndrome, Mahaim-type pre-excitation

syndrome, Wolff-Parkinson-White syndrome, sick sinus syndrome, tachycardias, and ventricular fibrillation. Tachycardias include paroxysmal tachycardia, supraventricular tachycardia, accelerated idioventricular rhythm, atrioventricular nodal reentry tachycardia, ectopic atrial tachycardia, ectopic junctional tachycardia, sinoatrial nodal reentry tachycardia, sinus tachycardia, Torsades de Pointes, and ventricular tachycardia.

Heart valve diseases include, but are not limited to, aortic valve insufficiency, aortic valve stenosis, hear murmurs, aortic valve prolapse, mitral valve prolapse, tricuspid valve prolapse, mitral valve insufficiency, mitral valve stenosis, pulmonary atresia, pulmonary valve insufficiency, pulmonary valve stenosis, tricuspid atresia, tricuspid valve insufficiency, and tricuspid valve stenosis.

Myocardial diseases include, but are not limited to, alcoholic cardiomyopathy, congestive cardiomyopathy, hypertrophic cardiomyopathy, aortic subvalvular stenosis, pulmonary subvalvular stenosis, restrictive cardiomyopathy, Chagas cardiomyopathy, endocardial fibroelastosis, endomyocardial fibrosis, Kearns Syndrome, myocardial reperfusion injury, and myocarditis.

Myocardial ischemias include, but are not limited to, coronary disease, such as angina pectoris, coronary aneurysm, coronary arteriosclerosis, coronary thrombosis, coronary vasospasm, myocardial infarction and myocardial stunning.

Cardiovascular diseases also include vascular diseases such as aneurysms, angiodysplasia, angiomatosis, bacillary angiomatosis, Hippel-Lindau Disease, Klippel-Trenaunay-Weber Syndrome, Sturge-Weber Syndrome, angioneurotic edema, aortic diseases, Takayasu's Arteritis, aortitis, Leriche's Syndrome, arterial occlusive diseases, arteritis, enarteritis, polyarteritis nodosa, cerebrovascular disorders, diabetic angiopathies, diabetic retinopathy, embolisms, thrombosis, erythromelalgia, hemorrhoids, hepatic veno-occlusive disease, hypertension, hypotension, ischemia, peripheral vascular diseases, phlebitis, pulmonary veno-occlusive disease, Raynaud's disease, CREST syndrome, retinal vein occlusion, Scimitar syndrome, superior vena cava syndrome, telangiectasia, atacia telangiectasia, hereditary hemorrhagic telangiectasia, varicocele, varicose veins, varicose ulcer, vasculitis, and venous insufficiency.

Aneurysms include, but are not limited to, dissecting aneurysms, false aneurysms, infected aneurysms, ruptured aneurysms, aortic aneurysms, cerebral aneurysms, coronary aneurysms, heart aneurysms, and iliac aneurysms.

Arterial occlusive diseases include, but are not limited to, arteriosclerosis, intermittent claudication, carotid stenosis, fibromuscular dysplasias, mesenteric vascular occlusion, Moyamoya disease, renal artery obstruction, retinal artery occlusion, and thromboangiitis obliterans.

Cerebrovascular disorders include, but are not limited to, carotid artery diseases, cerebral amyloid angiopathy, cerebral aneurysm, cerebral anoxia, cerebral arteriosclerosis, cerebral arteriovenous malformation, cerebral artery diseases, cerebral embolism and thrombosis, carotid

artery thrombosis, sinus thrombosis, Wallenberg's syndrome, cerebral hemorrhage, epidural hematoma, subdural hematoma, subaraxhnoid hemorrhage, cerebral infarction, cerebral ischemia (including transient), subclavian steal syndrome, periventricular leukomalacia, vascular headache, cluster headache, migraine, and vertebrobasilar insufficiency.

Embolisms include, but are not limited to, air embolisms, amniotic fluid embolisms, cholesterol embolisms, blue toe syndrome, fat embolisms, pulmonary embolisms, and thromoboembolisms. Thrombosis include, but are not limited to, coronary thrombosis, hepatic vein thrombosis, retinal vein occlusion, carotid artery thrombosis, sinus thrombosis, Wallenberg's syndrome, and thrombophlebitis.

Ischemic disorders include, but are not limited to, cerebral ischemia, ischemic colitis, compartment syndromes, anterior compartment syndrome, myocardial ischemia, reperfusion injuries, and peripheral limb ischemia. Vasculitis includes, but is not limited to, aortitis, arteritis, Behcet's Syndrome, Churg-Strauss Syndrome, mucocutaneous lymph node syndrome, thromboangiitis obliterans, hypersensitivity vasculitis, Schoenlein-Henoch purpura, allergic cutaneous vasculitis, and Wegener's granulomatosis.

Summary of the Invention

The present invention encompasses human secreted proteins/polypeptides, and isolated nucleic acid molecules encoding said proteins/polypeptides, useful for detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating cardiovascular diseases and disorders. Antibodies that bind these polypeptides are also encompassed by the present invention; as are vectors, host cells, and recombinant and synthetic methods for producing said polynucleotides, polypeptides, and/or antibodies. The invention further encompasses screening methods for identifying agonists and antagonists of polynucleotides and polypeptides of the invention. The present invention also encompasses methods and compositions for inhibiting or enhancing the production and function of the polypeptides of the present invention.

Detailed Description

Polynucleotides and Polypeptides of the Invention

Description of Table 1A

Table 1A summarizes information concerning certain polypnucleotides and polypeptides of the invention. The first column provides the gene number in the application for

each clone identifier. The second column provides a unique clone identifier, "Clone ID:", for a cDNA clone related to each contig sequence disclosed in Table 1A. Third column, the cDNA Clones identified in the second column were deposited as indicated in the third column (i.e. by ATCC Deposit No:Z and deposit date). Some of the deposits contain multiple different clones corresponding to the same gene. In the fourth column, "Vector" refers to the type of vector contained in the corresponding cDNA Clone identified in the second column. In the fifth column, the nucleotide sequence identified as "NT SEQ ID NO:X" was assembled from partially homologous ("overlapping") sequences obtained from the corresponding cDNA clone identified in the second column and, in some cases, from additional related cDNA clones. The overlapping sequences were assembled into a single contiguous sequence of high redundancy (usually three to five overlapping sequences at each nucleotide position), resulting in a final sequence identified as SEQ ID NO:X. In the sixth column, "Total NT Seq." refers to the total number of nucleotides in the contig sequence identified as SEQ ID NO:X." The deposited clone may contain all or most of these sequences, reflected by the nucleotide position indicated as "5' NT of Clone Seq." (seventh column) and the "3' NT of Clone Seq." (eighth column) of SEQ ID NO:X. In the ninth column, the nucleotide position of SEQ ID NO:X of the putative start codon (methionine) is identified as "5' NT of Start Codon." Similarly , in column ten, the nucleotide position of SEQ ID NO:X of the predicted signal sequence is identified as "5' NT of First AA of Signal Pep." In the eleventh column, the translated amino acid sequence, beginning with the methionine, is identified as "AA SEQ ID NO:Y," although other reading frames can also be routinely translated using known molecular biology techniques. The polypeptides produced by these alternative open reading frames are specifically contemplated by the present invention.

In the twelfth and thirteenth columns of Table 1A, the first and last amino acid position of SEQ ID NO:Y of the predicted signal peptide is identified as "First AA of Sig Pep" and "Last AA of Sig Pep." In the fourteenth column, the predicted first amino acid position of SEQ ID NO:Y of the secreted portion is identified as "Predicted First AA of Secreted Portion". The amino acid position of SEQ ID NO:Y of the last amino acid encoded by the open reading frame is identified in the fifteenth column as "Last AA of ORF".

SEQ ID NO:X (where X may be any of the polynucleotide sequences disclosed in the sequence listing) and the translated SEQ ID NO:Y (where Y may be any of the polypeptide sequences disclosed in the sequence listing) are sufficiently accurate and otherwise suitable for a variety of uses well known in the art and described further below. For instance, SEQ ID NO:X is useful for designing nucleic acid hybridization probes that will detect nucleic acid sequences contained in SEQ ID NO:X or the cDNA contained in the deposited clone. These probes will also hybridize to nucleic acid molecules in biological samples, thereby enabling a variety of forensic and diagnostic methods of the invention. Similarly, polypeptides identified from SEQ ID NO:Y may be used, for example, to generate antibodies which bind specifically to proteins containing the

polypeptides and the secreted proteins encoded by the cDNA clones identified in Table 1A and/or elsewhere herein

Nevertheless, DNA sequences generated by sequencing reactions can contain sequencing errors. The errors exist as misidentified nucleotides, or as insertions or deletions of nucleotides in the generated DNA sequence. The erroneously inserted or deleted nucleotides cause frame shifts in the reading frames of the predicted amino acid sequence. In these cases, the predicted amino acid sequence diverges from the actual amino acid sequence, even though the generated DNA sequence may be greater than 99.9% identical to the actual DNA sequence (for example, one base insertion or deletion in an open reading frame of over 1000 bases).

Accordingly, for those applications requiring precision in the nucleotide sequence or the amino acid sequence, the present invention provides not only the generated nucleotide sequence identified as SEQ ID NO:X, and the predicted translated amino acid sequence identified as SEQ ID NO:Y, but also a sample of plasmid DNA containing a human cDNA of the invention deposited with the ATCC, as set forth in Table 1A. The nucleotide sequence of each deposited plasmid can readily be determined by sequencing the deposited plasmid in accordance with known methods

The predicted amino acid sequence can then be verified from such deposits. Moreover, the amino acid sequence of the protein encoded by a particular plasmid can also be directly determined by peptide sequencing or by expressing the protein in a suitable host cell containing the deposited human cDNA, collecting the protein, and determining its sequence.

Also provided in Table 1A is the name of the vector which contains the cDNA plasmid. Each vector is routinely used in the art. The following additional information is provided for convenience.

Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286,636), pBluescript (pBS) (Short, J. M. et al., *Nucleic Acids Res. 16:*7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., *Nucleic Acids Res. 17:*9494 (1989)) and pBK (Alting-Mees, M. A. et al., *Strategies 5:*58-61 (1992)) are commercially available from Stratagene Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Phagemid pBS may be excised from the Lambda Zap and Uni-Zap XR vectors, and phagemid pBK may be excised from the Zap Express vector. Both phagemids may be transformed into *E. coli* strain XL-1 Blue, also available from Stratagene

Vectors pSport1, pCMVSport 1.0, pCMVSport 2.0 and pCMVSport 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, also available from Life Technologies. See, for instance, Gruber, C. E., et al., *Focus 15:*59 (1993). Vector lafmid BA (Bento Soares, Columbia University, New York, NY) contains an ampicillin resistance

gene and can be transformed into *E. coli* strain XL-1 Blue. Vector pCR®2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, available from Life Technologies. See, for instance, Clark, J. M., *Nuc. Acids Res. 16:*9677-9686 (1988) and Mead, D. *et al., Bio/Technology 9:* (1991).

The present invention also relates to the genes corresponding to SEQ ID NO:X, SEQ ID NO:Y, and/or a deposited cDNA (cDNA Clone ID). The corresponding gene can be isolated in accordance with known methods using the sequence information disclosed herein. Such methods include, but are not limited to, preparing probes or primers from the disclosed sequence and identifying or amplifying the corresponding gene from appropriate sources of genomic material.

Also provided in the present invention are allelic variants, orthologs, and/or species homologs. Procedures known in the art can be used to obtain full-length genes, allelic variants, splice variants, full-length coding portions, orthologs, and/or species homologs of genes corresponding to SEQ ID NO:X and SEQ ID NO:Y using information from the sequences disclosed herein or the clones deposited with the ATCC. For example, allelic variants and/or species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a suitable nucleic acid source for allelic variants and/or the desired homologue.

The present invention provides a polynucleotide comprising, or alternatively consisting of, the nucleic acid sequence of SEQ ID NO:X and/or a cDNA contained in ATCC Deposit No.Z. The present invention also provides a polypeptide comprising, or alternatively, consisting of, the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X, and/or a polypeptide encoded by a cDNA contained in ATCC deposit No.Z. Polynucleotides encoding a polypeptide comprising, or alternatively consisting of the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X and/or a polypeptide encoded by the cDNA contained in ATCC Deposit No.Z, are also encompassed by the invention. The present invention further encompasses a polynucleotide comprising, or alternatively consisting of the complement of the nucleic acid sequence of SEQ ID NO:X, and/or the complement of the coding strand of the cDNA contained in ATCC Deposit No.Z.

Description of Table 1B (Comprised of Tables 1B.1 and 1B.2)

Table 1B.1 and Table 1B.2 summarize some of the polynucleotides encompassed by the invention (including cDNA clones related to the sequences (Clone ID:), contig sequences (contig identifier (Contig ID:) and contig nucleotide sequence identifiers (SEQ ID NO:X)) and further summarizes certain characteristics of these polynucleotides and the polypeptides encoded thereby. The first column of Tables 1B.1 and 1B.2 provide the gene numbers in the application for each clone identifier. The second column of Tables 1B.1 and 1B.2 provide unique clone

identifiers, "Clone ID:", for cDNA clones related to each contig sequence disclosed in Table 1A and/or Table 1B. The third column of Tables 1B.1 and 1B.2 provide unique contig identifiers, "Contig ID:" for each of the contig sequences disclosed in these tables. The fourth column of Tables 1B.1 and 1B.2 provide the sequence identifiers, "SEQ ID NO:X", for each of the contig sequences disclosed in Table 1A and/or 1B.

Table 1B.1

The fifth column of Table 1B.1, "ORF (From-To)", provides the location (i.e., nucleotide position numbers) within the polynucleotide sequence of SEQ ID NO:X that delineates the preferred open reading frame (ORF) that encodes the amino acid sequence shown in the sequence listing and referenced in Table 1B.1 as SEQ ID NO:Y (column 6). Column 7 of Table 1B.1 lists residues comprising predicted epitopes contained in the polypeptides encoded by each of the preferred ORFs (SEQ ID NO:Y). Identification of potential immunogenic regions was performed according to the method of Jameson and Wolf (CABIOS, 4; 181-186 (1988)); specifically, the Genetics Computer Group (GCG) implementation of this algorithm, embodied in the program PEPTIDESTRUCTURE (Wisconsin Package v10.0, Genetics Computer Group (GCG), Madison, Wisc.). This method returns a measure of the probability that a given residue is found on the surface of the protein. Regions where the antigenic index score is greater than 0.9 over at least 6 amino acids are indicated in Table 1B.1 as "Predicted Epitopes". In particular embodiments, polypeptides of the invention comprise, or alternatively consist of, one, two, three, four, five or more of the predicted epitopes described in Table 1B.1. It will be appreciated that depending on the analytical criteria used to predict antigenic determinants, the exact address of the determinant may vary slightly. Column 8 of Table 1B.1 ("Cytologic Band") provides the chromosomal location of polynucleotides corresponding to SEQ ID NO:X. Chromosomal location was determined by finding exact matches to EST and cDNA sequences contained in the NCBI (National Center for Biotechnology Information) UniGene database. Given a presumptive chromosomal location, disease locus association was determined by comparison with the Morbid Map, derived from Online Mendelian Inheritance in Man (Online Mendelian Inheritance in Man, OMIM™. McKusick-Nathans Institute for Genetic Medicine, Johns Hopkins University (Baltimore, MD) and National Center for Biotechnology Information, National Library of Medicine (Bethesda, MD) 2000. World Wide Web URL: http://www.ncbi.nlm.nih.gov/omim/). If the putative chromosomal location of the Query overlaps with the chromosomal location of a Morbid Map entry, an OMIM identification number is disclosed in Table 1B.1, column 9 labeled "OMIM Disease Reference(s)". A key to the OMIM reference identification numbers is provided in Table 5.

Table 1B.2

Column 5 of Table 1B.2, "Tissue Distribution" shows the expression profile of tissue, cells, and/or cell line libraries which express the polynucleotides of the invention. The first code number shown in Table 1B.2 column 5 (preceding the colon), represents the tissue/cell source identifier code corresponding to the key provided in Table 4. Expression of these polynucleotides was not observed in the other tissues and/or cell libraries tested. The second number in column 5 (following the colon), represents the number of times a sequence corresponding to the reference polynucleotide sequence (e.g., SEQ ID NO:X) was identified in the corresponding tissue/cell source. Those tissue/cell source identifier codes in which the first two letters are "AR" designate information generated using DNA array technology. Utilizing this technology, cDNAs were amplified by PCR and then transferred, in duplicate, onto the array. Gene expression was assayed through hybridization of first strand cDNA probes to the DNA array. cDNA probes were generated from total RNA extracted from a variety of different tissues and cell lines. Probe synthesis was performed in the presence of ^{33}P dCTP, using oligo(dT) to prime reverse transcription. After hybridization, high stringency washing conditions were employed to remove non-specific hybrids from the array. The remaining signal, emanating from each gene target, was measured using a Phosphorimager. Gene expression was reported as Phosphor Stimulating Luminescence (PSL) which reflects the level of phosphor signal generated from the probe hybridized to each of the gene targets represented on the array. A local background signal subtraction was performed before the total signal generated from each array was used to normalize gene expression between the different hybridizations. The value presented after "[array code]:" represents the mean of the duplicate values, following background subtraction and probe normalization. One of skill in the art could routinely use this information to identify normal and/or diseased tissue(s) which show a predominant expression pattern of the corresponding polynucleotide of the invention or to identify polynucleotides which show predominant and/or specific tissue and/or cell expression.

Description of Table 1C

Table 1C summarizes additional polynucleotides encompassed by the invention (including cDNA clones related to the sequences (Clone ID:), contig sequences (contig identifier (Contig ID:) contig nucleotide sequence identifiers (SEQ ID NO:X)), and genomic sequences (SEQ ID NO:B). The first column provides a unique clone identifier, "Clone ID:", for a cDNA clone related to each contig sequence. The second column provides the sequence identifier, "SEQ ID NO:X", for each contig sequence. The third column provides a unique contig identifier, "Contig ID:" for each contig sequence. The fourth column, provides a BAC identifier "BAC ID NO:A" for the BAC clone referenced in the corresponding row of the table. The fifth column provides the nucleotide sequence identifier, "SEQ ID NO:B" for a fragment of the BAC clone identified in column four of the corresponding row of the table. The sixth column, "Exon From-

To", provides the location (i.e., nucleotide position numbers) within the polynucleotide sequence of SEQ ID NO:B which delineate certain polynucleotides of the invention that are also exemplary members of polynucleotide sequences that encode polypeptides of the invention (e.g., polypeptides containing amino acid sequences encoded by the polynucleotide sequences delineated in column six, and fragments and variants thereof).

Description of Table 1D

Table 1D: In preferred embodiments, the present invention encompasses a method of detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating cardiovascular diseases or disorders; comprising administering to a patient in which such treatment, prevention, or amelioration is desired a protein, nucleic acid, or antibody of the invention (or fragment or variant thereof) represented by Table 1A, Table 1B, and Table 1C, in an amount effective to detect, prevent, diagnose, prognosticate, treat, and/or ameliorate the disease or disorder.

As indicated in Table 1D, the polynucleotides, polypeptides, agonists, or antagonists of the present invention (including antibodies) can be used in assays to test for one or more biological activities. If these polynucleotides and polypeptides do exhibit activity in a particular assay, it is likely that these molecules may be involved in the diseases associated with the biological activity. Thus, the polynucleotides or polypeptides, or agonists or antagonists thereof (including antibodies) could be used to treat the associated disease.

Table 1D provides information related to biological activities for polynucleotides and polypeptides of the invention (including antibodies, agonists, and/or antagonists thereof). Table 1D also provides information related to assays which may be used to test polynucleotides and polypeptides of the invention (including antibodies, agonists, and/or antagonists thereof) for the corresponding biological activities. The first column ("Gene No.") provides the gene number in the application for each clone identifier. The second column ("cDNA Clone ID:") provides the unique clone identifier for each clone as previously described and indicated in Tables 1A, 1B, and 1C. The third column ("AA SEQ ID NO:Y") indicates the Sequence Listing SEQ ID Number for polypeptide sequences encoded by the corresponding cDNA clones (also as indicated in Tables 1A, 1B, and 2). The fourth column ("Biological Activity") indicates a biological activity corresponding to the indicated polypeptides (or polynucleotides encoding said polypeptides). The fifth column ("Exemplary Activity Assay") further describes the corresponding biological activity and provides information pertaining to the various types of assays which may be performed to test, demonstrate, or quantify the corresponding biological activity. Table 1D describes the use of FMAT technology, *inter alia*, for testing or demonstrating various biological activities. Fluorometric microvolume assay technology (FMAT) is a fluorescence-based system which provides a means to perform nonradioactive cell- and bead-based assays to detect activation of cell

signal transduction pathways. This technology was designed specifically for ligand binding and immunological assays. Using this technology, fluorescent cells or beads at the bottom of the well are detected as localized areas of concentrated fluorescence using a data processing system. Unbound flurophore comprising the background signal is ignored, allowing for a wide variety of homogeneous assays. FMAT technology may be used for peptide ligand binding assays, immunofluorescence, apoptosis, cytotoxicity, and bead-based immunocapture assays. *See*, Miraglia S et. al., "Homogeneous cell and bead based assays for highthroughput screening using flourometric microvolume assay technology," Journal of Biomolecular Screening; 4:193-204 (1999). In particular, FMAT technology may be used to test, confirm, and/or identify the ability of polypeptides (including polypeptide fragments and variants) to activate signal transduction pathways. For example, FMAT technology may be used to test, confirm, and/or identify the ability of polypeptides to upregulate production of immunomodulatory proteins (such as, for example, interleukins, GM-CSF, Rantes, and Tumor Necrosis factors, as well as other cellular regulators (e.g. insulin)).

Table 1D also describes the use of kinase assays for testing, demonstrating, or quantifying biological activity. In this regard, the phosphorylation and de-phosphorylation of specific amino acid residues (e.g. Tyrosine, Serine, Threonine) on cell-signal transduction proteins provides a fast, reversible means for activation and de-activation of cellular signal transduction pathways. Moreover, cell signal transduction via phosphorylation/de-phosphorylation is crucial to the regulation of a wide variety of cellular processes (e.g. proliferation, differentiation, migration, apoptosis, etc.). Accordingly, kinase assays provide a powerful tool useful for testing, confirming, and/or identifying polypeptides (including polypeptide fragments and variants) that mediate cell signal transduction events via protein phosphorylation. See e.g., Forrer, P., Tamaskovic R., and Jaussi, R. "Enzyme-Linked Immunosorbent Assay for Measurement of JNK, ERK, and p38 Kinase Activities" Biol. Chem. 379(8-9): 1101-1110 (1998).

Description of Table 2

Table 2 summarizes homology and features of some of the polypeptides of the invention. The first column provides a unique clone identifier, "Clone ID:", corresponding to a cDNA clone disclosed in Table 1A or Table 1B. The second column provides the unique contig identifier, "Contig ID:" corresponding to contigs in Table 1B and allowing for correlation with the information in Table 1B. The third column provides the sequence identifier, "SEQ ID NO:X", for the contig polynucleotide sequence. The fourth column provides the analysis method by which the homology/identity disclosed in the Table was determined. Comparisons were made between polypeptides encoded by the polynucleotides of the invention and either a non-redundant protein database (herein referred to as "NR"), or a database of protein families (herein referred to as

"PFAM") as further described below. The fifth column provides a description of the PFAM/NR hit having a significant match to a polypeptide of the invention. Column six provides the accession number of the PFAM/NR hit disclosed in the fifth column. Column seven, "Score/Percent Identity", provides a quality score or the percent identity, of the hit disclosed in columns five and six. Columns 8 and 9, "NT From" and "NT To" respectively, delineate the polynucleotides in "SEQ ID NO:X" that encode a polypeptide having a significant match to the PFAM/NR database as disclosed in the fifth and sixth columns. In specific embodiments polypeptides of the invention comprise, or alternatively consist of, an amino acid sequence encoded by a polynucleotide in SEQ ID NO:X as delineated in columns 8 and 9, or fragments or variants thereof.

Description of Table 3

Table 3 provides polynucleotide sequences that may be disclaimed according to certain embodiments of the invention. The first column provides a unique clone identifier, "Clone ID", for a cDNA clone related to contig sequences disclosed in Table 1B. The second column provides the sequence identifier, "SEQ ID NO:X", for contig sequences disclosed in Table 1A and/or Table 1B. The third column provides the unique contig identifier, "Contig ID:", for contigs disclosed in Table 1B. The fourth column provides a unique integer 'a' where 'a' is any integer between 1 and the final nucleotide minus 15 of SEQ ID NO:X, and the fifth column provides a unique integer 'b' where 'b' is any integer between 15 and the final nucleotide of SEQ ID NO:X, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:X, and where b is greater than or equal to a + 14. For each of the polynucleotides shown as SEQ ID NO:X, the uniquely defined integers can be substituted into the general formula of a-b, and used to describe polynucleotides which may be preferably excluded from the invention. In certain embodiments, preferably excluded from the invention are at least one, two, three, four, five, ten, or more of the polynucleotide sequence(s) having the accession number(s) disclosed in the sixth column of this Table (including for example, published sequence in connection with a particular BAC clone). In further embodiments, preferably excluded from the invention are the specific polynucleotide sequence(s) contained in the clones corresponding to at least one, two, three, four, five, ten, or more of the available material having the accession numbers identified in the sixth column of this Table (including for example, the actual sequence contained in an identified BAC clone).

Description of Table 4

Table 4 provides a key to the tissue/cell source identifier code disclosed in Table 1B.2, column 5. Column 1 provides the tissue/cell source identifier code disclosed in Table 1B.2, Column 5. Columns 2-5 provide a description of the tissue or cell source. Note that "Description"

and "Tissue" sources (i.e. columns 2 and 3) having the prefix "a_" indicates organs, tissues, or cells derived from "adult" sources. Codes corresponding to diseased tissues are indicated in column 6 with the word "disease." The use of the word "disease" in column 6 is non-limiting. The tissue or cell source may be specific (e.g. a neoplasm), or may be disease-associated (e.g., a tissue sample from a normal portion of a diseased organ). Furthermore, tissues and/or cells lacking the "disease" designation may still be derived from sources directly or indirectly involved in a disease state or disorder, and therefore may have a further utility in that disease state or disorder. In numerous cases where the tissue/cell source is a library, column 7 identifies the vector used to generate the library.

Description of Table 5

Table 5 provides a key to the OMIM reference identification numbers disclosed in Table 1B.1. OMIM reference identification numbers (Column 1) were derived from Online Mendelian Inheritance in Man (Online Mendelian Inheritance in Man, OMIM. McKusick-Nathans Institute for Genetic Medicine, Johns Hopkins University (Baltimore, MD) and National Center for Biotechnology Information, National Library of Medicine, (Bethesda, MD) 2000. World Wide Web URL: http://www.ncbi.nlm.nih.gov/omim/). Column 2 provides diseases associated with the cytologic band disclosed in Table 1B.1, as determined using the Morbid Map database.

Description of Table 6

Table 6 summarizes some of the ATCC Deposits, Deposit dates, and ATCC designation numbers of deposits made with the ATCC in connection with the present application. These deposits were made in addition to those described in the Table 1A.

Description of Table 7

Table 7 shows the cDNA libraries sequenced, and ATCC designation numbers and vector information relating to these cDNA libraries.

The first column shows the first four letters indicating the Library from which each library clone was derived. The second column indicates the catalogued tissue description for the corresponding libraries. The third column indicates the vector containing the corresponding clones. The fourth column shows the ATCC deposit designation for each libray clone as indicated by the deposit information in Table 6.

Definitions

The following definitions are provided to facilitate understanding of certain terms used throughout this specification.

In the present invention, "isolated" refers to material removed from its original environment (e.g., the natural environment if it is naturally occurring), and thus is altered "by the hand of man" from its natural state. For example, an isolated polynucleotide could be part of a vector or a composition of matter, or could be contained within a cell, and still be "isolated" because that vector, composition of matter, or particular cell is not the original environment of the polynucleotide. The term "isolated" does not refer to genomic or cDNA libraries, whole cell total or mRNA preparations, genomic DNA preparations (including those separated by electrophoresis and transferred onto blots), sheared whole cell genomic DNA preparations or other compositions where the art demonstrates no distinguishing features of the polynucleotide/sequences of the present invention.

In the present invention, a "secreted" protein refers to those proteins capable of being directed to the ER, secretory vesicles, or the extracellular space as a result of a signal sequence, as well as those proteins released into the extracellular space without necessarily containing a signal sequence. If the secreted protein is released into the extracellular space, the secreted protein can undergo extracellular processing to produce a "mature" protein. Release into the extracellular space can occur by many mechanisms, including exocytosis and proteolytic cleavage.

As used herein, a "polynucleotide" refers to a molecule having a nucleic acid sequence encoding SEQ ID NO:Y or a fragment or variant thereof (e.g., the polypeptide delinated in columns fourteen and fifteen of Table 1A); a nucleic acid sequence contained in SEQ ID NO:X (as described in column 5 of Table 1A and/or Table 1B) or the complement thereof; a cDNA sequence contained in Clone ID: (as described in column 2 of Table 1A and/or Table 1B and contained within a library deposited with the ATCC); a nucleotide sequence encoding the polypeptide encoded by a nucleotide sequence in SEQ ID NO:B as defined in column 6 (EXON From-To) of Table 1C or a fragment or variant thereof; or a nucleotide coding sequence in SEQ ID NO:B as defined in column 6 of Table 1C or the complement thereof. For example, the polynucleotide can contain the nucleotide sequence of the full length cDNA sequence, including the 5' and 3' untranslated sequences, the coding region, as well as fragments, epitopes, domains, and variants of the nucleic acid sequence. Moreover, as used herein, a "polypeptide" refers to a molecule having an amino acid sequence encoded by a polynucleotide of the invention as broadly defined (obviously excluding poly-Phenylalanine or poly-Lysine peptide sequences which result from translation of a polyA tail of a sequence corresponding to a cDNA).

In the present invention, "SEQ ID NO:X" was often generated by overlapping sequences contained in multiple clones (contig analysis). A representative clone containing all or most of the sequence for SEQ ID NO:X is deposited at Human Genome Sciences, Inc. (HGS) in a catalogued and archived library. As shown, for example, in Table 1B, each clone is identified by a cDNA Clone ID (identifier generally referred to herein as Clone ID:). Each Clone ID is unique to an individual clone and the Clone ID is all the information needed to retrieve a given clone from

the HGS library. Table 7 provides a list of the deposited cDNA libraries. One can use the Clone ID: to determine the library source by reference to Tables 6 and 7. Table 7 lists the deposited cDNA libraries by name and links each library to an ATCC Deposit. Library names contain four characters, for example, "HTWE." The name of a cDNA clone (Clone ID) isolated from that library begins with the same four characters, for example "HTWEP07". As mentioned below, Table 1A and/or Table 1B correlates the Clone ID names with SEQ ID NO:X. Thus, starting with an SEQ ID NO:X, one can use Tables 1A, 1B, 6, 7, and 9 to determine the corresponding Clone ID, which library it came from and which ATCC deposit the library is contained in. Furthermore, it is possible to retrieve a given cDNA clone from the source library by techniques known in the art and described elsewhere herein. The ATCC is located at 10801 University Boulevard, Manassas, Virginia 20110-2209, USA. The ATCC deposits were made pursuant to the terms of the Budapest Treaty on the international recognition of the deposit of microorganisms for the purposes of patent procedure.

In specific embodiments, the polynucleotides of the invention are at least 15, at least 30, at least 50, at least 100, at least 125, at least 500, or at least 1000 continuous nucleotides but are less than or equal to 300 kb, 200 kb, 100 kb, 50 kb, 15 kb, 10 kb, 7.5kb, 5 kb, 2.5 kb, 2.0 kb, or 1 kb, in length. In a further embodiment, polynucleotides of the invention comprise a portion of the coding sequences, as disclosed herein, but do not comprise all or a portion of any intron. In another embodiment, the polynucleotides comprising coding sequences do not contain coding sequences of a genomic flanking gene (i.e., 5' or 3' to the gene of interest in the genome). In other embodiments, the polynucleotides of the invention do not contain the coding sequence of more than 1000, 500, 250, 100, 50, 25, 20, 15, 10, 5, 4, 3, 2, or 1 genomic flanking gene(s).

A "polynucleotide" of the present invention also includes those polynucleotides capable of hybridizing, under stringent hybridization conditions, to sequences contained in SEQ ID NO:X, or the complement thereof (e.g., the complement of any one, two, three, four, or more of the polynucleotide fragments described herein), the polynucleotide sequence delineated in columns 7 and 8 of Table 1A or the complement thereof, the polynucleotide sequence delineated in columns 8 and 9 of Table 2 or the complement thereof, and/or cDNA sequences contained in Clone ID: (e.g., the complement of any one, two, three, four, or more of the polynucleotide fragments, or the cDNA clone within the pool of cDNA clones deposited with the ATCC, described herein), and/or the polynucleotide sequence delineated in column 6 of Table 1C or the complement thereof. "Stringent hybridization conditions" refers to an overnight incubation at 42 degree C in a solution comprising 50% formamide, 5x SSC (750 mM NaCl, 75 mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5x Denhardt's solution, 10% dextran sulfate, and 20 μg/ml denatured, sheared salmon sperm DNA, followed by washing the filters in 0.1x SSC at about 65 degree C.

Also contemplated are nucleic acid molecules that hybridize to the polynucleotides of the present invention at lower stringency hybridization conditions. Changes in the stringency of hybridization and signal detection are primarily accomplished through the manipulation of formamide concentration (lower percentages of formamide result in lowered stringency); salt conditions, or temperature. For example, lower stringency conditions include an overnight incubation at 37 degree C in a solution comprising 6X SSPE (20X SSPE = 3M NaCl; 0.2M NaH_2PO_4; 0.02M EDTA, pH 7.4), 0.5% SDS, 30% formamide, 100 ug/ml salmon sperm blocking DNA; followed by washes at 50 degree C with 1XSSPE, 0.1% SDS. In addition, to achieve even lower stringency, washes performed following stringent hybridization can be done at higher salt concentrations (e.g. 5X SSC).

Note that variations in the above conditions may be accomplished through the inclusion and/or substitution of alternate blocking reagents used to suppress background in hybridization experiments. Typical blocking reagents include Denhardt's reagent, BLOTTO, heparin, denatured salmon sperm DNA, and commercially available proprietary formulations. The inclusion of specific blocking reagents may require modification of the hybridization conditions described above, due to problems with compatibility.

Of course, a polynucleotide which hybridizes only to polyA+ sequences (such as any 3' terminal polyA+ tract of a cDNA shown in the sequence listing), or to a complementary stretch of T (or U) residues, would not be included in the definition of "polynucleotide," since such a polynucleotide would hybridize to any nucleic acid molecule containing a poly (A) stretch or the complement thereof (e.g., practically any double-stranded cDNA clone generated using oligo dT as a primer).

The polynucleotide of the present invention can be composed of any polyribonucleotide or polydeoxribonucleotide, which may be unmodified RNA or DNA or modified RNA or DNA. For example, polynucleotides can be composed of single- and double-stranded DNA, DNA that is a mixture of single- and double-stranded regions, single- and double-stranded RNA, and RNA that is mixture of single- and double-stranded regions, hybrid molecules comprising DNA and RNA that may be single-stranded or, more typically, double-stranded or a mixture of single- and double-stranded regions. In addition, the polynucleotide can be composed of triple-stranded regions comprising RNA or DNA or both RNA and DNA. A polynucleotide may also contain one or more modified bases or DNA or RNA backbones modified for stability or for other reasons. "Modified" bases include, for example, tritylated bases and unusual bases such as inosine. A variety of modifications can be made to DNA and RNA; thus, "polynucleotide" embraces chemically, enzymatically, or metabolically modified forms.

In specific embodiments, the polynucleotides of the invention are at least 15, at least 30, at least 50, at least 100, at least 125, at least 500, or at least 1000 continuous nucleotides but are less than or equal to 300 kb, 200 kb, 100 kb, 50 kb, 15 kb, 10 kb, 7.5kb, 5 kb, 2.5 kb, 2.0 kb, or

1 kb, in length. In a further embodiment, polynucleotides of the invention comprise a portion of the coding sequences, as disclosed herein, but do not comprise all or a portion of any intron. In another embodiment, the polynucleotides comprising coding sequences do not contain coding sequences of a genomic flanking gene (i.e., 5' or 3' to the gene of interest in the genome). In other embodiments, the polynucleotides of the invention do not contain the coding sequence of more than 1000, 500, 250, 100, 50, 25, 20, 15, 10, 5, 4, 3, 2, or 1 genomic flanking gene(s).

"SEQ ID NO:X" refers to a polynucleotide sequence described in column 5 of Table 1A, while "SEQ ID NO:Y" refers to a polypeptide sequence described in column 10 of Table 1A. SEQ ID NO:X is identified by an integer specified in column 6 of Table 1A. The polypeptide sequence SEQ ID NO:Y is a translated open reading frame (ORF) encoded by polynucleotide SEQ ID NO:X. The polynucleotide sequences are shown in the sequence listing immediately followed by all of the polypeptide sequences. Thus, a polypeptide sequence corresponding to polynucleotide sequence SEQ ID NO:2 is the first polypeptide sequence shown in the sequence listing. The second polypeptide sequence corresponds to the polynucleotide sequence shown as SEQ ID NO:3, and so on.

The polypeptide of the present invention can be composed of amino acids joined to each other by peptide bonds or modified peptide bonds, i.e., peptide isosteres, and may contain amino acids other than the 20 gene-encoded amino acids. The polypeptides may be modified by either natural processes, such as posttranslational processing, or by chemical modification techniques which are well known in the art. Such modifications are well described in basic texts and in more detailed monographs, as well as in a voluminous research literature. Modifications can occur anywhere in a polypeptide, including the peptide backbone, the amino acid side-chains and the amino or carboxyl termini. It will be appreciated that the same type of modification may be present in the same or varying degrees at several sites in a given polypeptide. Also, a given polypeptide may contain many types of modifications. Polypeptides may be branched, for example, as a result of ubiquitination, and they may be cyclic, with or without branching. Cyclic, branched, and branched cyclic polypeptides may result from posttranslation natural processes or may be made by synthetic methods. Modifications include acetylation, acylation, ADP-ribosylation, amidation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphotidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cysteine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, pegylation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination. (See, for instance, PROTEINS - STRUCTURE AND MOLECULAR PROPERTIES, 2nd Ed., T. E.

Creighton, W. H. Freeman and Company, New York (1993); POSTTRANSLATIONAL COVALENT MODIFICATION OF PROTEINS, B. C. Johnson, Ed., Academic Press, New York, pgs. 1-12 (1983); Seifter et al., Meth. Enzymol. 182:626-646 (1990); Rattan et al., Ann. N.Y. Acad. Sci. 663:48-62 (1992)).

"SEQ ID NO:X" refers to a polynucleotide sequence described, for example, in Tables 1A, Table 1B, or Table 2, while "SEQ ID NO:Y" refers to a polypeptide sequence described in column 11 of Table 1A and or Table 1B. SEQ ID NO:X is identified by an integer specified in Table 1B. The polypeptide sequence SEQ ID NO:Y is a translated open reading frame (ORF) encoded by polynucleotide SEQ ID NO:X. "Clone ID:" refers to a cDNA clone described in column 2 of Table 1A and/or Table 1B.

"A polypeptide having functional activity" refers to a polypeptide capable of displaying one or more known functional activities associated with a full-length (complete) protein. Such functional activities include, but are not limited to, biological activity (e.g. activity useful in treating, preventing and/or ameliorating cardiovascular diseases and disorders), antigenicity (ability to bind [or compete with a polypeptide for binding] to an anti-polypeptide antibody), immunogenicity (ability to generate antibody which binds to a specific polypeptide of the invention), ability to form multimers with polypeptides of the invention, and ability to bind to a receptor or ligand for a polypeptide.

The polypeptides of the invention can be assayed for functional activity (e.g. biological activity) using or routinely modifying assays known in the art, as well as assays described herein. Specifically, one of skill in the art may routinely assay secreted polypeptides (including fragments and variants) of the invention for activity using assays as described in the examples section below.

"A polypeptide having biological activity" refers to a polypeptide exhibiting activity similar to, but not necessarily identical to, an activity of a polypeptide of the present invention, including mature forms, as measured in a particular biological assay, with or without dose dependency. In the case where dose dependency does exist, it need not be identical to that of the polypeptide, but rather substantially similar to the dose-dependence in a given activity as compared to the polypeptide of the present invention (i.e., the candidate polypeptide will exhibit greater activity or not more than about 25-fold less and, preferably, not more than about tenfold less activity, and most preferably, not more than about three-fold less activity relative to the polypeptide of the present invention).

TABLES

Table 1A

Table 1A summarizes information concerning certain polypnucleotides and polypeptides of the invention. The first column provides the gene number in the application for

each clone identifier. The second column provides a unique clone identifier, "Clone ID:", for a cDNA clone related to each contig sequence disclosed in Table 1A. Third column, the cDNA Clones identified in the second column were deposited as indicated in the third column (i.e. by ATCC Deposit No:Z and deposit date). Some of the deposits contain multiple different clones corresponding to the same gene. In the fourth column, "Vector" refers to the type of vector contained in the corresponding cDNA Clone identified in the second column. In the fifth column, the nucleotide sequence identified as "NT SEQ ID NO:X" was assembled from partially homologous ("overlapping") sequences obtained from the corresponding cDNA clone identified in the second column and, in some cases, from additional related cDNA clones. The overlapping sequences were assembled into a single contiguous sequence of high redundancy (usually three to five overlapping sequences at each nucleotide position), resulting in a final sequence identified as SEQ ID NO:X. In the sixth column, "Total NT Seq." refers to the total number of nucleotides in the contig sequence identified as SEQ ID NO:X." The deposited clone may contain all or most of these sequences, reflected by the nucleotide position indicated as "5' NT of Clone Seq." (seventh column) and the "3' NT of Clone Seq." (eighth column) of SEQ ID NO:X. In the ninth column, the nucleotide position of SEQ ID NO:X of the putative start codon (methionine) is identified as "5' NT of Start Codon." Similarly , in column ten, the nucleotide position of SEQ ID NO:X of the predicted signal sequence is identified as "5' NT of First AA of Signal Pep." In the eleventh column, the translated amino acid sequence, beginning with the methionine, is identified as "AA SEQ ID NO:Y," although other reading frames can also be routinely translated using known molecular biology techniques. The polypeptides produced by these alternative open reading frames are specifically contemplated by the present invention.

In the twelfth and thirteenth columns of Table 1A, the first and last amino acid position of SEQ ID NO:Y of the predicted signal peptide is identified as "First AA of Sig Pep" and "Last AA of Sig Pep." In the fourteenth column, the predicted first amino acid position of SEQ ID NO:Y of the secreted portion is identified as "Predicted First AA of Secreted Portion". The amino acid position of SEQ ID NO:Y of the last amino acid encoded by the open reading frame is identified in the fifteenth column as "Last AA of ORF".

SEQ ID NO:X (where X may be any of the polynucleotide sequences disclosed in the sequence listing) and the translated SEQ ID NO:Y (where Y may be any of the polypeptide sequences disclosed in the sequence listing) are sufficiently accurate and otherwise suitable for a variety of uses well known in the art and described further below. For instance, SEQ ID NO:X is useful for designing nucleic acid hybridization probes that will detect nucleic acid sequences contained in SEQ ID NO:X or the cDNA contained in the deposited clone. These probes will also hybridize to nucleic acid molecules in biological samples, thereby enabling a variety of forensic and diagnostic methods of the invention. Similarly, polypeptides identified from SEQ ID NO:Y may be used, for example, to generate antibodies which bind specifically to proteins containing the

polypeptides and the secreted proteins encoded by the cDNA clones identified in Table 1A and/or elsewhere herein

Nevertheless, DNA sequences generated by sequencing reactions can contain sequencing errors. The errors exist as misidentified nucleotides, or as insertions or deletions of nucleotides in the generated DNA sequence. The erroneously inserted or deleted nucleotides cause frame shifts in the reading frames of the predicted amino acid sequence. In these cases, the predicted amino acid sequence diverges from the actual amino acid sequence, even though the generated DNA sequence may be greater than 99.9% identical to the actual DNA sequence (for example, one base insertion or deletion in an open reading frame of over 1000 bases).

Accordingly, for those applications requiring precision in the nucleotide sequence or the amino acid sequence, the present invention provides not only the generated nucleotide sequence identified as SEQ ID NO:X, and the predicted translated amino acid sequence identified as SEQ ID NO:Y, but also a sample of plasmid DNA containing a human cDNA of the invention deposited with the ATCC, as set forth in Table 1A. The nucleotide sequence of each deposited plasmid can readily be determined by sequencing the deposited plasmid in accordance with known methods

The predicted amino acid sequence can then be verified from such deposits. Moreover, the amino acid sequence of the protein encoded by a particular plasmid can also be directly determined by peptide sequencing or by expressing the protein in a suitable host cell containing the deposited human cDNA, collecting the protein, and determining its sequence.

Also provided in Table 1A is the name of the vector which contains the cDNA plasmid. Each vector is routinely used in the art. The following additional information is provided for convenience.

Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286,636), pBluescript (pBS) (Short, J. M. et al., *Nucleic Acids Res. 16:*7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., *Nucleic Acids Res. 17:*9494 (1989)) and pBK (Alting-Mees, M. A. et al., *Strategies 5:*58-61 (1992)) are commercially available from Stratagene Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Phagemid pBS may be excised from the Lambda Zap and Uni-Zap XR vectors, and phagemid pBK may be excised from the Zap Express vector. Both phagemids may be transformed into *E. coli* strain XL-1 Blue, also available from Stratagene

Vectors pSport1, pCMVSport 1.0, pCMVSport 2.0 and pCMVSport 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, also available from Life Technologies. See, for instance, Gruber, C. E., et al., *Focus 15:*59 (1993). Vector lafmid BA (Bento Soares, Columbia University, New York, NY) contains an ampicillin resistance

gene and can be transformed into *E. coli* strain XL-1 Blue. Vector pCR®2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, available from Life Technologies. See, for instance, Clark, J. M., *Nuc. Acids Res. 16:*9677-9686 (1988) and Mead, D. *et al., Bio/Technology 9:* (1991).

The present invention also relates to the genes corresponding to SEQ ID NO:X, SEQ ID NO:Y, and/or a deposited cDNA (cDNA Clone ID). The corresponding gene can be isolated in accordance with known methods using the sequence information disclosed herein. Such methods include, but are not limited to, preparing probes or primers from the disclosed sequence and identifying or amplifying the corresponding gene from appropriate sources of genomic material.

Also provided in the present invention are allelic variants, orthologs, and/or species homologs. Procedures known in the art can be used to obtain full-length genes, allelic variants, splice variants, full-length coding portions, orthologs, and/or species homologs of genes corresponding to SEQ ID NO:X and SEQ ID NO:Y using information from the sequences disclosed herein or the clones deposited with the ATCC. For example, allelic variants and/or species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a suitable nucleic acid source for allelic variants and/or the desired homologue.

The present invention provides a polynucleotide comprising, or alternatively consisting of, the nucleic acid sequence of SEQ ID NO:X and/or a cDNA contained in ATCC Deposit No.Z. The present invention also provides a polypeptide comprising, or alternatively, consisting of, the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X, and/or a polypeptide encoded by a cDNA contained in ATCC deposit No.Z. Polynucleotides encoding a polypeptide comprising, or alternatively consisting of the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X and/or a polypeptide encoded by the cDNA contained in ATCC Deposit No.Z, are also encompassed by the invention. The present invention further encompasses a polynucleotide comprising, or alternatively consisting of the complement of the nucleic acid sequence of SEQ ID NO:X, and/or the complement of the coding strand of the cDNA contained in ATCC Deposit No.Z.

TABLE 1A

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
1	H2CBU83	209889 05/22/98	pBluescript SK-	11	2703	1	2703	157	157	524	1	30	31	207
1	H2CBU83	209889 05/22/98	pBluescript SK-	347	2709	1	2709	157	157	860	1	30	31	51
2	H2MAC30	209299 09/25/97	pBluescript SK-	12	459	1	459	157	157	525	1	28	29	72
3	H6EDC19	209324 10/02/97	Uni-ZAP XR	13	760	324	760	389	389	526	1	25	26	114
4	HACBD91	209626 02/12/98	Uni-ZAP XR	14	1445	1	1445	117	117	527	1	42	43	49
5	HAGAQ26	209368 10/16/97	Uni-ZAP XR	15	1333	157	1333	251	251	528	1	20	21	62
6	HAGBZ81	209118 06/12/97	Uni-ZAP XR	16	1382	24	1382		65	529	1	30	31	49
7	HAGDG59	209277 09/18/97	Uni-ZAP XR	17	1734	44	1717	124	124	530	1	18	19	300
8	HAGDS35	209299 09/25/97	Uni-ZAP XR	18	751	1	751	45	45	531	1	23	24	122
8	HAGDS35	209299 09/25/97	Uni-ZAP XR	348	813	1	813	52	52	861	1	23	24	118
9	HAGFG51	203364 10/19/98	Uni-ZAP XR	19	1313	1	1313	163	163	532	1	23	24	43

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
10	HAIBO71	209145 07/17/97	Uni-ZAP XR	20	752	172	752	325	325	533	1	28	29	66
11	HAIFL18	209852 05/07/98	Uni-ZAP XR	21	879	1	879	274	274	534	1	29	30	140
12	HAJAF57	203364 10/19/98	pCMVSport 3.0	22	2761	1	2761	43	43	535	1	1	2	94
13	HAJAN23	PTA-322 07/09/99	pCMVSport 3.0	23	2849	1	2849	109	109	536	1	15	16	563
13	HAJAN23	PTA-322 07/09/99	pCMVSport 3.0	349	2288	1	2288	120	120	862	1	15	16	169
14	HAJBR69	209626 02/12/98	pCMVSport 3.0	24	755	1	755	262	262	537	1	19	20	53
15	HAMFE15	203364 10/19/98	pCMVSport 3.0	25	4129	1	4129	1495	1495	538	1	34	35	421
15	HAMFE15	203364 10/19/98	pCMVSport 3.0	350	3758	1	3758	226	226	863	1	23	24	47
16	HAMGG68	209878 05/18/98	pCMVSport 3.0	26	1458	1	1458	312	312	539	1	20	21	55
17	HAMGR28	209965 06/11/98	pCMVSport 3.0	27	1674	47	1674	98	98	540	1	18	19	242
17	HAMGR28	209965 06/11/98	pCMVSport 3.0	351	1534	1	1534	40	40	864	1	18	19	203
18	HAPOM49	209878 05/18/98	Uni-ZAP XR	28	2005	1	2005	251	251	541	1	22	23	189
18	HAPOM49	209878 05/18/98	Uni-ZAP XR	352	2664	1	2664	448	448	865	1	1	2	123

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
19	HAPPW30	209683 03/20/98	Uni-ZAP XR	29	1472	1	1472	59	59	542	1	22	23	264
19	HAPPW30	209683 03/20/98	Uni-ZAP XR	353	1508	14	1501	54	54	866	1	22	23	91
20	HATBR65	209626 02/12/98	Uni-ZAP XR	30	812	1	812	252	252	543	1	16	17	64
21	HATCB92	209683 03/20/98	Uni-ZAP XR	31	1756	1	1756	247	247	544	1	37	38	56
22	HATEE46	209407 10/23/97	Uni-ZAP XR	32	1675	136	863	241	241	545	1	21	22	53
23	HAUAI83	209626 02/12/98	Uni-ZAP XR	33	910	1	886	253	253	546	1	18	19	49
23	HAUAI83	209626 02/12/98	Uni-ZAP XR	354	1076	1	1076		575	867	1	10	11	23
24	HBAMB15	209683 03/20/98	pSport1	34	821	330	821	390	390	547	1	19	20	59
25	HBGBA69	209878 05/18/98	Uni-ZAP XR	35	981	1	981	124	124	548	1	38	39	240
25	HBGBA69	209878 05/18/98	Uni-ZAP XR	355	943	1	933	62	62	868	1	38	39	60
26	HBIAE26	209224 08/28/97	Uni-ZAP XR	36	1038	1	1038	75	75	549	1	18	19	39
27	HBINS58	PTA-885 10/28/99	pCMVSport 3.0	37	843	1	843	57	57	550	1	30	31	174
27	HBINS58	PTA-885 10/28/99	pCMVSport 3.0	356	1566	1	1566	71	71	869	1	29	30	173

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
27	HBINS58	PTA-885 10/28/99	pCMVSport 3.0	357	1067	1	1067	100	100	870	1	29	30	210
28	HBJNC59	PTA-622 09/02/99	Uni-ZAP XR	38	1061	1	1061	66	66	551	1	22	23	245
28	HBJNC59	PTA-622 09/02/99	Uni-ZAP XR	358	1021	1	1021	66	66	871	1	22	23	99
28	HBJNC59	PTA-622 09/02/99	Uni-ZAP XR	359	1086	1	1023	64	64	872	1	22	23	245
29	HBNAW17	209242 09/12/97	Uni-ZAP XR	39	601	1	601	77	77	552	1	37	38	61
30	HBOEG69	203081 07/30/98	pSport1	40	1411	1	1411	302	302	553	1	19	20	54
31	HCACU58	209626 02/12/98	Uni-ZAP XR	41	1554	1	1554	137	137	554	1	30	31	83
32	HCE2F54	209626 02/12/98	Uni-ZAP XR	42	1276	19	1256	166	166	555	1	19	20	319
33	HCE3G69	209878 05/18/98	Uni-ZAP XR	43	2084	1	2084	165	165	556	1	19	20	336
33	HCE3G69	209878 05/18/98	Uni-ZAP XR	360	2078	1	2078	165	165	873	1	19	20	105
34	HCE5F43	209580 01/14/98	Uni-ZAP XR	44	1765	1	1765	113	113	557	1	20	21	272
35	HCEFB80	PTA-2069 06/09/00	Uni-ZAP XR	45	2494	1	2494	12	12	558	1	35	36	89
35	HCEFB80	PTA-2069 06/09/00	Uni-ZAP XR	361	2494	1	2451	5	5	874	1	35	36	89

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
36	HCENK38	209651 03/04/98	Uni-ZAP XR	46	1509	1	1509	10	10	559	1	28	29	52
37	HCEWE20	209300 09/25/97	Uni-ZAP XR	47	885	13	885	166	166	560	1	18	19	51
38	HCFNN01	209086 05/29/97	pSport1	48	1261	154	1261	254	254	561	1	27	28	43
39	HCGMD59	209627 02/12/98	pCMVSport 2.0	49	790	1	780	438	438	562	1	30	31	74
40	HCHNF25	209651 03/04/98	pSport1	50	3576	1	3576	1130	1130	563	1	30	31	169
40	HCHNF25	209651 03/04/98	pSport1	362	807	1	807	180	180	875	1	30	31	147
41	HCNDR47	PTA-855 10/18/99	Lambda ZAP II	51	1343	1	1343	21	21	564	1	24	25	127
41	HCNDR47	PTA-855 10/18/99	Lambda ZAP II	363	845	1	845	124	124	876	1	47	48	127
41	HCNDR47	PTA-855 10/18/99	Lambda ZAP II	364	738	1	738		603	877	1	8	9	9
42	HCNSB61	209242 09/12/97	pBluescript	52	712	1	712	218	218	565	1	21	22	43
43	HCNSM70	209580 01/14/98	pBluescript	53	1089	1	1089	107	107	566	1	26	27	215
43	HCNSM70	209580 01/14/98	pBluescript	365	1145	62	1145	161	161	878	1	26	27	91
44	HCUCK44	209853 05/07/98	ZAP Express	54	1139	573	1133	593	593	567	1	30	31	60

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
45	HCUEO60	209215 08/21/97	ZAP Express	55	1222	1	1222	102	102	568	1	34	35	64
46	HCUHK65	209641 02/25/98	ZAP Express	56	367	1	367	80	80	569	1	26	27	79
46	HCUHK65	209641 02/25/98	ZAP Express	366	3113	2577	2946	770	770	879	1	30	31	708
47	HCUIM65	209324 10/02/97	ZAP Express	57	875	331	736	557	557	570	1	27	28	47
48	HCWDS72	209852 05/07/98	ZAP Express	58	320	1	320	19	19	571	1	17	18	100
49	HCWGU37	PTA-883 10/28/99	ZAP Express	59	2777	1	2777	194	194	572	1			10
49	HCWGU37	PTA-883 10/28/99	ZAP Express	367	1651	1	1651	187	187	880	1			10
50	HCWKC15	209324 10/02/97	ZAP Express	60	710	1	710	37	37	573	1	18	19	40
51	HCWLD74	209626 02/12/98	ZAP Express	61	1540	1	1540	138	138	574	1	21	22	65
52	HDHEB60	209215 08/21/97	pCMVSport 2.0	62	1421	235	1421	568	568	575	1	24	25	108
53	HDLAC10	209745 04/07/98	pCMVSport 2.0	63	1477	1	1477	132	132	576	1	29	30	81
54	HDPBA28	PTA-163 06/01/99	pCMVSport 3.0	64	3447	197	3447	259	259	577	1	32	33	941
54	HDPBA28	PTA-163 06/01/99	pCMVSport 3.0	368	4909	1	4909	69	69	881	1	32	33	941

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
55	HDPBQ71	209877 05/18/98	pCMVSport 3.0	65	2312	1	2312	93	93	578	1	33	34	612
55	HDPBQ71	209877 05/18/98	pCMVSport 3.0	369	2242	6	2242	24	24	882	1	33	34	612
55	HDPBQ71	209877 05/18/98	pCMVSport 3.0	370	2381	146	2381	165	165	883	1	33	34	456
56	HDPCL63	PTA-1544 03/21/00	pCMVSport 3.0	66	3037	115	3037	35	35	579	1	58	59	267
56	HDPCL63	PTA-1544 03/21/00	pCMVSport 3.0	371	2921	1	2921	260	260	884	1	17	18	157
56	HDPCL63	PTA-1544 03/21/00	pCMVSport 3.0	372	1259	358	1259		605	885	1	6	7	118
57	HDPCO25	209125 06/19/97	pCMVSport 3.0	67	767	76	767	182	182	580	1	20	21	53
58	HDPFF39	209511 12/03/97	pCMVSport 3.0	68	1256	1	1256	175	175	581	1	18	19	196
59	HDPFP29	209626 02/12/98	pCMVSport 3.0	69	1057	1	1057	293	293	582	1	30	31	52
60	HDPGI49	203070 07/27/98	pCMVSport 3.0	70	2683	1	2640	266	266	583	1	29	30	72
61	HDPGT01	203027 06/26/98	pCMVSport 3.0	71	2687	138	2687	8	8	584	1	28	29	87
62	HDPHI51	209125 06/19/97	pCMVSport 3.0	72	728	1	728	245	245	585	1	30	31	40
63	HDPJM30	209563 12/18/97	pCMVSport 3.0	73	1635	308	1633	59	59	586	1	59	60	525

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
63	HDPJM30	209563 12/18/97	pCMVSport 3.0	373	1314	1	1313	259	259	886	1	20	21	59
64	HDPMM88	PTA-848 10/13/99	pCMVSport 3.0	74	4893	1	4893	100	100	587	1	37	38	937
64	HDPMM88	PTA-848 10/13/99	pCMVSport 3.0	374	468	1	468	141	141	887	1	20	21	109
64	HDPMM88	PTA-848 10/13/99	pCMVSport 3.0	375	181	1	181		44	888	1	7	8	46
64	HDPMM88	PTA-848 10/13/99	pCMVSport 3.0	376	612	1	612		419	889	1			6
64	HDPMM88	PTA-848 10/13/99	pCMVSport 3.0	377	1024	1	1024		111	890	1	5	6	11
64	HDPMM88	PTA-848 10/13/99	pCMVSport 3.0	378	366	18	321		167	891	1	1	2	56
64	HDPMM88	PTA-848 10/13/99	pCMVSport 3.0	379	519	1	519		28	892	1	1	2	53
65	HDPNC61	209627 02/12/98	pCMVSport 3.0	75	1410	1	1410	20	20	588	1	22	23	94
66	HDPOJ08	209878 05/18/98	pCMVSport 3.0	76	1655	1	1655	159	159	589	1	18	19	122
67	HDPOZ56	209889 05/22/98	pCMVSport 3.0	77	1905	1	1905	91	91	590	1	21	22	567
67	HDPOZ56	209889 05/22/98	pCMVSport 3.0	380	1867	415	1867	103	103	893	1	21	22	566
67	HDPOZ56	209889 05/22/98	pCMVSport 3.0	381	1722	1	1722	59	59	894	1	21	22	319

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
68	HDPPN86	PTA-867 10/26/99	pCMVSport 3.0	78	6297	1	6297	127	127	591	1	32	33	46
68	HDPPN86	PTA-867 10/26/99	pCMVSport 3.0	382	2042	1	2042	117	117	895	1	26	27	46
69	HDPSB18	PTA-868 10/26/99	pCMVSport 3.0	79	3408	1	3408	123	123	592	1	18	19	66
69	HDPSB18	PTA-868 10/26/99	pCMVSport 3.0	383	308	1	308		116	896	1	17	18	64
69	HDPSB18	PTA-868 10/26/99	pCMVSport 3.0	384	1568	1	1568		1525	897	1	7	8	14
69	HDPSB18	PTA-868 10/26/99	pCMVSport 3.0	385	865	1	865		345	898	1	1	2	107
70	HDPSH53	PTA-868 10/26/99	pCMVSport 3.0	80	1663	1	1663	158	158	593	1	19	20	90
70	HDPSH53	PTA-868 10/26/99	pCMVSport 3.0	386	1687	1	1687	153	153	899	1	19	20	127
70	HDPSH53	PTA-868 10/26/99	pCMVSport 3.0	387	570	1	570	212	212	900	1	19	20	90
71	HDPSP01	209745 04/07/98	pCMVSport 3.0	81	2343	1	2343	184	184	594	1	20	21	710
71	HDPSP01	209745 04/07/98	pCMVSport 3.0	388	1752	1	1752	227	227	901	1	20	21	308
72	HDPSP54	209782 04/20/98	pCMVSport 3.0	82	3091	2304	3091	2356	2356	595	1	18	19	48
72	HDPSP54	209782 04/20/98	pCMVSport 3.0	389	536	1	536	179	179	902	1	41	42	55

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
73	HDPTD15	209782 04/20/98	pCMVSport 3.0	83	1396	1	1396	223	223	596	1	18	19	200
74	HDPUW68	203331 10/08/98	pCMVSport 3.0	84	1748	1	1748	40	40	597	1	18	19	467
75	HDPWN93	PTA-868 10/26/99	pCMVSport 3.0	85	2679	1	2669	45	45	598	1	19	20	802
75	HDPWN93	PTA-868 10/26/99	pCMVSport 3.0	390	716	1	716	35	35	903	1	19	20	214
75	HDPWN93	PTA-868 10/26/99	pCMVSport 3.0	391	2716	26	2716	27	27	904	1	19	20	43
76	HDPXY01	PTA-868 10/26/99	pCMVSport 3.0	86	766	1	766	23	23	599	1	37	38	98
76	HDPXY01	PTA-868 10/26/99	pCMVSport 3.0	392	2409	1	2409	33	33	905	1	37	38	98
76	HDPXY01	PTA-868 10/26/99	pCMVSport 3.0	393	737	1	423		539	906	1	9	10	22
76	HDPXY01	PTA-868 10/26/99	pCMVSport 3.0	394	1471	105	1471		1190	907	1	16	17	25
77	HDTBD53	PTA-848 10/13/99	pCMVSport 2.0	87	2803	1	2803	288	288	600	1	22	23	365
77	HDTBD53	PTA-848 10/13/99	pCMVSport 2.0	395	3302	1	2718	292	292	908	1	22	23	365
78	HDTBV77	203070 07/27/98	pCMVSport 2.0	88	2181	1	2181	326	326	601	1	22	23	608
79	HDTDQ23	209965 06/11/98	pCMVSport 2.0	89	2207	1	2207	132	132	602	1	20	21	56

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
79	HDTDQ23	209965 06/11/98	pCMVSport 2.0	396	2227	1	2206	148	148	909	1	20	21	108
79	HDTDQ23	209965 06/11/98	pCMVSport 2.0	397	2214	1	2206	148	148	910	1	20	21	73
80	HE2DE47	97923 03/07/97 209071 05/22/97	Uni-ZAP XR	90	3533	2821	3532	808	808	603	1	30	31	540
80	HE2DE47	97923 03/07/97 209071 05/22/97	Uni-ZAP XR	398	1145	435	1115	515	515	911	1	22	23	81
81	HE2EB74	209225 08/28/97	Uni-ZAP XR	91	1434	311	1418	507	507	604	1	15	16	19
82	HE2NV57	209877 05/18/98	Uni-ZAP XR	92	867	1	867	99	99	605	1	36	37	99
83	HE2PH36	209603 01/29/98	Uni-ZAP XR	93	1558	1	1558	28	28	606	1	21	22	66
84	HE8DS15	PTA-1544 03/21/00	Uni-ZAP XR	94	2199	1	2199	91	91	607	1	24	25	72
85	HE9CP41	209368 10/16/97	Uni-ZAP XR	95	1392	1	1392	132	132	608	1	20	21	41
86	HE9DG49	97923 03/07/97 209071 05/22/97	Uni-ZAP XR	96	717	1	717	70	70	609	1	28	29	201

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
86	HE9DG49	97923 03/07/97 209071 05/22/97	Uni-ZAP XR	399	717	1	717	70	70	912	1	27	28	201
86	HE9DG49	97923 03/07/97 209071 05/22/97	Uni-ZAP XR	400	713	17	713	78	78	913	1	28	29	203
87	HE9HY07	209010 04/28/97 209085 05/29/97	Uni-ZAP XR	97	832	1	832	35	35	610	1	26	27	41
88	HEBEJ18	203069 07/27/98	Uni-ZAP XR	98	685	7	649	51	51	611	1	15	16	139
89	HEEAQ11	203071 07/27/98	Uni-ZAP XR	99	921	1	921	213	213	612	1	28	29	147
90	HEGAH43	209277 09/18/97	Uni-ZAP XR	100	442	1	442	29	29	613	1	20	21	111
91	HELHD85	PTA-1544 03/21/00	Uni-ZAP XR	101	1886	1	1886	41	41	614	1	25	26	79
92	HEOMQ63	209563 12/18/97	pSport1	102	1336	1	1336	123	123	615	1	23	24	47
93	HEPAA46	209551 12/12/97	Uni-ZAP XR	103	1129	1	1129	18	18	616	1	20	21	123
94	HEPAB80	209423 10/30/97	Uni-ZAP XR	104	799	1	799	73	73	617	1	28	29	121

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
94	HEPAB80	209423 10/30/97	Uni-ZAP XR	401	802	1	802	67	67	914	1	28	29	122
95	HFABG18	PTA-1544 03/21/00	Uni-ZAP XR	105	1345	1	1345	53	53	618	1	26	27	87
96	HFABH95	209407 10/23/97	Uni-ZAP XR	106	1347	1	1347	199	199	619	1	21	22	116
97	HFAEF57	209277 09/18/97	Uni-ZAP XR	107	642	1	642	232	232	620	1	42	43	86
98	HFAMH77	209300 09/25/97	Uni-ZAP XR	108	669	96	669	240	240	621	1	33	34	61
99	HFCCQ50	209463 11/14/97	Uni-ZAP XR	109	1271	1	1271	47	47	622	1	20	21	352
100	HFCEB37	209008 04/28/97 209084 05/29/97	Uni-ZAP XR	110	802	352	802		487	623	1			10
101	HFFAD59	209242 09/12/97	Lambda ZAP II	111	470	1	470	44	44	624	1	17	18	45
102	HFFAL36	209368 10/16/97	Lambda ZAP II	112	1020	1	1020	68	68	625	1	35	36	56
103	HFGAD82	209225 08/28/97	Uni-ZAP XR	113	1881	772	1861	1019	1019	626	1	18	19	38
104	HFIUR10	209277 09/18/97	pSport1	114	541	1	541	50	50	627	1	22	23	44
105	HFTBM50	209300 09/25/97	Uni-ZAP XR	115	762	1	740	158	158	628	1	20	21	34

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
106	HFTDZ36	209300 09/25/97	Uni-ZAP XR	116	1103	231	1103	547	547	629	1	22	23	68
107	HFVAB79	209368 10/16/97	Uni-ZAP XR	117	1175	1	1175	133	133	630	1	15	16	194
107	HFVAB79	209368 10/16/97	Uni-ZAP XR	402	1186	1	1186	139	139	915	1	15	16	194
108	HFVGE32	PTA-844 10/13/99	pBluescript	118	572	1	572	154	154	631	1	32	33	79
108	HFVGE32	PTA-844 10/13/99	pBluescript	403	470	2	470		1	916	1	1	2	67
109	HFXBL33	203071 07/27/98	Lambda ZAP II	119	1633	1	1633	152	152	632	1	24	25	162
110	HFXDN63	209346 10/09/97	Lambda ZAP II	120	1026	1	1026	33	33	633	1	14	15	53
111	HFXJX44	209782 04/20/98	Lambda ZAP II	121	1384	1	1384	98	98	634	1	18	19	47
112	HFXKJ03	209215 08/21/97	Lambda ZAP II	122	941	1	941	179	179	635	1	33	34	41
113	HFXKT05	209651 03/04/98	Lambda ZAP II	123	1715	1	1715	204	204	636	1	18	19	79
114	HGBHI35	209423 10/30/97	Uni-ZAP XR	124	1437	71	1276	87	87	637	1	16	17	292
115	HGBIB74	203648 02/09/99	Uni-ZAP XR	125	1816	1	1804	14	14	638	1	23	24	377
115	HGBIB74	203648 02/09/99	Uni-ZAP XR	404	1821	1	1821	28	28	917	1	20	21	170

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
115	HGBIB74	203648 02/09/99	Uni-ZAP XR	405	1094	1	1094		2	918	1	1	2	151
116	HGLAF75	209407 10/23/97	Uni-ZAP XR	126	776	1	776	231	231	639	1	28	29	121
117	HGLAL82	209242 09/12/97	Uni-ZAP XR	127	406	1	406	144	144	640	1	19	20	26
118	HHEMA59	203364 10/19/98	pCMVSport 3.0	128	3102	1	3099	239	239	641	1	20	21	76
119	HHENV10	209368 10/16/97	pCMVSport 3.0	129	1155	1	1155	143	143	642	1	27	28	50
120	HHEPM33	PTA-322 07/09/99	pCMVSport 3.0	130	1459	1	1459	269	269	643	1	20	21	82
121	HHFBY53	203364 10/19/98	Uni-ZAP XR	131	870	1	870	172	172	644	1	18	19	64
122	HHFGR93	209746 04/07/98	Uni-ZAP XR	132	1835	1	1835	132	132	645	1	29	30	390
122	HHFGR93	209746 04/07/98	Uni-ZAP XR	406	1932	1	1836	130	130	919	1	29	30	236
123	HHGCG53	97899 02/26/97 209045 05/15/97	Lambda ZAP II	133	407	1	407	230	230	646	1	33	34	44
124	HHGCM76	97958 03/13/97 209072 05/22/97	Lambda ZAP II	134	711	8	711	270	270	647	1	22	23	89

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
124	HHGCM76	97958 03/13/97 209072 05/22/97	Lambda ZAP II	407	711	8	711	270	270	920	1			11
125	HHGDF16	209463 11/14/97	Lambda ZAP II	135	890	215	890	253	253	648	1	26	27	52
126	HHPDX20	209580 01/14/98	Uni-ZAP XR	136	1161	1	1161	174	174	649	1	30	31	66
127	HHPEN62	209746 04/07/98	Uni-ZAP XR	137	2152	141	2152	183	183	650	1	27	28	508
128	HHPGO40	209878 05/18/98	Uni-ZAP XR	138	1002	1	1002	116	116	651	1	26	27	295
128	HHPGO40	209878 05/18/98	Uni-ZAP XR	408	973	1	973	68	68	921	1	37	38	302
128	HHPGO40	209878 05/18/98	Uni-ZAP XR	409	984	1	984	74	74	922	1	37	38	224
129	HHSDX28	209346 10/09/97	Uni-ZAP XR	139	1113	1	1113	90	90	652	1	21	22	56
130	HILCF66	209627 02/12/98	pBluescript SK-	140	1668	740	1668	331	331	653	1	21	22	44
131	HJABB94	209119 06/12/97	pBluescript SK-	141	1555	1	1555	74	74	654	1	28	29	77
132	HJACG02	209215 08/21/97	pBluescript SK-	142	575	1	575	66	66	655	1	22	23	108
132	HJACG02	209215 08/21/97	pBluescript SK-	410	553	1	553	47	47	923	1	23	24	108

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
133	HJACG30	PTA-843 10/13/99	pBluescript SK-	143	1532	1	1532	291	291	656	1	27	28	44
133	HJACG30	PTA-843 10/13/99	pBluescript SK-	411	1614	1020	1614		50	924	1	1	2	130
133	HJACG30	PTA-843 10/13/99	pBluescript SK-	412	1087	491	1087		350	925	1	1	2	122
134	HJBCY35	209877 05/18/98	pBluescript SK-	144	1559	93	1272	232	232	657	1	23	24	327
135	HJMBI18	209580 01/14/98	pCMVSport 3.0	145	1021	303	1021	574	574	658	1	19	20	80
136	HJMBM38	209300 09/25/97	pCMVSport 3.0	146	1024	316	1023	387	387	659	1	14	15	112
137	HJPAD75	209641 02/25/98	Uni-ZAP XR	147	1231	1	1231	60	60	660	1	29	30	91
138	HJPCP42	PTA-843 10/13/99	Uni-ZAP XR	148	1223	1	1223		156	661	1	20	21	223
138	HJPCP42	PTA-843 10/13/99	Uni-ZAP XR	413	1201	1	1201		134	926	1	20	21	223
138	HJPCP42	PTA-843 10/13/99	Uni-ZAP XR	414	628	229	628		468	927	1			8
138	HJPCP42	PTA-843 10/13/99	Uni-ZAP XR	415	425	237	348		1	928	1	1	2	83
139	HKABI84	209603 01/29/98	pCMVSport 2.0	149	1238	45	1238	274	274	662	1	16	17	47
140	HKABZ65	209683 03/20/98	pCMVSport 2.0	150	1189	1	1189	77	77	663	1	17	18	243

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
140	HKABZ65	209683 03/20/98	pCMVSport 2.0	416	1191	1	1191	69	69	929	1	17	18	243
141	HKACB56	209346 10/09/97	pCMVSport 2.0	151	496	1	496	27	27	664	1	23	24	80
142	HKACD58	209346 10/09/97	pCMVSport 2.0	152	3153	1	3153	38	38	665	1	25	26	301
142	HKACD58	209346 10/09/97	pCMVSport 2.0	417	1626	1	1626	35	35	930	1	25	26	154
143	HKACH44	209300 09/25/97	pCMVSport 2.0	153	686	1	686	375	375	666	1	25	26	44
144	HKAEV06	209627 02/12/98	pCMVSport 2.0	154	2496	1	2496	501	501	667	1	30	31	438
144	HKAEV06	209627 02/12/98	pCMVSport 2.0	418	2351	1	2351	197	197	931	1	29	30	57
145	HKAFT66	PTA-849 10/13/99	pCMVSport 2.0	155	1001	270	1001	508	508	668	1	41	42	107
145	HKAFT66	PTA-849 10/13/99	pCMVSport 2.0	419	1001	270	1001	508	508	932	1	41	42	107
145	HKAFT66	PTA-849 10/13/99	pCMVSport 2.0	420	669	1	669	234	234	933	1			37
146	HKB1E57	209651 03/04/98	pCMVSport 1	156	1142	1038	1142	178	178	669	1	30	31	234
146	HKB1E57	209651 03/04/98	pCMVSport 1	421	417	1	417	30	30	934	1	26	27	46
147	HKFBC53	209782 04/20/98	ZAP Express	157	2238	1	2238	64	64	670	1	15	16	470

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
147	HKFBC53	209782 04/20/98	ZAP Express	422	1949	1	1906	41	41	935	1	18	19	442
147	HKFBC53	209782 04/20/98	ZAP Express	423	1487	1	1487		3	936	1	1	2	309
147	HKFBC53	209782 04/20/98	ZAP Express	424	1525	1	1525		3	937	1	1	2	243
148	HKGDL36	209877 05/18/98	pSport1	158	1052	1	1052	53	53	671	1	33	34	260
148	HKGDL36	209877 05/18/98	pSport1	425	1050	1	1050	55	55	938	1	33	34	148
149	HKISB57	209603 01/29/98	pBluescript	159	1492	1	1439	130	130	672	1	19	20	95
150	HKMLM11	209236 09/04/97	pBluescript	160	954	1	954	82	82	673	1	20	21	130
151	HKMLP68	PTA-845 10/13/99	pBluescript	161	2784	1	2784	130	130	674	1	24	25	80
151	HKMLP68	PTA-845 10/13/99	pBluescript	426	718	1	718	153	153	939	1	24	25	80
151	HKMLP68	PTA-845 10/13/99	pBluescript	427	614	1	614		471	940	1	1	2	47
152	HKMMD13	209568 01/06/98	pBluescript	162	943	1	943	342	342	675	1	21	22	49
153	HKMMW74	209463 11/14/97	pBluescript	163	1794	1	1794	202	202	676	1	21	22	41
154	HKMND01	203069 07/27/98	pBluescript	164	887	1	887	23	23	677	1	26	27	50

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
155	HLDBE54	209563 12/18/97	pCMVSport 3.0	165	1222	1	1222	155	155	678	1	38	39	318
155	HLDBE54	209563 12/18/97	pCMVSport 3.0	428	1194	1	1194	130	130	941	1	26	27	89
155	HLDBE54	209563 12/18/97	pCMVSport 3.0	429	2334	1874	2334	133	133	942	1	33	34	486
156	HLDBX13	203331 10/08/98	pCMVSport 3.0	166	1815	1	1815	303	303	679	1	39	40	55
157	HLDON23	209628 02/12/98	pCMVSport 3.0	167	1262	208	1256	368	368	680	1	20	21	113
158	HLDQC46	PTA-1544 03/21/00	pCMVSport 3.0	168	632	1	632	163	163	681	1	34	35	87
159	HLDQR62	203027 06/26/98	pCMVSport 3.0	169	2572	427	2572	520	520	682	1	18	19	161
160	HLDQU79	203071 07/27/98	pCMVSport 3.0	170	1488	1	1488	99	99	683	1	23	24	348
161	HLDRM43	209628 02/12/98	pCMVSport 3.0	171	609	1	609	24	24	684	1	20	21	151
161	HLDRM43	209628 02/12/98	pCMVSport 3.0	430	759	1	759	164	164	943	1	20	21	151
162	HLDRP33	209641 02/25/98	pCMVSport 3.0	172	612	1	612	215	215	685	1	26	27	41
163	HLHAL68	209746 04/07/98	Uni-ZAP XR	173	704	1	704	30	30	686	1	21	22	44
164	HLHFP03	209126 06/19/97	Uni-ZAP XR	174	613	1	613	224	224	687	1	19	20	116

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
165	HLIBD68	203071 07/27/98	pCMVSport 1	175	1022	1	1022	186	186	688	1	35	36	50
166	HLICQ90	203517 12/10/98	pCMVSport 1	176	1766	1	1766	249	249	689	1	29	30	206
167	HLMBO76	209603 01/29/98	Lambda ZAP II	177	815	1	795	43	43	690	1	43	44	107
168	HLTEJ06	209346 10/09/97	Uni-ZAP XR	178	617	69	617	197	197	691	1	22	23	55
169	HLTHR66	209782 04/20/98	Uni-ZAP XR	179	2286	1	2286	5	5	692	1	34	35	75
170	HLTIP94	PTA-2076 06/09/00	Uni-ZAP XR	180	1240	1	1170	226	226	693	1	26	27	97
170	HLTIP94	PTA-2076 06/09/00	Uni-ZAP XR	431	647	1	647	226	226	944	1	26	27	65
170	HLTIP94	PTA-2076 06/09/00	Uni-ZAP XR	432	1321	870	1209		3	945	1	1	2	299
171	HLWAA17	209626 02/12/98	pCMVSport 3.0	181	997	246	997	436	436	694	1	15	16	187
172	HLWAA88	209551 12/12/97	pCMVSport 3.0	182	1770	1	1770	35	35	695	1	22	23	113
172	HLWAA88	209551 12/12/97	pCMVSport 3.0	433	1636	1	1636	51	51	946	1	22	23	488
173	HLWAD77	209651 03/04/98	pCMVSport 3.0	183	1167	304	1167	326	326	696	1	24	25	140
174	HLWAE11	203071 07/27/98	pCMVSport 3.0	184	1618	1	1618	28	28	697	1	46	47	278

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
175	HLWAO22	209511 12/03/97	pCMVSport 3.0	185	1338	1	1311	212	212	698	1	21	22	354
176	HLWBH18	PTA-849 10/13/99	pCMVSport 3.0	186	813	1	813	107	107	699	1	18	19	60
176	HLWBH18	PTA-849 10/13/99	pCMVSport 3.0	434	645	1	645	67	67	947	1	18	19	60
177	HLWBY76	203517 12/10/98	pCMVSport 3.0	187	2081	1	2081	432	432	700	1	27	28	232
178	HLYAC95	203071 07/27/98	pSport1	188	312	1	312	92	92	701	1	16	17	46
179	HMADK33	209368 10/16/97	Uni-ZAP XR	189	864	1	864	161	161	702	1	24	25	152
180	HMADS41	209563 12/18/97	Uni-ZAP XR	190	1267	1	1267	267	267	703	1	21	22	88
181	HMAMI15	PTA-2075 06/09/00	Uni-ZAP XR	191	1258	1	1258	4	4	704	1	26	27	340
181	HMAMI15	PTA-2075 06/09/00	Uni-ZAP XR	435	1084	1	1084	3	3	948	1	26	27	306
182	HMCFY13	209628 02/12/98	Uni-ZAP XR	192	883	1	883	175	175	705	1	27	28	64
183	HMDAB56	209368 10/16/97	Uni-ZAP XR	193	1465	1	1465	273	273	706	1	32	33	44
184	HMDAM24	209226 08/28/97	Uni-ZAP XR	194	996	1	996	109	109	707	1			20
185	HMEAI48	203069 07/27/98	Lambda ZAP II	195	413	1	413	36	36	708	1	29	30	88

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
185	HMEAI48	203069 07/27/98	Lambda ZAP II	436	1168	1	1168	95	95	949	1	29	30	40
186	HMEED18	209368 10/16/97	Lambda ZAP II	196	1369	28	1369	34	34	709	1	34	35	221
187	HMEFT54	209243 09/12/97	Lambda ZAP II	197	596	1	596	332	332	710	1	19	20	39
188	HMEGF92	209243 09/12/97	Lambda ZAP II	198	629	1	611	92	92	711	1	27	28	62
189	HMSDL37	PTA-842 10/13/99	Uni-ZAP XR	199	2497	1	2497	531	531	712	1	26	27	64
189	HMSDL37	PTA-842 10/13/99	Uni-ZAP XR	437	1776	1	1776	528	528	950	1	26	27	64
189	HMSDL37	PTA-842 10/13/99	Uni-ZAP XR	438	784	1	784	565	565	951	1	6	7	26
189	HMSDL37	PTA-842 10/13/99	Uni-ZAP XR	439	699	275	427		2	952	1	1	2	50
190	HMSFI26	209368 10/16/97	Uni-ZAP XR	200	1217	1	1217	120	120	713	1	34	35	62
191	HMSGT42	97958 03/13/97 209072 05/22/97	Uni-ZAP XR	201	1563	33	1077	40	40	714	1	32	33	92
192	HMSHM14	209126 06/19/97	Uni-ZAP XR	202	756	1	756	103	103	715	1	29	30	45
193	HMSHS36	PTA-2070 06/09/00	Uni-ZAP XR	203	1402	1	1402	134	134	716	1	23	24	103

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
193	HMSHS36	PTA-2070 06/09/00	Uni-ZAP XR	440	616	30	616	162	162	953	1	23	24	103
194	HMSKC04	203105 08/13/98	Uni-ZAP XR	204	1417	1	1417	133	133	717	1	22	23	73
195	HMUAP70	209878 05/18/98	pCMVSport 3.0	205	1965	531	1914	183	183	718	1	16	17	221
195	HMUAP70	209878 05/18/98	pCMVSport 3.0	441	1842	407	1783	413	413	954	1	25	26	103
195	HMUAP70	209878 05/18/98	pCMVSport 3.0	442	1963	530	1914	251	251	955	1	28	29	198
195	HMUAP70	209878 05/18/98	pCMVSport 3.0	443	1487	1	1487	62	62	956	1	16	17	106
195	HMUAP70	209878 05/18/98	pCMVSport 3.0	444	1653	1	1653	60	60	957	1	15	16	68
195	HMUAP70	209878 05/18/98	pCMVSport 3.0	445	1830	407	1830	60	60	958	1			23
196	HMVBS81	209628 02/12/98	pSport1	206	529	1	529	34	34	719	1	43	44	139
197	HMWDC28	209126 06/19/97	Uni-ZAP XR	207	1146	105	754	124	124	720	1	30	31	42
198	HMWFT65	209368 10/16/97	Uni-ZAP XR	208	1346	1	1346	72	72	721	1	27	28	121
199	HMWGY65	203105 08/13/98	Uni-ZAP XR	209	1974	1	1974	42	42	722	1	21	22	490
199	HMWGY65	203105 08/13/98	Uni-ZAP XR	446	2027	1	1976	42	42	959	1	21	22	188

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
200	HNEAC05	209236 09/04/97	Uni-ZAP XR	210	890	1	890	101	101	723	1	24	25	105
201	HNEEB45	PTA-845 10/13/99	Uni-ZAP XR	211	1043	1	1043	139	139	724	1	25	26	57
201	HNEEB45	PTA-845 10/13/99	Uni-ZAP XR	447	699	160	699	226	226	960	1	25	26	57
202	HNEEE24	209346 10/09/97	Uni-ZAP XR	212	1079	1	1079	213	213	725	1	21	22	71
203	HNFFC43	203027 06/26/98	Uni-ZAP XR	213	2103	209	2058	488	488	726	1	12	13	68
204	HNFIY77	209628 02/12/98	pBluescript	214	1212	28	1212	228	228	727	1	34	35	233
205	HNFJF07	209463 11/14/97	Uni-ZAP XR	215	616	1	616	86	86	728	1	21	22	66
206	HNGAK47	209368 10/16/97	Uni-ZAP XR	216	1144	1	1144	89	89	729	1	23	24	40
207	HNGBC07	PTA-844 10/13/99	Uni-ZAP XR	217	1649	1	1647	81	81	730	1	18	19	249
207	HNGBC07	PTA-844 10/13/99	Uni-ZAP XR	448	1649	1	1647	122	122	961	1	24	25	44
207	HNGBC07	PTA-844 10/13/99	Uni-ZAP XR	449	1570	1	1570	55	55	962	1	24	25	44
208	HNGDG40	209299 09/25/97	Uni-ZAP XR	218	520	1	520	13	13	731	1	36	37	127
209	HNGEP09	209197 08/08/97	Uni-ZAP XR	219	1042	1	1042	72	72	732	1	15	16	82

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
210	HNGFR31	209407 10/23/97	Uni-ZAP XR	220	536	1	536	108	108	733	1	23	24	90
211	HNGIJ31	209236 09/04/97	Uni-ZAP XR	221	796	1	796	135	135	734	1	16	17	36
212	HNGJE50	209368 10/16/97	Uni-ZAP XR	222	1037	1	1037	77	77	735	1	36	37	46
213	HNGJT54	209215 08/21/97	Uni-ZAP XR	223	1110	1	1110	172	172	736	1	19	20	34
214	HNGND37	203648 02/09/99	Uni-ZAP XR	224	841	1	841	388	388	737	1	27	28	82
215	HNGOI12	PTA-847 10/13/99	Uni-ZAP XR	225	2128	1	2128	27	27	738	1	34	35	57
215	HNGOI12	PTA-847 10/13/99	Uni-ZAP XR	450	774	1	774	27	27	963	1	34	35	57
215	HNGOI12	PTA-847 10/13/99	Uni-ZAP XR	451	1396	1	1396		596	964	1	25	26	93
216	HNGOM56	203648 02/09/99	Uni-ZAP XR	226	956	1	956	391	391	739	1	22	23	55
217	HNGOU56	203858 03/18/99	Uni-ZAP XR	227	742	1	742	317	317	740	1	23	24	59
218	HNGOW62	PTA-622 09/02/99	Uni-ZAP XR	228	1298	1	1298	167	167	741	1	19	20	54
219	HNHEU93	209628 02/12/98	Uni-ZAP XR	229	748	1	748	57	57	742	1	34	35	81
220	HNHFM14	209683 03/20/98	Uni-ZAP XR	230	297	1	297	38	38	743	1	28	29	80

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
221	HNHFO29	209138 07/03/97	Uni-ZAP XR	231	699	1	699	160	160	744	1	21	22	180
222	HNHNB29	PTA-623 09/02/99	Uni-ZAP XR	232	1894	1	1894	40	40	745	1	20	21	53
223	HNHOD46	PTA-1543 03/21/00	Uni-ZAP XR	233	1355	1	1355	12	12	746	1	20	21	80
224	HNHOG73	203570 01/11/99	Uni-ZAP XR	234	802	1	802	342	342	747	1	19	20	51
225	HNTBI26	209563 12/18/97	pCMVSport 3.0	235	1382	1	1382	28	28	748	1	35	36	320
225	HNTBI26	209563 12/18/97	pCMVSport 3.0	452	1397	1	1397	32	32	965	1	35	36	172
225	HNTBI26	209563 12/18/97	pCMVSport 3.0	453	1368	1	1368	16	16	966	1	35	36	131
226	HNTBL27	209324 10/02/97	pCMVSport 3.0	236	791	71	791	100	100	749	1	23	24	115
227	HNTCE26	PTA-1544 03/21/00	pCMVSport 3.0	237	2163	830	2163	111	111	750	1	30	31	402
227	HNTCE26	PTA-1544 03/21/00	pCMVSport 3.0	454	1763	1	1763	57	57	967	1	28	29	121
228	HNTNI01	209782 04/20/98	pSport1	238	2087	1	2087	307	307	751	1	33	34	76
228	HNTNI01	209782 04/20/98	pSport1	455	1274	1	1114	306	306	968	1	33	34	49
229	HODDF13	203069 07/27/98	Uni-ZAP XR	239	830	1	830	46	46	752	1	23	24	41

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
230	HODDN92	209012 04/28/97 209089 06/05/97	Uni-ZAP XR	240	1939	294	1939		434	753	1	26	27	35
231	HODFN71	203570 01/11/99	Uni-ZAP XR	241	1126	1	1126		1	754	1	1	2	159
231	HODFN71	203570 01/11/99	Uni-ZAP XR	456	1124	1	1124	27	27	969	1	18	19	148
232	HODGE68	203570 01/11/99	Uni-ZAP XR	242	851	1	851	87	87	755	1	26	27	59
233	HOEDB32	209628 02/12/98	Uni-ZAP XR	243	1462	73	1462	104	104	756	1	21	22	226
234	HOFMQ33	PTA-848 10/13/99	pCMVSport 2.0	244	2410	1	2410	49	49	757	1	24	25	484
234	HOFMQ33	PTA-848 10/13/99	pCMVSport 2.0	457	2409	1	2409	48	48	970	1	24	25	484
234	HOFMQ33	PTA-848 10/13/99	pCMVSport 2.0	458	876	1	876	78	78	971	1	24	25	266
234	HOFMQ33	PTA-848 10/13/99	pCMVSport 2.0	459	1586	1	1586		724	972	1			5
234	HOFMQ33	PTA-848 10/13/99	pCMVSport 2.0	460	1011	873	1011		123	973	1	1	2	84
235	HOFMT75	PTA-848 10/13/99	pCMVSport 2.0	245	2131	6	2131	83	83	758	1	20	21	410
235	HOFMT75	PTA-848 10/13/99	pCMVSport 2.0	461	427	1	427	83	83	974	1	20	21	115

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
235	HOFMT75	PTA-848 10/13/99	pCMVSport 2.0	462	1500	1	1500		1225	975	1	9	10	92
235	HOFMT75	PTA-848 10/13/99	pCMVSport 2.0	463	1234	337	1234	129	129	976	1	20	21	368
236	HOFNY91	PTA-1544 03/21/00	pCMVSport 2.0	246	2406	1	2406	64	64	759	1	14	15	82
237	HOFOC73	PTA-848 10/13/99	pCMVSport 2.0	247	1491	1	1491	18	18	760	1	18	19	129
237	HOFOC73	PTA-848 10/13/99	pCMVSport 2.0	464	1395	1	1395	23	23	977	1	18	19	67
237	HOFOC73	PTA-848 10/13/99	pCMVSport 2.0	465	270	1	270		127	978	1	4	5	14
237	HOFOC73	PTA-848 10/13/99	pCMVSport 2.0	466	2324	662	2324	142	142	979	1			6
238	HOGAW62	209463 11/14/97	pCMVSport 2.0	248	571	1	571	259	259	761	1	25	26	55
239	HOHCH55	203331 10/08/98	pCMVSport 2.0	249	2499	1	2499	221	221	762	1	23	24	494
239	HOHCH55	203331 10/08/98	pCMVSport 2.0	467	2522	1	2522	230	230	980	1	23	24	469
240	HOQBJ82	PTA-845 10/13/99	Uni-ZAP XR	250	3530	1	3530	361	361	763	1	21	22	164
240	HOQBJ82	PTA-845 10/13/99	Uni-ZAP XR	468	585	64	585	102	102	981	1	24	25	161
240	HOQBJ82	PTA-845 10/13/99	Uni-ZAP XR	469	4344	1339	1942		55	982	1	1	2	325

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
241	HOSBY40	209551 12/12/97	Uni-ZAP XR	251	1145	1	1145	89	89	764	1	30	31	56
242	HOSDJ25	209423 10/30/97	Uni-ZAP XR	252	2214	985	2214	1076	1076	765	1	18	19	40
242	HOSDJ25	209423 10/30/97	Uni-ZAP XR	470	1258	1	1258	146	146	983	1	18	19	40
243	HOSFD58	97957 03/13/97 209073 05/22/97	Uni-ZAP XR	253	2527	290	1747	56	56	766	1	30	31	624
243	HOSFD58	97957 03/13/97 209073 05/22/97	Uni-ZAP XR	471	2527	288	1747	477	477	984	1	32	33	61
244	HPDDC77	209012 04/28/97 209089 06/05/97	pBluescript SK-	254	978	1	978	51	51	767	1	29	30	131
244	HPDDC77	209012 04/28/97 209089 06/05/97	pBluescript SK-	472	2361	455	1442	510	510	985	1	29	30	131
245	HPEAD79	209244 09/12/97	Uni-ZAP XR	255	813	1	813	51	51	768	1	15	16	41
246	HPFCL43	209299 09/25/97	Uni-ZAP XR	256	665	1	665	21	21	769	1	17	18	79

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
247	HPIBO15	209563 12/18/97	Uni-ZAP XR	257	1739	1	1739	128	128	770	1	18	19	211
247	HPIBO15	209563 12/18/97	Uni-ZAP XR	473	1739	1	1739	127	127	986	1	18	19	173
248	HPICB53	PTA-846 10/13/99	Uni-ZAP XR	258	1139	1	1139	170	170	771	1	23	24	51
248	HPICB53	PTA-846 10/13/99	Uni-ZAP XR	474	438	1	438	163	163	987	1	23	24	51
249	HPJBI33	209889 05/22/98	Uni-ZAP XR	259	1677	1	1677	236	236	772	1	31	32	53
250	HPJBK12	PTA-855 10/18/99	Uni-ZAP XR	260	2648	1	2648	126	126	773	1	18	19	48
250	HPJBK12	PTA-855 10/18/99	Uni-ZAP XR	475	538	1	538	119	119	988	1	18	19	48
250	HPJBK12	PTA-855 10/18/99	Uni-ZAP XR	476	1346	1	1346		969	989	1			10
250	HPJBK12	PTA-855 10/18/99	Uni-ZAP XR	477	912	1	912	509	509	990	1			4
251	HPMDK28	209628 02/12/98	Uni-ZAP XR	261	1084	1	1084	64	64	774	1	25	26	201
251	HPMDK28	209628 02/12/98	Uni-ZAP XR	478	1177	1	1083	58	58	991	1	25	26	201
252	HPMFP40	209628 02/12/98	Uni-ZAP XR	262	1217	1	1217	37	37	775	1	24	25	44
253	HPRAL78	209195 08/01/97	Uni-ZAP XR	263	2072	1	2072	62	62	776	1	29	30	420

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
253	HPRAL78	209195 08/01/97	Uni-ZAP XR	479	1775	1038	1775	70	70	992	1	29	30	392
253	HPRAL78	209195 08/01/97	Uni-ZAP XR	480	866	128	866	148	148	993	1	42	43	63
254	HPRBC80	209852 05/07/98	Uni-ZAP XR	264	2543	1245	2543	94	94	777	1	30	31	387
254	HPRBC80	209852 05/07/98	Uni-ZAP XR	481	2052	275	2032	404	404	994	1	26	27	69
255	HPTTG19	209628 02/12/98	Uni-ZAP XR	265	559	1	559	215	215	778	1	16	17	49
256	HPZAB47	209511 12/03/97	pBluescript	266	1676	1	1676	34	34	779	1	18	19	47
257	HRAAB15	209651 03/04/98	pCMVSport 3.0	267	1747	1	1747	35	35	780	1	14	15	159
258	HRABA80	209889 05/22/98	pCMVSport 3.0	268	1251	1	1251	144	144	781	1	27	28	102
258	HRABA80	209889 05/22/98	pCMVSport 3.0	482	1237	1	1237	130	130	995	1	27	28	102
259	HRACD15	209852 05/07/98	pCMVSport 3.0	269	1539	24	1539	252	252	782	1	40	41	53
259	HRACD15	209852 05/07/98	pCMVSport 3.0	483	1681	24	1453	252	252	996	1	40	41	53
260	HRACJ35	209878 05/18/98	pCMVSport 3.0	270	2077	1	2077	132	132	783	1	24	25	472
260	HRACJ35	209878 05/18/98	pCMVSport 3.0	484	1863	8	1863	99	99	997	1	24	25	472

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
260	HRACJ35	209878 05/18/98	pCMVSport 3.0	485	1134	1	1134		1	998	1	1	2	178
261	HRDFD27	209423 10/30/97	Uni-ZAP XR	271	805	1	805	82	82	784	1	35	36	83
262	HRGBL78	PTA-841 10/13/99	Uni-ZAP XR	272	2108	1	2108	30	30	785	1	27	28	359
262	HRGBL78	PTA-841 10/13/99	Uni-ZAP XR	486	626	8	626	30	30	999	1	38	39	199
262	HRGBL78	PTA-841 10/13/99	Uni-ZAP XR	487	152	1	152		11	1000	1			2
262	HRGBL78	PTA-841 10/13/99	Uni-ZAP XR	488	1760	127	1760		1048	1001	1	10	11	32
263	HROAJ03	209423 10/30/97	Uni-ZAP XR	273	1182	1	1182	19	19	786	1	20	21	192
264	HROAJ39	PTA-2069 06/09/00	Uni-ZAP XR	274	1146	224	1146	10	10	787	1	30	31	379
264	HROAJ39	PTA-2069 06/09/00	Uni-ZAP XR	489	880	1	880	31	31	1002	1	15	16	283
264	HROAJ39	PTA-2069 06/09/00	Uni-ZAP XR	490	1106	224	1106	247	247	1003	1	15	16	286
265	HROBD68	203499 12/01/98	Uni-ZAP XR	275	1998	1	1998	122	122	788	1	22	23	48
266	HSATR82	209299 09/25/97	Uni-ZAP XR	276	777	1	777	74	74	789	1	15	16	41
267	HSAVH65	209651 03/04/98	Uni-ZAP XR	277	600	1	600	104	104	790	1	21	22	100

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
268	HSAWD74	209126 06/19/97	Uni-ZAP XR	278	970	106	970	142	142	791	1	26	27	142
268	HSAWD74	209126 06/19/97	Uni-ZAP XR	491	646	1	646	122	122	1004	1	29	30	45
269	HSAWZ41	209463 11/14/97	Uni-ZAP XR	279	1388	1	1388	98	98	792	1	24	25	57
270	HSAXA83	209324 10/02/97	Uni-ZAP XR	280	649	1	649	92	92	793	1	22	23	74
271	HSAYB43	209568 01/06/98	Uni-ZAP XR	281	1699	37	1699	89	89	794	1	14	15	45
272	HSDEK49	209603 01/29/98	Uni-ZAP XR	282	1782	1	1782	60	60	795	1	19	20	399
272	HSDEK49	209603 01/29/98	Uni-ZAP XR	492	1590	96	1590	126	126	1005	1	21	22	305
273	HSDFJ26	203648 02/09/99	Uni-ZAP XR	283	1205	23	1179	99	99	796	1	20	21	223
273	HSDFJ26	203648 02/09/99	Uni-ZAP XR	493	1179	1	1179	99	99	1006	1	19	20	72
274	HSDJJ82	209126 06/19/97	Uni-ZAP XR	284	462	1	462	79	79	797	1	32	33	52
275	HSDSB09	209145 07/17/97	pBluescript	285	809	1	809	16	16	798	1	17	18	135
275	HSDSB09	209145 07/17/97	pBluescript	494	819	1	819	22	22	1007	1	17	18	121
276	HSDSE75	209324 10/02/97	pBluescript	286	1151	1	1151	160	160	799	1	18	19	181

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
277	HSDZR57	209641 02/25/98	pBluescript	287	308	1	308	27	27	800	1	27	28	61
278	HSIDJ81	209551 12/12/97	Uni-ZAP XR	288	1303	1	1303	8	8	801	1	22	23	58
279	HSKDA27	PTA-322 07/09/99	Uni-ZAP XR	289	4412	1	4412	786	786	802	1	24	25	950
279	HSKDA27	PTA-322 07/09/99	Uni-ZAP XR	495	1792	134	1792	127	127	1008	1	21	22	509
279	HSKDA27	PTA-322 07/09/99	Uni-ZAP XR	496	1673	1	1673	12	12	1009	1	21	22	554
280	HSKGN81	97977 04/04/97 209082 05/29/97	pBluescript	290	1907	151	1432	353	353	803	1	23	24	260
280	HSKGN81	97977 04/04/97 209082 05/29/97	pBluescript	497	2084	335	2084	537	537	1010	1	18	19	23
281	HSLCQ82	209551 12/12/97	Uni-ZAP XR	291	1476	1	1476	226	226	804	1	28	29	84
281	HSLCQ82	209551 12/12/97	Uni-ZAP XR	498	1501	1	1501	233	233	1011	1	22	23	57
282	HSNAD72	209139 07/03/97	Uni-ZAP XR	292	861	1	861	220	220	805	1	19	20	35
283	HSNMC45	209300 09/25/97	Uni-ZAP XR	293	587	1	587	225	225	806	1	18	19	55

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
283	HSNMC45	209300 09/25/97	Uni-ZAP XR	499	720	1	720	232	232	1012	1	17	18	25
284	HSQFP66	209126 06/19/97	Uni-ZAP XR	294	477	1	477	96	96	807	1	32	33	78
285	HSRFZ57	PTA-622 09/02/99	Uni-ZAP XR	295	1930	1	1925	82	82	808	1	18	19	41
286	HSSFT08	209551 12/12/97	Uni-ZAP XR	296	791	1	791	125	125	809	1	34	35	58
287	HSSGD52	PTA-1543 03/21/00	Uni-ZAP XR	297	2425	1	2425	344	344	810	1	32	33	606
287	HSSGD52	PTA-1543 03/21/00	Uni-ZAP XR	500	2460	105	2460	338	338	1013	1	27	28	606
288	HSSGG82	209580 01/14/98	Uni-ZAP XR	298	1543	186	1543	203	203	811	1	17	18	62
289	HSUBW09	209007 04/28/97 209083 05/29/97	Uni-ZAP XR	299	1021	1	1021	153	153	812	1	31	32	56
290	HSVBU91	209603 01/29/98	Uni-ZAP XR	300	727	1	727	256	256	813	1	18	19	90
291	HSYAV50	PTA-1544 03/21/00	pCMVSport 3.0	301	2801	1	2801	155	155	814	1	23	24	672
292	HTAEE28	PTA-843 10/13/99	Uni-ZAP XR	302	1341	1	1341	319	319	815	1	33	34	282
292	HTAEE28	PTA-843 10/13/99	Uni-ZAP XR	501	738	159	738	372	372	1014	1	33	34	122

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
292	HTAEE28	PTA-843 10/13/99	Uni-ZAP XR	502	935	1	807		124	1015	1	1	2	216
293	HTECC05	209877 05/18/98	Uni-ZAP XR	303	839	1	839	13	13	816	1	15	16	178
293	HTECC05	209877 05/18/98	Uni-ZAP XR	503	871	1	871	21	21	1016	1	15	16	127
293	HTECC05	209877 05/18/98	Uni-ZAP XR	504	881	1	881	27	27	1017	1	15	16	164
294	HTEEB42	97922 03/07/97 209070 05/22/97	Uni-ZAP XR	304	1022	20	1022	59	59	817	1	22	23	298
295	HTEFU65	209324 10/02/97	Uni-ZAP XR	305	1028	1	1028	231	231	818	1	24	25	46
296	HTEGA76	97958 03/13/97 209072 05/22/97	Uni-ZAP XR	306	450	1	450	90	90	819	1	43	44	65
297	HTELM16	203648 02/09/99	Uni-ZAP XR	307	531	1	531	121	121	820	1	21	22	84
298	HTELP17	203648 02/09/99	Uni-ZAP XR	308	808	1	808	164	164	821	1	20	21	44
299	HTELS08	PTA-1544 03/21/00	Uni-ZAP XR	309	1898	1	1898	15	15	822	1	17	18	158
300	HTEPG70	203570 01/11/99	Uni-ZAP XR	310	813	1	813	365	365	823	1	27	28	89

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
301	HTGEP89	97977 04/04/97 209082 05/29/97	Uni-ZAP XR	311	703	1	703	285	285	824	1	29	30	94
302	HTHBG43	PTA-843 10/13/99	Uni-ZAP XR	312	848	1	848	47	47	825	1			39
302	HTHBG43	PTA-843 10/13/99	Uni-ZAP XR	505	632	103	632	149	149	1018	1			39
303	HTHDS25	203071 07/27/98	Uni-ZAP XR	313	1061	1	1061	70	70	826	1	15	16	90
304	HTLEP53	209641 02/25/98	Uni-ZAP XR	314	818	1	818	73	73	827	1	43	44	101
305	HTLGE31	PTA-2081 06/09/00	Uni-ZAP XR	315	534	1	534	51	51	828	1	17	18	86
306	HTLHY14	203648 02/09/99	Uni-ZAP XR	316	1032	1	1032	36	36	829	1	17	18	246
307	HTLIV19	PTA-2081 06/09/00	Uni-ZAP XR	317	978	1	978	110	110	830	1	33	34	84
308	HTOAK16	209368 10/16/97	Uni-ZAP XR	318	1466	1	1466	87	87	831	1	18	19	110
309	HTOGR42	209603 01/29/98	Uni-ZAP XR	319	1430	1	1430	14	14	832	1	18	19	56
309	HTOGR42	209603 01/29/98	Uni-ZAP XR	506	1433	1	1433	13	13	1019	1	18	19	60
310	HTOHT18	209745 04/07/98	Uni-ZAP XR	320	1499	267	1499	433	433	833	1	24	25	53

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
311	HTOIZ02	PTA-843 10/13/99	Uni-ZAP XR	321	549	1	549	243	243	834	1	16	17	50
311	HTOIZ02	PTA-843 10/13/99	Uni-ZAP XR	507	1369	746	1345		2	1020	1	1	2	240
312	HTOJK60	209324 10/02/97	Uni-ZAP XR	322	904	1	904	217	217	835	1	18	19	32
313	HTPCS72	209423 10/30/97	Uni-ZAP XR	323	3435	2141	3431	2365	2365	836	1	29	30	71
313	HTPCS72	209423 10/30/97	Uni-ZAP XR	508	1598	306	1598	530	530	1021	1	29	30	71
314	HTPIH83	PTA-871 10/26/99	Uni-ZAP XR	324	1481	1	1481	118	118	837	1	24	25	230
314	HTPIH83	PTA-871 10/26/99	Uni-ZAP XR	509	530	1	530	111	111	1022	1	24	25	140
314	HTPIH83	PTA-871 10/26/99	Uni-ZAP XR	510	1046	359	1046		96	1023	1	1	2	86
315	HTSEW17	209138 07/03/97	pBluescript	325	652	1	652	170	170	838	1	34	35	37
316	HTTBI76	209641 02/25/98	Uni-ZAP XR	326	1711	1	1711	133	133	839	1	22	23	133
317	HTTBS64	PTA-841 10/13/99	Uni-ZAP XR	327	2058	1	2058	95	95	840	1	17	18	42
317	HTTBS64	PTA-841 10/13/99	Uni-ZAP XR	511	819	1	819	100	100	1024	1	17	18	42
317	HTTBS64	PTA-841 10/13/99	Uni-ZAP XR	512	501	1	501		175	1025	1	1	2	76

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
318	HTWDF76	209852 05/07/98	pSport1	328	963	1	963	316	316	841	1	24	25	85
319	HTXCV12	209423 10/30/97	Uni-ZAP XR	329	1134	1	1134	175	175	842	1	27	28	102
319	HTXCV12	209423 10/30/97	Uni-ZAP XR	513	1162	1	1162	183	183	1026	1	27	28	91
320	HTXFL30	209603 01/29/98	Uni-ZAP XR	330	1991	1	1991	30	30	843	1	39	40	102
321	HTXJM03	209580 01/14/98	Uni-ZAP XR	331	2398	211	2398	328	328	844	1	18	19	56
322	HTXON32	203648 02/09/99	Uni-ZAP XR	332	1505	1	1505	72	72	845	1	22	23	52
323	HUFBY15	PTA-1543 03/21/00	pSport1	333	1193	1	1193	49	49	846	1	26	27	159
323	HUFBY15	PTA-1543 03/21/00	pSport1	514	1012	1	1012	74	74	1027	1	26	27	145
324	HUFCJ30	209641 02/25/98	pSport1	334	868	1	868	123	123	847	1	29	30	50
325	HUKAH51	209568 01/06/98	Lambda ZAP II	335	853	1	853	286	286	848	1	20	21	151
325	HUKAH51	209568 01/06/98	Lambda ZAP II	515	754	1	754	144	144	1028	1	22	23	142
325	HUKAH51	209568 01/06/98	Lambda ZAP II	516	667	1	667	55	55	1029	1	22	23	119
326	HUSXS50	209651 03/04/98	pSport1	336	2561	1	2561	280	280	849	1	19	20	522

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
326	HUSXS50	209651 03/04/98	pSport1	517	2025	1098	1997	281	281	1030	1	30	31	462
326	HUSXS50	209651 03/04/98	pSport1	518	1020	1	1020	179	179	1031	1	23	24	174
327	HUVEB53	209603 01/29/98	Uni-ZAP XR	337	1502	1	1502	14	14	850	1	20	21	45
328	HWAAD63	203570 01/11/99	pCMVSport 3.0	338	3308	1	3308	322	322	851	1	30	31	168
328	HWAAD63	203570 01/11/99	pCMVSport 3.0	519	3306	1	3306	322	322	1032	1	30	31	53
328	HWAAD63	203570 01/11/99	pCMVSport 3.0	520	2194	1	2194	312	312	1033	1	30	31	169
329	HWABY10	203071 07/27/98	pCMVSport 3.0	339	2950	78	2914	263	263	852	1	22	23	168
330	HWADJ89	PTA-1543 03/21/00	pCMVSport 3.0	340	1769	529	1769	581	581	853	1	1	2	43
331	HWBCB89	PTA-499 08/11/99	pCMVSport 3.0	341	1317	3	1317	37	37	854	1	19	20	187
331	HWBCB89	PTA-499 08/11/99	pCMVSport 3.0	521	1315	1	1315	35	35	1034	1	19	20	187
332	HWBFX31	PTA-1543 03/21/00	pCMVSport 3.0	342	1677	1	1677	271	271	855	1	1	2	52
333	HWDAH38	PTA-868 10/26/99	pCMVSport 3.0	343	1604	1	1604	255	255	856	1	20	21	40
333	HWDAH38	PTA-868 10/26/99	pCMVSport 3.0	522	796	1	796	319	319	1035	1	20	21	40

Gene No.	cDNA Clone ID	ATCC Deposit No:Z and Date	Vector	NT SEQ ID NO: X	Total NT Seq.	5' NT of Clone Seq.	3' NT of Clone Seq.	5' NT of Start Codon	5' NT of First AA of Signal Pep	AA SEQ ID NO: Y	First AA of Sig Pep	Last AA of Sig Pep	First AA of Secreted Portion	Last AA of ORF
334	HWHGZ51	PTA-499 08/11/99	pCMVSport 3.0	344	1699	1	1699	33	33	857	1	30	31	346
335	HWLIH65	203081 07/30/98	pSport1	345	831	1	831	129	129	858	1	18	19	165
336	HTEAM34	PTA-623 09/02/99	Uni-ZAP XR	346	801	87	801	136	136	859	1	28	29	122
336	HTEAM34	PTA-623 09/02/99	Uni-ZAP XR	523	734	1	734	63	63	1036	1	28	29	122

Description of Table 1B.1 and Table 1B.2

Table 1B.1 and Table 1B.2 summarize some of the polynucleotides encompassed by the invention (including cDNA clones related to the sequences (Clone ID:), contig sequences (contig identifier (Contig ID:) and contig nucleotide sequence identifiers (SEQ ID NO:X)) and further summarizes certain characteristics of these polynucleotides and the polypeptides encoded thereby. The first column of Tables 1B.1 and 1B.2 provide the gene numbers in the application for each clone identifier. The second column of Tables 1B.1 and 1B.2 provide unique clone identifiers, "Clone ID:", for cDNA clones related to each contig sequence disclosed in Table 1A and/or 1B. The third column of Tables 1B.1 and 1B.2 provide unique contig identifiers, "Contig ID:" for each of the contig sequences disclosed in these tables. The fourth column of Tables 1B.1 and 1B.2 provide the sequence identifiers, "SEQ ID NO:X", for each of the contig sequences disclosed in Table 1A and/or 1B.

Table 1B.1

The fifth column of Table 1B.1, "ORF (From-To)", provides the location (i.e., nucleotide position numbers) within the polynucleotide sequence of SEQ ID NO:X that delineates the preferred open reading frame (ORF) that encodes the amino acid sequence shown in the sequence listing and referenced in Table 1B.1 as SEQ ID NO:Y (column 6). Column 7 of Table 1B.1 lists residues comprising predicted epitopes contained in the polypeptides encoded by each of the preferred ORFs (SEQ ID NO:Y). Identification of potential immunogenic regions was performed according to the method of Jameson and Wolf (CABIOS, 4; 181-186 (1988)); specifically, the Genetics Computer Group (GCG) implementation of this algorithm, embodied in the program PEPTIDESTRUCTURE (Wisconsin Package v10.0, Genetics Computer Group (GCG), Madison, Wisc.). This method returns a measure of the probability that a given residue is found on the surface of the protein. Regions where the antigenic index score is greater than 0.9 over at least 6 amino acids are indicated in Table 1B.1 as "Predicted Epitopes". In particular embodiments, polypeptides of the invention comprise, or alternatively consist of, one, two, three, four, five or more of the predicted epitopes described in Table 1B.1. It will be appreciated that depending on the analytical criteria used to predict antigenic determinants, the exact address of the determinant may vary slightly. Column 8 of Table 1B.1 ("Cytologic Band") provides the chromosomal location of polynucleotides corresponding to SEQ ID NO:X. Chromosomal location was determined by finding exact matches to EST and cDNA sequences contained in the NCBI (National Center for Biotechnology Information) UniGene database. Given a presumptive chromosomal location, disease locus association was determined by comparison with the Morbid Map, derived from Online Mendelian Inheritance in Man (Online Mendelian Inheritance in Man, OMIM™. McKusick-Nathans Institute for Genetic Medicine, Johns Hopkins University (Baltimore, MD) and National Center for Biotechnology Information, National Library of Medicine

(Bethesda, MD) 2000. World Wide Web URL: http://www.ncbi.nlm.nih.gov/omim/). If the putative chromosomal location of the Query overlaps with the chromosomal location of a Morbid Map entry, an OMIM identification number is disclosed in Table 1B.1, column 9 labeled "OMIM Disease Reference(s)". A key to the OMIM reference identification numbers is provided in Table 5. Table 5 is a key to the OMIM reference identification numbers (column 1), and provides a description of the associated disease in Column 2.

Table 1B.2

Column 5 of Table 1B.2, "Tissue Distribution" shows the expression profile of tissue, cells, and/or cell line libraries which express the polynucleotides of the invention. The first code number shown in Table 1B.2 column 5 (preceding the colon), represents the tissue/cell source identifier code corresponding to the key provided in Table 4. Expression of these polynucleotides was not observed in the other tissues and/or cell libraries tested. The second number in column 5 (following the colon), represents the number of times a sequence corresponding to the reference polynucleotide sequence (e.g., SEQ ID NO:X) was identified in the corresponding tissue/cell source. Those tissue/cell source identifier codes in which the first two letters are "AR" designate information generated using DNA array technology. Utilizing this technology, cDNAs were amplified by PCR and then transferred, in duplicate, onto the array. Gene expression was assayed through hybridization of first strand cDNA probes to the DNA array. cDNA probes were generated from total RNA extracted from a variety of different tissues and cell lines. Probe synthesis was performed in the presence of ^{33}P dCTP, using oligo(dT) to prime reverse transcription. After hybridization, high stringency washing conditions were employed to remove non-specific hybrids from the array. The remaining signal, emanating from each gene target, was measured using a Phosphorimager. Gene expression was reported as Phosphor Stimulating Luminescence (PSL) which reflects the level of phosphor signal generated from the probe hybridized to each of the gene targets represented on the array. A local background signal subtraction was performed before the total signal generated from each array was used to normalize gene expression between the different hybridizations. The value presented after "[array code]:" represents the mean of the duplicate values, following background subtraction and probe normalization. One of skill in the art could routinely use this information to identify normal and/or diseased tissue(s) which show a predominant expression pattern of the corresponding polynucleotide of the invention or to identify polynucleotides which show predominant and/or specific tissue and/or cell expression.

TABLE 1B.1

Gene No:	cDNA Clone ID	Contig ID:	SEQ ID NO: X	ORF (From-To)	AA SEQ ID NO: Y	Predicted Epitopes	Cytologic Band	OMIM Disease Reference(s):
1	H2CBU83	884134	11	157 - 777	524	Pro-62 to Asp-67, Arg-74 to Gly-80, Gln-146 to Glu-168.	11p14-p13	102772, 106210, 106210, 106210, 106210, 107271, 114550, 115500, 136530, 151390, 179615, 179615, 179616, 180385, 194070, 194070, 194070, 245349, 602092
	H2CBU83	745366	347	157 - 312	860			
2	H2MAC30	544957	12	157 - 375	525	Pro-54 to Gly-67.		
3	H6EDC19	543259	13	389 - 733	526	Arg-5 to Pro-12.		
4	HACBD91	637482	14	117 - 266	527		3q13.33	600882
5	HAGAQ26	561996	15	251 - 439	528		7q33	180105, 222800
6	HAGBZ81	456414	16	65 - 214	529	Ile-40 to Lys-45.	8q12.1	
7	HAGDG59	534165	17	124 - 1026	530	Lys-29 to Val-34, Cys-94 to Asp-99, Ser-102 to Val-107, Gln-133 to Lys-139.	4	
8	HAGDS35	1352199	18	45 - 410	531	Leu-31 to Phe-38, Glu-47 to Trp-52.		
	HAGDS35	543617	348	52 - 405	861	Leu-31 to Phe-38, Glu-47 to Trp-52.		
9	HAGFG51	823509	19	163 - 294	532	Cys-36 to Gly-43.		
10	HAIBO71	490848	20	325 - 525	533			
11	HAIFL18	676933	21	274 - 693	534	Glu-28 to Gly-45, Ser-63 to Gly-69, Gln-96 to Trp-104, Gly-112 to Pro-117, Arg-121 to Pro-128.		
12	HAJAF57	823516	22	43 - 324	535	Cys-25 to Ile-31,		

						Cys-85 to Asn-91.		
13	HAJAN23	1352364	23	109 - 1797	536	Pro-186 to Tyr-196, Leu-294 to Leu-300, Ser-380 to Thr-385, Thr-486 to Ser-499, Phe-513 to Ser-522.	5q12-q13	126060, 143200, 143200, 181510, 253200, 268800, 268800, 600354, 600354, 600354, 600887
	HAJAN23	872551	349	120 - 629	862			
14	HAJBR69	638516	24	262 - 423	537			
15	HAMFE15	905695	25	1495 - 2757	538	Leu-8 to Thr-16, Gly-93 to Ala-105, Arg-136 to Thr-142, Lys-195 to Gln-200, Lys-241 to His-247, Gly-255 to Gln-270, Gln-288 to Leu-293, Thr-316 to Asp-328, Gly-348 to Pro-355, Asp-408 to Met-415.	7q34	180105, 222800, 274180
	HAMFE15	823350	350	226 - 369	863	Ser-39 to Asn-47.		
16	HAMGG68	731859	26	312 - 479	539			
17	HAMGR28	892971	27	98 - 823	540	Ala-27 to Asp-34, Tyr-116 to Leu-125.		
	HAMGR28	748223	351	40 - 651	864	Ala-27 to Asp-34, Tyr-116 to Leu-125, Arg-185 to Cys-194.		
18	HAPOM49	769555	28	251 - 817	541	Gln-23 to Asp-30, Lys-66 to Cys-87.		
	HAPOM49	722386	352	448 - 816	865	Met-1 to Cys-21, Cys-41 to Asp-59, Pro-104 to His-116.		
19	HAPPW30	1352278	29	59 - 850	542	Glu-42 to Pro-53, Ser-67 to Tyr-79,		

						Phe-137 to Leu-143, Ser-180 to Arg-186, Trp-188 to Gly-195, Pro-210 to Arg-216, Thr-222 to Asp-243.		
	HAPPW30	684272	353	54 - 329	866	Glu-42 to Pro-53, Ser-67 to Thr-73, Ala-84 to Leu-90.		
20	HATBR65	635514	30	252 - 446	543	Ile-25 to Trp-30.		
21	HATCB92	603948	31	247 - 417	544	Arg-49 to Gln-56.		
22	HATEE46	565618	32	241 - 402	545			
23	HAUAI83	639009	33	253 - 399	546	Asn-34 to Lys-42.	19	
	HAUAI83	383592	354	575 - 643	867	Ala-17 to Lys-23.		
24	HBAMB15	671835	34	390 - 569	547		2p16	126600, 126600, 136435, 160980, 600678
25	HBGBA69	1352289	35	124 - 843	548	Pro-51 to Asp-56, Gly-95 to Thr-105, Val-132 to Ala-138, Pro-229 to Leu-240.		
	HBGBA69	709658	355	62 - 244	868	Thr-52 to Gly-57.		
26	HBIAE26	514418	36	75 - 194	549	Ser-22 to Lys-27.		
27	HBINS58	1352386	37	57 - 578	550	Gly-32 to Gly-37, Glu-78 to His-87, Tyr-102 to Ala-107, Pro-115 to Val-122, Lys-164 to Tyr-170.	1	
	HBINS58	961712	356	71 - 592	869	Gly-32 to Gly-37, Glu-78 to His-87, Tyr-102 to Ala-107, Pro-115 to Val-122, Lys-164 to Gln-171.		
	HBINS58	892924	357	100 - 732	870	Gly-32 to Gly-37, Glu-78 to His-87,		

						Tyr-102 to Ala-107, Pro-115 to Val-122.		
28	HBJNC59	1125802	38	66 - 803	551	Pro-29 to Gly-46, Lys-48 to Gly-55, Lys-67 to Gly-80, Lys-100 to Pro-115, Arg-121 to Gly-127, Asn-139 to Gly-149, Ser-179 to Arg-185, Asp-191 to Gly-196, Lys-219 to Gly-224.	1p36.3-p34.1	120550, 120570, 120575, 121800, 130500, 133200, 138140, 153454, 171760, 171760, 178300, 236250, 255800, 256700
	HBJNC59	899397	358	66 - 365	871	Pro-29 to Gly-46, Lys-48 to Gly-55, Lys-67 to Gly-80, Gly-89 to Asn-99.		
	HBJNC59	902207	359	64 - 801	872	Pro-29 to Gly-46, Lys-48 to Gly-55, Lys-67 to Gly-80, Lys-100 to Pro-115, Arg-121 to Gly-127, Asn-139 to Gly-149, Ser-179 to Arg-185, Asp-191 to Gly-196, Lys-219 to Gly-224.		
29	HBNAW17	526797	39	77 - 262	552			
30	HBOEG69	793786	40	302 - 466	553			
31	HCACU58	625923	41	137 - 388	554			
32	HCE2F54	634016	42	166 - 1125	555	His-44 to Pro-50, Glu-90 to Glu-96, Gln-111 to Glu-117, Ser-143 to Gly-151, Ala-154 to Leu-166, Pro-199 to Ala-216,	16q22.1	103850, 114835, 116800, 140100, 140100, 192090, 192090, 192090, 192090, 245900, 245900, 276600, 600223

						Gly-264 to Asp-272.		
33	HCE3G69	728432	43	165 - 1175	556	Lys-50 to Asp-66, Pro-68 to Glu-77, Glu-102 to Glu-107, Glu-131 to Leu-146, Ala-175 to Glu-183, Phe-205 to Lys-216, Val-263 to Thr-281, Pro-304 to Ala-313.	2q36.1	120070, 120131, 120131, 138030, 259900
	HCE3G69	494346	360	165 - 482	873	Lys-50 to Leu-69.		
34	HCE5F43	612796	44	113 - 931	557	Asn-23 to Ser-32, Trp-61 to Ser-68, Ala-130 to Ala-135, Thr-141 to Gly-148, Asn-176 to Gly-182, Pro-197 to Glu-205, His-211 to Glu-222, Gln-242 to Ile-248, Thr-265 to Leu-271.	10p13	601362
35	HCEFB80	1143407	45	12 - 281	558	Met-1 to Ala-8, Ser-51 to Leu-62, Pro-70 to Lys-78.	22q13.33	
	HCEFB80	1046853	361	5 - 274	874	Met-1 to Ala-8.		
36	HCENK38	658737	46	10 - 168	559	Tyr-30 to Ser-40.		
37	HCEWE20	543370	47	166 - 321	560	Ser-17 to Gln-22.		
38	HCFNN01	430297	48	254 - 385	561			
39	HCGMD59	636078	49	438 - 662	562			
40	HCHNF25	1352270	50	1130 - 1636	563	Val-34 to Leu-39, Ser-64 to Cys-74, Ser-86 to Lys-94, Gln-133 to Asn-143, Pro-160 to Asp-169.		

	HCHNF25	658672	362	180 - 623	875	Val-34 to Leu-39, Ser-64 to Cys-74, Ser-86 to Ser-95, Arg-128 to Ala-136.		
41	HCNDR47	1016919	51	21 - 401	564	Pro-71 to His-92.	1	
	HCNDR47	863677	363	124 - 507	876	Pro-71 to His-92.		
	HCNDR47	874128	364	603 - 632	877	Leu-1 to Thr-9.		
42	HCNSB61	526413	52	218 - 349	565	Pro-26 to Asn-32.		
43	HCNSM70	637547	53	107 - 751	566	Met-1 to Ser-6.	11q24	600359, 602574, 602574
	HCNSM70	589445	365	161 - 436	878	Met-1 to Ser-6.		
44	HCUCK44	720291	54	593 - 772	567		19q13.1	164731, 172400, 172400, 180901, 180901, 221770, 248600, 600918, 602716
45	HCUEO60	499242	55	102 - 296	568			
46	HCUHK65	651313	56	80 - 319	569	Met-24 to Gly-29, Ala-57 to Thr-63.		
	HCUHK65	880178	366	770 - 2893	879	Glu-124 to Leu-131, Asp-266 to Pro-271, Asn-273 to Phe-280, Glu-315 to Arg-321, Pro-400 to Val-407, Ala-446 to Pro-452, Thr-487 to Gly-492, Phe-517 to Gly-523, Tyr-599 to Lys-605, Thr-611 to Thr-626, Met-653 to Gly-658, Ala-686 to Thr-692.		
47	HCUIM65	550208	57	557 - 700	570			
48	HCWDS72	707833	58	19 - 318	571			
49	HCWGU37	1042325	59	194 - 226	572		13,15,16,19, 2,3,4,5	
	HCWGU37	901913	367	187 - 219	880			

50	HCWKC15	553621	60	37 - 159	573	Lys-28 to Thr-34.			
51	HCWLD74	628256	61	138 - 335	574				
52	HDHEB60	499233	62	568 - 894	575	Asp-48 to Ser-54.	11p11.2	133701, 168500, 171650, 176930, 176930, 600623, 600811, 600958	
53	HDLAC10	692299	63	132 - 377	576		11p15.3	168450, 168450, 257200, 257200	
54	HDPBA28	1062783	64	259 - 3084	577	Gln-33 to Trp-49, Gly-161 to Gly-172, Ile-207 to Arg-212, Asn-414 to Val-419, Val-423 to Gln-428, Val-436 to Gly-441, Lys-467 to Leu-478, Phe-497 to Ser-508, Met-550 to Gly-560, Glu-688 to Thr-697, Ile-711 to Gly-720, Ala-747 to Gly-759, Leu-785 to Phe-791, Ser-795 to Gln-800, Thr-808 to Lys-813, Ser-821 to Phe-832, Thr-879 to Glu-889, Leu-898 to Gln-904, Gln-934 to Met-941.	5q14.3		
	HDPBA28	866429	368	69 - 2894	881	Gln-33 to Trp-49, Gly-161 to Gly-172, Ile-207 to Arg-212, Asn-414 to Val-419, Val-423 to Gln-428, Val-436 to Gly-441, Lys-467 to Leu-478, Phe-497 to Ser-508, Met-550 to Gly-560,			

						Glu-688 to Thr-697, Ile-711 to Gly-720, Ala-747 to Gly-759, Leu-785 to Phe-791, Ser-795 to Gln-800.		
55	HDPBQ71	1160316	65	93 - 1928	578	Leu-56 to Thr-62, Gln-80 to Pro-87, Gly-106 to Gln-113, Pro-122 to Lys-127, Gln-138 to Asn-146, Cys-280 to Lys-287, Asp-306 to Gly-311, Asp-321 to Thr-326, Gly-337 to Pro-345, Thr-354 to Gln-359, Asn-451 to Ile-457, Lys-526 to Glu-532, Gln-591 to Glu-603.		
	HDPBQ71	727200	369	24 - 1859	882	Leu-56 to Thr-62, Gln-80 to Pro-87, Gly-106 to Gln-113, Pro-122 to Lys-127, Gln-138 to Asn-146.		
	HDPBQ71	886067	370	165 - 1535	883	Leu-56 to Thr-62, Gln-80 to Pro-87, Gly-106 to Gln-113, Pro-122 to Lys-127, Gln-138 to Asn-146, Cys-280 to Lys-287, Asp-306 to Gly-311, Asp-321 to Thr-326, Gly-337 to Pro-345, Thr-354 to Gln-359,		

						Asn-451 to Arg-456.		
56	HDPCL63	1019008	66	35 - 835	579	Ile-4 to Glu-10, Gly-58 to Asp-64.		
	HDPCL63	847045	371	260 - 733	884	Lys-72 to Cys-80, Leu-90 to Pro-96, Ala-110 to Thr-119, Glu-121 to Gly-128, Ser-140 to Lys-147.		
	HDPCL63	897484	372	605 - 961	885	Pro-8 to Gln-13, Thr-38 to Pro-46, Pro-100 to Met-108, Pro-113 to Pro-118.		
57	HDPCO25	460682	67	182 - 343	580	Pro-22 to His-33, Ser-42 to Trp-48.		
58	HDPFF39	588697	68	175 - 765	581	Ser-128 to Thr-133, Thr-158 to Thr-166, Leu-168 to Gly-175, Ala-179 to Asp-196.	19q13.2-q13.3	107741, 113900, 122720, 122720, 126340, 126391, 130410, 134790, 138570, 160900, 164731, 173850, 207750, 248600, 258501, 600040, 602225, 602225
59	HDPFP29	628254	69	293 - 451	582			
60	HDPGI49	785887	70	266 - 484	583		15q	
61	HDPGT01	771583	71	8 - 271	584	Cys-65 to Ser-71.	16q22.1	103850, 114835, 116800, 140100, 140100, 192090, 192090, 192090, 192090, 245900, 245900, 276600, 600223
62	HDPHI51	460679	72	245 - 367	585	Gly-2 to Glu-7, Arg-27 to Gly-34.		
63	HDPJM30	879325	73	59 - 1633	586	Arg-15 to Val-22.	21q22.3	120220, 120240, 123580, 151385, 171860, 190685, 236100, 236200, 240300, 267750, 600065, 601072, 601145
	HDPJM30	603517	373	259 - 438	886	Pro-41 to Ala-55.		
64	HDPMM88	972734	74	100 - 2913	587	Met-1 to Ser-13, Ser-45 to Phe-51, Asn-103 to Lys-113,		

	HDPMM88	906121	374	141 - 467	887	Phe-135 to Gly-140, Asp-165 to Pro-178, Ser-224 to Ala-229, Asn-283 to Arg-288, Asp-347 to Tyr-352, Thr-367 to Glu-372, Gly-420 to Thr-425, Glu-456 to Lys-462, Phe-466 to Asn-474, Glu-480 to Leu-485, Asp-673 to Asp-681, Gln-684 to Gly-689, Leu-841 to Gly-874, Gly-890 to Pro-900, Ser-902 to Ser-911, Leu-918 to Asp-924, Ser-930 to Val-935.			
	HDPMM88	902299	375	44 - 181	888	Ser-28 to Phe-34, Asn-86 to Tyr-93.			
	HDPMM88	885059	376	419 - 439	889				
	HDPMM88	874074	377	111 - 146	890				
	HDPMM88	854246	378	167 - 334	891				
	HDPMM88	854245	379	28 - 186	892	Ser-26 to Thr-31.			
65	HDPNC61	637585	75	20 - 304	588	Glu-35 to Lys-44, Cys-83 to Gly-88.			
66	HDPOJ08	731863	76	159 - 527	589	Lys-30 to Thr-35.	3q25.33	222900	
67	HDPOZ56	1352319	77	91 - 1791	590	Gln-22 to Gln-44, Ala-90 to Gly-95, Lys-137 to Trp-146, Arg-171 to Asp-181, Glu-370 to Ser-380,			

						Asp-447 to Gly-452, Gln-463 to Trp-469, Asn-505 to Ala-511, Asp-513 to His-520, Ala-542 to Val-551, Asn-559 to His-567.		
	HDPOZ56	815653	380	103 - 1800	893	Gln-22 to Gln-44, Ala-90 to Gly-95, Lys-137 to Trp-146, Arg-171 to Asp-181, Glu-370 to Ser-380, Asp-447 to Gly-452, Gln-463 to Trp-469, Asn-504 to Ala-510, Asp-512 to His-519, Ala-541 to Val-550, Asn-558 to His-566.		
	HDPOZ56	743479	381	59 - 1018	894	Gln-22 to Gln-44, Ala-53 to Gly-58.		
68	HDPPN86	1037893	78	127 - 267	591			
	HDPPN86	895711	382	117 - 257	895			
69	HDPSB18	1043263	79	123 - 323	592	Lys-23 to Lys-31, Ala-38 to Ser-43.	10	
	HDPSB18	903816	383	116 - 307	896			
	HDPSB18	905414	384	1525 - 1566	897			
	HDPSB18	732097	385	345 - 665	898	Lys-57 to Gly-64.		
70	HDPSH53	1309174	80	158 - 430	593	Met-1 to Trp-6, Leu-22 to Thr-27, Pro-44 to Thr-63.		
	HDPSH53	1040056	386	153 - 536	899	Met-1 to Trp-6, Leu-22 to Thr-27, Pro-44 to Gly-58,		

						Ala-61 to Glu-74, Pro-99 to Gly-111, Cys-121 to Ser-127.		
	HDPSH53	882768	387	212 - 484	900	Met-1 to Trp-6, Leu-22 to Thr-27.		
71	HDPSP01	1352280	81	184 - 2313	594	Gln-75 to Cys-80, Glu-97 to Lys-104, Glu-114 to Ala-119, Thr-177 to Gln-190, Asn-230 to Trp-240, Glu-269 to Arg-274, Pro-279 to Ala-286, Pro-323 to Cys-328, Asn-362 to Leu-367, Thr-390 to Arg-397, Leu-490 to Arg-495, Gln-556 to Leu-561, Gln-657 to Val-674.		
	HDPSP01	689129	388	227 - 1153	901	Gln-75 to Cys-80.		
72	HDPSP54	744440	82	2356 - 2499	595	Pro-29 to Lys-37.	1q21.2	104770, 107670, 110700, 145001, 146760, 146790, 191315, 601412, 601652, 601863, 602491
	HDPSP54	502472	389	179 - 343	902			
73	HDPTD15	692917	83	223 - 825	596	Arg-20 to Lys-44, Arg-59 to Arg-68, Trp-74 to Lys-86, Thr-91 to Val-102.		
74	HDPUW68	812737	84	40 - 1440	597	Gly-12 to Tyr-26, Val-52 to Asp-59, Gln-88 to Asp-93, Arg-124 to Asn-129, His-193 to Arg-198, Gln-207 to Thr-213, Gln-338 to Arg-346,		

					Ser-378 to Ala-384, Ser-413 to Arg-420, Ser-428 to Glu-434, His-443 to Ser-451, Glu-454 to Ser-461.	17q21.33	109270, 109270, 109270, 109270, 109270, 120150, 120150, 120150, 148065, 148080, 154275, 171190, 185800, 221820, 249000, 253250, 600119, 600119, 600525, 601844
75	HDPWN93	992925	85	45 - 2453	598	Pro-36 to Ser-52, Ala-63 to Pro-78, Ala-106 to Lys-115, Glu-134 to Glu-141, Val-155 to Asp-164, Phe-199 to Gly-204, Arg-218 to Leu-228, Glu-230 to Val-235, Val-247 to Pro-253, Arg-262 to Gly-276, Thr-303 to Gln-310, Arg-335 to Trp-342, Glu-399 to Ala-415, Ser-458 to Glu-466, Arg-508 to Asp-517, Glu-580 to Pro-585, Gln-620 to Trp-628, Lys-651 to Ala-657, Gly-677 to Met-682, Ala-712 to Leu-717, Gly-724 to Thr-731, Arg-770 to Gln-775.		
	HDPWN93	887914	390	35 - 679	903	Pro-36 to Ser-52, Ala-63 to Pro-78, Ala-106 to Lys-115, Glu-134 to Glu-141, Val-155 to Asp-164.		
	HDPWN93	905983	391	27 - 158	904			

76	HDPXY01	879048	86	23 - 319	599	Pro-39 to Trp-44.	17	
	HDPXY01	904768	392	33 - 329	905	Pro-39 to Trp-44.		
	HDPXY01	895716	393	539 - 607	906			
	HDPXY01	895715	394	1190 - 1267	907			
77	HDTBD53	972757	87	288 - 1385	600	Glu-91 to Arg-117, Lys-124 to Ser-136, Tyr-191 to Glu-200, Glu-265 to Lys-272.	3p25.1	193300, 193300, 227646
	HDTBD53	906342	395	292 - 1389	908	Glu-91 to Arg-117, Lys-124 to Ser-136.		
78	HDTBV77	785879	88	326 - 2149	601	Lys-5 to Lys-10, Asn-33 to Lys-39, Asp-48 to Lys-54, Pro-62 to Asp-67, Asn-116 to Arg-123, His-157 to Ala-162, Val-242 to Lys-249, Val-251 to Asp-264.	10p15.1	
79	HDTDQ23	1306984	89	132 - 302	602	Arg-24 to Arg-31, Ile-33 to Trp-41, Met-43 to His-52.		
	HDTDQ23	879009	396	148 - 471	909	Arg-24 to Arg-31, Ile-33 to Gly-41.		
	HDTDQ23	751707	397	148 - 369	910	Arg-24 to Arg-31.		
80	HE2DE47	619852	90	808 - 2427	603	Leu-9 to Tyr-15, Asp-34 to Gln-46, Pro-51 to Asp-57, Gly-88 to Thr-104, Thr-123 to Ser-128.		
	HE2DE47	382025	398	515 - 757	911	Leu-31 to Asn-38.		
81	HE2EB74	513662	91	507 - 566	604			
82	HE2NV57	740750	92	99 - 398	605	Ala-84 to Gln-93.		

83	HE2PH36	570903	93	28 - 228	606			
84	HE8DS15	847060	94	91 - 309	607		18	
85	HE9CP41	560625	95	132 - 257	608	Ala-22 to Lys-36.		
86	HE9DG49	1299935	96	70 - 675	609	Ala-118 to Phe-124, Arg-178 to Lys-201.		
	HE9DG49	658678	399	70 - 672	912	Ala-118 to Phe-124, Arg-178 to Lys-201.		
	HE9DG49	382000	400	78 - 686	913	Ala-118 to Phe-124, Thr-177 to Lys-203.		
87	HE9HY07	420063	97	35 - 160	610	Pro-35 to Phe-41.		
88	HEBEJ18	701802	98	51 - 467	611	Ser-39 to Asn-45, Asn-103 to Ser-109.		
89	HEEAQ11	777843	99	213 - 656	612	Phe-31 to Asp-38, Asn-59 to Tyr-65, Ser-76 to Glu-82, Thr-96 to Cys-108, Gln-111 to Asn-118.		
90	HEGAH43	532596	100	29 - 364	613	Lys-35 to Glu-41, Ala-62 to Asn-67.	20p13	192340, 234200
91	HELHD85	847372	101	41 - 280	614	Asn-36 to Gln-41, Pro-49 to Ser-54, Cys-65 to Ser-70.		
92	HEOMQ63	603533	102	123 - 266	615		20p12.1	
93	HEPAA46	596830	103	18 - 389	616	Tyr-21 to Asp-40, Ser-58 to Arg-64, Thr-71 to Ser-76, Ser-106 to Thr-112.		
94	HEPAB80	1307790	104	73 - 438	617	Met-1 to Pro-6, Glu-58 to Cys-63, Glu-65 to Gly-72, Thr-74 to Asn-88, Tyr-104 to Trp-109.		

	HEPAB80	570048	401	67 - 435	914	Met-1 to Pro-6, Glu-58 to Cys-63, Glu-65 to Gly-72, Thr-74 to Val-87.		
95	HFABG18	847073	105	53 - 316	618	Glu-36 to Lys-55.	19q13	109560, 205900, 600652, 600757
96	HFABH95	566712	106	199 - 549	619			
97	HFAEF57	534142	107	232 - 492	620	Leu-69 to Leu-74.		
98	HFAMH77	543486	108	240 - 425	621	Ser-33 to Ser-44.		
99	HFCCQ50	579993	109	47 - 1105	622	Ala-27 to Ser-38, Pro-43 to Asn-54, Thr-115 to Asp-121, Leu-225 to Val-232, Pro-247 to Gly-252, Arg-306 to Leu-311.	12q24	113100, 124200, 147440, 158590, 160781, 163950, 163950, 251170, 276710, 600175, 601517
100	HFCEB37	411345	110	487 - 519	623			
101	HFFAD59	520369	111	44 - 181	624	Lys-13 to Asn-19, Asn-27 to Asn-35.	4q32-q34	189800, 208400, 231675
102	HFFAL36	560639	112	68 - 238	625			
103	HFGAD82	513669	113	1019 - 1135	626		Xp22.2	300075, 300077, 301200, 302350, 302801, 305435, 306000, 306000, 307800, 308800, 309510, 311200, 312040, 312170, 312700, 313400
104	HFIUR10	532060	114	50 - 184	627	Gln-31 to Pro-39.		
105	HFTBM50	545012	115	158 - 262	628	Ala-19 to Lys-34.	4q12	103600, 103600, 103600, 104150, 104150, 104500, 164920, 164920, 164920, 170650, 600900
106	HFTDZ36	545726	116	547 - 753	629		16q24.3	155555, 155555, 227650, 253000, 602783
107	HFVAB79	1300736	117	133 - 717	630	Ser-21 to Trp-34, Cys-68 to Gly-89, Cys-122 to Phe-133, Glu-188 to Leu-194.		
	HFVAB79	565076	402	139 - 723	915	Ser-21 to Trp-34, Cys-68 to Gly-89, Cys-122 to Phe-133.		

108	HFVGE32	854545	118	154 - 393	631		9	
	HFVGE32	698580	403	1 - 201	916	His-49 to Ser-55.		
109	HFXBL33	778070	119	152 - 640	632			
110	HFXDN63	553685	120	33 - 194	633	Pro-21 to Ser-27.		
111	HFXJX44	701988	121	98 - 241	634			
112	HFXKJ03	505207	122	179 - 304	635	Met-1 to Arg-8.		
113	HFXKT05	658690	123	204 - 443	636	Leu-16 to Ser-23, Ser-38 to Pro-43, Gly-53 to Leu-60.	1p34.1	120550, 120570, 120575, 121800, 130500, 133200, 138140, 171760, 171760, 178300, 255800
114	HGBHI35	570262	124	87 - 965	637	Pro-10 to Arg-15, Leu-96 to Ser-103, Gly-172 to Pro-178, Gln-213 to Asp-218, Asn-268 to Leu-275, Arg-282 to Phe-289.	1p32.2	120260, 138140, 178300
115	HGBIB74	837220	125	14 - 1144	638	Ser-67 to Glu-74, Arg-81 to Val-86, Tyr-147 to Asp-160.	20q11.21	
	HGBIB74	838602	404	28 - 540	917	Ser-67 to Glu-74, Arg-81 to Val-86, Tyr-147 to Asp-160.		
	HGBIB74	899864	405	2 - 454	918	Ser-3 to Gln-10, Val-14 to Gln-19, Asp-32 to His-40, Gly-50 to His-55, Pro-76 to Ser-87.		
116	HGLAF75	566838	126	231 - 596	639	Ser-40 to Gly-45, Leu-73 to Arg-80.		
117	HGLAL82	520261	127	144 - 224	640			
118	HHEMA59	823100	128	239 - 469	641		13q13.3	600631
119	HHENV10	562772	129	143 - 295	642	Asp-26 to Leu-36, Leu-42 to Phe-50.		

120	HHEPM33	877639	130	269 - 517	643	Met-1 to Thr-13, Ser-27 to Phe-34, Arg-53 to Pro-59, Ser-77 to Ser-82.	2q36.1	120070, 120131, 120131, 138030, 259900
121	HHFBY53	821330	131	172 - 366	644	Arg-22 to Asn-32.	Xq13.1	304040, 305100, 305450, 309605, 312760, 314250, 314580
122	HHFGR93	865581	132	132 - 1304	645	Ser-61 to Trp-66, Lys-76 to Asp-82, Leu-116 to Tyr-124, Gln-131 to His-140, Gln-175 to Pro-181, Trp-187 to Ser-193, Arg-273 to Leu-278, Glu-280 to Lys-286, Pro-296 to Ile-304, Arg-320 to Gly-329, Pro-345 to Pro-357.		
	HHFGR93	691402	406	130 - 840	919			
123	HHGCG53	340818	133	230 - 361	646		8	
124	HHGCM76	662329	134	270 - 536	647		17	
	HHGCM76	383547	407	270 - 302	920			
125	HHGDF16	579890	135	253 - 411	648			
126	HHPDX20	610321	136	174 - 374	649	Gly-43 to Gly-48.		
127	HHPEN62	695134	137	183 - 1709	650	Met-98 to Gln-107, Gly-120 to Gly-126, Pro-138 to Trp-145, Leu-159 to Gly-169, Val-211 to Arg-217, Cys-256 to His-262, Glu-320 to Val-327, Phe-399 to Asn-406, Asp-444 to Ser-450,		

						Asp-475 to Trp-488.		
128	HHPGO40	1299927	138	116 - 1000	651			
	HHPGO40	753270	408	68 - 973	921			
	HHPGO40	560969	409	74 - 745	922			
129	HHSDX28	553494	139	90 - 260	652			
130	HILCF66	636025	140	331 - 465	653	Gln-23 to Asn-28, Gly-38 to Ile-43.		
131	HJABB94	456466	141	74 - 307	654	Ala-28 to His-41, Pro-43 to Gln-64.	13q14.12	180200, 180200, 180200, 180200, 600631
132	HJACG02	1307789	142	66 - 392	655	Val-54 to Asp-59.	19p13.3	108725, 120700, 133171, 136836, 145981, 147141, 164953, 188070, 600957, 601238, 601846, 602216, 602477
	HJACG02	509948	410	47 - 373	923	Val-54 to Asp-59.		
133	HJACG30	895505	143	291 - 425	656	Thr-26 to Asn-39.	15,X	
	HJACG30	821341	411	50 - 439	924	Pro-57 to Pro-64.		
	HJACG30	774300	412	350 - 715	925	Lys-1 to Gly-8.		
134	HJBCY35	719729	144	232 - 1215	657	Glu-35 to His-41, Ser-62 to Ala-67, Pro-145 to Leu-155, Glu-157 to Ser-163, Arg-190 to Val-197, Asp-208 to Pro-215, Ser-247 to Pro-252.	7p22.3	
135	HJMBI18	545492	145	574 - 816	658	Thr-26 to Met-33.	12q24.11	160781, 181405
136	HJMBM38	545752	146	387 - 725	659		19q13.4	134790, 191044, 600040, 600138
137	HJPAD75	651337	147	60 - 335	660	Pro-42 to Cys-50, Leu-61 to Ala-66.		
138	HJPCP42	1040297	148	156 - 827	661	Asp-77 to Leu-82, Gln-185 to Gln-192.		
	HJPCP42	844091	413	134 - 805	926	Asp-77 to Leu-82.		
	HJPCP42	852573	414	468 - 494	927			
	HJPCP42	824612	415	1 - 249	928	Thr-21 to Thr-29,		

						Gln-51 to Arg-57.		
139	HKABI84	565078	149	274 - 417	662	Phe-25 to Ser-30.	1p32-p34	120950, 120960, 130500, 133200, 138140, 168360, 171760, 171760, 176100, 176100, 178300, 187040, 230000, 255800, 600101, 600650, 600650, 600722, 600722
140	HKABZ65	862030	150	77 - 808	663	Ser-25 to Ala-31, Gln-146 to Ser-151, His-231 to Asn-236.		
	HKABZ65	665424	416	69 - 800	929	Ser-25 to Ala-31, Gln-146 to Ser-151, His-231 to Asn-236.		
141	HKACB56	554616	151	27 - 269	664	Tyr-39 to Lys-58.		
142	HKACD58	1352202	152	38 - 940	665	Thr-42 to Pro-53, Val-78 to Glu-86, Glu-103 to Met-112, Ala-124 to Gly-131, Trp-158 to Glu-168, Gln-189 to Phe-210, Ala-221 to Gly-226, Arg-274 to Asp-284, Ala-294 to Gly-299.		
	HKACD58	552465	417	35 - 499	930	Thr-42 to Pro-53, Val-78 to Glu-86, Glu-103 to Met-112, Ala-124 to Gly-131.		
143	HKACH44	545015	153	375 - 509	666	Cys-25 to Trp-30.	12q24.31	181405
144	HKAEV06	1352263	154	501 - 1814	667	Thr-6 to Trp-13, Thr-75 to Gln-80, Thr-112 to Tyr-117, Leu-133 to Pro-138, Ala-146 to Phe-153, Gln-319 to Ser-325,		

						Val-354 to His-372, Pro-391 to Gly-396, Val-405 to Thr-412, Ile-425 to Asp-437.		
	HKAEV06	638238	418	197 - 370	931	Thr-6 to Trp-13.		
145	HKAFT66	946512	155	508 - 831	668	Ser-51 to Thr-57.		
	HKAFT66	889258	419	508 - 831	932	Ser-51 to Thr-57.		
	HKAFT66	904790	420	234 - 347	933	Gln-23 to Asp-28.		
146	HKB1E57	876571	156	178 - 879	669	Ser-7 to Pro-14, Arg-47 to Arg-52, His-117 to Val-123, Glu-142 to Thr-149, Leu-162 to Ala-167, Gly-172 to Asn-177, Thr-226 to Ala-232.		
	HKB1E57	654871	421	30 - 170	934	Met-1 to Tyr-6, Thr-38 to Ala-44.		
147	HKFBC53	1352286	157	64 - 1473	670	Arg-52 to Ala-58, Thr-121 to Lys-126, Gly-156 to Gln-164, Gly-201 to Glu-215, Thr-432 to Gly-450, Glu-461 to Gly-466.		
	HKFBC53	701893	422	41 - 1369	935	Ala-28 to Ala-33, Arg-38 to Leu-48, Thr-120 to Lys-125, Gly-155 to Gln-163, Gly-200 to Glu-214.		
	HKFBC53	513190	423	3 - 929	936	Ala-1 to Gly-6, Ala-10 to Tyr-18.		
	HKFBC53	383426	424	3 - 731	937	Ala-1 to Gly-6, Ala-10 to Tyr-18.		

148	HKGDL36	877489	158	53 - 835	671	Pro-36 to Gly-42, Gly-54 to Arg-65, Ala-85 to Ala-91, Ala-95 to Gln-102, Ala-115 to Pro-121, Pro-166 to Asp-191, Lys-243 to Ala-249.	Xp11.23	300047, 300071, 300110, 300600, 301000, 301000, 301830, 309470, 309500, 309610, 309850, 311050, 312060
	HKGDL36	704088	425	55 - 501	938	Pro-36 to Gly-42, Pro-64 to Ala-76, Gly-83 to Ala-90, Ser-100 to Cys-108, Thr-126 to Ser-135.		
149	HKISB57	625956	159	130 - 417	672	Ala-23 to Arg-36, His-38 to Ala-46, Pro-50 to Gly-56, Arg-85 to Val-94.	22q12.2	101000, 101000, 101000, 101000, 123620, 138981, 188826, 600850, 601669
150	HKMLM11	514788	160	82 - 474	673	Ala-59 to Thr-68, Glu-72 to Ser-108, Glu-115 to Lys-126.		
151	HKMLP68	1037919	161	130 - 372	674	Gln-27 to Trp-33, Gly-53 to Trp-61.		
	HKMLP68	880047	426	153 - 395	939	Gln-27 to Trp-33, Gly-53 to Trp-61.		
	HKMLP68	583524	427	471 - 611	940	Lys-17 to Ser-47.		
152	HKMMD13	604751	162	342 - 491	675			
153	HKMMW74	581399	163	202 - 327	676			
154	HKMND01	527402	164	23 - 175	677			
155	HLDBE54	836041	165	155 - 1108	678	Glu-39 to Gly-45, Thr-51 to Gly-60, Ala-63 to Gln-77, Gly-122 to Asn-129, Leu-175 to Ser-181,		

						Thr-193 to Pro-199, Thr-236 to Gly-241, Asn-256 to Lys-279, Glu-311 to Leu-317.		
	HLDBE54	600362	428	130 - 399	941	Glu-39 to Gly-45, Thr-51 to Gly-60, Ala-63 to Gln-82.		
	HLDBE54	800678	429	133 - 1590	942	Thr-36 to Arg-41, Pro-55 to Pro-60, Pro-67 to Leu-72, Asn-111 to Ser-118, Cys-138 to Asp-144, Asn-290 to Pro-296, Gly-350 to Phe-358, Gly-379 to Glu-384, Gln-399 to Cys-426, Ser-428 to Ser-438.		
156	HLDBX13	815665	166	303 - 470	679			
157	HLDON23	636083	167	368 - 709	680	Arg-28 to Gln-36.	15q23	118485, 151670, 231680, 272800, 272800, 272800, 276700, 600374, 601780
158	HLDQC46	847397	168	163 - 426	681	Lys-76 to Asp-87.	7q11.23	116860, 129900, 233700, 600079
159	HLDQR62	753742	169	520 - 1005	682	Arg-122 to Ser-139, Met-144 to Glu-149.	5p15.2-p14.1	123000, 602568
160	HLDQU79	740755	170	99 - 1142	683	Leu-68 to Lys-74, Tyr-109 to Lys-115, Gln-200 to Val-205, Lys-207 to Lys-214, Glu-237 to Ile-244, Ala-271 to Thr-279, Ser-317 to Ser-329, Gln-342 to Gly-348.	10q21-q22	126090, 129010, 142600, 154545, 250850, 601386, 601493
161	HLDRM43	846330	171	24 - 479	684	Trp-35 to Trp-45,		

						Pro-52 to Asp-57, Thr-73 to Arg-82, Pro-105 to Leu-112, Pro-115 to Arg-127, Pro-140 to Gln-151.		
	HLDRM43	638939	430	164 - 619	943	Trp-35 to Trp-45, Pro-52 to Asp-57, Thr-73 to Arg-82, Pro-105 to Leu-112, Pro-115 to Arg-127, Pro-140 to Gln-151.		
162	HLDRP33	647430	172	215 - 340	685	Ser-31 to Gln-41.		
163	HLHAL68	684216	173	30 - 164	686	Leu-32 to His-38.		
164	HLHFP03	460467	174	224 - 574	687	Tyr-28 to Phe-34, Thr-54 to Val-60, Tyr-73 to Thr-82.		
165	HLIBD68	778073	175	186 - 338	688	Met-37 to Ser-43.		
166	HLICQ90	791828	176	249 - 869	689	Pro-55 to Gly-66, Phe-92 to Leu-103.		
167	HLMBO76	626831	177	43 - 366	690		11q25	602782
168	HLTEJ06	543017	178	197 - 364	691	Gln-25 to Phe-43.		
169	HLTHR66	699812	179	5 - 232	692			
170	HLTIP94	1087335	180	226 - 516	693	Gly-4 to Glu-9, Asp-22 to Cys-28, Glu-39 to Leu-44, Phe-88 to Phe-94.	17	
	HLTIP94	1035443	431	226 - 423	944	Gly-4 to Glu-9.		
	HLTIP94	1047690	432	3 - 899	945	Gly-1 to Glu-8, Gly-37 to Gly-61, Gln-71 to Phe-81, Asp-95 to Gly-103, Leu-126 to Ile-131,		

						Val-166 to Glu-171.		
171	HLWAA17	629552	181	436 - 996	694	Lys-17 to Glu-27, Gln-40 to Gly-47.	1q21	104770, 107670, 110700, 135940, 145001, 146790, 152445, 152445, 159001, 174000, 179755, 182860, 182860, 182860, 191315, 230800, 230800, 266200, 600897, 601105, 601412, 601652, 602491
172	HLWAA88	588485	182	35 - 376	695	Ala-43 to Trp-57, Ser-81 to Ser-97, Pro-102 to Cys-113.	10q23.2	174900, 203300, 236730
	HLWAA88	769166	433	51 - 1514	946	Ala-43 to Trp-57, Ser-81 to Gly-88, Tyr-125 to Asp-134, Pro-141 to Gly-154, Val-172 to Glu-178, Lys-296 to Gly-305, Leu-307 to Arg-314, Thr-335 to His-341.		
173	HLWAD77	653513	183	326 - 748	696			
174	HLWAE11	783071	184	28 - 861	697	Asp-55 to Asp-67, Ser-76 to His-81, Lys-96 to Gly-103, Met-111 to Gly-133, Gln-222 to Ile-228, Lys-250 to Tyr-258.	22q13.1	103050, 103050, 124030, 124030, 138981, 182380, 188826, 190040, 190040, 190040
175	HLWAO22	587270	185	212 - 1276	698	Cys-126 to Thr-138, Glu-165 to Gly-172, Thr-189 to Leu-200, Gly-222 to Gly-229, Pro-346 to Lys-354.	12q13	107777, 123940, 139350, 139350, 148040, 148041, 148043, 148070, 231550, 600194, 600231, 600536, 600808, 600956, 601284, 601769, 601769, 601928, 602116, 602153
176	HLWBH18	1045194	186	107 - 289	699	Arg-18 to Trp-33, Pro-36 to Ser-47.		
	HLWBH18	889277	434	67 - 249	947	Arg-18 to Trp-33, Pro-36 to Ser-47.		

177	HLWBY76	797609	187	432 - 1130	700		7q21.13	129900, 154276, 602136, 602136, 602136, 602447
178	HLYAC95	778075	188	92 - 232	701			
179	HMADK33	561941	189	161 - 619	702	Gly-43 to Gly-55.	16p13	138760, 186580, 249100, 266600, 600760, 600760, 600761, 600761
180	HMADS41	596831	190	267 - 533	703		8p23	148370
181	HMAMI15	1352406	191	4 - 1023	704	Gly-33 to Lys-41, Pro-52 to Lys-60, Asn-81 to Ala-86, Lys-156 to Met-164, Gln-283 to Lys-292, Glu-303 to Gly-308.		
	HMAMI15	1049263	435	3 - 923	948	Gly-33 to Lys-41, Pro-52 to Lys-60, Asn-81 to Ala-86.		
182	HMCFY13	635301	192	175 - 369	705			
183	HMDAB56	560676	193	273 - 407	706			
184	HMDAM24	514394	194	109 - 171	707		17q21.32	109270, 109270, 109270, 109270, 109270, 120150, 120150, 120150, 148065, 148080, 154275, 171190, 173470, 185800, 221820, 249000, 253250, 273800, 273800, 600119, 600119, 600525, 601844
185	HMEAI48	1352290	195	36 - 299	708	Arg-48 to Lys-55, Gly-61 to Glu-70.	15q22	102578, 109700, 151670, 154550, 601780
	HMEAI48	709671	436	95 - 217	949	Gln-34 to Lys-40.		
186	HMEED18	560775	196	34 - 699	709	Gln-85 to Lys-91, Pro-106 to Ser-117, Pro-124 to Ala-130, Trp-154 to Trp-160.		
187	HMEFT54	520307	197	332 - 451	710			
188	HMEGF92	520304	198	92 - 280	711	Ser-34 to Ser-39.		
189	HMSDL37	973996	199	531 - 725	712	Ser-31 to Lys-45, Pro-47 to Pro-53, Ser-58 to Arg-63.	3,3p	

	HMSDL37	895429	437	528 - 722	950	Ser-31 to Lys-45, Pro-47 to Pro-53, Ser-58 to Arg-63.		
	HMSDL37	904241	438	565 - 645	951			
	HMSDL37	750927	439	2 - 151	952			
190	HMSFI26	560229	200	120 - 308	713			
191	HMSGT42	383470	201	40 - 315	714	Pro-65 to Cys-71.	1p31	180069, 180069, 180069, 201450, 248610, 600309, 601676, 602522
192	HMSHM14	461897	202	103 - 240	715	Met-1 to Ser-6, Pro-29 to Ser-34.	3q23	106165, 110100, 117700, 117700, 150210, 169600, 180380, 180380, 180380, 203500, 276902, 601199, 601199, 601199, 601682
193	HMSHS36	1127691	203	134 - 445	716	Thr-28 to Arg-49, Ser-57 to Arg-64, Pro-72 to His-78.		
	HMSHS36	1028961	440	162 - 473	953	Thr-28 to Arg-49, Ser-57 to Arg-64.		
194	HMSKC04	799540	204	133 - 354	717	Thr-27 to Arg-33, Gly-37 to Ser-42, Pro-52 to Arg-72.		
195	HMUAP70	872208	205	183 - 845	718	Cys-15 to Gly-36.	5q31.3	131400, 159000, 180071, 181460, 272750, 600807, 601596, 602089
	HMUAP70	723302	441	413 - 724	954	Lys-83 to Thr-90.		
	HMUAP70	778820	442	251 - 844	955			
	HMUAP70	674913	443	62 - 379	956			
	HMUAP70	646810	444	60 - 263	957			
	HMUAP70	381964	445	60 - 128	958			
196	HMVBS81	639203	206	34 - 453	719		11q13	102200, 106100, 131100, 131100, 131100, 133780, 147050, 153700, 161015, 164009, 168461, 168461, 168461, 180721, 180840, 191181, 193235, 209901, 232600, 259700, 259770, 600045, 600319, 600528, 601884
197	HMWDC28	460487	207	124 - 252	720			

198	HMWFT65	562063	208	72 - 437	721			
199	HMWGY65	1308287	209	42 - 1514	722	Pro-18 to Gly-30, Arg-98 to Cys-103, Glu-106 to Arg-111, Ser-117 to Gly-122, Glu-132 to Ala-140, Pro-247 to Arg-252, Val-301 to Ala-308, Pro-334 to Ser-339, Arg-348 to Thr-354, Glu-427 to Gly-439, Gly-442 to Glu-448, Ala-457 to Gly-463.		
	HMWGY65	794987	446	42 - 608	959	Pro-18 to Gly-30.		
200	HNEAC05	519340	210	101 - 418	723	Met-1 to Gly-8, Thr-33 to Cys-38, Arg-79 to Arg-89.	8q22.2	148900, 216550
201	HNEEB45	1036397	211	139 - 312	724	Thr-43 to Arg-51.		
	HNEEB45	842650	447	226 - 399	960			
202	HNEEE24	553558	212	213 - 428	725			
203	HNFFC43	753337	213	488 - 691	726	Asp-21 to Ser-29.	12q13.12	120140, 120140, 120140, 120140, 120140, 120140, 120140, 126337, 600808, 601284, 601769, 601769, 602116
204	HNFIY77	634551	214	228 - 929	727	Pro-47 to Met-53, Ser-130 to Ser-138.		
205	HNFJF07	577013	215	86 - 286	728	Val-25 to Gly-33.		
206	HNGAK47	561488	216	89 - 211	729			
207	HNGBC07	1037631	217	81 - 830	730	Glu-30 to Arg-44, Asp-58 to Cys-67, Pro-70 to Pro-75.	22	
	HNGBC07	904311	448	122 - 256	961	Gly-27 to Ser-42.		
	HNGBC07	904812	449	55 - 189	962	Gly-27 to Ser-42.		

208	HNGDG40	532617	218	13 - 393	731	Gln-2 to Gly-10, Asp-77 to Phe-82.		
209	HNGEP09	499076	219	72 - 320	732	Asp-45 to Thr-50.		
210	HNGFR31	553552	220	108 - 380	733			
211	HNGIJ31	519120	221	135 - 245	734	Pro-18 to Glu-25.		
212	HNGJE50	561568	222	77 - 217	735			
213	HNGJT54	498272	223	172 - 276	736			
214	HNGND37	839224	224	388 - 636	737	Asn-46 to Ser-54.		
215	HNGOI12	1041375	225	27 - 200	738	Met-1 to Gly-9.	11	
	HNGOI12	838184	450	27 - 200	963	Met-1 to Gly-9.		
	HNGOI12	839283	451	596 - 877	964			
216	HNGOM56	836064	226	391 - 558	739	Pro-25 to Glu-40, Lys-50 to His-55.		
217	HNGOU56	843515	227	317 - 496	740	Ser-34 to Thr-40.		
218	HNGOW62	892160	228	167 - 331	741	Ser-22 to His-40.	10p11.1	
219	HNHEU93	634851	229	57 - 302	742			
220	HNHFM14	664507	230	38 - 280	743	Glu-67 to Ala-74.	1	
221	HNHFO29	463568	231	160 - 699	744	Lys-97 to Gln-106, Gln-112 to Pro-118, Pro-123 to Lys-130, Arg-153 to Gly-158.		
222	HNHNB29	895462	232	40 - 201	745	Glu-17 to Lys-30, Val-43 to Asn-53.		
223	HNHOD46	843488	233	12 - 251	746			
224	HNHOG73	835026	234	342 - 497	747	Ala-35 to Leu-43.		
225	HNTBI26	1310821	235	28 - 990	748	Pro-56 to Pro-63, Met-92 to Thr-98, Ser-112 to Pro-120, Pro-162 to Glu-173, Ala-200 to Ser-210, Lys-311 to Asn-320.		
	HNTBI26	796807	452	32 - 547	965	Pro-56 to Pro-63,		

						Met-92 to Thr-98, Ser-112 to Pro-120, Pro-162 to Ser-169.		
	HNTBI26	590738	453	16 - 411	966	Pro-56 to Pro-63, Met-92 to Thr-98, Arg-107 to Pro-120.		
226	HNTBL27	545534	236	100 - 447	749	Arg-45 to Thr-52, Tyr-60 to Gly-66, Ala-87 to Trp-92, Leu-105 to Ser-115.	3p21.31	116806, 168468, 182280, 212138, 600163
227	HNTCE26	1160395	237	111 - 1316	750	Tyr-2 to Gly-15, Trp-192 to Asp-199, Lys-248 to Leu-253, Arg-330 to Lys-336, Gln-354 to Val-364, Val-383 to Ser-392.		
	HNTCE26	853373	454	57 - 422	967	Arg-75 to Lys-81, Gln-99 to Asp-109.		
228	HNTNI01	1352285	238	307 - 534	751	Lys-71 to Trp-76.		
	HNTNI01	699848	455	306 - 455	968			
229	HODDF13	684307	239	46 - 171	752	Thr-28 to Ser-40.		
230	HODDN92	422913	240	434 - 541	753			
231	HODFN71	1194866	241	1 - 477	754	Lys-50 to Phe-57, Ser-70 to Arg-77, Tyr-81 to Ser-87, Pro-112 to Thr-117.		
	HODFN71	834999	456	27 - 473	969	Lys-39 to Phe-46, Ser-59 to Arg-66, Tyr-70 to Ser-76, Pro-101 to Thr-106.		
232	HODGE68	834907	242	87 - 266	755	Leu-2 to Gln-7.		
233	HOEDB32	634994	243	104 - 784	756	Pro-34 to Ser-43,	17q11.2	154275, 162200, 162200, 182138, 239100, 600881,

						Glu-54 to Ser-60.		601954, 602403
234	HOFMQ33	1184465	244	49 - 1503	757	Leu-37 to Gly-44, Thr-137 to Leu-144, Ala-178 to Asn-184, Asp-194 to Val-201, Leu-252 to Glu-258, Asp-280 to Tyr-293, Asn-296 to Thr-301, Asp-322 to Asp-348, Asn-363 to Ser-368, His-370 to Thr-378, Asn-380 to Cys-386, Glu-391 to Cys-399, Leu-421 to Arg-426, Glu-454 to Tyr-459.		
	HOFMQ33	919896	457	48 - 1502	970	Leu-37 to Gly-44, Pro-46 to Gly-51, Thr-137 to Leu-144, Ala-178 to Asn-184, Asp-194 to Val-201, Leu-252 to Glu-258, Asp-280 to Tyr-293, Asn-296 to Thr-301, Asp-322 to Asp-348, Asn-363 to Ser-368, His-370 to Thr-378, Asn-380 to Cys-386, Glu-391 to Cys-399, Leu-421 to Arg-426, Glu-454 to Tyr-459.		
	HOFMQ33	906694	458	78 - 875	971	Leu-37 to Gly-43.		
	HOFMQ33	902639	459	724 - 741	972			
	HOFMQ33	702186	460	123 - 374	973	Met-2 to Ser-9.		

235	HOFMT75	911180	245	83 - 1315	758	Thr-30 to Met-36, His-121 to Thr-136, Leu-231 to Gly-236, Thr-248 to Pro-256, Gly-342 to Thr-353.		
	HOFMT75	905365	461	83 - 427	974	Thr-30 to Met-36.		
	HOFMT75	892308	462	1225 - 1500	975			
	HOFMT75	892291	463	129 - 1232	976	Thr-30 to Met-36, Pro-51 to Ser-56, His-121 to Thr-136, Leu-233 to Gly-243, Thr-250 to Ser-258, Thr-265 to Trp-270.		
236	HOFNY91	847425	246	64 - 312	759	Ser-15 to Thr-31.	7q11.23	116860, 129900, 233700, 600079
237	HOFOC73	931871	247	18 - 407	760	Pro-22 to Cys-30, Gly-43 to Tyr-53, Ser-55 to Trp-65, Ala-76 to His-81, Pro-101 to Gly-108, Pro-121 to Gly-127.		
	HOFOC73	907073	464	23 - 226	977	Thr-47 to Pro-55.		
	HOFOC73	907072	465	127 - 171	978	Pro-1 to Val-7.		
	HOFOC73	878863	466	142 - 162	979			
238	HOGAW62	579891	248	259 - 426	761	Met-1 to Gly-6, Trp-23 to Arg-29, Ala-38 to Ser-45.		
239	HOHCH55	827481	249	221 - 1702	762	Met-1 to Phe-6, Arg-44 to Arg-52, His-64 to Cys-69, Tyr-99 to Gln-147, His-158 to Gly-169, Phe-177 to Asp-182,	13q33	133530, 601295

							Cys-194 to Cys-202, Gly-213 to Phe-218, Pro-224 to Gly-236, Asp-254 to Trp-261, Asp-263 to Ala-303, Trp-305 to Cys-316, Lys-326 to Asp-332, Pro-334 to Cys-343, Pro-350 to Asp-370, Thr-407 to Asn-413, Gly-425 to Cys-431, Asp-449 to Asp-459, Gly-472 to Asn-483.	
	HOHCH55	815682	467	230 - 1636	980		Met-1 to Phe-6, Arg-44 to Arg-52, His-64 to Cys-69, Tyr-99 to Gln-147, His-158 to Gly-169, Phe-177 to Asp-182, Cys-194 to Cys-202, Gly-213 to Phe-218, Pro-224 to Gly-236, Asp-254 to Trp-261, Asp-263 to Ala-303, Trp-305 to Cys-316, Lys-326 to Asp-332, Pro-334 to Cys-343, Pro-350 to Asp-370, Thr-407 to Asn-413, Gly-425 to Cys-431, Asp-449 to Gly-460.	
240	HOQBJ82	1352356	250	361 - 852	763		Ser-30 to Met-36, Ile-38 to Pro-46,	

						Gln-78 to Gly-88, Thr-98 to Pro-105, Gly-110 to Ser-122, Ser-136 to Trp-144.		
	HOQBJ82	858338	468	102 - 584	981	Ser-30 to Met-36, Ile-38 to Pro-46, Gln-78 to Gly-88, Thr-98 to Pro-105, Gly-110 to Ser-122.		
	HOQBJ82	857453	469	55 - 1029	982			
241	HOSBY40	589431	251	89 - 259	764			
242	HOSDJ25	854234	252	1076 - 1195	765	Gly-18 to Lys-23, Pro-31 to Gly-38.		
	HOSDJ25	566845	470	146 - 268	983	Gly-18 to Lys-23, Pro-31 to Gly-38.		
243	HOSFD58	614040	253	56 - 1927	766	Asn-15 to Trp-20, Ser-36 to Gly-41, Pro-103 to Val-110, Pro-134 to Arg-143, Leu-173 to Arg-178, Ser-190 to Ala-197, His-314 to Arg-319, Arg-354 to Asn-362, Asp-391 to Arg-397, Glu-402 to Asp-409, Asp-434 to Leu-439, Glu-441 to Arg-446, Gly-455 to Asp-462, Pro-528 to His-541, Asn-566 to Arg-571, Tyr-574 to Glu-581, Thr-589 to Glu-603.	4q24	157147, 248510
	HOSFD58	383513	471	477 - 659	984	Gly-28 to Leu-42,		

						Met-52 to Leu-58.		
244	HPDDC77	1306899	254	51 - 446	767	Arg-29 to Pro-37, Gln-46 to Val-56.	5q15	162150
	HPDDC77	422936	472	510 - 905	985	Arg-29 to Pro-37, Gln-46 to Val-56.		
245	HPEAD79	520202	255	51 - 176	768	Lys-16 to Ser-21, Gly-36 to Asp-41.		
246	HPFCL43	535710	256	21 - 260	769	Pro-14 to Asp-25, Leu-51 to Val-63.	5	
247	HPIBO15	1310868	257	128 - 763	770	Asp-40 to Glu-50, Ser-59 to Gly-69, Leu-109 to Lys-117, Tyr-130 to Leu-137, Leu-140 to Glu-160, Gly-202 to Tyr-208.		
	HPIBO15	590741	473	127 - 648	986	Asp-40 to Glu-50, Ser-59 to Gly-69, Ala-98 to His-105, Arg-108 to Glu-114, Pro-124 to Ser-138, Ala-143 to Gly-154.		
248	HPICB53	1042309	258	170 - 325	771		11,12	
	HPICB53	867835	474	163 - 318	987			
249	HPJBI33	685699	259	236 - 397	772	Arg-30 to Gln-36.		
250	HPJBK12	1011467	260	126 - 272	773		4,8	
	HPJBK12	525375	475	119 - 265	988			
	HPJBK12	796925	476	969 - 1001	989			
	HPJBK12	699587	477	509 - 523	990			
251	HPMDK28	846357	261	64 - 669	774	Ala-55 to Asn-60, Lys-65 to Met-71, Leu-75 to Asn-86, Asp-93 to Asp-110,	1p36.33	

						Leu-130 to Cys-138, Gln-149 to Glu-154, Thr-172 to Ile-179, Glu-185 to Arg-192.		
	HPMDK28	639118	478	58 - 663	991	Ala-55 to Asn-60, Lys-65 to Met-71, Leu-75 to Asn-86, Asp-93 to Asp-110, Leu-130 to Cys-138, Gln-149 to Glu-154, Thr-172 to Ile-179, Glu-185 to Arg-192.		
252	HPMFP40	638165	262	37 - 171	775		Xq28	300031, 300044, 300048, 300049, 300049, 300055, 300100, 300100, 300104, 300126, 301201, 301590, 302060, 302060, 302060, 302060, 302960, 303700, 303800, 303900, 304800, 305900, 305900, 305900, 306700, 306995, 308310, 308840, 308840, 308840, 309200, 309548, 309620, 309900, 310300, 310400, 310460, 310460, 311300, 311510, 314300, 314400
253	HPRAL78	1352342	263	62 - 1321	776	Pro-31 to Thr-48, Arg-62 to Gly-70, Ala-74 to Glu-87, Lys-123 to Asp-129, Pro-162 to Gly-167, Glu-170 to Gly-189, Arg-220 to Asn-228, Glu-248 to Ala-258, Gly-285 to Gly-300, Pro-315 to Gly-327, Ser-406 to Arg-411.	3p25.2	193300, 193300, 227646
	HPRAL78	844216	479	70 - 1245	992	Pro-31 to Thr-48, Arg-62 to Gly-70, Ala-74 to Glu-87,		

						Lys-123 to Asp-129, Pro-162 to Gly-167, Glu-170 to Gly-189, Arg-220 to Asn-228.		
	HPRAL78	484735	480	148 - 339	993	Ser-49 to Arg-54.		
254	HPRBC80	829136	264	94 - 1254	777	Asp-6 to His-13, Asp-114 to Gly-131, Thr-166 to Gln-181, Val-210 to Thr-216, Pro-222 to Tyr-227.	2p21	120435, 120435, 126600, 135300, 136435, 152790, 152790, 157170, 182601, 601771
	HPRBC80	720095	481	404 - 613	994			
255	HPTTG19	635033	265	215 - 364	778			
256	HPZAB47	585702	266	34 - 177	779	Lys-32 to Lys-38.		
257	HRAAB15	658717	267	35 - 514	780	Asn-49 to Gln-54, Glu-150 to Asp-159.		
258	HRABA80	882176	268	144 - 452	781	Ala-30 to Gly-36, Asp-45 to Trp-50, Lys-65 to Cys-71, Pro-80 to Cys-87.		
	HRABA80	588460	482	130 - 438	995	Ala-30 to Gly-36, Asp-45 to Trp-50, Lys-65 to Cys-71, Pro-80 to Cys-87.		
259	HRACD15	871221	269	252 - 410	782			
	HRACD15	706332	483	252 - 413	996			
260	HRACJ35	877666	270	132 - 1550	783	Arg-31 to Lys-37, Lys-58 to Glu-65, Asp-157 to Gly-168, Ile-219 to Gly-225, Ala-260 to Ser-268, Thr-276 to Glu-282.	8q22.2	148900, 216550
	HRACJ35	730504	484	99 - 1517	997	Arg-31 to Lys-37,		

						Lys-58 to Glu-65, Asp-157 to Gly-168, Ile-219 to Gly-225, Ala-260 to Ser-268, Thr-276 to Glu-282.		
	HRACJ35	470546	485	1 - 534	998	Ile-9 to Gly-15, Ala-50 to Ser-58, Thr-66 to Glu-72.		
261	HRDFD27	567004	271	82 - 333	784			
262	HRGBL78	910133	272	30 - 1109	785	Thr-48 to Arg-56, Pro-122 to Glu-127, Lys-135 to Cys-143, Ala-180 to Gly-185, Ala-230 to Tyr-238, Thr-244 to Gln-255, Pro-274 to Ser-279, Thr-284 to Phe-306, Leu-345 to Thr-354.	1	
	HRGBL78	904040	486	30 - 626	999	Thr-48 to Arg-56, Pro-122 to Glu-127, Ala-136 to Tyr-141.		
	HRGBL78	904621	487	11 - 19	1000			
	HRGBL78	863802	488	1048 - 1146	1001	Pro-24 to Arg-32.		
263	HROAJ03	567005	273	19 - 597	786	Lys-41 to Arg-47, Asp-125 to Lys-139, Ser-177 to Glu-185.		
264	HROAJ39	1181699	274	10 - 1146	787	Ile-4 to Tyr-10, Arg-119 to Pro-126, Glu-152 to Gly-158, Thr-209 to Phe-215.	18q21.32	174810, 601567, 602080
	HROAJ39	1114849	489	31 - 879	1002	Arg-40 to Pro-47, Glu-73 to Gly-79,		

						Thr-130 to Phe-136, Lys-277 to Lys-283.		
	HROAJ39	1027712	490	247 - 1104	1003	Arg-40 to Pro-47, Glu-73 to Gly-79, Thr-130 to Phe-136.		
265	HROBD68	827306	275	122 - 268	788	Thr-19 to Thr-25.		
266	HSATR82	531973	276	74 - 199	789			
267	HSAVH65	545459	277	104 - 406	790	Ser-58 to His-64.		
268	HSAWD74	460527	278	142 - 570	791	Leu-51 to Gly-77, Ile-117 to Pro-125.	7	
	HSAWD74	371416	491	122 - 256	1004	Thr-25 to Cys-30, Pro-35 to Arg-42.		
269	HSAWZ41	580872	279	98 - 271	792	Ile-46 to Tyr-56.		
270	HSAXA83	545051	280	92 - 316	793		1p13.1	102770, 201810, 601414, 601691, 601691, 601691, 601691, 601718, 602094
271	HSAYB43	604143	281	89 - 226	794	Asp-29 to Tyr-34.		
272	HSDEK49	1352253	282	60 - 1256	795	Val-29 to Val-37, Asp-71 to His-76, Gln-78 to Gly-84, Met-105 to His-110, Trp-117 to Asn-123, Lys-179 to Pro-187, Gly-218 to Asp-224, Leu-237 to Ala-243, Thr-256 to Asp-268, Ser-275 to Lys-280, Arg-308 to Glu-314, Glu-326 to Glu-332, Cys-343 to Asp-359.	Xq12-q13.3	300011, 300011, 300011, 300127, 305450, 309605, 313700, 313700, 313700, 313700, 313700, 314580
	HSDEK49	625998	492	126 - 1043	1005	Val-29 to Val-37, Asp-71 to His-76, Gln-78 to Gly-84,		

						Met-105 to His-110, Trp-117 to Gly-122, Gln-136 to Lys-141, Leu-143 to Ala-149, Thr-162 to Asp-174, Ser-181 to Lys-186, Arg-214 to Glu-220, Glu-232 to Glu-238, Cys-249 to Asp-265.		
273	HSDFJ26	834619	283	99 - 767	796	Ala-21 to Glu-31, Thr-37 to Cys-43, Asp-62 to Ser-79, Lys-134 to Gly-146, Leu-164 to Met-169, Glu-171 to Lys-201.		
	HSDFJ26	836071	493	99 - 317	1006	Ala-21 to Glu-31, Thr-37 to Cys-43, Pro-64 to Asp-69.		
274	HSDJJ82	460602	284	79 - 237	797	Pro-45 to Gln-52.		
275	HSDSB09	1301498	285	16 - 423	798	Glu-33 to Glu-56, Thr-75 to Cys-81.		
	HSDSB09	463645	494	22 - 387	1007	Glu-33 to Glu-56, Thr-75 to Cys-81.		
276	HSDSE75	545057	286	160 - 705	799	Tyr-15 to Leu-59, Ala-68 to Asp-85, Pro-87 to Asn-96, His-120 to Lys-129, Ser-153 to Gln-170.		
277	HSDZR57	651375	287	27 - 212	800	Glu-50 to Glu-61.	19q13.33	134790, 600040
278	HSIDJ81	589447	288	8 - 184	801	Glu-37 to Gly-45.		
279	HSKDA27	1352409	289	786 - 3635	802	Gly-31 to Arg-36, Thr-55 to Glu-62,		

	HSKDA27	1074734	495	127 - 1653	1008	Gly-31 to Arg-36, Thr-55 to Glu-62, Ser-64 to Ser-79, Arg-87 to Asp-96, Arg-103 to Ala-109, Asp-120 to Arg-126, Gly-294 to Gly-302,	Ser-64 to Ser-79, Arg-87 to Asp-96, Arg-103 to Ala-109, Asp-120 to Arg-126, Gly-294 to Gly-302, Ser-305 to Ala-318, Val-320 to Arg-327, Pro-344 to Thr-351, Thr-383 to Thr-399, Leu-414 to Lys-435, Thr-449 to Ala-457, Gly-461 to Asn-479, Gly-483 to Gln-498, Ser-503 to Arg-514, Lys-532 to Ala-559, Leu-563 to Ser-611, Lys-632 to Tyr-638, Asn-667 to Lys-672, Leu-701 to Met-707, Ser-745 to Lys-755, Lys-761 to Leu-768, Pro-787 to Trp-792, Lys-871 to Met-883, Pro-914 to Tyr-923, Ser-925 to Arg-939, Glu-942 to Tyr-950.	

					Ser-305 to Ala-318, Val-320 to Arg-327, Pro-342 to Thr-351, Thr-383 to Thr-399, Leu-414 to Lys-435, Thr-449 to Ala-457, Gly-461 to Asn-479, Gly-483 to Gln-498, Asn-504 to Val-509.			
	HSKDA27	872570	496	12 - 1673	1009	Gly-27 to Arg-32, Thr-51 to Glu-58, Ser-60 to Ser-75, Arg-83 to Asp-92, Arg-99 to Ala-105, Asp-116 to Arg-122, Gly-290 to Ala-314, Val-316 to Arg-323, Pro-338 to Arg-345, Thr-358 to His-375, Arg-403 to Ser-408, Ser-420 to Ser-436, Thr-447 to Ala-455, Gly-459 to Asn-477, Gly-481 to Gln-496, Ser-501 to Arg-512, Lys-530 to Lys-554.			
280	HSKGN81	676075	290	353 - 1132	803	Ile-60 to Asn-69, Leu-106 to Asp-112, Glu-130 to Gly-136, Phe-160 to Glu-167, Pro-184 to Cys-190, Glu-197 to Ser-202, Arg-215 to Glu-221,	22q13.2	188826	

						Thr-237 to Pro-242.		
	HSKGN81	409905	497	537 - 608	1010	Thr-11 to Pro-22.		
281	HSLCQ82	1352226	291	226 - 477	804			
	HSLCQ82	589526	498	233 - 406	1011			
282	HSNAD72	467397	292	220 - 327	805			
283	HSNMC45	1352201	293	225 - 389	806	Glu-23 to Asn-31, Thr-38 to Gly-48.		
	HSNMC45	545060	499	232 - 309	1012			
284	HSQFP66	460537	294	96 - 332	807	Ser-6 to Arg-15.		
285	HSRFZ57	892171	295	82 - 207	808			
286	HSSFT08	589978	296	125 - 301	809			
287	HSSGD52	1352343	297	344 - 2161	810	Pro-7 to Cys-12, Lys-48 to Tyr-62, Arg-182 to His-187, Leu-189 to Glu-196, Thr-211 to Gly-226, Leu-270 to Thr-275, Gly-278 to Gly-289, Pro-444 to Asn-449, Glu-453 to Lys-461, Gly-491 to Thr-496, Ser-525 to Trp-532.	14q11.2	182600, 186880, 190195, 190195, 222700, 600243, 602279, 602279
	HSSGD52	845666	500	338 - 2155	1013	Pro-7 to Cys-12, Lys-48 to Tyr-62, Arg-182 to His-187, Leu-189 to Glu-196, Thr-211 to Gly-226, Leu-270 to Thr-275, Gly-278 to Gly-289, Pro-444 to Asn-449, Glu-453 to Lys-461, Gly-491 to Thr-496,		

						Ser-525 to Trp-532.		
288	HSSGG82	618535	298	203 - 391	811			
289	HSUBW09	413246	299	153 - 323	812	Asp-23 to Gly-29.		
290	HSVBU91	596868	300	256 - 528	813	Asp-26 to Asn-31, Ser-37 to His-49, Ala-65 to Ser-73.	7q11.23	116860, 129900, 233700, 600079
291	HSYAV50	847358	301	155 - 2173	814	Cys-28 to Pro-33, Arg-41 to Pro-52, Glu-118 to Glu-127, Tyr-130 to Arg-135, Ser-224 to Arg-230, Ser-322 to His-329, Glu-388 to Ala-396, Pro-404 to Pro-411, Ser-443 to Thr-454, Val-456 to Arg-462, Asn-500 to Arg-507.		
292	HTAEE28	1018291	302	319 - 1167	815	Pro-255 to Leu-264.		
	HTAEE28	882919	501	372 - 737	1014			
	HTAEE28	864120	502	124 - 771	1015			
293	HTECC05	1352365	303	13 - 546	816	Gly-41 to Leu-46, Asp-67 to Thr-75, Ile-114 to Gly-122, Pro-156 to Trp-161.		
	HTECC05	877448	503	21 - 404	1016	Gly-41 to Leu-46, Asp-67 to Thr-75, Ile-114 to Pro-127.		
	HTECC05	666743	504	27 - 518	1017	Gly-41 to Leu-46, Asp-67 to Thr-75, Ile-114 to Ala-123.		
294	HTEEB42	206980	304	59 - 952	817	Met-1 to His-7.	21q21.2	
295	HTEFU65	543396	305	231 - 371	818	Gly-35 to Gly-40.		

296	HTEGA76	381995	306	90 - 284	819			
297	HTELM16	834058	307	121 - 375	820	Ser-38 to Tyr-48, Gly-67 to Trp-74, Tyr-76 to Pro-84.		
298	HTELP17	836072	308	164 - 298	821		3p12-p11.1	164500, 176880, 232500, 600151, 600795
299	HTELS08	847090	309	15 - 491	822	Pro-98 to Gln-106.		
300	HTEPG70	834931	310	365 - 634	823	Arg-71 to Ala-82.		
301	HTGEP89	410582	311	285 - 569	824			
302	HTHBG43	919911	312	47 - 166	825		1	
	HTHBG43	906282	505	149 - 268	1018			
303	HTHDS25	772559	313	70 - 339	826			
304	HTLEP53	634852	314	73 - 378	827	Ser-33 to Lys-43.		
305	HTLGE31	1035130	315	51 - 311	828	Val-31 to Gly-49.	9q34.12	
306	HTLHY14	838460	316	36 - 776	829	His-22 to Tyr-32, Trp-56 to Lys-62, Ile-72 to Leu-77, Ile-126 to Gly-136, Tyr-187 to Ala-193, Ile-206 to Thr-214.	19p13.3	108725, 120700, 133171, 136836, 145981, 147141, 164953, 188070, 600957, 601238, 601846, 602216, 602477
307	HTLIV19	1046341	317	110 - 364	830		3	
308	HTOAK16	560744	318	87 - 419	831	Asp-27 to Ser-36.		
309	HTOGR42	838160	319	14 - 181	832	Pro-35 to Ser-40.		
	HTOGR42	570751	506	13 - 195	1019			
310	HTOHT18	628300	320	433 - 594	833	Leu-39 to Ser-47.		
311	HTOIZ02	826312	321	243 - 395	834	Arg-20 to Val-29.	17	
	HTOIZ02	847904	507	2 - 721	1020	Gly-1 to Glu-11, His-16 to Pro-24, Gly-31 to Arg-37, Asp-43 to Leu-49.		
312	HTOJK60	545067	322	217 - 315	835			
313	HTPCS72	854941	323	2365 - 2577	836		1q23.1	107300, 131210, 136132, 145001, 173610, 601652
	HTPCS72	566683	508	530 - 745	1021			

314	HTPIH83	919916	324	118 - 810	837	Ser-29 to Ser-34, Ser-186 to Asp-196, Arg-206 to Ser-225.	Xq22.3-23	300046, 300067, 300067, 300121, 300121, 301201, 301835, 311850
	HTPIH83	895024	509	111 - 530	1022	Ser-29 to Ser-34.		
	HTPIH83	898088	510	96 - 353	1023			
315	HTSEW17	460579	325	170 - 283	838			
316	HTTBI76	637725	326	133 - 534	839	Glu-55 to Arg-61, Gln-84 to Ser-92, Ser-99 to Ser-104.		
317	HTTBS64	1008159	327	95 - 223	840	Leu-37 to Asn-42.		
	HTTBS64	863187	511	100 - 228	1024	Leu-37 to Asn-42.		
	HTTBS64	754125	512	175 - 402	1025	Lys-41 to Arg-46.		
318	HTWDF76	714344	328	316 - 570	841		14q11.2-q12	160760, 160760, 182600, 186880, 190195, 190195, 222700, 600243, 600792, 601369, 602086, 602279, 602279
319	HTXCV12	1352213	329	175 - 480	842	Gln-29 to Gly-38, Lys-57 to Asp-62.		
	HTXCV12	567006	513	183 - 458	1026	Gln-29 to Gly-38, Lys-57 to Asp-62.		
320	HTXFL30	620001	330	30 - 338	843	Met-1 to Gly-6, Arg-11 to Gly-21.	3	
321	HTXJM03	603918	331	328 - 498	844	Asp-51 to His-56.		
322	HTXON32	838288	332	72 - 230	845	Ala-45 to Gly-50.		
323	HUFBY15	1352349	333	49 - 525	846	Ser-44 to Leu-51, Arg-81 to Cys-94, Thr-132 to Tyr-140, Arg-143 to Ile-154.		
	HUFBY15	846380	514	74 - 508	1027	Ser-44 to Leu-51, Arg-81 to Cys-94, Thr-118 to Tyr-126, Arg-129 to Ile-140.		
324	HUFCJ30	638402	334	123 - 275	847	Pro-31 to Ala-37.		

325	HUKAH51	1352424	335	286 - 738	848	Trp-35 to Trp-45, Pro-52 to Asp-57, Thr-73 to Arg-82, Pro-105 to Leu-112, Pro-115 to Arg-127, Pro-140 to Gln-151.		
	HUKAH51	1300737	515	144 - 572	1028	Trp-35 to Trp-45, Pro-52 to Asp-57, Thr-73 to Thr-80, Pro-96 to Leu-103, Pro-106 to Arg-118, Pro-131 to Gln-142.		
	HUKAH51	603538	516	55 - 414	1029	Trp-35 to Trp-45, Pro-52 to Asp-57, Thr-73 to Thr-80, Pro-96 to Leu-103, Pro-106 to Leu-119.		
326	HUSXS50	1352367	336	280 - 1845	849	Gly-39 to Thr-44, Asn-51 to Thr-62, Pro-88 to Pro-104, Ser-109 to Phe-124, Ala-190 to Asn-196, Gln-388 to Glu-394, Gln-402 to Gly-409, Asn-427 to Leu-439, Glu-447 to Thr-453, Pro-468 to Gln-474, Pro-476 to Phe-482, Arg-498 to Arg-504, Arg-508 to Arg-518.		
	HUSXS50	883176	517	281 - 1666	1030	Gly-39 to Thr-44, Asn-51 to Thr-62, Pro-88 to Pro-104,		

						Ser-109 to Ser-114.		
	HUSXS50	655372	518	179 - 703	1031	Gln-54 to Gly-61, Asn-79 to Leu-91, Glu-99 to Thr-105, Pro-120 to Gln-126, Pro-128 to Phe-134, Arg-150 to Arg-156, Arg-160 to Arg-170.		
327	HUVEB53	571200	337	14 - 151	850		20p12	112261, 176640, 176640, 176640, 236700, 601920
328	HWAAD63	838626	338	322 - 825	851	Pro-53 to Trp-61.		
	HWAAD63	833089	519	322 - 483	1032			
	HWAAD63	793875	520	312 - 818	1033			
329	HWABY10	768334	339	263 - 766	852	Pro-67 to Ser-73.	6	
330	HWADJ89	799506	340	581 - 709	853		1p36.31-p36.11	120550, 120570, 120575, 130500, 133200, 600975
331	HWBCB89	1093347	341	37 - 600	854	Gln-20 to Phe-25, Gly-58 to Ala-66, Gln-69 to Leu-74, Asn-87 to Ile-100, Thr-135 to Trp-142.	1q24-q41	107300, 131210, 136132, 145001, 145260, 173610, 276901, 600332, 600759, 601518, 601652, 601744, 601975
	HWBCB89	886210	521	35 - 598	1034	Gln-20 to Phe-25, Gly-58 to Ala-66, Gln-69 to Leu-74, Asn-87 to Ile-100, Thr-135 to Trp-142.		
332	HWBFX31	799427	342	271 - 426	855			
333	HWDAH38	1028519	343	255 - 377	856			
	HWDAH38	889281	522	319 - 441	1035			
334	HWHGZ51	886212	344	33 - 1073	857	Lys-39 to Cys-44, Pro-87 to Gly-93, Gln-107 to Ala-115, Glu-130 to Val-138,	19q13.32	134790, 152780, 152780, 600040

335	HWLIH65	793713	345	129 - 626	858	Glu-149 to Ser-155, Asn-163 to Tyr-169, Gln-217 to Phe-231, Pro-265 to Pro-273, Pro-275 to Val-284, Ala-288 to Arg-295, Gln-304 to Gly-325.		
336	HTEAM34	898364	346	136 - 504	859	Leu-26 to Glu-52, Gln-71 to Lys-79.		
	HTEAM34	570049	523	63 - 431	1036	Leu-26 to Glu-52, Gln-71 to Lys-79.		

Table 1B.2

Gene No:	cDNA Clone ID	Contig ID:	SEQ ID NO: X	Tissue Distribution Library Code:Count (see Table 4 for Library Codes)
1	H2CBU83	884134	11	AR182:8, AR314:7, AR271:7, AR280:6, AR315:6, AR216:6, AR052:6, AR224:6, AR225:5, AR164:5, AR215:5, AR270:5, AR165:5, AR162:5, AR310:5, AR245:5, AR166:5, AR161:5, AR169:5, AR223:5, AR266:5, AR172:5, AR039:5, AR192:5, AR163:4, AR193:4, AR207:4, AR176:4, AR269:4, AR175:4, AR226:4, AR243:4, AR217:4, AR273:4, AR168:4, AR282:4, AR204:4, AR291:4, AR265:4, AR183:4, AR274:4, AR299:4, AR214:4, AR205:4, AR206:4, AR194:4, AR060:4, AR272:4, AR238:4, AR186:4, AR222:4, AR053:4, AR197:4, AR089:3, AR257:3, AR295:3, AR289:3, AR311:3, AR221:3, AR171:3, AR191:3, AR250:3, AR235:3, AR252:3, AR275:3, AR309:3, AR177:3, AR180:3, AR173:3, AR178:3, AR246:3, AR312:3, AR188:3, AR292:3, AR298:3, AR284:3, AR212:3, AR201:3, AR285:3, AR189:3, AR296:3, AR181:3, AR300:3, AR185:3, AR253:3, AR202:3, AR281:3, AR237:3, AR184:3, AR268:3, AR233:3, AR286:3, AR232:3, AR308:3, AR277:3, AR267:3, AR228:3, AR288:3, AR316:3, AR239:3, AR195:2, AR242:2, AR263:2, AR033:2, AR287:2, AR196:2, AR210:2, AR259:2, AR174:2, AR294:2, AR096:2, AR234:2, AR293:2, AR290:2, AR190:2, AR255:2, AR055:2, AR213:2, AR264:2, AR231:2, AR313:2, AR297:2, AR258:2, AR170:2, AR218:2, AR247:2, AR061:2, AR236:2, AR219:2, AR198:2, AR230:2, AR254:2, AR256:2, AR261:2, AR104:2, AR240:2, AR262:2, AR283:2, AR229:2, AR227:2, AR260:2, AR200:1, AR203:1, AR179:1, AR244:1, AR199:1 S0414:9, S0422:7, L0662:7, S0444:6, L0748:4, L0581:4, S0442:3, H0031:3, L0666:3, L0754:3, H0656:2, S0358:2, S0360:2, H0013:2, S0438:2, S0440:2, L0598:2, L0803:2, L0540:2, L0756:2, L0752:2, L0758:2, L0759:2, S0242:2, H0624:1, S0282:1, H0742:1, H0393:1, H0586:1, H0574:1, H0036:1, H0004:1, T0103:1, T0110:1, H0571:1, H0569:1, H0123:1, L0471:1, H0594:1, S6028:1, H0622:1, UNKWN:1, L0649:1, L0381:1, L0776:1, L0659:1, L0528:1, L0792:1, L0793:1, L0663:1, L0664:1, L0665:1, L2257:1, H0144:1, S0374:1, H0547:1, H0593:1, H0690:1, H0670:1, H0648:1, H0672:1, H0651:1, H0539:1, S0378:1, S0380:1, H0521:1, S0406:1, H0555:1, H0478:1, L0744:1, L0731:1 and S0276:1.
	H2CBU83	745366	347	
2	H2MAC30	544957	12	AR096:11, AR039:10, AR313:10, AR299:10, AR250:9, AR240:8, AR254:8, AR055:8, AR242:8, AR060:7, AR089:7, AR162:7, AR316:6, AR161:6, AR163:6, AR213:6, AR269:6, AR252:5, AR268:5, AR169:5, AR200:5, AR204:5, AR215:5, AR165:5, AR053:5, AR196:5, AR166:5, AR164:5, AR199:5, AR104:5, AR282:5, AR176:5, AR266:5, AR180:4, AR264:4, AR261:4, AR277:4, AR300:4, AR229:4, AR183:4, AR181:4, AR190:4, AR173:4, AR263:4, AR247:4, AR309:4, AR197:4, AR274:4, AR178:4, AR214:4, AR205:4, AR212:4, AR243:4, AR312:4, AR191:4, AR253:4, AR182:4, AR236:4, AR170:4, AR245:3, AR185:3, AR272:3, AR217:3, AR171:3, AR267:3, AR175:3, AR308:3, AR192:3, AR290:3, AR271:3, AR193:3, AR291:3, AR219:3, AR237:3, AR233:3, AR188:3, AR201:3, AR216:3, AR311:3, AR270:3, AR177:3, AR174:3, AR218:3, AR234:3, AR283:3, AR179:3, AR293:3, AR207:3, AR231:3, AR221:3, AR228:3, AR203:3, AR285:3, AR262:3, AR255:2, AR224:2, AR288:2, AR238:2, AR195:2, AR287:2, AR257:2, AR239:2, AR168:2, AR286:2, AR189:2, AR296:2, AR230:2,

				AR223:2, AR275:2, AR289:2, AR297:1, AR222:1, AR232:1, AR033:1, AR260:1, AR061:1, AR227:1, AR295:1, AR235:1, AR294:1, AR225:1, AR258:1, AR172:1, AR226:1, AR210:1, AR211:1 L0766:16, L0743:11, H0692:8, L0769:7, L0518:6, L0748:6, L0771:4, L0745:4, L0779:4, H0265:3, S0358:3, H0494:3, L0755:3, L3814:2, H0550:2, H0486:2, H0581:2, H0135:2, L0761:2, L0804:2, L0774:2, L0438:2, L0777:2, H0685:1, S0114:1, H0583:1, S0116:1, S0212:1, H0254:1, S0408:1, S0476:1, H0772:1, T0104:1, H0586:1, H0587:1, H0331:1, T0109:1, H0599:1, L0738:1, H0150:1, H0012:1, H0264:1, S0438:1, L0770:1, L0374:1, L0764:1, L0768:1, L0803:1, L0653:1, L0776:1, L0788:1, L0792:1, L0663:1, S0428:1, S0053:1, S0216:1, H0783:1, L3811:1, S0152:1, H0522:1, H0555:1, S0432:1, L0744:1, L0751:1, L0749:1, L0756:1, L0758:1, S0436:1, L0601:1, H0543:1, H0423:1, S0424:1 and H0506:1.
3	H6EDC19	543259	13	AR235:21, AR197:20, AR222:17, AR261:13, AR309:11, AR195:11, AR176:9, AR201:9, AR264:9, AR295:9, AR162:9, AR271:9, AR242:9, AR161:9, AR163:9, AR177:9, AR165:9, AR089:9, AR236:8, AR164:8, AR283:8, AR252:8, AR196:8, AR166:8, AR296:8, AR229:8, AR198:8, AR263:7, AR297:7, AR181:7, AR269:7, AR287:7, AR289:7, AR288:7, AR245:7, AR285:7, AR253:7, AR060:7, AR204:7, AR183:7, AR266:7, AR268:6, AR240:6, AR180:6, AR312:6, AR246:6, AR192:6, AR199:6, AR055:6, AR316:6, AR247:6, AR272:6, AR178:6, AR193:6, AR233:6, AR299:6, AR212:6, AR228:6, AR275:5, AR293:5, AR096:5, AR313:5, AR291:5, AR179:5, AR238:5, AR239:5, AR053:5, AR182:5, AR286:5, AR237:5, AR231:5, AR308:5, AR274:5, AR250:5, AR185:5, AR226:5, AR205:5, AR270:5, AR104:5, AR255:5, AR257:5, AR218:5, AR175:5, AR190:4, AR061:4, AR219:4, AR191:4, AR262:4, AR203:4, AR217:4, AR213:4, AR174:4, AR267:4, AR243:4, AR039:4, AR230:4, AR033:4, AR188:4, AR311:4, AR232:4, AR234:4, AR254:4, AR300:4, AR189:4, AR168:4, AR214:4, AR207:3, AR227:3, AR277:3, AR173:3, AR294:3, AR211:3, AR258:3, AR256:3, AR170:3, AR282:3, AR171:3, AR200:3, AR225:3, AR223:3, AR290:3, AR260:2, AR224:2, AR216:2, AR210:2, AR172:2, AR215:1, AR169:1 L0805:4, H0559:3, L0803:3, H0545:2, L0664:2, L0748:2, L0777:2, L0758:2, L3643:1, H0295:1, H0657:1, S0444:1, H0734:1, H0550:1, S0222:1, T0048:1, H0318:1, H0052:1, H0231:1, H0041:1, H0620:1, H0606:1, H0316:1, H0077:1, L0769:1, L0761:1, L0766:1, L0774:1, L0789:1, H0672:1, H0539:1, S0146:1, L0751:1, L0780:1, L0731:1, S0434:1 and S0196:1.
4	HACBD91	637482	14	AR055:116, AR283:103, AR060:91, AR089:55, AR235:53, AR299:52, AR185:51, AR104:49, AR096:34, AR039:30, AR282:30, AR316:29, AR261:29, AR196:24, AR218:23, AR219:21, AR272:20, AR300:20, AR313:19, AR277:19, AR240:19, AR309:17, AR236:17, AR295:16, AR252:15, AR271:15, AR191:15, AR285:14, AR246:13, AR165:13, AR291:13, AR264:13, AR311:13, AR164:13, AR166:13, AR308:12, AR275:12, AR174:12, AR287:11, AR263:11, AR286:11, AR177:11, AR161:10, AR162:10, AR200:10, AR201:10, AR163:10, AR195:10, AR262:10, AR188:10, AR207:10, AR288:10, AR267:10, AR197:9, AR181:9, AR266:9, AR312:9, AR227:9, AR257:9, AR175:9, AR289:9, AR232:9, AR189:8, AR297:8, AR053:8, AR033:8, AR190:8, AR245:8, AR296:8, AR193:8, AR258:8, AR255:8, AR239:7, AR260:7, AR173:7, AR198:7, AR293:7, AR199:7, AR250:7, AR243:6, AR247:6, AR274:6, AR211:6, AR205:6, AR203:6, AR213:6, AR178:6, AR226:5, AR256:5, AR231:5, AR294:5, AR270:5, AR204:5, AR176:5, AR238:5, AR210:5, AR230:4, AR237:4, AR253:4, AR170:4, AR212:4, AR061:4, AR183:4, AR242:4, AR254:3, AR169:3, AR182:3, AR290:3, AR268:3, AR179:3, AR217:3, AR221:2, AR216:2, AR168:2, AR224:2, AR229:2, AR214:2, AR223:1, AR228:1, AR172:1, AR192:1 L0748:8, L0439:4, L0749:3, H0171:2, L3659:2, L0438:2, S6024:1, S0360:1, H0640:1, S0278:1, L3655:1, S0280:1, H0012:1, L0055:1, H0032:1, H0647:1, L0807:1, L0665:1, H0659:1, L0355:1, S0328:1, H0754:1, H0710:1, L0756:1, L0780:1, L0759:1, S0260:1, S0452:1 and H0721:1.

5	HAGAQ26	561996	15	AR242:9, AR192:9, AR162:8, AR161:8, AR197:8, AR163:8, AR198:7, AR204:7, AR176:7, AR201:7, AR165:7, AR089:6, AR164:6, AR166:6, AR252:6, AR269:6, AR180:6, AR207:6, AR182:6, AR250:6, AR271:5, AR173:5, AR243:5, AR291:5, AR229:5, AR212:5, AR312:5, AR295:5, AR272:5, AR288:5, AR268:5, AR313:5, AR205:5, AR178:5, AR193:5, AR053:5, AR264:5, AR175:5, AR239:5, AR293:5, AR060:5, AR263:5, AR246:4, AR270:4, AR235:4, AR195:4, AR181:4, AR096:4, AR267:4, AR238:4, AR183:4, AR218:4, AR309:4, AR213:4, AR228:4, AR289:4, AR285:4, AR104:4, AR290:4, AR311:4, AR231:4, AR237:4, AR174:4, AR296:4, AR266:4, AR211:4, AR316:4, AR297:4, AR177:3, AR226:3, AR230:3, AR308:3, AR287:3, AR233:3, AR179:3, AR219:3, AR185:3, AR286:3, AR055:3, AR294:3, AR240:3, AR247:3, AR169:3, AR253:3, AR224:3, AR275:3, AR215:3, AR282:3, AR274:3, AR232:3, AR227:3, AR061:3, AR039:2, AR234:2, AR168:2, AR300:2, AR260:2, AR256:2, AR033:2, AR236:2, AR200:2, AR189:2, AR210:2, AR258:2, AR283:2, AR214:2, AR277:2, AR299:2, AR199:2, AR190:2, AR261:1, AR172:1, AR262:1, AR257:1, AR191:1, AR216:1 L0603:4, H0031:3, S0010:2, T0010:2, H0644:2, L0438:2, H0038:1, H0616:1, H0264:1, S0426:1, H0539:1, L0439:1 and S0260:1.
6	HAGBZ81	456414	16	AR219:618, AR218:563, AR274:387, AR253:355, AR210:339, AR270:324, AR254:310, AR312:287, AR205:286, AR308:285, AR272:256, AR271:246, AR173:243, AR213:238, AR313:237, AR096:235, AR269:228, AR250:228, AR212:219, AR183:215, AR290:208, AR245:198, AR175:191, AR039:182, AR178:182, AR309:180, AR264:177, AR180:176, AR268:171, AR282:171, AR211:163, AR263:158, AR246:156, AR053:156, AR267:150, AR089:150, AR174:147, AR179:145, AR311:144, AR176:143, AR182:142, AR162:141, AR293:140, AR192:134, AR252:132, AR060:130, AR247:127, AR166:126, AR165:126, AR161:124, AR164:121, AR163:120, AR316:117, AR198:112, AR216:111, AR185:107, AR288:106, AR256:106, AR275:100, AR297:98, AR240:98, AR193:96, AR197:96, AR299:96, AR243:95, AR181:92, AR177:90, AR172:89, AR266:87, AR217:87, AR300:86, AR201:86, AR222:83, AR277:81, AR189:78, AR242:78, AR237:73, AR289:73, AR231:71, AR104:68, AR291:66, AR195:66, AR238:65, AR224:61, AR230:60, AR296:60, AR226:59, AR169:59, AR294:58, AR171:55, AR229:55, AR204:54, AR033:53, AR190:53, AR260:52, AR295:52, AR188:51, AR239:46, AR225:46, AR214:46, AR232:43, AR287:41, AR168:40, AR191:40, AR061:40, AR285:34, AR221:32, AR234:32, AR283:30, AR227:27, AR170:25, AR255:25, AR233:24, AR286:22, AR236:21, AR199:20, AR262:20, AR258:20, AR228:19, AR215:17, AR200:17, AR203:16, AR207:14, AR223:14, AR257:12, AR196:12, AR055:11, AR261:10, AR235:4 S6026:1, S0010:1, H0399:1, L0435:1, L0438:1 and S0031:1.
7	HAGDG59	534165	17	AR299:24, AR251:24, AR206:23, AR205:21, AR248:20, AR252:20, AR244:19, AR039:18, AR238:18, AR186:18, AR254:16, AR263:14, AR207:14, AR250:14, AR275:13, AR249:13, AR264:13, AR246:12, AR181:12, AR241:12, AR204:11, AR274:11, AR269:11, AR202:11, AR185:10, AR253:10, AR243:10, AR292:10, AR052:9, AR265:9, AR310:9, AR060:9, AR309:9, AR191:9, AR190:9, AR273:8, AR161:8, AR268:8, AR316:8, AR162:8, AR270:8, AR189:8, AR163:8, AR240:8, AR053:8, AR312:8, AR089:8, AR226:8, AR096:7, AR033:7, AR290:7, AR183:7, AR237:7, AR194:7, AR177:7, AR198:7, AR174:7, AR313:7, AR201:7, AR271:7, AR104:7, AR192:7, AR175:6, AR272:6, AR213:6, AR291:6, AR239:6, AR179:6, AR235:6, AR165:6, AR061:6, AR296:6, AR055:6, AR308:6, AR164:5, AR267:5, AR188:5, AR284:5, AR227:5, AR166:5, AR298:5, AR176:5, AR266:5, AR178:5, AR182:5, AR234:5, AR212:5, AR300:5, AR277:5, AR295:4, AR193:4, AR282:4, AR293:4, AR232:4, AR229:4, AR285:4, AR311:4, AR196:4, AR231:4, AR247:4, AR173:3, AR184:3, AR245:3, AR218:3, AR233:3, AR283:3, AR203:3, AR197:3, AR289:3, AR257:3, AR261:3, AR294:3, AR297:2, AR219:2, AR242:2, AR217:2, AR288:2, AR286:2, AR255:2, AR195:2, AR259:2, AR256:2, AR200:2, AR180:2, AR228:2, AR210:2, AR199:2,

				AR224:1, AR211:1, AR230:1, AR236:1, AR287:1 S0422:22, S0408:9, L0659:9, S0438:8, S0354:6, L0754:6, S0126:5, H0543:5, S0358:4, S0444:4, S0406:4, H0436:4, L0740:4, L0777:4, H0144:3, S0374:3, L0750:3, L0599:3, H0170:2, H0717:2, H0740:2, S0360:2, S0410:2, H0747:2, H0749:2, H0587:2, H0574:2, H0486:2, H0575:2, H0036:2, S0003:2, H0622:2, L0475:2, H0509:2, L0667:2, L0771:2, L0662:2, L0766:2, L0804:2, L0809:2, L0790:2, L3667:2, H0710:2, L0748:2, L0745:2, L0749:2, L0731:2, S0026:2, H0422:2, H0171:1, H0686:1, S0040:1, H0716:1, L0785:1, L2991:1, S0212:1, L0946:1, S0442:1, L1446:1, H0393:1, L0717:1, H0441:1, H0497:1, H0427:1, H0590:1, S0346:1, S0474:1, H0581:1, H0746:1, H0050:1, H0239:1, H0510:1, H0266:1, H0553:1, H0169:1, H0264:1, H0494:1, S0450:1, S0440:1, H0654:1, H0652:1, S0344:1, H0529:1, H0026:1, L0371:1, L0372:1, L0764:1, L0521:1, L0768:1, L0649:1, L0652:1, L0653:1, L0661:1, L0367:1, L0663:1, L0665:1, S0428:1, L2258:1, L2260:1, H0699:1, H0547:1, H0670:1, H0660:1, S0330:1, S0378:1, H0518:1, H0521:1, H0522:1, S0028:1, L0744:1, L0439:1, L0751:1, S0031:1, S0260:1, L0581:1, L0362:1, H0136:1, S0276:1, H0506:1 and H0721:1.
8	HAGDS35	1352199	18	AR089:13, AR299:12, AR060:11, AR096:8, AR055:7, AR039:7, AR185:7, AR283:6, AR313:6, AR316:5, AR309:5, AR282:4, AR263:4, AR240:4, AR250:4, AR218:4, AR300:4, AR161:4, AR162:4, AR104:4, AR196:4, AR163:4, AR274:3, AR297:3, AR277:3, AR296:3, AR308:3, AR293:3, AR175:3, AR287:3, AR221:3, AR257:3, AR291:3, AR165:3, AR262:3, AR285:3, AR193:3, AR166:3, AR197:3, AR169:3, AR203:3, AR254:3, AR200:3, AR164:2, AR053:2, AR294:2, AR243:2, AR198:2, AR295:2, AR229:2, AR176:2, AR174:2, AR188:2, AR269:2, AR312:2, AR231:2, AR182:2, AR033:2, AR219:2, AR255:2, AR225:2, AR311:2, AR268:2, AR201:2, AR189:2, AR288:2, AR272:2, AR226:2, AR183:2, AR181:2, AR191:2, AR261:2, AR258:2, AR212:2, AR190:2, AR224:2, AR179:1, AR210:1, AR239:1, AR178:1, AR204:1, AR195:1, AR275:1, AR177:1, AR264:1, AR234:1, AR247:1, AR267:1, AR168:1, AR233:1, AR290:1, AR286:1, AR228:1, AR217:1 L0748:8, L0777:5, H0013:3, S0356:2, H0622:2, L0794:2, L0803:2, L0665:2, L0438:2, H0436:2, L0743:2, L0740:2, H0170:1, S0354:1, S0376:1, H0749:1, H0586:1, S0010:1, S6028:1, H0188:1, H0616:1, S0422:1, L0764:1, L0521:1, L0804:1, L0774:1, L0776:1, L0655:1, L0659:1, L5623:1, H0520:1, H0435:1, L0439:1, L0754:1, L0747:1, L0779:1, L0758:1, L0759:1, S0026:1, H0543:1 and H0423:1.
	HAGDS35	543617	348	
9	HAGFG51	823509	19	AR176:8, AR250:6, AR233:6, AR269:5, AR223:5, AR182:5, AR267:5, AR228:5, AR173:5, AR236:5, AR237:5, AR181:5, AR180:4, AR196:4, AR161:4, AR162:4, AR257:4, AR177:4, AR229:4, AR163:4, AR266:4, AR239:4, AR178:4, AR179:4, AR183:4, AR216:4, AR294:4, AR270:4, AR191:4, AR300:4, AR262:4, AR261:4, AR175:4, AR060:4, AR255:4, AR199:4, AR055:4, AR297:3, AR235:3, AR238:3, AR096:3, AR234:3, AR174:3, AR200:3, AR291:3, AR288:3, AR231:3, AR247:3, AR203:3, AR293:3, AR170:3, AR287:3, AR168:3, AR252:3, AR226:3, AR215:3, AR286:3, AR268:3, AR258:3, AR275:3, AR290:3, AR197:3, AR039:3, AR299:3, AR061:3, AR296:3, AR230:3, AR188:3, AR282:3, AR240:3, AR214:3, AR285:3, AR171:3, AR313:3, AR227:3, AR232:2, AR295:2, AR311:2, AR264:2, AR089:2, AR190:2, AR272:2, AR185:2, AR289:2, AR172:2, AR217:2, AR192:2, AR189:2, AR263:2, AR316:2, AR242:2, AR210:2, AR277:2, AR225:2, AR271:2, AR260:2, AR218:1, AR256:1, AR219:1, AR104:1, AR033:1 S0010:1
10	HAIBO71	490848	20	AR253:6, AR263:4, AR309:4, AR252:4, AR228:4, AR195:4, AR243:3, AR169:3, AR261:3, AR311:3, AR254:3, AR226:3, AR219:3, AR213:3, AR218:3, AR205:3, AR264:3, AR233:3, AR297:3, AR296:3, AR165:3, AR288:3, AR291:3, AR163:3, AR275:3, AR161:3, AR217:3, AR166:3, AR197:3, AR250:3, AR055:3, AR282:3, AR236:3, AR162:3, AR060:3, AR164:3,

				AR239:3, AR168:2, AR207:2, AR290:2, AR175:2, AR293:2, AR196:2, AR268:2, AR271:2, AR269:2, AR215:2, AR189:2, AR201:2, AR266:2, AR185:2, AR033:2, AR183:2, AR214:2, AR212:2, AR191:2, AR274:2, AR289:2, AR270:2, AR223:2, AR177:2, AR287:2, AR257:2, AR272:2, AR316:2, AR178:2, AR295:2, AR173:2, AR199:2, AR277:2, AR238:2, AR286:2, AR312:2, AR255:2, AR267:2, AR229:1, AR179:1, AR200:1, AR231:1, AR089:1, AR096:1, AR176:1, AR262:1, AR313:1, AR240:1, AR258:1, AR285:1, AR237:1, AR193:1, AR230:1, AR039:1, AR190:1, AR299:1, AR260:1, AR104:1, AR188:1, AR300:1, AR225:1, AR283:1, AR232:1, AR308:1 H0657:1, S0212:1, S0360:1, S0132:1, H0628:1, L0766:1, L0803:1, L0776:1, H0539:1, L0731:1 and H0422:1.
11	HAIFL18	676933	21	AR052:33, AR259:29, AR184:29, AR292:27, AR249:26, AR310:25, AR309:22, AR265:21, AR298:20, AR314:20, AR313:19, AR315:18, AR284:18, AR280:18, AR269:17, AR293:17, AR312:16, AR247:15, AR229:15, AR218:15, AR294:14, AR061:14, AR183:14, AR219:14, AR039:14, AR258:14, AR233:14, AR227:13, AR226:13, AR033:13, AR182:13, AR248:13, AR281:13, AR186:13, AR300:13, AR231:12, AR237:12, AR175:12, AR266:12, AR096:12, AR238:12, AR296:11, AR267:11, AR299:11, AR053:11, AR295:11, AR270:11, AR285:11, AR055:10, AR290:10, AR286:10, AR232:10, AR283:10, AR213:10, AR256:10, AR177:10, AR282:10, AR185:9, AR234:9, AR291:9, AR268:9, AR263:8, AR289:8, AR316:8, AR273:8, AR089:7, AR104:6, AR179:6, AR251:6, AR194:6, AR277:5, AR245:5, AR240:4, AR253:4, AR060:4, AR271:4, AR206:4, AR192:3, AR274:3, AR198:3, AR170:2, AR275:2, AR168:2, AR205:2, AR225:2, AR178:2, AR204:2, AR216:2, AR172:2, AR243:2, AR217:1, AR241:1, AR214:1, AR287:1, AR288:1, AR224:1, AR193:1, AR162:1 H0265:1, H0159:1, S0132:1, H0574:1, H0075:1, T0042:1, H0509:1 and S0434:1.
12	HAJAF57	823516	22	AR254:4, AR171:3, AR207:3, AR170:3, AR169:3, AR053:3, AR213:2, AR225:2, AR271:2, AR165:2, AR198:2, AR201:2, AR166:2, AR176:2, AR264:2, AR282:2, AR272:2, AR089:2, AR297:2, AR288:2, AR257:2, AR188:2, AR224:2, AR175:1, AR163:1, AR283:1, AR196:1, AR162:1, AR246:1, AR308:1, AR226:1, AR161:1, AR193:1, AR164:1, AR183:1, AR285:1, AR173:1, AR286:1, AR255:1 H0561:1
13	HAJAN23	1352364	23	AR192:7, AR169:6, AR207:6, AR170:6, AR168:5, AR214:5, AR161:5, AR162:5, AR165:5, AR172:5, AR163:5, AR223:5, AR311:5, AR195:5, AR164:5, AR166:5, AR196:5, AR224:4, AR222:4, AR171:4, AR217:4, AR264:4, AR308:4, AR216:4, AR277:4, AR282:4, AR271:4, AR291:4, AR213:4, AR197:4, AR193:3, AR235:3, AR309:3, AR212:3, AR205:3, AR283:3, AR250:3, AR253:3, AR261:3, AR225:3, AR188:3, AR089:3, AR245:3, AR316:3, AR312:3, AR299:3, AR215:3, AR177:3, AR055:3, AR247:3, AR268:2, AR295:2, AR288:2, AR221:2, AR313:2, AR199:2, AR262:2, AR033:2, AR230:2, AR285:2, AR039:2, AR297:2, AR229:2, AR198:2, AR300:2, AR257:2, AR286:2, AR287:2, AR104:2, AR274:2, AR060:2, AR173:2, AR246:2, AR272:2, AR096:2, AR227:2, AR232:2, AR237:2, AR176:2, AR182:2, AR226:2, AR185:2, AR238:2, AR266:2, AR181:2, AR240:2, AR231:2, AR211:2, AR258:2, AR289:2, AR191:2, AR239:2, AR175:1, AR189:1, AR270:1, AR219:1, AR234:1, AR061:1, AR183:1, AR200:1, AR263:1, AR203:1, AR228:1, AR236:1, AR296:1, AR201:1, AR210:1 S0408:2, H0619:2, S0438:2, L0803:2, L0804:2, L3643:1, H0686:1, H0650:1, H0730:1, T0110:1, H0233:1, S0003:1, H0674:1, H0623:1, H0561:1, H0509:1, S0422:1, L0770:1, L0766:1, L0518:1, L5622:1, S0374:1, H0593:1, H0555:1, L0748:1 and L0755:1.
	HAJAN23	872551	349	
14	HAJBR69	638516	24	AR309:4, AR242:3, AR217:3, AR235:3, AR225:3, AR170:2, AR252:2, AR263:2, AR180:2, AR171:2, AR282:2, AR221:2, AR197:2, AR200:2, AR196:2, AR308:2, AR277:2, AR165:1, AR164:1, AR215:1, AR192:1, AR166:1, AR268:1, AR168:1,

				AR211:1, AR207:1, AR283:1, AR216:1, AR204:1, AR311:1, AR240:1, AR182:1 S0040:4, T0010:4, H0560:4, L0794:4, S0420:3, L0455:3, L3905:3, H0656:2, S0212:2, H0619:2, H0497:2, H0052:2, H0012:2, H0429:2, L0766:2, L5623:2, L0439:2, H0665:2, H0556:1, H0717:1, H0650:1, S0418:1, H0580:1, H0728:1, H0735:1, H0734:1, H0370:1, H0392:1, H0333:1, H0013:1, H0635:1, H0505:1, H0581:1, H0569:1, H0050:1, H0373:1, S0250:1, S0022:1, H0553:1, L0370:1, H0561:1, L2263:1, L2261:1, H0520:1, H0593:1, S0126:1, H0435:1, H0518:1, H0521:1, H0626:1, L0748:1, S0436:1, L0591:1, H0542:1, S0424:1 and H0677:1.
15	HAMFE15	905695	25	AR235:3, AR275:3, AR221:3, AR282:2, AR207:2, AR291:2, AR180:2, AR286:2, AR173:2, AR178:2, AR225:2, AR243:2, AR272:1, AR176:1, AR181:1, AR163:1, AR161:1, AR285:1, AR168:1, AR257:1, AR277:1, AR261:1, AR191:1, AR311:1, AR196:1, AR216:1, AR296:1, AR297:1, AR269:1, AR169:1, AR266:1, AR247:1, AR199:1, AR175:1 L0748:10, L0754:9, L0731:9, L0766:8, L0439:7, L0803:6, H0624:5, L0759:5, S0356:4, H0486:4, H0090:4, L0789:4, L0438:4, L0740:4, L0749:4, L0756:4, L0777:4, L0599:4, S0360:3, H0013:3, S0003:3, L0369:3, L0794:3, L0659:3, L0809:3, L0665:3, H0539:3, L0362:3, S0114:2, S0358:2, S0278:2, H0441:2, H0586:2, H0333:2, H0581:2, H0328:2, H0553:2, H0529:2, L0770:2, L0662:2, L0804:2, L0666:2, L0663:2, H0547:2, H0519:2, H0659:2, H0670:2, S0330:2, L0747:2, L0750:2, L0755:2, L0758:2, L0589:2, L0592:2, L0581:2, L0593:2, S0276:2, S0424:2, H0170:1, H0171:1, S0040:1, S0116:1, H0664:1, H0458:1, H0638:1, H0192:1, S0418:1, S0354:1, S0410:1, H0580:1, S0046:1, H0393:1, L0717:1, H0411:1, S6022:1, S0222:1, H0587:1, T0114:1, L0021:1, H0318:1, H0421:1, H0052:1, H0251:1, H0544:1, H0572:1, H0566:1, L0471:1, H0057:1, H0051:1, H0510:1, S6028:1, H0271:1, S0334:1, H0622:1, S0368:1, H0031:1, L0142:1, H0032:1, H0124:1, H0316:1, H0591:1, H0616:1, L0060:1, H0551:1, H0264:1, H0412:1, H0413:1, L0564:1, H0560:1, S0150:1, H0646:1, S0144:1, H0538:1, L0598:1, L0638:1, L0372:1, L0764:1, L0771:1, L0521:1, L0650:1, L0805:1, L0655:1, L0656:1, L0664:1, H0144:1, S0374:1, H0691:1, H0520:1, H0689:1, H0658:1, H0672:1, S0152:1, S0332:1, H0521:1, H0134:1, H0631:1, S0206:1, L0751:1, L0779:1, L0753:1, H0445:1, S0394:1, L0608:1, S0026:1, H0653:1, H0665:1, S0242:1, S0194:1, H0542:1, H0423:1 and H0422:1.
	HAMFE15.	823350	350	
16	HAMGG68	731859	26	AR313:34, AR275:32, AR104:32, AR165:29, AR039:27, AR033:27, AR164:27, AR196:26, AR161:25, AR162:24, AR089:24, AR163:23, AR271:23, AR096:22, AR240:21, AR312:21, AR174:20, AR250:20, AR205:19, AR180:19, AR264:19, AR282:18, AR175:18, AR185:18, AR183:18, AR179:18, AR269:18, AR238:18, AR193:18, AR308:17, AR300:17, AR182:17, AR173:17, AR270:17, AR192:17, AR247:16, AR191:16, AR198:16, AR299:16, AR242:16, AR268:16, AR188:16, AR309:16, AR311:15, AR211:15, AR219:15, AR207:14, AR178:14, AR316:14, AR212:14, AR060:14, AR285:14, AR201:14, AR213:14, AR199:14, AR218:14, AR181:14, AR189:13, AR295:13, AR258:13, AR262:13, AR290:13, AR229:13, AR254:12, AR177:12, AR195:12, AR176:12, AR171:12, AR168:12, AR234:12, AR231:12, AR263:12, AR296:12, AR291:12, AR253:12, AR257:12, AR169:11, AR226:11, AR172:11, AR210:11, AR288:11, AR245:11, AR246:11, AR053:11, AR252:10, AR197:10, AR235:10, AR203:10, AR190:10, AR221:10, AR260:10, AR297:10, AR293:10, AR236:10, AR287:10, AR294:10, AR274:9, AR277:9, AR223:9, AR224:9, AR225:9, AR233:9, AR272:9, AR216:9, AR255:9, AR261:9, AR215:9, AR200:9, AR267:9, AR214:8, AR237:8, AR286:8, AR170:8, AR239:8, AR217:8, AR243:8, AR232:8, AR230:8, AR266:8, AR222:7, AR256:7, AR204:6, AR228:6, AR289:6, AR283:6, AR227:6, AR055:4, AR061:4 L0805:7, L0666:3, L0439:3, H0052:2, L0773:2, L0794:2, L0740:2, L0779:2, H0685:1,

				S0418:1, L3388:1, S0222:1, H0050:1, H0320:1, H0252:1, H0030:1, H0059:1, H0560:1, H0773:1, L3815:1, L0520:1, L0770:1, L0646:1, L0771:1, L0662:1, L0363:1, L0803:1, L0774:1, L0375:1, L0776:1, L0655:1, L0659:1, H0670:1, S0378:1, H0753:1, S0406:1, L0748:1, L0757:1, L0758:1, S0436:1, L0597:1, L0591:1, L0366:1 and S0412:1.
17	HAMGR28	892971	27	AR271:8, AR184:7, AR060:7, AR240:6, AR089:6, AR219:5, AR104:5, AR183:5, AR282:5, AR052:5, AR275:5, AR266:5, AR316:5, AR274:5, AR249:5, AR192:4, AR053:4, AR267:4, AR096:4, AR247:4, AR277:4, AR309:4, AR312:4, AR283:4, AR248:4, AR253:4, AR186:4, AR182:4, AR185:4, AR238:4, AR299:4, AR310:3, AR289:3, AR285:3, AR313:3, AR213:3, AR218:3, AR291:3, AR241:3, AR039:3, AR251:3, AR286:3, AR033:3, AR256:3, AR061:3, AR292:3, AR234:3, AR258:3, AR202:3, AR231:3, AR268:3, AR295:3, AR294:3, AR293:3, AR300:3, AR055:3, AR243:3, AR315:3, AR198:2, AR296:2, AR270:2, AR284:2, AR259:2, AR298:2, AR290:2, AR226:2, AR237:2, AR233:2, AR273:2, AR269:2, AR229:2, AR206:2, AR232:2, AR227:1, AR314:1, AR179:1, AR175:1 L0666:11, H0046:9, H0556:5, L0809:5, L0747:4, L0770:3, L0769:3, L0783:3, H0520:3, L0439:3, L0731:3, H0664:2, S0045:2, H0123:2, H0424:2, L0637:2, L0775:2, S0328:2, S0146:2, L0777:2, L0601:2, H0542:2, L0411:1, H0265:1, H0740:1, H0294:1, H0583:1, H0650:1, H0662:1, S0420:1, S0444:1, H0637:1, H0735:1, S0476:1, S0278:1, H0370:1, H0586:1, H0587:1, H0497:1, H0486:1, H0013:1, H0069:1, H0575:1, H0253:1, H0581:1, H0251:1, H0150:1, T0010:1, H0083:1, H0239:1, H0594:1, H0288:1, H0290:1, H0604:1, H0553:1, H0040:1, H0087:1, H0494:1, H0560:1, L0065:1, S0438:1, S0440:1, H0641:1, H0633:1, H0646:1, L3815:1, S0422:1, S0002:1, H0529:1, L0763:1, L0646:1, L0800:1, L0764:1, L0767:1, L0649:1, L0803:1, L0806:1, L0653:1, L0659:1, L0518:1, L0789:1, L0791:1, S0053:1, H0144:1, H0701:1, H0725:1, S0148:1, L0438:1, H0519:1, H0593:1, S0406:1, L0748:1, L0745:1, L0749:1, L0750:1, L0779:1, L0752:1, L0758:1, S0031:1, S0436:1, S0460:1 and L0600:1.
	HAMGR28	748223	351	
18	HAPOM49	769555	28	AR089:5, AR169:5, AR060:5, AR282:4, AR283:4, AR055:3, AR218:3, AR096:3, AR171:3, AR104:3, AR277:3, AR313:3, AR217:3, AR039:2, AR240:2, AR316:2, AR221:2, AR163:2, AR180:2, AR183:2, AR170:2, AR172:2, AR165:2, AR299:2, AR166:2, AR242:2, AR195:2, AR168:2, AR300:2, AR275:2, AR162:2, AR164:1, AR216:1, AR193:1, AR205:1, AR264:1, AR185:1, AR173:1, AR266:1, AR161:1, AR272:1, AR214:1, AR257:1, AR196:1, AR270:1, AR268:1, AR289:1, AR245:1, AR312:1, AR223:1, AR212:1, AR261:1, AR219:1, AR297:1, AR192:1 S0406:5, L0750:5, L0777:4, L0749:3, L0779:3, H0662:2, S0440:2, L0770:2, L0794:2, L0776:2, L0657:2, L0783:2, L0740:2, L0747:2, L0780:2, S0420:1, S0442:1, S0444:1, S0045:1, L3316:1, H0599:1, H0575:1, S0474:1, T0115:1, H0083:1, H0510:1, H0644:1, H0551:1, S0386:1, H0494:1, H0561:1, H0538:1, S0422:1, L0646:1, L0804:1, L0774:1, L0809:1, L0530:1, L0663:1, L0664:1, L0665:1, H0593:1, S0380:1, S0027:1, L0748:1, L0439:1, L0756:1, L0755:1, L0758:1, L0485:1, H0542:1 and H0423:1.
	HAPOM49	722386	352	
19	HAPPW30	1352278	29	AR174:24, AR235:23, AR196:23, AR177:22, AR191:19, AR175:19, AR233:19, AR288:19, AR179:18, AR190:17, AR203:17, AR257:17, AR178:17, AR182:17, AR188:17, AR060:17, AR176:17, AR181:16, AR295:16, AR261:16, AR236:16, AR185:15, AR287:15, AR255:15, AR161:15, AR162:15, AR163:15, AR199:14, AR286:14, AR033:14, AR165:14, AR260:14, AR285:14, AR294:14, AR231:14, AR164:14, AR258:14, AR104:14, AR061:13, AR267:13, AR293:13, AR238:13, AR166:13, AR226:13, AR189:13, AR232:13, AR269:13, AR291:13, AR262:12, AR173:12, AR200:12, AR240:12, AR247:12, AR299:12, AR230:12, AR282:11, AR270:11, AR227:11, AR296:11, AR234:11, AR055:11, AR300:11, AR228:11, AR089:11, AR316:11, AR275:10, AR297:10, AR211:10, AR289:10, AR239:9, AR274:9,

				AR183:9, AR268:9, AR237:9, AR180:9, AR229:9, AR308:8, AR266:8, AR256:8, AR201:8, AR309:7, AR290:7, AR311:7, AR225:7, AR193:7, AR277:7, AR242:7, AR169:7, AR263:7, AR213:6, AR264:6, AR171:6, AR272:6, AR039:6, AR223:6, AR170:5, AR224:5, AR210:5, AR312:5, AR053:5, AR168:5, AR096:5, AR216:5, AR195:5, AR219:5, AR245:5, AR218:5, AR253:5, AR214:5, AR283:5, AR222:5, AR313:4, AR246:4, AR172:4, AR217:4, AR212:4, AR250:4, AR215:4, AR221:3, AR205:3, AR197:3, AR243:3, AR254:3, AR198:2, AR271:2, AR192:1 L0748:12, S0474:5, L0777:5, L0758:5, H0424:4, H0038:4, L0752:4, L0774:3, L0742:3, L0779:3, L0755:3, H0616:2, L0770:2, L0764:2, L0776:2, H0539:2, L0753:2, L0599:2, H0663:1, H0722:1, H0728:1, H0208:1, S0045:1, L3388:1, L3484:1, L3491:1, T0040:1, H0575:1, S0010:1, S0049:1, H0052:1, H0545:1, H0009:1, H0103:1, H0012:1, L0163:1, H0266:1, H0188:1, H0292:1, H0213:1, H0169:1, H0388:1, H0708:1, H0135:1, H0412:1, T0041:1, T0042:1, H0538:1, L0769:1, L0638:1, L0772:1, L0767:1, L0775:1, L0809:1, L0665:1, L2263:1, H0547:1, H0672:1, H0521:1, S0392:1, S0027:1, L0747:1, L0786:1, L0731:1, L0757:1, L0759:1, L0591:1 and H0653:1.
	HAPPW30	684272	353	
20	HATBR65	635514	30	AR313:46, AR173:29, AR258:29, AR096:29, AR229:29, AR300:26, AR218:26, AR240:26, AR247:26, AR214:26, AR196:24, AR223:23, AR175:23, AR257:22, AR174:22, AR178:22, AR165:21, AR217:21, AR162:21, AR183:21, AR161:21, AR089:21, AR293:20, AR163:20, AR264:20, AR164:20, AR033:20, AR309:20, AR216:19, AR181:19, AR262:19, AR166:19, AR185:19, AR299:19, AR180:18, AR312:18, AR179:18, AR238:18, AR290:18, AR297:18, AR189:18, AR188:18, AR269:17, AR270:17, AR199:17, AR294:17, AR261:16, AR224:16, AR191:16, AR316:16, AR285:16, AR225:16, AR203:16, AR235:15, AR182:15, AR263:15, AR219:15, AR177:15, AR212:15, AR274:14, AR236:14, AR226:14, AR234:14, AR053:14, AR231:14, AR287:14, AR233:14, AR296:14, AR275:14, AR176:14, AR193:14, AR171:13, AR286:13, AR282:13, AR267:13, AR255:13, AR210:13, AR268:13, AR308:13, AR190:13, AR060:13, AR291:13, AR222:13, AR260:13, AR200:12, AR104:12, AR211:12, AR237:12, AR295:11, AR266:11, AR252:11, AR213:11, AR168:11, AR288:11, AR254:11, AR215:11, AR228:11, AR221:10, AR272:10, AR230:10, AR250:10, AR204:10, AR039:10, AR242:10, AR239:9, AR245:9, AR289:9, AR195:9, AR256:9, AR170:9, AR169:9, AR172:9, AR283:9, AR246:8, AR205:8, AR227:8, AR198:8, AR277:8, AR271:8, AR311:8, AR192:8, AR197:8, AR243:7, AR253:7, AR201:7, AR232:6, AR207:6, AR061:5, AR055:5 L0534:4, L0562:3, L0527:3, H0254:2, S0045:2, H0156:2, L0589:2, H0255:1, H0402:1, L0539:1, T0060:1, H0328:1, H0615:1, H0598:1, H0264:1, L0766:1, L0493:1, L0666:1, S0052:1, H0539:1, L0747:1, L0752:1 and L0366:1.
21	HATCB92	603948	31	AR242:8, AR245:5, AR170:5, AR161:5, AR162:5, AR163:5, AR309:5, AR204:4, AR205:4, AR053:4, AR275:4, AR165:4, AR164:4, AR177:4, AR193:4, AR271:4, AR166:3, AR282:3, AR270:3, AR243:3, AR235:3, AR233:3, AR168:3, AR197:3, AR089:3, AR311:3, AR192:3, AR207:3, AR300:3, AR183:3, AR171:3, AR252:3, AR274:3, AR228:3, AR174:2, AR201:2, AR198:2, AR312:2, AR239:2, AR061:2, AR264:2, AR185:2, AR299:2, AR229:2, AR096:2, AR297:2, AR308:2, AR039:2, AR182:2, AR277:2, AR293:2, AR231:2, AR178:2, AR313:2, AR195:2, AR230:2, AR266:2, AR316:2, AR060:2, AR240:2, AR176:2, AR272:2, AR172:2, AR289:2, AR267:1, AR283:1, AR223:1, AR247:1, AR181:1, AR257:1, AR261:1, AR238:1, AR234:1, AR269:1, AR290:1, AR226:1, AR199:1, AR262:1, AR217:1, AR287:1, AR294:1, AR268:1, AR210:1 H0156:1
22	HATEE46	565618	32	AR296:15, AR266:6, AR176:6, AR291:6, AR289:6, AR255:5, AR257:5, AR183:5, AR182:5, AR269:5, AR252:4, AR253:4, AR290:4, AR294:4, AR309:4, AR297:4, AR178:3, AR060:3, AR055:3, AR221:3, AR175:3, AR288:3, AR270:3, AR181:3,

				AR177:3, AR256:3, AR260:3, AR267:3, AR293:3, AR286:3, AR268:3, AR223:3, AR287:3, AR272:3, AR162:3, AR224:3, AR238:3, AR262:3, AR165:3, AR173:3, AR161:3, AR295:3, AR179:3, AR163:3, AR277:3, AR164:3, AR217:3, AR166:2, AR299:2, AR258:2, AR205:2, AR236:2, AR243:2, AR228:2, AR226:2, AR229:2, AR168:2, AR285:2, AR191:2, AR283:2, AR231:2, AR300:2, AR174:2, AR172:2, AR204:2, AR201:2, AR104:2, AR214:2, AR239:2, AR233:2, AR089:2, AR200:2, AR246:2, AR316:2, AR190:2, AR237:2, AR240:2, AR271:2, AR312:1, AR264:1, AR189:1, AR096:1, AR213:1, AR196:1, AR215:1, AR199:1, AR218:1, AR170:1, AR203:1, AR313:1, AR033:1, AR247:1, AR039:1, AR180:1, AR242:1, AR282:1, AR311:1, AR235:1, AR185:1, AR061:1, AR211:1 L0731:3, L0662:2, S0212:1, S0418:1, S0358:1, H0734:1, H0411:1, H0486:1, H0156:1, H0266:1, S0022:1, H0551:1, T0041:1, L0640:1, L0641:1, L0804:1, L0805:1, L0776:1, L0659:1, L0517:1, L0790:1, H0520:1, S0126:1, S3014:1, L0740:1, L0747:1, L0750:1, L0756:1, L0752:1, L0759:1, L0599:1 and S0026:1.
23	HAUAI83	639009	33	H0294:2
	HAUAI83	383592	354	
24	HBAMB15	671835	34	AR245:4, AR213:3, AR176:3, AR224:3, AR252:3, AR168:3, AR165:2, AR164:2, AR183:2, AR197:2, AR204:2, AR238:2, AR266:2, AR282:2, AR162:2, AR171:2, AR271:2, AR289:2, AR270:2, AR291:2, AR205:2, AR274:2, AR096:2, AR268:2, AR297:2, AR296:2, AR225:2, AR161:1, AR311:1, AR192:1, AR269:1, AR261:1, AR179:1, AR182:1, AR234:1, AR191:1, AR277:1, AR181:1, AR237:1, AR313:1, AR300:1, AR089:1 H0410:1, H0530:1, H0328:1, L0455:1 and L0740:1.
25	HBGBA69	1352289	35	AR196:22, AR089:21, AR275:21, AR188:20, AR240:19, AR096:19, AR177:18, AR060:18, AR104:18, AR282:18, AR269:17, AR238:17, AR195:17, AR176:17, AR189:16, AR199:15, AR283:15, AR185:15, AR183:15, AR244:15, AR218:15, AR219:15, AR186:14, AR299:14, AR248:14, AR247:14, AR211:14, AR197:14, AR173:14, AR254:14, AR174:14, AR268:14, AR310:13, AR290:13, AR203:13, AR052:13, AR289:13, AR033:13, AR191:13, AR316:13, AR165:13, AR300:13, AR055:13, AR164:12, AR266:12, AR243:12, AR249:12, AR271:12, AR190:12, AR166:12, AR273:12, AR270:12, AR241:12, AR178:12, AR253:12, AR061:12, AR175:12, AR232:12, AR246:11, AR181:11, AR267:11, AR313:11, AR261:11, AR274:11, AR239:11, AR198:11, AR182:11, AR250:11, AR309:10, AR280:10, AR200:10, AR234:10, AR229:10, AR180:10, AR291:10, AR184:10, AR255:10, AR272:10, AR235:10, AR245:10, AR192:9, AR161:9, AR296:9, AR039:9, AR221:9, AR231:9, AR163:9, AR251:9, AR201:9, AR257:9, AR236:9, AR204:9, AR162:9, AR233:9, AR216:8, AR210:8, AR215:8, AR295:8, AR315:8, AR314:8, AR265:8, AR284:8, AR228:8, AR312:8, AR277:8, AR286:8, AR213:8, AR194:8, AR288:8, AR226:8, AR298:8, AR242:8, AR256:7, AR227:7, AR193:7, AR217:7, AR262:7, AR053:7, AR264:7, AR179:7, AR224:7, AR237:6, AR202:6, AR293:6, AR230:6, AR214:6, AR297:6, AR287:6, AR205:6, AR292:6, AR285:6, AR258:6, AR263:6, AR294:6, AR225:6, AR281:6, AR212:5, AR170:5, AR206:5, AR308:5, AR172:5, AR222:5, AR259:5, AR169:4, AR260:4, AR171:4, AR252:4, AR207:3, AR311:3, AR168:2, AR223:2 S0474:13, L0747:7, S0410:6, H0617:5, L0777:5, H0618:4, H0521:4, H0661:3, H0663:3, S0360:3, H0052:3, H0545:3, H0038:3, L0766:3, S0380:3, L0740:3, L0751:3, L0757:3, H0653:3, S0358:2, H0733:2, L0717:2, S0278:2, H0318:2, H0309:2, H0327:2, H0150:2, H0687:2, H0181:2, H0413:2, H0509:2, L0769:2, L0764:2, L0771:2, L0662:2, L0768:2, L0774:2, L0776:2, L5622:2, L0666:2, L0663:2, L2261:2, S0126:2, H0658:2, S0406:2, L0744:2, L0758:2, L0588:2, L3643:1, S0342:1, H0713:1, H0740:1, T0049:1, H0657:1, S0116:1, S0282:1, H0255:1, H0402:1, H0638:1, S0418:1, S0420:1, S0442:1, S0444:1, S0408:1, H0730:1, H0741:1, H0735:1, H0776:1, S0300:1, L3388:1, H0370:1, H0592:1, H0643:1, L0623:1,

				H0156:1, L0021:1, H0253:1, H0263:1, L0738:1, H0530:1, H0571:1, H0081:1, H0578:1, H0083:1, H0266:1, H0039:1, H0604:1, H0031:1, H0616:1, H0087:1, T0004:1, H0494:1, S0438:1, S0142:1, H0743:1, H0529:1, L0763:1, L0796:1, L0761:1, L0645:1, L0773:1, L0364:1, L0561:1, L0650:1, L0651:1, L0653:1, L0655:1, L0661:1, L0629:1, L0657:1, L0658:1, L4669:1, L2258:1, H0725:1, H0519:1, H0670:1, H0672:1, H0518:1, S0044:1, H0555:1, H0436:1, S3014:1, L0439:1, L0749:1, L0731:1, L0759:1, S0260:1, H0445:1, S0434:1, S0196:1, H0423:1 and H0506:1.
	HBGBA69	709658	355	
26	HBIAE26	514418	36	AR161:11, AR162:11, AR163:11, AR313:9, AR242:8, AR165:8, AR039:7, AR164:7, AR166:7, AR207:6, AR201:6, AR204:6, AR089:6, AR096:6, AR197:6, AR309:6, AR053:5, AR193:5, AR264:5, AR299:5, AR060:5, AR182:5, AR173:5, AR185:5, AR198:5, AR236:5, AR300:5, AR181:5, AR228:5, AR271:5, AR176:5, AR277:5, AR055:5, AR262:5, AR196:5, AR247:5, AR250:4, AR258:4, AR312:4, AR257:4, AR175:4, AR229:4, AR178:4, AR179:4, AR316:4, AR293:4, AR269:4, AR274:4, AR240:4, AR261:4, AR246:4, AR104:4, AR266:4, AR177:4, AR191:4, AR233:4, AR275:4, AR192:4, AR268:4, AR183:4, AR213:4, AR205:4, AR231:4, AR297:4, AR288:4, AR174:3, AR212:3, AR294:3, AR270:3, AR267:3, AR238:3, AR180:3, AR215:3, AR255:3, AR245:3, AR199:3, AR287:3, AR226:3, AR296:3, AR234:3, AR203:3, AR218:3, AR285:3, AR282:3, AR311:3, AR195:3, AR200:3, AR239:3, AR283:3, AR263:3, AR217:3, AR222:3, AR272:3, AR291:3, AR237:3, AR033:3, AR290:3, AR188:3, AR243:3, AR253:3, AR189:3, AR225:3, AR295:3, AR230:3, AR170:3, AR061:2, AR219:2, AR286:2, AR308:2, AR227:2, AR256:2, AR232:2, AR216:2, AR190:2, AR171:2, AR289:2, AR211:2, AR223:2, AR235:1, AR214:1 S0049:1 and S0146:1.
27	HBINS58	1352386	37	AR222:31, AR214:31, AR169:26, AR223:23, AR235:22, AR224:22, AR283:21, AR195:20, AR170:20, AR168:20, AR264:20, AR263:19, AR212:19, AR207:18, AR282:18, AR161:18, AR315:18, AR311:18, AR172:17, AR089:17, AR162:16, AR216:16, AR217:16, AR316:16, AR261:16, AR281:16, AR171:16, AR163:16, AR277:16, AR236:14, AR104:14, AR309:14, AR213:13, AR308:13, AR096:13, AR314:13, AR240:13, AR055:12, AR310:12, AR299:12, AR194:12, AR265:12, AR053:12, AR313:12, AR242:12, AR272:12, AR288:12, AR225:11, AR205:11, AR202:11, AR295:11, AR280:11, AR198:11, AR245:11, AR165:11, AR039:11, AR166:11, AR060:11, AR193:10, AR297:10, AR271:10, AR164:10, AR252:10, AR232:10, AR192:10, AR284:10, AR300:10, AR177:10, AR218:10, AR285:10, AR312:9, AR033:9, AR197:9, AR246:9, AR289:9, AR196:9, AR201:9, AR206:9, AR174:9, AR219:9, AR296:9, AR221:9, AR254:9, AR262:9, AR181:8, AR204:8, AR291:8, AR275:8, AR185:8, AR243:8, AR274:8, AR286:8, AR247:8, AR241:8, AR238:8, AR266:8, AR287:7, AR229:7, AR292:7, AR230:7, AR268:7, AR251:7, AR211:7, AR239:7, AR178:7, AR270:7, AR231:7, AR226:7, AR227:7, AR183:7, AR184:7, AR215:6, AR293:6, AR234:6, AR269:6, AR253:6, AR199:6, AR176:6, AR210:6, AR180:6, AR200:6, AR298:6, AR188:6, AR250:6, AR257:6, AR233:5, AR294:5, AR175:5, AR203:5, AR267:5, AR249:5, AR191:5, AR189:5, AR248:5, AR182:5, AR290:5, AR273:5, AR173:5, AR228:5, AR259:5, AR258:5, AR255:5, AR237:5, AR052:5, AR190:5, AR061:4, AR179:4, AR256:4, AR186:3, AR260:3, AR244:3 H0593:2, H0617:1, L0657:1 and L0592:1.
	HBINS58	961712	356	
	HBINS58	892924	357	
28	HBJNC59	1125802	38	AR268:41, AR290:25, AR267:21, AR270:19, AR180:19, AR245:17, AR269:17, AR096:15, AR183:15, AR177:13, AR182:12, AR271:12, AR240:11, AR242:11, AR234:11, AR246:11, AR283:11, AR173:10, AR176:10, AR192:10,

				AR272:10, AR181:10, AR229:9, AR198:9, AR197:9, AR275:9, AR189:9, AR179:8, AR260:8, AR175:7, AR190:7, AR199:7, AR228:7, AR309:7, AR193:7, AR238:7, AR191:7, AR239:7, AR174:7, AR231:7, AR178:6, AR161:6, AR162:6, AR195:6, AR055:6, AR163:6, AR061:6, AR258:6, AR237:6, AR201:6, AR188:6, AR299:6, AR252:5, AR282:5, AR257:5, AR203:5, AR039:5, AR196:5, AR274:5, AR247:5, AR266:5, AR226:5, AR243:5, AR204:4, AR255:4, AR170:4, AR165:4, AR230:4, AR164:4, AR200:4, AR166:4, AR207:4, AR295:4, AR288:4, AR300:4, AR313:4, AR233:3, AR285:3, AR294:3, AR316:3, AR185:3, AR168:3, AR053:3, AR217:3, AR277:3, AR033:3, AR210:3, AR236:3, AR263:2, AR232:2, AR262:2, AR212:2, AR312:2, AR293:2, AR089:2, AR261:2, AR264:2, AR311:2, AR222:2, AR171:2, AR227:2, AR205:2, AR214:2, AR211:2, AR216:2, AR060:2, AR291:2, AR287:1, AR172:1, AR308:1, AR104:1, AR223:1, AR219:1 H0521:26, H0522:16, S0360:13, H0255:7, L0775:7, S0374:6, H0445:6, S0408:5, H0581:5, L0768:5, S0404:5, H0638:4, H0427:4, H0575:4, H0617:4, L0767:4, L0806:4, H0587:3, H0042:3, H0124:3, H0087:3, S0438:3, L0659:3, H0672:3, L0749:3, H0506:3, S0116:2, H0254:2, H0661:2, S0358:2, S0376:2, H0637:2, L3071:2, S0280:2, H0706:2, H0120:2, H0318:2, H0327:2, H0045:2, H0424:2, H0100:2, S0440:2, H0649:2, L0769:2, L0774:2, L0776:2, L0657:2, L0547:2, L0783:2, S0292:2, H0555:2, L0754:2, L0747:2, L0750:2, L0777:2, S0436:2, L0603:2, H0717:1, H0716:1, H0583:1, H0663:1, S0356:1, S0444:1, L3649:1, H0741:1, L2831:1, L3388:1, H0411:1, S6022:1, H0550:1, H0455:1, H0602:1, H0632:1, T0082:1, H0309:1, H0009:1, H0015:1, H0510:1, H0375:1, H0687:1, H0039:1, H0030:1, H0031:1, S0294:1, H0509:1, H0641:1, H0647:1, H0538:1, L0762:1, L0763:1, L5565:1, L0772:1, L0644:1, L0648:1, L0385:1, L0375:1, L0651:1, L0378:1, L0653:1, L0655:1, L0629:1, L0636:1, L0540:1, L0545:1, H0689:1, S0380:1, S0332:1, S0044:1, S0406:1, L0755:1, S0260:1, S0434:1, H0653:1, L2367:1 and H0352:1.
	HBJNC59	899397	358	
	HBJNC59	902207	359	
29	HBNAW17	526797	39	AR266:6, AR245:3, AR168:2, AR246:2, AR217:2, AR177:2, AR291:2, AR264:2, AR274:1, AR165:1, AR267:1, AR312:1, AR216:1, AR311:1, AR164:1, AR261:1, AR182:1, AR299:1, AR257:1, AR166:1, AR243:1, AR309:1, AR089:1, AR224:1, AR175:1 L0766:3 and H0188:1.
30	HBOEG69	793786	40	AR282:73, AR253:4, AR221:3, AR235:3, AR216:3, AR171:2, AR180:2, AR277:2, AR316:2, AR213:2, AR205:2, AR272:2, AR271:2, AR168:2, AR289:1, AR283:1, AR240:1, AR181:1, AR309:1, AR257:1, AR055:1, AR176:1, AR173:1, AR295:1, AR195:1, AR183:1, AR224:1 L0771:4, H0556:3, S0007:3, L0766:3, L0493:3, L0748:3, H0265:2, S0418:2, H0271:2, H0422:2, S0402:1, H0657:1, H0656:1, H0580:1, L0463:1, H0592:1, H0427:1, H0156:1, H0390:1, H0581:1, H0194:1, H0596:1, H0373:1, H0687:1, H0615:1, S0364:1, H0413:1, H0649:1, S0422:1, L0457:1, L0502:1, L0763:1, L0776:1, S0428:1, H0658:1, H0670:1, S0330:1, L0602:1, H0696:1, H0436:1, L0754:1, L0750:1, L0780:1 and S0424:1.
31	HCACU58	625923	41	AR170:4, AR225:4, AR197:3, AR253:3, AR183:3, AR242:3, AR270:2, AR311:2, AR266:2, AR275:2, AR168:2, AR172:2, AR223:2, AR282:2, AR291:2, AR169:2, AR272:2, AR195:2, AR198:1, AR096:1, AR240:1, AR269:1, AR283:1, AR192:1, AR164:1, AR300:1, AR224:1, AR252:1 H0341:1, H0125:1, H0580:1, L0747:1 and L0749:1.
32	HCE2F54	634016	42	AR253:23, AR250:22, AR271:21, AR197:20, AR195:19, AR199:18, AR252:16, AR272:13, AR254:12, AR198:12, AR269:12, AR211:12, AR205:11, AR180:11, AR176:11, AR210:11, AR200:11, AR240:10, AR161:10, AR266:10, AR162:10, AR229:10, AR177:10, AR163:10, AR242:10, AR243:10, AR212:10, AR309:10, AR246:10, AR268:9, AR181:9, AR245:9, AR165:9, AR183:9, AR275:9, AR238:9, AR291:9, AR178:9, AR264:9, AR164:9, AR196:9, AR204:9, AR188:8,

			AR166:8, AR182:8, AR191:8, AR255:8, AR175:8, AR289:8, AR179:8, AR290:8, AR237:8, AR189:8, AR225:8, AR235:8, AR193:8, AR247:8, AR270:8, AR234:7, AR219:7, AR201:7, AR263:7, AR207:7, AR228:7, AR267:7, AR312:7, AR190:7, AR308:7, AR173:7, AR296:7, AR274:7, AR257:7, AR297:7, AR311:7, AR231:7, AR213:7, AR293:7, AR313:7, AR287:6, AR033:6, AR262:6, AR300:6, AR224:6, AR218:6, AR288:6, AR192:6, AR295:6, AR294:6, AR203:6, AR285:6, AR239:6, AR089:6, AR282:6, AR174:6, AR185:5, AR233:5, AR236:5, AR316:5, AR096:5, AR230:5, AR286:5, AR217:5, AR222:5, AR261:5, AR053:5, AR061:5, AR221:5, AR214:5, AR168:4, AR223:4, AR172:4, AR226:4, AR169:4, AR258:4, AR039:4, AR299:4, AR283:4, AR216:4, AR232:4, AR060:4, AR227:4, AR277:3, AR104:3, AR256:3, AR055:3, AR260:3, AR171:2, AR170:2, AR215:1 H0052:9, L0794:6, L0758:6, L0659:5, L0666:4, L0438:4, S0126:4, L0754:4, L0779:4, H0617:3, L0748:3, L0751:3, L0759:3, H0333:2, H0013:2, H0150:2, H0494:2, L0761:2, L0641:2, L0649:2, L0809:2, L0519:2, L0663:2, S0380:2, L3832:2, L0439:2, L0747:2, L0749:2, H0685:1, H0713:1, H0295:1, H0341:1, H0484:1, H0255:1, H0638:1, S0358:1, S0046:1, S0476:1, H0393:1, L3388:1, H0261:1, S0222:1, H0592:1, H0069:1, H0253:1, H0596:1, H0009:1, H0178:1, H0081:1, H0051:1, H0266:1, H0428:1, H0100:1, S0112:1, L0639:1, L5575:1, L3905:1, L0662:1, L0766:1, L0804:1, L0651:1, L0655:1, L0787:1, L0664:1, L0665:1, T0068:1, H0672:1, H0539:1, L0602:1, S0406:1, H0436:1, H0478:1, L0777:1, L0755:1, H0422:1 and H0506:1.
33	HCE3G69	728432	43	AR033:18, AR197:14, AR195:13, AR196:11, AR271:10, AR242:10, AR243:9, AR165:9, AR201:9, AR207:9, AR164:9, AR182:9, AR166:9, AR269:8, AR198:8, AR235:8, AR161:8, AR162:8, AR183:8, AR272:8, AR268:8, AR296:8, AR163:8, AR176:8, AR193:8, AR238:7, AR254:7, AR200:7, AR247:7, AR181:7, AR291:7, AR225:7, AR309:6, AR178:6, AR270:6, AR188:6, AR173:6, AR266:6, AR228:6, AR282:6, AR246:6, AR169:6, AR213:6, AR212:6, AR192:6, AR177:6, AR261:6, AR250:6, AR175:6, AR204:6, AR239:6, AR233:6, AR234:6, AR255:6, AR288:5, AR171:5, AR267:5, AR217:5, AR290:5, AR168:5, AR223:5, AR236:5, AR089:5, AR289:5, AR191:5, AR203:5, AR224:5, AR245:5, AR061:5, AR104:5, AR308:5, AR229:5, AR205:5, AR060:5, AR039:5, AR231:5, AR240:5, AR053:5, AR274:5, AR287:5, AR222:5, AR216:5, AR316:5, AR214:5, AR215:5, AR264:5, AR199:5, AR174:5, AR221:5, AR297:5, AR312:4, AR180:4, AR313:4, AR295:4, AR179:4, AR170:4, AR263:4, AR293:4, AR253:4, AR299:4, AR232:4, AR257:4, AR189:4, AR300:4, AR294:4, AR311:4, AR237:4, AR285:4, AR210:4, AR275:4, AR172:4, AR190:4, AR226:4, AR211:4, AR230:4, AR185:3, AR286:3, AR227:3, AR262:3, AR055:3, AR256:3, AR277:3, AR096:3, AR258:3, AR219:2, AR283:2, AR260:2, AR218:2, AR252:1 L0439:9, H0052:7, L0748:7, S0440:5, L0758:5, H0046:4, H0038:4, L0769:4, S0442:3, H0013:3, H0253:3, T0010:3, L0774:3, L0776:3, H0144:3, H0521:3, S0404:3, L0752:3, L0731:3, H0656:2, S0358:2, S0360:2, S0222:2, H0618:2, H0620:2, L0351:2, S0422:2, L0764:2, L0771:2, L0783:2, L0793:2, H0658:2, H0666:2, L0751:2, L0754:2, L0745:2, L0747:2, L0750:2, H0624:1, H0265:1, H0556:1, H0686:1, S0134:1, S0212:1, S0001:1, H0254:1, H0661:1, L0946:1, S0354:1, S0444:1, S0408:1, H0734:1, L3081:1, S0300:1, S0278:1, H0369:1, H0370:1, H0333:1, H0574:1, H0486:1, H0036:1, H0263:1, H0597:1, H0545:1, H0572:1, H0024:1, S0388:1, S0051:1, S0250:1, H0252:1, H0428:1, H0039:1, H0644:1, L0055:1, H0674:1, H0135:1, H0087:1, T0067:1, H0488:1, L3154:1, H0529:1, L0763:1, L0770:1, L3905:1, L0761:1, L0374:1, L0662:1, L0768:1, L0766:1, L0803:1, L0775:1, L0805:1, L0653:1, L0661:1, L0526:1, L5622:1, L0666:1, L0664:1, L0665:1, S0053:1, L0710:1, L2654:1, H0547:1, H0682:1, H0435:1, H0670:1, H0660:1, H0648:1, H0672:1, S0328:1, H0539:1, S0152:1, H0696:1, S0044:1, S0406:1, H0631:1, S3014:1, S0028:1, L0742:1, L0749:1, L0753:1, L0759:1, S0436:1, S0011:1, S0192:1, H0542:1, H0423:1, S0398:1 and H0506:1.

	HCE3G69	494346	360	
34	HCE5F43	612796	44	AR060:280, AR055:230, AR299:151, AR089:139, AR104:127, AR283:124, AR185:112, AR039:97, AR096:88, AR316:79, AR282:66, AR277:62, AR300:50, AR240:46, AR218:40, AR219:35, AR313:29, AR215:8, AR169:8, AR221:8, AR217:8, AR214:7, AR216:7, AR225:7, AR171:6, AR222:5, AR223:5, AR246:5, AR188:5, AR263:5, AR224:5, AR245:5, AR191:5, AR269:5, AR168:5, AR270:5, AR205:5, AR183:5, AR176:4, AR252:4, AR166:4, AR190:4, AR175:4, AR235:4, AR165:4, AR178:4, AR266:4, AR164:4, AR170:4, AR180:4, AR274:4, AR179:4, AR174:4, AR196:4, AR192:4, AR163:4, AR161:4, AR162:4, AR275:4, AR309:4, AR193:4, AR264:4, AR257:4, AR053:4, AR181:4, AR201:4, AR189:4, AR312:3, AR271:3, AR311:3, AR195:3, AR173:3, AR033:3, AR177:3, AR295:3, AR268:3, AR210:3, AR291:3, AR197:3, AR288:3, AR203:3, AR200:3, AR182:3, AR272:3, AR290:3, AR308:3, AR285:3, AR236:3, AR198:3, AR255:3, AR243:3, AR231:3, AR250:3, AR294:3, AR172:2, AR287:2, AR286:2, AR238:2, AR237:2, AR226:2, AR289:2, AR254:2, AR297:2, AR296:2, AR204:2, AR247:2, AR260:2, AR262:2, AR293:2, AR239:2, AR261:2, AR233:2, AR229:2, AR232:2, AR267:2, AR211:2, AR234:2, AR212:2, AR256:1, AR258:1 L0777:10, L0756:4, S0414:3, L0659:3, L0740:3, H0441:2, S0003:2, H0616:2, L0766:2, H0144:2, L0439:2, L0780:2, L0759:2, L0596:2, S0242:2, H0542:2, S0470:1, S0342:1, H0341:1, S0001:1, S0282:1, S0408:1, S0007:1, T0060:1, H0427:1, H0098:1, H0042:1, H0581:1, S0049:1, H0052:1, H0024:1, H0051:1, H0647:1, S0422:1, L0770:1, L0769:1, L0772:1, L0662:1, L0794:1, L0803:1, L0805:1, L0666:1, L0663:1, L0664:1, S0374:1, S0126:1, H0648:1, H0696:1, L0747:1, L0752:1, L0755:1 and L0591:1.
35	HCEFB80	1143407	45	H0052:6, L0439:5, L0794:3, L0748:3, L0415:2, H0661:2, H0559:2, S0049:2, H0327:2, S0051:2, H0399:2, S0036:2, L0351:2, L0770:2, H0144:2, L0758:2, L0759:2, S0116:1, S0110:1, H0637:1, H0261:1, S0222:1, H0438:1, H0013:1, H0569:1, H0320:1, S0422:1, H0529:1, L0638:1, L0517:1, L0438:1, S0126:1, L0749:1, L0756:1 and L0592:1.
	HCEFB80	1046853	361	
36	HCENK38	658737	46	AR221:5, AR192:3, AR254:2, AR053:2, AR180:2, AR266:2, AR193:2, AR231:2, AR261:2, AR291:2, AR263:2, AR269:2, AR274:2, AR272:2, AR255:2, AR204:2, AR257:2, AR243:2, AR290:2, AR282:1, AR096:1, AR195:1, AR182:1, AR217:1, AR240:1, AR222:1, AR170:1, AR270:1, AR181:1, AR216:1, AR247:1, AR225:1, AR236:1 L0747:15, L0745:12, L0746:12, L0754:9, L0439:6, S0007:5, L0740:5, L0779:5, H0616:4, L0768:4, L0659:4, L0663:4, H0013:3, L0766:3, H0144:3, L0731:3, L0758:3, H0556:2, S0132:2, S0010:2, H0052:2, L0471:2, H0014:2, H0031:2, L0806:2, L0518:2, L0666:2, L0665:2, H0547:2, L0748:2, L0750:2, L0757:2, L0592:2, H0423:2, H0624:1, L3643:1, S0116:1, H0663:1, H0449:1, S0420:1, L0005:1, S0360:1, S0046:1, H0749:1, H0619:1, H0411:1, H0587:1, H0485:1, L3653:1, L0021:1, S0474:1, H0581:1, S0049:1, H0046:1, H0050:1, H0242:1, H0024:1, L0163:1, S0388:1, H0328:1, H0615:1, H0039:1, H0644:1, S0366:1, H0135:1, H0090:1, H0040:1, H0412:1, H0102:1, H0100:1, L0564:1, S0440:1, H0131:1, H0633:1, L0769:1, L0638:1, L0667:1, L0764:1, L0771:1, L0521:1, L0649:1, L0774:1, L0775:1, L0523:1, L0776:1, L0655:1, L0527:1, L0636:1, L0519:1, S0053:1, L0438:1, L0352:1, H0520:1, H0689:1, H0690:1, H0658:1, H0660:1, H0648:1, H0710:1, S0350:1, S0044:1, S0146:1, H0436:1, L0611:1, L0749:1, L0786:1, S0436:1, L0362:1, L0366:1, S0026:1, H0667:1, H0542:1 and H0422:1.
37	HCEWE20	543370	47	AR253:8, AR053:6, AR196:6, AR198:5, AR191:5, AR313:5, AR245:4, AR181:4, AR174:4, AR195:4, AR189:3, AR096:3, AR089:3, AR213:3, AR177:3, AR270:3, AR254:3, AR300:3, AR190:3, AR269:3, AR224:3, AR247:3, AR188:2, AR275:2, AR175:2, AR226:2, AR165:2, AR171:2, AR312:2, AR179:2, AR162:2, AR180:2, AR164:2, AR299:2, AR161:2, AR163:2,

				AR257:2, AR238:2, AR166:2, AR240:2, AR185:2, AR268:2, AR207:2, AR223:2, AR199:2, AR060:2, AR178:2, AR316:2, AR204:2, AR173:2, AR295:2, AR200:2, AR183:2, AR212:2, AR309:2, AR233:2, AR216:2, AR229:1, AR294:1, AR237:1, AR290:1, AR235:1, AR239:1, AR228:1, AR288:1, AR234:1, AR201:1, AR168:1, AR289:1, AR293:1, AR286:1, AR222:1, AR236:1, AR258:1, AR182:1, AR033:1, AR287:1, AR283:1, AR282:1, AR266:1, AR232:1, AR262:1, AR230:1 H0052:2, H0261:1, H0271:1 and S0458:1.
38	HCFNN01	430297	48	AR226:48, AR227:34, AR232:34, AR239:31, AR238:26, AR207:22, AR061:21, AR283:20, AR263:18, AR316:17, AR214:16, AR055:16, AR224:16, AR089:15, AR264:15, AR311:14, AR277:14, AR235:13, AR282:13, AR104:13, AR169:12, AR222:12, AR165:12, AR192:12, AR231:12, AR164:12, AR172:11, AR166:11, AR219:11, AR237:11, AR313:11, AR221:11, AR195:11, AR168:11, AR213:11, AR217:11, AR223:11, AR096:11, AR212:11, AR039:11, AR309:11, AR252:10, AR170:10, AR053:10, AR198:10, AR171:10, AR299:10, AR216:10, AR218:10, AR205:10, AR242:10, AR225:9, AR271:9, AR162:9, AR228:9, AR308:9, AR161:9, AR230:9, AR245:8, AR312:8, AR233:8, AR163:8, AR185:8, AR215:8, AR253:8, AR240:8, AR033:8, AR261:8, AR193:8, AR197:8, AR060:7, AR295:7, AR300:7, AR254:7, AR288:7, AR274:7, AR246:7, AR196:6, AR177:6, AR181:6, AR204:5, AR210:5, AR180:5, AR234:5, AR199:5, AR176:5, AR275:5, AR174:5, AR243:5, AR236:5, AR272:5, AR297:5, AR285:5, AR291:5, AR286:5, AR296:4, AR200:4, AR191:4, AR270:4, AR211:4, AR247:4, AR201:4, AR287:4, AR258:4, AR289:4, AR189:4, AR293:4, AR262:4, AR188:4, AR203:4, AR250:4, AR178:3, AR175:3, AR257:3, AR229:3, AR269:3, AR183:3, AR173:3, AR260:3, AR256:3, AR255:3, AR268:3, AR290:3, AR294:3, AR179:2, AR190:2, AR267:2, AR266:2 L0754:7, L0438:4, L0794:3, S0356:1, L3655:1, S0010:1, L0646:1, L0352:1, L0780:1, H0542:1 and H0423:1.
39	HCGMD59	636078	49	AR214:5, AR216:4, AR215:4, AR269:4, AR217:3, AR232:3, AR193:3, AR297:3, AR286:3, AR245:3, AR176:3, AR294:3, AR264:3, AR197:3, AR295:3, AR200:2, AR312:2, AR096:2, AR165:2, AR104:2, AR263:2, AR183:2, AR164:2, AR243:2, AR168:2, AR195:2, AR238:2, AR277:2, AR283:2, AR033:1, AR171:1, AR296:1, AR060:1, AR228:1, AR172:1, AR210:1, AR227:1, AR224:1, AR061:1, AR289:1, AR309:1, AR237:1, AR308:1, AR293:1 L0748:6, L0750:4, S0386:3, L0439:3, L0777:3, H0624:2, H0052:2, L0435:2, L0598:2, L0809:2, L0751:2, L0747:2, L0756:2, L0753:2, L0731:2, H0422:2, L0718:2, H0265:1, H0381:1, H0459:1, S0356:1, S0360:1, H0619:1, H0393:1, H0411:1, H0050:1, L0455:1, H0412:1, S0344:1, L0769:1, L0638:1, L0764:1, L0771:1, L0803:1, L0804:1, L0805:1, L0776:1, L0438:1, H0689:1, H0659:1, H0658:1, H0660:1, H0666:1, L0594:1 and S0106:1.
40	HCHNF25	1352270	50	AR199:83, AR164:50, AR166:49, AR250:49, AR165:46, AR211:44, AR248:43, AR210:43, AR296:40, AR272:40, AR212:39, AR285:39, AR273:38, AR308:35, AR195:35, AR291:34, AR052:33, AR255:32, AR254:32, AR196:31, AR312:31, AR298:29, AR280:28, AR189:28, AR261:27, AR289:27, AR197:27, AR266:27, AR188:26, AR284:26, AR238:25, AR314:24, AR309:24, AR190:24, AR311:24, AR297:24, AR191:23, AR161:23, AR162:23, AR282:23, AR253:23, AR265:23, AR163:22, AR315:22, AR262:22, AR286:21, AR213:21, AR288:21, AR173:21, AR264:21, AR053:21, AR290:21, AR295:21, AR184:20, AR268:20, AR245:20, AR219:20, AR240:20, AR033:20, AR257:20, AR200:20, AR310:19, AR249:19, AR287:19, AR247:19, AR283:18, AR269:18, AR256:18, AR263:18, AR275:18, AR260:18, AR089:18, AR243:18, AR270:17, AR186:17, AR180:17, AR235:17, AR174:17, AR178:17, AR292:16, AR313:16, AR203:16, AR104:16, AR193:16, AR182:16, AR096:16, AR181:16, AR299:16, AR239:15, AR236:15, AR258:15, AR300:15, AR218:15, AR176:14, AR175:14, AR267:14, AR183:13, AR274:13, AR316:13, AR246:13,

				AR231:12, AR185:12, AR271:12, AR205:12, AR293:12, AR277:11, AR198:11, AR201:11, AR294:11, AR061:11, AR226:10, AR234:10, AR177:10, AR252:10, AR237:10, AR232:10, AR055:9, AR215:9, AR192:9, AR039:9, AR221:9, AR216:9, AR179:9, AR229:9, AR214:8, AR223:8, AR225:8, AR281:8, AR207:8, AR217:8, AR224:8, AR242:8, AR259:8, AR222:8, AR060:7, AR169:7, AR230:7, AR170:7, AR244:7, AR251:6, AR194:6, AR233:6, AR202:6, AR241:6, AR171:6, AR227:6, AR168:6, AR204:5, AR172:5, AR228:5, AR206:5 L0514:16, L0500:13, L0777:11, L0499:10, L0755:10, L0769:8, L0493:8, L0747:8, L0749:7, L0766:6, L0748:6, S0360:5, L0497:5, L0508:5, H0457:4, L0507:4, L0770:4, L0805:4, S0374:4, H0659:4, L0779:4, L0596:4, L0588:4, S0356:3, S0358:3, S0438:3, S0440:3, S0422:3, L0505:3, L0761:3, L0646:3, L0771:3, L0498:3, L0803:3, L0774:3, L0775:3, L0776:3, L0655:3, L0513:3, L0659:3, L0666:3, L0751:3, L0758:3, L0759:3, H0580:2, H0431:2, H0251:2, H0529:2, L0504:2, L0506:2, L0373:2, L0764:2, L0649:2, L0650:2, L0375:2, L0651:2, L0512:2, L0663:2, L0665:2, L0710:2, S0126:2, H0689:2, S0330:2, L0750:2, L0752:2, S0434:2, L0591:2, L0608:2, H0170:1, T0002:1, H0685:1, S0040:1, H0294:1, S0134:1, L0785:1, H0484:1, L3659:1, H0637:1, H0592:1, L0623:1, H0486:1, H0421:1, H0052:1, H0150:1, H0510:1, H0375:1, S0316:1, H0687:1, H0252:1, H0606:1, H0169:1, T0067:1, H0412:1, S0038:1, L0351:1, H0509:1, L0796:1, L0800:1, L0642:1, L0374:1, L0765:1, L0773:1, L0388:1, L0376:1, L0784:1, L0806:1, L0509:1, L0653:1, L0807:1, L0782:1, L0809:1, L0543:1, L0788:1, L2260:1, L2261:1, H0144:1, H0690:1, H0658:1, H0648:1, S0378:1, S0380:1, H0696:1, S0406:1, S3014:1, L0740:1, L0754:1, L0756:1, L0753:1, L0731:1, L0757:1, H0445:1, S0436:1, L0590:1, H0542:1 and H0543:1.
	HCHNF25	658672	362	
41	HCNDR47	1016919	51	AR282:5, AR060:5, AR309:4, AR055:4, AR266:4, AR162:4, AR213:4, AR161:4, AR163:4, AR225:4, AR254:3, AR270:3, AR177:3, AR207:3, AR300:3, AR176:3, AR089:3, AR192:3, AR263:2, AR221:2, AR172:2, AR198:2, AR104:2, AR224:2, AR283:2, AR240:2, AR277:2, AR185:2, AR165:2, AR218:2, AR164:2, AR197:2, AR166:2, AR096:2, AR299:2, AR275:2, AR269:2, AR236:2, AR168:2, AR316:2, AR288:2, AR313:2, AR171:2, AR217:2, AR183:2, AR308:2, AR257:2, AR039:2, AR296:2, AR272:2, AR264:1, AR033:1, AR261:1, AR311:1, AR246:1, AR212:1, AR286:1, AR289:1, AR255:1, AR231:1, AR237:1, AR061:1, AR179:1, AR238:1, AR297:1, AR245:1, AR195:1, AR215:1 L0794:3, L0764:2, L0439:2, H0052:1, H0597:1, T0006:1, L0766:1, H0648:1, S0330:1 and L0753:1.
	HCNDR47	863677	363	
	HCNDR47	874128	364	
42	HCNSB61	526413	52	AR235:4, AR180:3, AR282:3, AR192:2, AR197:2, AR295:2, AR266:2, AR271:2, AR060:2, AR162:1, AR161:1, AR163:1, AR170:1, AR089:1, AR169:1, AR257:1, AR261:1, AR217:1, AR168:1, AR277:1, AR225:1, AR311:1, AR164:1, AR247:1, AR296:1, AR245:1 H0231:1 and S0216:1.
43	HCNSM70	637547	53	AR207:46, AR223:40, AR281:39, AR194:39, AR214:36, AR169:35, AR222:34, AR206:34, AR202:33, AR264:32, AR263:30, AR195:30, AR315:29, AR308:29, AR235:28, AR212:28, AR172:28, AR170:27, AR224:27, AR246:27, AR168:27, AR311:26, AR171:26, AR244:25, AR205:25, AR165:25, AR280:24, AR198:24, AR164:24, AR216:23, AR192:23, AR166:23, AR241:23, AR213:23, AR271:22, AR162:22, AR314:22, AR245:22, AR163:21, AR261:21, AR197:21, AR265:21, AR161:20, AR217:20, AR215:20, AR225:19, AR243:19, AR309:19, AR053:19, AR310:18, AR221:18, AR033:18, AR295:17, AR236:17, AR273:17, AR204:17, AR242:17, AR274:16, AR196:16, AR201:15, AR240:15, AR288:15, AR052:15, AR252:15, AR282:15, AR193:14, AR177:14, AR312:14, AR251:14, AR174:14,

				AR275:13, AR247:13, AR211:13, AR089:13, AR181:13, AR297:13, AR210:12, AR039:12, AR277:12, AR284:12, AR299:12, AR188:12, AR232:12, AR283:12, AR300:12, AR266:12, AR272:12, AR096:12, AR176:12, AR289:11, AR180:11, AR229:11, AR199:11, AR238:11, AR313:11, AR291:11, AR285:11, AR191:11, AR178:11, AR262:11, AR292:10, AR186:10, AR316:10, AR239:10, AR226:10, AR230:10, AR173:10, AR231:10, AR250:9, AR227:9, AR055:9, AR286:9, AR219:9, AR293:9, AR185:9, AR296:9, AR255:9, AR104:9, AR175:9, AR200:9, AR258:9, AR298:9, AR253:9, AR237:9, AR218:9, AR190:9, AR287:9, AR183:8, AR268:8, AR203:8, AR260:8, AR234:8, AR257:8, AR179:8, AR189:8, AR254:8, AR269:8, AR270:8, AR182:8, AR061:8, AR256:7, AR248:7, AR233:7, AR060:7, AR294:7, AR228:7, AR259:6, AR290:6, AR267:6, AR249:5, AR184:5 L0748:5, H0046:2, H0012:2, H0620:2, L0804:2, L0747:2, H0624:1, H0662:1, S0356:1, S0358:1, H0602:1, H0592:1, H0013:1, H0042:1, T0110:1, H0231:1, H0622:1, H0264:1, H0494:1, L0771:1, L0666:1, S0374:1, H0693:1, H0593:1, H0670:1, H0672:1, L0749:1, L0779:1, L0758:1, L0596:1 and H0506:1.
	HCNSM70	589445	365	
44	HCUCK44	720291	54	AR172:3, AR245:3, AR252:3, AR161:3, AR164:3, AR166:3, AR221:2, AR162:2, AR163:2, AR169:2, AR311:2, AR261:2, AR165:2, AR214:2, AR224:2, AR296:2, AR264:1, AR195:1, AR277:1, AR212:1, AR217:1, AR096:1, AR193:1, AR295:1, AR287:1, AR216:1, AR213:1, AR257:1, AR275:1, AR089:1, AR201:1, AR282:1 L3450:19, H0271:18, S0002:12, L0794:12, S0144:8, L3783:8, L3807:8, H0250:7, L0777:7, L3119:6, L3729:6, L0665:6, H0518:6, S0132:5, H0264:5, S0426:5, S0328:5, S0330:5, L0758:5, S0444:4, S0344:4, L0770:4, L0776:4, L0659:4, S0052:4, S0053:4, L0743:4, L0747:4, S0436:4, L0065:3, L0769:3, L0766:3, L0774:3, L0657:3, H0521:3, L0748:3, L0749:3, L0731:3, L2999:2, H0306:2, H0402:2, H0638:2, S0360:2, S0408:2, S0476:2, H0393:2, S0278:2, L3516:2, H0050:2, H0014:2, H0416:2, H0617:2, H0634:2, H0494:2, S0440:2, L0800:2, L0771:2, L0648:2, L0549:2, L0806:2, L0805:2, L0666:2, S0428:2, S0216:2, L3210:2, S0404:2, L0439:2, L0740:2, L0750:2, L0752:2, L0596:2, L0599:2, T0002:1, H0159:1, H0650:1, H0657:1, L0785:1, H0662:1, L3659:1, S0442:1, S0358:1, S0410:1, L3646:1, H0741:1, L3117:1, H0619:1, L2791:1, H0613:1, H0600:1, H0592:1, H0486:1, L2504:1, L3750:1, H0069:1, H0581:1, H0596:1, H0044:1, H0009:1, H0024:1, H0057:1, S0051:1, H0355:1, H0615:1, L0483:1, S0036:1, H0090:1, H0038:1, H0087:1, H0413:1, H0100:1, S0448:1, S0142:1, S0210:1, H0529:1, L3904:1, L0761:1, L0772:1, L0372:1, L0646:1, L0645:1, L0764:1, L0773:1, L0662:1, L0768:1, L0387:1, L0649:1, L0551:1, L0550:1, L0803:1, L0775:1, L0653:1, L0655:1, L0656:1, L0782:1, L0787:1, L4537:1, L2257:1, S0374:1, H0690:1, H0659:1, H0658:1, S0378:1, H0710:1, S0152:1, H0696:1, H0704:1, S0406:1, H0436:1, L0744:1, L0756:1, L0779:1, L0780:1, L0755:1, L0759:1, S0031:1, L0581:1, L0601:1, L0603:1, S0196:1, L3632:1 and H0352:1.
45	HCUEO60	499242	55	AR313:24, AR242:23, AR192:19, AR162:19, AR161:18, AR163:17, AR039:16, AR089:15, AR165:15, AR164:15, AR198:15, AR300:15, AR166:14, AR252:14, AR104:14, AR096:13, AR250:13, AR185:12, AR174:12, AR053:12, AR254:12, AR204:12, AR270:12, AR212:12, AR240:11, AR233:11, AR197:11, AR205:11, AR264:10, AR312:9, AR193:9, AR229:9, AR201:9, AR234:9, AR247:9, AR177:9, AR253:9, AR183:9, AR283:9, AR245:8, AR226:8, AR275:8, AR266:8, AR274:8, AR243:8, AR213:7, AR207:7, AR263:7, AR272:7, AR246:7, AR239:7, AR316:7, AR173:7, AR262:7, AR299:7, AR060:7, AR195:7, AR238:7, AR179:6, AR308:6, AR293:6, AR271:6, AR309:6, AR231:6, AR282:6, AR297:6, AR269:5, AR176:5, AR294:5, AR311:5, AR277:5, AR232:5, AR237:5, AR230:5, AR255:4, AR295:4, AR296:4, AR181:4, AR033:4, AR289:4, AR257:4, AR267:4, AR055:4, AR268:3, AR224:3, AR199:3, AR061:3, AR196:3, AR215:3, AR288:3, AR258:3, AR168:3, AR236:3, AR235:3, AR221:2, AR290:2, AR182:2, AR261:2, AR175:2, AR286:2, AR214:2, AR222:2, AR180:2,

				AR178:1, AR189:1, AR291:1, AR216:1, AR169:1 H0402:1
46	HCUHK65	651313	56	AR313:16, AR089:15, AR039:14, AR096:11, AR312:10, AR185:10, AR104:9; AR277:8, AR316:8, AR299:8, AR263:7, AR310:7, AR240:6, AR060:6, AR309:5, AR033:5, AR296:5, AR300:5, AR282:4, AR192:4, AR186:4, AR274:3, AR175:3, AR219:3, AR055:3, AR284:3, AR218:3, AR267:3, AR294:3, AR177:2, AR246:2, AR182:2, AR293:2, AR241:2, AR268:2, AR292:2, AR270:2, AR266:2, AR295:2, AR290:2, AR285:2, AR283:2, AR183:1, AR232:1, AR289:1, AR052:1, AR238:1, AR286:1, AR053:1, AR233:1, AR269:1, AR061:1, AR206:1, AR259:1 H0543:18, S0414:11, L0438:6, S0412:6, L0747:5, L0439:4, L0750:4, L0779:4, L0759:4, L0592:4, H0156:3, L0758:3, H0423:3, H0402:2, H0251:2, L0770:2, L0809:2, L0777:2, H0542:2, H0422:2, H0624:1, H0170:1, S0114:1, S0420:1, S0007:1, S6026:1, H0351:1, S6016:1, H0013:1, L0021:1, H0575:1, S0346:1, L0157:1, T0010:1, H0354:1, S6028:1, S0036:1, H0038:1, L3905:1, L0794:1, L0804:1, L0787:1, L0666:1, H0658:1 and L0742:1.
	HCUHK65	880178	366	
47	HCUIM65	550208	57	AR223:4, AR215:3, AR268:3, AR270:3, AR250:3, AR161:3, AR246:3, AR162:3, AR166:2, AR171:2, AR254:2, AR217:2, AR213:2, AR177:2, AR089:2, AR243:2, AR290:2, AR257:2, AR269:2, AR288:1, AR313:1, AR179:1, AR205:1, AR309:1, AR165:1, AR163:1, AR170:1, AR261:1, AR225:1, AR195:1, AR240:1, AR181:1, AR238:1, AR193:1, AR299:1 L0789:4, L0809:2, L0759:2, L0596:2, H0306:1, H0402:1, H0580:1, H0550:1, H0370:1, H0404:1, H0559:1, H0486:1, H0031:1, H0674:1, H0135:1, H0100:1, L0800:1, L0794:1, L0804:1, L0805:1, L0515:1, L0783:1, H0672:1, L0777:1, H0444:1 and H0352:1.
48	HCWDS72	707833	58	AR194:5, AR162:5, AR241:4, AR215:4, AR249:4, AR313:3, AR221:3, AR207:3, AR310:3, AR169:3, AR265:3, AR229:3, AR183:3, AR298:2, AR282:2, AR284:2, AR291:2, AR292:2, AR270:2, AR312:2, AR223:2, AR165:2, AR273:2, AR182:2, AR164:2, AR227:2, AR240:2, AR289:2, AR166:2, AR172:2, AR266:2, AR246:2, AR061:2, AR222:2, AR293:2, AR269:2, AR053:2, AR171:2, AR238:2, AR295:2, AR271:1, AR177:1, AR163:1, AR299:1, AR052:1, AR290:1, AR039:1, AR231:1, AR296:1, AR096:1, AR178:1, AR186:1, AR232:1, AR294:1, AR285:1, AR286:1, AR192:1, AR233:1, AR268:1, AR247:1, AR161:1, AR230:1, AR274:1, AR226:1, AR210:1, AR300:1, AR089:1, AR311:1, AR277:1, AR234:1, AR237:1, AR193:1, AR206:1, AR259:1, AR201:1, AR168:1, AR216:1 L0752:30, L0754:17, L0740:16, H0521:14, L0439:14, L0766:12, S0003:11, S0214:11, L0777:10, S0002:8, L0770:8, L0776:8, L0748:8, L0755:8, S0360:7, L0665:7, L0757:7, T0067:6, S0440:6, L0666:6, L0747:6, L0774:5, L0751:5, S0222:4, H0575:4, H0622:4, L0662:4, L0775:4, H0547:4, S0126:4, S0380:4, L0750:4, L0758:4, S0436:4, L0362:4, H0638:3, H0580:3, H0494:3, S0422:3, L0598:3, S0374:3, H0710:3, H0522:3, H0555:3, L0356:3, L0756:3, L0780:3, L0731:3, L0759:3, L0594:3, S0134:2, S0376:2, S0046:2, H0393:2, S0278:2, H0438:2, H0586:2, L2477:2, H0156:2, S0474:2, H0581:2, H0421:2, T0110:2, L0471:2, S6028:2, S0022:2, H0090:2, H0591:2, H0040:2, H0551:2, H0412:2, L0520:2, L0764:2, L0768:2, L0803:2, L0655:2, L0807:2, L0659:2, L0664:2, L0438:2, H0648:2, H0672:2, S0406:2, S0028:2, L0588:2, L0599:2, H0667:2, S0196:2, H0624:1, H0171:1, H0265:1, S0040:1, H0713:1, S0114:1, L0811:1, H0341:1, S0212:1, S0001:1, H0661:1, H0305:1, S0418:1, L3649:1, H0741:1, S0045:1, H0747:1, S0132:1, S0476:1, L3089:1, H0619:1, H0415:1, H0409:1, L1942:1, L2495:1, L3655:1, H0013:1, S0010:1, S0665:1, H0327:1, H0046:1, L0157:1, S0051:1, T0010:1, H0266:1, H0179:1, H0615:1, H0096:1, H0031:1, H0553:1, L0055:1, H0674:1, H0163:1, H0038:1, H0264:1, H0413:1, L0564:1, H0560:1, H0359:1, H0509:1, S0142:1, S0344:1, UNKWN:1, L0369:1, L0762:1, L0371:1, L0796:1, L0761:1, L0373:1, L0773:1, L0521:1, L0794:1,

				L0804:1, L0784:1, L0518:1, L0783:1, L0647:1, L5622:1, L5623:1, L3391:1, L2657:1, L2262:1, L3636:1, H0144:1, H0684:1, H0659:1, H0658:1, S0330:1, S0152:1, H0696:1, S0404:1, S0037:1, L0746:1, L0779:1, S0031:1, H0707:1, S0434:1, L0480:1, L0608:1, L0604:1, S0011:1, S0192:1, S0456:1 and H0506:1.
49	HCWGU37	1042325	59	AR165:7, AR164:6, AR166:6, AR313:6, AR161:5, AR162:5, AR163:5, AR089:5, AR263:5, AR039:5, AR252:4, AR173:4, AR275:4, AR178:3, AR185:3, AR212:3, AR240:3, AR268:3, AR300:3, AR193:3, AR223:3, AR196:3, AR096:3, AR247:3, AR192:3, AR262:3, AR179:3, AR234:3, AR195:3, AR053:3, AR312:3, AR229:3, AR104:3, AR222:3, AR282:3, AR060:3, AR297:3, AR174:3, AR213:3, AR269:2, AR257:2, AR285:2, AR308:2, AR175:2, AR291:2, AR261:2, AR277:2, AR191:2, AR218:2, AR311:2, AR255:2, AR272:2, AR258:2, AR316:2, AR182:2, AR201:2, AR207:2, AR237:2, AR203:2, AR286:2, AR246:2, AR233:2, AR231:2, AR296:2, AR290:2, AR236:2, AR264:2, AR199:2, AR188:2, AR288:1, AR293:1, AR295:1, AR299:1, AR205:1, AR181:1, AR287:1, AR214:1, AR294:1, AR232:1, AR238:1, AR033:1, AR228:1, AR226:1, AR267:1, AR219:1, AR239:1, AR211:1 H0589:60, S0042:29, H0402:3, H0305:3, L0770:2, S0052:2, L0744:2, L0740:2, H0438:1, H0051:1, S0038:1, S0386:1, H0521:1, L0743:1, L0779:1 and L0366:1.
	HCWGU37	901913	367	
50	HCWKC15	553621	60	AR313:9, AR164:8, AR165:8, AR166:8, AR163:7, AR161:7, AR162:7, AR089:6, AR039:5, AR173:5, AR096:5, AR180:5, AR192:4, AR263:4, AR299:4, AR282:4, AR242:4, AR053:4, AR178:4, AR175:4, AR247:4, AR269:4, AR296:4, AR257:3, AR212:3, AR174:3, AR240:3, AR262:3, AR196:3, AR274:3, AR312:3, AR234:3, AR229:3, AR199:3, AR243:3, AR264:3, AR185:3, AR300:3, AR179:3, AR311:3, AR191:3, AR293:3, AR181:3, AR272:3, AR297:3, AR213:3, AR171:3, AR270:3, AR183:3, AR238:3, AR236:3, AR316:3, AR060:3, AR308:3, AR294:3, AR266:3, AR226:3, AR177:3, AR258:3, AR285:2, AR104:2, AR233:2, AR172:2, AR193:2, AR197:2, AR291:2, AR231:2, AR188:2, AR219:2, AR255:2, AR275:2, AR189:2, AR237:2, AR290:2, AR295:2, AR287:2, AR277:2, AR218:2, AR267:2, AR182:2, AR228:2, AR268:2, AR204:2, AR190:2, AR246:2, AR239:2, AR232:2, AR261:2, AR223:2, AR201:2, AR217:2, AR195:2, AR260:1, AR200:1, AR170:1, AR286:1, AR216:1, AR288:1, AR222:1, AR227:1, AR230:1 H0305:2 and H0589:1.
51	HCWLD74	628256	61	AR268:4, AR243:3, AR270:3, AR180:3, AR171:3, AR282:3, AR162:3, AR254:3, AR252:2, AR039:2, AR204:2, AR238:2, AR161:2, AR170:2, AR269:2, AR267:2, AR257:2, AR210:2, AR168:2, AR262:2, AR053:2, AR183:2, AR299:2, AR290:1, AR224:1, AR311:1, AR309:1, AR258:1, AR277:1, AR289:1, AR178:1, AR217:1, AR228:1, AR312:1, AR172:1, AR293:1, AR164:1, AR089:1, AR185:1, AR205:1, AR166:1, AR163:1, AR313:1, AR295:1, AR201:1 H0305:3 and H0589:1.
52	HDHEB60	499233	62	AR195:10, AR245:9, AR242:9, AR309:9, AR196:8, AR192:8, AR225:8, AR198:8, AR207:8, AR246:8, AR169:8, AR170:8, AR223:8, AR224:7, AR214:7, AR039:7, AR172:7, AR215:7, AR201:7, AR222:7, AR193:7, AR205:7, AR221:7, AR199:7, AR272:7, AR168:7, AR089:7, AR213:6, AR263:6, AR165:6, AR216:6, AR164:6, AR274:6, AR217:6, AR261:6, AR053:6, AR166:6, AR055:6, AR312:6, AR308:6, AR197:6, AR283:5, AR240:5, AR282:5, AR171:5, AR253:5, AR235:5, AR311:5, AR295:5, AR250:5, AR275:5, AR243:5, AR291:5, AR162:5, AR297:5, AR264:5, AR313:5, AR288:5, AR316:5, AR204:5, AR163:5, AR299:5, AR161:5, AR257:5, AR286:5, AR271:5, AR189:5, AR236:5, AR210:5, AR177:5, AR060:4, AR212:4, AR033:4, AR285:4, AR188:4, AR200:4, AR174:4, AR287:4, AR096:4, AR296:4, AR258:4, AR175:4, AR218:4, AR176:4, AR293:4, AR180:4, AR191:4, AR203:4, AR219:4, AR289:4, AR277:4, AR256:4, AR183:4, AR190:4, AR247:4, AR300:4, AR181:3, AR269:3, AR173:3, AR262:3, AR238:3, AR268:3, AR178:3, AR185:3, AR255:3, AR270:3, AR294:3, AR266:3, AR211:3, AR260:3, AR229:3, AR104:3, AR231:3, AR267:3, AR239:3, AR290:3, AR182:3, AR226:3, AR232:3, AR061:2,

				AR233:2, AR237:2, AR227:2, AR234:2, AR179:2, AR230:2, AR228:2 H0265:2, S0442:2, S0360:2, H0581:2, H0052:2, H0570:2, H0087:2, L0439:2, H0445:2, H0650:1, S0354:1, H0580:1, H0741:1, H0586:1, H0559:1, H0486:1, L0021:1, H0618:1, H0009:1, H0571:1, S0051:1, S0368:1, H0553:1, H0181:1, H0551:1, S0294:1, L3905:1, L0646:1, L0764:1, L0662:1, L0794:1, L0658:1, L0659:1, L0665:1, H0547:1, H0682:1, H0684:1, H0670:1 and S3014:1.
53	HDLAC10	692299	63	AR225:4, AR215:4, AR282:4, AR192:3, AR235:3, AR171:3, AR242:3, AR169:3, AR246:2, AR264:2, AR162:2, AR172:2, AR089:2, AR240:2, AR205:2, AR311:2, AR213:2, AR204:1, AR168:1, AR222:1, AR163:1, AR060:1, AR230:1, AR257:1, AR299:1, AR297:1, AR313:1, AR226:1, AR096:1, AR236:1, AR272:1, AR223:1, AR178:1, AR224:1, AR295:1 L0766:4, L0438:4, H0038:3, L0666:3, L0777:3, H0445:3, H0624:2, H0170:2, H0341:2, S0212:2, H0661:2, S0003:2, H0615:2, H0031:2, H0068:2, L0804:2, H0519:2, H0555:2, L0743:2, L0745:2, L0779:2, L0411:1, H0171:1, S0342:1, S0134:1, S0218:1, H0650:1, H0657:1, L0005:1, S0358:1, S0360:1, S0007:1, S0046:1, H0550:1, H0586:1, H0485:1, H0486:1, T0060:1, H0599:1, H0318:1, H0581:1, H0320:1, H0373:1, H0266:1, S0214:1, H0328:1, H0428:1, S0366:1, H0551:1, T0067:1, H0494:1, S0002:1, H0529:1, L0638:1, L0761:1, L0667:1, L0374:1, L0764:1, L0803:1, L0655:1, L0606:1, L0635:1, L0665:1, S0374:1, H0690:1, H0658:1, H0672:1, H0539:1, H0518:1, S0406:1, S0028:1, L0439:1, L0755:1, L0759:1, S0308:1, L0599:1, S0026:1, H0667:1, H0543:1, H0423:1 and H0422:1.
54	HDPBA28	1062783	64	AR249:72, AR213:48, AR253:40, AR096:37, AR052:37, AR263:33, AR053:32, AR212:31, AR265:27, AR184:26, AR254:26, AR264:22, AR248:18, AR251:17, AR240:17, AR313:16, AR268:14, AR272:13, AR290:13, AR311:13, AR310:13, AR177:13, AR180:13, AR246:13, AR245:10, AR250:10, AR309:10, AR275:10, AR183:9, AR247:9, AR274:9, AR312:9, AR039:9, AR308:9, AR269:9, AR271:8, AR179:8, AR270:8, AR267:8, AR316:7, AR198:7, AR252:7, AR244:7, AR243:7, AR175:6, AR193:6, AR195:6, AR165:6, AR299:6, AR192:6, AR166:6, AR201:6, AR164:6, AR162:6, AR161:6, AR242:6, AR163:6, AR273:6, AR300:5, AR197:5, AR284:5, AR282:5, AR055:5, AR181:4, AR169:4, AR174:4, AR185:4, AR061:4, AR089:4, AR298:4, AR259:4, AR234:4, AR293:3, AR182:3, AR202:3, AR205:3, AR231:3, AR215:3, AR283:3, AR236:3, AR225:3, AR173:2, AR178:2, AR060:2, AR294:2, AR186:2, AR296:2, AR222:2, AR285:2, AR281:2, AR104:2, AR292:2, AR176:2, AR295:2, AR207:2, AR217:2, AR229:2, AR289:2, AR226:2, AR291:2, AR206:2, AR172:2, AR288:2, AR033:2, AR235:2, AR238:2, AR191:2, AR170:2, AR194:2, AR232:2, AR230:2, AR286:2, AR189:1, AR257:1, AR190:1, AR199:1, AR277:1, AR287:1, AR200:1, AR224:1, AR171:1, AR297:1, AR223:1, AR168:1, AR228:1, AR266:1, AR258:1, AR233:1, AR204:1, AR262:1, AR315:1, AR255:1, AR237:1, AR280:1 H0521:4, L0454:2, S0442:2, L0758:2, H0720:1, H0255:1, S0376:1, H0486:1, H0581:1, H0373:1, H0268:1, S0440:1, L0763:1, L0803:1, H0435:1, H0658:1, L3833:1, H0522:1, L0748:1, L0749:1, L0588:1 and H0543:1.
	HDPBA28	866429	368	
55	HDPBQ71	1160316	65	AR281:64, AR202:46, AR280:44, AR315:42, AR314:41, AR194:37, AR206:29, AR244:28, AR265:26, AR310:25, AR241:22, AR246:21, AR249:21, AR292:20, AR284:20, AR251:19, AR273:19, AR033:19, AR263:19, AR205:18, AR283:18, AR248:17, AR052:17, AR096:17, AR213:16, AR299:16, AR282:15, AR275:15, AR243:15, AR298:15, AR039:14, AR232:14, AR198:13, AR313:13, AR274:13, AR259:13, AR300:13, AR271:12, AR270:12, AR295:12, AR247:11, AR186:11, AR185:11, AR184:11, AR192:11, AR277:11, AR218:11, AR266:11, AR204:11, AR291:11, AR053:10, AR219:10, AR296:10, AR268:10, AR089:10, AR294:10, AR104:10, AR253:9, AR175:9, AR177:9, AR055:9, AR183:9, AR312:9, AR293:9, AR285:9, AR269:8, AR182:8, AR309:8, AR316:8, AR256:8, AR238:8, AR240:7, AR286:7,

				AR226:7, AR234:7, AR289:7, AR237:7, AR290:7, AR227:6, AR245:6, AR231:6, AR258:6, AR229:6, AR267:6, AR061:6, AR060:5, AR170:5, AR250:4, AR179:4, AR233:4, AR195:3, AR212:3, AR162:3, AR161:3, AR163:3, AR166:3, AR252:3, AR311:3, AR225:2, AR221:2, AR308:2, AR264:2, AR217:2, AR165:2, AR164:2, AR173:2, AR168:2, AR176:2, AR181:2, AR272:2, AR178:1, AR174:1 L0439:8, H0551:5, L0754:5, L0777:5, H0624:4, L0666:4, L0438:4, L0748:4, L0759:4, L0471:3, H0031:3, S0422:3, L0774:3, H0521:3, L0779:3, S0222:2, H0156:2, H0373:2, H0038:2, T0067:2, H0494:2, L0649:2, L0776:2, H0547:2, H0539:2, H0696:2, L0756:2, L0755:2, L0731:2, L0757:2, L0592:2, H0170:1, H0171:1, H0556:1, S0116:1, H0341:1, H0661:1, H0662:1, L3658:1, H0125:1, S0420:1, S0442:1, S0354:1, S0444:1, S0408:1, H0580:1, H0208:1, S0132:1, H0645:1, L2738:1, L3484:1, S6016:1, L2518:1, H0013:1, H0427:1, H0706:1, H0510:1, H0375:1, S0250:1, S0003:1, H0615:1, S0036:1, H0163:1, H0090:1, H0616:1, H0412:1, L0564:1, L0065:1, S0438:1, H0633:1, S0344:1, S0002:1, L0640:1, L0803:1, L0775:1, L0807:1, L0659:1, L0663:1, L0665:1, L2259:1, L3811:1, S0126:1, H0711:1, H0658:1, S0328:1, S0380:1, S0406:1, S0392:1, S0390:1, S0037:1, S0028:1, L0751:1, L0747:1, L0749:1, L0758:1, L0599:1, L0603:1, L0366:1, S0011:1, S0242:1, S0194:1, H0542:1, H0423:1, L3352:1, L3562:1 and H0506:1.
	HDPBQ71	727200	369	
	HDPBQ71	886067	370	
56	HDPCL63	1019008	66	AR281:19, AR202:15, AR194:15, AR196:14, AR315:13, AR207:13, AR206:13, AR265:13, AR205:12, AR244:12, AR195:12, AR222:11, AR033:11, AR235:10, AR214:10, AR263:10, AR225:10, AR218:10, AR246:10, AR197:10, AR261:10, AR284:10, AR310:10, AR170:10, AR242:10, AR224:10, AR198:10, AR162:10, AR311:9, AR161:9, AR172:9, AR192:9, AR241:9, AR169:9, AR223:9, AR171:9, AR291:9, AR183:9, AR314:9, AR273:9, AR215:9, AR163:9, AR298:9, AR216:8, AR295:8, AR217:8, AR174:8, AR240:8, AR280:8, AR282:8, AR275:8, AR193:8, AR181:8, AR243:8, AR245:8, AR252:8, AR221:8, AR168:8, AR264:8, AR219:8, AR285:8, AR271:8, AR165:7, AR176:7, AR177:7, AR201:7, AR296:7, AR211:7, AR191:7, AR270:7, AR212:7, AR175:7, AR164:7, AR269:7, AR247:7, AR184:7, AR289:7, AR288:7, AR309:7, AR286:7, AR210:7, AR213:7, AR268:7, AR250:7, AR200:7, AR287:7, AR189:7, AR292:7, AR053:7, AR266:7, AR104:6, AR173:6, AR204:6, AR297:6, AR283:6, AR272:6, AR290:6, AR236:6, AR182:6, AR312:6, AR308:6, AR180:6, AR096:6, AR277:6, AR188:6, AR293:6, AR186:6, AR299:6, AR190:5, AR052:5, AR300:5, AR199:5, AR039:5, AR251:5, AR089:5, AR249:5, AR178:5, AR231:5, AR294:5, AR248:5, AR274:5, AR316:5, AR055:4, AR232:4, AR257:4, AR267:4, AR313:4, AR262:4, AR258:4, AR234:4, AR238:4, AR229:4, AR203:4, AR254:4, AR256:3, AR061:3, AR255:3, AR179:3, AR226:3, AR185:3, AR259:3, AR227:3, AR260:3, AR230:3, AR060:3, AR239:3, AR233:3, AR237:3, AR253:2, AR228:2 L0751:8, L0439:6, L0659:5, L0438:4, L0744:4, L0754:4, L0777:4, S0046:3, H0052:3, H0009:3, H0271:3, L0662:3, L0665:3, L0747:3, H0740:2, S0358:2, H0586:2, H0251:2, H0100:2, L3905:2, L0794:2, L0803:2, L0809:2, H0519:2, S0126:2, L0749:2, L0731:2, L0757:2, L0605:2, H0170:1, H0717:1, H0295:1, H0294:1, L0785:1, S0116:1, H0483:1, L3659:1, S0418:1, H0742:1, H0735:1, S0045:1, H0619:1, H0550:1, H0370:1, H0592:1, H0574:1, H0427:1, H0599:1, T0082:1, S0010:1, S0049:1, H0544:1, H0545:1, H0570:1, H0051:1, S0388:1, H0356:1, H0399:1, H0266:1, H0622:1, L0194:1, H0135:1, H0412:1, H0623:1, H0059:1, L0351:1, T0042:1, H0561:1, S0294:1, L0640:1, L4747:1, L5575:1, L5565:1, L0800:1, L0764:1, L0648:1, L0768:1, L0774:1, L0776:1, L0657:1, L0559:1, L0519:1, L0789:1, L0792:1, L0666:1, L0664:1, L0709:1, L3811:1, H0520:1, H0547:1, S0328:1, S0378:1, H0754:1, S0152:1, H0521:1, S0190:1, S0406:1, H0436:1, L0748:1, L0780:1, L0759:1, L0601:1, L0366:1 and H0423:1.

	HDPCL63	847045	371	
	HDPCL63	897484	372	
57	HDPCO25	460682	67	AR060:2, AR055:2, AR282:2 H0521:2, H0445:2, H0394:1, H0747:1, H0581:1, L0761:1 and L0750:1.
58	HDPFF39	588697	68	AR194:31, AR202:28, AR198:25, AR205:24, AR206:24, AR281:24, AR246:22, AR244:21, AR263:21, AR315:20, AR241:19, AR192:19, AR243:19, AR282:18, AR033:17, AR280:17, AR265:17, AR275:16, AR283:16, AR273:15, AR204:15, AR285:14, AR291:14, AR277:14, AR296:14, AR247:14, AR039:14, AR314:13, AR284:13, AR240:13, AR289:13, AR266:13, AR310:13, AR295:13, AR298:12, AR104:12, AR183:12, AR316:12, AR274:12, AR089:12, AR060:12, AR055:11, AR186:11, AR182:11, AR270:11, AR292:11, AR232:11, AR286:11, AR300:11, AR053:10, AR218:10, AR268:10, AR294:10, AR052:10, AR312:10, AR309:10, AR096:10, AR238:10, AR251:9, AR271:9, AR185:9, AR299:9, AR269:9, AR184:9, AR229:9, AR177:9, AR175:9, AR219:9, AR231:9, AR313:8, AR227:8, AR213:8, AR061:8, AR234:8, AR226:8, AR290:7, AR267:7, AR293:7, AR249:7, AR248:6, AR233:6, AR256:6, AR253:5, AR259:5, AR237:5, AR258:5, AR179:4 H0556:1, H0255:1, H0391:1, S0049:1, H0553:1, L0455:1, H0264:1, H0561:1, H0539:1, H0521:1, H0522:1, L0748:1 and S0424:1.
59	HDPFP29	628254	69	AR311:15, AR263:15, AR223:14, AR224:14, AR264:14, AR214:14, AR195:13, AR215:12, AR222:12, AR168:12, AR309:12, AR225:12, AR169:12, AR161:11, AR162:11, AR235:11, AR163:11, AR171:11, AR253:11, AR217:11, AR089:10, AR213:10, AR212:10, AR252:10, AR207:10, AR165:10, AR240:10, AR172:10, AR216:10, AR192:9, AR053:9, AR221:9, AR166:9, AR164:9, AR170:9, AR245:9, AR308:9, AR196:8, AR282:8, AR312:8, AR039:8, AR246:8, AR254:8, AR295:8, AR198:8, AR288:8, AR096:7, AR316:7, AR193:7, AR277:7, AR181:7, AR177:7, AR261:7, AR250:7, AR299:7, AR060:7, AR189:7, AR205:7, AR174:6, AR274:6, AR191:6, AR229:6, AR271:6, AR201:6, AR243:6, AR188:6, AR210:6, AR268:6, AR247:6, AR285:6, AR269:6, AR197:6, AR173:6, AR313:6, AR199:6, AR272:6, AR183:5, AR175:5, AR289:5, AR300:5, AR297:5, AR275:5, AR200:5, AR185:5, AR218:5, AR180:5, AR190:5, AR178:5, AR238:5, AR055:5, AR262:5, AR211:5, AR291:5, AR290:5, AR033:5, AR270:5, AR203:5, AR176:5, AR296:5, AR104:5, AR293:5, AR219:5, AR287:5, AR286:5, AR255:5, AR236:5, AR204:5, AR234:4, AR294:4, AR257:4, AR266:4, AR179:4, AR283:4, AR239:4, AR231:4, AR242:4, AR182:4, AR232:4, AR258:4, AR061:3, AR226:3, AR230:3, AR267:3, AR233:3, AR227:3, AR237:3, AR256:3, AR228:3, AR260:2 S0474:6, L0766:6, L0662:4, L0748:4, H0556:3, L0387:3, L0659:3, L0779:3, H0255:2, H0402:2, S0360:2, S0408:2, S0410:2, H0309:2, H0591:2, H0087:2, L0764:2, L0809:2, L0666:2, L0663:2, H0648:2, L0751:2, L0754:2, L0747:2, H0295:1, S0116:1, H0306:1, S0376:1, H0747:1, H0749:1, H0771:1, H0455:1, L0623:1, H0581:1, H0052:1, H0569:1, H0123:1, H0428:1, H0039:1, H0622:1, T0006:1, H0628:1, H0673:1, L0369:1, L0770:1, L0769:1, L0638:1, L0761:1, L0667:1, L0772:1, L0643:1, L0771:1, L0794:1, L0803:1, L0804:1, L0774:1, L0806:1, L0805:1, L0655:1, L0657:1, L0658:1, L0783:1, L0519:1, L0789:1, L0352:1, S0378:1, H0521:1, H0478:1, L0744:1, L0439:1, L0777:1, L0753:1 and S0434:1.
60	HDPGI49	785887	70	AR274:5, AR198:5, AR164:5, AR165:5, AR313:5, AR166:4, AR053:4, AR089:4, AR161:3, AR162:3, AR172:3, AR191:3, AR205:3, AR270:3, AR178:3, AR200:3, AR176:3, AR189:3, AR295:3, AR291:3, AR212:3, AR175:3, AR254:3, AR188:3, AR297:3, AR174:3, AR282:3, AR173:3, AR269:3, AR190:3, AR272:3, AR261:3, AR257:3, AR196:3, AR287:3, AR268:3, AR262:3, AR312:3, AR267:2, AR285:2, AR300:2, AR296:2, AR275:2, AR163:2, AR179:2, AR243:2, AR290:2, AR104:2, AR289:2, AR293:2, AR308:2, AR183:2, AR255:2, AR207:2, AR299:2, AR185:2, AR096:2, AR316:2, AR235:2, AR195:2,

				AR193:2, AR223:2, AR055:2, AR222:2, AR246:2, AR294:2, AR277:2, AR247:1, AR181:1, AR177:1, AR192:1, AR203:1, AR238:1, AR236:1, AR252:1, AR258:1, AR311:1, AR171:1, AR240:1, AR217:1, AR060:1, AR260:1, AR288:1, AR201:1 L0766:6, L0776:6, H0013:5, L0777:5, L0803:4, S0442:3, S0002:3, L0731:3, L0759:3, S0116:2, S0358:2, S0222:2, H0575:2, L0157:2, H0038:2, H0616:2, L0805:2, L0666:2, H0521:2, L0740:2, L0361:2, H0170:1, H0171:1, S0114:1, S0212:1, S0376:1, S0444:1, S0360:1, L3646:1, H0749:1, H0771:1, L0717:1, H0587:1, S0414:1, H0486:1, H0250:1, H0427:1, H0098:1, H0036:1, S0474:1, H0596:1, H0544:1, H0546:1, H0046:1, S0003:1, H0615:1, T0006:1, H0644:1, H0111:1, H0040:1, H0477:1, T0041:1, H0561:1, H0342:1, H0646:1, S0142:1, H0538:1, L0763:1, L0638:1, L0804:1, L0774:1, L0809:1, L0519:1, L0788:1, L4501:1, L0665:1, S0053:1, S0374:1, H0690:1, H0648:1, H0651:1, S0328:1, H0539:1, S0404:1, H0436:1, S0206:1, L0750:1, L0779:1, H0445:1, H0343:1, S0434:1, L0599:1, L0595:1 and H0506:1.
61	HDPGT01	771583	71	AR268:5, AR244:4, AR282:3, AR251:3, AR242:3, AR241:3, AR052:3, AR184:2, AR271:2, AR310:2, AR176:2, AR194:2, AR039:2, AR309:2, AR283:1, AR178:1, AR289:1, AR217:1, AR257:1, AR277:1, AR170:1, AR284:1, AR221:1, AR226:1, AR265:1 H0521:3, S0278:2, S0222:2, H0284:2, H0265:1, H0728:1, S0007:1, H0208:1, H0586:1, H0497:1, H0642:1, H0581:1, H0052:1, H0572:1, H0024:1, H0292:1, H0428:1, H0628:1, H0135:1, H0163:1, H0433:1, S0002:1, L2263:1, L0438:1, L3829:1, H0539:1, S0027:1, S0032:1, L0439:1, S0436:1, S0458:1 and H0352:1.
62	HDPHI51	460679	72	AR195:9, AR192:9, AR207:9, AR215:8, AR264:8, AR225:7, AR263:7, AR311:7, AR168:7, AR309:7, AR252:6, AR172:6, AR245:6, AR161:6, AR162:6, AR163:6, AR196:6, AR223:6, AR193:6, AR177:6, AR246:6, AR224:6, AR197:5, AR308:5, AR272:5, AR214:5, AR275:5, AR222:5, AR253:5, AR176:5, AR261:5, AR295:5, AR291:5, AR171:5, AR218:5, AR221:5, AR219:5, AR188:5, AR165:5, AR096:5, AR217:5, AR238:5, AR288:5, AR164:5, AR175:5, AR166:5, AR089:5, AR271:5, AR060:4, AR240:4, AR183:4, AR201:4, AR257:4, AR169:4, AR312:4, AR316:4, AR039:4, AR274:4, AR190:4, AR191:4, AR181:4, AR178:4, AR236:4, AR216:4, AR180:4, AR205:4, AR210:4, AR270:4, AR170:4, AR277:4, AR243:4, AR235:4, AR212:4, AR104:4, AR199:4, AR189:4, AR242:4, AR213:4, AR255:4, AR289:4, AR174:3, AR285:3, AR230:3, AR286:3, AR297:3, AR299:3, AR283:3, AR313:3, AR204:3, AR287:3, AR173:3, AR247:3, AR229:3, AR269:3, AR296:3, AR182:3, AR293:3, AR266:3, AR258:3, AR198:3, AR237:3, AR262:3, AR033:3, AR239:3, AR185:3, AR231:3, AR203:3, AR200:3, AR179:3, AR211:3, AR227:3, AR268:3, AR267:3, AR294:3, AR290:3, AR234:3, AR232:3, AR226:3, AR300:2, AR250:2, AR282:2, AR256:2, AR061:2, AR053:2, AR233:2, AR260:2, AR228:2, AR055:2 H0521:1
63	HDPJM30	879325	73	AR268:8, AR289:6, AR184:6, AR266:5, AR252:5, AR223:5, AR169:5, AR290:4, AR286:4, AR224:4, AR194:4, AR257:4, AR214:4, AR310:4, AR270:4, AR165:4, AR294:3, AR291:3, AR222:3, AR183:3, AR235:3, AR215:3, AR282:3, AR284:3, AR297:3, AR267:3, AR260:3, AR217:2, AR262:2, AR182:2, AR258:2, AR309:2, AR172:2, AR288:2, AR298:2, AR225:2, AR269:2, AR296:2, AR176:2, AR248:2, AR166:2, AR216:2, AR250:2, AR292:2, AR164:2, AR263:2, AR162:2, AR287:2, AR255:2, AR053:2, AR061:2, AR249:2, AR163:2, AR293:2, AR285:2, AR253:2, AR312:2, AR178:2, AR313:2, AR277:2, AR256:2, AR205:2, AR052:1, AR203:1, AR238:1, AR274:1, AR171:1, AR295:1, AR231:1, AR247:1, AR206:1, AR181:1, AR221:1, AR226:1, AR230:1, AR179:1, AR283:1, AR232:1, AR200:1, AR239:1, AR186:1, AR237:1, AR195:1, AR228:1, AR240:1, AR233:1, AR227:1, AR246:1, AR199:1, AR173:1, AR243:1, AR089:1, AR177:1 L0800:4, H0617:3, H0521:3, L0070:3, L0742:3, L0770:2, L0771:2, L0794:2, H0689:2, L0741:2, L0439:2, H0445:2, H0224:1, H0637:1, H0370:1, H0250:1, H0052:1, H0194:1, L0455:1, S0422:1, L0761:1, L0764:1, L0806:1, L0659:1, L5622:1, L0789:1, L0790:1, L0792:1, H0672:1, S0152:1, S0434:1 and S0436:1.

	HDPJM30	603517	373	
64	HDPMM88	972734	74	AR202:35, AR096:34, AR194:33, AR206:31, AR244:25, AR241:22, AR268:21, AR281:20, AR290:19, AR265:17, AR315:15, AR184:15, AR246:15, AR310:14, AR192:13, AR269:12, AR270:12, AR282:12, AR243:11, AR314:11, AR280:11, AR267:10, AR292:10, AR183:9, AR263:9, AR299:9, AR284:9, AR198:9, AR055:8, AR205:8, AR251:8, AR273:8, AR266:8, AR313:8, AR298:8, AR283:8, AR039:8, AR033:8, AR204:7, AR052:7, AR277:7, AR177:7, AR238:7, AR234:7, AR061:6, AR247:6, AR295:6, AR104:6, AR300:6, AR285:6, AR089:6, AR316:6, AR186:6, AR185:6, AR240:5, AR053:5, AR249:5, AR231:5, AR271:5, AR291:5, AR289:5, AR182:5, AR312:5, AR175:4, AR253:4, AR229:4, AR248:4, AR232:4, AR309:4, AR215:4, AR226:4, AR274:4, AR219:4, AR286:4, AR296:4, AR227:4, AR237:4, AR218:4, AR259:3, AR275:3, AR294:3, AR213:3, AR242:3, AR179:3, AR293:3, AR060:3, AR170:3, AR193:3, AR233:3, AR169:2, AR224:2, AR256:2, AR257:2, AR258:2, AR171:2, AR217:2, AR172:2, AR264:1, AR195:1, AR308:1, AR163:1, AR261:1, AR161:1, AR162:1, AR199:1, AR221:1 L0754:2, L0777:2, H0717:1, H0740:1, S0212:1, S0360:1, S0408:1, H0747:1, H0004:1, H0581:1, L0142:1, H0674:1, H0646:1, S0422:1, L0809:1, L0787:1, H0521:1 and H0522:1.
	HDPMM88	906121	374	
	HDPMM88	902299	375	
	HDPMM88	885059	376	
	HDPMM88	874074	377	
	HDPMM88	854246	378	
	HDPMM88	854245	379	
65	HDPNC61	637585	75	AR241:10, AR184:10, AR313:8, AR245:8, AR242:8, AR265:8, AR162:7, AR192:7, AR161:7, AR271:7, AR163:7, AR244:7, AR052:6, AR191:6, AR183:6, AR312:6, AR196:6, AR173:6, AR197:6, AR273:6, AR198:6, AR204:6, AR165:6, AR053:5, AR310:5, AR166:5, AR274:5, AR264:5, AR229:5, AR299:5, AR164:5, AR175:5, AR174:5, AR270:5, AR039:5, AR238:5, AR311:5, AR275:5, AR300:5, AR189:5, AR292:5, AR033:5, AR200:5, AR096:5, AR177:5, AR182:5, AR219:5, AR296:5, AR309:4, AR178:4, AR218:4, AR206:4, AR186:4, AR240:4, AR213:4, AR205:4, AR266:4, AR055:4, AR293:4, AR250:4, AR199:4, AR247:4, AR170:4, AR188:4, AR181:4, AR185:4, AR226:4, AR261:4, AR269:4, AR089:4, AR272:4, AR308:4, AR290:4, AR285:4, AR315:4, AR195:4, AR254:4, AR284:4, AR193:4, AR295:4, AR268:3, AR258:3, AR236:3, AR243:3, AR212:3, AR234:3, AR253:3, AR190:3, AR316:3, AR298:3, AR235:3, AR286:3, AR291:3, AR179:3, AR262:3, AR217:3, AR294:3, AR282:3, AR314:3, AR104:3, AR246:3, AR257:3, AR237:3, AR249:3, AR168:3, AR203:3, AR233:3, AR248:3, AR280:3, AR255:3, AR180:3, AR259:3, AR277:3, AR230:3, AR267:3, AR297:3, AR201:3, AR207:3, AR231:3, AR216:2, AR223:2, AR289:2, AR171:2, AR288:2, AR221:2, AR287:2, AR060:2, AR227:2, AR225:2, AR211:2, AR176:2, AR239:2, AR222:2, AR210:2, AR232:2, AR256:1, AR260:1, AR263:1, AR283:1, AR194:1, AR061:1, AR228:1 L0766:3, L0764:2, L0771:2, L0439:2, L0731:2, H0739:1, H0747:1, H0749:1, H0415:1, H0057:1, T0006:1, L0598:1, L0800:1, L0768:1, L0794:1, L0803:1, L0774:1, L0807:1, L0783:1, L0519:1, L0664:1, L4560:1, L0352:1, H0522:1, L0748:1, L0747:1, L0749:1 and L0756:1.
66	HDPOJ08	731863	76	AR250:19, AR254:19, AR269:19, AR268:16, AR248:16, AR290:15, AR249:13, AR270:12, AR253:12, AR183:10, AR267:10, AR180:10, AR161:9, AR162:9, AR165:9, AR164:9, AR163:9, AR181:8, AR166:8, AR173:8, AR174:8,

				AR184:7, AR235:7, AR252:7, AR229:7, AR272:7, AR176:7, AR177:6, AR178:6, AR265:6, AR239:6, AR182:6, AR175:6, AR096:6, AR291:5, AR189:5, AR288:5, AR287:5, AR190:5, AR251:5, AR263:5, AR230:5, AR179:5, AR228:5, AR236:4, AR234:4, AR257:4, AR193:4, AR238:4, AR237:4, AR285:4, AR233:4, AR289:4, AR185:4, AR311:4, AR286:4, AR308:4, AR226:4, AR282:4, AR264:4, AR240:4, AR232:4, AR201:4, AR261:4, AR292:4, AR089:4, AR210:4, AR212:4, AR295:4, AR247:4, AR297:4, AR275:4, AR262:4, AR245:4, AR195:4, AR188:4, AR231:4, AR197:4, AR309:4, AR196:4, AR284:4, AR191:4, AR299:4, AR313:3, AR255:3, AR199:3, AR200:3, AR293:3, AR300:3, AR316:3, AR296:3, AR246:3, AR203:3, AR243:3, AR294:3, AR214:3, AR274:3, AR104:3, AR060:3, AR219:3, AR298:3, AR033:3, AR227:3, AR053:3, AR221:2, AR271:2, AR312:2, AR223:2, AR218:2, AR061:2, AR259:2, AR224:2, AR217:2, AR277:2, AR225:2, AR258:2, AR215:2, AR039:2, AR168:2, AR266:2, AR211:2, AR055:2, AR222:2, AR205:2, AR216:2, AR202:1, AR213:1, AR260:1, AR256:1, AR314:1 S0474:29, L0766:11, H0521:10, L0803:7, L0748:6, L0717:5, L0759:5, S0003:4, L3832:4, H0663:3, H0156:3, L0598:3, L0770:3, L0771:3, L0804:3, L2439:3, H0522:3, L0731:3, S0436:3, H0486:2, S0426:2, L0805:2, L0659:2, L2260:2, S0126:2, S0406:2, L0749:2, L0755:2, L0757:2, L0758:2, L0590:2, S0026:2, H0716:1, H0341:1, S0212:1, L0481:1, S0444:1, S0360:1, L3649:1, H0637:1, H0580:1, H0734:1, H0749:1, L3092:1, H0619:1, L3388:1, H0586:1, H0574:1, H0427:1, L0021:1, H0575:1, H0318:1, H0545:1, H0024:1, H0373:1, H0071:1, H0179:1, S0214:1, H0428:1, H0674:1, H0591:1, H0616:1, H0488:1, H0494:1, S0438:1, S0440:1, H0647:1, S0142:1, UNKWN:1, L0369:1, L0763:1, L0769:1, L0646:1, L0648:1, L0662:1, L0650:1, L0775:1, L0653:1, L0776:1, L0656:1, L0782:1, L0809:1, L0519:1, S0052:1, L2657:1, H0144:1, L3823:1, H0520:1, H0547:1, H0660:1, S0380:1, L0742:1, L0439:1, L0750:1, L0777:1, S0031:1, H0445:1, S0434:1, H0665:1, H0667:1, S0194:1, S0276:1 and S0458:1.
67	HDPOZ56	1352319	77	AR248:20, AR253:20, AR281:16, AR244:14, AR273:13, AR202:12, AR315:12, AR310:11, AR263:11, AR224:10, AR280:10, AR194:9, AR284:9, AR223:9, AR251:9, AR165:9, AR215:9, AR265:9, AR206:9, AR198:9, AR311:9, AR164:9, AR221:9, AR249:9, AR264:8, AR166:8, AR172:8, AR222:8, AR289:8, AR212:8, AR171:8, AR272:8, AR161:8, AR225:8, AR235:8, AR266:8, AR207:8, AR162:8, AR214:8, AR168:7, AR205:7, AR216:7, AR163:7, AR217:7, AR246:7, AR052:7, AR283:7, AR169:7, AR192:7, AR245:7, AR242:7, AR282:7, AR053:7, AR295:7, AR312:7, AR291:7, AR285:7, AR274:7, AR213:7, AR308:6, AR268:6, AR238:6, AR261:6, AR184:6, AR298:6, AR250:6, AR288:6, AR183:6, AR239:6, AR292:6, AR033:6, AR232:6, AR290:6, AR219:6, AR197:6, AR286:6, AR243:6, AR270:6, AR269:6, AR309:6, AR287:6, AR180:6, AR277:5, AR196:5, AR271:5, AR297:5, AR314:5, AR275:5, AR204:5, AR176:5, AR254:5, AR195:5, AR299:5, AR182:5, AR170:5, AR237:5, AR210:5, AR227:5, AR218:5, AR177:5, AR247:5, AR294:5, AR174:5, AR039:5, AR296:5, AR257:5, AR089:5, AR240:5, AR293:5, AR200:4, AR316:4, AR181:4, AR255:4, AR230:4, AR252:4, AR096:4, AR236:4, AR241:4, AR061:4, AR199:4, AR186:4, AR234:4, AR262:4, AR175:4, AR313:4, AR300:4, AR178:4, AR258:4, AR229:4, AR231:4, AR228:4, AR203:4, AR226:4, AR267:4, AR191:4, AR256:4, AR193:4, AR188:4, AR211:3, AR055:3, AR189:3, AR060:3, AR233:3, AR104:3, AR259:3, AR185:3, AR260:3, AR173:3, AR201:3, AR190:3, AR179:2 H0521:17, H0522:5, L0665:4, H0638:3, H0658:3, H0255:2, H0250:2, H0618:2, L0804:2, L0779:2, H0542:2, H0663:1, S0046:1, H0617:1, H0560:1, H0641:1, S0422:1, S0426:1, H0695:1, L0655:1, H0689:1, H0435:1, H0555:1, H0543:1, H0423:1 and H0506:1.
	HDPOZ56	815653	380	
	HDPOZ56	743479	381	
68	HDPPN86	1037893	78	AR212:4, AR235:3, AR266:2, AR221:2, AR207:2, AR205:2, AR216:2, AR168:2, AR282:2, AR257:2, AR181:1, AR311:1,

				AR271:1, AR161:1, AR264:1, AR165:1, AR172:1, AR295:1, AR164:1, AR162:1, AR176:1, AR163:1, AR171:1, AR285:1, AR289:1, AR277:1, AR238:1, AR089:1, AR234:1, AR211:1 H0542:4, S0418:3, H0543:3, S0038:2, H0341:1, L0018:1, H0069:1, H0090:1, H0056:1, H0494:1, H0522:1 and H0423:1.
	HDPPN86	895711	382	
69	HDPSB18	1043263	79	AR197:9, AR060:8, AR253:8, AR161:8, AR162:8, AR163:8, AR165:8, AR164:7, AR089:7, AR166:7, AR204:7, AR192:7, AR207:7, AR177:6, AR193:6, AR185:6, AR235:6, AR271:6, AR195:6, AR053:6, AR312:6, AR233:6, AR232:6, AR174:5, AR282:5, AR104:5, AR299:5, AR227:5, AR212:5, AR181:5, AR309:5, AR264:5, AR205:5, AR308:5, AR178:5, AR237:5, AR061:5, AR313:5, AR300:5, AR175:5, AR263:5, AR247:5, AR223:5, AR173:5, AR226:5, AR272:5, AR243:5, AR240:5, AR311:5, AR055:5, AR269:5, AR201:4, AR229:4, AR286:4, AR182:4, AR246:4, AR236:4, AR295:4, AR316:4, AR285:4, AR261:4, AR293:4, AR275:4, AR291:4, AR228:4, AR274:4, AR296:4, AR176:4, AR213:4, AR297:4, AR179:4, AR270:4, AR254:4, AR039:4, AR239:4, AR262:4, AR288:4, AR180:4, AR287:4, AR096:4, AR238:4, AR183:4, AR203:4, AR033:4, AR257:4, AR234:4, AR230:4, AR294:3, AR198:3, AR289:3, AR255:3, AR266:3, AR258:3, AR267:3, AR283:3, AR168:3, AR217:3, AR231:3, AR214:3, AR277:3, AR252:3, AR196:3, AR250:3, AR218:3, AR245:3, AR190:2, AR216:2, AR268:2, AR224:2, AR290:2, AR188:2, AR191:2, AR189:2, AR221:2, AR260:2, AR222:2, AR200:2, AR171:2, AR211:2, AR210:2, AR219:2, AR172:2, AR199:2, AR215:1, AR170:1, AR225:1, AR256:1 L0769:5, L0774:3, H0656:2, S0442:2, S0358:2, S0360:2, S0278:2, H0620:2, L0500:2, L0775:2, L0710:2, L0777:2, L0752:2, L0588:2, H0149:1, H0295:1, T0049:1, H0381:1, H0484:1, H0483:1, H0638:1, S0420:1, S0444:1, S0408:1, S0045:1, H0587:1, H0318:1, H0204:1, H0530:1, H0545:1, H0178:1, L0471:1, L0142:1, H0181:1, H0087:1, H0412:1, H0623:1, H0100:1, S0438:1, H0633:1, H0646:1, H0529:1, L0506:1, L0761:1, L0764:1, L0648:1, L0766:1, L0497:1, L0493:1, L0511:1, L0665:1, L2260:1, H0698:1, H0690:1, H0521:1, S0406:1, S3014:1, L0747:1, L0780:1, H0543:1 and H0422:1.
	HDPSB18	903816	383	
	HDPSB18	905414	384	
	HDPSB18	732097	385	
70	HDPSH53	1309174	80	AR214:47, AR207:47, AR263:40, AR222:34, AR169:33, AR235:33, AR212:31, AR213:30, AR223:29, AR170:29, AR311:29, AR309:28, AR168:28, AR195:27, AR264:26, AR192:26, AR224:26, AR216:24, AR295:24, AR171:24, AR245:24, AR217:23, AR172:23, AR198:22, AR308:22, AR271:22, AR161:21, AR162:21, AR163:21, AR252:21, AR261:21, AR288:21, AR053:20, AR166:20, AR197:20, AR242:20, AR201:20, AR033:19, AR205:19, AR177:19, AR312:19, AR193:19, AR165:18, AR240:18, AR229:18, AR277:18, AR254:18, AR164:18, AR225:17, AR246:17, AR297:17, AR236:17, AR285:16, AR291:16, AR275:16, AR238:16, AR272:16, AR174:15, AR296:15, AR274:15, AR232:15, AR286:14, AR282:14, AR230:13, AR181:13, AR211:13, AR250:13, AR226:13, AR239:13, AR287:12, AR227:12, AR283:12, AR247:12, AR237:12, AR289:12, AR215:12, AR316:12, AR204:12, AR210:12, AR176:12, AR180:12, AR293:12, AR231:11, AR270:11, AR300:11, AR299:11, AR262:11, AR175:11, AR185:11, AR243:11, AR196:11, AR221:11, AR258:10, AR269:10, AR200:10, AR313:10, AR089:10, AR253:10, AR183:10, AR294:10, AR268:9, AR061:9, AR104:9, AR173:9, AR234:9, AR199:9, AR096:9, AR179:9, AR218:8, AR178:8, AR233:8, AR257:8, AR219:8, AR255:8, AR266:8, AR290:8, AR267:8, AR188:8, AR228:8, AR189:7, AR055:7, AR060:7, AR203:7, AR191:7,

				AR256:7, AR039:7, AR260:6, AR182:6, AR190:6 L0804:2, H0521:2, L0021:1, H0617:1, H0623:1, L0648:1 and L0665:1.
	HDPSH53	1040056	386	
	HDPSH53	882768	387	
71	HDPSP01	1352280	81	AR169:8, AR235:5, AR265:5, AR180:4, AR176:4, AR161:4, AR163:4, AR311:4, AR162:4, AR269:3, AR165:3, AR172:3, AR171:3, AR222:3, AR166:3, AR183:3, AR225:3, AR168:3, AR282:3, AR224:3, AR245:3, AR272:3, AR196:3, AR223:3, AR297:3, AR221:2, AR182:2, AR298:2, AR164:2, AR261:2, AR257:2, AR170:2, AR270:2, AR289:2, AR216:2, AR173:2, AR191:2, AR214:2, AR287:2, AR296:2, AR242:2, AR228:2, AR247:2, AR295:2, AR255:2, AR192:2, AR240:2, AR174:2, AR227:2, AR053:2, AR275:2, AR203:2, AR266:2, AR288:2, AR215:2, AR277:2, AR239:2, AR291:2, AR264:2, AR263:2, AR285:2, AR230:2, AR190:2, AR310:2, AR189:2, AR274:1, AR181:1, AR286:1, AR179:1, AR226:1, AR246:1, AR231:1, AR178:1, AR175:1, AR238:1, AR233:1, AR273:1, AR290:1, AR243:1, AR200:1, AR293:1, AR294:1, AR309:1, AR284:1, AR312:1, AR313:1, AR234:1, AR229:1, AR061:1, AR300:1, AR217:1, AR268:1, AR292:1, AR089:1, AR262:1 L0769:6, L0751:5, L0752:5, H0617:4, L0806:4, L0731:4, L0771:3, L0774:3, H0370:2, S0314:2, H0551:2, H0059:2, L0792:2, L0745:2, L0750:2, L0777:2, S0444:1, H0728:1, S0132:1, H0550:1, H0392:1, H0586:1, H0427:1, H0618:1, H0052:1, H0545:1, H0123:1, H0620:1, S0051:1, H0135:1, H0100:1, H0494:1, L0800:1, L0764:1, L0804:1, L0775:1, L0805:1, L0783:1, L0809:1, L0666:1, L0665:1, H0684:1, S0328:1, H0521:1, H0555:1, H0478:1, L0743:1, L0747:1, L0779:1, L0780:1, L0755:1 and S0434:1.
	HDPSP01	689129	388	
72	HDPSP54	744440	82	AR263:53, AR207:53, AR214:51, AR169:41, AR224:40, AR222:38, AR223:37, AR195:36, AR235:32, AR217:31, AR212:31, AR168:30, AR172:30, AR311:29, AR053:28, AR192:28, AR196:28, AR171:27, AR198:27, AR213:27, AR221:27, AR161:26, AR264:26, AR252:26, AR162:25, AR170:25, AR210:25, AR245:24, AR033:23, AR225:23, AR216:23, AR163:22, AR089:22, AR261:22, AR215:21, AR271:21, AR177:21, AR181:21, AR104:21, AR295:20, AR218:20, AR236:19, AR193:19, AR191:19, AR211:19, AR197:18, AR185:18, AR055:18, AR219:18, AR201:18, AR240:18, AR165:17, AR316:17, AR166:17, AR299:17, AR164:17, AR060:17, AR253:17, AR174:16, AR242:16, AR288:16, AR199:16, AR205:16, AR246:15, AR282:15, AR039:15, AR238:15, AR308:15, AR229:15, AR175:14, AR188:14, AR285:14, AR297:14, AR254:14, AR189:14, AR232:14, AR277:13, AR300:13, AR287:13, AR243:13, AR230:13, AR312:13, AR291:13, AR286:12, AR204:12, AR250:12, AR226:12, AR173:12, AR200:12, AR239:12, AR176:12, AR274:11, AR296:11, AR096:11, AR309:11, AR203:11, AR231:11, AR270:11, AR247:11, AR293:11, AR190:11, AR283:10, AR258:10, AR267:10, AR234:10, AR289:10, AR262:10, AR178:10, AR268:10, AR227:10, AR313:10, AR180:10, AR237:10, AR179:9, AR257:9, AR182:9, AR269:9, AR255:9, AR233:9, AR260:9, AR061:9, AR183:9, AR290:8, AR275:8, AR272:8, AR266:8, AR294:7, AR256:7, AR228:6 L0740:8, L0662:3, L0659:3, L0663:3, S0422:2, L0646:2, L0766:2, L0439:2, L0779:2, H0171:1, S6024:1, S0110:1, S0360:1, H0411:1, H0455:1, S0474:1, H0510:1, S0438:1, L0637:1, L5565:1, L0771:1, L0773:1, L0794:1, L0804:1, L0787:1, L0665:1, L0438:1, H0521:1, S0406:1, L0754:1, L0755:1 and L0758:1.
	HDPSP54	502472	389	
73	HDPTD15	692917	83	AR214:32, AR223:30, AR222:27, AR224:27, AR225:24, AR169:24, AR165:22, AR164:22, AR221:22, AR215:22,

				AR212:22, AR195:21, AR308:21, AR217:21, AR170:20, AR172:20, AR166:20, AR168:20, AR171:19, AR216:17, AR264:16, AR162:15, AR207:15, AR161:15, AR193:15, AR163:15, AR235:15, AR311:14, AR196:14, AR250:13, AR173:13, AR245:12, AR261:12, AR242:12, AR297:12, AR288:12, AR210:12, AR199:11, AR236:11, AR263:11, AR254:10, AR191:10, AR181:10, AR312:10, AR213:10, AR247:10, AR197:10, AR287:10, AR189:10, AR188:10, AR252:9, AR255:9, AR174:9, AR313:9, AR053:9, AR178:9, AR190:9, AR200:9, AR201:9, AR176:9, AR257:8, AR253:8, AR240:8, AR230:8, AR269:8, AR272:8, AR211:8, AR192:8, AR262:8, AR229:8, AR033:8, AR180:8, AR309:8, AR239:8, AR238:7, AR258:7, AR291:7, AR203:7, AR260:7, AR285:7, AR270:7, AR295:6, AR271:6, AR293:6, AR089:6, AR226:6, AR183:6, AR177:6, AR266:6, AR175:6, AR296:6, AR198:6, AR277:5, AR251:5, AR205:5, AR234:5, AR282:5, AR290:5, AR300:5, AR231:5, AR286:5, AR299:5, AR274:5, AR232:5, AR316:5, AR268:5, AR289:5, AR179:5, AR275:5, AR052:5, AR228:5, AR246:5, AR182:4, AR227:4, AR060:4, AR204:4, AR185:4, AR267:4, AR256:4, AR243:4, AR248:4, AR096:4, AR294:4, AR283:4, AR237:4, AR233:4, AR219:3, AR249:3, AR218:3, AR186:2, AR039:2, AR310:2, AR206:2, AR104:2, AR055:2, AR292:2, AR061:2, AR298:2, AR259:1, AR284:1, AR194:1 H0521:1
74	HDPUW68	812737	84	AR253:15, AR052:14, AR213:11, AR184:11, AR230:11, AR228:9, AR170:9, AR250:8, AR168:8, AR254:8, AR225:6, AR297:6, AR053:6, AR251:5, AR267:5, AR248:5, AR268:5, AR221:5, AR096:5, AR214:5, AR238:5, AR178:5, AR249:5, AR216:5, AR173:5, AR239:5, AR236:5, AR166:5, AR182:4, AR161:4, AR162:4, AR217:4, AR269:4, AR282:4, AR163:4, AR224:4, AR222:4, AR237:4, AR296:4, AR257:4, AR263:4, AR244:4, AR227:4, AR258:4, AR252:4, AR291:4, AR229:4, AR219:4, AR287:4, AR290:4, AR275:4, AR264:4, AR183:4, AR175:4, AR223:4, AR199:4, AR308:4, AR171:3, AR194:3, AR246:3, AR277:3, AR260:3, AR288:3, AR240:3, AR274:3, AR191:3, AR284:3, AR243:3, AR312:3, AR293:3, AR179:3, AR233:3, AR300:3, AR261:3, AR218:3, AR165:3, AR061:3, AR231:3, AR033:3, AR298:3, AR316:3, AR164:3, AR181:3, AR255:3, AR270:3, AR189:3, AR313:3, AR309:3, AR234:2, AR186:2, AR247:2, AR195:2, AR285:2, AR232:2, AR292:2, AR185:2, AR226:2, AR180:2, AR299:2, AR289:2, AR271:2, AR193:2, AR089:2, AR203:2, AR311:2, AR060:2, AR172:2, AR310:2, AR215:2, AR177:2, AR266:2, AR262:2, AR272:2, AR188:2, AR196:2, AR169:1, AR212:1, AR210:1, AR055:1, AR283:1, AR190:1, AR241:1, AR295:1, AR286:1, AR201:1, AR294:1, AR104:1, AR256:1, AR205:1, AR039:1 H0677:47, H0521:14, H0295:3, H0587:3, H0556:2, H0656:2, H0638:2, H0411:2, S0002:2, L0766:2, L0776:2, L0659:2, L0809:2, H0670:2, H0522:2, S0404:2, L0743:2, L0744:2, L0740:2, L0731:2, S0134:1, H0657:1, H0254:1, S0476:1, S0278:1, H0486:1, H0575:1, H0606:1, H0135:1, H0561:1, S0438:1, L0761:1, L0768:1, L0655:1, L2261:1, S0374:1, H0690:1, H0435:1, H0658:1, H0696:1, H0678:1, L0779:1, L0752:1, H0445:1, S0434:1 and S0436:1.
75	HDPWN93	992925	85	AR313:5, AR089:5, AR207:5, AR096:5, AR219:5, AR277:4, AR299:4, AR162:4, AR161:4, AR165:4, AR274:4, AR104:4, AR193:4, AR164:4, AR240:4, AR166:4, AR163:4, AR264:4, AR282:4, AR250:4, AR316:4, AR218:3, AR215:3, AR185:3, AR178:3, AR196:3, AR311:3, AR216:3, AR039:3, AR300:3, AR055:3, AR225:3, AR245:3, AR312:3, AR060:3, AR291:3, AR195:3, AR188:3, AR198:3, AR269:2, AR257:2, AR308:2, AR285:2, AR270:2, AR297:2, AR247:2, AR288:2, AR180:2, AR221:2, AR223:2, AR182:2, AR266:2, AR243:2, AR201:2, AR283:2, AR213:2, AR232:2, AR200:2, AR224:2, AR212:2, AR293:2, AR173:2, AR191:2, AR262:2, AR053:2, AR229:2, AR189:2, AR275:2, AR181:2, AR203:2, AR237:2, AR217:2, AR226:2, AR205:2, AR268:2, AR287:2, AR214:2, AR255:2, AR171:2, AR290:2, AR272:2, AR286:2, AR309:2, AR174:2, AR246:2, AR271:2, AR289:2, AR227:2, AR296:2, AR238:1, AR175:1, AR231:1, AR261:1, AR256:1, AR294:1, AR179:1, AR199:1, AR234:1, AR190:1, AR295:1, AR233:1, AR177:1, AR033:1, AR267:1, AR239:1 H0618:17, H0253:16,

				L0758:7, L0659:6, H0052:5, L0439:4, S0354:3, S0358:3, H0046:3, S0150:3, L0794:3, L0809:3, L0666:3, L0665:3, S6024:2, S0356:2, S0442:2, T0060:2, H0424:2, H0038:2, H0063:2, H0412:2, L0771:2, S0152:2, L0754:2, L0747:2, L0601:2, H0543:2, H0255:1, H0589:1, H0580:1, S0045:1, S0222:1, H0409:1, H0333:1, L0021:1, T0082:1, H0706:1, H0590:1, S0010:1, H0194:1, H0251:1, H0309:1, H0263:1, H0597:1, H0545:1, T0010:1, S0340:1, H0622:1, H0417:1, H0030:1, H0135:1, H0616:1, H0087:1, H0494:1, H0131:1, H0207:1, H0646:1, L0763:1, L0638:1, L3905:1, L0761:1, L0800:1, L0764:1, L0768:1, L0766:1, L0803:1, L0650:1, L0540:1, L0384:1, L5622:1, L0792:1, L0663:1, H0435:1, H0648:1, H0672:1, H0521:1, S0044:1, H0555:1, L0743:1, L0740:1, L0759:1, S0436:1, H0423:1 and H0506:1.
	HDPWN93	887914	390	
	HDPWN93	905983	391	
76	HDPXY01	879048	86	AR207:8, AR165:8, AR245:8, AR214:8, AR164:8, AR275:8, AR163:8, AR162:8, AR263:8, AR169:8, AR195:7, AR166:7, AR274:7, AR161:7, AR309:7, AR272:7, AR170:7, AR212:7, AR308:6, AR311:6, AR198:6, AR089:6, AR060:6, AR197:6, AR192:6, AR264:6, AR039:6, AR177:6, AR243:6, AR223:6, AR235:5, AR213:5, AR096:5, AR282:5, AR168:5, AR313:5, AR222:5, AR240:5, AR204:5, AR217:5, AR261:5, AR193:4, AR312:4, AR104:4, AR224:4, AR246:4, AR176:4, AR055:4, AR299:4, AR171:4, AR283:4, AR271:4, AR277:4, AR174:4, AR316:4, AR178:4, AR295:4, AR053:4, AR205:4, AR185:4, AR237:4, AR033:4, AR247:4, AR300:4, AR266:4, AR257:3, AR270:3, AR181:3, AR293:3, AR233:3, AR250:3, AR225:3, AR288:3, AR291:3, AR216:3, AR296:3, AR201:3, AR286:3, AR285:3, AR268:3, AR228:3, AR297:3, AR254:3, AR294:3, AR252:3, AR269:3, AR229:3, AR287:3, AR232:3, AR061:3, AR234:3, AR289:3, AR183:3, AR227:3, AR231:3, AR211:3, AR267:3, AR230:3, AR255:3, AR236:3, AR239:2, AR226:2, AR179:2, AR200:2, AR182:2, AR262:2, AR175:2, AR203:2, AR180:2, AR290:2, AR196:2, AR199:2, AR189:2, AR258:2, AR173:2, AR210:2, AR191:2, AR238:1, AR190:1, AR253:1, AR215:1, AR172:1 L0646:4, L0666:4, L0662:3, L0749:3, H0661:2, H0620:2, H0617:2, H0144:2, L0777:2, L0731:2, H0170:1, S0360:1, S0046:1, L0717:1, H0013:1, H0052:1, H0039:1, H0622:1, H0606:1, H0673:1, L0769:1, L0796:1, L5565:1, L5566:1, L0764:1, L0648:1, L0381:1, L0805:1, L0659:1, L0789:1, L0792:1, L0663:1, L0665:1, H0689:1, H0660:1, H0648:1, H0539:1, H0521:1, L0779:1 and L0603:1.
	HDPXY01	904768	392	
	HDPXY01	895716	393	
	HDPXY01	895715	394	
77	HDTBD53	972757	87	AR242:4, AR246:4, AR250:3, AR263:3, AR195:3, AR272:3, AR264:3, AR170:3, AR282:3, AR215:3, AR163:3, AR162:3, AR235:3, AR089:3, AR198:3, AR165:3, AR161:3, AR197:2, AR266:2, AR053:2, AR169:2, AR212:2, AR205:2, AR285:2, AR243:2, AR312:2, AR240:2, AR270:2, AR221:2, AR296:2, AR213:2, AR178:2, AR216:2, AR261:2, AR214:2, AR299:2, AR247:2, AR060:2, AR164:2, AR267:1, AR237:1, AR183:1, AR271:1, AR172:1, AR286:1, AR179:1, AR166:1, AR291:1, AR311:1, AR316:1, AR313:1, AR288:1, AR171:1, AR188:1, AR268:1, AR269:1, AR308:1, AR173:1, AR287:1, AR297:1, AR033:1 L0439:17, L0731:17, L0747:16, L0766:13, S0360:8, L0770:8, L0659:8, L0754:8, H0553:7, L0663:7, L0749:7, L0758:7, H0486:6, S0192:6, L0662:5, L0105:4, H0644:4, L0438:4, H0547:4, L0748:4, L0751:4, L0752:4, L0755:4, L0599:4, H0542:4, H0556:3, H0662:3, S0420:3, H0599:3, H0050:3, H0266:3, H0622:3, H0135:3, H0551:3, H0529:3, L0783:3, H0519:3, H0670:3, H0521:3, H0555:3, L0750:3, H0717:2, H0663:2, H0638:2, S0476:2, H0592:2, H0013:2,

				H0598:2, H0090:2, H0038:2, H0040:2, H0494:2, S0440:2, S0344:2, L0638:2, L0761:2, L0764:2, L0649:2, L0774:2, L0775:2, L0657:2, L0787:2, L0666:2, H0144:2, L0565:2, H0659:2, S0044:2, L0759:2, S0194:2, H0422:2, H0170:1, S0040:1, H0713:1, T0049:1, S0134:1, S0110:1, H0402:1, S0356:1, S0442:1, S0354:1, S0376:1, S0444:1, S0410:1, S0300:1, H0369:1, H0261:1, H0549:1, H0550:1, S0222:1, H0586:1, H0587:1, L0586:1, T0060:1, H0244:1, S0280:1, L0021:1, H0025:1, H0421:1, H0309:1, L0040:1, H0544:1, L0471:1, H0024:1, L0163:1, S0388:1, H0188:1, H0687:1, S0003:1, H0615:1, H0039:1, H0030:1, H0674:1, H0212:1, H0068:1, S0366:1, H0163:1, H0591:1, H0634:1, H0616:1, H0412:1, H0413:1, H0623:1, H0561:1, H0641:1, H0647:1, H0652:1, S0144:1, S0142:1, S0002:1, L0369:1, L0769:1, L5575:1, L5565:1, L3905:1, L5566:1, L0772:1, L0800:1, L0771:1, L0521:1, L0768:1, L0794:1, L0381:1, L0806:1, L0654:1, L0655:1, L0636:1, L0384:1, L0809:1, L0528:1, L0788:1, L0789:1, S0126:1, H0689:1, H0682:1, H0658:1, H0648:1, S0328:1, H0539:1, H0696:1, S0406:1, L0740:1, L0757:1, L0603:1, H0665:1, S0196:1, H0423:1 and S0460:1.
	HDTBD53	906342	395	
78	HDTBV77	785879	88	AR183:7, AR184:5, AR269:4, AR207:4, AR245:4, AR270:4, AR182:4, AR214:4, AR172:4, AR223:4, AR263:3, AR272:3, AR180:3, AR176:3, AR268:3, AR309:3, AR175:3, AR164:3, AR282:3, AR166:3, AR222:3, AR225:3, AR216:3, AR308:3, AR052:3, AR247:3, AR289:3, AR165:3, AR266:2, AR312:2, AR162:2, AR169:2, AR291:2, AR297:2, AR284:2, AR193:2, AR205:2, AR257:2, AR296:2, AR267:2, AR195:2, AR265:2, AR171:2, AR217:2, AR298:2, AR246:2, AR202:2, AR264:2, AR229:2, AR238:2, AR277:2, AR213:2, AR178:2, AR230:2, AR313:2, AR243:2, AR288:2, AR311:2, AR161:2, AR235:2, AR253:2, AR168:2, AR290:2, AR294:2, AR215:2, AR224:2, AR286:2, AR181:2, AR212:2, AR287:2, AR173:2, AR221:2, AR039:2, AR163:2, AR200:2, AR061:2, AR170:2, AR274:2, AR053:2, AR089:2, AR236:2, AR228:2, AR293:2, AR199:2, AR310:1, AR196:1, AR174:1, AR300:1, AR240:1, AR096:1, AR231:1, AR271:1, AR201:1, AR259:1, AR177:1, AR060:1, AR261:1, AR237:1, AR316:1, AR179:1, AR192:1, AR262:1, AR190:1, AR234:1, AR295:1, AR285:1, AR239:1, AR258:1, AR299:1, AR204:1, AR233:1, AR197:1, AR211:1, AR254:1 H0553:3, H0717:2, H0486:1, H0427:1, H0081:1, H0014:1, S0388:1, H0112:1, H0030:1, H0031:1, H0644:1, H0488:1, H0519:1, L0759:1, H0543:1 and H0506:1.
79	HDTDQ23	1306984	89	AR200:16, AR311:15, AR272:13, AR264:12, AR165:11, AR164:11, AR188:11, AR312:10, AR166:10, AR211:10, AR104:10, AR282:10, AR191:10, AR246:9, AR096:9, AR210:9, AR189:9, AR162:9, AR199:9, AR161:9, AR163:9, AR274:9, AR196:9, AR308:8, AR174:8, AR089:8, AR240:8, AR309:7, AR175:7, AR218:7, AR219:7, AR190:7, AR295:7, AR203:7, AR316:7, AR299:7, AR313:6, AR285:6, AR247:6, AR185:6, AR275:6, AR263:6, AR183:6, AR245:6, AR060:6, AR181:6, AR212:6, AR039:6, AR053:5, AR288:5, AR269:5, AR268:5, AR243:5, AR291:5, AR290:5, AR033:5, AR173:5, AR238:5, AR267:5, AR231:5, AR176:5, AR271:5, AR300:4, AR237:4, AR205:4, AR266:4, AR177:4, AR182:4, AR223:4, AR270:4, AR296:4, AR213:4, AR277:4, AR229:4, AR178:4, AR261:4, AR171:4, AR297:3, AR195:3, AR287:3, AR239:3, AR232:3, AR230:3, AR255:3, AR234:3, AR226:3, AR257:3, AR286:3, AR293:3, AR258:3, AR236:3, AR193:3, AR262:3, AR168:3, AR180:3, AR252:3, AR289:3, AR221:3, AR225:3, AR250:3, AR179:3, AR294:3, AR216:2, AR201:2, AR198:2, AR233:2, AR061:2, AR172:2, AR222:2, AR055:2, AR170:2, AR215:2, AR256:2, AR228:2, AR227:2, AR224:2, AR214:1, AR283:1, AR197:1, AR260:1, AR235:1, AR253:1 L0659:5, L0666:4, L0665:4, L2634:3, L0471:2, H0031:2, L0646:2, L0794:2, L0766:2, L0657:2, H0265:1, H0685:1, L0785:1, S0356:1, S0376:1, S0360:1, H0742:1, S0007:1, H0747:1, H0486:1, L2540:1, H0069:1, H0025:1, H0457:1, H0252:1, H0428:1, L0055:1, H0038:1, S0344:1, L0625:1, L0761:1, L0800:1, L0553:1, L0649:1, L0803:1, L0650:1, L0606:1, L3872:1, L0791:1, L0663:1, L0664:1, H0684:1, H0435:1,

				H0648:1, S0380:1, L3832:1, L0749:1, L0786:1, L0780:1, L0755:1, L0759:1, L0596:1, L0601:1, H0543:1 and H0422:1.
	HDTDQ23	879009	396	
	HDTDQ23	751707	397	
80	HE2DE47	619852	90	AR224:15, AR223:15, AR217:12, AR214:12, AR222:11, AR225:11, AR172:9, AR216:9, AR215:9, AR221:8, AR171:7, AR162:7, AR168:7, AR161:7, AR264:7, AR196:7, AR176:6, AR163:6, AR165:6, AR263:6, AR246:6, AR164:6, AR309:6, AR166:6, AR193:6, AR170:6, AR313:5, AR096:5, AR089:5, AR250:5, AR169:5, AR242:5, AR312:5, AR261:5, AR254:5, AR295:5, AR245:5, AR180:5, AR189:5, AR271:5, AR191:5, AR291:5, AR274:5, AR177:5, AR316:4, AR178:4, AR201:4, AR272:4, AR253:4, AR267:4, AR308:4, AR270:4, AR282:4, AR229:4, AR174:4, AR175:4, AR188:4, AR268:4, AR190:4, AR288:4, AR183:4, AR060:4, AR297:4, AR181:4, AR192:4, AR173:4, AR255:4, AR195:4, AR296:4, AR179:4, AR285:4, AR311:4, AR199:4, AR197:4, AR205:4, AR231:4, AR237:4, AR243:4, AR239:4, AR299:4, AR300:3, AR236:3, AR182:3, AR257:3, AR212:3, AR269:3, AR218:3, AR290:3, AR238:3, AR275:3, AR262:3, AR203:3, AR198:3, AR266:3, AR053:3, AR287:3, AR210:3, AR228:3, AR293:3, AR247:3, AR213:3, AR252:3, AR240:3, AR219:3, AR185:3, AR226:3, AR200:3, AR235:3, AR233:3, AR204:3, AR207:3, AR258:3, AR286:3, AR039:3, AR033:2, AR260:2, AR283:2, AR232:2, AR277:2, AR230:2, AR294:2, AR289:2, AR061:2, AR234:2, AR055:2, AR227:2, AR256:2, AR211:2, AR104:2 L0439:10, L0747:9, L0766:8, L0770:5, L0666:4, L0754:4, L0777:4, L0659:3, L0783:3, S0126:3, H0543:3, L0483:2, H0264:2, L0764:2, L0662:2, L0768:2, L0665:2, L0438:2, L0748:2, L0756:2, L0752:2, L0755:2, L0758:2, L0759:2, H0170:1, T0049:1, H0341:1, S0029:1, H0661:1, H0306:1, S0408:1, H0580:1, S0045:1, H0431:1, H0455:1, H0586:1, L0622:1, H0575:1, H0004:1, H0581:1, H0421:1, H0263:1, H0569:1, H0015:1, S0051:1, S0003:1, H0615:1, L0142:1, H0090:1, H0625:1, S0422:1, L0598:1, H0529:1, L0769:1, L0667:1, L0646:1, L0774:1, L0375:1, L0657:1, L0519:1, L0664:1, H0144:1, S0374:1, H0547:1, H0435:1, H0666:1, S0380:1, H0521:1, S0404:1, H0555:1, L0749:1, L0750:1, L0779:1, L0592:1, L0608:1, S0026:1 and H0542:1.
	HE2DE47	382025	398	
81	HE2EB74	513662	91	AR196:12, AR161:8, AR162:8, AR163:8, AR285:6, AR165:6, AR164:6, AR243:6, AR166:6, AR232:6, AR287:6, AR188:6, AR269:5, AR261:5, AR295:5, AR174:5, AR291:5, AR226:5, AR257:5, AR233:5, AR171:5, AR236:5, AR191:4, AR264:4, AR263:4, AR266:4, AR296:4, AR182:4, AR275:4, AR288:4, AR286:4, AR178:4, AR255:4, AR176:4, AR258:4, AR060:4, AR089:4, AR299:4, AR308:4, AR238:4, AR309:4, AR175:4, AR104:4, AR311:4, AR297:4, AR239:4, AR260:4, AR179:3, AR177:3, AR274:3, AR181:3, AR237:3, AR256:3, AR300:3, AR289:3, AR185:3, AR096:3, AR312:3, AR172:3, AR235:3, AR189:3, AR224:3, AR262:3, AR272:3, AR270:3, AR169:3, AR316:3, AR203:3, AR234:3, AR228:3, AR055:3, AR212:3, AR290:3, AR215:3, AR190:3, AR268:3, AR200:3, AR231:3, AR313:3, AR293:3, AR053:3, AR267:3, AR173:2, AR170:2, AR180:2, AR294:2, AR229:2, AR230:2, AR240:2, AR227:2, AR039:2, AR247:2, AR210:2, AR282:2, AR199:2, AR271:2, AR219:2, AR250:2, AR168:2, AR061:2, AR183:2, AR033:2, AR277:2, AR217:2, AR222:2, AR223:2, AR283:2, AR213:1, AR216:1, AR193:1 H0170:1, L0717:1, H0586:1, H0486:1, H0596:1, L0770:1, L0637:1, L0521:1, L0766:1, L0666:1, H0658:1, L0779:1, L0731:1, L0759:1 and H0543:1.
82	HE2NV57	740750	92	AR235:6, AR282:4, AR309:4, AR171:4, AR270:4, AR178:3, AR272:3, AR245:3, AR269:3, AR291:3, AR169:3, AR268:3, AR213:3, AR215:3, AR254:3, AR267:3, AR289:3, AR274:3, AR236:3, AR175:3, AR053:3, AR228:3, AR261:3, AR242:2, AR161:2, AR181:2, AR308:2, AR300:2, AR257:2, AR238:2, AR182:2, AR266:2, AR204:2, AR237:2, AR170:2, AR288:2,

				AR290:2, AR188:2, AR297:2, AR168:2, AR262:2, AR162:2, AR163:2, AR296:2, AR233:2, AR210:2, AR285:2, AR295:2, AR264:2, AR293:2, AR165:2, AR229:2, AR201:2, AR189:2, AR250:2, AR164:2, AR221:2, AR195:2, AR222:2, AR223:2, AR239:2, AR231:2, AR294:2, AR166:2, AR191:2, AR179:2, AR255:2, AR271:2, AR287:2, AR212:2, AR234:2, AR299:2, AR225:2, AR203:2, AR246:2, AR200:2, AR205:1, AR089:1, AR173:1, AR176:1, AR240:1, AR286:1, AR193:1, AR199:1, AR258:1, AR196:1, AR232:1, AR096:1, AR243:1, AR312:1, AR185:1, AR061:1, AR183:1, AR230:1, AR060:1 S0414:3, L0805:3, S0412:3, H0457:2, L0756:2, H0170:1, H0645:1, H0455:1, H0421:1, H0100:1, L0803:1, S0052:1, S0374:1, H0696:1 and L0743:1.
83	HE2PH36	570903	93	AR263:75, AR171:60, AR309:59, AR264:59, AR252:58, AR168:57, AR223:54, AR169:49, AR308:46, AR311:44, AR214:44, AR053:42, AR172:38, AR312:37, AR170:37, AR225:36, AR246:36, AR212:34, AR272:33, AR217:32, AR197:32, AR245:32, AR222:31, AR213:30, AR207:30, AR224:30, AR198:27, AR096:27, AR196:26, AR195:26, AR313:25, AR205:25, AR216:24, AR201:23, AR218:22, AR215:21, AR254:21, AR235:21, AR165:20, AR261:20, AR253:20, AR274:20, AR243:20, AR221:19, AR164:19, AR316:19, AR275:19, AR250:19, AR192:18, AR166:18, AR161:18, AR162:18, AR177:18, AR163:18, AR271:18, AR174:17, AR039:17, AR200:17, AR089:17, AR240:16, AR296:16, AR219:16, AR188:16, AR193:16, AR033:15, AR295:15, AR185:14, AR189:14, AR229:14, AR060:14, AR299:13, AR236:13, AR203:13, AR242:13, AR183:13, AR190:13, AR210:12, AR104:12, AR282:12, AR178:12, AR300:12, AR181:12, AR175:12, AR268:12, AR199:12, AR226:11, AR211:11, AR191:11, AR269:11, AR173:11, AR204:10, AR277:10, AR270:10, AR180:10, AR297:10, AR247:10, AR288:10, AR290:9, AR179:9, AR285:9, AR291:9, AR176:9, AR262:9, AR239:9, AR283:9, AR238:8, AR182:8, AR267:8, AR237:8, AR055:8, AR287:8, AR257:8, AR289:8, AR231:7, AR293:7, AR258:7, AR255:7, AR232:7, AR286:7, AR230:7, AR234:7, AR256:7, AR266:6, AR233:6, AR227:6, AR294:6, AR228:5, AR260:5, AR061:4 H0171:1, S0114:1 and S0356:1.
84	HE8DS15	847060	94	AR180:17, AR181:15, AR178:15, AR096:14, AR182:13, AR179:13, AR246:13, AR175:13, AR191:12, AR183:12, AR190:12, AR240:11, AR268:10, AR270:10, AR174:10, AR269:10, AR173:9, AR243:9, AR176:9, AR060:8, AR185:7, AR255:7, AR189:7, AR201:7, AR192:7, AR039:7, AR193:7, AR197:7, AR257:7, AR055:6, AR295:6, AR290:6, AR296:6, AR299:6, AR285:6, AR288:6, AR207:5, AR291:5, AR188:5, AR254:5, AR287:5, AR297:5, AR218:5, AR294:5, AR316:5, AR235:5, AR293:5, AR242:4, AR264:4, AR245:4, AR089:4, AR236:4, AR177:4, AR195:4, AR161:4, AR198:4, AR271:4, AR162:4, AR163:4, AR204:4, AR205:4, AR165:4, AR275:4, AR196:4, AR267:4, AR262:4, AR164:4, AR260:4, AR286:3, AR261:3, AR300:3, AR104:3, AR289:3, AR169:3, AR313:3, AR168:3, AR033:3, AR266:3, AR238:3, AR253:3, AR247:3, AR222:3, AR258:3, AR233:3, AR228:3, AR200:3, AR312:3, AR166:3, AR229:2, AR224:2, AR272:2, AR199:2, AR231:2, AR250:2, AR203:2, AR061:2, AR263:2, AR237:2, AR053:2, AR219:2, AR226:2, AR230:2, AR282:2, AR277:2, AR221:2, AR274:2, AR213:2, AR283:2, AR232:2, AR217:2, AR309:2, AR227:2, AR239:2, AR214:2, AR256:2, AR234:2, AR212:2, AR308:2, AR171:1, AR216:1, AR225:1, AR252:1, AR170:1 L0779:8, L0770:7, L0731:7, L0662:6, L0803:5, L0599:5, L0758:4, H0739:3, H0624:3, H0486:3, H0615:3, L0748:3, L0750:3, H0713:2, S0222:2, H0575:2, H0050:2, H0031:2, H0553:2, S0036:2, H0038:2, S0422:2, L0804:2, L0774:2, L0775:2, L0647:2, L0438:2, L0742:2, L0743:2, L0747:2, L0777:2, L0605:2, L0485:2, H0171:1, H0717:1, S0442:1, H0208:1, H0411:1, H0586:1, H0587:1, L3655:1, H0013:1, H0156:1, H0108:1, H0581:1, S0049:1, H0194:1, H0572:1, H0123:1, L0471:1, H0024:1, H0373:1, S0051:1, S6028:1, H0188:1, H0644:1, H0628:1, H0383:1, H0316:1, T0067:1, L0768:1, L0794:1, L0375:1, L0806:1, L0659:1, L0532:1,

				L0665:1, H0144:1, H0691:1, S0126:1, H0660:1, H0648:1, S0328:1, S0378:1, S0380:1, H0436:1, S0028:1, L0749:1, L0756:1, L0759:1, H0444:1, S0242:1 and H0352:1.
85	HE9CP41	560625	95	AR170:5, AR223:3, AR225:3, AR168:2, AR266:2, AR252:2, AR309:2, AR264:2, AR221:2, AR243:2, AR224:2, AR060:1, AR183:1, AR232:1, AR299:1, AR269:1, AR213:1, AR199:1, AR296:1, AR277:1, AR282:1, AR311:1 H0421:1 and H0144:1.
86	HE9DG49	1299935	96	AR223:36, AR214:32, AR225:26, AR299:18, AR215:15, AR216:15, AR310:15, AR312:14, AR281:13, AR280:13, AR265:12, AR309:12, AR277:12, AR282:12, AR314:11, AR300:11, AR263:11, AR052:11, AR315:11, AR217:10, AR053:10, AR246:9, AR218:9, AR219:9, AR241:9, AR231:9, AR205:8, AR168:8, AR264:8, AR308:8, AR268:8, AR206:8, AR186:8, AR244:7, AR290:7, AR275:7, AR172:7, AR311:7, AR169:7, AR267:7, AR210:7, AR161:7, AR162:7, AR096:7, AR171:6, AR163:6, AR165:6, AR089:6, AR247:6, AR164:6, AR273:6, AR202:6, AR271:6, AR201:6, AR194:6, AR213:6, AR166:6, AR192:5, AR170:5, AR198:5, AR061:5, AR269:5, AR195:5, AR183:5, AR242:5, AR224:5, AR212:5, AR184:5, AR204:5, AR313:5, AR238:5, AR316:5, AR221:5, AR243:5, AR197:4, AR270:4, AR207:4, AR245:4, AR234:4, AR222:4, AR249:4, AR251:4, AR193:4, AR254:4, AR228:4, AR235:4, AR176:4, AR240:4, AR232:4, AR173:4, AR181:4, AR229:4, AR175:4, AR237:4, AR189:4, AR185:3, AR211:3, AR039:3, AR177:3, AR055:3, AR230:3, AR253:3, AR188:3, AR233:3, AR292:3, AR033:3, AR200:3, AR266:3, AR261:3, AR199:3, AR180:3, AR203:3, AR272:3, AR060:3, AR274:3, AR182:3, AR196:3, AR239:3, AR226:2, AR236:2, AR174:2, AR295:2, AR190:2, AR191:2, AR289:2, AR257:2, AR178:2, AR227:2, AR293:2, AR252:2, AR298:2, AR291:2, AR250:2, AR179:2, AR294:2, AR283:2, AR262:2, AR256:2, AR287:2, AR259:2, AR285:2, AR104:1, AR258:1, AR297:1, AR284:1, AR288:1, AR296:1, AR255:1 L0740:10, L0755:7, H0556:4, H0251:4, S0358:3, L0766:3, S0420:2, S0444:2, S0408:2, L0483:2, H0413:2, S0440:2, L0772:2, L0764:2, L0768:2, L0775:2, L0743:2, L0747:2, H0218:1, S0040:1, S0212:1, S0442:1, S0360:1, S0046:1, S0476:1, H0549:1, H0036:1, H0046:1, H0687:1, H0646:1, L0369:1, L0770:1, L0363:1, L0649:1, L5568:1, L0774:1, L0806:1, L0783:1, L0791:1, L0792:1, L4501:1, L0666:1, L0663:1, L0665:1, H0144:1, H0726:1, H0658:1, S0380:1, H0752:1, H0134:1, S0028:1, L0754:1, L0731:1, L0757:1, H0445:1, H0343:1, S0011:1, H0668:1 and S0276:1.
	HE9DG49	658678	399	
	HE9DG49	382000	400	
87	HE9HY07	420063	97	AR172:5, AR201:4, AR266:4, AR170:4, AR269:4, AR182:4, AR168:4, AR039:4, AR176:4, AR228:4, AR169:4, AR236:4, AR254:4, AR165:4, AR257:3, AR164:3, AR233:3, AR253:3, AR191:3, AR166:3, AR183:3, AR181:3, AR229:3, AR264:3, AR268:3, AR178:3, AR231:3, AR237:3, AR270:3, AR180:3, AR283:3, AR179:3, AR053:3, AR197:3, AR190:3, AR096:3, AR060:3, AR239:3, AR055:3, AR177:3, AR238:3, AR255:3, AR193:3, AR312:3, AR061:3, AR250:3, AR235:3, AR267:3, AR230:3, AR185:3, AR288:2, AR175:2, AR293:2, AR196:2, AR262:2, AR246:2, AR316:2, AR287:2, AR033:2, AR294:2, AR089:2, AR247:2, AR313:2, AR173:2, AR243:2, AR300:2, AR234:2, AR271:2, AR290:2, AR199:2, AR297:2, AR277:2, AR286:2, AR224:2, AR223:2, AR309:2, AR289:2, AR200:2, AR174:2, AR296:2, AR232:2, AR163:2, AR226:2, AR211:2, AR285:2, AR222:2, AR299:2, AR261:2, AR189:2, AR205:2, AR162:2, AR203:2, AR295:2, AR240:2, AR227:2, AR171:2, AR260:1, AR214:1, AR216:1, AR311:1, AR212:1, AR188:1, AR219:1, AR291:1, AR221:1, AR272:1, AR308:1, AR161:1, AR245:1 H0615:1 and H0144:1.
88	HEBEJ18	701802	98	AR281:38, AR280:36, AR314:34, AR315:33, AR251:25, AR186:13, AR184:12, AR265:11, AR261:11, AR235:11,

			AR310:11, AR296:11, AR214:10, AR168:10, AR292:10, AR295:10, AR171:9, AR217:9, AR298:9, AR248:9, AR244:9, AR252:9, AR309:8, AR283:8, AR169:8, AR218:8, AR263:8, AR253:8, AR264:8, AR225:8, AR223:8, AR224:8, AR216:8, AR284:7, AR170:7, AR272:7, AR245:7, AR061:7, AR221:7, AR055:7, AR210:7, AR291:7, AR246:6, AR285:6, AR273:6, AR290:6, AR219:6, AR299:6, AR200:6, AR247:6, AR266:6, AR182:6, AR211:6, AR286:6, AR312:6, AR195:6, AR297:6, AR199:6, AR313:6, AR269:5, AR249:5, AR229:5, AR222:5, AR180:5, AR033:5, AR183:5, AR096:5, AR188:5, AR162:5, AR270:5, AR289:5, AR267:5, AR238:5, AR236:5, AR196:5, AR161:5, AR163:5, AR311:5, AR271:5, AR185:5, AR215:5, AR308:4, AR316:4, AR259:4, AR165:4, AR089:4, AR189:4, AR164:4, AR177:4, AR282:4, AR257:4, AR166:4, AR288:4, AR176:4, AR268:4, AR190:4, AR294:4, AR300:4, AR240:4, AR052:4, AR172:4, AR060:4, AR250:3, AR206:3, AR178:3, AR181:3, AR256:3, AR205:3, AR277:3, AR262:3, AR175:3, AR039:3, AR173:3, AR287:3, AR226:3, AR255:3, AR197:3, AR258:3, AR275:3, AR174:3, AR191:3, AR198:3, AR293:3, AR201:3, AR207:3, AR230:3, AR202:3, AR234:2, AR053:2, AR233:2, AR274:2, AR179:2, AR203:2, AR212:2, AR227:2, AR231:2, AR213:2, AR239:2, AR260:2, AR192:2, AR243:2, AR228:2, AR104:2, AR204:1, AR254:1, AR237:1, AR232:1, AR241:1 H0556:493, H0265:241, H0046:105, L0601:101, H0584:98, H0521:85, H0543:75, S0027:57, H0542:57, L0591:52, S0418:47, S0420:47, S3014:47, H0559:46, L0593:44, L0596:43, S0126:41, H0266:40, S0046:37, S0152:37, H0052:36, H0617:35, H0056:34, H0134:34, S0040:32, S0212:32, L0595:32, H0069:31, H0561:31, H0286:30, H0585:29, S0132:28, H0083:28, L0666:27, S0278:25, H0657:24, H0341:23, H0623:23, H0494:23, H0575:22, L0592:22, S0045:21, H0666:21, L0588:21, S0344:20, L0663:20, L0751:20, H0090:19, L0775:19, S0194:19, H0125:18, H0618:18, H0135:18, H0318:17, S0022:17, H0424:17, T0042:17, L0659:17, L0748:17, S0011:17, S0192:17, H0013:16, H0040:16, S0360:15, T0040:15, H0292:15, H0063:15, H0136:15, H0167:14, H0599:14, H0124:14, H0087:14, L0664:14, H0144:14, H0519:14, H0658:14, H0518:14, S0037:14, H0250:13, H0253:13, H0457:13, S0144:13, L0653:13, L0747:13, L0750:13, T0002:12, H0141:12, H0140:12, H0580:12, S0222:12, H0581:12, T0110:12, H0288:12, H0628:12, H0551:12, H0641:12, S0002:12, L0662:12, S0028:12, S0032:12, L0757:12, H0370:11, H0014:11, H0290:11, H0412:11, S0150:11, L0754:11, L0608:11, H0665:11, H0667:11, S0424:11, H0333:10, S6028:10, H0284:10, H0634:10, H0522:10, L0744:10, H0445:10, H0650:9, S0358:9, T0039:9, H0620:9, H0591:9, H0560:9, L0372:9, H0435:9, L0439:9, L0755:9, L0597:9, H0352:9, H0257:8, H0486:8, L0471:8, S0036:8, H0264:8, H0100:8, H0625:8, L0363:8, L0378:8, L0382:8, L0665:8, H0631:8, L0740:8, H0423:8, H0255:7, S0007:7, H0431:7, H0586:7, H0497:7, H0492:7, H0635:7, S0049:7, H0038:7, H0059:7, H0529:7, L0369:7, L0774:7, L0654:7, L0657:7, H0670:7, H0660:7, L0742:7, L0752:7, L0731:7, L0599:7, S0342:6, H0295:6, H0638:6, S0468:6, H0587:6, H0309:6, T0115:6, H0545:6, H0123:6, H0622:6, H0644:6, H0606:6, H0616:6, S0210:6, S0426:6, L0381:6, L0388:6, L0655:6, L0383:6, H0520:6, H0689:6, H0672:6, L0602:6, H0214:6, H0626:6, H0159:5, H0661:5, H0619:5, L0717:5, H0544:5, H0050:5, H0012:5, H0024:5, T0010:5, H0594:5, H0188:5, S0003:5, H0213:5, H0181:5, H0268:5, S0038:5, H0429:5, H0646:5, S0142:5, S0208:5, L0763:5, L0770:5, L0646:5, L0767:5, L0776:5, L0565:5, H0547:5, H0682:5, H0659:5, S0328:5, H0555:5, H0627:5, L0758:5, H0668:5, S0196:5, H0624:4, T0049:4, S0116:4, H0662:4, H0402:4, H0550:4, H0441:4, H0438:4, H0643:4, T0109:4, H0075:4, H0156:4, S0010:4, S0346:4, S0182:4, H0327:4, H0546:4, H0051:4, S0051:4, H0553:4, L0456:4, H0413:4, L0637:4, L0764:4, L0648:4, L0768:4, L0375:4, L0518:4, H0690:4, L0745:4, L0777:4, L0589:4, H0422:4, H0218:3, S0134:3, H0664:3, H0458:3, S0356:3, S0354:3, S0376:3, H0261:3, H0549:3, H0455:3, T0060:3, H0427:3, H0042:3, T0082:3, H0036:3, H0590:3, H0421:3, H0196:3, H0194:3, H0204:3, H0086:3, H0510:3, H0375:3, H0267:3,

				H0615:3, H0039:3, T0006:3, H0068:3, H0163:3, H0272:3, L0564:3, H0280:3, H0130:3, L0769:3, L0771:3, L0387:3, L0376:3, L0368:3, H0648:3, S0330:3, H0539:3, S0044:3, S0390:3, S0260:3, H0444:3, L0587:3, H0653:3, L0600:3, H0170:2, H0149:2, H0686:2, H0685:2, H0294:2, S0114:2, H0583:2, S0180:2, S0298:2, S0282:2, H0306:2, H0449:2, H0459:2, H0675:2, H0747:2, H0393:2, S0300:2, H0437:2, H0592:2, S0005:2, H0574:2, H0256:2, L0623:2, L0586:2, T0103:2, H0150:2, H0041:2, N0006:2, H0172:2, H0081:2, H0200:2, N0007:2, H0071:2, H0355:2, S0312:2, S0250:2, H0328:2, H0688:2, L0483:2, H0033:2, H0031:2, L0142:2, L0143:2, H0032:2, L0455:2, S0366:2, H0316:2, H0598:2, L0351:2, H0366:2, H0509:2, H0132:2, H0647:2, S0422:2, L0762:2, L0638:2, L0642:2, L0521:2, L0386:2, L0804:2, L0540:2, S0006:2, S0148:2, S0380:2, H0710:2, H0576:2, S0392:2, S0206:2, L0741:2, L0779:2, L0753:2, H0595:2, S0436:2, L0605:2, L0590:2, L0604:2, L0366:2, H0216:2, H0395:1, H0219:1, H0224:1, H0225:1, H0161:1, H0220:1, H0158:1, H0222:1, S6024:1, H0656:1, L0785:1, L3814:1, H0419:1, S0001:1, H0484:1, H0254:1, H0671:1, H0176:1, L3659:1, H0305:1, S0348:1, L0005:1, T0008:1, L0428:1, L3645:1, H0637:1, H0208:1, H0645:1, S6026:1, H0351:1, L0394:1, S0220:1, H0392:1, H0357:1, H0409:1, H0403:1, H0282:1, H0600:1, H0362:1, H0331:1, H0491:1, H0485:1, H0270:1, T0112:1, H0098:1, H0122:1, H0390:1, T0048:1, H0505:1, H0251:1, H0085:1, H0183:1, H0205:1, H0597:1, H0231:1, H0121:1, H0439:1, L0041:1, H0009:1, N0003:1, S0050:1, L0163:1, S0388:1, H0275:1, H0399:1, H0354:1, H0271:1, H0416:1, S0318:1, S0316:1, S0214:1, H0428:1, H0604:1, H0180:1, H0182:1, L0055:1, H0165:1, H0166:1, H0673:1, H0674:1, H0361:1, H0189:1, H0400:1, T0067:1, H0379:1, H0488:1, H0433:1, H0269:1, H0022:1, T0041:1, H0512:1, L0475:1, S0382:1, S0464:1, S0306:1, S0440:1, H0131:1, H0633:1, H0026:1, L0520:1, L0640:1, L0371:1, L0667:1, L0772:1, L0373:1, L0374:1, L0765:1, L0773:1, L0766:1, L0561:1, L0650:1, L0651:1, L0806:1, L0661:1, L0629:1, L0628:1, L0527:1, L0636:1, L0542:1, L0526:1, L0783:1, L0790:1, S0052:1, S0428:1, H0684:1, H0187:1, H0436:1, H0478:1, L0609:1, L0612:1, L0780:1, L0759:1, L0581:1, L0361:1, H0217:1, S0276:1, S0042:1 and H0775:1.
89	HEEAQ11	777843	99	AR271:5, AR060:4, AR055:4, AR163:4, AR162:3, AR197:3, AR177:3, AR201:3, AR165:3, AR192:3, AR204:3, AR309:3, AR274:3, AR161:3, AR166:3, AR193:3, AR235:3, AR198:3, AR289:3, AR240:3, AR252:3, AR282:2, AR205:2, AR223:2, AR246:2, AR168:2, AR312:2, AR172:2, AR185:2, AR296:2, AR089:2, AR264:2, AR266:2, AR164:2, AR275:2, AR250:2, AR243:2, AR272:2, AR104:2, AR300:2, AR180:2, AR293:2, AR171:2, AR181:2, AR290:2, AR291:2, AR233:2, AR255:2, AR096:2, AR297:2, AR286:2, AR176:2, AR283:2, AR225:2, AR213:2, AR061:2, AR169:2, AR261:2, AR263:2, AR053:2, AR288:2, AR299:2, AR170:2, AR316:2, AR247:2, AR254:2, AR207:2, AR308:2, AR311:2, AR287:2, AR182:2, AR277:2, AR178:1, AR294:1, AR218:1, AR174:1, AR188:1, AR295:1, AR196:1, AR228:1, AR203:1, AR313:1, AR285:1, AR222:1, AR237:1, AR257:1, AR224:1, AR229:1, AR190:1, AR234:1, AR200:1, AR195:1, AR239:1, AR268:1, AR179:1, AR232:1 L0758:4, L0794:3, H0549:2, H0038:2, L0768:2, L0779:2 and L0767:1.
90	HEGAH43	532596	100	AR161:7, AR163:6, AR162:6, AR176:6, AR263:4, AR275:4, AR269:4, AR266:4, AR216:4, AR214:4, AR183:4, AR192:4, AR233:4, AR235:4, AR270:4, AR267:4, AR228:4, AR309:4, AR261:3, AR172:3, AR236:3, AR272:3, AR264:3, AR182:3, AR217:3, AR288:3, AR293:3, AR257:3, AR274:3, AR178:3, AR169:3, AR245:3, AR229:3, AR255:3, AR311:3, AR268:3, AR177:3, AR294:3, AR262:3, AR166:3, AR179:3, AR175:3, AR170:3, AR224:3, AR287:3, AR164:3, AR282:3, AR238:3, AR239:3, AR171:3, AR191:3, AR237:3, AR061:3, AR291:3, AR221:2, AR181:2, AR234:2, AR173:2, AR196:2, AR231:2, AR240:2, AR252:2, AR285:2, AR286:2, AR190:2, AR290:2, AR300:2, AR168:2, AR174:2, AR185:2, AR289:2, AR165:2, AR308:2, AR227:2, AR295:2, AR223:2, AR232:2, AR188:2, AR297:2, AR201:2, AR256:2, AR189:2, AR104:2, AR200:2,

				AR247:2, AR226:2, AR060:2, AR225:2, AR089:1, AR230:1, AR312:1, AR258:1, AR211:1, AR316:1, AR199:1, AR210:1, AR212:1, AR277:1, AR180:1, AR203:1, AR033:1, AR299:1, AR055:1, AR260:1 L0758:5, H0550:1, S0374:1 and L0779:1.
91	HELHD85	847372	101	AR263:4, AR221:2, AR233:2, AR225:2, AR287:2, AR271:2, AR214:2, AR198:2, AR296:2, AR196:1, AR282:1, AR172:1, AR269:1, AR313:1, AR264:1, AR216:1 L0743:3, S0408:2, S0022:2, L0772:2, L0805:2, L0749:2, S0242:2, H0716:1, S0116:1, H0662:1, S0360:1, S0045:1, H0392:1, H0455:1, L0021:1, H0599:1, T0082:1, H0309:1, H0046:1, H0086:1, H0024:1, H0628:1, H0617:1, H0606:1, H0487:1, H0509:1, L0763:1, L0646:1, L0641:1, L0649:1, L0803:1, L0652:1, L0629:1, L0659:1, L0787:1, L0665:1, S0053:1, S0027:1, S0032:1, L0744:1, L0751:1, L0747:1 and L0779:1.
92	HEOMQ63	603533	102	AR039:7, AR221:4, AR271:4, AR309:3, AR283:3, AR252:3, AR171:3, AR162:3, AR180:3, AR163:3, AR243:3, AR217:3, AR161:3, AR176:3, AR165:3, AR213:3, AR282:3, AR164:3, AR291:3, AR296:3, AR245:2, AR235:2, AR089:2, AR263:2, AR231:2, AR246:2, AR297:2, AR313:2, AR224:2, AR172:2, AR195:2, AR174:2, AR286:2, AR168:2, AR060:2, AR289:2, AR201:2, AR294:2, AR177:2, AR300:2, AR225:2, AR211:2, AR179:2, AR229:1, AR240:1, AR205:1, AR239:1, AR285:1, AR299:1, AR257:1, AR264:1, AR212:1, AR166:1, AR316:1, AR287:1, AR227:1, AR247:1, AR270:1, AR170:1, AR216:1, AR096:1, AR237:1, AR104:1 L0766:3, L0777:2, S0116:1, S0376:1, H0457:1, S0440:1, L0771:1, L0803:1, L0804:1, L0657:1, L0659:1, H0525:1, S0406:1 and L0750:1.
93	HEPAA46	596830	103	AR215:19, AR245:4, AR221:4, AR224:3, AR282:3, AR053:3, AR252:3, AR309:3, AR176:2, AR162:2, AR169:2, AR266:2, AR166:2, AR263:2, AR214:2, AR161:2, AR163:2, AR172:2, AR183:2, AR165:2, AR177:2, AR164:2, AR182:2, AR313:2, AR264:2, AR283:2, AR193:2, AR236:1, AR175:1, AR217:1, AR233:1, AR286:1, AR171:1, AR257:1, AR223:1, AR277:1, AR297:1, AR255:1, AR296:1, AR289:1, AR295:1, AR207:1, AR204:1, AR267:1, AR181:1, AR033:1, AR180:1, AR234:1, AR179:1, AR299:1, AR271:1, AR188:1, AR230:1, AR262:1, AR178:1, AR287:1, AR229:1, AR201:1, AR270:1, AR291:1, AR185:1, AR247:1, AR205:1, AR170:1, AR294:1, AR290:1, AR212:1, AR237:1 H0549:3, H0150:2, L0779:2 and L0758:1.
94	HEPAB80	1307790	104	AR191:117, AR190:89, AR245:79, AR271:76, AR175:71, AR178:66, AR189:63, AR240:60, AR246:60, AR269:58, AR174:58, AR188:56, AR196:55, AR180:54, AR197:54, AR176:53, AR183:53, AR211:52, AR274:50, AR182:47, AR177:47, AR207:45, AR192:44, AR235:44, AR270:44, AR179:43, AR181:41, AR268:41, AR312:40, AR264:40, AR261:39, AR165:39, AR166:39, AR263:38, AR250:38, AR164:37, AR290:37, AR252:37, AR266:35, AR200:34, AR291:34, AR210:34, AR285:33, AR255:32, AR243:32, AR295:31, AR247:30, AR254:29, AR308:28, AR236:28, AR275:28, AR201:28, AR173:28, AR033:27, AR163:26, AR267:26, AR238:26, AR195:25, AR198:25, AR253:25, AR287:25, AR193:25, AR161:24, AR260:24, AR311:24, AR288:23, AR297:23, AR162:21, AR205:21, AR294:21, AR239:20, AR256:20, AR313:20, AR289:20, AR096:20, AR060:20, AR262:19, AR300:18, AR258:18, AR185:18, AR226:17, AR272:17, AR257:17, AR219:17, AR232:16, AR039:16, AR316:16, AR293:15, AR237:15, AR296:15, AR309:15, AR282:14, AR234:14, AR224:14, AR231:13, AR053:13, AR233:13, AR203:13, AR229:13, AR286:12, AR299:12, AR199:12, AR172:11, AR222:11, AR221:11, AR212:11, AR061:11, AR089:11, AR277:10, AR169:10, AR230:10, AR242:10, AR104:10, AR223:10, AR213:9, AR228:9, AR168:9, AR218:9, AR170:8, AR204:8, AR225:8, AR227:7, AR216:6, AR214:6, AR055:5, AR171:5, AR283:5, AR215:3, AR217:2 H0150:1
	HEPAB80	570048	401	

95	HFABG18	847073	105	AR292:14, AR186:12, AR241:10, AR194:9, AR273:9, AR052:8, AR202:8, AR061:8, AR282:7, AR291:7, AR206:7, AR298:7, AR284:7, AR274:7, AR275:6, AR295:6, AR184:6, AR251:6, AR244:6, AR238:5, AR204:5, AR226:5, AR310:4, AR232:4, AR286:4, AR248:4, AR296:4, AR033:4, AR289:4, AR285:4, AR266:4, AR246:4, AR243:4, AR055:4, AR198:4, AR312:4, AR224:4, AR309:4, AR269:4, AR283:3, AR299:3, AR227:3, AR231:3, AR237:3, AR192:3, AR265:3, AR267:3, AR268:3, AR253:3, AR270:3, AR259:3, AR290:3, AR053:3, AR249:3, AR193:3, AR183:3, AR300:3, AR060:3, AR182:3, AR213:3, AR233:3, AR229:3, AR172:3, AR294:3, AR247:3, AR216:3, AR313:3, AR225:3, AR185:3, AR293:3, AR205:3, AR218:2, AR168:2, AR277:2, AR195:2, AR089:2, AR234:2, AR261:2, AR215:2, AR271:2, AR219:2, AR177:2, AR235:2, AR263:2, AR171:2, AR096:2, AR316:2, AR176:2, AR245:2, AR240:2, AR175:2, AR308:2, AR272:2, AR257:2, AR163:2, AR256:2, AR104:1, AR165:1, AR166:1, AR315:1, AR297:1, AR169:1, AR164:1, AR039:1, AR280:1, AR255:1, AR287:1 L0743:7, L0747:6, L0758:6, L0766:5, L0666:5, L0754:5, L0750:5, L0662:4, L0783:4, L0665:4, L0751:4, L0777:4, H0170:3, S0132:3, L0503:3, L0500:3, L0769:3, L0774:3, L0805:3, L0809:3, L0565:3, L0749:3, L0757:3, L0596:3, S0360:2, H0013:2, H0024:2, H0617:2, H0673:2, L0641:2, L0773:2, L0768:2, L0649:2, L0499:2, L0375:2, L0659:2, L0664:2, H0658:2, L0744:2, L0748:2, L0740:2, L0745:2, L0603:2, H0265:1, H0556:1, S6024:1, H0661:1, H0662:1, S0418:1, T0008:1, H0351:1, S0222:1, H0370:1, T0039:1, L0015:1, S0280:1, H0575:1, H0004:1, H0618:1, H0596:1, H0231:1, H0545:1, H0009:1, H0012:1, S0388:1, S0051:1, H0292:1, H0688:1, H0644:1, L0055:1, H0674:1, H0124:1, H0598:1, H0087:1, S0440:1, S0150:1, S0142:1, L0763:1, L0770:1, L0764:1, L0771:1, L0794:1, L0650:1, L0651:1, L0378:1, L0776:1, L0655:1, L0629:1, L0657:1, L0493:1, L0634:1, L0528:1, H0144:1, H0547:1, H0690:1, H0682:1, H0670:1, S0328:1, H0518:1, H0436:1, L0746:1, L0756:1, L0779:1, L0780:1, L0731:1, H0445:1, S0434:1, L0592:1, L0595:1, H0668:1, S0194:1, H0506:1 and H0008:1.
96	HFABH95	566712	106	AR173:16, AR162:14, AR161:14, AR163:13, AR180:12, AR178:11, AR257:11, AR262:11, AR191:11, AR196:10, AR181:10, AR226:10, AR174:10, AR297:10, AR255:9, AR165:9, AR238:9, AR313:9, AR287:8, AR164:8, AR199:8, AR258:8, AR166:8, AR176:8, AR240:8, AR236:8, AR179:8, AR183:8, AR261:8, AR264:7, AR288:7, AR260:7, AR225:7, AR182:7, AR242:7, AR230:7, AR200:7, AR089:7, AR229:7, AR247:7, AR203:7, AR189:7, AR227:7, AR234:6, AR188:6, AR061:6, AR237:6, AR231:6, AR175:6, AR228:6, AR269:6, AR270:6, AR233:6, AR300:6, AR296:6, AR299:6, AR221:5, AR254:5, AR239:5, AR293:5, AR060:5, AR193:5, AR223:5, AR185:5, AR190:5, AR217:5, AR232:5, AR171:5, AR215:5, AR245:5, AR212:5, AR216:5, AR274:5, AR294:5, AR290:5, AR282:4, AR291:4, AR266:4, AR316:4, AR169:4, AR268:4, AR204:4, AR285:4, AR267:4, AR218:4, AR210:4, AR096:4, AR177:4, AR311:4, AR246:4, AR184:4, AR277:4, AR170:4, AR286:4, AR272:4, AR192:4, AR033:4, AR235:4, AR312:4, AR308:4, AR275:3, AR263:3, AR053:3, AR214:3, AR253:3, AR309:3, AR172:3, AR202:3, AR201:3, AR168:3, AR197:3, AR211:3, AR224:3, AR289:3, AR198:3, AR213:3, AR219:3, AR195:3, AR052:3, AR104:3, AR207:3, AR295:2, AR256:2, AR222:2, AR205:2, AR271:2, AR039:2, AR186:2, AR243:2, AR283:2, AR055:2, AR273:2, AR206:1, AR244:1, AR252:1 S6024:1, S0430:1, H0039:1, H0056:1 and H0660:1.
97	HFAEF57	534142	107	AR241:14, AR161:14, AR162:13, AR163:13, AR313:10, AR242:10, AR201:10, AR165:9, AR164:9, AR252:9, AR197:9, AR194:9, AR053:9, AR166:9, AR198:8, AR245:8, AR236:8, AR192:8, AR176:8, AR206:8, AR250:8, AR212:8, AR235:8, AR196:7, AR271:7, AR186:7, AR052:7, AR173:7, AR204:7, AR246:7, AR253:7, AR263:7, AR207:7, AR191:7, AR275:7, AR180:7, AR226:7, AR272:7, AR247:7, AR181:6, AR299:6, AR089:6, AR195:6, AR293:6, AR244:6, AR193:6, AR312:6, AR213:6, AR229:6, AR039:6, AR280:6, AR251:6, AR188:6, AR202:6, AR309:6, AR287:6, AR264:6, AR238:6, AR273:6,

				AR174:6, AR177:6, AR240:6, AR257:6, AR237:5, AR243:5, AR061:5, AR233:5, AR228:5, AR261:5, AR184:5, AR182:5, AR262:5, AR185:5, AR300:5, AR270:5, AR096:5, AR189:5, AR190:5, AR274:5, AR248:5, AR205:5, AR315:5, AR183:5, AR175:5, AR288:5, AR169:5, AR033:5, AR297:5, AR269:5, AR199:5, AR178:5, AR249:5, AR295:5, AR308:4, AR055:4, AR223:4, AR254:4, AR060:4, AR104:4, AR216:4, AR296:4, AR227:4, AR290:4, AR221:4, AR266:4, AR232:4, AR239:4, AR311:4, AR179:4, AR298:4, AR200:4, AR231:4, AR285:4, AR255:4, AR268:4, AR286:4, AR267:4, AR282:4, AR230:4, AR294:4, AR316:4, AR214:4, AR234:4, AR168:4, AR277:3, AR258:3, AR291:3, AR170:3, AR217:3, AR203:3, AR292:3, AR171:3, AR289:3, AR310:3, AR265:3, AR215:3, AR259:3, AR284:3, AR225:2, AR281:2, AR219:2, AR218:2, AR283:2, AR222:2, AR314:2, AR260:2, AR210:2, AR172:2, AR224:2, AR211:1, AR256:1 S6024:1
98	HFAMH77	543486	108	AR295:13, AR296:13, AR218:11, AR285:10, AR287:9, AR261:9, AR219:8, AR096:8, AR264:7, AR297:7, AR055:7, AR291:7, AR313:7, AR294:6, AR060:6, AR288:6, AR286:6, AR170:6, AR255:6, AR039:6, AR262:6, AR293:5, AR283:5, AR316:5, AR053:5, AR221:5, AR104:5, AR309:5, AR263:4, AR254:4, AR089:4, AR257:4, AR240:4, AR229:4, AR312:4, AR258:4, AR271:4, AR217:4, AR161:4, AR177:4, AR162:4, AR299:4, AR311:4, AR245:4, AR193:3, AR260:3, AR246:3, AR163:3, AR212:3, AR270:3, AR266:3, AR289:3, AR174:3, AR308:3, AR250:3, AR253:3, AR178:3, AR165:3, AR191:3, AR171:3, AR275:3, AR213:3, AR282:3, AR164:3, AR181:3, AR166:3, AR169:3, AR300:3, AR267:3, AR268:3, AR175:3, AR173:3, AR189:3, AR236:3, AR269:3, AR172:3, AR185:3, AR182:3, AR180:3, AR198:3, AR252:3, AR290:3, AR274:2, AR226:2, AR228:2, AR238:2, AR247:2, AR239:2, AR211:2, AR233:2, AR188:2, AR200:2, AR256:2, AR237:2, AR232:2, AR203:2, AR234:2, AR190:2, AR183:2, AR201:2, AR231:2, AR199:2, AR224:2, AR179:2, AR277:2, AR272:2, AR214:2, AR235:1, AR061:1, AR210:1, AR176:1, AR196:1, AR230:1, AR216:1 L0771:5, L0805:4, S0007:3, L0794:3, L0439:3, L0758:3, H0657:2, L0662:2, L0766:2, L0659:2, H0670:2, L0731:2, L0757:2, S0436:2, H0624:1, S0134:1, S0356:1, S0408:1, H0733:1, H0747:1, H0486:1, L3653:1, S0474:1, H0581:1, H0327:1, H0545:1, H0373:1, H0622:1, L0770:1, L0769:1, L0761:1, L0644:1, L0803:1, L0774:1, L0655:1, L0438:1, H0539:1, H0521:1, H0555:1, L0741:1, L0748:1, L0779:1 and S0031:1.
99	HFCCQ50	579993	109	AR214:58, AR274:55, AR216:54, AR217:51, AR222:50, AR245:47, AR223:47, AR272:46, AR199:45, AR224:43, AR169:42, AR168:39, AR308:38, AR225:38, AR205:36, AR251:35, AR212:35, AR221:35, AR264:33, AR171:33, AR165:32, AR313:31, AR213:31, AR164:31, AR162:30, AR166:30, AR210:30, AR247:30, AR161:30, AR172:30, AR170:29, AR215:29, AR309:29, AR163:29, AR312:28, AR273:28, AR189:28, AR188:28, AR053:28, AR178:27, AR180:27, AR173:26, AR236:25, AR254:25, AR183:24, AR197:23, AR250:23, AR179:22, AR263:22, AR174:22, AR246:22, AR311:22, AR190:22, AR218:22, AR310:21, AR052:20, AR253:20, AR195:20, AR262:19, AR211:19, AR256:19, AR300:19, AR252:18, AR242:18, AR175:18, AR299:18, AR255:18, AR297:18, AR288:17, AR271:17, AR240:17, AR269:17, AR219:17, AR275:17, AR089:17, AR282:17, AR270:17, AR261:16, AR243:16, AR176:16, AR257:16, AR230:16, AR096:15, AR316:15, AR258:15, AR181:15, AR268:15, AR260:15, AR266:15, AR293:15, AR201:15, AR265:14, AR267:14, AR290:14, AR291:14, AR193:14, AR200:13, AR191:13, AR203:13, AR039:13, AR296:13, AR060:12, AR196:12, AR283:12, AR289:12, AR239:12, AR229:12, AR277:12, AR198:12, AR182:12, AR177:12, AR204:11, AR185:11, AR287:11, AR237:11, AR295:11, AR231:11, AR244:10, AR192:10, AR248:10, AR238:10, AR280:9, AR286:9, AR315:9, AR104:9, AR285:9, AR249:9, AR226:9, AR294:9, AR235:8, AR234:8, AR314:8, AR033:8, AR228:8, AR186:8, AR233:7, AR292:7, AR232:7, AR241:6, AR061:6, AR207:5, AR055:5, AR227:5, AR259:5,

				AR206:4, AR281:2, AR298:2, AR184:2, AR284:1, AR194:1 S0476:1, L0803:1, L0666:1 and L0608:1.
100	HFCEB37	411345	110	AR282:18, AR176:14, AR269:13, AR183:11, AR173:11, AR201:11, AR182:11, AR252:11, AR204:11, AR193:11, AR294:10, AR243:9, AR233:9, AR236:9, AR197:9, AR162:9, AR161:9, AR270:9, AR163:9, AR178:9, AR165:9, AR217:9, AR225:9, AR175:9, AR231:9, AR181:9, AR089:8, AR215:8, AR164:8, AR207:8, AR170:8, AR216:8, AR166:8, AR172:8, AR268:8, AR221:8, AR291:8, AR169:8, AR179:8, AR261:8, AR235:8, AR205:8, AR224:8, AR039:7, AR180:7, AR060:7, AR242:7, AR267:7, AR228:7, AR168:7, AR223:7, AR290:7, AR198:7, AR296:7, AR266:7, AR285:7, AR287:7, AR316:7, AR174:7, AR257:7, AR237:7, AR271:7, AR245:7, AR313:7, AR033:7, AR229:7, AR192:7, AR255:7, AR250:7, AR288:7, AR191:6, AR254:6, AR096:6, AR177:6, AR055:6, AR195:6, AR246:6, AR238:6, AR222:6, AR240:6, AR239:6, AR262:6, AR293:6, AR247:6, AR300:6, AR289:6, AR264:6, AR214:6, AR299:6, AR188:6, AR297:6, AR190:6, AR171:6, AR253:6, AR200:6, AR295:5, AR053:5, AR185:5, AR226:5, AR196:5, AR309:5, AR274:5, AR312:5, AR234:5, AR189:5, AR286:5, AR061:4, AR308:4, AR227:4, AR275:4, AR104:4, AR263:4, AR258:4, AR218:4, AR203:4, AR232:4, AR272:4, AR230:4, AR277:4, AR256:4, AR212:3, AR199:3, AR210:3, AR211:3, AR311:3, AR283:3, AR219:3, AR213:3, AR260:2 S0222:2, L0438:2, S0134:1, S0045:1, H0747:1, H0013:1, H0009:1, S6028:1, L0598:1, L0532:1, S0052:1, H0696:1, S0146:1, L0439:1, L0777:1 and L0366:1.
101	HFFAD59	520369	111	AR225:3, AR162:3, AR161:3, AR271:3, AR183:2, AR180:2, AR282:2, AR217:2, AR254:2, AR198:2, AR291:2, AR175:2, AR288:2, AR177:2, AR201:2, AR163:2, AR267:2, AR224:2, AR295:2, AR266:2, AR312:2, AR173:2, AR277:2, AR311:2, AR238:2, AR033:2, AR193:2, AR228:2, AR294:2, AR195:2, AR275:1, AR243:1, AR272:1, AR205:1, AR174:1, AR213:1, AR293:1, AR308:1, AR229:1, AR233:1, AR285:1, AR247:1, AR269:1, AR181:1, AR182:1, AR230:1, AR296:1, AR185:1, AR240:1, AR297:1, AR258:1 H0172:2
102	HFFAL36	560639	112	AR272:6, AR223:6, AR205:6, AR308:6, AR225:5, AR053:5, AR224:5, AR252:5, AR296:5, AR245:4, AR266:4, AR212:4, AR246:4, AR169:4, AR222:4, AR312:3, AR311:3, AR285:3, AR242:3, AR197:3, AR213:3, AR289:2, AR287:2, AR221:2, AR180:2, AR200:2, AR286:2, AR270:2, AR039:2, AR264:2, AR183:2, AR295:2, AR195:2, AR181:2, AR172:2, AR196:2, AR271:2, AR238:2, AR269:2, AR257:2, AR033:2, AR282:2, AR233:2, AR297:1, AR171:1, AR089:1, AR240:1, AR237:1, AR096:1, AR258:1, AR215:1, AR185:1, AR262:1, AR228:1, AR239:1, AR277:1, AR230:1, AR207:1, AR231:1, AR229:1, AR260:1, AR253:1, AR313:1, AR104:1, AR217:1, AR293:1, AR177:1, AR255:1 H0172:1, L0500:1, L0512:1, L0748:1, L0749:1, L0777:1 and L0096:1.
103	HFGAD82	513669	113	AR104:18, AR033:14, AR222:7, AR162:6, AR161:6, AR163:6, AR309:6, AR207:5, AR224:5, AR282:5, AR178:4, AR053:4, AR274:4, AR089:4, AR195:4, AR272:4, AR165:4, AR289:3, AR164:3, AR166:3, AR308:3, AR246:3, AR312:3, AR183:3, AR223:3, AR197:3, AR192:3, AR252:3, AR277:3, AR261:3, AR039:3, AR245:3, AR176:3, AR096:3, AR170:3, AR296:3, AR168:2, AR266:2, AR180:2, AR299:2, AR201:2, AR060:2, AR311:2, AR316:2, AR264:2, AR285:2, AR287:2, AR270:2, AR294:2, AR271:2, AR288:2, AR225:2, AR293:2, AR290:2, AR171:2, AR286:2, AR291:2, AR295:2, AR216:2, AR297:2, AR275:2, AR247:2, AR191:2, AR185:2, AR229:2, AR205:2, AR300:2, AR257:2, AR283:2, AR269:2, AR182:2, AR061:1, AR193:1, AR213:1, AR236:1, AR237:1, AR313:1, AR217:1, AR268:1, AR175:1, AR179:1, AR233:1 L0439:22, L0756:12, S0222:11, L0438:10, S0414:8, S0051:8, L0598:7, S0412:6, L3657:5, L0770:5, H0144:5, L0638:4, H0170:3, S0282:3, H0438:3, S0036:3, L0740:3, S0031:3, S0260:3, S0007:2, H0441:2, L3655:2, S0049:2, H0052:2, H0178:2, H0051:2, S6028:2, S0038:2, L0759:2, L0589:2, L0366:2, H0583:1, S0001:1, H0662:1, L3658:1, L0476:1, S0300:1,

				H0406:1, S6014:1, H0455:1, H0013:1, H0244:1, H0390:1, S0346:1, H0327:1, H0041:1, H0563:1, H0567:1, S0050:1, S0048:1, S0388:1, S0039:1, L0796:1, L5575:1, L0630:1, L0767:1, L0794:1, L0774:1, L0805:1, L0776:1, L0518:1, L0809:1, L0788:1, L0792:1, L0666:1, S0374:1, H0658:1, S0330:1, L0777:1, L0758:1, L0592:1 and L0593:1.
104	HFIUR10	532060	114	AR169:4, AR165:4, AR161:3, AR163:3, AR215:3, AR162:3, AR166:3, AR246:3, AR252:3, AR313:3, AR089:3, AR311:3, AR266:2, AR270:2, AR180:2, AR261:2, AR164:2, AR224:2, AR269:2, AR096:2, AR236:2, AR289:2, AR201:2, AR297:2, AR312:2, AR205:2, AR217:2, AR255:2, AR172:2, AR240:2, AR216:2, AR183:2, AR309:2, AR173:2, AR291:2, AR176:2, AR196:2, AR295:1, AR264:1, AR225:1, AR299:1, AR033:1, AR174:1, AR257:1, AR282:1, AR060:1, AR230:1, AR178:1, AR177:1, AR316:1, AR168:1, AR243:1, AR283:1, AR268:1, AR277:1, AR189:1, AR290:1, AR247:1, AR055:1, AR308:1, AR288:1, AR300:1, AR237:1, AR185:1 H0265:2, L0591:2, H0556:1, S0356:1, H0271:1, H0622:1, S0428:1, S0434:1 and S0196:1.
105	HFTBM50	545012	115	AR300:4, AR104:4, AR240:4, AR277:3, AR060:3, AR185:3, AR055:3, AR299:2, AR316:2, AR282:2, AR219:2, AR089:2, AR283:2, AR218:2, AR096:2, AR039:2, AR313:1 L0439:6, L0731:4, L0769:2, L0666:2, S0432:2, S0206:2, L0751:2, L0777:2, L0759:2, L0591:2, H0341:1, H0661:1, S0408:1, H0601:1, H0497:1, H0123:1, L0471:1, H0051:1, H0252:1, H0673:1, H0616:1, H0551:1, H0646:1, S0422:1, L0372:1, L0771:1, L0773:1, L0768:1, L0775:1, L0375:1, L0527:1, L0664:1, L0665:1, S0374:1, H0519:1, H0659:1, H0521:1, H0522:1, L0747:1, L0749:1, L0755:1, L0758:1, S0031:1, L0683:1, L0590:1 and L0595:1.
106	HFTDZ36	545726	116	AR282:5, AR176:3, AR252:2, AR270:2, AR287:2, AR309:2, AR221:2, AR263:2, AR291:2, AR224:2, AR233:2, AR181:2, AR198:2, AR240:2, AR222:2, AR193:2, AR214:2, AR286:2, AR165:2, AR164:1, AR178:1, AR236:1, AR201:1, AR168:1, AR089:1, AR262:1, AR060:1, AR217:1, AR161:1, AR272:1, AR264:1, AR061:1, AR195:1, AR257:1, AR268:1, AR215:1, AR285:1, AR258:1, AR210:1, AR104:1, AR196:1 L0779:5, L0758:4, S0036:2, H0038:2, S0422:2, L0662:2, L0803:2, H0171:1, H0208:1, H0411:1, S0222:1, H0013:1, H0108:1, H0581:1, H0123:1, H0024:1, H0373:1, S0051:1, S6028:1, H0615:1, L0794:1, L0804:1, S0126:1, H0436:1, S0028:1, L0756:1, L0777:1, L0731:1 and S0242:1.
107	HFVAB79	1300736	117	AR254:20, AR250:17, AR252:16, AR253:15, AR240:12, AR245:11, AR282:11, AR290:10, AR161:10, AR163:10, AR162:10, AR199:10, AR164:9, AR165:9, AR188:9, AR200:9, AR234:9, AR229:9, AR166:9, AR247:9, AR268:8, AR197:8, AR246:8, AR215:8, AR267:8, AR238:8, AR242:8, AR216:8, AR270:8, AR239:7, AR203:7, AR196:7, AR294:7, AR201:7, AR231:7, AR263:7, AR264:7, AR214:7, AR217:7, AR193:6, AR061:6, AR183:6, AR272:6, AR195:6, AR039:6, AR180:6, AR172:6, AR271:6, AR237:6, AR170:6, AR228:6, AR230:6, AR269:5, AR313:5, AR233:5, AR243:5, AR300:5, AR190:5, AR176:5, AR225:5, AR173:5, AR089:5, AR221:5, AR168:5, AR204:5, AR181:4, AR169:4, AR182:4, AR226:4, AR236:4, AR312:4, AR177:4, AR191:4, AR096:4, AR189:4, AR227:4, AR316:4, AR171:4, AR309:4, AR224:4, AR235:4, AR266:4, AR053:4, AR060:4, AR232:4, AR275:4, AR212:4, AR288:4, AR222:4, AR175:4, AR179:4, AR311:3, AR291:3, AR192:3, AR299:3, AR257:3, AR308:3, AR205:3, AR277:3, AR289:3, AR198:3, AR293:3, AR213:3, AR223:3, AR255:3, AR274:3, AR296:3, AR262:3, AR297:3, AR285:3, AR178:3, AR207:3, AR295:3, AR287:3, AR286:2, AR261:2, AR185:2, AR055:2, AR033:2, AR174:2, AR258:2, AR256:2, AR218:2, AR104:2, AR210:2, AR260:1, AR219:1, AR211:1, AR283:1 L0803:8, L0748:4, H0151:1, S0045:1, H0574:1, H0038:1, H0745:1, S0438:1, L0771:1, L0804:1, L0774:1 and L0750:1.
	HFVAB79	565076	402	
108	HFVGE32	854545	118	AR313:29, AR173:22, AR161:21, AR162:21, AR163:20, AR165:18, AR164:17, AR196:17, AR166:16, AR240:16,

				AR258:16, AR300:16, AR096:15, AR229:15, AR218:14, AR247:14, AR257:14, AR175:13, AR185:13, AR264:13, AR174:13, AR262:13, AR234:12, AR275:12, AR299:12, AR177:11, AR181:11, AR274:11, AR199:10, AR236:10, AR089:10, AR226:10, AR270:10, AR178:10, AR179:10, AR191:10, AR233:9, AR269:9, AR180:9, AR293:9, AR182:9, AR238:9, AR183:8, AR104:8, AR219:8, AR316:8, AR203:8, AR033:7, AR261:7, AR231:7, AR189:7, AR230:7, AR312:7, AR200:7, AR176:7, AR060:6, AR268:6, AR282:6, AR260:6, AR255:6, AR277:6, AR228:6, AR237:6, AR188:6, AR267:6, AR263:6, AR285:6, AR308:6, AR294:6, AR297:5, AR296:5, AR239:5, AR309:5, AR286:5, AR272:5, AR266:5, AR053:4, AR287:4, AR290:4, AR256:4, AR212:4, AR295:4, AR250:4, AR227:4, AR213:4, AR291:4, AR288:4, AR190:3, AR311:3, AR168:3, AR271:3, AR224:3, AR232:3, AR211:3, AR289:2, AR283:2, AR223:2, AR055:2, AR217:2, AR222:2, AR171:2, AR235:2, AR210:2, AR061:2, AR172:1, AR216:1, AR246:1, AR221:1 S0052:2 and H0393:1.
	HFVGE32	698580	403	
109	HFXBL33	778070	119	AR163:25, AR161:24, AR162:24, AR313:23, AR173:17, AR180:17, AR196:17, AR165:17, AR166:16, AR229:16, AR164:16, AR270:14, AR247:14, AR182:14, AR238:14, AR234:14, AR175:14, AR179:13, AR269:13, AR181:13, AR178:13, AR199:12, AR258:12, AR262:12, AR240:11, AR233:11, AR257:11, AR183:11, AR264:11, AR300:10, AR268:10, AR285:10, AR293:10, AR274:10, AR231:10, AR275:10, AR191:10, AR230:10, AR228:10, AR236:10, AR237:10, AR226:10, AR239:9, AR287:9, AR203:9, AR294:9, AR174:9, AR296:9, AR260:8, AR176:8, AR189:8, AR200:8, AR312:8, AR033:8, AR096:8, AR185:8, AR299:8, AR255:7, AR297:7, AR267:7, AR188:7, AR177:7, AR290:7, AR277:6, AR218:6, AR190:6, AR286:6, AR291:6, AR089:6, AR266:6, AR060:6, AR227:6, AR219:6, AR263:5, AR295:5, AR316:5, AR311:5, AR261:5, AR055:5, AR235:5, AR309:5, AR282:5, AR272:4, AR288:4, AR308:4, AR256:4, AR053:4, AR289:4, AR104:4, AR283:4, AR215:4, AR223:4, AR232:4, AR212:4, AR213:3, AR061:3, AR211:3, AR217:3, AR216:3, AR169:3, AR210:3, AR195:3, AR168:2, AR225:2, AR201:2, AR193:2, AR171:2, AR214:2, AR039:2, AR243:2, AR222:2, AR170:1, AR246:1, AR224:1 H0657:3, H0645:2, L0748:2, H0542:2, H0583:1, H0650:1, S0001:1, L0586:1, H0013:1, L0021:1, T0071:1, H0354:1, H0179:1, T0006:1, H0591:1, H0272:1, L0667:1, H0547:1, H0521:1, S0404:1, S0031:1 and L0599:1.
110	HFXDN63	553685	120	AR161:4, AR162:4, AR204:4, AR225:4, AR163:4, AR271:3, AR198:3, AR275:3, AR193:3, AR309:3, AR282:3, AR277:2, AR060:2, AR176:2, AR205:2, AR246:2, AR053:2, AR254:2, AR288:2, AR165:2, AR055:2, AR266:2, AR171:2, AR263:2, AR182:2, AR166:2, AR195:2, AR089:1, AR215:1, AR185:1, AR217:1, AR237:1, AR270:1, AR196:1, AR261:1, AR267:1, AR296:1, AR201:1, AR216:1, AR264:1, AR316:1, AR168:1, AR247:1 S0001:1
111	HFXJX44	701988	121	AR313:13, AR162:11, AR161:10, AR178:10, AR163:10, AR176:10, AR183:10, AR165:9, AR089:9, AR181:9, AR182:9, AR164:9, AR229:9, AR166:8, AR269:8, AR173:8, AR196:8, AR055:8, AR300:8, AR228:8, AR175:7, AR233:7, AR226:7, AR309:7, AR247:7, AR192:7, AR239:7, AR180:7, AR236:7, AR257:7, AR293:7, AR266:7, AR235:7, AR240:7, AR238:7, AR267:7, AR096:7, AR177:7, AR261:6, AR053:6, AR179:6, AR245:6, AR268:6, AR282:6, AR299:6, AR198:6, AR290:6, AR204:6, AR191:6, AR060:6, AR262:6, AR174:6, AR277:6, AR312:6, AR271:6, AR185:5, AR316:5, AR289:5, AR270:5, AR294:5, AR193:5, AR201:5, AR258:5, AR296:5, AR212:5, AR237:5, AR255:5, AR227:5, AR234:5, AR061:5, AR274:5, AR275:5, AR264:5, AR197:5, AR287:5, AR243:5, AR297:5, AR286:4, AR263:4, AR199:4, AR200:4, AR231:4, AR203:4, AR291:4, AR214:4, AR242:4, AR285:4, AR230:4, AR033:4, AR189:4, AR213:4, AR188:4, AR195:4, AR288:4, AR246:4, AR295:4, AR224:4, AR252:3, AR104:3, AR250:3, AR272:3, AR218:3, AR219:3, AR190:3, AR308:3, AR222:3, AR171:3,

				AR260:3, AR207:3, AR168:3, AR205:3, AR283:3, AR232:3, AR039:3, AR311:2, AR172:2, AR256:2, AR221:2, AR225:2, AR217:2, AR169:1, AR210:1, AR211:1, AR254:1 H0590:2, S0282:1, H0486:1, H0421:1 and H0594:1.
112	HFXKJ03	505207	122	AR161:7, AR162:7, AR163:7, AR243:6, AR250:5, AR176:5, AR165:5, AR225:5, AR193:5, AR164:5, AR233:5, AR271:4, AR246:4, AR182:4, AR166:4, AR053:4, AR228:4, AR309:4, AR181:4, AR216:4, AR266:4, AR269:4, AR172:4, AR235:4, AR183:4, AR264:4, AR237:4, AR170:4, AR275:4, AR236:4, AR297:4, AR239:4, AR291:4, AR261:4, AR257:3, AR255:3, AR293:3, AR177:3, AR267:3, AR201:3, AR171:3, AR231:3, AR212:3, AR174:3, AR274:3, AR296:3, AR179:3, AR288:3, AR229:3, AR247:3, AR285:3, AR205:3, AR270:3, AR294:3, AR175:3, AR287:3, AR290:3, AR263:3, AR221:3, AR196:3, AR191:3, AR312:3, AR240:3, AR238:3, AR223:3, AR217:3, AR262:3, AR300:3, AR207:3, AR277:3, AR268:3, AR173:3, AR230:3, AR272:3, AR234:3, AR286:3, AR192:3, AR295:2, AR096:2, AR289:2, AR061:2, AR311:2, AR200:2, AR213:2, AR204:2, AR190:2, AR214:2, AR168:2, AR232:2, AR188:2, AR224:2, AR226:2, AR313:2, AR227:2, AR033:2, AR169:2, AR308:2, AR060:2, AR198:2, AR089:2, AR178:2, AR203:2, AR282:2, AR185:2, AR195:2, AR222:2, AR316:2, AR055:2, AR199:2, AR180:2, AR299:2, AR189:1, AR258:1, AR210:1, AR215:1, AR260:1, AR211:1, AR252:1, AR256:1, AR283:1 S0282:1, H0619:1 and H0581:1.
113	HFXKT05	658690	123	AR207:65, AR197:54, AR193:47, AR192:45, AR201:42, AR033:40, AR299:40, AR055:39, AR242:38, AR235:38, AR177:38, AR233:37, AR198:35, AR185:33, AR060:33, AR195:32, AR174:31, AR203:31, AR191:31, AR204:31, AR061:30, AR104:30, AR181:30, AR243:29, AR179:29, AR257:28, AR165:28, AR196:28, AR176:28, AR190:28, AR089:27, AR175:27, AR213:27, AR291:27, AR164:27, AR228:27, AR288:27, AR287:26, AR275:26, AR161:26, AR166:26, AR238:26, AR236:26, AR163:26, AR199:25, AR178:25, AR245:24, AR162:24, AR267:24, AR226:23, AR039:23, AR246:23, AR261:23, AR205:23, AR173:23, AR286:22, AR250:22, AR240:22, AR296:22, AR316:22, AR247:21, AR293:21, AR232:21, AR231:21, AR188:21, AR294:21, AR053:20, AR255:20, AR289:20, AR282:20, AR189:20, AR212:20, AR300:20, AR230:20, AR295:19, AR239:19, AR270:19, AR258:19, AR234:19, AR308:19, AR269:18, AR180:18, AR253:18, AR285:17, AR227:17, AR297:17, AR254:17, AR272:17, AR237:17, AR200:16, AR182:16, AR271:16, AR262:16, AR277:16, AR312:15, AR229:15, AR260:15, AR263:15, AR274:14, AR268:13, AR266:13, AR309:13, AR096:13, AR290:13, AR264:12, AR183:12, AR252:11, AR313:10, AR311:10, AR256:9, AR225:9, AR283:9, AR211:7, AR172:7, AR210:7, AR223:7, AR224:7, AR171:6, AR217:6, AR221:6, AR216:5, AR219:5, AR170:5, AR215:5, AR222:4, AR214:4, AR168:3, AR218:3, AR169:3 L2804:16, L2400:15, L0748:8, L3019:5, L3316:3, L2138:3, H0553:2, L3140:2, L3904:2, S0378:2, L0777:2, L0758:2, H0657:1, S0282:1, H0402:1, L0005:1, H0333:1, T0114:1, S0280:1, H0618:1, H0253:1, H0581:1, H0052:1, H0050:1, H0620:1, S0388:1, H0354:1, H0135:1, S0344:1, L0763:1, L0638:1, L0761:1, L0764:1, L0363:1, L0766:1, L0651:1, L0805:1, L0655:1, L0659:1, L0666:1, L2261:1, H0701:1, L0749:1, L0756:1, L0779:1, L0752:1, L0599:1, H0542:1, H0423:1, H0422:1 and H0506:1.
114	HGBHI35	570262	124	AR089:24, AR226:21, AR299:20, AR164:20, AR165:20, AR060:19, AR166:17, AR185:16, AR201:16, AR163:15, AR161:15, AR162:15, AR232:15, AR096:14, AR188:14, AR237:14, AR039:14, AR227:14, AR233:13, AR238:13, AR275:12, AR193:12, AR191:12, AR055:12, AR173:11, AR246:11, AR183:11, AR240:11, AR228:11, AR196:11, AR316:11, AR313:11, AR189:10, AR239:10, AR061:10, AR175:10, AR258:10, AR199:10, AR176:10, AR180:10, AR197:9, AR190:9, AR174:9, AR283:9, AR270:9, AR266:9, AR245:9, AR203:9, AR231:9, AR195:9, AR300:8, AR257:8, AR269:8, AR169:8, AR178:8, AR242:8, AR182:8, AR277:8, AR234:8, AR192:8, AR236:8, AR235:8, AR297:8, AR291:8,

				AR198:8, AR181:8, AR282:8, AR295:8, AR264:8, AR218:8, AR274:7, AR294:7, AR217:7, AR177:7, AR285:7, AR247:7, AR271:7, AR263:7, AR288:7, AR104:7, AR219:7, AR229:7, AR261:7, AR215:7, AR216:6, AR287:6, AR286:6, AR255:6, AR179:6, AR268:6, AR243:6, AR262:6, AR205:6, AR289:6, AR293:6, AR223:6, AR267:5, AR200:5, AR312:5, AR254:5, AR290:5, AR260:5, AR308:5, AR311:5, AR309:5, AR204:5, AR230:5, AR296:4, AR213:4, AR225:4, AR170:4, AR272:4, AR252:4, AR256:4, AR214:4, AR222:3, AR207:3, AR053:3, AR211:3, AR172:3, AR210:3, AR033:2, AR212:2, AR224:2, AR171:2, AR168:2 L0748:9, L0766:6, L0665:6, L0751:6, H0550:5, S0358:4, L0774:4, L0758:4, L0581:4, H0135:3, L0662:3, L0775:3, L0776:3, L0743:3, L0747:3, L0749:3, L0777:3, L0600:3, H0295:2, H0722:2, H0052:2, H0014:2, H0510:2, L0640:2, L0659:2, L0526:2, L0809:2, H0696:2, L0753:2, S0134:1, S0212:1, S0376:1, S0408:1, H0742:1, H0730:1, H0747:1, H0549:1, H0331:1, H0486:1, H0575:1, S0049:1, H0085:1, H0204:1, H0057:1, S0051:1, H0266:1, H0188:1, H0687:1, H0169:1, H0090:1, H0591:1, T0067:1, H0488:1, H0714:1, S0438:1, L0374:1, L0648:1, L0376:1, L0807:1, L5622:1, L0790:1, L0791:1, L0666:1, H0701:1, H0547:1, S0126:1, H0660:1, H0672:1, H0539:1, H0436:1, L0439:1, L0746:1, L0750:1, L0779:1, L0752:1, L0759:1 and S0436:1.
115	HGBIB74	837220	125	AR214:16, AR216:13, AR217:11, AR215:9, AR161:9, AR162:9, AR163:9, AR176:8, AR250:8, AR165:8, AR178:7, AR164:7, AR170:7, AR196:7, AR166:7, AR181:7, AR228:6, AR272:6, AR197:6, AR269:6, AR309:5, AR264:5, AR089:5, AR282:5, AR175:5, AR182:5, AR248:5, AR177:5, AR270:5, AR229:5, AR223:5, AR060:5, AR268:5, AR239:5, AR195:5, AR173:5, AR183:5, AR238:4, AR245:4, AR211:4, AR172:4, AR180:4, AR174:4, AR168:4, AR201:4, AR190:4, AR210:4, AR104:4, AR265:4, AR222:4, AR247:4, AR231:4, AR275:4, AR291:4, AR179:4, AR207:4, AR203:4, AR284:4, AR308:4, AR267:4, AR061:4, AR237:4, AR233:4, AR169:4, AR189:4, AR266:4, AR312:4, AR230:4, AR200:4, AR316:4, AR185:4, AR218:4, AR299:4, AR191:4, AR225:4, AR226:3, AR240:3, AR290:3, AR212:3, AR096:3, AR188:3, AR241:3, AR271:3, AR236:3, AR205:3, AR202:3, AR311:3, AR254:3, AR274:3, AR193:3, AR055:3, AR232:3, AR227:3, AR199:3, AR255:3, AR251:3, AR053:3, AR252:3, AR033:3, AR052:3, AR313:3, AR192:3, AR263:3, AR295:3, AR287:3, AR298:3, AR243:3, AR234:3, AR213:3, AR310:3, AR289:3, AR219:3, AR224:3, AR285:3, AR286:3, AR300:3, AR293:3, AR221:2, AR246:2, AR235:2, AR261:2, AR260:2, AR258:2, AR171:2, AR292:2, AR296:2, AR294:2, AR257:2, AR039:2, AR198:2, AR253:2, AR288:2, AR297:2, AR277:2, AR283:2, AR204:2, AR256:2, AR262:2, AR242:1, AR186:1, AR194:1 H0253:7, H0618:6, H0556:2, S0356:2, H0373:2, H0522:2, L0758:2, L0603:2, S0001:1, S0278:1, H0586:1, H0050:1, H0014:1, H0644:1, S0036:1, H0038:1, H0494:1, H0625:1, S0294:1, L0769:1, H0435:1 and H0521:1.
	HGBIB74	838602	404	
	HGBIB74	899864	405	
116	HGLAF75	566838	126	AR196:8, AR191:7, AR269:7, AR215:7, AR180:6, AR188:6, AR270:6, AR223:6, AR173:6, AR198:5, AR176:5, AR178:5, AR268:5, AR055:5, AR165:5, AR175:5, AR181:5, AR266:5, AR161:5, AR162:5, AR264:5, AR183:5, AR060:5, AR174:5, AR164:5, AR291:5, AR163:5, AR172:5, AR182:5, AR189:5, AR201:5, AR166:5, AR261:5, AR089:5, AR313:5, AR193:5, AR177:4, AR246:4, AR255:4, AR216:4, AR285:4, AR179:4, AR257:4, AR217:4, AR170:4, AR221:4, AR290:4, AR299:4, AR252:4, AR200:4, AR267:4, AR262:4, AR235:4, AR185:4, AR240:4, AR238:4, AR233:4, AR295:4, AR316:4, AR168:4, AR190:4, AR218:4, AR271:4, AR236:4, AR296:4, AR096:4, AR287:4, AR199:4, AR293:4, AR272:4, AR242:4, AR297:4, AR243:4, AR294:4, AR195:4, AR300:4, AR169:3, AR224:3, AR253:3, AR282:3, AR203:3, AR239:3, AR033:3, AR288:3, AR309:3, AR171:3, AR222:3, AR211:3, AR312:3, AR275:3, AR231:3, AR232:3, AR192:3, AR247:3, AR260:3, AR228:3,

				AR104:3, AR283:3, AR229:3, AR210:3, AR225:3, AR039:3, AR258:3, AR205:3, AR234:3, AR286:3, AR289:3, AR308:3, AR230:3, AR263:3, AR219:3, AR237:3, AR214:3, AR277:2, AR204:2, AR227:2, AR274:2, AR256:2, AR226:2, AR061:2, AR245:2, AR212:2, AR213:2, AR311:1 H0351:10, L0439:4, L0766:3, L3255:2, L2562:2, L0775:2, L0666:2, L0779:2, L0780:2, L0755:2, L0731:2, H0772:1, L3388:1, H0333:1, H0486:1, H0015:1, H0687:1, S0422:1, L0761:1, L0776:1, L0659:1, L0663:1, H0682:1, S0152:1, L0745:1, L0752:1 and S0026:1.
117	HGLAL82	520261	127	AR221:4, AR231:4, AR192:3, AR264:3, AR266:3, AR170:3, AR252:3, AR162:3, AR180:3, AR197:2, AR270:2, AR171:2, AR225:2, AR250:2, AR161:2, AR163:2, AR255:2, AR277:2, AR204:2, AR183:1, AR282:1, AR257:1, AR216:1, AR214:1, AR236:1, AR271:1, AR223:1, AR165:1, AR190:1, AR309:1, AR289:1, AR261:1, AR288:1, AR164:1, AR217:1, AR179:1, AR195:1, AR203:1, AR269:1, AR233:1, AR239:1, AR201:1, AR061:1, AR205:1, AR181:1, AR193:1, AR089:1, AR294:1, AR039:1 L0667:2, S0114:1, H0351:1, H0318:1, H0615:1 and L0764:1.
118	HHEMA59	823100	128	AR226:23, AR238:16, AR227:15, AR237:11, AR173:9, AR313:8, AR161:8, AR162:7, AR239:7, AR165:7, AR164:7, AR163:7, AR166:7, AR089:7, AR175:6, AR178:6, AR180:5, AR183:5, AR247:5, AR169:5, AR240:4, AR196:4, AR300:4, AR269:4, AR270:4, AR204:4, AR312:4, AR215:4, AR268:4, AR282:4, AR182:4, AR179:4, AR271:4, AR275:4, AR096:4, AR242:4, AR191:4, AR177:4, AR185:4, AR198:4, AR264:4, AR258:4, AR174:3, AR181:3, AR253:3, AR189:3, AR316:3, AR061:3, AR060:3, AR267:3, AR263:3, AR218:3, AR104:3, AR172:3, AR260:3, AR212:3, AR257:3, AR219:3, AR229:3, AR233:3, AR299:3, AR216:3, AR039:3, AR203:3, AR053:3, AR224:2, AR188:2, AR176:2, AR243:2, AR171:2, AR266:2, AR214:2, AR033:2, AR308:2, AR289:2, AR293:2, AR232:2, AR193:2, AR234:2, AR277:2, AR168:2, AR205:2, AR195:2, AR256:2, AR311:2, AR201:2, AR283:2, AR055:1, AR213:1, AR272:1, AR222:1, AR200:1, AR296:1, AR291:1, AR288:1, AR217:1, AR199:1, AR192:1, AR211:1, AR255:1, AR190:1, AR262:1, AR286:1 L0771:5, L0766:4, L0748:4, L0754:4, H0551:3, S0003:2, H0328:2, H0615:2, S0422:2, H0144:2, L0438:2, S0013:2, L0747:2, L0756:2, L0759:2, H0170:1, S6024:1, H0656:1, S0110:1, H0662:1, H0176:1, S0356:1, S0360:1, L0717:1, S6016:1, S0222:1, H0438:1, H0156:1, H0575:1, H0036:1, H0318:1, H0581:1, H0020:1, H0031:1, S0036:1, S0294:1, S0002:1, L0770:1, L0638:1, L0662:1, L0774:1, L0652:1, L0655:1, L0606:1, L0659:1, L0663:1, S0216:1, H0648:1, H0651:1, H0539:1, S0152:1, H0522:1, L0777:1, L0731:1, S0031:1, L0581:1, S0192:1, S0194:1, H0543:1 and H0423:1.
119	HHENV10	562772	129	AR242:3, AR235:3, AR183:3, AR309:3, AR282:3, AR243:2, AR171:2, AR283:1, AR055:1, AR257:1, AR168:1, AR213:1, AR164:1, AR230:1, AR264:1, AR287:1 H0543:2, H0497:1 and H0625:1.
120	HHEPM33	877639	130	AR263:38, AR207:37, AR311:31, AR264:30, AR212:29, AR195:27, AR309:27, AR308:26, AR165:26, AR164:25, AR053:24, AR166:24, AR213:24, AR161:23, AR162:23, AR192:23, AR198:22, AR163:22, AR245:22, AR246:22, AR312:21, AR089:21, AR271:21, AR205:21, AR223:20, AR277:20, AR214:19, AR193:19, AR197:19, AR224:19, AR274:18, AR169:18, AR282:18, AR222:18, AR252:18, AR242:17, AR217:17, AR283:17, AR240:16, AR039:16, AR216:16, AR275:15, AR215:15, AR235:15, AR172:15, AR104:15, AR201:15, AR168:15, AR171:14, AR060:14, AR096:14, AR170:14, AR225:14, AR261:14, AR313:14, AR243:14, AR033:14, AR253:14, AR055:13, AR316:13, AR272:13, AR204:12, AR250:12, AR221:12, AR185:12, AR219:12, AR295:12, AR254:11, AR288:11, AR291:11, AR247:11, AR297:11, AR299:11, AR287:10, AR286:10, AR236:10, AR285:10, AR300:9, AR177:9, AR210:9, AR196:9, AR296:8, AR176:8, AR218:8, AR211:8, AR226:7, AR293:7, AR289:7, AR266:7, AR258:7, AR181:7, AR199:7, AR174:7, AR262:7, AR191:7, AR061:6, AR257:6, AR238:6, AR173:6, AR178:6, AR200:6, AR175:6, AR232:6, AR270:6, AR188:6,

				AR294:6, AR269:6, AR255:6, AR256:6, AR182:6, AR260:5, AR183:5, AR239:5, AR229:5, AR227:5, AR189:5, AR290:5, AR231:5, AR234:5, AR179:5, AR180:5, AR237:4, AR190:4, AR203:4, AR268:4, AR233:4, AR267:4, AR230:4, AR228:3 L0777:9, H0617:5, S0418:3, H0618:3, H0556:2, H0489:2, H0253:2, H0560:2, L0770:2, L0803:2, L0789:2, S0328:2, H0436:2, H0444:2, H0543:2, H0265:1, H0685:1, S0218:1, H0657:1, S0116:1, H0484:1, S0420:1, S0356:1, S0354:1, S0358:1, S0444:1, S0360:1, H0637:1, L0103:1, S0007:1, H0441:1, H0559:1, H0486:1, H0599:1, H0042:1, H0575:1, H0052:1, H0597:1, H0545:1, H0373:1, H0594:1, H0266:1, T0023:1, H0553:1, H0063:1, H0551:1, H0100:1, H0646:1, H0529:1, L0371:1, L0662:1, L0766:1, L0804:1, L0774:1, L0378:1, L0806:1, L0805:1, L0655:1, L0659:1, L0809:1, L0663:1, H0698:1, H0547:1, S3012:1, S0028:1, L0731:1, S0436:1, S0192:1, H0542:1 and H0352:1.
121	HHFBY53	821330	131	AR191:5, AR201:4, AR215:4, AR060:3, AR188:3, AR289:2, AR255:2, AR233:2, AR274:2, AR180:2, AR193:2, AR283:2, AR033:1, AR296:1, AR240:1, AR172:1, AR089:1, AR277:1, AR312:1, AR224:1, AR225:1, AR199:1, AR210:1, AR282:1 S0360:3, H0670:3, H0556:2, H0292:2, H0686:1, H0685:1, S0134:1, S0116:1, H0662:1, H0640:1, S0300:1, H0586:1, H0642:1, L0622:1, L0586:1, H0253:1, H0050:1, H0057:1, T0006:1, L0653:1, L0657:1, L0659:1, L0787:1, L0666:1, L0663:1, H0547:1, H0659:1, H0648:1, H0436:1, L0748:1, L0362:1, L0361:1, H0653:1, H0542:1, H0423:1 and H0422:1.
122	HHFGR93	865581	132	AR184:4, AR282:3, AR217:3, AR183:3, AR266:3, AR242:2, AR269:2, AR257:2, AR225:2, AR270:2, AR274:2, AR182:2, AR291:2, AR250:1, AR235:1, AR175:1, AR162:1, AR268:1, AR290:1, AR286:1, AR204:1, AR214:1, AR177:1, AR275:1, AR194:1, AR224:1, AR261:1, AR296:1, AR293:1, AR298:1, AR186:1, AR284:1 L0754:41, L0747:8, H0553:5, L0755:5, L0659:4, H0124:3, H0265:2, H0556:2, H0586:2, H0427:2, H0575:2, H0050:2, L0471:2, H0616:2, H0056:2, L0764:2, L0662:2, L0794:2, L0748:2, L0751:2, L0749:2, L0750:2, H0305:1, S0358:1, S0045:1, S0046:1, H0619:1, H0441:1, H0485:1, S0280:1, H0599:1, H0042:1, H0046:1, H0569:1, H0024:1, H0051:1, H0328:1, H0030:1, H0644:1, H0361:1, H0040:1, H0413:1, S0038:1, L0770:1, L0769:1, L0800:1, L0644:1, L0363:1, L0803:1, L0804:1, L0775:1, L0806:1, L0783:1, L0666:1, L0665:1, H0144:1, S0146:1, H0555:1, S3012:1, L0779:1, L0731:1, L0605:1, L0599:1, L0603:1, H0543:1, H0422:1 and H0506:1.
	HHFGR93	691402	406	
123	HHGCG53	340818	133	AR192:3, AR169:3, AR264:3, AR162:3, AR309:3, AR245:3, AR250:3, AR161:3, AR163:3, AR171:3, AR193:2, AR266:2, AR176:2, AR289:2, AR283:2, AR267:2, AR197:2, AR274:2, AR242:2, AR239:2, AR295:2, AR238:2, AR225:2, AR182:2, AR263:2, AR261:2, AR183:2, AR172:1, AR269:1, AR168:1, AR231:1, AR216:1, AR237:1, AR164:1, AR228:1, AR096:1, AR215:1, AR233:1, AR252:1, AR166:1, AR232:1, AR060:1, AR277:1, AR089:1, AR290:1, AR299:1, AR240:1, AR229:1, AR282:1, AR296:1 H0333:1
124	HHGCM76	662329	134	AR245:8, AR175:7, AR183:6, AR176:6, AR196:6, AR191:6, AR174:6, AR060:5, AR254:5, AR263:5, AR039:5, AR173:5, AR177:5, AR309:5, AR261:5, AR232:4, AR161:4, AR162:4, AR096:4, AR163:4, AR182:4, AR264:4, AR089:4, AR165:4, AR198:4, AR270:4, AR275:4, AR268:4, AR178:4, AR189:4, AR164:4, AR166:3, AR286:3, AR242:3, AR193:3, AR243:3, AR216:3, AR171:3, AR283:3, AR266:3, AR215:3, AR272:3, AR211:3, AR188:3, AR313:3, AR180:3, AR207:3, AR269:3, AR200:3, AR247:3, AR316:3, AR289:3, AR290:3, AR229:3, AR294:3, AR297:3, AR195:3, AR267:3, AR061:3, AR240:3, AR295:3, AR197:3, AR238:3, AR257:3, AR190:3, AR055:3, AR228:2, AR181:2, AR053:2, AR033:2, AR288:2, AR226:2, AR282:2, AR201:2, AR239:2, AR287:2, AR231:2, AR262:2, AR223:2, AR104:2, AR285:2, AR308:2, AR218:2, AR179:2, AR293:2, AR221:2, AR311:2, AR271:2, AR225:2, AR246:2, AR185:2, AR237:2, AR299:2, AR312:2, AR274:2, AR233:2,

				AR199:2, AR227:2, AR219:2, AR300:2, AR213:2, AR256:2, AR296:2, AR234:2, AR291:2, AR172:2, AR205:2, AR252:2, AR230:1, AR203:1, AR255:1, AR214:1, AR258:1, AR224:1, AR260:1, AR277:1, AR210:1 L0803:6, H0052:4, H0036:3, L0665:3, H0574:2, H0559:2, L0763:2, L0809:2, L0791:2, L0666:2, L0663:2, L0748:2, L0745:2, L0747:2, H0624:1, H0265:1, H0657:1, H0381:1, S0045:1, H0550:1, H0614:1, H0587:1, H0333:1, T0040:1, L0022:1, H0575:1, H0564:1, H0068:1, H0509:1, L0769:1, L0637:1, L0643:1, L0764:1, L0662:1, L0804:1, L0806:1, L0527:1, L0783:1, L0382:1, L0664:1, H0144:1, H0690:1, H0682:1, H0670:1, H0694:1, H0626:1, L0743:1, L0777:1, L0780:1, L0755:1, H0343:1 and S0011:1.
	HHGCM76	383547	407	
125	HHGDF16	579890	135	AR309:11, AR264:11, AR176:10, AR228:9, AR161:9, AR266:9, AR162:9, AR180:9, AR229:9, AR268:8, AR163:8, AR178:8, AR269:8, AR164:8, AR165:8, AR166:8, AR182:8, AR313:8, AR253:8, AR263:7, AR238:7, AR181:7, AR198:7, AR216:7, AR217:7, AR197:7, AR270:7, AR233:7, AR239:7, AR255:6, AR312:6, AR183:6, AR174:6, AR296:6, AR177:6, AR272:6, AR267:6, AR188:6, AR274:6, AR236:6, AR235:6, AR055:6, AR089:6, AR096:6, AR060:6, AR275:6, AR261:6, AR191:6, AR223:6, AR224:5, AR201:5, AR226:5, AR300:5, AR196:5, AR053:5, AR189:5, AR245:5, AR316:5, AR179:5, AR231:5, AR271:5, AR212:5, AR240:5, AR237:5, AR199:5, AR299:5, AR246:5, AR257:5, AR104:5, AR225:5, AR289:5, AR061:5, AR293:4, AR230:4, AR195:4, AR247:4, AR252:4, AR218:4, AR190:4, AR219:4, AR221:4, AR291:4, AR288:4, AR193:4, AR232:4, AR175:4, AR308:4, AR285:4, AR168:4, AR227:4, AR311:4, AR234:4, AR243:4, AR290:4, AR169:4, AR185:4, AR254:4, AR033:3, AR262:3, AR200:3, AR282:3, AR203:3, AR295:3, AR283:3, AR222:3, AR214:3, AR294:3, AR171:3, AR213:3, AR170:3, AR287:3, AR297:3, AR039:3, AR173:3, AR250:3, AR286:3, AR205:3, AR207:2, AR204:2, AR172:2, AR277:2, AR258:2, AR211:1, AR260:1 L0803:6, S0422:4, L0766:4, L0777:4, L0362:4, L0794:3, L0805:3, L0439:3, L0779:3, L0731:3, H0543:3, S0444:2, H0486:2, L0471:2, L0637:2, L0666:2, L0665:2, H0539:2, H0521:2, L0758:2, L0592:2, L0581:2, H0170:1, L3644:1, H0685:1, H0583:1, H0650:1, H0656:1, S0212:1, S0442:1, S0376:1, H0580:1, H0733:1, H0339:1, H0749:1, S0300:1, L0717:1, H0333:1, H0331:1, H0013:1, H0156:1, L0021:1, H0581:1, S0362:1, S0003:1, L0483:1, H0038:1, H0634:1, H0616:1, T0067:1, H0412:1, H0641:1, S0142:1, L0598:1, L3905:1, L0646:1, L0662:1, L5564:1, L0774:1, L0651:1, L0776:1, L0607:1, L0527:1, L0657:1, L0659:1, L5622:1, L0788:1, L0791:1, L0793:1, L0663:1, H0144:1, S0310:1, L0438:1, L3828:1, H0435:1, H0658:1, H0670:1, S0328:1, S0330:1, L0745:1, L0747:1, L0749:1, L0756:1, L0759:1, S0260:1, H0445:1, S0436:1, L0599:1 and S0194:1.
126	HHPDX20	610321	136	AR201:4, AR195:2, AR224:2, AR263:2, AR311:2, AR168:2, AR247:2, AR223:2, AR055:2, AR216:2, AR261:2, AR172:2, AR214:2, AR060:2, AR296:2, AR231:2, AR282:2, AR033:1, AR217:1, AR238:1, AR225:1, AR210:1 S0222:1 and H0051:1.
127	HHPEN62	695134	137	AR196:528, AR310:360, AR218:326, AR052:317, AR219:315, AR194:272, AR211:264, AR206:250, AR202:237, AR205:232, AR265:232, AR244:224, AR053:218, AR184:208, AR246:207, AR241:203, AR284:198, AR309:192, AR186:185, AR263:184, AR273:173, AR280:170, AR298:170, AR243:168, AR247:157, AR315:155, AR312:152, AR311:150, AR314:145, AR281:140, AR039:139, AR182:139, AR275:137, AR271:130, AR313:130, AR185:128, AR177:121, AR213:121, AR204:120, AR104:118, AR300:116, AR274:115, AR210:115, AR245:112, AR229:112, AR240:112, AR299:112, AR055:112, AR308:112, AR061:112, AR207:109, AR096:108, AR290:107, AR237:107, AR316:106, AR248:104, AR264:100, AR193:99, AR198:99, AR292:99, AR268:96, AR033:95, AR249:94, AR231:94,

				AR197:94, AR188:94, AR259:93, AR233:92, AR222:92, AR179:90, AR251:88, AR192:88, AR227:87, AR267:86, AR269:84, AR232:84, AR195:82, AR060:81, AR200:80, AR270:80, AR223:80, AR272:79, AR089:77, AR172:76, AR175:76, AR253:74, AR250:74, AR234:74, AR282:72, AR212:70, AR242:69, AR201:67, AR199:66, AR176:66, AR180:64, AR294:64, AR178:64, AR189:62, AR181:60, AR289:59, AR283:59, AR291:58, AR169:57, AR285:56, AR171:55, AR226:55, AR236:54, AR183:53, AR256:52, AR266:50, AR174:50, AR295:49, AR293:49, AR191:47, AR173:47, AR286:47, AR190:47, AR254:46, AR221:46, AR225:46, AR238:45, AR170:43, AR258:42, AR163:41, AR224:39, AR235:39, AR277:39, AR168:38, AR296:37, AR203:37, AR166:34, AR161:34, AR262:34, AR164:32, AR162:32, AR165:31, AR255:30, AR288:28, AR261:25, AR260:20, AR217:20, AR230:17, AR297:15, AR252:15, AR287:15, AR214:14, AR228:13, AR239:12, AR216:12, AR215:11, AR257:11 L0766:7, L0731:7, H0457:6, H0051:6, L0754:6, L0803:4, L0666:4, H0140:3, S0474:3, H0052:3, L0157:3, L0662:3, L0659:3, L5622:3, L0758:3, H0657:2, S0140:2, S0010:2, H0628:2, S0036:2, H0100:2, S0112:2, L0532:2, L0438:2, H0547:2, L0743:2, S0242:2, H0542:2, H0422:2, H0265:1, H0656:1, S0282:1, S0444:1, S0360:1, S0408:1, H0735:1, H0749:1, L0463:1, H0351:1, H0261:1, H0438:1, H0586:1, H0635:1, H0599:1, H0318:1, H0581:1, H0251:1, H0327:1, H0545:1, H0046:1, L0471:1, S0051:1, H0375:1, H0622:1, T0006:1, H0553:1, H0598:1, H0163:1, H0040:1, H0551:1, L0564:1, H0334:1, H0561:1, S0440:1, H0529:1, L0800:1, L0794:1, L0651:1, L0805:1, L0655:1, L0606:1, L0527:1, L0635:1, L0382:1, L0809:1, L0792:1, L0663:1, S0216:1, H0144:1, H0520:1, H0519:1, S0328:1, S0380:1, S0404:1, H0436:1, S0392:1, S0028:1, L0745:1, L0779:1, L0777:1, L0752:1, S0260:1, L0480:1, S0026:1, H0665:1, S0192:1, S0194:1, H0423:1, S0424:1 and H0506:1.
128	HHPGO40	1299927	138	AR244:5, AR202:5, AR273:5, AR194:4, AR176:4, AR253:4, AR214:4, AR206:4, AR309:3, AR235:3, AR186:3, AR251:3, AR052:3, AR222:3, AR224:3, AR204:3, AR282:3, AR289:3, AR248:3, AR215:3, AR284:3, AR181:3, AR269:3, AR180:2, AR312:2, AR246:2, AR277:2, AR061:2, AR182:2, AR162:2, AR184:2, AR163:2, AR296:2, AR198:2, AR161:2, AR223:2, AR291:2, AR298:2, AR171:2, AR267:2, AR229:2, AR055:2, AR297:2, AR225:2, AR265:2, AR285:2, AR193:2, AR228:2, AR270:2, AR292:2, AR183:2, AR261:2, AR033:2, AR290:2, AR268:2, AR169:2, AR310:2, AR266:2, AR271:2, AR205:2, AR264:2, AR286:2, AR192:2, AR247:2, AR053:2, AR240:2, AR060:2, AR287:2, AR293:2, AR257:2, AR239:2, AR213:1, AR178:1, AR294:1, AR237:1, AR177:1, AR275:1, AR089:1, AR288:1, AR300:1, AR175:1, AR283:1, AR238:1, AR272:1, AR274:1, AR173:1, AR231:1, AR236:1, AR233:1, AR185:1, AR313:1, AR104:1, AR179:1, AR259:1, AR234:1, AR295:1, AR096:1, AR299:1, AR230:1, AR243:1, AR199:1 H0521:17, H0522:12, S0114:3, S0116:3, H0402:2, H0634:2, S0440:2, H0547:2, S0292:2, L0756:2, H0265:1, H0556:1, H0686:1, S0134:1, S0218:1, L0785:1, H0254:1, H0638:1, H0637:1, H0747:1, H0370:1, H0559:1, H0490:1, H0485:1, H0635:1, S0474:1, H0581:1, H0421:1, H0597:1, H0620:1, H0051:1, H0083:1, H0252:1, H0063:1, H0059:1, H0625:1, L0667:1, L0768:1, L0653:1, L0659:1, L0783:1, L2260:1, H0702:1, H0701:1, H0539:1, H0518:1, H0727:1, L0366:1, H0543:1 and H0423:1.
	HHPGO40	753270	408	
	HHPGO40	560969	409	
129	HHSDX28	553494	139	AR161:5, AR163:5, AR162:5, AR176:4, AR269:4, AR266:4, AR173:4, AR267:4, AR165:4, AR178:4, AR183:4, AR264:4, AR164:3, AR225:3, AR228:3, AR166:3, AR229:3, AR180:3, AR233:3, AR182:3, AR270:3, AR240:3, AR217:3, AR230:3, AR196:3, AR257:3, AR089:3, AR242:3, AR313:3, AR262:3, AR247:3, AR309:3, AR239:3, AR177:3, AR300:3, AR175:3, AR226:3, AR268:3, AR181:3, AR296:3, AR293:3, AR221:3, AR236:2, AR222:2, AR255:2, AR179:2, AR238:2, AR289:2,

					AR096:2, AR231:2, AR234:2, AR199:2, AR223:2, AR237:2, AR286:2, AR227:2, AR060:2, AR203:2, AR191:2, AR288:2, AR316:2, AR290:2, AR275:2, AR287:2, AR061:2, AR277:2, AR294:2, AR197:2, AR261:2, AR250:2, AR174:2, AR188:2, AR189:2, AR168:2, AR282:2, AR272:2, AR274:2, AR258:2, AR190:2, AR291:2, AR200:2, AR295:2, AR311:2, AR299:2, AR210:1, AR055:1, AR285:1, AR212:1, AR185:1, AR193:1, AR104:1, AR216:1, AR219:1, AR297:1, AR253:1, AR218:1, AR260:1, AR254:1 S0051:1 and H0445:1.
130	HILCF66	636025	140		AR277:12, AR235:3, AR224:3, AR309:3, AR245:3, AR282:2, AR171:2, AR222:2, AR271:2, AR283:2, AR225:2, AR264:2, AR163:1, AR168:1, AR162:1, AR257:1, AR183:1, AR221:1, AR089:1, AR161:1, AR192:1 L0794:2, T0002:1, H0685:1, H0638:1, L0586:1, T0010:1, L0055:1, S0440:1, L0662:1, H0519:1, S0378:1, S0406:1, L0748:1, L0750:1, L0756:1 and L0731:1.
131	HJABB94	456466	141		AR176:9, AR225:9, AR221:8, AR295:8, AR170:8, AR264:8, AR178:8, AR288:7, AR291:7, AR180:7, AR215:7, AR175:7, AR275:7, AR297:7, AR224:7, AR268:7, AR293:7, AR228:7, AR269:6, AR309:6, AR270:6, AR263:6, AR285:6, AR296:6, AR267:6, AR282:6, AR162:6, AR239:6, AR173:6, AR311:6, AR161:5, AR231:5, AR266:5, AR181:5, AR207:5, AR182:5, AR163:5, AR183:5, AR053:5, AR238:5, AR289:5, AR217:5, AR213:5, AR229:5, AR274:5, AR286:5, AR177:5, AR290:5, AR237:5, AR287:5, AR033:5, AR226:5, AR294:5, AR277:5, AR196:5, AR212:4, AR179:4, AR235:4, AR216:4, AR055:4, AR223:4, AR233:4, AR260:4, AR316:4, AR211:4, AR283:4, AR171:4, AR312:4, AR192:4, AR256:4, AR227:4, AR261:4, AR190:4, AR230:4, AR104:4, AR300:4, AR240:4, AR060:4, AR174:4, AR169:3, AR198:3, AR222:3, AR218:3, AR191:3, AR199:3, AR210:3, AR189:3, AR271:3, AR195:3, AR313:3, AR219:3, AR039:3, AR232:3, AR188:3, AR096:3, AR089:3, AR185:3, AR200:3, AR172:3, AR166:3, AR234:3, AR168:3, AR165:3, AR164:3, AR258:3, AR257:3, AR299:3, AR308:2, AR201:2, AR243:2, AR193:2, AR203:2, AR061:2, AR247:2, AR255:2, AR262:2, AR272:2, AR236:2, AR242:1, AR254:1 H0624:1, S0360:1, H0586:1, L0021:1, T0041:1 and L0779:1.
132	HJACG02	1307789	142		AR207:37, AR195:33, AR283:32, AR263:32, AR264:29, AR223:28, AR214:28, AR089:28, AR277:27, AR222:27, AR309:27, AR311:27, AR212:26, AR169:26, AR316:25, AR224:24, AR096:24, AR055:24, AR197:23, AR213:23, AR282:22, AR104:22, AR245:22, AR171:22, AR218:22, AR162:22, AR192:21, AR217:21, AR161:21, AR193:21, AR163:20, AR308:20, AR165:20, AR168:20, AR216:20, AR170:20, AR164:20, AR235:19, AR172:19, AR053:19, AR166:19, AR060:19, AR219:19, AR242:19, AR271:19, AR299:19, AR210:19, AR039:19, AR033:19, AR240:18, AR225:18, AR313:18, AR312:18, AR201:18, AR221:17, AR261:17, AR198:17, AR246:17, AR288:17, AR252:17, AR295:17, AR176:16, AR177:16, AR215:15, AR297:15, AR253:15, AR205:15, AR270:15, AR196:15, AR185:15, AR275:15, AR286:15, AR285:14, AR260:14, AR287:14, AR233:14, AR236:14, AR183:14, AR227:13, AR175:13, AR211:13, AR300:13, AR250:13, AR294:13, AR181:13, AR274:13, AR272:13, AR229:13, AR174:12, AR256:12, AR182:12, AR234:12, AR204:12, AR269:12, AR228:12, AR293:12, AR178:12, AR226:12, AR268:11, AR266:11, AR173:11, AR262:11, AR200:11, AR243:11, AR199:11, AR258:11, AR231:11, AR291:11, AR180:11, AR289:11, AR247:11, AR239:10, AR257:10, AR267:10, AR255:10, AR188:10, AR254:10, AR203:10, AR232:10, AR238:9, AR191:9, AR189:9, AR190:9, AR061:9, AR230:9, AR296:9, AR179:9, AR290:8, AR237:7 S0442:4, L0764:4, S0408:3, H0306:2, H0263:2, H0596:2, L0800:2, L0755:2, S0116:1, S0358:1, H0489:1, H0597:1, T0041:1 and L0772:1.
	HJACG02	509948	410		
133	HJACG30	895505	143		AR263:8, AR165:8, AR250:8, AR162:7, AR161:7, AR205:7, AR196:7, AR166:7, AR164:7, AR215:7, AR163:7, AR192:7,

				AR198:7, AR235:7, AR245:6, AR264:6, AR216:6, AR270:6, AR207:6, AR309:6, AR246:6, AR174:5, AR223:5, AR269:5, AR168:5, AR243:5, AR224:5, AR180:5, AR311:5, AR183:5, AR308:5, AR254:5, AR173:5, AR177:5, AR268:5, AR242:5, AR179:5, AR312:5, AR176:5, AR175:5, AR291:5, AR221:5, AR181:5, AR285:4, AR170:4, AR275:4, AR295:4, AR053:4, AR271:4, AR191:4, AR288:4, AR204:4, AR316:4, AR274:4, AR199:4, AR055:4, AR266:4, AR210:4, AR236:4, AR217:4, AR240:4, AR188:4, AR189:4, AR257:4, AR247:4, AR213:4, AR178:4, AR039:4, AR222:4, AR225:4, AR182:4, AR297:4, AR201:4, AR212:4, AR252:4, AR296:4, AR261:4, AR286:3, AR253:3, AR060:3, AR294:3, AR237:3, AR282:3, AR267:3, AR262:3, AR290:3, AR172:3, AR171:3, AR287:3, AR299:3, AR231:3, AR289:3, AR197:3, AR193:3, AR293:3, AR255:3, AR190:3, AR200:3, AR228:3, AR033:3, AR313:3, AR211:3, AR258:3, AR300:3, AR089:3, AR238:3, AR185:3, AR233:3, AR229:3, AR277:3, AR226:3, AR239:3, AR230:3, AR234:2, AR214:2, AR260:2, AR096:2, AR061:2, AR195:2, AR219:2, AR203:2, AR256:2, AR272:2, AR232:2, AR227:2, AR218:1, AR283:1, AR104:1, AR169:1 H0069:3, T0041:2, H0436:2, H0318:1, L4747:1, L0646:1, L0766:1 and L0803:1.
	HJACG30	821341	411	
	HJACG30	774300	412	
134	HJBCY35	719729	144	AR215:11, AR291:11, AR225:10, AR217:9, AR216:8, AR296:8, AR214:8, AR297:8, AR266:7, AR183:7, AR257:7, AR223:7, AR170:7, AR269:7, AR287:7, AR221:6, AR270:6, AR171:6, AR182:6, AR286:6, AR169:6, AR172:6, AR294:6, AR176:6, AR235:6, AR163:5, AR295:5, AR161:5, AR168:5, AR255:5, AR162:5, AR224:5, AR285:5, AR293:5, AR268:5, AR289:5, AR288:5, AR263:5, AR264:5, AR165:4, AR173:4, AR260:4, AR262:4, AR175:4, AR164:4, AR179:4, AR055:4, AR104:4, AR222:4, AR166:4, AR060:4, AR181:4, AR242:4, AR313:4, AR283:4, AR258:4, AR240:4, AR311:4, AR290:3, AR180:3, AR282:3, AR247:3, AR231:3, AR316:3, AR267:3, AR233:3, AR228:3, AR300:3, AR236:3, AR177:3, AR096:3, AR212:3, AR256:3, AR275:3, AR237:3, AR185:3, AR239:3, AR299:3, AR245:3, AR229:3, AR039:3, AR238:3, AR234:3, AR191:3, AR190:2, AR199:2, AR089:2, AR178:2, AR277:2, AR189:2, AR174:2, AR205:2, AR309:2, AR061:2, AR274:2, AR227:2, AR261:2, AR188:2, AR218:2, AR272:2, AR219:2, AR312:2, AR196:2, AR195:2, AR232:2, AR200:2, AR211:2, AR230:2, AR203:1, AR210:1, AR226:1, AR033:1, AR252:1 H0618:16, H0617:13, H0253:11, H0457:6, L0766:6, L0769:5, H0255:4, H0559:4, H0181:4, L0748:4, H0170:3, S0051:3, H0622:3, L0770:3, L0653:3, L0743:3, L0779:3, H0341:2, H0484:2, S0049:2, H0620:2, H0424:2, H0135:2, H0040:2, H0059:2, H0100:2, T0042:2, S0002:2, L0758:2, L0588:2, H0171:1, S0134:1, H0650:1, H0657:1, H0656:1, S0116:1, L0534:1, H0637:1, S6026:1, S0300:1, L0717:1, H0549:1, H0550:1, S6014:1, H0333:1, L2504:1, L2522:1, H0427:1, L0021:1, H0599:1, H0545:1, H0150:1, L0157:1, S0050:1, H0355:1, H0252:1, L0483:1, H0068:1, S0036:1, H0038:1, H0087:1, H0272:1, H0623:1, T0041:1, L4747:1, L3904:1, L3905:1, L0761:1, L0645:1, L0648:1, L0662:1, L0768:1, L0774:1, L0776:1, L0658:1, L4669:1, L0659:1, L0382:1, L0665:1, L2257:1, L2260:1, H0547:1, H0711:1, H0670:1, H0672:1, S0350:1, H0696:1, H0704:1, L0744:1, L0439:1, L0749:1, L0777:1, L0780:1, L0731:1, L0757:1, S0436:1, S0276:1 and H0543:1.
135	HJMBI18	545492	145	AR214:33, AR222:32, AR169:27, AR235:25, AR224:25, AR223:25, AR207:24, AR168:21, AR195:21, AR213:20, AR217:20, AR170:20, AR172:20, AR171:19, AR212:19, AR216:19, AR263:17, AR165:17, AR225:16, AR196:16, AR164:16, AR215:16, AR221:16, AR308:15, AR089:15, AR166:15, AR309:15, AR311:15, AR295:15, AR242:14, AR192:14, AR245:14, AR177:13, AR261:13, AR053:13, AR312:13, AR252:12, AR197:12, AR288:12, AR198:12, AR161:12, AR162:12, AR210:12, AR271:11, AR264:11, AR163:11, AR253:11, AR033:11, AR316:11, AR282:11,

				AR236:10, AR193:10, AR240:10, AR277:10, AR060:10, AR211:10, AR285:10, AR181:10, AR174:10, AR299:10, AR039:9, AR185:9, AR188:9, AR199:9, AR246:9, AR297:9, AR205:9, AR313:9, AR096:9, AR291:9, AR229:8, AR219:8, AR201:8, AR283:8, AR272:8, AR175:8, AR218:8, AR238:8, AR055:8, AR189:8, AR296:8, AR250:8, AR200:7, AR254:7, AR286:7, AR300:7, AR293:7, AR247:7, AR262:7, AR227:7, AR226:7, AR287:7, AR289:7, AR239:7, AR232:7, AR231:7, AR243:7, AR173:7, AR191:7, AR204:6, AR258:6, AR275:6, AR104:6, AR230:6, AR257:6, AR190:6, AR180:6, AR237:6, AR178:6, AR183:6, AR234:5, AR270:5, AR255:5, AR274:5, AR294:5, AR260:5, AR256:5, AR203:5, AR290:5, AR061:5, AR179:5, AR269:4, AR228:4, AR266:4, AR268:4, AR176:4, AR233:4, AR182:4, AR267:3 L0803:3, L0805:3, L0439:3, H0341:2, L0483:2, L0663:2, H0520:2, S0380:2, L0411:1, S0418:1, H0574:1, H0427:1, H0545:1, H0009:1, S0051:1, H0623:1, L0770:1, L0769:1, L0764:1, L0766:1, L0776:1, L0518:1, L0783:1, L0438:1, H0651:1, L0748:1, L0740:1, L0754:1, L0745:1, L0756:1, L0779:1, L0758:1, L0591:1, L0592:1, H0543:1 and H0293:1.
136	HJMBM38	545752	146	AR169:7, AR225:6, AR207:6, AR192:5, AR165:5, AR164:5, AR183:5, AR168:4, AR214:4, AR166:4, AR253:4, AR196:4, AR223:4, AR162:4, AR161:4, AR163:4, AR224:4, AR222:4, AR240:4, AR261:4, AR089:4, AR216:3, AR177:3, AR309:3, AR221:3, AR291:3, AR217:3, AR205:3, AR212:3, AR178:3, AR289:3, AR269:3, AR096:3, AR170:3, AR283:3, AR039:3, AR264:3, AR203:3, AR282:3, AR188:3, AR171:3, AR268:3, AR235:3, AR308:3, AR296:3, AR295:3, AR238:3, AR313:3, AR297:3, AR181:3, AR060:3, AR270:3, AR234:2, AR263:2, AR316:2, AR255:2, AR285:2, AR211:2, AR236:2, AR200:2, AR288:2, AR286:2, AR189:2, AR176:2, AR193:2, AR055:2, AR175:2, AR191:2, AR277:2, AR174:2, AR293:2, AR262:2, AR172:2, AR290:2, AR231:2, AR230:2, AR173:2, AR201:2, AR311:2, AR247:2, AR219:2, AR312:2, AR287:2, AR227:2, AR179:2, AR104:2, AR229:2, AR274:2, AR228:2, AR257:2, AR232:2, AR190:2, AR258:2, AR266:2, AR033:2, AR239:2, AR272:2, AR237:2, AR204:2, AR233:2, AR053:2, AR061:2, AR185:2, AR182:1, AR213:1, AR299:1, AR300:1, AR252:1, AR199:1, AR267:1, AR294:1, AR218:1, AR226:1 H0424:3, H0545:2, L0809:2, S0212:1, H0255:1, S0278:1, H0587:1, H0559:1, H0188:1, H0087:1, H0551:1, H0529:1, L0769:1, L0761:1, L0646:1, L0764:1, L0363:1, L0794:1, L0659:1, L0783:1, L0787:1, L0665:1, H0660:1, S0328:1, H0521:1, L0777:1, S0192:1 and H0422:1.
137	HJPAD75	651337	147	AR277:7, AR215:2, AR282:2, AR246:2, AR225:2, AR290:2, AR213:2, AR172:2, AR261:1, AR266:1, AR162:1, AR165:1, AR257:1, AR230:1, AR168:1, AR182:1, AR166:1, AR252:1, AR196:1, AR295:1, AR270:1, AR177:1, AR285:1, AR195:1, AR291:1, AR217:1, AR161:1, AR256:1 H0556:6, L0769:4, L0771:4, H0265:3, L0764:3, H0083:2, S0142:2, L0794:2, L0803:2, L0789:2, L0792:2, L0438:2, L0754:2, L0747:2, L0749:2, L0757:2, S0356:1, S0444:1, S0360:1, H0013:1, S0010:1, H0421:1, H0263:1, H0596:1, L0157:1, L0471:1, H0553:1, H0628:1, H0090:1, H0561:1, S0372:1, L2270:1, S0422:1, L0667:1, L0768:1, L0776:1, L0809:1, H0658:1, H0648:1, S0330:1, H0521:1, H0134:1, S0027:1, L0748:1, L0756:1, L0755:1, L0731:1, S0434:1, L0592:1 and H0542:1.
138	HJPCP42	1040297	148	L0749:5, L0776:4, L0748:3, L0764:2, L0439:2, H0341:1, H0083:1, H0266:1, H0022:1, L0773:1, L0662:1, L0626:1, L0363:1, L0655:1, L0789:1, H0134:1, L0747:1, L0777:1, L0755:1, H0445:1 and H0677:1.
	HJPCP42	844091	413	
	HJPCP42	852573	414	
	HJPCP42	824612	415	
139	HKABI84	565078	149	AR271:11, AR242:9, AR216:8, AR253:7, AR225:7, AR214:7, AR205:7, AR195:6, AR165:6, AR207:6, AR296:6, AR164:6, AR198:6, AR089:6, AR254:6, AR224:6, AR250:6, AR166:6, AR217:6, AR309:6, AR212:6, AR245:6, AR192:6, AR263:6,

				AR215:6, AR221:6, AR312:5, AR162:5, AR196:5, AR308:5, AR161:5, AR096:5, AR299:5, AR163:5, AR246:5, AR213:5, AR313:5, AR243:5, AR053:5, AR193:5, AR222:5, AR264:5, AR223:5, AR311:5, AR060:5, AR204:4, AR197:4, AR188:4, AR274:4, AR261:4, AR175:4, AR201:4, AR172:4, AR285:4, AR189:4, AR316:4, AR039:4, AR169:4, AR171:4, AR173:4, AR300:4, AR268:4, AR282:4, AR176:4, AR199:4, AR104:4, AR033:4, AR168:4, AR235:4, AR190:4, AR200:4, AR240:4, AR295:3, AR288:3, AR257:3, AR277:3, AR252:3, AR291:3, AR297:3, AR203:3, AR238:3, AR286:3, AR177:3, AR294:3, AR174:3, AR289:3, AR191:3, AR183:3, AR210:3, AR283:3, AR185:3, AR180:3, AR255:3, AR178:3, AR247:3, AR290:3, AR262:3, AR269:3, AR230:3, AR293:3, AR270:3, AR287:2, AR226:2, AR181:2, AR258:2, AR275:2, AR219:2, AR267:2, AR218:2, AR239:2, AR179:2, AR232:2, AR234:2, AR272:2, AR237:2, AR229:2, AR231:2, AR061:2, AR233:2, AR236:2, AR228:2, AR182:2, AR227:1, AR256:1, AR266:1, AR260:1, AR170:1 L0794:9, L0777:6, L0809:4, L0779:4, L0731:4, L0766:3, L0666:3, L0663:3, L3825:3, H0547:3, S0444:2, L3459:2, L3480:2, L3817:2, L0483:2, L0770:2, L0521:2, L0768:2, L0803:2, L0775:2, L0805:2, L0661:2, L0665:2, H0144:2, L3827:2, L3828:2, H0658:2, H0670:2, S0406:2, L0439:2, L0754:2, L0749:2, L0756:2, H0543:2, H0556:1, H0657:1, H0662:1, S0360:1, L3262:1, L2799:1, H0411:1, S0278:1, H0443:1, H0550:1, L3816:1, T0039:1, L3499:1, L2647:1, H0013:1, H0427:1, H0575:1, S0474:1, H0052:1, H0591:1, H0038:1, H0040:1, H0616:1, H0264:1, H0494:1, S0440:1, H0649:1, L0598:1, H0529:1, L0369:1, L0640:1, L3904:1, L0662:1, L0804:1, L0375:1, L0378:1, L0806:1, L0653:1, L0776:1, L0807:1, L0788:1, L0664:1, L2259:1, L2654:1, L3812:1, S0126:1, H0689:1, H0435:1, H0539:1, H0696:1, S0176:1, H0555:1, H0785:1, L0747:1, L0755:1, L0757:1, L0758:1, L0608:1, L0362:1, S0026:1, S0424:1 and L3808:1.
140	HKABZ65	862030	150	AR313:41, AR242:32, AR039:28, AR165:25, AR163:25, AR164:24, AR161:24, AR162:24, AR166:24, AR089:24, AR096:23, AR173:22, AR196:20, AR193:20, AR299:20, AR300:20, AR258:20, AR180:19, AR175:19, AR178:18, AR240:18, AR229:18, AR234:18, AR185:17, AR247:17, AR218:17, AR262:17, AR179:16, AR285:16, AR183:16, AR269:16, AR293:15, AR174:15, AR199:15, AR182:15, AR181:15, AR238:14, AR191:14, AR296:14, AR236:14, AR257:14, AR316:14, AR270:14, AR226:13, AR219:13, AR297:13, AR277:13, AR264:12, AR200:12, AR312:12, AR195:12, AR213:12, AR192:12, AR203:12, AR268:12, AR212:12, AR294:12, AR286:11, AR060:11, AR230:11, AR177:11, AR189:11, AR233:11, AR260:10, AR231:10, AR198:10, AR290:10, AR188:10, AR204:10, AR053:9, AR287:9, AR288:9, AR255:9, AR295:9, AR033:9, AR261:9, AR282:9, AR104:9, AR245:9, AR243:9, AR235:9, AR228:8, AR308:8, AR263:8, AR275:8, AR291:8, AR201:8, AR274:8, AR237:7, AR197:7, AR239:7, AR224:7, AR311:7, AR176:7, AR267:7, AR172:7, AR256:7, AR223:7, AR205:7, AR171:6, AR227:6, AR168:6, AR214:6, AR207:6, AR169:6, AR225:6, AR252:6, AR250:6, AR271:6, AR215:6, AR170:6, AR211:6, AR221:6, AR309:5, AR283:5, AR266:5, AR254:5, AR222:5, AR190:5, AR210:5, AR216:5, AR217:5, AR232:5, AR055:5, AR289:4, AR253:4, AR246:4, AR272:3, AR061:2 H0494:1
	HKABZ65	665424	416	
141	HKACB56	554616	151	AR223:8, AR235:8, AR263:7, AR222:7, AR170:7, AR221:7, AR207:7, AR216:7, AR169:7, AR224:7, AR168:7, AR171:7, AR311:7, AR198:7, AR309:7, AR214:6, AR225:6, AR053:6, AR197:6, AR212:6, AR215:6, AR089:6, AR264:6, AR245:6, AR205:5, AR217:5, AR165:5, AR163:5, AR161:5, AR162:5, AR164:5, AR166:5, AR275:5, AR308:5, AR213:5, AR172:5, AR312:4, AR277:4, AR274:4, AR246:4, AR196:4, AR060:4, AR271:4, AR282:4, AR195:4, AR295:4, AR261:4, AR269:4, AR230:4, AR316:4, AR181:4, AR288:4, AR176:4, AR055:3, AR240:3, AR204:3, AR297:3, AR283:3, AR313:3, AR177:3, AR210:3, AR285:3, AR242:3, AR296:3, AR039:3, AR199:3, AR096:3, AR173:3, AR272:3, AR236:3, AR200:3, AR252:3,

				AR254:3, AR238:3, AR175:3, AR291:3, AR193:3, AR299:3, AR247:3, AR191:3, AR033:3, AR188:3, AR286:3, AR289:3, AR300:3, AR185:3, AR201:3, AR174:3, AR270:3, AR262:3, AR237:2, AR293:2, AR104:2, AR232:2, AR287:2, AR294:2, AR178:2, AR189:2, AR229:2, AR234:2, AR226:2, AR239:2, AR061:2, AR182:2, AR290:2, AR203:2, AR227:2, AR255:2, AR183:2, AR190:2, AR233:2, AR211:2, AR231:2, AR257:2, AR267:2, AR228:2, AR243:2, AR258:2, AR256:2, AR179:1, AR218:1, AR268:1, AR219:1, AR192:1, AR180:1, AR253:1 H0494:4, L0045:1 and L0806:1.
142	HKACD58	1352202	152	AR261:30, AR235:29, AR283:29, AR297:20, AR291:17, AR285:16, AR286:15, AR295:13, AR183:13, AR269:13, AR287:12, AR258:11, AR268:11, AR266:11, AR289:10, AR161:10, AR162:10, AR288:10, AR236:10, AR260:10, AR165:10, AR163:10, AR166:9, AR207:9, AR164:9, AR270:9, AR282:9, AR277:8, AR223:8, AR214:8, AR243:8, AR215:8, AR224:8, AR296:8, AR096:8, AR039:8, AR172:8, AR221:8, AR192:8, AR316:8, AR182:8, AR104:8, AR089:8, AR222:8, AR293:7, AR173:7, AR176:7, AR255:7, AR169:7, AR171:7, AR311:7, AR257:7, AR313:7, AR225:7, AR245:7, AR254:7, AR180:7, AR211:7, AR262:7, AR195:7, AR290:6, AR240:6, AR175:6, AR179:6, AR217:6, AR247:6, AR256:6, AR055:6, AR309:6, AR168:6, AR300:6, AR294:6, AR197:6, AR219:6, AR263:6, AR299:6, AR242:6, AR216:6, AR060:5, AR238:5, AR267:5, AR185:5, AR250:5, AR264:5, AR181:5, AR234:5, AR053:5, AR199:5, AR275:5, AR178:5, AR308:5, AR033:5, AR274:5, AR193:5, AR177:5, AR218:5, AR174:4, AR213:4, AR170:4, AR246:4, AR212:4, AR312:4, AR198:4, AR253:4, AR205:4, AR271:4, AR189:4, AR191:4, AR210:4, AR201:4, AR239:3, AR237:3, AR252:3, AR196:3, AR190:3, AR233:3, AR231:3, AR227:3, AR061:3, AR226:3, AR230:3, AR272:3, AR229:3, AR204:3, AR232:3, AR203:3, AR200:3, AR188:2, AR228:2 S0360:12, S0436:3, S0194:3, S0114:2, H0483:2, S0408:2, L3504:2, H0575:2, H0581:2, S0344:2, L2262:2, H0519:2, L0754:2, H0139:1, L2884:1, H0657:1, H0656:1, S0420:1, S0356:1, S0410:1, L2333:1, H0151:1, S0046:1, L3127:1, H0549:1, H0613:1, H0427:1, H0546:1, H0081:1, H0355:1, S0312:1, H0032:1, H0383:1, H0551:1, H0264:1, T0042:1, H0494:1, H0386:1, H0509:1, H0649:1, S0210:1, L0646:1, L0804:1, L0805:1, L0809:1, L5622:1, L2651:1, L2265:1, L2702:1, H0682:1, H0435:1, H0670:1, H0672:1, H0521:1, H0696:1, H0134:1, S0206:1, L0741:1, L0743:1, L0744:1, L0756:1, L0596:1, L0581:1, L0593:1, L0595:1, L0366:1, S0242:1, S0196:1, H0423:1 and H0506:1.
	HKACD58	552465	417	
143	HKACH44	545015	153	AR207:29, AR263:28, AR311:26, AR264:24, AR235:24, AR223:22, AR196:22, AR212:22, AR261:21, AR195:21, AR309:21, AR192:21, AR222:20, AR198:19, AR245:19, AR224:19, AR214:18, AR213:18, AR246:18, AR169:18, AR217:18, AR295:17, AR168:17, AR236:17, AR201:17, AR172:17, AR053:17, AR171:17, AR197:17, AR221:17, AR163:17, AR170:16, AR177:16, AR216:16, AR193:16, AR288:16, AR165:16, AR215:15, AR089:15, AR312:15, AR285:15, AR055:15, AR164:15, AR240:15, AR286:15, AR282:15, AR161:14, AR225:14, AR272:14, AR162:14, AR297:14, AR308:14, AR033:13, AR271:13, AR039:13, AR199:12, AR252:12, AR316:12, AR218:12, AR275:12, AR210:12, AR174:12, AR211:12, AR250:12, AR060:11, AR291:11, AR277:11, AR205:11, AR287:11, AR283:11, AR188:11, AR258:11, AR293:11, AR242:11, AR189:10, AR299:10, AR183:10, AR200:10, AR262:10, AR289:10, AR234:10, AR176:10, AR191:9, AR253:9, AR181:9, AR096:9, AR175:9, AR185:9, AR296:9, AR219:9, AR204:9, AR190:9, AR247:9, AR268:9, AR300:9, AR243:9, AR232:9, AR166:9, AR239:9, AR313:8, AR173:8, AR274:8, AR226:8, AR203:8, AR269:8, AR233:8, AR104:8, AR255:8, AR227:8, AR229:8, AR260:8, AR294:8, AR178:7, AR257:7, AR180:7, AR231:7, AR238:7, AR230:7, AR254:7, AR179:7, AR290:6, AR270:6, AR266:6, AR061:6, AR256:6, AR228:6, AR182:6, AR237:6, AR267:5 L0769:3, L0809:2, L0750:2, H0663:1, S0356:1, S0360:1, S6026:1, S0278:1, H0559:1, H0486:1,

				H0618:1, H0024:1, H0606:1, H0494:1, H0560:1, H0538:1, L0646:1, L0800:1, L0764:1, L0662:1, L0794:1, L0766:1, L0803:1, L0656:1, L0664:1, H0547:1, H0672:1, S0328:1, L0757:1 and H0543:1.
144	HKAEV06	1352263	154	AR272:35, AR165:34, AR163:33, AR164:33, AR161:32, AR162:32, AR245:32, AR166:32, AR274:28, AR212:28, AR205:26, AR311:23, AR242:22, AR264:21, AR308:20, AR214:20, AR174:19, AR197:19, AR216:16, AR223:15, AR222:15, AR313:15, AR213:14, AR171:14, AR312:14, AR195:14, AR225:14, AR247:13, AR201:13, AR254:12, AR309:12, AR053:12, AR275:12, AR263:12, AR168:12, AR246:11, AR217:11, AR224:11, AR215:11, AR252:11, AR089:11, AR170:10, AR243:10, AR172:10, AR192:10, AR221:9, AR241:9, AR189:9, AR185:9, AR250:9, AR240:8, AR039:8, AR199:8, AR204:8, AR179:7, AR198:7, AR169:7, AR096:7, AR193:7, AR177:7, AR188:7, AR297:6, AR253:6, AR236:6, AR249:6, AR300:6, AR262:6, AR271:6, AR277:6, AR183:6, AR104:6, AR261:6, AR299:6, AR234:5, AR239:5, AR194:5, AR173:5, AR181:5, AR265:5, AR257:5, AR316:5, AR288:5, AR207:5, AR190:5, AR060:5, AR282:5, AR180:5, AR233:5, AR230:4, AR231:4, AR293:4, AR176:4, AR178:4, AR290:4, AR287:4, AR191:4, AR196:4, AR291:4, AR238:4, AR255:4, AR296:4, AR235:4, AR273:4, AR289:3, AR270:3, AR266:3, AR052:3, AR203:3, AR229:3, AR200:3, AR206:3, AR228:3, AR294:3, AR283:3, AR295:3, AR033:3, AR175:2, AR269:2, AR268:2, AR248:2, AR210:2, AR237:2, AR182:2, AR285:2, AR258:2, AR286:2, AR186:2, AR267:2, AR061:2, AR232:2, AR226:2, AR244:2, AR260:2, AR219:1, AR055:1, AR227:1, AR211:1, AR310:1, AR281:1, AR218:1, AR256:1 L0438:2, L0758:2, S0442:1, S0354:1, S0444:1, H0741:1, L0021:1, T0082:1, H0046:1, H0494:1, S0440:1, L3815:1, L0800:1, L0662:1, L5574:1, L0803:1, L0776:1, L0659:1, L2655:1, L2653:1, S0374:1, H0547:1, H0672:1, S0330:1, H0521:1, H0696:1, L0439:1, L0752:1, L0594:1 and H0543:1.
	HKAEV06	638238	418	
145	HKAFT66	946512	155	AR214:32, AR195:28, AR222:28, AR169:27, AR223:26, AR224:25, AR168:23, AR172:23, AR235:22, AR217:21, AR311:20, AR216:20, AR207:19, AR221:19, AR171:18, AR263:18, AR225:17, AR264:16, AR215:15, AR281:15, AR196:14, AR170:14, AR212:14, AR261:13, AR252:13, AR163:13, AR288:12, AR265:12, AR161:12, AR162:12, AR242:12, AR309:12, AR211:11, AR165:11, AR166:11, AR236:11, AR164:11, AR199:11, AR308:11, AR315:11, AR210:10, AR254:10, AR193:10, AR213:10, AR174:10, AR245:9, AR191:9, AR297:9, AR053:9, AR188:9, AR197:9, AR181:9, AR280:8, AR173:8, AR200:8, AR180:8, AR240:8, AR310:8, AR189:8, AR287:8, AR239:8, AR272:7, AR251:7, AR295:7, AR262:7, AR177:7, AR314:7, AR312:7, AR190:7, AR230:7, AR033:7, AR271:7, AR282:6, AR229:6, AR283:6, AR257:6, AR192:6, AR198:6, AR275:6, AR205:6, AR201:6, AR203:6, AR313:6, AR249:6, AR274:6, AR300:6, AR260:6, AR089:5, AR277:5, AR238:5, AR176:5, AR299:5, AR246:5, AR285:5, AR178:5, AR218:5, AR316:5, AR286:5, AR258:5, AR247:4, AR291:4, AR255:4, AR248:4, AR060:4, AR052:4, AR231:4, AR270:4, AR226:4, AR289:4, AR228:4, AR253:4, AR096:4, AR175:4, AR185:4, AR234:4, AR269:4, AR055:4, AR227:4, AR183:3, AR232:3, AR039:3, AR219:3, AR296:3, AR179:3, AR237:3, AR256:3, AR104:3, AR290:3, AR233:3, AR204:3, AR293:3, AR250:3, AR268:3, AR243:2, AR266:2, AR267:2, AR061:2, AR294:2, AR182:2, AR202:2, AR273:1, AR186:1 S0474:5, S0422:3, H0580:2, S0444:1, H0494:1 and H0543:1.
	HKAFT66	889258	419	
	HKAFT66	904790	420	
146	HKB1E57	876571	156	AR253:4, AR225:3, AR171:3, AR205:3, AR192:3, AR169:3, AR245:2, AR282:2, AR193:2, AR274:2, AR039:2, AR291:2, AR212:2, AR163:2, AR162:2, AR266:2, AR161:2, AR269:2, AR264:1, AR271:1, AR178:1, AR316:1, AR275:1, AR261:1,

					AR168:1, AR270:1, AR183:1, AR297:1, AR283:1 L0747:4, L0766:3, L0776:3, L0665:3, H0328:2, L0763:2, L0769:2, L0772:2, L0764:2, L0666:2, L0745:2, L0750:2, L0777:2, L0759:2, L0608:2, H0556:1, S0116:1, H0384:1, S0360:1, S0408:1, H0637:1, H0722:1, H0735:1, H0619:1, H0492:1, H0156:1, H0421:1, H0620:1, S0051:1, H0083:1, H0510:1, H0266:1, H0031:1, H0634:1, H0560:1, S0440:1, H0132:1, H0695:1, L0800:1, L0521:1, L0662:1, L0774:1, L0806:1, L0807:1, H0144:1, H0690:1, H0658:1, H0521:1, H0522:1, L0439:1, L0746:1, L0752:1, L0480:1, L0589:1, L0592:1, H0543:1 and H0422:1.
	HKB1E57	654871	421		
147	HKFBC53	1352286	157		AR249:155, AR248:131, AR251:111, AR265:54, AR253:42, AR096:23, AR263:23, AR244:18, AR290:13, AR268:13, AR246:12, AR184:11, AR177:11, AR194:9, AR267:8, AR229:8, AR270:8, AR247:7, AR240:7, AR269:7, AR183:6, AR202:5, AR175:5, AR234:5, AR241:5, AR316:5, AR206:5, AR313:5, AR055:4, AR299:4, AR033:4, AR238:3, AR292:3, AR061:3, AR182:3, AR171:3, AR273:3, AR224:3, AR274:3, AR198:3, AR275:3, AR216:3, AR266:3, AR195:3, AR284:3, AR168:3, AR237:2, AR215:2, AR282:2, AR285:2, AR242:2, AR310:2, AR250:2, AR300:2, AR298:2, AR186:2, AR039:2, AR231:2, AR291:2, AR223:2, AR243:2, AR289:2, AR179:2, AR204:2, AR104:2, AR205:2, AR257:2, AR271:2, AR053:2, AR226:2, AR277:2, AR217:2, AR232:2, AR192:2, AR296:2, AR185:2, AR264:1, AR295:1, AR089:1, AR261:1, AR213:1, AR259:1, AR166:1, AR286:1, AR308:1, AR233:1, AR201:1 L0794:11, H0521:11, S0002:8, L0805:8, L0803:7, S0278:6, S0144:6, L0774:4, L0777:4, S0380:3, H0265:2, H0556:2, H0255:2, H0638:2, L0761:2, L0776:2, L0809:2, S0406:2, S0298:1, S0420:1, S0356:1, H0431:1, H0618:1, H0546:1, H0100:1, H0429:1, H0494:1, H0509:1, S0142:1, S0426:1, L0640:1, L0763:1, L0770:1, L3904:1, L0800:1, L0804:1, L0806:1, L0807:1, L4669:1, L5622:1, L5623:1, L0791:1, L0792:1, L0666:1, L2261:1, S0374:1, H0690:1, H0522:1, S0390:1, L0740:1, L0751:1, L0756:1, L0779:1 and L0731:1.
	HKFBC53	701893	422		
	HKFBC53	513190	423		
	HKFBC53	383426	424		
148	HKGDL36	877489	158		AR274:28, AR214:24, AR168:23, AR216:22, AR205:21, AR245:20, AR224:20, AR272:18, AR222:17, AR199:17, AR171:17, AR223:17, AR252:17, AR215:16, AR213:16, AR312:16, AR195:15, AR217:15, AR170:15, AR247:15, AR166:14, AR313:14, AR212:14, AR246:14, AR225:14, AR165:13, AR164:13, AR172:13, AR311:13, AR308:13, AR169:12, AR162:12, AR161:12, AR053:12, AR221:12, AR163:12, AR210:11, AR179:11, AR188:11, AR197:10, AR275:10, AR263:10, AR250:10, AR189:9, AR174:9, AR264:9, AR242:9, AR236:9, AR089:9, AR201:9, AR254:9, AR096:9, AR193:8, AR299:8, AR271:8, AR243:8, AR175:8, AR309:8, AR253:8, AR039:8, AR291:8, AR180:8, AR296:8, AR190:7, AR185:7, AR288:7, AR173:7, AR240:7, AR178:7, AR295:7, AR293:7, AR218:7, AR267:7, AR183:6, AR211:6, AR289:6, AR282:6, AR262:6, AR191:6, AR300:6, AR219:6, AR277:6, AR316:6, AR192:6, AR290:6, AR270:6, AR177:6, AR261:6, AR269:6, AR268:6, AR266:6, AR255:6, AR060:6, AR204:6, AR297:6, AR231:5, AR203:5, AR200:5, AR230:5, AR257:5, AR285:5, AR198:5, AR237:5, AR294:5, AR256:5, AR283:5, AR181:5, AR287:4, AR239:4, AR260:4, AR229:4, AR258:4, AR104:4, AR234:4, AR233:4, AR061:4, AR207:4, AR182:4, AR176:4, AR286:4, AR232:4, AR238:3, AR033:3, AR226:3, AR196:3, AR055:3, AR227:3, AR235:2, AR228:2 H0424:28, L0803:25, L0805:9, L0636:7, L0774:5, L0770:4, H0661:2, S0222:2, L0157:2, L0638:2, L3904:2, L0776:2, L0659:2, L0809:2, L0789:2, H0539:2, L0592:2, H0295:1,

				S0114:1, H0663:1, S6026:1, H0549:1, H0748:1, H0571:1, S0051:1, T0006:1, H0033:1, H0604:1, H0213:1, H0418:1, H0417:1, H0538:1, L0769:1, L3905:1, L0794:1, L0647:1, L0787:1, H0684:1, H0672:1, L0749:1, L0753:1, L0759:1, S0260:1, S0434:1 and S0436:1.
	HKGDL36	704088	425	
149	HKISB57	625956	159	AR161:12, AR162:12, AR163:12, AR165:12, AR164:11, AR166:11, AR089:8, AR225:7, AR178:6, AR183:6, AR172:6, AR300:5, AR224:5, AR181:5, AR221:5, AR223:5, AR170:5, AR299:5, AR039:4, AR291:4, AR096:4, AR268:4, AR275:4, AR286:4, AR274:4, AR055:4, AR247:4, AR222:4, AR269:4, AR258:4, AR257:4, AR179:3, AR240:3, AR242:3, AR173:3, AR182:3, AR262:3, AR270:3, AR272:3, AR189:3, AR316:3, AR267:3, AR175:3, AR245:3, AR313:3, AR287:3, AR296:3, AR231:2, AR210:2, AR171:2, AR190:2, AR217:2, AR205:2, AR277:2, AR230:2, AR295:2, AR290:2, AR263:2, AR060:2, AR309:2, AR191:2, AR228:2, AR229:2, AR104:2, AR261:2, AR288:2, AR174:2, AR282:2, AR246:2, AR255:2, AR312:2, AR237:2, AR169:2, AR193:2, AR271:2, AR201:2, AR233:2, AR239:2, AR197:1, AR061:1, AR226:1, AR177:1, AR213:1, AR195:1, AR033:1, AR188:1, AR238:1, AR196:1, AR185:1, AR293:1, AR176:1, AR234:1, AR227:1 L0747:5, L0731:5, H0031:4, L0599:4, S0045:3, H0411:3, H0494:3, L0783:3, L0743:3, L0758:3, L0759:3, L0604:3, H0295:2, S0356:2, S0360:2, S0046:2, H0413:2, L0774:2, H0651:2, S0027:2, L0748:2, L0439:2, L0752:2, L0601:2, H0484:1, S0132:1, H0586:1, H0333:1, H0486:1, H0042:1, H0122:1, H0546:1, H0041:1, H0050:1, H0408:1, H0288:1, H0688:1, H0424:1, H0644:1, H0383:1, L0772:1, L0764:1, L0662:1, L0364:1, L0653:1, L0782:1, L0789:1, L0666:1, L0663:1, L0664:1, H0144:1, S0148:1, H0593:1, H0666:1, S0330:1, S0044:1, S0037:1, S3014:1, L0757:1, S0031:1, H0667:1 and H0506:1.
150	HKMLM11	514788	160	AR060:13, AR039:7, AR282:7, AR170:7, AR252:7, AR263:7, AR207:7, AR309:7, AR299:6, AR224:6, AR096:5, AR161:5, AR162:5, AR264:5, AR163:5, AR311:5, AR165:5, AR214:5, AR225:5, AR235:5, AR164:5, AR277:5, AR166:5, AR308:5, AR245:5, AR246:5, AR217:5, AR182:5, AR168:4, AR283:4, AR195:4, AR275:4, AR316:4, AR271:4, AR171:4, AR312:4, AR261:4, AR053:4, AR212:4, AR222:4, AR272:4, AR270:4, AR192:4, AR213:4, AR274:4, AR193:4, AR313:4, AR173:4, AR300:4, AR286:3, AR175:3, AR089:3, AR291:3, AR180:3, AR181:3, AR269:3, AR288:3, AR223:3, AR176:3, AR169:3, AR297:3, AR289:3, AR250:3, AR285:3, AR254:3, AR201:3, AR239:3, AR229:3, AR267:3, AR104:3, AR293:3, AR198:3, AR240:3, AR230:3, AR205:3, AR243:3, AR296:3, AR196:3, AR236:3, AR227:3, AR247:3, AR216:3, AR204:3, AR172:3, AR295:3, AR268:2, AR199:2, AR257:2, AR178:2, AR055:2, AR221:2, AR237:2, AR234:2, AR174:2, AR177:2, AR287:2, AR294:2, AR188:2, AR033:2, AR238:2, AR218:2, AR231:2, AR266:2, AR210:2, AR226:2, AR228:2, AR232:2, AR185:2, AR262:2, AR061:2, AR255:2, AR233:2, AR203:2, AR191:2, AR200:2, AR260:2, AR290:2, AR189:2, AR179:2, AR258:2, AR219:2, AR197:1, AR242:1, AR183:1, AR215:1 H0620:7, L3659:3, S0442:3, H0036:3, H0150:3, S0410:2, H0722:2, H0431:2, H0012:2, L0774:2, H0740:1, H0341:1, S0358:1, H0792:1, H0549:1, H0590:1, H0746:1, H0510:1, H0059:1, T0042:1, L0475:1, L0803:1, L0775:1, H0593:1, L3215:1, S0013:1, L0758:1 and H0707:1.
151	HKMLP68	1037919	161	AR060:8, AR161:4, AR162:4, AR163:4, AR182:4, AR207:3, AR176:3, AR264:3, AR222:3, AR254:3, AR186:3, AR252:3, AR052:3, AR272:3, AR196:3, AR311:2, AR291:2, AR181:2, AR257:2, AR273:2, AR199:2, AR214:2, AR184:2, AR255:2, AR275:2, AR265:2, AR228:2, AR282:2, AR236:2, AR262:2, AR171:2, AR274:2, AR261:2, AR249:2, AR233:2, AR200:2, AR227:2, AR287:2, AR299:2, AR191:2, AR266:2, AR238:2, AR061:2, AR190:2, AR165:2, AR239:2, AR033:2, AR247:1, AR170:1, AR277:1, AR164:1, AR175:1, AR296:1, AR206:1, AR166:1, AR039:1, AR198:1, AR185:1, AR172:1, AR269:1, AR234:1, AR089:1, AR253:1, AR193:1, AR312:1, AR294:1, AR263:1, AR096:1, AR203:1, AR179:1, AR204:1, AR300:1,

				AR313:1, AR240:1, AR244:1, AR290:1, AR173:1, AR174:1, AR297:1, AR267:1, AR180:1, AR217:1 H0549:1 and H0431:1.
	HKMLP68	880047	426	
	HKMLP68	583524	427	
152	HKMMD13	604751	162	AR252:8, AR165:7, AR164:7, AR166:7, AR313:7, AR242:6, AR053:6, AR089:6, AR198:6, AR161:5, AR180:5, AR162:5, AR163:5, AR039:5, AR309:5, AR207:5, AR299:5, AR271:5, AR263:4, AR282:4, AR192:4, AR196:4, AR197:4, AR201:4, AR181:4, AR096:4, AR266:4, AR274:4, AR257:4, AR176:4, AR178:4, AR182:4, AR254:4, AR204:4, AR193:4, AR247:4, AR229:4, AR168:3, AR228:3, AR238:3, AR060:3, AR312:3, AR177:3, AR300:3, AR308:3, AR171:3, AR237:3, AR261:3, AR270:3, AR233:3, AR293:3, AR316:3, AR269:3, AR183:3, AR267:3, AR195:3, AR239:3, AR268:3, AR191:3, AR255:3, AR205:3, AR185:3, AR226:3, AR212:3, AR231:2, AR234:2, AR224:2, AR283:2, AR240:2, AR179:2, AR104:2, AR236:2, AR243:2, AR277:2, AR262:2, AR200:2, AR311:2, AR169:2, AR289:2, AR294:2, AR285:2, AR295:2, AR232:2, AR213:2, AR227:2, AR296:2, AR055:2, AR290:2, AR288:2, AR189:2, AR188:2, AR172:2, AR173:2, AR033:2, AR061:2, AR199:2, AR175:2, AR287:2, AR174:2, AR272:2, AR203:2, AR264:2, AR217:2, AR222:2, AR170:2, AR291:2, AR214:2, AR216:2, AR258:1, AR230:1, AR297:1, AR286:1, AR225:1, AR190:1 H0431:1
153	HKMMW74	581399	163	AR229:11, AR313:11, AR163:10, AR162:10, AR161:10, AR242:9, AR176:9, AR039:9, AR204:9, AR197:8, AR309:8, AR192:8, AR180:8, AR264:8, AR181:8, AR178:8, AR089:8, AR177:8, AR164:8, AR247:7, AR268:7, AR196:7, AR239:7, AR166:7, AR182:7, AR252:7, AR271:7, AR246:7, AR282:7, AR300:7, AR165:7, AR269:7, AR233:7, AR173:7, AR174:7, AR179:7, AR267:6, AR236:6, AR228:6, AR238:6, AR175:6, AR198:6, AR096:6, AR060:6, AR299:6, AR235:6, AR257:6, AR240:6, AR261:6, AR055:6, AR293:6, AR275:6, AR226:5, AR237:5, AR185:5, AR183:5, AR243:5, AR201:5, AR234:5, AR195:5, AR250:5, AR207:5, AR291:5, AR245:5, AR316:5, AR266:5, AR191:5, AR312:5, AR053:5, AR227:5, AR231:5, AR254:5, AR230:5, AR262:5, AR270:5, AR203:5, AR224:4, AR289:4, AR263:4, AR285:4, AR212:4, AR193:4, AR199:4, AR258:4, AR216:4, AR218:4, AR061:4, AR213:4, AR255:4, AR217:4, AR297:4, AR277:4, AR200:4, AR104:4, AR272:4, AR232:4, AR205:4, AR274:4, AR296:4, AR295:3, AR286:3, AR033:3, AR189:3, AR287:3, AR290:3, AR256:3, AR190:3, AR311:3, AR283:3, AR169:3, AR168:3, AR170:3, AR215:3, AR253:3, AR308:3, AR288:3, AR188:3, AR171:3, AR214:3, AR223:3, AR219:2, AR294:2, AR221:2, AR260:2, AR222:2, AR172:2, AR210:1, AR225:1 H0431:1
154	HKMND01	527402	164	AR313:42, AR039:34, AR089:28, AR165:25, AR162:24, AR166:23, AR163:23, AR164:23, AR161:22, AR096:22, AR173:21, AR229:21, AR300:20, AR299:20, AR247:18, AR185:17, AR226:16, AR242:16, AR178:16, AR316:15, AR060:15, AR180:15, AR238:15, AR204:15, AR233:15, AR196:15, AR293:15, AR175:14, AR264:14, AR257:14, AR182:14, AR240:14, AR181:13, AR176:13, AR312:13, AR262:13, AR183:13, AR228:13, AR218:13, AR237:13, AR268:13, AR179:12, AR269:12, AR193:12, AR270:12, AR197:12, AR277:12, AR174:12, AR309:12, AR239:12, AR258:12, AR053:12, AR234:11, AR199:11, AR275:11, AR195:11, AR104:11, AR236:11, AR177:11, AR255:11, AR282:11, AR203:11, AR231:10, AR201:10, AR230:10, AR245:9, AR263:9, AR274:9, AR297:9, AR267:9, AR198:9, AR219:9, AR192:9, AR288:9, AR055:9, AR294:9, AR266:9, AR287:9, AR191:9, AR243:9, AR296:9, AR189:8, AR261:8, AR286:8, AR235:8, AR252:8, AR308:8, AR254:8, AR213:8, AR285:8, AR272:8, AR271:7, AR289:7, AR212:7, AR291:7, AR188:6, AR295:6, AR200:6, AR290:6, AR221:6, AR033:6, AR227:6, AR256:5, AR207:5, AR246:5, AR260:5, AR214:5, AR253:5, AR283:5, AR061:4, AR311:4, AR250:4, AR205:4, AR168:4, AR232:3, AR215:3, AR172:3, AR225:3, AR190:3,

				AR211:3, AR217:3, AR170:3, AR216:1, AR210:1 H0431:1
155	HLDBE54	836041	165	AR227:117, AR226:107, AR237:85, AR238:79, AR239:77, AR232:66, AR061:66, AR231:30, AR228:20, AR230:17, AR233:16, AR234:15, AR229:10, AR296:7, AR316:6, AR282:5, AR213:5, AR267:5, AR225:4, AR215:4, AR277:4, AR254:4, AR264:3, AR245:2, AR192:2, AR195:2, AR201:2, AR311:2, AR224:2, AR060:2, AR263:2, AR272:2, AR217:2, AR291:2, AR172:2, AR240:2, AR033:1, AR312:1, AR308:1, AR275:1, AR055:1, AR268:1, AR193:1 H0616:1 and H0509:1.
	HLDBE54	600362	428	
	HLDBE54	800678	429	
156	HLDBX13	815665	166	AR239:6, AR061:6, AR235:5, AR238:5, AR192:4, AR226:4, AR172:4, AR195:4, AR165:4, AR232:4, AR213:4, AR164:4, AR198:4, AR166:4, AR217:4, AR169:4, AR089:3, AR246:3, AR240:3, AR177:3, AR233:3, AR162:3, AR274:3, AR212:3, AR161:3, AR176:3, AR204:3, AR237:3, AR207:3, AR215:3, AR283:3, AR266:3, AR275:3, AR225:3, AR264:3, AR311:3, AR227:3, AR313:3, AR182:3, AR205:3, AR221:3, AR234:3, AR261:3, AR308:3, AR231:3, AR250:3, AR193:3, AR282:3, AR222:3, AR173:2, AR288:2, AR199:2, AR229:2, AR228:2, AR060:2, AR243:2, AR316:2, AR271:2, AR201:2, AR185:2, AR277:2, AR247:2, AR312:2, AR175:2, AR191:2, AR183:2, AR245:2, AR236:2, AR033:2, AR190:2, AR300:2, AR189:2, AR291:2, AR096:2, AR223:2, AR262:2, AR299:2, AR174:2, AR285:2, AR257:2, AR196:2, AR286:2, AR181:2, AR211:2, AR272:2, AR216:2, AR203:2, AR287:1, AR289:1, AR270:1, AR293:1, AR224:1, AR295:1, AR297:1, AR104:1, AR163:1, AR254:1, AR255:1, AR055:1, AR269:1 H0509:1
157	HLDON23	636083	167	AR235:6, AR196:5, AR161:5, AR162:5, AR163:4, AR264:4, AR176:4, AR165:4, AR164:4, AR238:4, AR214:4, AR181:4, AR166:4, AR236:4, AR191:4, AR253:4, AR188:4, AR177:3, AR261:3, AR199:3, AR252:3, AR178:3, AR288:3, AR247:3, AR033:3, AR182:3, AR286:3, AR190:3, AR296:3, AR170:3, AR269:3, AR262:3, AR200:3, AR242:3, AR255:3, AR183:3, AR295:3, AR205:3, AR297:3, AR224:3, AR285:3, AR312:3, AR287:3, AR268:3, AR189:3, AR257:3, AR282:3, AR291:3, AR175:3, AR309:3, AR270:3, AR171:3, AR180:3, AR299:3, AR293:2, AR217:2, AR222:2, AR179:2, AR277:2, AR271:2, AR229:2, AR272:2, AR174:2, AR240:2, AR225:2, AR243:2, AR173:2, AR308:2, AR228:2, AR289:2, AR203:2, AR239:2, AR254:2, AR226:2, AR233:2, AR213:2, AR104:2, AR258:2, AR290:2, AR227:2, AR294:2, AR267:2, AR234:2, AR096:2, AR169:2, AR237:2, AR210:2, AR231:2, AR313:2, AR311:2, AR218:2, AR219:2, AR172:2, AR275:2, AR039:2, AR060:2, AR316:2, AR211:2, AR300:2, AR230:2, AR185:2, AR061:1, AR089:1, AR216:1, AR212:1, AR193:1, AR260:1, AR201:1, AR232:1, AR055:1 L0805:8, L0809:6, L0439:5, L0777:5, L0748:4, L0800:3, L0662:3, L0659:3, L0750:3, L0758:3, H0208:2, H0123:2, H0617:2, L0769:2, L0803:2, L0776:2, L0666:2, L0438:2, L0780:2, L0731:2, L3643:1, H0741:1, H0497:1, L0622:1, T0109:1, H0581:1, L0738:1, H0546:1, H0024:1, T0010:1, H0510:1, H0428:1, H0622:1, H0673:1, H0598:1, S0036:1, H0163:1, H0413:1, L0370:1, T0041:1, L0637:1, L5566:1, L0667:1, L0772:1, L0646:1, L0764:1, L0794:1, L0766:1, L0649:1, L0657:1, L0788:1, L0663:1, S0374:1, H0666:1, S0330:1, H0539:1, H0521:1, H0696:1, H0478:1, L0741:1, L0751:1, L0745:1, L0747:1, L0749:1 and L0752:1.
158	HLDQC46	847397	168	AR266:19, AR261:17, AR291:17, AR238:15, AR235:15, AR283:13, AR289:13, AR297:12, AR039:12, AR055:11, AR250:11, AR183:11, AR197:10, AR195:10, AR165:10, AR243:10, AR061:10, AR253:10, AR164:10, AR089:9, AR166:9, AR255:9, AR176:9, AR174:9, AR239:9, AR185:9, AR242:9, AR177:9, AR285:9, AR175:8, AR296:8, AR245:8, AR295:8, AR163:8, AR162:8, AR256:8, AR282:8, AR229:8, AR257:8, AR060:8, AR161:8, AR271:8, AR254:8, AR198:8, AR269:8,

				AR270:7, AR192:7, AR215:7, AR205:7, AR268:7, AR178:7, AR181:7, AR246:7, AR219:7, AR247:7, AR179:7, AR227:7, AR316:7, AR204:6, AR288:6, AR237:6, AR293:6, AR173:6, AR275:6, AR234:6, AR262:6, AR232:6, AR180:6, AR201:6, AR287:6, AR236:6, AR231:6, AR207:6, AR240:6, AR226:6, AR193:6, AR211:6, AR218:6, AR274:6, AR309:5, AR191:5, AR233:5, AR096:5, AR182:5, AR223:5, AR170:5, AR104:5, AR263:5, AR272:5, AR286:5, AR053:5, AR252:5, AR221:5, AR188:5, AR228:5, AR267:5, AR210:5, AR264:5, AR299:5, AR294:4, AR225:4, AR300:4, AR196:4, AR203:4, AR290:4, AR212:4, AR033:4, AR199:4, AR189:4, AR190:4, AR311:4, AR313:4, AR277:4, AR200:4, AR230:4, AR214:4, AR216:4, AR312:4, AR213:4, AR217:3, AR308:3, AR258:3, AR169:3, AR224:3, AR260:2, AR171:2, AR168:2 H0253:5, L0758:3, S0444:2, H0333:2, H0510:2, L3905:2, L0783:2, S0406:2, L0744:2, L0754:2, L0747:2, L0749:2, S0436:2, H0423:2, H0422:2, H0265:1, H0717:1, H0716:1, S6024:1, H0341:1, H0484:1, H0192:1, S0360:1, S0408:1, T0008:1, H0580:1, H0733:1, H0393:1, S0280:1, H0196:1, H0544:1, H0545:1, H0086:1, H0009:1, H0123:1, H0620:1, H0024:1, S0362:1, S0051:1, H0188:1, H0284:1, H0428:1, H0606:1, H0135:1, H0063:1, H0487:1, S0440:1, L0768:1, L0806:1, L0653:1, L0791:1, L0666:1, L2261:1, L0438:1, H0672:1, H0539:1, S3014:1, L0743:1, L0752:1, H0444:1 and H0677:1.
159	HLDQR62	753742	169	AR165:9, AR164:9, AR162:8, AR166:8, AR163:8, AR161:8, AR195:7, AR242:7, AR197:6, AR176:6, AR207:6, AR181:6, AR178:5, AR254:5, AR272:5, AR245:5, AR239:5, AR257:4, AR261:4, AR170:4, AR193:4, AR252:4, AR282:4, AR311:4, AR308:4, AR212:4, AR288:4, AR297:4, AR228:4, AR168:3, AR230:3, AR173:3, AR266:3, AR235:3, AR255:3, AR262:3, AR174:3, AR199:3, AR180:3, AR214:3, AR175:3, AR190:3, AR201:3, AR291:3, AR183:3, AR237:3, AR191:3, AR287:3, AR286:3, AR196:3, AR236:3, AR232:3, AR229:3, AR089:3, AR289:3, AR243:3, AR171:3, AR270:3, AR217:3, AR182:3, AR238:3, AR203:3, AR205:3, AR189:3, AR233:3, AR309:2, AR053:2, AR177:2, AR188:2, AR215:2, AR210:2, AR274:2, AR234:2, AR221:2, AR296:2, AR268:2, AR263:2, AR293:2, AR204:2, AR179:2, AR240:2, AR227:2, AR312:2, AR033:2, AR310:2, AR226:2, AR264:2, AR246:2, AR185:2, AR216:2, AR200:2, AR225:2, AR295:2, AR172:2, AR258:2, AR061:2, AR247:2, AR224:2, AR260:2, AR231:2, AR285:2, AR267:2, AR277:2, AR198:2, AR275:2, AR060:2, AR250:2, AR256:2, AR213:2, AR269:2, AR211:2, AR299:2, AR290:2, AR313:2, AR316:2, AR192:1, AR283:1, AR104:1, AR294:1, AR055:1, AR271:1, AR281:1, AR300:1, AR039:1, AR280:1, AR052:1 S0007:10, L0748:7, H0013:3, S0010:3, L0771:3, L0438:3, L0439:3, L0591:3, S0040:2, S0222:2, H0156:2, H0083:2, H0510:2, S0003:2, H0032:2, L3905:2, L0519:2, H0521:2, S0260:2, L0596:2, S0276:2, H0265:1, H0556:1, S0134:1, L3002:1, H0675:1, H0734:1, S0346:1, H0196:1, H0309:1, H0327:1, H0051:1, H0266:1, S0314:1, S0022:1, H0031:1, H0553:1, H0212:1, H0038:1, H0380:1, H0264:1, H0100:1, H0509:1, S0144:1, L0763:1, L0372:1, L0374:1, L0803:1, L0775:1, L0776:1, L0809:1, S0216:1, L2260:1, L0710:1, L2261:1, L2654:1, S0148:1, L3831:1, H0670:1, H0539:1, H0518:1, H0696:1, S0146:1, S0406:1, S0028:1, L0749:1, L0779:1, S0026:1, S0192:1 and S0242:1.
160	HLDQU79	740755	170	AR253:8, AR171:7, AR245:6, AR243:5, AR183:5, AR263:5, AR264:4, AR250:4, AR269:4, AR060:4, AR180:4, AR270:4, AR309:4, AR162:4, AR268:4, AR161:4, AR165:4, AR192:4, AR176:4, AR164:4, AR055:4, AR163:4, AR213:4, AR195:4, AR271:4, AR166:3, AR275:3, AR240:3, AR282:3, AR312:3, AR246:3, AR178:3, AR311:3, AR168:3, AR289:3, AR182:3, AR193:3, AR217:3, AR179:3, AR212:3, AR237:3, AR238:3, AR299:3, AR199:3, AR252:3, AR229:3, AR242:2, AR185:2, AR300:2, AR277:2, AR175:2, AR293:2, AR257:2, AR308:2, AR177:2, AR198:2, AR061:2, AR214:2, AR174:2, AR104:2, AR231:2, AR316:2, AR201:2, AR233:2, AR230:2, AR224:2, AR236:2, AR239:2, AR228:2, AR188:2, AR223:2, AR189:2, AR247:2, AR294:2, AR226:2, AR266:2, AR221:2, AR285:2, AR191:2, AR089:2, AR216:2, AR200:2, AR207:2,

				AR272:2, AR232:2, AR190:2, AR290:2, AR283:2, AR096:2, AR222:2, AR296:2, AR039:2, AR267:2, AR205:2, AR211:1, AR196:1, AR173:1, AR033:1, AR218:1, AR295:1, AR255:1, AR262:1, AR215:1, AR227:1, AR254:1, AR234:1, AR313:1, AR203:1, AR256:1, AR169:1, AR225:1, AR210:1, AR170:1 L0748:9, L0731:7, L0771:6, L0759:6, H0013:5, L0764:4, L0747:4, L0758:4, H0265:3, H0039:3, H0038:3, L0769:3, L0766:3, L0775:3, H0144:3, L0755:3, S0444:2, S0476:2, H0318:2, H0050:2, L0471:2, H0266:2, L0374:2, L0649:2, L0805:2, L0663:2, L0664:2, H0547:2, S0126:2, H0670:2, L0740:2, L0754:2, L0750:2, L0593:2, H0667:2, H0170:1, H0171:1, H0685:1, H0662:1, S0354:1, S0360:1, H0580:1, H0728:1, H0151:1, H0747:1, L3388:1, H0357:1, H0586:1, H0331:1, H0574:1, H0635:1, H0575:1, H0263:1, H0596:1, H0545:1, H0012:1, H0620:1, H0350:1, H0355:1, H0510:1, H0428:1, H0604:1, H0031:1, H0553:1, S0366:1, H0040:1, H0063:1, H0059:1, H0560:1, H0561:1, S0440:1, S0422:1, H0529:1, L0640:1, L0637:1, L0761:1, L0772:1, L0646:1, L4556:1, L0774:1, L0375:1, L0653:1, L0382:1, L5622:1, L0793:1, L4501:1, H0723:1, L0352:1, S0152:1, S0350:1, H0521:1, H0696:1, S0044:1, H0627:1, S0027:1, L0749:1, L0752:1, H0595:1, S0436:1, L0591:1, L0595:1, L0361:1, S0011:1, S0194:1, S0276:1 and H0423:1.
161	HLDRM43	846330	171	AR060:31, AR185:19, AR055:19, AR283:17, AR299:16, AR282:14, AR104:11, AR089:10, AR316:9, AR277:9, AR300:8, AR096:6, AR240:6, AR039:5, AR219:5, AR313:4, AR218:3 S0410:26, S0444:6, S0358:4, S0440:4, L0748:4, H0661:3, S0442:3, S0408:3, H0393:3, H0574:3, S0438:3, H0509:3, S0406:3, S0360:2, H0510:2, L0764:2, S0374:2, H0742:1, H0730:1, H0722:1, H0331:1, H0204:1, H0150:1, H0615:1, H0059:1, L0772:1, L0648:1, L0803:1, L0774:1 and L0791:1.
	HLDRM43	638939	430	
162	HLDRP33	647430	172	AR241:11, AR184:11, AR196:11, AR242:9, AR165:9, AR164:9, AR166:8, AR161:8, AR162:8, AR163:8, AR313:8, AR173:8, AR229:7, AR192:6, AR183:6, AR199:6, AR180:6, AR262:6, AR198:6, AR203:5, AR265:5, AR264:5, AR247:5, AR238:5, AR191:5, AR181:5, AR250:5, AR178:5, AR240:5, AR053:5, AR257:5, AR175:5, AR177:5, AR293:5, AR212:5, AR299:5, AR258:5, AR182:5, AR269:4, AR200:4, AR089:4, AR292:4, AR176:4, AR226:4, AR174:4, AR206:4, AR297:4, AR193:4, AR189:4, AR296:4, AR171:4, AR312:4, AR213:4, AR204:4, AR197:4, AR243:4, AR300:4, AR223:4, AR234:4, AR270:4, AR236:4, AR195:4, AR179:4, AR230:4, AR248:4, AR294:3, AR268:3, AR228:3, AR282:3, AR233:3, AR310:3, AR235:3, AR261:3, AR185:3, AR052:3, AR286:3, AR275:3, AR285:3, AR231:3, AR237:3, AR295:3, AR277:3, AR315:3, AR188:3, AR309:3, AR311:3, AR284:3, AR290:3, AR227:3, AR224:3, AR186:3, AR202:3, AR308:3, AR215:3, AR255:3, AR274:3, AR239:3, AR266:3, AR033:3, AR314:3, AR096:3, AR298:3, AR289:3, AR267:3, AR190:3, AR291:3, AR207:3, AR039:2, AR288:2, AR316:2, AR251:2, AR225:2, AR263:2, AR218:2, AR287:2, AR260:2, AR060:2, AR221:2, AR217:2, AR232:2, AR222:2, AR272:2, AR253:2, AR104:2, AR055:2, AR216:2, AR271:2, AR219:2, AR061:1, AR194:1, AR210:1, AR280:1, AR259:1, AR245:1, AR283:1, AR256:1 S0222:1 and H0510:1.
163	HLHAL68	684216	173	AR089:14, AR060:10, AR299:10, AR185:8, AR096:7, AR055:7, AR039:6, AR283:5, AR316:5, AR313:5, AR282:5, AR240:4, AR218:4, AR104:4, AR300:3, AR221:3, AR277:3, AR219:3, AR168:3, AR053:2, AR207:2, AR264:2, AR217:2, AR266:2, AR172:2, AR171:1, AR294:1, AR166:1, AR291:1, AR213:1, AR210:1, AR199:1, AR215:1, AR161:1, AR230:1, AR162:1, AR163:1 H0024:1
164	HLHFP03	460467	174	AR194:6, AR186:6, AR169:6, AR170:5, AR202:5, AR060:5, AR206:5, AR184:5, AR176:5, AR273:4, AR249:4, AR248:4, AR223:4, AR161:4, AR055:4, AR162:4, AR251:4, AR163:4, AR061:4, AR282:4, AR244:4, AR052:4, AR310:4, AR053:4, AR267:4, AR253:3, AR235:3, AR183:3, AR269:3, AR182:3, AR312:3, AR204:3, AR266:3, AR192:3, AR246:3, AR275:3,

				AR270:3, AR104:3, AR185:3, AR298:3, AR089:3, AR295:3, AR241:3, AR271:3, AR309:3, AR181:3, AR166:3, AR291:3, AR263:3, AR257:3, AR217:3, AR289:3, AR296:3, AR033:3, AR238:3, AR283:3, AR277:3, AR292:3, AR205:2, AR247:2, AR299:2, AR193:2, AR231:2, AR213:2, AR268:2, AR168:2, AR284:2, AR262:2, AR237:2, AR212:2, AR243:2, AR274:2, AR297:2, AR300:2, AR286:2, AR228:2, AR240:2, AR233:2, AR272:2, AR285:2, AR316:2, AR165:2, AR229:2, AR096:2, AR226:2, AR293:2, AR313:2, AR255:2, AR294:2, AR191:2, AR290:2, AR164:2, AR172:2, AR264:2, AR227:2, AR174:2, AR039:2, AR287:2, AR198:2, AR265:2, AR232:2, AR171:2, AR216:2, AR177:2, AR311:1, AR234:1, AR175:1, AR239:1, AR203:1, AR236:1, AR230:1, AR218:1, AR196:1, AR261:1, AR260:1, AR259:1, AR201:1, AR189:1, AR179:1 L0742:4 and H0024:1.
165	HLIBD68	778073	175	AR253:19, AR313:9, AR212:8, AR312:7, AR053:7, AR250:7, AR264:6, AR161:6, AR162:6, AR263:6, AR309:6, AR163:6, AR165:6, AR197:6, AR096:6, AR166:6, AR164:6, AR089:6, AR173:6, AR180:6, AR178:5, AR198:5, AR240:5, AR213:5, AR221:4, AR308:4, AR311:4, AR300:4, AR175:4, AR229:4, AR269:4, AR181:4, AR242:4, AR274:4, AR247:4, AR168:4, AR257:4, AR193:4, AR177:4, AR192:4, AR183:4, AR195:4, AR235:3, AR270:3, AR262:3, AR266:3, AR282:3, AR316:3, AR225:3, AR060:3, AR196:3, AR275:3, AR299:3, AR182:3, AR277:3, AR245:3, AR293:3, AR207:3, AR174:3, AR254:3, AR179:3, AR296:3, AR261:3, AR238:3, AR233:3, AR185:3, AR218:3, AR258:3, AR268:3, AR295:3, AR205:3, AR226:3, AR219:3, AR271:3, AR199:3, AR236:3, AR289:3, AR234:2, AR224:2, AR267:2, AR201:2, AR297:2, AR287:2, AR033:2, AR188:2, AR191:2, AR189:2, AR286:2, AR231:2, AR230:2, AR255:2, AR237:2, AR291:2, AR200:2, AR246:2, AR288:2, AR272:2, AR203:2, AR239:2, AR285:2, AR190:2, AR290:2, AR227:2, AR204:2, AR222:2, AR243:2, AR228:2, AR104:2, AR055:1, AR216:1, AR171:1, AR294:1, AR170:1, AR172:1, AR217:1, AR211:1 L0157:7, L0794:6, H0040:4, L0439:4, L0758:4, H0556:3, L0803:3, L0005:2, L0471:2, H0059:2, T0004:2, L0769:2, L0761:2, L0805:2, T0002:1, H0685:1, S0134:1, S0110:1, H0176:1, S0356:1, S0222:1, H0441:1, H0370:1, H0486:1, H0014:1, H0083:1, H0355:1, H0286:1, H0606:1, H0163:1, H0090:1, H0561:1, L0521:1, L0766:1, L0774:1, L0809:1, L0788:1, L0665:1, H0539:1, H0696:1, L0748:1, L0749:1, L0777:1, H0543:1 and H0423:1.
166	HLICQ90	791828	176	AR263:79, AR264:68, AR252:65, AR246:63, AR254:61, AR311:60, AR308:54, AR053:52, AR309:51, AR312:46, AR212:41, AR205:40, AR250:39, AR213:38, AR096:37, AR272:37, AR245:36, AR218:36, AR219:36, AR243:35, AR039:32, AR197:29, AR240:26, AR198:25, AR201:24, AR274:22, AR200:22, AR313:22, AR271:21, AR195:20, AR242:18, AR221:18, AR224:18, AR174:18, AR275:18, AR165:18, AR316:17, AR164:17, AR185:17, AR104:17, AR189:17, AR290:17, AR222:17, AR210:16, AR223:16, AR269:16, AR033:16, AR188:16, AR268:16, AR253:16, AR211:16, AR166:15, AR192:15, AR295:15, AR193:14, AR173:14, AR196:14, AR089:14, AR175:14, AR296:14, AR199:14, AR172:14, AR162:13, AR161:13, AR207:13, AR270:13, AR190:13, AR180:13, AR225:13, AR177:13, AR183:13, AR291:12, AR299:12, AR235:12, AR285:12, AR163:12, AR191:12, AR247:12, AR266:12, AR171:12, AR178:11, AR289:11, AR288:11, AR060:11, AR286:11, AR204:11, AR300:11, AR297:11, AR267:10, AR282:10, AR287:10, AR255:10, AR168:10, AR261:10, AR257:10, AR283:9, AR262:9, AR203:9, AR238:9, AR215:9, AR214:9, AR179:9, AR170:8, AR181:8, AR256:8, AR293:8, AR236:8, AR231:8, AR229:7, AR260:7, AR277:7, AR182:7, AR258:7, AR176:7, AR234:7, AR226:6, AR294:6, AR237:6, AR055:6, AR169:5, AR230:5, AR217:5, AR232:5, AR216:4, AR239:4, AR061:4, AR233:4, AR227:3, AR228:3 H0046:10, L0748:6, L0758:3, L0776:2, L0742:2, L0744:2, L0750:2, S0444:1, S0360:1, H0619:1, L0717:1, H0331:1, H0013:1, H0235:1, H0355:1, H0687:1, H0674:1, H0038:1, H0623:1, L0805:1,

				L0809:1, L0789:1, L0666:1, L0663:1, S0428:1, H0520:1, H0539:1, S0404:1, L0740:1, L0749:1, L0756:1, S0031:1, S0026:1 and H0008:1.
167	HLMBO76	626831	177	AR169:5, AR204:5, AR264:5, AR235:5, AR176:4, AR263:4, AR269:4, AR161:4, AR217:4, AR163:4, AR162:4, AR309:4, AR181:4, AR183:3, AR272:3, AR268:3, AR214:3, AR225:3, AR196:3, AR197:3, AR191:3, AR257:3, AR261:3, AR188:3, AR216:3, AR285:3, AR238:3, AR182:3, AR288:3, AR274:3, AR267:3, AR313:3, AR189:3, AR294:3, AR258:3, AR282:3, AR178:3, AR236:3, AR296:2, AR172:2, AR165:2, AR255:2, AR308:2, AR289:2, AR270:2, AR287:2, AR164:2, AR297:2, AR290:2, AR262:2, AR229:2, AR166:2, AR173:2, AR199:2, AR228:2, AR312:2, AR230:2, AR177:2, AR266:2, AR240:2, AR239:2, AR033:2, AR190:2, AR193:2, AR293:2, AR233:2, AR171:2, AR291:2, AR286:2, AR174:2, AR200:2, AR175:2, AR179:2, AR203:2, AR053:2, AR237:2, AR226:2, AR168:2, AR316:2, AR055:2, AR104:2, AR231:2, AR300:2, AR295:2, AR195:2, AR234:2, AR089:2, AR247:2, AR222:2, AR221:2, AR060:2, AR311:2, AR211:1, AR096:1, AR201:1, AR232:1, AR205:1, AR218:1, AR260:1, AR219:1, AR039:1, AR212:1, AR256:1, AR185:1, AR277:1, AR061:1 L0439:6, S0410:3, L0794:2, H0255:1, H0163:1, H0745:1, L0796:1, L0662:1, L0766:1, L0776:1, L0666:1, L0438:1, L0352:1, H0659:1, H0521:1 and L0755:1.
168	HLTEJ06	543017	178	AR055:6, AR183:5, AR309:5, AR060:5, AR104:5, AR162:4, AR161:4, AR163:4, AR282:4, AR165:4, AR274:4, AR164:4, AR225:4, AR266:3, AR252:3, AR166:3, AR178:3, AR229:3, AR182:3, AR299:3, AR261:3, AR089:3, AR240:3, AR283:3, AR264:3, AR257:3, AR242:3, AR177:3, AR268:3, AR228:3, AR238:3, AR239:3, AR269:3, AR272:3, AR275:3, AR267:2, AR215:2, AR039:2, AR300:2, AR237:2, AR255:2, AR176:2, AR316:2, AR313:2, AR181:2, AR185:2, AR231:2, AR233:2, AR096:2, AR226:2, AR247:2, AR172:2, AR061:2, AR216:2, AR271:2, AR234:2, AR169:2, AR312:2, AR270:2, AR200:2, AR033:2, AR205:2, AR170:1, AR227:1, AR308:1, AR190:1, AR198:1, AR311:1, AR168:1, AR230:1, AR246:1, AR179:1, AR173:1, AR189:1, AR290:1, AR262:1, AR277:1, AR217:1, AR289:1, AR291:1, AR236:1, AR219:1, AR232:1, AR218:1, AR293:1, AR175:1, AR174:1 L0769:3, L0777:3, S0422:2, L0803:2, L0775:2, H0547:2, S0408:1, S0278:1, H0090:1, L0766:1, L0774:1, L0515:1, H0519:1, L0748:1, L0749:1, L0755:1, L0759:1 and L0592:1.
169	HLTHR66	699812	179	AR282:6, AR221:4, AR235:3, AR176:3, AR266:3, AR215:3, AR269:3, AR171:3, AR270:3, AR308:2, AR183:2, AR196:2, AR217:2, AR172:2, AR177:2, AR197:2, AR222:2, AR268:2, AR295:2, AR228:2, AR236:2, AR267:2, AR188:2, AR238:2, AR261:2, AR309:2, AR255:2, AR296:2, AR233:2, AR207:2, AR291:2, AR257:2, AR290:2, AR232:2, AR193:1, AR277:1, AR178:1, AR283:1, AR089:1, AR181:1, AR164:1, AR203:1, AR264:1, AR212:1, AR166:1, AR231:1, AR247:1, AR293:1, AR205:1, AR055:1, AR316:1, AR300:1, AR175:1, AR287:1, AR189:1, AR168:1, AR234:1, AR161:1, AR174:1, AR239:1 H0036:2, S0132:1, S0010:1, S0250:1, H0591:1 and H0130:1.
170	HLTIP94	1087335	180	AR060:7, AR055:7, AR185:6, AR313:6, AR218:5, AR300:5, AR240:5, AR089:4, AR282:4, AR299:4, AR283:4, AR039:3, AR096:3, AR316:3, AR104:3, AR277:3, AR219:2 H0170:1, S6026:1 and H0591:1.
	HLTIP94	1035443	431	
	HLTIP94	1047690	432	
171	HLWAA17	629552	181	AR273:12, AR184:12, AR248:11, AR281:9, AR183:8, AR265:8, AR314:7, AR280:7, AR315:7, AR269:7, AR268:6, AR270:6, AR241:6, AR290:6, AR249:5, AR298:5, AR244:5, AR292:5, AR274:4, AR096:4, AR291:4, AR271:4, AR238:4, AR251:4, AR310:4, AR052:4, AR309:4, AR215:4, AR198:4, AR182:4, AR219:4, AR226:4, AR312:4, AR206:4, AR275:4, AR243:4, AR313:4, AR267:4, AR231:4, AR186:4, AR218:4, AR272:4, AR282:4, AR253:4, AR165:4, AR225:4, AR164:3,

				AR192:3, AR296:3, AR240:3, AR242:3, AR039:3, AR311:3, AR284:3, AR232:3, AR089:3, AR175:3, AR237:3, AR196:3, AR207:3, AR213:3, AR161:3, AR061:3, AR234:3, AR285:3, AR247:3, AR227:3, AR185:3, AR216:3, AR229:3, AR289:2, AR053:2, AR033:2, AR277:2, AR193:2, AR195:2, AR205:2, AR316:2, AR264:2, AR212:2, AR286:2, AR188:2, AR293:2, AR174:2, AR297:2, AR222:2, AR300:2, AR191:2, AR190:2, AR177:2, AR288:2, AR295:2, AR283:2, AR162:2, AR263:2, AR055:2, AR299:2, AR104:2, AR261:2, AR166:2, AR294:2, AR266:2, AR181:2, AR214:2, AR189:2, AR259:2, AR246:2, AR201:1, AR060:1, AR257:1, AR204:1, AR233:1, AR199:1, AR179:1, AR173:1, AR200:1, AR258:1, AR210:1, AR252:1, AR168:1, AR256:1, AR194:1, AR255:1, AR236:1 S0410:24, L0748:18, S0436:12, H0547:8, L0731:8, H0556:7, H0039:6, L0666:6, H0046:5, H0059:5, L0775:5, L0439:5, L0755:5, H0622:4, L0662:4, L0740:4, L0751:4, L0779:4, H0575:3, H0553:3, H0529:3, L0769:3, L0659:3, L5623:3, L0588:3, L0593:3, S0011:3, H0255:2, S0418:2, S0442:2, S0046:2, H0586:2, S0049:2, H0424:2, H0644:2, H0560:2, H0561:2, S0002:2, S0426:2, L0763:2, L0772:2, L0646:2, L0655:2, L0527:2, L0518:2, L0783:2, L0809:2, L0665:2, L0438:2, H0519:2, H0689:2, H0672:2, H0555:2, H0631:2, S0206:2, L0757:2, L0758:2, L0485:2, L0608:2, L0601:2, H0543:2, H0171:1, H0265:1, S0040:1, H0294:1, T0049:1, S0134:1, H0583:1, H0657:1, H0484:1, H0661:1, H0125:1, S0420:1, S0354:1, S0358:1, S0360:1, S0408:1, H0580:1, H0742:1, S0132:1, S0476:1, H0550:1, H0431:1, H0592:1, H0587:1, H0333:1, H0270:1, H0013:1, H0599:1, T0082:1, H0318:1, H0251:1, T0110:1, H0545:1, H0150:1, H0041:1, H0620:1, H0024:1, H0057:1, H0014:1, S0051:1, H0083:1, S0024:1, H0355:1, H0266:1, H0271:1, H0188:1, S0250:1, H0328:1, H0615:1, L0483:1, H0030:1, H0031:1, H0111:1, H0032:1, H0383:1, H0674:1, H0211:1, L0456:1, H0068:1, H0135:1, H0040:1, H0634:1, H0551:1, H0412:1, S0450:1, H0647:1, H0646:1, S0144:1, S0142:1, S0344:1, S0210:1, L0761:1, L0372:1, L0764:1, L0767:1, L0768:1, L0649:1, L5574:1, L0375:1, L0651:1, L0784:1, L0654:1, L0807:1, L0515:1, L0658:1, L0383:1, L0663:1, L0664:1, S0006:1, H0520:1, H0593:1, H0682:1, H0684:1, H0658:1, H0670:1, H0696:1, S0406:1, S0027:1, L0754:1, L0747:1, L0750:1, L0752:1, S0434:1, L0591:1, L0603:1, S0106:1, H0668:1, H0542:1 and H0423:1.
172	HLWAA88	588485	182	AR308:21, AR311:17, AR312:17, AR214:14, AR246:13, AR172:13, AR165:12, AR170:11, AR195:11, AR193:11, AR171:11, AR169:11, AR309:11, AR222:10, AR192:10, AR223:10, AR217:10, AR207:10, AR216:10, AR295:10, AR201:10, AR271:10, AR291:9, AR224:9, AR264:9, AR215:9, AR197:9, AR285:9, AR166:9, AR164:9, AR205:9, AR297:8, AR162:8, AR263:8, AR188:8, AR287:8, AR250:8, AR210:8, AR296:8, AR161:8, AR252:8, AR235:7, AR163:7, AR213:7, AR196:7, AR212:7, AR243:7, AR168:7, AR261:7, AR238:7, AR253:7, AR245:7, AR262:7, AR176:7, AR232:6, AR183:6, AR174:6, AR191:6, AR275:6, AR270:6, AR200:6, AR236:6, AR288:6, AR177:6, AR240:6, AR286:6, AR247:6, AR282:6, AR180:6, AR226:6, AR254:6, AR294:6, AR227:6, AR060:6, AR231:6, AR289:6, AR237:6, AR242:6, AR199:6, AR185:6, AR204:6, AR198:6, AR053:6, AR225:6, AR293:6, AR175:6, AR268:5, AR061:5, AR189:5, AR033:5, AR173:5, AR299:5, AR190:5, AR269:5, AR239:5, AR272:5, AR316:5, AR300:5, AR233:5, AR257:5, AR228:5, AR290:5, AR179:5, AR234:5, AR039:5, AR211:5, AR089:5, AR182:5, AR255:5, AR266:5, AR274:5, AR277:5, AR181:5, AR104:5, AR258:4, AR178:4, AR229:4, AR203:4, AR055:4, AR313:4, AR267:4, AR230:4, AR096:4, AR260:4, AR283:4, AR256:3, AR219:3, AR218:3, AR221:3 L0803:7, L0774:4, H0553:3, L0771:3, H0662:2, L5566:2, L0794:2, L0752:2, H0592:1, H0412:1, L2270:1, L0807:1, L0793:1, H0593:1, L0747:1, L0755:1 and S0434:1.
	HLWAA88	769166	433	
173	HLWAD77	653513	183	AR263:12, AR219:10, AR269:10, AR184:10, AR089:10, AR290:9, AR218:9, AR238:9, AR291:9, AR282:9, AR241:8,

				AR296:8, AR248:8, AR268:8, AR183:8, AR096:8, AR039:8, AR277:8, AR231:8, AR299:7, AR312:7, AR316:7, AR060:7, AR053:7, AR185:7, AR313:7, AR182:7, AR251:7, AR237:6, AR192:6, AR240:6, AR309:6, AR253:6, AR314:6, AR270:6, AR249:6, AR274:6, AR266:5, AR234:5, AR243:5, AR104:5, AR186:5, AR300:5, AR052:5, AR213:5, AR265:5, AR285:5, AR226:5, AR273:5, AR298:5, AR229:5, AR292:5, AR310:4, AR267:4, AR275:4, AR247:4, AR206:4, AR232:4, AR280:4, AR284:4, AR289:4, AR175:4, AR246:4, AR033:3, AR315:3, AR256:3, AR055:3, AR283:3, AR286:3, AR294:3, AR295:3, AR198:3, AR227:3, AR293:3, AR233:2, AR205:2, AR061:2, AR179:2, AR177:2, AR194:2, AR281:2, AR259:2, AR258:2 L0748:10, L0759:6, S0436:4, S0007:3, S0126:3, H0659:3, S0028:3, L0439:3, L0740:3, L0749:3, L0777:3, L0755:3, S0376:2, H0250:2, H0046:2, H0673:2, H0038:2, H0412:2, H0494:2, H0529:2, L0770:2, L0768:2, L0766:2, L0805:2, L0745:2, L0750:2, L0779:2, L0757:2, T0002:1, L3642:1, L3643:1, H0583:1, S0116:1, H0341:1, S0358:1, S0444:1, S0360:1, L3645:1, L3649:1, H0580:1, S0045:1, S0476:1, H0261:1, H0642:1, H0574:1, H0485:1, H0486:1, T0040:1, L3655:1, H0599:1, H0581:1, H0052:1, H0251:1, T0110:1, H0150:1, H0083:1, H0266:1, H0687:1, S0214:1, H0553:1, H0372:1, H0616:1, H0100:1, S0112:1, S0438:1, S0150:1, H0641:1, S0142:1, L0764:1, L0767:1, L0775:1, L0806:1, L0653:1, L0776:1, L0791:1, L0666:1, L0665:1, S0428:1, L0438:1, H0689:1, H0435:1, H0660:1, H0648:1, S0328:1, S0330:1, H0539:1, L0602:1, S0152:1, H0522:1, S0406:1, S0027:1, L0753:1, L0731:1, L0758:1, S0434:1, S0276:1, S0196:1 and H0423:1.
174	HLWAE11	783071	184	AR242:67, AR192:47, AR164:43, AR173:37, AR165:37, AR161:36, AR195:36, AR313:35, AR162:35, AR198:34, AR166:33, AR204:32, AR212:32, AR193:30, AR163:30, AR197:29, AR277:28, AR275:28, AR245:27, AR213:26, AR243:26, AR207:26, AR053:26, AR257:25, AR312:25, AR299:25, AR264:24, AR254:24, AR191:23, AR247:23, AR308:23, AR205:22, AR274:21, AR189:21, AR263:21, AR311:21, AR271:20, AR039:19, AR104:19, AR201:19, AR240:19, AR300:19, AR199:18, AR246:17, AR188:17, AR089:17, AR309:17, AR253:16, AR272:15, AR252:15, AR282:14, AR185:14, AR033:13, AR250:12, AR096:12, AR316:12, AR203:12, AR190:11, AR176:11, AR175:10, AR214:10, AR060:10, AR258:9, AR177:9, AR168:9, AR270:8, AR283:8, AR180:8, AR174:8, AR217:8, AR235:7, AR196:7, AR293:7, AR216:7, AR170:7, AR262:7, AR171:7, AR181:7, AR236:7, AR169:6, AR229:6, AR297:6, AR224:6, AR268:6, AR286:6, AR295:6, AR261:6, AR172:6, AR178:5, AR222:5, AR238:5, AR285:5, AR223:5, AR221:5, AR269:5, AR183:5, AR179:5, AR234:5, AR289:5, AR055:5, AR288:5, AR237:5, AR233:5, AR215:5, AR296:5, AR200:5, AR255:4, AR061:4, AR287:4, AR294:4, AR226:4, AR225:4, AR230:4, AR231:4, AR291:4, AR290:4, AR182:4, AR239:4, AR266:3, AR227:3, AR211:3, AR228:3, AR210:3, AR256:3, AR260:3, AR219:3, AR267:3, AR232:3, AR218:2 H0056:2, H0050:1, H0266:1, H0553:1, H0521:1 and L0748:1.
175	HLWAO22	587270	185	AR214:8, AR217:6, AR222:5, AR215:5, AR221:5, AR172:5, AR309:4, AR275:4, AR163:4, AR161:4, AR162:4, AR170:4, AR224:4, AR171:4, AR165:4, AR253:3, AR225:3, AR164:3, AR166:3, AR168:3, AR223:3, AR263:3, AR169:3, AR311:3, AR264:3, AR197:3, AR216:3, AR271:3, AR183:3, AR308:3, AR053:3, AR096:3, AR291:3, AR296:3, AR312:3, AR245:2, AR289:2, AR104:2, AR240:2, AR316:2, AR300:2, AR269:2, AR196:2, AR272:2, AR247:2, AR185:2, AR176:2, AR177:2, AR178:2, AR213:2, AR192:2, AR181:2, AR277:2, AR234:2, AR205:2, AR229:2, AR282:2, AR055:2, AR061:2, AR274:2, AR243:2, AR060:2, AR212:2, AR226:2, AR257:2, AR313:2, AR231:2, AR255:2, AR268:2, AR089:2, AR179:2, AR287:2, AR261:2, AR203:2, AR233:1, AR283:1, AR290:1, AR258:1, AR288:1, AR210:1, AR285:1, AR039:1, AR193:1, AR191:1, AR299:1, AR293:1, AR238:1 L0439:8, L0751:6, L0747:6, L0665:5, L0438:4, L0779:4, H0012:3, L0748:3, H0620:2,

					H0594:2, H0424:2, H0553:2, S0144:2, L0769:2, L0771:2, L0809:2, H0144:2, H0593:2, S0027:2, L0777:2, L0758:2, L0587:2,.H0422:2, H0171:1, H0713:1, H0664:1, H0619:1, S0222:1, H0492:1, L3653:1, H0618:1, H0253:1, H0581:1, H0052:1, H0150:1, H0024:1, S0388:1, S0364:1, H0135:1, H0040:1, L0640:1, L3905:1, L0761:1, L0372:1, L0773:1, L0648:1, L0662:1, L0766:1, L0774:1, L0629:1, L0666:1, L0664:1, H0658:1, H0521:1, S3014:1, H0543:1 and H0423:1.
176	HLWBH18	1045194	186		AR223:70, AR214:68, AR196:64, AR169:59, AR216:58, AR224:58, AR313:57, AR222:56, AR207:55, AR212:55, AR173:54, AR171:53, AR236:53, AR215:52, AR213:49, AR192:49, AR163:49, AR217:48, AR205:47, AR172:47, AR245:46, AR225:46, AR263:46, AR221:46, AR089:46, AR199:45, AR053:45, AR168:44, AR218:44, AR166:44, AR299:44, AR164:42, AR242:41, AR274:40, AR219:40, AR240:40, AR247:40, AR165:40, AR170:40, AR175:40, AR161:40, AR312:39, AR188:38, AR235:38, AR162:37, AR195:37, AR264:36, AR174:36, AR177:36, AR096:36, AR246:36, AR308:36, AR189:35, AR039:35, AR210:35, AR229:34, AR311:34, AR198:34, AR316:34, AR261:33, AR262:32, AR296:32, AR309:32, AR288:32, AR181:32, AR258:32, AR185:32, AR300:32, AR295:31, AR191:30, AR178:30, AR060:30, AR179:29, AR291:29, AR285:29, AR200:28, AR297:28, AR180:27, AR197:27, AR183:27, AR270:27, AR193:27, AR275:27, AR290:27, AR234:26, AR230:26, AR201:26, AR226:26, AR282:26, AR286:25, AR293:24, AR203:24, AR287:23, AR033:23, AR268:23, AR231:23, AR204:23, AR277:23, AR271:23, AR257:23, AR182:23, AR238:23, AR190:22, AR272:22, AR237:21, AR252:21, AR269:21, AR176:21, AR211:21, AR294:21, AR289:21, AR260:20, AR104:20, AR233:20, AR239:19, AR256:19, AR283:19, AR255:19, AR243:19, AR227:18, AR266:17, AR232:16, AR228:16, AR267:15, AR254:13, AR250:13, AR253:12, AR055:11, AR061:9 H0553:1
	HLWBH18	889277	434		
177	HLWBY76	797609	187		AR180:20, AR181:14, AR268:6, AR219:5, AR218:5, AR269:5, AR179:5, AR273:5, AR178:4, AR173:4, AR184:4, AR183:4, AR176:4, AR270:3, AR221:3, AR215:3, AR175:3, AR282:3, AR214:3, AR052:3, AR267:2, AR309:2, AR202:2, AR253:2, AR312:2, AR162:2, AR266:2, AR182:2, AR165:2, AR216:2, AR171:2, AR190:1, AR213:1, AR192:1, AR243:1, AR186:1, AR229:1, AR257:1, AR205:1, AR053:1, AR313:1, AR230:1, AR274:1, AR174:1, AR272:1, AR280:1, AR240:1, AR252:1, AR316:1, AR277:1, AR284:1, AR263:1, AR172:1, AR096:1, AR271:1 H0553:7, H0412:4, L0747:4, L0779:4, L0777:4, H0615:3, L0766:3, H0519:3, L0755:3, L0591:3, H0413:2, L0768:2, L0794:2, L0754:2, L0759:2, L0588:2, H0624:1, H0716:1, T0049:1, S0212:1, S0045:1, S0278:1, H0497:1, L0021:1, T0048:1, L0471:1, L0194:1, H0644:1, L0142:1, H0269:1, H0056:1, H0059:1, L0475:1, S0422:1, L0761:1, L0646:1, L0806:1, L0655:1, L0789:1, L0791:1, H0144:1, H0726:1, H0547:1, H0659:1, H0214:1, L0780:1, L0757:1, L0758:1, L0362:1, S0026:1, H0665:1, H0542:1 and H0543:1.
178	HLYAC95	778075	188		AR176:19, AR182:14, AR261:10, AR192:9, AR262:9, AR191:8, AR255:7, AR296:7, AR231:7, AR201:6, AR232:6, AR234:6, AR233:6, AR228:6, AR183:6, AR246:6, AR229:6, AR239:6, AR200:6, AR287:5, AR207:5, AR291:5, AR260:5, AR294:5, AR245:5, AR179:5, AR243:5, AR266:5, AR177:5, AR168:5, AR285:5, AR162:5, AR289:5, AR185:4, AR237:4, AR161:4, AR221:4, AR236:4, AR264:4, AR274:4, AR227:4, AR215:4, AR222:4, AR223:4, AR309:4, AR193:4, AR290:4, AR313:3, AR196:3, AR263:3, AR174:3, AR204:3, AR293:3, AR205:3, AR189:3, AR217:3, AR282:3, AR033:3, AR257:3, AR288:3, AR203:3, AR312:2, AR267:2, AR275:2, AR277:2, AR216:2, AR295:2, AR311:2, AR258:2, AR316:2, AR181:2, AR225:2, AR061:2, AR214:2, AR240:2, AR039:2, AR299:2, AR170:2, AR252:2, AR199:2, AR238:2, AR247:2, AR256:2, AR089:2, AR224:2, AR219:2, AR096:2, AR211:2, AR060:1, AR188:1, AR175:1, AR300:1, AR226:1, AR173:1, AR286:1,

				AR269:1 H0445:1
179	HMADK33	561941	189	AR283:32, AR096:20, AR089:18, AR218:17, AR104:17, AR277:16, AR039:16, AR316:15, AR282:15, AR055:13, AR219:13, AR060:13, AR313:13, AR299:12, AR252:9, AR185:8, AR240:8, AR300:8, AR253:8, AR271:7, AR245:6, AR309:6, AR215:6, AR170:6, AR198:6, AR195:5, AR169:5, AR053:5, AR254:5, AR311:5, AR214:5, AR264:5, AR225:5, AR223:5, AR224:5, AR197:5, AR263:5, AR266:4, AR217:4, AR312:4, AR193:4, AR308:4, AR161:4, AR213:4, AR162:4, AR180:4, AR212:4, AR163:4, AR216:4, AR168:4, AR291:4, AR222:4, AR295:4, AR177:4, AR183:4, AR165:4, AR275:4, AR192:4, AR221:4, AR235:4, AR261:4, AR269:3, AR270:3, AR176:3, AR164:3, AR210:3, AR288:3, AR172:3, AR033:3, AR205:3, AR181:3, AR246:3, AR166:3, AR171:3, AR175:3, AR236:3, AR296:3, AR285:3, AR188:3, AR207:3, AR247:3, AR199:3, AR201:3, AR243:3, AR267:3, AR297:3, AR293:3, AR255:3, AR182:3, AR294:3, AR268:2, AR286:2, AR289:2, AR257:2, AR204:2, AR287:2, AR258:2, AR230:2, AR200:2, AR173:2, AR196:2, AR238:2, AR274:2, AR174:2, AR262:2, AR189:2, AR228:2, AR179:2, AR211:2, AR191:2, AR231:2, AR290:2, AR203:2, AR232:2, AR229:2, AR233:2, AR190:2, AR227:2, AR272:2, AR234:2, AR239:2, AR178:2, AR237:2, AR061:1, AR226:1, AR260:1, AR256:1 L0438:9, L0439:9, L0776:8, H0144:7, L0741:7, H0271:6, S0222:5, L0769:5, H0052:4, L0770:4, L0766:4, L0659:4, L0666:4, L0759:4, H0295:3, S0360:3, L0370:3, L0510:3, H0556:2, S0007:2, H0261:2, L0021:2, H0046:2, H0009:2, S0051:2, S0366:2, H0059:2, L0763:2, L0784:2, L0633:2, L0783:2, L0789:2, L0790:2, L0792:2, L0743:2, L0747:2, L0749:2, L0756:2, L0757:2, L0758:2, H0445:2, L0588:2, L0594:2, L0366:2, H0265:1, S6024:1, H0638:1, S0376:1, S0045:1, H0550:1, H0370:1, H0587:1, N0009:1, H0013:1, S0280:1, H0599:1, S0010:1, S0049:1, H0545:1, H0457:1, H0569:1, H0012:1, H0373:1, H0051:1, H0510:1, H0266:1, H0179:1, H0416:1, H0328:1, S0036:1, H0634:1, H0087:1, H0412:1, L0351:1, S0144:1, L0638:1, L0761:1, L0646:1, L0662:1, L0767:1, L0768:1, L0388:1, L0803:1, L0774:1, L0775:1, L0375:1, L0651:1, L0806:1, L0515:1, L0809:1, S0428:1, S0216:1, H0699:1, H0693:1, H0684:1, H0648:1, H0710:1, H0521:1, H0696:1, H0187:1, H0436:1, S0028:1, L0750:1, L0779:1, L0731:1, S0260:1, H0595:1, L0599:1, S0192:1, S0276:1, H0542:1 and H0352:1.
180	HMADS41	596831	190	AR218:19, AR219:19, AR283:12, AR096:12, AR313:11, AR316:10, AR240:10, AR300:9, AR185:9, AR055:9, AR277:9, AR039:8, AR089:8, AR282:8, AR060:8, AR299:7, AR104:7 L0794:4, L0375:3, H0575:2, L0800:2, L0789:2, H0556:1, H0662:1, S0418:1, H0619:1, H0549:1, H0590:1, H0052:1, H0083:1, H0266:1, H0286:1, H0644:1, S0036:1, H0433:1, H0412:1, H0413:1, T0042:1, S0144:1, S0142:1, S0344:1, L0770:1, L0761:1, L0774:1, H0518:1, L0777:1, L0758:1 and H0665:1.
181	HMAMI15	1352406	191	AR060:14, AR283:13, AR055:10, AR277:9, AR282:9, AR185:9, AR104:9, AR300:8, AR096:8, AR316:8, AR299:8, AR218:7, AR219:7, AR039:7, AR313:6, AR240:6, AR089:6 H0624:2, S0354:2, S0442:1, S0444:1, S0278:1, S0222:1, H0586:1, L0021:1, H0036:1, H0031:1, L0769:1, L0804:1, L0774:1, H0658:1, H0521:1, S0406:1, L0748:1 and S0462:1.
	HMAMI15	1049263	435	
182	HMCFY13	635301	192	AR176:8, AR161:6, AR162:6, AR266:6, AR181:6, AR269:6, AR163:6, AR172:6, AR228:5, AR267:5, AR233:5, AR055:5, AR268:5, AR229:5, AR165:5, AR309:5, AR238:4, AR183:4, AR178:4, AR164:4, AR237:4, AR215:4, AR257:4, AR182:4, AR166:4, AR168:4, AR217:4, AR236:4, AR239:4, AR261:4, AR180:4, AR291:4, AR222:4, AR290:4, AR270:4, AR170:4, AR177:4, AR060:4, AR240:4, AR282:4, AR247:4, AR272:4, AR275:4, AR293:4, AR288:4, AR171:3, AR169:3, AR255:3, AR289:3, AR179:3, AR203:3, AR175:3, AR264:3, AR231:3, AR061:3, AR225:3, AR191:3, AR294:3, AR287:3, AR230:3,

				AR223:3, AR226:3, AR173:3, AR232:3, AR234:3, AR200:3, AR214:3, AR216:3, AR221:3, AR224:3, AR196:3, AR227:3, AR104:3, AR199:3, AR285:3, AR262:3, AR277:2, AR311:2, AR297:2, AR300:2, AR096:2, AR190:2, AR295:2, AR174:2, AR188:2, AR316:2, AR286:2, AR312:2, AR089:2, AR263:2, AR189:2, AR313:2, AR258:2, AR274:2, AR053:2, AR283:2, AR299:2, AR185:1, AR296:1, AR204:1, AR260:1, AR210:1, AR039:1, AR218:1 L0800:2, H0550:1, H0497:1, S0344:1, L0769:1, L0789:1 and L0749:1.
183	HMDAB56	560676	193	AR168:4, AR161:4, AR162:4, AR212:4, AR163:4, AR223:4, AR222:4, AR216:4, AR172:4, AR264:3, AR214:3, AR282:3, AR311:3, AR170:3, AR270:3, AR250:3, AR277:3, AR225:3, AR299:3, AR165:3, AR313:3, AR164:3, AR171:2, AR253:2, AR096:2, AR199:2, AR201:2, AR308:2, AR221:2, AR263:2, AR039:2, AR312:2, AR205:2, AR196:2, AR294:2, AR213:2, AR267:2, AR217:2, AR290:2, AR274:2, AR166:2, AR291:2, AR295:2, AR089:2, AR193:2, AR191:1, AR316:1, AR033:1, AR240:1, AR269:1, AR215:1, AR266:1, AR224:1, AR195:1, AR293:1, AR283:1, AR183:1, AR189:1, AR262:1, AR104:1, AR210:1, AR247:1, AR239:1, AR268:1, AR169:1 L0809:2, H0346:1, H0271:1, L0774:1 and L0532:1.
184	HMDAM24	514394	194	AR313:9, AR162:9, AR161:8, AR163:8, AR235:7, AR165:6, AR164:6, AR096:5, AR166:5, AR089:5, AR264:5, AR275:4, AR196:4, AR300:4, AR282:4, AR193:4, AR271:4, AR173:4, AR274:4, AR261:4, AR242:4, AR247:4, AR199:3, AR240:3, AR312:3, AR257:3, AR258:3, AR263:3, AR185:3, AR172:3, AR175:3, AR229:3, AR181:3, AR262:3, AR053:3, AR174:3, AR272:3, AR299:3, AR308:3, AR309:3, AR236:3, AR296:3, AR316:3, AR270:3, AR311:3, AR200:3, AR182:3, AR191:2, AR234:2, AR277:2, AR033:2, AR217:2, AR218:2, AR104:2, AR230:2, AR060:2, AR233:2, AR293:2, AR179:2, AR291:2, AR212:2, AR246:2, AR243:2, AR169:2, AR295:2, AR178:2, AR297:2, AR214:2, AR188:2, AR177:2, AR195:2, AR226:2, AR203:2, AR238:2, AR268:2, AR189:2, AR198:2, AR266:2, AR168:2, AR183:2, AR227:2, AR269:2, AR255:2, AR237:2, AR231:2, AR176:1, AR171:1, AR061:1, AR228:1, AR239:1, AR267:1, AR287:1, AR201:1, AR213:1, AR285:1, AR252:1, AR283:1, AR294:1, AR289:1, AR180:1, AR286:1 L0748:9, L0754:6, L0605:6, H0031:4, S0126:4, H0740:3, S0046:3, H0052:2, S0422:2, L0803:2, L0666:2, L0663:2, S0330:2, L0750:2, H0686:1, H0346:1, S0420:1, H0733:1, H0619:1, H0431:1, H0156:1, H0575:1, H0590:1, H0581:1, H0046:1, H0123:1, H0050:1, H0373:1, H0083:1, H0266:1, H0553:1, H0628:1, H0598:1, S0036:1, H0100:1, H0494:1, H0561:1, S0440:1, L0662:1, L0794:1, L0381:1, L0650:1, L0776:1, L0540:1, L0791:1, H0144:1, S0328:1, S0152:1, H0696:1, S0406:1, S3014:1, L0752:1, S0260:1, S0436:1, L0604:1, L0593:1, S0242:1 and H0543:1.
185	HMEAI48	1352290	195	AR096:11, AR270:10, AR253:10, AR243:9, AR242:8, AR213:8, AR264:7, AR263:7, AR039:7, AR250:6, AR300:6, AR309:6, AR161:6, AR162:6, AR313:6, AR163:5, AR268:5, AR312:5, AR173:5, AR282:5, AR275:5, AR176:4, AR166:4, AR246:4, AR212:4, AR240:4, AR165:4, AR254:4, AR164:4, AR089:4, AR193:4, AR195:4, AR170:4, AR311:4, AR269:4, AR308:4, AR197:3, AR247:3, AR245:3, AR299:3, AR235:3, AR252:3, AR221:3, AR316:3, AR266:3, AR225:3, AR053:3, AR177:3, AR214:2, AR228:2, AR201:2, AR234:2, AR060:2, AR283:2, AR267:2, AR229:2, AR272:2, AR231:2, AR198:2, AR104:2, AR185:2, AR174:2, AR175:2, AR237:2, AR181:2, AR055:2, AR289:2, AR207:2, AR226:2, AR179:2, AR290:2, AR239:2, AR233:2, AR257:2, AR217:2, AR277:1, AR261:1, AR061:1, AR238:1, AR171:1, AR223:1, AR260:1 H0266:1
	HMEAI48	709671	436	
186	HMEED18	560775	196	AR252:37, AR186:32, AR250:28, AR169:20, AR254:19, AR207:17, AR244:17, AR195:16, AR033:15, AR284:15, AR291:15, AR214:14, AR165:14, AR298:14, AR264:14, AR222:14, AR181:13, AR245:13, AR164:13, AR197:13, AR246:13, AR224:13, AR168:13, AR253:13, AR308:13, AR223:12, AR269:12, AR285:12, AR225:12, AR263:12,

				AR212:12, AR172:12, AR166:12, AR274:12, AR311:12, AR162:12, AR161:12, AR163:12, AR184:12, AR215:11, AR192:11, AR221:11, AR052:11, AR240:11, AR104:11, AR183:11, AR171:11, AR174:11, AR170:11, AR176:11, AR173:11, AR193:11, AR206:11, AR201:11, AR053:11, AR292:10, AR288:10, AR231:10, AR237:10, AR261:10, AR235:10, AR295:10, AR273:10, AR236:10, AR293:10, AR312:10, AR216:10, AR205:10, AR217:10, AR178:10, AR196:10, AR213:10, AR061:10, AR270:9, AR243:9, AR290:9, AR282:9, AR191:9, AR182:9, AR268:9, AR188:9, AR286:9, AR267:9, AR189:9, AR238:9, AR229:9, AR177:9, AR226:9, AR294:9, AR242:9, AR289:9, AR175:8, AR299:8, AR310:8, AR266:8, AR199:8, AR096:8, AR247:8, AR039:8, AR297:8, AR180:8, AR227:8, AR296:8, AR271:8, AR190:8, AR313:8, AR309:8, AR194:7, AR287:7, AR234:7, AR185:7, AR275:7, AR248:7, AR210:7, AR200:7, AR089:7, AR277:7, AR300:7, AR316:7, AR204:7, AR272:7, AR179:7, AR251:6, AR259:6, AR262:6, AR211:6, AR255:6, AR241:6, AR314:6, AR055:6, AR198:6, AR256:6, AR257:6, AR258:6, AR232:6, AR203:5, AR239:5, AR233:5, AR060:5, AR219:5, AR218:5, AR202:5, AR249:5, AR280:5, AR260:4, AR228:4, AR283:4, AR315:4, AR230:4, AR265:2 L0439:20, L0157:8, L0794:8, L0805:6, H0739:5, L0731:5, L0804:4, S0222:3, L0766:3, L0438:3, S0356:2, H0741:2, H0050:2, S0144:2, L0803:2, L0655:2, L0663:2, L2654:2, H0521:2, H0522:2, L0749:2, L0779:2, L0777:2, L0755:2, L0759:2, H0265:1, S6024:1, S0116:1, S0444:1, H0733:1, S6026:1, H0298:1, H0592:1, L0622:1, H0486:1, H0013:1, H0250:1, H0635:1, H0156:1, S0474:1, H0581:1, H0046:1, L0471:1, H0012:1, H0014:1, H0373:1, H0073:1, H0266:1, S0336:1, H0039:1, S0036:1, H0040:1, H0634:1, H0551:1, H0561:1, S0438:1, S0440:1, H0529:1, L0769:1, L0764:1, L0662:1, L0774:1, L0775:1, L0809:1, L0790:1, L0792:1, L0666:1, L0664:1, L0665:1, L0709:1, L2653:1, H0144:1, H0659:1, H0658:1, H0670:1, S0378:1, H0696:1, H0555:1, H0576:1, S0028:1, L0745:1, L0747:1, L0780:1, S0434:1, S0436:1 and H0668:1.
187	HMEFT54	520307	197	AR060:7, AR055:7, AR039:6, AR282:6, AR223:5, AR196:5, AR089:5, AR104:5, AR269:5, AR176:5, AR161:5, AR162:5, AR182:5, AR240:5, AR163:5, AR096:5, AR231:5, AR165:5, AR299:5, AR235:5, AR207:5, AR309:5, AR204:5, AR313:4, AR243:4, AR181:4, AR246:4, AR316:4, AR164:4, AR166:4, AR300:4, AR277:4, AR183:4, AR170:4, AR228:4, AR185:4, AR229:4, AR255:4, AR274:4, AR221:4, AR266:4, AR283:4, AR247:4, AR290:4, AR236:4, AR261:4, AR294:4, AR267:3, AR192:3, AR270:3, AR178:3, AR175:3, AR169:3, AR234:3, AR179:3, AR275:3, AR262:3, AR252:3, AR199:3, AR197:3, AR219:3, AR253:3, AR233:3, AR061:3, AR264:3, AR271:3, AR180:3, AR173:3, AR263:3, AR295:3, AR193:3, AR177:3, AR288:3, AR237:3, AR257:3, AR268:3, AR195:3, AR174:3, AR286:3, AR218:3, AR191:3, AR239:3, AR171:3, AR203:3, AR250:3, AR285:3, AR287:3, AR188:3, AR216:3, AR297:3, AR296:3, AR189:3, AR201:3, AR214:2, AR226:2, AR291:2, AR293:2, AR232:2, AR222:2, AR200:2, AR190:2, AR258:2, AR168:2, AR227:2, AR312:2, AR289:2, AR308:2, AR260:2, AR230:2, AR272:1, AR210:1, AR311:1, AR242:1, AR256:1, AR033:1 L0757:3, L0662:2, H0686:1, S0444:1, H0266:1, L0055:1, L0763:1, L0800:1, L0764:1, L0768:1, L0805:1, L0653:1, L0666:1, H0690:1, H0672:1, L0751:1, L0777:1 and L0758:1.
188	HMEGF92	520304	198	AR233:16, AR178:13, AR176:13, AR261:11, AR061:11, AR257:11, AR104:11, AR228:10, AR182:10, AR196:10, AR238:10, AR299:9, AR236:9, AR293:8, AR239:8, AR190:8, AR231:8, AR288:8, AR232:8, AR291:8, AR161:8, AR229:8, AR162:8, AR175:8, AR163:7, AR258:7, AR269:7, AR185:7, AR266:7, AR033:7, AR174:7, AR164:6, AR200:6, AR191:6, AR300:6, AR250:6, AR237:6, AR234:6, AR267:6, AR287:6, AR166:6, AR165:5, AR294:5, AR203:5, AR286:5, AR268:5, AR262:5, AR055:5, AR247:5, AR226:5, AR285:5, AR179:5, AR295:5, AR089:5, AR230:5, AR216:5, AR316:5, AR183:5, AR252:5, AR297:5, AR181:5, AR060:5, AR271:5, AR168:4, AR172:4, AR193:4, AR240:4, AR264:4, AR227:4, AR180:4,

				AR207:4, AR309:4, AR188:4, AR296:4, AR177:4, AR275:4, AR289:4, AR189:4, AR255:3, AR198:3, AR235:3, AR215:3, AR260:3, AR171:3, AR246:3, AR096:3, AR313:3, AR290:3, AR214:3, AR221:3, AR274:2, AR039:2, AR217:2, AR197:2, AR210:2, AR204:2, AR312:2, AR213:2, AR277:2, AR272:2, AR225:2, AR199:2, AR222:2, AR211:2, AR053:2, AR308:2, AR311:2, AR224:2, AR173:1, AR270:1, AR282:1, AR283:1, AR201:1 H0266:1, L0438:1 and L0439:1.
189	HMSDL37	973996	199	AR169:5, AR282:3, AR170:3, AR225:2, AR257:2, AR224:2, AR205:2, AR171:2, AR294:2, AR217:1, AR309:1, AR168:1, AR261:1, AR173:1, AR163:1, AR222:1, AR178:1 L0517:2, S0050:1, H0014:1, H0510:1, H0040:1, H0264:1, S0002:1, S0374:1 and L0758:1.
	HMSDL37	895429	437	
	HMSDL37	904241	438	
	HMSDL37	750927	439	
190	HMSFI26	560229	200	AR313:11, AR039:11, AR089:8, AR096:8, AR218:8, AR176:7, AR162:7, AR219:7, AR163:7, AR161:7, AR299:6, AR165:6, AR300:6, AR221:6, AR180:6, AR060:6, AR164:6, AR166:6, AR207:6, AR197:6, AR178:6, AR182:6, AR175:6, AR316:6, AR181:6, AR173:6, AR055:6, AR104:5, AR266:5, AR247:5, AR270:5, AR204:5, AR229:5, AR185:5, AR240:5, AR183:5, AR312:5, AR177:5, AR309:5, AR196:4, AR257:4, AR297:4, AR263:4, AR243:4, AR277:4, AR193:4, AR293:4, AR225:4, AR269:4, AR264:4, AR179:4, AR275:4, AR282:4, AR226:4, AR261:4, AR205:4, AR242:4, AR268:4, AR294:4, AR291:4, AR233:4, AR267:4, AR262:4, AR296:4, AR238:3, AR234:3, AR228:3, AR289:3, AR174:3, AR199:3, AR237:3, AR231:3, AR271:3, AR195:3, AR258:3, AR236:3, AR245:3, AR198:3, AR215:3, AR283:3, AR227:3, AR239:3, AR212:3, AR203:3, AR170:3, AR246:3, AR286:3, AR290:3, AR285:3, AR230:3, AR295:3, AR053:3, AR201:3, AR191:3, AR255:2, AR308:2, AR272:2, AR168:2, AR033:2, AR287:2, AR217:2, AR188:2, AR222:2, AR200:2, AR061:2, AR232:2, AR189:2, AR216:2, AR288:2, AR213:2, AR274:2, AR311:2, AR171:2, AR260:2, AR190:2, AR224:2, AR210:1, AR169:1 S0002:1
191	HMSGT42	383470	201	AR252:134, AR188:50, AR246:49, AR218:49, AR264:47, AR250:47, AR311:46, AR309:44, AR312:43, AR308:42, AR172:42, AR263:41, AR290:40, AR224:39, AR191:39, AR245:38, AR210:37, AR189:36, AR221:35, AR269:35, AR190:35, AR223:34, AR205:33, AR212:33, AR253:32, AR217:32, AR053:31, AR225:30, AR219:30, AR171:30, AR254:29, AR271:29, AR222:28, AR275:28, AR174:28, AR096:28, AR216:28, AR173:27, AR165:26, AR272:26, AR211:25, AR268:25, AR270:25, AR164:25, AR213:25, AR166:24, AR196:24, AR089:24, AR170:24, AR175:24, AR169:23, AR183:23, AR214:23, AR199:23, AR163:22, AR313:22, AR316:21, AR267:21, AR285:20, AR060:20, AR255:20, AR240:20, AR185:20, AR161:19, AR180:19, AR162:19, AR197:19, AR274:19, AR295:19, AR243:19, AR291:18, AR168:18, AR195:17, AR231:17, AR201:17, AR299:17, AR182:16, AR238:16, AR178:16, AR288:16, AR039:16, AR181:16, AR215:16, AR193:15, AR200:14, AR176:14, AR266:14, AR179:14, AR300:14, AR033:13, AR198:13, AR104:13, AR296:13, AR257:13, AR236:12, AR261:12, AR258:12, AR282:12, AR242:12, AR177:12, AR203:12, AR297:11, AR256:11, AR289:11, AR294:11, AR192:10, AR287:10, AR286:10, AR247:10, AR293:9, AR239:9, AR235:9, AR226:9, AR262:9, AR237:9, AR260:9, AR232:9, AR234:8, AR233:7, AR207:7, AR277:7, AR229:6, AR204:6, AR230:5, AR228:5, AR227:5, AR283:5, AR061:3, AR055:3 L0754:14, L0752:14, S0360:11, L0742:10, L0758:9, H0341:8, H0551:8, L0750:8, H0046:7, S0003:7, L0749:7, H0170:6, S0354:6, S0408:6, L0483:6, H0038:6, L0771:6, H0144:6, S0152:6, L0439:6, L0747:6, H0543:6, H0486:5, S0440:5, L0775:5, S0374:5, S0126:5, S0380:5, L0745:5, H0013:4, T0067:4, S0002:4, L0769:4, L0662:4, L0774:4, L0806:4, L0664:4, L0665:4, L0740:4, S0026:4, S0192:4,

				H0624:3, H0657:3, H0580:3, H0581:3, H0050:3, H0039:3, H0622:3, H0031:3, S0142:3, L0520:3, L0646:3, L0766:3, L0518:3, L0438:3, H0547:3, H0659:3, L0731:3, L0596:3, S0116:2, H0662:2, H0638:2, S0358:2, S0376:2, S0046:2, H0393:2, H0431:2, S0280:2, H0156:2, H0575:2, H0327:2, L0471:2, H0620:2, H0051:2, H0083:2, H0553:2, H0644:2, H0032:2, H0090:2, H0616:2, T0042:2, S0438:2, H0529:2, L0761:2, L0764:2, L0649:2, L0653:2, L0776:2, L0659:2, L0666:2, L0663:2, H0520:2, H0519:2, H0658:2, H0670:2, H0660:2, H0539:2, H0521:2, H0522:2, H0696:2, S3012:2, L0759:2, S0031:2, H0595:2, S0434:2, L0589:2, L0605:2, L0608:2, L0604:2, L0593:2, L0601:2, H0667:2, S0194:2, H0171:1, T0002:1, H0220:1, H0159:1, S0342:1, S0218:1, H0650:1, H0656:1, H0669:1, H0664:1, L0481:1, S0418:1, S0356:1, S0442:1, H0637:1, S0045:1, H0619:1, H0437:1, H0549:1, S0222:1, H0600:1, H0586:1, H0587:1, H0574:1, T0114:1, H0427:1, L0021:1, H0599:1, H0042:1, H0590:1, H0004:1, S0010:1, S0346:1, H0251:1, H0545:1, H0172:1, H0012:1, H0014:1, H0373:1, S0388:1, H0275:1, S0250:1, S0214:1, H0328:1, H0615:1, H0628:1, H0598:1, H0591:1, H0634:1, H0264:1, H0412:1, H0413:1, H0623:1, H0059:1, T0041:1, H0560:1, H0625:1, H0366:1, S0450:1, H0130:1, H0641:1, H0647:1, H0649:1, H0652:1, S0144:1, S0344:1, S0422:1, L0762:1, L0763:1, L0637:1, L0772:1, L0372:1, L0768:1, L0794:1, L0387:1, L0661:1, L0629:1, L0788:1, L0792:1, H0593:1, H0689:1, H0711:1, H0435:1, H0666:1, H0648:1, H0672:1, H0710:1, H0518:1, S0190:1, H0694:1, H0436:1, S3014:1, S0028:1, L0777:1, L0780:1, L0757:1, H0444:1, H0445:1, H0343:1, L0592:1, H0665:1, S0196:1, H0542:1, H0423:1 and H0506:1.
192	HMSHM14	461897	202	AR055:34, AR060:32, AR089:16, AR104:16, AR283:14, AR299:13, AR172:12, AR039:12, AR096:11, AR185:11, AR282:10, AR277:10, AR316:9, AR300:9, AR161:7, AR162:7, AR253:7, AR163:7, AR171:7, AR236:7, AR250:6, AR312:6, AR168:6, AR235:6, AR169:6, AR264:5, AR274:5, AR245:5, AR195:5, AR240:5, AR197:5, AR291:5, AR218:5, AR254:5, AR313:5, AR053:5, AR246:4, AR193:4, AR275:4, AR295:4, AR308:4, AR285:4, AR272:4, AR198:4, AR271:4, AR212:4, AR170:4, AR191:4, AR311:4, AR201:4, AR252:4, AR269:4, AR181:4, AR225:4, AR309:4, AR204:3, AR286:3, AR033:3, AR178:3, AR266:3, AR222:3, AR165:3, AR175:3, AR257:3, AR180:3, AR268:3, AR221:3, AR243:3, AR196:3, AR219:3, AR176:3, AR182:3, AR189:3, AR190:3, AR247:3, AR261:3, AR293:3, AR188:3, AR287:3, AR173:3, AR297:3, AR258:3, AR199:3, AR177:3, AR183:3, AR223:3, AR262:3, AR289:3, AR174:3, AR179:3, AR232:3, AR228:3, AR224:3, AR288:2, AR294:2, AR290:2, AR233:2, AR267:2, AR255:2, AR210:2, AR270:2, AR229:2, AR296:2, AR213:2, AR231:2, AR238:2, AR164:2, AR200:2, AR166:2, AR239:2, AR226:2, AR237:2, AR211:2, AR217:2, AR263:2, AR203:2, AR256:2, AR227:2, AR061:2, AR260:2, AR205:2, AR234:1, AR215:1, AR216:1 S0002:1
193	HMSHS36	1127691	203	AR039:6, AR055:5, AR218:5, AR060:5, AR300:5, AR185:4, AR313:4, AR299:4, AR240:4, AR104:3, AR316:3, AR096:3, AR282:3, AR089:3, AR283:2, AR277:1 S0002:1
	HMSHS36	1028961	440	
194	HMSKC04	799540	204	AR313:12, AR173:10, AR161:9, AR162:9, AR163:9, AR258:7, AR196:7, AR175:7, AR257:7, AR240:7, AR247:6, AR262:6, AR264:6, AR180:6, AR096:6, AR179:6, AR183:6, AR185:6, AR269:6, AR176:6, AR274:6, AR234:6, AR299:5, AR191:5, AR233:5, AR229:5, AR181:5, AR293:5, AR178:5, AR291:5, AR300:5, AR287:5, AR270:5, AR089:5, AR275:5, AR236:5, AR255:5, AR266:5, AR218:5, AR296:4, AR199:4, AR294:4, AR231:4, AR238:4, AR177:4, AR182:4, AR268:4, AR297:4, AR226:4, AR260:4, AR174:4, AR219:4, AR228:4, AR261:4, AR267:4, AR203:4, AR316:4, AR200:4, AR285:4, AR290:4, AR288:3, AR239:3, AR215:3, AR309:3, AR189:3, AR230:3, AR286:3, AR237:3, AR172:3, AR295:3, AR190:3, AR245:3, AR033:3, AR188:3, AR217:3, AR053:3, AR312:3, AR311:3, AR060:3, AR272:3, AR104:2, AR165:2, AR164:2,

				AR250:2, AR166:2, AR282:2, AR263:2, AR227:2, AR232:2, AR171:2, AR243:2, AR170:2, AR289:2, AR308:2, AR039:2, AR213:2, AR061:2, AR055:2, AR210:2, AR225:2, AR256:2, AR212:1, AR235:1, AR211:1, AR193:1, AR216:1, AR201:1, AR205:1 H0264:2, S0002:2, S0114:1 and H0416:1.
195	HMUAP70	872208	205	AR104:41, AR281:39, AR194:37, AR202:37, AR283:37, AR089:36, AR246:33, AR265:33, AR315:31, AR280:31, AR244:30, AR263:30, AR096:29, AR205:29, AR310:28, AR282:27, AR198:27, AR274:26, AR273:25, AR314:25, AR316:25, AR060:25, AR271:25, AR206:24, AR309:24, AR243:24, AR219:23, AR312:23, AR241:22, AR218:22, AR213:22, AR192:21, AR299:21, AR033:20, AR313:20, AR251:20, AR053:19, AR277:19, AR247:19, AR204:19, AR055:18, AR039:18, AR300:18, AR240:17, AR295:17, AR232:16, AR052:16, AR185:16, AR275:15, AR183:14, AR177:13, AR229:11, AR238:11, AR227:10, AR226:10, AR292:10, AR256:10, AR231:10, AR175:10, AR234:10, AR186:9, AR293:9, AR248:9, AR253:9, AR237:8, AR258:8, AR294:8, AR249:8, AR259:8, AR061:8, AR285:7, AR266:7, AR284:7, AR233:7, AR268:6, AR286:5, AR291:5, AR289:5, AR179:5, AR267:4, AR270:4, AR296:4, AR298:4, AR182:4, AR269:4, AR184:3, AR290:3 H0556:4, H0013:3, H0052:3, H0090:3, H0591:3, S0010:2, H0046:2, S0214:2, H0032:2, H0056:2, H0529:2, S0432:2, H0171:1, S0134:1, S0212:1, H0431:1, H0587:1, H0559:1, T0039:1, T0112:1, H0575:1, H0421:1, S0049:1, H0050:1, H0012:1, H0510:1, S6028:1, H0181:1, H0617:1, S0036:1, H0413:1, H0623:1, H0059:1, S0386:1, H0494:1, S0126:1, H0539:1, H0543:1 and H0423:1.
	HMUAP70	723302	441	
	HMUAP70	778820	442	
	HMUAP70	674913	443	
	HMUAP70	646810	444	
	HMUAP70	381964	445	
196	HMVBS81	639203	206	AR215:22, AR223:21, AR214:21, AR172:20, AR225:18, AR210:16, AR170:15, AR291:14, AR199:14, AR169:14, AR224:14, AR216:14, AR171:14, AR222:13, AR168:13, AR211:12, AR221:11, AR165:11, AR231:11, AR164:11, AR166:11, AR219:11, AR289:10, AR217:10, AR061:10, AR266:10, AR235:10, AR285:10, AR283:9, AR196:9, AR218:9, AR162:9, AR243:9, AR161:9, AR261:9, AR089:9, AR163:9, AR238:8, AR255:8, AR240:8, AR200:8, AR297:8, AR296:8, AR254:8, AR287:8, AR269:8, AR245:8, AR295:7, AR290:7, AR039:7, AR246:7, AR316:7, AR282:7, AR257:7, AR247:7, AR189:7, AR226:7, AR173:7, AR188:7, AR239:7, AR183:7, AR232:7, AR180:7, AR178:7, AR256:7, AR203:6, AR250:6, AR288:6, AR267:6, AR193:6, AR234:6, AR268:6, AR237:6, AR182:6, AR176:6, AR229:6, AR293:6, AR262:6, AR175:6, AR270:5, AR212:5, AR177:5, AR205:5, AR258:5, AR272:5, AR198:5, AR236:5, AR191:5, AR185:5, AR104:5, AR312:5, AR311:5, AR174:5, AR300:5, AR060:5, AR286:5, AR195:5, AR260:5, AR233:4, AR294:4, AR263:4, AR190:4, AR308:4, AR228:4, AR230:4, AR299:4, AR179:4, AR277:4, AR227:4, AR271:4, AR096:4, AR213:4, AR275:4, AR055:4, AR264:4, AR313:4, AR201:4, AR053:4, AR197:3, AR033:3, AR181:3, AR242:3, AR253:3, AR274:3, AR207:2, AR204:2, AR309:2, AR252:2, AR192:1 H0544:4, L0775:3, L0748:3, H0265:2, H0046:2, T0010:2, H0424:2, L0769:2, L0771:2, L0774:2, L0659:2, L0382:2, H0696:2, L0750:2, L0755:2, L0731:2, L0757:2, L0758:2, L0608:2, H0685:1, S0040:1, S0114:1, S0218:1, L0785:1, H0341:1, S0212:1, H0484:1, H0662:1, S0360:1, H0411:1, H0592:1, L0623:1, H0156:1, H0253:1, H0263:1, H0204:1, H0150:1, H0050:1, H0012:1, H0510:1, H0606:1, L0055:1, S0364:1, H0124:1, H0163:1, H0090:1,

				H0087:1, H0413:1, H0494:1, H0509:1, S0210:1, L0770:1, L0764:1, L0773:1, L0794:1, L0766:1, L0658:1, L0666:1, S0126:1, S3012:1, S3014:1, L0745:1, L0747:1, L0777:1, S0031:1, S0434:1, L0605:1, L0366:1 and H0543:1.
197	HMWDC28	460487	207	AR245:5, AR176:5, AR198:5, AR161:5, AR162:4, AR204:4, AR163:4, AR207:4, AR271:4, AR309:4, AR266:4, AR164:4, AR165:4, AR166:4, AR181:3, AR221:3, AR039:3, AR252:3, AR089:3, AR254:3, AR216:3, AR182:3, AR291:3, AR177:3, AR257:3, AR224:3, AR264:3, AR312:3, AR268:3, AR238:3, AR275:3, AR296:3, AR178:2, AR179:2, AR228:2, AR215:2, AR267:2, AR196:2, AR229:2, AR295:2, AR311:2, AR055:2, AR233:2, AR282:2, AR096:2, AR270:2, AR288:2, AR269:2, AR191:2, AR246:2, AR289:2, AR053:2, AR185:2, AR300:2, AR285:2, AR286:2, AR234:2, AR236:2, AR262:2, AR316:2, AR174:2, AR255:2, AR231:2, AR313:2, AR060:2, AR201:2, AR294:2, AR287:2, AR237:2, AR243:2, AR212:2, AR240:2, AR226:2, AR232:2, AR290:2, AR283:2, AR061:2, AR261:2, AR308:2, AR168:2, AR247:2, AR203:2, AR239:2, AR253:2, AR175:2, AR277:2, AR217:2, AR293:1, AR190:1, AR272:1, AR193:1, AR227:1, AR297:1, AR213:1, AR230:1, AR258:1, AR188:1, AR180:1, AR033:1, AR195:1, AR199:1, AR183:1, AR211:1, AR235:1 H0341:2, L0803:2, L0439:2, L0747:2, S0376:1, S0360:1, S0222:1, H0674:1, H0038:1, L0655:1, L0809:1, L0666:1, L0754:1, L0756:1, L0757:1 and L0591:1.
198	HMWFT65	562063	208	AR176:6, AR183:6, AR313:6, AR173:6, AR269:6, AR290:6, AR180:6, AR247:5, AR189:5, AR162:5, AR191:5, AR161:5, AR163:5, AR039:5, AR266:5, AR274:4, AR182:4, AR055:4, AR060:4, AR165:4, AR190:4, AR263:4, AR164:4, AR270:4, AR166:4, AR264:4, AR089:4, AR267:4, AR096:4, AR175:4, AR181:4, AR168:3, AR255:3, AR170:3, AR257:3, AR169:3, AR179:3, AR293:3, AR196:3, AR178:3, AR217:3, AR268:3, AR275:3, AR262:3, AR291:3, AR233:3, AR229:3, AR240:3, AR237:3, AR238:3, AR218:3, AR185:3, AR228:3, AR294:3, AR171:3, AR250:3, AR316:3, AR300:3, AR188:3, AR104:3, AR174:3, AR231:3, AR296:3, AR225:3, AR224:3, AR177:3, AR261:3, AR236:3, AR061:3, AR239:3, AR226:3, AR299:3, AR285:3, AR288:3, AR277:2, AR198:2, AR272:2, AR193:2, AR201:2, AR221:2, AR200:2, AR287:2, AR230:2, AR203:2, AR286:2, AR232:2, AR289:2, AR227:2, AR214:2, AR199:2, AR295:2, AR172:2, AR297:2, AR033:2, AR282:2, AR308:2, AR219:2, AR223:2, AR258:2, AR283:2, AR271:2, AR311:1, AR260:1, AR216:1, AR234:1, AR312:1, AR245:1, AR211:1, AR212:1, AR235:1, AR195:1 H0341:1
199	HMWGY65	1308287	209	AR252:173, AR197:148, AR254:148, AR178:122, AR242:117, AR195:115, AR230:108, AR198:97, AR170:89, AR180:88, AR207:86, AR204:86, AR171:82, AR297:78, AR250:78, AR257:76, AR260:75, AR181:75, AR228:73, AR261:71, AR176:70, AR233:69, AR245:67, AR272:67, AR203:67, AR235:65, AR200:64, AR255:62, AR296:62, AR239:62, AR287:59, AR201:58, AR234:57, AR258:57, AR243:57, AR293:56, AR168:56, AR193:56, AR288:54, AR262:53, AR192:52, AR253:52, AR266:52, AR165:51, AR308:49, AR172:48, AR169:48, AR179:48, AR162:47, AR289:47, AR174:46, AR164:44, AR182:44, AR033:44, AR256:44, AR161:43, AR236:43, AR191:43, AR188:43, AR212:43, AR166:43, AR173:41, AR227:41, AR185:41, AR053:40, AR237:40, AR163:40, AR275:38, AR229:36, AR300:35, AR294:35, AR210:33, AR267:32, AR295:32, AR190:32, AR286:31, AR189:31, AR199:31, AR269:31, AR225:31, AR183:30, AR285:30, AR226:27, AR231:27, AR291:27, AR232:26, AR175:26, AR061:25, AR271:25, AR246:25, AR104:25, AR282:24, AR213:24, AR211:24, AR238:23, AR205:23, AR177:22, AR316:22, AR060:22, AR270:22, AR274:21, AR196:21, AR264:21, AR247:20, AR055:19, AR290:19, AR313:18, AR299:18, AR283:18, AR268:17, AR277:17, AR089:16, AR039:16, AR240:15, AR217:14, AR224:13, AR221:13, AR218:13, AR263:12, AR312:12, AR216:12, AR309:11, AR311:11, AR219:10, AR096:10, AR223:6, AR222:6, AR284:5, AR214:4, AR184:4, AR215:4, AR310:3, AR265:3, AR259:3, AR298:2, AR292:2, AR052:2, AR186:2, AR206:1, AR273:1 H0251:6, L0803:4, L0439:4,

				L0794:3, L0659:3, S0206:3, L0749:3, H0624:2, H0713:2, H0341:2, H0599:2, H0575:2, H0050:2, H0328:2, H0413:2, L0805:2, L0776:2, H0716:1, H0662:1, S0356:1, S0360:1, H0733:1, H0208:1, H0586:1, H0333:1, H0486:1, H0618:1, H0318:1, H0123:1, L0471:1, H0024:1, T0006:1, H0644:1, S0210:1, L0769:1, L0638:1, L0648:1, L0662:1, L0804:1, L0375:1, L0806:1, L0783:1, L0809:1, L5622:1, L0789:1, L0790:1, H0689:1, H0539:1, H0789:1, S3014:1, L0744:1, L0751:1, L0777:1, L0731:1, H0445:1 and L2174:1.
	HMWGY65	794987	446	
200	HNEAC05	519340	210	AR176:8, AR224:6, AR266:6, AR171:6, AR223:6, AR162:5, AR161:5, AR181:5, AR182:5, AR178:5, AR163:5, AR267:5, AR228:5, AR055:5, AR269:5, AR235:5, AR238:5, AR233:5, AR309:4, AR236:4, AR268:4, AR239:4, AR270:4, AR183:4, AR290:4, AR261:4, AR214:4, AR053:4, AR255:4, AR218:4, AR257:4, AR060:4, AR229:4, AR180:4, AR237:4, AR177:4, AR263:4, AR226:4, AR288:4, AR179:4, AR061:3, AR169:3, AR287:3, AR222:3, AR240:3, AR190:3, AR173:3, AR168:3, AR264:3, AR175:3, AR262:3, AR231:3, AR293:3, AR170:3, AR230:3, AR291:3, AR289:3, AR275:3, AR172:3, AR300:3, AR234:3, AR227:3, AR216:3, AR272:3, AR282:3, AR033:3, AR217:3, AR316:3, AR096:3, AR165:3, AR286:3, AR213:3, AR185:3, AR225:3, AR191:3, AR252:3, AR174:3, AR247:3, AR164:3, AR308:3, AR188:3, AR219:3, AR295:3, AR166:3, AR311:3, AR285:2, AR089:2, AR232:2, AR297:2, AR313:2, AR104:2, AR312:2, AR283:2, AR199:2, AR294:2, AR189:2, AR203:2, AR299:2, AR196:2, AR200:2, AR274:2, AR277:2, AR212:2, AR246:2, AR211:2, AR258:2, AR260:2, AR256:2, AR039:2, AR296:2 H0179:1
201	HNEEB45	1036397	211	H0179:1 and H0100:1.
	HNEEB45	842650	447	
202	HNEEE24	553558	212	AR161:8, AR162:8, AR163:8, AR055:6, AR165:5, AR166:5, AR164:5, AR060:5, AR172:5, AR313:4, AR169:4, AR053:4, AR269:4, AR275:4, AR089:4, AR242:4, AR263:4, AR176:4, AR264:4, AR192:4, AR240:3, AR182:3, AR205:3, AR039:3, AR235:3, AR096:3, AR212:3, AR257:3, AR268:3, AR282:3, AR195:3, AR270:3, AR104:3, AR200:3, AR197:3, AR228:3, AR185:3, AR173:3, AR316:3, AR299:3, AR233:3, AR236:3, AR189:3, AR191:3, AR283:3, AR311:3, AR300:2, AR309:2, AR267:2, AR255:2, AR229:2, AR225:2, AR245:2, AR290:2, AR295:2, AR193:2, AR308:2, AR312:2, AR277:2, AR266:2, AR237:2, AR221:2, AR199:2, AR274:2, AR238:2, AR224:2, AR262:2, AR213:2, AR181:2, AR216:2, AR180:2, AR218:2, AR261:2, AR061:2, AR247:2, AR289:2, AR178:2, AR287:2, AR175:2, AR293:2, AR297:2, AR177:2, AR190:2, AR285:2, AR226:2, AR231:2, AR219:2, AR183:2, AR179:2, AR239:2, AR196:2, AR291:2, AR217:2, AR201:2, AR288:2, AR227:1, AR272:1, AR258:1, AR294:1, AR296:1, AR232:1, AR214:1, AR260:1, AR168:1, AR174:1, AR171:1 L0747:2, L0758:2, H0580:1 and H0179:1.
203	HNFFC43	753337	213	AR273:25, AR052:20, AR274:13, AR218:10, AR241:9, AR248:9, AR277:8, AR265:8, AR186:8, AR249:8, AR312:8, AR271:8, AR313:8, AR309:7, AR183:7, AR253:7, AR299:7, AR244:6, AR251:6, AR292:6, AR219:6, AR175:6, AR310:6, AR096:5, AR213:5, AR185:5, AR053:5, AR275:5, AR202:5, AR282:5, AR039:4, AR269:4, AR270:4, AR206:4, AR055:4, AR177:4, AR225:4, AR089:4, AR060:4, AR192:4, AR293:4, AR243:4, AR280:4, AR247:4, AR300:4, AR104:4, AR033:4, AR240:4, AR061:3, AR204:3, AR217:3, AR246:3, AR316:3, AR268:3, AR165:3, AR180:3, AR198:3, AR315:3, AR164:3, AR166:3, AR184:3, AR205:3, AR264:3, AR294:3, AR314:3, AR284:3, AR290:3, AR295:2, AR168:2, AR259:2, AR267:2, AR256:2, AR179:2, AR161:2, AR221:2, AR257:2, AR163:2, AR162:2, AR170:2, AR291:2, AR200:2, AR236:2, AR262:2, AR193:2, AR283:2, AR174:2, AR197:2, AR298:2, AR233:1, AR181:1, AR222:1, AR287:1, AR258:1, AR195:1, AR194:1,

				AR229:1, AR196:1, AR182:1, AR173:1, AR234:1, AR239:1, AR235:1, AR230:1, AR216:1 H0521:6, H0036:2, H0052:2, H0271:2, H0551:2, H0543:2, H0265:1, H0556:1, S0354:1, H0392:1, H0581:1, H0063:1, H0059:1, H0494:1, H0561:1, L3829:1, H0520:1, H0522:1, S0436:1, L0595:1, H0506:1 and L0600:1.
204	HNFIY77	634551	214	AR241:9, AR313:8, AR194:8, AR186:7, AR192:7, AR242:7, AR202:7, AR206:7, AR161:7, AR162:7, AR163:6, AR204:6, AR246:6, AR229:6, AR165:6, AR238:6, AR164:6, AR166:5, AR271:5, AR198:5, AR251:5, AR089:5, AR207:5, AR197:5, AR052:5, AR309:5, AR312:5, AR274:5, AR243:5, AR061:4, AR185:4, AR292:4, AR177:4, AR298:4, AR245:4, AR226:4, AR273:4, AR240:4, AR053:4, AR225:4, AR286:4, AR233:4, AR272:4, AR300:4, AR096:4, AR293:4, AR247:4, AR264:4, AR205:4, AR039:4, AR234:4, AR275:3, AR237:3, AR231:3, AR195:3, AR253:3, AR060:3, AR228:3, AR201:3, AR182:3, AR284:3, AR282:3, AR174:3, AR227:3, AR269:3, AR193:3, AR199:3, AR289:3, AR033:3, AR294:3, AR239:3, AR285:3, AR290:3, AR184:3, AR270:3, AR265:3, AR308:3, AR181:3, AR248:3, AR232:3, AR296:3, AR291:3, AR299:3, AR297:3, AR252:3, AR259:3, AR277:3, AR310:2, AR263:2, AR230:2, AR258:2, AR288:2, AR224:2, AR257:2, AR295:2, AR203:2, AR213:2, AR179:2, AR055:2, AR268:2, AR104:2, AR200:2, AR316:2, AR255:2, AR212:2, AR267:2, AR215:2, AR266:2, AR183:2, AR173:2, AR175:2, AR191:2, AR287:2, AR217:2, AR222:2, AR172:2, AR196:2, AR281:1, AR189:1, AR283:1, AR218:1, AR219:1, AR214:1, AR256:1, AR262:1, AR216:1, AR210:1 L0539:1, S0442:1, H0619:1, H0581:1, T0010:1, H0416:1, H0622:1, H0131:1, H0521:1 and H0653:1.
205	HNFJF07	577013	215	AR104:20, AR055:15, AR060:14, AR229:13, AR283:12, AR039:11, AR313:10, AR089:10, AR096:9, AR316:9, AR161:8, AR162:8, AR299:8, AR163:8, AR165:7, AR282:7, AR164:7, AR166:7, AR185:6, AR240:6, AR300:6, AR274:6, AR219:5, AR053:5, AR277:5, AR263:5, AR309:5, AR275:5, AR172:5, AR181:4, AR250:4, AR257:4, AR236:4, AR177:4, AR218:4, AR261:4, AR228:4, AR171:4, AR266:4, AR183:4, AR178:4, AR238:4, AR264:4, AR225:4, AR235:4, AR255:3, AR215:3, AR293:3, AR286:3, AR233:3, AR179:3, AR222:3, AR234:3, AR262:3, AR237:3, AR247:3, AR182:3, AR287:3, AR168:3, AR272:3, AR294:3, AR288:3, AR170:3, AR196:3, AR174:3, AR269:3, AR175:3, AR297:3, AR268:3, AR226:3, AR223:3, AR201:3, AR311:3, AR239:3, AR290:3, AR200:3, AR231:3, AR308:2, AR195:2, AR199:2, AR061:2, AR227:2, AR216:2, AR285:2, AR312:2, AR296:2, AR271:2, AR232:2, AR180:2, AR270:2, AR291:2, AR258:2, AR230:2, AR191:2, AR289:2, AR224:1, AR246:1, AR295:1, AR188:1, AR193:1, AR217:1, AR242:1, AR214:1 H0271:2, H0581:1, H0051:1, H0163:1, L0599:1 and H0422:1.
206	HNGAK47	561488	216	AR250:13, AR176:5, AR235:5, AR204:5, AR266:4, AR267:4, AR309:4, AR162:4, AR161:4, AR163:3, AR253:3, AR228:3, AR274:3, AR261:3, AR254:3, AR268:3, AR237:3, AR181:3, AR239:3, AR233:3, AR282:3, AR262:3, AR229:3, AR289:3, AR247:3, AR236:3, AR238:3, AR224:2, AR183:2, AR255:2, AR178:2, AR214:2, AR182:2, AR257:2, AR221:2, AR245:2, AR053:2, AR226:2, AR225:2, AR313:2, AR271:2, AR234:2, AR179:2, AR223:2, AR231:2, AR232:2, AR269:2, AR061:2, AR270:2, AR227:2, AR240:2, AR217:2, AR205:2, AR175:2, AR033:2, AR200:2, AR165:2, AR312:2, AR264:2, AR272:2, AR164:2, AR283:2, AR222:2, AR197:1, AR188:1, AR177:1, AR172:1, AR287:1, AR055:1, AR290:1, AR190:1, AR193:1, AR212:1, AR299:1, AR060:1, AR201:1, AR180:1, AR286:1, AR293:1, AR294:1, AR316:1, AR213:1, AR210:1, AR295:1 H0271:1 and S0052:1.
207	HNGBC07	1037631	217	AR060:4, AR264:3, AR055:3, AR309:3, AR225:3, AR235:3, AR283:3, AR162:3, AR282:3, AR165:3, AR166:3, AR181:3, AR161:2, AR176:2, AR163:2, AR236:2, AR185:2, AR205:2, AR089:2, AR196:2, AR295:2, AR216:2, AR164:2, AR104:2, AR178:2, AR257:2, AR213:2, AR299:2, AR217:2, AR308:2, AR053:2, AR174:2, AR291:2, AR247:2, AR096:2, AR177:2,

				AR277:2, AR312:2, AR240:2, AR311:2, AR171:2, AR201:2, AR316:2, AR286:2, AR193:2, AR215:2, AR242:2, AR271:2, AR204:2, AR287:2, AR296:2, AR223:2, AR269:2, AR289:2, AR190:2, AR261:2, AR272:2, AR262:2, AR300:2, AR033:2, AR212:2, AR191:2, AR233:2, AR293:2, AR218:2, AR182:1, AR221:1, AR061:1, AR228:1, AR179:1, AR039:1, AR229:1, AR263:1, AR268:1, AR172:1, AR227:1, AR274:1, AR245:1, AR246:1, AR270:1, AR254:1, AR222:1, AR231:1, AR175:1, AR313:1, AR195:1, AR234:1, AR230:1, AR285:1, AR267:1, AR224:1, AR203:1, AR297:1, AR214:1, AR290:1, AR243:1, AR173:1, AR189:1 S0052:2
	HNGBC07	904311	448	
	HNGBC07	904812	449	
208	HNGDG40	532617	218	AR192:7, AR169:4, AR188:4, AR180:3, AR253:3, AR274:3, AR230:3, AR176:2, AR171:2, AR224:2, AR252:2, AR207:2, AR257:2, AR282:2, AR168:2, AR172:2, AR277:2, AR177:2, AR297:2, AR266:2, AR243:2, AR237:2, AR233:1, AR161:1, AR300:1, AR228:1, AR175:1, AR195:1, AR162:1, AR163:1, AR239:1, AR285:1, AR311:1, AR269:1, AR181:1, AR231:1, AR166:1, AR215:1, AR291:1, AR255:1 S0052:1
209	HNGEP09	499076	219	AR221:6, AR223:3, AR264:3, AR168:3, AR170:3, AR282:3, AR172:2, AR252:2, AR197:2, AR245:2, AR300:2, AR217:2, AR176:2, AR183:2, AR311:2, AR225:1, AR215:1, AR096:1, AR224:1, AR240:1, AR291:1, AR188:1, AR309:1, AR089:1, AR277:1, AR181:1, AR283:1, AR171:1 S0052:2
210	HNGFR31	553552	220	AR060:6, AR252:6, AR055:6, AR053:5, AR161:4, AR162:4, AR254:4, AR163:4, AR309:4, AR089:4, AR235:3, AR236:3, AR104:3, AR283:3, AR165:3, AR216:3, AR164:3, AR300:3, AR166:3, AR181:3, AR185:3, AR177:3, AR228:3, AR263:3, AR299:3, AR183:3, AR267:3, AR039:3, AR182:3, AR176:2, AR197:2, AR240:2, AR201:2, AR277:2, AR289:2, AR291:2, AR282:2, AR266:2, AR293:2, AR316:2, AR255:2, AR096:2, AR238:2, AR180:2, AR257:2, AR175:2, AR218:2, AR233:2, AR215:2, AR285:2, AR264:2, AR231:2, AR239:2, AR274:2, AR229:2, AR207:2, AR262:2, AR179:2, AR286:2, AR173:2, AR288:2, AR188:2, AR198:2, AR214:2, AR192:2, AR287:2, AR190:2, AR261:2, AR237:2, AR211:2, AR297:2, AR313:2, AR178:2, AR200:2, AR247:2, AR227:2, AR270:2, AR203:2, AR269:2, AR226:2, AR290:2, AR191:2, AR212:1, AR219:1, AR268:1, AR271:1, AR275:1, AR272:1, AR189:1, AR168:1, AR294:1, AR312:1, AR174:1, AR224:1, AR234:1, AR061:1, AR193:1, AR213:1, AR258:1, AR311:1, AR222:1 S0052:1
211	HNGIJ31	519120	221	AR231:7, AR039:6, AR221:5, AR313:4, AR096:4, AR180:4, AR055:4, AR060:4, AR104:4, AR161:4, AR162:4, AR163:4, AR275:4, AR183:4, AR089:3, AR205:3, AR300:3, AR272:3, AR246:3, AR274:3, AR225:3, AR269:3, AR181:3, AR299:3, AR165:3, AR164:3, AR166:3, AR175:3, AR173:3, AR191:3, AR198:3, AR277:3, AR185:3, AR270:3, AR182:3, AR240:3, AR033:3, AR316:3, AR176:2, AR267:2, AR261:2, AR204:2, AR266:2, AR257:2, AR291:2, AR216:2, AR218:2, AR264:2, AR214:2, AR219:2, AR222:2, AR224:2, AR195:2, AR189:2, AR190:2, AR201:2, AR283:2, AR288:2, AR196:2, AR309:2, AR179:2, AR285:2, AR271:2, AR290:2, AR263:2, AR296:2, AR282:2, AR172:2, AR178:2, AR293:2, AR193:2, AR226:2, AR233:1, AR199:1, AR312:1, AR234:1, AR228:1, AR247:1, AR230:1, AR061:1, AR255:1, AR188:1, AR238:1, AR287:1, AR268:1, AR236:1, AR217:1, AR258:1, AR262:1, AR174:1, AR295:1, AR192:1
212	HNGJE50	561568	222	AR039:15, AR313:14, AR161:14, AR162:14, AR163:13, AR165:12, AR166:11, AR164:11, AR089:11, AR096:10, AR178:9, AR229:9, AR299:8, AR300:8, AR198:8, AR060:7, AR185:7, AR245:7, AR271:7, AR182:7, AR176:7, AR053:7, AR180:7, AR316:7, AR247:7, AR240:6, AR173:6, AR274:6, AR055:6, AR266:6, AR181:6, AR257:6, AR175:6, AR179:6, AR183:6, AR233:6, AR252:6, AR239:6, AR204:6, AR282:6, AR177:6, AR104:5, AR174:5, AR277:5, AR309:5, AR264:5,

				AR269:5, AR228:5, AR243:5, AR197:5, AR207:5, AR312:5, AR226:5, AR275:5, AR192:5, AR219:5, AR196:5, AR270:5, AR212:5, AR293:5, AR237:5, AR238:5, AR253:5, AR236:5, AR218:4, AR268:4, AR262:4, AR261:4, AR267:4, AR234:4, AR246:4, AR201:4, AR283:4, AR258:4, AR191:4, AR296:4, AR171:4, AR254:4, AR213:4, AR272:4, AR230:4, AR308:4, AR255:4, AR231:4, AR235:4, AR289:3, AR199:3, AR061:3, AR291:3, AR297:3, AR286:3, AR288:3, AR205:3, AR222:3, AR263:3, AR227:3, AR193:3, AR200:3, AR214:3, AR290:3, AR033:3, AR294:3, AR203:3, AR256:2, AR295:2, AR285:2, AR232:2, AR287:2, AR189:2, AR195:2, AR224:2, AR225:2, AR216:2, AR188:2, AR311:2, AR260:2, AR190:2, AR242:2, AR210:1, AR172:1, AR170:1, AR211:1 S0052:1
213	HNGJT54	498272	223	AR183:5, AR266:5, AR214:4, AR161:4, AR162:4, AR267:4, AR192:4, AR269:4, AR163:4, AR282:4, AR181:4, AR236:4, AR228:4, AR182:3, AR233:3, AR221:3, AR309:3, AR257:3, AR177:3, AR288:3, AR291:3, AR178:3, AR180:3, AR169:3, AR173:3, AR176:3, AR229:3, AR231:3, AR294:3, AR238:3, AR168:3, AR270:3, AR289:3, AR293:3, AR237:3, AR255:3, AR171:3, AR262:3, AR217:3, AR230:3, AR287:3, AR261:3, AR224:3, AR268:2, AR300:2, AR216:2, AR239:2, AR207:2, AR286:2, AR053:2, AR190:2, AR285:2, AR191:2, AR290:2, AR232:2, AR179:2, AR225:2, AR234:2, AR295:2, AR196:2, AR226:2, AR055:2, AR316:2, AR235:2, AR258:2, AR061:2, AR227:2, AR175:2, AR089:2, AR174:2, AR297:2, AR200:2, AR311:2, AR247:2, AR222:2, AR104:2, AR189:2, AR283:2, AR188:2, AR271:2, AR203:2, AR246:2, AR240:2, AR096:1, AR256:1, AR185:1, AR272:1, AR060:1, AR277:1, AR296:1, AR033:1, AR260:1, AR199:1, AR172:1, AR193:1, AR243:1, AR223:1, AR201:1, AR299:1, AR211:1, AR308:1 S0052:1 and S0428:1.
214	HNGND37	839224	224	AR161:7, AR162:7, AR163:7, AR176:6, AR055:5, AR181:5, AR180:5, AR269:5, AR266:5, AR178:5, AR267:5, AR268:5, AR229:5, AR060:4, AR104:4, AR271:4, AR222:4, AR261:4, AR225:4, AR224:4, AR228:4, AR165:4, AR089:4, AR177:4, AR257:4, AR233:4, AR053:4, AR300:4, AR164:4, AR182:4, AR270:4, AR033:4, AR166:4, AR264:4, AR183:3, AR168:3, AR289:3, AR235:3, AR237:3, AR236:3, AR290:3, AR255:3, AR061:3, AR296:3, AR238:3, AR231:3, AR277:3, AR250:3, AR239:3, AR240:3, AR175:3, AR226:3, AR293:3, AR230:3, AR221:3, AR170:3, AR287:3, AR174:3, AR185:3, AR179:3, AR216:3, AR291:3, AR316:3, AR288:3, AR297:3, AR294:3, AR169:3, AR282:3, AR227:2, AR191:2, AR096:2, AR283:2, AR309:2, AR214:2, AR247:2, AR234:2, AR262:2, AR263:2, AR232:2, AR196:2, AR299:2, AR286:2, AR275:2, AR171:2, AR203:2, AR285:2, AR173:2, AR295:2, AR189:2, AR204:2, AR274:2, AR190:2, AR312:2, AR172:2, AR246:2, AR200:2, AR217:2, AR308:2, AR211:2, AR258:2, AR188:2, AR201:2, AR260:2, AR313:2, AR272:2, AR039:2, AR243:1, AR218:1, AR219:1, AR210:1, AR199:1, AR213:1, AR205:1, AR256:1, AR252:1 L0749:4, L0439:3, H0100:2, L0770:2, L0776:2, H0556:1, H0638:1, H0441:1, T0010:1, H0687:1, L0055:1, L0769:1, L0809:1, S0428:1, H0522:1, H0694:1, L0758:1, L0589:1 and L0592:1.
215	HNGOI12	1041375	225	AR225:30, AR223:24, AR221:18, AR224:17, AR215:14, AR168:12, AR214:9, AR222:9, AR216:9, AR171:8, AR217:8, AR266:8, AR172:8, AR176:7, AR269:7, AR182:7, AR288:7, AR180:7, AR245:7, AR289:6, AR161:6, AR162:6, AR204:6, AR255:6, AR197:6, AR270:6, AR183:6, AR297:6, AR163:6, AR178:6, AR268:6, AR181:6, AR282:6, AR236:5, AR231:5, AR039:5, AR293:5, AR207:5, AR179:5, AR294:5, AR201:5, AR295:5, AR198:5, AR169:5, AR240:5, AR286:5, AR261:5, AR229:5, AR165:5, AR205:5, AR170:4, AR285:4, AR233:4, AR309:4, AR290:4, AR257:4, AR177:4, AR055:4, AR175:4, AR246:4, AR300:4, AR287:4, AR256:4, AR173:4, AR243:4, AR271:4, AR267:4, AR235:4, AR264:4, AR164:4, AR263:4, AR247:4, AR313:4, AR166:4, AR277:4, AR262:4, AR060:4, AR238:4, AR260:4, AR191:4, AR291:4, AR316:4, AR258:4, AR239:4, AR053:4, AR296:4, AR228:4, AR174:4, AR250:4, AR199:4, AR096:3, AR192:3, AR230:3, AR237:3, AR196:3,

				AR193:3, AR234:3, AR283:3, AR104:3, AR203:3, AR190:3, AR272:3, AR200:3, AR253:3, AR189:3, AR061:3, AR185:3, AR311:3, AR275:3, AR226:3, AR299:3, AR089:3, AR227:3, AR188:3, AR312:3, AR232:2, AR219:2, AR274:2, AR033:2, AR195:2, AR212:2, AR213:2, AR211:2, AR218:1, AR242:1, AR210:1, AR308:1 S0428:1
	HNGOI12	838184	450	
	HNGOI12	839283	451	
216	HNGOM56	836064	226	AR039:15, AR313:14, AR089:11, AR161:10, AR162:10, AR165:10, AR096:10, AR166:9, AR163:9, AR164:9, AR299:9, AR242:8, AR300:8, AR277:8, AR185:7, AR192:7, AR060:7, AR178:7, AR316:7, AR282:7, AR180:6, AR055:6, AR104:6, AR181:6, AR176:6, AR309:6, AR173:6, AR053:6, AR196:6, AR179:6, AR183:6, AR197:6, AR175:6, AR229:6, AR240:6, AR182:6, AR174:5, AR247:5, AR264:5, AR198:5, AR245:5, AR177:5, AR233:5, AR262:5, AR275:5, AR204:5, AR269:5, AR261:5, AR243:5, AR218:5, AR226:5, AR271:4, AR239:4, AR171:4, AR238:4, AR228:4, AR236:4, AR246:4, AR193:4, AR237:4, AR257:4, AR212:4, AR283:4, AR234:4, AR293:4, AR217:4, AR272:4, AR221:4, AR312:4, AR268:4, AR270:4, AR258:4, AR263:4, AR219:4, AR267:4, AR266:4, AR308:4, AR170:4, AR199:4, AR231:4, AR201:4, AR200:4, AR191:4, AR195:3, AR230:3, AR252:3, AR291:3, AR203:3, AR253:3, AR274:3, AR188:3, AR205:3, AR189:3, AR296:3, AR061:3, AR294:3, AR297:3, AR227:3, AR235:3, AR215:3, AR311:3, AR232:3, AR289:3, AR288:3, AR255:3, AR213:3, AR287:3, AR295:3, AR286:2, AR033:2, AR250:2, AR285:2, AR216:2, AR222:2, AR260:2, AR290:2, AR214:2, AR256:2, AR169:2, AR168:2, AR224:2, AR190:2, AR210:2, AR211:1, AR172:1, AR223:1 S0428:2 and L0368:1.
217	HNGOU56	843515	227	AR250:11, AR252:9, AR201:9, AR176:9, AR235:9, AR254:8, AR245:8, AR169:8, AR180:8, AR269:8, AR197:8, AR204:7, AR162:7, AR161:7, AR163:7, AR181:7, AR193:7, AR271:6, AR192:6, AR229:6, AR224:6, AR266:6, AR207:6, AR178:6, AR228:6, AR239:6, AR267:6, AR055:5, AR261:5, AR060:5, AR164:5, AR233:5, AR236:5, AR309:5, AR182:5, AR165:5, AR183:5, AR268:5, AR231:5, AR166:5, AR177:5, AR214:5, AR257:5, AR243:5, AR198:5, AR253:5, AR227:5, AR270:5, AR033:5, AR293:5, AR053:5, AR222:5, AR291:5, AR237:5, AR223:4, AR312:4, AR195:4, AR226:4, AR300:4, AR264:4, AR221:4, AR179:4, AR308:4, AR175:4, AR263:4, AR238:4, AR216:4, AR240:4, AR287:4, AR288:4, AR247:4, AR262:4, AR246:4, AR225:4, AR274:4, AR234:4, AR290:4, AR061:4, AR282:4, AR205:4, AR174:4, AR196:4, AR230:4, AR173:4, AR286:4, AR171:4, AR104:4, AR313:4, AR272:4, AR294:4, AR275:4, AR285:4, AR283:3, AR039:3, AR255:3, AR316:3, AR168:3, AR297:3, AR191:3, AR213:3, AR289:3, AR089:3, AR295:3, AR299:3, AR096:3, AR189:3, AR185:3, AR199:3, AR203:3, AR311:3, AR277:3, AR296:3, AR258:3, AR188:3, AR200:3, AR172:3, AR210:2, AR211:2, AR232:2, AR218:2, AR190:2, AR217:2, AR256:2, AR212:2, AR260:2, AR219:1, AR170:1 S0428:1
218	HNGOW62	892160	228	AR176:7, AR282:6, AR266:5, AR163:5, AR055:5, AR216:5, AR060:5, AR171:4, AR175:4, AR172:4, AR254:3, AR104:3, AR309:3, AR161:3, AR229:3, AR245:3, AR204:3, AR228:3, AR162:3, AR089:3, AR262:3, AR178:3, AR183:3, AR207:3, AR096:3, AR214:3, AR239:3, AR291:3, AR221:3, AR182:3, AR240:3, AR270:3, AR283:3, AR165:3, AR164:2, AR222:2, AR227:2, AR277:2, AR269:2, AR226:2, AR218:2, AR316:2, AR223:2, AR233:2, AR236:2, AR166:2, AR264:2, AR268:2, AR286:2, AR257:2, AR224:2, AR289:2, AR299:2, AR211:2, AR225:2, AR185:2, AR177:2, AR295:2, AR181:2, AR061:2, AR039:2, AR219:2, AR271:2, AR296:2, AR217:2, AR179:2, AR234:2, AR267:2, AR201:2, AR196:2, AR275:2, AR033:2, AR237:2, AR168:1, AR313:1, AR230:1, AR300:1, AR173:1, AR290:1, AR231:1, AR285:1, AR174:1, AR293:1, AR205:1, AR180:1, AR272:1, AR053:1 H0556:1 and S0428:1.
219	HNHEU93	634851	229	AR313:24, AR173:20, AR162:16, AR161:16, AR163:16, AR165:15, AR247:14, AR164:14, AR166:14, AR175:13,

				AR258:13, AR242:13, AR293:12, AR257:11, AR270:10, AR262:10, AR178:10, AR299:10, AR300:10, AR240:9, AR269:9, AR176:9, AR233:9, AR254:9, AR229:9, AR264:9, AR180:9, AR196:9, AR179:9, AR312:9, AR199:9, AR177:9, AR182:9, AR181:9, AR275:8, AR296:8, AR183:8, AR294:8, AR238:8, AR191:8, AR197:8, AR193:8, AR297:8, AR274:7, AR234:7, AR253:7, AR174:7, AR226:7, AR053:7, AR260:7, AR267:7, AR285:7, AR268:7, AR237:7, AR286:6, AR089:6, AR189:6, AR290:6, AR252:6, AR291:6, AR287:6, AR096:6, AR204:6, AR231:6, AR192:6, AR255:6, AR228:6, AR250:6, AR188:6, AR288:6, AR185:6, AR033:6, AR263:6, AR261:6, AR198:6, AR282:6, AR309:6, AR272:6, AR203:5, AR212:5, AR239:5, AR245:5, AR207:5, AR295:5, AR289:5, AR266:5, AR195:5, AR308:5, AR190:5, AR218:5, AR200:5, AR277:5, AR201:4, AR256:4, AR219:4, AR230:4, AR227:4, AR316:4, AR246:4, AR213:4, AR271:4, AR236:4, AR215:4, AR243:4, AR232:3, AR061:3, AR205:3, AR039:3, AR224:3, AR060:3, AR172:3, AR225:2, AR210:2, AR211:2, AR104:2, AR171:2, AR221:2, AR223:2, AR311:2, AR283:2, AR216:1, AR055:1 S0053:1
220	HNHFM14	664507	230	AR270:26, AR273:17, AR052:17, AR186:12, AR290:12, AR309:11, AR269:10, AR268:9, AR313:8, AR175:7, AR267:7, AR184:6, AR312:6, AR183:5, AR213:5, AR298:5, AR219:5, AR274:4, AR218:4, AR293:4, AR249:4, AR194:4, AR089:4, AR185:4, AR162:3, AR161:3, AR265:3, AR163:3, AR198:3, AR060:3, AR261:3, AR104:3, AR096:3, AR204:3, AR192:3, AR207:3, AR251:3, AR282:3, AR172:3, AR217:3, AR236:3, AR264:3, AR181:3, AR221:3, AR225:2, AR195:2, AR240:2, AR248:2, AR246:2, AR231:2, AR299:2, AR171:2, AR271:2, AR239:2, AR176:2, AR201:2, AR228:2, AR277:2, AR295:2, AR316:2, AR178:2, AR179:2, AR061:2, AR216:2, AR224:2, AR291:2, AR193:2, AR033:2, AR287:2, AR234:2, AR300:1, AR310:1, AR233:1, AR296:1, AR286:1, AR238:1, AR237:1, AR174:1, AR262:1, AR285:1, AR191:1, AR294:1, AR227:1, AR255:1, AR257:1, AR297:1, AR247:1, AR232:1, AR289:1 L0747:5, H0619:4, S0406:4, L0439:4, L0777:4, H0617:2, L0770:2, L0769:2, L0803:2, L0438:2, L3827:2, S0328:2, L0749:2, L0779:2, H0265:1, L3643:1, H0484:1, S0418:1, H0747:1, L3388:1, H0618:1, S0010:1, H0052:1, H0570:1, H0012:1, H0014:1, H0510:1, H0288:1, H0622:1, S0366:1, H0040:1, H0623:1, L0351:1, T0042:1, L0761:1, L0764:1, L0767:1, L0805:1, L0655:1, L0809:1, S0053:1, L3828:1, H0520:1, H0435:1, H0659:1, S3014:1, L0743:1, L0756:1, L0758:1 and H0136:1.
221	HNHFO29	463568	231	AR089:9, AR313:8, AR039:8, AR060:7, AR268:6, AR299:6, AR096:6, AR310:5, AR055:5, AR249:5, AR291:5, AR185:5, AR186:4, AR104:4, AR277:4, AR052:4, AR309:4, AR316:4, AR270:4, AR282:4, AR061:4, AR162:4, AR161:4, AR165:4, AR164:3, AR269:3, AR235:3, AR300:3, AR289:3, AR166:3, AR170:3, AR183:3, AR272:3, AR271:3, AR182:3, AR283:3, AR184:3, AR053:3, AR218:3, AR312:3, AR176:3, AR298:3, AR251:3, AR248:3, AR266:3, AR169:3, AR163:3, AR240:3, AR247:3, AR180:3, AR172:3, AR173:3, AR284:2, AR296:2, AR253:2, AR292:2, AR219:2, AR263:2, AR245:2, AR233:2, AR229:2, AR294:2, AR286:2, AR308:2, AR228:2, AR033:2, AR293:2, AR201:2, AR225:2, AR174:2, AR234:2, AR237:2, AR181:2, AR231:2, AR238:2, AR262:2, AR175:2, AR197:2, AR223:2, AR206:2, AR177:2, AR198:2, AR285:2, AR188:2, AR171:1, AR295:1, AR214:1, AR196:1, AR243:1, AR226:1, AR297:1, AR204:1, AR227:1, AR287:1, AR274:1, AR230:1, AR179:1, AR239:1, AR210:1, AR190:1, AR264:1, AR222:1, AR290:1, AR257:1, AR241:1, AR191:1 T0042:1 and S0053:1.
222	HNHNB29	895462	232	AR313:23, AR254:22, AR162:20, AR161:20, AR163:19, AR173:17, AR165:16, AR164:16, AR166:15, AR229:14, AR176:13, AR178:13, AR247:13, AR268:13, AR271:13, AR269:12, AR183:12, AR193:12, AR180:12, AR175:11, AR096:11, AR270:11, AR257:11, AR214:11, AR293:11, AR170:11, AR181:10, AR267:10, AR179:10, AR182:10, AR300:10, AR253:10, AR192:10, AR197:10, AR174:9, AR258:9, AR226:9, AR242:9, AR275:9, AR262:9, AR240:9,

				AR296:9, AR274:9, AR238:9, AR266:9, AR169:8, AR312:8, AR233:8, AR250:8, AR264:8, AR199:8, AR196:8, AR246:8, AR309:8, AR245:8, AR237:8, AR189:8, AR272:8, AR291:8, AR195:8, AR204:7, AR172:7, AR089:7, AR243:7, AR191:7, AR290:7, AR177:7, AR297:7, AR286:7, AR234:7, AR198:7, AR255:6, AR277:6, AR235:6, AR239:6, AR228:6, AR294:6, AR190:6, AR201:6, AR033:6, AR203:6, AR215:6, AR308:6, AR231:6, AR289:6, AR188:5, AR236:5, AR185:5, AR039:5, AR285:5, AR261:5, AR230:5, AR282:5, AR168:5, AR299:5, AR225:5, AR288:5, AR205:5, AR287:5, AR295:5, AR053:5, AR060:5, AR263:5, AR227:4, AR213:4, AR200:4, AR316:4, AR224:4, AR311:4, AR212:4, AR260:4, AR061:4, AR171:4, AR219:4, AR211:3, AR256:3, AR232:3, AR252:3, AR218:3, AR222:3, AR207:3, AR055:3, AR221:3, AR216:3, AR104:2, AR223:2, AR217:1, AR210:1 S0216:1
223	HNHOD46	843488	233	AR039:32, AR313:28, AR096:21, AR089:19, AR299:16, AR185:11, AR277:11, AR316:11, AR300:10, AR104:10, AR060:9, AR219:8, AR218:8, AR240:7, AR055:7, AR161:6, AR162:6, AR173:6, AR282:6, AR163:6, AR165:6, AR164:6, AR166:6, AR183:5, AR247:5, AR270:5, AR229:5, AR176:4, AR175:4, AR181:4, AR269:4, AR257:4, AR179:4, AR238:4, AR283:4, AR178:4, AR196:4, AR293:4, AR309:4, AR262:4, AR268:4, AR250:4, AR182:4, AR174:3, AR236:3, AR199:3, AR177:3, AR213:3, AR230:3, AR234:3, AR171:3, AR291:3, AR296:3, AR233:3, AR258:3, AR255:3, AR286:3, AR180:3, AR191:3, AR189:3, AR237:3, AR297:3, AR312:3, AR261:3, AR294:3, AR295:3, AR168:3, AR053:3, AR263:3, AR226:3, AR274:3, AR287:2, AR225:2, AR188:2, AR231:2, AR308:2, AR203:2, AR267:2, AR239:2, AR285:2, AR289:2, AR033:2, AR169:2, AR275:2, AR227:2, AR266:2, AR264:2, AR290:2, AR224:2, AR200:2, AR190:2, AR243:2, AR311:2, AR228:2, AR212:2, AR222:2, AR216:2, AR272:1, AR172:1, AR211:1, AR260:1, AR235:1, AR061:1 S0216:1
224	HNHOG73	835026	234	AR309:14, AR263:13, AR252:12, AR207:12, AR214:11, AR264:11, AR253:11, AR223:11, AR224:11, AR195:10, AR225:10, AR171:10, AR161:10, AR192:9, AR222:9, AR308:9, AR163:9, AR162:9, AR170:9, AR169:9, AR311:9, AR168:9, AR235:9, AR245:9, AR197:8, AR176:8, AR254:8, AR165:8, AR164:8, AR215:8, AR216:8, AR172:8, AR261:8, AR282:8, AR166:8, AR250:7, AR053:7, AR312:7, AR288:7, AR246:7, AR291:7, AR217:7, AR212:6, AR221:6, AR213:6, AR193:6, AR198:6, AR295:6, AR275:6, AR181:6, AR266:6, AR180:6, AR236:6, AR178:6, AR177:6, AR285:6, AR196:6, AR268:6, AR060:6, AR289:6, AR297:6, AR257:6, AR175:6, AR204:5, AR255:5, AR183:5, AR271:5, AR272:5, AR055:5, AR240:5, AR033:5, AR237:5, AR270:5, AR182:5, AR293:5, AR247:5, AR300:5, AR201:5, AR258:5, AR174:5, AR243:5, AR287:5, AR296:5, AR286:5, AR191:5, AR189:5, AR231:5, AR228:5, AR269:5, AR205:5, AR173:5, AR233:5, AR210:5, AR227:5, AR229:5, AR199:5, AR267:4, AR185:4, AR277:4, AR294:4, AR061:4, AR239:4, AR316:4, AR089:4, AR274:4, AR218:4, AR262:4, AR200:4, AR232:4, AR234:4, AR290:4, AR211:4, AR238:4, AR190:4, AR256:4, AR179:4, AR226:4, AR260:4, AR039:4, AR188:4, AR299:4, AR203:4, AR230:4, AR283:3, AR096:3, AR104:3, AR242:3, AR313:3, AR219:3 L0365:1 and S0216:1.
225	HNTBI26	13108821	235	AR195:19, AR214:19, AR194:18, AR225:16, AR223:16, AR164:16, AR165:16, AR281:16, AR166:15, AR224:15, AR172:15, AR216:15, AR215:15, AR202:15, AR161:14, AR162:14, AR222:14, AR221:14, AR199:14, AR217:14, AR280:14, AR244:14, AR169:14, AR163:14, AR206:14, AR171:13, AR168:13, AR315:13, AR207:12, AR235:12, AR211:12, AR170:12, AR246:12, AR268:11, AR192:11, AR265:11, AR197:11, AR263:11, AR314:11, AR196:11, AR311:10, AR243:10, AR241:10, AR205:10, AR245:10, AR264:10, AR297:9, AR242:9, AR288:9, AR198:9, AR212:9, AR191:9, AR308:9, AR213:8, AR269:8, AR273:8, AR309:8, AR270:8, AR310:8, AR290:8, AR053:8, AR272:8, AR275:8, AR200:8, AR252:8, AR189:8, AR173:8, AR261:8, AR289:8, AR180:8, AR089:8, AR210:7, AR312:7, AR188:7, AR251:7,

				AR234:7, AR183:7, AR284:7, AR271:7, AR236:7, AR190:7, AR238:7, AR295:7, AR181:7, AR253:7, AR291:7, AR282:7, AR248:7, AR247:7, AR266:7, AR285:7, AR283:7, AR193:7, AR177:7, AR182:7, AR033:7, AR250:7, AR174:7, AR204:7, AR176:6, AR240:6, AR274:6, AR254:6, AR052:6, AR060:6, AR286:6, AR239:6, AR175:6, AR249:6, AR299:6, AR277:6, AR257:6, AR218:6, AR316:6, AR061:5, AR298:5, AR096:5, AR287:5, AR178:5, AR300:5, AR255:5, AR231:5, AR185:5, AR296:5, AR203:5, AR313:5, AR292:5, AR201:5, AR232:5, AR039:5, AR186:5, AR227:5, AR055:5, AR219:5, AR258:5, AR267:5, AR294:5, AR262:5, AR293:4, AR229:4, AR179:4, AR260:4, AR226:4, AR237:4, AR228:4, AR233:4, AR104:4, AR184:3, AR230:3, AR256:3, AR259:2 H0124:23, L0774:4, L0740:3, S0212:2, S0360:2, L3388:2, L0659:2, L0757:2, S0436:2, H0170:1, H0713:1, H0580:1, S0045:1, H0393:1, S0220:1, H0333:1, H0643:1, H0574:1, H0013:1, S0280:1, H0581:1, H0544:1, H0150:1, H0059:1, H0509:1, L0369:1, L0640:1, L0521:1, L0363:1, L0775:1, L0654:1, L0776:1, L0559:1, L0384:1, L0790:1, L0664:1, L2258:1, L2260:1, H0519:1, S0027:1, S0206:1, L0747:1, L0749:1, L0780:1, L0731:1, L0759:1 and H0542:1.
	HNTBI26	796807	452	
	HNTBI26	590738	453	
226	HNTBL27	545534	236	AR218:6, AR240:5, AR282:5, AR277:5, AR316:5, AR096:4, AR219:4, AR185:4, AR104:4, AR300:3, AR299:3, AR060:3, AR283:3, AR055:3, AR313:3, AR089:3, AR039:3 L0794:3, L0663:2, S0360:1, H0042:1, H0253:1, H0150:1, H0633:1, S0142:1, H0538:1, L0804:1, L0790:1, L0791:1, L0666:1, L0664:1, L0665:1, H0519:1, L0747:1, L0749:1, L0779:1, L0777:1, L0755:1 and L0731:1.
227	HNTCE26	1160395	237	AR291:7, AR164:5, AR295:5, AR296:5, AR285:5, AR166:5, AR165:5, AR170:4, AR297:4, AR287:4, AR162:4, AR286:4, AR161:4, AR235:4, AR311:4, AR257:4, AR288:4, AR223:4, AR225:4, AR053:4, AR089:4, AR060:4, AR308:4, AR261:4, AR169:4, AR262:4, AR176:4, AR096:4, AR264:4, AR266:3, AR283:3, AR199:3, AR246:3, AR178:3, AR289:3, AR214:3, AR267:3, AR205:3, AR269:3, AR312:3, AR245:3, AR263:3, AR195:3, AR196:3, AR175:3, AR255:3, AR293:3, AR236:3, AR270:3, AR277:3, AR173:3, AR104:3, AR272:3, AR188:3, AR183:3, AR294:3, AR268:3, AR224:3, AR258:3, AR242:3, AR182:3, AR238:3, AR189:3, AR193:3, AR316:3, AR191:3, AR180:3, AR174:3, AR163:2, AR197:2, AR253:2, AR210:2, AR290:2, AR200:2, AR190:2, AR203:2, AR217:2, AR247:2, AR181:2, AR299:2, AR185:2, AR260:2, AR211:2, AR282:2, AR313:2, AR309:2, AR254:2, AR256:2, AR033:2, AR201:2, AR179:2, AR213:2, AR227:2, AR171:2, AR237:2, AR168:2, AR222:2, AR300:2, AR240:2, AR243:2, AR234:2, AR274:2, AR219:2, AR204:2, AR239:2, AR218:2, AR233:1, AR231:1, AR177:1, AR216:1, AR172:1, AR212:1, AR055:1, AR061:1, AR230:1, AR232:1, AR226:1 H0580:5, L0754:5, H0615:4, L0805:4, L0748:4, L0731:4, H0031:3, S0440:3, L0659:3, L0758:3, L2346:2, S0278:2, L0804:2, L0809:2, H0547:2, H0352:2, H0657:1, H0656:1, S0418:1, S0442:1, S0444:1, L3649:1, H0741:1, H0645:1, H0574:1, H0486:1, L3521:1, H0013:1, S0010:1, H0327:1, H0046:1, L0041:1, H0510:1, S0214:1, H0328:1, H0030:1, H0553:1, H0644:1, H0032:1, S0344:1, S0002:1, L0369:1, L0667:1, L0364:1, L0794:1, L0803:1, L0775:1, L0776:1, L0789:1, L0666:1, L0663:1, L2653:1, L0438:1, H0519:1, H0670:1, H0521:1, L0744:1, L0439:1, L0747:1, L0779:1, L0591:1 and L3374:1.
	HNTCE26	853373	454	
228	HNTNI01	1352285	238	AR207:15, AR263:12, AR169:11, AR311:11, AR212:10, AR198:10, AR264:10, AR235:10, AR252:9, AR168:9, AR223:9, AR224:9, AR089:9, AR053:8, AR215:8, AR172:8, AR161:8, AR162:8, AR214:8, AR222:8, AR163:8, AR309:8, AR165:8, AR205:8, AR192:8, AR164:8, AR170:8, AR221:7, AR166:7, AR216:7, AR242:7, AR282:7, AR308:7, AR195:7, AR171:7,

				AR039:7, AR213:7, AR261:7, AR312:7, AR245:6, AR254:6, AR295:6, AR225:6, AR033:6, AR197:6, AR288:6, AR217:6, AR060:5, AR196:5, AR274:5, AR096:5, AR246:5, AR271:5, AR291:5, AR193:5, AR316:5, AR286:5, AR277:5, AR283:5, AR299:5, AR178:5, AR272:5, AR275:5, AR236:4, AR243:4, AR285:4, AR240:4, AR104:4, AR313:4, AR185:4, AR176:4, AR296:4, AR297:4, AR204:4, AR287:4, AR210:4, AR055:4, AR177:4, AR253:4, AR183:4, AR181:4, AR290:4, AR247:4, AR269:4, AR258:4, AR289:4, AR257:4, AR201:4, AR174:3, AR238:3, AR200:3, AR262:3, AR300:3, AR175:3, AR199:3, AR294:3, AR255:3, AR188:3, AR268:3, AR180:3, AR293:3, AR211:3, AR173:3, AR266:3, AR250:3, AR270:3, AR061:3, AR189:3, AR179:3, AR267:3, AR239:3, AR182:3, AR190:3, AR227:2, AR231:2, AR234:2, AR256:2, AR219:2, AR237:2, AR203:2, AR191:2, AR229:2, AR226:2, AR230:2, AR232:2, AR260:2, AR233:2, AR218:2, AR228:1 L0747:5, H0545:3, H0520:3, L0439:3, L0803:2, L0790:2, H0547:2, L0740:2, L0751:2, L0779:2, L0759:2, L0593:2, H0170:1, S0005:1, H0485:1, H0013:1, L0564:1, L0770:1, L0794:1, L0809:1, H0519:1, S0378:1, L0756:1, L0777:1 and H0667:1.
	HNTNI01	699848	455	
229	HODDF13	684307	239	AR312:21, AR308:20, AR205:19, AR253:19, AR250:19, AR309:19, AR264:18, AR311:16, AR212:16, AR213:15, AR218:14, AR096:14, AR272:14, AR313:14, AR263:14, AR161:13, AR162:13, AR163:13, AR165:13, AR164:12, AR175:12, AR053:12, AR219:12, AR089:12, AR166:12, AR246:12, AR178:11, AR270:11, AR254:11, AR271:11, AR173:11, AR274:10, AR039:10, AR192:10, AR174:10, AR176:10, AR282:10, AR216:10, AR189:10, AR193:10, AR183:9, AR221:9, AR268:9, AR191:9, AR252:9, AR210:9, AR245:9, AR172:9, AR269:9, AR290:9, AR197:9, AR180:9, AR242:8, AR217:8, AR224:8, AR182:8, AR316:8, AR215:8, AR293:8, AR181:8, AR288:8, AR179:8, AR267:8, AR060:8, AR190:8, AR171:7, AR247:7, AR201:7, AR297:7, AR195:7, AR240:7, AR185:7, AR222:7, AR177:7, AR199:6, AR170:6, AR295:6, AR291:6, AR188:6, AR198:6, AR211:6, AR243:6, AR266:6, AR275:6, AR104:6, AR299:6, AR204:6, AR229:5, AR300:5, AR237:5, AR294:5, AR169:5, AR285:5, AR225:5, AR033:5, AR296:5, AR286:5, AR287:5, AR261:5, AR238:5, AR168:5, AR289:4, AR231:4, AR230:4, AR223:4, AR277:4, AR214:4, AR226:4, AR228:4, AR203:4, AR239:4, AR196:4, AR255:4, AR234:4, AR235:4, AR233:4, AR262:4, AR260:3, AR236:3, AR257:3, AR061:3, AR256:3, AR232:3, AR200:3, AR227:3, AR258:3, AR283:3, AR055:2, AR207:2 H0328:1
230	HODDN92	422913	240	AR161:4, AR162:4, AR163:4, AR192:4, AR165:4, AR308:4, AR264:4, AR176:4, AR311:3, AR164:3, AR309:3, AR166:3, AR312:3, AR213:3, AR214:3, AR193:3, AR225:3, AR313:3, AR096:3, AR089:3, AR270:3, AR172:3, AR235:3, AR299:2, AR201:2, AR291:2, AR104:2, AR269:2, AR195:2, AR294:2, AR169:2, AR215:2, AR290:2, AR224:2, AR173:2, AR060:2, AR288:2, AR282:2, AR285:2, AR271:2, AR185:2, AR175:2, AR039:2, AR275:2, AR277:2, AR211:2, AR268:2, AR316:2, AR190:2, AR267:2, AR274:2, AR272:2, AR171:2, AR287:2, AR221:2, AR237:2, AR189:1, AR289:1, AR217:1, AR300:1, AR247:1, AR255:1, AR262:1, AR257:1, AR183:1, AR286:1, AR236:1, AR256:1, AR293:1, AR254:1, AR295:1, AR178:1, AR297:1, AR238:1, AR296:1, AR168:1 L0758:14, H0457:10, H0556:5, S0114:5, L0748:5, L0756:5, H0657:4, H0620:4, H0328:4, H0591:4, L0754:4, L0779:4, H0589:3, L0532:3, H0445:3, H0341:2, H0580:2, H0208:2, H0619:2, H0486:2, H0013:2, L0471:2, H0024:2, H0673:2, H0674:2, H0038:2, H0264:2, H0561:2, L0803:2, L0606:2, L0519:2, S0216:2, L0749:2, L0777:2, L0589:2, H0171:1, S0218:1, S0212:1, H0255:1, H0305:1, S0358:1, S0444:1, H0329:1, L0717:1, S0222:1, H0370:1, H0438:1, H0586:1, H0574:1, H0632:1, H0581:1, H0310:1, H0544:1, H0009:1, H0123:1, H0350:1, S0003:1, H0252:1, H0615:1, H0644:1, H0598:1, S0036:1, H0090:1, H0063:1, S0038:1, H0625:1, H0538:1, L0373:1, L0794:1, L0650:1, L0774:1, L0805:1, L0559:1, L0558:1, L0659:1, L0526:1, H0144:1, H0520:1, H0696:1, S0206:1,

				S0434:1, S0011:1, S0026:1, H0543:1 and H0423:1.
231	HODFN71	1194866	241	AR282:12, AR176:8, AR162:6, AR163:5, AR170:5, AR161:5, AR266:5, AR182:5, AR181:5, AR055:5, AR228:4, AR060:4, AR204:4, AR269:4, AR239:4, AR264:4, AR233:4, AR268:4, AR229:4, AR236:4, AR177:4, AR309:4, AR267:4, AR257:3, AR197:3, AR225:3, AR224:3, AR253:3, AR222:3, AR201:3, AR165:3, AR242:3, AR289:3, AR193:3, AR183:3, AR270:3, AR274:3, AR237:3, AR179:3, AR217:3, AR196:3, AR272:3, AR166:3, AR207:3, AR164:3, AR235:3, AR185:3, AR300:3, AR180:3, AR293:3, AR290:3, AR286:3, AR311:3, AR255:3, AR238:3, AR171:3, AR299:3, AR089:3, AR247:3, AR188:3, AR261:3, AR287:3, AR234:3, AR291:3, AR200:3, AR175:2, AR061:2, AR294:2, AR295:2, AR203:2, AR283:2, AR316:2, AR262:2, AR214:2, AR191:2, AR190:2, AR271:2, AR297:2, AR178:2, AR231:2, AR227:2, AR104:2, AR288:2, AR277:2, AR285:2, AR243:2, AR226:2, AR039:2, AR096:2, AR296:2, AR232:2, AR312:2, AR173:2, AR260:2, AR053:2, AR168:2, AR313:2, AR230:2, AR210:1, AR258:1, AR213:1, AR174:1, AR215:1, AR218:1, AR033:1, AR240:1, AR256:1, AR308:1, AR189:1, AR252:1, AR211:1 H0615:2 and H0624:1.
	HODFN71	834999	456	
232	HODGE68	834907	242	AR161:8, AR162:8, AR163:8, AR313:7, AR039:6, AR173:6, AR180:6, AR176:6, AR182:6, AR242:6, AR060:6, AR055:6, AR270:5, AR181:5, AR236:5, AR293:5, AR309:5, AR240:5, AR096:5, AR175:5, AR165:5, AR300:5, AR282:5, AR089:5, AR053:5, AR204:5, AR185:5, AR275:5, AR233:5, AR164:5, AR269:5, AR261:5, AR177:5, AR257:5, AR178:5, AR229:5, AR196:5, AR166:5, AR264:4, AR179:4, AR201:4, AR228:4, AR262:4, AR299:4, AR294:4, AR231:4, AR274:4, AR247:4, AR183:4, AR174:4, AR191:4, AR255:4, AR266:4, AR198:4, AR316:4, AR271:4, AR238:4, AR287:4, AR218:4, AR239:4, AR277:4, AR230:4, AR288:4, AR267:4, AR212:4, AR237:4, AR268:4, AR258:4, AR199:4, AR297:4, AR234:4, AR104:3, AR197:3, AR263:3, AR295:3, AR311:3, AR168:3, AR226:3, AR170:3, AR219:3, AR285:3, AR296:3, AR312:3, AR250:3, AR188:3, AR290:3, AR291:3, AR203:3, AR283:3, AR272:3, AR217:3, AR286:3, AR190:3, AR289:3, AR214:3, AR225:3, AR260:3, AR207:3, AR033:3, AR245:3, AR195:3, AR061:3, AR223:3, AR216:2, AR189:2, AR200:2, AR171:2, AR227:2, AR254:2, AR232:2, AR243:2, AR193:2, AR213:2, AR211:2, AR210:2, AR256:1, AR169:1, AR246:1, AR308:1, AR252:1, AR215:1, AR224:1 H0615:1
233	HOEDB32	634994	243	L0807:6, L0747:5, S0126:4, L0779:4, L0771:3, H0696:3, L0740:3, L0750:3, S0358:2, S0222:2, L0471:2, L0772:2, L0662:2, L0774:2, L0809:2, H0690:2, H0670:2, S0378:2, L0439:2, L0755:2, L0757:2, L0362:2, T0049:1, S0180:1, S0212:1, H0662:1, S0442:1, S0360:1, H0722:1, H0208:1, H0486:1, T0039:1, T0040:1, L2637:1, L0021:1, H0327:1, H0546:1, H0545:1, H0123:1, H0012:1, H0620:1, H0024:1, H0687:1, H0615:1, H0551:1, H0413:1, T0042:1, L0065:1, S0150:1, L0637:1, L0646:1, L0363:1, L0649:1, L0775:1, L0806:1, L0652:1, L0661:1, L0657:1, L0647:1, L0793:1, L0663:1, L0664:1, L0708:1, L2651:1, H0144:1, S0374:1, S0148:1, H0547:1, H0519:1, H0539:1, S0152:1, S0406:1, S0028:1, L0745:1, L0756:1, L0780:1, L0759:1, S0434:1, S0436:1, L0361:1, S0194:1 and H0352:1.
234	HOFMQ33	1184465	244	AR205:90, AR212:77, AR245:75, AR274:68, AR272:67, AR216:65, AR246:62, AR252:60, AR308:59, AR213:59, AR214:55, AR312:54, AR215:54, AR197:50, AR309:50, AR254:50, AR053:50, AR217:49, AR171:49, AR221:49, AR195:48, AR311:45, AR225:45, AR223:44, AR264:44, AR170:44, AR189:44, AR199:43, AR210:43, AR263:43, AR168:43, AR247:43, AR243:41, AR224:41, AR172:41, AR253:40, AR222:40, AR169:39, AR164:37, AR250:37, AR174:37, AR271:36, AR166:36, AR198:36, AR165:36, AR201:34, AR188:34, AR162:34, AR190:32, AR163:32, AR242:32, AR161:32, AR204:29, AR193:28, AR173:27, AR192:26, AR313:26, AR236:25, AR291:24, AR177:24,

				AR275:24, AR290:24, AR256:23, AR039:22, AR262:22, AR096:22, AR191:22, AR240:22, AR219:22, AR200:22, AR185:22, AR179:21, AR218:21, AR089:21, AR211:20, AR300:20, AR288:20, AR175:20, AR297:20, AR289:20, AR295:19, AR255:19, AR261:19, AR299:19, AR203:19, AR207:19, AR293:18, AR196:18, AR268:17, AR237:17, AR296:17, AR258:17, AR282:16, AR316:16, AR285:16, AR231:15, AR269:15, AR257:15, AR178:14, AR234:14, AR287:14, AR181:14, AR230:14, AR033:14, AR260:14, AR267:14, AR061:14, AR233:14, AR239:14, AR183:13, AR266:13, AR270:13, AR229:13, AR286:13, AR277:12, AR180:12, AR060:12, AR238:12, AR226:12, AR232:12, AR176:12, AR227:11, AR294:11, AR228:10, AR283:9, AR235:9, AR182:8, AR104:7, AR055:5 H0415:1
	HOFMQ33	919896	457	
	HOFMQ33	906694	458	
	HOFMQ33	902639	459	
	HOFMQ33	702186	460	
235	HOFMT75	911180	245	AR192:4, AR225:3, AR217:2, AR235:2, AR172:2, AR171:2, AR183:2, AR254:2, AR168:2, AR266:2, AR170:1, AR309:1, AR193:1, AR180:1, AR270:1, AR175:1, AR282:1, AR165:1, AR224:1, AR277:1, AR164:1, AR300:1, AR264:1, AR039:1, AR216:1, AR291:1, AR240:1 H0415:3, S0002:2, S0212:1, H0255:1, S0358:1, H0318:1, H0045:1, H0264:1, S0144:1, H0555:1 and L0741:1.
	HOFMT75	905365	461	
	HOFMT75	892308	462	
	HOFMT75	892291	463	
236	HOFNY91	847425	246	AR215:17, AR221:11, AR225:11, AR291:10, AR217:10, AR165:9, AR216:9, AR189:8, AR231:8, AR166:8, AR169:7, AR296:7, AR285:7, AR250:7, AR223:7, AR182:7, AR191:6, AR210:6, AR234:6, AR288:6, AR264:6, AR168:6, AR214:6, AR171:6, AR275:6, AR257:6, AR190:6, AR161:6, AR089:5, AR174:5, AR238:5, AR227:5, AR175:5, AR180:5, AR290:5, AR222:5, AR200:5, AR211:5, AR228:4, AR195:4, AR224:4, AR237:4, AR188:4, AR258:4, AR170:4, AR272:4, AR172:3, AR247:3, AR179:3, AR055:3, AR282:3, AR316:3, AR277:3, AR240:3, AR197:3, AR289:3, AR262:3, AR239:3, AR219:3, AR060:3, AR096:3, AR286:3, AR061:3, AR300:2, AR313:2, AR233:2, AR269:2, AR033:2, AR185:2, AR308:2, AR173:2, AR229:2, AR287:2, AR299:2, AR295:2, AR236:2, AR260:2, AR255:1, AR226:1, AR293:1, AR164:1, AR212:1, AR297:1, AR104:1, AR232:1, AR274:1, AR162:1, AR270:1, AR218:1, AR177:1, AR312:1, AR178:1, AR266:1, AR196:1 L0803:8, H0341:6, L0771:6, L0766:6, H0521:6, L0731:6, S0354:5, L0770:5, H0519:5, L0439:5, L0754:5, H0009:4, S0422:4, L0800:4, L0521:4, L0662:4, L0805:4, L0438:4, S0028:4, L0758:4, S0436:4, L0485:4, L0601:4, H0657:3, H0638:3, S0418:3, H0733:3, S0007:3, S0222:3, L3655:3, S0214:3, H0673:3, L0794:3, L0776:3, L0809:3, L3391:3, H0144:3, H0670:3, S0406:3, L0756:3, H0667:3, S0420:2, S0358:2, S0360:2, H0729:2, S0476:2, H0645:2, S0300:2, L2543:2, H0156:2, S0010:2, H0178:2, H0375:2, S6028:2, H0266:2, S0003:2, H0428:2, H0169:2, S0036:2, H0634:2, H0529:2, L0369:2, L0640:2, L0637:2, L0761:2, L0646:2, L0649:2, L0774:2, L0775:2, L0807:2, L0659:2, L0783:2, L5622:2, L0666:2, L0665:2, L2653:2, L2264:2, H0725:2, L3827:2, H0547:2, H0435:2, H0659:2, S0380:2, S3014:2, S0206:2, L0752:2, L0759:2, S0434:2, L0596:2, H0668:2, H0170:1, H0556:1, S0342:1, H0713:1, H0717:1, H0716:1, H0294:1, L2877:1, T0049:1, S0218:1, L2910:1, L2915:1, L2991:1, S0282:1, S0400:1, L2289:1, H0241:1, H0402:1, L0534:1, L0539:1, S0376:1,

				S0444:1, S0410:1, H0728:1, H0734:1, H0229:1, S0045:1, H0749:1, S6026:1, H0406:1, S0220:1, H0441:1, H0415:1, H0438:1, H0362:1, H0333:1, H0574:1, H0486:1, L1819:1, T0060:1, H0013:1, H0427:1, H0599:1, H0575:1, H0318:1, S0474:1, H0581:1, H0374:1, H0085:1, T0110:1, H0150:1, H0563:1, S0388:1, S0051:1, H0687:1, H0039:1, H0030:1, H0553:1, H0644:1, H0628:1, H0166:1, L0455:1, H0708:1, S0366:1, H0090:1, H0591:1, H0038:1, H0551:1, H0380:1, H0623:1, S0386:1, T0042:1, H0494:1, H0561:1, S0370:1, H0509:1, H0130:1, H0641:1, L0598:1, L0769:1, L0638:1, L0796:1, L0667:1, L0630:1, L0373:1, L0641:1, L0773:1, L5569:1, L5574:1, L0381:1, L0806:1, L0661:1, L0527:1, L0518:1, L5623:1, L0789:1, L0790:1, L0793:1, L0710:1, L2262:1, L2380:1, L2412:1, S0374:1, H0520:1, S0126:1, H0648:1, H0522:1, H0555:1, S0392:1, S3012:1, L0742:1, L0749:1, L0777:1, L0753:1, L0755:1, L0757:1, L0366:1, S0026:1, S0276:1, S0196:1, H0542:1, H0543:1, L3357:1 and L3372:1.
237	HOFOC73	931871	247	AR294:16, AR169:6, AR245:6, AR192:6, AR170:6, AR195:6, AR263:5, AR039:5, AR164:4, AR165:4, AR215:4, AR053:4, AR266:4, AR172:4, AR161:4, AR212:4, AR162:4, AR089:4, AR222:4, AR223:4, AR213:4, AR274:4, AR261:3, AR254:3, AR272:3, AR221:3, AR264:3, AR171:3, AR205:3, AR225:3, AR168:3, AR193:3, AR060:3, AR217:3, AR277:3, AR096:3, AR224:3, AR282:3, AR175:3, AR308:3, AR312:3, AR214:3, AR196:3, AR288:3, AR235:2, AR180:2, AR197:2, AR311:2, AR283:2, AR299:2, AR240:2, AR316:2, AR295:2, AR216:2, AR297:2, AR270:2, AR236:2, AR291:2, AR104:2, AR055:2, AR188:2, AR238:2, AR201:2, AR300:2, AR246:2, AR191:2, AR293:2, AR243:2, AR309:2, AR176:2, AR247:2, AR289:2, AR257:2, AR174:2, AR285:2, AR173:2, AR185:2, AR200:2, AR178:2, AR190:2, AR267:2, AR210:2, AR177:2, AR268:2, AR290:2, AR233:2, AR275:2, AR203:2, AR189:2, AR181:1, AR286:1, AR287:1, AR033:1, AR313:1, AR296:1, AR199:1, AR228:1, AR227:1, AR231:1, AR262:1, AR237:1, AR252:1, AR218:1, AR242:1, AR207:1, AR234:1, AR226:1, AR258:1 L0740:8, L0748:7, L0749:7, L0752:4, L0588:4, L0750:3, L0757:3, L0759:3, S0436:3, S0358:2, H0415:2, H0090:2, L0774:2, L0805:2, L0776:2, L0783:2, L0809:2, L0751:2, L0747:2, S0040:1, S0420:1, S0442:1, S0376:1, S0360:1, S0408:1, H0580:1, H0550:1, L0586:1, H0036:1, S0346:1, H0581:1, T0110:1, H0597:1, H0530:1, H0123:1, H0083:1, H0354:1, H0510:1, T0069:1, H0560:1, S0210:1, L0763:1, L0637:1, L0646:1, L0800:1, L0771:1, L0773:1, L0775:1, L0659:1, L0789:1, L0666:1, H0691:1, H0576:1, H0478:1, H0626:1, L0731:1, H0444:1, L0592:1 and S0242:1.
	HOFOC73	907073	464	
	HOFOC73	907072	465	
	HOFOC73	878863	466	
238	HOGAW62	579891	248	AR039:34, AR313:23, AR299:21, AR096:19, AR089:15, AR104:11, AR300:10, AR219:10, AR185:10, AR316:8, AR277:8, AR060:7, AR218:7, AR240:6, AR282:6, AR215:5, AR055:4, AR196:3, AR263:2, AR169:2, AR271:2, AR168:2, AR182:2, AR283:2, AR198:2, AR163:2, AR254:2, AR243:2, AR257:2, AR176:2, AR165:2, AR180:2, AR297:1, AR164:1, AR205:1, AR230:1, AR275:1, AR217:1, AR291:1, AR270:1, AR213:1, AR312:1, AR247:1, AR193:1, AR269:1, AR266:1 H0435:2, S0114:1, L0606:1 and H0779:1.
239	HOHCH55	827481	249	AR169:3, AR225:3, AR223:3, AR178:3, AR170:3, AR253:3, AR172:2, AR168:2, AR161:2, AR224:2, AR310:2, AR284:2, AR246:2, AR282:2, AR171:2, AR311:1, AR217:1, AR206:1, AR166:1, AR213:1, AR277:1, AR186:1, AR265:1, AR240:1, AR295:1, AR266:1 S0276:12, S0196:5, H0024:4, S0250:4, S0022:3, S0040:2, S0028:2, S0298:1, T0082:1, H0545:1, S0206:1, S0011:1 and S0194:1.

	HOHCH55	815682	467	
240	HOQBJ82	1352356	250	AR207:16, AR197:15, AR309:14, AR195:13, AR311:13, AR263:13, AR224:13, AR264:13, AR245:13, AR223:12, AR235:12, AR253:12, AR252:12, AR246:11, AR201:11, AR222:10, AR170:10, AR171:10, AR221:10, AR053:10, AR312:10, AR172:9, AR308:9, AR198:9, AR169:9, AR225:9, AR168:9, AR242:9, AR214:9, AR215:9, AR177:9, AR192:9, AR212:9, AR272:9, AR165:9, AR295:8, AR196:8, AR089:8, AR166:8, AR271:8, AR261:8, AR216:8, AR164:8, AR210:8, AR200:7, AR199:7, AR213:7, AR218:7, AR277:7, AR254:7, AR288:7, AR176:7, AR219:7, AR316:7, AR193:7, AR274:7, AR240:7, AR285:7, AR181:7, AR236:7, AR217:7, AR282:7, AR204:7, AR178:7, AR211:6, AR291:6, AR275:6, AR286:6, AR162:6, AR161:6, AR287:6, AR060:6, AR247:6, AR203:6, AR096:6, AR250:6, AR163:6, AR243:6, AR188:6, AR183:6, AR033:6, AR205:6, AR266:6, AR191:6, AR268:6, AR174:6, AR180:6, AR189:6, AR293:5, AR229:5, AR104:5, AR175:5, AR289:5, AR055:5, AR270:5, AR299:5, AR297:5, AR296:5, AR039:5, AR313:5, AR300:5, AR231:5, AR262:5, AR234:5, AR290:5, AR267:5, AR257:5, AR239:5, AR233:4, AR226:4, AR238:4, AR237:4, AR269:4, AR258:4, AR173:4, AR185:4, AR228:4, AR294:4, AR283:4, AR182:4, AR230:4, AR061:4, AR255:4, AR190:4, AR232:4, AR179:4, AR256:4, AR260:4, AR227:3 L0766:12, L0758:7, H0616:4, L0439:4, L0754:4, L0747:4, L0779:4, L0777:4, L0601:4, H0657:3, H0656:3, H0081:3, H0031:3, H0038:3, S0222:2, H0455:2, H0618:2, H0617:2, T0042:2, H0494:2, S0210:2, H0529:2, L0769:2, L0662:2, L0794:2, L0665:2, H0445:2, H0543:2, H0170:1, H0394:1, H0556:1, T0002:1, S0029:1, H0662:1, S0358:1, S0045:1, S0046:1, S0140:1, L0717:1, H0370:1, H0392:1, H0497:1, H0574:1, H0253:1, H0318:1, H0597:1, H0544:1, H0545:1, H0178:1, L0157:1, L0471:1, S0050:1, H0014:1, H0051:1, T0010:1, H0408:1, H0266:1, H0188:1, H0290:1, S0022:1, H0135:1, H0090:1, H0040:1, H0634:1, H0264:1, S0448:1, H0641:1, S0142:1, S0344:1, L0770:1, L0637:1, L0645:1, L0771:1, L0521:1, L0768:1, L0803:1, L0806:1, L0805:1, L0652:1, L0653:1, L0776:1, L0655:1, L0629:1, L0659:1, L0789:1, L0791:1, L0663:1, L0664:1, H0519:1, H0682:1, H0539:1, H0521:1, H0522:1, H0134:1, H0214:1, L0749:1, L0750:1, H0667:1, H0542:1, H0423:1 and H0422:1.
	HOQBJ82	858338	468	
	HOQBJ82	857453	469	
241	HOSBY40	589431	251	AR197:6, AR309:6, AR250:5, AR176:5, AR245:4, AR169:4, AR161:4, AR162:4, AR277:4, AR163:4, AR201:4, AR282:4, AR253:4, AR198:4, AR177:4, AR229:3, AR272:3, AR181:3, AR089:3, AR299:3, AR193:3, AR264:3, AR269:3, AR239:3, AR190:3, AR189:3, AR246:3, AR233:3, AR237:3, AR195:3, AR257:3, AR238:3, AR300:3, AR313:3, AR165:3, AR270:3, AR172:3, AR166:3, AR271:3, AR275:3, AR255:3, AR240:3, AR207:2, AR274:2, AR216:2, AR228:2, AR312:2, AR215:2, AR183:2, AR196:2, AR226:2, AR311:2, AR096:2, AR203:2, AR262:2, AR191:2, AR247:2, AR060:2, AR268:2, AR316:2, AR199:2, AR188:2, AR243:2, AR205:2, AR261:2, AR231:2, AR178:2, AR180:2, AR227:2, AR223:2, AR263:2, AR232:2, AR266:2, AR222:2, AR061:2, AR164:2, AR258:2, AR217:1, AR200:1, AR213:1, AR224:1, AR174:1, AR283:1, AR182:1, AR267:1, AR171:1, AR185:1, AR234:1, AR192:1, AR297:1, AR170:1 S0418:1, H0393:1, S0003:1, L0766:1, L0804:1 and S0052:1.
242	HOSDJ25	854234	252	AR207:16, AR263:14, AR235:13, AR224:13, AR225:13, AR309:12, AR196:12, AR311:12, AR214:12, AR223:12, AR172:12, AR246:11, AR168:11, AR217:11, AR264:11, AR171:11, AR215:11, AR170:11, AR291:10, AR221:10, AR222:10, AR295:10, AR288:10, AR195:10, AR039:10, AR277:10, AR192:10, AR197:10, AR161:10, AR169:10, AR162:10, AR261:9, AR216:9, AR163:9, AR165:9, AR205:9, AR210:9, AR236:9, AR177:9, AR198:9, AR164:9, AR089:9,

				AR191:9, AR245:9, AR201:9, AR242:9, AR212:9, AR166:8, AR188:8, AR285:8, AR240:8, AR174:8, AR252:8, AR290:8, AR271:8, AR250:8, AR260:8, AR176:8, AR219:8, AR282:8, AR200:8, AR312:8, AR316:8, AR253:8, AR181:8, AR297:7, AR060:7, AR308:7, AR096:7, AR199:7, AR289:7, AR286:7, AR287:7, AR293:7, AR213:7, AR262:7, AR313:7, AR180:7, AR300:7, AR269:7, AR257:7, AR193:7, AR231:6, AR275:6, AR296:6, AR258:6, AR255:6, AR175:6, AR218:6, AR190:6, AR053:6, AR266:6, AR178:6, AR270:6, AR268:6, AR233:6, AR243:6, AR182:6, AR189:6, AR294:6, AR104:6, AR185:6, AR239:6, AR173:5, AR179:5, AR204:5, AR272:5, AR256:5, AR299:5, AR274:5, AR247:5, AR033:5, AR183:5, AR211:5, AR229:5, AR267:5, AR234:5, AR237:5, AR055:5, AR238:4, AR228:4, AR230:4, AR203:4, AR061:4, AR283:4, AR232:4, AR226:4, AR227:3, AR254:3 L0754:4, L0749:4, L0659:3, L0755:3, S0356:2, L0803:2, L0750:2, L0779:2, L0599:2, S0029:1, H0661:1, S0354:1, H0642:1, T0040:1, L0021:1, H0599:1, H0510:1, S0003:1, H0674:1, H0316:1, H0623:1, S0422:1, L0794:1, L0522:1, L0774:1, L0526:1, L0809:1, H0520:1, H0659:1, H0670:1, L0752:1, L0608:1 and S0242:1.
	HOSDJ25	566845	470	
243	HOSFD58	614040	253	AR238:482, AR237:434, AR232:414, AR226:409, AR227:404, AR061:378, AR273:187, AR244:186, AR231:169, AR052:154, AR241:151, AR259:146, AR186:140, AR194:138, AR233:132, AR206:130, AR219:116, AR184:112, AR292:111, AR202:110, AR229:107, AR234:106, AR192:104, AR205:98, AR280:94, AR309:89, AR293:88, AR243:87, AR033:87, AR204:87, AR218:85, AR175:85, AR271:80, AR299:78, AR096:77, AR185:77, AR213:75, AR300:75, AR284:75, AR177:74, AR251:74, AR298:73, AR267:73, AR055:72, AR281:71, AR315:71, AR198:70, AR274:69, AR314:69, AR313:69, AR312:68, AR039:67, AR310:66, AR183:66, AR290:66, AR246:63, AR282:62, AR253:61, AR256:61, AR247:59, AR294:58, AR249:57, AR053:57, AR179:54, AR316:52, AR295:51, AR060:50, AR265:49, AR266:48, AR269:48, AR286:48, AR283:48, AR104:47, AR289:47, AR275:46, AR270:45, AR240:45, AR089:44, AR248:43, AR182:42, AR277:41, AR296:40, AR258:39, AR268:39, AR285:34, AR291:33, AR263:28, AR250:20, AR245:19, AR272:19, AR165:19, AR166:18, AR164:18, AR252:17, AR162:16, AR163:15, AR197:15, AR254:15, AR308:14, AR161:14, AR264:14, AR225:14, AR195:12, AR212:12, AR172:12, AR242:11, AR178:10, AR180:9, AR199:9, AR216:9, AR217:8, AR171:8, AR224:8, AR176:8, AR311:8, AR215:8, AR169:8, AR214:8, AR170:8, AR173:8, AR193:8, AR297:7, AR221:7, AR174:7, AR222:7, AR223:7, AR201:7, AR207:7, AR168:6, AR211:6, AR181:6, AR188:6, AR189:6, AR210:5, AR288:5, AR196:4, AR191:4, AR257:4, AR235:4, AR261:4, AR287:4, AR190:4, AR203:4, AR239:4, AR236:4, AR228:4, AR262:3, AR255:3, AR230:3, AR200:3, AR260:2 L0666:8, H0013:7, H0046:7, S0126:7, S0214:6, L0756:6, L0439:5, L0749:5, L0362:5, H0670:4, H0521:4, L0777:4, L0731:4, H0624:3, H0170:3, H0171:3, H0250:3, H0024:3, S0003:3, H0038:3, S0422:3, L0775:3, L0805:3, H0144:3, H0547:3, S0028:3, L0742:3, L0748:3, H0341:2, S0001:2, S0045:2, H0427:2, H0052:2, H0169:2, S0036:2, H0616:2, S0150:2, L0761:2, L0646:2, L0655:2, L0659:2, L0529:2, H0520:2, H0522:2, S0206:2, L0747:2, S0031:2, H0423:2, S0412:2, H0556:1, S0212:1, S0282:1, H0662:1, H0638:1, S0348:1, S0442:1, S0444:1, H0208:1, S0300:1, L3388:1, S0278:1, H0261:1, H0550:1, H0333:1, H0574:1, T0114:1, H0575:1, S0474:1, H0581:1, T0115:1, H0050:1, L0471:1, H0014:1, H0373:1, H0051:1, S0051:1, T0010:1, S6028:1, H0266:1, H0687:1, H0428:1, H0039:1, H0553:1, H0644:1, H0628:1, H0674:1, H0124:1, H0090:1, H0551:1, T0067:1, H0268:1, L0351:1, T0041:1, T0042:1, S0440:1, H0641:1, H0646:1, S0142:1, S0344:1, S0002:1, H0529:1, L0763:1, L0769:1, L0643:1, L0771:1, L0521:1, L0794:1, L0766:1, L0803:1, L0774:1, L0651:1, L0517:1, L0519:1, L5622:1, L0664:1, L0665:1, L0352:1, L3827:1, H0519:1, S0122:1, H0689:1, H0648:1, H0672:1, H0539:1, S0380:1, S0136:1, H0478:1,

					L0744:1, L0779:1, L0780:1, L0758:1, L0759:1, S0436:1, L0599:1, S0026:1, H0665:1, H0136:1 and H0542:1.
	HOSFD58	383513	471		
244	HPDDC77	1306899	254		AR060:25, AR104:24, AR089:24, AR055:22, AR185:18, AR039:15, AR096:12, AR316:11, AR218:9, AR283:9, AR300:9, AR219:8, AR299:8, AR240:7, AR282:7, AR207:7, AR161:6, AR162:6, AR313:6, AR163:6, AR235:6, AR198:6, AR197:6, AR204:6, AR277:5, AR201:5, AR269:5, AR228:5, AR233:5, AR236:5, AR176:4, AR309:4, AR246:4, AR271:4, AR180:4, AR182:4, AR229:4, AR257:4, AR181:4, AR267:4, AR178:4, AR237:4, AR225:4, AR183:4, AR239:4, AR275:4, AR192:4, AR294:4, AR287:4, AR177:4, AR165:4, AR268:4, AR179:4, AR270:4, AR193:3, AR164:3, AR293:3, AR166:3, AR288:3, AR222:3, AR311:3, AR191:3, AR171:3, AR266:3, AR230:3, AR168:3, AR261:3, AR231:3, AR196:3, AR213:3, AR061:3, AR264:3, AR173:3, AR255:3, AR205:3, AR291:3, AR174:3, AR175:3, AR296:3, AR290:3, AR216:3, AR272:3, AR262:3, AR234:3, AR214:2, AR169:2, AR227:2, AR238:2, AR232:2, AR297:2, AR263:2, AR295:2, AR289:2, AR285:2, AR053:2, AR286:2, AR188:2, AR226:2, AR190:2, AR203:2, AR033:2, AR189:2, AR243:2, AR247:2, AR312:2, AR199:2, AR172:2, AR258:2, AR217:2, AR260:1, AR211:1, AR256:1, AR242:1, AR200:1, AR308:1, AR224:1, AR210:1 L0754:5, L0752:5, H0616:4, L0362:4, L0717:3, H0587:3, H0013:3, L0766:3, L0804:3, S0136:3, L0744:3, L0745:3, L0485:3, L0005:2, S0360:2, H0156:2, L0021:2, H0575:2, H0581:2, H0271:2, H0687:2, H0039:2, H0553:2, H0598:2, H0413:2, L0649:2, L0774:2, L0809:2, L0666:2, H0593:2, S0378:2, L0751:2, H0543:2, H0624:1, H0170:1, H0657:1, S0116:1, S0376:1, T0008:1, H0586:1, H0486:1, H0635:1, H0427:1, H0274:1, H0009:1, H0123:1, H0266:1, S0340:1, S0003:1, H0252:1, T0023:1, H0032:1, H0674:1, H0040:1, H0488:1, S0438:1, S0422:1, H0529:1, L0369:1, L0762:1, L0646:1, L0773:1, L0648:1, L0662:1, L0775:1, L0655:1, L0527:1, L0659:1, L0663:1, L0664:1, L0665:1, S0428:1, H0144:1, H0702:1, S0374:1, H0435:1, H0658:1, H0670:1, H0521:1, H0187:1, H0436:1, L0750:1, L0686:1, L0599:1, S0192:1, S0242:1, S0194:1 and H0506:1.
	HPDDC77	422936	472		
245	HPEAD79	520202	255		AR277:24, AR176:5, AR039:5, AR162:5, AR205:5, AR161:5, AR235:5, AR163:5, AR282:5, AR309:5, AR168:4, AR223:4, AR228:4, AR181:4, AR266:4, AR182:4, AR269:4, AR229:4, AR257:3, AR233:3, AR272:3, AR178:3, AR180:3, AR165:3, AR264:3, AR261:3, AR268:3, AR195:3, AR164:3, AR275:3, AR166:3, AR267:3, AR183:3, AR196:3, AR238:3, AR237:3, AR236:3, AR316:3, AR171:3, AR170:3, AR179:3, AR245:3, AR060:3, AR262:3, AR193:3, AR177:3, AR255:3, AR242:3, AR289:3, AR201:3, AR230:3, AR311:3, AR254:3, AR215:2, AR290:2, AR294:2, AR204:2, AR216:2, AR231:2, AR287:2, AR299:2, AR288:2, AR227:2, AR300:2, AR033:2, AR089:2, AR191:2, AR239:2, AR173:2, AR271:2, AR225:2, AR270:2, AR295:2, AR293:2, AR296:2, AR234:2, AR185:2, AR285:2, AR214:2, AR226:2, AR274:2, AR190:2, AR203:2, AR096:2, AR199:2, AR189:2, AR247:2, AR297:2, AR200:2, AR217:2, AR246:2, AR055:2, AR175:2, AR211:2, AR232:2, AR061:2, AR283:2, AR286:2, AR053:1, AR222:1, AR263:1, AR256:1, AR260:1, AR258:1, AR210:1, AR291:1, AR188:1, AR174:1, AR312:1, AR252:1, AR224:1, AR219:1 H0165:1
246	HPFCL43	535710	256		AR274:4, AR221:3, AR163:2, AR266:2, AR171:2, AR177:2, AR289:2, AR205:2, AR264:2, AR161:1, AR225:1, AR297:1, AR217:1, AR162:1, AR053:1, AR269:1, AR257:1, AR282:1, AR313:1, AR172:1, AR270:1, AR212:1 L0766:3, L0731:3, S0358:2, H0529:2, L0794:2, L0777:2, L0759:2, H0624:1, H0657:1, S0408:1, H0441:1, H0562:1, H0083:1, H0169:1, H0413:1, L0763:1, L0500:1, L0772:1, L0768:1, L5574:1, L0803:1, L0804:1, L0655:1, L0809:1, L0664:1, H0144:1, S0374:1, H0648:1, L0742:1, L0745:1, L0750:1, L0752:1, L0758:1 and H0422:1.

247	HPIBO15	1310868	257	AR240:10, AR211:10, AR178:9, AR270:8, AR221:8, AR295:7, AR235:7, AR161:7, AR162:7, AR189:7, AR163:7, AR288:7, AR255:6, AR191:6, AR175:6, AR293:6, AR096:6, AR183:6, AR182:6, AR188:6, AR269:5, AR236:5, AR190:5, AR173:5, AR180:5, AR165:5, AR174:5, AR290:5, AR164:5, AR274:5, AR166:5, AR060:5, AR261:5, AR179:5, AR203:5, AR195:5, AR222:5, AR055:4, AR193:4, AR181:4, AR297:4, AR291:4, AR171:4, AR197:4, AR168:4, AR289:4, AR266:4, AR268:4, AR296:4, AR262:4, AR287:4, AR104:4, AR196:4, AR267:4, AR247:4, AR177:4, AR299:4, AR176:4, AR033:4, AR246:4, AR172:4, AR225:3, AR263:3, AR286:3, AR275:3, AR217:3, AR170:3, AR316:3, AR294:3, AR285:3, AR308:3, AR228:3, AR300:3, AR282:3, AR089:3, AR257:3, AR277:3, AR214:3, AR238:3, AR224:3, AR245:3, AR233:3, AR210:3, AR272:3, AR201:3, AR254:3, AR309:3, AR311:3, AR243:3, AR264:3, AR212:3, AR215:3, AR185:3, AR312:3, AR260:3, AR213:3, AR313:3, AR053:2, AR256:2, AR200:2, AR237:2, AR231:2, AR283:2, AR229:2, AR061:2, AR239:2, AR216:2, AR227:2, AR232:2, AR226:2, AR258:2, AR234:2, AR230:2, AR271:2, AR199:2, AR039:1, AR223:1 L0747:8, L0749:5, L0755:5, H0013:3, L0769:3, L0731:3, S0212:2, L0770:2, L0803:2, H0144:2, L0756:2, H0624:1, H0171:1, S0282:1, H0776:1, H0592:1, H0427:1, H0575:1, H0041:1, H0124:1, H0163:1, H0038:1, L0637:1, L0774:1, L0775:1, L0791:1, H0648:1, H0756:1, S0028:1, L0439:1, L0777:1 and S0436:1.
	HPIBO15	590741	473	
248	HPICB53	1042309	258	AR313:55, AR196:31, AR173:27, AR165:25, AR164:24, AR161:23, AR162:23, AR166:23, AR096:22, AR242:22, AR258:21, AR089:21, AR229:20, AR163:19, AR180:19, AR262:19, AR247:19, AR175:19, AR240:18, AR300:18, AR199:18, AR234:17, AR179:17, AR185:17, AR299:17, AR174:16, AR257:16, AR312:15, AR238:14, AR218:14, AR178:14, AR182:14, AR200:14, AR191:14, AR296:14, AR285:13, AR181:13, AR293:13, AR264:13, AR269:13, AR177:13, AR275:13, AR226:13, AR183:13, AR213:13, AR233:13, AR219:12, AR236:12, AR192:12, AR230:12, AR316:12, AR060:12, AR193:12, AR189:12, AR203:12, AR294:11, AR270:11, AR053:11, AR260:11, AR039:11, AR297:10, AR231:10, AR282:10, AR287:10, AR255:9, AR188:9, AR274:9, AR237:9, AR261:9, AR228:9, AR212:9, AR268:9, AR286:9, AR295:8, AR277:8, AR033:8, AR288:8, AR239:7, AR245:7, AR104:7, AR235:7, AR263:7, AR290:7, AR267:7, AR190:7, AR227:7, AR198:7, AR308:7, AR311:7, AR176:6, AR250:6, AR309:6, AR207:6, AR254:6, AR201:6, AR197:6, AR291:6, AR256:5, AR266:5, AR243:5, AR204:5, AR195:5, AR271:5, AR272:5, AR211:5, AR210:5, AR283:5, AR221:4, AR252:4, AR289:4, AR232:4, AR055:3, AR253:3, AR205:3, AR061:3, AR217:2, AR246:2, AR214:2, AR223:2, AR216:2, AR171:2, AR168:2, AR222:2, AR225:1, AR215:1, AR172:1 S0150:1
	HPICB53	867835	474	
249	HPJBI33	685699	259	AR161:12, AR162:12, AR163:12, AR313:8, AR165:8, AR229:8, AR164:8, AR166:7, AR275:6, AR247:6, AR180:5, AR264:5, AR270:5, AR173:5, AR233:5, AR237:5, AR174:5, AR274:5, AR176:5, AR181:5, AR177:5, AR246:5, AR240:5, AR312:4, AR263:4, AR234:4, AR309:4, AR183:4, AR096:4, AR179:4, AR185:4, AR182:4, AR238:4, AR269:4, AR178:4, AR282:4, AR293:4, AR272:3, AR231:3, AR296:3, AR268:3, AR196:3, AR230:3, AR104:3, AR226:3, AR170:3, AR089:3, AR300:3, AR228:3, AR261:3, AR175:3, AR297:3, AR236:2, AR217:2, AR291:2, AR311:2, AR169:2, AR316:2, AR255:2, AR033:2, AR295:2, AR294:2, AR191:2, AR267:2, AR168:2, AR171:2, AR277:2, AR286:2, AR290:2, AR262:2, AR199:2, AR227:2, AR189:2, AR239:2, AR203:2, AR257:2, AR285:2, AR223:2, AR299:2, AR266:2, AR060:2, AR287:2, AR214:2, AR190:1, AR200:1, AR061:1, AR308:1, AR216:1, AR213:1, AR224:1, AR195:1, AR289:1, AR055:1 S0152:1
250	HPJBK12	1011467	260	AR215:5, AR197:4, AR039:4, AR309:4, AR245:4, AR161:3, AR162:3, AR163:3, AR204:3, AR165:3, AR225:3, AR169:3,

				AR264:3, AR282:3, AR272:3, AR089:3, AR180:3, AR213:3, AR172:3, AR253:2, AR166:2, AR212:2, AR193:2, AR252:2, AR271:2, AR312:2, AR275:2, AR164:2, AR060:2, AR240:2, AR216:2, AR266:2, AR201:2, AR205:2, AR183:2, AR176:2, AR195:2, AR223:2, AR283:2, AR277:1, AR311:1, AR247:1, AR313:1, AR242:1, AR199:1, AR299:1, AR316:1, AR188:1, AR104:1, AR168:1, AR185:1, AR291:1, AR287:1, AR231:1, AR294:1, AR230:1, AR096:1 S0152:2
	HPJBK12	525375	475	
	HPJBK12	796925	476	
	HPJBK12	699587	477	
251	HPMDK28	846357	261	AR055:9, AR089:9, AR218:7, AR060:7, AR104:7, AR219:7, AR299:6, AR096:6, AR185:5, AR316:4, AR313:4, AR180:4, AR039:4, AR282:4, AR283:3, AR198:3, AR169:3, AR165:3, AR235:3, AR242:2, AR207:2, AR300:2, AR217:2, AR223:2, AR277:2, AR286:2, AR270:2, AR224:2, AR263:2, AR161:2, AR240:2, AR166:2, AR289:2, AR272:1, AR164:1, AR172:1, AR261:1, AR252:1, AR269:1, AR295:1, AR170:1, AR297:1, AR177:1 S0358:5, L0809:4, L0742:4, L0743:4, L0590:4, H0543:4, S0360:3, H0031:3, S0422:3, L0763:3, L0764:3, L0766:3, L0754:3, H0716:2, H0333:2, H0266:2, H0617:2, L4497:2, L0769:2, L0776:2, H0658:2, H0696:2, L0748:2, L0749:2, H0445:2, S0434:2, S0110:1, H0663:1, L0481:1, H0730:1, H0747:1, H0411:1, H0431:1, H0370:1, H0574:1, H0632:1, L2490:1, H0253:1, H0052:1, H0546:1, H0545:1, H0150:1, H0123:1, H0012:1, S0050:1, S0051:1, H0188:1, S0003:1, H0428:1, T0006:1, H0606:1, H0673:1, H0090:1, H0040:1, H0412:1, T0069:1, S0112:1, S0344:1, H0538:1, H0529:1, L0770:1, L0761:1, L0662:1, L0768:1, L0794:1, L0560:1, L0775:1, L0806:1, L0517:1, L0540:1, L0384:1, L5622:1, L0666:1, L0665:1, L2260:1, L2654:1, S0374:1, H0684:1, L3832:1, S0004:1, S0390:1, S3014:1, L0439:1, L0740:1, L0747:1, L0756:1, L0779:1, S0436:1, L0480:1, L0596:1, S0026:1, S0276:1, S0196:1, L2854:1 and L3612:1.
	HPMDK28	639118	478	
252	HPMFP40	638165	262	AR282:6, AR180:3, AR197:3, AR242:3, AR161:3, AR245:3, AR163:3, AR162:2, AR263:2, AR230:2, AR240:2, AR224:2, AR176:2, AR235:2, AR177:2, AR283:1, AR223:1, AR299:1, AR178:1, AR272:1, AR277:1, AR171:1, AR089:1 H0031:6
253	HPRAL78	1352342	263	AR104:11, AR089:10, AR060:9, AR283:7, AR277:7, AR039:6, AR055:6, AR316:6, AR096:6, AR219:6, AR263:5, AR299:5, AR218:5, AR313:5, AR185:5, AR240:5, AR282:5, AR206:3, AR204:3, AR300:2, AR312:2, AR291:2, AR251:2, AR246:2, AR052:2, AR184:2, AR202:2, AR290:2, AR232:2, AR295:2, AR238:2, AR237:2, AR298:2, AR270:2, AR309:2, AR292:2, AR268:2, AR285:1, AR177:1, AR310:1, AR182:1, AR213:1, AR226:1, AR053:1, AR186:1, AR175:1, AR289:1, AR205:1, AR183:1, AR233:1, AR294:1, AR284:1, AR229:1 H0694:5, L0759:5, L0766:4, H0261:3, S0222:3, H0486:3, H0052:3, L0731:3, L3316:2, H0252:2, L0764:2, L0662:2, L0775:2, L0657:2, L0659:2, L0530:2, L0666:2, L0748:2, L0439:2, L0750:2, L0588:2, L0594:2, H0224:1, H0717:1, H0656:1, S0001:1, S0360:1, S0408:1, H0729:1, S0045:1, H0619:1, L3388:1, H0592:1, H0587:1, H0333:1, S0474:1, H0014:1, L0163:1, H0051:1, H0355:1, T0006:1, H0644:1, H0032:1, H0212:1, L0456:1, H0124:1, H0708:1, S0036:1, H0038:1, H0616:1, H0087:1, H0059:1, H0280:1, S0440:1, S0150:1, H0633:1, L0369:1, L0763:1, L0769:1, L0638:1, L0637:1, L5566:1, L0761:1, L0772:1, L0648:1, L0803:1, L0650:1, L0805:1, L0809:1, L0647:1, L0665:1, H0539:1, H0521:1, H0696:1, H0555:1, L0754:1, L0749:1, L0753:1, L0755:1, L0757:1, L0605:1, L0599:1 and L3352:1.
	HPRAL78	844216	479	

	HPRAL78	484735	480	
254	HPRBC80	829136	264	AR296:40, AR291:16, AR295:15, AR289:12, AR256:12, AR235:11, AR261:11, AR266:11, AR165:11, AR277:11, AR264:11, AR164:11, AR161:11, AR162:11, AR260:10, AR163:10, AR297:10, AR166:10, AR285:10, AR039:9, AR257:9, AR288:9, AR089:9, AR236:9, AR263:9, AR313:8, AR191:8, AR204:8, AR238:8, AR287:8, AR255:8, AR286:8, AR207:8, AR253:8, AR293:8, AR309:8, AR198:8, AR242:8, AR271:7, AR096:7, AR312:7, AR262:7, AR196:7, AR316:7, AR205:7, AR181:7, AR192:7, AR254:7, AR282:7, AR104:7, AR311:6, AR308:6, AR171:6, AR250:6, AR053:6, AR182:6, AR055:6, AR225:6, AR294:6, AR269:6, AR283:6, AR240:6, AR258:6, AR217:6, AR199:6, AR270:6, AR190:6, AR173:6, AR245:5, AR272:5, AR243:5, AR176:5, AR224:5, AR175:5, AR177:5, AR183:5, AR200:5, AR060:5, AR299:5, AR180:5, AR268:5, AR197:5, AR188:5, AR223:5, AR170:5, AR174:5, AR218:5, AR221:5, AR212:5, AR246:5, AR214:5, AR193:4, AR300:4, AR213:4, AR274:4, AR195:4, AR179:4, AR178:4, AR231:4, AR275:4, AR232:4, AR189:4, AR267:4, AR185:4, AR201:4, AR233:4, AR168:4, AR172:4, AR219:4, AR222:4, AR216:4, AR247:4, AR290:4, AR226:4, AR211:4, AR203:4, AR033:4, AR239:4, AR234:4, AR252:4, AR237:3, AR215:3, AR229:3, AR228:3, AR061:3, AR230:3, AR210:2, AR227:2, AR169:2 L0805:5, L0809:5, L0759:4, L0740:3, L0758:3, H0657:2, S0444:2, H0032:2, S0422:2, L0650:2, L0776:2, L0789:2, L0756:2, L0595:2, L0601:2, L3643:1, H0713:1, T0049:1, S0134:1, L0002:1, S0001:1, L0005:1, S0442:1, H0734:1, H0747:1, H0586:1, H0013:1, H0147:1, H0070:1, H0622:1, H0553:1, L0055:1, H0674:1, H0090:1, H0591:1, H0616:1, H0264:1, H0272:1, L0369:1, L0641:1, L0773:1, L0662:1, L0767:1, L0794:1, L0766:1, L0649:1, L0803:1, L0651:1, L0655:1, L0526:1, L4501:1, L0666:1, L0664:1, H0658:1, H0670:1, H0648:1, H0710:1, S0436:1, L0362:1, S0026:1, H0136:1, H0543:1 and S0042:1.
	HPRBC80	720095	481	
255	HPTTG19	635033	265	AR185:7, AR060:6, AR055:6, AR162:5, AR161:5, AR163:5, AR180:5, AR176:4, AR096:4, AR243:4, AR235:4, AR269:4, AR274:4, AR182:4, AR275:4, AR204:4, AR089:4, AR266:4, AR236:4, AR231:3, AR271:3, AR229:3, AR300:3, AR257:3, AR261:3, AR215:3, AR196:3, AR214:3, AR228:3, AR255:3, AR295:3, AR233:3, AR165:3, AR270:3, AR205:3, AR201:3, AR164:3, AR240:3, AR316:3, AR191:3, AR199:3, AR193:3, AR192:3, AR282:3, AR183:3, AR267:3, AR238:3, AR290:3, AR294:2, AR217:2, AR216:2, AR283:2, AR181:2, AR247:2, AR287:2, AR239:2, AR061:2, AR190:2, AR286:2, AR230:2, AR200:2, AR234:2, AR285:2, AR237:2, AR293:2, AR179:2, AR309:2, AR277:2, AR104:2, AR039:2, AR175:2, AR272:2, AR288:2, AR299:2, AR178:2, AR263:2, AR312:2, AR188:2, AR291:2, AR226:2, AR219:2, AR297:2, AR166:2, AR262:2, AR296:2, AR203:2, AR258:2, AR177:2, AR289:2, AR227:2, AR311:1, AR264:1, AR173:1, AR222:1, AR254:1, AR268:1, AR260:1, AR198:1, AR218:1, AR232:1, AR174:1, AR210:1 H0424:3, H0637:2, H0213:2, H0265:1, H0556:1, L0375:1 and L0530:1.
256	HPZAB47	585702	266	AR313:12, AR165:9, AR164:8, AR163:8, AR166:8, AR162:8, AR173:8, AR161:7, AR242:7, AR089:7, AR180:6, AR247:6, AR096:6, AR300:6, AR178:6, AR175:5, AR198:5, AR257:5, AR293:5, AR262:5, AR176:5, AR183:5, AR197:5, AR181:5, AR039:5, AR229:5, AR299:5, AR309:5, AR182:5, AR254:5, AR204:4, AR274:4, AR258:4, AR192:4, AR269:4, AR233:4, AR179:4, AR275:4, AR226:4, AR238:4, AR235:4, AR312:4, AR264:4, AR263:4, AR291:4, AR060:4, AR053:4, AR174:4, AR270:4, AR316:4, AR267:4, AR212:4, AR177:4, AR234:4, AR185:4, AR271:3, AR296:3, AR172:3, AR196:3, AR268:3, AR168:3, AR294:3, AR261:3, AR199:3, AR297:3, AR237:3, AR250:3, AR189:3, AR285:3, AR277:3, AR239:3, AR289:3, AR228:3, AR240:3, AR308:3, AR283:3, AR205:3, AR203:3, AR287:3, AR201:3, AR286:3, AR266:3, AR227:3, AR224:3,

				AR282:3, AR193:3, AR246:3, AR231:3, AR191:3, AR260:3, AR255:3, AR311:2, AR213:2, AR290:2, AR188:2, AR243:2, AR236:2, AR288:2, AR104:2, AR295:2, AR218:2, AR219:2, AR033:2, AR061:2, AR232:2, AR190:2, AR195:2, AR256:2, AR272:2, AR200:2, AR055:1, AR230:1, AR225:1, AR211:1 L0530:2, S0470:1, S0360:1, T0003:1, H0488:1, L0789:1, S0378:1 and S0168:1.
257	HRAAB15	658717	267	AR184:5, AR263:5, AR170:5, AR171:4, AR311:4, AR265:4, AR165:4, AR221:4, AR164:4, AR166:4, AR243:4, AR308:4, AR309:4, AR225:3, AR252:3, AR162:3, AR169:3, AR161:3, AR195:3, AR163:3, AR053:3, AR269:3, AR282:3, AR205:3, AR312:3, AR215:3, AR217:3, AR251:3, AR267:3, AR182:2, AR178:2, AR183:2, AR213:2, AR310:2, AR052:2, AR089:2, AR193:2, AR249:2, AR196:2, AR264:2, AR268:2, AR180:2, AR212:2, AR033:2, AR201:2, AR104:2, AR277:2, AR176:2, AR313:2, AR275:2, AR291:2, AR270:2, AR219:2, AR175:2, AR238:2, AR257:2, AR247:2, AR060:2, AR231:1, AR173:1, AR226:1, AR191:1, AR298:1, AR288:1, AR190:1, AR039:1, AR229:1, AR223:1, AR296:1, AR295:1, AR186:1, AR218:1, AR284:1, AR234:1, AR262:1, AR292:1, AR290:1, AR241:1, AR203:1, AR206:1, AR096:1, AR300:1, AR299:1, AR177:1, AR274:1, AR237:1, AR287:1, AR240:1, AR188:1, AR315:1, AR289:1, AR285:1, AR316:1, AR286:1, AR185:1, AR230:1 L0809:2, S0374:2, H0556:1, H0580:1, S0222:1, H0551:1, L0770:1, L0796:1, L0800:1, L0804:1, L0655:1, H0555:1 and L0779:1.
258	HRABA80	882176	268	AR060:929, AR104:796, AR089:725, AR055:678, AR299:627, AR283:625, AR282:494, AR185:464, AR096:462, AR316:387, AR039:363, AR240:317, AR277:285, AR300:278, AR218:153, AR313:152, AR219:140, AR242:4, AR221:3, AR217:2, AR291:2, AR172:2, AR205:2, AR163:2, AR165:2, AR178:2, AR161:2, AR168:2, AR166:2, AR164:1, AR171:1, AR195:1, AR268:1, AR180:1, AR266:1, AR215:1, AR234:1, AR230:1, AR257:1, AR199:1, AR270:1, AR179:1 H0555:1
	HRABA80	588460	482	
259	HRACD15	871221	269	AR193:12, AR165:11, AR164:11, AR166:10, AR299:10, AR313:9, AR162:9, AR161:9, AR246:9, AR163:9, AR205:9, AR312:9, AR311:9, AR089:8, AR243:8, AR245:8, AR096:8, AR195:8, AR242:7, AR176:7, AR270:7, AR291:7, AR212:7, AR297:7, AR264:7, AR288:7, AR199:7, AR197:7, AR282:7, AR300:6, AR240:6, AR272:6, AR196:6, AR285:6, AR275:6, AR201:6, AR200:6, AR263:6, AR213:6, AR229:6, AR221:6, AR225:6, AR183:6, AR266:6, AR268:5, AR293:5, AR283:5, AR255:5, AR104:5, AR247:5, AR274:5, AR308:5, AR180:5, AR262:5, AR295:5, AR236:5, AR316:5, AR254:5, AR053:5, AR191:5, AR215:5, AR287:5, AR277:5, AR203:5, AR238:5, AR188:5, AR223:5, AR039:5, AR235:5, AR269:4, AR261:4, AR189:4, AR309:4, AR289:4, AR060:4, AR258:4, AR182:4, AR175:4, AR294:4, AR210:4, AR185:4, AR286:4, AR174:4, AR178:4, AR198:4, AR192:4, AR257:4, AR177:4, AR190:4, AR290:4, AR173:4, AR179:4, AR033:4, AR296:3, AR214:3, AR217:3, AR181:3, AR267:3, AR170:3, AR256:3, AR231:3, AR224:3, AR253:3, AR234:3, AR230:3, AR239:3, AR260:3, AR237:3, AR252:3, AR250:3, AR233:3, AR216:3, AR204:2, AR226:2, AR227:2, AR232:2, AR061:2, AR228:2, AR211:2, AR171:2, AR222:2, AR172:2, AR168:2, AR055:2, AR207:1, AR218:1 H0556:15, H0265:8, L0751:8, H0617:7, L0662:7, L0766:5, L0809:5, H0040:4, H0494:4, S0142:4, L0769:4, H0555:4, L0750:4, H0543:4, H0341:3, L0534:3, H0486:3, L0649:3, L0666:3, H0658:3, L0749:3, L0758:3, H0624:2, S0040:2, L0415:2, H0261:2, H0549:2, H0550:2, H0618:2, H0052:2, S0150:2, L0805:2, L0807:2, L0657:2, L0790:2, H0539:2, S0380:2, L0748:2, L0747:2, L0731:2, L0759:2, S0434:2, H0685:1, S0114:1, H0583:1, H0483:1, H0255:1, H0305:1, H0589:1, H0125:1, L0539:1, S0444:1, S0360:1, H0729:1, H0619:1, S0278:1, H0392:1, H0592:1, L3817:1, H0485:1, H0635:1, S0280:1, H0599:1, H0042:1, H0194:1, H0546:1, H0046:1, H0571:1, H0050:1, H0620:1, H0024:1, H0594:1, H0266:1, H0416:1, H0188:1, H0290:1, H0213:1,

				H0031:1, H0644:1, H0628:1, H0606:1, H0166:1, H0169:1, H0124:1, S0366:1, H0598:1, H0135:1, H0038:1, H0616:1, H0087:1, H0100:1, H0429:1, S0016:1, H0561:1, H0132:1, H0646:1, S0422:1, L0598:1, H0529:1, L0763:1, L0638:1, L4747:1, L0761:1, L0800:1, L0648:1, L0774:1, L0651:1, L0378:1, L0776:1, L0629:1, L0382:1, L0788:1, L0791:1, L0663:1, H0144:1, H0593:1, H0689:1, H0659:1, S0406:1, S0037:1, L0745:1, L0779:1, L0752:1, L0755:1, S0394:1, L0593:1, S0026:1, H0665:1, H0542:1, H0423:1 and H0506:1.
	HRACD15	706332	483	
260	HRACJ35	877666	270	AR222:51, AR224:51, AR221:28, AR223:24, AR225:20, AR172:14, AR171:9, AR170:9, AR182:9, AR215:9, AR214:9, AR183:8, AR216:8, AR169:8, AR168:7, AR268:7, AR217:7, AR180:7, AR176:5, AR269:5, AR173:5, AR266:5, AR175:4, AR270:4, AR165:4, AR164:4, AR181:4, AR166:4, AR290:4, AR163:4, AR238:4, AR096:4, AR161:4, AR162:4, AR195:3, AR267:3, AR274:3, AR291:3, AR243:3, AR250:3, AR289:3, AR179:3, AR316:3, AR230:3, AR247:3, AR282:3, AR060:3, AR257:3, AR240:2, AR104:2, AR246:2, AR196:2, AR255:2, AR177:2, AR300:2, AR228:2, AR288:2, AR231:2, AR237:2, AR277:2, AR174:2, AR192:2, AR178:2, AR297:2, AR191:2, AR229:2, AR226:2, AR205:2, AR061:2, AR185:2, AR190:2, AR189:2, AR263:2, AR294:2, AR203:2, AR233:2, AR210:2, AR275:2, AR287:1, AR089:1, AR283:1, AR234:1, AR033:1, AR311:1, AR213:1, AR055:1, AR293:1, AR227:1, AR201:1, AR312:1, AR200:1, AR039:1, AR188:1, AR239:1, AR296:1, AR193:1 L0731:11, L0803:7, L0748:7, L0517:6, L0809:6, L0749:6, L0439:5, S0410:4, S0002:4, L0770:4, L0794:4, L0805:4, L3212:4, S0436:4, L3388:3, H0553:3, L0506:3, L0747:3, L0752:3, H0713:2, H0661:2, H0244:2, H0156:2, H0644:2, L0662:2, L0775:2, L0666:2, L0438:2, H0521:2, L0757:2, L0758:2, L0759:2, H0171:1, S0040:1, H0650:1, S0212:1, S0358:1, S0444:1, S0360:1, H0580:1, H0722:1, H0208:1, H0619:1, H0441:1, H0537:1, H0497:1, H0333:1, H0632:1, T0060:1, H0013:1, H0427:1, S0346:1, H0052:1, H0231:1, H0166:1, H0673:1, S0364:1, L0455:1, H0163:1, H0040:1, S0015:1, H0745:1, H0509:1, H0652:1, S0210:1, S0426:1, L0796:1, L0766:1, L0804:1, L0774:1, L0776:1, L0659:1, L0526:1, L0783:1, L0529:1, L0647:1, L0665:1, H0144:1, H0696:1, H0555:1, L0611:1, S0028:1, S0206:1, L0751:1, L0745:1, S0260:1, L0599:1, H0668:1, L0698:1 and S0460:1.
	HRACJ35	730504	484	
	HRACJ35	470546	485	
261	HRDFD27	567004	271	AR104:15, AR039:9, AR313:8, AR096:7, AR089:7, AR235:7, AR060:7, AR185:6, AR218:6, AR055:6, AR180:6, AR161:6, AR162:6, AR163:6, AR226:6, AR219:6, AR033:6, AR299:6, AR173:5, AR165:5, AR164:5, AR166:5, AR196:5, AR300:5, AR316:4, AR257:4, AR309:4, AR171:4, AR240:4, AR176:4, AR181:4, AR179:4, AR214:4, AR212:4, AR175:4, AR183:4, AR269:4, AR178:4, AR237:4, AR191:4, AR275:4, AR282:4, AR262:4, AR239:4, AR277:4, AR182:4, AR264:3, AR236:3, AR247:3, AR229:3, AR174:3, AR274:3, AR268:3, AR234:3, AR233:3, AR238:3, AR258:3, AR216:3, AR225:3, AR200:3, AR254:3, AR231:3, AR255:3, AR228:3, AR211:3, AR267:3, AR293:3, AR203:3, AR285:3, AR177:3, AR296:3, AR283:3, AR169:3, AR294:3, AR266:3, AR190:3, AR290:3, AR291:3, AR189:3, AR297:2, AR286:2, AR217:2, AR288:2, AR053:2, AR289:2, AR222:2, AR188:2, AR287:2, AR205:2, AR263:2, AR210:2, AR227:2, AR232:2, AR312:2, AR168:2, AR204:2, AR230:2, AR261:2, AR308:2, AR199:2, AR270:2, AR272:1, AR271:1, AR295:1, AR260:1, AR061:1, AR195:1, AR215:1, AR256:1, AR193:1 H0305:2, H0124:2 and L0749:1.
262	HRGBL78	910133	272	AR052:15, AR213:14, AR053:10, AR244:8, AR096:7, AR184:6, AR215:6, AR310:5, AR251:5, AR241:5, AR221:4, AR273:4, AR170:4, AR270:3, AR206:3, AR249:3, AR186:3, AR284:3, AR312:3, AR290:3, AR292:3, AR168:3, AR039:3,

				AR266:3, AR055:3, AR298:3, AR282:3, AR172:3, AR198:3, AR281:3, AR202:3, AR289:2, AR205:2, AR269:2, AR313:2, AR293:2, AR295:2, AR061:2, AR253:2, AR183:2, AR316:2, AR182:2, AR265:2, AR267:2, AR277:2, AR285:2, AR195:2, AR268:2, AR238:2, AR299:2, AR259:2, AR296:2, AR286:2, AR300:2, AR309:2, AR291:2, AR171:2, AR212:2, AR060:2, AR274:2, AR169:2, AR246:2, AR033:2, AR229:2, AR175:2, AR223:2, AR181:2, AR294:2, AR226:1, AR247:1, AR232:1, AR275:1, AR217:1, AR089:1, AR180:1, AR240:1, AR192:1, AR210:1, AR263:1, AR185:1, AR164:1, AR166:1, AR258:1, AR201:1, AR257:1, AR104:1, AR163:1, AR177:1, AR243:1 L0740:25, L0766:5, L0655:4, H0650:2, H0657:2, H0656:2, H0402:2, H0581:2, L0761:2, L0794:2, H0306:1, S0408:1, H0318:1, H0046:1, H0266:1, S0038:1, H0429:1, H0560:1, S0344:1, L0789:1, S0053:1, H0689:1, H0134:1, L0779:1, L0777:1 and H0445:1.
	HRGBL78	904040	486	
	HRGBL78	904621	487	
	HRGBL78	863802	488	
263	HROAJ03	567005	273	AR264:13, AR309:13, AR308:10, AR312:10, AR272:10, AR269:10, AR180:9, AR183:9, AR291:8, AR263:8, AR270:8, AR261:8, AR165:8, AR173:8, AR268:8, AR290:8, AR164:8, AR176:7, AR210:7, AR166:7, AR311:7, AR181:7, AR179:7, AR313:7, AR177:7, AR295:7, AR199:7, AR182:7, AR216:6, AR188:6, AR178:6, AR175:6, AR161:6, AR162:6, AR285:6, AR267:6, AR163:6, AR236:6, AR196:6, AR297:6, AR235:6, AR190:6, AR266:6, AR217:6, AR228:6, AR247:6, AR255:6, AR231:5, AR174:5, AR096:5, AR189:5, AR293:5, AR229:5, AR296:5, AR225:5, AR221:5, AR211:5, AR240:5, AR218:5, AR288:5, AR219:5, AR257:5, AR053:5, AR238:5, AR224:5, AR239:5, AR170:4, AR262:4, AR233:4, AR287:4, AR215:4, AR282:4, AR289:4, AR237:4, AR300:4, AR168:4, AR171:4, AR200:4, AR222:4, AR316:4, AR214:4, AR256:4, AR294:4, AR191:4, AR185:4, AR172:4, AR169:4, AR286:4, AR252:4, AR212:3, AR234:3, AR213:3, AR061:3, AR299:3, AR230:3, AR203:3, AR226:3, AR223:3, AR060:3, AR274:3, AR275:3, AR232:3, AR055:3, AR258:3, AR193:3, AR089:3, AR260:3, AR277:3, AR227:2, AR033:2, AR207:2, AR243:2, AR253:2, AR271:2, AR039:2, AR246:2, AR192:2, AR205:2, AR250:2, AR245:2, AR283:1, AR197:1, AR104:1, AR195:1, AR201:1 H0646:2, L0783:2, L0751:2, H0222:1, L3645:1, H0409:1, H0559:1, H0590:1, H0581:1, L0471:1, H0622:1, H0316:1, H0623:1, L0788:1, H0689:1, S0328:1, S0390:1, L0777:1, L0731:1 and L0462:1.
264	HROAJ39	1181699	274	AR055:8, AR060:6, AR218:6, AR300:5, AR316:4, AR089:4, AR240:4, AR282:3, AR185:3, AR104:3, AR299:3, AR313:3, AR096:3, AR283:3, AR039:2, AR219:2, AR277:2 H0316:1, L3905:1, L0565:1, L0438:1, H0521:1, L0439:1 and L0594:1.
	HROAJ39	1114849	489	
	HROAJ39	1027712	490	
265	HROBD68	827306	275	AR196:23, AR161:12, AR162:12, AR163:11, AR313:11, AR242:9, AR165:8, AR164:8, AR166:8, AR191:8, AR089:8, AR275:8, AR096:7, AR181:7, AR175:7, AR053:7, AR299:6, AR173:6, AR264:6, AR060:6, AR258:5, AR236:5, AR257:5, AR198:5, AR312:5, AR177:5, AR263:5, AR185:5, AR180:5, AR274:5, AR293:5, AR174:5, AR179:5, AR200:5, AR270:5, AR225:5, AR250:5, AR269:5, AR178:5, AR300:5, AR282:5, AR195:5, AR199:5, AR247:5, AR309:5, AR188:4, AR316:4, AR203:4, AR183:4, AR189:4, AR238:4, AR287:4, AR285:4, AR294:4, AR308:4, AR104:4, AR240:4, AR226:4, AR261:4, AR182:4, AR311:4, AR229:4, AR277:4, AR271:4, AR295:4, AR207:4, AR255:4, AR262:4, AR176:4, AR235:4, AR268:4, AR291:4, AR297:4, AR213:3, AR233:3, AR231:3, AR296:3, AR286:3, AR288:3, AR212:3, AR290:3, AR234:3, AR237:3,

				AR169:3, AR266:3, AR219:3, AR272:3, AR190:3, AR254:3, AR260:3, AR267:3, AR193:3, AR230:3, AR239:3, AR216:3, AR228:2, AR211:2, AR218:2, AR201:2, AR171:2, AR246:2, AR227:2, AR205:2, AR232:2, AR033:2, AR055:2, AR289:2, AR283:2, AR172:1, AR204:1, AR214:1, AR215:1, AR256:1, AR061:1, AR168:1, AR197:1, AR170:1, AR192:1 L0509:9, L0766:4, L0515:2, L0783:2, S0342:1, S0114:1, S0218:1, H0589:1, H0645:1, H0592:1, H0250:1, H0581:1, H0057:1, H0252:1, H0328:1, H0674:1, H0598:1, H0090:1, H0634:1, H0488:1, H0625:1, S0426:1, L0506:1, L0667:1, L0499:1, L0803:1, L0493:1, L0514:1, L0511:1, L0809:1, S0052:1, S0428:1, H0683:1, S0152:1, S0136:1, L0748:1, L0751:1, L0759:1, L0599:1 and H0543:1.
266	HSATR82	531973	276	AR282:4, AR161:3, AR165:3, AR264:3, AR162:3, AR164:3, AR163:3, AR166:3, AR313:3, AR199:3, AR266:3, AR182:3, AR269:3, AR096:3, AR270:2, AR173:2, AR175:2, AR255:2, AR196:2, AR089:2, AR178:2, AR277:2, AR274:2, AR293:2, AR213:2, AR262:2, AR225:2, AR216:2, AR060:2, AR195:2, AR201:2, AR177:2, AR300:2, AR309:2, AR207:2, AR179:2, AR257:2, AR247:2, AR229:2, AR240:2, AR212:2, AR104:2, AR233:2, AR193:2, AR296:2, AR217:2, AR283:2, AR191:1, AR039:1, AR237:1, AR316:1, AR275:1, AR172:1, AR258:1, AR288:1, AR285:1, AR185:1, AR239:1, AR297:1, AR291:1, AR170:1, AR224:1, AR176:1, AR235:1, AR294:1, AR287:1, AR308:1, AR214:1, AR180:1, AR267:1, AR236:1, AR299:1, AR203:1, AR033:1, AR252:1 S0114:2 and L0600:1.
267	HSAVH65	545459	277	AR089:10, AR240:9, AR060:9, AR055:9, AR313:9, AR277:8, AR185:7, AR300:6, AR282:6, AR299:6, AR104:6, AR316:5, AR218:5, AR219:5, AR283:4, AR096:4, AR039:4 S0114:2, H0686:1, L2255:1, L0769:1, L0644:1, L0662:1, L0774:1, L0666:1, H0659:1, L0750:1 and S0436:1.
268	HSAWD74	460527	278	AR039:35, AR313:32, AR096:24, AR089:22, AR299:17, AR300:16, AR104:13, AR185:13, AR277:13, AR316:13, AR060:13, AR173:12, AR165:12, AR166:12, AR240:11, AR164:11, AR218:11, AR162:11, AR161:11, AR163:10, AR229:10, AR178:9, AR242:9, AR175:9, AR262:9, AR247:9, AR183:9, AR258:8, AR275:8, AR055:8, AR257:8, AR180:7, AR293:7, AR282:7, AR181:7, AR196:7, AR204:7, AR312:7, AR219:7, AR193:7, AR191:6, AR238:6, AR176:6, AR198:6, AR269:6, AR235:6, AR199:6, AR179:6, AR270:6, AR233:6, AR182:6, AR297:6, AR234:6, AR254:6, AR177:6, AR296:6, AR174:6, AR236:5, AR203:5, AR226:5, AR283:5, AR266:5, AR285:5, AR268:5, AR245:5, AR255:5, AR188:5, AR309:5, AR267:5, AR053:5, AR287:5, AR294:5, AR213:5, AR274:5, AR286:5, AR200:5, AR231:4, AR308:4, AR033:4, AR288:4, AR189:4, AR237:4, AR260:4, AR261:4, AR291:4, AR201:4, AR172:4, AR243:4, AR295:4, AR228:4, AR222:4, AR290:4, AR271:4, AR212:4, AR264:4, AR272:3, AR252:3, AR169:3, AR230:3, AR239:3, AR205:3, AR253:3, AR227:3, AR197:3, AR289:3, AR225:3, AR207:3, AR190:3, AR217:2, AR214:2, AR061:2, AR216:2, AR256:2, AR232:2, AR263:2, AR195:2, AR223:2, AR221:2, AR246:2, AR311:1, AR192:1, AR168:1, AR210:1, AR211:1 H0068:3, S0114:2, L0534:2, L0740:2, H0717:1, S0134:1, S0442:1, S0354:1, S0476:1, H0333:1, H0009:1, H0560:1, L5565:1 and H0576:1.
	HSAWD74	371416	491	
269	HSAWZ41	580872	279	AR313:82, AR039:58, AR173:49, AR096:43, AR196:40, AR247:40, AR162:40, AR299:40, AR165:39, AR258:38, AR161:37, AR242:37, AR300:37, AR236:37, AR089:37, AR164:37, AR163:36, AR166:35, AR240:35, AR180:33, AR199:32, AR229:32, AR264:31, AR175:31, AR185:31, AR257:29, AR179:29, AR178:29, AR312:28, AR262:28, AR183:27, AR293:27, AR234:26, AR174:26, AR193:26, AR177:26, AR316:24, AR182:24, AR218:24, AR285:24, AR191:23, AR270:23, AR181:23, AR277:23, AR269:23, AR219:23, AR296:23, AR226:23, AR192:22, AR275:22, AR033:22, AR233:22, AR200:21, AR189:21, AR204:21, AR176:21, AR238:20, AR104:20, AR297:19, AR203:19,

				AR261:19, AR287:19, AR294:19, AR268:18, AR060:18, AR053:18, AR286:18, AR255:17, AR212:17, AR260:17, AR288:16, AR290:16, AR188:16, AR309:16, AR231:15, AR197:15, AR237:15, AR230:15, AR245:15, AR295:15, AR308:15, AR267:14, AR195:14, AR266:14, AR282:14, AR201:14, AR213:14, AR235:14, AR254:14, AR243:14, AR228:13, AR263:13, AR271:13, AR256:13, AR239:13, AR198:12, AR227:12, AR291:12, AR205:11, AR272:10, AR190:10, AR055:9, AR250:9, AR252:9, AR207:9, AR289:8, AR211:8, AR283:7, AR232:7, AR246:7, AR311:6, AR253:5, AR061:5, AR210:5, AR171:4, AR221:3, AR274:2, AR168:2, AR169:1 H0305:4, H0589:2 and S0114:1.
270	HSAXA83	545051	280	AR215:9, AR253:8, AR252:7, AR168:6, AR163:6, AR162:6, AR250:6, AR216:6, AR172:6, AR161:6, AR264:6, AR242:6, AR221:6, AR269:5, AR183:5, AR291:5, AR055:5, AR270:5, AR224:5, AR060:5, AR268:5, AR170:5, AR266:5, AR217:5, AR231:5, AR222:5, AR182:4, AR240:4, AR204:4, AR176:4, AR214:4, AR290:4, AR225:4, AR223:4, AR309:4, AR201:4, AR235:4, AR181:4, AR271:4, AR213:4, AR205:4, AR165:4, AR283:4, AR282:4, AR243:4, AR219:4, AR164:4, AR236:4, AR089:4, AR166:4, AR263:4, AR212:4, AR104:4, AR288:4, AR294:4, AR257:3, AR316:3, AR096:3, AR179:3, AR296:3, AR267:3, AR193:3, AR261:3, AR254:3, AR196:3, AR245:3, AR171:3, AR255:3, AR275:3, AR207:3, AR185:3, AR229:3, AR173:3, AR238:3, AR191:3, AR237:3, AR289:3, AR175:3, AR218:3, AR180:3, AR277:3, AR200:3, AR299:3, AR228:3, AR295:3, AR233:3, AR239:3, AR287:3, AR272:3, AR178:3, AR039:3, AR293:3, AR188:3, AR286:3, AR177:3, AR247:3, AR190:3, AR174:3, AR285:2, AR312:2, AR230:2, AR234:2, AR313:2, AR053:2, AR274:2, AR300:2, AR260:2, AR246:2, AR189:2, AR311:2, AR061:2, AR033:2, AR232:2, AR308:2, AR199:2, AR210:2, AR227:2, AR226:1, AR258:1, AR256:1, AR297:1, AR262:1, AR192:1 H0013:2, H0375:2, H0521:2, S0114:1, S0134:1, H0341:1, S0444:1, H0728:1, H0735:1, T0110:1, H0046:1, H0457:1, H0050:1, H0553:1, H0202:1, H0396:1, L0794:1, L0803:1, L0776:1, L5623:1, L0789:1, L0709:1, H0520:1, S0044:1, S0436:1, L0588:1 and H0653:1.
271	HSAYB43	604143	281	AR161:11, AR162:11, AR163:11, AR313:9, AR173:9, AR165:8, AR164:8, AR166:8, AR196:7, AR096:6, AR258:6, AR240:6, AR262:6, AR175:6, AR229:6, AR247:6, AR264:6, AR257:6, AR089:5, AR275:5, AR183:5, AR180:5, AR274:5, AR181:5, AR218:5, AR178:5, AR293:5, AR174:5, AR191:5, AR270:5, AR185:5, AR261:5, AR263:4, AR299:4, AR300:4, AR235:4, AR182:4, AR179:4, AR176:4, AR294:4, AR269:4, AR238:4, AR203:4, AR234:4, AR233:4, AR199:4, AR060:4, AR177:4, AR316:4, AR200:4, AR219:4, AR282:3, AR309:3, AR231:3, AR236:3, AR255:3, AR242:3, AR033:3, AR268:3, AR228:3, AR188:3, AR312:3, AR260:3, AR297:3, AR104:3, AR291:3, AR287:3, AR189:3, AR272:3, AR311:3, AR283:3, AR230:3, AR197:3, AR286:3, AR295:3, AR226:3, AR277:3, AR285:3, AR267:3, AR239:3, AR296:3, AR290:2, AR288:2, AR266:2, AR237:2, AR168:2, AR201:2, AR039:2, AR224:2, AR225:2, AR172:2, AR213:2, AR190:2, AR193:2, AR232:2, AR211:2, AR227:2, AR195:2, AR214:2, AR216:2, AR210:2, AR221:1, AR256:1, AR223:1, AR289:1, AR171:1, AR308:1, AR204:1, AR205:1, AR055:1, AR061:1, AR254:1 S0053:2, S0114:1, S0052:1 and S0216:1.
272	HSDEK49	1352253	282	AR290:45, AR268:37, AR240:23, AR267:22, AR269:16, AR270:14, AR234:10, AR055:10, AR238:10, AR184:9, AR292:8, AR291:8, AR179:8, AR183:8, AR284:7, AR177:7, AR182:6, AR060:6, AR299:5, AR295:5, AR285:5, AR244:5, AR293:5, AR175:5, AR096:4, AR185:3, AR229:3, AR249:3, AR296:3, AR316:3, AR231:3, AR298:3, AR289:3, AR104:3, AR237:3, AR286:2, AR089:2, AR226:2, AR204:2, AR266:2, AR282:2, AR294:2, AR227:2, AR313:2, AR247:2, AR300:2, AR233:2, AR248:2, AR259:2, AR275:2, AR256:2, AR039:1, AR033:1, AR277:1, AR263:1, AR061:1, AR258:1, AR232:1, AR271:1, AR283:1, AR310:1 H0031:7, L0439:7, L0754:7, L3388:6, L0731:6, S0002:5, H0580:4, H0575:3, H0309:3, L0438:3, H0555:3, L0758:3, S0360:2, L3649:2, H0553:2, S0344:2, S0426:2, L0775:2, S0330:2, L0747:2, L0779:2, S0260:2, L0599:2,

					L0603:2, H0739:1, H0170:1, S0116:1, S0354:1, S0444:1, L3645:1, H0270:1, S0280:1, H0590:1, H0581:1, H0251:1, H0014:1, H0355:1, H0030:1, H0644:1, H0674:1, H0090:1, H0063:1, S0142:1, L0770:1, L0769:1, L0651:1, L0776:1, L0659:1, L0519:1, L0664:1, H0682:1, L0749:1, L0752:1, S0031:1 and H0506:1.
	HSDEK49	625998	492		
273	HSDFJ26	834619	283		AR263:62, AR264:49, AR269:11, AR161:9, AR162:9, AR163:9, AR176:8, AR181:6, AR309:6, AR182:6, AR191:6, AR235:6, AR266:6, AR223:5, AR215:5, AR267:5, AR180:5, AR268:5, AR178:5, AR311:5, AR228:5, AR282:5, AR183:5, AR165:4, AR174:4, AR096:4, AR177:4, AR164:4, AR236:4, AR270:4, AR214:4, AR233:4, AR179:4, AR190:4, AR166:4, AR237:4, AR308:4, AR255:3, AR055:3, AR189:3, AR168:3, AR216:3, AR175:3, AR294:3, AR217:3, AR239:3, AR231:3, AR172:3, AR207:3, AR275:3, AR238:3, AR240:3, AR229:3, AR316:3, AR222:3, AR170:3, AR272:3, AR225:3, AR247:3, AR061:3, AR226:3, AR060:3, AR274:3, AR232:3, AR199:3, AR291:3, AR260:3, AR234:2, AR230:2, AR288:2, AR312:2, AR262:2, AR290:2, AR203:2, AR053:2, AR227:2, AR287:2, AR104:2, AR289:2, AR285:2, AR185:2, AR313:2, AR295:2, AR257:2, AR200:2, AR188:2, AR293:2, AR252:2, AR193:2, AR256:2, AR261:2, AR196:2, AR089:2, AR300:2, AR283:1, AR219:1, AR201:1, AR271:1, AR171:1, AR224:1, AR286:1, AR033:1, AR211:1, AR297:1, AR258:1, AR277:1 S0026:6, S0360:4, L0662:4, L0747:4, L0759:4, L0755:3, S0408:2, H0575:2, S0474:2, H0251:2, H0673:2, L0766:2, L0804:2, L0665:2, L0608:2, H0543:2, H0171:1, H0686:1, H0613:1, H0427:1, L0021:1, T0082:1, H0309:1, H0150:1, H0024:1, L0163:1, H0266:1, H0271:1, S0338:1, H0252:1, H0615:1, H0428:1, H0030:1, H0040:1, H0647:1, L0369:1, L0500:1, L0769:1, L0638:1, L0637:1, L0764:1, L0767:1, L0768:1, L0364:1, L0794:1, L0649:1, L0775:1, L0805:1, L0659:1, L0382:1, L0666:1, S0052:1, H0697:1, S0328:1, S0330:1, S0380:1, H0521:1, S0406:1, H0478:1, L0754:1, L0745:1, L0749:1, L0779:1, L0780:1, L0752:1, S0031:1, L0601:1, S0242:1 and H0542:1.
	HSDFJ26	836071	493		
274	HSDJJ82	460602	284		AR264:10, AR250:7, AR253:7, AR263:7, AR254:7, AR309:6, AR197:6, AR053:5, AR198:5, AR308:4, AR312:4, AR212:4, AR313:4, AR213:4, AR311:4, AR161:4, AR252:4, AR162:4, AR163:4, AR271:4, AR096:4, AR246:3, AR195:3, AR168:3, AR266:3, AR224:3, AR291:3, AR089:3, AR183:3, AR165:3, AR164:3, AR216:3, AR166:3, AR178:3, AR175:3, AR268:3, AR215:3, AR269:3, AR225:3, AR201:3, AR270:3, AR176:3, AR282:2, AR182:2, AR235:2, AR228:2, AR242:2, AR221:2, AR272:2, AR316:2, AR191:2, AR240:2, AR199:2, AR257:2, AR181:2, AR297:2, AR190:2, AR193:2, AR299:2, AR174:2, AR060:2, AR229:2, AR189:2, AR275:2, AR200:2, AR290:2, AR295:2, AR236:2, AR177:2, AR196:2, AR261:2, AR277:2, AR243:2, AR104:2, AR293:2, AR171:2, AR300:2, AR185:2, AR239:2, AR227:2, AR237:2, AR033:2, AR289:2, AR226:2, AR233:2, AR296:1, AR287:1, AR179:1, AR188:1, AR205:1, AR231:1, AR217:1, AR173:1, AR219:1, AR247:1, AR232:1, AR230:1, AR267:1, AR262:1, AR288:1, AR283:1, AR218:1, AR061:1, AR203:1, AR258:1 S0260:1
275	HSDSB09	1301498	285		AR060:10, AR089:9, AR055:7, AR104:7, AR313:5, AR039:4, AR218:4, AR299:4, AR184:4, AR316:4, AR096:4, AR182:4, AR219:3, AR294:3, AR185:3, AR214:3, AR197:3, AR291:3, AR212:3, AR251:3, AR284:3, AR283:3, AR282:3, AR222:3, AR269:3, AR286:3, AR298:2, AR266:2, AR052:2, AR262:2, AR249:2, AR311:2, AR292:2, AR309:2, AR295:2, AR233:2, AR236:2, AR296:2, AR268:2, AR267:2, AR253:2, AR270:2, AR255:2, AR183:2, AR285:2, AR165:2, AR177:2, AR228:2, AR289:2, AR061:2, AR186:2, AR300:2, AR168:2, AR033:2, AR239:2, AR235:1, AR231:1, AR215:1, AR277:1, AR225:1, AR290:1, AR274:1, AR293:1, AR163:1, AR247:1, AR310:1, AR217:1, AR226:1, AR238:1, AR240:1, AR265:1, AR237:1, AR264:1, AR224:1, AR229:1, AR053:1, AR172:1, AR271:1 L0803:14, L0774:4, L0770:2, H0409:1, H0331:1 and

				H0555:1.
	HSDSB09	463645	494	
276	HSDSE75	545057	286	AR096:3, AR225:3, AR266:3, AR055:3, AR060:3, AR309:2, AR170:2, AR222:2, AR104:2, AR214:2, AR254:2, AR163:2, AR161:2, AR195:2, AR282:2, AR089:1, AR224:1, AR283:1, AR275:1, AR228:1, AR162:1, AR300:1, AR272:1, AR216:1, AR240:1, AR290:1, AR175:1, AR185:1, AR201:1, AR193:1, AR200:1, AR164:1, AR166:1, AR316:1, AR168:1, AR230:1, AR165:1, AR218:1 H0646:2, L0783:2, L0751:2, H0222:1, L3645:1, H0409:1, H0559:1, H0590:1, H0581:1, L0471:1, H0622:1, H0316:1, H0623:1, L0788:1, H0689:1, S0328:1, S0390:1, L0777:1, L0731:1 and L0462:1.
277	HSDZR57	651375	287	AR172:3, AR264:3, AR235:3, AR207:2, AR215:2, AR225:2, AR271:2, AR192:2, AR180:2, AR309:2, AR216:2, AR270:2, AR165:2, AR274:1, AR164:1, AR166:1, AR222:1, AR257:1, AR277:1, AR286:1 L0769:4, L0803:3, H0547:3, H0484:2, S0410:2, H0644:2, H0617:2, H0413:2, L0751:2, H0556:1, H0650:1, S0420:1, S0354:1, S0360:1, S0222:1, H0455:1, H0559:1, H0575:1, H0052:1, H0545:1, L0763:1, L0800:1, L0648:1, L0662:1, L0768:1, L0794:1, L0804:1, L0809:1, L0789:1, H0699:1, H0690:1, H0660:1, S0328:1, L0740:1, L0750:1 and H0422:1.
278	HSIDJ81	589447	288	AR313:41, AR039:35, AR096:26, AR173:25, AR299:21, AR258:20, AR180:20, AR185:19, AR089:18, AR262:18, AR161:18, AR162:18, AR179:18, AR269:17, AR240:17, AR300:17, AR175:17, AR163:17, AR257:17, AR165:17, AR191:17, AR229:17, AR196:16, AR164:16, AR247:16, AR316:16, AR166:15, AR218:15, AR183:15, AR277:15, AR178:14, AR181:14, AR199:14, AR182:13, AR234:13, AR270:13, AR293:13, AR236:13, AR174:13, AR233:12, AR200:12, AR238:12, AR268:11, AR189:11, AR260:11, AR285:11, AR060:11, AR219:11, AR297:11, AR294:10, AR104:10, AR203:10, AR226:10, AR188:10, AR287:10, AR255:10, AR296:10, AR176:10, AR177:10, AR267:10, AR282:9, AR230:9, AR275:9, AR290:8, AR264:8, AR231:8, AR261:8, AR237:8, AR242:8, AR190:8, AR192:8, AR288:7, AR274:7, AR286:7, AR055:7, AR291:7, AR228:7, AR239:7, AR235:7, AR033:7, AR295:6, AR227:6, AR263:6, AR266:6, AR197:5, AR211:5, AR308:5, AR053:5, AR256:5, AR250:5, AR232:4, AR210:4, AR272:4, AR213:4, AR283:4, AR271:4, AR289:4, AR312:4, AR252:4, AR193:4, AR212:3, AR223:3, AR246:3, AR311:3, AR225:3, AR061:3, AR169:3, AR205:3, AR198:3, AR170:2, AR215:2, AR201:2, AR207:2, AR243:2, AR309:2, AR224:2, AR171:2, AR168:2, AR217:2, AR216:2, AR172:2, AR195:1 H0036:1 and L0744:1.
279	HSKDA27	1352409	289	AR039:106, AR104:103, AR055:103, AR240:102, AR060:87, AR096:84, AR282:77, AR283:67, AR300:66, AR316:57, AR185:48, AR219:45, AR218:44, AR089:40, AR299:36, AR277:34, AR313:31 S0212:13, S0126:12, L0777:11, S0027:10, S0028:10, S0250:7, H0717:6, L0662:6, L0747:6, S0360:5, S0022:5, S0206:5, L0779:5, S0194:5, L0659:4, L0751:4, L0731:4, L0758:4, H0713:3, H0716:3, S0444:3, H0599:3, L0163:3, S0210:3, L0807:3, S0390:3, S0037:3, S3014:3, L0740:3, S0192:3, H0295:2, H0486:2, H0706:2, H0309:2, H0023:2, H0373:2, H0266:2, H0039:2, H0038:2, L0598:2, L3872:2, H0689:2, L0757:2, L0759:2, L0599:2, S0011:2, S0040:1, L2906:1, S0298:1, H0661:1, H0663:1, H0662:1, S0420:1, S0356:1, S0442:1, S0408:1, L2338:1, S0046:1, H0411:1, H0550:1, H0586:1, H0587:1, H0333:1, T0040:1, T0060:1, H0427:1, H0251:1, H0150:1, H0050:1, H0014:1, H0188:1, S0214:1, H0428:1, H0622:1, T0006:1, H0553:1, H0628:1, H0124:1, H0087:1, H0551:1, T0067:1, H0413:1, T0069:1, S0440:1, L0762:1, L0763:1, L0770:1, L0769:1, L0637:1, L0773:1, L0768:1, L0794:1, L0386:1, L0774:1, L0775:1, L0375:1, L0805:1, L0776:1, L0655:1, L0783:1, L0519:1, L0367:1, L0790:1, L0666:1, L0663:1, L2263:1, L0565:1, S0148:1, H0726:1, H0724:1, L0438:1, H0519:1, S0152:1, S0454:1, H0521:1, H0696:1, S3012:1, S0124:1, L0439:1, L0750:1, H0595:1, S0436:1, H0668:1, H0667:1, S0242:1, S0276:1

				and L3603:1.
	HSKDA27	1074734	495	
	HSKDA27	872570	496	
280	HSKGN81	676075	290	AR252:303, AR263:240, AR211:227, AR272:220, AR210:215, AR216:184, AR253:180, AR250:170, AR264:169, AR242:163, AR172:160, AR245:160, AR274:155, AR254:148, AR247:147, AR313:142, AR165:141, AR053:139, AR225:136, AR195:131, AR215:129, AR221:129, AR308:124, AR197:123, AR214:123, AR212:122, AR170:119, AR166:118, AR224:118, AR213:117, AR171:115, AR205:113, AR312:113, AR162:109, AR217:108, AR309:106, AR199:106, AR271:105, AR164:100, AR198:93, AR168:92, AR169:92, AR188:92, AR207:91, AR275:91, AR173:91, AR256:90, AR291:89, AR240:89, AR163:86, AR296:82, AR246:82, AR222:81, AR311:78, AR290:78, AR223:77, AR282:76, AR161:75, AR297:75, AR289:75, AR196:74, AR261:73, AR243:71, AR178:70, AR295:70, AR260:69, AR175:67, AR183:66, AR200:65, AR174:63, AR285:63, AR201:62, AR096:61, AR299:60, AR179:59, AR189:59, AR288:56, AR180:56, AR033:55, AR258:55, AR266:55, AR300:55, AR267:54, AR181:51, AR192:51, AR262:51, AR293:50, AR268:50, AR255:49, AR204:48, AR270:47, AR316:47, AR039:46, AR190:43, AR238:43, AR235:43, AR182:42, AR089:41, AR229:40, AR236:39, AR269:39, AR277:38, AR232:38, AR061:38, AR219:37, AR218:37, AR257:37, AR286:37, AR185:37, AR203:36, AR287:35, AR283:35, AR191:35, AR193:34, AR230:34, AR231:33, AR177:32, AR239:30, AR176:30, AR237:29, AR234:27, AR104:27, AR226:26, AR294:25, AR060:24, AR055:18, AR233:17, AR227:14, AR228:10 H0556:14, L0666:5, L0438:5, L0439:5, L0751:5, H0266:4, L0665:4, L0777:4, H0161:3, H0645:3, H0599:3, H0594:3, L0763:3, H0436:3, L0747:3, L0758:3, L0759:3, H0423:3, H0265:2, H0141:2, S0045:2, S0476:2, H0575:2, H0421:2, T0041:2, H0529:2, L0770:2, L0771:2, L0657:2, L5623:2, L0664:2, H0670:2, H0518:2, S0044:2, L0749:2, L0757:2, L0588:2, L0599:2, H0585:1, L3643:1, H0717:1, H0716:1, H0740:1, H0583:1, S0116:1, H0341:1, H0254:1, H0255:1, H0306:1, H0402:1, S0360:1, S0408:1, S0046:1, S0132:1, H0619:1, H0549:1, H0550:1, S0222:1, H0614:1, H0392:1, H0455:1, H0613:1, H0592:1, H0586:1, H0587:1, S0005:1, H0497:1, H0492:1, H0486:1, H0250:1, T0071:1, H0581:1, H0052:1, H0309:1, H0545:1, H0050:1, L0471:1, H0024:1, L0183:1, H0267:1, H0687:1, H0286:1, H0328:1, L0483:1, L0053:1, H0628:1, H0169:1, H0674:1, S0366:1, H0038:1, H0634:1, H0264:1, H0488:1, H0268:1, H0100:1, T0042:1, H0494:1, S0014:1, H0625:1, H0509:1, H0641:1, S0002:1, L0637:1, L3905:1, L0646:1, L0773:1, L0662:1, L0768:1, L0652:1, L0776:1, L0659:1, L0783:1, S0374:1, H0783:1, H0593:1, S0126:1, H0659:1, H0658:1, H0648:1, H0672:1, S3012:1, S0028:1, L0754:1, L0750:1, L0731:1, S0260:1, S0436:1, L0596:1, L0581:1, S0242:1, S0194:1, H0543:1, S0446:1, H0506:1 and H0008:1.
	HSKGN81	409905	497	
281	HSLCQ82	1352226	291	AR055:7, AR060:6, AR104:6, AR089:6, AR283:6, AR096:6, AR161:5, AR162:5, AR282:5, AR163:5, AR039:5, AR218:5, AR316:5, AR219:5, AR269:4, AR277:4, AR176:4, AR309:4, AR300:4, AR164:4, AR165:4, AR275:4, AR240:4, AR266:4, AR299:4, AR274:4, AR235:4, AR272:4, AR166:4, AR183:4, AR173:3, AR177:3, AR250:3, AR185:3, AR225:3, AR214:3, AR178:3, AR257:3, AR267:3, AR236:3, AR182:3, AR270:3, AR313:3, AR181:3, AR221:3, AR175:3, AR191:3, AR239:3, AR291:3, AR190:3, AR228:3, AR229:3, AR189:3, AR180:3, AR296:3, AR255:3, AR171:3, AR172:3, AR287:3, AR243:3, AR233:3, AR268:2, AR261:2, AR262:2, AR238:2, AR196:2, AR237:2, AR231:2, AR264:2, AR210:2, AR293:2, AR224:2, AR288:2, AR289:2, AR290:2, AR295:2, AR174:2, AR230:2, AR179:2, AR188:2, AR200:2, AR285:2, AR246:2, AR294:2,

				AR061:2, AR286:2, AR263:2, AR247:2, AR053:2, AR232:2, AR223:2, AR203:2, AR271:2, AR227:2, AR226:2, AR311:2, AR168:2, AR033:2, AR216:2, AR234:2, AR211:1, AR312:1, AR260:1, AR297:1, AR222:1, AR205:1, AR258:1, AR217:1 L0744:2, L0751:2, L0777:2, H0580:1, H0013:1, S0036:1, L0659:1, S0028:1, L0779:1, L0780:1 and L0596:1.
	HSLCQ82	589526	498	
282	HSNAD72	467397	292	AR170:5, AR169:4, AR180:4, AR313:4, AR221:3, AR178:3, AR223:3, AR245:3, AR192:3, AR235:2, AR204:2, AR182:2, AR299:2, AR216:2, AR291:2, AR274:2, AR171:2, AR214:2, AR217:2, AR193:2, AR266:1, AR308:1, AR293:1, AR257:1, AR247:1, AR232:1, AR225:1, AR283:1, AR210:1, AR282:1 H0163:2
283	HSNMC45	1352201	293	AR242:8, AR205:6, AR238:6, AR170:6, AR207:5, AR201:4, AR215:3, AR204:3, AR096:3, AR296:3, AR172:2, AR233:2, AR089:2, AR182:2, AR055:2, AR257:2, AR299:1, AR104:1, AR272:1, AR210:1, AR185:1, AR297:1 H0163:1
	HSNMC45	545060	499	
284	HSQFP66	460537	294	AR197:9, AR271:8, AR176:7, AR162:7, AR161:7, AR201:7, AR163:7, AR192:6, AR204:6, AR207:6, AR266:6, AR267:6, AR228:6, AR229:6, AR169:6, AR177:6, AR237:6, AR198:6, AR233:5, AR245:5, AR181:5, AR193:5, AR250:5, AR243:5, AR053:5, AR269:5, AR239:5, AR309:5, AR089:5, AR180:5, AR264:5, AR165:5, AR214:5, AR182:4, AR060:4, AR224:4, AR061:4, AR268:4, AR261:4, AR178:4, AR166:4, AR230:4, AR257:4, AR226:4, AR183:4, AR164:4, AR270:4, AR275:4, AR231:4, AR236:4, AR096:4, AR179:4, AR246:4, AR289:4, AR039:4, AR055:4, AR293:4, AR196:4, AR175:4, AR316:4, AR272:4, AR234:4, AR168:4, AR225:4, AR286:4, AR247:4, AR312:4, AR212:4, AR255:4, AR296:4, AR242:4, AR294:3, AR300:3, AR290:3, AR185:3, AR205:3, AR291:3, AR238:3, AR262:3, AR227:3, AR295:3, AR287:3, AR288:3, AR174:3, AR297:3, AR216:3, AR311:3, AR277:3, AR170:3, AR191:3, AR285:3, AR188:3, AR213:3, AR215:3, AR313:3, AR217:3, AR308:3, AR232:3, AR203:3, AR195:3, AR282:3, AR173:2, AR033:2, AR172:2, AR189:2, AR171:2, AR274:2, AR223:2, AR190:2, AR299:2, AR104:2, AR211:2, AR258:2, AR200:2, AR283:2, AR263:2, AR256:2, AR221:2, AR199:2, AR240:2, AR222:2, AR210:2, AR253:1, AR254:1, AR260:1, AR219:1, AR218:1 S0007:1, H0555:1 and S0026:1.
285	HSRFZ57	892171	295	AR225:4, AR309:4, AR060:4, AR192:3, AR235:3, AR162:3, AR055:3, AR161:3, AR163:3, AR215:3, AR275:3, AR169:3, AR254:3, AR217:3, AR233:2, AR170:2, AR177:2, AR181:2, AR236:2, AR255:2, AR228:2, AR180:2, AR289:2, AR237:2, AR243:2, AR239:2, AR166:2, AR285:2, AR266:2, AR272:2, AR287:2, AR222:2, AR274:2, AR176:2, AR061:2, AR271:2, AR223:2, AR247:2, AR214:1, AR224:1, AR240:1, AR172:1, AR213:1, AR283:1, AR262:1, AR295:1, AR033:1, AR089:1, AR174:1, AR229:1, AR216:1, AR234:1, AR238:1, AR231:1, AR316:1, AR218:1, AR300:1, AR293:1 S0022:4
286	HSSFT08	589978	296	AR196:17, AR176:9, AR313:9, AR162:7, AR161:7, AR199:7, AR163:6, AR228:6, AR267:6, AR266:6, AR055:6, AR165:6, AR180:6, AR053:6, AR164:6, AR225:5, AR166:5, AR264:5, AR269:5, AR268:5, AR238:5, AR300:5, AR181:5, AR270:5, AR242:5, AR183:5, AR060:5, AR236:5, AR233:5, AR193:5, AR263:4, AR182:4, AR178:4, AR290:4, AR089:4, AR229:4, AR312:4, AR257:4, AR239:4, AR240:4, AR299:4, AR221:4, AR235:4, AR231:4, AR096:4, AR189:4, AR177:4, AR039:4, AR215:4, AR309:4, AR261:4, AR237:4, AR191:4, AR226:4, AR247:4, AR289:4, AR175:4, AR190:3, AR188:3, AR316:3, AR271:3, AR293:3, AR104:3, AR282:3, AR291:3, AR061:3, AR272:3, AR169:3, AR179:3, AR274:3, AR185:3, AR227:3, AR234:3, AR230:3, AR174:3, AR296:3, AR294:3, AR198:3, AR262:3, AR168:3, AR255:3, AR287:3, AR171:3, AR200:3, AR214:2, AR283:2, AR288:2, AR207:2, AR203:2, AR216:2, AR285:2, AR286:2, AR232:2, AR204:2, AR295:2, AR250:2, AR275:2, AR297:2, AR308:2, AR201:2, AR224:2, AR277:2, AR033:2, AR212:2, AR246:1, AR173:1, AR205:1, AR218:1, AR222:1, AR223:1, AR195:1, AR256:1, AR258:1, AR311:1, AR260:1 H0135:2, L0518:1 and L0758:1.

287	HSSGD52	1352343	297	AR225:17, AR223:16, AR215:16, AR214:14, AR224:13, AR170:13, AR217:12, AR168:12, AR172:12, AR221:12, AR246:11, AR222:11, AR216:11, AR269:11, AR169:11, AR171:10, AR183:9, AR268:9, AR165:8, AR290:8, AR161:8, AR164:8, AR162:8, AR270:8, AR163:8, AR166:8, AR291:7, AR244:7, AR298:7, AR267:7, AR182:7, AR180:7, AR266:7, AR176:7, AR186:7, AR173:7, AR052:6, AR231:6, AR271:6, AR207:6, AR292:6, AR250:6, AR228:6, AR282:6, AR238:6, AR206:6, AR061:6, AR273:6, AR296:6, AR275:6, AR243:6, AR181:6, AR247:5, AR289:5, AR285:5, AR200:5, AR240:5, AR210:5, AR053:5, AR249:5, AR314:5, AR241:5, AR202:5, AR218:5, AR219:5, AR235:5, AR194:5, AR178:5, AR197:5, AR089:5, AR189:5, AR177:5, AR211:5, AR239:5, AR175:5, AR237:5, AR198:5, AR293:5, AR201:5, AR190:5, AR188:5, AR295:5, AR251:5, AR255:5, AR245:4, AR280:4, AR254:4, AR185:4, AR196:4, AR060:4, AR272:4, AR315:4, AR213:4, AR312:4, AR300:4, AR193:4, AR309:4, AR316:4, AR257:4, AR179:4, AR232:4, AR311:4, AR234:4, AR233:4, AR236:4, AR264:4, AR286:4, AR299:4, AR294:4, AR204:4, AR033:4, AR229:4, AR039:4, AR226:4, AR191:4, AR205:4, AR184:3, AR288:3, AR274:3, AR096:3, AR261:3, AR287:3, AR203:3, AR297:3, AR284:3, AR174:3, AR212:3, AR277:3, AR055:3, AR313:3, AR192:3, AR104:3, AR195:3, AR265:3, AR281:3, AR230:3, AR263:3, AR262:3, AR283:3, AR256:2, AR199:2, AR227:2, AR308:2, AR310:2, AR259:2, AR253:2, AR258:2, AR260:2, AR242:2 L0771:6, L0743:6, S0002:5, L0770:5, L0803:5, L0805:5, L0659:5, L0666:5, L0751:5, H0585:4, L0809:4, L0439:4, L0754:4, L0758:4, H0586:3, H0013:3, H0551:3, S0426:3, L0769:3, L0664:3, L0665:3, L0779:3, L0780:3, L0752:3, L0757:3, H0265:2, S0376:2, L2799:2, S0278:2, H0392:2, H0409:2, L3816:2, H0644:2, H0135:2, H0494:2, S0142:2, L0773:2, L0789:2, L0790:2, L0663:2, H0519:2, H0658:2, H0670:2, H0521:2, L0744:2, L0740:2, L0749:2, L0731:2, S0276:2, L3618:2, H0624:1, H0556:1, H0141:1, H0222:1, S0342:1, H0295:1, T0049:1, L2910:1, S0212:1, H0484:1, S0418:1, S0442:1, S0358:1, S0444:1, H0580:1, S0007:1, S0045:1, S0476:1, H0771:1, L3104:1, L0717:1, H0549:1, H0370:1, H0486:1, L2504:1, L2570:1, H0250:1, S0010:1, S0346:1, H0581:1, S0049:1, H0263:1, H0046:1, H0009:1, H0123:1, H0266:1, H0687:1, T0023:1, L0483:1, H0030:1, S0366:1, H0038:1, H0634:1, T0067:1, H0413:1, H0334:1, L0065:1, S0440:1, S0144:1, H0773:1, L0763:1, L3905:1, L0761:1, L0372:1, L0646:1, L0800:1, L0643:1, L0764:1, L0648:1, L0662:1, L0794:1, L0804:1, L0774:1, L0775:1, L0806:1, L0776:1, L0655:1, L0527:1, L0782:1, L0791:1, L0793:1, S0052:1, L2257:1, L2259:1, L2654:1, L0565:1, S0148:1, H0593:1, S0126:1, H0682:1, H0684:1, H0435:1, S0328:1, S0380:1, H0710:1, L3834:1, H0696:1, S0044:1, S0146:1, S0392:1, H0627:1, L0747:1, L0750:1, L0777:1, L0759:1, S0434:1, S0026:1, H0665:1, H0136:1 and H0542:1.
	HSSGD52	845666	500	
288	HSSGG82	618535	298	AR285:24, AR295:17, AR291:17, AR297:17, AR287:16, AR296:16, AR261:14, AR236:13, AR262:13, AR263:12, AR235:12, AR260:11, AR294:10, AR253:10, AR288:10, AR293:9, AR264:9, AR311:9, AR257:8, AR309:8, AR191:8, AR189:8, AR308:8, AR254:7, AR258:7, AR161:7, AR162:7, AR312:7, AR213:7, AR163:7, AR255:7, AR218:7, AR246:6, AR250:6, AR175:6, AR286:6, AR174:6, AR212:6, AR190:6, AR245:6, AR060:6, AR096:6, AR188:5, AR197:5, AR252:5, AR313:5, AR269:5, AR196:5, AR165:5, AR274:5, AR256:5, AR282:5, AR219:5, AR316:5, AR272:5, AR089:5, AR164:5, AR177:5, AR270:5, AR166:5, AR199:5, AR178:5, AR173:5, AR289:5, AR182:4, AR195:4, AR271:4, AR243:4, AR171:4, AR266:4, AR183:4, AR231:4, AR181:4, AR176:4, AR185:4, AR275:4, AR240:4, AR180:4, AR179:4, AR238:3, AR192:3, AR225:3, AR268:3, AR104:3, AR205:3, AR201:3, AR193:3, AR169:3, AR237:3, AR290:3, AR033:3, AR226:3, AR229:3, AR200:3, AR239:3, AR247:3, AR198:3, AR277:2, AR233:2, AR267:2, AR232:2, AR204:2, AR211:2, AR234:2, AR299:2, AR283:2, AR300:2, AR210:2, AR207:2, AR203:2, AR053:2, AR055:2, AR228:2, AR214:2, AR168:2, AR222:2, AR221:2,

				AR224:2, AR227:2, AR061:2, AR216:1, AR230:1, AR215:1
289	HSUBW09	413246	299	AR186:66, AR202:60, AR259:59, AR206:59, AR292:58, AR061:56, AR052:56, AR283:51, AR227:49, AR251:49, AR244:48, AR249:47, AR281:45, AR310:44, AR280:44, AR033:43, AR055:42, AR194:42, AR192:41, AR241:41, AR273:40, AR300:40, AR314:38, AR185:38, AR248:38, AR315:37, AR104:36, AR232:36, AR299:35, AR233:34, AR229:34, AR237:34, AR275:34, AR184:33, AR060:32, AR265:31, AR039:31, AR177:29, AR198:28, AR053:28, AR294:28, AR282:27, AR243:26, AR256:26, AR309:25, AR313:25, AR231:25, AR246:25, AR295:25, AR298:24, AR089:24, AR219:24, AR096:24, AR274:24, AR312:23, AR204:23, AR293:22, AR284:22, AR267:21, AR205:21, AR316:21, AR271:21, AR247:20, AR226:20, AR238:19, AR213:19, AR175:19, AR234:18, AR218:17, AR253:16, AR289:16, AR277:14, AR258:14, AR179:13, AR266:12, AR286:12, AR263:12, AR285:12, AR296:12, AR183:11, AR291:11, AR270:10, AR240:9, AR182:9, AR268:8, AR269:8, AR290:8, AR163:5, AR287:4, AR176:3, AR250:3, AR215:3, AR225:2, AR201:2, AR172:2, AR224:2, AR221:2, AR272:2, AR264:2, AR214:1, AR165:1, AR195:1, AR193:1, AR257:1, AR216:1 L0766:5, L0749:3, S0134:2, L0770:2, L0794:2, L0809:2, L0790:2, H0556:1, H0735:1, L0622:1, H0457:1, H0561:1, L0662:1, L0804:1, L5622:1, H0436:1, L0779:1, L0731:1, L0758:1, H0136:1 and H0506:1.
290	HSVBU91	596868	300	AR215:6, AR207:5, AR162:4, AR161:4, AR163:4, AR309:4, AR271:4, AR266:4, AR165:4, AR176:4, AR164:4, AR272:3, AR039:3, AR192:3, AR213:3, AR253:3, AR166:3, AR264:3, AR089:3, AR282:3, AR204:3, AR235:3, AR205:3, AR313:3, AR053:3, AR201:2, AR224:2, AR178:2, AR275:2, AR181:2, AR267:2, AR182:2, AR269:2, AR277:2, AR104:2, AR286:2, AR246:2, AR287:2, AR289:2, AR033:2, AR243:2, AR237:2, AR230:2, AR223:2, AR268:2, AR293:2, AR180:2, AR060:2, AR175:2, AR198:2, AR229:2, AR177:2, AR270:2, AR233:2, AR183:2, AR228:2, AR261:2, AR239:2, AR316:2, AR285:2, AR179:2, AR232:1, AR231:1, AR312:1, AR061:1, AR288:1, AR257:1, AR096:1, AR291:1, AR225:1, AR226:1, AR294:1, AR295:1, AR185:1, AR311:1, AR227:1, AR234:1, AR174:1, AR203:1, AR297:1, AR173:1, AR191:1, AR247:1, AR308:1, AR238:1, AR216:1, AR255:1, AR170:1 H0309:1
291	HSYAV50	847358	301	AR268:5, AR182:5, AR270:4, AR183:4, AR267:4, AR290:4, AR269:4, AR247:3, AR291:3, AR289:3, AR284:3, AR184:3, AR175:3, AR282:3, AR234:3, AR296:3, AR312:2, AR232:2, AR177:2, AR292:2, AR238:2, AR294:2, AR266:2, AR298:2, AR053:2, AR229:2, AR227:2, AR286:2, AR313:2, AR285:2, AR231:2, AR061:2, AR202:2, AR179:1, AR240:1, AR033:1, AR310:1, AR277:1, AR186:1, AR213:1, AR293:1, AR274:1, AR226:1, AR315:1, AR052:1, AR309:1, AR233:1, AR295:1, AR299:1, AR089:1 L0659:9, L0803:6, L0794:5, L0750:4, S0212:3, L0809:3, L0665:3, L0751:3, L0759:3, H0717:2, S0298:2, H0402:2, H0392:2, H0545:2, S0250:2, H0551:2, L0768:2, L0666:2, L2654:2, L0757:2, H0667:2, H0170:1, H0713:1, S0420:1, S0444:1, H0637:1, H0592:1, L0021:1, H0575:1, H0251:1, H0544:1, H0041:1, H0014:1, H0292:1, H0553:1, L0143:1, H0628:1, H0124:1, H0616:1, T0067:1, H0509:1, L0637:1, L0800:1, L0662:1, L0774:1, L0653:1, L0654:1, L0807:1, L0657:1, L0647:1, L2261:1, H0682:1, H0658:1, H0648:1, H0555:1, S0028:1, L0747:1 and L0749:1.
292	HTAEE28	1018291	302	AR170:5, AR169:4, AR221:3, AR250:3, AR217:3, AR242:2, AR263:2, AR171:2, AR193:2, AR245:2, AR201:2, AR172:2, AR183:2, AR300:2, AR216:1, AR267:1, AR309:1, AR257:1, AR269:1, AR224:1, AR168:1, AR161:1, AR215:1, AR311:1 H0250:3, H0069:2, L0771:2, S0404:2, H0650:1, H0656:1, H0486:1, H0013:1, H0318:1, S0422:1, L0644:1, L0768:1, L0794:1, L0804:1, L0655:1, L0789:1, L0664:1, H0436:1 and L0758:1.
	HTAEE28	882919	501	
	HTAEE28	864120	502	

293	HTECC05	1352365	303	AR176:5, AR169:3, AR224:3, AR180:3, AR291:3, AR225:3, AR238:3, AR267:3, AR261:2, AR245:2, AR289:2, AR270:2, AR257:2, AR175:2, AR269:2, AR168:2, AR181:2, AR228:2, AR243:2, AR309:2, AR285:2, AR295:2, AR217:2, AR230:2, AR293:2, AR239:2, AR171:2, AR177:2, AR294:2, AR236:2, AR313:1, AR296:1, AR231:1, AR290:1, AR190:1, AR227:1, AR179:1, AR246:1, AR312:1, AR287:1, AR247:1, AR271:1, AR266:1, AR178:1, AR250:1, AR061:1, AR182:1, AR268:1, AR233:1, AR196:1, AR262:1, AR234:1, AR272:1, AR162:1, AR277:1, AR096:1 H0617:10, S0410:8, L0758:8, L0769:7, H0038:6, L0439:6, L0750:6, L0752:6, S0360:5, L0775:5, S0406:5, H0150:4, L0157:4, H0620:4, H0087:4, S0440:4, S0344:4, L0763:4, S0328:4, L0747:4, H0224:3, H0484:3, H0402:3, S0049:3, H0708:3, L0773:3, L0805:3, L0809:3, L0519:3, H0670:3, L0748:3, L0731:3, L0757:3, L0581:3, H0295:2, H0341:2, S0444:2, S0222:2, L0622:2, H0253:2, H0309:2, T0115:2, H0544:2, H0545:2, H0081:2, H0012:2, H0673:2, S0036:2, H0616:2, L0770:2, L0774:2, L0518:2, H0725:2, S0374:2, H0696:2, L0588:2, H0543:2, L0615:1, H0160:1, H0225:1, H0713:1, S6024:1, S0430:1, H0656:1, S0116:1, S0212:1, H0483:1, H0306:1, H0638:1, H0125:1, S0420:1, S0358:1, S0408:1, H0637:1, S0476:1, H0640:1, H0411:1, S0278:1, H0441:1, H0461:1, H0298:1, H0333:1, L0623:1, H0486:1, H0427:1, H0156:1, H0599:1, T0082:1, T0048:1, H0318:1, H0581:1, H0196:1, H0597:1, L0738:1, H0530:1, H0242:1, H0024:1, H0373:1, L0163:1, H0275:1, H0188:1, H0284:1, S0003:1, H0428:1, H0213:1, H0405:1, H0181:1, H0182:1, H0606:1, L0055:1, H0163:1, H0063:1, T0067:1, H0100:1, H0560:1, H0561:1, H0647:1, S0142:1, L0598:1, L3904:1, L0761:1, L0772:1, L0764:1, L0767:1, L0768:1, L0766:1, L0649:1, L0803:1, L0375:1, L0806:1, L0776:1, L0517:1, L0526:1, L0783:1, L0789:1, H0144:1, L0438:1, H0689:1, H0690:1, H0682:1, H0683:1, H0435:1, H0659:1, H0648:1, H0521:1, H0522:1, S3014:1, S0027:1, L0755:1, L0759:1, H0445:1, H0343:1, H0595:1, L0608:1, H0136:1, S0276:1, H0542:1, L0600:1 and H0352:1.
	HTECC05	877448	503	
	HTECC05	666743	504	
294	HTEEB42	206980	304	AR174:12, AR191:12, AR190:11, AR244:11, AR181:11, AR291:10, AR186:10, AR180:10, AR175:10, AR192:10, AR189:9, AR176:9, AR240:9, AR269:9, AR241:9, AR178:9, AR270:9, AR177:8, AR266:8, AR268:8, AR183:8, AR273:8, AR274:8, AR165:8, AR247:7, AR164:7, AR198:7, AR184:7, AR166:7, AR162:7, AR202:7, AR161:7, AR163:7, AR246:7, AR245:6, AR197:6, AR289:6, AR173:6, AR201:6, AR267:6, AR182:6, AR271:6, AR052:6, AR206:6, AR309:6, AR185:6, AR188:6, AR275:6, AR263:6, AR251:5, AR236:5, AR284:5, AR194:5, AR295:5, AR255:5, AR235:5, AR277:5, AR299:5, AR179:5, AR055:5, AR290:5, AR104:5, AR033:5, AR193:5, AR228:4, AR230:4, AR204:4, AR196:4, AR170:4, AR285:4, AR256:4, AR172:4, AR272:4, AR257:4, AR262:4, AR205:4, AR233:4, AR308:4, AR261:4, AR195:4, AR252:4, AR300:4, AR223:4, AR089:4, AR287:4, AR238:4, AR243:4, AR214:4, AR296:4, AR237:4, AR265:4, AR250:4, AR239:4, AR288:4, AR298:4, AR224:3, AR294:3, AR229:3, AR248:3, AR316:3, AR207:3, AR286:3, AR312:3, AR297:3, AR264:3, AR199:3, AR061:3, AR293:3, AR053:3, AR227:3, AR060:3, AR311:3, AR211:3, AR249:3, AR225:3, AR292:3, AR219:3, AR258:3, AR039:3, AR215:3, AR313:3, AR282:3, AR226:3, AR260:3, AR231:2, AR242:2, AR203:2, AR171:2, AR168:2, AR210:2, AR200:2, AR259:2, AR234:2, AR096:2, AR232:2, AR169:2, AR222:2, AR254:2, AR218:2, AR221:2, AR253:2, AR283:2, AR213:1, AR216:1, AR217:1, AR310:1 L0794:4, H0624:2, H0038:2, L0375:2, S0330:2, L0750:2, L0779:2, H0031:1, H0644:1, H0124:1, H0591:1, H0616:1, H0264:1, H0623:1, L0770:1, L0637:1, L0805:1, L0663:1, L0749:1, L0777:1, L0780:1 and L0599:1.
295	HTEFU65	543396	305	AR240:15, AR055:12, AR060:7, AR039:6, AR299:6, AR219:6, AR277:5, AR089:5, AR218:5, AR300:5, AR185:5,

				AR104:5, AR283:4, AR282:4, AR316:4, AR096:3, AR313:3 H0486:3, H0253:1, H0544:1, H0012:1, S0388:1, H0553:1, H0090:1, H0038:1, H0652:1, L0769:1, L0641:1, L0806:1, H0696:1, L0748:1, L0749:1, S0031:1 and S0196:1.
296	HTEGA76	381995	306	AR192:3, AR253:3, AR235:3, AR282:3, AR258:3, AR168:3, AR252:3, AR263:2, AR243:2, AR170:2, AR207:2, AR172:2, AR221:2, AR217:2, AR215:2, AR257:2, AR176:2, AR183:2, AR178:2, AR214:1, AR222:1, AR165:1, AR164:1, AR294:1, AR166:1, AR089:1, AR204:1, AR277:1, AR181:1 H0038:1 and L0758:1.
297	HTELM16	834058	307	AR263:52, AR207:41, AR169:38, AR309:37, AR214:36, AR235:36, AR264:35, AR224:34, AR223:32, AR172:31, AR222:31, AR283:31, AR277:30, AR311:30, AR213:29, AR168:29, AR195:27, AR170:26, AR171:26, AR212:26, AR216:26, AR282:25, AR308:25, AR197:25, AR089:24, AR165:24, AR316:23, AR252:23, AR215:23, AR217:23, AR192:23, AR225:23, AR164:23, AR166:22, AR198:22, AR271:21, AR055:21, AR162:21, AR053:20, AR104:20, AR240:20, AR177:20, AR312:20, AR201:19, AR299:19, AR161:19, AR221:19, AR096:19, AR236:19, AR272:19, AR245:19, AR163:19, AR261:18, AR242:18, AR313:17, AR205:17, AR193:17, AR196:17, AR060:16, AR219:16, AR246:16, AR033:16, AR218:16, AR181:16, AR039:16, AR229:16, AR300:15, AR176:15, AR174:15, AR275:15, AR185:14, AR288:14, AR274:14, AR250:13, AR238:13, AR295:13, AR253:12, AR237:12, AR243:12, AR232:11, AR239:11, AR247:11, AR289:11, AR183:11, AR291:10, AR234:10, AR188:10, AR226:10, AR175:10, AR231:10, AR285:10, AR204:10, AR293:10, AR227:10, AR173:10, AR200:10, AR199:10, AR296:10, AR211:10, AR061:10, AR178:10, AR268:10, AR266:10, AR180:10, AR255:10, AR258:9, AR233:9, AR262:9, AR286:9, AR191:9, AR230:9, AR257:9, AR267:9, AR297:9, AR254:9, AR189:9, AR210:9, AR269:9, AR270:8, AR260:8, AR228:8, AR287:8, AR256:8, AR190:8, AR182:7, AR294:7, AR179:7, AR203:7, AR290:6 L0794:7, L0779:3, L0758:3, H0559:1, H0616:1 and L0767:1.
298	HTELP17	836072	308	AR263:33, AR223:32, AR214:31, AR309:30, AR224:29, AR264:29, AR283:27, AR308:27, AR222:27, AR169:25, AR235:25, AR172:25, AR277:24, AR212:23, AR053:23, AR168:23, AR213:22, AR171:22, AR316:21, AR221:21, AR311:21, AR261:21, AR217:20, AR089:20, AR170:20, AR055:19, AR219:19, AR282:19, AR165:19, AR312:19, AR162:19, AR225:19, AR216:19, AR161:18, AR164:18, AR176:18, AR218:18, AR033:18, AR295:18, AR163:18, AR207:18, AR104:18, AR096:17, AR236:17, AR166:17, AR215:16, AR299:16, AR177:16, AR240:16, AR060:16, AR196:15, AR288:15, AR266:15, AR300:15, AR269:15, AR039:15, AR200:15, AR181:15, AR313:15, AR291:14, AR178:14, AR293:14, AR185:14, AR272:14, AR286:14, AR253:13, AR210:13, AR294:13, AR270:13, AR296:13, AR285:13, AR227:13, AR239:13, AR297:13, AR233:12, AR174:12, AR245:12, AR183:12, AR252:12, AR192:12, AR230:12, AR226:12, AR287:12, AR175:12, AR257:12, AR195:12, AR258:12, AR274:12, AR229:11, AR289:11, AR237:11, AR179:11, AR267:11, AR255:11, AR247:11, AR061:11, AR262:11, AR290:11, AR231:11, AR191:11, AR275:11, AR268:11, AR180:10, AR182:10, AR199:10, AR234:10, AR204:10, AR205:10, AR173:10, AR188:10, AR228:10, AR232:10, AR238:9, AR198:9, AR190:9, AR197:9, AR203:9, AR256:9, AR189:8, AR254:8, AR250:8, AR246:7, AR211:7, AR193:7, AR260:7, AR243:7, AR201:7, AR271:6, AR242:5 L0758:3, S0408:2, H0031:2, H0038:2, L0766:2, H0521:2, L0748:2, H0341:1, L3659:1, S0476:1, H0581:1, S0051:1, H0266:1, H0111:1, H0616:1, L0794:1, L0805:1, L0787:1, L0779:1, L0759:1, L0593:1, H0542:1 and H0543:1.
299	HTELS08	847090	309	AR235:6, AR215:6, AR242:5, AR162:4, AR161:4, AR192:4, AR165:4, AR053:4, AR163:4, AR269:4, AR164:4, AR291:4, AR288:4, AR166:4, AR176:4, AR221:4, AR257:4, AR282:3, AR236:3, AR217:3, AR264:3, AR261:3, AR196:3, AR178:3, AR270:3, AR177:3, AR272:3, AR181:3, AR255:3, AR297:3, AR294:3, AR172:3, AR182:3, AR295:3, AR296:3, AR055:3,

				AR060:3, AR285:3, AR179:3, AR240:3, AR191:3, AR287:3, AR216:3, AR293:3, AR175:3, AR183:3, AR225:3, AR313:3, AR199:3, AR180:3, AR238:3, AR233:3, AR195:3, AR223:2, AR239:2, AR228:2, AR173:2, AR168:2, AR311:2, AR262:2, AR290:2, AR263:2, AR237:2, AR268:2, AR188:2, AR266:2, AR033:2, AR229:2, AR247:2, AR207:2, AR277:2, AR286:2, AR174:2, AR300:2, AR267:2, AR193:2, AR250:2, AR230:2, AR258:2, AR189:2, AR246:2, AR289:2, AR096:2, AR231:2, AR283:2, AR185:2, AR089:2, AR222:2, AR275:2, AR308:2, AR201:2, AR260:2, AR190:2, AR316:2, AR312:2, AR061:2, AR226:2, AR243:2, AR299:2, AR104:2, AR171:1, AR200:1, AR219:1, AR309:1, AR227:1, AR203:1, AR256:1, AR039:1, AR234:1, AR169:1, AR232:1 H0616:2, L0758:2 and H0038:1.
300	HTEPG70	834931	310	AR176:9, AR282:7, AR162:7, AR161:7, AR163:7, AR055:7, AR182:7, AR060:6, AR266:6, AR253:6, AR201:6, AR228:5, AR242:5, AR269:5, AR204:5, AR198:5, AR268:5, AR261:5, AR233:5, AR229:5, AR267:5, AR270:5, AR263:5, AR165:5, AR166:5, AR181:5, AR214:5, AR223:4, AR246:4, AR183:4, AR164:4, AR236:4, AR239:4, AR309:4, AR257:4, AR283:4, AR178:4, AR275:4, AR053:4, AR289:4, AR238:4, AR177:4, AR193:4, AR185:4, AR230:4, AR089:4, AR218:4, AR277:4, AR179:4, AR192:4, AR264:4, AR039:4, AR237:4, AR104:4, AR316:4, AR061:4, AR243:4, AR175:4, AR300:4, AR222:4, AR240:4, AR299:4, AR231:4, AR224:3, AR096:3, AR312:3, AR308:3, AR173:3, AR245:3, AR212:3, AR226:3, AR196:3, AR271:3, AR286:3, AR247:3, AR274:3, AR215:3, AR255:3, AR293:3, AR288:3, AR174:3, AR197:3, AR191:3, AR296:3, AR207:3, AR221:3, AR262:3, AR227:3, AR287:3, AR199:3, AR190:3, AR290:3, AR180:3, AR234:3, AR311:2, AR313:2, AR203:2, AR291:2, AR200:2, AR272:2, AR294:2, AR232:2, AR216:2, AR188:2, AR295:2, AR258:2, AR033:2, AR260:2, AR285:2, AR189:2, AR297:2, AR171:2, AR205:2, AR195:2, AR219:2, AR168:2, AR210:2, AR213:1, AR256:1, AR172:1, AR211:1, AR254:1, AR235:1, AR169:1 H0616:3, L0758:3, L0717:1, H0038:1 and L0779:1.
301	HTGEP89	410582	311	AR204:2819, AR055:1652, AR243:1634, AR193:1321, AR242:1210, AR198:1095, AR197:1075, AR283:1053, AR039:973, AR195:937, AR201:917, AR207:849, AR192:820, AR205:809, AR300:762, AR271:680, AR053:647, AR246:622, AR173:609, AR245:560, AR254:559, AR275:550, AR233:536, AR212:528, AR308:522, AR229:477, AR282:470, AR250:462, AR089:461, AR227:459, AR272:439, AR176:429, AR274:408, AR213:408, AR253:398, AR234:385, AR312:385, AR270:369, AR239:367, AR226:364, AR252:361, AR257:351, AR228:347, AR247:346, AR316:343, AR060:337, AR174:332, AR185:332, AR163:332, AR165:325, AR177:322, AR260:320, AR240:319, AR164:315, AR166:312, AR231:304, AR161:301, AR061:296, AR309:280, AR162:271, AR258:267, AR033:256, AR293:245, AR255:227, AR294:227, AR261:220, AR179:217, AR238:217, AR297:217, AR264:213, AR262:209, AR286:205, AR175:201, AR236:200, AR311:199, AR288:197, AR287:196, AR299:195, AR232:190, AR263:184, AR104:174, AR230:173, AR096:172, AR182:168, AR200:159, AR277:158, AR237:155, AR199:146, AR268:144, AR203:142, AR313:140, AR285:140, AR269:140, AR267:139, AR235:138, AR295:132, AR190:122, AR178:115, AR181:110, AR189:103, AR180:103, AR256:101, AR289:95, AR266:94, AR296:84, AR183:82, AR290:81, AR196:78, AR219:77, AR218:73, AR188:70, AR291:64, AR191:63, AR171:52, AR222:47, AR168:47, AR224:43, AR169:43, AR170:41, AR214:37, AR221:36, AR223:35, AR217:34, AR216:32, AR172:32, AR225:23, AR215:18, AR211:16, AR210:9 L0775:3, L0779:2, L0758:2, S0218:1, S0001:1, H0305:1, L3435:1, L3815:1, L0766:1 and H0422:1.
302	HTHBG43	919911	312	AR215:6, AR225:5, AR171:3, AR170:3, AR193:3, AR180:3, AR254:3, AR169:3, AR221:2, AR243:2, AR309:2, AR164:2, AR283:2, AR222:2, AR172:2, AR176:1, AR224:1, AR299:1, AR290:1, AR311:1, AR242:1, AR270:1, AR216:1, AR168:1, AR296:1, AR277:1 L0485:2, H0306:1, H0063:1, L0646:1, L0794:1, L0766:1 and H0134:1.

	HTHBG43	906282	505	
303	HTHDS25	772559	313	AR313:26, AR096:17, AR163:16, AR161:16, AR165:16, AR166:16, AR162:16, AR164:15, AR173:15, AR089:15, AR183:14, AR178:14, AR175:14, AR247:14, AR293:13, AR192:13, AR308:13, AR181:13, AR299:12, AR176:12, AR229:12, AR242:12, AR180:11, AR269:11, AR182:10, AR300:10, AR179:10, AR264:10, AR258:10, AR226:10, AR233:10, AR240:10, AR268:10, AR104:9, AR312:9, AR275:9, AR238:9, AR212:9, AR053:9, AR174:9, AR218:9, AR196:9, AR296:9, AR177:9, AR262:9, AR282:9, AR245:8, AR257:8, AR198:8, AR197:8, AR316:8, AR270:8, AR228:8, AR185:8, AR204:8, AR060:8, AR200:8, AR234:8, AR309:8, AR297:8, AR286:8, AR266:8, AR039:7, AR236:7, AR285:7, AR239:7, AR267:7, AR274:7, AR231:7, AR237:7, AR193:7, AR294:7, AR203:7, AR195:6, AR213:6, AR261:6, AR263:6, AR287:6, AR290:6, AR191:6, AR277:6, AR199:6, AR033:6, AR295:6, AR243:6, AR201:6, AR289:6, AR230:6, AR235:6, AR255:6, AR291:6, AR260:5, AR227:5, AR205:5, AR256:5, AR219:5, AR271:5, AR207:5, AR189:5, AR288:5, AR061:5, AR272:5, AR250:5, AR223:4, AR246:4, AR214:4, AR055:4, AR188:4, AR232:4, AR283:4, AR170:4, AR254:3, AR169:3, AR171:3, AR221:3, AR253:3, AR311:3, AR190:3, AR224:3, AR215:3, AR210:2, AR168:2, AR222:2, AR225:2, AR172:2, AR211:1, AR216:1, AR217:1 H0063:1, T0067:1 and L0662:1.
304	HTLEP53	634852	314	AR173:20, AR262:20, AR313:19, AR196:16, AR161:16, AR162:15, AR175:15, AR163:15, AR258:15, AR165:15, AR164:14, AR166:14, AR178:13, AR257:13, AR300:13, AR179:13, AR181:12, AR233:12, AR229:12, AR174:12, AR183:12, AR247:12, AR240:11, AR234:11, AR177:11, AR191:11, AR200:10, AR236:10, AR293:10, AR242:10, AR199:10, AR269:10, AR182:10, AR180:10, AR260:9, AR255:9, AR275:8, AR238:8, AR264:8, AR228:8, AR270:8, AR261:8, AR188:8, AR297:8, AR231:8, AR185:8, AR226:8, AR294:8, AR296:8, AR176:8, AR312:8, AR287:8, AR203:7, AR219:7, AR268:7, AR290:7, AR230:7, AR033:7, AR267:7, AR274:7, AR096:7, AR237:7, AR213:7, AR189:7, AR285:6, AR286:6, AR288:6, AR197:6, AR295:6, AR053:6, AR212:6, AR308:6, AR291:6, AR204:6, AR218:6, AR266:6, AR309:6, AR198:6, AR089:5, AR235:5, AR282:5, AR193:5, AR170:5, AR299:5, AR263:5, AR239:5, AR256:5, AR210:5, AR190:5, AR277:5, AR289:5, AR316:5, AR169:4, AR217:4, AR192:4, AR060:4, AR201:4, AR223:4, AR227:4, AR245:4, AR171:4, AR252:4, AR243:4, AR221:4, AR232:4, AR211:4, AR061:4, AR272:4, AR271:3, AR311:3, AR195:3, AR205:3, AR039:3, AR172:3, AR250:3, AR214:2, AR207:2, AR055:2, AR168:2, AR222:2, AR283:2, AR224:2, AR104:2, AR215:2, AR216:1, AR225:1 H0253:1
305	HTLGE31	1035130	315	AR248:803, AR258:750, AR259:694, AR309:673, AR256:663, AR312:560, AR253:551, AR053:520, AR266:496, AR286:488, AR289:486, AR213:478, AR265:434, AR310:428, AR263:421, AR294:413, AR052:367, AR249:341, AR315:332, AR241:320, AR219:316, AR292:296, AR247:289, AR218:287, AR280:285, AR275:279, AR281:278, AR271:268, AR202:264, AR177:263, AR198:263, AR246:249, AR293:234, AR268:231, AR205:223, AR243:222, AR183:221, AR204:219, AR194:216, AR206:196, AR179:195, AR244:193, AR283:192, AR192:191, AR269:190, AR314:190, AR291:180, AR274:177, AR284:175, AR298:174, AR240:173, AR273:171, AR096:168, AR175:147, AR313:146, AR231:145, AR270:144, AR290:139, AR316:135, AR033:134, AR300:124, AR039:121, AR267:120, AR184:118, AR234:118, AR285:112, AR186:99, AR229:93, AR299:89, AR104:87, AR237:85, AR182:84, AR296:74, AR251:72, AR055:66, AR232:66, AR295:65, AR185:59, AR089:56, AR282:51, AR226:48, AR238:44, AR061:37, AR227:31, AR233:29, AR277:21, AR060:15 H0618:1, L0368:1 and S0053:1.
306	HTLHY14	838460	316	AR215:8, AR169:7, AR176:6, AR060:6, AR055:6, AR223:6, AR269:6, AR162:6, AR182:6, AR277:5, AR161:5, AR163:5,

				AR183:5, AR225:5, AR104:5, AR181:5, AR171:4, AR266:4, AR228:4, AR257:4, AR221:4, AR053:4, AR267:4, AR291:4, AR274:4, AR229:4, AR233:4, AR236:4, AR177:4, AR168:4, AR235:4, AR253:4, AR179:4, AR191:4, AR240:4, AR255:4, AR089:4, AR261:4, AR239:3, AR268:3, AR178:3, AR237:3, AR238:3, AR309:3, AR216:3, AR275:3, AR283:3, AR252:3, AR224:3, AR294:3, AR262:3, AR300:3, AR217:3, AR290:3, AR287:3, AR293:3, AR270:3, AR185:3, AR172:3, AR296:3, AR288:3, AR316:3, AR299:3, AR311:3, AR180:3, AR289:3, AR231:3, AR214:3, AR196:3, AR175:3, AR061:3, AR230:3, AR170:3, AR313:3, AR039:3, AR188:3, AR285:3, AR282:3, AR199:3, AR174:3, AR234:3, AR297:2, AR190:2, AR207:2, AR218:2, AR286:2, AR189:2, AR200:2, AR226:2, AR096:2, AR272:2, AR295:2, AR173:2, AR247:2, AR227:2, AR264:2, AR232:2, AR164:2, AR263:2, AR312:2, AR033:2, AR243:2, AR213:2, AR165:2, AR193:2, AR203:2, AR205:2, AR219:2, AR258:2, AR166:2, AR201:2, AR250:1, AR271:1, AR260:1, AR222:1 H0618:12, H0253:7, L0758:5, L0766:3, L0779:3, S0222:1, H0150:1, H0063:1, L0648:1, H0522:1 and L0698:1.
307	HTLIV19	1046341	317	AR313:57, AR039:49, AR089:39, AR299:34, AR277:31, AR185:28, AR096:28, AR300:28, AR240:27, AR316:25, AR218:23, AR104:23, AR060:21, AR219:20, AR055:17, AR282:17, AR283:12 H0618:1
308	HTOAK16	560744	318	AR219:41, AR218:38, AR096:21, AR316:19, AR089:18, AR313:16, AR060:12, AR104:11, AR039:11, AR282:10, AR299:9, AR240:9, AR264:9, AR055:8, AR252:7, AR185:7, AR263:7, AR300:7, AR225:7, AR309:6, AR162:6, AR254:6, AR193:6, AR161:6, AR217:5, AR283:5, AR163:5, AR277:5, AR308:5, AR176:5, AR270:4, AR269:4, AR229:4, AR182:4, AR228:4, AR224:4, AR183:4, AR275:4, AR223:4, AR267:4, AR237:4, AR266:4, AR177:4, AR171:4, AR291:4, AR165:4, AR181:4, AR238:4, AR178:4, AR312:4, AR261:4, AR247:4, AR164:3, AR268:3, AR173:3, AR272:3, AR233:3, AR216:3, AR166:3, AR231:3, AR297:3, AR200:3, AR293:3, AR175:3, AR196:3, AR226:3, AR236:3, AR295:3, AR246:3, AR221:3, AR230:3, AR296:3, AR199:3, AR290:3, AR274:3, AR289:3, AR214:3, AR255:3, AR239:3, AR311:3, AR189:3, AR234:3, AR285:3, AR257:3, AR286:3, AR288:3, AR174:3, AR195:3, AR262:2, AR190:2, AR179:2, AR287:2, AR168:2, AR191:2, AR294:2, AR188:2, AR172:2, AR201:2, AR227:2, AR170:2, AR203:2, AR211:2, AR061:2, AR198:2, AR258:2, AR232:2, AR180:2, AR256:1, AR222:1, AR271:1, AR260:1, AR033:1 H0587:1, L3816:1, H0599:1, H0052:1, H0264:1 and L0748:1.
309	HTOGR42	838160	319	AR282:8, AR176:4, AR253:3, AR222:3, AR217:3, AR235:3, AR291:2, AR207:2, AR163:2, AR192:2, AR221:2, AR224:2, AR168:2, AR161:2, AR171:2, AR223:2, AR205:2, AR181:2, AR089:2, AR309:2, AR165:2, AR033:2, AR164:1, AR178:1, AR166:1, AR264:1, AR172:1, AR240:1, AR195:1, AR272:1, AR225:1, AR252:1, AR257:1, AR210:1, AR201:1 H0264:1
	HTOGR42	570751	506	
310	HTOHT18	628300	320	AR252:6, AR245:5, AR294:5, AR207:4, AR269:4, AR204:4, AR171:4, AR234:4, AR289:3, AR231:3, AR296:3, AR221:3, AR243:3, AR214:3, AR238:3, AR182:3, AR165:3, AR223:2, AR201:2, AR164:2, AR166:2, AR217:2, AR242:2, AR267:2, AR181:2, AR168:2, AR177:2, AR240:2, AR293:2, AR216:2, AR313:2, AR271:2, AR264:2, AR212:2, AR200:2, AR060:2, AR282:2, AR262:2, AR233:2, AR225:2, AR190:2, AR260:2, AR239:2, AR199:2, AR300:2, AR061:2, AR309:2, AR039:2, AR247:2, AR203:2, AR089:2, AR224:1, AR222:1, AR290:1, AR277:1, AR257:1, AR258:1, AR232:1, AR316:1, AR185:1, AR308:1, AR193:1, AR173:1, AR196:1, AR268:1, AR183:1, AR311:1, AR172:1, AR205:1, AR219:1, AR211:1 L0766:7, H0616:4, L0601:4, L0779:3, L0758:3, L0794:2, L0747:2, L0777:2, H0657:1, S0358:1, S0045:1, S0140:1, H0370:1, H0574:1, H0318:1, H0597:1, H0545:1, H0081:1, S0050:1, H0014:1, H0290:1, H0328:1, H0264:1; H0494:1, L0645:1, L0805:1, L0652:1, L0789:1, L0749:1 and L0750:1.
311	HTOIZ02	826312	321	AR192:8, AR161:7, AR162:7, AR163:7, AR089:7, AR165:6, AR166:6, AR164:6, AR313:6, AR180:6, AR243:5, AR242:5,

				AR207:5, AR096:5, AR246:5, AR053:5, AR178:4, AR275:4, AR274:4, AR173:4, AR264:4, AR266:4, AR060:4, AR039:4, AR309:4, AR282:3, AR213:3, AR271:3, AR272:3, AR193:3, AR229:3, AR212:3, AR175:3, AR312:3, AR104:3, AR176:3, AR217:3, AR228:3, AR269:3, AR239:3, AR270:3, AR201:3, AR238:3, AR182:3, AR316:3, AR277:3, AR237:3, AR183:3, AR230:3, AR291:3, AR296:3, AR231:3, AR033:3, AR293:3, AR240:3, AR285:3, AR295:3, AR185:2, AR204:2, AR225:2, AR311:2, AR286:2, AR297:2, AR181:2, AR226:2, AR227:2, AR267:2, AR289:2, AR300:2, AR299:2, AR232:2, AR268:2, AR287:2, AR205:2, AR218:2, AR174:2, AR234:2, AR294:2, AR223:2, AR179:2, AR247:2, AR233:2, AR290:2, AR308:2, AR211:2, AR283:2, AR258:1, AR172:1, AR260:1, AR288:1, AR197:1, AR219:1, AR254:1, AR257:1, AR210:1, AR255:1 H0264:3, S0134:2, H0318:2, H0271:2, L0748:2, L0749:2, H0556:1, H0663:1, H0402:1, H0587:1, H0013:1, H0234:1, H0252:1, H0616:1, H0561:1, L0518:1, L0544:1, S0126:1, S3012:1, H0444:1, H0445:1 and L0596:1.
	HTOIZ02	847904	507	
312	HTOJK60	545067	322	AR313:29, AR173:22, AR165:22, AR164:21, AR166:21, AR161:20, AR163:19, AR262:19, AR264:19, AR089:18, AR162:18, AR218:18, AR258:17, AR240:16, AR300:16, AR247:15, AR175:15, AR096:15, AR183:14, AR299:14, AR180:14, AR178:14, AR229:14, AR196:14, AR257:14, AR174:13, AR191:13, AR236:12, AR192:12, AR181:12, AR242:12, AR296:12, AR293:12, AR207:12, AR219:11, AR179:11, AR260:11, AR213:11, AR185:11, AR182:11, AR177:11, AR234:11, AR212:11, AR312:10, AR316:10, AR261:10, AR199:10, AR297:10, AR270:10, AR053:10, AR233:10, AR269:10, AR200:10, AR226:10, AR193:10, AR238:10, AR060:9, AR285:9, AR230:9, AR203:9, AR033:9, AR263:9, AR308:9, AR235:9, AR255:9, AR286:9, AR294:9, AR237:9, AR277:9, AR287:8, AR176:8, AR039:8, AR274:8, AR282:8, AR275:8, AR204:8, AR104:8, AR198:8, AR195:8, AR295:8, AR188:8, AR189:8, AR231:8, AR228:8, AR288:8, AR223:7, AR171:7, AR253:7, AR245:7, AR168:7, AR250:7, AR291:7, AR309:7, AR268:7, AR311:6, AR210:6, AR266:6, AR239:6, AR211:6, AR289:6, AR224:6, AR197:6, AR227:6, AR256:5, AR222:5, AR243:5, AR214:5, AR267:5, AR221:5, AR055:5, AR290:5, AR217:5, AR216:5, AR201:5, AR271:5, AR172:5, AR232:5, AR254:5, AR272:4, AR205:4, AR190:4, AR169:4, AR246:4, AR215:4, AR061:4, AR170:3, AR283:3, AR225:3, AR252:2 L0438:6, H0519:5, H0156:4, L0747:4, L0758:4, L0763:3, L0783:3, L0777:3, T0002:2, H0341:2, H0663:2, H0402:2, S0036:2, H0551:2, L0520:2, L0646:2, L0775:2, L0776:2, L0517:2, H0547:2, S0126:2, L0756:2, L0779:2, L0755:2, L0591:2, H0713:1, S0114:1, S0116:1, H0125:1, S0358:1, S0360:1, S0476:1, S6026:1, H0549:1, S0222:1, H0599:1, S0346:1, H0421:1, H0544:1, H0050:1, H0510:1, S6028:1, S0022:1, H0328:1, H0039:1, L0055:1, L0455:1, H0124:1, H0040:1, H0634:1, H0264:1, T0042:1, H0494:1, H0560:1, L0768:1, L0364:1, L0794:1, L0766:1, L0774:1, L0657:1, L0659:1, L0666:1, L0665:1, S0052:1, H0144:1, H0709:1, H0521:1, S0013:1, H0436:1, L0740:1, L0754:1, L0749:1, L0750:1, L0752:1, H0707:1, S0434:1, H0667:1, H0423:1, S0412:1 and S0456:1.
313	HTPCS72	854941	323	AR219:14, AR218:13, AR104:11, AR240:9, AR060:8, AR055:7, AR299:7, AR096:7, AR316:7, AR185:6, AR313:6, AR089:6, AR300:6, AR039:5, AR283:4, AR282:4, AR277:2 L0438:6, L0439:5, H0661:3, L0776:3, H0556:2, H0100:2, L0598:2, L0764:2, L0766:2, H0672:2, L0777:2, L0731:2, H0170:1, H0171:1, H0265:1, H0140:1, S0114:1, H0657:1, H0656:1, H0638:1, S0418:1, S0408:1, H0730:1, H0741:1, S0046:1, H0411:1, S0278:1, H0550:1, S0222:1, T0104:1, H0600:1, S0280:1, S0474:1, H0007:1, T0110:1, H0046:1, H0457:1, H0150:1, H0566:1, H0620:1, H0057:1, H0039:1, H0030:1, L0055:1, H0090:1, H0413:1, H0623:1, H0059:1, H0647:1, H0529:1, L0770:1, L0646:1, L0645:1, L0521:1, L0794:1, L0650:1, L0659:1, L5623:1, L0789:1, L0666:1, L0663:1, L0664:1, H0144:1, H0547:1, S0152:1, L0740:1,

				L0747:1, L0750:1, L0756:1, L0779:1, L0757:1, L0758:1, L0595:1 and H0422:1.
	HTPCS72	566683	508	
314	HTPIH83	919916	324	AR176:5, AR180:5, AR266:5, AR182:5, AR223:4, AR267:4, AR183:4, AR233:4, AR269:4, AR181:4, AR228:4, AR236:4, AR245:4, AR224:4, AR169:3, AR225:3, AR238:3, AR231:3, AR168:3, AR257:3, AR229:3, AR161:3, AR162:3, AR177:3, AR293:3, AR237:3, AR221:3, AR289:3, AR163:3, AR268:3, AR239:3, AR215:3, AR261:3, AR288:3, AR170:3, AR175:3, AR226:3, AR174:3, AR199:3, AR290:3, AR179:2, AR191:2, AR255:2, AR264:2, AR234:2, AR061:2, AR217:2, AR240:2, AR282:2, AR216:2, AR294:2, AR060:2, AR196:2, AR287:2, AR172:2, AR173:2, AR178:2, AR285:2, AR295:2, AR200:2, AR291:2, AR222:2, AR190:2, AR247:2, AR189:2, AR309:2, AR203:2, AR188:2, AR300:2, AR230:2, AR311:2, AR296:2, AR262:2, AR171:2, AR275:2, AR235:1, AR232:1, AR227:1, AR258:1, AR286:1, AR033:1, AR297:1, AR039:1, AR256:1, AR316:1, AR313:1, AR089:1, AR185:1, AR277:1 H0622:7, S0360:3, L0809:3, L0804:2, L0774:2, L0775:2, L0748:2, H0484:1, H0014:1, S0440:1, L0646:1, L0643:1, L0374:1, L0764:1, L0771:1, L0773:1, L0662:1, L0803:1 and L0788:1.
	HTPIH83	895024	509	
	HTPIH83	898088	510	
315	HTSEW17	460579	325	AR170:7, AR161:7, AR162:7, AR163:7, AR182:7, AR225:6, AR176:6, AR282:5, AR228:5, AR223:5, AR266:5, AR180:5, AR224:5, AR178:5, AR269:5, AR181:5, AR261:5, AR309:5, AR233:5, AR250:5, AR191:5, AR216:4, AR257:4, AR231:4, AR267:4, AR236:4, AR268:4, AR274:4, AR229:4, AR270:4, AR214:4, AR179:4, AR239:4, AR165:4, AR288:4, AR247:4, AR263:4, AR089:4, AR255:4, AR237:4, AR061:4, AR164:4, AR287:3, AR275:3, AR240:3, AR177:3, AR096:3, AR264:3, AR174:3, AR166:3, AR183:3, AR234:3, AR293:3, AR291:3, AR295:3, AR173:3, AR300:3, AR168:3, AR200:3, AR299:3, AR190:3, AR221:3, AR196:3, AR296:3, AR290:3, AR316:3, AR294:3, AR262:3, AR175:3, AR297:3, AR185:3, AR238:3, AR313:3, AR060:3, AR230:3, AR055:3, AR039:3, AR283:3, AR286:3, AR227:3, AR260:2, AR172:2, AR285:2, AR053:2, AR308:2, AR217:2, AR311:2, AR188:2, AR277:2, AR203:2, AR226:2, AR272:2, AR232:2, AR192:2, AR222:2, AR189:2, AR201:2, AR213:2, AR312:2, AR258:2, AR193:2, AR289:2, AR171:2, AR199:2, AR256:1, AR219:1, AR212:1, AR215:1, AR211:1, AR033:1, AR218:1 H0087:1, S0002:1, L0769:1, L0789:1, H0683:1, H0670:1, L0748:1, L0749:1, L0752:1 and L0758:1.
316	HTTBI76	637725	326	AR252:4, AR214:4, AR309:3, AR169:3, AR297:3, AR193:3, AR250:3, AR271:3, AR291:3, AR161:3, AR272:2, AR033:2, AR294:2, AR217:2, AR221:2, AR223:2, AR312:2, AR168:2, AR163:2, AR261:2, AR181:2, AR210:1, AR197:1, AR225:1, AR205:1, AR267:1, AR270:1, AR165:1, AR222:1, AR216:1, AR170:1, AR295:1, AR166:1, AR213:1 L0803:4, L0731:4, L0774:3, S0380:3, S0028:3, L0758:3, H0486:2, S0003:2, H0040:2, S0344:2, L0766:2, L0775:2, H0547:2, L0748:2, L0756:2, L0777:2, L0780:2, L0753:2, S0011:2, H0716:1, H0638:1, L0617:1, S0358:1, H0411:1, S0280:1, H0318:1, H0355:1, H0674:1, H0212:1, H0135:1, H0038:1, H0132:1, S0142:1, S0002:1, H0529:1, L0804:1, L0632:1, L0666:1, H0682:1, H0684:1, H0525:1, S0044:1, S0406:1, H0555:1, L0747:1, L0750:1, L0752:1, L0755:1, L0604:1 and S0026:1.
317	HTTBS64	1008159	327	AR282:4, AR252:4, AR269:3, AR171:3, AR170:3, AR264:2, AR176:2, AR291:2, AR311:2, AR225:2, AR277:2, AR168:2, AR270:2, AR172:2, AR262:1, AR271:1, AR055:1, AR272:1, AR299:1, AR257:1, AR313:1 H0040:1
	HTTBS64	863187	511	
	HTTBS64	754125	512	

318	HTWDF76	714344	328	AR214:37, AR169:30, AR222:28, AR207:27, AR223:27, AR224:26, AR263:25, AR235:25, AR217:24, AR171:22, AR168:22, AR172:22, AR170:21, AR215:21, AR225:20, AR311:19, AR309:19, AR195:19, AR216:18, AR164:18, AR162:18, AR161:17, AR192:17, AR165:17, AR213:17, AR166:17, AR198:17, AR295:16, AR308:16, AR163:16, AR053:16, AR245:16, AR089:15, AR221:15, AR261:15, AR264:15, AR177:14, AR196:14, AR240:14, AR236:14, AR210:14, AR212:14, AR288:13, AR312:13, AR271:12, AR197:12, AR282:12, AR277:12, AR316:12, AR252:12, AR211:11, AR033:11, AR181:11, AR246:11, AR299:11, AR285:11, AR174:10, AR242:10, AR060:10, AR286:10, AR193:10, AR275:10, AR238:10, AR229:10, AR313:10, AR201:10, AR055:9, AR291:9, AR188:9, AR232:9, AR218:9, AR205:9, AR185:9, AR096:9, AR289:9, AR300:9, AR104:9, AR239:9, AR274:9, AR199:8, AR253:8, AR297:8, AR296:8, AR287:8, AR283:8, AR258:8, AR200:8, AR039:8, AR175:8, AR293:8, AR204:8, AR219:8, AR191:7, AR247:7, AR234:7, AR176:7, AR254:7, AR227:7, AR173:7, AR237:7, AR262:7, AR189:7, AR230:7, AR256:7, AR231:7, AR272:7, AR226:7, AR266:7, AR250:6, AR294:6, AR257:6, AR183:6, AR270:6, AR255:6, AR203:6, AR268:6, AR269:6, AR290:6, AR260:6, AR180:6, AR243:5, AR178:5, AR233:5, AR190:5, AR061:5, AR179:5, AR182:4, AR228:4, AR267:4 H0436:1
319	HTXCV12	1352213	329	AR282:6, AR162:4, AR161:4, AR163:4, AR053:4, AR176:4, AR264:3, AR217:3, AR214:3, AR250:3, AR168:3, AR182:3, AR172:3, AR266:3, AR274:3, AR269:3, AR270:3, AR225:3, AR165:3, AR213:3, AR235:3, AR178:3, AR164:3, AR257:3, AR309:3, AR166:3, AR228:3, AR267:3, AR216:3, AR268:3, AR221:2, AR175:2, AR294:2, AR210:2, AR240:2, AR179:2, AR089:2, AR177:2, AR290:2, AR171:2, AR291:2, AR262:2, AR255:2, AR247:2, AR288:2, AR233:2, AR237:2, AR283:2, AR263:2, AR239:2, AR238:2, AR316:2, AR191:2, AR275:2, AR236:2, AR193:2, AR229:2, AR185:2, AR060:2, AR296:2, AR183:2, AR261:2, AR200:2, AR277:2, AR234:2, AR055:2, AR226:2, AR188:2, AR313:2, AR174:2, AR222:2, AR170:2, AR272:2, AR196:2, AR096:2, AR295:2, AR289:2, AR293:2, AR231:1, AR181:1, AR311:1, AR299:1, AR227:1, AR300:1, AR312:1, AR173:1, AR061:1, AR203:1, AR195:1, AR201:1, AR260:1, AR286:1, AR287:1, AR224:1 L0766:16, L0743:11, H0692:8, L0769:7, L0518:6, L0748:6, L0771:4, L0745:4, L0779:4, H0265:3, S0358:3, H0494:3, L0755:3, H0550:2, H0486:2, H0581:2, H0135:2, L0761:2, L0804:2, L0774:2, L0438:2, L0777:2, H0685:1, S0114:1, H0583:1, L3814:1, S0116:1, S0212:1, H0254:1, S0408:1, S0476:1, T0104:1, H0586:1, H0587:1, H0331:1, T0109:1, H0599:1, L0738:1, H0150:1, H0012:1, H0264:1, S0438:1, L0770:1, L0374:1, L0764:1, L0768:1, L0803:1, L0653:1, L0776:1, L0788:1, L0792:1, L0663:1, S0428:1, S0053:1, S0216:1, H0783:1, L3811:1, S0152:1, H0522:1, H0555:1, S0432:1, L0744:1, L0751:1, L0749:1, L0756:1, L0758:1, S0436:1, L0601:1, H0543:1, H0423:1, S0424:1 and H0506:1.
	HTXCV12	567006	513	
320	HTXFL30	620001	330	AR271:4, AR171:4, AR221:3, AR181:3, AR180:3, AR269:3, AR243:3, AR253:3, AR223:3, AR224:3, AR162:2, AR163:2, AR245:2, AR161:2, AR178:2, AR168:2, AR215:2, AR246:2, AR291:2, AR192:2, AR193:1, AR257:1, AR295:1, AR263:1, AR216:1, AR272:1, AR293:1, AR175:1, AR290:1, AR236:1, AR312:1, AR225:1, AR173:1, AR172:1, AR267:1, AR300:1 H0038:2, H0265:1, H0556:1, S0134:1, S0222:1, L0455:1, L0792:1, S0152:1, S0028:1 and L0591:1.
321	HTXJM03	603918	331	AR313:13, AR252:10, AR282:8, AR312:7, AR176:7, AR096:7, AR269:6, AR254:6, AR201:6, AR196:6, AR245:6, AR250:6, AR270:6, AR197:6, AR053:6, AR161:6, AR162:6, AR180:6, AR089:6, AR163:6, AR169:6, AR191:5, AR170:5, AR240:5, AR165:5, AR178:5, AR183:5, AR290:5, AR164:5, AR166:5, AR300:5, AR257:5, AR039:5, AR264:5, AR229:5, AR203:5, AR266:5, AR268:5, AR267:5, AR255:5, AR181:5, AR236:5, AR297:5, AR233:4, AR296:4, AR309:4, AR182:4, AR193:4, AR228:4, AR179:4, AR175:4, AR188:4, AR247:4, AR316:4, AR173:4, AR177:4, AR293:4, AR271:4, AR231:4,

				AR213:4, AR060:4, AR225:4, AR308:4, AR212:4, AR243:4, AR285:4, AR200:4, AR199:4, AR192:4, AR287:4, AR189:4, AR294:4, AR286:4, AR238:4, AR299:3, AR291:3, AR295:3, AR239:3, AR261:3, AR237:3, AR263:3, AR198:3, AR283:3, AR172:3, AR185:3, AR216:3, AR204:3, AR288:3, AR311:3, AR234:3, AR205:3, AR262:3, AR258:3, AR289:3, AR055:3, AR277:3, AR224:3, AR207:3, AR230:3, AR168:3, AR226:3, AR223:3, AR061:3, AR190:2, AR174:2, AR218:2, AR227:2, AR195:2, AR256:2, AR274:2, AR260:2, AR217:2, AR235:2, AR033:2, AR246:2, AR275:2, AR171:2, AR219:2, AR104:2, AR232:1, AR253:1, AR211:1, AR210:1, AR242:1 L0766:5, H0313:3, H0624:1, H0265:1, H0556:1, S0116:1, H0329:1, H0486:1, H0156:1, H0590:1, H0009:1, S0250:1, H0169:1, S0450:1, S0002:1, L0769:1, L0793:1, L0532:1, L0750:1, L0777:1 and S0424:1.
322	HTXON32	838288	332	AR195:107, AR197:91, AR172:81, AR246:78, AR295:74, AR272:72, AR258:71, AR196:67, AR224:67, AR235:67, AR171:66, AR193:66, AR291:63, AR297:59, AR223:58, AR168:57, AR200:56, AR263:55, AR222:54, AR170:53, AR261:53, AR245:52, AR236:52, AR169:52, AR311:49, AR256:49, AR225:49, AR188:48, AR173:48, AR285:48, AR288:47, AR221:46, AR260:46, AR198:46, AR313:46, AR174:45, AR201:45, AR271:45, AR191:44, AR175:44, AR217:44, AR286:44; AR287:43, AR309:43, AR270:43, AR264:42, AR211:42, AR274:42, AR308:41, AR199:41, AR181:40, AR294:40, AR214:39, AR262:39, AR216:39, AR243:39, AR189:39, AR275:38, AR177:38, AR215:38, AR033:38, AR255:37, AR296:37, AR210:36, AR190:36, AR257:36, AR289:35, AR213:35, AR282:34, AR240:34, AR218:34, AR163:32, AR247:32, AR176:31, AR180:30, AR312:30, AR254:30, AR212:30, AR166:29, AR300:29, AR162:29, AR293:29, AR203:29, AR183:29, AR219:28, AR161:28, AR192:28, AR242:28, AR165:27, AR250:27, AR269:27, AR185:27, AR164:26, AR039:25, AR104:25, AR266:24, AR290:24, AR316:24, AR179:23, AR182:23, AR178:23, AR096:22, AR238:21, AR053:21, AR205:20, AR268:20, AR089:20, AR207:19, AR267:19, AR299:19, AR204:19, AR229:18, AR234:18, AR226:17, AR277:17, AR231:17, AR253:16, AR237:15, AR232:14, AR230:14, AR233:14, AR060:13, AR283:11, AR239:10, AR055:9, AR061:9, AR228:9, AR252:8, AR227:6 H0556:1
323	HUFBY15	1352349	333	AR310:36, AR309:31, AR312:30, AR052:28, AR265:24, AR213:15, AR273:14, AR249:13, AR263:12, AR313:12, AR251:12, AR248:12, AR274:10, AR053:10, AR315:10, AR253:9, AR280:8, AR314:8, AR219:7, AR096:6, AR218:6, AR089:6, AR299:6, AR316:5, AR192:5, AR271:5, AR186:4, AR039:4, AR282:4, AR206:4, AR244:3, AR300:3, AR185:3, AR247:3, AR252:3, AR198:3, AR060:3, AR205:3, AR202:3, AR281:2, AR275:2, AR246:2, AR055:2, AR104:2, AR183:2, AR225:2, AR180:2, AR240:2, AR215:2, AR199:2, AR264:2, AR277:2, AR243:2, AR033:2, AR176:2, AR061:1, AR161:1, AR272:1, AR214:1, AR193:1, AR169:1, AR175:1, AR261:1, AR283:1, AR178:1, AR297:1 L0794:5, H0036:3, S0360:2, S0442:1, S0476:1, H0014:1, S0314:1, L0772:1, L0646:1, L0764:1, L0803:1 and H0689:1.
	HUFBY15	846380	514	
324	HUFCJ30	638402	334	AR277:9, AR207:8, AR215:7, AR192:7, AR170:6, AR223:6, AR282:6, AR235:6, AR216:6, AR225:6, AR165:6, AR169:6, AR171:6, AR164:5, AR245:5, AR168:5, AR166:5, AR198:5, AR222:5, AR089:5, AR242:5, AR183:5, AR195:5, AR221:5, AR193:4, AR224:4, AR214:4, AR313:4, AR252:4, AR172:4, AR243:4, AR236:4, AR201:4, AR299:4, AR295:4, AR246:4, AR238:4, AR264:4, AR176:4, AR161:4, AR240:4, AR162:4, AR309:4, AR204:4, AR263:4, AR163:4, AR261:4, AR217:4, AR297:4, AR316:3, AR285:3, AR182:3, AR269:3, AR270:3, AR205:3, AR308:3, AR197:3, AR060:3, AR311:3, AR230:3, AR055:3, AR173:3, AR196:3, AR250:3, AR288:3, AR272:3, AR213:3, AR234:3, AR181:3, AR312:3, AR283:3, AR199:3, AR180:3, AR033:3, AR266:3, AR175:3, AR254:3, AR177:3, AR262:3, AR296:3, AR300:3, AR268:3, AR290:3, AR231:3,

				AR287:3, AR247:3, AR294:3, AR191:3, AR275:3, AR291:2, AR237:2, AR228:2, AR179:2, AR174:2, AR096:2, AR289:2, AR178:2, AR233:2, AR229:2, AR286:2, AR255:2, AR226:2, AR185:2, AR293:2, AR200:2, AR188:2, AR189:2, AR227:2, AR257:2, AR212:2, AR203:2, AR239:2, AR104:2, AR053:2, AR061:2, AR258:2, AR039:2, AR232:2, AR271:2, AR218:2, AR219:2, AR260:2, AR190:2, AR267:2, AR210:1 L0777:7, L0751:3, L0766:2, L0438:2, L0779:2, H0352:2, H0351:1, S0222:1, H0333:1, H0687:1, H0646:1, L0770:1, L0642:1, L0662:1, L0803:1, L0375:1, L0805:1, L0653:1, L0659:1, L0790:1, L0663:1, L0664:1, L0665:1 and H0506:1.
325	HUKAH51	1352424	335	AR039:323, AR104:317, AR055:287, AR060:230, AR185:220, AR089:214, AR300:199, AR282:174, AR240:174, AR316:160, AR096:135, AR277:128, AR299:121, AR283:108, AR219:95, AR218:82, AR313:81 S0410:26, L0777:13, S0444:6, L0439:5, L0731:5, S0358:4, S0440:4, L0766:4, L0748:4, L0758:4, H0661:3, S0442:3, S0408:3, H0393:3, H0574:3, H0038:3, H0616:3, S0438:3, H0509:3, L0794:3, L0438:3, S0406:3, L0779:3, S0360:2, H0050:2, H0510:2, H0266:2, S0003:2, H0032:2, H0040:2, H0634:2, L0764:2, L0655:2, S0374:2, L0588:2, H0624:1, H0171:1, S6024:1, S0134:1, S0001:1, H0742:1, H0730:1, H0722:1, H0411:1, H0331:1, H0485:1, H0486:1, H0575:1, H0204:1, T0115:1, H0150:1, H0014:1, H0083:1, S0214:1, H0615:1, H0169:1, H0124:1, H0598:1, H0059:1, H0646:1, H0529:1, L0772:1, L0648:1, L0649:1, L0803:1, L0774:1, L0805:1, L0809:1, L0791:1, S0052:1, H0144:1, H0659:1, S0328:1, S0330:1, S0146:1, H0478:1, S0026:1 and H0423:1.
	HUKAH51	1300737	515	
	HUKAH51	603538	516	
326	HUSXS50	1352367	336	AR253:15, AR270:12, AR184:11, AR268:11, AR263:11, AR226:11, AR182:10, AR096:10, AR060:10, AR248:10, AR219:9, AR269:9, AR313:8, AR238:8, AR290:8, AR284:8, AR218:8, AR240:8, AR232:8, AR296:7, AR104:7, AR265:7, AR285:7, AR299:7, AR251:7, AR298:7, AR249:7, AR316:7, AR039:7, AR231:6, AR237:6, AR267:6, AR286:6, AR234:6, AR033:6, AR179:6, AR292:6, AR247:6, AR089:6, AR233:5, AR229:5, AR294:5, AR227:5, AR185:5, AR183:5, AR291:5, AR300:5, AR295:5, AR280:5, AR289:4, AR266:4, AR175:4, AR282:4, AR310:4, AR177:4, AR293:4, AR055:4, AR315:4, AR241:3, AR309:3, AR314:3, AR312:3, AR053:3, AR061:3, AR277:3, AR186:3, AR213:2, AR052:2, AR274:2, AR258:1, AR259:1, AR283:1 L0748:36, L0747:14, L0731:10, L0439:8, S0116:7, H0031:7, L0766:7, H0521:7, H0305:6, H0616:6, L0659:6, L0759:6, L0591:6, H0265:5, H0556:5, S0474:5, H0038:5, L0740:5, L0750:5, H0657:4, H0581:4, H0050:4, H0641:4, L0770:4, L0776:4, L0665:4, H0144:4, H0547:4, H0436:4, L0754:4, L0752:4, H0543:4, H0013:3, H0251:3, H0199:3, H0040:3, H0634:3, H0551:3, H0623:3, S0344:3, S0210:3, L0662:3, L0774:3, L0666:3, L0663:3, L0438:3, S0031:3, H0542:3, H0422:3, S0040:2, H0656:2, H0580:2, S0476:2, H0550:2, H0592:2, H0618:2, H0318:2, H0421:2, H0024:2, H0510:2, H0328:2, H0622:2, H0644:2, S0036:2, H0163:2, H0591:2, H0059:2, T0041:2, H0560:2, S0440:2, S0002:2, L0369:2, L0638:2, L0761:2, L0764:2, L0649:2, L0803:2, L0805:2, H0539:2, L0745:2, L0749:2, L0756:2, S0436:2, L0588:2, L0604:2, L0362:2, L0361:2, H0136:2, L0615:1, H0686:1, H0255:1, H0664:1, H0589:1, H0638:1, S0420:1, S0356:1, S0376:1, H0722:1, S0468:1, S0045:1, H0393:1, H0640:1, S0300:1, L3388:1, H0351:1, S0278:1, H0549:1, H0431:1, H0392:1, H0409:1, H0642:1, H0574:1, H0559:1, T0039:1, L3655:1, T0109:1, H0069:1, H0635:1, H0253:1, S0010:1, S0346:1, L0040:1, H0123:1, L0471:1, H0047:1, H0197:1, T0003:1, H0015:1, S0051:1, H0267:1, H0179:1, H0687:1, H0290:1, S0250:1, H0039:1, T0006:1, H0674:1, L0456:1, H0068:1, H0376:1, H0063:1, T0067:1, H0264:1, H0413:1, L0564:1, S0438:1, S0144:1, H0529:1, L0769:1, L0646:1, L0800:1, L0767:1, L0768:1, L0794:1, L0650:1,

				L0806:1, L0606:1, L0661:1, L0540:1, L0542:1, L0382:1, L0809:1, L5622:1, L0788:1, L0664:1, H0703:1, S0374:1, L3811:1, S0126:1, H0659:1, H0658:1, H0670:1, H0660:1, H0672:1, S0328:1, H0522:1, S3014:1, S0206:1, S0032:1, L0741:1, L0779:1, L0777:1, L0753:1, L0757:1, L0758:1, H0445:1, S0434:1, L0599:1, S0011:1, S0026:1, H0665:1, H0667:1, H0423:1 and H0721:1.
	HUSXS50	883176	517	
	HUSXS50	655372	518	
327	HUVEB53	571200	337	AR053:3, AR171:3, AR224:3, AR180:2, AR168:2, AR207:2, AR165:2, AR282:2, AR217:2, AR299:2, AR234:1, AR277:1, AR296:1, AR295:1, AR164:1, AR261:1, AR166:1, AR204:1, AR225:1, AR257:1, AR283:1, AR269:1, AR183:1 H0171:3, L0754:3, H0431:2, H0196:2, H0546:2, H0623:2, H0539:2, H0696:2, L0744:2, L0748:2, L0749:2, L0758:2, L0759:2, S0398:2, H0624:1, T0002:1, S0040:1, H0341:1, S0360:1, H0580:1, H0587:1, H0574:1, H0486:1, H0036:1, S0665:1, H0123:1, H0014:1, S6028:1, S0214:1, H0553:1, H0032:1, L0455:1, H0598:1, H0038:1, H0616:1, H0056:1, S0386:1, S0112:1, T0042:1, S0344:1, S0422:1, S0002:1, L0775:1, L0806:1, L0805:1, L0776:1, S0152:1, H0704:1, H0555:1, H0436:1, L0439:1, L0751:1, L0752:1, L0731:1, L0588:1, L0592:1, S0026:1, H0543:1 and H0423:1.
328	HWAAD63	838626	338	AR196:17, AR173:14, AR161:14, AR162:14, AR241:14, AR163:14, AR165:13, AR313:12, AR166:12, AR164:12, AR262:12, AR264:11, AR236:11, AR199:10, AR191:10, AR174:9, AR178:9, AR257:9, AR235:9, AR180:9, AR263:8, AR203:8, AR181:8, AR200:8, AR229:8, AR274:7, AR189:7, AR275:7, AR311:7, AR240:7, AR247:7, AR297:7, AR312:7, AR175:7, AR308:7, AR212:7, AR261:7, AR169:7, AR265:7, AR188:7, AR234:6, AR177:6, AR221:6, AR194:6, AR287:6, AR242:6, AR258:6, AR207:6, AR230:6, AR255:6, AR176:6, AR293:6, AR168:6, AR271:6, AR224:6, AR179:6, AR270:6, AR185:6, AR192:6, AR233:5, AR198:5, AR300:5, AR096:5, AR214:5, AR216:5, AR183:5, AR238:5, AR272:5, AR269:5, AR039:5, AR226:5, AR223:5, AR299:5, AR296:5, AR215:5, AR285:5, AR260:5, AR089:5, AR288:5, AR182:4, AR204:4, AR239:4, AR228:4, AR222:4, AR213:4, AR309:4, AR231:4, AR060:4, AR033:4, AR210:4, AR252:4, AR273:4, AR286:4, AR053:4, AR268:4, AR294:4, AR237:4, AR193:4, AR172:4, AR243:4, AR218:4, AR267:4, AR277:4, AR310:4, AR104:3, AR295:3, AR291:3, AR190:3, AR225:3, AR282:3, AR316:3, AR227:3, AR290:3, AR171:3, AR217:3, AR186:3, AR211:3, AR266:3, AR195:3, AR219:3, AR249:3, AR292:3, AR052:3, AR201:3, AR206:2, AR245:2, AR314:2, AR232:2, AR202:2, AR298:2, AR289:2, AR315:2, AR256:2, AR244:2, AR259:2, AR205:2, AR246:2, AR061:1, AR184:1, AR284:1, AR280:1, AR283:1, AR055:1 H0441:1, H0581:1 and H0604:1.
	HWAAD63	833089	519	
	HWAAD63	793875	520	
329	HWABY10	768334	339	AR218:148, AR313:134, AR219:132, AR240:123, AR316:100, AR096:88, AR089:84, AR282:67, AR277:66, AR283:61, AR300:59, AR060:58, AR299:57, AR039:54, AR185:47, AR104:32, AR055:30 H0521:8, L0756:6, L0455:5, L0770:5, L0752:5, L0757:5, H0581:4, H0457:4, L0769:4, L0655:4, L0731:4, H0686:3, S0442:3, L0659:3, L0666:3, H0658:3, L0439:3, L0747:3, L0749:3, H0445:3, S0436:3, L0588:3, H0542:3, H0584:2, H0716:2, H0580:2, H0251:2, H0546:2, H0413:2, L3904:2, L5565:2, L0761:2, L0772:2, L0794:2, L0652:2, L0776:2, L0657:2, L5622:2, L0663:2, L0438:2, H0689:2, L0745:2, L0590:2, L0581:2, L0599:2, H0265:1, H0167:1, S0114:1, H0656:1, S0212:1, H0661:1, H0306:1, L0562:1, S0356:1, S0354:1, S0360:1, H0728:1, S0045:1, S0046:1, H0749:1, S0476:1, H0393:1, H0462:1, H0392:1,

				H0592:1, H0486:1, H0013:1, T0082:1, H0618:1, T0048:1, H0318:1, H0421:1, H0052:1, H0544:1, H0545:1, H0150:1, T0010:1, S6028:1, H0271:1, H0416:1, T0023:1, H0617:1, H0169:1, H0068:1, L0351:1, H0494:1, H0396:1, S0344:1, S0210:1, L0446:1, L0763:1, L3905:1, L5566:1, L0667:1, L0372:1, L0644:1, L0771:1, L0648:1, L0662:1, L0768:1, L0766:1, L0774:1, L0805:1, L0809:1, L5623:1, L0665:1, H0547:1, H0519:1, H0593:1, H0435:1, H0672:1, L0602:1, S0152:1, H0522:1, S0406:1, L0786:1, L0779:1, L0780:1, L0758:1, L0759:1, H0668:1 and H0667:1.
330	HWADJ89	799506	340	AR252:29, AR250:29, AR253:21, AR254:10, AR282:6, AR215:6, AR165:5, AR164:5, AR166:5, AR089:5, AR161:5, AR246:5, AR162:5, AR271:5, AR240:5, AR053:5, AR163:5, AR263:4, AR243:4, AR274:4, AR195:4, AR205:4, AR313:4, AR096:4, AR299:4, AR180:4, AR213:4, AR193:4, AR214:4, AR169:4, AR300:4, AR311:4, AR264:4, AR192:4, AR173:4, AR207:4, AR312:3, AR285:3, AR171:3, AR309:3, AR060:3, AR275:3, AR308:3, AR196:3, AR272:3, AR316:3, AR269:3, AR257:3, AR261:3, AR170:3, AR270:3, AR183:3, AR242:3, AR245:3, AR296:3, AR199:3, AR287:3, AR295:3, AR175:3, AR033:3, AR172:3, AR222:2, AR188:2, AR039:2, AR185:2, AR290:2, AR286:2, AR247:2, AR238:2, AR191:2, AR297:2, AR178:2, AR268:2, AR291:2, AR262:2, AR200:2, AR235:2, AR104:2, AR283:2, AR212:2, AR210:2, AR288:2, AR203:2, AR201:2, AR174:2, AR277:2, AR182:2, AR197:2, AR189:2, AR255:2, AR294:2, AR229:2, AR230:2, AR293:2, AR258:2, AR216:2, AR236:2, AR224:2, AR181:2, AR190:2, AR239:2, AR228:2, AR227:2, AR233:2, AR234:1, AR177:1, AR231:1, AR179:1, AR061:1, AR266:1, AR055:1, AR226:1, AR221:1, AR289:1, AR232:1 H0581:1
331	HWBCB89	1093347	341	AR207:18, AR222:18, AR283:17, AR223:17, AR214:17, AR263:16, AR224:16, AR169:16, AR089:15, AR316:14, AR277:13, AR172:13, AR195:13, AR171:12, AR219:12, AR225:12, AR096:12, AR218:12, AR168:12, AR282:11, AR235:11, AR055:11, AR245:11, AR221:11, AR217:11, AR053:11, AR313:11, AR104:11, AR192:11, AR311:11, AR170:11, AR264:10, AR165:10, AR213:10, AR299:10, AR215:10, AR166:10, AR164:10, AR246:10, AR216:9, AR271:9, AR163:9, AR308:9, AR161:9, AR162:9, AR197:9, AR212:9, AR198:9, AR252:9, AR240:8, AR039:8, AR309:8, AR060:8, AR185:8, AR295:8, AR210:8, AR300:8, AR275:8, AR205:8, AR261:7, AR211:7, AR312:7, AR193:7, AR242:7, AR177:7, AR201:7, AR196:7, AR033:7, AR288:6, AR236:6, AR272:6, AR243:6, AR268:6, AR174:6, AR181:5, AR173:5, AR176:5, AR285:5, AR274:5, AR266:5, AR291:5, AR238:5, AR297:5, AR229:5, AR204:5, AR286:5, AR270:5, AR296:5, AR175:5, AR189:5, AR289:5, AR191:4, AR247:4, AR188:4, AR257:4, AR199:4, AR178:4, AR226:4, AR269:4, AR232:4, AR267:4, AR183:4, AR290:4, AR239:4, AR190:4, AR254:4, AR293:4, AR231:4, AR262:4, AR258:4, AR294:3, AR234:3, AR200:3, AR287:3, AR255:3, AR237:3, AR182:3, AR250:3, AR260:3, AR230:3, AR227:3, AR061:3, AR179:3, AR180:3, AR203:3, AR233:3, AR256:2, AR228:2, AR253:1 L0777:6, L0766:4, H0090:3, L0759:3, H0657:2, S0360:2, H0318:2, L0471:2, H0031:2, L0659:2, L0740:2, L0747:2, L0750:2, L0758:2, H0170:1, H0556:1, H0656:1, H0341:1, S0418:1, H0637:1, H0580:1, H0411:1, H0549:1, H0333:1, H0013:1, H0599:1, H0581:1, H0545:1, H0012:1, S0003:1, H0135:1, H0551:1, H0488:1, H0059:1, H0647:1, L0520:1, L0763:1, L0769:1, L4556:1, L0806:1, L0805:1, L0647:1, L0789:1, L0663:1, H0144:1, S3012:1, L0748:1, L0749:1, L0731:1, L0757:1, H0653:1, H0543:1, H0423:1 and H0352:1.
	HWBCB89	886210	521	
332	HWBFX31	799427	342	AR171:3, AR309:2, AR271:2, AR282:2, AR225:2, AR205:2, AR267:2, AR213:2, AR257:2, AR236:2, AR053:1, AR266:1, AR179:1, AR199:1, AR270:1, AR214:1, AR181:1, AR240:1, AR247:1, AR277:1 L0659:5, L0794:4, L0809:4, L0777:4, H0424:3, L0766:3, L0745:3, H0265:2, H0656:2, H0254:2, H0662:2, S0376:2, H0457:2, H0024:2, L0768:2, H0670:2, H0555:2, L0751:2, L0780:2, H0556:1, H0218:1, H0224:1, H0638:1, S0360:1, H0675:1, S0408:1, H0580:1, H0586:1,

				H0575:1, H0545:1, H0050:1, H0188:1, H0252:1, H0039:1, H0617:1, H0316:1, H0063:1, H0087:1, H0264:1, H0272:1, H0652:1, S0002:1, S0426:1, L0763:1, L0770:1, L0761:1, L0800:1, L0773:1, L0648:1, L0662:1, L0774:1, L0784:1, L0776:1, L0647:1, L0790:1, L0666:1, L0664:1, L0665:1, L0438:1, H0521:1, H0522:1, L0749:1, L0750:1, L0752:1, L0757:1, L0759:1, L0596:1, H0422:1, S0458:1 and H0677:1.
333	HWDAH38	1028519	343	AR313:6, AR198:5, AR217:5, AR039:5, AR089:5, AR224:4, AR162:4, AR299:4, AR242:4, AR274:4, AR180:4, AR215:4, AR193:3, AR195:3, AR165:3, AR272:3, AR166:3, AR164:3, AR163:3, AR185:3, AR245:3, AR161:3, AR264:3, AR197:3, AR196:3, AR173:3, AR225:3, AR271:3, AR226:3, AR096:3, AR230:3, AR293:2, AR204:2, AR207:2, AR246:2, AR300:2, AR243:2, AR175:2, AR237:2, AR308:2, AR316:2, AR269:2, AR203:2, AR205:2, AR188:2, AR212:2, AR291:2, AR060:2, AR178:2, AR277:2, AR033:2, AR236:2, AR179:2, AR312:2, AR288:2, AR247:2, AR229:2, AR174:2, AR270:2, AR218:2, AR282:2, AR199:2, AR183:2, AR213:1, AR233:1, AR214:1, AR262:1, AR240:1, AR221:1, AR201:1, AR104:1, AR219:1, AR234:1, AR285:1, AR253:1, AR177:1, AR258:1, AR268:1 H0600:1
	HWDAH38	889281	522	
334	HWHGZ51	886212	344	AR283:18, AR089:18, AR316:16, AR282:16, AR060:15, AR277:15, AR104:13, AR202:13, AR246:12, AR241:12, AR281:11, AR194:11, AR240:11, AR055:11, AR096:10, AR299:10, AR039:10, AR219:9, AR206:9, AR218:9, AR205:8, AR313:8, AR315:8, AR185:8, AR243:7, AR204:7, AR300:7, AR265:6, AR280:6, AR192:6, AR263:6, AR244:6, AR271:5, AR198:5, AR266:5, AR247:5, AR289:5, AR284:5, AR285:5, AR314:5, AR295:5, AR273:5, AR296:4, AR291:4, AR310:4, AR213:4, AR182:4, AR232:4, AR269:4, AR183:4, AR275:4, AR294:4, AR267:3, AR033:3, AR177:3, AR312:3, AR268:3, AR298:3, AR270:3, AR229:3, AR286:3, AR184:3, AR309:3, AR238:3, AR175:3, AR053:3, AR227:3, AR234:3, AR274:3, AR052:3, AR290:3, AR231:3, AR186:2, AR293:2, AR237:2, AR251:2, AR226:2, AR292:2, AR248:2, AR256:2, AR233:2, AR259:2, AR258:2, AR253:2, AR061:2, AR179:1 S0132:8, L2522:8, H0264:8, H0586:7, L0747:6, S0476:5, S0330:5, L0755:5, L0751:4, L0581:4, L5623:3, H0188:2, H0031:2, H0494:2, L0776:2, L0809:2, H0696:2, L0731:2, H0556:1, H0295:1, H0177:1, H0638:1, H0370:1, H0592:1, H0587:1, H0486:1, L2539:1, L0021:1, H0081:1, H0271:1, H0181:1, H0617:1, H0380:1, L0653:1, L0659:1, L0783:1, L5622:1, L0789:1, L0791:1, S0328:1, L0752:1, L0601:1 and L3603:1.
335	HWLIH65	793713	345	AR061:97, AR231:60, AR238:60, AR237:58, AR234:57, AR202:53, AR194:53, AR281:48, AR226:44, AR315:42, AR206:39, AR280:38, AR244:37, AR227:35, AR241:31, AR229:31, AR314:30, AR248:26, AR232:25, AR284:23, AR283:22, AR265:22, AR266:21, AR310:20, AR263:19, AR292:19, AR033:18, AR298:17, AR184:17, AR192:17, AR246:17, AR243:17, AR096:17, AR233:15, AR295:15, AR177:15, AR282:15, AR198:13, AR186:13, AR267:13, AR299:13, AR273:12, AR316:12, AR104:12, AR296:12, AR251:12, AR291:12, AR249:12, AR247:12, AR219:12, AR300:12, AR313:12, AR277:12, AR285:11, AR289:11, AR205:11, AR039:11, AR213:11, AR052:11, AR240:10, AR218:10, AR259:10, AR286:10, AR268:10, AR269:10, AR204:10, AR055:9, AR182:9, AR270:9, AR253:9, AR175:8, AR183:8, AR309:8, AR053:8, AR312:8, AR271:8, AR089:7, AR275:7, AR294:7, AR185:7, AR256:7, AR290:7, AR274:7, AR293:6, AR258:6, AR060:5, AR179:4, AR165:3, AR161:3, AR162:3, AR264:3, AR163:3, AR195:3, AR164:3, AR166:3, AR308:3, AR215:3, AR212:3, AR221:3, AR272:3, AR214:2, AR199:2, AR223:2, AR201:2, AR176:2, AR224:2, AR217:1, AR210:1, AR172:1, AR311:1, AR257:1, AR171:1, AR297:1, AR196:1, AR245:1, AR189:1 L0774:3, H0521:3, L0777:3, S0356:2, S0408:2, H0124:2, H0494:2, L0766:2, L0666:2, L0751:2, L0596:2, S0040:1, H0294:1, S0430:1, H0656:1, S0358:1, S0360:1, H0729:1, H0645:1, H0586:1, H0587:1, H0632:1, H0590:1, L0045:1, S0003:1, H0316:1, H0598:1,

				S0036:1, H0591:1, L0564:1, H0560:1, H0509:1, H0641:1, S0002:1, L0640:1, L0662:1, L0775:1, L0655:1, L0659:1, L0783:1, L5622:1, L0663:1, L2653:1, H0701:1, H0689:1, H0672:1, H0539:1, S0406:1, L0439:1, L0749:1, L0786:1, S0434:1, S0436:1, H0543:1, S0424:1 and S0446:1.
336	HTEAM34	898364	346	AR225:7, AR161:5, AR162:5, AR269:5, AR163:5, AR055:5, AR060:5, AR264:4, AR309:4, AR181:4, AR165:4, AR214:4, AR228:4, AR263:4, AR180:4, AR176:4, AR164:4, AR266:4, AR233:4, AR275:4, AR268:4, AR166:4, AR270:4, AR257:4, AR172:4, AR236:4, AR267:4, AR274:4, AR229:4, AR237:4, AR217:4, AR182:4, AR215:4, AR261:3, AR240:3, AR179:3, AR300:3, AR216:3, AR177:3, AR272:3, AR311:3, AR195:3, AR231:3, AR239:3, AR294:3, AR173:3, AR293:3, AR183:3, AR287:3, AR252:3, AR277:3, AR223:3, AR196:3, AR288:3, AR175:3, AR255:3, AR296:3, AR291:3, AR285:3, AR286:3, AR061:3, AR289:3, AR235:3, AR178:3, AR185:3, AR308:3, AR218:3, AR262:3, AR234:3, AR191:3, AR247:3, AR224:3, AR230:3, AR290:2, AR096:2, AR222:2, AR207:2, AR089:2, AR313:2, AR295:2, AR170:2, AR282:2, AR193:2, AR316:2, AR226:2, AR200:2, AR174:2, AR297:2, AR190:2, AR188:2, AR232:2, AR238:2, AR203:2, AR171:2, AR299:2, AR283:2, AR245:2, AR189:2, AR258:2, AR260:2, AR104:2, AR227:2, AR312:2, AR168:2, AR199:1, AR256:1, AR039:1, AR033:1, AR211:1, AR169:1, AR210:1, AR219:1 L0758:5, L0794:4, H0618:2, H0038:2 and H0616:1.
–	HTEAM34	570049	523	

Table 1C summarizes additional polynucleotides encompassed by the invention (including cDNA clones related to the sequences (Clone ID:), contig sequences (contig identifier (Contig ID:) contig nucleotide sequence identifiers (SEQ ID NO:X)), and genomic sequences (SEQ ID NO:B). The first column provides a unique clone identifier, "Clone ID:", for a cDNA clone related to each contig sequence. The second column provides the sequence identifier, "SEQ ID NO:X", for each contig sequence. The third column provides a unique contig identifier, "Contig ID:" for each contig sequence. The fourth column, provides a BAC identifier "BAC ID NO:A" for the BAC clone referenced in the corresponding row of the table. The fifth column provides the nucleotide sequence identifier, "SEQ ID NO:B" for a fragment of the BAC clone identified in column four of the corresponding row of the table. The sixth column, "Exon From-To", provides the location (i.e., nucleotide position numbers) within the polynucleotide sequence of SEQ ID NO:B which delineate certain polynucleotides of the invention that are also exemplary members of polynucleotide sequences that encode polypeptides of the invention (e.g., polypeptides containing amino acid sequences encoded by the polynucleotide sequences delineated in column six, and fragments and variants thereof).

Table 1C

cDNA Clone ID	SEQ ID NO:X	CONTIG ID:	BAC ID: A	SEQ ID NO:B	EXON From-To
HAUAI83	33	639009	AC010422	1037	1-326 1552-2084 2162-2261 2300-2427 4485-5868 5948-6362 7914-8017 8569-8681 8765-8875 8968-9037 9284-9499 9742-9910 10837-11187 11271-11321 11554-11707 11783-12766 12866-13225 13256-13827 14284-14367 14890-15090
HAUAI83	33	639009	AC018761	1038	1-326 1176-1284 1552-2084 2162-2261 2300-2426

					4485-5868 5948-6362 8569-8681 8765-8875 8968-9037 9284-9499 9742-9910 10317-10501 10837-11187 11271-11321 11554-11707 11783-12766 12866-13225 13256-13827 14284-14367 14890-15090
HAUAI83	33	639009	AC010422	1039	1-315 2004-2289 2650-2741 3554-3830
HAUAI83	33	639009	AC010422	1040	1-202 938-1047 1219-1395 1758-1956 2907-3429 3792-3935 5366-5485 6391-6688 6899-7269 7890-8316 8400-8524 8607-8682 8824-8999 9190-9302 9691-9796 10106-10177 10571-11051 11164-11490 12565-12696 13364-13501 13964-14592 14740-15540 15610-15798 15947-16642 16717-16832 16968-17408 17521-17612 18331-18579 19120-19303 19358-19514 19599-19702 20003-20245
HAUAI83	33	639009	AC018761	1041	1-202 938-1047 1219-1395

					1758-1956 2907-3429 3792-3935 5366-5485 6391-6688 6899-7269 7591-7711 7890-8316 8400-8524 8607-8682 8749-9073 9190-9302 9691-9796
HAUAI83	33	639009	AC018761	1042	1-82 128-293 1178-1447 1986-2278 2457-2711 3543-3844
HBINS58	37	1352386	AL096774	1043	1-1023 2010-2239 2581-2962 3153-3223 3324-3493 3973-4126
HBINS58	37	1352386	AL096774	1044	1-341
HBINS58	37	1352386	AL096774	1045	1-142
HCE3G69	43	728432	AC068946	1046	1-108 1186-1324 1746-1835 2138-2284 2448-2545 2718-2861 3091-5889
HCE3G69	43	728432	AC068946	1047	1-191
HCE3G69	43	728432	AC068946	1048	1-686
HCEFB80	45	1143407	AL022327	1049	1-2271 3506-3658 4643-4810 9039-9164 9382-9509 10587-10720 11135-11195 11265-11716 14644-15466 17451-17526 18012-18114 20530-20632 20957-21009 23696-23785 25338-25575 25969-26166
HCNDR47	51	1016919	AL122003	1050	1-236 531-696

					787-817 863-4508 5158-5744 6949-7029
HCNDR47	51	1016919	AL122003	1051	1-888 1304-2003 2830-3284 3719-4571 4618-5268 6131-6557 8947-9033 9058-9726 14176-14480 18456-18915 18960-19871 22365-22454 23082-23248 28058-28215
HCWGU37	59	1042325	AC007459	1052	1-242
HCWGU37	59	1042325	AC022435	1053	1-218 5587-5754
HCWGU37	59	1042325	AC022051	1054	1-294
HCWGU37	59	1042325	AC023672	1055	1-196
HCWGU37	59	1042325	AC011101	1056	1-100
HCWGU37	59	1042325	AC034243	1057	1-312 2334-2364
HCWGU37	59	1042325	AC010454	1058	1-218 5588-5755
HCWGU37	59	1042325	AC026144	1059	1-183
HCWGU37	59	1042325	AC009691	1060	1-292
HCWGU37	59	1042325	AL354696	1061	1-181
HCWGU37	59	1042325	AC073219	1062	1-123
HCWGU37	59	1042325	AC027414	1063	1-270
HCWGU37	59	1042325	AC010454	1064	1-303
HDPGT01	71	771583	AC020978	1065	1-180 2776-2899 3916-4077 4296-4335 4436-4632 4895-5181 8153-8246 9547-9666 9907-10007 10370-10618 10788-11046 11926-13423 13465-13494 13764-15689
HDPGT01	71	771583	AC020978	1066	1-384
HDPSB18	79	1043263	AL355512	1067	1-2572 3049-3871
HDPSB18	79	1043263	AC006176	1068	1-2571 3048-3872
HDPSB18	79	1043263	AL355512	1069	1-280

HDPWN93	85	992925	AC004590	1070	1-276 489-591 866-988 1106-1281 1323-1444 1632-1799 1866-2016 2109-2313 2634-3205 3360-3472 3528-3744 3820-5006 6580-6919 7076-7276 8057-8153 8318-8680
HDPWN93	85	992925	AC021491	1071	1-275 488-590 865-987 1105-1280 1322-1443 1631-1798 1865-2015 2108-2312 2633-3204 3359-3471 3527-3743 3819-5005 6579-6918 7075-7275 8054-8150 8315-8677
HDPWN93	85	992925	AC004590	1072	1-303 727-1252 5721-5846
HDPWN93	85	992925	AC021491	1073	1-303 727-1253 5723-5848
HDPXY01	86	879048	AL354000	1074	1-1319 4848-4975 5229-5600 6561-6654
HDPXY01	86	879048	AL035362	1075	1-1316 4844-4971 5225-5596 6557-6650
HDPXY01	86	879048	AL354000	1076	1-460
HDPXY01	86	879048	AL354000	1077	1-400
HDPXY01	86	879048	AL035362	1078	1-400
HDPXY01	86	879048	AL035362	1079	1-460
HFVGE32	118	854545	AL160269	1080	1-1122
HFVGE32	118	854545	AL138754	1081	1-1120
HHGCG53	133	340818	AC024037	1082	1-518
HHGCM76	134	662329	AC003665	1083	1-70

					304-609 900-1090 1240-1835 2272-2490 2581-3598
HHGCM76	134	662329	AC003665	1084	1-580 851-995 1224-1296 1314-1663 1930-1975 2724-2905 2968-3098 3283-3328 5121-5230 5331-5689
HJACG30	143	895505	AC018512	1085	1-776
HJACG30	143	895505	AC022305	1086	1-878
HJACG30	143	895505	AC002518	1087	1-150
HLTIP94	180	1087335	AC007431	1088	1-1299
HLTIP94	180	1087335	AC007431	1089	1-330
HMSDL37	199	973996	AC012086	1090	1-3328
HMSDL37	199	973996	AC018811	1091	1-3051
HMSDL37	199	973996	AC018494	1092	1-3029
HMSDL37	199	973996	AC012086	1093	1-224
HMSDL37	199	973996	AC012086	1094	1-468
HMSDL37	199	973996	AC018811	1095	1-222
HMSDL37	199	973996	AC018811	1096	1-468
HMSDL37	199	973996	AC018494	1097	1-224
HMSDL37	199	973996	AC018494	1098	1-1854
HNGBC07	217	1037631	AL022339	1099	1-1583
HNGOI12	225	1041375	AC003675	1100	1-2128
HNGOI12	225	1041375	AC001228	1101	1-2129
HNGOI12	225	1041375	AC013791	1102	1-2132
HNHFM14	230	664507	AC020552	1103	1-290
HNHFM14	230	664507	AC020552	1104	1-96
HPICB53	258	1042309	AC002351	1105	1-82 959-2236
HPICB53	258	1042309	AC020997	1106	1-1329
HPICB53	258	1042309	AC002351	1107	1-115
HPICB53	258	1042309	AC020997	1108	1-201 1064-1126 1665-2153 2308-3502
HPJBK12	260	1011467	AC022033	1109	1-2649
HPJBK12	260	1011467	AC013541	1110	1-2649
HPJBK12	260	1011467	AC022033	1111	1-190
HPJBK12	260	1011467	AC013541	1112	1-190
HPRAL78	263	1352342	AC007783	1113	1-2334 2508-3084 3578-3890 4198-4294 4376-4623 4712-5349

					5369-6088 6527-7107 7298-7392 7730-7846 9147-9476 10487-10575 10791-11298 11485-11601 11783-13009 13207-13501 13540-13772 14439-14800 14923-14983 15133-15355 15485-15653 16750-16805 16894-17078 17162-17219 18003-18089 21085-21146 21358-21501
HPRAL78	263	1352342	AC007783	1114	1-308
HPRAL78	263	1352342	AC007783	1115	1-1024
HRGBL78	272	910133	AL359541	1116	1-254 2777-3307 3670-3823 4113-4385 4844-5381 5995-7365
HSAWD74	278	460527	AC004951	1117	1-1651 1740-2593
HSAWD74	278	460527	AC004951	1118	1-149
HSAWD74	278	460527	AC004951	1119	1-5057 5082-8353 8404-8996
HTHBG43	312	919911	AL139257	1120	1-36 130-201 330-753 1823-2214 2331-2440 2728-2834 2920-3028 3370-3514 4153-5236 5877-6744 6813-7124 8441-9280 9527-9953 10394-10536 10945-11362 11763-11843 12653-12953 13970-14183 14223-14726

					15929-16299 16328-16751 17791-18093 18095-18712 18754-24628 24879-25426
HTHBG43	312	919911	AL139257	1121	1-286
HTLIV19	317	1046341	AC055750	1122	1-964
HTLIV19	317	1046341	AC027463	1123	1-964
HTLIV19	317	1046341	AC055750	1124	1-236
HTLIV19	317	1046341	AC027463	1125	1-236
HTOIZ02	321	826312	AC023146	1126	1-2101 3106-3722
HTOIZ02	321	826312	AC023146	1127	1-278
HTPCS72	323	854941	AL008639	1128	1-106 1457-1595 1666-2484 2910-3006 3705-4147 4768-5141 5304-5536 5746-5874 7114-7241 7468-7711 7963-8746 9438-12408 12884-14976
HTPCS72	323	854941	AL008639	1129	1-720
HTPIH83	324	919916	AL158821	1130	1-1862 1880-3126

Table 1D: The polynucleotides or polypeptides, or agonists or antagonists of the present invention can be used in assays to test for one or more biological activities. If these polynucleotides and polypeptides do exhibit activity in a particular assay, it is likely that these molecules may be involved in the diseases associated with the biological activity. Thus, the polynucleotides or polypeptides, or agonists or antagonists could be used to treat the associated disease.

The present invention encompasses methods of detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating a disease or disorder. In preferred embodiments, the present invention encompasses a method of treating a cardiovascular disease or disorder comprising administering to a patient in which such detection, treatment, prevention, and/or amelioration is desired a protein, nucleic acid, or antibody of the invention (or fragment or variant thereof) in an amount effective to detect, prevent, diagnose, prognosticate, treat, and/or ameliorate the cardiovascular disease or disorder.

In another embodiment, the present invention also encompasses methods of detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating a cardiovascular disease or disorder; comprising administering to a patient combinations of the proteins, nucleic acids, or antibodies of the invention (or fragments or variants thereof), sharing similar indications as shown in the corresponding rows in Column 3 of Table 1D.

Table 1D provides information related to biological activities for polynucleotides and polypeptides of the invention (including antibodies, agonists, and/or antagonists thereof). Table 1D also provides information related to assays which may be used to test polynucleotides and polypeptides of the invention (including antibodies, agonists, and/or antagonists thereof) for the corresponding biological activities. The first column ("Gene No.") provides the gene number in the application for each clone identifier. The second column ("cDNA Clone ID:") provides the unique clone identifier for each clone as previously described and indicated in Table 1A through Table 1D. The third column ("AA SEQ ID NO:Y") indicates the Sequence Listing SEQ ID Number for polypeptide sequences encoded by the corresponding cDNA clones (also as indicated in Tables 1A, Table 1B, and Table 2). The fourth column ("Biological Activity") indicates a biological activity corresponding to the indicated polypeptides (or polynucleotides encoding said polypeptides). The fifth column ("Exemplary Activity Assay") further describes the corresponding biological activity and also provides information pertaining to the various types of assays which may be performed to test, demonstrate, or quantify the corresponding biological activity.

Table 1D describes the use of, inter alia, FMAT technology for testing or demonstrating various biological activities. Fluorometric microvolume assay technology (FMAT) is a fluorescence-based system which provides a means to perform nonradioactive cell- and bead-based assays to detect activation of cell signal transduction pathways. This technology was designed specifically for ligand binding and immunological assays. Using this technology, fluorescent cells or beads at the bottom of the well are detected as localized areas of concentrated fluorescence using a data processing system. Unbound flurophore comprising the background signal is ignored, allowing for a wide variety of homogeneous assays. FMAT technology may be used for peptide ligand binding assays, immunofluorescence, apoptosis, cytotoxicity, and bead-based immunocapture assays. *See*, Miraglia S et. al., "Homogeneous cell and bead based assays for highthroughput screening using flourometric microvolume assay technology," Journal of Biomolecular Screening; 4:193-204 (1999). In particular, FMAT technology may be used to test, confirm, and/or identify the ability of polypeptides (including polypeptide fragments and variants) to activate signal transduction pathways. For example, FMAT technology may be used to test, confirm, and/or identify the ability of polypeptides to upregulate production of immunomodulatory

proteins (such as, for example, interleukins, GM-CSF, Rantes, and Tumor Necrosis factors, as well as other cellular regulators (e.g. insulin)).

Table 1D also describes the use of kinase assays for testing, demonstrating, or quantifying biological activity. In this regard, the phosphorylation and de-phosphorylation of specific amino acid residues (e.g. Tyrosine, Serine, Threonine) on cell-signal transduction proteins provides a fast, reversible means for activation and de-activation of cellular signal transduction pathways. Moreover, cell signal transduction via phosphorylation/de-phosphorylation is crucial to the regulation of a wide variety of cellular processes (e.g. proliferation, differentiation, migration, apoptosis, etc.). Accordingly, kinase assays provide a powerful tool useful for testing, confirming, and/or identifying polypeptides (including polypeptide fragments and variants) that mediate cell signal transduction events via protein phosphorylation. See e.g., Forrer, P., Tamaskovic R., and Jaussi, R. "Enzyme-Linked Immunosorbent Assay for Measurement of JNK, ERK, and p38 Kinase Activities" Biol. Chem. 379(8-9): 1101-1110 (1998).

Table 1D

Gene No.	cDNA Clone ID	AA SEQ ID NO: Y	Biological Activity	Exemplary Activity Assay
1	H2CBU83	524	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
2	H2MAC30	525	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays

				include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
2	H2MAC30	525	Activation of JNK Signaling Pathway in immune cells (such as eosinophils).	Kinase assay. JNK kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK kinase activity that may be used or routinely modified to test JNK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Exemplary cells that may be used according to these assays include eosinophils. Eosinophils are important in the late stage of allergic reactions; they are recruited to tissues and mediate the inflammatory response of late stage allergic reaction. Moreover, exemplary assays that may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate signal transduction, cell proliferation, activation, or apoptosis in eosinophils include assays disclosed and/or cited in: Zhang JP, et al., "Role of caspases in dexamethasone-induced apoptosis and activation of c-Jun NH2-terminal kinase and p38 mitogen-activated protein kinase in human eosinophils" Clin Exp Immunol; Oct;122(1):20-7 (2000); Hebestreit H, et al., "Disruption of fas receptor signaling by nitric oxide in eosinophils" J Exp Med; Feb 2;187(3):415-25 (1998); J Allergy Clin Immunol 1999 Sep;104(3 Pt 1):565-74; and, Sousa AR, et al., "In vivo resistance to corticosteroids in bronchial asthma is associated with enhanced phosyphorylation of JUN N-terminal kinase and failure of prednisolone to inhibit JUN N-terminal kinase phosphorylation" J Allergy Clin Immunol; Sep;104(3 Pt 1):565-74 (1999); the contents of each of which are herein incorporated by reference in its entirety.
3	H6EDC19	526	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in:

				Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
4	HACBD91	527	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
4	HACBD91	527	Activation of transcription through cAMP response element in	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP and regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used

			immune cells (such as T-cells).	or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
4	HACBD91	527	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
4	HACBD91	527	Regulation of transcription of Malic Enzyme in adipocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified

				as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
4	HACBD91	527	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
4	HACBD91	527	Activation of transcription through CD28 response element in immune cells (such as T-	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992);

			cells).	Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
4	HACBD91	527	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is an IL-2 and IL-4 responsive suspension-culture cell line.
4	HACBD91	527	Activation of transcription through CD28 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
4	HACBD91	527	Activation of	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT)

			transcription through NFAT response element in immune cells (such as T-cells).	response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Serfling et al., Biochim Biophys Acta 1498(1):1-18 (2000); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
4	HACBD91	527	Activation of transcription through STAT6 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
4	HACBD91	527	Activation of transcription through NFKB response element in	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-

			immune cells (such as T-cells).	response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
4	HACBD91	527	Activation of transcription through NFAT response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
4	HACBD91	527	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each

				of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
5	HAGAQ26	528	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
6	HAGBZ81	529	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.

8	HAGDS35	531	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
9	HAGFG51	532	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.

10	HAIBO71	533	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
10	HAIBO71	533	Activation of transcription through STAT6 response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Signal Transducers and *Activators of* Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC).
10	HAIBO71	533	Activation of transcription through NFAT response	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in

			element in immune cells (such as natural killer cells).	immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
11	HAIFL18	534	Activation of Adipocyte ERK Signaling Pathway	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Le Marchand-Brustel Y, Exp Clin Endocrinol Diabetes 107(2):126-132 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Mouse adipocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
11	HAIFL18	534	Production of IFNgamma using a T cells	IFNgamma FMAT. IFNg plays a central role in the immune system and is considered to be a proinflammatory cytokine. IFNg promotes TH1 and inhibits TH2 differentiation; promotes IgG2a and inhibits IgE secretion; induces macrophage activation; and increases MHC expression. Assays for immunomodulatory proteins produced by T cells and NK cells that regulate a variety of inflammatory activities and inhibit TH2 helper cell functions are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including

				antibodies and agonists or antagonists of the invention) to mediate immunomodulation, regulate inflammatory activities, modulate TH2 helper cell function, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as Interferon gamma (IFNg), and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Gonzalez et al., J Clin Lab Anal 8(5):225-233 (1995); Billiau et al., Ann NY Acad Sci 856:22-32 (1998); Boehm et al., Annu Rev Immunol 15:749-795 (1997), and Rheumatology (Oxford) 38(3):214-20 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
11	HAIFL18	534	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
12	HAJAF57	535	Regulation of apoptosis of immune cells (such as mast cells).	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate caspase protease-mediated apoptosis in immune cells (such as, for example, in mast cells). Mast cells are found in connective and mucosal tissues throughout the body, and their activation via immunoglobulin E -antigen, promoted by T helper cell

				type 2 cytokines, is an important component of allergic disease. Dysregulation of mast cell apoptosis may play a role in allergic disease and mast cell tumor survival. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity induced by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Masuda A, et al., J Biol Chem, 276(28):26107-26113 (2001); Yeatman CF 2nd, et al., J Exp Med, 192(8):1093-1103 (2000);Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Immune cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary immune cells that may be used according to these assays include mast cells such as the HMC human mast cell line.
12	HAJAF57	535	Activation of Endothelial Cell JNK Signaling Pathway.	Kinase assay. JNK kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK kinase activity that may be used or routinely modified to test JNK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
13	HAJAN23	536	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention)

				include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
14	HAJBR69	537	Regulation of transcription through the PEPCK promoter in hepatocytes	Assays for the regulation of transcription through the PEPCK promoter are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the PEPCK promoter in a reporter construct and regulate liver gluconeogenesis. Exemplary assays for regulation of transcription through the PEPCK promoter that may be used or routinely modified to test for PEPCK promoter activity (in hepatocytes) of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Lochhead et al., Diabetes 49(6):896-903 (2000); and Yeagley et al., J Biol Chem 275(23):17814-17820 (2000), the contents of each of which is herein incorporated by reference in its entirety. Hepatocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary liver hepatoma cells that may be used according to these assays include H4Ile cells, which contain a tyrosine amino transferase that is inducible with glucocorticoids, insulin, or cAMP derivatives.
14	HAJBR69	537	Production of GM-CSF	GM-CSF FMAT. GM-CSF is expressed by activated T cells, macrophages, endothelial cells, and fibroblasts. GM-CSF regulates differentiation and proliferation of granulocytes- macrophage progenitors and enhances antimicrobial activity in neutrophils, monocytes and macrophage. Additionally, GM-CSF plays an important role in the differentiation of dendritic cells and monocytes, and increases antigen presentation. GM-CSF is considered to be a proinflammatory cytokine. Assays for immunomodulatory proteins that promote the production of GM-CSF are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate

				immunomodulation and modulate the growth and differentiation of leukocytes. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as GM-CSF, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Ye et al., J Leukoc Biol (58(2):225-233, the contents of each of which are herein incorporated by reference in its entirety. Natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC) or may be isolated using techniques disclosed herein or otherwise known in the art. Natural killer (NK) cells are large granular lymphocytes that have cytotoxic activity but do bind antigen. NK cells show antibody-independent killing of tumor cells and also recognize antibody bound on target cells, via NK Fc receptors, leading to cell-mediated cytotoxicity.
15	HAMFE15	538	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.

16	HAMGG68	539	Production of ICAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Endothelial cells, which are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used in ICAM production assays include human umbilical vein endothelial cells (HUVEC), and are available from commercial sources. The expression of ICAM (CD54),a intergral membrane protein, can be upregulated by cytokines or other factors, and ICAM expression is important in mediating immune and endothelial cell interactions leading to immune and inflammatory responses. Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Rolfe BE, et al., Atherosclerosis, 149(1):99-110 (2000); Panettieri RA Jr, et al., J Immunol, 154(5):2358-2365 (1995); and, Grunstein MM, et al., Am J Physiol Lung Cell Mol Physiol, 278(6):L1154-L1163 (2000), the contents of each of which is herein incorporated by reference in its entirety.
16	HAMGG68	539	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
17	HAMGR28	540	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of

				calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
18	HAPOM49	541	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
19	HAPPW30	542	Activation of T-Cell p38 or JNK Signaling	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the

			Pathway.	invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
20	HATBR65	543	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
20	HATBR65	543	Regulation of transcription of Malic Enzyme	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a

			in adipocytes	key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
21	HATCB92	544	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
22	HATEE46	545	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998);

				Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
22	HATEE46	545	Production of ICAM-1	Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Takacs P, et al, FASEB J, 15(2):279-281 (2001); and, Miyamoto K, et al., Am J Pathol, 156(5):1733-1739 (2000), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include microvascular endothelial cells (MVEC).
23	HAUAI83	546	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by

				somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
24	HBAMB15	547	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
25	HBGBA69	548	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of

				native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
26	HBIAE26	549	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
27	HBINS58	550	Production of TNF alpha by dendritic cells	TNFa FMAT. Assays for immunomodulatory proteins produced by activated macrophages, T cells, fibroblasts, smooth muscle, and other cell types that exert a wide variety of inflammatory and cytotoxic effects on a variety of cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate inflammation and cytotoxicity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines such as tumor necrosis factor alpha (TNFa), and the induction or inhibition of an inflammatory or cytotoxic response. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Verhasselt et al., Eur J Immunol 28(11):3886-3890 (1198); Dahlen et al., J Immunol 160(7):3585-3593 (1998); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol

				65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
27	HBINS58	550	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
28	HBJNC59	551	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein

				incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
29	HBNAW17	552	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
29	HBNAW17	552	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by

				somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
30	HBOEG69	553	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
31	HCACU58	554	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
31	HCACU58	554	Activation of transcription through GATA-3 response element in	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3

			immune cells (such as mast cells).	transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
31	HCACU58	554	Production of ICAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Endothelial cells, which are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used in ICAM production assays include human umbilical vein endothelial cells (HUVEC), and are available from commercial sources. The expression of ICAM (CD54),a intergral membrane protein, can be upregulated by cytokines or other factors, and ICAM expression is important in mediating immune and endothelial cell interactions leading to immune and inflammatory responses. Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Rolfe BE, et al., Atherosclerosis, 149(1):99-110 (2000); Panettieri RA Jr, et al., J Immunol, 154(5):2358-2365 (1995); and, Grunstein MM, et al., Am J Physiol Lung Cell Mol Physiol, 278(6):L1154-L1163 (2000), the contents of each of which is herein incorporated by reference in its entirety.
31	HCACU58	554	Production of IL-10 and activation of T-cells.	Assays for production of IL-10 and activation of T-cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit production of IL-10 and/or activation of T-cells. Exemplary assays that may be used or routinely modified to assess the ability of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) to modulate IL-10 production and/or T-cell proliferation include, for example, assays such as disclosed

				and/or cited in: Robinson, DS, et al., "Th-2 cytokines in allergic disease" Br Med Bull; 56 (4): 956-968 (2000), and Cohn, et al., "T-helper type 2 cell-directed therapy for asthma" Pharmacology & Therapeutics; 88: 187-196 (2000); the contents of each of which are herein incorporated by reference in their entirety. Exemplary cells that may be used according to these assays include Th2 cells. IL10 secreted from Th2 cells may be measured as a marker of Th2 cell activation. Th2 cells are a class of T cells that secrete IL4, IL10, IL13, IL5 and IL6. Factors that induce differentiation and activation of Th2 cells play a major role in the initiation and pathogenesis of allergy and asthma. Primary T helper 2 cells are generated via in vitro culture under Th2 polarizing conditions using peripheral blood lymphocytes isolated from cord blood.
32	HCE2F54	555	Regulation of transcription through the PEPCK promoter in hepatocytes	Assays for the regulation of transcription through the PEPCK promoter are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the PEPCK promoter in a reporter construct and regulate liver gluconeogenesis. Exemplary assays for regulation of transcription through the PEPCK promoter that may be used or routinely modified to test for PEPCK promoter activity (in hepatocytes) of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Lochhead et al., Diabetes 49(6):896-903 (2000); and Yeagley et al., J Biol Chem 275(23):17814-17820 (2000), the contents of each of which is herein incorporated by reference in its entirety. Hepatocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary liver hepatoma cells that may be used according to these assays include H4Ile cells, which contain a tyrosine amino transferase that is inducible with glucocorticoids, insulin, or cAMP derivatives.
32	HCE2F54	555	Activation of transcription through NFKB response element in epithelial cells (such as HELA cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of epithhelial genes. Exemplary assays for transcription through the NFKB response element that may be used or routinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Kaltschmidt B, et al., Oncogene, 18(21):3213-3225 (1999); Beetz A, et al., Int J Radiat Biol, 76(11):1443-1453 (2000); Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et

				al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Epithelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary epithelial cells that may be used according to these assays include the HELA cell line.
32	HCE2F54	555	Activation of transcription through NFKB response element in immune cells (such as the U937 human monocyte cell line).	This assay uses a NFKB response element (which will bind NFKB transcription factors) linked to a reporter gene to measure NFKB mediated transcription in the human monocyte cell line U937. NFKB is upregulated by cytokines and other factors and NFKB element activation leads to expression of immunomodulatory genes. Activation of NFKB in monocytes can play a role in immune responses. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Monocytic cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human monocyte cells that may be used according to these assays include the U937 cell line, which is cell line derived by Sundstrom and Nilsson in 1974 from malignant cells obtained from the pleural effusion of a patient with histiocytic lymphoma.
33	HCE3G69	556	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics

				typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
33	HCE3G69	556	Production of IL-10 and activation of T-cells.	Assays for production of IL-10 and activation of T-cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit production of IL-10 and/or activation of T-cells. Exemplary assays that may be used or routinely modified to assess the ability of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) to modulate IL-10 production and/or T-cell proliferation include, for example, assays such as disclosed and/or cited in: Robinson, DS, et al., "Th-2 cytokines in allergic disease" Br Med Bull; 56 (4): 956-968 (2000), and Cohn, et al., "T-helper type 2 cell-directed therapy for asthma" Pharmacology & Therapeutics; 88: 187-196 (2000); the contents of each of which are herein incorporated by reference in their entirety. Exemplary cells that may be used according to these assays include Th2 cells. IL10 secreted from Th2 cells may be measured as a marker of Th2 cell activation. Th2 cells are a class of T cells that secrete IL4, IL10, IL13, IL5 and IL6. Factors that induce differentiation and activation of Th2 cells play a major role in the initiation and pathogenesis of allergy and asthma. Primary T helper 2 cells are generated via in vitro culture under Th2 polarizing conditions using peripheral blood lymphocytes isolated from cord blood.
34	HCE5F43	557	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.

35	HCEFB80	558	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary mouse T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
35	HCEFB80	558	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
36	HCENK38	559	Protection from	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may

			Endothelial Cell Apoptosis.	be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
36	HCENK38	559	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary mouse T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
36	HCENK38	559	Activation of Hepatocyte ERK Signaling Pathway	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature

				410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Rat liver hepatoma cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat liver hepatoma cells that may be used according to these assays include H4Ile cells, which are known to respond to glucocorticoids, insulin, or cAMP derivatives.
36	HCENK38	559	Upregulation of CD71 and activation of T cells	CD71 FMAT. CD71 is the transferrin receptor. Transferrin is a major iron carrying protein that is essential for cell proliferation. CD71 is expressed predominantly on cells that are actively proliferating. Assays for immunomodulatory proteins expressed on activated T cells, B cells, and most proliferating cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD71, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Afetra et al., Ann Rheum Dis 52(6):457-460 (1993), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
37	HCEWE20	560	Regulation of transcription of Malic Enzyme in hepatocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et

				al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the mouse 3T3-L1 cell line. 3T3-L1 is a mouse preadipocyte cell line (adherent). It is a continuous substrain of 3T3 fibroblasts developed through clonal isolation. Cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
37	HCEWE20	560	Production of ICAM-1	Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Rolfe BE, et al., Atherosclerosis, 149(1):99-110 (2000); Panettieri RA Jr, et al., J Immunol, 154(5):2358-2365 (1995); and, Grunstein MM, et al., Am J Physiol Lung Cell Mol Physiol, 278(6):L1154-L1163 (2000), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include Aortic Smooth Muscle Cells (AOSMC); such as bovine AOSMC.
38	HCFNN01	561	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
39	HCGMD59	562	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is

				measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
40	HCHNF25	563	Calcium flux in immune cells (such as monocytes)	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux in immune cells (such as monocytes) include assays disclosed in: Chan, CC, et al., J Pharmacol Exp Ther, 269(3):891-896 (1994); Andersson, K, et al., Cytokine, 12(12):1784-1787 (2000); Scully, SP, et al., J Clin Invest, 74(2) 589-599 (1984); and, Sullivan, E, et al., Methods Mol Biol, 114:125-133 (1999), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the THP-1 monocyte cell line.
41	HCNDR47	564	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the

				presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
42	HCNSB61	565	Activation of Adipocyte ERK Signaling Pathway	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Le Marchand-Brustel Y, Exp Clin Endocrinol Diabetes 107(2):126-132 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Mouse adipocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
42	HCNSB61	565	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention

				(including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
43	HCNSM70	566	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6 myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
44	HCUCK44	567	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these

				assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
44	HCUCK44	567	Production of MCP-1	MCP-1 FMAT. Assays for immunomodulatory proteins that are produced by a large variety of cells and act to induce chemotaxis and activation of monocytes and T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, induce chemotaxis, and modulate immune cell activation. Exemplary assays that test for immunomodulatory proteins evaluate the production of cell surface markers, such as monocyte chemoattractant protein (MCP), and the activation of monocytes and T cells. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
45	HCUEO60	568	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.

46	HCUHK65	569	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
47	HCUIM65	570	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte

				to adipose-like conversion under appropriate differentiation culture conditions.
47	HCUIM65	570	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
47	HCUIM65	570	Activation of transcription through serum response element in pre-adipocytes.	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal

				isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
47	HCUIM65	570	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al.; Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
47	HCUIM65	570	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol

				Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
47	HCUIM65	570	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
47	HCUIM65	570	Activation of transcription through NFKB response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFkB signaling pathway in HMC-1 human mast cell line. Activation of NFkB in mast cells has been linked to production of certain cytokines, such as IL-6 and IL-9. Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998);

				Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Stassen et al, J Immunol 166(7):4391-8 (2001); and Marquardt and Walker, J Allergy Clin Immunol 105(3):500-5 (2000), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
47	HCUIM65	570	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to bind the serum response factor and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells, such as the MOLT4, that may be used according to these assays are publicly available (e.g., through the ATCC).
47	HCUIM65	570	Activation of transcription through STAT6 response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may

				be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC).
47	HCUIM65	570	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the SUPT cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
47	HCUIM65	570	Activation of transcription through NFAT response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
47	HCUIM65	570	Activation of transcription	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the

			through serum response element in immune cells (such as natural killer cells).	invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
48	HCWDS72	571	Regulation of transcription of Malic Enzyme in adipocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
49	HCWGU37	572	Calcium flux in chondrocytes	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations

				in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux in chondrocytes include assays disclosed in: Asada S, et al., Inflamm Res, 50(1):19-23 (2001); Schwartz Z, et al., J Bone Miner Res, 6(7):709-718 (1991); Iannotti JP, et al., J Bone Joint Surg Am, 67(1): 113-120 (1985); Sullivan E., et al., Methods Mol Biol 1999; 114:125-133 (1999), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include bovine chondrocytes.
50	HCWKC15	573	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
50	HCWKC15	573	Activation of transcription through cAMP response element (CRE)	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example; a 3T3-L1/CRE reporter assay may be used to identify factors that activate

			in pre-adipocytes.	the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
50	HCWKC15	573	Activation of transcription through serum response element in pre-adipocytes.	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
50	HCWKC15	573	Activation of transcription through GAS response	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate gene expression (commonly via STAT transcription factors) involved in a

			element in immune cells (such as eosinophils).	wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995); the contents of each of which are herein incorporated by reference in its entirety. Moreover, exemplary assays that may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate or inhibit activation of immune cells include assays disclosed and/or cited in: Mayumi M., "EoL-1, a human eosinophilic cell line" Leuk Lymphoma; Jun;7(3):243-50 (1992); Bhattacharya S, "Granulocyte macrophage colony-stimulating factor and interleukin-5 activate STAT5 and induce CIS1 mRNA in human peripheral blood eosinophils" Am J Respir Cell Mol Biol; Mar;24(3):312-6 (2001); and, Du J, et al., "Engagement of the CrkL adapter in interleukin-5 signaling in eosinophils" J Biol Chem; Oct 20;275(42):33167-75 (2000); the contents of each of which are herein incorporated by reference in its entirety. Exemplary cells that may be used according to these assays include eosinophils. Eosinophils are a type of immune cell important in the late stage of allergic reactions; they are recruited to tissues and mediate the inflammtory response of late stage allergic reaction. Increases in GAS mediated transcription in eosinophils is typically a result of STAT activation, normally a direct consequence of interleukin or other cytokine receptor stimulation (e.g. IL3, IL5 or GMCSF).
50	HCWKC15	573	Activation of transcription through NFKB response element in immune cells (such as EOL1 cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. For example, a reporter assay (which measures increases in transcription inducible from a NFkB responsive element in EOL-1 cells) may link the NFKB element to a repeorter gene and binds to the NFKB transcription factor, which is

				upregulated by cytokines and other factors. Exemplary immune cells that may be used according to these assays include eosinophils such as the human EOL-1 cell line of eosinophils. Eosinophils are a type of immune cell important in the allergic responses; they are recruited to tissues and mediate the inflammtory response of late stage allergic reaction. Eol-1 is a human eosinophil cell line.
50	HCWKC15	573	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
50	HCWKC15	573	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De

				Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
50	HCWKC15	573	Activation of transcription through NFKB response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFkB signaling pathway in HMC-1 human mast cell line. Activation of NFkB in mast cells has been linked to production of certain cytokines, such as IL-6 and IL-9. Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Stassen et al, J Immunol 166(7):4391-8 (2001); and Marquardt and Walker, J Allergy Clin Immunol 105(3):500-5 (2000), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
50	HCWKC15	573	Activation of transcription through STAT6 response element in immune cells (such as mast cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element in immune cells (such as in the human HMC-1 mast cell line) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl

				Acad Sci USA 85:6342-6346 (1988); Sherman, Immunol Rev 179:48-56 (2001); Malaviya and Uckun, J Immunol 168:421-426 (2002); Masuda et al., J Biol Chem 275(38):29331-29337 (2000); and Masuda et al., J Biol Chem 276:26107-26113 (2001), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
50	HCWKC15	573	Activation of transcription through NFKB response element in immune cells (such as basophils).	This reporter assay measures activation of the NFkB signaling pathway in Ku812 human basophil cell line. Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Marone et al, Int Arch Allergy Immunol 114(3):207-17 (1997), the contents of each of which are herein incorporated by reference in its entirety. Basophils that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human basophil cell lines that may be used according to these assays include Ku812, originally established from a patient with chronic myelogenous leukemia. It is an immature prebasophilic cell line that can be induced to differentiate into mature basophils.
50	HCWKC15	573	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to bind the serum response factor and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to

				these assays are publicly available (e.g., through the ATCC). Exemplary human T cells, such as the MOLT4, that may be used according to these assays are publicly available (e.g., through the ATCC).
50	HCWKC15	573	Activation of transcription through NFKB response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
50	HCWKC15	573	Activation of transcription through STAT6 response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC).
50	HCWKC15	573	Activation of transcription	Assays for the activation of transcription through the AP1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention

			through AP1 response element in immune cells (such as T-cells).	(including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is an IL-2 and IL-4 responsive suspension-culture cell line.
50	HCWKC15	573	Activation of transcription through CD28 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
50	HCWKC15	573	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the

				contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the SUPT cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
50	HCWKC15	573	Activation of transcription through NFAT response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Serfling et al., Biochim Biophys Acta 1498(1):1-18 (2000); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
50	HCWKC15	573	Activation of transcription through NFKB response element in immune cells (such as T-cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
50	HCWKC15	573	Activation of transcription through NFAT	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the

			response element in immune cells (such as natural killer cells).	invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
50	HCWKC15	573	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
51	HCWLD74	574	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor

				CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
51	HCWLD74	574	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
51	HCWLD74	574	Activation of transcription	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production.

			through NFAT response element in immune cells (such as mast cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
51	HCWLD74	574	Activation of transcription through cAMP response element in immune cells (such as T-cells).	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the HT2 cell line, which is a suspension culture of IL-2 dependent T cells that also respond to IL-4.
51	HCWLD74	574	Activation of transcription through STAT6	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or

			response element in immune cells (such as natural killer cells).	antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC).
51	HCWLD74	574	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the SUPT cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
51	HCWLD74	574	Activation of transcription through NFAT response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988);

				Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
51	HCWLD74	574	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
52	HDHEB60	575	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923

				(1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
52	HDHEB60	575	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6 myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
52	HDHEB60	575	Production of VCAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Assays for measuring expression of VCAM are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate VCAM expression. For example, FMAT may be used to meaure the upregulation of cell surface VCAM-1 expresssion in endothelial cells. Endothelial cells are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are available from commercial sources. The expression of VCAM (CD106), a membrane-associated protein, can be upregulated by cytokines or other factors, and contributes to the extravasation of lymphocytes, leucocytes and other immune cells from blood vessels; thus VCAM expression plays a role in promoting immune and inflammatory responses.
52	HDHEB60	575	Activation of	Assays for the activation of transcription through the Signal Transducers and Activators of

			transcription through STAT6 response element in immune cells (such as natural killer cells).	Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC).
52	HDHEB60	575	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is an IL-2 and IL-4 responsive suspension-culture cell line.
52	HDHEB60	575	Activation of transcription through CD28 response element in immune cells (such as T-	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992);

			cells).	Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
52	HDHEB60	575	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the SUPT cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
52	HDHEB60	575	Activation of transcription through NFAT response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Serfling et al., Biochim Biophys Acta 1498(1):1-18 (2000); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.

52	HDHEB60	575	Activation of transcription through STAT6 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
52	HDHEB60	575	Activation of transcription through NFKB response element in immune cells (such as T-cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
52	HDHEB60	575	Activation of transcription through NFAT response element in immune cells	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of

			(such as natural killer cells).	polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
53	HDLAC10	576	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
53	HDLAC10	576	Production of VCAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Assays for measuring expression of VCAM are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate VCAM expression. For example, FMAT may be used to meaure the upregulation of cell surface VCAM-1 expresssion in endothelial cells. Endothelial cells are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are available from commercial sources. The expression of VCAM (CD106), a membrane-associated protein, can be upregulated by cytokines or other factors, and contributes to the extravasation of lymphocytes, leucocytes and other immune cells from blood vessels; thus VCAM expression plays a role in promoting immune and inflammatory responses.

54	HDPBA28	577	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
54	HDPBA28	577	Production of IL-10 and activation of T-cells.	Assays for production of IL-10 and activation of T-cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit production of IL-10 and/or activation of T-cells. Exemplary assays that may be used or routinely modified to assess the ability of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) to modulate IL-10 production and/or T-cell proliferation include, for example, assays such as disclosed and/or cited in: Robinson, DS, et al., "Th-2 cytokines in allergic disease" Br Med Bull; 56 (4): 956-968 (2000), and Cohn, et al., "T-helper type 2 cell-directed therapy for asthma" Pharmacology & Therapeutics; 88: 187-196 (2000); the contents of each of which are herein incorporated by reference in their entirety. Exemplary cells that may be used according to these assays include Th2 cells. IL10 secreted from Th2 cells may be measured as a marker of Th2 cell activation. Th2 cells are a class of T cells that secrete IL4, IL10, IL13, IL5 and IL6. Factors that induce differentiation and activation of Th2 cells play a major role in the initiation and pathogenesis of allergy and asthma. Primary T helper 2 cells are generated via in vitro culture under Th2 polarizing conditions using peripheral blood lymphocytes isolated from cord blood.
55	HDPBQ71	578	Regulation of viability or	Assays for the regulation (i.e. increases or decreases) of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides

			proliferation of immune cells (such as human eosinophil EOL-1 cells).	of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of eosinophil cells and cell lines. For example, the CellTiter-Gloô Luminescent Cell Viability Assay (Promega Corp., Madison, WI, USA) can be used to measure the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Eosinophils are a type of immune cell important in allergic responses; they are recruited to tissues and mediate the inflammtory response of late stage allergic reaction. Eosinophil cell lines that may be used according to these assays are publicly available and/or may be routinely generated. Exemplary eosinophil cells that may be used according to these assays include EOL-1 Cells.
55	HDPBQ71	578	Production of IFNgamma using a T cells	IFNgamma FMAT. IFNg plays a central role in the immune system and is considered to be a proinflammatory cytokine. IFNg promotes TH1 and inhibits TH2 differentiation; promotes IgG2a and inhibits IgE secretion; induces macrophage activation; and increases MHC expression. Assays for immunomodulatory proteins produced by T cells and NK cells that regulate a variety of inflammatory activities and inhibit TH2 helper cell functions are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, regulate inflammatory activities, modulate TH2 helper cell function, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as Interferon gamma (IFNg), and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Gonzalez et al., J Clin Lab Anal 8(5):225-233 (1995); Billiau et al., Ann NY Acad Sci 856:22-32 (1998); Boehm et al., Annu Rev Immunol 15:749-795 (1997), and Rheumatology (Oxford) 38(3):214-20 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
56	HDPCL63	579	Regulation of transcription through the FAS promoter	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis.

			element in hepatocytes	FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
57	HDPCO25	580	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ohtani KI, et al., Endocrinology, 139(1):172-8 (1998); Krautheim A, et al, Exp Clin Endocrinol Diabetes, 107 (1):29-34 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
57	HDPCO25	580	Activation of transcription through NFKB response	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription

			element in immune cells (such as T-cells).	through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
58	HDPFF39	581	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
59	HDPFP29	582	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6 myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein

				incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
60	HDPGI49	583	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
61	HDPGT01	584	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver

				hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
62	HDPHI51	585	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
62	HDPHI51	585	Activation of transcription through STAT6 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
63	HDPJM30	586	Production of MCP-1	MCP-1 FMAT. Assays for immunomodulatory proteins that are produced by a large variety of cells and act to induce chemotaxis and activation of monocytes and T cells are well known in the art and

				may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, induce chemotaxis, and modulate immune cell activation. Exemplary assays that test for immunomodulatory proteins evaluate the production of cell surface markers, such as monocyte chemoattractant protein (MCP), and the activation of monocytes and T cells. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
63	HDPJM30	586	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
64	HDPMM88	587	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays

				for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6 myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
65	HDPNC61	588	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
65	HDPNC61	588	Activation of transcription	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the

			through GAS response element in immune cells (such as eosinophils).	ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate gene expression (commonly via STAT transcription factors) involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995); the contents of each of which are herein incorporated by reference in its entirety. Moreover, exemplary assays that may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate or inhibit activation of immune cells include assays disclosed and/or cited in: Mayumi M., "EoL-1, a human eosinophilic cell line" Leuk Lymphoma; Jun;7(3):243-50 (1992); Bhattacharya S, "Granulocyte macrophage colony-stimulating factor and interleukin-5 activate STAT5 and induce CIS1 mRNA in human peripheral blood eosinophils" Am J Respir Cell Mol Biol; Mar;24(3):312-6 (2001); and, Du J, et al., "Engagement of the CrkL adapter in interleukin-5 signaling in eosinophils" J Biol Chem; Oct 20;275(42):33167-75 (2000); the contents of each of which are herein incorporated by reference in its entirety. Exemplary cells that may be used according to these assays include eosinophils. Eosinophils are a type of immune cell important in the late stage of allergic reactions; they are recruited to tissues and mediate the inflammtory response of late stage allergic reaction. Increases in GAS mediated transcription in eosinophils is typically a result of STAT activation, normally a direct consequence of interleukin or other cytokine receptor stimulation (e.g. IL3, IL5 or GMCSF).
65	HDPNC61	588	Activation of Endothelial Cell ERK Signaling Pathway.	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Berra et al., Biochem Pharmacol 60(8):1171-1178 (2000); Gupta et al., Exp Cell Res 247(2):495-504 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly

				available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
65	HDPNC61	588	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the MOLT4 cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
66	HDPOJ08	589	Regulation of apoptosis in pancreatic beta cells.	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al., FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol, 166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide

				hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
67	HDPOZ56	590	Activation of transcription through GAS response element in epithelial cells (such as HELA cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: You M, et al, J Biol Chem, 272(37):23376-23381(1997); Min W, et al., Circ Res, 83(8):815-823 (1998); Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Epithelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary epithelial cells that may be used according to these assays include the HELA cell line.
67	HDPOZ56	590	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
68	HDPPN86	591	Stimulation of insulin secretion from pancreatic	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is

			beta cells.	measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
69	HDPSB18	592	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
69	HDPSB18	592	Production of IL-10 and downregulation	IL-10 FMAT. Assays for immunomodulatory proteins produced by activated T cells, B cells, and monocytes that exhibit anti-inflammatory activity and downregulate monocyte/macrophage function and expression of cytokines are well known in the art and may be used or routinely modified to

			of immune responses	assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, regulate inflammatory activities, and modulate immune cell function and cytokine production. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-10, and the downmodulation of immune responses. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Koning et al., Cytokine 9(6):427-436 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
70	HDPSH53	593	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
71	HDPSP01	594	Production of	MCP-1 FMAT. Assays for immunomodulatory proteins that are produced by a large variety of cells

			MCP-1	and act to induce chemotaxis and activation of monocytes and T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, induce chemotaxis, and modulate immune cell activation. Exemplary assays that test for immunomodulatory proteins evaluate the production of cell surface markers, such as monocyte chemoattractant protein (MCP), and the activation of monocytes and T cells. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
71	HDPSP01	594	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219:

				547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
72	HDPSP54	595	Activation of Endothelial Cell JNK Signaling Pathway.	Kinase assay. JNK kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK kinase activity that may be used or routinely modified to test JNK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
72	HDPSP54	595	Regulation of apoptosis in pancreatic beta cells.	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al., FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol, 166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et

				al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
72	HDPSP54	595	Production of IL-10 and activation of T-cells.	Assays for production of IL-10 and activation of T-cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit production of IL-10 and/or activation of T-cells. Exemplary assays that may be used or routinely modified to assess the ability of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) to modulate IL-10 production and/or T-cell proliferation include, for example, assays such as disclosed and/or cited in: Robinson, DS, et al., "Th-2 cytokines in allergic disease" Br Med Bull; 56 (4): 956-968 (2000), and Cohn, et al., "T-helper type 2 cell-directed therapy for asthma" Pharmacology & Therapeutics; 88: 187-196 (2000); the contents of each of which are herein incorporated by reference in their entirety. Exemplary cells that may be used according to these assays include Th2 cells. IL10 secreted from Th2 cells may be measured as a marker of Th2 cell activation. Th2 cells are a class of T cells that secrete IL4, IL10, IL13, IL5 and IL6. Factors that induce differentiation and activation of Th2 cells play a major role in the initiation and pathogenesis of allergy and asthma. Primary T helper 2 cells are generated via in vitro culture under Th2 polarizing conditions using peripheral blood lymphocytes isolated from cord blood.
73	HDPTD15	596	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
73	HDPTD15	596	Activation of transcription through cAMP response element in	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP and regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used

			immune cells (such as T-cells).	or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
73	HDPTD15	596	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary mouse T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
73	HDPTD15	596	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays

				include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
73	HDPTD15	596	Activation of transcription through CD28 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
74	HDPUW68	597	Activation of Adipocyte ERK Signaling Pathway	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Le Marchand-Brustel Y, Exp Clin Endocrinol Diabetes 107(2):126-132 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Mouse adipocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
74	HDPUW68	597	Activation of transcription	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the

			through serum response element in immune cells (such as T-cells).	invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
74	HDPUW68	597	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
74	HDPUW68	597	Activation of Skeletal Mucle Cell PI3 Kinase Signalling	Kinase assay. Kinase assays, for example an GSK-3 kinase assay, for PI3 kinase signal transduction that regulate glucose metabolism and cell survivial are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit glucose metabolism

			Pathway	and cell survival. Exemplary assays for PI3 kinase activity that may be used or routinely modified to test PI3 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Nikoulina et al., Diabetes 49(2):263-271 (2000); and Schreyer et al., Diabetes 48(8):1662-1666 (1999), the contents of each of which are herein incorporated by reference in its entirety. Rat myoblast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat myoblast cells that may be used according to these assays include L6 cells. L6 is an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuses to form multinucleated myotubes and striated fibers after culture in differentiation media.
75	HDPWN93	598	Activation of transcription through cAMP response element in immune cells (such as T-cells).	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP and regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
75	HDPWN93	598	Activation of JNK Signaling Pathway in immune cells (such as eosinophils).	Kinase assay. JNK kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK kinase activity that may be used or routinely modified to test JNK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Exemplary cells that

				may be used according to these assays include eosinophils. Eosinophils are important in the late stage of allergic reactions; they are recruited to tissues and mediate the inflammatory response of late stage allergic reaction. Moreover, exemplary assays that may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate signal transduction, cell proliferation, activation, or apoptosis in eosinophils include assays disclosed and/or cited in: Zhang JP, et al., "Role of caspases in dexamethasone-induced apoptosis and activation of c-Jun NH2-terminal kinase and p38 mitogen-activated protein kinase in human eosinophils" Clin Exp Immunol; Oct;122(1):20-7 (2000); Hebestreit H, et al., "Disruption of fas receptor signaling by nitric oxide in eosinophils" J Exp Med; Feb 2;187(3):415-25 (1998); J Allergy Clin Immunol 1999 Sep;104(3 Pt 1):565-74; and, Sousa AR, et al., "In vivo resistance to corticosteroids in bronchial asthma is associated with enhanced phosyphorylation of JUN N-terminal kinase and failure of prednisolone to inhibit JUN N-terminal kinase phosphorylation" J Allergy Clin Immunol; Sep;104(3 Pt 1):565-74 (1999); the contents of each of which are herein incorporated by reference in its entirety.
75	HDPWN93	598	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
76	HDPXY01	599	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component

				in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
77	HDTBD53	600	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6 myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
78	HDTBV77	601	Regulation of transcription via DMEF1 response element in	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2

			adipocytes and pre-adipocytes	transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
79	HDTDQ23	602	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
79	HDTDQ23	602	Stimulation of Calcium Flux in pancreatic beta	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to

			cells.	measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
80	HE2DE47	603	Regulation of apoptosis in pancreatic beta cells.	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al., FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol, 166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et

				al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
81	HE2EB74	604	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
82	HE2NV57	605	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
82	HE2NV57	605	Activation of transcription through AP1 response	Assays for the activation of transcription through the AP1 response element are known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely

			element in immune cells (such as T-cells).	modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
82	HE2NV57	605	Activation of transcription through cAMP response element in immune cells (such as T-cells).	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP and regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
82	HE2NV57	605	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary mouse T

				cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
82	HE2NV57	605	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
82	HE2NV57	605	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219:

				547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
82	HE2NV57	605	Activation of transcription through CD28 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
83	HE2PH36	606	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
84	HE8DS15	607	Activation of Adipocyte ERK	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely

			Signaling Pathway	modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Le Marchand-Brustel Y, Exp Clin Endocrinol Diabetes 107(2):126-132 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Mouse adipocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
84	HE8DS15	607	Regulation of transcription of Malic Enzyme in adipocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
85	HE9CP41	608	Activation of transcription through serum	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum

			response element in immune cells (such as T-cells).	response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
86	HE9DG49	609	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
86	HE9DG49	609	Activation of transcription through cAMP response element in immune cells (such as T-cells).	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP and regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these

				assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
86	HE9DG49	609	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary mouse T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
86	HE9DG49	609	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
86	HE9DG49	609	Activation of transcription through CD28 response	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or

			element in immune cells (such as T-cells).	routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
87	HE9HY07	610	Activation of Adipocyte ERK Signaling Pathway	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Le Marchand-Brustel Y, Exp Clin Endocrinol Diabetes 107(2):126-132 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Mouse adipocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
87	HE9HY07	610	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies

				and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
88	HEBEJ18	611	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
89	HEEAQ11	612	Regulation of viability or proliferation of immune cells (such as human eosinophil EOL-1 cells).	Assays for the regulation (i.e. increases or decreases) of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of eosinophil cells and cell lines. For example, the CellTiter-Gloô Luminescent Cell Viability Assay (Promega Corp., Madison, WI, USA) can be used to measure the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Eosinophils are a type of immune cell important in allergic responses; they are recruited to tissues and mediate the inflammtory response of late stage allergic reaction. Eosinophil cell lines that may be used according to these assays are publicly available and/or may be routinely generated. Exemplary eosinophil cells that may be used according to these assays include EOL-1 Cells.
89	HEEAQ11	612	Activation of T-	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation,

			Cell p38 or JNK Signaling Pathway.	activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
89	HEEAQ11	612	Upregulation of CD71 and activation of T cells	CD71 FMAT. CD71 is the transferrin receptor. Transferrin is a major iron carrying protein that is essential for cell proliferation. CD71 is expressed predominantly on cells that are actively proliferating. Assays for immunomodulatory proteins expressed on activated T cells, B cells, and most proliferating cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD71, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Afetra et al., Ann Rheum Dis 52(6):457-460 (1993), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
90	HEGAH43	613	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction

				of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
91	HELHD85	614	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
92	HEOMQ63	615	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al.,

				FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
93	HEPAA46	616	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
94	HEPAB80	617	Activation of Adipocyte ERK Signaling Pathway	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Le Marchand-Brustel Y, Exp Clin Endocrinol Diabetes 107(2):126-132 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Mouse adipocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an

				adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
94	HEPAB80	617	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ohtani KI, et al., Endocrinology, 139(1):172-8 (1998); Krautheim A, et al, Exp Clin Endocrinol Diabetes, 107 (1):29-34 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
95	HFABG18	618	Activation of Adipocyte ERK Signaling Pathway	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Le Marchand-Brustel Y, Exp Clin Endocrinol Diabetes 107(2):126-132 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Mouse adipocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an

				adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
95	HFABG18	618	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
95	HFABG18	618	Activation of transcription through STAT6 response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC).
95	HFABG18	618	Production of IFNgamma using a T cells	IFNgamma FMAT. IFNg plays a central role in the immune system and is considered to be a proinflammatory cytokine. IFNg promotes TH1 and inhibits TH2 differentiation; promotes IgG2a and inhibits IgE secretion; induces macrophage activation; and increases MHC expression. Assays

				for immunomodulatory proteins produced by T cells and NK cells that regulate a variety of inflammatory activities and inhibit TH2 helper cell functions are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, regulate inflammatory activities, modulate TH2 helper cell function, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as Interferon gamma (IFNg), and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Gonzalez et al., J Clin Lab Anal 8(5):225-233 (1995); Billiau et al., Ann NY Acad Sci 856:22-32 (1998); Boehm et al., Annu Rev Immunol 15:749-795 (1997), and Rheumatology (Oxford) 38(3):214-20 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
96	HFABH95	619	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular *Screening, 4:193-*204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References:

				Asfari et al. Endocrinology 1992 130:167.
96	HFABH95	619	Upregulation of CD69 and activation of T cells	CD69 FMAT. CD69 is an activation marker that is expressed on activated T cells, B cells, and NK cells. CD69 is not expressed on resting T cells, B cells, or NK cells. CD69 has been found to be associated with inflammation. Assays for immunomodulatory proteins expressed in T cells, B cells, and leukocytes are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD69, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Ferenczi et al., J Autoimmun 14(1):63-78 (200); Werfel et al., Allergy 52(4):465-469 (1997); Taylor-Fishwick and Siegel, Eur J Immunol 25(12):3215-3221 (1995); and Afetra et al., Ann Rheum Dis 52(6):457-460 (1993), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
97	HFAEF57	620	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely

				generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
98	HFAMH77	621	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
98	HFAMH77	621	Production of IFNgamma using a T cells	IFNgamma FMAT. IFNg plays a central role in the immune system and is considered to be a proinflammatory cytokine. IFNg promotes TH1 and inhibits TH2 differentiation; promotes IgG2a and inhibits IgE secretion; induces macrophage activation; and increases MHC expression. Assays for immunomodulatory proteins produced by T cells and NK cells that regulate a variety of inflammatory activities and inhibit TH2 helper cell functions are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, regulate inflammatory activities, modulate TH2 helper cell function, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as Interferon gamma (IFNg), and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Gonzalez et al., J Clin Lab Anal 8(5):225-233 (1995); Billiau et al., Ann NY Acad Sci 856:22-32 (1998); Boehm et al., Annu Rev Immunol 15:749-795 (1997), and Rheumatology (Oxford) 38(3):214-20 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T

				Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
99	HFCCQ50	622	Production of TNF alpha by dendritic cells	TNFa FMAT. Assays for immunomodulatory proteins produced by activated macrophages, T cells, fibroblasts, smooth muscle, and other cell types that exert a wide variety of inflammatory and cytotoxic effects on a variety of cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate inflammation and cytotoxicity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines such as tumor necrosis factor alpha (TNFa), and the induction or inhibition of an inflammatory or cytotoxic response. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miràglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Verhasselt et al., Eur J Immunol 28(11):3886-3890 (1198); Dahlen et al., J Immunol 160(7):3585-3593 (1998); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
99	HFCCQ50	622	Production of IL-4	IL-4 FMAT. Assays for immunomodulatory proteins secreted by TH2 cells that stimulate B cells, T cells, macrophages and mast cells and promote polarization of CD4+ cells into TH2 cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, stimulate immune cells, modulate immune cell polarization, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-4, and the stimulation of immune cells, such as B cells, T cells, macrophages and mast cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Gonzalez et al., J Clin Lab Anal 8(5):277-283 (1194); Yssel et al., Res Immunol 144(8):610-616 (1993); Bagley et al., Nat Immunol 1(3):257-261 (2000); and van der Graaff et al., Rheumatology (Oxford) 38(3):214-220 (1999), the contents of each of which are herein

				incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
99	HFCCQ50	622	Activation of transcription through NFKB response element in immune cells (such as the Jurkat human T cell line).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
99	HFCCQ50	622	Activation of transcription through GAS response element in immune cells (such as monocytes).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Gustafson KS, et al., J Biol Chem, 271(33):20035-20046 (1996); Eilers A, et al., Immunobiology, 193(2-4):328-333 (1995); Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary immune cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary immune cells that may be used according to these assays

				include the U937 cell line, which is a monocytic cell line.
100	HFCEB37	623	Regulation of transcription of Malic Enzyme in adipocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
101	HFFAD59	624	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used

				according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
101	HFFAD59	624	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
101	HFFAD59	624	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
102	HFFAL36	625	Activation of transcription through AP1	Assays for the activation of transcription through the AP1 response element are known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions.

			response element in immune cells (such as T-cells).	Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
102	HFFAL36	625	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
103	HFGAD82	626	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Mouse T cells that may be used according to these assays are publicly available (e.g.,

				through the ATCC). Exemplary mouse T cells that may be used according to these assays include the HT2 cell line, which is an IL-2 dependent suspension culture cell line that also responds to IL-4.
103	HFGAD82	626	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
104	HFIUR10	627	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ohtani KI, et al., Endocrinology, 139(1):172-8 (1998); Krautheim A, et al, Exp Clin Endocrinol Diabetes, 107 (1):29-34 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose

				and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
105	HFTBM50	628	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
105	HFTBM50	628	Production of IL-10 and activation of T-cells.	Assays for production of IL-10 and activation of T-cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit production of IL-10 and/or activation of T-cells. Exemplary assays that may be used or routinely modified to assess the ability of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) to modulate IL-10 production and/or T-cell proliferation include, for example, assays such as disclosed and/or cited in: Robinson, DS, et al., "Th-2 cytokines in allergic disease" Br Med Bull; 56 (4): 956-968 (2000), and Cohn, et al., "T-helper type 2 cell-directed therapy for asthma" Pharmacology & Therapeutics; 88: 187-196 (2000); the contents of each of which are herein incorporated by reference in their entirety. Exemplary cells that may be used according to these assays include Th2 cells. IL10 secreted from Th2 cells may be measured as a marker of Th2 cell activation. Th2 cells are a class of T cells that secrete IL4, IL10, IL13, IL5 and IL6. Factors that induce differentiation

				and activation of Th2 cells play a major role in the initiation and pathogenesis of allergy and asthma. Primary T helper 2 cells are generated via in vitro culture under Th2 polarizing conditions using peripheral blood lymphocytes isolated from cord blood.
106	HFTDZ36	629	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
106	HFTDZ36	629	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
108	HFVGE32	631	Activation of	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation,

			Endothelial Cell p38 or JNK Signaling Pathway.	activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
109	HFXBL33	632	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte

				to adipose-like conversion under appropriate differentiation culture conditions.
110	HFXDN63	633	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
111	HFXJX44	634	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
112	HFXKJ03	635	Activation of transcription	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the

			through serum response element in immune cells (such as natural killer cells).	invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
113	HFXKT05	636	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6 myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
114	HGBHI35	637	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and

				agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
115	HGBIB74	638	Activation of transcription through STAT6 response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC).
115	HGBIB74	638	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al.,

				Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the SUPT cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
115	HGBIB74	638	Activation of transcription through NFAT response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
115	HGBIB74	638	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.

116	HGLAF75	639	Regulation of transcription of Malic Enzyme in hepatocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the mouse 3T3-L1 cell line. 3T3-L1 is a mouse preadipocyte cell line (adherent). It is a continuous substrain of 3T3 fibroblasts developed through clonal isolation. Cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
116	HGLAF75	639	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of

				native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
116	HGLAF75	639	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
117	HGLAL82	640	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.

118	HHEMA59	641	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
119	HHENV10	642	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
120	HHEPM33	643	Activation of transcription through cAMP response	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell

			element (CRE) in pre-adipocytes.	functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
120	HHEPM33	643	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature

				mast cells.
120	HHEPM33	643	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
120	HHEPM33	643	Activation of transcription through STAT6 response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through

				the ATCC).
120	HHEPM33	643	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the SUPT cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
120	HHEPM33	643	Activation of transcription through NFAT response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
120	HHEPM33	643	Activation of transcription through serum response	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the

			element in immune cells (such as natural killer cells).	function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
121	HHFBY53	644	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
122	HHFGR93	645	Activation of transcription through NFKB response element in epithelial cells (such as HELA cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of epithhelial genes. Exemplary assays for transcription through the NFKB response element that may be used or routinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Kaltschmidt B, et al., Oncogene, 18(21):3213-3225 (1999); Beetz A, et al., Int J Radiat Biol, 76(11):1443-1453 (2000); Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci

				USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Epithelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary epithelial cells that may be used according to these assays include the HELA cell line.
122	HHFGR93	645	Calcium flux in immune cells (such as monocytes)	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux in immune cells (such as monocytes) include assays disclosed in: Chan, CC, et al., J Pharmacol Exp Ther, 269(3):891-896 (1994); Andersson, K, et al., Cytokine, 12(12):1784-1787 (2000); Scully, SP, et al., J Clin Invest, 74(2) 589-599 (1984); and, Sullivan, E, et al., Methods Mol Biol, 114:125-133 (1999), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the THP-1 monocyte cell line.
123	HHGCG53	646	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides; and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References:

				Asfari et al. Endocrinology 1992 130:167.
124	HHGCM76	647	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
124	HHGCM76	647	Production of ICAM-1	Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Takacs P, et al, FASEB J, 15(2):279-281 (2001); and, Miyamoto K, et al., Am J Pathol, 156(5):1733-1739 (2000), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include microvascular endothelial cells (MVEC).
125	HHGDF16	648	Activation of transcription through serum response element in immune cells (such as T-	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in

			cells).	Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
125	HHGDF16	648	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is an IL-2 and IL-4 responsive suspension-culture cell line.
126	HHPDX20	649	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the

				ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
126	HHPDX20	649	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
127	HHPEN62	650	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15

				Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
128	HHPGO40	651	Proliferation of immune cells (such as the HMC-1 human mast cell line)	Assays for the regulation (i.e. increases or decreases) of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of eosinophil cells and cell lines. For example, the CellTiter-Gloô Luminescent Cell Viability Assay (Promega Corp., Madison, WI, USA) can be used to measure the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Mast cells are found in connective and mucosal tissues throughout the body. Mast cell activation (via immunoglobulin E -antigen, promoted by T helper cell type 2 cytokines) is an important component of allergic disease. Dysregulation of mast cell apoptosis may play a role in allergic disease and mast cell tumor survival. Mast cell lines that may be used according to these assays are publicly available and/or may be routinely generated. Exemplary mast cells that may be used according to these assays include HMC-1, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
128	HHPGO40	651	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
128	HHPGO40	651	Upregulation of CD69 and	CD69 FMAT. CD69 is an activation marker that is expressed on activated T cells, B cells, and NK cells. CD69 is not expressed on resting T cells, B cells, or NK cells. CD69 has been found to be

			activation of T cells	associated with inflammation. Assays for immunomodulatory proteins expressed in T cells, B cells, and leukocytes are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD69, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Ferenczi et al., J Autoimmun 14(1):63-78 (200); Werfel et al., Allergy 52(4):465-469 (1997); Taylor-Fishwick and Siegel, Eur J Immunol 25(12):3215-3221 (1995); and Afetra et al., Ann Rheum Dis 52(6):457-460 (1993), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
129	HHSDX28	652	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
129	HHSDX28	652	Production of TNF alpha by dendritic cells	TNFa FMAT. Assays for immunomodulatory proteins produced by activated macrophages, T cells, fibroblasts, smooth muscle, and other cell types that exert a wide variety of inflammatory and cytotoxic effects on a variety of cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or

				antagonists of the invention) to mediate immunomodulation, modulate inflammation and cytotoxicity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines such as tumor necrosis factor alpha (TNFa), and the induction or inhibition of an inflammatory or cytotoxic response. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Verhasselt et al., Eur J Immunol 28(11):3886-3890 (1198); Dahlen et al., J Immunol 160(7):3585-3593 (1998); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
129	HHSDX28	652	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
130	HILCF66	653	Activation of	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation,

			Endothelial Cell p38 or JNK Signaling Pathway.	activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
131	HJABB94	654	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
133	HJACG30	656	Activation of	Assays for the activation of transcription through the Serum Response Element (SRE) are well-

			transcription through serum response element in immune cells (such as T-cells).	known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullén and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
133	HJACG30	656	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
134	HJBCY35	657	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the

				presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
134	HJBCY35	657	Activation of Skeletal Mucle Cell PI3 Kinase Signalling Pathway	Kinase assay. Kinase assays, for example an GSK-3 kinase assay, for PI3 kinase signal transduction that regulate glucose metabolism and cell survivial are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit glucose metabolism and cell survival. Exemplary assays for PI3 kinase activity that may be used or routinely modified to test PI3 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Nikoulina et al., Diabetes 49(2):263-271 (2000); and Schreyer et al., Diabetes 48(8):1662-1666 (1999), the contents of each of which are herein incorporated by reference in its entirety. Rat myoblast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat myoblast cells that may be used according to these assays include L6 cells. L6 is an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuses to form multinucleated myotubes and striated fibers after culture in differentiation media.
135	HJMBI18	658	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992);

				Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
136	HJMBM38	659	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
137	HJPAD75	660	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line

				with cytotoxic activity.
137	HJPAD75	660	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
137	HJPAD75	660	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays,

				such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
138	HJPCP42	661	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
139	HKABI84	662	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
139	HKABI84	662	Activation of transcription through NFAT	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the

			response in immune cells (such as T-cells).	invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Serfling et al., Biochim Biophys Acta 1498(1):1-18 (2000); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
139	HKABI84	662	Activation of transcription through NFKB response element in immune cells (such as T-cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the MOLT4, that may be used according to these assays are publicly available (e.g., through the ATCC).
140	HKABZ65	663	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for

				immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
140	HKABZ65	663	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
140	HKABZ65	663	Regulation of apoptosis in pancreatic beta cells.	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al., FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-

				94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol, 166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
141	HKACB56	664	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6 myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
141	HKACB56	664	Production of IL-5	IL-5 FMAT. Assays for immunomodulatory proteins secreted by TH2 cells, mast cells, basophils, and eosinophils that stimulate eosinophil function and B cell Ig production and promote polarization of CD4+ cells into TH2 cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, stimulate immune cell function, modulate B cell Ig production, modulate immune cell polarization, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-5, and the stimulation of eosinophil function and B cell Ig production. Such assays that

				may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Ohshima et al., Blood 92(9):3338-3345 (1998); Jung et al., Eur J Immunol 25(8):2413-2416 (1995); Mori et al., J Allergy Clin Immunol 106(1 Pt 2):558-564 (2000); and Koning et al., Cytokine 9(6):427-436 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
141	HKACB56	664	Production of VCAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Assays for measuring expression of VCAM are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate VCAM expression. For example, FMAT may be used to meaure the upregulation of cell surface VCAM-1 expresssion in endothelial cells. Endothelial cells are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are available from commercial sources. The expression of VCAM (CD106), a membrane-associated protein, can be upregulated by cytokines or other factors, and contributes to the extravasation of lymphocytes, leucocytes and other immune cells from blood vessels; thus VCAM expression plays a role in promoting immune and inflammatory responses.
141	HKACB56	664	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include

				human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
141	HKACB56	664	Upregulation of CD152 and activation of T cells	CD152 FMAT. CD152 (a.k.a. CTLA-4) expression is restricted to activated T cells. CD152 is a negative regulator of T cell proliferation. Reduced CD152 expression has been linked to hyperproliferative and autoimmune diseases. Overexpression of CD152 may lead to impaired immunoresponses. Assays for immunomodulatory proteins important in the maintenance of T cell homeostasis and expressed almost exclusively on CD4+ and CD8+ T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, maintain T cell homeostasis, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD152, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); McCoy et al., Immunol Cell Biol 77(1):1-10 (1999); Oostervegal et al., Curr Opin Immunol 11(3):294-300 (1999); and Saito T, Curr Opin Immunol 10(3):313-321 (1998), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
142	HKACD58	665	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai,

				M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
142	HKACD58	665	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
143	HKACH44	666	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol

				71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
144	HKAEV06	667	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ohtani KI, et al., Endocrinology, 139(1):172-8 (1998); Krautheim A, et al, Exp Clin Endocrinol Diabetes, 107 (1):29-34 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
144	HKAEV06	667	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by

				reference in its entirety. Human T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is an IL-2 and IL-4 responsive suspension-culture cell line.
145	HKAFT66	668	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6 myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
145	HKAFT66	668	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors.

				The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
145	HKAFT66	668	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
145	HKAFT66	668	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-

				7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
146	HKB1E57	669	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
147	HKFBC53	670	Regulation of transcription of Malic Enzyme in adipocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol,

				8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
148	HKGDL36	671	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
149	HKISB57	672	Activation of JNK Signaling Pathway in immune cells (such as eosinophils).	Kinase assay. JNK kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK kinase activity that may be used or routinely modified to test JNK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Exemplary cells that

				may be used according to these assays include eosinophils. Eosinophils are important in the late stage of allergic reactions; they are recruited to tissues and mediate the inflammatory response of late stage allergic reaction. Moreover, exemplary assays that may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate signal transduction, cell proliferation, activation, or apoptosis in eosinophils include assays disclosed and/or cited in: Zhang JP, et al., "Role of caspases in dexamethasone-induced apoptosis and activation of c-Jun NH2-terminal kinase and p38 mitogen-activated protein kinase in human eosinophils" Clin Exp Immunol; Oct;122(1):20-7 (2000); Hebestreit H, et al., "Disruption of fas receptor signaling by nitric oxide in eosinophils" J Exp Med; Feb 2;187(3):415-25 (1998); J Allergy Clin Immunol 1999 Sep;104(3 Pt 1):565-74; and, Sousa AR, et al., "In vivo resistance to corticosteroids in bronchial asthma is associated with enhanced phosyphorylation of JUN N-terminal kinase and failure of prednisolone to inhibit JUN N-terminal kinase phosphorylation" J Allergy Clin Immunol; Sep;104(3 Pt 1):565-74 (1999); the contents of each of which are herein incorporated by reference in its entirety.
149	HKISB57	672	Regulation of transcription of Malic Enzyme in adipocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
150	HKMLM11	673	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays

				for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6 myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
151	HKMLP68	674	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
152	HKMMD13	675	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g.,

				through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
153	HKMMW74	676	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
154	HKMND01	677	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous

				blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
155	HLDBE54	678	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
156	HLDBX13	679	Production of TNF alpha by dendritic cells	TNFa FMAT. Assays for immunomodulatory proteins produced by activated macrophages, T cells, fibroblasts, smooth muscle, and other cell types that exert a wide variety of inflammatory and cytotoxic effects on a variety of cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate inflammation and cytotoxicity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines such as tumor necrosis factor alpha (TNFa), and the induction or inhibition of an inflammatory or cytotoxic response. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al.,"Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Verhasselt et al., Eur J Immunol 28(11):3886-3890 (1198); Dahlen et al., J Immunol 160(7):3585-3593 (1998); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
156	HLDBX13	679	Activation of	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation,

			Endothelial Cell p38 or JNK Signaling Pathway.	activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
157	HLDON23	680	Regulation of transcription through the PEPCK promoter in hepatocytes	Assays for the regulation of transcription through the PEPCK promoter are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the PEPCK promoter in a reporter construct and regulate liver gluconeogenesis. Exemplary assays for regulation of transcription through the PEPCK promoter that may be used or routinely modified to test for PEPCK promoter activity (in hepatocytes) of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Lochhead et al., Diabetes 49(6):896-903 (2000); and Yeagley et al., J Biol Chem 275(23):17814-17820 (2000), the contents of each of which is herein incorporated by reference in its entirety. Hepatocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary liver hepatoma cells that may be used according to these assays include H4lle cells, which contain a tyrosine amino transferase that is inducible with glucocorticoids, insulin, or cAMP derivatives.
157	HLDON23	680	Production of VCAM in endothelial cells (such as human umbilical vein	Assays for measuring expression of VCAM are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate VCAM expression. For example, FMAT may be used to meaure the upregulation of cell surface VCAM-1 expresssion in endothelial cells. Endothelial cells are cells that line blood vessels, and are involved in functions that include, but are not limited to,

			endothelial cells (HUVEC))	angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are available from commercial sources. The expression of VCAM (CD106), a membrane-associated protein, can be upregulated by cytokines or other factors, and contributes to the extravasation of lymphocytes, leucocytes and other immune cells from blood vessels; thus VCAM expression plays a role in promoting immune and inflammatory responses.
157	HLDON23	680	Production of ICAM-1	Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Takacs P, et al, FASEB J, 15(2):279-281 (2001); and, Miyamoto K, et al., Am J Pathol, 156(5):1733-1739 (2000), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include microvascular endothelial cells (MVEC).
157	HLDON23	680	Production of IL-10 and activation of T-cells.	Assays for production of IL-10 and activation of T-cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit production of IL-10 and/or activation of T-cells. Exemplary assays that may be used or routinely modified to assess the ability of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) to modulate IL-10 production and/or T-cell proliferation include, for example, assays such as disclosed and/or cited in: Robinson, DS, et al., "Th-2 cytokines in allergic disease" Br Med Bull; 56 (4): 956-968 (2000), and Cohn, et al., "T-helper type 2 cell-directed therapy for asthma" Pharmacology & Therapeutics; 88: 187-196 (2000); the contents of each of which are herein incorporated by reference in their entirety. Exemplary cells that may be used according to these assays include Th2 cells. IL10 secreted from Th2 cells may be measured as a marker of Th2 cell activation. Th2 cells are a class of T cells that secrete IL4, IL10, IL13, IL5 and IL6. Factors that induce differentiation and activation of Th2 cells play a major role in the initiation and pathogenesis of allergy and asthma. Primary T helper 2 cells are generated via in vitro culture under Th2 polarizing conditions using peripheral blood lymphocytes isolated from cord blood.
158	HLDQC46	681	Activation of transcription through serum response	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for

			element in immune cells (such as T-cells).	transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
159	HLDQR62	682	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
159	HLDQR62	682	Activation of transcription through cAMP response element in immune cells (such as T-cells).	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP and regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992);

				Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
160	HLDQU79	683	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
160	HLDQU79	683	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays

				include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
161	HLDRM43	684	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
161	HLDRM43	684	Activation of transcription through CD28 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
161	HLDRM43	684	Upregulation of CD152 and activation of T cells	CD152 FMAT. CD152 (a.k.a. CTLA-4) expression is restricted to activated T cells. CD152 is a negative regulator of T cell proliferation. Reduced CD152 expression has been linked to hyperproliferative and autoimmune diseases. Overexpression of CD152 may lead to impaired immunoresponses. Assays for immunomodulatory proteins important in the maintenance of T cell

				homeostasis and expressed almost exclusively on CD4+ and CD8+ T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, maintain T cell homeostasis, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD152, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); McCoy et al., Immunol Cell Biol 77(1):1-10 (1999); Oostervegal et al., Curr Opin Immunol 11(3):294-300 (1999); and Saito T, Curr Opin Immunol 10(3):313-321 (1998), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
161	HLDRM43	684	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
162	HLDRP33	685	Activation of transcription through serum	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum

			response element in immune cells (such as T-cells).	response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
163	HLHAL68	686	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
164	HLHFP03	687	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem

				379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
165	HLIBD68	688	Production of TNF alpha by dendritic cells	TNFa FMAT. Assays for immunomodulatory proteins produced by activated macrophages, T cells, fibroblasts, smooth muscle, and other cell types that exert a wide variety of inflammatory and cytotoxic effects on a variety of cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate inflammation and cytotoxicity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines such as tumor necrosis factor alpha (TNFa), and the induction or inhibition of an inflammatory or cytotoxic response. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Verhasselt et al., Eur J Immunol 28(11):3886-3890 (1198); Dahlen et al., J Immunol 160(7):3585-3593 (1998); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
165	HLIBD68	688	Production of MIP1alpha	MIP-1alpha FMAT. Assays for immunomodulatory proteins produced by activated dendritic cells that upregulate monocyte/macrophage and T cell chemotaxis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate chemotaxis, and modulate T cell differentiation. Exemplary assays that test for immunomodulatory proteins evaluate the production of chemokines, such as macrophage inflammatory protein 1 alpha (MIP-1a), and the activation of monocytes/macrophages and T cells. Such assays that may be used or routinely modified to test immunomodulatory and chemotaxis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays

				disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); Drakes et al., Transp Immunol 8(1):17-29 (2000); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
165	HLIBD68	688	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
165	HLIBD68	688	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component

				in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
166	HLICQ90	689	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
166	HLICQ90	689	Production of TNF alpha by dendritic cells	TNFa FMAT. Assays for immunomodulatory proteins produced by activated macrophages, T cells, fibroblasts, smooth muscle, and other cell types that exert a wide variety of inflammatory and cytotoxic effects on a variety of cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate inflammation and cytotoxicity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines such as tumor necrosis factor alpha (TNFa), and the induction or inhibition of an inflammatory or cytotoxic response. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or

				antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Verhasselt et al., Eur J Immunol 28(11):3886-3890 (1198); Dahlen et al., J Immunol 160(7):3585-3593 (1998); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
166	HLICQ90	689	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
166	HLICQ90	689	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of

				insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
167	HLMBO76	690	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
168	HLTEJ06	691	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated

				by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
169	HLTHR66	692	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
170	HLTIP94	693	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according

				to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
171	HLWAA17	694	Regulation of transcription of Malic Enzyme in adipocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
171	HLWAA17	694	Production of ICAM-1	Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Takacs P, et al, FASEB J, 15(2):279-281 (2001); and, Miyamoto K, et al., Am J Pathol, 156(5):1733-1739 (2000), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include microvascular endothelial cells (MVEC).
172	HLWAA88	695	Activation of Endothelial Cell p38 or JNK Signaling	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for

			Pathway.	JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
173	HLWAD77	696	Activation of transcription through the EGR (Early Growth Response) element in immune cells (such as B-cells).	Assays for the activation of transcription through the EGR response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate EGR transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the EGR response element that may be used or routinely modified to test EGR response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Richards JD, et al., J Immunol, 166(6):3855-3864 (2001); Dinkel, A, et al., J Exp Med, 188(12):2215-2224 (1998); and, Newton, JS, et al., Eur J Immunol 1996 Apr;26(4):811-816 (1996), the contents of each of which are herein incorporated by reference in its entirety. Immune cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary epithelial cells that may be used according to these assays include the Raji cell line.
174	HLWAE11	697	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays

				include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
174	HLWAE11	697	Activation of transcription through NFKB response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
174	HLWAE11	697	Calcium flux in immune cells (such as monocytes)	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux in immune cells (such as monocytes) include assays disclosed in: Chan, CC, et al., J Pharmacol Exp Ther, 269(3):891-896 (1994); Andersson, K, et al., Cytokine, 12(12):1784-1787 (2000); Scully, SP, et al., J Clin Invest, 74(2) 589-599 (1984); and, Sullivan, E, et al., Methods Mol Biol, 114:125-133 (1999), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the THP-1 monocyte cell line.
175	HLWAO22	698	Production of MCP-1	MCP-1 FMAT. Assays for immunomodulatory proteins that are produced by a large variety of cells and act to induce chemotaxis and activation of monocytes and T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, induce chemotaxis, and modulate immune cell activation. Exemplary assays that test for

				immunomodulatory proteins evaluate the production of cell surface markers, such as monocyte chemoattractant protein (MCP), and the activation of monocytes and T cells. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
175	HLWAO22	698	Activation of transcription through NFAT response in immune cells (such as T-cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Serfling et al., Biochim Biophys Acta 1498(1):1-18 (2000); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
175	HLWAO22	698	Activation of transcription through serum response element in immune cells	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention

			(such as natural killer cells).	(including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
176	HLWBH18	699	Production of VCAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Assays for measuring expression of VCAM are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate VCAM expression. For example, FMAT may be used to meaure the upregulation of cell surface VCAM-1 expresssion in endothelial cells. Endothelial cells are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are available from commercial sources. The expression of VCAM (CD106), a membrane-associated protein, can be upregulated by cytokines or other factors, and contributes to the extravasation of lymphocytes, leucocytes and other immune cells from blood vessels; thus VCAM expression plays a role in promoting immune and inflammatory responses.
176	HLWBH18	699	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.

177	HLWBY76	700	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
177	HLWBY76	700	Upregulation of HLA-DR and activation of T cells	HLA-DR FMAT. MHC class II is essential for correct presentation of antigen to CD4+ T cells. Deregulation of MHC class II has been associated with autoimmune diseases (e.g., diabetes, rheumatoid arthritis, systemic lupus erythematosis, and multiple sclerosis). Assays for immunomodulatory proteins expressed on MHC class II expressing T cells and antigen presenting cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of MHC class II products, such as HLA-DR antigens, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Lamour et al., Clin Exp Immunol 89(2):217-222 (1992); Hurme and Sihvola, Immunol Lett 20(3):217-222 (1989); Gansbacher and Zier, Cell Immunol 117(1):22-34 (1988); and Itoh et al., J Histochem Cytochem 40(11):1675-1683, the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
177	HLWBY76	700	Upregulation of	CD152 FMAT. CD152 (a.k.a. CTLA-4) expression is restricted to activated T cells. CD152 is a

			CD152 and activation of T cells	negative regulator of T cell proliferation. Reduced CD152 expression has been linked to hyperproliferative and autoimmune diseases. Overexpression of CD152 may lead to impaired immunoresponses. Assays for immunomodulatory proteins important in the maintenance of T cell homeostasis and expressed almost exclusively on CD4+ and CD8+ T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, maintain T cell homeostasis, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD152, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); McCoy et al., Immunol Cell Biol 77(1):1-10 (1999); Oostervegal et al., Curr Opin Immunol 11(3):294-300 (1999); and Saito T, Curr Opin Immunol 10(3):313-321 (1998), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
178	HLYAC95	701	Production of IFNgamma using a T cells	IFNgamma FMAT. IFNg plays a central role in the immune system and is considered to be a proinflammatory cytokine. IFNg promotes TH1 and inhibits TH2 differentiation; promotes IgG2a and inhibits IgE secretion; induces macrophage activation; and increases MHC expression. Assays for immunomodulatory proteins produced by T cells and NK cells that regulate a variety of inflammatory activities and inhibit TH2 helper cell functions are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, regulate inflammatory activities, modulate TH2 helper cell function, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as Interferon gamma (IFNg), and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Gonzalez et al., J Clin Lab Anal

				8(5):225-233 (1995); Billiau et al., Ann NY Acad Sci 856:22-32 (1998); Boehm et al., Annu Rev Immunol 15:749-795 (1997), and Rheumatology (Oxford) 38(3):214-20 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
178	HLYAC95	701	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
179	HMADK33	702	Regulation of transcription through the PEPCK promoter in hepatocytes	Assays for the regulation of transcription through the PEPCK promoter are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the PEPCK promoter in a reporter construct and regulate liver gluconeogenesis. Exemplary assays for regulation of transcription through the PEPCK promoter that may be used or routinely modified to test for PEPCK promoter activity (in hepatocytes) of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Lochhead et al., Diabetes 49(6):896-903 (2000); and Yeagley et al., J Biol Chem 275(23):17814-17820 (2000), the contents of each of which is herein

				incorporated by reference in its entirety. Hepatocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary liver hepatoma cells that may be used according to these assays include H4lle cells, which contain a tyrosine amino transferase that is inducible with glucocorticoids, insulin, or cAMP derivatives.
180	HMADS41	703	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
180	HMADS41	703	Activation of Hepatocyte ERK Signaling Pathway	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Rat liver hepatoma cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat liver hepatoma cells that may be used according to these assays include H4lle cells, which are known to respond to glucocorticoids, insulin, or cAMP derivatives.
180	HMADS41	703	Regulation of apoptosis of immune cells	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate caspase protease-mediated apoptosis in immune

			(such as mast cells).	cells (such as, for example, in mast cells). Mast cells are found in connective and mucosal tissues throughout the body, and their activation via immunoglobulin E -antigen, promoted by T helper cell type 2 cytokines, is an important component of allergic disease. Dysregulation of mast cell apoptosis may play a role in allergic disease and mast cell tumor survival. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity induced by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Masuda A, et al., J Biol Chem, 276(28):26107-26113 (2001); Yeatman CF 2nd, et al., J Exp Med, 192(8):1093-1103 (2000);Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Immune cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary immune cells that may be used according to these assays include mast cells such as the HMC human mast cell line.
181	HMAMI15	704	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
181	HMAMI15	704	Upregulation of CD152 and	CD152 FMAT. CD152 (a.k.a. CTLA-4) expression is restricted to activated T cells. CD152 is a negative regulator of T cell proliferation. Reduced CD152 expression has been linked to

			activation of T cells	hyperproliferative and autoimmune diseases. Overexpression of CD152 may lead to impaired immunoresponses. Assays for immunomodulatory proteins important in the maintenance of T cell homeostasis and expressed almost exclusively on CD4+ and CD8+ T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, maintain T cell homeostasis, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD152, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); McCoy et al., Immunol Cell Biol 77(1):1-10 (1999); Oostervegal et al., Curr Opin Immunol 11(3):294-300 (1999); and Saito T, Curr Opin Immunol 10(3):313-321 (1998), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
182	HMCFY13	705	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362-368 (1992), the contents of each of which is

				herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
183	HMDAB56	706	Regulation of transcription through the PEPCK promoter in hepatocytes	Assays for the regulation of transcription through the PEPCK promoter are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the PEPCK promoter in a reporter construct and regulate liver gluconeogenesis. Exemplary assays for regulation of transcription through the PEPCK promoter that may be used or routinely modified to test for PEPCK promoter activity (in hepatocytes) of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Lochhead et al., Diabetes 49(6):896-903 (2000); and Yeagley et al., J Biol Chem 275(23):17814-17820 (2000), the contents of each of which is herein incorporated by reference in its entirety. Hepatocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary liver hepatoma cells that may be used according to these assays include H4IIe cells, which contain a tyrosine amino transferase that is inducible with glucocorticoids, insulin, or cAMP derivatives.
184	HMDAM24	707	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.

185	HMEAI48	708	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
186	HMEED18	709	Production of IL6 by primary human aortic smooth muscle or normal human dermal fibroblast cells (without or with costimulation with TNFalpha).	Assay to measure regulation of production of Interleukin-6 (IL-6) by either human aortic smooth muscle cells or normal human dermal fibroblasts minus or plus costimulation with TNFalpha (TNFa). Human aortic smooth muscle cells or normal human dermal fibroblasts may be obtained from commercial sources; these cells are important structural and functional components of blood vessels and connective tissue, respectiviely. Interleukin-6 (IL-6) is a key molecule in chronic inflammation and has been implicated in the progression of atherosclerosis, stroke, arthritis and other vascular and inflammatory diseases. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and production of IL-6.
186	HMEED18	709	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention)

				include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
186	HMEED18	709	Upregulation of CD69 and activation of T cells	CD69 FMAT. CD69 is an activation marker that is expressed on activated T cells, B cells, and NK cells. CD69 is not expressed on resting T cells, B cells, or NK cells. CD69 has been found to be associated with inflammation. Assays for immunomodulatory proteins expressed in T cells, B cells, and leukocytes are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD69, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Ferenczi et al., J Autoimmun 14(1):63-78 (200); Werfel et al., Allergy 52(4):465-469 (1997); Taylor-Fishwick and Siegel, Eur J Immunol 25(12):3215-3221 (1995); and Afetra et al., Ann Rheum Dis 52(6):457-460 (1993), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
187	HMEFT54	710	Regulation of apoptosis in pancreatic beta cells.	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary

				assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al., FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol, 166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
188	HMEGF92	711	Production of ICAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Endothelial cells, which are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used in ICAM production assays include human umbilical vein endothelial cells (HUVEC), and are available from commercial sources. The expression of ICAM (CD54),a intergral membrane protein, can be upregulated by cytokines or other factors, and ICAM expression is important in mediating immune and endothelial cell interactions leading to immune and inflammatory responses. Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Rolfe BE, et al., Atherosclerosis, 149(1):99-110 (2000); Panettieri RA Jr, et al., J Immunol, 154(5):2358-2365 (1995); and, Grunstein MM, et al., Am J Physiol Lung Cell Mol Physiol, 278(6):L1154-L1163 (2000), the contents of each of which is herein incorporated by reference in its entirety.
188	HMEGF92	711	Regulation of apoptosis in pancreatic beta cells.	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity

				of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al., FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol, 166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
189	HMSDL37	712	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
190	HMSFI26	713	Stimulation of insulin secretion from pancreatic	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is

			beta cells.	measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
191	HMSGT42	714	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
192	HMSHM14	715	Activation of transcription through cAMP response element in	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP and regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used

			immune cells (such as T-cells).	or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
192	HMSHM14	715	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
192	HMSHM14	715	Production of MCP-1	MCP-1 FMAT. Assays for immunomodulatory proteins that are produced by a large variety of cells and act to induce chemotaxis and activation of monocytes and T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, induce chemotaxis, and modulate immune cell activation. Exemplary assays that test for immunomodulatory proteins evaluate the production of cell surface markers, such as monocyte chemoattractant protein (MCP), and the activation of monocytes and T cells. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the

				contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
193	HMSHS36	716	Activation of JNK Signaling Pathway in immune cells (such as eosinophils).	Kinase assay. JNK kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK kinase activity that may be used or routinely modified to test JNK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Exemplary cells that may be used according to these assays include eosinophils. Eosinophils are important in the late stage of allergic reactions; they are recruited to tissues and mediate the inflammatory response of late stage allergic reaction. Moreover, exemplary assays that may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate signal transduction, cell proliferation, activation, or apoptosis in eosinophils include assays disclosed and/or cited in: Zhang JP, et al., "Role of caspases in dexamethasone-induced apoptosis and activation of c-Jun NH2-terminal kinase and p38 mitogen-activated protein kinase in human eosinophils" Clin Exp Immunol; Oct;122(1):20-7 (2000); Hebestreit H, et al., "Disruption of fas receptor signaling by nitric oxide in eosinophils" J Exp Med; Feb 2;187(3):415-25 (1998); J Allergy Clin Immunol 1999 Sep;104(3 Pt 1):565-74; and, Sousa AR, et al., "In vivo resistance to corticosteroids in bronchial asthma is associated with enhanced phosyphorylation of JUN N-terminal kinase and failure of prednisolone to inhibit JUN N-terminal kinase phosphorylation" J Allergy Clin Immunol; Sep;104(3 Pt 1):565-74 (1999); the contents of each of which are herein incorporated by reference in its entirety.
193	HMSHS36	716	Activation of transcription through STAT6 response element in	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may

			immune cells (such as natural killer cells).	be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC).
193	HMSHS36	716	Activation of transcription through NFAT response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
193	HMSHS36	716	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992);

				Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
194	HMSKC04	717	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
194	HMSKC04	717	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available

				(e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
194	HMSKC04	717	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
194	HMSKC04	717	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays are publicly

				available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is an IL-2 and IL-4 responsive suspension-culture cell line.
194	HMSKC04	717	Activation of transcription through CD28 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
194	HMSKC04	717	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the SUPT cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
194	HMSKC04	717	Activation of transcription through NFAT response element in immune cells	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of

			(such as T-cells).	polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Serfling et al., Biochim Biophys Acta 1498(1):1-18 (2000); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
194	HMSKC04	717	Activation of transcription through STAT6 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
194	HMSKC04	717	Activation of transcription through NFKB response element in immune cells (such as T-cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T

				cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
194	HMSKC04	717	Activation of transcription through NFAT response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
194	HMSKC04	717	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
195	HMUAP70	718	Activation of	Assays for the activation of transcription through the Serum Response Element (SRE) are well-

			transcription through serum response element in immune cells (such as T-cells).	known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
196	HMVBS81	719	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
197	HMWDC28	720	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component

				in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
198	HMWFT65	721	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
199	HMWGY65	722	Activation of T-	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation,

			Cell p38 or JNK Signaling Pathway.	activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
199	HMWGY65	722	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
200	HNEAC05	723	Activation of transcription through serum response element in immune cells	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention)

			(such as T-cells).	include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
200	HNEAC05	723	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
201	HNEEB45	724	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923

				(1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
201	HNEEB45	724	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
201	HNEEB45	724	Activation of transcription through NFKB response element in immune cells (such as EOL1 cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. For example, a reporter assay (which measures increases in transcription inducible from a NFkB responsive element in EOL-1 cells) may link the NFKB element to a repeorter gene and binds to the NFKB transcription factor, which is upregulated by cytokines and other factors. Exemplary immune cells that may be used according to

				these assays include eosinophils such as the human EOL-1 cell line of eosinophils. Eosinophils are a type of immune cell important in the allergic responses; they are recruited to tissues and mediate the inflammtory response of late stage allergic reaction. Eol-1 is a human eosinophil cell line.
201	HNEEB45	724	Production of VCAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Assays for measuring expression of VCAM are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate VCAM expression. For example, FMAT may be used to meaure the upregulation of cell surface VCAM-1 expresssion in endothelial cells. Endothelial cells are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are available from commercial sources. The expression of VCAM (CD106), a membrane-associated protein, can be upregulated by cytokines or other factors, and contributes to the extravasation of lymphocytes, leucocytes and other immune cells from blood vessels; thus VCAM expression plays a role in promoting immune and inflammatory responses.
202	HNEEE24	725	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
203	HNFFC43	726	Regulation of	Assays for the regulation of transcription through the DMEF1 response element are well-known in

			transcription via DMEF1 response element in adipocytes and pre-adipocytes	the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
203	HNFFC43	726	Proliferation of immune cells (such as the HMC-1 human mast cell line)	Assays for the regulation (i.e. increases or decreases) of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of eosinophil cells and cell lines. For example, the CellTiter-Gloô Luminescent Cell Viability Assay (Promega Corp., Madison, WI, USA) can be used to measure the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Mast cells are found in connective and mucosal tissues throughout the body. Mast cell activation (via immunoglobulin E -antigen, promoted by T helper cell type 2 cytokines) is an important component of allergic disease. Dysregulation of mast cell apoptosis may play a role in allergic disease and mast cell tumor survival. Mast cell lines that may be used according to these assays are publicly available and/or may be routinely generated. Exemplary mast cells that may be used according to these assays include HMC-1, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.

203	HNFFC43	726	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
203	HNFFC43	726	Regulation of transcription of Malic Enzyme in adipocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
204	HNFIY77	727	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is

				measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
205	HNFJF07	728	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1

				cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
205	HNFJF07	728	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
205	HNFJF07	728	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
205	HNFJF07	728	Stimulation of	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely

			insulin secretion from pancreatic beta cells.	modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
206	HNGAK47	729	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
206	HNGAK47	729	Activation of transcription through serum	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum

			response element in immune cells (such as T-cells).	response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
207	HNGBC07	730	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
208	HNGDG40	731	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its

				entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
209	HNGEP09	732	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
209	HNGEP09	732	Upregulation of HLA-DR and activation of T cells	HLA-DR FMAT. MHC class II is essential for correct presentation of antigen to CD4+ T cells. Deregulation of MHC class II has been associated with autoimmune diseases (e.g., diabetes, rheumatoid arthritis, systemic lupus erythematosis, and multiple sclerosis). Assays for immunomodulatory proteins expressed on MHC class II expressing T cells and antigen presenting cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of MHC class II products, such as HLA-DR antigens, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Lamour et al., Clin Exp Immunol 89(2):217-222 (1992); Hurme and Sihvola, Immunol Lett 20(3):217-222 (1989); Gansbacher and Zier, Cell Immunol 117(1):22-34 (1988); and Itoh et al., J Histochem Cytochem 40(11):1675-1683, the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used

				according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
210	HNGFR31	733	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
211	HNGIJ31	734	Activation of transcription through cAMP response element in immune cells (such as T-cells).	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP and regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these

				assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
211	HNGIJ31	734	Production of MCP-1	MCP-1 FMAT. Assays for immunomodulatory proteins that are produced by a large variety of cells and act to induce chemotaxis and activation of monocytes and T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, induce chemotaxis, and modulate immune cell activation. Exemplary assays that test for immunomodulatory proteins evaluate the production of cell surface markers, such as monocyte chemoattractant protein (MCP), and the activation of monocytes and T cells. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
211	HNGIJ31	734	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from

				cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
211	HNGIJ31	734	Activation of Skeletal Mucle Cell PI3 Kinase Signalling Pathway	Kinase assay. Kinase assays, for example an GSK-3 kinase assay, for PI3 kinase signal transduction that regulate glucose metabolism and cell survivial are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit glucose metabolism and cell survival. Exemplary assays for PI3 kinase activity that may be used or routinely modified to test PI3 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Nikoulina et al., Diabetes 49(2):263-271 (2000); and Schreyer et al., Diabetes 48(8):1662-1666 (1999), the contents of each of which are herein incorporated by reference in its entirety. Rat myoblast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat myoblast cells that may be used according to these assays include L6 cells. L6 is an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuses to form multinucleated myotubes and striated fibers after culture in differentiation media.
212	HNGJE50	735	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using

				techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
212	HNGJE50	735	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
213	HNGJT54	736	Activation of transcription through cAMP response element in immune cells (such as T-cells).	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP and regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used

				according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
213	HNGJT54	736	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
213	HNGJT54	736	Production of MCP-1	MCP-1 FMAT. Assays for immunomodulatory proteins that are produced by a large variety of cells and act to induce chemotaxis and activation of monocytes and T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, induce chemotaxis, and modulate immune cell activation. Exemplary assays that test for immunomodulatory proteins evaluate the production of cell surface markers, such as monocyte chemoattractant protein (MCP), and the activation of monocytes and T cells. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
214	HNGND37	737	Regulation of transcription	Assays for the regulation of transcription through the PEPCK promoter are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention

			through the PEPCK promoter in hepatocytes	(including antibodies and agonists or antagonists of the invention) to activate the PEPCK promoter in a reporter construct and regulate liver gluconeogenesis. Exemplary assays for regulation of transcription through the PEPCK promoter that may be used or routinely modified to test for PEPCK promoter activity (in hepatocytes) of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Lochhead et al., Diabetes 49(6):896-903 (2000); and Yeagley et al., J Biol Chem 275(23):17814-17820 (2000), the contents of each of which is herein incorporated by reference in its entirety. Hepatocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary liver hepatoma cells that may be used according to these assays include H4Ile cells, which contain a tyrosine amino transferase that is inducible with glucocorticoids, insulin, or cAMP derivatives.
215	HNGOI12	738	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
215	HNGOI12	738	Production of IL-10 and	Assays for production of IL-10 and activation of T-cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and

			activation of T-cells.	agonists or antagonists of the invention) to stimulate or inhibit production of IL-10 and/or activation of T-cells. Exemplary assays that may be used or routinely modified to assess the ability of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) to modulate IL-10 production and/or T-cell proliferation include, for example, assays such as disclosed and/or cited in: Robinson, DS, et al., "Th-2 cytokines in allergic disease" Br Med Bull; 56 (4): 956-968 (2000), and Cohn, et al., "T-helper type 2 cell-directed therapy for asthma" Pharmacology & Therapeutics; 88: 187-196 (2000); the contents of each of which are herein incorporated by reference in their entirety. Exemplary cells that may be used according to these assays include Th2 cells. IL10 secreted from Th2 cells may be measured as a marker of Th2 cell activation. Th2 cells are a class of T cells that secrete IL4, IL10, IL13, IL5 and IL6. Factors that induce differentiation and activation of Th2 cells play a major role in the initiation and pathogenesis of allergy and asthma. Primary T helper 2 cells are generated via in vitro culture under Th2 polarizing conditions using peripheral blood lymphocytes isolated from cord blood.
216	HNGOM56	739	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
217	HNGOU56	740	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler

				Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
218	HNGOW62	741	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
219	HNHEU93	742	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics

				typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
220	HNHFM14	743	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
221	HNHFO29	744	Regulation (inhibition or activation) of immune cell proliferation.	The mixed lymphocyte reaction assay (MLR) (see e.g., Example: "Detection of Inhibition of a Mixed Lymphocyte Reaction" below) is a complex in vitro assay of T-cell responsiveness and immune cell activation. This assay is useful, for example, as an in vitro model of allograft rejection and graft versus host disease. In this assays PBMCs from human donors are mixed, cultured, and monitored for thymidine incorporation (a measure of cell proliferation) to identify polypeptides of the invention (including antibodies and agonists or antagonists of the invention) that may activate or inhibit immune responses.
222	HNHNB29	745	Regulation of transcription through the PEPCK promoter in hepatocytes	Assays for the regulation of transcription through the PEPCK promoter are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the PEPCK promoter in a reporter construct and regulate liver gluconeogenesis. Exemplary assays for regulation of transcription through the PEPCK promoter that may be used or routinely modified to test for PEPCK promoter activity (in hepatocytes) of polypeptides of the invention (including antibodies

				and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Lochhead et al., Diabetes 49(6):896-903 (2000); and Yeagley et al., J Biol Chem 275(23):17814-17820 (2000), the contents of each of which is herein incorporated by reference in its entirety. Hepatocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary liver hepatoma cells that may be used according to these assays include H4Ile cells, which contain a tyrosine amino transferase that is inducible with glucocorticoids, insulin, or cAMP derivatives.
223	HNHOD46	746	Activation of Adipocyte ERK Signaling Pathway	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Le Marchand-Brustel Y, Exp Clin Endocrinol Diabetes 107(2):126-132 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Mouse adipocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
223	HNHOD46	746	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention

				(including antibodies and agonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
223	HNHOD46	746	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
223	HNHOD46	746	Activation of transcription	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the

			through serum response element in pre-adipocytes.	invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art. .
223	HNHOD46	746	Activation of transcription through cAMP response element in immune cells (such as T-cells).	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP and regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.
223	HNHOD46	746	Activation of transcription through serum response element in immune cells (such as T-	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in

			cells).	Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
223	HNHOD46	746	Production of MIP1alpha	MIP-1alpha FMAT. Assays for immunomodulatory proteins produced by activated dendritic cells that upregulate monocyte/macrophage and T cell chemotaxis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate chemotaxis, and modulate T cell differentiation. Exemplary assays that test for immunomodulatory proteins evaluate the production of chemokines, such as macrophage inflammatory protein 1 alpha (MIP-1a), and the activation of monocytes/macrophages and T cells. Such assays that may be used or routinely modified to test immunomodulatory and chemotaxis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); Drakes et al., Transp Immunol 8(1):17-29 (2000); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
223	HNHOD46	746	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation

				and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
223	HNHOD46	746	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
223	HNHOD46	746	Activation of transcription through NFAT response element in	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the

			immune cells (such as mast cells).	invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
223	HNHOD46	746	Activation of transcription through cAMP response element in immune cells (such as T-cells).	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, bind to CREB transcription factor, and modulate expression of genes involved in a wide variety of cell functions. Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Genes 15(2):105-117 (1997); and Belkowski et al., J Immunol 161(2):659-665 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
223	HNHOD46	746	Activation of transcription through NFAT response in immune cells (such as T-	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of

			cells).	polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Serfling et al., Biochim Biophys Acta 1498(1):1-18 (2000); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
223	HNHOD46	746	Activation of transcription through NFKB response element in immune cells (such as basophils).	This reporter assay measures activation of the NFkB signaling pathway in Ku812 human basophil cell line. Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Marone et al, Int Arch Allergy Immunol 114(3):207-17 (1997), the contents of each of which are herein incorporated by reference in its entirety. Basophils that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human basophil cell lines that may be used according to these assays include Ku812, originally established from a patient with chronic myelogenous leukemia. It is an immature prebasophilic cell line that can be induced to differentiate into mature basophils.
223	HNHOD46	746	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al.,

				Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the MOLT4 cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
223	HNHOD46	746	Activation of transcription through NFKB response element in immune cells (such as T-cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the MOLT4, that may be used according to these assays are publicly available (e.g., through the ATCC).
223	HNHOD46	746	Activation of transcription through NFKB response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
223	HNHOD46	746	Activation of transcription through AP1 response	Assays for the activation of transcription through the AP1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used

			element in immune cells (such as T-cells).	or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is an IL-2 and IL-4 responsive suspension-culture cell line.
223	HNHOD46	746	Activation of transcription through CD28 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
223	HNHOD46	746	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the SUPT cell line, that may be used according to these assays are publicly available

				(e.g., through the ATCC).
223	HNHOD46	746	Activation of transcription through NFAT response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Serfling et al., Biochim Biophys Acta 1498(1):1-18 (2000); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
223	HNHOD46	746	Activation of transcription through STAT6 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
223	HNHOD46	746	Activation of transcription through NFKB	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription

			response element in immune cells (such as T-cells).	factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
223	HNHOD46	746	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
224	HNHOG73	747	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention)

				include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
224	HNHOG73	747	Activation of transcription through NFKB response element in immune cells (such as basophils).	This reporter assay measures activation of the NFkB signaling pathway in Ku812 human basophil cell line. Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Marone et al, Int Arch Allergy Immunol 114(3):207-17 (1997), the contents of each of which are herein incorporated by reference in its entirety. Basophils that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human basophil cell lines that may be used according to these assays include Ku812, originally established from a patient with chronic myelogenous leukemia. It is an immature prebasophilic cell line that can be induced to differentiate into mature basophils.
224	HNHOG73	747	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol

				153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
225	HNTBI26	748	Regulation of apoptosis in pancreatic beta cells.	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al., FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol, 166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
226	HNTBL27	749	Regulation of apoptosis in pancreatic beta cells.	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al., FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol, 166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS

				Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
226	HNTBL27	749	Production of IL-10 and activation of T-cells.	Assays for production of IL-10 and activation of T-cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit production of IL-10 and/or activation of T-cells. Exemplary assays that may be used or routinely modified to assess the ability of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) to modulate IL-10 production and/or T-cell proliferation include, for example, assays such as disclosed and/or cited in: Robinson, DS, et al., "Th-2 cytokines in allergic disease" Br Med Bull; 56 (4): 956-968 (2000), and Cohn, et al., "T-helper type 2 cell-directed therapy for asthma" Pharmacology & Therapeutics; 88: 187-196 (2000); the contents of each of which are herein incorporated by reference in their entirety. Exemplary cells that may be used according to these assays include Th2 cells. IL10 secreted from Th2 cells may be measured as a marker of Th2 cell activation. Th2 cells are a class of T cells that secrete IL4, IL10, IL13, IL5 and IL6. Factors that induce differentiation and activation of Th2 cells play a major role in the initiation and pathogenesis of allergy and asthma. Primary T helper 2 cells are generated via in vitro culture under Th2 polarizing conditions using peripheral blood lymphocytes isolated from cord blood.
227	HNTCE26	750	Production of TNF alpha by dendritic cells	TNFa FMAT. Assays for immunomodulatory proteins produced by activated macrophages, T cells, fibroblasts, smooth muscle, and other cell types that exert a wide variety of inflammatory and cytotoxic effects on a variety of cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate inflammation and cytotoxicity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines such as tumor necrosis factor alpha (TNFa), and the induction or inhibition of an inflammatory or cytotoxic response. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening

				4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Verhasselt et al., Eur J Immunol 28(11):3886-3890 (1198); Dahlen et al., J Immunol 160(7):3585-3593 (1998); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
227	HNTCE26	750	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
227	HNTCE26	750	Production of ICAM-1	Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Takacs P, et al, FASEB J, 15(2):279-281 (2001); and, Miyamoto K, et al., Am J Pathol, 156(5):1733-1739 (2000), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include microvascular endothelial cells (MVEC).

227	HNTCE26	750	Upregulation of CD69 and activation of T cells	CD69 FMAT. CD69 is an activation marker that is expressed on activated T cells, B cells, and NK cells. CD69 is not expressed on resting T cells, B cells, or NK cells. CD69 has been found to be associated with inflammation. Assays for immunomodulatory proteins expressed in T cells, B cells, and leukocytes are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD69, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Ferenczi et al., J Autoimmun 14(1):63-78 (200); Werfel et al., Allergy 52(4):465-469 (1997); Taylor-Fishwick and Siegel, Eur J Immunol 25(12):3215-3221 (1995); and Afetra et al., Ann Rheum Dis 52(6):457-460 (1993), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
228	HNTNI01	751	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is

				herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
228	HNTNI01	751	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
228	HNTNI01	751	Activation of transcription through serum response element in pre-adipocytes.	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and

				Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
228	HNTNI01	751	Activation of transcription through GAS response element in immune cells (such as eosinophils).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate gene expression (commonly via STAT transcription factors) involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995); the contents of each of which are herein incorporated by reference in its entirety. Moreover, exemplary assays that may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate or inhibit activation of immune cells include assays disclosed and/or cited in: Mayumi M., "EoL-1, a human eosinophilic cell line" Leuk Lymphoma; Jun;7(3):243-50 (1992); Bhattacharya S, "Granulocyte macrophage colony-stimulating factor and interleukin-5 activate STAT5 and induce CIS1 mRNA in human peripheral blood eosinophils" Am J Respir Cell Mol Biol; Mar;24(3):312-6 (2001); and, Du J, et al., "Engagement of the CrkL adapter in interleukin-5 signaling in eosinophils" J Biol Chem; Oct 20;275(42):33167-75 (2000); the contents of each of which are herein incorporated by reference in its entirety. Exemplary cells that may be used according to these assays include eosinophils. Eosinophils are a type of immune cell important in the late stage of allergic reactions; they are recruited to tissues and mediate the inflammtory response of late stage allergic reaction. Increases in GAS mediated transcription in eosinophils is typically a result of STAT activation, normally a direct consequence of interleukin or other cytokine receptor stimulation (e.g. IL3, IL5 or GMCSF).
228	HNTNI01	751	Activation of transcription	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention

			through NFKB response element in immune cells (such as EOL1 cells).	(including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. For example, a reporter assay (which measures increases in transcription inducible from a NFkB responsive element in EOL-1 cells) may link the NFKB element to a repeorter gene and binds to the NFKB transcription factor, which is upregulated by cytokines and other factors. Exemplary immune cells that may be used according to these assays include eosinophils such as the human EOL-1 cell line of eosinophils. Eosinophils are a type of immune cell important in the allergic responses; they are recruited to tissues and mediate the inflammtory response of late stage allergic reaction. Eol-1 is a human eosinophil cell line.
228	HNTNI01	751	Regulation of transcription of Malic Enzyme in adipocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
228	HNTNI01	751	Activation of transcription	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine

			through GATA-3 response element in immune cells (such as mast cells).	production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
228	HNTNI01	751	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the

				peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
228	HNTNI01	751	Activation of transcription through NFKB response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFkB signaling pathway in HMC-1 human mast cell line. Activation of NFkB in mast cells has been linked to production of certain cytokines, such as IL-6 and IL-9. Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Stassen et al, J Immunol 166(7):4391-8 (2001); and Marquardt and Walker, J Allergy Clin Immunol 105(3):500-5 (2000), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
228	HNTNI01	751	Activation of transcription through STAT6 response element in immune cells (such as mast cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element in immune cells (such as in the human HMC-1 mast cell line) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Sherman, Immunol Rev 179:48-56 (2001); Malaviya and Uckun, J Immunol 168:421-426 (2002); Masuda et al., J Biol Chem 275(38):29331-29337 (2000); and Masuda et al., J Biol Chem 276:26107-26113 (2001), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line

				established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
228	HNTNI01	751	Activation of transcription through NFKB response element in immune cells (such as basophils).	This reporter assay measures activation of the NFkB signaling pathway in Ku812 human basophil cell line. Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Marone et al, Int Arch Allergy Immunol 114(3):207-17 (1997), the contents of each of which are herein incorporated by reference in its entirety. Basophils that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human basophil cell lines that may be used according to these assays include Ku812, originally established from a patient with chronic myelogenous leukemia. It is an immature prebasophilic cell line that can be induced to differentiate into mature basophils.
228	HNTNI01	751	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to bind the serum response factor and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells, such as the MOLT4, that may be used according to these assays are publicly available (e.g., through the ATCC).
228	HNTNI01	751	Activation of transcription through STAT6	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or

			response element in immune cells (such as natural killer cells).	antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC).
228	HNTNI01	751	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the SUPT cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
228	HNTNI01	751	Activation of transcription through NFAT response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988);

				Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
229	HODDF13	752	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
229	HODDF13	752	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold

				Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
229	HODDF13	752	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
230	HODDN92	753	Production of MIP1alpha	MIP-1alpha FMAT. Assays for immunomodulatory proteins produced by activated dendritic cells that upregulate monocyte/macrophage and T cell chemotaxis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate chemotaxis, and modulate T cell differentiation. Exemplary assays that test for immunomodulatory proteins evaluate the production of chemokines, such as macrophage inflammatory protein 1 alpha (MIP-1a), and the activation of monocytes/macrophages and T cells. Such assays that may be used

				or routinely modified to test immunomodulatory and chemotaxis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); Drakes et al., Transp Immunol 8(1):17-29 (2000); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
230	HODDN92	753	Production of MCP-1	MCP-1 FMAT. Assays for immunomodulatory proteins that are produced by a large variety of cells and act to induce chemotaxis and activation of monocytes and T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, induce chemotaxis, and modulate immune cell activation. Exemplary assays that test for immunomodulatory proteins evaluate the production of cell surface markers, such as monocyte chemoattractant protein (MCP), and the activation of monocytes and T cells. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
230	HODDN92	753	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in

				the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
230	HODDN92	753	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
230	HODDN92	753	Activation of transcription through GATA-3 response	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of

			element in immune cells (such as mast cells).	the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
230	HODDN92	753	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.

230	HODDN92	753	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
231	HODFN71	754	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
231	HODFN71	754	Activation of transcription through serum response element in	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to bind the serum response factor and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the

			immune cells (such as T-cells).	SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells, such as the MOLT4, that may be used according to these assays are publicly available (e.g., through the ATCC).
231	HODFN71	754	Activation of transcription through STAT6 response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC).
231	HODFN71	754	Activation of transcription through CD28 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference

				in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
231	HODFN71	754	Activation of transcription through NFKB response element in immune cells (such as T-cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
231	HODFN71	754	Activation of transcription through NFAT response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
231	HODFN71	754	Activation of transcription	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the

			through serum response element in immune cells (such as natural killer cells).	invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
232	HODGE68	755	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
233	HOEDB32	756	Production of TNF alpha by dendritic cells	TNFa FMAT. Assays for immunomodulatory proteins produced by activated macrophages, T cells, fibroblasts, smooth muscle, and other cell types that exert a wide variety of inflammatory and cytotoxic effects on a variety of cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate inflammation and cytotoxicity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines such as tumor necrosis factor alpha (TNFa), and the induction or inhibition of an inflammatory or cytotoxic response. Such assays that may be used or routinely modified to test

				immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Verhasselt et al., Eur J Immunol 28(11):3886-3890 (1198); Dahlen et al., J Immunol 160(7):3585-3593 (1998); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
233	HOEDB32	756	Production of MIP1alpha	MIP-1alpha FMAT. Assays for immunomodulatory proteins produced by activated dendritic cells that upregulate monocyte/macrophage and T cell chemotaxis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate chemotaxis, and modulate T cell differentiation. Exemplary assays that test for immunomodulatory proteins evaluate the production of chemokines, such as macrophage inflammatory protein 1 alpha (MIP-1a), and the activation of monocytes/macrophages and T cells. Such assays that may be used or routinely modified to test immunomodulatory and chemotaxis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); Drakes et al., Transp Immunol 8(1):17-29 (2000); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
233	HOEDB32	756	Activation of transcription through STAT6 response element in immune cells	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the

			(such as T-cells).	invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
233	HOEDB32	756	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
234	HOFMQ33	757	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ohtani KI, et al., Endocrinology, 139(1):172-8 (1998); Krautheim A, et al, Exp Clin Endocrinol Diabetes, 107 (1):29-34 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g.,

				through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
234	HOFMQ33	757	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to bind the serum response factor and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells, such as the MOLT4, that may be used according to these assays are publicly available (e.g., through the ATCC).
235	HOFMT75	758	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line

				with cytotoxic activity.
235	HOFMT75	758	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
236	HOFNY91	759	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
236	HOFNY91	759	Production of VCAM in endothelial cells (such as human umbilical vein	Assays for measuring expression of VCAM are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate VCAM expression. For example, FMAT may be used to meaure the upregulation of cell surface VCAM-1 expresssion in endothelial cells. Endothelial cells are cells that line blood vessels, and are involved in functions that include, but are not limited to,

			endothelial cells (HUVEC))	angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are available from commercial sources. The expression of VCAM (CD106), a membrane-associated protein, can be upregulated by cytokines or other factors, and contributes to the extravasation of lymphocytes, leucocytes and other immune cells from blood vessels; thus VCAM expression plays a role in promoting immune and inflammatory responses.
237	HOFOC73	760	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6 myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
238	HOGAW62	761	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous

				blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
239	HOHCH55	762	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
240	HOQBJ82	763	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.

241	HOSBY40	764	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
242	HOSDJ25	765	Production of ICAM-1	Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Rolfe BE, et al., Atherosclerosis, 149(1):99-110 (2000); Panettieri RA Jr, et al., J Immunol, 154(5):2358-2365 (1995); and, Grunstein MM, et al., Am J Physiol Lung Cell Mol Physiol, 278(6):L1154-L1163 (2000), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include Aortic Smooth Muscle Cells (AOSMC); such as bovine AOSMC.
242	HOSDJ25	765	Regulation of apoptosis in pancreatic beta cells.	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al.; FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-

				94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol, 166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
242	HOSDJ25	765	Activation of transcription through NFAT response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
243	HOSFD58	766	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem

				379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
244	HPDDC77	767	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
244	HPDDC77	767	Production of IL-2 and activation of T cells	IL-2 FMAT. IL-2 is the principal T cell factor that allows T cell expansion and differentiation into effector cells. Assays for immunomodulatory proteins secreted by TH1 cells that promote T cell and NK cell growth and differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, promote immune cell growth and differentiation, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-2, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Laduda et al., Immunology 94(4):496-502 (1998); and Powell et al., Immunol Rev 165:287-300 (1998), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that

				may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
245	HPEAD79	768	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
246	HPFCL43	769	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and

				Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
247	HPIBO15	770	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
247	HPIBO15	770	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the

				invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
248	HPICB53	771	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
249	HPJBI33	772	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety.

				Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
250	HPJBK12	773	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
250	HPJBK12	773	Regulation of apoptosis of immune cells (such as mast cells).	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate caspase protease-mediated apoptosis in immune cells (such as, for example, in mast cells). Mast cells are found in connective and mucosal tissues throughout the body, and their activation via immunoglobulin E -antigen, promoted by T helper cell type 2 cytokines, is an important component of allergic disease. Dysregulation of mast cell apoptosis may play a role in allergic disease and mast cell tumor survival. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity induced by polypeptides of the invention (including antibodies and agonists or antagonists of the invention)

				include the assays disclosed in: Masuda A, et al., J Biol Chem, 276(28):26107-26113 (2001); Yeatman CF 2nd, et al., J Exp Med, 192(8):1093-1103 (2000);Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Immune cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary immune cells that may be used according to these assays include mast cells such as the HMC human mast cell line.
250	HPJBK12	773	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
251	HPMDK28	774	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used

				according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
252	HPMFP40	775	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
253	HPRAL78	776	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988);

				and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
254	HPRBC80	777	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
254	HPRBC80	777	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of

				polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
254	HPRBC80	777	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is an IL-2 and IL-4 responsive suspension-culture cell line.
254	HPRBC80	777	Activation of transcription through NFAT response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Serfling et al., Biochim Biophys Acta 1498(1):1-18 (2000); De Boer et al., Int J Biochem Cell Biol

				31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
254	HPRBC80	777	Activation of transcription through NFKB response element in immune cells (such as T-cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
254	HPRBC80	777	Activation of transcription through NFAT response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.

254	HPRBC80	777	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
255	HPTTG19	778	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
256	HPZAB47	779	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test

				JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
256	HPZAB47	779	Activation of transcription through NFKB response element in neuronal cells (such as SKNMC cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of neuronal genes. Exemplary assays for transcription through the NFKB response element that may be used or routinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Gill JS, et al., Neurobiol Dis, 7(4):448-461 (2000); Tamatani M, et al., J Biol Chem, 274(13):8531-8538 (1999); Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Neuronal cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary neuronal cells that may be used according to these assays include the SKNMC neuronal cell line.
256	HPZAB47	779	Upregulation of CD152 and activation of T cells	CD152 FMAT. CD152 (a.k.a. CTLA-4) expression is restricted to activated T cells. CD152 is a negative regulator of T cell proliferation. Reduced CD152 expression has been linked to hyperproliferative and autoimmune diseases. Overexpression of CD152 may lead to impaired immunoresponses. Assays for immunomodulatory proteins important in the maintenance of T cell homeostasis and expressed almost exclusively on CD4+ and CD8+ T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, maintain T cell homeostasis, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD152, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists

				or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); McCoy et al., Immunol Cell Biol 77(1):1-10 (1999); Oostervegal et al., Curr Opin Immunol 11(3):294-300 (1999); and Saito T, Curr Opin Immunol 10(3):313-321 (1998), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
257	HRAAB15	780	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
257	HRAAB15	780	Production of IFNgamma using a T cells	IFNgamma FMAT. IFNg plays a central role in the immune system and is considered to be a proinflammatory cytokine. IFNg promotes TH1 and inhibits TH2 differentiation; promotes IgG2a and inhibits IgE secretion; induces macrophage activation; and increases MHC expression. Assays for immunomodulatory proteins produced by T cells and NK cells that regulate a variety of inflammatory activities and inhibit TH2 helper cell functions are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, regulate inflammatory activities, modulate TH2 helper cell function, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as Interferon gamma (IFNg), and the activation of T cells. Such

				assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Gonzalez et al., J Clin Lab Anal 8(5):225-233 (1995); Billiau et al., Ann NY Acad Sci 856:22-32 (1998); Boehm et al., Annu Rev Immunol 15:749-795 (1997), and Rheumatology (Oxford) 38(3):214-20 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
258	HRABA80	781	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
258	HRABA80	781	Activation of Endothelial Cell ERK Signaling Pathway.	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation.

				Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Berra et al., Biochem Pharmacol 60(8):1171-1178 (2000); Gupta et al., Exp Cell Res 247(2):495-504 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
258	HRABA80	781	Upregulation of CD152 and activation of T cells	CD152 FMAT. CD152 (a.k.a. CTLA-4) expression is restricted to activated T cells. CD152 is a negative regulator of T cell proliferation. Reduced CD152 expression has been linked to hyperproliferative and autoimmune diseases. Overexpression of CD152 may lead to impaired immunoresponses. Assays for immunomodulatory proteins important in the maintenance of T cell homeostasis and expressed almost exclusively on CD4+ and CD8+ T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, maintain T cell homeostasis, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD152, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); McCoy et al., Immunol Cell Biol 77(1):1-10 (1999); Oostervegal et al., Curr Opin Immunol 11(3):294-300 (1999); and Saito T, Curr Opin Immunol 10(3):313-321 (1998), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
259	HRACD15	782	Regulation of transcription of	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including

			Malic Enzyme in hepatocytes	antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the mouse 3T3-L1 cell line. 3T3-L1 is a mouse preadipocyte cell line (adherent). It is a continuous substrain of 3T3 fibroblasts developed through clonal isolation. Cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
259	HRACD15	782	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
259	HRACD15	782	Regulation of apoptosis of immune cells	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate caspase protease-mediated apoptosis in immune

			(such as mast cells).	cells (such as, for example, in mast cells). Mast cells are found in connective and mucosal tissues throughout the body, and their activation via immunoglobulin E -antigen, promoted by T helper cell type 2 cytokines, is an important component of allergic disease. Dysregulation of mast cell apoptosis may play a role in allergic disease and mast cell tumor survival. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity induced by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Masuda A, et al., J Biol Chem, 276(28):26107-26113 (2001); Yeatman CF 2nd, et al., J Exp Med, 192(8):1093-1103 (2000);Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Immune cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary immune cells that may be used according to these assays include mast cells such as the HMC human mast cell line.
260	HRACJ35	783	Regulation of transcription of Malic Enzyme in hepatocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the mouse 3T3-L1 cell line. 3T3-L1 is a mouse preadipocyte cell line (adherent). It is a continuous substrain of 3T3 fibroblasts developed through clonal isolation. Cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
260	HRACJ35	783	Production of VCAM in	Assays for measuring expression of VCAM are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or

			endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	antagonists of the invention) to regulate VCAM expression. For example, FMAT may be used to meaure the upregulation of cell surface VCAM-1 expresssion in endothelial cells. Endothelial cells are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are available from commercial sources. The expression of VCAM (CD106), a membrane-associated protein, can be upregulated by cytokines or other factors, and contributes to the extravasation of lymphocytes, leucocytes and other immune cells from blood vessels; thus VCAM expression plays a role in promoting immune and inflammatory responses.
261	HRDFD27	784	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
261	HRDFD27	784	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include

				human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
261	HRDFD27	784	Activation of transcription through NFKB response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
262	HRGBL78	785	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.

263	HROAJ03	786	Activation of Endothelial Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
264	HROAJ39	787	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.

265	HROBD68	788	Regulation of apoptosis in pancreatic beta cells.	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al., FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol, 166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
266	HSATR82	789	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
267	HSAVH65	790	Activation of T-Cell p38 or JNK	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess

			Signaling Pathway.	the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
268	HSAWD74	791	Regulation of transcription via DMEF1 response element in adipocytes and pre-adipocytes	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
268	HSAWD74	791	Activation of	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell

			transcription through NFAT response element in immune cells (such as mast cells).	line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
269	HSAWZ41	792	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used

				according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
269	HSAWZ41	792	Activation of transcription through AP1 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the AP1 response element are known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate growth and other cell functions. Exemplary assays for transcription through the AP1 response element that may be used or routinely modified to test AP1-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1988); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Rellahan et al., J Biol Chem 272(49):30806-30811 (1997); Chang et al., Mol Cell Biol 18(9):4986-4993 (1998); and Fraser et al., Eur J Immunol 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
269	HSAWZ41	792	Activation of transcription through NFKB response element in immune cells (such as EOL1 cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. For example, a reporter assay (which measures increases in transcription inducible from a NFkB responsive element in EOL-1 cells) may link the NFKB element to a repeorter gene and binds to the NFKB transcription factor, which is upregulated by cytokines and other factors. Exemplary immune cells that may be used according to these assays include eosinophils such as the human EOL-1 cell line of eosinophils. Eosinophils are a type of immune cell important in the allergic responses; they are recruited to tissues and mediate the inflammtory response of late stage allergic reaction. Eol-1 is a human eosinophil cell line.

269	HSAWZ41	792	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
269	HSAWZ41	792	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available

				(e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
269	HSAWZ41	792	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the SUPT cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
269	HSAWZ41	792	Activation of transcription through STAT6 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
269	HSAWZ41	792	Activation of transcription	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the

			through serum response element in immune cells (such as natural killer cells).	invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
270	HSAXA83	793	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
271	HSAYB43	794	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are

				herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
272	HSDEK49	795	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
272	HSDEK49	795	Regulation of transcription of Malic Enzyme in adipocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary

				hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
273	HSDFJ26	796	Regulation of transcription through the PEPCK promoter in hepatocytes	Assays for the regulation of transcription through the PEPCK promoter are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the PEPCK promoter in a reporter construct and regulate liver gluconeogenesis. Exemplary assays for regulation of transcription through the PEPCK promoter that may be used or routinely modified to test for PEPCK promoter activity (in hepatocytes) of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Lochhead et al., Diabetes 49(6):896-903 (2000); and Yeagley et al., J Biol Chem 275(23):17814-17820 (2000), the contents of each of which is herein incorporated by reference in its entirety. Hepatocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary liver hepatoma cells that may be used according to these assays include H4Ile cells, which contain a tyrosine amino transferase that is inducible with glucocorticoids, insulin, or cAMP derivatives.
274	HSDJJ82	797	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
275	HSDSB09	798	Regulation of transcription via DMEF1 response	Assays for the regulation of transcription through the DMEF1 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the DMEF1 response element in a reporter construct (such as that containing the GLUT4 promoter) and to regulate insulin

			element in adipocytes and pre-adipocytes	production. The DMEF1 response element is present in the GLUT4 promoter and binds to MEF2 transcription factor and another transcription factor that is required for insulin regulation of Glut4 expression in skeletal muscle. GLUT4 is the primary insulin-responsive glucose transporter in fat and muscle tissue. Exemplary assays that may be used or routinely modified to test for DMEF1 response element activity (in adipocytes and pre-adipocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed inThai, M.V., et al., J Biol Chem, 273(23):14285-92 (1998); Mora, S., et al., J Biol Chem, 275(21):16323-8 (2000); Liu, M.L., et al., J Biol Chem, 269(45):28514-21 (1994); "Identification of a 30-base pair regulatory element and novel DNA binding protein that regulates the human GLUT4 promoter in transgenic mice", J Biol Chem. 2000 Aug 4;275(31):23666-73; Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Adipocytes and pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the mouse 3T3-L1 cell line which is an adherent mouse preadipocyte cell line. Mouse 3T3-L1 cells are a continuous substrain of 3T3 fibroblasts developed through clonal isolation. These cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
275	HSDSB09	798	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line

				that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
275	HSDSB09	798	Activation of transcription through serum response element in pre-adipocytes.	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
275	HSDSB09	798	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
275	HSDSB09	798	Regulation of transcription of Malic Enzyme	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a

			in adipocytes	key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
275	HSDSB09	798	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
275	HSDSB09	798	Activation of	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast

			transcription through GATA-3 response element in immune cells (such as mast cells).	cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
275	HSDSB09	798	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays

				include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
275	HSDSB09	798	Activation of transcription through NFKB response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFkB signaling pathway in HMC-1 human mast cell line. Activation of NFkB in mast cells has been linked to production of certain cytokines, such as IL-6 and IL-9. Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Stassen et al, J Immunol 166(7):4391-8 (2001); and Marquardt and Walker, J Allergy Clin Immunol 105(3):500-5 (2000), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
275	HSDSB09	798	Activation of transcription through STAT6 response element in immune cells (such as mast cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element in immune cells (such as in the human HMC-1 mast cell line) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Sherman, Immunol Rev 179:48-56 (2001); Malaviya and Uckun, J Immunol 168:421-426 (2002); Masuda et al., J Biol Chem 275(38):29331-29337 (2000); and Masuda et al., J Biol Chem 276:26107-26113 (2001), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used

				according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
275	HSDSB09	798	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
275	HSDSB09	798	Activation of transcription through NFKB response element in immune cells (such as basophils).	This reporter assay measures activation of the NFkB signaling pathway in Ku812 human basophil cell line. Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Marone et al, Int Arch Allergy Immunol 114(3):207-17 (1997), the contents of each of which are herein incorporated by reference in its entirety. Basophils that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human basophil cell lines that may be used according to these assays include Ku812, originally established from a patient with chronic myelogenous leukemia. It is an immature prebasophilic cell line that

				can be induced to differentiate into mature basophils.
275	HSDSB09	798	Activation of transcription through STAT6 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
275	HSDSB09	798	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
276	HSDSE75	799	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides

				and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6 myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
276	HSDSE75	799	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
277	HSDZR57	800	Activation of Endothelial Cell p38 or JNK	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the

			Signaling Pathway.	invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
278	HSIDJ81	801	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
278	HSIDJ81	801	Activation of transcription through NFKB	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription

			response element in neuronal cells (such as SKNMC cells).	factors and modulate expression of neuronal genes. Exemplary assays for transcription through the NFKB response element that may be used or routinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Gill JS, et al., Neurobiol Dis, 7(4):448-461 (2000); Tamatani M, et al., J Biol Chem, 274(13):8531-8538 (1999); Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Neuronal cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary neuronal cells that may be used according to these assays include the SKNMC neuronal cell line.
279	HSKDA27	802	Production of GM-CSF	GM-CSF FMAT. GM-CSF is expressed by activated T cells, macrophages, endothelial cells, and fibroblasts. GM-CSF regulates differentiation and proliferation of granulocytes- macrophage progenitors and enhances antimicrobial activity in neutrophils, monocytes and macrophage. Additionally, GM-CSF plays an important role in the differentiation of dendritic cells and monocytes, and increases antigen presentation. GM-CSF is considered to be a proinflammatory cytokine. Assays for immunomodulatory proteins that promote the production of GM-CSF are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and modulate the growth and differentiation of leukocytes. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as GM-CSF, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Ye et al., J Leukoc Biol (58(2):225-233, the contents of each of which are herein incorporated by reference in its entirety. Natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC) or may be isolated using techniques disclosed herein or otherwise known in the art. Natural killer (NK) cells are large granular lymphocytes that have cytotoxic activity but do bind antigen. NK cells show antibody-independent killing of tumor cells and also recognize antibody bound on target cells, via NK Fc receptors, leading to cell-mediated cytotoxicity.
279	HSKDA27	802	Regulation of apoptosis in	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and

			pancreatic beta cells.	agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al., FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol, 166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
280	HSKGN81	803	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.

281	HSLCQ82	804	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
282	HSNAD72	805	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
283	HSNMC45	806	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium

				compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
284	HSQFP66	807	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
285	HSRFZ57	808	Regulation of transcription	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention

			through the FAS promoter element in hepatocytes	(including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
286	HSSFT08	809	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
287	HSSGD52	810	Activation of transcription through GATA-3 response element in immune cells (such as mast	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be

			cells).	used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
287	HSSGD52	810	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
287	HSSGD52	810	Activation of transcription through STAT6	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or

			response element in immune cells (such as T-cells).	antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
287	HSSGD52	810	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
288	HSSGG82	811	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and

				Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
289	HSUBW09	812	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
289	HSUBW09	812	Upregulation of CD152 and activation of T cells	CD152 FMAT. CD152 (a.k.a. CTLA-4) expression is restricted to activated T cells. CD152 is a negative regulator of T cell proliferation. Reduced CD152 expression has been linked to hyperproliferative and autoimmune diseases. Overexpression of CD152 may lead to impaired immunoresponses. Assays for immunomodulatory proteins important in the maintenance of T cell homeostasis and expressed almost exclusively on CD4+ and CD8+ T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, maintain T cell homeostasis, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD152, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists

				or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); McCoy et al., Immunol Cell Biol 77(1):1-10 (1999); Oostervegal et al., Curr Opin Immunol 11(3):294-300 (1999); and Saito T, Curr Opin Immunol 10(3):313-321 (1998), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
290	HSVBU91	813	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
290	HSVBU91	813	Activation of Hepatocyte ERK Signaling Pathway	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation.

				Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Rat liver hepatoma cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat liver hepatoma cells that may be used according to these assays include H4lle cells, which are known to respond to glucocorticoids, insulin, or cAMP derivatives.
290	HSVBU91	813	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
290	HSVBU91	813	Activation of transcription through CD28 response element in immune cells	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in

			(such as T-cells).	Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
291	HSYAV50	814	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923 (1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
291	HSYAV50	814	Activation of transcription through GAS response element in immune cells	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the

			(such as T-cells).	invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the SUPT cell line, that may be used according to these assays are publicly available (e.g., through the ATCC).
291	HSYAV50	814	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
292	HTAEE28	815	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.

292	HTAEE28	815	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
293	HTECC05	816	Regulation of viability and proliferation of pancreatic beta cells.	Assays for the regulation of viability and proliferation of cells in vitro are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate viability and proliferation of pancreatic beta cells. For example, the Cell Titer-Glo luminescent cell viability assay measures the number of viable cells in culture based on quantitation of the ATP present which signals the presence of metabolically active cells. Exemplary assays that may be used or routinely modified to test regulation of viability and proliferation of pancreatic beta cells by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Friedrichsen BN, et al., Mol Endocrinol, 15(1):136-48 (2001); Huotari MA, et al., Endocrinology, 139(4):1494-9 (1998); Hugl SR, et al., J Biol Chem 1998 Jul 10;273(28):17771-9 (1998), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of

				native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
294	HTEEB42	817	Regulation of transcription of Malic Enzyme in hepatocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the mouse 3T3-L1 cell line. 3T3-L1 is a mouse preadipocyte cell line (adherent). It is a continuous substrain of 3T3 fibroblasts developed through clonal isolation. Cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
295	HTEFU65	818	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923

				(1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
295	HTEFU65	818	Regulation of transcription of Malic Enzyme in hepatocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the mouse 3T3-L1 cell line. 3T3-L1 is a mouse preadipocyte cell line (adherent). It is a continuous substrain of 3T3 fibroblasts developed through clonal isolation. Cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
295	HTEFU65	818	Myoblast cell proliferation	Assays for muscle cell proliferation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate or inhibit myoblast cell proliferation. Exemplary assays for myoblast cell proliferation that may be used or routinely modified to test activity of polypeptides and antibodies of the invention (including agonists or antagonists of the invention) include, for example, assays disclosed in: Soeta, C., et al. "Possible role for the c-ski gene in the proliferation of myogenic cells in regenerating skeletal muscles of rats" Dev Growth Differ Apr;43(2):155-64 (2001); Ewton DZ, et al., "IGF binding proteins-4, -5 and -6 may play specialized roles during L6

				myoblast proliferation and differentiation" J Endocrinol Mar;144(3):539-53 (1995); and, Pampusch MS, et al.,"Effect of transforming growth factor beta on proliferation of L6 and embryonic porcine myogenic cells" J Cell Physiol Jun;143(3):524-8 (1990); the contents of each of which are herein incorporated by reference in their entirety. Exemplary myoblast cells that may be used according to these assays include the rat myoblast L6 cell line. Rat myoblast L6 cells are an adherent rat myoblast cell line, isolated from primary cultures of rat thigh muscle, that fuse to form multinucleated myotubes and striated fibers after culture in differentiation media.
295	HTEFU65	818	Production of IFNgamma using a T cells	IFNgamma FMAT. IFNg plays a central role in the immune system and is considered to be a proinflammatory cytokine. IFNg promotes TH1 and inhibits TH2 differentiation; promotes IgG2a and inhibits IgE secretion; induces macrophage activation; and increases MHC expression. Assays for immunomodulatory proteins produced by T cells and NK cells that regulate a variety of inflammatory activities and inhibit TH2 helper cell functions are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, regulate inflammatory activities, modulate TH2 helper cell function, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as Interferon gamma (IFNg), and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Gonzalez et al., J Clin Lab Anal 8(5):225-233 (1995); Billiau et al., Ann NY Acad Sci 856:22-32 (1998); Boehm et al., Annu Rev Immunol 15:749-795 (1997), and Rheumatology (Oxford) 38(3):214-20 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
295	HTEFU65	818	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of

				insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
296	HTEGA76	819	Activation of Adipocyte ERK Signaling Pathway	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Le Marchand-Brustel Y, Exp Clin Endocrinol Diabetes 107(2):126-132 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Mouse adipocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
296	HTEGA76	819	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in

				Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
297	HTELM16	820	Production of MIP1alpha	MIP-1alpha FMAT. Assays for immunomodulatory proteins produced by activated dendritic cells that upregulate monocyte/macrophage and T cell chemotaxis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate chemotaxis, and modulate T cell differentiation. Exemplary assays that test for immunomodulatory proteins evaluate the production of chemokines, such as macrophage inflammatory protein 1 alpha (MIP-1a), and the activation of monocytes/macrophages and T cells. Such assays that may be used or routinely modified to test immunomodulatory and chemotaxis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); Drakes et al., Transp Immunol 8(1):17-29 (2000); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
297	HTELM16	820	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992);

				Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the JURKAT cell line, which is a suspension culture of leukemia cells that produce IL-2 when stimulated.
298	HTELP17	821	Regulation of transcription through the PEPCK promoter in hepatocytes	Assays for the regulation of transcription through the PEPCK promoter are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the PEPCK promoter in a reporter construct and regulate liver gluconeogenesis. Exemplary assays for regulation of transcription through the PEPCK promoter that may be used or routinely modified to test for PEPCK promoter activity (in hepatocytes) of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Lochhead et al., Diabetes 49(6):896-903 (2000); and Yeagley et al., J Biol Chem 275(23):17814-17820 (2000), the contents of each of which is herein incorporated by reference in its entirety. Hepatocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary liver hepatoma cells that may be used according to these assays include H4Ile cells, which contain a tyrosine amino transferase that is inducible with glucocorticoids, insulin, or cAMP derivatives.
298	HTELP17	821	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely

				generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
299	HTELS08	822	Regulation of transcription through the PEPCK promoter in hepatocytes	Assays for the regulation of transcription through the PEPCK promoter are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the PEPCK promoter in a reporter construct and regulate liver gluconeogenesis. Exemplary assays for regulation of transcription through the PEPCK promoter that may be used or routinely modified to test for PEPCK promoter activity (in hepatocytes) of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Lochhead et al., Diabetes 49(6):896-903 (2000); and Yeagley et al., J Biol Chem 275(23):17814-17820 (2000), the contents of each of which is herein incorporated by reference in its entirety. Hepatocyte cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary liver hepatoma cells that may be used according to these assays include H4Ile cells, which contain a tyrosine amino transferase that is inducible with glucocorticoids, insulin, or cAMP derivatives.
300	HTEPG70	823	Activation of transcription through cAMP response element (CRE) in pre-adipocytes.	Assays for the activation of transcription through the cAMP response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to increase cAMP, regulate CREB transcription factors, and modulate expression of genes involved in a wide variety of cell functions. For example, a 3T3-L1/CRE reporter assay may be used to identify factors that activate the cAMP signaling pathway. CREB plays a major role in adipogenesis, and is involved in differentiation into adipocytes. CRE contains the binding sequence for the transcription factor CREB (CRE binding protein). Exemplary assays for transcription through the cAMP response element that may be used or routinely modified to test cAMP-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Reusch et al., Mol Cell Biol 20(3):1008-1020 (2000); and Klemm et al., J Biol Chem 273:917-923

				(1998), the contents of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
300	HTEPG70	823	Activation of transcription through serum response element in pre-adipocytes.	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. Pre-adipocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary mouse adipocyte cells that may be used according to these assays include 3T3-L1 cells. 3T3-L1 is an adherent mouse preadipocyte cell line that is a continuous substrain of 3T3 fibroblast cells developed through clonal isolation and undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation conditions known in the art.
300	HTEPG70	823	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol

				29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
300	HTEPG70	823	Activation of transcription through NFAT response element in immune cells (such as mast cells).	This reporter assay measures activation of the NFAT signaling pathway in HMC-1 human mast cell line. Activation of NFAT in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Ali et al., J Immunol 165(12):7215-7223 (2000); Hutchinson and McCloskey, J Biol Chem 270(27):16333-16338 (1995), and Turner et al., J Exp Med 188:527-537 (1998), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
300	HTEPG70	823	Activation of transcription through NFKB response element in immune cells (such as basophils).	This reporter assay measures activation of the NFkB signaling pathway in Ku812 human basophil cell line. Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998);

				Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Marone et al, Int Arch Allergy Immunol 114(3):207-17 (1997), the contents of each of which are herein incorporated by reference in its entirety. Basophils that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human basophil cell lines that may be used according to these assays include Ku812, originally established from a patient with chronic myelogenous leukemia. It is an immature prebasophilic cell line that can be induced to differentiate into mature basophils.
300	HTEPG70	823	Activation of transcription through NFKB response element in immune cells (such as T-cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
300	HTEPG70	823	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.

301	HTGEP89	824	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
302	HTHBG43	825	Activation of transcription through STAT6 response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
302	HTHBG43	825	Activation of transcription through serum response element in immune cells	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention

			(such as natural killer cells).	(including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
303	HTHDS25	826	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
304	HTLEP53	827	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that

				include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
304	HTLEP53	827	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
305	HTLGE31	828	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.

306	HTLHY14	829	Calcium flux in immune cells (such as monocytes)	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux in immune cells (such as monocytes) include assays disclosed in: Chan, CC, et al., J Pharmacol Exp Ther, 269(3):891-896 (1994); Andersson, K, et al., Cytokine, 12(12):1784-1787 (2000); Scully, SP, et al., J Clin Invest, 74(2) 589-599 (1984); and, Sullivan, E, et al., Methods Mol Biol, 114:125-133 (1999), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the THP-1 monocyte cell line.
307	HTLIV19	830	Activation of transcription through STAT6 response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Signal Transducers and Activators of Transcription (STAT6) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT6 transcription factors and modulate the expression of multiple genes. Exemplary assays for transcription through the STAT6 response element that may be used or routinely modified to test STAT6 response element activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Georas et al., Blood 92(12):4529-4538 (1998); Moffatt et al., Transplantation 69(7):1521-1523 (2000); Curiel et al., Eur J Immunol 27(8):1982-1987 (1997); and Masuda et al., J Biol Chem 275(38):29331-29337 (2000), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary rat natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC).
307	HTLIV19	830	Activation of transcription through NFAT response element in immune cells	Assays for the activation of transcription through the Nuclear Factor of Activated T cells (NFAT) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFAT transcription factors and modulate expression of genes involved in immunomodulatory functions. Exemplary assays for transcription through the NFAT response element that may be used or routinely modified to test NFAT-response element activity of

			(such as natural killer cells).	polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Aramburu et al., J Exp Med 182(3):801-810 (1995); De Boer et al., Int J Biochem Cell Biol 31(10):1221-1236 (1999); Fraser et al., Eur J Immunol 29(3):838-844 (1999); and Yeseen et al., J Biol Chem 268(19):14285-14293 (1993), the contents of each of which are herein incorporated by reference in its entirety. NK cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human NK cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
307	HTLIV19	830	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
308	HTOAK16	831	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available

				(e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
308	HTOAK16	831	Production of VCAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Assays for measuring expression of VCAM are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate VCAM expression. For example, FMAT may be used to meaure the upregulation of cell surface VCAM-1 expresssion in endothelial cells. Endothelial cells are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are available from commercial sources. The expression of VCAM (CD106), a membrane-associated protein, can be upregulated by cytokines or other factors, and contributes to the extravasation of lymphocytes, leucocytes and other immune cells from blood vessels; thus VCAM expression plays a role in promoting immune and inflammatory responses.
308	HTOAK16	831	Production of IL-8 by by endothelial cells (such as Human Umbilical Cord Endothelial Cells).	Assays measuring production of IL-8 are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate production and/or secretion of IL-8. For example, FMAT may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate production and/or secretion of IL-8 from endothelial cells (such as human umbilical vein endothelial cells (HUVEC)). HUVECs are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Endothelial cells play a pivotal role in the initiation and perpetuation of inflammation and secretion of IL-8 may play an important role in recruitment and activation of immune cells such as neutrophils, macrophages, and lymphocytes.
308	HTOAK16	831	Production of ICAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Endothelial cells, which are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used in ICAM production assays include human umbilical vein endothelial cells (HUVEC), and are available from commercial sources. The expression of ICAM (CD54),a intergral membrane protein, can be upregulated by cytokines or other factors, and ICAM expression is important in mediating immune and endothelial cell interactions leading to immune and inflammatory responses. Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1

				expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Rolfe BE, et al., Atherosclerosis, 149(1):99-110 (2000); Panettieri RA Jr, et al., J Immunol, 154(5):2358-2365 (1995); and, Grunstein MM, et al., Am J Physiol Lung Cell Mol Physiol, 278(6):L1154-L1163 (2000), the contents of each of which is herein incorporated by reference in its entirety.
308	HTOAK16	831	Production of IL-13	IL-13 FMAT. IL-13 enhances IgM, IgG, and IgE production and induces FcER1. IL-13 has anti-inflammatory activity on monocytes and macrophages. Assays for immunomodulatory proteins produced by T cells that inhibit activation and release of cytokines by macrophages are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, regulate cytokine release, stimulate immune cells through the binding of IL-13 and IL-4 receptors, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-13, the inhibition of cytokines released by macrophages. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Ohshima et al., Blood 92(9):3338-3345 (1998), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
309	HTOGR42	832	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays

				include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
309	HTOGR42	832	Activation of Endothelial Cell JNK Signaling Pathway.	Kinase assay. JNK kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK kinase activity that may be used or routinely modified to test JNK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
309	HTOGR42	832	Activation of Natural Killer Cell ERK Signaling Pathway.	Kinase assay. Kinase assays, for example an Elk-1 kinase assay, for ERK signal transduction that regulate cell proliferation or differentiation are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Natural killer cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary natural killer cells that may be used according to these assays include the human natural killer cell lines (for example, NK-YT cells which have cytolytic and cytotoxic activity) or primary NK cells.
310	HTOHT18	833	Activation of transcription through serum	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum

			response element in immune cells (such as T-cells).	response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
310	HTOHT18	833	Production of TNF alpha by dendritic cells	TNFa FMAT. Assays for immunomodulatory proteins produced by activated macrophages, T cells, fibroblasts, smooth muscle, and other cell types that exert a wide variety of inflammatory and cytotoxic effects on a variety of cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate inflammation and cytotoxicity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines such as tumor necrosis factor alpha (TNFa), and the induction or inhibition of an inflammatory or cytotoxic response. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Verhasselt et al., Eur J Immunol 28(11):3886-3890 (1198); Dahlen et al., J Immunol 160(7):3585-3593 (1998); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
311	HTOIZ02	834	Endothelial Cell Apoptosis	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Induction of apoptosis in endothelial cells supporting the vasculature of tumors is associated with tumor regression due to loss of tumor blood supply. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention

				(including antibodies and agonists or antagonists of the invention) include the assays disclosed in Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
311	HTOIZ02	834	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
312	HTOJK60	835	Activation of transcription through serum response element in	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the

			immune cells (such as T-cells).	polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
313	HTPCS72	836	Stimulation of Calcium Flux in pancreatic beta cells.	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. For example, the FLPR assay may be used to measure influx of calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Satin LS, et al., Endocrinology, 136(10):4589-601 (1995);Mogami H, et al., Endocrinology, 136(7):2960-6 (1995); Richardson SB, et al., Biochem J, 288 (Pt 3):847-51 (1992); and, Meats, JE, et al., Cell Calcium 1989 Nov-Dec;10(8):535-41 (1989), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
314	HTPIH83	837	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and

				agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
315	HTSEW17	838	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
315	HTSEW17	838	Activation of transcription through NFKB response element in	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-

			immune cells (such as B-cells).	response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Gri G, et al., Biol Chem, 273(11):6431-6438 (1998); Pyatt DW, et al., Cell Biol Toxicol 2000;16(1):41-51 (2000); Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Immune cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary immune cells that may be used according to these assays include the Reh B-cell line.
316	HTTBI76	839	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
316	HTTBI76	839	Upregulation of CD69 and activation of T cells	CD69 FMAT. CD69 is an activation marker that is expressed on activated T cells, B cells, and NK cells. CD69 is not expressed on resting T cells, B cells, or NK cells. CD69 has been found to be associated with inflammation. Assays for immunomodulatory proteins expressed in T cells, B cells, and leukocytes are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD69, and the activation of T cells. Such assays that may be used or routinely

				modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Ferenczi et al., J Autoimmun 14(1):63-78 (200); Werfel et al., Allergy 52(4):465-469 (1997); Taylor-Fishwick and Siegel, Eur J Immunol 25(12):3215-3221 (1995); and Afetra et al., Ann Rheum Dis 52(6):457-460 (1993), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
317	HTTBS64	840	Regulation of transcription of Malic Enzyme in hepatocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the mouse 3T3-L1 cell line. 3T3-L1 is a mouse preadipocyte cell line (adherent). It is a continuous substrain of 3T3 fibroblasts developed through clonal isolation. Cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
318	HTWDF76	841	Activation of transcription through serum response	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the

			element in immune cells (such as natural killer cells).	function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
319	HTXCV12	842	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
319	HTXCV12	842	Activation of transcription through NFKB response element in immune cells (such as T-cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the MOLT4, that may be used according to these assays are

				publicly available (e.g., through the ATCC).
320	HTXFL30	843	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
320	HTXFL30	843	Production of TNF alpha by dendritic cells	TNFa FMAT. Assays for immunomodulatory proteins produced by activated macrophages, T cells, fibroblasts, smooth muscle, and other cell types that exert a wide variety of inflammatory and cytotoxic effects on a variety of cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, modulate inflammation and cytotoxicity. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines such as tumor necrosis factor alpha (TNFa), and the induction or inhibition of an inflammatory or cytotoxic response. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Verhasselt et al., Eur J Immunol 28(11):3886-3890 (1198); Dahlen et al., J Immunol 160(7):3585-3593 (1998); Verhasselt et al., J Immunol 158:2919-2925 (1997); and Nardelli et al., J Leukoc Biol 65:822-828 (1999), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
320	HTXFL30	843	Regulation of proliferation	Kinase assays, for example an Elk-1 kinase assay for ERK signal transduction that regulates cell proliferation or differentiation, are well known in the art and may be used or routinely modified to

			and/or differentiation in immune cells (such as mast cells).	assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and differentiation. Exemplary assays for ERK kinase activity that may be used or routinely modified to test ERK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Ali H, et al., J Immunol, 165(12):7215-7223 (2000); Tam SY, et al., Blood, 90(5):1807-1820 (1997); Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Berra et al., Biochem Pharmacol 60(8):1171-1178 (2000); Gupta et al., Exp Cell Res 247(2):495-504 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Exemplary immune cells that may be used according to these assays include human mast cells such as the HMC-1 cell line.
321	HTXJM03	844	Regulation of transcription of Malic Enzyme in hepatocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol, 8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the mouse 3T3-L1 cell line. 3T3-L1 is a mouse preadipocyte cell line (adherent). It is a continuous substrain of 3T3 fibroblasts developed through clonal isolation. Cells undergo a pre-adipocyte to adipose-like conversion under appropriate differentiation culture conditions.
322	HTXON32	845	Insulin Secretion	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is

				upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Shimizu, H., et al., Endocr J, 47(3):261-9 (2000); Salapatek, A.M., et al., Mol Endocrinol, 13(8):1305-17 (1999); Filipsson, K., et al., Ann N Y Acad Sci, 865:441-4 (1998); Olson, L.K., et al., J Biol Chem, 271(28):16544-52 (1996); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include HITT15 Cells. HITT15 are an adherent epithelial cell line established from Syrian hamster islet cells transformed with SV40. These cells express glucagon, somatostatin, and glucocorticoid receptors. The cells secrete insulin, which is stimulated by glucose and glucagon and suppressed by somatostatin or glucocorticoids. ATTC# CRL-1777 Refs: Lord and Ashcroft. Biochem. J. 219: 547-551; Santerre et al. Proc. Natl. Acad. Sci. USA 78: 4339-4343, 1981.
323	HUFBY15	846	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
324	HUFCJ30	847	Stimulation of insulin secretion from pancreatic beta cells.	Assays for measuring secretion of insulin are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to stimulate insulin secretion. For example, insulin secretion is measured by FMAT using anti-rat insulin antibodies. Insulin secretion from pancreatic beta cells is upregulated by glucose and also by certain proteins/peptides, and disregulation is a key component

				in diabetes. Exemplary assays that may be used or routinely modified to test for stimulation of insulin secretion (from pancreatic cells) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Ahren, B., et al., Am J Physiol, 277(4 Pt 2):R959-66 (1999); Li, M., et al., Endocrinology, 138(9):3735-40 (1997); Kim, K.H., et al., FEBS Lett, 377(2):237-9 (1995); and, Miraglia S et. al., Journal of Biomolecular Screening, 4:193-204 (1999), the contents of each of which is herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include rat INS-1 cells. INS-1 cells are a semi-adherent cell line established from cells isolated from an X-ray induced rat transplantable insulinoma. These cells retain characteristics typical of native pancreatic beta cells including glucose inducible insulin secretion. References: Asfari et al. Endocrinology 1992 130:167.
325	HUKAH51	848	Protection from Endothelial Cell Apoptosis.	Caspase Apoptosis Rescue. Assays for caspase apoptosis rescue are well known in the art and may be used or routinely modified to assess the ability of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to inhibit caspase protease-mediated apoptosis. Exemplary assays for caspase apoptosis that may be used or routinely modified to test caspase apoptosis rescue of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Romeo et al., Cardiovasc Res 45(3): 788-794 (2000); Messmer et al., Br J Pharmacol 127(7): 1633-1640 (1999); and J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through commercial sources). Exemplary endothelial cells that may be used according to these assays include bovine aortic endothelial cells (bAEC), which are an example of endothelial cells which line blood vessels and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.
325	HUKAH51	848	Activation of JNK Signaling Pathway in immune cells (such as eosinophils).	Kinase assay. JNK kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK kinase activity that may be used or routinely modified to test JNK kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the

				contents of each of which are herein incorporated by reference in its entirety. Exemplary cells that may be used according to these assays include eosinophils. Eosinophils are important in the late stage of allergic reactions; they are recruited to tissues and mediate the inflammatory response of late stage allergic reaction. Moreover, exemplary assays that may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate signal transduction, cell proliferation, activation, or apoptosis in eosinophils include assays disclosed and/or cited in: Zhang JP, et al., "Role of caspases in dexamethasone-induced apoptosis and activation of c-Jun NH2-terminal kinase and p38 mitogen-activated protein kinase in human eosinophils" Clin Exp Immunol; Oct;122(1):20-7 (2000); Hebestreit H, et al., "Disruption of fas receptor signaling by nitric oxide in eosinophils" J Exp Med; Feb 2;187(3):415-25 (1998); J Allergy Clin Immunol 1999 Sep;104(3 Pt 1):565-74; and, Sousa AR, et al., "In vivo resistance to corticosteroids in bronchial asthma is associated with enhanced phosyphorylation of JUN N-terminal kinase and failure of prednisolone to inhibit JUN N-terminal kinase phosphorylation" J Allergy Clin Immunol; Sep;104(3 Pt 1):565-74 (1999); the contents of each of which are herein incorporated by reference in its entirety.
326	HUSXS50	849	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
326	HUSXS50	849	Activation of transcription through NFKB response element in	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-

			immune cells (such as EOL1 cells).	response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. For example, a reporter assay (which measures increases in transcription inducible from a NFkB responsive element in EOL-1 cells) may link the NFKB element to a repeorter gene and binds to the NFKB transcription factor, which is upregulated by cytokines and other factors. Exemplary immune cells that may be used according to these assays include eosinophils such as the human EOL-1 cell line of eosinophils. Eosinophils are a type of immune cell important in the allergic responses; they are recruited to tissues and mediate the inflammtory response of late stage allergic reaction. Eol-1 is a human eosinophil cell line.
326	HUSXS50	849	Calcium flux in immune cells (such as monocytes)	Assays for measuring calcium flux are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mobilize calcium. Cells normally have very low concentrations of cytosolic calcium compared to much higher extracellular calcium. Extracellular factors can cause an influx of calcium, leading to activation of calcium responsive signaling pathways and alterations in cell functions. Exemplary assays that may be used or routinely modified to measure calcium flux in immune cells (such as monocytes) include assays disclosed in: Chan, CC, et al., J Pharmacol Exp Ther, 269(3):891-896 (1994); Andersson, K, et al., Cytokine, 12(12):1784-1787 (2000); Scully, SP, et al., J Clin Invest, 74(2) 589-599 (1984); and, Sullivan, E, et al., Methods Mol Biol, 114:125-133 (1999), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include the THP-1 monocyte cell line.
327	HUVEB53	850	Regulation of apoptosis in pancreatic beta cells.	Caspase Apoptosis. Assays for caspase apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote caspase protease-mediated apoptosis. Apoptosis in pancreatic beta is associated with induction and progression of diabetes. Exemplary assays for caspase apoptosis that may be used or routinely modified to test capase apoptosis activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in: Loweth, AC, et al., FEBS Lett, 400(3):285-8 (1997); Saini, KS, et al., Biochem Mol Biol Int, 39(6):1229-36 (1996); Krautheim, A., et al., Br J Pharmacol, 129(4):687-94 (2000); Chandra J, et al., Diabetes, 50 Suppl 1:S44-7 (2001); Suk K, et al., J Immunol,

				166(7):4481-9 (2001); Tejedo J, et al., FEBS Lett, 459(2):238-43 (1999); Zhang, S., et al., FEBS Lett, 455(3):315-20 (1999); Lee et al., FEBS Lett 485(2-3): 122-126 (2000); Nor et al., J Vasc Res 37(3): 209-218 (2000); and Karsan and Harlan, J Atheroscler Thromb 3(2): 75-80 (1996); the contents of each of which are herein incorporated by reference in its entirety. Pancreatic cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary pancreatic cells that may be used according to these assays include RIN-m. RIN-m is a rat adherent pancreatic beta cell insulinoma cell line derived from a radiation induced transplantable rat islet cell tumor. The cells produce and secrete islet polypeptide hormones, and produce insulin, somatostatin,and possibly glucagon. ATTC: #CRL-2057 Chick et al. Proc. Natl. Acad. Sci. 1977 74:628; AF et al. Proc. Natl. Acad. Sci. 1980 77:3519.
328	HWAAD63	851	Regulation of transcription through the FAS promoter element in hepatocytes	Assays for the regulation of transcription through the FAS promoter element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to activate the FAS promoter element in a reporter construct and to regulate transcription of FAS, a key enzyme for lipogenesis. FAS promoter is regulated by many transcription factors including SREBP. Insulin increases FAS gene transcription in livers of diabetic mice. This stimulation of transcription is also somewhat glucose dependent. Exemplary assays that may be used or routinely modified to test for FAS promoter element activity (in hepatocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Xiong, S., et al., Proc Natl Acad Sci U.S.A., 97(8):3948-53 (2000); Roder, K., et al., Eur J Biochem, 260(3):743-51 (1999); Oskouian B, et al., Biochem J, 317 (Pt 1):257-65 (1996); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays, such as H4IIE cells, are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays include rat liver hepatoma cell line(s) inducible with glucocorticoids, insulin, or cAMP derivatives.
328	HWAAD63	851	Production of VCAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Assays for measuring expression of VCAM are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate VCAM expression. For example, FMAT may be used to meaure the upregulation of cell surface VCAM-1 expresssion in endothelial cells. Endothelial cells are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are available from commercial sources. The expression of

				VCAM (CD106), a membrane-associated protein, can be upregulated by cytokines or other factors, and contributes to the extravasation of lymphocytes, leucocytes and other immune cells from blood vessels; thus VCAM expression plays a role in promoting immune and inflammatory responses.
328	HWAAD63	851	Production of ICAM-1	Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Takacs P, et al, FASEB J, 15(2):279-281 (2001); and, Miyamoto K, et al., Am J Pathol, 156(5):1733-1739 (2000), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include microvascular endothelial cells (MVEC).
329	HWABY10	852	Production of IL-6	IL-6 FMAT. IL-6 is produced by T cells and has strong effects on B cells. IL-6 participates in IL-4 induced IgE production and increases IgA production (IgA plays a role in mucosal immunity). IL-6 induces cytotoxic T cells. Deregulated expression of IL-6 has been linked to autoimmune disease, plasmacytomas, myelomas, and chronic hyperproliferative diseases. Assays for immunomodulatory and differentiation factor proteins produced by a large variety of cells where the expression level is strongly regulated by cytokines, growth factors, and hormones are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation and differentiation and modulate T cell proliferation and function. Exemplary assays that test for immunomodulatory proteins evaluate the production of cytokines, such as IL-6, and the stimulation and upregulation of T cell proliferation and functional activities. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
329	HWABY10	852	Activation of transcription	Assays for the activation of transcription through the CD28 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention

			through CD28 response element in immune cells (such as T-cells).	(including antibodies and agonists or antagonists of the invention) to stimulate IL-2 expression in T cells. Exemplary assays for transcription through the CD28 response element that may be used or routinely modified to test CD28-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); McGuire and Iacobelli, J Immunol 159(3):1319-1327 (1997); Parra et al., J Immunol 166(4):2437-2443 (2001); and Butscher et al., J Biol Chem 3(1):552-560 (1998), the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human T cells that may be used according to these assays include the SUPT cell line, which is a suspension culture of IL-2 and IL-4 responsive T cells.
329	HWABY10	852	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
330	HWADJ89	853	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated

				by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
331	HWBCB89	854	Activation of transcription through GATA-3 response element in immune cells (such as mast cells).	This reporter assay measures activation of the GATA-3 signaling pathway in HMC-1 human mast cell line. Activation of GATA-3 in mast cells has been linked to cytokine and chemokine production. Assays for the activation of transcription through the GATA3 response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate GATA3 transcription factors and modulate expression of mast cell genes important for immune response development. Exemplary assays for transcription through the GATA3 response element that may be used or routinely modified to test GATA3-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Flavell et al., Cold Spring Harb Symp Quant Biol 64:563-571 (1999); Rodriguez-Palmero et al., Eur J Immunol 29(12):3914-3924 (1999); Zheng and Flavell, Cell 89(4):587-596 (1997); and Henderson et al., Mol Cell Biol 14(6):4286-4294 (1994), the contents of each of which are herein incorporated by reference in its entirety. Mast cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary human mast cells that may be used according to these assays include the HMC-1 cell line, which is an immature human mast cell line established from the peripheral blood of a patient with mast cell leukemia, and exhibits many characteristics of immature mast cells.
331	HWBCB89	854	Activation of transcription through NFKB response element in immune cells (such as T-cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Black et al., Virus Gnes 15(2):105-117 (1997); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. Exemplary human T cells, such as the MOLT4, that may be used according to these assays are

				publicly available (e.g., through the ATCC).
331	HWBCB89	854	Production of ICAM-1	Assays for measuring expression of ICAM-1 are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate ICAM-1 expression. Exemplary assays that may be used or routinely modified to measure ICAM-1 expression include assays disclosed in: Takacs P, et al, FASEB J, 15(2):279-281 (2001); and, Miyamoto K, et al., Am J Pathol, 156(5):1733-1739 (2000), the contents of each of which is herein incorporated by reference in its entirety. Cells that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary cells that may be used according to these assays include microvascular endothelial cells (MVEC).
331	HWBCB89	854	Activation of transcription through serum response element in immune cells (such as natural killer cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate serum response factors and modulate the expression of genes involved in growth and upregulate the function of growth-related genes in many cell types. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Benson et al., J Immunol 153(9):3862-3873 (1994); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the NK-YT cell line, which is a human natural killer cell line with cytolytic and cytotoxic activity.
332	HWBFX31	855	Regulation of transcription of Malic Enzyme in adipocytes	Assays for the regulation of transcription of Malic Enzyme are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate transcription of Malic Enzyme, a key enzyme in lipogenesis. Malic enzyme is involved in lipogenesisand its expression is stimulted by insulin. ME promoter contains two direct repeat (DR1)- like elements MEp and MEd identified as putative PPAR response elements. ME promoter may also responds to AP1 and other transcription factors. Exemplary assays that may be used or routinely modified to test for regulation of transcription of Malic Enzyme (in adipoocytes) by polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in: Streeper, R.S., et al., Mol Endocrinol, 12(11):1778-91 (1998); Garcia-Jimenez, C., et al., Mol Endocrinol,

				8(10):1361-9 (1994); Barroso, I., et al., J Biol Chem, 274(25):17997-8004 (1999); Ijpenberg, A., et al., J Biol Chem, 272(32):20108-20117 (1997); Berger, et al., Gene 66:1-10 (1988); and, Cullen, B., et al., Methods in Enzymol. 216:362–368 (1992), the contents of each of which is herein incorporated by reference in its entirety. Hepatocytes that may be used according to these assays are publicly available (e.g., through the ATCC) and/or may be routinely generated. Exemplary hepatocytes that may be used according to these assays includes the H4IIE rat liver hepatoma cell line.
333	HWDAH38	856	Activation of transcription through serum response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Serum Response Element (SRE) are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate the serum response factors and modulate the expression of genes involved in growth. Exemplary assays for transcription through the SRE that may be used or routinely modified to test SRE activity of the polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); and Black et al., Virus Genes 12(2):105-117 (1997), the content of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension culture of T cells with cytotoxic activity.
334	HWHGZ51	857	Activation of transcription through GAS response element in immune cells (such as T-cells).	Assays for the activation of transcription through the Gamma Interferon Activation Site (GAS) response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate STAT transcription factors and modulate gene expression involved in a wide variety of cell functions. Exemplary assays for transcription through the GAS response element that may be used or routinely modified to test GAS-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Matikainen et al., Blood 93(6):1980-1991 (1999); and Henttinen et al., J Immunol 155(10):4582-4587 (1995), the contents of each of which are herein incorporated by reference in its entirety. Exemplary mouse T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary T cells that may be used according to these assays include the CTLL cell line, which is a suspension culture of IL-2 dependent cytotoxic T cells.

334	HWHGZ51	857	Production of MCP-1	MCP-1 FMAT. Assays for immunomodulatory proteins that are produced by a large variety of cells and act to induce chemotaxis and activation of monocytes and T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to mediate immunomodulation, induce chemotaxis, and modulate immune cell activation. Exemplary assays that test for immunomodulatory proteins evaluate the production of cell surface markers, such as monocyte chemoattractant protein (MCP), and the activation of monocytes and T cells. Such assays that may be used or routinely modified to test immunomodulatory and diffferentiation activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204(1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Satthaporn and Eremin, J R Coll Surg Ednb 45(1):9-19 (2001); and Verhasselt et al., J Immunol 158:2919-2925 (1997), the contents of each of which are herein incorporated by reference in its entirety. Human dendritic cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human dendritic cells are antigen presenting cells in suspension culture, which, when activated by antigen and/or cytokines, initiate and upregulate T cell proliferation and functional activities.
334	HWHGZ51	857	Activation of transcription through NFKB response element in immune cells (such as EOL1 cells).	Assays for the activation of transcription through the NFKB response element are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate NFKB transcription factors and modulate expression of immunomodulatory genes. Exemplary assays for transcription through the NFKB response element that may be used or rountinely modified to test NFKB-response element activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include assays disclosed in Berger et al., Gene 66:1-10 (1998); Cullen and Malm, Methods in Enzymol 216:362-368 (1992); Henthorn et al., Proc Natl Acad Sci USA 85:6342-6346 (1988); Valle Blazquez et al, Immunology 90(3):455-460 (1997); Aramburau et al., J Exp Med 82(3):801-810 (1995); and Fraser et al., 29(3):838-844 (1999), the contents of each of which are herein incorporated by reference in its entirety. For example, a reporter assay (which measures increases in transcription inducible from a NFkB responsive element in EOL-1 cells) may link the NFKB element to a repeorter gene and binds to the NFKB transcription factor, which is upregulated by cytokines and other factors. Exemplary immune cells that may be used according to these assays include eosinophils such as the human EOL-1 cell line of eosinophils. Eosinophils are a type of immune cell important in the allergic responses; they are recruited to tissues and mediate the inflammtory response of late stage allergic reaction. Eol-1 is a human eosinophil cell line.

334	HWHGZ51	857	Upregulation of HLA-DR and activation of T cells	HLA-DR FMAT. MHC class II is essential for correct presentation of antigen to CD4+ T cells. Deregulation of MHC class II has been associated with autoimmune diseases (e.g., diabetes, rheumatoid arthritis, systemic lupus erythematosis, and multiple sclerosis). Assays for immunomodulatory proteins expressed on MHC class II expressing T cells and antigen presenting cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of MHC class II products, such as HLA-DR antigens, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); Lamour et al., Clin Exp Immunol 89(2):217-222 (1992); Hurme and Sihvola, Immunol Lett 20(3):217-222 (1989); Gansbacher and Zier, Cell Immunol 117(1):22-34 (1988); and Itoh et al., J Histochem Cytochem 40(11):1675-1683, the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
334	HWHGZ51	857	Upregulation of CD152 and activation of T cells	CD152 FMAT. CD152 (a.k.a. CTLA-4) expression is restricted to activated T cells. CD152 is a negative regulator of T cell proliferation. Reduced CD152 expression has been linked to hyperproliferative and autoimmune diseases. Overexpression of CD152 may lead to impaired immunoresponses. Assays for immunomodulatory proteins important in the maintenance of T cell homeostasis and expressed almost exclusively on CD4+ and CD8+ T cells are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to modulate the activation of T cells, maintain T cell homeostasis, and/or mediate humoral or cell-mediated immunity. Exemplary assays that test for immunomodulatory proteins evaluate the upregulation of cell surface markers, such as CD152, and the activation of T cells. Such assays that may be used or routinely modified to test immunomodulatory activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include, for example, the assays disclosed in Miraglia et al., J Biomolecular Screening 4:193-204 (1999); Rowland et al., "Lymphocytes: a practical approach" Chapter 6:138-160 (2000); McCoy et al., Immunol Cell Biol 77(1):1-10 (1999); Oostervegal et al.,

				Curr Opin Immunol 11(3):294-300 (1999); and Saito T, Curr Opin Immunol 10(3):313-321 (1998), the contents of each of which are herein incorporated by reference in its entirety. Human T cells that may be used according to these assays may be isolated using techniques disclosed herein or otherwise known in the art. Human T cells are primary human lymphocytes that mature in the thymus and express a T Cell receptor and CD3, CD4, or CD8. These cells mediate humoral or cell-mediated immunity and may be preactivated to enhance responsiveness to immunomodulatory factors.
335	HWLIH65	858	Activation of T-Cell p38 or JNK Signaling Pathway.	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit immune cell (e.g. T-cell) proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. T cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary mouse T cells that may be used according to these assays include the CTLL cell line, which is an IL-2 dependent suspension-culture cell line with cytotoxic activity.
335	HWLIH65	858	Production of VCAM in endothelial cells (such as human umbilical vein endothelial cells (HUVEC))	Assays for measuring expression of VCAM are well-known in the art and may be used or routinely modified to assess the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to regulate VCAM expression. For example, FMAT may be used to meaure the upregulation of cell surface VCAM-1 expresssion in endothelial cells. Endothelial cells are cells that line blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation. Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are available from commercial sources. The expression of VCAM (CD106), a membrane-associated protein, can be upregulated by cytokines or other factors, and contributes to the extravasation of lymphocytes, leucocytes and other immune cells from blood vessels; thus VCAM expression plays a role in promoting immune and inflammatory responses.
336	HTEAM34	859	Activation of Endothelial Cell	Kinase assay. JNK and p38 kinase assays for signal transduction that regulate cell proliferation, activation, or apoptosis are well known in the art and may be used or routinely modified to assess

			p38 or JNK Signaling Pathway.	the ability of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) to promote or inhibit cell proliferation, activation, and apoptosis. Exemplary assays for JNK and p38 kinase activity that may be used or routinely modified to test JNK and p38 kinase-induced activity of polypeptides of the invention (including antibodies and agonists or antagonists of the invention) include the assays disclosed in Forrer et al., Biol Chem 379(8-9):1101-1110 (1998); Gupta et al., Exp Cell Res 247(2): 495-504 (1999); Kyriakis JM, Biochem Soc Symp 64:29-48 (1999); Chang and Karin, Nature 410(6824):37-40 (2001); and Cobb MH, Prog Biophys Mol Biol 71(3-4):479-500 (1999); the contents of each of which are herein incorporated by reference in its entirety. Endothelial cells that may be used according to these assays are publicly available (e.g., through the ATCC). Exemplary endothelial cells that may be used according to these assays include human umbilical vein endothelial cells (HUVEC), which are endothelial cells which line venous blood vessels, and are involved in functions that include, but are not limited to, angiogenesis, vascular permeability, vascular tone, and immune cell extravasation.

Table 1E

Polynucleotides encoding polypeptides of the present invention can be used in assays to test for one or more biological activities. One such biological activity which may be tested includes the ability of polynucleotides and polypeptides of the invention to stimulate up-regulation or down-regulation of expression of particular genes and proteins. Hence, if polynucleotides and polypeptides of the present invention exhibit activity in altering particular gene and protein expression patterns, it is likely that these polynucleotides and polypeptides of the present invention may be involved in, or capable of effecting changes in, diseases associated with the altered gene and protein expression profiles. Hence, polynucleotides, polypeptides, or antibodies of the present invention could be used to treat said associated diseases.

TaqMan® assays may be performed to assess the ability of polynucleotides (and polypeptides they encode) to alter the expression pattern of particular "target" genes. TaqMan® reactions are performed to evaluate the ability of a test agent to induce or repress expression of specific genes in different cell types. TaqMan® gene expression quantification assays ("TaqMan® assays") are well known to, and routinely performed by, those of ordinary skill in the art. TaqMan® assays are performed in a two step reverse transcription / polymerase chain reaction (RT-PCR). In the first (RT) step, cDNA is reverse transcribed from total RNA samples using random hexamer primers. In the second (PCR) step, PCR products are synthesized from the cDNA using gene specific primers.

To quantify gene expression the Taqman® PCR reaction exploits the 5' nuclease activity of AmpliTaq Gold® DNA Polymerase to cleave a Taqman® probe (distinct from the primers) during PCR. The Taqman® probe contains a reporter dye at the 5'-end of the probe and a quencher dye at the 3' end of the probe. When the probe is intact, the proximity of the reporter dye to the quencher dye results in suppression of the reporter fluorescence. During PCR, if the target of interest is present, the probe specifically anneals between the forward and reverse primer sites. AmpliTaq Fold DNA Polymerase then cleaves the probe between the reporter and quencher when the probe hybridizes to the target, resulting in increased fluorescence of the reporter (see Figure 2). Accumulation of PCR products is detected directly by monitoring the increase in fluorescence of the reporter dye.

After the probe fragments are displaced from the target, polymerization of the strand continues. The 3'-end of the probe is blocked to prevent extension of the probe during PCR. This process occurs in every cycle and does not interfere with the exponential accumulation of product. The increase in fluorescence signal is detected only if the target sequence is complementary to the probe and is amplified during PCR. Because of these requirements, any nonspecific amplification is not detected.

For test sample preparation, vector controls or constructs containing the coding sequence for the gene of interest are transfected into cells, such as for example 293T cells, and supernatants collected after 48 hours. For cell treatment and RNA isolation, multiple primary human cells or human cell lines are used; such cells may include but are not limited to, Normal Human Dermal Fibroblasts, Aortic Smooth Muscle, Human Umbilical Vein Endothelial Cells, HepG2, Daudi, Jurkat, U937, Caco, and THP-1 cell lines. Cells are plated in growth media and growth is arrested by culturing without media change for 3 days, or by switching cells to low serum media and incubating overnight. Cells are treated for 1, 6, or 24 hours with either vector control supernatant or sample supernatant (or purified/partially purified protein preparations in buffer). Total RNA is isolated; for example, by using Trizol extraction or by using the Ambion RNAqueous(TM)-4PCR RNA isolation system. Expression levels of multiple genes are analyzed using TAQMAN, and expression in the test sample is compared to control vector samples to identify genes induced or repressed. Each of the above described techniques are well known to, and routinely performed by, those of ordinary skill in the art.

Table 1E indicates particular disease classes and preferred indications for which polynucleotides, polypeptides, or antibodies of the present invention may be used in detecting, diagnosing, preventing, treating and/or ameliorating said diseases and disorders based on "target" gene expression patterns which may be up- or down-regulated by polynucleotides (and the encoded polypeptides) corresponding to each indicated cDNA Clone ID (shown in Table 1E, Column 2).

Thus, in preferred embodiments, the present invention encompasses a method of detecting, diagnosing, preventing, treating, and/or ameliorating a disease or disorder listed in the "Disease Class" and/or "Preferred Indication" columns of Table 1E; comprising administering to a patient in which such detection, diagnosis, prevention, or treatment is desired a protein, nucleic acid, or antibody of the invention (or fragment or variant thereof) in an amount effective to detect, diagnose, prevent, treat, or ameliorate the disease or disorder. The first and second columns of Table 1D show the "Gene No." and "cDNA Clone ID No.", respectively, indicating certain nucleic acids and proteins (or antibodies against the same) of the invention (including polynucleotide, polypeptide, and antibody fragments or variants thereof) that may be used in detecting, diagnosing, preventing, treating, or ameliorating the disease(s) or disorder(s) indicated in the corresponding row in the "Disease Class" or "Preferred Indication" Columns of Table 1E.

In another embodiment, the present invention also encompasses methods of detecting, diagnosing, preventing, treating, or ameliorating a disease or disorder listed in the "Disease Class" or "Preferred Indication" Columns of Table 1E; comprising administering to a patient combinations of the proteins, nucleic acids, or antibodies of the invention (or fragments or variants thereof), sharing similar indications as shown in the corresponding rows in the "Disease Class" or "Preferred Indication" Columns of Table 1E.

The "Disease Class" Column of Table 1E provides a categorized descriptive heading for diseases, disorders, and/or conditions (more fully described below) that may be detected, diagnosed, prevented, treated, or ameliorated by a protein, nucleic acid, or antibody of the invention (or fragment or variant thereof).

The "Preferred Indication" Column of Table 1E describes diseases, disorders, and/or conditions that may be detected, diagnosed, prevented, treated, or ameliorated by a protein, nucleic acid, or antibody of the invention (or fragment or variant thereof).

The "Cell Line" and "Exemplary Targets" Columns of Table 1E indicate particular cell lines and target genes, respectively, which may show altered gene expression patterns (i.e., up- or down-regulation of the indicated target gene) in Taqman assays, performed as described above, utilizing polynucleotides of the cDNA Clone ID shown in the corresponding row. Alteration of expression patterns of the indicated "Exemplary Target" genes is correlated with a particular "Disease Class" and/or "Preferred Indication" as shown in the corresponding row under the respective column headings.

The "Exemplary Accessions" Column indicates GenBank Accessions (available online through the National Center for Biotechnology Information (NCBI) at http://www.ncbi.nlm.nih.gov/) which correspond to the "Exemplary Targets" shown in the adjacent row.

The recitation of "Cancer" in the "Disease Class" Column indicates that the corresponding nucleic acid and protein, or antibody against the same, of the invention (or fragment or variant thereof) may be used for example, to detect, diagnose, prevent, treat, and/or ameliorate neoplastic diseases and/or disorders (e.g., leukemias, cancers, etc., as described below under "Hyperproliferative Disorders").

The recitation of "Immune" in the "Disease Class" column indicates that the corresponding nucleic acid and protein, or antibody against the same, of the invention (or fragment or variant thereof), may be used for example, to detect, diagnose, prevent, treat, and/or ameliorate diseases and/or disorders relating to neoplastic diseases (e.g., as described below under "Hyperproliferative Disorders"), blood disorders (e.g., as described below under "Immune Activity" "Cardiovascular Disorders" and/or "Blood-Related Disorders"), and infections (e.g., as described below under "Infectious Disease").

The recitation of "Angiogenesis" in the "Disease Class" column indicates that the corresponding nucleic acid and protein, or antibody against the same, of the invention (or fragment or variant thereof), may be used for example, to detect, diagnose, treat, prevent, and/or ameliorate diseases and/or disorders relating to neoplastic diseases (e.g., as described below under "Hyperproliferative Disorders"), diseases and/or disorders of the cardiovascular system (e.g., as described below under "Cardiovascular Disorders"), diseases and/or disorders involving cellular and genetic abnormalities (e.g., as described below under "Diseases at the Cellular Level"),

diseases and/or disorders involving angiogenesis (e.g., as described below under "Anti-Angiogenesis Activity"), to promote or inhibit cell or tissue regeneration (e.g., as described below under "Regeneration"), or to promote wound healing (e.g., as described below under "Wound Healing and Epithelial Cell Proliferation").

The recitation of "Diabetes" in the "Disease Class" column indicates that the corresponding nucleic acid and protein, or antibody against the same, of the invention (or fragment or variant thereof), may be used for example, to detect, diagnose, treat, prevent, and/or ameliorate diabetes (including diabetes mellitus types I and II), as well as diseases and/or disorders associated with, or consequential to, diabetes (e.g. as described below under "Endocrine Disorders," "Renal Disorders," and "Gastrointestinal Disorders").

Table1E

Gene No.	cDNA CloneID	Disease Class	Preferred Indications	Cell Line	Exemplary Targets	Exemplary Accessions
7	HAGDG59	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(AOSMC cells are aortic smooth muscle cells).	AOSMC	Vegf1	gb|AF024710|AF024710
7	HAGDG59	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The HEK293 cell line is a human embryonal kidney epithelial cell line available through the ATCC as cell line number CRL-1573).	HEK293	TSP-1	gb|X04665|HSTHROMR
7	HAGDG59	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to,	HUVEC	Vegf1	gb|AF024710|AF024710

			tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(HUVEC cells are human umbilical vein endothelial cells).			
7	HAGDG59	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The SK-N-MC neuroblastoma cell line is a cell line derived from human brain tissue available through the ATCC as cell line number HTB-10).	SK-N-MC neuroblastoma	Cycloox Vegf1	gb|AF024710|AF024710
40	HCHNF25	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Caco-2 cell line is a human colorectal adenocarcinoma cell line available through the ATCC as cell line number HTB-37).	Caco-2	ICAM VCAM	gb|X06990|HSICAM1 gb|A30922|A30922
40	HCHNF25	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing,	Daudi	Vegf1	gb|AF024710|AF024710

			neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Daudi cell line is a human B lymphoblast cell line available through the ATCC as cell line number CCL-213).					
40	HCHNF25	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(HUVEC cells are human umbilical vein endothelial cells).	HUVEC	Vegf1	gb|AF024710|AF024710		
40	HCHNF25	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Jurkat cell line is a human T lymphocyte cell line available through the ATCC as cell line number TIB-152).	Jurkat	VCAM	gb|A30922|A30922		
40	HCHNF25	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases	NHDF	PAI	gb|X12701|HSENDPAI		

			and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(NHDF cells are normal human dermal fibroblasts).			
40	HCHNF25	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The THP-1 cell line is a human monocyte cell line available through the ATCC as cell line number TIB-202).	THP1	Vegf1	gb|AF024710|AF024710
40	HCHNF25	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The U937 cell line is a human monocyte cell line available through the ATCC as cell line number CRL-1593.2).	U937	VCAM	gb|A30922|A30922
55	HDPBQ71	Angiogenesis	Highly preferred indications include diagnosis,	AOSMC	Flt1	gb|AF063657|A

			prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(AOSMC cells are aortic smooth muscle cells).		VCAM	F063657 gb|A30922|A30922
55	HDPBQ71	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Caco-2 cell line is a human colorectal adenocarcinoma cell line available through the ATCC as cell line number HTB-37).	Caco-2	Vegf1	gb|AF024710|AF024710
55	HDPBQ71	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Daudi cell line is a human B lymphoblast cell line available through the ATCC as cell line number CCL-213).	Daudi	ICAM	gb|X06990|HSICAM1

55	HDPBQ71	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The HEK293 cell line is a human embryonal kidney epithelial cell line available through the ATCC as cell line number CRL-1573).	HEK293	Cycloox Flt1 iNOS	gb|AF063657|AF063657 gb|X85761|HSNOS2E3
55	HDPBQ71	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(HUVEC cells are human umbilical vein endothelial cells).	HUVEC	Flt1 TSP-1 VCAM	gb|AF063657|AF063657 gb|X04665|HSTHROMR gb|A30922|A30922
55	HDPBQ71	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Jurkat cell line is a human T lymphocyte cell line available through the ATCC as cell	Jurkat	Flt1 Vegf1	gb|AF063657|AF063657 gb|AF024710|AF024710

			line number TIB-152).			
55	HDPBQ71	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."	Liver	VCAM	gb|A30922|A30922
55	HDPBQ71	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(NHDF cells are normal human dermal fibroblasts).	NHDF	TSP-1 Vegf1	gb|X04665|HSTHROMR gb|AF024710|AF024710
55	HDPBQ71	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."	T cell	ICAM Vegf1	gb|X06990|HSICAM1 gb|AF024710|AF024710
55	HDPBQ71	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases	THP1	VCAM	gb|A30922|A30922

			and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The THP-1 cell line is a human monocyte cell line available through the ATCC as cell line number TIB-202).			
55	HDPBQ71	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The U937 cell line is a human monocyte cell line available through the ATCC as cell line number CRL-1593.2).	U937	VCAM	gb|A30922|A30922
99	HFCCQ50	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The TF-1 cell line is a human erythroblast cell line available through the ATCC as cell line number CRL-2003).	TF-1	TSP-1	gb|X04665|HSTHROMR

99	HFCCQ50	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The U937 cell line is a human monocyte cell line available through the ATCC as cell line number CRL-1593.2).	U937	ICAM	gb|X06990|HSICAM1
107	HFVAB79	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The U937 cell line is a human monocyte cell line available through the ATCC as cell line number CRL-1593.2).	U937	ICAM	gb|X06990|HSICAM1
132	HJACG02	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."	Adipocytes-3/12/01	ICAM PAI Vegf1	gb|X06990|HSICAM1 gb|X12701|HSENDPAI gb|AF024710|AF024710

132	HJACG02	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(AOSMC cells are aortic smooth muscle cells).	AOSMC	VCAM	gb|A30922|A30922
132	HJACG02	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Daudi cell line is a human B lymphoblast cell line available through the ATCC as cell line number CCL-213).	Daudi	ICAM VCAM	gb|X06990|HSICAM1 gb|A30922|A30922
132	HJACG02	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(HUVEC cells are human umbilical vein endothelial cells).	HUVEC	ICAM TSP-1 Vegf1	gb|X06990|HSICAM1 gb|X04665|HSTHROMR gb|AF024710|AF024710

142	HKACD58	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(AOSMC cells are aortic smooth muscle cells).	AOSMC	VCAM Vegf1	gb|A30922|A30922 gb|AF024710|AF024710
142	HKACD58	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The HEK293 cell line is a human embryonal kidney epithelial cell line available through the ATCC as cell line number CRL-1573).	HEK293	TSP-1 Vegf1	gb|X04665|HSTHROMR gb|AF024710|AF024710
142	HKACD58	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(HUVEC cells are human umbilical vein endothelial cells).	HUVEC	ICAM	gb|X06990|HSICAM1

142	HKACD58	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(NHDF cells are normal human dermal fibroblasts).	NHDF	VCAM	gb|A30922|A30922
221	HNHFO29	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The U937 cell line is a human monocyte cell line available through the ATCC as cell line number CRL-1593.2).	U937	Flt1 ICAM PAI	gb|AF063657|AF063657 gb|X06990|HSICAM1 gb|X12701|HSENDPAI
275	HSDSB09	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(AOSMC cells are aortic smooth muscle cells).	AOSMC	VCAM	gb|A30922|A30922

275	HSDSB09	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Caco-2 cell line is a human colorectal adenocarcinoma cell line available through the ATCC as cell line number HTB-37).	Caco-2	ICAM Vegf1	gb|X06990|HSICAM1 gb|AF024710|AF024710
275	HSDSB09	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The HEK293 cell line is a human embryonal kidney epithelial cell line available through the ATCC as cell line number CRL-1573).	HEK293	Cycloox VCAM	gb|A30922|A30922
275	HSDSB09	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(HUVEC cells are human umbilical vein	HUVEC	ICAM Vegf1	gb|X06990|HSICAM1 gb|AF024710|AF024710

			endothelial cells).			
275	HSDSB09	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Jurkat cell line is a human T lymphocyte cell line available through the ATCC as cell line number TIB-152).	Jurkat	Flt1	gb|AF063657|AF063657
275	HSDSB09	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Molt4 cell line is a human T cell line available through the ATCC as cell line number CRL-1582).	Molt4	iNOS	gb|X85761|HSNOS2E3
275	HSDSB09	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell	NHDF	Vegf1	gb|AF024710|AF024710

			Proliferation."(NHDF cells are normal human dermal fibroblasts).			
275	HSDSB09	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(SUPT cells are human T-cells).	SUPT	VCAM	gb|A30922|A30922
275	HSDSB09	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The THP-1 cell line is a human monocyte cell line available through the ATCC as cell line number TIB-202).	THP1	ICAM TSP-1 VCAM Vegf1	gb|X06990|HSICAM1 gb|X04665|HSTHROMR gb|A30922|A30922 gb|AF024710|AF024710
334	HWHGZ51	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(AOSMC cells are aortic smooth muscle	AOSMC	TSP-1	gb|X04665|HSTHROMR

			cells).			
334	HWHGZ51	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Daudi cell line is a human B lymphoblast cell line available through the ATCC as cell line number CCL-213).	Daudi	ICAM PAI	gb|X06990|HSICAM1 gb|X12701|HSENDPAI
334	HWHGZ51	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The H9 cell line is a human T lymphocyte cell line available through the ATCC as cell line number HTB-176).	H9	VCAM	gb|A30922|A30922
334	HWHGZ51	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell	HEK293	Flt1 iNOS	gb|AF063657|AF063657 gb|X85761|HSNOS2E3

			Proliferation."(The HEK293 cell line is a human embryonal kidney epithelial cell line available through the ATCC as cell line number CRL-1573).			
334	HWHGZ51	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(HUVEC cells are human umbilical vein endothelial cells).	HUVEC	Vegf1	gb|AF024710|AF024710
334	HWHGZ51	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."	Liver	Flt1 ICAM PAI VCAM	gb|AF063657|AF063657 gb|X06990|HSICAM1 gb|X12701|HSENDPAI gb|A30922|A30922
334	HWHGZ51	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The Molt4 cell line is a human T cell line	Molt4	VCAM	gb|A30922|A30922

			available through the ATCC as cell #CRL-1582).			
334	HWHGZ51	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(NHDF cells are normal human dermal fibroblasts).	NHDF	Vegf1	gb|AF024710|AF024710
334	HWHGZ51	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The THP-1 cell line is a human monocyte cell line available through the ATCC as cell line number TIB-202).	THP1	Vegf1	gb|AF024710|AF024710
334	HWHGZ51	Angiogenesis	Highly preferred indications include diagnosis, prevention, treatment, and/or amelioration of diseases and disorders involving angiogenesis, wound healing, neoplasia (particularly including, but not limited to, tumor metastases), and cardiovascular diseases and disorders; as described herein under the headings "Hyperproliferative Disorders," "Regeneration," "Anti-Angiogenesis Activity," "Diseases at the Cellular Level," and "Wound Healing and Epithelial Cell Proliferation."(The U937 cell line is a human monocyte	U937	ICAM Vegf1	gb|X06990|HSICAM1 gb|AF024710|AF024710

cell line available through the ATCC as cell line number CRL-1593.2).

Table 2 further characterizes certain encoded polypeptides of the invention, by providing the results of comparisons to protein and protein family databases. The first column provides a unique clone identifier, "Clone ID NO:", corresponding to a cDNA clone disclosed in Table 1A and/or Table 1B. The second column provides the unique contig identifier, "Contig ID:" which allows correlation with the information in Table 1B. The third column provides the sequence identifier, "SEQ ID NO:", for the contig polynucleotide sequences. The fourth column provides the analysis method by which the homology/identity disclosed in the Table was determined. The fifth column provides a description of the PFAM/NR hit identified by each analysis. Column six provides the accession number of the PFAM/NR hit disclosed in the fifth column. Column seven, score/percent identity, provides a quality score or the percent identity, of the hit disclosed in column five. Comparisons were made between polypeptides encoded by polynucleotides of the invention and a non-redundant protein database (herein referred to as "NR"), or a database of protein families (herein referred to as "PFAM"), as described below.

The NR database, which comprises the NBRF PIR database, the NCBI GenPept database, and the SIB SwissProt and TrEMBL databases, was made non-redundant using the computer program nrdb2 (Warren Gish, Washington University in Saint Louis). Each of the polynucleotides shown in Table 1B (e.g., SEQ ID NO:X or the 'Query' sequence) was used to search against the NR database. The computer program BLASTX was used to compare a 6-frame translation of the Query sequence to the NR database (for information about the BLASTX algorithm please see Altshul et al., J. Mol. Biol. 215:403-410 (1990), and Gish and States, Nat. Genet. 3:266-272 (1993). A description of the sequence that is most similar to the Query sequence (the highest scoring 'Subject') is shown in column five of Table 2 and the database accession number for that sequence is provided in column six. The highest scoring 'Subject' is reported in Table 2 if (a) the estimated probability that the match occurred by chance alone is less than 1.0e-07, and (b) the match was not to a known repetitive element. BLASTX returns alignments of short polypeptide segments of the Query and Subject sequences which share a high degree of similarity; these segments are known as High-Scoring Segment Pairs or HSPs. Table 2 reports the degree of similarity between the Query and the Subject for each HSP as a percent identity in Column 7. The percent identity is determined by dividing the number of exact matches between the two aligned sequences in the HSP, dividing by the number of Query amino acids in the HSP and multiplying by 100. The polynucleotides of SEQ ID NO:X which encode the polypeptide sequence that generates an HSP are delineated by columns 8 and 9 of Table 2.

The PFAM database, PFAM version 2.1, (Sonnhammer, Nucl. Acids Res., 26:320-322, 1998))consists of a series of multiple sequence alignments; one alignment for each protein family. Each multiple sequence alignment is converted into a probability model called a Hidden

Markov Model, or HMM, that represents the position-specific variation among the sequences that make up the multiple sequence alignment (see, e.g., Durbin, et al., *Biological sequence analysis: probabilistic models of proteins and nucleic acids*, Cambridge University Press, 1998 for the theory of HMMs). The program HMMER version 1.8 (Sean Eddy, Washington University in Saint Louis) was used to compare the predicted protein sequence for each Query sequence (SEQ ID NO:Y in Table 1B) to each of the HMMs derived from PFAM version 2.1. A HMM derived from PFAM version 2.1 was said to be a significant match to a polypeptide of the invention if the score returned by HMMER 1.8 was greater than 0.8 times the HMMER 1.8 score obtained with the most distantly related known member of that protein family. The description of the PFAM family which shares a significant match with a polypeptide of the invention is listed in column 5 of Table 2, and the database accession number of the PFAM hit is provided in column 6. Column 7 provides the score returned by HMMER version 1.8 for the alignment. Columns 8 and 9 delineate the polynucleotides of SEQ ID NO:X which encode the polypeptide sequence which show a significant match to a PFAM protein family.

As mentioned, columns 8 and 9 in Table 2, "NT From" and "NT To", delineate the polynucleotides of "SEQ ID NO:X" that encode a polypeptide having a significant match to the PFAM/NR database as disclosed in the fifth column. In one embodiment, the invention provides a protein comprising, or alternatively consisting of, a polypeptide encoded by the polynucleotides of SEQ ID NO:X delineated in columns 8 and 9 of Table 2. Also provided are polynucleotides encoding such proteins, and the complementary strand thereto.

The nucleotide sequence SEQ ID NO:X and the translated SEQ ID NO:Y are sufficiently accurate and otherwise suitable for a variety of uses well known in the art and described further below. For instance, the nucleotide sequences of SEQ ID NO:X are useful for designing nucleic acid hybridization probes that will detect nucleic acid sequences contained in SEQ ID NO:X or the cDNA contained in ATCC Deposit No:Z. These probes will also hybridize to nucleic acid molecules in biological samples, thereby enabling immediate applications in chromosome mapping, linkage analysis, tissue identification and/or typing, and a variety of forensic and diagnostic methods of the invention. Similarly, polypeptides identified from SEQ ID NO:Y may be used to generate antibodies which bind specifically to these polypeptides, or fragments thereof, and/or to the polypeptides encoded by the cDNA clones identified in, for example, Table 1A and/or 1B.

Nevertheless, DNA sequences generated by sequencing reactions can contain sequencing errors. The errors exist as misidentified nucleotides, or as insertions or deletions of nucleotides in the generated DNA sequence. The erroneously inserted or deleted nucleotides cause frame shifts in the reading frames of the predicted amino acid sequence. In these cases, the predicted amino acid sequence diverges from the actual amino acid sequence, even though the

generated DNA sequence may be greater than 99.9% identical to the actual DNA sequence (for example, one base insertion or deletion in an open reading frame of over 1000 bases).

Accordingly, for those applications requiring precision in the nucleotide sequence or the amino acid sequence, the present invention provides not only the generated nucleotide sequence identified as SEQ ID NO:X, and a predicted translated amino acid sequence identified as SEQ ID NO:Y, but also a sample of plasmid DNA containing cDNA ATCC Deposit No:Z (e.g., as set forth in columns 2 and 3 of Table 1A and/or as set forth, for example, in Table 1B, 6, and 7). The nucleotide sequence of each deposited clone can readily be determined by sequencing the deposited clone in accordance with known methods. Further, techniques known in the art can be used to verify the nucleotide sequences of SEQ ID NO:X. The predicted amino acid sequence can then be verified from such deposits. Moreover, the amino acid sequence of the protein encoded by a particular clone can also be directly determined by peptide sequencing or by expressing the protein in a suitable host cell containing the deposited human cDNA, collecting the protein, and determining its sequence.

Table 2

cDNA Clone ID	Contig ID:	SEQ ID NO: X	Analysis Method	PFam/NR Description	PFam/NR Accession Number	Score/ Percent Identity	NT From	NT To
H2CBU83	884134	11	WUblastx.64	(Q9NYD1) G-PROTEIN-COUPLED RECEPTOR 48.	Q9NYD1	100%	10	777
HACBD91	637482	14	WUblastx.64	NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain NDUFB4 - human	pir|JE0383|JE0383	100% 95%	211 1306	357 1368
HAGAQ26	561996	15	WUblastx.64	(Q9UKG4) NA+/SULFATE COTRANSPORTER SUT-1.	Q9UKG4	99% 93%	414 2	1001 433
HAGBZ81	456414	16	WUblastx.64	(Q9H291) JUNCTATE.	Q9H291	85% 77%	183 26	329 199
HAGDG59	534165	17	HMMER 2.1.1	PFAM: short chain dehydrogenase	PF00106	182.2	232	795
			WUblastx.64	(Q9UKU4) RETINAL SHORT-CHAIN DEHYDROGENASE/REDUCTASE RETSDR2.	Q9UKU4	96%	124	1023
HAJAN23	872551	349	HMMER 2.1.1	PFAM: Carboxyl transferase domain	PF01039	126.6	294	617
			WUblastx.64	(Q9HCC0) NON-BIOTIN CONTAINING SUBUNIT OF 3-METHYLCROTONYL-COA CARBOX	Q9HCC0	91% 93%	120 557	665 1807
HAJBR69	638516	24	WUblastx.64	(Q9JIG5) UBIQUITIN SPECIFIC PROTEASE (FRAGMENT).	Q9JIG5	69%	677	48
HAMFE15	905695	25	HMMER 2.1.1	PFAM: Diacylglycerol kinase catalytic domain (presumed)	PF00781	22.9	1807	1956
			WUblastx.64	(Q9NP48) PUTATIVE LIPID KINASE (CDNA FLJ10842 FIS, CLONE NT2RP4001343	Q9NP48	93%	1495	2757
HAMFE15	823350	350	blastx.2	PUTATIVE LIPID KINASE (CDNA FLJ10842 FIS, CLONE NT2RP4001343).	sp|Q9NP48|Q9NP48	93%	1503	2756
HAMGG68	731859	26	WUblastx.64	(Q9NX85) CDNA FLJ20378 FIS, CLONE KAIA0536.	Q9NX85	71% 44%	984 1454	859 1401

						57% 70% 56% 64%	1457 1458 726 857	1416 1429 658 636
HAMGR28	892971	27	WUblastx.64	(AAH07438) Similar to RIKEN cDNA 2610511E22 gene.	AAH07438	100%	59	823
HAPOM49	769555	28	WUblastx.64	(Q9BZM1) GROUP XII SECRETED PHOSPHOLIPASE A2.	Q9BZM1	99%	251	817
HAPPW30	1352278	29	blastx.14	(AAH20263) Hypothetical 28.7 kDa protein.	AAH20263	91%	59	850
HAPPW30	684272	353	WUblastx.64	(AAH20263) Hypothetical 28.7 kDa protein.	AAH20263	100% 36% 100%	54 982 266	263 1056 844
HATBR65	635514	30	WUblastx.64	(Q9H728) CDNA: FLJ21463 FIS, CLONE COL04765.	Q9H728	70% 68%	750 801	610 754
HAUAI83	639009	33	WUblastx.64	(BAB27250) 13 days embryo liver cDNA, RIKEN full-le	BAB27250	88% 90% 100%	160 25 489	399 84 557
HAUAI83	383592	354	blastx.2	(AF059620) My006 protein [Homo sapiens]	gb|AAG43119.1|AF059620_1	100%	406	723
HBGBA69	709658	355	WUblastx.64	(AAH17488) Hypothetical 22.4 kDa protein (Fragment)	AAH17488	78% 100%	158 211	226 780
HBIAE26	514418	36	WUblastx.64	(AAK55521) PRO0764.	AAK55521	83% 65%	1009 983	974 744
HBINS58	1352386	37	blastx.14	(Q9D6W7) 2310047N01RIK PROTEIN.	Q9D6W7	82% 64%	255 177	578 251
HBINS58	961712	356	WUblastx.64	(Q9D6W7) 2310047N01RIK PROTEIN.	Q9D6W7	78%	191	589
HBINS58	892924	357	blastx.2	(AF106518) sialomucin CD164 [Homo sapiens]	gb|AAC82473.1|	33%	241	576
HBJNC59	1125802	38	WUblastx.64	complement subcomponent C1q chain A precursor [validated] - human	pir|S14350|C1HUQA	91%	66	800
HBJNC59	899397	358	HMMER 2.1.1	PFAM: Collagen triple helix repeat (20 copies)	PF01391	30.1	144	245
			WUblastx.64	(Q9H2L7) DC33.	Q9H2L7	79%	77	907
HBJNC59	902207	359	HMMER 2.1.1	PFAM: C1q domain	PF00386	250.2	409	786
			blastx.2	(AF135157) complement C1q A chain precursor	gb|AAD32626.1|AF	91%	64	798

				[Homo sapiens]	135157_1			
HBOEG69	793786	40	WUblastx.64	(Q9NS11) LIPOPOLYSACCHARIDE SPECIFIC RESPONSE-68 PROTEIN.	Q9NS11	71% 100%	424 345	314 196
HCACU58	625923	41	WUblastx.64	(Q9NX85) CDNA FLJ20378 FIS, CLONE KAIA0536.	Q9NX85	62%	497	820
HCE2F54	634016	42	HMMER 2.1.1	PFAM: Histone-like transcription factor (CBF/NF-Y) and archaeal histone	PF00808	19	868	1005
			WUblastx.64	(AAH07642) Unknown (protein for IMAGE:3534358) (Fra	AAH07642	99%	298	1122
HCE3G69	728432	43	WUblastx.64	(Q9H0K7) HYPOTHETICAL 12.4 KDA PROTEIN (UNKNOWN) (PROTEIN FOR MGC:303	Q9H0K7	100%	1294	1647
HCE3G69	494346	360	blastx.2	(AL136758) hypothetical protein [Homo sapiens]	emb|CAB66692.1|	100%	1295	1648
HCE5F43	612796	44	WUblastx.64	(Q9H8M7) CDNA FLJ13397 FIS, CLONE PLACE1001351.	Q9H8M7	100% 100%	9 56	53 928
HCEFB80	1143407	45	WUblastx.64	(Q96FR3) Unknown (protein for MGC:18083).	Q96FR3	81%	1785	1979
HCEWE20	543370	47	WUblastx.64	(Q9P1J1) PRO1546.	Q9P1J1	76% 79%	501 601	551 717
HCGMD59	636078	49	WUblastx.64	catalase (EC 1.11.1.6) - Campylobacter jejuni	pir|I40767|I40767	97%	296	186
HCHNF25	658672	362	WUblastx.64	(AAH00499) Jumping translocation breakpoint.	AAH00499	91%	180	620
HCNSM70	637547	53	HMMER 2.1.1	PFAM: Immunoglobulin domain	PF00047	32	224	481
			WUblastx.64	(O60487) EPITHELIAL V-LIKE ANTIGEN PRECURSOR (EPITHELIAL V-LIKE ANTIG	O60487	94%	107	751
HCNSM70	589445	365	WUblastx.64	(O60487) EPITHELIAL V-LIKE ANTIGEN PRECURSOR (EPITHELIAL V-LIKE ANTIG	O60487	100% 99%	161 408	409 806
HCUCK44	720291	54	WUblastx.64	hypothetical protein DKFZp564J157.1 - human (fragment)	pir|T34520|T34520	97%	21	524
HCUEO60	499242	55	WUblastx.64	(Q96MM0) CDNA FLJ32172 fis, clone PLACE6000555.	Q96MM0	79% 72%	1043 1222	972 1028
HCUHK65	651313	56	WUblastx.64	(Q9H3W5) HYPOTHETICAL 79.4 KDA PROTEIN.	Q9H3W5	100%	11	316
HCUHK65	880178	366	HMMER 2.1.1	PFAM: Leucine Rich Repeat	PF00560	92.1	1190	1261

			WUblastx.64	(Q9H3W5) HYPOTHETICAL 79.4 KDA PROTEIN.	Q9H3W5	100%	770	2893
HCWDS72	707833	58	WUblastx.64	conserved hypothetical protein PA1527 [imported] - Pseudomonas aeruginosa (strain PAO1)	pir|D83454|D83454	77%	318	4
HCWGU37	1042325	59	WUblastx.64	(Q9H728) CDNA: FLJ21463 FIS, CLONE COL04765.	Q9H728	86% 77% 77% 73% 70%	2588 2459 2521 2373 2730	2523 2409 2441 2329 2587
HCWKC15	553621	60	WUblastx.64	(Q9NX85) CDNA FLJ20378 FIS, CLONE KAIA0536.	Q9NX85	77% 56% 63%	538 710 708	419 663 532
HDHEB60	499233	62	WUblastx.64	(Q9Y5Y5) PEROXISOMAL BIOGENESIS FACTOR 16.	Q9Y5Y5	81%	277	1284
HDLAC10	692299	63	WUblastx.64	(Q9UBJ4) TRANSPOSASE-LIKE PROTEIN.	Q9UBJ4	99%	29	1378
HDPBA28	1062783	64	WUblastx.64	(Q9UKY2) ADIPOCYTE-DERIVED LEUCINE AMINOPEPTIDASE.	Q9UKY2	94%	259	3081
HDPBA28	866429	368	HMMER 2.1.1	PFAM: Peptidase family M1	PF01433	613.6	228	1391
			WUblastx.64	(Q9UKY2) ADIPOCYTE-DERIVED LEUCINE AMINOPEPTIDASE.	Q9UKY2	99%	69	2891
HDPBQ71	1160316	65	WUblastx.64	(Q9BRE2) HYPOTHETICAL 68.4 KDA PROTEIN (FRAGMENT).	Q9BRE2	100%	90	1928
HDPBQ71	727200	369	WUblastx.64	(Q9BRE2) HYPOTHETICAL 68.4 KDA PROTEIN (FRAGMENT).	Q9BRE2	99%	21	1859
HDPBQ71	886067	370	WUblastx.64	(Q9H2V9) CDA08.	Q9H2V9	100% 65% 44% 21% 93%	1532 169 182 1456 186	1999 264 322 1551 1541
HDPCL63	1019008	66	WUblastx.64	(Q9Y519) HYPOTHETICAL 42.3 KDA PROTEIN.	Q9Y519	99%	14	835
HDPCL63	847045	371	WUblastx.64	(Q9Y519) HYPOTHETICAL 42.3 KDA	Q9Y519	97%	2	730

				PROTEIN.				
HDPFF39	588697	68	WUblastx.64	(O96005) CLEFT LIP AND PALATE TRANSMEMBRANE PROTEIN 1.	O96005	100% 100%	3 97	29 762
HDPGT01	771583	71	WUblastx.64	(Q9Y2B3) LCAT-LIKE PROTEIN (LLPL).	Q9Y2B3	100% 100%	8 264	262 1244
HDPJM30	879325	73	WUblastx.64	(O94759) LONG TRANSIENT RECEPTOR POTENTIAL CHANNEL 2 (LTRPC	TRL2_HUMAN	99%	17	1633
HDPJM30	603517	373	WUblastx.64	(O94759) LONG TRANSIENT RECEPTOR POTENTIAL CHANNEL 2 (LTRPC	TRL2_HUMAN	89% 96% 98%	416 378 1	1312 530 378
HDPMM88	972734	74	HMMER 2.1.1	PFAM: E1-E2 ATPase	PF00122	31	475	543
			WUblastx.64	(P98198) POTENTIAL PHOSPHOLIPID-TRANSPORTING ATPASE ID (EC	AT1D_HUMAN	66% 32%	106 2917	2907 2991
HDPMM88	906121	374	blastx.2	(AF038007) FIC1 [Homo sapiens]	gb|AAC63461.1|	62%	3	467
HDPMM88	874074	377	blastx.2	(AF038007) FIC1 [Homo sapiens]	gb|AAC63461.1|	56%	1023	13
HDPNC61	637585	75	WUblastx.64	(AAG23169) HC6.	AAG23169	52% 64%	654 37	827 78
HDPOJ08	731863	76	WUblastx.64	(Q9H7X1) CDNA FLJ14153 FIS, CLONE NT2RM1000092, WEAKLY SIMILAR TO MUL	Q9H7X1	84% 30% 99%	524 315 12	904 479 524
HDPOZ56	815653	380	HMMER 2.1.1	PFAM: Flavin containing amine oxidase	PF01593	431.1	307	1614
			WUblastx.64	(Q96RQ9) Interleukin-4 induced gene-1 protein.	Q96RQ9	99%	103	1800
HDPOZ56	743479	381	HMMER 2.1.1	PFAM: Flavin containing amine oxidase	PF01593	185.2	200	949
HDPPN86	1037893	78	WUblastx.64	(Q9BVN4) HYPOTHETICAL 59.4 KDA PROTEIN.	Q9BVN4	77% 100% 97% 47% 98%	5063 919 1942 4983 4611	5194 1308 2175 5045 4799
HDPSB18	1043263	79	WUblastx.64	(Q9H5R3) CDNA: FLJ23147 FIS, CLONE LNG09295.	Q9H5R3	70%	3363	3163
HDPSH53	1309174	80	WUblastx.64	(Q9H257) CASPASE RECRUITMENT DOMAIN PROTEIN 9.	Q9H257	79% 100%	1011 262	1184 426

HDPSH53	1040056	386	WUblastx.64	(Q9H257) CASPASE RECRUITMENT DOMAIN PROTEIN 9.	Q9H257	100% 65% 92%	1131 1010 301	1184 1114 423
HDPSP01	689129	388	WUblastx.64	(Q9BR97) UNKNOWN (PROTEIN FOR MGC:10763).	Q9BR97	90% 98% 100%	227 1078 1664	1114 1668 1744
HDPTD15	692917	83	WUblastx.64	(Q9BU29) UNKNOWN (PROTEIN FOR IMAGE:3954899) (FRAGMENT).	Q9BU29	97%	937	833
HDPUW68	812737	84	HMMER 2.1.1	PFAM: Immunoglobulin domain	PF00047	38.9	844	1005
			WUblastx.64	(Q9Y286) QA79 MEMBRANE PROTEIN, ALLELIC VARIANT AIRM-1B PRECURSOR.	Q9Y286	95%	70	1440
HDPWN93	992925	85	WUblastx.64	(Q9H747) CDNA: FLJ21347 FIS, CLONE COL02724.	Q9H747	99%	201	2450
HDPXY01	879048	86	WUblastx.64	hypothetical protein DKFZp434A139.1 - human (fragments)	pir|T43490|T43490	50% 83%	637 3	678 620
HDTBD53	972757	87	WUblastx.64	(Q9BTV4) UNKNOWN (PROTEIN FOR MGC:3222).	Q9BTV4	100%	183	1382
HDTBV77	785879	88	WUblastx.64	(Q9BT94) UNKNOWN (PROTEIN FOR MGC:10848).	Q9BT94	99% 69%	65 2131	2137 2169
HDTDQ23	1306984	89	WUblastx.64	calcium-binding protein (clone pMP41) - mouse (fragment)	pir|S04970|S04970	100%	1611	1709
HDTDQ23	879009	396	WUblastx.64	calcium-binding protein (clone pMP41) - mouse (fragment)	pir|S04970|S04970	100%	1623	1721
HE2DE47	619852	90	WUblastx.64	(Q9NZN8) NOT2P (CCR4-NOT TRANSCRIPTION COMPLEX, SUBUNIT 2).	Q9NZN8	96%	808	2427
HE2NV57	740750	92	WUblastx.64	(Q9UGV6) BK445C9.3 (HIGH-MOBILITY GROUP (NONHISTONE CHROMOSOMAL) PROT	Q9UGV6	31% 66%	321 71	866 106
HE2PH36	570903	93	WUblastx.64	(AAH07609) Similar to hypothetical protein PRO1722.	AAH07609	56% 90% 68%	1359 1524 1484	1285 1492 1353
HE8DS15	847060	94	WUblastx.64	(Q9WVT0) SEVEN TRANSMEMBRANE	Q9WVT0	80%	1	270

				RECEPTOR.		24% 87%	48 269	146 985
HE9DG49	1299935	96	WUblastx.64	(Q9NYL4) FK506 BINDING PROTEIN PRECURSOR.	Q9NYL4	93%	127	618
HE9DG49	658678	399	HMMER 2.1.1	PFAM: FKBP-type peptidyl-prolyl cis-trans isomerases	PF00254	91	211	492
			WUblastx.64	(Q9NYL4) FK506 BINDING PROTEIN PRECURSOR.	Q9NYL4	100%	70	672
HE9DG49	382000	400	HMMER 2.1.1	PFAM: FKBP-type peptidyl-prolyl cis-trans isomerases	PF00254	91	-71	-352
HEBEJ18	701802	98	WUblastx.64	(AAH00573) HSPC163 protein.	AAH00573	100%	51	467
HEEAQ11	777843	99	HMMER 2.1.1	PFAM: Cystatin domain	PF00031	39.7	360	638
			WUblastx.64	(Q9H4G1) BA218C14.1 (NOVEL CYSTATIN FAMILY MEMBER).	Q9H4G1	87%	213	653
HEGAH43	532596	100	WUblastx.64	(Q9H1M5) BA530N10.1 (NOVEL PROTEIN).	Q9H1M5	72%	29	361
HELHD85	847372	101	WUblastx.64	(Q9N083) UNNAMED PORTEIN PRODUCT.	Q9N083	52% 53% 67%	1715 1648 1881	1653 1559 1705
HEOMQ63	603533	102	WUblastx.64	(Q9BQM3) DJ842G6.1.1 (NOVEL PROTEIN) (FRAGMENT).	Q9BQM3	100% 100% 99%	1036 592 635	1293 639 937
HEPAA46	596830	103	WUblastx.64	(Q96PH6) ESC42.	Q96PH6	100%	18	386
HFABG18	847073	105	WUblastx.64	(Q9QZE9) TM6P1.	Q9QZE9	95% 88%	53 237	253 797
HFABH95	566712	106	WUblastx.64	(Q9QZH5) PUTATIVE PHOSPHATE/PHOSPHOENOLPYRUVATE TRANSLOCATOR.	Q9QZH5	88% 65%	513 9	944 77
HFAEF57	534142	107	WUblastx.64	(Q9HBN2) HYPOTHETICAL 15.8 KDA PROTEIN.	Q9HBN2	47%	601	425
HFCCQ50	579993	109	HMMER 2.1.1	PFAM: Galactosyltransferase	PF01762	130.8	365	1042
			WUblastx.64	(Q9C0J1) BETA-1,3-N-ACETYLGLUCOSAMINYLTRANSFERASE BGN-T4.	Q9C0J1	95%	35	1102

HFCEB37	411345	110	WUblastx.64	(Q9NYC6) NEURONAL SPECIFIC TRANSCRIPTION FACTOR DAT1.	Q9NYC6	94%	4	204
HFFAL36	560639	112	WUblastx.64	(O75525) T-STAR.	O75525	100%	568	657
HFGAD82	513669	113	WUblastx.64	membrane glycoprotein M6 - mouse	pir|I78556|I78556	92%	249	410
HFIUR10	532060	114	WUblastx.64	(AAK55521) PRO0764.	AAK55521	47% 75%	369 497	307 411
HFTBM50	545012	115	WUblastx.64	(Q9H8P0) CDNA FLJ13352 FIS, CLONE OVARC1002165, WEAKLY SIMILAR TO 3-O	Q9H8P0	100% 91%	23 198	229 524
HFVAB79	1300736	117	WUblastx.64	(Q9BX93) GROUP XIII SECRETED PHOSPHOLIPASE A2.	Q9BX93	100%	133	693
HFVAB79	565076	402	WUblastx.64	(Q9BX93) GROUP XIII SECRETED PHOSPHOLIPASE A2.	Q9BX93	100%	139	720
HFXJX44	701988	121	WUblastx.64	(Q9N083) UNNAMED PORTEIN PRODUCT.	Q9N083	57%	1378	1082
HFXKJ03	505207	122	WUblastx.64	(O62658) LINE-1 ELEMENT ORF2.	O62658	34% 36%	492 920	292 525
HFXKT05	658690	123	WUblastx.64	(Q9H5H7) CDNA: FLJ23425 FIS, CLONE HEP22862.	Q9H5H7	81%	5	1015
HGBHI35	570262	124	HMMER 2.1.1	PFAM: Enoyl-CoA hydratase/isomerase family	PF00378	184.6	213	722
			WUblastx.64	(Q9DBD3) 1300017C12RIK PROTEIN.	Q9DBD3	90%	225	962
HGBIB74	837220	125	WUblastx.64	hypothetical protein ZK858.6 - Caenorhabditis elegans	pir|T28058|T28058	50% 51% 65% 62%	1387 2 482 723	1494 439 730 1403
HGBIB74	838602	404	blastx.2	Similar to S.cerevisiae EMP70 protein precursor (S25110) [Homo sapiens]	dbj|BAA13385.1|	87% 100% 78% 88%	736 79 1251 537	1257 477 1505 749
HGBIB74	899864	405	blastx.2	Similar to S.cerevisiae EMP70 protein precursor (S25110) [Homo sapiens]	dbj|BAA13385.1|	87%	12	950
HHEPM33	877639	130	WUblastx.64	(Q96BH1) Ring finger protein 25.	Q96BH1	97% 100%	10 1185	1230 1373
HHFBY53	821330	131	WUblastx.64	(Q9LGZ9) GENOMIC DNA, CHROMOSOME	Q9LGZ9	100%	746	868

				3, BAC CLONE:F1D9.		100% 100%	745 744	867 866
HHFGR93	865581	132	WUblastx.64	(Q96AP7) Hypothetical 41.2 kDa protein.	Q96AP7	100%	132	1301
HHFGR93	691402	406	HMMER 2.1.1	PFAM: Immunoglobulin domain	PF00047	36.3	628	807
			WUblastx.64	(Q96AP7) Hypothetical 41.2 kDa protein.	Q96AP7	98% 99%	819 130	1298 828
HHGCM76	662329	134	WUblastx.64	(Q96FV2) Unknown (protein for IMAGE:3945715) (Fragment).	Q96FV2	94% 98%	7 378	114 536
HHGCM76	383547	407	WUblastx.64	(Q96FV2) Unknown (protein for IMAGE:3945715) (Fragment).	Q96FV2	94% 98%	7 378	114 536
HHPEN62	695134	137	HMMER 2.1.1	PFAM: Peptidase family M20/M25/M40	PF01546	148.9	510	1535
			WUblastx.64	(Q96KN2) Glutamate carboxypeptidase-like protein 2.	Q96KN2	99%	183	1706
HHPGO40	1299927	138	WUblastx.64	(Q9HBW1) Brain tumor associated protein NAG14.	Q9HBW1	74% 30%	191 338	976 928
HHPGO40	753270	408	HMMER 2.1.1	PFAM: Leucine Rich Repeat	PF00560	122	542	613
			WUblastx.64	(Q9HBW1) Brain tumor associated protein NAG14.	Q9HBW1	74% 30%	191 338	967 928
HHPGO40	560969	409	HMMER 2.1.1	PFAM: Leucine Rich Repeat	PF00560	77	548	619
HILCF66	636025	140	WUblastx.64	(Q9CWZ1) 2400006A19RIK PROTEIN.	Q9CWZ1	100% 96%	1435 1243	1530 1323
HJABB94	456466	141	WUblastx.64	(Q9BWV3) PROTEIN KINASE NYD-SP15.	Q9BWV3	100% 38% 94%	8 1127 1227	250 1192 1523
HJACG02	1307789	142	WUblastx.64	(Q9HD89) CYSTEINE-RICH SECRETED PROTEIN (C/EBP-EPSILON REGULATED MYEL	Q9HD89	100%	111	389
HJACG02	509948	410	WUblastx.64	(Q9HD89) CYSTEINE-RICH SECRETED PROTEIN (C/EBP-EPSILON REGULATED MYEL	Q9HD89	100%	47	370
HJACG30	895505	143	WUblastx.64	(Q9UM21) UDP-GLCNAC:A-1,3-D-MANNOSIDE B-1,4-N-ACETYLGLUCOSAMINYLTRANS	Q9UM21	96%	291	389

HJBCY35	719729	144	WUblastx.64	hypothetical protein DKFZp586J0619.1 - human (fragment)	pir|T08758|T08758	100%	1	1212
HJMBM38	545752	146	WUblastx.64	(Q9CS66) 5730496N17RIK PROTEIN (FRAGMENT).	Q9CS66	83%	3	722
HJPAD75	651337	147	WUblastx.64	(Q9H5F8) CDNA: FLJ23476 FIS, CLONE HSI14935.	Q9H5F8	98%	8	232
HKABZ65	862030	150	WUblastx.64	(Q96LB9) Peptidoglycan recognition protein-I-alpha precursor.	Q96LB9	90% 39%	77 137	802 541
HKABZ65	665424	416	WUblastx.64	(Q96LB9) Peptidoglycan recognition protein-I-alpha precursor.	Q96LB9	99% 45%	69 129	794 533
HKACB56	554616	151	HMMER 2.1.1	PFAM: Kazal-type serine protease inhibitor domain	PF00050	76.3	114	266
			WUblastx.64	(P01001) ACROSIN INHIBITORS IIA AND IIB (BUSI-II).	IAC2_BOVIN	82%	96	266
HKACD58	552465	417	WUblastx.64	(Q96BH2) Hypothetical 34.4 kDa protein.	Q96BH2	86% 87%	795 122	1208 724
HKAEV06	638238	418	WUblastx.64	(Q9NVA4) CDNA FLJ10846 FIS, CLONE NT2RP4001373.	Q9NVA4	96% 100% 96%	367 197 480	459 367 1541
HKAFT66	946512	155	WUblastx.64	(Q9CPS2) 4933428I03RIK PROTEIN.	Q9CPS2	72% 62% 84%	29 82 274	61 231 828
HKAFT66	889258	419	blastx	(AF022985) No definition line found [Caenorhabditis elegans]	gb|AAB69975.1|	21% 25% 29%	292 562 691	543 702 801
HKAFT66	904790	420	blastx.2	(AJ271091) B-ind1 protein [Homo sapiens]	emb|CAB69070.1|	34% 45%	12 298	296 516
HKB1E57	876571	156	HMMER 2.1.1	PFAM: Uncharacterized protein family UPF0004	PF00919	320.5	178	843
			WUblastx.64	(Q9BWZ5) DJ1187J4.4 (CGI-05 PROTEIN (LOC51654) SIMILAR TO RAT CDK5 AC	Q9BWZ5	99%	1	879
HKB1E57	654871	421	WUblastx.64	(Q9BVG6) SIMILAR TO CGI-05 PROTEIN.	Q9BVG6	90%	78	167
HKFBC53	701893	422	WUblastx.64	hypothetical protein F16H11.1 - Caenorhabditis	pir|T16084|T16084	45%	132	305

				elegans		59% 50% 37% 37%	11 82 566 293	106 129 673 1366
HKFBC53	513190	423	WUblastx.64	hypothetical protein F16H11.1 - Caenorhabditis elegans	pir|T16084|T16084	35%	135	902
HKFBC53	383426	424	WUblastx.64	hypothetical protein F16H11.1 - Caenorhabditis elegans	pir|T16084|T16084	38% 32%	704 135	949 713
HKGDL36	877489	158	WUblastx.64	(Q9UHG2) PROSAAS PRECURSOR (GRANIN-LIKE NEUROENDOCRINE PEPTIDE PRECUR	Q9UHG2	100% 63%	563 53	793 409
HKGDL36	704088	425	WUblastx.64	(Q9UHG2) PROSAAS PRECURSOR (GRANIN-LIKE NEUROENDOCRINE PEPTIDE PRECUR	Q9UHG2	82% 49%	99 55	830 555
HKISB57	625956	159	WUblastx.64	(AAL36150) Smoothelin-B3.	AAL36150	28% 100% 98% 27% 26% 44%	262 201 1107 271 532 954	582 1013 1256 480 966 1052
HKMLM11	514788	160	WUblastx.64	(Q9P059) HSPC323 (FRAGMENT).	Q9P059	71% 85%	332 148	562 462
HKMLP68	1037919	161	WUblastx.64	(AAH17691) Hypothetical 61.8 kDa protein.	AAH17691	42%	8	586
HKMMW74	581399	163	WUblastx.64	(AAG23169) HC6.	AAG23169	73%	1784	1662
HKMND01	527402	164	WUblastx.64	(Q9H3C0) PRO0898.	Q9H3C0	83%	867	757
HLDBE54	836041	165	WUblastx.64	(Q9NR71) MITOCHONDRIAL CERAMIDASE.	Q9NR71	98%	212	1051
HLDBE54	600362	428	WUblastx.64	(Q9JHE3) NERUTAL CERAMIDASE (NEUTRAL CERAMIDASE).	Q9JHE3	45% 72% 78%	332 130 375	397 306 1028
HLDBE54	800678	429	HMMER 2.1.1	PFAM: Renal dipeptidase	PF01244	466.8	352	1410
			WUblastx.64	(Q9H4A9) PUTATIVE DIPEPTIDASE.	Q9H4A9	95%	133	1590
HLDBX13	815665	166	WUblastx.64	(Q9H387) PRO2550.	Q9H387	76%	1764	1681

						60%	1815	1756
HLDQC46	847397	168	WUblastx.64	(Q9BXJ8) TRANSMEMBRANE PROTEIN INDUCED BY TUMOR NECROSIS FACTOR ALPHA	Q9BXJ8	100%	28	423
HLDQR62	753742	169	WUblastx.64	(Q9NQW2) PROGRESSIVE ANKYLOSIS-LIKE PROTEIN.	Q9NQW2	100% 99%	41 376	382 1002
HLDQU79	740755	170	WUblastx.64	(O75477) KE04P.	O75477	100%	105	1142
HLDRM43	846330	171	WUblastx.64	(Q96NZ9) Proline-rich acidic protein.	Q96NZ9	92%	24	476
HLDRM43	638939	430	WUblastx.64	(Q96NZ9) Proline-rich acidic protein.	Q96NZ9	100%	164	616
HLDRP33	647430	172	WUblastx.64	(Q9H743) CDNA: FLJ21394 FIS, CLONE COL03536.	Q9H743	38% 64%	340 599	278 489
HLHFP03	460467	174	WUblastx.64	(Q9WVC2) LY-6/NEUROTOXIN HOMOLOG (ADULT MALE HIPPOCAMPUS CDNA, RIKEN	Q9WVC2	81%	224	571
HLICQ90	791828	176	WUblastx.64	(Q96N65) CDNA FLJ31349 fis, clone MESAN2000092, moderately similar to	Q96N65	95% 93%	571 59	636 616
HLTHR66	699812	179	HMMER 2.1.1	PFAM: PAP2 superfamily	PF01569	22.3	35	151
			WUblastx.64	(Q9D4F2) 4932443D16RIK PROTEIN.	Q9D4F2	93%	2	229
HLTIP94	1087335	180	WUblastx.64	(Q96DH6) Hypothetical 35.2 kDa protein.	Q96DH6	80%	579	740
HLTIP94	1047690	432	HMMER 2.1.1	PFAM: RNA recognition motif. (a.k.a. RRM, RBD, or RNP domain)	PF00076	143.1	40	-172
HLWAA17	629552	181	WUblastx.64	(Q9NY26) IRT1 PROTEIN (SIMILAR TO ZINC/IRON REGULATED TRANSPORTER-LIK	Q9NY26	99%	85	960
HLWAA88	588485	182	WUblastx.64	(Q9H8L6) CDNA FLJ13465 FIS, CLONE PLACE1003493, WEAKLY SIMILAR TO END	Q9H8L6	95% 91% 40% 42% 72%	683 295 781 440 92	1768 696 855 517 322
HLWAA88	769166	433	WUblastx.64	(Q9H8L6) CDNA FLJ13465 FIS, CLONE PLACE1003493, WEAKLY SIMILAR TO END	Q9H8L6	95% 93% 98%	1567 1487 51	1629 1573 1493
HLWAD77	653513	183	WUblastx.64	(Q9GZP9) F-LAN-1 (HYPOTHETICAL	Q9GZP9	99%	29	745

				TRANSMEMBRANE PROTEIN SBBI53).				
HLWAE11	783071	184	HMMER 2.1.1	PFAM: C1q domain	PF00386	44.4	403	789
			WUblastx.64	(Q9BXI9) COMPLEMENT-C1Q TUMOR NECROSIS FACTOR-RELATED PROTEIN.	Q9BXI9	99%	28	861
HLWAO22	587270	185	WUblastx.64	(Q9NRG9) GL003 (ADRACALIN) (AAAS PROTEIN) (UNKNOWN) (PROTEIN FOR MGC:	Q9NRG9	78% 28% 97% 100% 83% 30% 41% 28% 26% 58%	449 139 1003 14 19 396 503 100 470 333	1147 420 1263 40 495 596 664 408 859 503
HLWBY76	797609	187	WUblastx.64	(AAH06651) Similar to hypothetical protein FLJ23153	AAH06651	76%	6	1127
HMADK33	561941	189	WUblastx.64	hypothetical protein DKFZp761P2414.1 - human	pir|T47139|T47139	100% 87% 96%	152 394 237	175 417 395
HMADS41	596831	190	WUblastx.64	(AAH07725) Ceroid-lipofuscinosis, neuronal 8 (epile	AAH07725	92% 100%	186 427	449 1041
HMAMI15	1352406	191	blastx.14	(Q96QY4) BA134O15.1 (similar to citrate lyase) (Fragment).	Q96QY4	99%	85	1023
HMAMI15	1049263	435	WUblastx.64	(Q96QY4) BA134O15.1 (similar to citrate lyase) (Fragment).	Q96QY4	79% 100%	372 84	920 440
HMCFY13	635301	192	WUblastx.64	(AAL32175) Chromosome 17 open reading frame 26.	AAL32175	95%	36	737
HMDAM24	514394	194	WUblastx.64	hypothetical protein DKFZp434N0615.1 - human (fragment)	pir|T42663|T42663	92% 45% 33% 31% 52% 26%	155 298 248 345 877 369	325 363 316 962 984 764

						25% 31% 67%	158 318 306	298 818 926
HMEED18	560775	196	WUblastx.64	(Q9H651) CDNA: FLJ22604 FIS, CLONE HSI04630 (BBP-LIKE PROTEIN 2).	Q9H651	93%	34	696
HMSDL37	973996	199	WUblastx.64	(Q9H743) CDNA: FLJ21394 FIS, CLONE COL03536.	Q9H743	66%	1189	1497
HMSFI26	560229	200	WUblastx.64	(Q14713) POT. ORF V.	Q14713	57% 39%	1075 1041	1019 805
HMSGT42	383470	201	WUblastx.64	(Q9GZW0) DJ604K5.1 (15 KDA SELENOPROTEIN).	Q9GZW0	91%	40	525
HMSHS36	1127691	203	WUblastx.64	(O95662) POT. ORF VI (FRAGMENT).	O95662	83%	781	350
HMSHS36	1028961	440	blastx.2	pot. ORF VI [Homo sapiens]	emb|CAA26920.1|	61% 77%	539 609	378 490
HMSKC04	799540	204	WUblastx.64	(Q9H743) CDNA: FLJ21394 FIS, CLONE COL03536.	Q9H743	66% 60% 56%	1341 1414 1244	1225 1346 1053
HMUAP70	872208	205	WUblastx.64	(Q9EQH8) NEDD4 WW DOMAIN-BINDING PROTEIN 5 (FRAGMENT).	Q9EQH8	89%	69	845
HMUAP70	778820	442	WUblastx.64	(Q9BT67) UNKNOWN (PROTEIN FOR MGC:10924).	Q9BT67	100% 72% 100%	183 229 338	221 402 844
HMUAP70	381964	445	blastx.2	(AF220209) Nedd4 WW domain-binding protein 5 [Mus musculus]	gb|AAG44248.1|	86%	1	720
HMVBS81	639203	206	WUblastx.64	(O95070) 54TMP.	O95070	100%	10	450
HMWFT65	562063	208	WUblastx.64	(Q96AZ2) Similar to hypothetical protein FLJ21463.	Q96AZ2	67%	1342	1205
HMWGY65	1308287	209	WUblastx.64	(Q9D624) 1200003C23RIK PROTEIN.	Q9D624	55%	42	1442
HMWGY65	794987	446	WUblastx.64	(AAH19452) Hypothetical 49.0 kDa protein.	AAH19452	58% 65%	542 42	1438 596
HNEEB45	1036397	211	WUblastx.64	hypothetical protein 3 - human	pir|E41925|E41925	78% 39% 44%	861 523 566	929 717 862

HNFFC43	753337	213	WUblastx.64	(Q96BY8) Hypothetical 55.2 kDa protein.	Q96BY8	97% 66% 87% 99%	319 428 651 903	453 769 839 1517
HNFIY77	634551	214	WUblastx.64	(AAL47020) KCCR13L.	AAL47020	96% 99%	866 105	1030 866
HNFJF07	577013	215	WUblastx.64	(AAL55831) Hypothetical 14.1 kDa protein.	AAL55831	65%	585	457
HNGAK47	561488	216	WUblastx.64	(Q96EF8) Unknown (protein for MGC:21495).	Q96EF8	33% 31% 20% 34% 25% 39% 29%	12 12 492 492 486 190 537	206 206 617 557 569 2 487
HNGEP09	499076	219	WUblastx.64	(AAK55521) PRO0764.	AAK55521	57% 53% 50%	965 1021 867	861 977 715
HNGIJ31	519120	221	WUblastx.64	(Q9N083) UNNAMED PORTEIN PRODUCT.	Q9N083	73% 54% 66%	566 615 454	610 725 561
HNGJE50	561568	222	WUblastx.64	(Q9HBS7) HYPOTHETICAL 14.2 KDA PROTEIN.	Q9HBS7	64% 62%	1028 919	945 734
HNGOM56	836064	226	WUblastx.64	(Q96MM0) CDNA FLJ32172 fis, clone PLACE6000555.	Q96MM0	38% 58%	577 714	744 953
HNHEU93	634851	229	WUblastx.64	(Q9H387) PRO2550.	Q9H387	67%	741	418
HNHFM14	664507	230	WUblastx.64	(Q9N8S9) POSSIBLE (HHV-6) U1102, VARIANT A DNA, COMPLETE VIRION GENOM	Q9N8S9	74% 45% 63% 79% 76%	6 17 11 9 9	122 223 124 110 122
HNHFO29	463568	231	WUblastx.64	(Q9NX85) CDNA FLJ20378 FIS, CLONE KAIA0536.	Q9NX85	69%	522	695
HNHNB29	895462	232	WUblastx.64	(Q9P195) PRO1722.	Q9P195	79%	1543	1674

						75%	1398	1553
HNHOD46	843488	233	WUblastx.64	(O60448) NEURONAL THREAD PROTEIN AD7C-NTP.	O60448	76% 56% 56% 52% 73% 59% 50% 70% 48% 50% 35% 31% 50% 61%	334 646 645 844 331 353 828 721 781 558 401 283 379 486	552 921 713 894 498 625 917 792 915 791 595 552 462 839
HNTBI26	1310821	235	WUblastx.64	(Q96F65) Similar to RIKEN cDNA 0610031J06 gene (Fragment).	Q96F65	92% 60%	145 7	987 150
HNTBI26	796807	452	WUblastx.64	(Q96F65) Similar to RIKEN cDNA 0610031J06 gene (Fragment).	Q96F65	94% 97% 29% 95%	516 149 1096 11	992 544 1206 154
HNTBL27	545534	236	WUblastx.64	(Q96AA3) Putative endoplasmic reticulum multispan transmembrane prote	Q96AA3	98% 33% 40% 96%	243 13 646 13	500 168 711 261
HNTCE26	1160395	237	HMMER 2.1.1	PFAM: 7 transmembrane receptor (rhodopsin family)	PF00001	137.5	282	1037
			WUblastx.64	(Q9H1Y3) DJ317G22.2 (ENCEPHALOPSIN) (PANOPSIN).	Q9H1Y3	100%	111	1316
HNTCE26	853373	454	HMMER 2.1.1	PFAM: 7 transmembrane receptor (rhodopsin family)	PF00001	23.2	63	218
			WUblastx.64	(Q9H1Y3) DJ317G22.2 (ENCEPHALOPSIN) (PANOPSIN).	Q9H1Y3	95% 100%	370 12	495 377

HODDN92	422913	240	WUblastx.64	(Q9H1S5) BA110H4.2 (SIMILAR TO MEMBRANE PROTEIN).	Q9H1S5	100%	1119	1021
HODGE68	834907	242	WUblastx.64	retrovirus-related hypothetical protein II - human 1	pir|S23650|S23650	36% 54%	370 276	278 1
HOEDB32	634994	243	WUblastx.64	(Q9Y2Y6) TADA1 PROTEIN (DKFZP564K1964 PROTEIN).	Q9Y2Y6	95%	104	781
HOFMQ33	1184465	244	WUblastx.64	(O15232) MATRILIN-3 PRECURSOR.	MTN3_HUMAN	85%	205	1500
HOFMQ33	919896	457	HMMER 2.1.1	PFAM: von Willebrand factor type A domain	PF00092	189.8	288	815
			WUblastx.64	(O15232) MATRILIN-3 PRECURSOR.	MTN3_HUMAN	85%	204	1499
HOFMQ33	906694	458	HMMER 2.1.1	PFAM: von Willebrand factor type A domain	PF00092	162.2	318	737
HOFMT75	911180	245	HMMER 2.1.1	PFAM: Eukaryotic aspartyl protease	PF00026	619	290	1303
			WUblastx.64	cathepsin D (EC 3.4.23.5) precursor [validated] - human	pir|A25771|KHHUD	81%	83	1303
HOFMT75	892291	463	HMMER 2.1.1	PFAM: Eukaryotic aspartyl protease	PF00026	496.2	336	1232
			WUblastx.64	cathepsin D (EC 3.4.23.5) precursor [validated] - human	pir|A25771|KHHUD	96%	192	1232
HOFOC73	931871	247	HMMER 2.1.1	PFAM: Papain family cysteine protease	PF00112	22.3	192	311
			WUblastx.64	(BAB22302) Adult male kidney cDNA, RIKEN full-lengt	BAB22302	71% 87%	72 316	341 918
HOGAW62	579891	248	WUblastx.64	(AAH20830) Hypothetical 19.2 kDa protein.	AAH20830	100%	35	130
HOHCH55	827481	249	WUblastx.64	(O95965) TEN INTEGRIN EGF-LIKE REPEAT DOMAINS PROTEIN PRECURSOR.	O95965	84%	221	1702
HOHCH55	815682	467	blastx.2	(AF072752) ten integrin EGF-like repeat domains protein precursor [Homo sapiens]	gb|AAD17666.1|	99% 42% 35% 100%	230 326 416 1623	1621 1426 1576 1712
HOQBJ82	858338	468	WUblastx.64	(CAC37795) H-l(3)mbt-like protein.	CAC37795	66% 57%	436 41	585 496
HOQBJ82	857453	469	HMMER 2.1.1	PFAM: SET domain	PF00856	211.5	100	489
HOSDJ25	854234	252	WUblastx.64	(Q9D8Y9) 1810018L05RIK PROTEIN.	Q9D8Y9	85% 86%	468 143	593 544
HOSFD58	614040	253	HMMER 2.1.1	PFAM: ATP-sulfurylase	PF01747	697.3	-733	-1719

			WUblastx.64	3'-phosphoadenosine-5'-phosphosulfate synthetase - human	pir|JW0087|JW0087	100%	56	1927
HPEAD79	520202	255	WUblastx.64	(Q96NR6) CDNA FLJ30278 fis, clone BRACE2002755.	Q96NR6	48%	498	806
HPFCL43	535710	256	WUblastx.64	(AAH07349) Adrenal gland protein AD-004.	AAH07349	97%	57	257
HPIBO15	1310868	257	WUblastx.64	(Q9CQS3) 1110018M03RIK PROTEIN.	Q9CQS3	93%	128	757
HPIBO15	590741	473	WUblastx.64	(Q9CQS3) 1110018M03RIK PROTEIN.	Q9CQS3	88% 95% 97%	127 507 401	402 722 508
HPICB53	1042309	258	WUblastx.64	(Q96LS9) CDNA FLJ25101 fis, clone CBR01328.	Q96LS9	66%	1124	849
HPJBI33	685699	259	WUblastx.64	(O60448) NEURONAL THREAD PROTEIN AD7C-NTP.	O60448	49% 33% 51% 35% 33% 51% 59% 52% 34% 50% 47%	617 633 24 570 1317 155 154 137 41 3 886	934 890 122 872 1415 256 234 256 256 146 942
HPMDK28	846357	261	WUblastx.64	(Q9NP77) CDNA FLJ10947 FIS, CLONE PLACE1000066, WEAKLY SIMILAR TO SSU	Q9NP77	100%	163	666
HPMDK28	639118	478	WUblastx.64	(Q9NP77) CDNA FLJ10947 FIS, CLONE PLACE1000066, WEAKLY SIMILAR TO SSU	Q9NP77	100%	157	660
HPRAL78	844216	479	WUblastx.64	(AAH08720) Unknown (protein for MGC:8447).	AAH08720	83% 51%	70 490	1017 1068
HPRAL78	484735	480	WUblastx.64	(Q91XD7) Unknown (protein for MGC:18896).	Q91XD7	95%	124	336
HPRBC80	829136	264	HMMER 2.1.1	PFAM: Protein phosphatase 2C	PF00481	336.4	157	957
			WUblastx.64	(Q9HAY8) SER/THR PROTEIN	Q9HAY8	97%	94	1254

				PHOSPHATASE TYPE 2C BETA 2 ISOFORM (PROTEIN				
HPZAB47	585702	266	WUblastx.64	hypothetical protein 3 - human	pir|E41925|E41925	34% 55%	1132 1296	884 1183
HRAAB15	658717	267	WUblastx.64	(Q9BVS2) UNKNOWN (PROTEIN FOR IMAGE:3451448) (FRAGMENT).	Q9BVS2	40%	14	511
HRABA80	882176	268	WUblastx.64	(Q9HA75) CDNA FLJ12122 FIS, CLONE MAMMA1000129.	Q9HA75	63% 68%	221 325	310 459
HRABA80	588460	482	WUblastx.64	(Q9HA75) CDNA FLJ12122 FIS, CLONE MAMMA1000129.	Q9HA75	63% 48% 92%	633 130 233	665 357 493
HRACD15	871221	269	WUblastx.64	(AAH08084) Hypothetical 50.4 kDa protein.	AAH08084	98%	1452	253
HRACJ35	877666	270	WUblastx.64	(Q9Y5X6) BLOOD PLASMA GLUTAMATE CARBOXYPEPTIDASE PRECURSOR (EC 3.4.17	Q9Y5X6	65% 99%	1519 132	1755 1472
HRACJ35	730504	484	WUblastx.64	(Q9Y5X6) BLOOD PLASMA GLUTAMATE CARBOXYPEPTIDASE PRECURSOR (EC 3.4.17	Q9Y5X6	98% 99%	1435 99	1722 1439
HRACJ35	470546	485	blastx.2	AMINOPEPTIDASE.	sp|Q9Y646|Q9Y646	100% 96%	1 507	519 785
HRDFD27	567004	271	WUblastx.64	(Q9N032) UNNAMED PROTEIN PRODUCT.	Q9N032	47%	679	476
HRGBL78	910133	272	HMMER 2.1.1	PFAM: Immunoglobulin domain	PF00047	32	582	755
			WUblastx.64	(AAL58111) FREB.	AAL58111	87%	9	1085
HROAJ03	567005	273	WUblastx.64	(Q96A82) CDNA FLJ30106 fis, clone BNGH41000190, weakly similar to Rat	Q96A82	88%	7	786
HROAJ39	1181699	274	WUblastx.64	(Q96ES0) Unknown (protein for MGC:16944).	Q96ES0	92%	7	1146
HROBD68	827306	275	WUblastx.64	(Q9H728) CDNA: FLJ21463 FIS, CLONE COL04765.	Q9H728	66% 78%	418 581	576 748
HSATR82	531973	276	WUblastx.64	(Q9UI58) PRO0483 PROTEIN.	Q9UI58	80% 76%	678 605	707 682
HSAVH65	545459	277	WUblastx.64	(Q9CZR4) 2700018N07RIK PROTEIN.	Q9CZR4	92%	23	403
HSAWD74	460527	278	WUblastx.64	(Q9NX85) CDNA FLJ20378 FIS, CLONE KAIA0536.	Q9NX85	67%	967	674

HSAWZ41	580872	279	WUblastx.64	(Q9H387) PRO2550.	Q9H387	81%	1386	1102
HSAXA83	545051	280	WUblastx.64	(Q9NRX6) PROTEIN X 013.	Q9NRX6	100%	92	313
HSAYB43	604143	281	WUblastx.64	(Q9N083) UNNAMED PORTEIN PRODUCT.	Q9N083	60% 50%	1662 1580	1573 1338
HSDEK49	625998	492	HMMER 2.1.1	PFAM: Immunoglobulin domain	PF00047	18.7	225	470
			WUblastx.64	(Q9Y279) Z39IG PROTEIN PRECURSOR.	Q9Y279	88% 99%	444 126	1040 542
HSDFJ26	834619	283	WUblastx.64	(Q9BYJ0) KSP37.	Q9BYJ0	99%	99	767
HSDFJ26	836071	493	blastx.2	(AB021123) Ksp37 [Homo sapiens]	dbj|BAB39770.1|	83% 77%	238 99	768 281
HSDSE75	545057	286	WUblastx.64	(O60245) PCDH7 (BH-PCDH)A.	O60245	100%	10	702
HSDZR57	651375	287	WUblastx.64	(Q9NX00) CDNA FLJ20512 FIS, CLONE KAT09739.	Q9NX00	100%	9	209
HSIDJ81	589447	288	WUblastx.64	(Q9H728) CDNA: FLJ21463 FIS, CLONE COL04765.	Q9H728	74%	1289	996
HSKDA27	1074734	495	WUblastx.64	(Q9CRM1) 2610001E17RIK PROTEIN (FRAGMENT).	Q9CRM1	70% 60% 23%	793 1686 1604	1701 1784 1741
HSKDA27	872570	496	blastx.2	(AK020169) putative [Mus musculus]	dbj|BAB32018.1|	47%	666	1562
HSKGN81	676075	290	WUblastx.64	(Q9CZY7) 2610307O08RIK PROTEIN.	Q9CZY7	68%	146	1126
HSNAD72	467397	292	WUblastx.64	(Q9P195) PRO1722.	Q9P195	62% 53% 59%	825 623 730	730 579 536
HSSGD52	845666	500	WUblastx.64	(Q96FI8) Unknown (protein for MGC:9160).	Q96FI8	100%	338	2155
HSUBW09	413246	299	WUblastx.64	(Q95LL0) Hypothetical 11.3 kDa protein.	Q95LL0	73% 77%	589 327	633 611
HSVBU91	596868	300	WUblastx.64	cytoplasmic linker protein CLIP-115 - rat	pir|T42734|T42734	85%	356	171
HSYAV50	847358	301	HMMER 2.1.1	PFAM: Leucine Rich Repeat	PF00560	97.9	383	454
			WUblastx.64	(Q96CX1) Similar to RIKEN cDNA 2610528G05 gene (Fragment).	Q96CX1	96%	371	2170
HTAEE28	1018291	302	WUblastx.64	(Q9D4I2) 4932408F18RIK PROTEIN.	Q9D4I2	72%	319	1161
HTEEB42	206980	304	HMMER 2.1.1	PFAM: Immunoglobulin domain	PF00047	48.5	500	706

			WUblastx.64	(AAG49022) Junctional adhesion molecule 2.	AAG49022	94%	110	952
HTELP17	836072	308	WUblastx.64	(AAH20029) Hypothetical 39.4 kDa protein.	AAH20029	81%	22	528
HTELS08	847090	309	WUblastx.64	(Q9JI83) EPCS26 (PLAC1) (PLACENTAL SPECIFIC PROTEIN 1).	Q9JI83	34%	33	395
HTEPG70	834931	310	WUblastx.64	(O75295) R27328_2.	O75295	93%	23	268
HTGEP89	410582	311	WUblastx.64	(Q9DAL9) 1700007K09RIK PROTEIN.	Q9DAL9	44%	258	566
HTHBG43	919911	312	WUblastx.64	(Q9H387) PRO2550.	Q9H387	83% 70%	772 702	701 571
HTHDS25	772559	313	WUblastx.64	(Q9P1H3) PRO1438.	Q9P1H3	66%	1045	911
HTLEP53	634852	314	WUblastx.64	(Q9H728) CDNA: FLJ21463 FIS, CLONE COL04765.	Q9H728	69%	806	501
HTLGE31	1035130	315	WUblastx.64	(Q9NY64) GLUCOSE TRANSPORTER.	Q9NY64	100%	3	92
HTLHY14	838460	316	WUblastx.64	(Q96L02) Hypothetical 24.5 kDa protein.	Q96L02	99% 100%	36 528	434 773
HTLIV19	1046341	317	WUblastx.64	(Q96LS9) CDNA FLJ25101 fis, clone CBR01328.	Q96LS9	73%	193	315
HTOJK60	545067	322	WUblastx.64	(Q9HA67) CDNA FLJ12155 FIS, CLONE MAMMA1000472.	Q9HA67	73% 78%	745 870	644 757
HTPCS72	854941	323	WUblastx.64	(O95880) UNKNOWN.	O95880	100%	2191	2577
HTPCS72	566683	508	WUblastx.64	(O95880) UNKNOWN.	O95880	100%	356	742
HTPIH83	919916	324	HMMER 2.1.1	PFAM: PMP-22/EMP/MP20/Claudin family	PF00822	81.5	127	660
			WUblastx.64	(P57739) CLAUDIN-2.	CLD2_HUMAN	85%	199	807
HTPIH83	895024	509	HMMER 2.1.1	PFAM: PMP-22/EMP/MP20/Claudin family	PF00822	55.9	120	500
			WUblastx.64	(P57739) CLAUDIN-2.	CLD2_HUMAN	87%	192	530
HTTBS64	1008159	327	WUblastx.64	reverse transcriptase-related protein - rabbit (fragment)	pir|S22049|S22049	70% 52%	996 896	895 714
HTWDF76	714344	328	WUblastx.64	(Q9BTF2) REC8P, A MEIOTIC RECOMBINATION AND SISTER CHROMATID COHESION	Q9BTF2	100% 92% 27% 35% 37% 79% 70%	792 370 7 179 379 542 179	875 510 498 238 525 688 280

						76%	4	192
HTXFL30	620001	330	WUblastx.64	(Q96KR5) Leishmanolysin-like peptidase, variant 2 (EC 3.4.24.36).	Q96KR5	98% 100% 100% 100%	305 30 213 68	1990 68 299 94
HTXJM03	603918	331	WUblastx.64	(Q9BRH0) SIMILAR TO DKFZP727C091 PROTEIN.	Q9BRH0	100% 99%	470 564	565 1760
HTXON32	838288	332	WUblastx.64	(Q96NR6) CDNA FLJ30278 fis, clone BRACE2002755.	Q96NR6	58% 64%	1397 1194	1498 1397
HUKAH51	1300737	515	WUblastx.64	(Q9ES75) PROLINE-RICH ACIDIC PROTEIN.	Q9ES75	50%	144	563
HUKAH51	603538	516	WUblastx.64	(Q96NZ9) Proline-rich acidic protein.	Q96NZ9	100% 93%	462 55	479 462
HUSXS50	883176	517	WUblastx.64	(AAH08361) F-box only protein 7.	AAH08361	99% 42% 100%	281 1566 1067	1069 1622 1666
HUSXS50	655372	518	WUblastx.64	(AAH08361) F-box only protein 7.	AAH08361	77% 26% 100%	1 43 317	459 219 700
HWAAD63	838626	338	HMMER 2.1.1	PFAM: Sodium/calcium exchanger protein	PF01699	62.8	346	453
			WUblastx.64	(Q9HC58) SODIUM/CALCIUM EXCHANGER NCKX3.	Q9HC58	65%	229	813
HWAAD63	833089	519	HMMER 2.1.1	PFAM: Sodium/calcium exchanger protein	PF01699	37.8	346	453
			blastx.2	(AF177984) potassium-dependent sodium-calcium exchanger NCKX1 [Gallus gallus]	gb|AAF25808.1|AF 177984_1	45% 41% 45% 31%	217 533 453 319	453 793 596 453
HWAAD63	793875	520	HMMER 2.1.1	PFAM: Sodium/calcium exchanger protein	PF01699	113.7	336	773
			blastx.2	(AF025664) Na-Ca+K exchanger [Bos taurus]	gb|AAB88884.1|	43%	207	785
HWABY10	768334	339	WUblastx.64	(Q96AW1) Hypothetical 19.2 kDa protein.	Q96AW1	100%	165	665

HWBCB89	1093347	341	WUblastx.64	(BAB55294) CDNA FLJ14777 fis, clone NT2RP4000259, w	BAB55294	100%	94	576
HWBCB89	886210	521	HMMER 2.1.1	PFAM: Glutathione peroxidases	PF00255	170.2	104	433
			WUblastx.64	(BAB55294) CDNA FLJ14777 fis, clone NT2RP4000259, w	BAB55294	100%	35	595
HWBFX31	799427	342	WUblastx.64	(Q9N083) UNNAMED PORTEIN PRODUCT.	Q9N083	56%	1663	1517
HWDAH38	1028519	343	WUblastx.64	(Q9NX85) CDNA FLJ20378 FIS, CLONE KAIA0536.	Q9NX85	69% 63% 81% 52% 60%	1113 979 947 1534 1602	1250 1119 979 1340 1528
HWHGZ51	886212	344	WUblastx.64	(Q9UJ74) HYPOTHETICAL 36.0 KDA PROTEIN (C4.4A PROTEIN).	Q9UJ74	86%	33	1022
HWLIH65	793713	345	HMMER 2.1.1	PFAM: Integral membrane protein	PF01940	49.3	147	455
			WUblastx.64	(AAH08596) Unknown (protein for MGC:16985).	AAH08596	98%	81	623
HTEAM34	898364	346	WUblastx.64	(Q96L11) Similar to RIKEN cDNA 1700034O15 gene.	Q96L11	100%	136	501
HTEAM34	570049	523	WUblastx.64	(Q96L11) Similar to RIKEN cDNA 1700034O15 gene.	Q96L11	100%	63	428

RACE Protocol For Recovery of Full-Length Genes

Partial cDNA clones can be made full-length by utilizing the rapid amplification of cDNA ends (RACE) procedure described in Frohman, M.A., et al., Proc. Nat'l. Acad. Sci. USA, 85:8998-9002 (1988). A cDNA clone missing either the 5' or 3' end can be reconstructed to include the absent base pairs extending to the translational start or stop codon, respectively. In some cases, cDNAs are missing the start codon of translation, therefor. The following briefly describes a modification of this original 5' RACE procedure. Poly A+ or total RNA is reverse transcribed with Superscript II (Gibco/BRL) and an antisense or complementary primer specific to the cDNA sequence. The primer is removed from the reaction with a Microcon Concentrator (Amicon). The first-strand cDNA is then tailed with dATP and terminal deoxynucleotide transferase (Gibco/BRL). Thus, an anchor sequence is produced which is needed for PCR amplification. The second strand is synthesized from the dA-tail in PCR buffer, Taq DNA polymerase (Perkin-Elmer Cetus), an oligo-dT primer containing three adjacent restriction sites (XhoI, SalI and ClaI) at the 5' end and a primer containing just these restriction sites. This double-stranded cDNA is PCR amplified for 40 cycles with the same primers as well as a nested cDNA-specific antisense primer. The PCR products are size-separated on an ethidium bromide-agarose gel and the region of gel containing cDNA products the predicted size of missing protein-coding DNA is removed. cDNA is purified from the agarose with the Magic PCR Prep kit (Promega), restriction digested with XhoI or SalI, and ligated to a plasmid such as pBluescript SKII (Stratagene) at XhoI and EcoRV sites. This DNA is transformed into bacteria and the plasmid clones sequenced to identify the correct protein-coding inserts. Correct 5' ends are confirmed by comparing this sequence with the putatively identified homologue and overlap with the partial cDNA clone. Similar methods known in the art and/or commercial kits are used to amplify and recover 3' ends.

Several quality-controlled kits are commercially available for purchase. Similar reagents and methods to those above are supplied in kit form from Gibco/BRL for both 5' and 3' RACE for recovery of full length genes. A second kit is available from Clontech which is a modification of a related technique, SLIC (single-stranded ligation to single-stranded cDNA), developed by Dumas et al., Nucleic Acids Res., 19:5227-32 (1991). The major differences in procedure are that the RNA is alkaline hydrolyzed after reverse transcription and RNA ligase is used to join a restriction site-containing anchor primer to the first-strand cDNA. This obviates the necessity for the dA-tailing reaction which results in a polyT stretch that is difficult to sequence past.

An alternative to generating 5' or 3' cDNA from RNA is to use cDNA library double-stranded DNA. An asymmetric PCR-amplified antisense cDNA strand is synthesized with an antisense cDNA-specific primer and a plasmid-anchored primer. These primers are removed and a

symmetric PCR reaction is performed with a nested cDNA-specific antisense primer and the plasmid-anchored primer.

RNA Ligase Protocol For Generating The 5' or 3' End Sequences To Obtain Full Length Genes

Once a gene of interest is identified, several methods are available for the identification of the 5' or 3' portions of the gene which may not be present in the original cDNA plasmid. These methods include, but are not limited to, filter probing, clone enrichment using specific probes and protocols similar and identical to 5' and 3' RACE. While the full length gene may be present in the library and can be identified by probing, a useful method for generating the 5' or 3' end is to use the existing sequence information from the original cDNA to generate the missing information. A method similar to 5' RACE is available for generating the missing 5' end of a desired full-length gene. (This method was published by Fromont-Racine et al., Nucleic Acids Res., 21(7):1683-1684 (1993)). Briefly, a specific RNA oligonucleotide is ligated to the 5' ends of a population of RNA presumably containing full-length gene RNA transcript and a primer set containing a primer specific to the ligated RNA oligonucleotide and a primer specific to a known sequence of the gene of interest, is used to PCR amplify the 5' portion of the desired full length gene which may then be sequenced and used to generate the full length gene. This method starts with total RNA isolated from the desired source, poly A RNA may be used but is not a prerequisite for this procedure. The RNA preparation may then be treated with phosphatase if necessary to eliminate 5' phosphate groups on degraded or damaged RNA which may interfere with the later RNA ligase step. The phosphatase if used is then inactivated and the RNA is treated with tobacco acid pyrophosphatase in order to remove the cap structure present at the 5' ends of messenger RNAs. This reaction leaves a 5' phosphate group at the 5' end of the cap cleaved RNA which can then be ligated to an RNA oligonucleotide using T4 RNA ligase. This modified RNA preparation can then be used as a template for first strand cDNA synthesis using a gene specific oligonucleotide. The first strand synthesis reaction can then be used as a template for PCR amplification of the desired 5' end using a primer specific to the ligated RNA oligonucleotide and a primer specific to the known sequence of the gene of interest. The resultant product is then sequenced and analyzed to confirm that the 5' end sequence belongs to the relevant gene.

The present invention also relates to vectors or plasmids which include such DNA sequences, as well as the use of the DNA sequences. The material deposited with the ATCC (e.g., as described in columns 2 and 3 of Table 1A, and/or as set forth in Table 1B, Table 6, or Table 7) is a mixture of cDNA clones derived from a variety of human tissue and cloned in either a plasmid vector or a phage vector, as described, for example, in Table 1A and Table 7. These deposits are referred to as "the deposits" herein. The tissues from which some of the clones were derived are listed in Table 7, and the vector in which the corresponding cDNA is contained is also indicated in Table 7. The deposited material includes cDNA clones corresponding to SEQ ID NO:X described,

for example, in Table 1A and/or Table 1B (ATCC Deposit No:Z). A clone which is isolatable from the ATCC Deposits by use of a sequence listed as SEQ ID NO:X, may include the entire coding region of a human gene or in other cases such clone may include a substantial portion of the coding region of a human gene. Furthermore, although the sequence listing may in some instances list only a portion of the DNA sequence in a clone included in the ATCC Deposits, it is well within the ability of one skilled in the art to sequence the DNA included in a clone contained in the ATCC Deposits by use of a sequence (or portion thereof) described in, for example Tables 1A and/or Table 1B or Table 2, by procedures hereinafter further described, and others apparent to those skilled in the art.

Also provided in Table 1A and Table 7 is the name of the vector which contains the cDNA clone. Each vector is routinely used in the art. The following additional information is provided for convenience.

Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286,636), pBluescript (pBS) (Short, J. M. et al., *Nucleic Acids Res. 16:*7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., *Nucleic Acids Res. 17:*9494 (1989)) and pBK (Alting-Mees, M. A. et al., *Strategies 5:*58-61 (1992)) are commercially available from Stratagene Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Phagemid pBS may be excised from the Lambda Zap and Uni-Zap XR vectors, and phagemid pBK may be excised from the Zap Express vector. Both phagemids may be transformed into *E. coli* strain XL-1 Blue, also available from Stratagene.

Vectors pSport1, pCMVSport 1.0, pCMVSport 2.0 and pCMVSport 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, also available from Life Technologies. See, for instance, Gruber, C. E., et al., *Focus 15:*59- (1993). Vector lafmid BA (Bento Soares, Columbia University, New York, NY) contains an ampicillin resistance gene and can be transformed into *E. coli* strain XL-1 Blue. Vector pCR®2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, available from Life Technologies. See, for instance, Clark, J. M., *Nuc. Acids Res. 16:*9677-9686 (1988) and Mead, D. *et al., Bio/Technology 9:* (1991).

The present invention also relates to the genes corresponding to SEQ ID NO:X, SEQ ID NO:Y, and/or the deposited clone (ATCC Deposit No:Z). The corresponding gene can be isolated in accordance with known methods using the sequence information disclosed herein. Such methods include preparing probes or primers from the disclosed sequence and identifying or amplifying the corresponding gene from appropriate sources of genomic material.

Also provided in the present invention are allelic variants, orthologs, and/or species homologs. Procedures known in the art can be used to obtain full-length genes, allelic variants, splice variants, full-length coding portions, orthologs, and/or species homologs of genes corresponding to SEQ ID NO:X or the complement thereof, polypeptides encoded by genes corresponding to SEQ ID NO:X or the complement thereof, and/or the cDNA contained in ATCC Deposit No:Z, using information from the sequences disclosed herein or the clones deposited with the ATCC. For example, allelic variants and/or species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a suitable nucleic acid source for allelic variants and/or the desired homologue.

The polypeptides of the invention can be prepared in any suitable manner. Such polypeptides include isolated naturally occurring polypeptides, recombinantly produced polypeptides, synthetically produced polypeptides, or polypeptides produced by a combination of these methods. Means for preparing such polypeptides are well understood in the art.

The polypeptides may be in the form of the secreted protein, including the mature form, or may be a part of a larger protein, such as a fusion protein (see below). It is often advantageous to include an additional amino acid sequence which contains secretory or leader sequences, pro-sequences, sequences which aid in purification, such as multiple histidine residues, or an additional sequence for stability during recombinant production.

The polypeptides of the present invention are preferably provided in an isolated form, and preferably are substantially purified. A recombinantly produced version of a polypeptide, including the secreted polypeptide, can be substantially purified using techniques described herein or otherwise known in the art, such as, for example, by the one-step method described in Smith and Johnson, Gene 67:31-40 (1988). Polypeptides of the invention also can be purified from natural, synthetic or recombinant sources using techniques described herein or otherwise known in the art, such as, for example, antibodies of the invention raised against the polypeptides of the present invention in methods which are well known in the art.

The present invention provides a polynucleotide comprising, or alternatively consisting of, the nucleic acid sequence of SEQ ID NO:X, and/or the cDNA sequence contained in ATCC Deposit No:Z. The present invention also provides a polypeptide comprising, or alternatively, consisting of, the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X or a complement thereof, a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z, and/or the polypeptide sequence encoded by a nucleotide sequence in SEQ ID NO:B as defined in column 6 of Table 1C. Polynucleotides encoding a polypeptide comprising, or alternatively consisting of the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X, a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z, and/or a polypeptide sequence encoded by a nucleotide sequence in SEQ ID NO:B as defined in column 6 of Table 1C are also encompassed by the invention. The present invention further encompasses a

polynucleotide comprising, or alternatively consisting of, the complement of the nucleic acid sequence of SEQ ID NO:X, a nucleic acid sequence encoding a polypeptide encoded by the complement of the nucleic acid sequence of SEQ ID NO:X, and/or the cDNA contained in ATCC Deposit No:Z.

Moreover, representative examples of polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the sequences delineated in Table 1C column 6, or any combination thereof. Additional, representative examples of polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the complementary strand(s) of the sequences delineated in Table 1C column 6, or any combination thereof. In further embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in Table 1C, column 6, and have a nucleic acid sequence which is different from that of the BAC fragment having the sequence disclosed in SEQ ID NO:B (see Table 1C, column 5). In additional embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in Table 1C, column 6, and have a nucleic acid sequence which is different from that published for the BAC clone identified as BAC ID NO:A (see Table 1C, column 4). In additional embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in Table 1C, column 6, and have a nucleic acid sequence which is different from that contained in the BAC clone identified as BAC ID NO:A (see Table 1C, column 4). Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides and polypeptides are also encompassed by the invention.

Further, representative examples of polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the sequences delineated in column 6 of Table 1C which correspond to the same Clone ID (see Table 1C, column 1), or any combination thereof. Additional, representative examples of polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the complementary strand(s) of the sequences delineated in column 6 of Table 1C which correspond to the same Clone ID (see Table 1C, column 1), or any combination thereof. In further embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in column 6 of Table 1C which correspond to the same Clone ID (see Table 1C, column 1) and have a nucleic acid sequence which is different from that of the BAC fragment having the sequence disclosed in SEQ ID NO:B (see Table 1C, column 5). In additional embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in column 6 of Table 1C which correspond to the same Clone ID (see Table 1C, column 1) and have

a nucleic acid sequence which is different from that published for the BAC clone identified as BAC ID NO:A (see Table 1C, column 4). In additional embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in column 6 of Table 1C which correspond to the same Clone ID (see Table 1C, column 1) and have a nucleic acid sequence which is different from that contained in the BAC clone identified as BAC ID NO:A (see Table 1C, column 4). Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides and polypeptides are also encompassed by the invention.

Further, representative examples of polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the sequences delineated in column 6 of Table 1C which correspond to the same contig sequence identifier SEQ ID NO:X (see Table 1C, column 2), or any combination thereof. Additional, representative examples of polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the complementary strand(s) of the sequences delineated in column 6 of Table 1C which correspond to the same contig sequence identifier SEQ ID NO:X (see Table 1C, column 2), or any combination thereof. In further embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in column 6 of Table 1C which correspond to the same contig sequence identifier SEQ ID NO:X (see Table 1C, column 2) and have a nucleic acid sequence which is different from that of the BAC fragment having the sequence disclosed in SEQ ID NO:B (see Table 1C, column 5). In additional embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in column 6 of Table 1C which correspond to the same contig sequence identifier SEQ ID NO:X (see Table 1C, column 2) and have a nucleic acid sequence which is different from that published for the BAC clone identified as BAC ID NO:A (see Table 1C, column 4). In additional embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in column 6 of Table 1C which correspond to the same contig sequence identifier SEQ ID NO:X (see Table 1C, column 2) and have a nucleic acid sequence which is different from that contained in the BAC clone identified as BAC ID NO:A (See Table 1C, column 4). Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides and polypeptides are also encompassed by the invention.

Moreover, representative examples of polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the sequences delineated in the same row of Table 1C column 6, or any combination thereof.

Additional, representative examples of polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the complementary strand(s) of the sequences delineated in the same row of Table 1C column 6, or any combination thereof. In preferred embodiments, the polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the complementary strand(s) of the sequences delineated in the same row of Table 1C column 6, wherein sequentially delineated sequences in the table (i.e. corresponding to those exons located closest to each other) are directly contiguous in a 5' to 3' orientation. In further embodiments, above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in the same row of Table 1C, column 6, and have a nucleic acid sequence which is different from that of the BAC fragment having the sequence disclosed in SEQ ID NO:B (see Table 1C, column 5). In additional embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in the same row of Table 1C, column 6, and have a nucleic acid sequence which is different from that published for the BAC clone identified as BAC ID NO:A (see Table 1C, column 4). In additional embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated in the same row of Table 1C, column 6, and have a nucleic acid sequence which is different from that contained in the BAC clone identified as BAC ID NO:A (see Table 1C, column 4). Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention.

In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the sequences delineated in column 6 of Table 1C, and the polynucleotide sequence of SEQ ID NO:X (e.g., as defined in Table 1C, column 2) or fragments or variants thereof. Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention.

In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the sequences delineated in column 6 of Table 1C which correspond to the same Clone ID (see Table 1C, column 1), and the polynucleotide sequence of SEQ ID NO:X (e.g., as defined in Table 1A, Table 1B, or Table 1C) or fragments or variants thereof. In preferred embodiments, the delineated sequence(s) and polynucleotide sequence of SEQ ID NO:X correspond to the same Clone ID. Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention.

In further specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more of the sequences delineated in the same row of column 6 of Table 1C, and the polynucleotide sequence

of SEQ ID NO:X (e.g., as defined in Table 1A, Table 1B, or Table 1C) or fragments or variants thereof. In preferred embodiments, the delineated sequence(s) and polynucleotide sequence of SEQ ID NO:X correspond to the same row of column 6 of Table 1C. Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention.

In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of a polynucleotide sequence in which the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1C and the 5' 10 polynucleotides of the sequence of SEQ ID NO:X are directly contiguous. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, a polynucleotide sequence in which the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1C and the 5' 10 polynucleotides of a fragment or variant of the sequence of SEQ ID NO:X are directly contiguous Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

In specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, a polynucleotide sequence in which the 3' 10 polynucleotides of the sequence of SEQ ID NO:X and the 5' 10 polynucleotides of the sequence of one of the sequences delineated in column 6 of Table 1C are directly contiguous. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

In specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, a polynucleotide sequence in which the 3' 10 polynucleotides of a fragment or variant

of the sequence of SEQ ID NO:X and the 5' 10 polynucleotides of the sequence of one of the sequences delineated in column 6 of Table 1C are directly contiguous. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides, are also encompassed by the invention.

In further specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, a polynucleotide sequence in which the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1C and the 5' 10 polynucleotides of another sequence in column 6 are directly contiguous. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

In specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, a polynucleotide sequence in which the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1C and the 5' 10 polynucleotides of another sequence in column 6 corresponding to the same Clone ID (see Table 1C, column 1) are directly contiguous. Nucleic acids which hybridize to the complement of these 20 lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

In specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, a polynucleotide sequence in which the 3' 10 polynucleotides of one sequence in column 6 corresponding to the same contig sequence identifer SEQ ID NO:X (see Table 1C, column 2) are directly contiguous. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention.

Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

In specific embodiments, polynucleotides of the invention comprise, or alternatively consist of a polynucleotide sequence in which the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1C and the 5' 10 polynucleotides of another sequence in column 6 corresponding to the same row are directly contiguous. In preferred embodiments, the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1C is directly contiguous with the 5' 10 polynucleotides of the next sequential exon delineated in Table 1C, column 6. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

Table 3

Many polynucleotide sequences, such as EST sequences, are publicly available and accessible through sequence databases and may have been publicly available prior to conception of the present invention. Preferably, such related polynucleotides are specifically excluded from the scope of the present invention. Accordingly, for each contig sequence (SEQ ID NO:X) listed in the fifth column of Table 1A and/or Table 1B, preferably excluded are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 and the final nucleotide minus 15 of SEQ ID NO:X, b is an integer of 15 to the final nucleotide of SEQ ID NO:X, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:X, and where b is greater than or equal to a + 14. More specifically, preferably excluded are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a and b are integers as defined in columns 4 and 5, respectively, of Table 3. In specific embodiments, the polynucleotides of the invention do not consist of at least one, two, three, four, five, ten, or more of the specific polynucleotide sequences referenced by the Genbank Accession No. as disclosed in column 6 of Table 3 (including for example, published sequence in connection with a particular BAC clone). In further embodiments, preferably excluded from the invention are the specific polynucleotide sequence(s) contained in the clones corresponding to at least one, two, three, four, five, ten, or more of the available material having the accession numbers identified in the sixth column of this Table (including for example, the actual sequence contained in an identified BAC clone). In no way is this listing

meant to encompass all of the sequences which may be excluded by the general formula, it is just a representative example. All references available through these accessions are hereby incorporated by reference in their entirety.

Table 3

cDNA Clone ID	SEQ ID NO: X	Contig ID:	EST Disclaimer Range of a	Range of b	Accession #'s
H2CBU83	11	884134	1 - 2689	15 - 2703	BE613316, BE739453, AW961199, AV658769, BE785673, AW963999, BF037119, BG030580, BF036149, BF699154, BF033837, BF697524, BF695458, BF036638, BF701778, BG030507, AW377122, BF665913, BF699078, AW377125, BF665294, AV658829, BF667082, BG166746, AW851261, BF241480, AW850925, AI978869, BF695890, AA845339, BF668201, BF699860, BF085620, AA405940, BE612726, BF666583, BF667787, BE739116, BF665805, AW752845, BF701466, AI800939, BG121547, AI620357, BF700054, AW851052, AI924880, AW752835, AI800807, BF697582, BF700919, BF667321, AI139396, BE958619, AV692286, AI955392, AW752844, BE042841, BF698625, BF244588, AW440250, BF698345, AW152584, AW955901, AI671911, AA535832, AW850982, AI935579, BE089877, AW752868, AI683119, BF130660, D61864, AW630835, AI621153, BF514638, BF697211, AW192136, AI286255, AA403153, D62117, AW028833, N78154, BF154792, BF665821, AI538061, N64201, AW851056, AW938593, BE093579, AW938596, AA928873, AV651183, BE817020, AV657915, AV657131, BF666276, AV660141, AI699025, AI016115, R66206, N45586, D61708, BE868472, AA403241, AV657914, AA313513, AV682813, H88565, AA531589, R58698, AA857811, H42631, AA307010, R67084, BF334107, AW971385, R68027, AW021104, AW296538, BG166828, AI887214, AW468968, R64487, H88521, BF697149, R94825, R68028, R92884, R65584, AA377208, AI050980, AA318641, D62093, BF813323, N78160, T73957, D61982, D62303, D62026, AI806100, AA095925, N56560, T73925, AA507092, BF750358, BE148612, BF750357, BE867141, T73948, N88292, T73916, BE044052, H95089, H73281, AV660091, AF257182.1, AF346711. 1.
H2MAC30	12	544957	1 - 445	15 - 459	AI089027, AA308141, AW504673, AI684832, AA225036, AI806235, AA480904, AW084470, BE246140, AI769587, AA480993, AA936449, AI743330, AW025616, R84772, AI244944, N58917, AI085514, AA504299, AI273353, AI762989, AA100979, AA857531, AW276652, AW952845, AW440624, AI277859, R74507, AW269427, AI221905, AW016095, H72021, AI150547, H65671, T89998, AI937672, H86848, R74517, R52128, BE243519, AA224988, AA588111, T89414, AA976027, Z39380, BE869329, R48449, R72429, AA229997, AA308518, BF183288, AA229612, AI694870, AV755614, AV755613, T24832, AA229703, AA620967, AA594460, AA480941, AA480883, BF059107, AA278692, AV691613, AI197824, H65670, AA480992, AA480966, AC003070. 1.
H6EDC19	13	543259	1 - 746	15 - 760	AI090153, AI767722, BG116691, AI797075, BF528376, AI698172, AI681570, BE671343, AI539236, AV704244, AI539246, BE264613, AA864681, AW204700, AI808925, BE676036, T79284, BF445461,

					AA400027, AI209219, AA300244, AA427390, AA302217, AA252421, AA406631, AI869251, BF969629, AI262951, AI498669, AA300243, AW072158, T79197, AA411721, AV682333, F34003, AI123608.
HACBD91	14	637482	1 - 1431	15 - 1445	AI123694, AA203656, AV707802, BF575227, N77966, AW956121, N71852, BF732312, AI338999, AA704675, AI742966, AA176725, AV744696, AI039168, AA329423, AA680411, F10345, T85994, AV682639, AA731436, AV735262, AV733694, AA505796, AW959998, BF793146, H79631, R00088, BF978632, BG034327, AV716953, AW955313, BG032189, AV717860, AV716893, BF244606, AV733654, BG030662, AI802907, AA528524, AA973692, AA658895, AV714250, AV718258, AV716004, BF029739, F26324, AW772717, BE909294, AA370595, AI392630, BF529817, AI914394, BE748127, AA975366, BF029799, AI126532, AA977864, R38577, AI093884, AW264528, AI351443, AA916014, AA359165, AA594324, AI682171, AA404535, BG034254, T75123, AI832970, AA973611, AI833308, AI814033, BE781781, BF035996, BF036344, AA888167, BE541776, BF109665, BE551387, AI268514, AV710503, AI709250, F33691, BF216659, F33502, BE467615, AV738506, BE503802, AV763934, BG110890, AV742881, AV710956, BF965198, BG033031, T90966, R02459, F32392, BF029956, BF690853, AV764373, BE738142, BF244383, AW772766, BF978393, BF030821, BE548289, N64163, BF576733, AW872492, BE218579, BE539011, BE042987, BF978138, BE217894, BF692527, AW419258, BF219313, BF244019, R02355, BF242775, AA340839, AW440167, F30529, BE748667, AA640120, BG179795, BF679132, BF382290, AI719390, R35603, BF240791, BF691038, AW009337, AA886535, BE738709, AI253328, AW268515, BF977850, H79632, AV764541, BF214426, BE184678, BE171856, BF382191, F12739, BF031722, BE564110, F21702, BF219100, F26311, F27624, F31646, F24066, F30253, F21442, BF030470, BF215493, AA365400, AV725369, BF243623, BF216495, F23622, R38445, Z20180, F23439, BF031636, AA340808, BF246303, F29361, BF212059, D19917, BF210763, AI720401, N58379, AA706899, BE737668, F37786, AC009289.8, BC000855.1, AF044957.1, AC008804. 6.
HAGAQ26	15	561996	1 - 1319	15 - 1333	BF111995, BF111899, AW051348, AI807015, AA349378, AA349433, H05458, T39468, T39511, F02812, T50009, T50073, Z43427, AI372659, BE843943, BE843903, AA860404, BG015163, BE938621, BE843892, AI372657, BE698483, BF092079, BE301746, BG015653, AA496848, AL045349, BE047833, BE965724, BE965432, BE875407, BE964497, AW059713, AL037454, BE964512, AL119836, BE967307, AI918408, BG180506, BE964876, BF924856, AI683559, AW151136, BG107576, BE965067, AW268261, AI691088, AI798271, AV689111, BG253692, BE011885, AI868163, AI918634, AW084097, BE875022, BE879931, AI340603, AV728806, AL036652, BF814335, AI370392, BE963838, AV725920, AW021717, AW089036, BE877142, BE964795, AI469516, AI805638, AI925404, AA291456, AL040694, AI285439, AA888196, BE966404, BE965758, BE965355, BE544111, BG180273, AI366968, AW022682, AV742698, AI560679, AI345608, BE967149, AI366959, AI473536, BG153056, BE964614, BE540578, AI349933, AI623736, AW020095, BF038804, BE908276, AV742475, AI345471, BE966787, AI343091, AI345677, BE966011, BE965621, AI340519, AW162189, BF814357, AW198144, AI446809, AV717295, AV716613,

					AV682144, AI366992, AA806719, AV682099, BE964661, AA789133, BE963918, BE904051, AW023338, AV738730, BE873776, BG027082, BF032404, BG164035, BE613727, BG032219, AI863357, BF965884, AL048323, BG153050, AI636719, AV756658, AW827289, AL048340, BE879905, BG109270, AW020693, AI686576, AW858254, BE964073, AI470293, AW827290, AW058233, AL038605, BG107625, AI702527, BG260037, AW834325, BE047952, BF793031, AA643235, AI418254, AI623905, AI538764, AI524654, AI249946, BE964006, AA848053, AV733819, AA635382, H42825, AI929108, BF924884, BG029053, BE974031, AI473451, AV711509, BG252714, AL048644, BF868927, AL040241, BE883591, BF968622, AW068845, AI624293, BF813196, AW022494, BF340323, AL046463, AW020288, AI521596, AW021373, AW162194, BF915316, BF925370, BF886214, AI923989, BE965481, AI868204, AI242736, BE891942, BE735380, BF909758, AA579232, BG166687, AV715354, BE964767, AV756247, AV758825, BF814449, AL038445, BE965121, AW163834, BF343521, AW084056, BG032169, BE904851, BF868811, BG104782, AI537677, BG122101, AI628325, AI590645, BE875402, AW083804, AI561299, BE908335, AW059828, BF753056, AI559863, AV726125, BF750879, AW265004, F26535, AI583032, BF811808, AI366974, AI355765, BF822127, AI609593, AI887775, AI858865, AI500061, BG121959, AA572758, BF699668, AI348897, BE778024, BF814504, AI345224, AI357599, AV681949, T99953, AI589428, BG113851, BG110517, AL530922, AF169301.1, AC091736.1, AL442082.1, AB049853.1, AL389935.1, BC007364.1, S78214.1, X99717.1, AL122121.1, AK027161.1, BC006195.1, BC001418.2, BC005858.1, AK000310.1, S77771.1, AL389939.1, AF090900.1, AF090934.1, BC003104.1, AK025092.1, AK024524.1, AB047897.1, BC007674.1, AB044547.1, AL136789.1, BC004874.1, AL122045.1, AK026506.1, AL389978.1, AL049464.1, AF067420.1, BC007355.1, M86826.1, AB063071.1, AL110196.1, BC001293.1, BC007998.1, BC006287.1, AL096751.1, AL133565.1, AF057300.1, AF057299.1, Y10080.1, BC008387.1, AK026518.1, AL133081.1, AL162006.1, U42031.1, AK027142.1, U51587.1, AF177336.1, AK000137.1, AL157479.1, AL137547.1, AL133093.1, AB063008.1, AK025431.1, AL390167.1, BC008673.1, BC000317.1, AB047869.1, AF205861.1, BC003650.1, AL133560.1, AK024538.1, BC000799.1, AK026480.1, AF218014.1, AL049382.1, AK027182.1, AK000421.1, AK000323.1, S76508.1, BC001774.1, AB051158.1, AB047615.1, AL137523.1, AL353957.1, U58996.2, AB055303.1, Z37987.1, AB060887.1, AK026452.1, BC008025.1, AL050170.1, BC003687.1, AK026395.1, AB060912.1, AL122111.1, AB060863.1, BC005160.1, AB056809.1, AB052191.1, Y14314.1, AK026927.1, AL096744.1, AL137658.1, AL137705.1, AL137292.1, BC000778.1, BC008185.1, S61953.1, AL137283.1, AF097996.1, AL049430.1, AL390154.1, BC006164.1, AL512718.1, AL049314.1, J05032.1, AL117583.1, AB063046.1, AF110640.1, BC001349.1, AF120268.1, AK000212.1, AK000083.1, BC006180.1, AK027164.1, AB047801.1, BC007534.1, BC000556.1, BC004905.1, AL110224.1, BC007021.1, AK026462.1, AL356278.8, AF162270.1, AL050277.1, BC008070.1, AL512684.1, AB047966.1, BC006408.1, AF225424.1, AK000655.1, AB060856.1, AK025573.1, BC001056.1, AB047631.1, BC005890.1, AL137273.1, BC004370.1, AF207829.1, BC002491.1,

					D83989.1, BC004943.1, AF239683.1, BC005007.1, AF111112.1, AL122049.1, BC009033.1, L19437.2, AK026086.1, AB060883.1, AK026045.1, AB056420.1, AF305835.1, AB060903.1, AK026434.1, AL133568.1, AL122118.1, AL050393.1, AL137476.1, AC023880.5, AL117435.1, AK026534.1, BC000348.1, BC005678.1, AJ001838.1, S78453.1, AL136767.1, X76228.1, M64349.1, BC005151.1, AB055370.1, AB060893.1, BC001963.1, AF159615.1, AK026603.1, AL512689.1, AL133075.1, BC007680.1, AL136754.1, AK025708.1, AL050146.1, AF217991.1, AL117440.1, BC007897.1, AL136766.1, AL117629.1, BC006133.1, AK000450.1, AK026592.1, AF003737.1, AL050024.1, X69819.1, AB049900.1, AK025958.1, AK025084.1, L30117.1, AL080074.1, AB048974.1, AB063084.1, BC002471.1, BC006411.1, AK025772.1, AF090896.1, AL137488.1, BC000066.1, AK026551.1, U77594.1, BC002777.1, AL353802.14, AF271350.1, BC000632.1, AK026533.1, BC009026.1, BC003683.1, AK027096.1, AK025414.1, AB050411.1, AK027104.1, AK026353.1, BC002541.1, BC004297.1, U39656.1, AK026522.1, AB050534.1, AL136644.1, BC006440.1, AK026885.1, AK026571.1, BC003682.1, AK025541.1, AL136843.1, BC004431.1, AF132730.1, AF219137.1, AL137574.1, AF090886.1, AL136893.1, AK024944.1, AK025015.1, AL050116. 1.
HAGBZ81	16	456414	1 - 1368	15 - 1382	AL532808, BF356940, T26989, F07451, T26988, BE089554, AV753931, AA176259, Z38391, AI652752, AU123074, AU132666, AV753734, BE876059, BF911695, AV755178, D61463, AI267311, AW387165, AW178928, AW374679, AW374832, BE089568, AW374731, BF700420, BF914304, BE173287, AW178920, AW751520, N83868, AW387129, BG170148, AW374762, AL120973, BE933886, AI915992, BE004012, AF224469.1, AF306765.1, AF184241.1, U03109.1, AF289489.1, S83325.1, AF224468. 1.
HAGDG59	17	534165	1 - 1720	15 - 1734	AV694248, BE895909, BE903848, BG027942, AV651246, BG109867, BF240140, BF217526, BF669125, BE779936, AV650099, BF971092, AW875350, AW956342, BF107182, BF697022, BG166672, BF030619, BE881774, BE548671, BF247518, AI888053, BF667451, BE872808, AI768748, BF792803, N37046, N23484, BE872350, BF239058, AW664126, BF107464, W88681, AW338066, AW952476, AW402833, BE971415, AW853145, BF968304, AI636324, N24759, BF665132, BF213364, AA830565, AV697089, AA167203, AW023148, AI815125, AI685119, H98763, BE465545, AW853521, AW405572, AA481430, AW604402, AA481434, AA223067, AA902413, AW578436, BG258700, AI954984, AA045833, AI567716, BE856103, AA577610, H42133, AA553538, AA470843, AW467047, AW169016, AI961753, H38614, AA835545, AI262411, AW192401, AI193508, AA576473, AV660930, AW262909, AA263040, BE927225, AA481670, BE782154, W88620, AA394254, BG261374, AA730743, AA653560, R80477, AV651327, BF572366, AW193089, BF904780, AW470979, BF904779, AW295546, AA045967, AA329460, H42134, AA213836, R23904, BE243520, BE693582, AI263974, AW293723, AA481674, H61494, BF674778, R23903, R80672, BF032805, R61171, N79745, BF382094, H38856, AA328661, BF902314, BF243422, R27506, BF894060, T72506, AW361405, H62468, W07107, AI468319, AA362581, R27793, AW853797, AW337877, AW075817, BF031795, BE866675, BF905580, T82403, R27885, AW339053, AA377009, BF791479, AI708354, AA485696,

					BF239244, AW051074, BE866177, AI497897, AA485827, AW273624, BF905573, BF205089, AW022407, AI678575, Z21560, BF238897, BF699925, BE926278, BF239919, AW836245, AF126780.1, BC008650.1, Z64479. 1.
HAGDS35	18	1352199	1 - 737	15 - 751	AI803504, AI261590, AW970422, AA430349, AI017015, AI217649, AI357214, AA425610, AW170513, N21542, AI805514, AA535732, AI922416, AI089295, AI807997, BE549761, BF434916, AI093989, AI537981, BE464016, AI128724, AA046439, AW970309, AA211360, AA974447, BE672109, BE466566, AI990335, AI655816, AI479968, AI926934, AI961572, AW970221, AW243397, AA534329, AW593487, AI283132, BF115098, AA256606, AA019380, BF061520, AA936249, AI446563, AA872374, AA011475, H25408, AI393572, AI203429, AI961183, BF735047, AW613954, AI216786, AI798452, H28374, C01415, AW016511, BE551700, AA730296, AI991488, BF476167, AA455164, AA516090, R46342, R43067, R35671, H39555, AA258077, AI950123, Z38679, AL535820, AW887425, AW958078, BE771685, AI382468, AA971129, AA090871, BF971621, AA455366.
HAIBO71	20	490848	1 - 738	15 - 752	AI767324, AW976385, AL121194, AA972628, AI095851, AA743343, BE566411, AF118928, AW366882, D20570, AC009802. 13.
HAJAF57	22	823516	1 - 2747	15 - 2761	AI670135, AI460009, AI375542, AI338350, AA362719, AA482775, AW963333, BE160727, AI282511, BF339636, AW022897, AV757341, AV731764, AW274925, BE504746, AI254779, AW408047, AW407578, AV734583, AV731604, AV731603, AU121168, AL121904.13, AP001711.1, Z85986.1, AC009267.15, AC011485.6, AL354928.9, AP000960.2, AL132768.15, AC007358.2, AC005058.1, AL049795.20, AC005245.1, AC034193.4, AC005971.5, AL034406.1, AC002310.1, AC018808.4, AC002299.1, AL354815.10, AL121897.32, AP001705.1, AC083863.2, AL158040.13, AC008770.6, AL121601.13, AL360080.21, AF053356.1, AL138725.19, AL139801.17, AC008736.6, AC010422.7, AL139009.14, AC020908.6, AF130342.1, AC006288.1, AC010494.4, AP001688.1, AF228703.1, AC005562. 1.
HAJAN23	23	1352364	1 - 2835	15 - 2849	BF337092, BF968693, AI949422, AL523556, BF798043, AV702522, AI423046, BE883392, BE786755, BG178390, BE408282, N31952, AA465612, AW195192, BE543143, AI564487, AV660395, BE543045, R88931, BE825704, AA658285, AW975104, AI740792, BE002027, BE928231, R89611, BG168885, BF331860, AW590726, AA641596, AA313322, BF358320, AW418507, AW842226, AI949987, AW615497, AW194161, BF222524, BF197303, BF755611, AI869038, AW243485, BF754745, AI367183, BE073382, AW013907, AF310971.1, AF301000.1, AB050049.1, AF261884.1, AC010279.4, AB050050.1, AK025591.1, AL079298.1, Z70695. 1.
HAJBR69	24	638516	1 - 741	15 - 755	BE262907, AW503376, AW503644, BF982382, BE079288, AW504239, AA701415, BF315343, BE277664, BF921555, BF736464, BF756620, BE720223, BE815902, AA490675, BE930704, AW971745, AW804686, AW392670, BE695785, AW861944, AW604723, AW877209, AL119483, U46351, AW858526, AW858525, AL042984, AL119497, AL119324, AL119319, AL119355, AW500561, U46349, AL134538, AL119457, BE705903, BE705906, AW577135, AW372827, AW384394, AW861889, AW858455, AW363220, U46350, Z99396, AL119484, AL119363, AL119391, U46347, U46341, AL119443, BF868687, AL119444, AL119341, BF868697, AW604726, AL119439,

					BF868684, BE705905, AL119522, AL119396, U46346, AL119335, AL134531, AL134533, AL037205, AL134920, AL134525, BE705904, AL119399, AL043029, AL119496, AL119418, AW861954, U46345, AL043011, AL042614, AL042975, AL043033, AL042544, AL042965, AL134542, AL042450, AL042542, AL043019, AL043003, AL119464, AL042551, AB028986.1, AB026436. 1.
HAMFE15	25	905695	1 - 4115	15 - 4129	AL530791, AL530792, AL529741, AL535065, AL535066, AU124538, AU133125, BG248951, BG170992, BF342607, BE791618, BE788808, BE889885, BE899228, BE266316, BF666992, AA604226, BE855814, AA858439, BF306389, AW965351, AI459262, AI949460, BE566846, AI920795, BF695661, AI628581, AI810626, AA213464, BF436958, AI765166, BF131526, AA446901, BE669483, BF105045, AA165298, AW300022, N48825, AA595754, BE218460, BF126313, AA165297, BE044264, AI686706, AW300346, BF760498, AI472286, AI804402, AA426331, AI278834, AW169453, AW239143, AA426332, H29503, AW602873, AA213575, BF376918, AV749783, AA075971, AA447021, AA074072, BE244841, AI002939, BE832901, AA598694, BE694349, AI471852, AI961851, AW136228, AI422999, AA707156, H29787, AV692260, AV692283, AV692263, BE243932, BE244952, BF330518, AV698872, AA333388, AV698900, AV691373, AV695584, AV694677, AV687965, AV696854, R13303, AA564851, AI762353, BF751566, BE244135, AV690233, AV696838, BE463584, T05291, BF878149, BE258595, N55929, AV698875, BF238880, AA348529, AV689303, T78749, BF736483, BE674953, N89249, N45617, D12186, AW961934, BF208387, AW418929, AW300980, AI522016, R91823, AW293669, W81348, AV649579, N95619, BE503239, AI739123, AK001704.1, AJ278150.1, AC004918.1, AL049792.11, AC010979.3, AC006396.1, AC005692. 1.
HAMGG68	26	731859	1 - 1444	15 - 1458	AW973341, AW974201, AL041477, AW471262, AV696883, AI799683, AI983869, AA579632, AI763280, AI962918, AW962479, AA919175, BE467860, AI694808, BE671481, BE670142, H97854, AA190313, AW608357, AV763623, AI656460, AI218288, AA057842, N39132, AA977897, AI907444, AI819548, AI698748, AI221889, AI300453, AA554290, BE327102, BF510243, AI366844, AI208651, AW341424, AW517375, AI092422, AI458704, AW770918, AA322568, H97652, AW058433, BG055320, T84069, AA587633, AI699024, BF881447, AW873347, AA397560, W46809, AI969771, AA807704, AA367835, R61770, AI819419, BF812696, BE882869, AL121039, AI702049, AA557945, AW148821, AA569220, AW118842, BF790866, AI567676, AW021674, AV683406, AI884404, BE875478, AW043803, AA935827, BG180320, BG059139, AI636422, AW265468, AW243817, AW162314, AW157128, AI439525, AI890283, AV743869, AW979200, AA805879, AW072963, AW162332, AI434103, H86399, AL134524, AA112864, AW576388, H47461, AW410844, AW192930, AL138262, AI445699, AI572680, BE049409, AV758849, AW029626, AW675677, AW575808, AU146789, BF725436, AI828721, BE045167, AW995605, AI860423, BG250794, AI888050, AI064968, BE065048, AV756809, AI547110, AV759204, AA084320, AA280886, AI028148, BF882222, AW662484, AA021061, AA349923, AW473160, AI732690, AW152451, BG059924, AA330549, AW328185, AW839858, AA604601, AW338376, AA171400, AW970856, BE747923, BF882223, AA218684, AI889177, AA661583, AW510403, AI150934, AI312614, BF901147, AI754926, AI620666,

					AI254267, AW275432, AW151848, AA101744, AI114494, AE006639.1, AL031009.1, AB037847.1, AL138724.12, AC016772.8, AL035455.30, AC002430.1, AC007384.3, AC004765.2, AL121594.6, AC005330.2, AC005399.19, AL121601.13, AP000952.2, AL139316.5, AC011467.7, AP001670.1, AL161747.5, AC006039.2, AP001872.3, AC024563.4, AL354751.7, AC006329.5, AC066597.4, AC008008.2, AL138756.23, AL024498.12, AE000658.1, AC005003.2, AC011510.7, AC005519.3, AL050318.13, AL160471.5, AC009506.5, AL138729.11, AC005000.2, AP000349.1, AC068533.7, AK000471.1, AC010328.4, AC007050.25, AC004400.2, AL121928.13, AC027124.4, AC004067.1, AC019205.4, AC010724.6, Z73979.1, AK027858.1, AL118520.26, AL035684.25, AC008736.6, AL139113.21, AL035420.15, AL590762.1, AC010976.5, AC005833.1, AP000503.1, AL354696.11, AC005253.1, AL445184.11, AL109952.15, AC005837.1, L78833.1, AC011485.6, AC008622.5, AL033519.42, AF134726.1, AC027689.10, AC018904.6, AC007011.1, AC004890.2, AC011247.10, AC007620.30, AC006137.2, AC005696.1, AC007736.3, AC002070.1, AC022432.4, AL137800.12, AL354808.24, AC010319.7, AC008891.7, AC005913.2, AC008264.10, AP000257.1, AC004883.2, AL355543.13, AC003041.1, AL122020.5, AB028893.1, AC011295.3, L44140.1, AL021391.2, AC006449.19, AC005994.2, AC004383.1, AC003043.1, AC015982.9, AL031281.6, AC010742.4, AC002350.1, AC008795.6, AC083884.6, AL034420.16, AC010271.6, AL512310.3, AC006241.1, AP000098.1, AP001745.1, AL161757.4, AC020956.6, BC004943.1, AC006145.2, AC011464.5, AC004975.2, AC006385.3, AC009330.5, AJ009616.3, AC007240.2, AL121652.2, AL022315.1, AC011480.3, AL109935.39, AC008655.6, AC012354.8, AC002400.1, AC010553.6, AC034235.4, AC004166.12, AB025285.1, AL133448.4, AC025438.5, AC091118.2, AC020916.7, AL136228.8, AC018711.4, AC005209.1, AC008649.6, AL008582.11, AL356747.18, AC007151.2, AL121924.13, AC084865.2, AC044797.5, AC005553.1, AC007421.12, AC010326.6, AC011450.4, AC012627.4, AJ009612.5, AL031575.1, AL133174.15, AP000356.1, AC005822.1, AC008440.8, AL359914.14, AC013562.6, AL109797.18, Z93928.1, AP001681.1, AC005031.1, AL590628.6, Z82206.1, AL137792.11, AL121890.34, AC018636.4, AC005182.2, AC024589.4, Z73900.1, AC002477.1, AC008952.6, AL031286.1, AC008897.7, AJ011930.1, AP001350.4, AL163300.2, AF317635.1, AL352978.6, AC004634.1, AC090942.1, AC005365.1, AP001621.1, AE006463.1, AL031311.1, AL451075.15, AC051619.7, AC004051.1, AC006064.9, AL031670.6, AC005585.1, AC003999.1, AC007318.4, AC007272.3, AC073866.16, AC011731.8, AC069543.4, AC006345.4, Z95703.2, AL022721.1, AC068993.14, AJ295844.1, AC067722.21, AC006038.2, AL049778.3, AL355517.12, AC008857.5, AL354829.8, AC072052.6, U18270.1, AF205588.1, AC011477.5, AF023268.1, AC002351.1, AC008764.7, AF207550.1, AL445263.6, AL161901.18, AC020934.7, AC004922.2, AL079342.17, AL031847.17, AC003098.1, AL121881.35, AC005726.1, AL136313.27, AP001712.1, AL080317.11, AL035705.22, AC010725.5, AC009412.6, AC004814.2, AL049759.10, AC020904.6, AC090514.1, AL096865.28, AC079907.25, AP000684.4,

					AC016026.13, AL138759.20, AL033529.25, AC011475.6, AL034395.6, U80017.1, AF287262.1, AC008123.9, AC084356.22, AC022407.6, T50763, R53008, AA054732.
HAMGR28	27	892971	1 - 1660	15 - 1674	AL519641, AL519640, AL525613, AL526308, AL527643, AL530324, AL525663, AL525671, AL530325, AL515833, AL515832, BF313053, AL527577, BF529163, BE312001, BF984557, BF530620, BE396752, BE304484, BF983145, BE560368, BF316599, BG114646, BE269376, BF313413, BE298748, BE440179, AW953553, BF307907, AW978612, BE617303, AA845426, AI830874, AI983227, AW956917, AW410199, AW628335, BE464326, AA530876, AW452186, BE139083, AI829507, AI356849, W69111, AW084551, AA406233, AI589504, AI970964, AI420766, AI701901, AI130010, AI288363, BF571959, AI683363, BE019516, BE206283, AW272707, N23238, AA593625, AI000296, AA406505, AW593667, AI933020, AI337797, BF691989, AI139514, BF062876, W35301, AI418519, AV759081, AW514035, AW004995, AW591716, F28754, AA815275, AI347528, AI624104, AA574436, AI817434, AI025110, T08849, AL527576, AI079740, AA962799, AA707405, BF445536, F37186, AW207522, AW591663, AW263070, AW510310, AW264517, AA028008, T33149, AA723895, W69236, R40168, T23442, H88132, H78378, AW514039, D12424, W23701, F34521, Z43089, BE646197, AI475064, AA653748, AA312858, AW959275, AW410198, AI932423, AA121114, AA121036, AA295884, AA356831, AI310743, BF513002, AA381766, Z39180, R12971, AW379122, AI768799, BE877018, AI560685, AA338084, AI810799, AW861944, AW750703, F24446, AW972092, AW858525, AW877209, AW968355, AW968356, AW972093, AW968729, AW971740, AW972091, AI431351, AW972090, AW969229, AW858455, AW804686, AL119324, AI432644, AI623302, AW604723, AW858526, AI432647, AI432653, AW081103, AI432661, AI492519, BE672748, BC007438.1, AC004150.8, AF064854.1, AB026436. 1.
HAPOM49	28	769555	1 - 1991	15 - 2005	AL520731, AL520732, BE271092, BE271295, BF111901, AV650049, BF686278, BE840511, BF111645, AI809801, AW168904, AI809806, AW103024, AA933973, AI744944, AI588991, AI033486, AI096548, AA662523, AW468813, AI950317, AI279302, AI096696, BF239172, AW662564, AA417671, AI189300, AI753808, AA235373, AW960081, AI095057, W86920, AW189373, AI361321, BF061913, AI366754, AI218487, AI824959, AI348339, AI032926, AV659024, AA889791, BE243641, AA626261, AI338100, AA417558, W24077, AW974720, N72014, AA894657, N59290, R01247, AA235784, BE929365, BE929364, BE244396, AI275184, AI810247, W24089, R36924, AA356938, N91904, AA508411, AA649828, N91912, N99466, Z24931, H68902, BE782571, BF840140, AC004067.1, AF332892.1, AF306567. 1.
HAPPW30	29	1352278	1 - 1458	15 - 1472	BF568560, BF309463, BF568858, BF968457, BE729680, BG121453, BE044480, AW958703, AW957664, AW341517, AA868588, AA479992, AA758865, AA305964, AI276502, AV696016, AA846842, BF963424, AW510684, AI183515, N41325, BF674083, AW273135, AA954695, AI685296, H57026, AA969117, AI147710, N95033, AA962530, AV650263, AA758255, BF929642, BF798962, AI337591, AA150989, AI675402, AA775255, AI167695, AI798973, AW172620, AI359078, AI688288, AI151098, BE931071, AI911606, AW469667, AA383301, H83172, AW749394, AW603134, AI188832, AI078598, H58146, AA446238, AA310796, AA724109, AA864698, AI240610, BF033606, BF854704,

					AA953573, AA421572, H41807, W15373, H48433, H46522, AI739312, AW956749, BF951265, AA977855, AA757910, H87382, AI216014, AA877407, AA098821, BE168746, BE208218, W38885, H46521, R11443, R19191, H82944, C04986, AI479980, H56935, W72627, AI216655, AA975974, R99133, AA922234, AA339733, AA375160, BF352033, AW183259, AA421590, AI459843, BE930311, BE930299, T61945, AI216656, AI902298, H70309, AI902295, AI191499, T71506, AW844824, AA383302, N57057, BF800855, AA150942, AA568552, T62175, R94393.
HATBR65	30	635514	1 - 798	15 - 812	AW754098, AV747079, AW964560, BF827304, AI697254, AA826321, AA663880, BF924786, AA772037, AV725414, AA826164, AA663006, AA826322, BE062047, AA835931, AA319870, R95053, AV760830, BF918713, BF959165, AI053538, BF930635, BE828744, AA078591, AF139781, AA491430, AA078183, AW393403, W74390, AW578861, AW393400, AA320812, BF840307, AA078213, AW752269, BF757569, AA077448, BG004304, AW793003, AA047825, AA001509, AA076683, AW857010, BE183669, BE183617, BE699552, AV720211, AW973541, BE932909, AI254770, AI284543, AI251203, AI249853, AV743864, AI251284, AW276678, AW966385, BF952670, BE707812, AI251034, AI250552, AW970571, AW869794, BE139139, AA609826, AW303098, AA552586, BF952311, AV719632, AV718487, AW905386, BE138387, AV720104, BF952747, AA015737, AW975623, BF129140, AA076784, AA604865, BG222875, AV720729, AA504818, AW905269, AV754716, AW969831, AA501867, BE042006, BF589824, W72324, BF691892, AI954192, AA610381, AA503018, AA747757, H04977, AA904211, AI912401, AI279417, BE968744, AC004084.1, AF030453.1, AC005088.2, AC004951.5, AC018720.5, AC007078.3, AC004980.4, AC007000.2, AC006480.3, AC004878.2, AC006014.2, AC007003.4, AC005488.2, AC005098.2, AC004867.5, AC004166.12, AK021477.1, AC005071.2, AC005236.4, AP000350.1, Z95115.1, AC073462.8, AC007792.1, X51956.1, Z95331.2, AC022382.3, AC087071.2, AC005291.1, AL035495.13, AL162424.20, AC002107.1, AC002106.1, Z98884.11, AF168787.1, AL157791.4, Z82215.1, AF172081.1, AC008116.8, AL008729.1, AC018809.4, AC079141.7, AC011811.42, AC006111.3, AC020558.4, AC007766.1, AL162426.20, AL139317.5, AL390838.26, AL031005.1, AL161779.32, AC004477.1, AC008392.6, AL162615.13, AC009509.7, AC003690.1, U95740.1, AL034372.33, AF196970.1, AF253417.1, AC000062.1, AL109825.23, AC024028.10, AL034553.12, AC003030.1, AL591398.2, AC005899.1, AL034400.2, AC073492.18, AC011473.4, AC005772.1, AL139316.5, AC006487.8, AC011472.7, AP001929.4, AP000963.2, AC072061.8, Z98051.6, AC005327.1, AC007225.2, AL109804.41, AC006057.5, AP001711.1, AL136984.20, AC009506.5, AL139100.9, AC008397.7, AC007199.1, AL137162.25, AF190464.1, AC009247.12, AC025430.5, AC005261.1, AC006357.5, AC005325.1, AL121880.21, AC008395.6, AP000314.1, AL353715.21, AC025166.7, AL049779.6, AL355336.15, AC011479.6, AC011495.6, AL359644.10, AC020904.6, AC004706.1, Z98044.13, AL049874.3, AC007201.1, AL161757.4, AC007130.2, AL139415.10, AC022384.4, AC008738.6, Z95114.19, AC090841.1, AC005378.2, AC022001.3, AL031848.11, AC018494.6, AL445435.11, AC002128.1, AC018811.4, AC007685.2, AL121601.13,

					AC004805.1, AL353777.18, AL359397.3, AC078818.19, AC007679.4, AP001781.4, AP000563.1, AP000194.1, AC007956.5, AC020633.3, AL021155.1, AC009131.6, AL359236.4, AL391839.9, AL391259.15, AL096701.14, AC008079.23, AC039056.7, AC005256.2, AL353812.13, AC004263.1, AL023553.5, AC008551.5, AC005932.1, AC079602.15, AP000133.1, AP000211.1, AJ011930.1, AL356354.10, AL163300.2, AC007066.4, AC006441.13, AC005586.2, AD000684.1, AC000134.14, AL021878.1, AC002369.1, AL032821.2, AC009510.9, AL096791.12, AC009161.12, Z82208.1, AC008641.6, AC005056.2, AL049869.6, AC023105.7, AL355312.24, AP001718.1, AL136179.15, AL078461.38, AF279660.2, AC004873.3, AC010205.5, AL353692.14, AC013726.7, AP000497.1, AC010530.7, AL133320.8, AD000864.1, Z82214.23, AL356805.5, AP000471.2, AB045360.1, AF001552.1, AL359382.23, AL450465.12, AL354815.10, AC005933.1, AL121754.18, AC018695.6, AC010618.7, AF186190.3, AE006467.1, AC002126.1, AL035681.13, AL354866.10, AC009238.4, AC007240.2, AC020946.4, AC013467.8, AC011449.6, AC004522.1, AC020945.6, AC010605.4, AL035086.12, AL049843.18, AC005231.2, AL136228.8, AL033526.24, AP002456.3, AC008080.1, AF181668.1, AC005800.1, AC011455.6, AC013355. 7.
HATCB92	31	603948	1 - 1742	15 - 1756	AI253043, AA621792, N84222, AA094505, AL522648, AC009244.24, AK025372.1, BC008349.1, AB020635. 1.
HATEE46	32	565618	1 - 1661	15 - 1675	BE739761, BE867642, BG252738, BF670373, AI590088, AA452296, AW188012, AI467834, BF110214, AI698059, BE535889, BE220673, AI076779, BG170578, AW304047, AI653610, AW070709, AA015580, BE300577, AA705209, AI458930, AW173124, BG149183, AI037932, BF671524, AI597851, BE671575, AI310753, AI051897, AI128681, BF447913, AW295982, BF433016, AI300950, AI140885, AW473730, BF448227, N35880, AW770729, BF108371, R72042, AW302140, AA479329, AW023183, AA040787, AI494017, H98707, AI453020, AI932397, AA041222, AI038152, AA478593, AI459059, AA151356, AI168123, AI160559, AI125997, AI702632, AI073784, H97885, AV746537, AI433746, AI348429, AI025926, AW178814, AA035147, AI917957, N26242, AI189919, AI298395, AA225891, AI383747, AW085003, BF431762, AW079138, AI214632, H57061, N27692, W20186, AI537044, AI796916, AA661665, AI290329, AI383748, T39342, H99889, AA045544, BF433765, AI948963, AI143362, BE044374, AA767678, N36000, AI203768, H88073, AA311260, N91032, AW794932, N27062, AI382971, R19439, AI037915, AA829174, N24274, N50690, AI702532, AI192385, AW166934, AI979183, AA664910, AA056938, R20449, N92329, AI625107, N43958, AW193300, AA095102, AW888582, AI160547, AA515467, N36021, N28575, N50773, BE536609, AA054589, BF694768, N73785, BE814490, AW606976, BF942077, N99407, AA151355, BF942458, AW663523, BE046513, AA897347, AI829594, BF130347, BE814323, BF089510, BE738984, AL133574.1, AL117450.1, AK027342. 1.
HAUAI83	33	639009	1 - 896	15 - 910	BE439675, BF984328, BF978147, AW955502, BF337207, BE272543, AV757236, BE903592, BF212880, AW405217, BE743902, AI991315, AV701663, BE270100, BF681301, BG178791, BE222645, BG167626, BF132414, AW069149, BF238307, AV736544, BG255905, BF698492,

					BF130460, BF102497, AV745093, BE543668, AI493727, BE254068, AA934591, N24442, AI147316, BF680700, AV705947, BE734398, BG231583, BE256074, AV754408, AW014782, AI198642, BE646408, AA889969, AI709288, AW135010, AA877730, AI720901, AA496681, AA995328, AI032868, AW579254, AI186312, AI969715, AI660672, N23673, AA420567, AA427691, AI188938, AA471213, BG117664, BF102532, AI191317, AI332586, AI219152, AW000829, AI470155, AA843102, AI125390, BE312355, AW182893, AI141484, H93124, AW000718, AI268069, AA815421, AA708211, AA129884, AI023128, AI147588, AV724436, AA159902, AI129253, AA290635, AV706639, AI127280, N58266, AA315771, AI673417, AI587141, AI186000, AI142324, AI128437, AA723220, AI335350, BF687940, AA552070, AI087415, AA995933, AW300769, AA862543, AW008043, R68241, BE349483, AI241459, AI355685, AW304225, AW083014, AI277068, AI038096, AI160884, AA774420, BE407927, AA810159, W37128, W04866, AI828898, AI093015, AA732834, AV707544, AI934627, AA026633, W01678, H84951, AI279658, BF665006, AA419151, AA844949, AI096712, N71609, AV735174, N69652, AA159798, AI969153, AV729015, AA149944, N95063, AI798245, AV736793, AA771923, H20023, R99610, H50207, AA653091, N70496, AW104010, H40779, N33986, D55334, AV743438, AW130386, BF977248, AI125700, BE091971, AA572869, W00449, AI744165, AA157561, AA531221, AI275921, AA969778, H95780, N92248, AI159958, N38815, H20143, AI680770, AA305332, N77862, AV738026, N72206, AA037790, AI752109, AV743648, AA937128, AA962124, AA478395, AV741494, AV740102, H19070, R71518, H18782, R94908, BE621803, R77435, H99652, AA694460, AA641831, H21165, AW511932, AI184349, W38900, AA844297, H46188, W58208, W40195, R71470, N94261, T31343, BE620993, R70469, BE909620, N25251, AI752110, AV741554, AA165011, AA037789, H01343, AA643896, R77524, H23656, R70556, T30654, W37143, AA326924, C01763, R91937, W32075, H60231, R92265, H69010, H67121, H71491, H18688, R09629, H38970, H27857, AA558120, R94992, R09517, H75393, R99715, H23612, AA326929, AA026672, BF436567, H01135, N54428, AA186949, T32463, H59520, AA339137, H39170, AI709334, R86746, N33887, R68534, AA305400, N58289, AI351248, AA410643, AC010422.7, AF151898.1, AF059620.1, BC001192.1, T52716, T61025, T61577, R26656, R79694, H03303, H03402, H18972, H22368, R87112, H60187, H60393, H81427, H84495, N71651, W31583, AA164972, AA188345, AA419096.
HBAMB15	34	671835	1 - 807	15 - 821	W27833, AI860764, AA809619, BF432929, AA768248, AI370876, AV748724, AI291737, H96013, AW051697, AI633038, AI784315, BE546233, BF980899, BF977483, AL138479.4, AL132855.4, AL121755. 23.
HBGBA69	35	1352289	1 - 967	15 - 981	AL520900, AL520550, AL520551, AL521649, BG029889, AV704088, AW372721, BE264987, BE906201, AL037829, BE782595, AA779652, BF724791, AW372704, AL037830, BG104612, AA722880, N21569, AA478642, AA447813, BE349318, BG254734, AI168324, BE047392, AW131642, AI590628, AA410845, AL520901, AI829611, AA447814, AI359892, AI142945, AA252189, AA974206, AI142943, AI190425, BF508776, BE350039, D59872, AI446645, AI335769, AI268764, AI077663, AA776515, AI806892, AI085888, AW083118, AA554318, AI439022, AI373036, AA302641, W73952, N42730, AV683614, AA594115, AA936827, AI249488, AI917956, R66420, AW511599, AW151261,

					AA861454, AA235619, W77995, W73457, BG164250, W73178, D59873, BE907089, AA678939, BF767379, AA447665, AI050013, H43132, AI367631, AI433148, AI693776, AA156886, BF872750, AI868651, W93317, H42365, AW960535, AA383684, AA843578, AI215882, C21518, AA479185, F21903, AI274524, AI015576, AA421010, AA766077, AA625709, AA535245, AA303411, AW265759, AA339998, AA356903, AA325207, AL044300, AW372719, AA927039, AA401731, AA336082, AA811142, AA433985, AA742390, AA603705, H84185, AA157195, AI910669, AW273621, BG170969, AA916824, AI057210, AI028476, AI582763, AI440289, AA496243, AI721078, AA634528, AI682063, AA621271, AA827896, AA776421, AI051711, AW303838, AI636557, AL044011, AA961201, AA815460, R06079, AI076520, AA773592, BF736165, AA768150, AW170714, BE171275, T24558, AI222486, AL521648.
HBIAE26	36	514418	1 - 1024	15 - 1038	AW237905, AI635440, AL079734, AV729929, H73550, AI669421, BE092488, AC004076.1, AY030284.1, AL139353.3, AC008569.6, AC011479.6, AL031659.9, AC083865.2, AL353807.18, AE006464.1, AL136979.16, AL163032.3, AC019097.5, AC015651.18, Z93023.1, AC011484.4, AC013449.8, AC005015.2, AC006120.1, AC084865.2, AC022116.5, AL512449.6, AL109797.18, AC005736.1, AC006008.2, AL022336.1, AC006329.5, AC002302.1, AL357515.26, AL035669.43, AF288742.1, AC005522.2, AC005840.2, AC021016.4, AC078962.30, AP002851.2, AL138787.11, AP001695.1, AL160269.14, AC005512.1, AL034420.16, AL354932.26, AC005088.2, AC011500.7, AC008666.5, AC010404.5, AC000353.27, AC011469.6, AL139384.16, U91321.1, AC005355.1, AL024498.12, AC008755.6, AC020552.4, AC008641.6, AL356970.21, Z97876.1, AC005046.3, AL022326.1, AC007388.3, AL451075.15, AL390374.16, AC026431.3, AC011497.6, AC009120.8, AC010267.6, AL158207.15, AL590762.1, AL137229.4, AL135978.4, AL133454.6, AC008901.5, AC008752.6, AC002045.1, AC006211.1, AP002982.2, AC002301.1, AC004106.1, AC004089.25, AP001752.1, AL138733.15, AC006449.19, AL121992.24, AC015550.18, AL035420.15, AC067941.7, AC004900.2, AC008786.6, AL109743.4, AL121578.1, AC018639.8, AP002812.3, AL033383.26, AC010913.9, AC024561.4, AC010618.7, AC020916.7, AL157877.11, AC018758.2, AL035071.17, AC002470.17, AC004922.2, AL035422.12, AC006597.2, AC011236.8, AC006480.3, AC007597.3, AL357315.14, AC000360.35, AL353135.32, AC022217.5, AC005531.1, AC008946.6, AC008264.10, AL049539.21, AC008655.6, AL138784.30, AC006538.1, AF129075.2, AL356257.14, AL034417.14, AC008440.8, AC005920.1, AC009131.6, AL121826.11, AC005480.3, AC083871.2, AL139385.12, AC007683.5, AC011452.6, AC008155.9, AP000555.1, AC009470.4, AC005077.5, AF064861.1, AL139809.16, AB003151.1, AL136105.9, AL049776.3, AC008745.6, AL031774. 1.
HBINS58	37	1352386	1 - 829	15 - 843	AI827239, AW104045, AL536345, AL096774. 9.
HBJNC59	38	1125802	1 - 1047	15 - 1061	AW007501, AA902287, AI858092, AI005351, AW959933, BF342564, AW083940, BF820646, AI870864, AW960414, AI032697, AW149115, AA829811, AA709070, AW264612, AA643392, AI951841, AA614344, AI312642, AA533443, BF850030, AI799536, AA991955, BG222284, AI830766,

					AA594172, AI289881, AI741805, AI276207, AW088660, AW268666, AI749660, AI369678, AI264768, AA625243, AI816740, AI190367, AI510691, AW168615, AI817506, AI792359, AV695532, AI291890, AW089929, AI268176, AA617718, AI609047, AI913963, F34379, AA985480, AI282722, AI394498, AA864826, AW050814, AW800132, AI494152, AI868440, AW800119, AA991995, AA937062, AW129114, AA877343, AW594090, AI335628, AA335122, AA737786, AI708280, AA642608, AA318733, AI245599, AW054951, AA603928, BF877450, AI074177, AA936631, AA569858, AW080143, AI768186, AA995511, AA317892, AI718073, AI915027, AI963480, BF820659, BF913950, AA318753, AA345519, AW796949, AW800259, AV714865, BF755228, AI291076, AA335136, AI340221, W87494, AW083985, AI739187, AI830861, AI351218, AI266613, AA779248, T53694, AA335121, AI950591, AA746624, R23643, BE826140, AA804997, AA740560, AI749854, AW148663, BE773353, AA961830, BF810637, BF810673, BF813070, BF812010, BF813049, R35066, BF945171, BF813054, BF813079, AW168417, BF810677, AI299182, BF813063, AA878942, BF810666, BF810872, AA983420, BF813082, AA367958, BF810669, BF810657, BF811989, BF810652, BF813065, T53693, BF813069, BF813073, BF813052, BF812005, BF813066, BF810672, BF813053, BE826066, BF094201, BF813085, AA804991, BF812479, BF811996, BF812002, BG151300, AI198965, BF813100, AI913330, BE826068, BF849490, BF812030, BF812029, AA862333, AA632062, BE965724, AW084151, BE900751, BF815930, AI570169, AI281867, AI345416, AI345612, AI345415, BE891834, AV756343, BF911517, BF339322, AI950664, AI335426, AI348777, BG166654, AV746955, AI554821, AA464646, BF904192, AI690813, AW083572, AI249946, BF840692, BE967104, AL045421, AI890907, AW193467, AI277325, BF025791, BF812936, AW263569, H89138, AL514763, AA641818, AV709679, AI491916, AW005612, AV682150, AI633125, AV746964, BG104819, AW827289, AI538850, AL046942, AI185535, BF812963, BE906419, AW827227, AI955906, BE895585, AW162194, AL048644, BE295833, AI114703, AI817244, BG029829, AL134712, BF885082, AW020419, AL039086, AI636619, AW168503, AA761557, AV744136, AI866469, BG032036, BF792099, AL515375, AL514829, AI568060, AI540606, AA830839, AI678446, AI823719, T99953, AI567582, BF792961, BF872670, AL038564, BE892296, AW105601, BF911528, AF135157.1, AF260332.1, BC008983.1, AL137461.1, AB052176.1, AL049452.1, AF217966.1, BC008078.1, X53587.1, AK024538.1, BC007375.1, AK000647.1, AL122106.1, BC007198.1, AL136850.1, AL136844.1, AF111847.1, AL389935.1, AF348209.1, AL353625.5, AK027081.1, BC008280.1, AK026556.1, BC001655.1, BC006133.1, AL137548.1, AF205073.1, AL157431.1, AL050170.1, AF230496.1, BC000550.1, AF132730.1, AF061573.2, AL080074.1, AF218031.1, BC001785.1, AF242525.1, AK024570.1, AK026408.1, BC004899.1, AK025208.1, AF183393.1, AB050431.1, BC002466.1, AF058921.1, AL583915.1, AL133010.1, AF026816.2, BC004222.1, AK025339.1, BC004362.1, AL136768.1, AF162270.1, BC004905.1, AL137476.1, BC003569.1, AL122110.1, AL133014.1, S78453.1, AB048888.1, AL162003.1, BC002519.1, AL389957.1, AF106697.1, BC004908.1, AL137539.1, BC005151.1, AF218005.1, BC002631.1, S76508.1, AB055290.1, AK026593.1, AL136799.1, BC003687.1, AB063088.1, AK026526.1, BC009294.1, AL137537.1, BC006164.1,

					AL137530.1, BC003610.1, Z82022.1, BC008485.1, BC007767.1, AL136754.1, S77771.1, BC002491.1, AF239683.1, AK024524.1, BC003052.1, AF003737.1, AK026522.1, AB060837.1, AF094480.1, BC008417.1, BC008751.1, AL133049.1, BC002733.1, AK026532.1, BC008365.1, AK026542.1, AF169154.1, BC003410.1, AL136928.1, BC001236.1, AF073483.1, BC001328.1, BC006480.1, AK026947.1, BC007641.1, AL122098.1, AL133016.1, AL353940.1, AB063077.1, AB047904.1, AK024622.1, BC003695.1, AY034001.1, BC005678.1, AL133637.1, AL359624.1, AF353396.1, BC008070.1, AB062942.1, AB050410.1, AL133640.1, AL080154.1, AB063074.1, BC006410.1, AB060916.1, AK025632.1, AL137558.1, BC007534.1, AL122118.1, AL389982.1, AJ012755.1, AF022813.1, BC009033.1, X76228.1, AL512754.1, AK026626.1, L30117.1, AB050533.1, AB048954.1, AL137538.1, AK027164.1, AB049880.1, AB060839.1, AL359601.1, AL136864.1, AL136787.1, AF285167.1, AL137665.1, BC004943.1, BC001418.2, Y14040.1, AL359583.1, AB047930.1, AK025798.1, AB060903.1, AK026038.1, AK025484.1, BC004944.1, AL080148.1, AL137641.1, BC001470.1, AB049848.1, AF078844.1, BC002457.1, AF358829.1, AF245044.1, AL136845.1, AB063070.1, BC002798.1, AK027113.1, AB060873.1, AF143723.1, AF218006.1, AF114818.1, AB060929.1, AK027204.1, BC001963.1, BC005160.1, AB063079.1, BC009253.1, AL137256.1, AK026924.1, AJ010277.1, AF321617.1, AK027114.1, AK027136.1, AL050138.1, AC002467.1, AF271350.1, AL357195.1, AL080110.1, AJ242859.1, BC004395.1, BC008717.1, AL117460.1, AK027160.1, AK026855.1, AB055303.1, AB060887.1, AF090900.1, S69510.1, AK000206.1, BC000556.1, AF308800.1, U91329.1, BC004950.1, AK000247.1, BC009284.1, AB060897.1, BC004370.1, BC006103.1, AF151109.1, BC004951.1, AL050172.1, AF305835.1, AK025573.1, AL137574.1, BC005843.1, AK026649.1, U57352.1, AL117629.1, BC002454.1, AL137488.1, BC000348.1, BC008930.1, AL359941.1, BC000051.1, AL133067.1, AL137556.1, BC004945.1, AB051158.1, BC007280.1, AL133558.1, AL389983.1, AL080159.1, BC005931.1, BC004530.1, AL137560.1, BC002355.1, AB060832.1, AK000636.1, AB049900.1, AK026885.1, AB060863. 1.
HBNAW17	39	526797	1 - 587	15 - 601	AA713518, AA807610, AW104604, AA830415, AW975518, AL138824. 19.
HBOEG69	40	793786	1 - 1397	15 - 1411	AW576190, AA524064, BF701378, AI337569, AW058654, AW964434, BE568412, AW978965, AW241842, BE221243, AI346249, AW241843, AA825846, AA936562, AI184881, AI346396, AA570030, AW368546, AA465472, AW995507, AW361365, AV743550, W74158, AV750714, H80936, BF879997, BF880246, AI144077, AV743963, AV740879, AI053597, AI222773, R95913, BF901243, AA318779, BF088361, D62291, R27740, BF767423, AI277044, AV743740, AI053934, AI310256, R27741, R08998, C00592, N64904, AA827757, AK024978.1, AC006146.2, AF147723. 1.
HCACU58	41	625923	1 - 1540	15 - 1554	AW470141, AI540555, AI150724, AU120416, AA547979, AI187148, AA287570, N32944, AA255853, AI802087, AW276458, BG009661, AI923052, AW976784, AA904211, BF805088, AI278972, AW269504, BF942976, BF939548, BF725844, BF944736, AV720367, BF920612, AA812058, AA410788, AA535216, AW069227, BG056362, AW965008, BE265787, AA425924, AA873573,

					AV719902, AW819125, AI634187, BF804385, AI445582, AA487475, BF965394, AI160786, AA742815, AI133514, AI608699, BF767878, AW023111, AI625604, BE139139, AI491765, AI457313, AI733856, AI250552, AI792521, AW969743, AA228778, AI279417, AA483606, H73550, AA570740, AU147162, AW505253, F28204, BF857849, AI284543, AI889579, AI251034, AL527073, AI251284, AI251203, AA470512, AA315361, AW972919, AI679002, AV760019, AA568204, AI538236, BE645220, AA847508, AV695478, AI291439, AI884383, AL047467, BF968874, AI537995, AI130709, AA730305, N59569, AW968564, AI890324, AW674631, BF725761, AI223626, AW341978, BE138509, BG250286, AI679759, AI814682, AA847427, AV725627, AI889696, AI254770, AA456924, AA714110, AW805539, AI053688, AW575000, AW131417, AA832145, AI573198, BG230549, BE138594, AL041375, AC009511.16, AC005071.2, AC020913.6, AC005081.3, AC004166.12, AC079602.15, AC087071.2, AC005015.2, AC002472.6, AL138724.12, AC005098.2, AC005011.2, AC019206.4, AC009412.6, AC007664.12, AC018642.6, AC011461.4, AF053356.1, AC006064.9, AC004841.2, AC020908.6, AC011497.6, AC005562.1, AC005102.1, AC009079.4, AC027319.5, AC005080.2, AL136123.19, AL023693.25, AC006211.1, AC006312.8, U95740.1, AL031447.4, AC016776.6, AP001718.1, AC008569.6, AC004965.2, AC004089.25, AL049830.3, AC007201.1, AC020934.7, AC005104.1, AC007956.5, AC025166.7, AC011449.6, AC073657.5, AC008753.8, AC004971.3, AC004531.1, AF001549.1, AL031276.1, AL137792.11, AC008155.9, AL445686.14, AC011489.6, AC004859.2, AC005484.2, AL096840.25, AP001753.1, AC004967.3, AP000350.1, U52111.2, AC000085.5, AC008760.6, AL157823.9, AC002126.1, AL050335.32, AL109984.14, AC072052.6, AL590762.1, AC005488.2, AC008946.6, AL161747.5, AC018758.2, AL135927.14, AC010319.7, AC011811.42, AP001710.1, AC007055.3, AC005529.7, AC022383.3, AC002300.1, AF134726.1, AL133367.4, AC006014.2, AL359382.23, AP001711.1, AL109623.9, AC007227.3, AJ400877.1, AP000501.1, AC018809.4, AC011491.5, AC009509.7, AC019205.4, AC009488.5, AC007686.5, AC009244.24, AP003439.2, AC004812.1, AP000045.1, AC008395.6, AL031283.26, AC011444.5, AC002288.1, AP001694.1, AL121891.22, AC005625.1, AC012476.8, AC020658.6, Z93015.9, AL109825.23, AL109797.18, AL160269.14, AL121586.31, AL049795.20, AE006463.1, AC003108.1, AL132639.4, AC007225.2, AL049872.3, AC020904.6, AC009267.15, AC018828.3, AC008403.6, AC008474.7, AC005972.1, AC002425.1, AP000116.1, AB043547.1, AC069262.24, AL354720.14, AC021188.6, AC083884.6, AC006088.1, AL121972.17, AC025593.5, AC011472.7, AC003029.2, AC011487.5, AC004966.2, AC005920.1, AL390738.4, Z82178.2, AC005288.1, AC004491.1, AC000025.2, AC004846.2, AC004167.1, AL109758.2, AL451125.7, AL139390.15, AL136137.15, AC008481.7, AL354928.9, AL136418.4, AL139054.1, AC006480.3, AC018663.3, AC008738.6, AC007003.4, AL050318.13, AC004638.1, AC011514.3, AC004883.2, AC005231.2, AC005736.1, AC005702.1, AC009996.7, AC010326.6, AC008521.5, AL049569.13, AC008440.8, AC004834.2, AL022396.1, AC018711.4, AC005520.2, AL078461.38, AC074121.16, AL121905.23, AL022318.2, AC010494.4, AC027125.4, AC005971.5, AC005000.2, AC008551.5,

					AC011464.5, AB003151.1, AC008556.5, AL139316.5, AB026898.1, AC018738.4, U91323.1, AL049761.11, AC007386.3, Z84466.1, AC010422.7, AP002852.3, AP001725.1, AC018719.4, AC008635.6, AL109935.39, AF047825.1, AC007850.29, AF109907.1, AC004000.1, AC011484.4, AC020906.6, AC018751.30, AB038653.1, AL133545.10, AL008719.1, AL139396.17, AC005412.6, AC005778.1, AL121825.19, Z95152.1, AC024163.2, AC010092.4, AC006441.13, AC004826.3, AC044797.5, AL132780.5, AC005522.2, Z95115.1, AC020663.1, AL138756.23, AC011465.4, AC002312.1, AC022384.4, AL035086.12, AC083855.2, AC012512.7, AC008755.6, AL163032.3, AC000360.35, AL354864.16, AC016830.5, AC007731.14, AC004876.2, AL109628.5, AL034549.19, AL137073.13, AC004873.3, AC005086.2, AC006329.5, AL035659.22, AC011480.3, AC002565.1, AC015982. 9.
HCE2F54	42	634016	1 - 1262	15 - 1276	AL530657, AL534642, AL519887, AL519439, BE257752, AA769913, AI609266, BE674973, AI652143, BG057242, BE046399, AI669608, AU157638, BF347064, BE046435, AI571552, AA406626, AI634414, AW731848, BE245626, AI372990, AW473891, AU153165, AA969877, AI458122, AA402109, AU157487, AI815017, AA936365, AA481847, AI052565, AA704608, AI860561, BE736308, AI591232, AA425187, BF685966, AA479747, AI922541, AA889587, AA992245, R47377, AV694506, AA707462, AA283778, BF589042, AI767815, AW439290, AI354234, AW630387, R82068, BF829195, BG152634, AA229272, BE246763, AI745410, AW074728, AI867440, AA405028, AI652744, AI799388, AW732540, AA724063, AI249812, R43967, BE247615, AA229721, AA290883, AA477093, BF847615, AW117313, AA425298, AW804421, AV661367, AW627358, AA456146, W45494, R82878, R82020, F35061, H01485, AW014040, F25139, AA339640, AI961334, AA478233, AA362857, AA326205, BE244646, AA229827, AA377429, AI186501, BG008599, BE242784, T32225, AV686564, AA688260, AI085847, AV686569, BE157547, AA860204, R08559, F09429, AA405272, BF845336, BF380796, BF380795, AI860044, AA883556, AA032260, AA332516, AA402982, AA332325, BE157532, AA336006, Z39018, AI695855, AI589935, AI583010, AI954634, BF841145, AW469249, F04759, AA032193, F04962, AI524382, BF922668, BE157535, H01586, AI298047, T89862, AL530658, BF883965, BF374266, M78413, BF883968, AW197535, AW952615, BF847600, AW007397, BE157466, AI907687, AI632570, AL519888, AK023173.1, BC007642.1, BC007864. 1.
HCE3G69	43	728432	1 - 2070	15 - 2084	BE740754, BF339727, BE740538, BE277589, BE382940, BE618822, BE793142, BE390135, BF530091, AW969581, BF315345, BF340007, BG164152, BE618316, BE277504, BE740158, BE542020, BF527796, BF796337, BF310510, BE409091, BE545069, BE312476, AI979049, BF314374, AI828148, BF528364, BF341988, AA987262, AA789210, BE783336, AA552222, BE042994, BE408361, AA542834, BE262213, BF724352, BG170449, AA399248, AI399975, AA682879, AA709002, AA628073, AA523036, AI281261, AI749652, AI148325, BE297932, AI347619, AI206709, AI857651, AI304965, R77325, AI523697, AA349818, T16002, H56978, N95160, AA351179, BF736456, BF919187, W16789, R61061, AA994296, BE872104, AW131936, T77786, BF805555, R42239, AI001897, R49103, H27917, AI216183, BF435415, AA349337, AA293132, AA349338, H47705, BF690107, BE909738, BE831416, T87999, R77274, AA017080, AA293765, H47615, W21536, R64334,

					H56891, BF813356, BF957635, BE827070, AI560786, R64335, T77787, AW380761, AI027520, AW380835, AI870267, AI263580, BE563729, AA324593, AA588228, AW955408, AI277032, R18259, AI566653, T33783, AW883586, D53543, BG105324, AW452975, R60940, H41337, R36021, T32921, BF895461, AI360103, AW380828, BE256741, AA057061, AI564056, AW327298, AI244916, W35216, BE262875, AL040896, BE501695, BE351024, BF058407, BE263311, T15786, AA812926, AA830661, BE693588, AI797886, BF314562, AA299346, AW451523, BF337822, AI520932, D80870, AA333807, AA058540, AW363994, AW604788, AW820702, AW820474, BF848412, BF312802, BE171868, AW604793, AW273608, AA610114, AA865732, AW363958, AA524542, AI089686, AA359625, W23626, D20577, AI150519, W31778, AI150517, AW997867, AV704757, AV706824, AV705873, BC002420.1, AL136758. 1.
HCE5F43	44	612796	1 - 1751	15 - 1765	AL525531, BG034956, BE858832, BE897817, BF510434, BG253874, AI656560, AI628821, BF215392, BF244940, AI097077, BG235906, AW954960, AU160122, BF245375, BF977858, AU155177, AI470134, BF224262, AU150756, AU149864, AW473477, AI955730, BF248416, BF448271, BF154789, AI378490, AI800985, AW069497, AI034459, AA156289, AI073518, AI697128, BF030327, AU155857, AA233239, BF102934, AU156440, AI573091, AA135491, BE222305, N47760, AA447203, BF086535, AI160238, N99672, AU154967, AI963320, AA234550, BF574918, BE930107, AI799196, BF241316, BE928494, AA256954, BF084221, BF084272, N34505, BF086530, AW362473, AA046377, AA251743, AW362472, N79724, BF084201, AV720349, N42280, BF084190, AA251841, AA256955, BF086505, BF086503, N71937, AI167179, AA235408, AA704119, R62459, AA568672, BE928500, AA773818, AA256646, BF094389, AA112337, BF086529, R25715, AA417904, AA256645, AA320096, AA236661, AI525894, BE961214, BF758245, N62776, BF185469, BF511940, AA233163, BF084203, N71943, BF086500, D61858, AW188824, AI563986, BF695980, AL525580, BF086533, AI611807, BF086496, AU136037, BF114811, BE536773, AK023459.1, AF063600.1, AB056410.1, AB050431. 1.
HCEFB80	45	1143407	1 - 2480	15 - 2494	BF343021, BF339312, BF341481, BF967606, BF344530, BF344213, BF513319, AI393526, BE857064, AW016800, AI937454, AI370995, AW170034, AA416907, AW044650, N75664, BF341415, AW960857, BG222497, AA703765, BE855450, AU146334, AA703342, N64813, T23840, AA446784, AA228781, M86149, T08275, AA386225, AA417008, AI671567, T15689, AW128975, AA432098, H83023, M85314, AI277779, BG222958, BF923571, M79106, BG152559, R13095, R11764, R21361, BF921573, F05369, T28040, T10247, AA323697, AI361427, AW235399, AI352392, T10246, R37689, AW594074, R40527, H82804, N59328, BF894586, R46460, T15861, BE672078, C14288, D25217.2, AF319633.1, AL022327. 17.
HCENK38	46	658737	1 - 1495	15 - 1509	BG178033, BE896063, AV722833, BE907276, BE277857, BF952019, AA521308, AW182868, AA908959, AI628880, AW173363, AW665845, BE870003, AW631238, AI151418, BF996707, AI818267, BG180581, AI653663, AA001203, BE150445, R78710, AA130178, W03542, AA746655, AI828924, AA001202, AI961323, BE277870, AI093113, AI377976, AI951984, AI635625, AI624029, AI418242, AW088095, AI346936, W92652, AA130170, AA024605, W60401, N53543, AI207798,

					AA969140, AV706224, AA206833, AA862855, AA883077, AW173095, AW467519, BF830518, AI890288, AW952261, AA676671, R76291, AA641764, W60310, AI536758, AA742467, W92685, BF830522, C01747, BF029590, AW273508, W72474, AL047508, AI863984, W46673, AA928559, H97873, W46482, AA969604, T17266, W92828, W94587, BF963436, AA024606, AA973624, R61420, BF107415, AI932612, W76228, N72501, BE147741, AA160170, AI247642, AI499771, AW582120, N92375, AI803849, C04881, AW192182, N67695, R76925, AV728500, BF906742, AA641806, AW601191, BG104607, H00789, T31087, R61378, BE706416, AL047509, R78711, R76567, AA564390, AA992073, C15162, AI187944, AW779277, H39236, AA812071, W61163, H85007, AA733042, W61229, AI016971, H81599, H97053, R78466, H86612, H85630, AV713546, H90060, H86032, R78534, AW952259, AW889353, AA021401, AI540906, W24617, R62435, AA714924, R84855, H00689, H81598, AA918680, BE903841, T08911, BF834059, AA501896, BG106391, R40305, H86526, H85633, AA021275, R21120, H85004, AA774992, AI834279, AW970014, BE140906, N56017, AA573996, AI300746, R13223, Z43839, AI834298, AA094627, R85725, AA600097, AI475228, AI834286, AW380821, H85894, AA573651, BE843503, T32504, AA010588, AW380818, BE881856, AI879932, AA992769, D55263, AA829059, AW770059.
HCEWE20	47	543370	1 - 871	15 - 885	T51653, AW168798, BG059728, AW151307, AA189081, AL133942, AI924175, AI610776, AI034217, AI479035, BE165748, AI811494, AW090210, AA346162, AW167452, AI687804, AI749571, AA470572, AW089655, AI197934, AI827133, AU144339, N64574, AA470493, AI697247, AI937684, N76274, AI984510, AL047920, AA223830, AA493998, BE176566, AV730063, T62931, BE148908, AA876415, AI801377, AW589501, AA085707, AW177317, AI439860, AI813517, AA581340, AI858607, AA099491, AA613244, AI887321, AA643785, AA633390, AU143906, AV719347, AI362951, W58428, AU146966, AA847621, AI564253, AI921101, AL041417, AA643823, AI567544, AI733077, AW177120, AI561208, AI264673, BE158597, AU145674, AA130536, AA694579, N74502, N54295, AW440317, AF063514, AU119100, AA873103, AW177237, AA160519, AA197059, AW177231, AW177264, AA598786, W49501, AA911409, N26540, BE264670, AL036881, AU146974, AA493751, AW994225, C17730, AA724159, AU145383, AA157033, AA041332, AA166854, H96719, AA055654, H65500, AA219480, AU148220, AI935333, AL523955, AI132962, AW084901, N48690, AI862874, D29455, AA598990, BE044603, AF074627, AV730577, BG235936, AA878800, R94112, AW275729, AI376984, AI951835, AA101456, AA503213, AW440351, AI735074, AW177266, BE904846, AA846188, AW177226, BE152426, AA493735, AA593081, AW615437, AI538654, AA404968, AW813744, AA669580, F03370, AA350922, AA356989, AI421079, AV728282, AW771706, N76124, AI189033, AA584498, AI961771, AA953572, AV719696, AA467957, H04879, BE159220, T69889, AV720543, H97020, AA467904, AW074001, AF282520.1, AC073310.7, AK026100.1, AL030995.1, AL445236.22, AC023160.31, AK027219.1, AC003977.1, AC008945.6, AJ271735.1, AC012172.6, AL161415.2, AL139125.18, AC002217.1, AC023892.35, AL512629.7, AC069228.26, AC011998.8, AP000075.1, AC008651.7, AL133238.3, AL359816.16, AL121694.4, AP000639.4, AC004029.1, AL121757.7, AC002349.1,

					AC027304.3, AC004397.1, AF003627.2, AC018637.3, AL355615.12, AB038653.1, AC011755.7, AC022468.5, AL133325.20, AL356113.8, AL121986.12, AC004636.1, AL356213.10, AL390023.8, AC008496.5, AC009812.17, AL136374.4, AC007388.3, AC005280.3, AL133404.8, AC012309.7, X14975.1, AL133240.3, AL158069.16, AC011310.3, AL356782.14, AL158055.12, AC010285.4, Z84482.1, AL359950.4, AL034428.4, AC010145.9, AL441887.9, AC003085.1, Z83836.2, AC025420.26, D86996.1, AC007392.3, AC007207.22, AC020717.3, AC022316.18, AP002532.1, AC012323.7, AC026413.5, AL590792.1, AL031387.4, AC022083.6, AL512885.4, AK021525.1, AC005614.1, AC008162.3, AL136170.12, AF248484.1, AL033524.11, AC079175.24, AC007051.3, AF127577.2, AC016396.5, AL132715.3, AL359398.2, AP000626.5, AC073095.3, AL353580.7, AL354758.14, AJ251973.1, AL034545.1, AC004551.1, AC068812.13, AP001669.1, AL590404.5, AC010276.6, Z73497.1, AC013355.7, AL031775.1, AL049570.11, AL590387.7, AC008518.3, AC003670.1, AL160236.4, Z95114.19, AC025212.5, AC017060.7, AL031224.1, AF127936.2, AC004703.1, AC018641.3, AC009037.6, Z81007.1, AL365179.30, AL031321.1, AL158841.6, AC007917.15, AL031320.6, AC005730.1, AL049589.15, AL121775.3, AC004692.1, AC007671.7, AC012531.11, AC003686.1, AL121833.10, AC003687.1, AL138807.12, AL136382.6, AC011752.2, AL445246.4, AB045358.1, AL356108.12, AC005157.1, AC017088.8, AC006004.1, AL450333.13, AL031119.1, AC004998.2, AC073141.4, AC003961.1, AL133211.9, AL445239.8, AL356005.9, AL133462.23, AF170702.1, AC005250.1, AL159990.12, AC087083.2, AC026351.28, AL159976.9, AL034407.1, AC003666.1, AL137016.11, AC017099.11, AC003955.1, AC063951.22, AC008038.1, AK021760.1, AL023773.1, AF128525.2, AC024057.4, AC087187.1, AC010411.6, AL392166.19, AL163207.2, AC007907.2, Z98036.1, AC087258.14, AC007502.5, AK024101.1, AL035671.5, AC019197.7, AC007870.3, AF303386.1, AL161426.7, AL132639.4, AL512363.11, AC068723.5, AC020637.9, AL360294.11, AC010365.5, AL354943.9, AL445468.8, AL109854.10, AC004070.1, AC004650.1, AC073130.3, AC026214.3, AC087092.1, AC005747.1, AC006565.4, AL034417.14, AC010583.5, AL109742.12, AC013602.4, U96409.1, AC009225.3, AC008561.4, AP002448.3, AP000457.3, AF128894.1, AC008083.23, AL359704.9, AL118519.25, AC010632.6, AL160397.17, AC007631.3, AL157791.4, AC018696.4, AC004043.1, AC000126.1, AL445310.9, AL049177.5, AL162414.11, AL512348.8, AC004825.2, AL161938.6, AL355381.11, AL355852.23, AC007551.1, AL136315.9, AP002982.2, AL356311.6, AL161804.4, AC018833.3, AC079631.16, AL360270.18, AC020905.8, AL117381.32, AC007001.2, AL136129.23, AL109942.13, AL109656.10, AL157933.19, AB043547.1, AL390237.9, AC025519.10, AL359197.20, AC005284.1, AP001331.1, AL391495.16, AL451146.7, AL035494.8, AL353788.33, AL163953.3, AC004189. 1.
HCFNN01	48	430297	1 - 1247	15 - 1261	BF592932, AI660093, AI917105, BE502245, AI435489, AI168436, BF131228, R69799, R67877, R81389, AW170015, R34017, D51015, AI283968, R69800, F08994, F08984, T16467, R81390, R67878, R33479, AI581033, BF981109, AL110306, AI929108, AI538885, AL046944, AI889189, AW858243,

					AL039390, BF795712, BG257535, BE963035, BG110517, BG029667, AI433157, BG252929, AI539771, AW162194, AI345688, AI537677, BF811804, AI500659, AI815232, AI801325, AI500523, BF812438, AI500714, AI433976, BE885490, AI923989, AI284517, AI500706, AI445237, AI491776, AW151138, AI521560, AI500662, AI284509, AI866573, AI633493, AA470491, AI434256, AI888661, AI284513, AI888118, AL045626, BF911521, AI671642, AL036403, AW022808, AL041150, AL513577, AI620284, AI582932, AI888665, BF812963, AI828574, AW022682, AW023338, AW673679, AI274759, AI554821, BG260144, AI648567, AW151136, BE877142, BE047852, BE897632, AL048656, BF338002, AI494201, AI889168, AI866465, AI355008, AI538850, AI623736, AI872423, AL046926, AI440252, AV729760, AI582926, AL045500, AI539800, AW172723, AI440263, AI866469, AL513991, BE886728, AI434242, AI805769, AL513597, BG120706, AI859991, AI436429, AI889147, AI355779, AI371228, AI590043, AI491710, AL047422, AI866786, AI860003, AI610557, AI242736, AI887499, AI539781, BG109270, AI539707, BF965814, AI559957, AI690389, AI521571, AI363957, AW087199, BE620438, AI371251, BF055899, AI887775, AL513977, AL514473, BE537531, AL042377, AL514563, BF529870, BF725001, AW935969, BF054877, BF527014, BF092710, AV681756, BF971016, AL079963, BE965432, AL079960, AV682040, AW087445, AW089557, BG108350, AW150578, BF812961, AI491852, BE895585, BE875407, AV713079, AI345778, BG255895, BE968711, BF970768, AI468872, AL119863, BE612681, BE908335, BG114985, AI954422, BG249582, BF726237, AW827289, AI866510, BE047833, BF726207, BE910373, BF793176, AI890907, BF911517, AL120588, AL513757, BF812960, AL037454, BF812938, AL514763, BF970652, AL038778, AI889148, BF680133, AV741327, AI687166, AI273179, BF970449, BF032768, BF856052, BG151388, BE785868, BF338723, AI537273, BE876033, BE874133, AW020693, BG252040, AI275175, AW827276, AI364788, AL038565, BG179993, AI269862, AW827206, BF038131, AI582912, BG107844, AI866461, BE880182, AI923046, BG058150, AI801793, BE964614, BF339322, BG110684, AL042551, BE047691, BF822127, AL513905, BG027628, AI499463, BE047952, AV682502, BE783752, BE018334, BG180295, AL514579, AW020397, AW983783, AW090393, BE878014, AW129929, AI610362, AL514809, BF726183, AI254727, BG118199, BF924855, AL117435.1, BC000090.1, AK026642.1, AB062750.1, AL122050.1, AL137533.1, AF056191.1, BC005168.1, BC008282.1, BC001844.1, AL122110.1, AK024538.1, AL512733.1, AL512689.1, AL389935.1, AL080124.1, AK000083.1, AL137479.1, AK024992.1, AF218014.1, BC008280.1, S78214.1, AL049382.1, AK026480.1, AL137550.1, AB056420.1, AL096744.1, AK000391.1, AB055361.1, AK025465.1, AL137480.1, BC006195.1, AL136749.1, AK026592.1, AL136893.1, BC000785.1, BC004905.1, X72889.1, AB052191.1, AL049283.1, AK026597.1, AL512684.1, BC008899.1, AK026959.1, AB056809.1, AK024546.1, BC006412.1, AK027136.1, S61953.1, AB063093.1, AL110221.1, AL359615.1, AL136882.1, BC008488.1, AK027096.1, AK027146.1, AL359601.1, AK026532.1, BC005858.1, AF146568.1, AK026534.1, BC002750.1, AL162008.1, AL110196.1, BC003614.1, AB050410.1, BC009310.1, AK025435.1, AB055303.1, AB060887.1, AL117394.1, AL133565.1, AK024594.1, AL133560.1, AK026408.1, BC008387.1, AK026353.1, AL049430.1, AL359600.1, AL136844.1,

					AL117416.1, AK026784.1, AK025092.1, AF159615.1, AL137574.1, S69510.1, AL162062.1, AB052200.1, AB047631.1, AK000323.1, AL122093.1, BC007031.1, BC008070.1, AL136622.1, AL050024.1, AL133640.1, AK026164.1, AB060879.1, AL137459.1, AL442082.1, U80742.1, AL050393.1, AL110280.1, BC008382.1, AB055315.1, AL137529.1, AL117460.1, AF090900.1, AL117457.1, AL137658.1, AL110222.1, BC001967.1, AK026045.1, AB063046.1, AK027182.1, AL136789.1, AK026927.1, AF111847.1, AF104032.1, AF078844.1, AK026533.1, AL137283.1, Y16645.1, AB060826.1, BC004349.1, AK000445.1, AK000432.1, AJ299431.1, AK000212.1, AK027164.1, AK026608.1, AK026600.1, BC008893.1, AL137294.1, AK027113.1, AF097996.1, AB055370.1, AB050510.1, AK025339.1, AL162006.1, BC001098.1, AL442072.1, AK025484.1, AF111112.1, AL512719.1, AK026647.1, AL359596.1, AB047904.1, AB060825.1, AK026506.1, AF090896.1, AB063100.1, AL137521.1, BC000778.1, AL050277.1, AL122049.1, AF218031.1, AL137478.1, AL133080.1, AL136786.1, D89079.1, AK025084.1, AK025209.1, AK027204.1, AL050149.1, AL050116.1, AK027142.1, AL359618.1, AL353956.1, BC004556.1, AL136586.1, AB062978.1, AL162004.1, AK027868.1, X82434.1, AF353396.1, AF125948.1, AL122118.1, AK026542.1, AL136892.1, AL133072.1, AF057300.1, AF057299.1, AF271350.1, AB049892.1, BC008780.1, AF100781.1, AL162083.1, BC004529.1, AF245044.1, BC005890.1, AB055374.1, BC004951.1, AL122111.1, AK026741.1, AK000074.1, AK026613.1, AB060916.1, AL133557.1, BC007680.1, AF061795.1, AK025015.1, AF151685.1, AL122045.1, AL583915.1, AL080148.1, AY026527.1, AB056768.1, AL122121.1, BC003687.1, AF061943.1, AB019565.1, AF094850.1, AL136928.1, AK026855.1, AL512718.1, AK024588.1, AL049466.1, AB048964.1, AK025967.1, AK026528.1, AL049452.1, AL137271.1, AB060837.1, AL353957.1, AL117583.1, AK025414.1, AB060908.1, AK000647.1, AK026762.1, BC008417.1, U68233.1, AB055368.1, BC006525.1, AF262032.1, AK025772.1, AL137558.1, AL050108.1, U38847.1, AL136845.1, AL080126.1, U42766.1, AL136787.1, AF242525.1, AL137292.1, AL137463.1, AL136799.1, AF285167.1, AK024524.1, AL359941. 1.
HCGMD59	49	636078	1 - 776	15 - 790	AI346379, AW009453, AA477432, AA152289, BE219294, T27069, AI745607, AW852105, AI807602, AA234651, AA024744, BE219304, AA065244, N91858, AI242569, AI091032, BF977615, AI251849, H88431, BE301616, N50522, BE762367, AW607675, F03857, H41152, BE696404, R45373, BE070278, H88369, AL039156, AU133046, AL038837, AL039074, AL039564, AL039109, AL039108, AL037051, AL038531, AL039659, AL039625, AL039648, AL039629, AL039678, AL039150, AL039128, AL037726, T79771, AL040992, AL036725, AL045337, AL042909, AL039423, H53427, AL039410, AL045353, AL037526, AL036973, AL044407, AL039538, AL039386, AL044530, AL036196, AL039924, AL039566, AL039509, AL038025, AL039085, AL037639, AL038821, AL036767, AL043423, AL045341, AL037615, AV743601, H53426, AL043422, AV746102, T24119, T24112, AW975143, AV758878, AL036238, AL043441, AL036117, AL043445, AW013814, AV718844, Z99396, AV738934, AL045794, N91869, AV737584, AW973101, BF294063, BF508972, AV743654, AL036924, AW975229, AW979144, AI535983, AV717989, AV717980, AW451070, AV701782,

					AV718018, AV717988, AV731085, AW973200, AV701012, AV718016, AV717959, AV717984, AW064110, AV718023, AI002696, H00069, AW607606, AV735727, AV717963, AV717962, AV720464, AL036733, AV745724, AV701118, AV717966, AV745723, AV718002, AV719000, AV700229, AV699447, AV745917, AV745080, AV717956, AV717960, AL036679, AV718858, AL037027, AV745350, T23947, AW975161, AL038851, AV717983, AL037054, AV701017, AV718681, AL037082, AW976625, AL036765, AW975163, AV717965, AL036418, AL036190, AV717941, AV740535, AV701043, AV701163, AV742995, AV701154, AV719568, AV717970, AV745392, AV717978, AL036158, AL037177, AW975203, AV717990, AV722801, AV742720, AI174488, AI634005, AW973189, AW975925, AL037021, AV717942, AV717955, AV717992, AW969322, AW979228, AW970679, T02921, AV745488, AL036191, AV717968, R47228, AV701261, AV743008, AV746162, AV717972, AW975312, AW969383, AA150231, AL036964, AL037085, AV718006, AL036998, AL036133, BF438013, AV741012, AV718010, AV717945, AV718021, AV717971, AW979128, AV717964, AV724520, AJ293456, AW973190, AV718020, AW975607, AV723927, AV744768, AV746335, AL036858, AW452756, AV717961, AV718001, AI535783, AL037178, BF509207, AV742667, AV717986, AV717949, AV718008, AV745369, AV717985, AV717946, AV717958, AV717967, AL037643, AV701166, AV741888, AL037047, AW979252, AV717974, AL036163, AW971000, AW063533, AV720607, AV744770, AV718017, AV717993, AV718013, AW972784, AA961091, AW681208, AV701332, AV742001, AK000326.1, AL139286.13, AF093097.1, AF271371.1, Z96142.1, X73004.1, AJ244003.1, AJ244004.1, AJ244005.1, Y11926.1, D14548.1, Y11923.1, D34614.1, L27636.1, S83538.1, M32676.1, S65373.1, S78798.1, X73003.1, Y11920.1, S85459.1, X92518.1, U50871.1, AB026436.1, D61405.1, T87293, H41179.
HCHNF25	50	1352270	1 - 3562	15 - 3576	AL528465, AL519763, AL526785, AL520938, BE792140, AL520937, AL527998, AL519764, AL528505, AL526872, BE796431, BE746920, BE383840, BE790802, BE277211, BE253824, BF314475, BE796466, BE515157, AL522365, BE792677, BE561212, BE905641, BE902997, BE744397, AL524630, AL528908, BE514253, BF310540, BF569123, BE906475, BF206368, BF528971, BE887141, BE791917, BG026441, AL522366, BG115233, BF973161, BF568333, BE250017, BE396510, BE903106, BF347981, BF220140, BF128023, BF310318, BE780328, BE267959, BE783597, BF972622, BE397012, BE396688, BF127846, BG105951, BF219907, BF206556, BE789125, BG113261, BF183102, BE893242, BG026796, BE271726, AV753314, BG107642, BF965674, BF185761, AI625920, BF681098, BE909654, BE561350, AW275869, AI738622, AW007183, BE909375, BE784249, BE901071, BE785884, BE621366, AI860983, BE855860, BE252957, AI685085, AW250561, BE260127, AW270016, AI634191, BE300918, BE398115, BE782484, AI709014, BG036598, BE264246, BE294812, BF983181, AI670007, AW131857, AI880395, AW117176, BF104971, AI813518, BE909039, BE621619, BE795421, AV760771, BE394970, BE966882, BG257502, BF037247, AW573314, BE545785, AA203110, BE207736, AW665822, AW188410, AA652478, AW592610, AW248680, AA146975, AI954083, AA147767, AI669418, AI147761,

					AA181845, AW241902, BE786856, AI160413, AW732763, BE880512, BE900799, AI081515, BE251158, BF677734, AI203977, BE348436, BE305074, BE296342, BE273772, BF304443, AW005522, BE561489, BF592041, AA701486, AW956672, AI567481, AI568647, AI041032, AA974916, W37397, BF313875, AW025321, AA156467, BE207298, AA404355, AA129237, AI718057, AA593316, AA478160, AA464385, AA488430, AA993638, AA806763, AW627783, AW151216, BE350585, AA147827, AI950821, AW015199, AA994961, AI149434, AI123393, AI123891, AI384079, AI439003, AI355387, AA835483, AA553902, AA761282, AA588042, AA465513, AA837073, AI334266, AI750141, AA994585, AI927130, AW328560, AA814189, AI074868, AW026369, AW027702, AA418840, AI568234, AA186580, AI560154, W22355, AI032032, AW954170, AA736383, AI479017, AI088827, AI291333, W92231, AA971299, AI188850, AI961528, AA731626, AA488156, AA411207, AA278716, AI189954, AA586725, AI858753, AA478159, BE206832, AA485920, AW959617, AI658538, AW182215, AI263970, BG027674, BF589634, AA808611, AI083503, AI028440, AA972598, AI460137, AI354691, AI366814, AI570826, AI872174, AI633718, AI333776, AW272455, H98820, BF732893, BE395014, AI369603, AA410975, AI277588, AA723380, AI807881, AI130985, AI151181, N64392, AI928081, AA526988, AA635110, AA780721, H12028, AI278481, AB016492.1, AB016493.1, BC000499.1, AB016488.1, AF115850.2, BC001363.1, BC000996.2, BC001667.1, AF131797.1, BC004239. 1.
HCNDR47	51	1016919	1 - 1329	15 - 1343	AI621217, BF222897, AA632651, AI950250, AW139452, AW207039, AA505117, U69203, AI949187, AW953975, AI160725, BE348367, AI631345, AA707909, AA535510, BG059719, AI680791, AI700776, H17406, AA524577, AA062981, AA365529, H16756, AI699070, AW970783, BE858688, AI696027, BF766585, AV709230, BE220337, AW194354, AA365530, AA678861, BE707377, AL122003.17, AB007895. 1.
HCNSB61	52	526413	1 - 698	15 - 712	AW964468, AW975618, AV741221, AW966389, AV738928, AW949645, AV727978, AW966053, AV724520, AV701357, AV738340, AV731070, AW978633, AW964532, C14331, AW966330, AW960553, AV742090, AV723247, AV744012, AV718489, C14429, AW352117, AW752082, AV702035, AW753053, AW177440, D80045, AW949642, AV744690, AV718800, AW360811, AV741220, AW178906, AV718692, AW375405, D59927, AV742048, AV718707, AW973541, AV721784, AW753067, AV701125, AW178893, AV701216, AV701166, AV701149, AV742001, D80268, AV649986, AV720791, T03269, AW377671, C14389, AV649974, AV720211, AW179328, D80134, AA514186, AV701224, AV701154, AW966029, AW752110, AW966075, AW966065, AW960465, AW973334, AW966531, AW978634, AW966534, AW179332, AV742667, AV742022, AW966560, AA305409, D58283, AW966022, AV701335, AV742430, AV744662, AV701043, AW959799, AV701332, AV701017, AV701248, AV701431, AW966059, AV723097, AW966013, D59859, AW964766, D80022, AV726390, AW966041, D80166, AW973474, AW966378, D80195, AW975621, AW978648, D80193, AW975613, D59467, D51423, D59619, AV701443, AW978661, D80210, D51799, AW965163, D80391, D80164, D59275, AV720533, D80240, D80253, AW966030, AV719822, AW966054, AV720203, AW366296, AW964756, AW966050, AV719188, AW973307,

					D80043, D59787, D80227, AW966062, AV719324, AV718440, AV718938, AV719783, AV720028, D59502, AW959597, AV718633, AW959628, AW960473, AW965177, AW975605, AW959570, AV719468, AW965185, AW965197, AW965196, AW973485, AW965184, AW973488, AW965175, AV718931, AV720878, AV718844, AV720464, AV719557, AW360844, AV718770, AV720731, AW973482, AV720150, AV699447, AW378532, AW958992, AW958993, AV722801, AV723927, AW959136, AW956397, AW959062, AW964477, AW956434, AV699550, AW964488, AW949641, AW962082, AW949656, AW360817, AW949654, AV699927, AW177501, AW959202, AW177511, D80132, AV720151, D81030, AV699746, AW375406, AV726921, AW378534, AW973490, D80212, AW377672, D80196, D80188, AW179023, AV741187, AW178905, AV741198, AV741191, D80219, AW973468, BF349328, AV705680, AV649966, AW973423, AV718530, AW962395, AV650003, AV701123, AW973470, AV699866, AW973473, AA305578, AW973445, C15076, D80038, D59610, D80366, D57483, AW179329, AV720616, AV701130, AV701419, D51022, AV701422, AV758213, AW966043, D81026, D50979, D50995, D59889, AW753041, AW178762, AW962245, AW973447, C14014, AW966023, D80024, AW959469, AW964737, AW960454, AW966032, AF271371.1, D34614.1, X67155.2, AF058696.1, D88547.1, AB028859.1, D50010.1, AB002449.1, U79457.1, AB038216. 1.
HCNSM70	53	637547	1 - 1075	15 - 1089	AW170355, BF437750, AA781956, AA304933, BG260457, H48606, AW517161, AA088807, BE004003, AV654505, W61215, H77296, AI185059, AW150806, W60968, AA447295, BF340135, AA336903, BE140648, AA857929, AW572088, AI220250, AW827119, BG122481, AI633419, BF726207, AA580663, AW071417, AI345745, AI886123, AV681726, AI358701, AI698401, AL135661, BG168549, BG113188, BG179993, BF727034, BG178911, AW148356, BF970449, AW020095, AI478123, AL079963, AL036396, AA292158, BE904051, BF764516, AI783997, BF816037, BE785868, AV681618, AI500706, BF904265, BG114104, AI927755, BF970768, AV693410, BG110517, BF812933, BG121959, AI538764, AL036146, BG107576, AL039086, BE965432, BE047833, AW673679, AL537364, BF827575, AI537515, BF814420, AI312428, BE964614, BE895585, AV682414, AI923989, AI866770, AI345347, AW059828, BG165051, AA833760, AV755793, BE964981, AI863321, BG035511, AI521012, BG179633, AW806761, BF812936, AI251221, AW022682, AL119863, AI859464, AW129106, AI282355, AI699865, AV704696, AW935969, AW946806, AV682001, BF338465, BG058150, BF527014, AW074993, AI349614, AW022699, BF338002, BF904244, BG034550, BF970990, AL038504, AW051088, AI886192, AA572758, AL036631, AI349256, AI312152, AW269097, BG030364, BF753056, AL119049, AV682510, AW075084, AW073697, BG109270, BG163618, AI349937, AW983691, AV746964, AI921248, AI611738, AI334884, AI307543, AI348897, AI619502, AI677796, AI632408, AI886181, AW079572, AW071412, AI802542, AI307708, AI620089, AA449768, AI863382, AI288305, AI312325, AW118518, AI499285, AI340659, AW983829, AI886753, AI873644, AI570807, AW168485, AI933589, AW026882, AI635067, AI923370, AW130930, AI336495, AW268072, BE138658, AI783504, AI868931, AI784230, AW149925, BF812960, AI537261, BF885000, AI432040, BE047852, AI620284, BF812938, AI334930,

					AI309443, AL038605, AI445992, AA908294, AI445990, AI307520, BF970652, AI284517, AI345737, AW269098, AI434741, AW151138, AI308032, AW268251, AI538342, AI433157, AL514879, AI345739, AI702073, AI312143, AL036802, AI345736, AI366992, BE908921, AI344785, BF812961, BG256090, BE880923, BE536058, AI801325, BF032768, BF856052, AL036403, AW198144, AW193134, AV716613, AI349955, BF054789, AW827276, AI364788, AW075093, AL036980, AI499986, AI500061, BE789764, AI590120, AI312357, AL047422, BE886827, AW268768, BG150947, AI500662, AI890907, AI633125, AI589267, AI698391, BE541445, BF885675, H89138, AI500523, BF343172, AI915291, AW152182, AA640779, AL036265, BG029667, BG168185, AI582932, AI554245, BG108406, BF814516, BG180996, BF339594, AI335426, AF304447.1, AF275945.1, AF030455.1, AK024538.1, U58996.2, AK000486.1, AK027114.1, BC004958.1, AK026045.1, AL389939.1, AL512733.1, AK000083.1, AL157482.1, S78214.1, AK026741.1, AK025484.1, AL049430.1, AF210052.1, U42766.1, AL512718.1, AL049382.1, AB047801.1, BC007326.1, X69819.1, AB056809.1, AK026593.1, AL133072.1, AK024524.1, AK026504.1, AF218031.1, AK026784.1, AL136843.1, AB052200.1, AL157431.1, AK027868.1, AL049300.1, AL050024.1, BC003684.1, BC009033.1, AB060908.1, AL137292.1, AK025491.1, AL136799.1, BC008280.1, AL359601.1, BC008488.1, AF104032.1, AF078844.1, AK027113.1, AL162008.1, AL137550.1, AB060929.1, AK027116.1, AK026534.1, AB055315.1, AL137526.1, AK024588.1, Y16645.1, AL122050.1, BC008899.1, AK026959.1, AF177336.1, AL512719.1, AL359615.1, AL117394.1, AL133560.1, AL050393.1, AL122121.1, AB052191.1, BC006807.1, AL512689.1, AK026608.1, AK026600.1, BC006525.1, AL110225.1, AL133606.1, BC008983.1, AK026464.1, X82434.1, BC005890.1, AK026086.1, BC002839.1, AB055374.1, AL136540.1, AB055368.1, AL512765.1, AF056191.1, AL512754.1, AK026592.1, AK000137.1, AK025414.1, AB056420.1, AL096744.1, AF162270.1, AK026855.1, AF057300.1, AF057299.1, AL136749.1, AL133067.1, AL122049.1, AB063008.1, AB048974.1, AL162006.1, AL512746.1, AK026630.1, AL110221.1, AL117457.1, AL133016.1, AK025772.1, AL050108.1, AL122093.1, AF230496.1, AL512750.1, AK026526.1, AK026480.1, BC002643.1, AL117583.1, AJ242859.1, AK026927.1, BC007199.1, AL080060.1, AK026528.1, AK026629.1, U39656.1, AB060916.1, AK026462.1, AF146568.1, X98834.1, AF285167.1, AK000652.1, AB060912.1, AF090934.1, BC008070.1, AB060826.1, AB048953.1, AK026597.1, AB063070.1, AK000445.1, AK026642.1, AL137271.1, BC005168.1, BC004951.1, AK026744.1, Z82022.1, AF217987.1, AK027204.1, AL359618.1, AB060852.1, AL080127.1, AF090900.1, AF090903.1, AL049464.1, AK025524.1, AL137533.1, AF111847.1, AL353940.1, BC004556.1, AF090901.1, AB062978.1, AL136787.1, BC008387.1, AJ012755.1, AK026865.1, AF097996.1, AL133093.1, AF051325.1, AB047615.1, AK025958.1, AK026506.1, AL080074.1, AF113222.1, AK025312.1, AK026452.1, AL050116.1, AK025254.1, BC007021.1, AL442072.1, AL137527.1, AF106862.1, AL136805.1, X53587.1, AL136928.1, AL049466.1, AF353396.1, BC003683.1, AL137478.1, AK025906.1, BC001967.1, AB047904.1, AL359596.1, AB063046.1, AL137459.1, AK026762.1, AL117460.1, AK025798.1, AL133075.1, AL136789.1, AL117440.1,

					AK000391.1, AL050277.1, AL117432.1, AL049452.1, AL049283.1, AK026353.1, AK025209.1, AL133098.1, AB055366.1, BC001045.1, AB048975.1, BC003687.1, AB055361.1, AL133113.1, AB056768.1, AL117435.1, X65873.1, AL133565.1, U91329.1, AL080124.1, AL162083.1, AK026583.1, AL390154.1, BC008417.1, AL137560.1, AL133640.1, AK025084.1, AB048954.1, AL136635.1, AK025092.1, AB062938.1, BC002733.1, AL136768.1, AF262032.1, AF090896.1, AL136845.1, AL136892.1, AL137521.1, BC008365.1, BC009341.1, AF061943.1, AL122110.1, AL359941.1, AK027096.1, AL512684.1, AL110196.1, AF217966.1, AL133080.1, AB051158.1, AK000432.1, AL162003.1, AB050510. 1.
HCUCK44	54	720291	1 - 1125	15 - 1139	AL532468, BE621866, AL521895, BE621760, BE538472, AL521894, AV734260, AV723629, BE770935, BE790853, AI140351, BE621673, BG168718, BF793790, BE908998, BE545559, BE616433, BE395052, BE621070, BF664130, BE937841, AI859347, AV696398, BG164550, AW977552, BE731169, BE514231, BE312999, BE717043, AV696286, BF726404, BE018100, BE717057, AA121548, AA768342, BF326554, BF430984, AI864674, AA530873, BF338307, BE717061, BE676694, AA127712, AA722381, AI815642, BE281457, BE717055, BF971805, BE795728, AA987515, BE717048, AW275917, AI354682, AI859814, BF686844, BG035461, BF977210, AW474962, AI025466, N92869, AA768339, BE396293, BE301588, AI051671, AW753719, BE965688, AI920875, BE812296, AW089493, BE535563, AW190165, AA417302, AA130959, AA587755, BE717112, AA045598, N21328, AV712375, AA314322, AA844332, AI371694, AW578738, AA100477, AA043186, AI567303, BE717183, R83064, BE891492, BF809525, AI350331, AI039892, AW193146, AA828283, AI952434, BE717068, AI289086, AW377665, AI014387, AA917482, BE560356, AA975893, N21020, AV758595, AV760858, AA621534, H94056, BE218977, BE741064, AA100476, AW406948, AI564973, AA729835, BF594159, AA417265, AI187288, AA045597, AA306867, BE548903, AA661773, BF027132, W04309, H80956, AW615725, AW088039, AI419448, AI952495, N47889, AI083853, AA649285, AI816957, BE927438, BF029994, AA580315, AW103201, R89903, AI289415, N27984, T40562, BF593347, N80197, AA868207, AI018462, D82429, AI873582, AI955989, H81296, BE616655, AW138496, AI833059, AI288157, T91268, R63140, BE044820, BF594190, AA130829, D12288, AI699667, AW952882, AI942324, AA310276, W22908, AI091426, BE829635, BE829457, BE829712, BE829791, BE829638, AA074395, AA298770, BG165580, D12293, BE829628, T91580, AV737050, BE536089, AA353671, AA053266, H81350, AI202414, AI832968, AA342277, AW084334, BE833477, W25596, AW886418, BE829841, AA297193, BF382776, AW351513, AW377656, T98269, AA342276, D12294, BF086669, BF084242, BE833566, BF084293, AI908913, BF084274, AI868829, BE771088, BE817957, BF155956, BF084243, BF084295, BF084296, BF086521, BF084297, BF245513, R83013, BF084208, BF084209, BF084211, BE928501, BF797820, BF086673, BF086541, BF093333, BF089556, BF084298, AI220723, BE928502, BF093356, BF093368, BF093353, BF084241, BF084260, AA344066, BE870474, BF084210, BF086528, BF155939, AA382073, AI310801, BE817887, AI866230, BF093347, BE928490, AA807562, BF084199, BF093349, T85780, AI908912, BF095869, T91628, AA193223, BF095965, BE747715, BE928507, BF377798,

					AL122042.1, AC007842.1, BC004512.1, AP000892.4, N51146, N74141, W38488, AA100050.
HCUEO60	55	499242	1 - 1208	15 - 1222	AV748967, AV762395, AV761362, AV762397, BG104686, AV760057, BF668217, BF677892, AL046409, AV763971, AI284640, AV761489, AI334443, AI963720, AV728425,.BG249643, AV763449, AW303196, AW301350, AV735370, AV725423, AV762111, AW274349, BF541120, AV762098, BF241967, AV763255, AV759274, AV761786, AI270117, AV740801, AV763540, BF337291, AV763670, AV762064, AL138265, BF697673, AW833862, AW023672, AV761843, AI305766, BG167139, AI431303, AW419262, AI133164, AW268973, AW088846, AW193265, AV762505, AI696962, BF131362, BF684828, AW472872, AL138455, BE562953, AW963497, AW965008, AA490183, AI281881, AA581903, AA521323, BF827410, AI610920, AV762092, BF311000, AV760937, AV732891, AV763354, AL042853, AV762535, AW979060, AV759505, AW327868, AL119691, AV762826, AW975987, AI754658, AL038785, AI345654, AW501386, AV762645, AV652936, AV763558, AI613280, AV760777, AV733830, AI064864, BE049139, AV761941, BF680074, AV764307, BF965007, AV702857, AW662543, AV734666, AA491814, AV729809, AI345681, AI679782, AL046205, AW500125, AV759352, AW265393, AV757425, AF330238, BF725504, AV699574, AV764228, H71429, AW974109, AV764235, BG109996, BF915247, AW503666, AW502975, AV759204, AA491284, AV761106, AW518220, AW972871, AA521399, AV725431, AI307608, BE276880, AV759507, AA610491, AV764578, AI345675, AW975049, AW973397, AV762009, AV761884, BF991286, AV735495, AI570261, AL041690, AA680243, AV762959, AI144101, AV760486, AL045053, AA587604, AI368745, BF679304, AV710066, AV760466, BF793766, AV761745, AW969629, AA526787, AV763633, AF074677, AI732865, AI350211, AI890348, AW953071, BE150580, AW576391, AW513362, AL037683, AA469451, AU147104, AI708009, AW410400, F36273, BG222267, AV762067, BG036665, AW872676, BE160727, AV719316, AW270270, AW029038, AI732120, AA482711, AW021583, AV763847, AV742057, AV759172, BF691714, AV713243, AA877817, AW088202, AV729947, AV759214, AW960468, AA682912, AV762139, AW072923, AV759580, AV764530, AI345518, AV760106, AI355206, AI625244, AV760736, AV763122, AW872575, AA468022, AW769399, AV729881, AV760207, BF915628, AW028429, AV759322, AA533725, BF676981, AL042420, AI473943, AI133102, AV759518, AW438643, BE674881, BE046438, AW408717, AV733627, AI457397, AV733732, AW088616, AV762015, AV757607, BG059568, AW162049, AA584201, AW406755, AW975217, AI929531, AI821271, AV756693, AW970564, AI289067, AA629992, AV762154, AU145314, AW970896, AI357901, AV764241, AW956640, AI061334, AW265385, BF130605, AI567674, AA501784, AA394271, AI339850, AW858127, AI561060, AL162252.17, AL354718.10, M37551.1, D83989.1, X55924.1, AF015148.1, AF015156.1, AL133371.3, U18391.1, U18395.1, U18394.1, AL358913.4, X55925.1, AL353812.13, X54180.1, U57007.1, AL391987.15, U57006.1, X54175.1, AF077058.1, AB020859.1, U18393.1, X55926.1, U57009.1, AL390056.7, AC012351.3, AC010623.7, AC007383.4, U02531.1, AL138810.10, AJ298105.1, U67221.1, AC008430.3, AL161896.16, U18392.1, X76070.1, X54181.1, U57005.1, U18387.1, Z84488.1,

					AC008543.7, AP001692.1, U18399.1, U18398.1, AP001342.1, AL138919.12, AL139289.6, X54176.1, AF015157.1, AC005341.12, X54178.1, AL445932.12, X75335.1, AL391839.9, AC025056.5, AL049633.3, AP000427.3, AC003101.1, U02532.1, AF020803.2, AC013357.19, AL359846.11, U57008.1, AC002460.1, AF015149.1, AC005681.2, AC006004.1, AL135903.12, AC012450.9, AC004862.1, AC005529.7, AC007462.2, AC010513.6, X54179.1, Z22650.1, AC005901.1, AC021001.5, AP000095.1, AC006435.7, AL050312.8, AL354936.21, AP000239.1, AC012380.1, Z99129.1, AC008372.6, AC022274.5, Z97181.1, AF015167.1, AL079295.1, U18396.1, U67801.1, AL096841.6, AC024163.2, X55927.1, AL031680.20, AL354668.13, U67231.1, AP001666.1, AF302689.1, X55923.1, AC005701.1, AC034145.5, AF015153.1, AJ229041.1, U67211.1, Z94721.1, AC007043.3, AC008474.7, AL355922.4, Z49816.1, AL035455.30, AC022211.5, AC002465.1, AL138976.5, AL160471.5, AL031729.16, AF127577.2, AC010748.5, AL021707.2, AC004987.2, AL031054.1, AC006367.3, AC005919.1, AC008269.4, AL136969.7, AF015151.1, AL022318.2, AC022404.7, AL355384.6, AC005052.2, AL391834.8, AC005694.3, AP001724.1, AC026165.4, AC007132.3, AL158218.11, AC002430.1, AL161756.6, AL049868.20, AL121983.13, X54177.1, AC055731.22, AC010729.8, AC011224.8, AP002851.2, AC007384.3, AC005527.3, AL121825.19, AC011755.7, AC062033.2, AL031311.1, AF015160.1, AL109965.34, AC022311.5, AC006449.19, U12580.1, U18390.1, AL109759.4, AL080250.11, AC010530.7, AC020915.6, AL157902.6, X88791.1, Z95400.1, U12584.1, AL359813.23, AL365295.4, AL023876.2, AL078594.36, AF215937.1, AP000038.1, AP000106.1, AL031286.1, AL590762.1, AC007514.5, AF109907.1, AP000365.1, AC006312.8, AL008582.11, AP000744.4, AL096701.14, AC005076.2, AL445259.10, AF168787.1, AP001705.1, AC006337.4, AC084882.2, M96868.1, AL513008.14, AC007685.2, AC006989.3, AC004617.2, AC004808.1, X53550.1, AC006511.5, AL356785.18, AC007488.15, AL137858.4, AC023137.5, Z98046.1, AC004957.1, AL035681.13, AC034242.5, AL023284.1, AC009403.5, AL021391.2, AF015147.1, AP000556.2, AC004686.1, AC004485.1, Z74696.1, AP003697.1, M16110.1, AC004216.1, AL133551.13, AL132641.3, AP001224.3, U69730.1, AL159997.14, AC008506.7, AC006012.2, AL450224.1, U67233.1, AP000548.1, AL354857.13, AC020893.5, AL121594.6, AP001216.3, AL365214.16, AC078842.2, AC006005.1, AC077690.1, AC005080.2, AC006251.3, AL021453.1, AP000626.5, AC087312.8, AL445307.8, AL161670.4, S43650.1, AC004638.1, AL109847.5, AC005376.1, AC004760.1, AL589947.3, Z95124.1, AJ003147.1, AC022202.12, AL590964.8, AC008755. 6.
HCUHK65	56	651313	1 - 353	15 - 367	AI161343, AL520380, BG111970, W84487, AA868067, AA931374, AI271350, AI080159, AA970366, AI221950, Z39489, F02802, AA213383, AI205879, N92722, T08346, R42398, AI743040, R37459, C02421, F04701, N92721, AI861833, W84564, BF062378, BG032378, AI190488, AL442092.1, AC004142.1, AB060967. 1.
HCUIM65	57	550208	1 - 861	15 - 875	BE781101, BE540200, AI972511, BE300952, AA464837, BG150212, AI681901, AW172458, AA099207, AW205564, AW408650, AW205714, AA450308, AA636047, AI656442, BF437116,

						BE466112, AW575656, AW962721, AW206882, AA099221, AI620473, AA369585, AW469939, AW136836, BE547752, AI638262, BF059133, AA236642, BE551958, AW086133, AI917742, AI623315, AC005391.1, AL445584. 16.
HCWGU37	59	1042325	1 - 2763		15 - 2777	AV762098, AV718260, BG249643, BF677892, AI334443, AW965008, AV764228, BF697673, AI270117, AV710066, AI284640, AW072923, AV733830, AV713243, AL046409, BE646496, BF680074, AL138455, AW303196, BF241967, AW301350, AL037683, AL120483, AV760466, AV760599, AA055169, AA490183, AW406447, AV710387, AW769399, AA587604, BF681576, AI133262, AL046205, AI445582, AI281903, AW008212, AV764578, BF725504, AA244357, AI567674, AA521323, BF680041, AA813902, AV763354, AL041690, AV762645, AV763714, AV760042, AF330238, AA521399, AA719292, AV762959, AV759505, AV759204, AV760777, AW274349, AA838140, AA857486, BG167743, AV760937, AI307201, AI538852, AI696962, AA126035, BF676981, BE967369, BG109996, BF337291, AV762139, AL044940, AI963720, AV756693, BF679256, AV761286, AW472872, AV764530, AI672135, AV759172, AA501809, AV725431, AV761925, AW373587, AI076616, AW979060, AV762397, AI654588, AV728425, AW502305, AV760039, AV762050, AI431303, AV763670, AV762064, AV729809, AW518220, BE160727, BF668217, AI064864, BF679274, AA720702, AV763629, AA640772, AA526787, BE779948, BF311000, AW502100, AW963497, AA581903, AI204309, AF074677, AI679782, AV758946, AI917156, AV740801, BF684828, AW167799, AI133164, BG177715, AL042853, AI754955, AV735495, BF984050, AV764241, AV763385, AV764329, AI431232, AW950797, AW021583, AA569167, AA610491, AV682003, BF347791, AA488746, AV757607, AV725423, AW193265, AV710770, BF991286, AI471543, AI679294, AV763540, AA491814, AI538433, AU149045, AI623720, AW265385, AV759267, AU145239, AW473541, AW327868, BE049095, BF797630, AV763449, AV742057, AA837084, BF347740, AV761489, AI732865, BE146711, AI281881, BF965007, AI801482, BG236735, AW410400, AV760378, AL048626, AU155359, BE049139, BF673914, AI144055, AV760774, BF681427, AV761362, BF130605, N23097, AA470969, AW513569, AW193432, AW600804, AW419262, AI049940, AA171513, AI061313, AV728612, AW510513, AV762535, AW088202, AA349366, AI305766, AI368745, BE895987, AW513556, AL119691, AI625244, AI679871, AL138265, BF475381, AV681599, BE253048, AW467362, AA631507, AV763971, BF806176, AW630298, BE872393, AA126051, AI282832, AI345654, AV764490, BF761328, AI500454, AW972312, AW272925, AI457397, AW964365, BF674369, AW501386, AA167659, AW964364, AV764526, BF674823, AV762009, AI350211, AW411430, AC004797.1, AL512430.14, AC068712.6, AC017033.5, AL512307.12, AL354873.19, AC000004.1, AL008718.23, Z97054.1, AC021016.4, AL162426.20, AF123462.1, AC007620.30, AC004848.1, AL121751.12, AP000952.2, AC011464.5, AC003043.1, AP000159.1, AC006449.19, AP003357.2, AC007425.16, AF107258.1, AC004878.2, AP001670.1, AC007782.20, AL031228.1, AC018635.6, AC004867.5, AL049758.11, AC006013.3, AL359236.4, AC004638.1, AC009144.5, AL121655.1, AP001710.1, AL121753.30, AC005291.1, AC006989.3, AC007034.4, AC005969.4,

					AC004971.3, AL109965.34, AC006211.1, AL138885.21, AC021506.5, AL157838.24, AC025540.7, AL136981.22, AC009412.6, AC090527.3, AC002347.1, AP001688.1, AL137141.10, AC016526.6, AP001730.1, AL356915.19, AP001716.1, AL035458.35, AL449305.4, AC073138.3, AL163218.2, AP001707.1, AL033379.2, AL136126.34, AL157823.9, AC005081.3, AC004029.1, AL133232.15, AL096775.10, AC005486.2, AP003475.2, AC084881.19, AC018494.6, AC009137.6, AC005019.1, AL118520.26, AC018618.5, AC008534.5, AC011816.17, AC018808.4, AL022163.1, AL139396.17, AL139113.21, AC002126.1, AC005154.1, AC005412.6, AC008101.15, AP003477.2, AL445984.6, AC020908.6, AC005913.2, AL445675.9, AL121868.11, AF053356.1, AC007384.3, AC004263.1, AC020906.6, AC008891.7, AC090939.1, AL096700.14, AC007374.6, AC006312.8, AL021453.1, AC025962.5, AP003697.1, AC008569.6, AC002558.1, AL022316.2, AP001691.1, AC005295.1, AC018809.4, AL356244.12, AC002430.1, AF003627.2, AC022013.3, AC011462.4, AC008745.6, AP001697.1, AC018507.3, AL122008.28, AL136969.7, AL049762.20, AL109654.22, AL137881.12, AL163973.1, AP001706.1, AL122021.3, AL139021.6, AC026475.6, AC011453.4, AL355543.13, AP000893.5, AL121578.1, AL161670.4, AL034420.16, AL589723.7, AC019233.7, AL136179.15, AC000353.27, AC074391.5, AC069262.24, AP001720.1, AL355833.4, AC018695.6, AC004477.1, AL163032.3, AC083871.2, AC079906.15, AC026172.3, AC005377.2, AC005620.1, AC010650.8, AL050307.13, AP001711.1, AC004859.2, AC022007.3, AL023807.6, AL354735.14, AP001760.1, AC007541.9, AC007878.2, AP000215.1, AC000052.16, AC006028.3, AL133373.5, AL109804.41, AC005808.1, AC008267.6, AC005080.2, AP001727.1, AC004933.1, AC008280.4, AC004841.2, AL157837.10, AC011247.10, AC007405.6, AC007193.1, AC004914.1, AC024563.4, AC008897.7, AF227510.1, AC008481.7, AL135927.14, AC007227.3, AC016598.5, AP001533.4, AC005488.2, AP002852.3, AC025159.28, AC008812.7, AC008760.6, AC006040.3, AL031737.2, AC004987.2, AL163248.2, AC017082.4, AL139331.19, AL109614.28, AP001709.1, AC002375.1, AC012502.3, AC005052.2, AC008543.7, AL359091.10, AC009503.3, AF111167.2, AL109984.14, AC007011.1, AL049780.4, AF190465.1, AL357034.18, AC005516.1, Z82206.1, AP000257.1, AL035089.21, AL035668.15, AC006480.3, AL031429.11, AC005146.1, AC016830.5, AC020931.5, AC011489.6, AL049776.3, AC002487.1, AC002369.1, AC009516.19, AC005962.1, AC005523.1, AL133282.15, AL121658.2, AC009333.10, AC019181.4, AC010378.6, AP000783.4, AL132712.4, AL158830.17, AL391987.15, AL033383.26, AL137128.4, AL158052.10, AL590682.9, AP001718.1, AL354716.9, AL096840.25, AC006006.2, AL121897.32, AC022384.4, AC006965.3, AL354864. 16.
HCWKC15	60	553621	1 - 696	15 - 710	AW504485, AI380617, AW805539, AV758903, AL079734, AA916430, AW819125, AV762982, AI625604, AI792575, AW084445, AW975210, BE138594, AW069227, AW023111, AV764259, AI792521, BE501593, AW021583, AI890324, BF725844, AW438542, BE138509, AV763026, AV763058, AA904275, AI521525, AA665330, BE077105, AA501461, AW969743, AW327591,

				AA535216, R94326, BF589824, AA574442, AW338179, AW271904, AI279417, AA651639, AI859946, AA524616, AW020150, AA833896, AV761862, AL042373, BE968744, AW004884, BF528591, AV760019, AA610509, AU131037, BF804385, AA833875, BF725761, AI053688, AI923052, AV761714, AI821714, AI792133, AI791913, AA013168, T74524, AI355246, AW474168, AI284543, BF724838, AI912401, AW068596, AV762633, AI564209, AW975626, AI620992, AI821785, AA483606, AV756220, AV754716, AA533176, BG236628, AI491765, H05940, BE139139, AA504906, AI250552, AA019973, BE049032, AA223174, AI798449, AA570740, BF965775, AL022238.1, AC006329.5, AL359402.3, Z98304.1, AC006948.4, Z84487.2, AC006312.8, AC026749.5, AC010627.5, AC008623.4, AC016656.5, AC016652.5, AC005531.1, AC004675.1, AC006057.5, AL033383.26, AL132768.15, AF088219.1, AC004849.1, AL031904.1, AC079177.21, AC007318.4, AL035659.22, AC074013.5, AC005829.1, AL035252.5, AL590762.1, AC005668.1, AC007216.2, U95742.1, AC005480.3, AF196969.1, AL158207.15, AC078846.2, AL121655.1, AC008754.8, AC011443.6, AC007191.1, AC008747.5, AL445217.3, AL161911.17, AC006515.7, AL034449.1, AJ010597.1, AL031659.9, AC008891.7, AC016543.6, AL109628.5, AC009509.7, AB038653.1, AJ400877.1, AF317635.1, AL160165.17, AC004106.1, AC004893.1, AL049776.3, AL121753.30, AC002553.1, AL132777.4, AC010530.7, AC005911.6, AL050349.27, AL158830.17, AP002815.3, AP001727.1, Z79996.2, AL035455.30, AL033529.25, AC087071.2, AC009501.3, AC007570.23, AL137229.4, AC004084.1, AC005746.1, AF314058.1, AP001717.1, AL365364.19, AC010463.6, AC004906.3, AC008044.4, AC022415.5, AC008848.7, AB001523.1, AC005387.1, AC007565.1, AC020904.6, AC091529.1, AC002316.1, AF283320.1, AL133163.2, AC026172.3, AL356113.8, AC005079.6, AL163210.2, AP001725.1, AF348209.1, AC002369.1, AC008784.6, AL161937.13, AC011481.4, AL354735.14, AC008622.5, AF111167.2, AC011890.4, AC006449.19, AL352978.6, L78833.1, AL096761.1, AC004593.1, AL096701.14, AL136300.22, AL121949.13, AL031432.1, AP001561.4, AC013355.7, AC090958.1, AL133153.3, AC005837.1, L47234.1, AC004448.2, AP000500.1, AC005840.2, Z95114.19, AJ011930.1, AL359091.10, AL163300.2, AC003101.1, AL139415.10, AC011485.6, AC007738.2, AC005225.2, AC002477.1, AC012306.11, AL035413.19, AC006146.2, AL109798.19, AL512347.14, AL109925.11, AC008762.6, AL355543.13, AC022468.5, AL162252.17, AP001753.1, AL121905.23, AC005283.2, Z98742.5, AL137145.13, AC006126.1, AL136039.4, AC003070.1, Z82244.1, AP000088.1, AC005792.1, AC025540.7, AC010583.5, AC090949.1, AL158196.24, AC011495.6, AL354932.26, AC024028.10, AL031846.2, AC087590.1, AC026776.4, AC005726.1, AL159156.15, AC006064.9, AL136296.3, AC011472.7, AF196779.1, AC018663.3, AC009269.6, AL138720.19, AC007685.2, AC011479.6, AL139082.18, AL132712.4, AL079341.19, AC006274.1, AL136526.27, AL117692.5, AC006028.3, AL139041.17, AC004019.20, AC020550.4, AC009623.6, AC005529.7, AC003681.1, AC004882.2, AC004840.3, AC022150.5, AC018673.4, AL161799.19, AL359704.9, AL138680.15, AC011450.4, AC005578.1, AL136303.15, AL133465.30, Y14768.1, AF165926.2,

					AC011461.4, AC000052.16, AC025165.27, AC002310.1, AP000343.1, AF129756.1, AC007021.3, AL133245.2, AC005089.2, AC007597.3, AL022163.1, AF168787.1, AC074295.7, AP000252.1, AP000505.1, AL031587.3, AF243527.1, AL138836.15, AL353807.18, AL139232.13, AP000065.1, AC016894.7, AC018636.4, AC083884.6, AL139317.5, AL021546.1, AL136179.15, Z99716.4, AL049643.12, AL022336.1, AC008372.6, AP001169.1, AC018696.4, AC007263.4, AP001747.1, AC007679.4, AC006455.2, AL133448.4, AC009412.6, AC004491.1, AC073897.6, AC007055.3, AC004655.1, AP000215.1, AC004998.2, AC002350.1, AC012309. 7.
HDHEB60	62	499233	1 - 1407	15 - 1421	AL524364, AL527936, BE729676, BE734215, BG034535, BE879791, BG030700, BE782405, BG031399, BF219970, AW961043, AW245732, BE540977, BF125197, BE264862, BE264047, AA523441, BF348672, BF125434, AW250195, AW860381, AW246993, AI654715, AW168308, AI949310, AW068175, BE259690, AI393119, AW938768, BE279977, AW938746, BE857719, AW190234, AI871661, AA494392, AW900867, AA338903, BG006350, AL527587, BF091980, AA602247, BF804618, AW364083, AA357684, AW178944, R40832, BF374357, AW662637, AL524365, R42008, C20713, BF360339, BF915537, AW088134, BG035330, AI800433, AI559667, AI800453, AI536557, BE907440, AI689463, AI922091, AW151132, BF529043, AI285417, AI804505, AI952433, BF914091, AW118557, AI926593, AW151136, AI498579, AI539771, BE897632, AI432644, BG254284, BF304748, AI537677, AI494201, BF812963, AI500659, BG180468, BE883591, AI868831, AI866465, AI815232, AI866691, AI801325, BF812438, AI500523, AI538850, AW089221, BE968552, BE885490, AI887775, AI582932, AI590043, AI284517, AI923989, AI872423, AW172981, AI500706, AI445237, AI491776, AI289791, AW151138, BF811804, AI521560, AI889189, AI500662, AI582912, AW172723, AI284509, AI539800, AI889168, AI440263, AI538885, AI927233, AI866573, AI633493, AI434256, AI866469, AI434242, AI805769, AI888661, AI284513, AI500714, AI888118, AI277008, AI285439, AI436429, AI859991, BE964045, AI355779, AI623736, AI889147, AI371228, AI581033, AI431307, AI440252, AI491710, AI440238, AL047422, AI866786, AI567971, AI610557, AI860003, AI431316, AI242736, AI539260, AI828574, AI887499, AW151979, AL038575, AI539781, AI702065, AI539707, AI885949, AI285419, AW089557, AI559957, AI521571, AI469775, AI866581, AL047398, AW074057, AI815150, AI567953, AI446495, BE906230, AI867068, AI225248, AI698352, AI815239, AI371229, AI921420, AI624279, BF913616, BG252929, AI701890, AI687614, AA464646, BF038804, AI919345, AW858243, AI282249, AI962040, AI829330, AW078839, BE895765, AI554821, AI561170, BE764656, AI636811, AL515375, AI500146, AL042365, AW059765, AI263331, AI610756, AI440260, AI690946, BF814072, AI890907, BF811802, AW129310, AI866458, AI431238, BF815930, AI648567, BF925348, AL514069, BE540578, AA830821, AI924051, AI433157, BE964497, AI273179, BE621206, BG108452, AI371251, AI866510, AI499986, BE968711, AW151974, AW073697, AI866461, AI923046, BF339011, AI049859, BF752892, AI436458, BF526393, AI379711, AI918408, AI334445, AW169643, AL048403, AI915201, AA878808, BF764538, AI349814, AI953880, AI702902, AI800171, BE881675, AI819663, AI432656, AF118240.1, AB016531.1, BC000467.1, BC004356.1, BC000632.1, AK025906.1, BC004937.1, AK027081.1, BC007634.1, AL133070.1, X79204.1, AK000247.1,

				BC004908.1, AL080162.1, AL136781.1, AF017790.1, Z22828.1, U92992.1, BC002356.1, BC008382.1, BC001093.1, AL080127.1, AL136748.1, BC008195.1, AB048910.1, BC000713.1, AK024550.1, BC008818.1, BC001470.1, AK027116.1, AL133084.1, BC008488.1, AB063077.1, AL137275.1, AF056191.1, AK026086.1, BC004370.1, AB047609.1, BC003105.1, BC006164.1, BC002485.1, AL122098.1, AF111847.1, BC008893.1, M92439.1, AP001343.1, AL512454.6, BC002839.1, AK026038.1, AJ004832.1, X72889.1, BC002491.1, AK026865.1, AK026021.1, AK025084.1, AK025958.1, BC002607.1, AL136825.1, AL133049.1, BC001790.1, BC000785.1, AB060905.1, AL161953.1, AL136765.1, S77771.1, BC004926.1, AL137429.1, BC006207.1, AL389978.1, BC006508.1, AF067420.1, AK026642.1, AK026590.1, BC007657.1, AF260566.1, AB063087.1, BC002844.1, AF369701.1, BC004181.1, AL117432.1, BC000051.1, BC000386.1, BC007852.1, AK026749.1, AF151109.1, BC005805.1, AK026164.1, AB049629.1, AK025092.1, BC008717.1, AK026627.1, AL161802.15, AL353745.7, BC008365.1, D83989.1, U80742.1, AK026648.1, BC007207.1, BC002495.1, BC009272.1, AL136763.1, AL137556.1, AL136540.1, BC002777.1, AL080154.1, AK026532.1, BC009284.1, AC004690.1, AK026389.1, AF353396.1, AF022813.1, BC001328.1, BC002816.1, AL049423.1, AL049314.1, AB060837.1, AL512705.1, BC002524.1, AL137536.1, AK025541.1, AF036268.1, AL080126.1, AL389935.1, AK026631.1, AC044797.5, AK024622.1, BC009212.1, BC005007.1, S61953.1, AB019565.1, Y10080.1, AK025391.1, AK000432.1, AK026522.1, BC004265.1, AK026541.1, AK027161.1, AB047941.1, AL157464.1, AK026793.1, AB060929.1, BC008785.1, AK025431.1, AK026603.1, AB060839.1, AK027142.1, AL137656.1, AL133565.1, AL137665.1, AJ406932.1, AC003032.1, AC005057.2, AC010137.3, AL353802.14, AC005968.1, AL157360.8, AL162713.19, AL359997.8, AC007298.17, AL133629.1, BC006332.1, BC003687.1, AF030165.1, AL122100.1, AL133053.1, BC002476.1, BC000066.1, BC003122.1, BC006133.1, Y00093.1, AF002985.1, AB055805.1, AL122049.1, BC009395.1, BC002519.1, D44497.1, BC000377.1, BC001963.1, BC001191.1, AB060226.1, AL137557.1, AK000655.1, AF218023.1, AL162062.1, AK027188.1, AF188698.1, BC006412.1, AF218034.1, BC006465.1, S76508.1, AK027868.1, AC021020.3, AL080158.1, BC000317.1, BC005854.1, BC008025.1, U67211.1, AL050138.1, X99226.1, U77594.1, BC001082.1, AL110159.1, AF169154.1, AF271350.1, AL080060.1, AL136884.1, AK027114.1, BC002647.1, AB050418.1, AK025209.1, AB049758.1, BC004119.1, AL157431.1, AL137660.1, BC008078.1, AB056768.1, AL080129.1, AL110222.1, AL136882.1, AF205073.1, U51587.1, AL135933.11, AL157878.11, X66417.1, AL035458.35, BC006487.1, BC006147.1, BC003651.1, AF358829.1, BC007280.1, AK000445.1, AK026571.1, AL512746.1, BC002386.1, BC006198.1, S69510.1, AF112208.1, AF124728.1, AL162085.1, AF321617.1, AL137662.1, AL137480.1, Z94277.1, AC006222.1, AC010088.3, BC001427.1, AK026591.1, BC004960.1, AK000450.1.
HDLAC10	63	692299	15 - 1477	BF222902, BE908203, AL049012, AV751505, BF589784, BF939631, AV752758, AW161772, BF984735, BE156564, AI963569, AI627938, AU145766, AA430167, AW885969, AW885971, AU144116, AW885970, AW150904, AA811288, AW148833, AA016001, AU146932, AA534493,
			1 - 1463	

					BE246689, AW572295, BG260240, AU155669, AI580793, AU149721, BF791136, AI473859, AU157762, AU150899, AU119418, AU150032, AA552599, BE349918, AI762820, BF572303, AA630256, AI249503, BE348915, BG257768, AI289630, BF941915, AI093700, AI683179, BE767826, AA902142, BE243543, R50658, AA994326, Z43651, AW589235, AI796343, Z39714, BE246512, AU156488, BE246684, BF184442, T36201, R50558, D60811, BE247745, BE165921, AI796404, AW023060, AI560541, AA445981, Z45738, BE242535, BF693665, AV657085, F04619, BF692774, AU121025, AW960825, BF571603, AK025407.1, AK025829.1, AF205600.1, AF205601.1, AK022942. 1.
HDPBA28	64	1062783	1 - 3433	15 - 3447	T27258, AU140225, AI634860, AI767588, BE536545, AV689583, AI991689, AI635347, BE386012, BE767008, AW976840, AI640606, BE178142, BE177971, AW502888, AA977785, AI979247, AW503911, AA971157, AL135446, T27536, AA491080, W74279, R07065, AI687230, T27535, AW816221, AA436906, BE151455, BF510035, BF803181, BE151443, AA152394, AW505067, BG003144, AA761110, AA377229, AV648450, BE671931, AI873792, AA397568, AA399529, AA679080, AI382296, AV648107, AV648212, AV648537, AI913234, AI741350, R50230, AI920850, AI018184, AA702114, AI244588, R81654, AI126673, AA152500, BG057181, AA148355, BE817269, AF222340.1, AF183569.1, AF106037.1, AB011097.1, AC008906.5, AC009073. 8.
HDPBQ71	65	1160316	1 - 2298	15 - 2312	AL517702, AL535136, AL517701, BF966919, AV712906, BF310001, BE785105, BG023779, AW608043, AW959115, AW571652, BE546297, AV733133, BG164317, BF965688, AA910337, AW070547, AA630221, AA936329, AI077660, N66596, AA233825, BF769251, AW169158, BE896148, AW966447, AI092899, AI804163, BF966148, AI184325, AI400074, AW105140, AI038519, BE178803, AI243767, AI803580, AA449258, AI089365, AI969422, AI292304, AA971310, AV753091, AA233729, AI289889, AI335939, AI275621, AV748056, BF828492, AA451735, AA973548, H19041, AW129980, BF791539, AW472838, H65681, AA478196, AA666224, BF940460, AI002830, AI374721, AI264277, H29405, BE930289, AA446666, R52737, N99048, F06358, AA233772, H11875, H65682, BF725919, R64291, R59440, AA812450, Z44951, BF825554, BE711465, F07390, AA093749, AI080343, R24935, R64256, AA878276, BF248328, AA081567, AA081513, R20695, D11945, AA249453, AW630557, AA331924, F07956, AI672272, AA383930, AA385881, R63983, AA865796, AI078076, AW964475, AA448551, BF878091, BF091153, T97552, AA453075, BE937893, N98627, T53666, BF836787, R64175, R63901, AA319203, AA424168, BF791814, BG001790, H11513, BF376043, W30696, BE739183, BF086020, BF376012, AW189731, BF769066, AA383577, AW388471, AW388477, AW810765, AW388507, BF247577, AW810647, AW810736, AA092943, T97598, AW810677, AW627523, AW810964, AI261898, BF216270, BF855391, AW810687, AI221448, AI147974, AI611624, AA730133, AI377784, AI672529, BE551587, AI936568, BF115500, BE466653, AW303619, AW388498, BF382656, BF751597, AI962331, AW006254, AI351767, AI655026, AA884783, AL119457, AL119324, AL134524, AW971745, BE161864, AW149892, AL119396, AL119443, AW804686, AW392670, AK027596.1, BC006321.1, AF212247.1, AB062962.1, AC007533.2, AB026436. 1.

HDPCL63	66	1019008	1 - 3023	15 - 3037	AL040501, AL040502, BF312113, BF311401, BF312099, BF969955, BG118304, BE889750, BF528529, BE892499, BE378197, BE796737, BE312325, AL043139, BG033292, BE314857, BE312562, AW961051, BE875599, BE395864, BF528758, BF312036, BF982580, BF511000, BF206591, BF689722, BE278785, BE301032, BE538635, BF062495, AI074169, BF063302, BF528817, BE550763, AI439151, BF568696, AA143267, BE044341, AA534289, AI968616, BE644848, AI374815, AA025730, AI718363, AA984833, BE893882, AW084880, AW952114, BG012441, AA722825, AA514696, AI809529, BF835155, BF892650, AA932271, BF739765, BF894752, BG059761, AA134803, AI828209, AA460484, AI042088, AA134802, AI640382, R51678, AI925709, AI669079, AW469179, AI199232, BF900427, R53751, BF349740, BE279833, BE273231, AI640403, AI074545, BF753080, AW579547, BE731727, AI659329, AW002463, AA233548, AI003456, BG222370, AW137214, AA230095, T55730, H43116, AW962595, BF001788, AI670726, AA626289, BF910860, AV748998, AW276888, AA323567, AA233662, Z45129, H45702, BE245940, BE383639, R40971, R53750, AA037073, T03319, BF813413, BE074131, BF691850, BE244555, BE146067, BF924555, BF244566, AI141636, AA339051, H45753, BF691075, BF690883, H42344, AA291701, AI884572, AA356368, AW080418, AW071165, AW296941, AA631213, AA317597, R39383, AA324321, BE244793, BF221497, AI278324, BF977743, AA025729, BF055230, R10660, AA429477, AI468432, AA291748, AI537969, H52665, U46451, AI979165, BF570791, AA378387, AI918383, BF923133, AA455817, AW103386, BF868375, BF868370, AA922522, BF977581, R38308, Z39044, R51590, BF737690, BF976877, R12982, F04029, AI868824, T55772, AW263568, AA233779, R14452, T31372, AA292264, AA287135, AI560594, BF691578, AV743961, AA284706, BF894453, Z42923, AW152063, AI916442, BE694236, AA338803, BE049333, BE904088, T32117, BF933303, BE889979, BF914434, BF894452, BF764158, BE708005, BE892537, T92457, BF811804, BF994428, AI440263, BG167249, AI866465, AI828574, AI623736, AL513907, AW151136, AI539771, BE897632, AI537677, AI494201, AL513817, BF812963, AI500659, AI815232, AI801325, AI500523, AI538850, AI582932, AI923989, AI284517, AI872423, AI500706, AI445237, AI491776, AW151138, AI889189, AI521560, AI500662, AI866786, AW172723, AI284509, AI539800, AI538885, AI889168, AI866573, AI633493, AI434256, AI866469, AI805769, AI434242, AI888661, AI284513, AI500714, AI888118, AL096879.1, AL117649.1, AL021977.10, AL020993.1, BC004310.1, AL049426.1, AC004213.1, AL133070.1, AL136781.1, AL110196.1, AL136862.1, Z98744.1, AL136763.1, AL133049.1, AL110199.1, AL137523.1, AC069387.8, AL122049.1, AL049423.1, AL133080.1, AF132495.2, AL133084.1, AL133655.1, AL136765.1, AL050116.1, AL136825.1, AF090943.1, AF271350.1, AF002985.1, L40386.1, AL133607.1, AL080234.1, AL133015.1, BC002695.1, BC008904.1, AL133053.1, AK000645.1, BC008723.1, AB060917.1, AL136747.1, AB031069.1, AB063100.1, AL162062.1, AC007383.4, AL512733.1, BC008387.1, AL162272.10, S77771.1, AK027116.1, AB060842.1, AL050155.1, AK026480.1, AB046642.1, AL022723.4, AL133608.1, AL133072.1, AC008755.6, AL122110.1, AB048994.1, AK026086.1, AL122050.1, BC003591.1, AK025099.1, AB063077.1, AL133077.1, AF081195.1, AA443486.

HDPFF39	68	588697	1 - 1242	15 - 1256	AL526869, AL523945, BE794829, AL532486, AL533032, BF969304, BG115956, AL514521, AI871493, BG028151, BF689553, AL531509, BF689896, AA005246, AW392303, AI921136, BE620088, AI921426, AL514522, AI800003, AI571833, AI097128, W68743, AA587786, AI928547, AI588884, AI366187, AI469283, BG059843, AI091266, W68721, AA731294, AI023709, BE218286, AI571471, AI628000, AI819634, BE207917, AI247849, AI085331, AW274586, AI752152, AI866693, BE382434, AW264556, AI570330, AA909256, AW602670, BF091955, AI185842, AI627586, AI189900, AI417779, BF822519, BE673374, T81959, AI623337, AI970967, R86832, BE940065, AA074519, BF944761, AW364990, AA865886, AA722301, AI539598, BF095254, AI494220, AA327238, BF345347, H82580, AI571973, AW516484, T81955, AW439461, R56100, W27475, AW470712, BE743030, AW674734, AI953321, AA076557, AA731651, BF056789, AL134661, AW131498, AW772519, AI609719, BF855458, AW073075, AW365079, BF808730, BF526571, R60226, AI918145, T57354, BG253820, BE886275, BF799596, BE938387, AW517642, AW886746, BF951584, BF684157, AW204188, AI032686, BE936805, BE843795, BE933378, AL523946, BF999019, BF980469, AI589371, BG120896, H16171, BE937970, AW938898, T57436, AW882041, BG121424, BF851425, AL532487, BG163558, BF762612, AW138659, AI364407, AW513032, BG105148, AA005140, AI097132, AA767618, AI572822, R86655, BE962190, BF947166, Z43259, BF690126, BG115718, AW663033, AI932620, AI559976, BE620628, AI358271, BG167830, AI924051, AW858522, BF812963, AI804505, AI500659, AI815239, BE883591, AI866465, AI446536, AI815232, AI801325, AI866691, AI500523, AI538850, AI887775, AI582932, AI872423, AI590043, AI923989, AI284517, AI500706, AI491776, AI445237, AI926593, BF811804, AI289791, AW151138, AI889189, AI521560, AW151974, AI500662, AI285417, AI623302, AI539800, AI284509, AW172723, AI582912, AI538885, AI440263, AI889168, AI927233, AI866573, AW058275, AI567961, AI633493, AI434256, AI866469, AI434242, AI805769, AI888661, AF037339.1, AK027698.1, AF037338.1, AC011489.6, BC004865.1, AL133655.1, AL133074.1, AL136763.1, AL133076. 1.
HDPFP29	69	628254	1 - 1043	15 - 1057	AW575379, AA769318, AI796662, BG029535, AW269780, AA809133, AA427866, AW953923, AI419264, AW088714, AI400326, BF945261, AI924874, AI150755, AI623762, AI239506, AI619494, AW148696, AI797909, BE327745, AI634907, AW070513, AI186243, AA768972, AA804195, AW674541, BE221186, AW204520, AA292638, AA235326, AW341643, AI005076, AW004816, AW603880, AW007235, AI871816, BE826643, BF222941, BE826639, BE826631, BE826634, AA292639, BE826687, AW514133, AA627727, AI690331, T05561, AW405407, AI673409, BF814220, AW075831, AI923685, AA931499, H56443, AW083896, BG165971, H56444, H16157, T82850, AW131313, AI249783, AA714383, AA548622, AI810663, BF091047, AA810885, R51826, F21597, AA702095, AI832872, AA832395, BF974513, T34785, AA524210, T16401, T90272, R28256, BE826642, AA262993, BF903485, AA568882, AW075840, AA535317, AI909659, R28033, BF814542, AW970732, AI810273, AI262373, BF000060, AI927452, AI679783, AI272283, BF901241, BE559850, AA742649, BF900830, AA922242, AI439758, AI445719, AI738794, AI625812, AI215105, AA749066, AI275641, BG054585, AA527826, BE143233, AA525108, AI950316, AL522808, BG111850,

					AA643261, AI432644, AI927233, BF771135, AA033725, AI699011, BE883591, AI431307, BG110517, BG113493, BG029667, AI433157, AI648567, AI690946, AI554821, BG252929, AW151136, AI539771, BE897632, AI537677, AI494201, BF812963, AI500659, AI866465, AI815232, AI801325, AI500523, AI538850, AI887775, AI582932, AI590043, AI872423, AI284517, AI923989, AI500706, AI445237, AI491776, AW151138, BF811804, AI932949, AI521560, AI889189, AI500662, AI539800, AI582912, AW172723, AI284509, AI538885, AI889168, AI440263, AI866573, AI633493, AI434256, AI866469, AI434242, AI805769, AI888661, AI500714, AI284513, AI888118, AI285439, AI859991, AI436429, AI355779, AI623736, AI889147, AI371228, AI581033, AI491710, AI440252, AI866786, AI610557, AI860003, AI242736, AI828574, AI887499, AW151979, AI539781, AI539707, AI702065, AI885949, AW089557, AI559957, AI285419, AI521571, AI469775, AI866581, AI815150, AI567953, AI446495, AW858243, BG164558, AA806719, BE885490, AI289791, BF811802, AL110306, AI929108, BG257535, BG027628, BF338002, AL045500, AI866820, AL042515, AI561170, BE886728, AI784028, AI890907, AL039390, BF795712, BE895765, BF815930, AI468872, BF802671, AW089006, BF812438, BG260144, AI371251, AL079960, AI866510, BE047852, AI274759, AI866461, AI923046, AI565172, AL047422, AI431316, AL048403, BG168086, AW827227, AA074168, AI433976, AI867068, BG113224, BF725463, BE537531, X79568.1, U28282.1, AK027136.1, AC007383.4, BC006408.1, AB060841.1, AL110280.1, AC026464.6, AL133049.1, AL137294.1, AC023880.5, BC006159.1, BC004431.1, BC008078.1, AC010149.8, AK025209.1, AK026793.1, AL080124.1, AL389935.1, AL137271.1, AC006994.4, AC021325.5, U72621.3, AC016652.5, AL359620.1, AL035458.35, AL133014.1, AF012536.1, BC008417.1, BC001844.1, AL137538.1, AC004987.2, U77594.1, AC008592.4, BC006136.1, AL136843.1, AC011450.4, AL353625.5, AF090900.1, AK026626.1, AC018643.3, BC007998.1, AL137705.1, AB060826.1, AL080234.1, AK026894.1, BC002355.1, AL390154.1, AL136766.1, AL137292.1, AC009087.4, BC008708.1, AL137530.1, BC008280.1, AK027160.1, AF095901.1, AL133344.28, AL353999.3, AC004822.1, BC009395.1, BC002473.1, AL136845.1, AB060888.1, AB060229.1, AK000432.1, AC004686.1, S77771.1, AL353802.14, BC006509.1, AF334404.1, BC009026.1, AL355834.4, AL353594.13, AP001873.3, AL356278.8, AK027217.1, AK025632.1, AK024546.1, AL133104.1, AC005902.7, AK000655.1, AK024747.1, BC000714.1, AK000647.1, AK025484.1, AF056191.1, AF348209.1, AK027161.1, AF120268.1, BC009355.1, AK000391.1, AC006313.1, AL122049.1, AF353396.1, AB063070.1, AK025015.1, AB047631.1, AF179633.1, BC004215.1, BC004908.1, AB056768.1, AK025465.1, AL137665.1, AB060842.1, AL391244.11, AK000450.1, AL512684.1, AB049900.1, AC009484.3, Z82022.1, AF218006.1, BC002343.1, BC006494.1, AK000250.1, AL136768.1, AK025708.1, AB047904.1, AL157360.8, AK025383.1, AL161628.9, AK026591.1, AK000718.1, AL163282.2, AK024992.1, AL136622.1, AL137557.1, AL389978.1, AF285836.1, BC002519.1, AC006112.2, AF225424.1, AB060856.1, BC007460.1, AB055352.1, AK000212.1, BC007571.1, AC010530.7, AB055303.1, AB047869.1, AL137711.1, AF090886.1, AB060887.1, AF274348.1, AF274347.1, U80742.1, AL133619.1, BC006412.1, AL353807.18, AL136784.1, AL137476.1, D55641.1, AK026542.1,

					AL080060.1, AK026057.1, AK027193.1, AL136781.1, AF002672.1, AL356747.18, AL133560.1, AK026408.1, AF094850.1, AL359941.1, AF003737.1, BC004945.1, AC004383.1, AL136850.1, AB047966.1, AC010972.3, AL359600.1, AB060837.1, BC006180.1, AF132730.1, AL137574.1, AL353745.7, AL162062.1, AF205861.1, AL121601.13, AL136892.1, AL050138.1, AL445236.22, S76508.1, BC004533.1, AF169154.1, AC024247.4, AC004883.2, BC009033.1, AL035407.15, AL138976.5, AE006462.1, AF151109.1, AL138770.3, AB055374.1, AL136844.1, AB056420.1, AF113222.1, AL512689.1, BC006411.1, AL137256.1, BC007198.1, AL122118.1, AJ012755.1, AL035587.5, BC007031.1, AF271350.1, AK027111.1, AF078844.1, AL132985.4, AK026533.1, AC006222.1, AL117463.1, AF245044.1, AC020659.5, AK024601.1, AF069506.1, AL022165.1, AB047878. 1.
HDPGI49	70	785887	1 - 2669	15 - 2683	BG028956, BF434796, W05746, AW965426, BF509507, BF680194, BF589350, AA287841, BE697901, BE697902, AI032342, BE856794, BE251850, AI342589, AA218952, AW771921, AW118336, N24868, AI301200, AA761846, BF247512, AA911724, AV712358, AA831097, AA040238, AA809475, AA287842, AA252943, AI610808, AA040239, AA422118, AA235003, BF477762, D80028, AA985566, AI051755, AA450350, AI267777, AA768011, AA463666, H96432, AA411233, BE218411, AA332252, AA995400, D81515, AA974489, AA507522, AA653950, BF087088, BE242538, BG005055, AA249308, BF971120, AA487000.
HDPGT01	71	771583	1 - 2673	15 - 2687	AL524311, BG251269, BF310537, AU133126, BF683381, BF038290, AW732293, BF316433, AW170099, AI056333, BF349288, AA972732, AI675184, AW177595, BE141799, AW664330, BG056730, AW751928, BE141798, AU157403, AI803604, AW516199, AI421509, AI089433, AA622275, AU154510, AA699595, AW733094, BF838983, AI148225, AA921836, AA701632, AI361562, H75815, AV701643, AA931757, AA825979, BE837455, AI247022, AA035572, AI015040, AI032666, AW167576, T89750, BF349289, H06815, AI168573, AI702086, W42567, Z43621, AA505697, R92850, AI204070, AA724075, H06816, W72651, R93066, W76613, W42546, W86249, AW751931, AI272047, T16739, AI868745, AA860360, AI207229, AI249348, AI073394, AA035062, AA758712, AI204396, T11609, AA649046, AI168656, AA729782, AL110209.1, AL389957.1, AK001705.1, AB017494. 1.
HDPHI51	72	460679	1 - 714	15 - 728	AC005946.1, AC018755. 3.
HDPJM30	73	879325	1 - 1621	15 - 1635	AI420713, BF951818, R85260, H28149, BF899899, BF594396, AW292642, H44846, BF685411, AI739196, AI867313, BF063759, AI380559, BE504664, AW166357, BE735346, BF064117, AB001535.1, AP001754.1, AP001065.1, AP001064. 1.
HDPMM88	74	972734	1 - 4879	15 - 4893	AV715713, BF446914, BG057685, BF898163, AI083524, AI290271, AA318526, BF932901, R78174, C17785, R77809, BF898707, AW795715, AI638633, BE921994, BF904690, AW016805, AC025040.7, AK025125.1, AC016045. 8.
HDPNC61	75	637585	1 - 1396	15 - 1410	AA847865, AA483400, AI016714, AI051725, N62194, BE047259, BE327006, AA483411, AI554330, AW874660, AA933624, N66755, AI825794, AW327616, AA902896, AA725234, AI769182, BF448730, AA054669, R60056, AA594900, H05474, T16298, AA977118, AI671131, AA054722, AA650410.

					BE719696, BE719698, R43427, AA716570, T82929, AW327262, BE044255, AA761969, AW974625, AA916000, T34734, BF817206, AA805766, T90105, AI249880, AA342241, AA811545, AW956711, AA484223, AL354808.24, AC003098.1, AC079602.15, AL049569.13, AC004166.12, AL450325.5, AC005288.1, AC005736.1, AL157838.24, AC027644.9, AP000350.1, AC011475.6, AL022238.1, AC005098.2, AL096791.12, AC006261.1, AL022476.2, AC090944.1, AC008569.6, AC007899.3, AL590763.1, AC020917.4, AC087071.2, AL359397.3, AL135752.6, AC013726.7, Z85986.1, AL354815.10, Z93015.9, AF053356.1, AC002302.1, AC005488.2, AF064861.1, Z83826.12, AL357515.26, AC016637.6, AP001748.1, AL445645.10, AL499628.1, AC020931.5, AC004826.3, AL359091.10, AC004965.2, AL353653.19, AP002852.3, AC020750.3, AC004867.5, AC006001.2, AP001705.1, AC005995.3, AC010150.3, AL139289.6, AL031005.1, AL355392.7, AC005077.5, AC006966.3, AC005056.2, AL135901.23, AC009144.5, AP001727.1, AL163279.2, AC009753.5, AC004699.1, Z84466.1, AL157938.22, AC083884.6, AL050341.18, AL355543.13, AC004820.2, U95090.1, AC005844.7, AL353804.22, AL163032.3, AP002812.3, AC005052.2, AL049776.3, AC006117.1, AC007220.4, U95740. 1.
HDPOJ08	76	731863	1 - 1641	15 - 1655	BF968799, BF791555, AL513581, BE879926, AI949941, BE827843, BF968555, AI765763, BE875907, AW959968, AW382167, BF692458, BE876162, BF106234, AV713629, AV699640, AW382174, AU136532, BF692025, AA449500, AW902068, AW583040, BF212019, AW382170, AI768711, AI918137, AW235520, AI199832, AI074542, AA243341, AA071031, AL513582, AI308913, BE150978, AW609396, AA604828, AA831297, AI304674, BE151243, AW391610, AA704776, BE150919, AU155999, AW389522, AA878385, BF979062, BE150848, BE150932, AA554171, AI086256, AI285140, W48831, AW379916, BF215357, AW389518, AI361484, AI290204, BE150880, AA679730, AA285176, AI367820, BF570762, AA287652, AI028778, AI342266, AI332795, BE501465, AW609661, AA564884, AA497006, BF432681, BF438907, AA496929, AI742352, BF572848, AA824372, AW582335, AA286805, AA809400, AA101705, BE150881, H50009, AI356809, AI863722, AA449072, AW394227, N64570, BE614989, H66597, BE465872, AU157281, BF792958, AW394207, BE702178, AI860155, BE702109, T96603, BF792810, AW802638, H47883, BE702071, AW391634, AA425753, BE149864, BF766698, BF766705, T96711, R59882, AW816178, AI301234, AA524763, AW582392, AW609367, AA427806, AA243537, H89251, AA297709, BE892299, AI703471, AA284029, W49812, AI458780, AW075621, H89250, AI867621, AW380564, BF912063, H66596, AW380556, AW814225, AW380562, AA730264, R59881, AI433332, AA210752, AA863154, BF513435, H47884, AA211712, C00853, AU137710, AI269992, AW337692, AA489590, AA070527, AA101704, AW391666, AA296965, AA296966, AA497092, AI570809, BE673630, T25724, AW582435, BE150974, AW391617, AI954461, BF999751, AW152174, BE876251, AI587112, BF764712, AW816180, AW102931, AK024215.1, AK023478.1, AB014732. 1.
HDPOZ56	77	1352319	1 - 1891	15 - 1905	AI859620, AI830021, AI949469, AI887204, AI218392, AW194364, AW511272, AI307671, AA970014, AW582666, AW609988, AI873619, AC011452. 6.
HDPPN86	78	1037893	1 - 6283	15 - 6297	BE250002, BE394338, AW935469, AW749660, BG250570, BF982358, AI821271, BE541597,

				AI313180, BE293706, BE872198, W22478, AW976010, AI002815, AW963152, AU117456, AV762145, AV760760, BF792326, AW965008, AV764490, AW837083, AV700498, BG032943, AW600804, AV733710, AV759172, AA680243, AU123691, BE908796, AL037632, BE796439, AI076616, AW406162, AI732120, BF339640, AV700988, AA484962, AV699709, AW965642, AF074667, BE902459, AV760599, BG164166, BE273856, AI313166, AU118745, BE387734, AW961994, AA381195, AI364780, AU159301, AV761286, AA722372, AU158602, BE154495, AL044000, BG250302, AL041706, AL040921, AV700545, AU145083, AI817516, AV729960, AV760258, AW820787, BE071876, BF965477, BE071877, AW974126, AV759362, AI565581, AI284640, AI963600, AI608771, AL048626, AW440545, BF677892, AI204304, BE902975, AW317075, AA836811, AW088224, BF337291, AA634072, AI350211, AV704375, AV760777, AW193265, BF668217, AI133164, AV762395, BF736198, AW953071, AU157011, AW833862, BF241967, AL046409, AW995093, AV711987, AA491814, N94311, AI431303, AI963720, AW276817, BF828714, AI613280, AV762098, AA601355, BG249643, BF697673, AF330238, AV760937, AV728425, AW080939, AA599480, AV740801, BE156019, AI924251, AA469451, F36273, AV658688, BF055844, AI289067, AL119691, AV763354, AI061334, AV763971, BG058664, BF680074, AV725423, AL045053, AW970915, AW975425, AI471481, AI305766, AL138265, BE350475, AI679294, AA205915, AI754955, AL137737.1, BC001041.1, AK000310.1, AC010366.5, AC005280.3, AL137852.15, AC022148.5, AC004263.1, AP001666.1, AP001630.1, AE006463.1, AL354932.26, AC005484.2, AL590762.1, AF088219.1, AC007782.20, AC004134.1, AC005288.1, AC011811.42, AC005911.6, AL161656.20, AC072052.6, AC009470.4, U47924.1, AC004859.2, AL035587.5, AL162505.20, AC073138.3, AC025166.7, AL359552.16, AC007954.7, AC034242.5, AL139317.5, AC011455.6, AL022724.2, AL109965.34, AC068533.7, AL161779.32, AP000359.1, AC010271.6, AL109825.23, AL122013.5, AL163282.2, AC020893.5, AC005324.1, AC005257.1, AC003009.1, AC010148.13, AC005011.2, AL109935.39, AL049759.10, AP000901.5, AL354928.9, AC009144.5, AL163853.4, AL109805.14, AC009086.5, AC009996.7, AE000658.1, AC016898.6, AL590076.3, AC008543.7, AC005670.1, AL591770.1, AC007204.1, AC006251.3, AC009122.8, AL034550.31, AL136418.4, AL139054.1, AC006345.4, AC004821.3, AC011497.6, AC003006.1, AC004678.1, AL117351.12, AC000118.1, AL512430.14, AC008622.5, Z93023.1, AC008379.6, AC006435.7, AC006211.1, AF196779.1, AL357515.26, AL049776.3, AL133448.4, AC004675.1, AL137818.3, AL354720.14, AC079753.7, AP001619.1, AC044797.5, AC011236.8, AC020906.6, AC010422.7, AL050328.24, AL109921.21, AC005771.1, AC005234.1, AL136223.11, AL121928.13, AC000075.2, AL163279.2, AL050349.27, AC020558.4, AC005488.2, AC004997.2, AL450339.5, AC004876.2, AC005844.7, AL023575.1, AL121658.2, AC007683.5, AP000553.1, AC008745.6, AC009131.6, AC004596.1, AC004826.3, AL160163.24, AL031597.7, AB023049.1, AC016769.10, AC006064.9, AC005664.2, AB053170.1, AF001549.1, AL590964.8, AP001726.1, AC025593.5, AC018808.4, AC007052.4, AC007011.1, U95742.1, AL035422.12, AP001689.1,

					AL133477.16, AC004686.1, AL136304.10, AL050335.32, AL158830.17, AF196971.1, AL132642.4, AC004638.1, AL135927.14, AC007227.3, AL136300.22, AC005585.1, AL158159.14, AL118520.26, AL355094.3, AL445201.14, AC003007.1, AC002314.1, AC018828.3, AL139327.18, AC005632.2, AC007957.36, AC011472.7, AL445248.7, AP000302.1, AL078477.5, AL589947.3, AL022328.21, AC024561.4, AC003070.1, AC007298.17, U82671.3, AC008895.7, AC018751.30, AC012476.8, AF215937.1, AC003085.1, AC087071.2, AC005696.1, AP001216.3, AC009958.2, AC005839.1, AD000092.1, AC005682.2, AP000513.1, AL136126.34, AC011816.17, Z98200.8, AC005668.1, AL096791.12, AL162426.20, AL163249.2, AC023114.5, AC002470.17, AC005755.1, Z99129.1, AL035683.9, AC006128.1, AL354808.24, AC008039.1, AC004019.20, AC008079.23, AC005330.2, AL031255.1, U78027.1, AC010740.7, AE006467.1, AC003111.1, AL359513.12, AC004975.2, AC005377.2, AL121929.17, AC023669.8, AC007318.4, AC005520.2, AL136980.5, AC026464.6, AL121989.12, AC005081.3, AP000474.2, AL158210.12, AC011452.6, AC006487.8, AL034420.16, AL133367.4, AP001745.1, AP000555.1, AC016939.8, AC008687.4, AC007666.12, AC006468.9, AC006480.3, AL096841.6, AC005399.19, AC006132.1, AL034380.26, AC006312.8, AC017079.5, AL157372.18, AC021752.5, AF217796.1, AL035450.1, AP001688.1, AF279660.2, AC006130.1, AL133500.3, U91326.1, AL161756.6, AL021939.1, AL035458.35, AC005052.2, AC020915.6, AL445189.7, AC024166. 3.
HDPSB18	79	1043263	1 - 3394	15 - 3408	AA631915, AA595661, AI348780, AA489390, AA640305, BG231195, AW239465, AI523205, AA180056, AW975434, AI819419, AV759517, AA199578, BE677227, BF740656, AW839858, AI754064, BF880881, AI270280, AI567676, AA568303, AV706458, BE062357, AI753131, AW247955, AI610814, AA493546, AI086603, AV717475, BF875339, AL355512.22, AF207550.1, AF038458.1, AL109797.18, AL118520.26, AL590762.1, AC003101.1, AC004000.1, Z93023.1, AL121712.27, AL034549.19, AC072052.6, AL117692.5, AC020931.5, AP002852.3, AB023048.1, Z93928.1, AC005081.3, AF196779.1, AL133448.4, AP000116.1, AL121886.22, AP001726.1, AC011461.4, AC005015.2, AC006013.3, AC011475.6, AP003352.2, AL121992.24, AC011491.5, AC020663.1, AC008569.6, AC022087.8, AC011495.6, AC010271.6, AC007546.5, AC004812.1, AL139100.9, AC008745.6, AC079316.15, AC003043.1, AC003962.1, AL035072.16, AC010605.4, AC004522.1, AC007151.2, AL158830.17, AP001694.1, AC009220.10, AC009144.5, AL121574.19, Z98941.1, AL162426.20, AL356299.16, AL122035.6, AL009181.1, AL049569.13, AC074121.16, AL138976.5, AL034372.33, L78833.1, AL117336.22, AP001710.1, AC005913.2, AC006948.4, AC011446.6, AC016894.7, AP001725.1, AC002300.1, AF111167.2, AC005522.2, AC005488.2, AL137229.4, AC008891.7, AC008481.7, AC002470.17, AC011442.5, AC025165.27, AC005004.3, AC005067.2, AL391827.18, AC005377.2, AC005412.6, AP000501.1, Z93244.1, AL158040.13, AL445483.13, AC004967.3, AC006014.2, AL117258.4, AC008440.8, AC011811.42, AL139809.16, AC011497.6, Z97054.1, AL133367.4, AL022316.2, AC018809.4, AL132780.5, AP000692.1, AP000555.1, AC004150.8, AC010553.6, Z99716.4,

					AC005839.1, AP000892.4, AC009412.6, AP000744.4, AC005180.2, AL135978.4, AP000065.1, AC005098.2, AC004963.2, AC021016.4, AC024561.4, AL139396.17, AC018636.4, AC010543.8, Z93015.9, AL139415.10, AL138756.23, AC024952.4, AC010319.7, AC008806.4, AC010422.7, AL365444.11, AC008812.7, U80017.1, AL121891.22, AC000360.35, AL109743.4, AL096791.12, AL035086.12, AL132712.4, AC010463.6, AP000048.1, AL122001.32, AC004771.1, AC004019.20, AL135927.14, AC007227.3, AC027126.4, AC022384.4, AL024498.12, AC011465.4, AC004890.2, AL132768.15, AL049538.9, AC018751.30, AC007957.36, AC004821.3, AC010458.5, AL109825.23, AC040160.4, AC004125.1, AL109923.29, AC004526.1, AL161937.13, AC006330.5, AL033519.42, AC010598.6, AC008264.10, AC009137.6, AJ003147.1, AL008582.11, AL121601.13, AP001610.1, AL022721.1, AF217796.1, AL049795.20, AB000565.1, AC006449.19, AC019205.4, AL034420.16, AC007277.2, AL020997.1, AC009060.7, AC004887.2, AC008372.6, AL449305.4, AC007536.9, AC006057.5, AC005726.1, AL035460.15, AC011740.7, AC009756.9, AL161747.5, AC005581.1, AC004166.12, AL161670.4, AC083867.4, AL354932.26, AC003982.1, AC005527.3, AC011248.8, AC007216.2, AC020983.7, AC004878.2, AC005399.19, AC004638.1, AL359541.11, AC020913. 6.
HDPSH53	80	1309174	1 - 1649	15 - 1663	AU159990, AI307612, AW079047, AI334650, AW874319, AW139828, AI364431, BE242397, BF726322, BF724691, AI568870, AW268253, AI868831, AI433976, BF795712, BG058208, BF883916, AL119049, AL135661, AL513911, AW303152, AI567632, AL121270, BE047863, BF343172, AI673256, AI679724, BE048071, AL036146, BE785905, AI500553, AI349645, BG168696, AV682521, BG250190, BE964812, AI567351, AI349772, BF971016, BE964700, AW827203, AW235035, BG036846, AI863014, BF812933, AW162071, AI608667, AI436456, AL047042, AI064830, AI349933, AL046849, AI687376, AL515041, AI815383, AL513597, BE905408, AL513553, AL513907, AL514919, AL514803, AW071349, AI500077, AI702406, AL047763, AW999049, BG179993, AL036396, BG107847, AI690751, AL045500, AI433157, BG252929, BE877769, BE048179, AL119791, BE965556, AV755290, BF054789, AI687728, BF673434, AV682809, BF344652, AV704928, AI538716, AL513741, AV681872, AV682289, AV682266, BF981774, AV727776, BE966388, AV682249, AW089572, AI873731, BE048081, AL036759, BG033403, BG151247, AL514627, AV710608, BG178809, AV655645, AV682672, BF793644, AI440426, AL120736, AW117882, AL121365, AI969567, AI281779, BG259801, AV733819, AW827211, AL515173, AI349256, AL036802, BE018711, AV762488, BG108324, BF968493, BG260037, AV755581, AI687362, AL119748, AI312152, BG257535, AV756067, AI889203, AI349937, BG029399, BG180996, AI686926, AL513693, BE887488, BF817392, AL513803, AW103371, BF036115, AV758668, AV732941, AV711509, BF342709, BF726297, AW195957, AV681647, BF968041, BG108147, BF726001, BE967113, AI521012, AW238730, AI349004, AV757797, AL513837, AV682466, AI366549, AV726951, BE777769, AV723953, BG112879, AV681759, AW074993, AA640779, AI343112, AL036980, AA613907, BG109270, AI340582, BE781369, BG179633, BE048135, BE048163, BF037097,

					BG121222, AV758822, BG027204, AV758592, AV682479, BE968552, AV757455, BE880190, AI690835, BE963035, AI920968, AI818683, AI499393, BE047859, AV682267, AL120854, AV682082, AV758179, AV757012, AI934036, AL513753, AI282655, AI439087, AV758217, AV756477, AV682441, BE048026, AV681951, AV763915, AI678302, AI609592, BE048319, AV764059, AV706777, AV710479, AW301409, BF726421, AL529946, AI699857, AV682772, AI469532, AI207510, BE969709, AW467961, AV682792, AV717179, AV758806, AI969601, AV709517, AI349614, AL514791, AI866608, AV755311, BF340031, AV682330, AI580190, AV681857, AV711924, BE881155, AW166645, AI349598, AI906328, BG109125, BG114104, AV681668, BE613622, AV708119, AW274192, AV682333, BE964486, BG031815, AW080838, AV755613, AV660662, BE909549, AI597918, AF311287.1, AK024001.1, BC008877.1, BC008417.1, AL136586.1, AF078844.1, AL050393.1, AL389978.1, AF090934.1, AF125949.1, AL157431.1, BC008387.1, AL050146.1, AL442082.1, BC007021.1, AL390167.1, AL442072.1, AL133640.1, AL080060.1, AB056420.1, AL133016.1, BC008365.1, AB055303.1, AF090901.1, AJ242859.1, S78214.1, AF090943.1, AL117460.1, AL136787.1, AL512733.1, AF090900.1, AF090903.1, AK026608.1, AF104032.1, AB048953.1, AF218014.1, AB049758.1, AL137527.1, AL110196.1, AL117457.1, AL133606.1, AL049452.1, AL049938.1, AK000212.1, AL110221.1, BC008488.1, BC003687.1, AL359596.1, AL359601.1, AK026865.1, AF111847.1, BC003683.1, AB060916.1, AB048964.1, AB063046.1, AB047615.1, AB056809.1, AL136892.1, AL136789.1, AL050149.1, AF090896.1, AF219137.1, AB056768.1, AB063008.1, AB063070.1, AK026741.1, AL050116.1, AL050108.1, AL136749.1, AB047801.1, AL122050.1, AK025339.1, AL162083.1, U42766.1, AB050510.1, AB060887.1, AB019565.1, AK026045.1, AF106862.1, AL080124.1, AL133075.1, AL162006.1, AK025084.1, AL049466.1, AK027868.1, AB055361.1, AB060908.1, AL136799.1, AL049314.1, AL080137.1, AL137283.1, AK025958.1, AL122093.1, BC001967.1, AL096744.1, BC006807.1, Y16645.1, AL133557.1, AL050277.1, AK026855.1, AL049430.1, AL133093.1, AF091084.1, AL389982.1, AK026744.1, AL136844.1, AL136768.1, AK025772.1, AL122121.1, AL133565.1, AL133080.1, AK026533.1, BC002733.1, AL137557.1, AB060863.1, AL137459.1, AK000618.1, AL512746.1, AL122123.1, AF097996.1, AF207829.1, U91329.1, AF271350.1, AL512719.1, AL512754.1, AK027096.1, AB055368.1, AB060912.1, AK026784.1, X82434.1, AF146568.1, AB062938.1, AL512718.1, AL117394.1, AL050138.1, AF125948.1, AB060825.1, AK026452.1, AK000614.1, AL359941.1, AL359618.1, AK000137.1, BC004556.1, AL136928.1, AK026542.1, AL117583.1, AK000445.1, AK025092.1, BC006195.1, AB060826.1, AB051158.1, AL110225.1, AK000652.1, AB048954.1, AK000083.1, BC001045.1, AK026504.1, AP001873.3, AK026592.1, AK026480.1, AK026583.1, AK025491.1, AB055366.1, AL117585.1, AB048974.1, AL137550.1, AB052191.1, AL353940.1, AL049464.1, AK024538.1, AL133560.1, AF225424.1, AK026532.1, AB060852.1, AK026647.1, AF177336.1, AK026927.1, AB055315.1, AK026353.1, AL359615.1, AL049382.1, S61953.1, AC006371.2, AK027113.1, AK026534.1, AL512689.1, AB047904.1, AK026528.1, AL049300.1, AB063093.1, AC002467.1, AL133258.16, AL513015.6,

					AL117435.1, AL050024.1, AL136845.1, BC007199.1, BC008070.1, AF348209.1, AL353594.13, AK027204.1, AK026959.1, AK026086.1, AF061943.1, AL512761.1, AK026947.1, AL137463.1, AF091512.1, AC007390.3, BC002839.1, AK025414.1, AC007375.6, AK025391.1, AK025967.1, BC008485.1, AK027164.1, AL122098.1, AC004690.1, BC004951.1, AB052200.1, AK000323.1, AB049892.1, AL353802.14, AK026642.1, AL157482.1, BC008983.1, AK000432.1, AC022215.4, AK000647.1, AF183393.1, AK026651.1, BC008280.1, Z82022.1, BC008899.1, AK024524.1, AC006435.7, AL080127.1, AL133113.1, BC008382.1, AB060883.1, AC026787.4, AL049283.1, AF260566.1, AC009364.8, AB063084.1, AB056421.1, AL136786.1, AK025524. 1.
HDPSP01	81	1352280	1 - 2329	15 - 2343	BE876951, BF791762, BF112057, BG179551, AV752013, AI091429, BF001176, AV752703, BE391989, AI871101, AI458302, AW292744, BF196320, BE391322, BE390919, BF058297, BF435913, AI560217, AI808718, AI658996, BG056475, AI199318, AI381895, AI814608, AW190726, AA047000, AI479404, AI660983, BE388064, AA419038, AA035467, AW517227, AI361637, AI863893, AI198435, AI078128, AI093316, AJ403129, AA442664, AA725194, AI831358, BE206128, AI274339, AW297826, AW104389, AI948638, AI261248, AI869935, AA915909, AI283200, AI871060, AI269385, AI769275, AI200508, AI566171, AI275083, AI857306, AA910327, AA046943, AI291474, AI291805, AI983969, AW070742, AA423792, AW339900, AI308118, AI869944, AA012994, AI677732, AI913920, AA661657, AA427407, AI197804, AI141350, AA725186, AA954707, BF111675, AI864014, AI051823, AA864187, W24931, N41835, AA031475, N92812, BF734297, BF733728, AA035466, BF000025, AI026152, AA514348, R70380, AA961077, AA031617, AI673156, AA250784, AA378564, AW051192, AW452102, AA411122, AA886656, AW293787, AA012993, H91665, AA927216, AW149476, H91759, T86488, BC006411.1, AC022007.3, AC018809.4, X87479.1, Z22384.1, Z22374. 1.
HDPSP54	82	744440	1 - 3077	15 - 3091	BG256849, BG261011, BG178729, BG110345, AI923220, BE466885, BF667257, AW271504, AW243442, BE466659, BG171469, AV661528, AW271637, AW516811, N36059, AI804888, BE882420, AI650826, BF815232, AW964507, AI921747, BE936373, BF984751, BG259707, AI392784, AW076096, AI807747, AW103424, AA604757, AA633209, AW778887, AW418987, AW242326, BE622192, BF666519, BF978796, AW014203, AI925261, BF853590, AW131363, AW514756, N33223, AI819108, AI126250, AV649748, AI953896, AV714556, AI524472, BF697124, BE218100, AW629098, N21567, AI694687, AI700209, AA731730, AA577191, BE219931, N33824, BE567212, AW778908, AW087660, AI990562, BF792681, R52426, AI559108, AA743389, N35579, N25189, N30972, BF667662, AI339587, N24947, AI376459, AA742979, N27426, R23308, AI125720, AA954281, AI801129, AW087669, AI701246, AI245517, T26975, BF572334, BE177998, BE564497, AI636147, AI640713, N41938, H97662, AI243263, BE967025, AI572028, BE543895, H29641, BE762905, BF246305, Z46022, H29640, BG223352, AI270534, AI983198, H99399, BF965116, BF692452, Z42169, AI521060, BF102948, R82562, AV646807, N34709, AV646406, R23233, AA373475, BE005657, AA319637, T34245, BG104469, W20047, AW962829, BF572695, AI369988, AI741908, BE830524, H29549, D78710, Z41637, H29548, AA833897, AI367191, AA659275, AW899997, F01708, BF697465, AI246035, AI219239, BF154447, AI221561, AI273738, AI281168, BE005723, BE170424, AI685342,

					BE882847, AB007962. 1.
HDPTD15	83	692917	1 - 1382	15 - 1396	AA428414, AL042853, AA363501, AA723017, AA513999, AI547286, BE072237, BE044986, BG008598, BE153851, AA642060, AA363207, AA828704, C15073, AU147529, AA369477, AW974890, AA483034, AA593060, AI285521, AA502103, AA558697, AA310158, AW851028, F26152, AA515435, AA828680, F36373, T66105, AA658235, AA551509, AA634227, AW844234, C18357, BF805334, BE958096, BG056233, BG059938, C18360, AA084863, AI133164, BG056088, N43757, BF769505, AA715609, AA419263, AA503947, BF869171, AA653964, AA301813, AW673241, AA450199, AW580735, AA557686, BE153330, AW589633, AI921649, AV709707, AA318652, AI376100, AW955577, AW276435, BF438574, AA021552, BE072020, AW664161, AA715362, BE221335, BF827669, AI453383, AW074059, AI356904, AI564284, BF743037, AW994731, AV759464, N66067, F25593, AI355206, BF769371, AI922654, AA747480, AW575719, AA829106, AA364701, AL041706, BE206021, AW274349, AW953770, AW089789, F36273, H58672, BF940837, AW169136, AI446464, AI372413, AV700545, AV699709, AV700498, AW303196, AW301350, T08638, AU158130, R13151, T96279, AI284640, AA654998, AV700988, AA364193, BE153327, AW249835, AA136829, AA309874, AC020728.4, AL137787.11, AC068533.7, AP001752.1, AP001053.1, AC004941.2, AC005166.1, AL021579.1, AC008013.8, AL133479.11, AL139022.4, AB016897.1, AL138718.17, AL096712.20, AC037423.16, AC004884.1, AC008733.7, AC007163.3, AL137794.5, AC007312.1, AC078929.27, AC007285.3, AC011533.6, AC009194.8, U95740.1, AL121934.17, AP000144.1, AC006449.19, AC007628.3, AL031591.19, AC027126.4, AC011475.6, AC004672.1, AL137068.10, AC007318.4, AL390798.3, AC012076.4, AC008651.7, AL121893.21, AJ295844.1, AL118520.26, AC090937.1, AC004593.1, AJ277546.2, AL139331.19, AP001132.4, AL035681.13, AP001331.1, AC016721.11, AL035413.19, AC009950.6, AL021786.1, AC002429.1, AC007536.9, Z69918.1, AC005625.1, AL161665.5, AL138703.10, AC016831.1, AL031275.1, AP001627.1, AC009516.19, AC006028.3, Z98200.8, AL359400.4, AF029308.1, AP001747.1, AC090514.1, Z86062.1, AC005837.1, AC018797.4, AL109802.6, AB017602.1, AC034305.6, AC005888.1, AC078841.4, AL353597.20, AL031736.16, AC010170.3, AC024571.4, AC005799.1, Z23567.1, AC005225.2, AL109799.6, AL109965.34, AL121928.13, AC024341.9, AC015550.18, AL590106.7, AC010269.5, AC018751.30, AL121890.34, AC068193.7, AL137077.31, AC015651.18, AC004933.1, AC021092.1, AL138706.9, AL137244.28, AC006976.2, AC020663.1, AC008546.6, AL022323.7, AC010235.6, AC006536.2, AC004010.1, AC010489.4, AF064857.1, AC007011.1, AL159977.10, AL160032.14, AC010651.7, AL109804.41, AL031683.2, AC008569.6, AL451049.11, AL391478.14, AC005696.1, AC004453.1, AC024561.4, AC005703.2, AC004905.1, U22376.1, AC004158.1, AC012380.1, AC002400.1, AP001628.1, AL136308.4, AC066612.7, AL139095.15, AL356601.14, AC005215.1, AL356776.21, AC006435.7, AF312032.1, D83737.1, AC009068.10, AC009319.19, AC010134.4, AC005792.1, AC022007.3, AP000252.1, AP001717.1, AP000553.1, M87918.1, AC090042.1, AC005052.2, AL512363.11, AF224669.1, AC002395.1, AC011739.7,

					AL162503.12, AC073138.3, AF137396.2, AL139328.8, AL356858.19, X77531.1, S78429.1, AP000336.1, AF111168.2, AC004894.1, AC004134.1, AL022476.2, AP000031.1, AC005680.1, AL133548.6, AL049859.7, AL358174.12, AL035608.11, AL161727.15, AC008670.4, AC005736.1, AL121834.20, AC004478.1, AP000215.1, AL513550.9, AC024067.4, AL449363.12, AC026120.33, BC002464.1, AL590420.5, AC011746.6, AL109984.14, AL591004.3, AC020550.4, AL590762.1, AC073325.8, AL390295.10, AC005887.3, AC021016.4, AP000313.1, AC007102.4, AL023693.25, AF108083.1, AL049613.2, AL445201.14, AK022268.1, AL162426.20, AL008629.9, AC090043.1, AL133411.8, AC016617.5, AL391114.12, AL050312.8, AC008277.4, AP000776. 4.
HDPUW68	84	812737	1 - 1734	15 - 1748	AW295848, AI132995, T48851, AI247571, AW469884, AV734061, T48852, BE378325, AW571432, AA344713, AW131386, AU138048, AW190967, BF896891, AA400508, AA400618, AA835515, AF170485.1, AJ007395.1, AJ130710.1, AF193441.1, AJ130711.1, AF227924.1, AB026265.1, AF247180.1, AF178981.1, AF223403.1, AF195092.1, AC020914.7, AF277806.1, AC011473.4, AF135027.1, AF310234.1, AF287892.1, AC008750.7, AJ130712.1, AJ130713.1, D86359.1, D86358.1, U71382. 1.
HDPWN93	85	992925	1 - 2665	15 - 2679	AL518824, AL518825, AL528951, AL528952, BF339524, BE546359, BF966792, BE736522, BE737435, BE883235, BG109398, BE314676, BE787143, AL534022, BF446115, BE894833, BE870112, BE881800, BE258349, BG250236, BF196311, BE894832, AW769380, BE262368, BE882948, BE259378, BG251409, AA432202, AI890824, AI753494, AI651671, AA993211, BE246045, AW001898, AL039524, AI800905, AI246773, AI682295, AI658613, BE273831, AI631136, AW189302, AI372827, AI050708, AA531521, AI346388, AI683842, AW296359, AW372955, AI685246, AI589722, AW271749, AW804759, BE548044, AA622365, AI352313, BF906035, BE163138, AI088281, AI372826, BF109450, AI015389, AI539826, AA349564, AA448189, AI760986, BE882927, BE247210, H15544, H15545, AA349563, BF924519, BE245469, AW804423, H09846, AI991731, AA320029, AA383782, BF804839, H15604, W67789, H15603, AI015277, R33930, BF869179, AA543091, AI469944, R48594, BE301391, H09761, AA830547, AA505499, BF809086, AA320560, BE273649, AA326027, R79459, AA322654, L32015, C20992, AI828309, AW117647, BF000032, AW190887, BF736822, AW262975, AA317254, AA143736, BF381075, AW103622, AW050451, AI609346, BE720302, N21451, AI905534, AA282625, AW007401, AA284991, AA621245, BF841809, BE146295, AA143707, AI811818, BF326108, AA393671, BE242665, BF746024, AI678229, BF799280, AA429592, AW407359, BE075823, AK025000.1, AK025622.1, AC004590.1, AF086245.1, AP001434.1, AP000161.1, AP000020.2, AP001731.1, AL137367. 1.
HDPXY01	86	879048	1 - 752	15 - 766	AW860154, AW860153, AW821875, BE869510, BF094022, BF337555, BF527692, AW845544, AW176604, BF734241, BF928740, BF360615, BE169703, AJ230819, BF734231, AL133649.1, AJ271791.1, AJ271790. 1.
HDTBD53	87	972757	1 - 2789	15 - 2803	AL521719, AL039239, AL522288, AL521718, AW850549, BE745185, BG036401, BF971064, BF982318, AV752274, BE410288, BF970662, BE179100, AA115485, BF037889, AI903708, W74580,

				AV752030, BF207332, AW069193, AW850706, BE260313, AA114996, AI147007, AA287865, BE294206, AA779902, AW953654, BF203424, AA287665, BF102950, AW089856, BE081349, AI424273, AI337872, W75992, AA039973, AW615357, AA287868, AA040007, AW207183, AW630077, AA844006, AI092051, AA035003, AW374784, W79563, AI095505, AI370765, C05140, AI961895, W92237, BF056098, AI431633, AA011411, AI381447, AA922567, AA688312, AI860011, AI200662, AA676566, H08173, AW590492, BG222429, AI741707, C02948, AA609401, AA427979, AV739012, H29396, AA453991, BE894938, H01836, BG165095, BF333733, W70295, BE242586, N41910, AA054984, R24822, AA156412, BG055899, H48740, H08272, AI241860, BE763810, T63735, R34728, Z42796, BE936536, W88710, AA367891, R36564, Z45070, AA412324, R78131, R56319, AA709055, AA429366, AI915050, AW673132, AL522287, R14984, AA347579, AW023366, AA853400, AA853401, W52589, AA476640, T39346, W88711, AI282590, T29951, AA411419, AA360166, T80320, AA331893, AI754899, AA602993, AA506382, R01609, AA328290, BF808365, N56432, AI832140, AW890834, T31756, R45735, BE929124, AA887981, W31306, BE710919, BE169167, AA039914, BF748450, AW381600, BF352203, AA648132, AI564214, R36407, AW374826, AA383447, T53688, AW198043, AA368172, T53689, N92423, BF237454, AA304402, D79323, AI905754, AA319927, AW197916, AW362124, AW579061, AW579502, AW751634, AA054622, BF086800, D25822, BF925479, BG054837, BF904194, BE966011, BE047833, AI432570, BE966787, BE965067, AI244343, AI537244, AV682272, BF904176, AI702343, BE965599, BE963838, BF814761, BE176075, AW366372, AL513693, AI521799, BE964661, AI684164, AI370623, AW020419, AL042365, BE045180, BE965121, AI915201, BF968017, AW813006, AI887775, BF921291, BF990167, AI537677, AI500113, BF812963, BE242668, AI624245, BE967255, BE875243, AI623941, AI927233, N92140, AI621341, BG029399, AI819663, AI698391, AI251221, AA024941, AI570857, AW162194, BG164558, AI250627, BF811808, BE047798, BG104506, AI884459, BF814357, AI439903, AV758455, BE964617, AW078839, AI267185, AL046385, BF813196, AI610357, BG178788, AI831938, AI919547, AI683897, AW117926, BF337896, AI453248, AI620810, AI591228, AL038529, AW129616, AA665587, AW089275, AW079360, AL047854, AW051088, BE408063, AI499483, BF680133, BC003125.1, AK027757.1, AK027877.1, AK027466.1, BC008054.1, AL136916.1, AC090645.1, AK027827.1, AF086408.1, AC090886.1, AC090004.1, AK024538.1, BC006195.1, AF349466.1, AL117457.1, AK026647.1, AC006994.4, AL136767.1, AK025391.1, BC008284.1, AL136786.1, AK025414.1, AL389935.1, AL049938.1, AF245044.1, AL137478.1, AK000655.1, BC003104.1, AL133559.1, BC003614.1, AL390154.1, AL359623.1, X83544.1, AK026762.1, AL137533.1, AL117435.1, AL117648.1, AF114784.1, AK000432.1, L30117.1, AB056420.1, AL133080.1, AB044547.1, AK026494.1, AK026534.1, AL157480.1, AL356859.12, AB060211.1, BC008282.1, AL133016.1, BC003602.1, AL359615.1, AL050155.1, AL049283.1, AL359596.1, BC008075.1, AK025119.1, AC007597.3, AK026550.1, AK026021.1, AL122050.1, S77711.1, AL136862.1, AK027142.1, BC004880.1, BC007248.1, AL080234.1, BC007680.1, AK027868.1, BC001418.2, AK024992.1, AK026164.1, AK025209.1, AK025431.1, BC001873.1, AK027144.1, BC005843.1,

					AL096744.1, BC008840.1, AL136842.1, BC006287.1, AL080110.1, BC007206.1, BC002539.1, AB050410.1, BC004202.1, AK027146.1, AF126488.1, AF061795.1, AF151685.1, AL353940.1, BC001778.1, BC003052.1, BC001967.1, AK027103.1, AF110640.1, AK026571.1, AK000618.1, AL137529.1, AK026927.1, AB047631.1, AL050277.1, AL137267.1, U88966.1, M86826.1, AL049324.1, AB050533.1, AB048994.1, BC007460.1, AL157464.1, AK025798.1, BC006458.1, AJ012755.1, AL137550.1, AC004200.1, AB060908.1, AL389957.1, AK025349.1, AK000257.1, AB060914.1, S76508.1, AL137294.1, BC006181.1, AF106862.1, BC004292.1, BC009192.1, AB049848.1, X61970.1, AB028451.1, BC003587.1, BC002370.1, AL133081.1, AL110296.1, AL133099.1, BC008788.1, BC001963.1, AL136644.1, X99971.1, AL512719.1, M79462.1, AF111112.1, BC008708.1, AL133104.1, M64349.1, BC005805.1, Y08864.1, BC006509.1, BC008718.1, AK026626.1, AK026613.1, AL512746.1, AL117585.1, AF132730.1, AL583915.1, BC004215.1, BC003122.1, AL136787.1, AL137480.1, AL162004.1, AB063091.1, U77594.1, AK026894.1, AB048953.1, BC000217.1, BC008591.1, AK026590.1, AK026541.1, AF232009.1, AB060857.1, AF094480.1, BC002413.1, BC006207.1, AK024978.1, BC001199.1, U57352.1, AL136864.1, BC000066.1, AL049426.1, AK000653.1, AY034001.1, BC008040.1, AB055290.1, AB049892.1, BC005073.1, BC008364.1, AK000137.1, BC004899.1, AL133640.1, BC000677.1, BC007456.1, AB048954.1, AF218033.1, AB048974.1, AF113222.1, AK025350.1, BC003682.1, BC004310.1, BC002342.1, BC002736.1, AL137656.1, AL133619.1, M80340.1, AK024546.1, BC004368.1, BC007499.1, BC004960.1, AK026865.1, BC008185.1, BC009221.1, AJ001838.1, AK026504.1, AF069506.1, AL080154.1, BC007657.1, BC006410.1, AK026630.1, BC008784.1, AB060917.1, AB055368.1, AF262032.1, AL133062.1, AF260566.1, BC001336.1, BC004119.1, AL050143.1, AF081571.1, AL136586.1, AL080148.1, AF000145.1, AB062750.1, AF227198.1, AL133665.1, BC009294.1, BC002733.1, BC000253.1, AK025383.1, AK026592.1, AK000418.1, BC002809.1, BC001790.1, AK026155.1, AL353957.1, AB047930.1, AK027204.1, BC001964.1, AB048975.1, AB060852. 1.
HDTBV77	88	785879	1 - 2167	15 - 2181	BF689672, BE387282, BE898209, BE386984, AA393894, BE893192, W22615, AA134750, BG006306, AI769121, BG006608, AA808986, AA367857, AA344170, BG013403, BF368795, AA367892, AW605363, BG006302, BF932070, AW948496, AK027375.1, BC004282.1, AK027831.1, AK027849. 1.
HDTDQ23	89	1306984	1 - 2193	15 - 2207	AI872206, BF966561, AW513884, AI912340, BE856991, AI758821, AW337178, BE327923, AW004890, AI572080, BG109128, AW058001, BF342854, AW886887, BF967940, AW474823, BF337371, BF591084, AA775261, BG164538, AA831357, BE087219, AW074361, AI361820, BF696525, AI982775, BF793075, AI690445, AA581345, AU156793, AI917776, D20022, AA825538, BF382552, AI360561, AW439592, AI798286, AI140796, AI277190, AA100279, AA485257, AA835492, AI522238, AW517943, BG035022, AI015234, AA706811, AI469550, BF197859, AI689240, AW265061, AI744762, AW450726, AI884872, BE714642, BE138867, T34498, BF213985, AW769512, BE073192, AA122332, BE138831, BF090537, AI811224, BG167993, BE932894, BF980823, AI355770,

					AA092467, AI471817, BE904497, BE719958, AI702026, BE171537, BG166879, AI597962, BG180321, BE171499, BF914841, BF967213, BE932875, AI681670, AA089786, BE327680, BE219939, BF032916, AU136610, AI624976, AK001917.1, AF035606.1, U58773. 1.
HE2DE47	90	619852	1 - 3519	15 - 3533	AL517387, AL526769, AL526907, AL523193, AL523194, AL515001, AL515002, BG030741, BF980577, BE903049, BE729941, BG163644, BE966268, BE067770, BE613706, BE780216, AL138389, BF196312, BG177870, AI041824, BE902470, BE384275, AI123426, BE384622, BE298710, BE067771, BE298416, BE885382, AI432657, BF966758, BF979153, AI708574, AI814491, BF036235, BF437789, AI720253, AI201638, AW182430, BF692903, BE867186, AA911185, BE748929, AW189237, AI432659, BE223052, AI687145, BF382011, BE564813, BG036747, AI024779, BE268867, AW029376, BF028837, AI024507, AW880654, N47923, AA706430, AA563625, AW662575, BG111471, BE748409, AA232692, AA864782, AI016478, BF676114, AW966708, AW958178, AW513800, AA010686, AI376397, AI081671, AA976495, AW167417, N98819, AA648548, AI721089, BF574678, AA311869, BF331286, AW731669, BE166594, W73934, BF110011, BF247329, BF382964, AA718927, N66559, BE832805, AA679466, AI224843, AA972211, W72314, AA664363, AI218733, AI571934, AA703942, AI690284, AW629428, N93202, AI350756, W28597, AA251850, AA688326, AA659803, AA143217, AA626686, BE614598, H96804, AW008436, BE693652, AA071465, AI041197, AA196284, AA010687, AA199756, Z30115, AW275267, N79354, N29375, AW151589, BF900837, AA935300, AA836130, AW673688, AW978790, AA777494, AW090055, AI090119, AW468015, R52190, T57886, AI992225, AW303565, AI364081, C18513, H64124, AA761409, AW024044, AA988587, AW511332, AW009882, AA332452, AA126237, BF816114, AA587628, AW674842, AI654600, H28730, AW519184, AA722914, AA568222, AA766768, AA452758, AI660131, T80441, AA743252, AI301049, AI582560, AA354888, AI192985, AW881224, AA659807, AA111908, AA384439, AA550787, AW591943, AV737948, AI991751, AW881220, AA768293, BF836804, AL517386, AA452580, R52095, AW194374, AI734966, AI094526, AI368645, AI933697, R39012, AA641785, AW881273, AA731215, W93220, AW881163, BE832836, AI362123, AA306249, AI028585, F09225, AA251954, W38817, R77126, W99334, T90405, AA085837, AA302983, H16312, AV739270, T85557, AA126402, AA380638, AA729885, N69096, AI955495, R54396, H16372, W93221, AA196142, AA974211, AA609032, AA922821, AA234384, AV744357, AA295432, AV739678, T97675, AA470710, AW938060, N62386, F04755, AI696775, AA298259, AA298571, BF939879, AI760728, R77125, BF367979, AA376505, AA865813, AA298871, AA492599, AW673976, BG253501, AI933856, AA306725, AI363737, AA999867, R25590, AA360269, R26986, AW593198, AI024271, R53081, AA143216, BF797376, BE855704, BG230502, AA380483, BC002597.1, AF180473.1, AF113226.1, AK000662.1, AB049862.1, AF147398.1, AL137674.1, D17008.1, D17177.1, T57968, R54395, H64171, AA010441.
HE2EB74	91	513662	1 - 1420	15 - 1434	BF431622, AL035942, AW500190, AW889139, AA136080, AW304923, AL035941, AA491000, AW002842, AA992811, AA747222, AW189910, AW026264, AA679646, AA953459, BF910533, BG179993, AW162118, BE408392, AA505898, AV682249, BF982063, AL049442.1, AL122116.1,

					AK025435.1, AL110223. 1.
HE2NV57	92	740750	1 - 853	15 - 867	C05927, R72949, AA327984, AC084730.2, AC016673.5, AC004929.2, AC016716.6, AC008066.4, AC003969.1, AC024082.6, AC002302.1, AC013246.13, AC011490.7, AL158064.16, AC084729.2, AC078851.4, Z98743.1, AC020610.6, AF195953.1, AC016910.5, AL359394.9, AC005227.2, AC003692.1, AC016776.6, AC002300.1, AL451107.6, AL157838.24, AL031737.2, AL050335.32, AC007690.11, AC004541.1, AL022401.1, AC018796.4, AL358913.4, AL008583.1, AC005868.1, AL133383.10, AC006070.1, AC006211.1, AL359680.4, AL158035.14, AC087072.2, AC009424.2, AL391686.10, AP001684.1, AC006013.3, AL356461.15, AC016598.5, AP002980.2, AL158817.11, AL035685.21, AC034251.5, AC006134.1, AC020906.6, AL391241.21, AC015983.7, AP003470.2, AP001889.4, AL357519.19, AC087430.2, AC005081.3, AC005886.2, AC018509.5, AF277315.3, AC010913.9, AB020875.1, AJ011930.1, AL163300.2, AP000952.2, AL133387.8, AP000953.2, AL162503.12, AC025765.5, AP002342.3, AL445232.5, AC023114.5, AC004891.1, AL355792.8, AL163280.2, AL109662.3, AC010206.8, AL049843.18, AC017076.14, AC009362.8, AC005015.2, AL096791.12, AC002487.1, AC010726.4, AL353752.6, AP002846.2, AC005344.1, AC022363.24, AC009498.3, AP001699.1, AL138976.5, AC008064.2, AL357507.9, AP001670.1, AL137061. 12.
HE2PH36	93	570903	1 - 1544	15 - 1558	AA329666, AA664883, AL133353. 6.
HE8DS15	94	847060	1 - 2185	15 - 2199	AV725650, BE161426, AW130367, BF343057, AA127680, BF575221, AI096437, BF941499, W58383, AI161240, N95226, AW966449, AI356752, AI093508, AI057144, AA044288, AW130361, AI423547, AI221152, AI094774, H47283, AI352542, AI891136, AI002491, T53270, AA044116, R48378, R24320, AV658066, AI829703, AI819388, BE140169, Z44849, R16574, T39273, AA095159, Z25099, AW273857, R16633, AA384077, AI245095, AW026140, T93764, BE927909, N73937, AW118768, AA121543, AA995178, AI453845, AA703455, AI452494, AW044037, H40993, R48277, AW629019, T64039, AA904647, AW073189, W21055, AW263913, AI096938, Z28777, W03697, AW797518, AI039546, AI434419, AW050649, BG003285, AI240412, AA886341, H23905, AI695284, AI767991, H47284, AI309041, BE927916, AA724059, AI352281, AI584012, AA618131, AA357401, AI796309, BE936061, AB018301.1, AL096772. 5.
HE9CP41	95	560625	1 - 1378	15 - 1392	BF032830, AL121944.14, AL138700.18, AL132988.4, AL138805.8, AC018695.6, AC005305.1, AC015853.8, AL049637.43, AC005536. 2.
HE9DG49	96	1299935	1 - 703	15 - 717	BF508798, AI829099, N25625, AI126506, AI200037, AI128843, AW024969, N34223, AW450603, AA743134, N36303, AW020616, AI217597, AA605122, AI160533, AA729493, AA568193, BE857354, AA568681, AI695490, BE855663, BG054946, N26904, N24885, W52651, AI802647, AI312534, AA648514, N72137, N35103, AA806507, AA729125, N34254, AI219599, H86995, N39790, R73200, N26781, AI032141, N25653, H86994, W00385, R73137, AW298649, AA296449, N28403, R26304, AW452862, AW453038, AI299683, AA988539, AI141901, W52017, AI039557, AW236299, AW515490, AI361669, AI674252, AA768761, AI452444, AW629545, AI984739, AW074182,

					AW583163, T25829, AI805445, N20053, BF958127, BF964329, AA543074, BE081422, T25828, AA358828, BE152130, AA653691, AI362330, AW606102, BE170656, AF238079. 1.
HEBEJ18	98	701802	1 - 671	15 - 685	BG119433, BG248347, BG109710, BE383397, BF310661, BF035847, BG111960, BE740887, AA872710, AW051637, BE904996, BE620053, BE294553, BG026514, BF036166, BE378983, AV716604, AI300158, AV710056, BE257692, AW778814, BE879729, BE258999, AW592818, BE261359, AA044747, AA044799, AA878925, AI921790, AI469932, AA947927, BE251176, AA058505, BF245674, AA934688, BF310228, BE567185, AI299177, BF312584, BF243996, W38688, AI453622, AW749554, W95793, AI277337, BE271728, AA903577, AW874395, AI309289, AV712772, AI085685, AW118921, W95680, AI948425, AA934482, AI303007, AW601910, AI419931, BE440006, AW342036, AA053139, AW291750, N92290, AA962740, AW749576, AW954824, AV737047, AA055227, AV713230, AW749583, BF304421, T87073, AI371426, AV756120, AV681938, BE794262, AI143381, AI097662, BE258966, AA037518, N25835, AA912713, H71267, W80906, W80813, AA315305, AW374030, AW300889, AW300782, BF909052, AA037362, AI247237, BF336991, AA657605, AA541343, AA878777, W24468, T81887, AA054464, AW374000, BF216378, AI016169, AW374003, AA055226, AA213429, AW384982, BE067202, D20873, AI831636, AI038897, AW795930, BE327096, W31033, BF036705, W86895, BF792783, BF513528, T87074, AI361634, AI311824, BG036220, AW302965, AI307446, AI345737, AI345736, AV735576, AI345666, AI335476, BC000573.1, AK024569.1, AL136930.1, AL590002.7, AB060912.1, AL136754.1, BC008485.1, AL137294.1, AK024978.1, AL137459.1, AK000718.1, AF155827.1, AL117460.1, X72889.1, AL389939.1, AL080156.1, BC003104.1, AK000445.1, AK025632.1, AK000323.1, AB056421.1, AL080148.1, AL133104.1, BC007920.1, AL136747.1, BC006458.1, X86693.1, AL137523.1, AK026408.1, BC004951.1, AL050172.1, AL122098.1, BC008649.1, AK026642.1, AK025209.1, AB046642.1, AK025312.1, S77771.1, BC000725.1, AF002985.1, BC006119.1, BC008387.1, AL512746. 1.
HEEAQ11	99	777843	1 - 907	15 - 921	AW572915, BE500968, AI631708, BF056783, AI638675, AW024125, AA812885, AA911102, AI651682, AA758532, AA934362, AW104268, AA968716, BF223496, AA496078, AA608859, AA973942, AW418725, BE041425, AA931770, AA513329, BF056762, AW975618, AW949645, AW964468, AW966389, AV724520, AW966330, AW973541, C14331, AW960553, AV718692, AV702035, D80195, C14389, AV718489, AV719468, AV718800, AV719822, AV719324, AV718707, C14429, AV718931, AW366296, AA305409, AW966534, D59619, D80210, D80166, D80240, AW973488, D81030, AW949656, AW949642, AW965185, AW965197, AV720211, AW966075, AW978634, AV723927, AW966065, AW949653, AW962245, D80212, AW966053, AW959799, D80219, D59859, D51423, AW973474, AV699550, AW966050, AV719783, AW975613, AW965196, AW965184, AW978661, D51799, AV720464, D80253, AV718770, AV720731, AW966029, AW973307, D51060, AV718938, AV718633, AW975605, D59610, AV720878, AV719557, AW960465, AV699447, AW958993, AV722801, AW973334, AW959136, AW966531, AW949646, AW949654, AW959202, AW966013, AW960473, D58283, AW966022, D80022, D80366, AW964756, AW975621,

					AW964477, D80188, AW966041, AW965163, D80391, D80164, AV718844, AW959582, AW966054, AW966059, AW958992, D59787, AW978648, D59502, D59467, AW949631, AW949643, AW949618, AW949655, D59275, AW960454, AW973330, AV720791, AV720203, AV719188, D80043, D80227, AW966062, AW956434, AV718440, AV720028, AW959597, AW959628, AW965177, AW959570, AW973485, AW965175, AW973482, AV700229, D57483, D59889, AW959062, AW964488, AW949641, AW962082, AV699927, AV738340, AV723097, AW966043, D80269, D80196, C15076, D80024, AV699866, AW949658, AW949657, D80241, AW956397, AV699746, AW949629, D59927, AW375405, AW964737, AW973447, D80038, D80193, D50979, D50995, AV700889, AV744690, AW949630, AW966030, AV720150, AV721386, AW965158, AW949633, AW949632, AW966032, D80378, D80045, AW753053, AW966023, AV718530, AV720812, D51022, C14014, AW960532, AV701004, AW960564, AW959469, AW960504, AW177440, AV744012, AV720533, D80248, AW975623, AW973490, AI905856, AV701125, AW752082, AW962395, AV701166, AV701149, AV703738, AW973445, AW964532, AW966368, AV720151, AW966397, AV720220, AV705869, AV720616, AV742732, T03269, AW973465, C75259, AW960570, D80133, AW178893, AA305578, AW966369, AV699669, D80302, D80251, AW973473, AW965176, AV727978, D81026, AA514186, AW966378, AW966386, AW966331, AW966398, AV706147, AV719913, AV720654, AW966399, D80522, AL121894.26, AF058696.1, AF271371.1, AB028859.1, X67155.2, D34614.1, D88547.1, AB002449.1, D50010.1, AB038216.1, U79457. 1.
HEGAH43	100	532596	1 - 428	15 - 442	AA400429, AA994981, AA846419, AA453384, AI015471, AA992965, AA400538, AL360078.16, AJ236910.1, AJ236909.1, AF327147. 1.
HELHD85	101	847372	1 - 1872	15 - 1886	AI284640, AL138265, AL046409, BF677892, AW193265, AV760937, AW969629, AI431303, AV760777, AI613280, BG249643, AW407578, AI281881, AV763354, BF130107, AI345654, AV728425, AW502975, AW965008, AI334443, AV710066, AW419262, AI350211, AI801482, AW473163, AW238278, AI754658, BF668217, AF330238, AI754253, AV762139, AI963720, AV725423, AV728928, BE895987, AW303196, AW274349, AL119691, BF681427, AV762098, AI133164, AW438643, BF827410, AA581903, AW970848, AV762009, AI270117, AI076616, AW301350, AL045053, AW265393, AW021583, AW833862, AW276435, AL138455, AW974109, AW439558, AW327868, AV762050, AV729960, AL041690, AW276827, AI890348, AI567076, AV761362, AL044940, BG109996, AW004911, AF074677, AA720702, AV764578, AV761489, AI305766, AW500125, BE047069, BF970654, AU145393, AV735495, AW731867, BG236735, AV764398, AI421841, AL042753, AW960468, BE206443, AI624142, AA621858, AV761925, AV759172, AV702857, F36273, BG222267, AA164251, AI799642, AI249997, BF793664, AU147104, AI708009, AV763971, BE389111, AV734666, AV762067, AA491814, AV761106, BF697673, AI434695, AV740801, AV759117, BF241967, AW265385, AW062724, AV763122, AW265009, AL037683, AW103758, BF940837, BE350475, AI305547, BF475381, AL121235, BF337291, AI192631, AI821271, AA469451, BF942454, AL042420, AI341664, AV710774, AI053672, AW973397, AI623720, AI903462, BF680074, BF793766, BE674881, AV763550, AL048925, AV760042, AW073470,

					AI679782, AL046205, AW963497, BF681576, AI457397, AW662543, BF797630, BF592311, AI471481, AA610491, AW088846, AV733830, BF965007, AA526787, AV759505, AV730310, AW302013, BG036665, BF541116, AW301809, AV764530, AL038474, AV761631, AW021207, AV762959, AV762395, AI289067, BG171096, AW270382, AV763633, BE042649, AW338086, AA491284, AA908687, AA551552, BF674620, BE160516, AW410400, BG178002, AI133102, AW083364, AW872676, AW088202, AI919265, AI801600, BF792870, AW979060, AV762535, AA630362, AL119984, AI688846, AA631507, AI537506, AV743472, AI801591, H56509, AA584145, AI312309, AI732865, AV764329, AA521323, AI937850, AW574794, AU145711, AP001423.1, AP001731.1, AP000021.2, AP000163.1, AC004765.2, AL391803.14, AL122001.32, AL139809.16, AL354932.26, AC006128.1, AC018720.5, AL160155.19, AC005696.1, AF207550.1, AE006462.1, AL158207.15, AL022315.1, AL513008.14, AL121904.13, AL022313.1, AL356299.16, AL450226.1, AF077058.1, AL023575.1, AC006483.3, AL049758.11, AF129756.1, AC009412.6, AL136418.4, AL139054.1, AF196969.1, AC010422.7, AC011497.6, AC073593.13, AL139230.25, AC005295.1, AL136980.5, AL162426.20, AC005808.1, AC007536.9, AL121903.13, AC000397.1, AL355871.5, AC073073.2, D83989.1, AL353135.32, AC009470.4, X75335.1, AP002906.2, AC018637.3, AL359457.12, AC011495.6, AL139396.17, AL354707.17, AJ400879.1, U78027.1, AL049830.3, AC018751.30, AC009516.19, AC000041.2, AP000114.1, AP000046.1, AL355543.13, AC005324.1, AC008770.6, AC008736.6, U91323.1, AL118520.26, U66059.1, AL390205.17, AC005291.1, AL035422.12, AC008543.7, AP001781.4, AL121653.2, AC009228.4, AL035071.17, AC027644.9, AC010404.5, AL133153.3, AC005740.1, AC009269.6, AL161656.20, AC002996.1, D84394.1, AC079177.21, AC011489.6, AC006285.11, AC007919.18, AC007620.30, AC073138.3, AC009756.9, AP001717.1, AL031848.11, AF015151.1, AC090939.1, AC005839.1, AL132640.4, AC006079.1, AC009220.10, U57005.1, AC005412.6, AF001549.1, AL356806.4, AL049762.20, AC020558.4, AL160269.14, AF015149.1, AE006463.1, AC020663.1, AC007298.17, AL121972.17, AC006208.3, AL021808.1, AL352978.6, AL137792.11, AP001068.1, AC000360.35, AP000500.1, AL451126.18, AC068712.6, AC026464.6, AL358274.3, AC005921.3, AL392044.7, AJ011930.1, AC006292.1, AL163300.2, AC007057.3, AL109923.29, AL034405.16, AC068466.4, AC083884.6, Z82976.1, AL080243.21, AC011890.4, AL031670.6, AC008474.7, AC008745.6, AC002425.1, AJ009615.3, AF015156.1, AC021036.5, AC011467.7, AC002994.2, AC008083.23, AL353716.18, AD000092.1, AC027689.10, AC005261.1, AC011310.3, AC007051.3, AL121891.22, AF015147.1, AC004166.12, AC020896.5, AC004019.20, AL022163.1, AC018728.5, X54176.1, X55931.1, U57008.1, AP000642.5, AC011740.7, AL109804.41, AC004534.1, Z86061.1, AC008886.5, U57009.1, X54180.1, U18391.1, U18392.1, AC020906.6, U57006.1, AC005815.1, U18394.1, X55925.1, U07562.1, AF196779.1, AL136223.11, AC006017.2, AL049795.20, AC009087.4, AL136319.8, AP003357.2, AC005089.2, AL391244.11, AC016025.12, AC002549.1, AC011479.6, AC006241.1,

					AP001716.1, AL138960.16, AC078961.23, AL356278.8, AC006274.1, AL353788.33, AC002430.1, AL008730.1, AP000432.4, AL139113.21, AC007404.4, AL008716.1, AF265340.1, AL138724.12, AL158850.8, AC008753.8, AL355593.21, AL031668.23, AL158040.13, AL139009.14, AL139099.2, AC007374.6, AL590043.7, X54175.1, AL157838.24, AL078639.5, AC005393.1, AC020893.5, AC009497.3, AC004990.1, AC007384.3, AC004185.1, AF217796.1, AB050248.1, AL157778.9, AC006111.3, AC018842.5, AC055120.5, AC011461.4, AL138885.21, AL138755.13, AC016257.22, AC008812.7, AC004455.1, AP000901.5, AC078874.13, AC020716.3, AF042090.1, Z84490.1, AP001670.1, AC005913.2, AC009318.11, AL160411.25, AC073520.6, AL035404.20, AC034198.6, AL031650.22, X53550.1, Z83840. 7.
HEOMQ63	102	603533	1 - 1322	15 - 1336	BG026315, AW102828, AI659843, BE551400, AI640582, BE208434, BF510823, AW955647, BE669917, AA789132, AA923523, W44769, AI346827, AI092608, BE267189, AW450220, AI350733, AW090676, AA830093, N98535, N69933, BF694104, AI000893, AI379944, AW968025, AA252680, AI202595, N32022, AL522177, AI026801, BF514413, AA075433, BG014214, AW452208, BE694426, BG171349, AI335272, AI634906, BE796712, AA846518, AA954350, AL522176, AI863776, BE265224, BF359220, BF359223, AW386074, BG112515, AV662306, AA973539, AA329532, F22685, AW136310, N28654, BG014217, AA610002, BG014216, C02160, W37089, N51549, AA361150, BC005984.1, AL109657.8, AL161659.17, AK025977. 1.
HEPAA46	103	596830	1 - 1115	15 - 1129	AA835052, AI220434, AA335178, AA905529, AL031650. 22.
HEPAB80	104	1307790	1 - 785	15 - 799	AW274007, AI677890, AW510786, AW468943, AA335322, AI807924, AW172560, AC006116.1, AC011506. 3.
HFABG18	105	847073	1 - 1331	15 - 1345	BF570393, BF569907, BF344166, AA758023, W63573, AA877107, AW664584, AI924890, BE207784, AI422142, AI811174, AI891097, AI379416, AA631138, AI129321, AA233722, AA861574, AI339443, AW009533, AA635649, AA910314, BF510307, AA948287, AA421401, AA621181, H52254, AA908447, BF127938, AA330666, AA458586, AA328941, AI472877, BF337899, AA853185, R69866, AA852144, BF999691, T49327, AA677036, AW024548, R46515, R69911, BF999694, AW593365, H52351, AA976306, BF903330, T49326, AA233143, AI381786, BE827715, AA359077, AI569251, AI685425, AI826541.
HFABH95	106	566712	1 - 1333	15 - 1347	BF035708, AI431513, AA832175, AI251429, AV729905, AV754716, AI538491, AU122466, AI446474, AC005006.2, AC008747.5, AC008805.7, AL160155.19, AC005081.3, AC013751.6, AC006241.1, AC004216.1, AL137853.12, AC069285.8, AL590762.1, AC004491.1, AL035659.22, AL158040.13, AL022323.7, AL160411.25, AC005231.2, AC005952.1, AC008649.6, AC002059.3, AL355480.22, AC007850.29, AC024163.2, AP000501.1, Z98304.1, AL122035.6, AC008569.6, AL360227.17, AP000694.1, AC005480.3, AC009470.4, AC008392.6, AC011464.5, AC005911.6, AC008440.8, AC013734.4, AL034417.14, AL139082.18, AC005242.1, AP000511.1, AC008403.6, AC040160.4, AL353653.19, AP001725.1, AL049776.3, AC004148.1, AC007686.5, Z98946.15, AC007374.6, AL137787.11, AC000159.6, AL109984.14, AC002350.1, AC009087.4, AP000351.3, AF240786.1, AC005037.2, AC011490.7, AL022238.1, AC006101.3,

					AL356481.16, AC005971.5, AC010458.5, AC025588.1, AC005072.2, AL359091.10, AC008521.5, AC016831.1, AL117330.6, AC006312.8, AC007055.3, AC024561.4, Z83826.12, AF196969.1, AC002300.1, AL121891.22, AC005594.1, AC010319.7, AL022322.1, AL513008.14, AC008623.4, Z83838.2, AC005972.1, AC006084.1, AL117694.5, AC008119.6, AP001711.1, AC005102.1, AC004840.3, AL133174.15, AP002453.3, Z83844. 5.
HFAEF57	107	534142	1 - 628	15 - 642	AV655597, AW967329, AW963498, AV706016, AW966767, AL121984. 14.
HFAMH77	108	543486	1 - 655	15 - 669	AI340312, BE676214, AA778534, AW300884, AI609950, AI340016, AI632085, AI335706, AA768117, AW027671, AW978490, AW590880, AW589742, AI272784, AW027648, AA983621, AI421130, AA918495, AI280887, AA724472, AA830837, AI024114, R60771, AI675916, N94357, BF960835, BF953963, AW572683, AI159997, AW772189, T05324, W52231, AI394585, F35349, AI445605, AI347406, R49581, AW020397, AB051512. 1.
HFCCQ50	109	579993	1 - 1257	15 - 1271	AL522683, AL522684, AI628729, AA133340, AW139771, AI690104, BF195450, AA133381, AW207332, AI267992, AI961337, R41690, AB049586. 1.
HFCEB37	110	411345	1 - 788	15 - 802	AW971191, BE710287, AA493766, D56115, H06701, Z41729, AA285136, AA256963, F04210, AL118652, AW893768, AW893769, AW160783, AF258348.1, AC007552.4, AL050152. 1.
HFFAD59	111	520369	1 - 456	15 - 470	AV699250, AV662248, AV699269, AV719565.
HFFAL36	112	560639	1 - 1006	15 - 1020	AL537384, AI656961, AI651790, BE466895, AA481913, H54148, AW020416, AA524615, AI309941, T82299, AW971340, AI625683, AA007579, AA670123, AW088680, AA112001, AI250970, AI613405, AI376500, BF526521, AA480105, AA417299, BF054759, BF054867, AI016470, AI373731, AA416675, BE622947, AI340568, BG180542, BE222669, AI266504, AI291507, AI672420, AI650382, BF885229, AA129526, AA081857, AV699196, AV699199, AA948596, AV699131, AV699223, AV662288, AV699219, AV699246, AV662257, AV699269, AV699218, AV662235, AV662248, AV699182, AV699250, AV662242, AV699204, AV699137, AV699147, AV699098, AW963961, AV699123, AV662247, AV662223, AV699144, AV699170, AV699136, AV699224, AV662272, AV699125, AV699203, AV699200, AV699247, AV662191, AV699255, AV662185, AV662196, AV662317, AV662287, AV699236, AV726209, AV652214, AV650926, AV652066, AW956240, L48842, AF051321.1, AF051322.1, AF069681. 1.
HFGAD82	113	513669	1 - 1867	15 - 1881	AL119979, BF346635, AV726399, BF035097, AV727342, AL119977, BF920864, AW888751, N31682, AW148844, AA772781, AA326677, N23200, AW961610, BF976989, BE765872, BE765750, BE765749, BE765443, BF570590, BE765618, BF438771, BE766953, BE766490, F06586, BG057153, R60278, F07047, AA628815, AV722183, R16237, BF364146, AA204942, AV734361, N71200, AI000462, R54067, Z40722, BF337123, R54066, AW903171, H24278, AV726415, H16893, AW897545, H16783, H22887, R16238, F03521, R42035, F05678, T80483, AA321847, AV731162, AV731097, AV730504, AV730299, AV731130, BE763530, R20855, AA386266, AW890775, R45969, R42611, N94832, R39831, F02857, F03323, T03048, R11992, F07675, AU118413, AW890773, AA640468, N95708, F05679, BE830656, BF948144, M85660, AL119687, T08757, AV722325, AW904904, BF344999, AI003266, N76471, N47227, AW903272, BF977690, T53097, BF918689,

					F01937, N58994, AI000789, AW898733, BE702498, BE699153, AL118827, BE708346, F07242, AW897547, F01938, N51309, AC003037.1, AC022486.4, AC007379.2, AC007064.27, AC006548.20, AC016752.2, AC008175.2, AC007965.3, AC007322.4, T66696, T66697.
HFIUR10	114	532060	1 - 527	15 - 541	BF195618, AA191239, AW969824, AA009856, AW019964, AA808036, BE677291, AW973259, AW023662, AV742957, AU146063, AI369580, BG109444, AU153717, AV709074, BG032605, AI357823, AW888719, AL110373, AI832009, AV708388, AV725797, BE150580, AA223512, AV734980, AA402529, AA595661, AW410201, AA683069, AA191418, AI144036, AW474168, BF681348, AI590458, AI590499, F08248, AW302048, AV760508, BE794962, AA665181, H07953, AW971071, AA654781, AV763410, AA749035, BF965290, AI609972, BF676985, AV708385, AW504485, AV762633, AW166808, AA282951, AI860535, AI792575, AA634889, AW302950, AL048060, AI254913, AW875172, AI281689, AA668587, AA084619, BF675051, AI354423, AA832077, AI733129, BF674550, AL041924, BE139451, H73550, AA828853, N39953, AW863393, AV757526, AI859946, AW976008, AW023111, AA747234, AI565084, AV710482, AW814024, AV710045, AW963482, AI355246, AA814925, BE077105, AA653182, AA664521, AW440305, AI054397, AA651639, BF725761, AV758073, H15652, BE280771, AW438542, T74524, AW191063, BF940118, AW968205, AV762973, AA552578, BF965924, BF879045, AI251034, AI251203, AI251284, AW805539, BG236628, BE878259, AI250552, AA632556, BF809041, BG029224, BF868994, AW020736, AF236698, BE139139, AW271904, BF978025, BF681424, AU118374, AV758790, BG110480, AI803809, AV758097, AA574442, AV733434, BE155302, AA644664, AI792521, BE246472, BE901278, AA626825, AI686913, AV706237, BE155299, AW302293, AV702609, AA533123, BE968477, AV738383, BF814446, AI891080, AA516190, AA533040, AI284543, BE273825, AW779609, BF525663, AI380617, BF914419, AL079734, BG166965, AW069227, AL043351, AI267161, AV762870, AV658819, AV709273, AL042735, AA503018, AI973173, AL046746, BE062357, AI963705, T69857, AV730245, BF810071, AW301736, Z97987.1, AC020913.6, AL031281.6, AC007637.9, AL096757.1, Z93017.6, AC087225.1, Z83840.7, AC008073.4, AF245699.1, AC010349.7, AC087315.21, AL163011.3, AC004106.1, AC004132.1, AC008925.3, AC004990.1, AL133351.33, AC010618.7, AC006275.1, AL035405.10, AC034203.7, AC006930.1, AF156495.1, AC008754.8, AP001732.1, AL139824.22, AC003037.1, AP001646.4, AC005162.1, AL050341.18, AL034420.16, AC024075.4, AL117382.28, AC008521.5, AP001039.1, AL512378.7, AC005778.1, AC091394.2, AL132768.15, AL139385.12, AL049569.13, AL109914.16, Z95152.1, AL163541.13, AC006367.3, AL442203.12, AC005684.1, AL117377.18, AL109828.22, AL031681.16, AC007488.15, AC007425.16, AC018462.4, AC007934.7, AL078602.13, AC010002.6, AC005038.5, AC009743.1, AC006538.1, AC053467.1, Z95115.1, AP001922.4, AC010203.13, AC010150.3, AC006545.3, AC006546.9, AC004970.2, AP001696.1, AL390736.6, AC003035.1, AL355543.13, AC007318.4, AC007381.3, AC006253.4, AC022173.7, AC040160.4, AC003684.1, AC009331.5, AL109823.23, AL451107.6, AL359873.11, AC004605.1, AL035682.16, AP002453.3,

					AC063947.30, AC006270.1, AC016526.6, AC003664.1, AL078634.24, AL157897.7, AL009031.1, AL137802.7, AJ251973.1, AC002326.1, AL356421.10, AC006388.3, AC078846.2, AL138721.16, AC004103.1, AC090949.1, AC090944.1, AL139150.12, AL162423.18, AP001718.1, AL109915.10, AL390208.17, AC004616.1, AP002851.2, AC017100.4, AC022425.6, AC006080.1, AC005027.2, AC017006.4, AC024163.2, AL049540.11, AC005522.2, AP000353.2, AC008008.2, AL445205.14, AC078843.2, AC073864.28, AL161657.22, AL031280.6, AL035696.14, Z81364.1, AL157938.22, AC090426.1, AL389883.9, AL024474.1, AL138703.10, AC008266.3, AC073057.6, AL132800.4, AC007784.7, AC002996.1, AL354816.5, AC011449.6, AP000193.1, AL022313.1, AC008379.6, AP003355.2, AC005004.3, AC005514.1, AL118501.22, AL009028.1, Z86064.1, AP002812.3, AL035249.6, AC009131.6, AC002549.1, AC032011.14, AL109984.14, AF001549.1, Z84467.1, AL034419.22, AL512883.5, AC006204.1, AL353574.8, AC006960.1, AC009079.4, AC009503.3, D87009.1, AL354932.26, AC005014.1, AC005859.1, AL139110.17, AC003662.2, AL035089.21, AC005751.1, AL390738.4, AL133246.2, AP000694.1, AC020659.5, AL133355.12, AC004854.2, AL359236.4, AC006237.1, AK023233.1, Z85999.1, AL022323.7, AC003046.3, AL031730.1, AL160471.5, AL160071.16, AC010548.8, Z82206.1, AF029308.1, AC005498.1, AL133342.14, AP000348.1, AC011465.4, AC004812.1, AC007221.2, AL022316.2, AL035072.16, Z97630.11, AF312032.1, AC008551.5, AC007685.2, AC005034.1, AL391602.6, AC005220.1, AP000117.1, AL023883.6, AP001150.4, AL109825.23, AL137782.9, AL096800.20, AF252279.1, AC005695.1, AC016993.4, AC007620.30, AL022237.1, AC006481.3, AC018812.5, AL035420.15, AC004611.1, Z84487.2, AC018719.4, AC010163.7, AL133344.28, AC011290.3, AC007292.1, AC011895.4, AP001929.4, U63721.1, AC002352.1, AC011444.5, AC005327.1, AL451075.15, AC004595.1, AL138720.19, AL451185.14, AC002470.17, AL008732.1, AC006460.3, AL137119.26, AC005786.1, AC006211.1, AF134726.1, AC010205.5, U52112.1, AC007597.3, AC016026.13, AC005215. 1.
HFTBM50	115	545012	1 - 748	15 - 762	AL529436, BG254023, AA069656, AW512689, AA928735, BE901109, AL529437, BE074967, BE074973, AA423996, AI027673, AI130940, AA827360, AA424006, AA421599, AW602733, AI580837, AL526924, AA114876, AA576953, AI858981, BF222157, AL526960, BF542049, AA136831, AI200715, AI358322, AA988755, AW602739, AA187921, AL527090, H10340, AI499041, H10044, AA252300, AA188494, AA856927, R44331, AA588683, AW364266, BE092940, BE007334, R51006, AI253378, AA481649, AI686745, AI628242, BE092920, BF733881, AA729977, BF026424, AW804569, AA421594, AW994967, AA481416, BE733257, BF876214, AA679567, AW028221, AU134538, BE251492, BE729280, AI906091, BC002480.1, AK023414.1, AP002347. 3.
HFTDZ36	116	545726	1 - 1089	15 - 1103	AV721599, BF732420, BF510533, BF508158, BF508241, AI638188, AW181935, AI758929, AW592730, BE967495, AA447514, AI078837, AV723652, AI218418, BF692673, AA884756, AI335250, AW118870, BE044339, AA426363, AV730822, AI868197, BF947599, AA927228, BF952754, BF952302, BF952504, AW905268, AW905266, BF952591, AI673798, BF952850, BF952505, AW905263, BF952750, BF952589, BF952851, BF952752, AA897687, BF572515,

					AW905328, BE699539, AI830527, BF952755, BF210822, AA431528, AA029326, H41714, AA437157, N53641, BE699547, AW905379, BE699537, BE796741, AW898982, AI218421, AF289076.2, AC067967. 2.
HFVAB79	117	1300736	1 - 1161	15 - 1175	AI640273, AI769432, BF939574, AW271996, BE465785, AA916007, AI935583, BF196453, AI478387, AW301652, AI474065, N73883, W03943, AI266027, AI241273, AI373364, T87063, T83618, AC069548.4, AF349540. 1.
HFVGE32	118	854545	1 - 558	15 - 572	BF362920, AL160269. 14.
HFXBL33	119	778070	1 - 1619	15 - 1633	BG141322, AV652809, AV662223, AV699247, AV699167, AV662247, AW963961, AV699098, AV662272, AV725496, AV727824, AV699218, AV719825, AV719156, AV699200, AW952432, AV720062, AV720893, AV653163, AV650903.
HFXDN63	120	553685	1 - 1012	15 - 1026	AV699204, AV699196, AV699199, AV725496, AW952432, AV652809, AW958904, AV662223, AV699218, AV719825, AV719156, AV720062, AV720893, AV648653.
HFXJX44	121	701988	1 - 1370	15 - 1384	AC004491.1, AC024579.4, AL136084.11, AC016564.5, AC005015.2, AC007011. 1.
HFXKJ03	122	505207	1 - 927	15 - 941	AI041718, AC006213.1, AC035150. 1.
HFXKT05	123	658690	1 - 1701	15 - 1715	AU124431, AW960435, BF525944, AA781090, AW514159, AW390483, AW965129, AW170237, AW582015, AI700395, AI079309, AW339256, AI140441, BE700940, BE842726, BE842730, BE700936, BE700869, AW581975, AI022857, AI903097, AI401014, AI379419, BE700861, BE700862, BE772035, AI434349, BE772040, BE772042, AW673336, BE700873, BE700876, BE842723, BF439588, BE700941, BE700945, BE700943, BE772099, BE700938, AA703354, N50989, BE772066, BE700937, AA719006, BE908235, BE772053, BE772081, H69547, BE700904, BE772059, AA574083, BE830929, BE772082, BE818955, BE818958, BE772101, AI251845, AI243536, BE772019, BF870875, BE818964, AW517983, BE700851, AI983670, BE772020, BF359589, H70004, AW820559, BE840628, BE700898, T63151, BG012510, R11344, AA305705, BE818962, BE840434, BE840457, AW752129, AA565124, BG010792, BF849721, BE772047, AI905362, AA731490, BE818915, BE772087, BE772018, BE772074, BF110884, R14845, BE772086, BE772015, AI983820, AA344670, AA889063, R07438, BE840445, C15468, T63006, BE170135, R09631, R06659, BE772017, BE836162, AI540442, BE830923, AI023272, AW868068, BE830919, AW868069, BE818892, AA324635, AW960971, BE818951, AW674579, BE832289, BF091071, AK001249.2, AB007936.1, AK027078.1, AL117402. 1.
HGBHI35	124	570262	1 - 1423	15 - 1437	AW027617, AW167655, AV705616, BF112047, AV647323, AI761852, AV647362, BF475491, BF941241, AU134617, AW273477, AA632135, BF589834, AW188958, BE328783, BF673582, AW025350, AW469123, AI248475, AW071025, AW513405, AV707439, AA443956, AW959532, AA974499, AA586906, AA411210, AA748561, AV647324, AA574049, BF001545, AA993212, AU155540, AA405832, AA418055, T65000, AA633212, AA417996, AA716696, AW338423, AI951713, AW269824, AA705781, AW294610, N29931, AW193961, W74344, AI623473, W95062, N58311, AA434443, AI452555, AI476814, AI707848, AI591113, AW071570, AA504192, AI284330, AA993753, AA422102, AA814543, AA833607, R59175, H69589, N27730, N27744, AI050821, H91466,

					AV661353, N26927, AA384582, T53881, AA723025, AW952885, AA708478, AA412129, N80150, AA805411, AA325056, H86073, AW080735, AA719996, H48787, AW439101, AA327279, AW439110, R72184, AA317298, AA290758, AI302593, AI041429, AA932990, AV692965, H68481, AA290757, AI301278, AA928847, AV709914, R70407, AA342345, AW971285, T71152, AA528307, R00838, AI915200, AI470398, AA888272, T50944, T54028, AI784177, R69430, AI298655, AI801093, AA363967, AA935078, AA935062, T99499, AW450038, F37718, AI470409, AA419235, AW074842, AA700546, BF057503, AV656088, AI798643, AA946561, AV684912, C05231, AA342344, AA405831, AI682312, R72230, AV696820, AI557037, T72850, BG122003, AI478342, AA504193, AI474859, W91943, BG164862, AW841423, AI243763, AI364219, AA879063, AA419337, AV698254, BF847168, BG004190, AK001810. 1.
HGBIB74	125	837220	1 - 1802	15 - 1816	AU132073, AL514534, BF983632, AL526111, BF793202, BF816636, AL526167, BF207035, AU121857, BE312932, BF307465, AL528311, BF316637, BE878180, BF512924, BE781366, BE299008, BE866833, AU141579, BF307539, BE296624, BF203318, BE314690, BE247312, AA258714, BF203434, AA258479, AW602250, AW372226, BF358908, AA625114, AI337232, BF762063, AU134960, BF303835, AW372227, AU125523, BE840047, AI739102, BE696707, AA551238, AA505288, R52096, BE746044, AA853934, BG012508, AI936957, AI582908, BE245999, R46499, BF365473, BE296121, AW166753, AA770298, BG056533, AA481002, AW071542, H17104, AW007814, AI086723, AI338746, AI340064, AI094613, AI096869, AI922132, BF939399, BE855621, AI357394, AI423481, AW087313, BF475441, AI421759, AI356823, AI418892, AA287330, N94480, AA524286, AW005778, AI922862, AW191028, AI566341, AA470698, AI421557, AI361016, AI359797, AI362874, AI863909, AI880712, F09352, AI922424, AA873767, AA481480, BF447091, AA291405, N20109, AI263664, AW968514, AA570059, AI913894, BF057036, W94068, BF090405, AI381877, AI193950, AI364237, D54296, AU149162, BE828094, BF751874, AA789159, AA853935, AA482101, AI360188, AW952710, Z40719, AA400811, AI539565, AA629142, BE813293, AA095376, T58139, AU147592, AI214242, AI034063, N31573, AI040574, H43298, BF753185, AA953460, AW131152, AV706318, AI146352, AI648405, AA921717, AW054979, AI445988, AI888216, BF432411, AI271977, R22588, AI360977, AW188664, AW516744, AI085523, AW057831, AI613427, AA679957, AA524336, AW993553, AW375413, M79269, AI598125, BF819300, AW993667, AI083784, H65453, AW136876, BE964668, AA421021, F30056, AL515965, AI078721, AL515964, BG060060, AA701072, BF805411, BE815632, BF872254, BF752405, BF527514, W94067, BE762789, W23927, BF206436, BF527026, W22794, BF772933, AW265783, BE707365, AA480986, BE259841, BE876343, BE697298, D87444.1, AL049539. 21.
HGLAF75	126	566838	1 - 762	15 - 776	AW968403, AW268460, AV699333, BE388094, BE387809, AA805707, BF112044, AA769677, AI379717, AI419895, AI858342, AI708860, AA044030, AA465222, AI677780, AI189447, AI221144, AI073526, AI286149, AI540808, AI298414, AA847808, N29749, AW170779, AA344901, AA044352, R52970, BE836466, BE716265, BG057223, BE836496, H40701, R55340, AA873679, AI363753, BF792412, R40137, AW965142, AA725486, AA344902, T27542, BE716174, N57171.

HGLAL82	127	520261	1 - 392	15 - 406	AL117344.12.
HHEMA59	128	823100	1 - 3088	15 - 3102	AV726528, BF574791, BF996057, BF990910, BF035428, BF695329, AI096792, AW977965, AA811457, AI742527, AI820061, AI921596, AI984225, AW961815, AI393746, AI573202, BF970504, AI245917, BE670178, AI283174, AW043715, W74699, AI174605, AA810908, AI367927, AI285046, BG117412, BF338708, AI357298, AA215462, BF810183, BE927671, AI334340, D62083, T32812, N70003, W74737, BE927668, BE568242, AA463313, AI880873, AI039073, AA862480, D61879, AA130296, H70799, AA215463, Z45087, Z40816, T60267, R76519, AL157633, AI264491, T32813, R81074, AW089194, BF088910, R80967, H70800, N62108, R76520, BF356673, BE940685, AW900254, AI885935, AI370183, BF925069, N78339, H60031, BE935677, T61647, AL136527.9, AB014529.1, AF176555. 1.
HHENV10	129	562772	1 - 1141	15 - 1155	AC004912.1.
HHEPM33	130	877639	1 - 1445	15 - 1459	AL525047, BE267465, AU119027, BE728398, AU142237, BG034269, BE797542, BG110205, AL525046, BF446035, AW966408, BE695857, AA447885, BE261226, BF852227, BE858413, AU159593, AV749929, BG178599, BE856576, AA424770, AI338990, AW135009, AI423774, AI334334, AW959286, AI766429, AA417903, AA933079, AA424903, AL047160, AI685395, BF477465, AW139987, BF948688, BF745006, AW769824, AA641849, AW371401, AW371406, BF745011, AW613024, BG056135, BF744933, BG058480, AI720305, BF744994, BE828620, BF744932, BF744930, AI250926, BF760364, AA593807, AI969741, AI263347, BF744931, BF745007, AA383851, AA482522, BF745014, AI686024, AA447724, AW613546, AW614328, AI766856, BF995409, BF745010, AA644474, AW197307, AA641850, BF852819, AA383850, AA325769, BF955849, AK023968. 1.
HHFBY53	131	821330	1 - 856	15 - 870	AA346699, BE897269, BG109478, BG178294, AI370129, AW238611, BF343729, AI000070, AI085870, BG179993, AI436456, BG108324, AV755207, AL514935, BE047863, AI802542, AI349772, AI500077, AL513643, AL121270, AI524684, BG165209, AL036396, AI225230, BF725126, BG260037, AI250293, BF883916, AL047042, BF343172, AW303152, AV655645, AL119049, AL036802, AL513907, BE048081, AL514627, AV681857, AW827203, AI064830, BG036846, AL046849, AI702406, AI475371, BF037097, BE048071, BE969709, BF727212, AV757737, BG111647, AL135661, AI521012, AI675423, AI433157, AL515041, BF971016, BF054877, BG168696, AW268253, AL121365, AL513597, AW075351, BE964812, AV682479, AL119791, AV681716, AL036146, AV756770, AV710479, AV757943, AI349645, AV711924, AW827249, AL119748, AV682224, AA187180, AI216146, AV681647, BG151247, BG031815, AV682266, BF969494, AV704928, AW238730, AV762488, AV682330, AL513911, BE968552, AL513837, BE887488, AI568870, BE613622, AV717179, AW274192, AI340582, AI687728, BG058208, AV721967, BF724691, AL514919, AV682351, AL513693, AI815383, AW071349, AW301409, AI349933, AI868831, AV682249, AI538716, BE966388, BG259801, AI349004, AI433976, AL045500, BG109125, BF795712, BF968493, AI687376, AV733470, AW071417, AW089572, BE880190, BG257535, AI799199, BF812933, BE964700, BG180996, AI969567, AI440426, BG114104, AL047763, AW074993, AI567351,

				BE048179, AV755290, AI281779, AV759235, AV757158, AL513553, AW195957, AI686926, AI678302, AI312152, BG252929, BG110797, BF695032, AV682074, AV681548, AV733397, BE877769, AA494113, AI687415, AI349937, BE785905, BF726421, AI497733, AW827211, BE965556, AV681685, AA610426, AW103371, BE048026, AI631107, AV757012, AV734318, AW169653, BE777769, AI345735, AV682441, AV758110, BG250190, BE876033, BG178809, AI699857, AL513753, AI635461, BF792099, BE048163, AI439087, AW162071, BE018711, AV755581, AL120854, BF793644, AV757018, AV723953, AI590128, AL513803, AV757853, AI275175, AV705644, AV758592, BE048319, BE047952, BG029399, BF970162, BE881155, AL514791, AV681630, AV758217, AW068845, AI863014, AI564719, AV682252, BG109270, BG108147, AL036274, AV757797, BE963035, AI934036, AI620284, BF054789, AI608667, AI679724, AV758806, BF970446, BE781369, AV710608, AL514691, AV703695, BF970731, AL036759, BF344652, AV763915, BG107847, AI920968, AL515173, AV681987, AV682803, BF792469, AI866608, BF726297, AV758668, BF882343, AV717299, AV682809, AV723772, BF348329, BG033403, AV715462, BF982046, AL514261, BG105099, BG252914, AV756342, AV681668, AI469532, AI445432, AI873731, AV681951, AF090900.1, AF090943.1, AF078844.1, AL136586.1, AL157431.1, AL442082.1, AJ242859.1, AL049452.1, AF125949.1, BC007021.1, AL133016.1, AL133640.1, AL512733.1, S78214.1, AL117460.1, AF090903.1, AL050146.1, AF090934.1, BC008387.1, BC008365.1, AL050393.1, AL136787.1, AL390167.1, AB055303.1, AL442072.1, AF090901.1, BC008417.1, AF218014.1, AB056420.1, AB049758.1, BC008488.1, AL133606.1, AL080060.1, AL389978.1, AF111847.1, AK026608.1, BC000472.1, AL117457.1, AB048953.1, AF104032.1, AL137527.1, AL359596.1, BC003687.1, AL110196.1, AL110221.1, AL049938.1, BC003683.1, AK000212.1, AL359601.1, AF090896.1, AB056809.1, AB048964.1, AB047615.1, BC002569.1, AL136789.1, AL136892.1, AK026045.1, AK026741.1, AL050149.1, AK026865.1, BC007308.1, BC001967.1, AB063046.1, AB060916.1, AL050108.1, AB050510.1, AL136749.1, AL122050.1, AF106862.1, AB060887.1, AK025339.1, AL162006.1, AB056768.1, AB019565.1, U42766.1, AB055361.1, AL050116.1, AL162083.1, AB063070.1, AB047801.1, AL133075.1, AK025084.1, AL049314.1, AL080137.1, AL049466.1, AK027868.1, AB063008.1, AK025958.1, AB060912.1, AF219137.1, AL096744.1, AL122093.1, AL136799.1, AL133080.1, AL389982.1, AL133557.1, BC006807.1, AL080124.1, AL133093.1, AK026855.1, AL050277.1, AL137283.1, Y16645.1, AL512746.1, AL136844.1, AL359618.1, AB060908.1, AK026744.1, AL137459.1, AL133565.1, AK000618.1, AL122123.1, AL136768.1, AL122121.1, AL137557.1, AL049430.1, U91329.1, BC002733.1, AL512718.1, AB060863.1, AK027096.1, AK026784.1, AL121916.14, BC004556.1, AK026533.1, AL512719.1, AK025772.1, AF097996.1, AF146568.1, AF207829.1, AL117394.1, AF125948.1, AF041428.1, AK000083.1, AK000137.1, AL133560.1, AB062938.1, AF271350.1, AF091084.1, AL110225.1, M22146.1, X82434.1, AK024538.1, AL512754.1, AB060825.1, AL050138.1, AL359941.1, AB048954.1, AL137550.1, AB060826.1, BC006195.1, AK026592.1, AK025092.1, AK000614.1, AK026542.1, BC001045.1, AB055368.1, AK000445.1,

					AB051158.1, AP001346.1, AK026452.1, AP001873.3, AL117583.1, AK000652.1, AK027113.1, AK026647.1, AK026583.1, AB052191.1, BC007199.1, AK025491.1, AL353940.1, AB055366.1, AB055315.1, AP001666.1, AL512689.1, AL353594.13, AL122110.1, AL133258.16, AB060852.1, AF225424.1, AK026927.1, AK000323.1, AB049892.1, AL117585.1, AK026353.1, AK026480.1, BC004951.1, AF177336.1, AK026504.1, AL359615.1, M58458.1, S61953.1, AL117435.1, AL049464.1, AL049300.1, AB048974.1, AL049382.1, AK026532.1, AL136928.1, AB047904.1, AK026534.1, AK000432.1, AL136845.1, AK026959.1, AK027164.1, AB063093.1, AK026086.1, AK025391.1, AL050024.1, BC008485.1, AK026528.1, AB015610.1, AL353802.14, BC008070.1, AK025414.1, AL137538.1, AC026787.4, AK026642.1, AK026947.1, AK025967.1, BC002839.1, AB024285.1, AK027204.1, AF348209.1, BC008899.1, AL122098.1, X72889.1, AC002467.1, AB052200.1, AL137463.1, Z82022.1, AF183393.1, AL583828.4, AK024524.1, AK027213.1, AL353625.5, AL133113.1, BC008382.1, AL157482.1, AC022215.4, AC010305.3, AL359583.1, AL137648.1, AF334404.1, AB056421.1, AC009364. 8.
HHFGR93	132	865581	1 - 1821	15 - 1835	AL513572, AL537139, BE869616, AL513571, AW190823, BE868295, BF528807, AW959200, BF998261, BF986378, W52782, BG009530, AA707399, AI921717, BE161072, AI656071, AI809901, AI870870, AA780017, AA046658, AA913618, AI633244, BF995431, AA428298, AI014541, AW300019, AW173046, AA428713, H12307, BF432551, H12782, BF115565, AI141481, AI092488, BE550395, W58612, AW172540, AI184646, BF222972, W58613, AI359381, AW361707, BE043092, AI970137, AI126255, R77354, AI624748, AI949837, AW081182, AI923177, AI187105, BE707255, R69232, AA514466, BF995428, AI521359, R69114, BG011026, AI347221, R76149, R73827, AA664044, R79810, H12841, AW594241, R78260, BG015155, BG002356, BF851373, H12629, R76098, R32862, R63063, R78261, T47327, AI189377, R73853, R62315, R68433, AI828342, R79923, H12360, AA618505, H12680, T50332, R79910, AW903922, AA733001, R35438, AI216465, AW903849, T98690, R73852, R81664, H00855, AA683601, AW009057, AI873711, AW513081, R33685, H02334, AI189455, AW365832, H02440, R67936, H02804, AI569353, R66838, R68432, H38189, R76065, R64387, R75889, R33581, R35749, AW235425, BG055882, R27675, T98640, AA991630, BF196820, AI189443, BF848636, R81467, BG007447, AA367816, R27576, R63218, R31360, AA359117, R31889, R34252, AI762218, AW002259, BF848635, W52486, H01235, AI199859, R62314, AA046788, AA249358, R64386, AW407088, N55686, R67441, AA446485, D45691, AI002022, AA430177, AF361746.1, AB060855.1, AF277292. 1.
HHGCM76	134	662329	1 - 697	15 - 711	AW248957, BF828801, BF828604, AI675194, AW028119, BF826770, BF827069, AW452880, AI491913, AI799880, AW450970, AI377883, AI201976, AA595164, AI088096, AW612440, BE792795, AW006952, BF063362, AI697133, AA643065, AA580017, AI819005, AI866931, AI560641, AA635584, BF446220, AI829011, AW952316, AL524066, AW243832, AI200458, AI634449, AI670745, AI269568, AA326815, AI873666, AL523219, AL520944, AI478177, L31980, AW245254, AW194690, AW771866, AI767850, AW079488, T87766, D45523, BE242113, AA055697, AI306732, AW275312, BE280419, AI908657, R48473, AA013188, AI908646, BG250796, BE796614, T72628,

					BC002980.1, AC003665. 1.
HHGDF16	135	579890	1 - 876	15 - 890	AI365221, AI701000, AW954119, AW264473, BF344449, AI680921, AI492007, AW014989, AI860823, AI539819, AI473662, AW628976, AW276150, C75362, AU152947, AA167428, AI559629, AI811077, AI039475, AI656542, AI284462, AW590370, AI431949, AI656530, AW148492, N67246, AI915180, AA907555, AA047467, AA478729, AI365222, AI242862, BE018520, AA834839, AA412178, BE302119, AI823337, BF671770, T61838, AW007865, AA905198, H08613, AI382420, AA776507, AA385375, T94765, T94766, AA047401, N53320, AW890140, BF949155, N83376, BE883645, AV701945, AV704429, AW890022, AW898540, AV702726, AV703584, AV703624, C01033, AV702464, AW890015, AW956618, AV655824, AV708871, AV729091, AV704729, AV656250, AV655597, AV701800, AV705652, AV703976, AV707059, AV705178, AV661490, AV727054, AV701616, AV709625, AW956781, AW964267, AV706912, AW890016, AV709236, AV701584, AV726913, AV704346, AV728464, AV707827, AV693230, AV687808, AV705939, AV708600, AV705045, AV704029, AV702601, AV655568, AV727449, AV701067, AV727266, AV705517, AV650430, AV704588, AV702830, AV702086, AV728521, AV725260, AW951773, AV726646, AV703833, AV705813, AV729463, AV705474, AV703653, AV726903, AV725970, AV707500, AV728256, AL133418.4, AK023144.1, AF214114.2, AF208045.1, AF227899. 1.
HHPEN62	137	695134	1 - 2138	15 - 2152	AI939620, AI480056, AW300615, AW300620, AI589129, BE386438, BF920454, BE386547, AW961851, AI911546, AV726263, AI361251, AI498527, AV725146, AW901919, BE967591, H41544, AA326679, AA348503, AI422476, AA912288, AI423129, BC004271. 1.
HHPGO40	138	1299927	1 - 988	15 - 1002	BF936014, BF926087, BF849807, BG059559, AA663575, BE464797, AL137451. 1.
HHSDX28	139	553494	1 - 1099	15 - 1113	AA548981, BF835253, BF835251, AA854044, AI784057, AL034420.16, AC006060.1, AC025470. 4.
HILCF66	140	636025	1 - 1654	15 - 1668	AW866442, N50805, AW769075, BF836507, AI206345, BF840986, AA708926, AA426062, AU155280, AW866532, AW769542, AI652458, AA258053, AA532374, AW674310, AI079267, BG178864, AI918893, AI583381, AI129768, AU160789, AW151099, AI375855, AI077465, AI434984, AI084577, AA353483, AI803071, AI978803, AA435860, AA625163, BF437117, AI093544, AI016100, AI951676, AI684966, AI479709, AA502596, AA075493, AI224122, AA531263, AI865571, AA424807, AI337861, AI275719, AI784447, AI393782, AA045896, AI798537, AW627862, AI362624, AW188737, AI587550, AI583574, BE242408, AI951273, AA135691, AW514022, AI262711, BF939682, AA135723, H06916, AA398860, AI583554, N93804, AI707963, BF843408, BF843416, AL522362, AA625925, BF738648, AI919121, T98717, BF059218, AL526660, T98661, AW022094, D19802, AA887448, T25800, BF950460, AL529899, AA654911, W44832, AA426475, BF773449, AL529900, AA495877, AK023371.1, BC000630.1, BC000904.2, D14663.1, AF215935. 1.
HJABB94	141	456466	1 - 1541	15 - 1555	BE905356, AI026821, AA503776, BF114724, AI435527, AL036946, AW298357, BF240642, AA969442, AI767392, AI142574, AI094514, AW073866, AW241144, AA206595, AA040034, AA354909, AW972134, AA814156, AA933895, AA040828, C01416, AA457220, AL138875.8, AY027525. 1.

HJACG02	142	1307789	1 - 561	15 - 575	AA311223, BF002026, N41594, N30820, BF982046, AI829327, BE047833, AI457369, AW071417, BF968205, AI340627, R36271, AL036980, BF061283, BG168549, AW022682, BG034550, AV682418, AL047042, BF343172, BG113299, AW020693, BF751308, AI452560, AI690748, AI349645, AW946806, AI340511, BF924882, AW074869, AW196299, AL038445, BE781369, AW302992, BG110684, BE887488, AL514193, AI310575, BG164558, AI340533, AI349957, AI433384, BF680133, AV715560, AI309401, AI345005, BG163618, AI343112, AV743962, AI826225, AI811785, AI494201, AW054931, AW268302, AW301300, AI349598, BF672397, AW072719, AW075207, BF526020, AV741327, AI345735, BG036846, AI697243, BE536058, AW193134, AI889147, BF904189, BE910373, AI500077, AA225339, BE138712, AI307210, BG033723, AI589267, AI269862, BE885353, AI313320, BG058150, BE886728, AW827106, BF527014, AI313352, BG110517, AL039086, AW079336, AI251434, AI274728, BF868928, AI524780, AI589947, AV682724, AI439717, AI312146, AI312339, AI814087, AI345745, AL036925, AI345258, AI932638, AI470651, AL036857, AW050578, AW196105, AV682227, AI306705, AW269097, AI620639, AI611348, AW090393, AL042628, AW152469, AA833760, BG256090, AI866798, AW074993, AI567351, AI431424, AI349614, AI311604, AW105601, BE966990, AL044207, AW167918, AI611738, AW169604, AW268253, AI862144, AI567612, BE886827, BF793308, AI890806, AI349256, AL036664, AI554821, AI312152, AI955906, AI336495, BF970768, BF885000, AW075084, AL120854, BE895585, AI950664, BE897632, BE964078, BF872670, AW022699, AI349937, AL036923, AW089572, AI334884, AI307543, AW151138, AW071412, BF885081, AI307708, AI312325, AI500659, AI868204, AI340659, BF816037, AI280655, AI612885, BF092710, AW302965, BF339322, AI334930, AI309443, AV699211, AV734185, AI307520, AI445237, AV724373, AI590423, AV756798, AI345739, AI889168, AI440263, AW117743, AI312143, AW673635, AW806761, AI343037, AV708834, AI434256, AI312428, W33163, BG109270, BE966829, AI349955, AW075093, AI371228, BE548914, AW827206, AI348897, AA427700, AI306613, AI312357, AI335426, AI348777, AI308032, AI569583, AI687127, BG249582, AI783997, BG030364, BG104820, AW161579, AI627988, AI344785, BG113662, BE971716, BF970449, AL079963, AL036718, BE047852, BE785868, AI207454, AI382670, AW020095, AI874166, AL036901, BE047952, AI670009, BG180996, BF970990, BF526262, BG027280, AL036274, BF061286, AI497733, AL041150, AI288285, AI890507, BG026428, AW827115, AW268964, AI343091, AI318280, AI567582, BG165051, AI554245, BE963035, BE138658, BG260037, AI310582, BG032208, BF344691, BE885490, AF352730.1, AF205952.1, AF323081.1, AK024538.1, X53587.1, AL512765.1, AL050393.1, AK025254.1, AF090901.1, AK026542.1, AL136787.1, AK026597.1, BC006525.1, AF218031.1, BC001963.1, BC007326.1, AB055366.1, AK027213.1, AL389939.1, AK026528.1, AK026855.1, AL122110.1, BC008780.1, AF090943.1, AL133098.1, AL136799.1, BC008070.1, BC003687.1, AK024524.1, AF091084.1, AL049466.1, AK025967.1, AK026480.1, BC002839.1, BC006807.1, AL136789.1, AL157482.1, AL117394.1, AK025391.1, AL137560.1, AY034001.1, AK025349.1, AF125948.1, AL359615.1, AJ242859.1, AK025906.1, AL136915.1, AL110221.1, AL050092.1, AL512718.1, AB056427.1, AK027146.1, AB060825.1, AL133075.1, AK025484.1, AK000391.1,

					AF056191.1, AB051158.1, AK026583.1, AB060908.1, AL133557.1, AL117457.1, AL110225.1, AK026526.1, AL080159.1, AL137550.1, AK026629.1, AL133640.1, AB063046.1, AF217987.1, AK026452.1, U42766.1, AL133606.1, AK026534.1, AL133067.1, AK024588.1, AB047615.1, AB048954.1, AK027182.1, AL049464.1, AL133113.1, AL133560.1, AL137521.1, BC008983.1, AB060912.1, AF097996.1, AK026353.1, BC008899.1, BC001967.1, AK026959.1, AL137459.1, AB060839.1, BC003548.1, AF090900.1, AL050116.1, AB052200.1, AL133016.1, AL359620.1, AB060214.1, AF057300.1, AF057299.1, X72889.1, AK000618.1, BC002643.1, BC008417.1, AK026164.1, AK026506.1, AK026741.1, AL359618.1, AL442082.1, BC007199.1, AK025465.1, U91329.1, L19437.2, AL049314.1, AB056421.1, BC004958.1, AK027164.1, AB056809.1, AL162062.1, AL050149.1, AL389982.1, AL137463.1, AL122123.1, AF230496.1, AL162002.1, AB048964.1, AL133080.1, AL390154.1, BC006164.1, AK000137.1, AK026762.1, AL117460.1, AK026630.1, AL512689.1, AL512719.1, AL050108.1, AK026593.1, AB063100.1, S61953.1, AL049300.1, AL049452.1, BC005151.1, AK000647.1, BC001045.1, AB063079.1, BC002733.1, AL136893.1, BC002342.1, AK025383.1, BC004556.1, BC009284.1, AL080086.1, BC005678.1, AF078844.1, AF026816.2, AL136928.1, AL512750.1, BC003627.1, Y16645.1, AB062942.1, AF051325.1, AL512754.1, BC006103.1, U58996.2, AB060863.1, AL136844.1, AK000212.1, AL080074.1, AL359601.1, AF262032.1, AK026600.1, AL136864.1, U80742.1, AL136845.1, AL122093.1, BC008893.1, AL136892.1, BC006201.1, AL117435.1, BC008365.1, AL110280.1, AF061943.1, AL136749.1, AK027868.1, AB019565.1, AF162270.1, BC008382.1, AL133104.1, AF003737.1, AF353396.1, AL137557.1, AK000445.1, BC008284.1, AK000432.1, AF218014.1, AL136786.1, AB050510.1, AK024601.1, AL117583.1, AL137648.1, AB060929.1, AK025491.1, AL117585.1, AL122098.1, AK025573.1, AF219137.1, AF090903.1, AF125949.1, AF260566.1, AL050146.1, AF111847.1, AL442072.1, AB062978.1, AJ006417.1, AL122121.1, AJ012755.1, AL136784.1, AF104032.1, BC008488.1, AL080060.1, AB055315.1, AL137478.1, AB047887.1, AF132676.1, AF061836.1, AF183393.1, AK027204.1, AL080127.1, AK026647.1, AK027116.1, AL096744.1, AB055361.1, AL353940.1, BC008387.1, AL137556.1, X82434.1, AF090934.1, AL122049.1, AL162008.1, AB063070.1, AL122050.1, AL162003.1, AL137271.1, BC005168.1, AB048974.1, AK025798.1, AB055368.1, S78214.1, AK000486. 1.
HJACG30	143	895505	1 - 1518	15 - 1532	AA311188, BF940968, AI478697, AA309875, AA481249, AL533052, AA481563, AW242463, AA760629, AV651897, AV660258, AV661286, AV709580, AV653353, AV726590, AV703632, AV725255, AW960067, AV705453, AV726243, AV652001, AV704144, AV726194, AW956292, AW949777, AV708520, AV727618, AW959858, AV656283, AW967329, AV727932, AV728953, AV725582, AV708786, AV708872, AV661369, AW952013, AV705340, AV704234, AW965148, AV726156, AV705836, AV708991, AV725618, AW952301, AW958796, AV725596, AV709248, AW959986, AV726337, AV709407, AV728355, AV725031, AV707948, AV725441, AV729424, AV652528, AV725577, AV707556, AV704626, AV702071, AV706223, AV705665, AV704785, AV728404, AV709733, AV729366, AV708320, AV705343, AV727822, AV707264, AV704611,

					AV729473, AV702738, AV725321, AV690930, AV728743, AV727978, AV727337, AV727562, AV729129, AV704712, AV701953, AV727052, AW955629, AV729532, AV704520, AV706964, AV704973, AV702817, AV705504, AV709356, AV704279, AV705829, AV702164, AV701880, AV701626, AV707401, AV704756, AW955019, AV701183, AV728289, AV708203, AV703591, AV697880, AV647941, AV703417, AV753624, AW963446, AV654035, AV709935, AV726628, AV707654, AV706290, AV655552, AV654282, AW949521, AV709880, AV709939, AV705189, AV704686, AV706882, AV727314, AV702954, AV727238, AV691615, AW967328, AV682997, AV727126, AV727347, AV728652, AV702787, AV706162, AV709596, AV686417, AV701728, AV701873, AV656240, AV692972, AV694871, AV705239, AV727459, AV655901, AV728715, AV701499, AV703972, AV703090, AV707794, AV702790, AV728546, AV705267, AV703762, AV703273, AV706734, AV702854, AV709025, AV706025, AV705684, AV656224, AV705299, AV709273, AV706165, AV727343, AV709932, AV702625, AV727468, AV707088, AV709549, AV645545, AV702498, AV701874, AV706671, AV705433, AV705866, AV728255, AV709256, AV706076, AV726559, AV651075, AV702537, AV706279, AV703436, AV727103, AV704097, AV726653, AV706532, AV706133, AV701496, AV658784, AV727807, AV728459, AV729077, AV707804, AV704592, AV704974, AV701858, AV703456, AV703515, AV702280, AV727032, AV705416, AV704116, AV702728, AV706910, AV727047, AV706889, AV705014, AV705047, AV703035, AV701538, AV727029, AV702869, AV725380, AV728455, AV706741, AV707830, AV707510, AV704971, AV706683, AV725956, AV707769, AV705234, AV706891, AV706527, AV728471, AV706758, AV690921, AV707798, AV725991, AV702725, AV724987, AV706448, AV725845, AV685113, AV726789, AV725387, AV726830, AV726787, AV702417, AV701844, AV702851, AV727189, AV706655, AV725386, AV655067, AW962136, AV706992, AV707420, AV706183, AV703366, AB000616.1, U94592.1, AJ244005.1, AJ244004.1, AJ244003.1, AJ244007.1, D78345.1, D50010.1, D13316.1, AB025273.1, AF144029.1, AJ276256.1, AJ276254.1, Z30183.1, AF144028.1, X82834.1, Y14219.1, U45328.1, AB005666.1, S81957. 1.
HJBCY35	144	719729	1 - 1545	15 - 1559	AL518865, AL526445, AL518864, BF690211, BE795952, BG261247, BG122941, BE871131, BF342499, BF797882, BG034854, BE874386, BF684303, AW958340, BF055513, BE265238, BF055496, AL042954, AL044311, AW393087, BF590235, BE251517, BF688851, AW500006, BF750912, BF436031, BE207255, AI523943, AI809559, AW615714, AI088845, AI199469, AI088821, BE792741, AA707004, AI393362, AI859578, AA864359, AI359119, AI963339, AA259086, AW027379, AA186786, AA703021, AA305929, AA393356, BE729570, AI961726, AW274049, AI216448, AW503180, AW505339, AI015694, AA291342, AI049539, AW873566, AI092749, BE410341, AI817912, AI870620, H44330, AI366215, AA258242, R46300, R16949, AI744596, R54656, BE386449, BE410337, AI807057, AW081887, AL041401, H15972, BE710574, BE410414, BE535502, BE222788, AA398688, AW273864, AA404987, D59795, AA077661, BE047327, T10451, AI871075, D59810, AI368575, BF526818, AA962247, AA335735, AW000813, BF435172, AA188015, R75708, AA329264, BE713106, AI218840, AA329538, AA291343, AA826970, T35806, R10855, D59833,

					D59821, BE547124, D80231, AI080034, AA299767, BF203222, AI908002, AA973311, AW087244, BF920764, AI648592, D80329, BE537114, BF511965, D59677, W93021, AI919083, AA749327, R16895, R55419, AA354448, AA136776, R54853, R46205, D59561, AI969256, W51754, AW273865, R10856, AI452772, BF765954, R10335, BF858687, AA076725, BF955782, BF206768, BF310354, BF032473, C01203, BC004286.1, AL050110.1, AB037861.1, AL137358. 1.
HJMBI18	145	545492	1 - 1007	15 - 1021	AI928477, AA527494, AI871626, AI694451, AI613494, N21002, AI630897, AI609811, AA987612, AI373242, AA595033, AW271584, AI858763, BF111620, AW975076, AA281453, C06206, H85386, C05666, AL536332, T23579, R22308, AI125182, AA488619, AI914281, R45226, R37773, Z40129, AA658001, N66912, N78467, BE778573, AA211234, AL119049, AA928812, AC007622. 28.
HJMBM38	146	545752	1 - 1010	15 - 1024	AL518937, AL518938, BE410807, BE298018, BF663486, BF664523, BE741022, AI471526, AI624274, AW006720, AW072426, AA548389, AI805053, AA649964, BE295825, AW013989, AI889549, AL525865, AI380679, AI142829, BE796333, AI968598, AW006482, AI937663, BF475729, BE645645, BE958622, BF872663, BC002598.1, BC005015.1, AK022244. 1.
HJPAD75	147	651337	1 - 1217	15 - 1231	AL530365, AL524811, BG035149, AL524846, AV653215, AL525028, BF031163, BE464161, BF064198, BG057645, BE677690, AV714679, AI954819, AA708718, AA773040, AW206827, BE677490, AW590005, AL522800, AI075390, BG179367, AI933314, AA022693, AA563665, AI582700, BF591973, AI933036, AA011394, BE463890, AI304827, AW467513, AI675049, N47573, BE537595, AI075392, AI346305, AL514603, W26975, H02832, AI290715, AA535130, AW137781, AW298065, BF927479, AA917670, AA011431, AL530366, AA974770, AA535120, AI497684, AI277012, AI274193, AL514604, AW297638, AW779938, AA356778, AW067366, AL524812, AL524847, BF763877, AV652546, H03723, F09604, F09318, H83110, AA216050, AW573003, BF926201, AI572540, AL525029, BF092250, D80466, AI940747, AK027129.1, BC008984.1, AF043945.2, AL163284. 2.
HJPCP42	148	1040297	1 - 1209	15 - 1223	AA780037, AI022797, AI023991, T86767, AL046060, T86675, AW867242, BF154952, AW966053, AW966054, AV724520, AW975618, AW949656, AW978634, D80038, AV719783, AV718800, AV719188, AV720464, AW966013, AW966534, D80195, AW975621, D51799, AW966531, D80193, AV718844, D80166, AV720211, AW966041, AV719822, AV718692, AW966062, D58283, AV719468, AW949654, D80227, AW959570, AV699927, AV723927, D81030, D59619, AW949658, AV719324, D80210, D80391, D80240, D51423, AV718770, AV699447, AW959597, D80253, AV718489, AV720203, AW973307, AW959628, AW960553, D80212, AV719557, AW949642, AV720731, AV722801, D80196, AV699550, D80269, AW966050, AV718440, AV720028, AW965177, D80219, D59859, D80188, AW949643, AW949646, AV723097, AW965158, D59927, AW966043, AW949641, D80043, D59889, AW949653, AW949657, D59275, AW959202, AW949631, AV720812, AW949629, AW949645, AW949632, AW978661, AW949618, AW949633, D80366, AV718633, D80022, D80045, AV720791, AV721386, AV720654, AW973447, D59502, AW960465, C14429, AW949655, AV700889, D80378, AW959582, D50979, AW964488, AW973485, D57483, AW966022, T03269, AW975605, AV699669, D80164, C75259, D59610, D80024, AV700229, D50995, AV718931, AW959799,

					AV718938, AW964737, C14014, AV742001, AV742667, AW978648, AV701125, AV701335, AV701166, AV701043, AV701332, AV701017, AV701248, AV701431, AV701419, AV742048, AW965163, AW965197, AW973541, D80241, D59787, AV681510, AV681491, C14389, AV699746, AV699682, AW965176, AW965185, AV719049, AV701154, AW959469, AV701130, AV719628, AV645389, AW973334, AV645344, AV701422, AV718707, C15076, AW964756, AV742430, AW956434, AW959062, AW964477, D81026, AW966029, AV701443, D80134, AV681468, AW958992, AW752082, AV645343, D59467, AW958993, AW959136, AV701149, F13647, AW966065, AV701415, C14331, AV745080, D51060, AV681529, AW962245, AW973474, AV719913, AW965184, AW973488, D80268, AW966560, AW956397, AV701428, AW965175, AV701344, AW962082, AA305409, AW973470, AW966075, AW973330, AV719727, AW178893, AW973482, AW960564, D80949, AV721784, AV718674, AV701004, AW973465, AW960504, AW975613, AW965196, D80168, AV720607, AW960473, D58253, AV701021, AV743601, AV720878, AV742720, AW964532, AW753053, C14227, AW966023, AW960454, AW975623, D59695, AV701224, AW960570, AV718530, AV744770, AW966059, D51079, AV645383, AV645393, AV741012, AV681528, AV681474, AV645339, AV681472, D79987.1, AF271371.1, X67155.2, D34614.1, D88547.1, AF058696.1, AB028859.1, AB002449.1, AB033111.1, D50010.1, U79457. 1.
HKABI84	149	565078	1 - 1224	15 - 1238	BE908972, BE871345, BE969781, AU127317, AW665494, AI650586, BF699086, BF432884, BF241722, BF087758, AI923936, AW271402, BF058229, BE349336, AA483696, BE504564, AV753084, AI553984, AA934906, AU148404, AU125401, AA521022, N53984, AI079322, AW015810, AA481668, AU120404, BE836738, AW959428, AA478921, AI341198, BF086194, AI559514, BF095983, AW439579, R78314, BF086179, BF992216, BF992222, BE930087, AA149227, AW627942, BF992221, AA831360, BE858967, AA300892, BF095985, AI909338, BE930086, AA331631, AL079584, AA971728, BF526589, T27345, AA515943, AW894981, BF086178, BG255010, AB007885.1, AC023426. 29.
HKABZ65	150	862030	1 - 1175	15 - 1189	AA715814, AA503019, AV762033, BE155099, AV734997, BF917346, AW338860, AC011666.28, AF242518.1, AF109907.1, AC004867.5, AC020917.4, AC004166.12, AL356915.19, AC005071.2, AC004878.2, AC005052.2, AC005081.3, AC002549.1, AL590763.1, AC020663.1, AC006064.9, AC008745.6, AC004858.2, AC022405.5, AC007666.12, AC008750.7, AL451144.5, AP001716.1, AC009131.6, AC004656.1, AL109825.23, AL355312.24, AL035086.12, AC010605.4, AC004067.1, AC004477.1, AC008736.6, AL109915.10, AC006023.2, AL033529.25, AC007637.9, AL139317.5, AL031311.1, AL049776.3, AC004971.3, AC009220.10, AL080243.21, AC005015.2, AC004686.1, AL022318.2, AC002310.1, AC009123.6, Z93015.9, AC021999.4, AL355353.23, AL050318.13, AL161756.6, AC011464.5, AL132712.4, AL359513.12, AC007546.5, AP001695.1, AL035683.9, AC018711.4, D87675.1, AL133444.4, AL139100.9, AF030453.1, AC006077.1, AC008895.7, AP001713.1, Z84487.2, AL357153.4, AL163636.6, AL359382.23, AC004770.1, AP001972.4, AC004675.1, AL355392.7, AC020906.6, AL138784.30, AC020754.4, AL162426.20, AC002288.1, AC009068.10,

					AC008101.15, AC008623.4, AC008891.7, Z98884.11, AL136137.15, AC011247.10, AL133163.2, AP001727.1, AC005098.2, AC004659.1, AC005670.1, AL139022.4, AC009812.17, AF088219.1, AL035404.20, AL139801.17, AF228703.1, AC002492.1, AC006084.1, AL353594.13, AC005077.5, AL160271.19, AP001724.1, AC008537.5, AC024561.4, AL139353.3, AC004491.1, AC008626.5, AL391987.15, AC010530.7, AP003352.2, AC009267.15, AL122013.5, AP000008.1, AC087071.2, AC009314.4, AC020913.6, AL078463.11, AL096700.14, AC002369.1, AC010102.3, AP003357.2, AL031123.14, Z95331.2, AL513008.14, AL118501.22, AP001435.2, AC005200.1, AJ400877.1, AC011469.6, AC016772.8, AC005089.2, AC005088.2, AF312912.1, AL022316.2, AL080317.11, AP001693.1, AP000553.1, AL390294.19, AC006345.4, AC091394.2, AL359813.23, AC007283.3, AL353807.18, AL109921.21, AC074121.16, Z98742.5, AC007383.4, AF243527.1, AC027130.5, AC010504.7, AL035462.21, AC010650.8, AC005180.2, AF334404.1, AL139187.19, AC005037.2, AL021391. 2.
HKACB56	151	554616	1 - 482	15 - 496	AI935239, BE122852, U51140, BG121875, BF970449, BE879967, BE545287, AI311480, BF968910, AI207454, BG031442, BF815930, BF792050, BF339322, AI924051, R99209, AA669025, AA505147, AA806160, AK026797.1, BC000650.1, AB060839.1, AL133557.1, BC009192.1, AL136622.1, AB048888.1, AL512754.1, BC002485.1, BC004908.1, AF004162.1, AL358532.11, BC004181.1, BC006251.1, AK026603.1, AK000647.1, AK024974.1, S69510.1, BC008823. 1.
HKACD58	152	1352202	1 - 3139	15 - 3153	AL528271, BE513051, BE874633, BE727126, BG119953, AA877796, BE897630, BE616928, BE873485, BE409112, BF568632, BE886189, BE890308, BE259677, BE389188, BE386943, BG033053, AW957771, AW880570, BE389298, BE782739, BE042596, AI829975, AW027434, AI335269, AI525602, BF382771, AA495894, AW402301, N46240, BE735624, BF887879, BE258030, AI819188, BE349022, AW008354, BF509970, AI683541, H38504, AI365603, AA178917, AA180758, BE812358, BG250135, BE874703, AW390227, BG029976, BE812223, AA354527, AA178918, AI204915, AW194439, AW390207, BF875432, AA425001, AW368379, R88102, BE932912, BF511057, BE932910, BE301126, BF912732, AI360437, AA370005, BE764970, R69656, R53778, BE830394, AA134615, BE697358, R54897, F37313, AL536107, AI280553, F34525, BE171591, AI524965, AW880505, F27458, AI193372, R55008, AW339374, AW999021, BF885645, AA227281, BF799341, BE410974, R55146, AI651533, AA355898, AA149032, H21738, BE937883, R78049, T74386, T27237, R69572, H22354, AW946340, AW169264, AI630501, AI699781, BG001443, AA343322, BF932030, AI971329, BF813656, AI096656, AI367032, AA380842, AL138431, H22385, BF929569, T50676, BE393507, D29121, AA668973, BF934053, BE206656, AI620083, AI493047, AI872461, H29733, BF793181, BC006159.1, X80590.1, AL050037.1, AC006457.3, AC006455.2, BC000224.1, AF075046.1, AL117382.28, AC009242.5, AC002565.1, AC009314.4, AC011005.7, AC007934.7, AP000547.1, AL442096.1, AC083866.2, AC008551.5, AC020550.4, AC002365.1, AF001548.1, AC008073.4, AC005225.2, AL590762.1, AC010792.4, AL365332.9, AC004491.1, AC004686.1, AC004551.1, AP000744.4, Z84480.1, AC005484.2, AC006236.1, AC005622.1, AL135749.3,

					AL158198.14, AL034548.25, Z82214.23, AC012597.24, AL161781.12, AC009137.6, AC018636.4, AC011362.2, AC005899.1, AC004965.2, AC006241.1, AC005098.2, AC002563.1, AC091394.2, AP000338.2, Z83844.5, AL096701.14, AC009228.4, AP000216.1, AC019171.4, AL445645.10, AC007371.16, AL365364.19, Z93015.9, AL391241.21, AC009120.8, AC091492.1, AL358434.16, AL049776.3, U82828.1, AC005520.2, AF196779.1, AL358777.12, AC010271.6, AC002352.1, AL133245.2, AP000337.1, AL139100.9, AC004253.1, AC004149.1, AL158167.15, AL034420.16, AC004386.1, AP001760.1, AF111168.2, AC018639.8, AL353812.13, AC004953.1, AC006487.8, AC010616.5, AC009812.17, AL445493.8, AC008670.4, AC004770.1, AL117692.5, AC004166.12, AC005821.1, AC004144.1, AL159168.15, AC005071.2, AC008764.7, AC008892.5, AC009247.12, AC004867.5, AC010605.4, AC005103.3, AF047825.1, AL121834.20, AC078846.2, AL117334.29, AL163973.1, AC074121.16, AC004824.3, AL138849.12, AC011497.6, AL391868.15, AC007021.3, AC008655.6, AP000500.1, AC006038.2, AL160175.5, AC010422.7, AL109920.15, AC011465.4, AL109976.23, Z85987.13, AC090939.1, AP000102.1, AL136418.4, AL139054.1, AD000092.1, AL031311.1, AL034549.19, AC010543.8, AC007336.5, AL033543.6, AL590763.1, AL136137.15, AL050349.27, AC005067.2, AC005412.6, AL139343.9, AL121895.26, AP000115.1, AC006101.3, AC010512.7, AC002418.1, AC018695.6, Z98941.1, AC020915.6, AC027319.5, AC004150.8, AC006345.4, AC009049.3, AC008403.6, AC005488.2, AC005207.1, AL121900.26, AC020904.6, AC008066.4, AC007374.6, AP001727.1, AL136228.8, AC025166.7, AC083871.2, AC008752.6, AC008569.6, AC005089.2, AC013429. 12.
HKACH44	153	545015	1 - 672	15 - 686	BF341755, BF791960, AA877614, AU153686, BF340330, AI199494, AW004725, AA628899, AI042456, N74995, AV753372, AI916084, BF437469, BF446199, BF509743, BG035423, AI563977, AI276433, AI953416, AI659007, AI351215, AW769176, BF448885, BE042362, AI401836, AI440396, BF337499, BF970652, AA504557, BG164558, BF816037, AL515323, AI633125, AI670009, AI433157, AI702073, BF812431, AI500061, AW834302, AI637584, BF812961, BF792047, AI815232, AI471909, AL513991, BG166654, BE966278, AI687362, BF856017, AI929108, AW090071, AI915291, AI887308, AI866770, AI698391, AW163834, AW198090, BF814450, AW087445, AI345587, AI889189, AL110306, AI863241, BF856052, BG107844, AL515413, AI283760, BG110577, AL039086, AL514025, AW148363, AW073865, AI612852, AI580435, AW190194, AI270183, AI582932, AI521560, AW131331, AI249946, BF970768, BF726421, AI826636, AA928539, AW935969, AL515089, BE965432, AI473471, AV682414, AL036780, AW268302, AI345415, AI890223, AI796743, AL513999, AI274759, AL514579, BF103225, AW827289, BF339322, AL514867, BG108288, AI678496, AI677796, AW130776, AL513817, AI653979, AW673679, AI288285, AI587114, AI932794, AL119836, BF724894, BE964614, BF904180, AI445992, AW301505, BF885082, AI912356, AL042745, AI340519, AI249877, AL513937, AW169671, AW192652, BF680133, AI434468, AW806761, AI699056, AA259207, BF813196, AV757827, BF791937, AI801325, AI564719, AW152182, BE965621, BF904194, AI242248, AA420722, AW118518, AI768496, BF868489, AI890214, BE965599,

				AI349772, AL513577, AI797908, BF348329, AI864836, BF814412, AW151136, AV760409, BF814761, AL037454, AI250819, AW081298, BE965121, N33175, BF344359, BE910373, AL514093, AL513713, AW192687, AL514701, AW189196, AI280637, BG110241, AI800440, AI612913, AW104724, BE778192, BF032768, BE878014, AI089782, BF822127, BF792715, AI610690, AL514087, AI870192, AI499986, AW104827, AI445025, AI670002, AI610671, AI909641, BF812938, AV733410, AI434223, BF343447, AI491842, AW090550, AI500523, BE877142, BE964636, BF813177, AI627988, BF812960, AI567128, AL119457, AL513901, AW051088, AI500662, BF970731, AL514819, AW075667, AW583182, AW148408, AL514493, AI499393, AW983691, BG110517, BF982265, AW105383, AI888661, AI469112, BE047691, AW149069, AW193530, AW073270, BG114901, AI923370, AI469532, AI571439, BE966550, AI866801, AV702117, AL514047, AI561231, AW087207, AV681891, W74529, AW026882, BG031815, AI866573, AW983703, AA572758, AI250646, BE905087, AI921464, AI570807, AW117746, AI620284, AI699865, BF037097, AI434432, BG179993, AI611743, AW129722, AC004812.1, AK001309.1, AK024588.1, AK000083.1, AK026462.1, AF090901.1, AK026597.1, AB056420.1, AK025092.1, BC004951.1, AL110196.1, AC007458.13, AL049382.1, AK027204.1, AF090900.1, AB056421.1, AL353940.1, S61953.1, AK026744.1, AB048954.1, AJ012755.1, AF230496.1, AK026542.1, BC003687.1, AL137550.1, M92439.1, BC002733.1, AC002471.5, AC005374.5, AK026583.1, AK025484.1, X72889.1, AL122121.1, AF090903.1, AK026528.1, AK024855.1, AK026855.1, AL117435.1, AL050277.1, AB048953.1, AK026534.1, AK025967.1, AL512684.1, AF177336.1, AB060863.1, Z82022.1, AL512733.1, AB055315.1, AL512689.1, AL512765.1, AL050393.1, AL137480.1, AK024538.1, Y16645.1, AK027096.1, AL080159.1, AL136844.1, AL133075.1, AF146568.1, AF090896.1, S78214.1, BC008365.1, AL512750.1, BC000008.1, AL137283.1, AL049938.1, BC001967.1, AK000212.1, AB062938.1, AL050149.1, AF125948.1, AK025339.1, AL136892.1, BC004530.1, BC002485.1, AL359583.1, AK026784.1, AL359601.1, AB063100.1, BC001045.1, AK027868.1, X82434.1, AL137271.1, AF183393.1, AF113222.1, BC000100.1, AF262032.1, BC003684.1, AL137658.1, AF056191.1, AL389982.1, AL389935.1, AL133560.1, BC008070.1, AB060826.1, AL133080.1, AK025414.1, AK025541.1, AB056809.1, BC007680.1, AK026927.1, AF026816.2, AF091084.1, AK026504.1, BC005805.1, AK025632.1, AL110221.1, BC008417.1, AL136805.1, AL136749.1, AK026593.1, BC009033.1, AK026480.1, AL137560.1, AL133640.1, BC006103.1, AL137459.1, AB060916.1, AL512719.1, AB048975.1, AB063084.1, AL049452.1, AL137533.1, AL583915.1, U80742.1, AL050138.1, AF106862.1, U38847.1, BC005678.1, AB055361.1, AF131773.1, AL049283.1, AB063070.1, AK026353.1, AB055374.1, AL512718.1, AL117460.1, AK026630.1, AL133557.1, AB055368.1, AF090886.1, AL096744.1, AL442072.1, AL137488.1, AL110280.1, AY034001.1, X79204.1, AB060912.1, BC008387.1, AL357195.1, AF225424.1, BC004265.1, AF217987.1, BC007926.1, AL162006.1, AK027164.1, AL122098.1, Y14314.1, AL133016.1, AB052191.1, BC004556.1, X99971.1, BC006412.1, AL133565.1, AK026532.1, AK026408.1, AL122110.1, U92992.1, AL049300.1, AL137557.1, AL050024.1, AL049430.1, AK026642.1, BC005168.1,

					AK027173.1, AK026741.1, AF218033.1, AB060852.1, AB055303.1, AB060887.1, AL050116.1, AK025524.1, BC003122.1, AL162083.1, AK000432.1, U39656.1, AF143723.1, AL353957.1, AB060908.1,. AK025435.1, AL049466.1, AF260566.1, AK000323.1, AL359615.1, BC001670.1, AL035458.35, AF271350.1, AK024524.1, AL133067.1, BC008488.1, AB050510.1, AK026522.1, AL359596.1, AK026659.1, BC008723.1, AL117457.1, AK025312.1, X65873.1, BC006807.1, AB049892.1, AL359941.1, BC004362.1, AK000391.1, AL136774.1, BC008823.1, AK000718.1, AL080124.1, AK026865.1, AL162002.1, BC007326.1, BC000051.1, AF090934.1, AK026021.1, AB051158.1, BC006180.1, BC004958.1, AB049853.1, AL136789.1, BC003548.1, AL136765.1, AB052200.1, AL157482.1, BC008893.1, AY033593.1, AL133619.1, AL136787.1, AB047904.1, AL359618.1, AK000486.1, BC007198.1, BC007021.1, AL137463.1, AK026464.1, AF097996.1, AL162008.1, AK000137.1, AK025857. 1.
HKAEV06	154	1352263	1 - 2482	15 - 2496	AU133136, AV762150, AW967049, AI114751, BF678978, BF698605, BE536006, AA317243, BE748143, BG163940, BE789994, BF724673, BG231175, H06819, R19670, AA081581, BF129960, AA334334, H26678, BF332901, BE159061, BE159060, BE159062, BF818584, BF819690, BG115835, BF986034, BF819681, BE872393, BG236735, AL118991, AA515224, BF822777, AW872676, AW630298, AI291124, AW872575, AI801482, BE677379, AI801591, AI873916, AI017024, AW794809, AI291268, AI061296, BE883501, AW467340, AA482681, AI200051, AI245679, AW467362, AA525790, AV681599, AV760191, AI192631, AA620411, BE677026, AW473163, AW102849, BE042475, AV738303, AV715162, AA348017, R97934, AV761745, AV764609, AV761286, AK001708.1, AK000169.1, BC008120.1, AL035246.13, M13254.1, AC003681.1, AL022238.1, M87917.1, AC005779.1, AC011495.6, AC004918.1, AF045555.1, AC005757.1, AC022148.5, AC000085.5, Z70289.1, AC004926.2, AF085444.1, AC007570.23, AC007066.4, AP000513.1, AL139100.9, AC005089.2, AL133387.8, AC011442.5, AB023052.1, AC000052.16, AC005104.1, AC009225.3, U67828.1, AC005484.2, AF254822.1, AC004477.1, AL022721.1, AC004159.1, Z99128.1, AL356481.16, AC007021.3, AC006530.4, AC010642.5, AL355497.14, AC005940.3, AL049757.14, AP000744.4, AC010506.6, AL034451.26, AL139317.5, AC018828.3, AL080317.11, AC011500.7, AC022383.3, U63721.1, AC011464.5, AC007536.9, AL359457.12, AC004854.2, AC009412.6, AC011497.6, AC005057.2, BC004147.1, AL035681.13, AL356499.16, AL450226.1, AL022329.9, AL133332.12, U95740.1, AC002369.1, AC020750.3, AL122004.17, AC006452.4, AL021391.2, AC006312.8, AL158159.14, U78045.1, AC002984.1, AC083855.2, AC004662.1, M19045.1, J03801.1, AP000842.4, AC018758.2, AP000553.1, AL451125.7, AC004973.1, AC018751.30, AL133245.2, AC008486.6, AL391827.18, AC073316.6, AC006468.9, AL049759.10, AC004000.1, AC018809.4, L78810.1, AL355385.15, AC010358.5, Z98949.1, AC005204.1, AC027644.9, AL133376.6, AC004019.20, AL122023.3, AC005056.2, AJ003147.1, AC007011.1, AC005368.1, AL132838.4, L81693.1, Z68756.1, AP003357.2, AL122003.17, AF207550.1, AF012654.1, AC026882.5, AC006511.5, AP000115.1, AL117333.26, AC083868.2, AC005184.1, AC005264.1, AC024166.3, AC016601.6,

					U95090.1, AL163279.2, AP000306.1, AL138759.20, AC068533.7, AC016697.8, AC002460.1, AP000349.1, AL137077.31, AC008536.6, AL031281.6, AL022322.1, AL031668.23, AC025165.27, AC066580.3, AP001680.1, AC034193.4, AC016831.1, AC079363.19, AL590762.1, AL121777.39, AC008443.8, AC006277.1, AL136170.12, AC005261.1, AC020931.5, AC004814.2, AC005695.1, AC010150.3, AC026475.6, AC008610.6, AC002288.1, AC004867.5, AF165926.2, AC007163.3, AC025679.4, AC009086.5, Z83844.5, AC007546.5, AC004476.1, AL096840.25, AF373586.1, AE006639.1, AC019097.5, AC010645.5, AC091529.1, AC068660.3, AL034420.16, AC009499.4, AC022384.4, AL157938.22, AC004821.3, AF196779.1, AL159168.15, AC008403.6, AL445201.14, AL162491.10, AL450343.4, AC004224.1, AL031255.1, AC009007.4, AC004966. 2.
HKAFT66	155	946512	1 - 987	15 - 1001	AA436785, AI804932, AA310516, AW966935, AA873013, AA251417, AI798761, AA250867, BE720668, AW827206, BG122481, AI826225, AI811785, AI539808, BF970449, AL039086, AW983783, AI554821, AI784252, AW105601, AV708119, AW054931, AV727839, BF968205, AL119863, AI280747, AI611738, BE047737, BF970768, AW193134, AW118518, BF904265, BF089711, AI610362, AL042628, BF793370, AL036980, AI312428, AA833760, AL513763, AI829327, AI433384, AI589267, AI269862, AI564723, BG031539, AI624548, AW302992, BG260037, AI802542, AI569583, AW169653, AI800453, BE048071, BF792961, AI439717, AI567612, AI611348, AI869367, AW081797, BF343172, BG031815, AL038605, AI570781, AW051258, AL513901, AI802240, AI274728, AW071417, AI571909, BG249582, BG257535, AW152469, AI612885, AW022682, AW148320, AI569579, AI252023, AI608936, AW075413, AI500077, AI318280, BE781369, AI636585, AI251434, AI862144, BG255895, AI890806, AI625094, AI955906, AI309401, BG110517, AI431424, AI343112, AI612913, BG110684, BE895003, BG168549, AW268253, AW301300, AI349598, AI554344, AL036664, AW075207, BE886728, AI345735, AI678357, BE964078, BF872670, AI475394, AI633419, AI348897, BF904258, BE138712, AI500659, BE966699, AI247193, BE887488, BG030364, AI648684, AI313320, AI627988, AI251221, AI630928, AI340627, AA640779, AI340603, BF904263, BE910373, AV743962, AI587143, AI312146, AI312339, AA572758, AI889168, AI345258, AI348854, AW193000, BE964614, BF817926, BE965432, AW020693, AI457369, AL040243, AI445115, AI620866, AL513699, AW081242, AI610645, AI801325, AI866798, AI932794, AI689248, AI340582, BG110241, AA225339, AA427700, AI270707, BG179993, AV682672, AW827228, AI955467, AI681985, AI684265, BE895585, AW074993, AI349614, AI590415, AI811353, AI354283, BF868928, BE885241, AI564247, BG058398, AI302910, AI955917, AI349256, AW946806, AI312152, AI174394, AV682867, H89138, AW075084, AI567351, AI800433, AI950664, BE048179, AL036288, AI634224, AI349937, AW089572, AI334884, AL039132, AV651436, AI670009, AI349957, AI307708, AI312325, BF981774, AW269097, AI609409, BG036846, AI591420, AW190042, AI572892, AL045266, BF971016, AV682218, AL121286, AI916419, BF925729, BF339322, AI307520, AI925156, AI445237, BE047952, BG180996, AI306613, BE544111, BE885353, AI434256, AV708097, AV712838, BF924882, BF885000, BG113299, AV757028, AA012905, AI917123, AL134999, AW075351,

					AV682521, AI874166, AL036736, AL036901, BG168696, AW151138, AW268302, BG033723, AW023590, AI306705, AI436456, AI608667, AV682763, W33163, AI282281, BE785868, AW170635, BG250190, AW073994, AL390882.12, AK027164.1, AF056191.1, BC003687.1, AK000432.1, AL512733.1, AK024538.1, AL157482.1, AF177336.1, AL117460.1, X72889.1, AF090934.1, AL359601.1, AK026526.1, BC008488.1, AK024524.1, AK024588.1, BC001045.1, AL136787.1, AB047904.1, AL049452.1, AK025084.1, AK026947.1, AL512750.1, AF090896.1, AL136845.1, AL050146.1, AK026855.1, AK026597.1, AB048954.1, AB056420.1, AL137560.1, AL136749.1, AK027868.1, AK027096.1, AL359583.1, AL136844.1, AB060852.1, AL157431.1, AB060826.1, AB060916.1, AB060825.1, AB055368.1, BC008893.1, AL117435.1, AK027213.1, AK000614.1, AL162083.1, AL049464.1, AK026534.1, AJ242859.1, AL136892.1, AK000137.1, AK025524.1, AL137463.1, AF090943.1, AB048964.1, AK025906.1, BC008070.1, AB047801.1, AB055303.1, AB060887.1, AL359615.1, AK000618.1, AL137550.1, AF225424.1, AL359596.1, AL117583.1, AK026647.1, AL133080.1, AK026629.1, AL133075.1, AF125948.1, AF111847.1, AF146568.1, AL133113.1, BC007199.1, S61953.1, AK026045.1, AB060908.1, AL133557.1, AL136789.1, AB049758.1, AL122093.1, AL133606.1, BC008983.1, BC008382.1, AK026592.1, BC008417.1, AK026353.1, AB055366.1, AL050149.1, AL133016.1, AL442082.1, AL110225.1, BC008365.1, AL117394.1, AB051158.1, AL389982.1, AL117457.1, AK026504.1, AK025092.1, AL122098.1, AL050116.1, AK025772.1, AL080124.1, AL136799.1, BC003683.1, AK026542.1, AK000647.1, AB060863.1, AL110221.1, AL137527.1, AB063070.1, AF218014.1, AL049314.1, BC002733.1, AK000083.1, AL137538.1, BC008387.1, AL442072.1, BC006412.1, AL050393.1, AF078844.1, AF091084.1, AL136928.1, X82434.1, AF097996.1, AK025967.1, AK025391.1, AL080159.1, BC008899.1, BC001967.1, AL512754.1, AK026959.1, Z82022.1, AB063046.1, AL137459.1, AB063084.1, AB052200.1, U80742.1, AB056768.1, AB019565.1, AL122123.1, AF230496.1, AL137557.1, AK000445.1, AL136786.1, U42766.1, AL137648.1, AK025491.1, AL050277.1, AL117585.1, AL512689.1, AF219137.1, AF090903.1, AF125949.1, AK026593.1, AF260566.1, AL050108.1, AL133565.1, AL122121.1, AL049466.1, AB055361.1, BC006807.1, AB056421.1, AF090900.1, AK026452.1, AL583915.1, AL512719.1, AB047615.1, AL133640.1, AK026741.1, AK025484.1, AB055315.1, AL050024.1, BC002839.1, AL110196.1, AL122050.1, AJ012755.1, AL110197.1, S78214.1, AK026784.1, AL162006.1, BC007021.1, AL136768.1, AL512765.1, AL136586.1, AF090901.1, AL512718.1, AL080060.1, AB052191.1, AK026086.1, AB048953.1, AL512761.1, AK025339.1, AB063008.1, AK026651.1, AL359618.1, AF183393.1, AL512746.1, AF207829.1, AK026532.1, AL353940.1, AL133560.1, AK000718.1, AL390167.1, U91329.1, AK026865.1, AF106862.1, AF104032.1, AF061943.1, AK000652.1, AL122110.1, AL359941.1, AK027113.1, AB060912.1, Y16645.1, AL049938.1, AL133093.1, AL389978.1, AL512684.1, AK026583.1, AL049430.1, AB050510.1, AL049382.1, AL137271.1, BC004951.1, BC008280.1, AK026744.1, AK025958.1, AK025414.1, AK027204.1, BC008485.1, AB062938.1, AK026630.1, AL136843.1, AK025632.1, AL080127.1, AL162062.1, AK026927.1, AK000323.1, BC004556.1,

					AL080137.1, AL050138.1, AL137521.1, BC006195.1, AL122049.1, AB055374.1, AL049300. 1.
HKB1E57	156	876571	1 - 1128	15 - 1142	AL518848, BE795484, BE790580, BE793563, AI005330, AL530857, BE865465, BE740884, BG259765, BE559709, AW972157, BE793925, BF732476, AI523173, AI133648, BF132480, AA741065, BE266365, AW246779, AA483640, AI553793, AA889963, AW731821, AW376863, AI457636, AU159951, AI076501, BE865290, AW250974, BF683810, AI245539, AI160351, AA122216, N70566, AI123318, W04730, AI298575, AI094218, BF840014, AI298397, AA627412, AW474453, BF063304, AI304872, W80875, BE645309, AI829879, AA877594, AW514292, AA721451, AI032434, AA564388, AA723454, AW571641, AW591598, AW605095, AA404537, BF326544, H07869, F13805, AI055951, AA122217, AV693323, AA308813, AI474982, T08020, AI678622, AA284386, AW839757, AW189626, AL530858, BE393850, W80766, BE143803, AA706470, AA319710, AA480437, BE936534, BE166705, AW051083, AA121863, AI432644, AI927233, AI687607, AI924051, AI431307, AI623302, AI431316, AI431238, AI539800, BE897632, AI590043, AI289791, BE883591, BG167830, AI285417, AI866786, AI687588, AI537677, AI494201, AI872315, AI500659, AI866465, AI815232, AI801325, AI500523, AI538850, AI887775, AI582932, AI923989, AI284517, AI872423, AI440260, AI500706, AI445237, AI491776, AW151138, AI889189, AI521560, AI500662, AW151974, AI567971, AI804505, AI815239, AW172723, AI284509, AI582912, AI538885, AI440263, AI889168, AI866573, AI633493, AI434256, AI866469, AI434242, AI805769, AI866691, AI888661, AI500714, AI284513, AI888118, AI285439, AI859991, AI436429, AI355779, AI623736, AI889147, AI581033, AI371228, AW194509, AI491710, AI440252, AI926593, AI440238, AI860003, AI610557, AI242736, AW058275, AI828574, AI887499, AI539781, AI539707, AI702065, AI885949, AI285419, AW089557, AI559957, AI521571, AI469775, AI866581, AI866503, AW151132, AI539260, AI567953, AI815150, AI446495, AI431321, AI867068, AI932620, AI890907, AW074057, AL042729, AI889191, AI952433, AI225248, BE885490, AI358271, AI798359, AI282249, AI698352, BF812963, AI371229, BG252929, AI539771, BF811804, AI561170, AL042595, AW151979, AI284516, AI432666, AI289101, AW858522, BF814072, BF811802, AL039508, AW151136, AI866458, BG029667, AI371251, AI493559, AI866510, BG249858, BE826157, BG113493, AI866461, AI923046, BG110517, AI687944, BG176609, AL047611, AI955221, BG257535, AI889157, AL039390, BF795712, AI559976, AI690946, AI567947, AI436438, BG253986, AI648567, AL042787, AL134524, AI433157, AI362495, AI371243, BF796402, AI288076, AL515375, AL042853, AI469764, AV736134, AI432653, AI431323, BE886728, AL042655, AV736402, BF815930, AK023992.1, AK027449.1, BC001215.1, AF152097.1, AL355392.7, AL136763.1, AL133049.1, AL133053.1, AL136825.1, AL133607.1, AL133076.1, AL122101.1, AL049423.1, AL133084.1, AL133070.1, AL133655.1, AL136765.1, AL136781.1, AL110223.1, AB048910.1, AK026784.1, AL133074.1, BC008781.1, BC007294.1, AL133015.1, AL133608.1, AL136828.1, AK026927.1, AF002985.1, AL162008.1, AL117445.1, BC008983.1, AL157482.1, AL122049.1, BC004991.1, AF082324.1, AL133051.1, AB049849.1, AL136808.1, AF057300.1, AF057299.1, AB047623.1, AK026480.1, AK025860.1, AL049557.19, BC003108.1, AL512733.1, AK025484.1, AL512765.1, AC004213.1, AC006039.2, AK000225.1, BC000649.1, BC004314.1, AB047941.1, AL049300.1,

					BC000253.1, BC004530.1, AL080139.1, AK026912.1, AL389947.1, AL354864.16, AB047953.1, AL162062.1, AL137485.1, AL137254.1, AL353092.6, BC000009.1, AK000486.1, AC008755. 6.
HKFBC53	157	1352286	1 - 2224	15 - 2238	BF027339, BF689868, BE791172, BE273437, BE260092, BG031379, BE727402, BF339469, BF984194, AI760572, AI760520, BE294301, BE676312, AW297966, AI244284, AI422554, AA962223, AI971830, BF975689, BE252368, BE383741, AA644162, AW245081, AI598190, AI090193, AA495832, AI143992, AI361951, AI990481, AI990174, N50101, AI350501, AA994262, AI859137, AW003834, AI380542, AI086091, AI394639, AA976745, AA293019, BF027207, R90773, AA253139, AA495776, F23330, BF690095, N33565, AA417706, R88936, BF869114, AI351614, AI202144, N72164, BE408877, AA115762, AW237082, W00431, AW025153, BE159093, AI284384, AA610858, AI766469, AI685216, AI672360, BF718243, AA745682, AL119175, AI582214, AW274357, AW134904, BG033163, BE546341, AW268196, AI913519, AA082841, R36266, AW072885, AA114066, AA496881, AW474388, BF745906, AA133537, AI693690, AI000915, AA293473, AC005786.1, AC005787.1, AF218008. 1.
HKGDL36	158	877489	1 - 1038	15 - 1052	BF966686, BF969262, BE798423, BE383172, BG108317, BF438085, BF967072, BF724971, BF310167, BF437374, BF525713, BF725537, BE312863, BE327726, BF526596, BF983368, BF966496, BE392518, BE045542, AI261620, AI628667, AI955247, AI796185, AW024651, BF724972, AI365220, AI767645, BE551437, AW051507, AI199503, AI418919, BF724666, AI039610, AW162506, AI955309, BE673721, AW138191, AI969138, AW583447, AI373491, AI696987, AW583390, AI952012, AW341037, BF310234, AI758216, BF438130, AW013963, AI955147, BE669440, AI768473, D61105, BF592013, AI355910, AI969092, AI913491, AW027769, AI423438, AI968975, AI479582, AW090177, H41372, AI927970, AW300071, AI400855, AI348277, AW771649, AI672352, AI991536, AI421291, BF739771, AW103643, AA894790, BF197412, BF724667, BF197448, AW583609, AW000953, AW299323, AI498193, AA199635, D59847, AV748923, AI560270, AI625846, AI493832, AW590037, AW955700, AI702136, AA877175, AW583672, AA757536, D59877, AA706516, AW393735, D60795, D80419, AI302316, AI248555, D80214, D80684, AI927667, AI627691, AA989221, BE464388, D59878, BE218723, BF346124, AI985164, AW000934, BF967708, AW001692, AI701771, D59848, D59725, AA873392, AA364835, BF431598, H92678, AW135417, AI589246, AW072965, AW163721, AI916619, BF752892, BE964512, AL515163, AW022102, AI783861, AL513839, AA600801, BE621073, BE544111, BF815196, BF910849, BE963809, BF814409, BE784387, BF840099, BE963918, BG170109, BE613727, BE880341, BF814360, AW005029, BF921092, AV712606, AV681927, BE967251, BE964621, AI866741, AW059713, BG108334, BE536377, BF929585, AI254754, BF764538, AA824513, AW083804, AI539462, BF129016, AI446605, AL513741, AA830821, BE966699, AI924035, AI445976, BE875966, AI242248, BE885353, BE538466, AI620093, AI537643, AI358042, BE880697, AI683255, AI591412, AI591081, W81248, AI536910, BE964962, AW834325, AI864827, BE048026, AI872159, BE061389, BE964767, AI591057, AW073868, AI863256, AI690449, BE907440, AI884574, F35927, BE878032, BE965121, N95566, AV743128, AV706465, AI445588, BE899377, AI934000, AI280670, AI583578, AI627714, AI500039, AV708075, BE900603, BF752858,

					AW265004, AI623682, BF341610, AW079032, AI925736, AI252077, AI590787, AW025533, AI267185, BG105895, BE964600, AL513789, F26535, AL048377, BE965527, BE967255, BE964799, AW946864, AL514167, AI627880, BE621140, AV710267, AI678302, AI926878, BE878028, AI633300, BF817402, BF753053, BE875407, BF752999, AI689614, AI624668, BE966390, AI811192, AI866002, F28295, BG260275, BE963286, BF753056, BC002851.1, AF181562.1, AF196971.1, AJ012582.1, BC003104.1, BC007248.1, BC001470.1, AF230402.1, BC002948.1, AF352728.1, U77594.1, AK000212.1, AB063077.1, BC003687.1, BC004314.1, AK026865.1, AK025491.1, BC001294.1, AB060908.1, AK025906.1, AL137557.1, AL136752.1, AK000598.1, AL121656.2, BC002816.1, BC002356.1, AJ010277.1, BC002397.1, BC004529.1, AL157464.1, BC000785.1, BC000725.1, X95876.1, AB060832.1, BC004324.1, AL080162.1, BC002777.1, AF022813.1, AK027113.1, BC004370.1, AB055374.1, AL137556.1, AK024601.1, AK026164.1, AL512705.1, AK026613.1, BC008417.1, AL512746.1, AL136780.1, AL136864.1, BC001969.1, BC004310.1, BC000235.1, AF028823.2, AF112208.1, AL136767.1, BC003602.1, BC005890.1, AL137665.1, BC004417.1, AL137547.1, AF218034.1, AB049629.1, AF239683.1, AL136799.1, BC008196.1, BC006251.1, AK026590.1, AL049347.1, AK026603.1, AL389978.1, AL049460.1, S77771.1, AL512719.1, BC004937.1, BC005678.1, BC001093.1, AF225424.1, AB063071.1, AB060214.1, AB047904.1, BC002557.1, Y16645.1, AB060893.1, BC001349.1, AL137459.1, BC004195.1, AL512718.1, BC001963.1, AF111847.1, AB060914.1, AL353935.1, AL136766.1, AK026600.1, BC002491.1, BC000778.1, AL096720.1, AL359622.1, AL049314.1, AB047941.1, AK025119.1, BC004333.1, AF205861.1, AL133568.1, AL136586.1, M92439.1, AL136790.1, AL117648.1, AL137657.1, AF069506.1, BC007207.1, AL133081.1, BC004202.1, BC005931.1, AB060839.1, AL080137.1, AB056768.1, M79462.1, AK025410.1, AL390167.1, AK026533.1, AF090934.1, BC003052.1, BC005151.1, BC000217.1, BC008488.1, AL162062.1, BC004131.1, AL136842.1, BC009294.1, AB019565.1, BC000348.1, AK024594.1, AF188698.1, AL122050.1, BC004530.1, AF132676.1, AB056427.1, BC006440.1, AF061836.1, BC000772.1, BC006458.1, AF217991.1, BC003410.1, AL389935.1, BC006133.1, AF348209.1, AL353625.5, BC002911.1, X66975.1, AK024570.1, AK000450.1, BC008070.1, AK024533.1, AB048888.1, AK000432.1, AL133645.1, BC004899.1, AL359596.1, BC002535.1, AK026741.1, BC004383.1, AF271781.1, AL117585.1, AB044547.1, AB063079.1, AK000310.1, AF036268.1, AB049758.1, AL080074.1, AL442082.1, U42766.1, BC004926.1, BC004960.1, BC005872.1, AL049339.1, AF358829.1, AK026086.1, BC003650.1, AB047897.1, BC002798.1, BC007674.1, AB055366.1, AB060929.1, AK025239.1, BC005854.1, BC002342.1, AL359623.1, AL110225.1, AL122118.1, AF321617.1, AC025226.4, AK026649.1, AF271350.1, AK026045.1, AK000652.1, AK000445.1, AL133062.1, BC002519.1, BC004297.1, BC006106.1, BC000094.1, AL136828.1, AL137648.1, BC006196.1, BC002343.1, BC006494.1, BC000316.1, AB060226.1, AL157483.1, AK027142.1, AK000323.1, AK025517.1, BC008025.1, AL353956.1, BC002476.1, AL050092.1, AL096751.1, U91329.1, AF081197.1, AF081195.1, AK025383.1, BC005002.1, AC006357.5, AL080060.1, BC001762.1, BC000386.1, BC005858.1,

					AB049849.1, BC002539.1, AL162008.1, AK024538.1, BC005007.1, BC002647.1, AB047887.1, AB047623.1, AB060873.1, BC004265.1, AK027081.1, BC001293.1, BC008485.1, BC001045.1, AK027164.1, AL136644.1, AL122098.1, AK000655.1, AK000421.1, S69510.1, AL137284. 1.
HKISB57	159	625956	1 - 1478	15 - 1492	BG253059, AI888563, AW083174, AI890983, BE677527, AI742994, AA581853, BE208188, AA496043, AI749573, AI433172, AA912116, AU152415, AU151244, AA526295, W72233, AI708515, AA029171, AI289783, AA147482, AW001857, BE744941, BF851250, W76470, AI148076, AI619715, W32695, AI973179, BF856405, AA086231, AI536682, AI244167, AW205328, AA112137, AI015550, AI159953, AA449234, AA449289, AI886087, R48602, AW974749, R48705, N57904, W73612, AA515533, AI095398, AA086322, AA554446, AA317019, BE019888, R07096, AA894669, AA112027, T96414, AA923651, T96497, AI581984, AI093238, AW084446, BE834394, T65129, AA100811, BF767404, AA652428, W32694, AW364698, BF371383, AW390788, AI903419, AI903380, AI903350, AA300051, AW886927, H55267, AA029067, AA588851, AA588463, BF931116, BE646329, AW514396, T65909, AW578218, AW800794, R07042, AA625855, AA663955, AA687595, AI581808, R76016, W22074, AA043407, AA436950, H39017, BF814527, AI824576, AI702073, AI698391, AW080090, AI633062, AI608936, BE786043, AI358213, AI306705, AW983832, BE963838, BG179993, AW051258, AI677796, AW051088, BF856017, AI932794, AI366900, AI352497, AI889189, AW983829, AI270183, AW163834, AL514731, AI434468, AI812015, AI249877, AI679672, AW118518, BF812960, AI284131, AW029611, AI468872, AI699011, AI927755, BF792961, BE966388, AI886753, AW827289, AI564719, AV743962, BG108406, AI567846, AV741327, AI573060, AI783504, BG112718, AI620284, AI866770, AW198075, BF032768, AW083778, AL514899, AI611738, AI280732, AI619502, AI680162, AI802542, AW081255, AI280607, AI499285, AI570807, AW004886, AI452560, AW026882, AW151136, AI923370, AI627988, BF812938, AL118781, BF970652, BE789764, AW104724, AI670009, AI863382, AI433157, BE543089, BF812961, AI452993, AI624548, AI659795, AW079572, AI860783, AI633125, BF812426, F27788, AW089179, AI673785, AI915291, AI354998, AW152182, AI537024, AI917252, BE967261, BF725599, AW080746, AL120853, AW129659, AW163554, AI537677, AI499890, AI612852, BF526020, AI174394, AW192461, AI613270, AW105620, AL119863, AI520809, AI923989, AL036673, AI571909, AI803778, AI653979, BG036846, AW192687, AV682249, AL514357, AW839006, AI274507, AI632408, AI288305, AI635067, BG180273, AI612913, AL119828, AV682212, AI590686, AI435268, AI432030, BE048071, AI500588, AI628217, BE047606, AI637748, AW238688, BG029829, AF064238.3, AJ010306.2, Y13492.2, Z49989.1, AF115564.1, AF115570.1, AF115567.1, AF115569.1, AF115568.1, AL122098.1, AL137533.1, AB056420.1, BC006195.1, BC005858.1, AK024524.1, AL133067.1, AK025092.1, BC001045.1, AL137550.1, AL080159.1, AK026462.1, AK024538.1, AL512733.1, AL050277.1, AL389939.1, S61953.1, AB056421.1, BC008893.1, AL137294.1, BC001963.1, AL389982.1, AF026816.2, AL136844.1, AB060852.1, BC008488.1, Y14314.1, AF260566.1, AL136805.1, AL049283.1, AL512684.1, AK025209.1, AK026593.1, X82434.1, AK026542.1, X72889.1, AL137560.1, AL137271.1, BC004951.1, AB060916.1, AK026532.1, AF183393.1,

						AL137478.1, AL137556.1, AL583915.1, AK025484.1, AF057300.1, AF057299.1, AK000652.1, AF348209.1, AL353625.5, AK026480.1, AF218014.1, AF225424.1, Z82022.1, AK027213.1, AK027164.1, AK027160.1, AF056191.1, BC003122.1, AF111112.1, AB048974.1, AB062938.1, AL050393.1, AK026534.1, AL122049.1, AL136915.1, AB055361.1, AK025632.1, AL122100.1, BC006525.1, AL110225.1, AL133568.1, BC004556.1, AL136892.1, BC008365.1, BC005678.1, AL080124.1, AK026408.1, AL162002.1, AL122110.1, AK026533.1, U39656.1, AL136893.1, AL050149.1, AK000418.1, AJ299431.1, AB047904.1, AL122093.1, AL050138.1, AL133560.1, AL137463.1, AL136749.1, BC006807.1, AL133557.1, AF262032.1, AB049758.1, AK000323.1, AF146568.1, AF162270.1, AL133113.1, AK025465.1, AL133072.1, AF091084.1, AK026583.1, AK026642.1, AL133640.1, AL359583.1, AK026744.1, AK025084.1, L30117.1, AK000083.1, AL133016.1, AK025708.1, AL353940.1, AL442082.1, U80742.1, AK000718.1, AL110280.1, AK026865.1, AL512750.1, AL162083.1, AF090934.1, AB048919.1, AL359620.1, AL050172.1, AL359618.1, BC004958.1, BC003682.1, AB046642.1, AL110221.1, BC006164.1, BC003684.1, AL512765.1, AL122121.1, AL137292.1, AF271350.1, AL137476.1, AK000391.1, BC008417.1, U58996.2, AB063084.1, AB056809.1, AF090900.1, AF242525.1, AL353956.1, AK026551.1, AL080148.1, AL117435.1, BC009033.1, AK024588.1, AL137557.1, AK026528.1, AK000432.1, BC006440.1, AK026947.1, AK027204.1, AB047801.1, AL117457.1, AL050116.1, AL136586.1, AL137480.1, AJ006417.1, AF061573.2, BC009341.1, AJ012755.1, AL512718.1, BC008070.1, AK027096.1, BC008899.1, AB056427.1, AF217987.1, AB048954.1, BC006494.1, AK026762.1, AK027182.1, AL512689.1, BC002733.1, AK027116.1, AL133075.1, AL133093.1, U78525.1, AL136787.1, BC008387.1, AF106862.1, AL080060.1, AL359941.1, AK000445.1, AB060826.1, BC005890.1, AB048953.1, AB050410.1, AB050510.1, AK026629.1, AK026045.1, AB050534.1, AF177336.1, AK025414.1, AL117460.1, AL136768.1, AF090903.1, AB052200.1, AK026927.1, AL117440.1, AY033593.1, AL133565.1, AL390167.1, L19437.2, AK026592.1, AK024601.1, AB063008.1, AB055374.1, AK025958.1, AJ242859.1, AF113222.1, BC009212.1, AK026452.1, AK025254.1, AB060214.1, AL110222.1, X53587.1, AK026959.1, AL162008.1, AF218031.1, BC005151.1, AB047615.1, BC004370.1, BC006103.1, AY034001.1, AK000486.1, AL133098.1, BC003548.1, AL050108.1, AL122118.1, AB062978.1, AL136789.1, AL049452.1, AK025391.1, BC008284.1, AK000647.1, AL136786. 1.
HKMLM11	160	514788	1 - 940	15 - 954		BG036576, AW376266, AW024675, AW965560, AA946948, BE834077, AA306783, AV738527, AV739697, BF241514, AV740463, AA758808, AA431001, AA910368, AA336054, AA335971, AW237846, AW827285, AI050666, AV755459, AI583054, AA764946, AA459982, AI811603, AI683160, AV734888, AV721366, AA648361, BE397723, BF970114, AI336575, BF306639, F37462, AI872164, AV694812, AW301344, AA830333, AI633321, AA678887, BE876047, AV706721, AA563942, AI245332, AA653346, BE740632, AI360195, BG177101, BG026443, AA437293, AV698290, AV706279, AI933756, AW102858, AW022121, AV656973, AW582932, AW238753, BG110384, AI345143, AI224463, AA836317, AL047398, AL041154, AI814841, AI621106, AI436429,

					AI364620, BE620084, AI343119, BG109221, AA100151, BF796402, AV760181, AI349012, AI627692, AA765010, BE885490, AW021373, BG033906, AV756956, AV764180, BE011885, AI559654, AC005551.1, AF217998.1, U91329.1, AK026600.1, AF197929.1, AL137555.1, AL133093.1, BC007797.1, AC004227.1, U68233.1, AK027114.1, AL359583.1, BC007534.1, AL137662.1, X86693.1, BC002688.1, BC004145.1, AF217991.1, AK025549.1, BC005094.1, BC008196.1, BC006147.1, BC007280.1, AL512746.1, AK000632.1, BC000007.1, AF111112.1, X53587.1, AL136816.1, BC006481.1, BC001128. 1.
HKMLP68	161	1037919	1 - 2770	15 - 2784	AV700405, AI433307, AI478641, BF115123, AI566076, AI522321, AW272244, BE048940, AW771517, AV686299, AA931216, AI522047, BE048682, AW302179, BF593517, AI493025, BE465247, AI733508, AI253208, AW269237, AI493090, AA994816, AW194908, AI470525, BF195989, AI251700, AW302730, AW303037, AI991553, AA483217, AW302855, AW276682, AI252712, AI753542, BF588847, BF476811, BF592327, BF476595, BF476913, AW302739, AW302750, AI053773, AI053862, AI251385, BE150062, BF057909, BE139717, BG054991, BE151860, BE049019, AW271017, AI254627, BF994752, AI344886, BF994765, AI053963, AW813842, BE646225, AI053711, AI254684, BE139333, AW803234, AW302803, AI311626, AI311753, AI345102, AI308518, AI207861, AW268777, AW086339, BF588798, BF477136, BF477272, AW872616, BF000717, BF592672, BF592457, AI792443, W02028, AW085628, AI491784, AW440273, AI252858, AI611561, BE151878, AA568394, AW148344, BG250868, BF592613, AW270496, AI744801, AW170681, BF063830, AA885499, BF828046, AL110366, AW303221, N53462, AV737541, AI400721, AW183037, BG003487, AW134612, BE350371, AW302321, BE061293, AW880188, AL041838, AV750368, AW468575, BF940671, AW268767, BE772109, AI935032, AW262442, AI310879, AI559284, BE300331, AI053588, AW148392, AA668673, AA345280, AA191610, AA223924, AA703680, BE837515, AA250763, AA206026, H80554, BF925682, AA706521, AA664331, AI254217, BE138525, BE837483, BG105129, BF222392, BF445303, BG015618, AW955564, BE067485, BG001163, AA528253, BF974534, AI073889, AA789229, AL049270.1, AC011545.4, AC004844.1, AC011286.7, AL354997.17, AL024509.1, AC016716.6, AC005553.1, AP000092.1, AF386492.1, AC007248.3, AL121777.39, AL360085.26, AC012081.16, AL021808.1, AC011456.2, AC007688.15, AL109982.1, AC006380.2, AP001835.4, AC019187.3, AL391724.7, AL358855.16, AL031655.8, AC090511.3, AL136088.10, AL157829.24, AC002461.1, AP000522.1, AL591046.4, AC006120.1, AL023653.1, AC024084.4, AC005277.1, AF001549.1, AC005017.1, AC012063.7, AL049737.4, AL445243.3, AC007350.1, AC017019.3, AL049744.8, AC004554.1, AC006210.2, U96409.1, Z83819.1, AP000066.1, AL009051.1, AC011890.4, AC005886.2, AL121590.11, AC004409.1, AC000369.1, AP001207.3, AC008085.1, AP000695.1, AF195953.1, X12818.1, AC009073.8, AL049759.10, U13369.1, AC004967.3, AC006033.2, AC012531.11, AC091736.1, AC007464.4, AC005875.2, Z95114.19, AC025167.6, AC004854.2, AC009517.5, AL355146.13, AL133281.11, AC008838.5, AL360089.13, AC027121.5, AL137059.20, AC004147.1, AL139112.9, AC011519.7, AC018796.4, AC034242.5, AC000368.1,

					AL135922.4, AP001706.1, AL121754.18, AF091512.1, AC004672.1, AL035686.15, AC003012.1, AL163279.2, AC007850.29, U95743.1, AC034199.5, AC007876.2, AL391139.19, AC024082.6, AL078587.18, AL135783.6, AC008177.3, AC007160.3, AL049541.24, AC005538.2, AC006159.3, AC004126.1, AC027287.20, AL450109.3, AC008790.6, AL354755.14, AL132818.2, AL031056.1, AL355593.21, AL121949.13, AL136419.2, AL050335.32, AC002368.1, AC073898.1, AL009047.1, AP001726.1, AC006327.3, AP000946.3, Z82189.1, AC008984.5, AC005583.1, AP000696.1, AC003969.1, AC008444.4, AP000040.1, AF107258.1, AL022574.7, AC016543.6, AC005216.1, AC009518.7, AL118508.27, AJ003147.1, AC007938.1, AC006462.3, AC002080.1, AP000755.4, AL021395.16, AL132981.12, AL359854.8, AL161716.14, AL121755.23, AC005227.2, AP001677.1, AC078899.1, AC005901.1, AL356213.10, AC018840.3, AC006366.3, Z99290.1, AC010342.5, AC007277.2, AL389925.10, AC005386.1, AC010279.4, AL132641.3, AC008755.6, AE000658.1, AC009491.3, AL096772.5, AP000313.1, AC010148.13, AC008162.3, Z96074.4, AC007221.2, AL135961.4, AC009396.5, AL117338.15, AL137022.8, AL133173.19, AL121902.13, AP000194.1, AP001686.1, AP003113.1, AC006042.2, AL049715.25, AP001705.1, AC066606.5, AC024255.22, AL354864.16, AL445384.3, AC069262.24, AC017005.6, AC008178.3, AP002004.4, AP000684.4, AC008663.6, AL121977. 11.
HKMMD13	162	604751	1 - 929	15 - 943	R69692, AI254831, BE439823, AW473380, AW967329, AI582769, AI076062, AA079635, AU148170, U95737.1, AC072061.8, AC009032.7, Z84486.1, AF003529.1, AC008687. 4.
HKMMW74	163	581399	1 - 1780	15 - 1794	AI524360, AA582463, AW970030, AW088049, BF845261, AV744082, BG166773, BF970654, AL137859.3, AC008784.6, AC022382.3, AC079844.3, AB038490.1, AC007917.15, AL158070.11, AL136231.12, AP000555.1, Z96074.4, AC006430.22, AP001695.1, AL354811.13, AC078958.30, D87675.1, AL138849.12, AC004019.20, AL391415.12, AC079950.23, AL117694.5, AC004935.1, AL121834.20, AL109921.21, AC008551.5, AF200465.1, AC008892.5, AC068799.14, AC006036.3, AC005725.1, AC015982.9, AL391262.3, AC004104.1, AC005079.6, AL132988.4, AP000692.1, AL590116.8, AL158144.15, AC005305.1, AC003049.1, AL022313.1, AC005520.2, AL353135.32, AL117377.18, AC025887.4, AC004468.1, AC083876.2, AC004774.1, AC004634.1, AL121900.26, AC034198.6, AC006460.3, AC005522.2, AC018828.3, AC067742.5, AC022383.3, AL161655.8, AL445686.14, AL031224.1, AP000128.1, AP000206.1, AL021154.1, AC009006.6, AF111167.2, AL589782.7, AL590785.7, AC021016.4, AL133387.8, AC006115.1, AC026439.3, AL034394. 2.
HKMND01	164	527402	1 - 873	15 - 887	BE049073, AI252114, AI792903, BE063133, AI734002, AI307426, AW301818, BE049088, AV740060, AV738722, AW105737, AW851028, AI200051, BE049095, AW406755, AW361583, AI054246, AV756693, AV758600, AI792864, AI733957, AA610491, AI334443, AI053816, AI252085, AL138242, AI358229, BF668217, AA501784, AI954260, AW966759, BE147093, AW303196, AW301350, AI254798, AW419262, BG014866, BF308728, AI431303, BG249643, F29989, BG010083, AV703137, AV701499, AV706025, AV759204, AW086257, BE147117, AV763540, BE139371, BF970654,

					AW950632, BF725504, AI246796, AI016000, AW074398, AW474160, AI216978, BF873504, AI349874, AA663306, AU122216, AW969988, AW905746, AV682003, BF761328, AV761745, AW833862, AV733328, BG167743, AI754689, AI654529, BF436771, AW500125, AI801205, AW970564, AI890348, AW962713, AI623720, AA441788, BF773305, AW069450, AW276984, AI963720, BE042649, BF808370, AV729809, AL138265, BE049139, AW021917, AV728425, AL040072, BF676536, BF681427, AV704740, AV701613, AW271904, AV701844, BG167139, AA557879, F36373, AV760466, AV710606, AW023389, AI281807, AF074677, BF337291, AW472872, AI569202, BF827410, AV761810, BF887156, BF917533, AV762645, AI365988, BE540527, AV705518, AU147488, AW963497, BE139267, BE205860, AV710482, AL046409, T06828, AL048616, AI754013, BE349302, AV703266, BG231767, AW339687, AV725423, AA394271, AU146189, AU145473, AI754955, BF908593, AI345695, AL118911, AW028429, AI635272, BG033926, AI285615, BE909262, BE744242, BE293802, AV729000, BF058000, BE304890, AL041690, BE293845, BF769461, AI753365, AV725974, F32705, F36273, AA555260, AV762395, AI281808, AI355206, AA128592, AW236342, AV763971, AA366035, AA501614, BG010931, BG152682, AW503666, AA932099, AA744001, AW576389, AA581903, AW970848, AI282336, AI151261, BF869171, AV740801, BF241967, AI370475, BG176793, AV763583, AA515435, BF916567, AW839174, AW979060, AV764329, AW064321, AC010727.6, AJ300188.1, AP000320.1, AL513128.11, AC002429.1, AL162374.8, AP000120.1, AP000167.1, AP000052.1, AC009502.4, AP000099.1, AP000036.1, AC010719.4, AC012306.11, AC009247.12, AC010601.5, AP001719.1, AC000360.35, AC006288.1, AC004460.1, AC002369.1, AC021016.4, AL445683.11, AC005221.1, AP001718.1, AP001479.1, AC024164.6, Z86061.1, AC004873.3, AF045555.1, AC004087.1, Z93022.1, AC087589.2, M37551.1, AL160411.25, AL359986.15, D83989.1, AC020658.6, AL390023.8, AP000314.1, AL450320.4, AB020870.1, AC017033.5, AC083866.2, AC004797.1, AC020751.5, AC068314.5, AC005072.2, AP001883.5, AC009229.5, D84394.1, AL137784.14, AL136231.12, AL031311.1, AL137067.7, AC025577.15, AL049589.15, AP000194.1, AL160159.12, AC024093.46, AC090514.1, AL080243.21, AC006380.2, AC011005.7, AL049714.6, AL354718.10, AC090958.1, AC003035.1, X75335.1, AC005034.1, X54176.1, AC007014.1, Z97352.1, AC011495.6, AL359680.4, AF006752.1, AB053170.1, AL049798.7, AL360158.18, AL359973.11, AL096770.16, Z93015.9, AL023579.1, AL121981.17, AL139035.27, AL133485.3, AC004526.1, AL022397.1, AK024224.1, AL049868.20, AL512590.2, AC002563.1, AL353728.8, AF349466.1, AC068513.7, AC023812.7, AP001759.1, Z95624.1, AL353802.14, AL138819.9, AL162252.17, AC005081.3, AL450336.7, AP000925.5, AL158830.17, AC090948.1, AL139800.10, AL161731.20, AC020931.5, AL121926.24, AC005988.1, AL590709.5, AC005525.1, AC005274.1, AC004606.1, AC004184.1, AF031076.1, AC008813.6, AP000297.2, AL096701.14, Z49258.1, AP001729.1, AL137017.9, U67221.1, AC000094.3, AC011235.4, AL137796.6, AL035367.5, AP001233.4, AC007878.2, AL133454.6, AL133397.1, AL356776.21, U18393.1, AL079342.17, AL136101.7, Z82244.1, AL354720.14, AP000354.1, AC005625.1,

					AL132986.4, AP001961.2, AL161454.10, AC011904.3, AC005480.3, AP001716.1, AF031078.1, U95743.1, AC022150.5, AP001428.1, AP000153.1, AL049539.21, AP000012.2, AF030876.1, U18391.1, AC015933.8, AL049588.11, AC009316.3, AC007021.3, AL391001.12, Z83844.5, AL136172.16, AC018801.4, AC005840.2, AC009196.13, AC016587.7, AL109801.13, AL139396.17, AC022407.6, AC005000.2, AC019178.7, AL035450.1, AC005488.2, AL023755.5, AL389925.10, BC000726.1, AL356499.16, AC066612.7, AC004913.2, AC012512.7, AJ006345.1, AC087863.9, AC006512.12, AP002371.3, AC025771.5, AC024589.4, AL035415.22, AL139020.5, AL121902.13, AL450104.14, U57005.1, AC024082.6, AL157791.4, AL122035.6, AC002365.1, X55925.1, AC004417.1, AL138721.16, AC003013.1, AC004987.2, AL512378.7, AP000475.3, U57007.1, AL355144.16, AL157821.14, AL109946.12, AL050306.5, AL365364.19, AL161742.7, AC005670.1, Z98744.1, AC022415.5, X54180.1, AL136131.15, AP000952.2, AL035658.7, AL035455.30, AC024060.5, AP000302.1, AL035400.13, AF148460.1, AF015155.1, X55931.1, AC017080.8, AL121891.22, AL035681.13, AL358133.11, X60459.1, AC011242.8, AL049870.3, AL137059.20, AB003151.1, AC011247.10, AP000044.1, AP000112.1, AC010285.4, AJ277546.2, AC005696.1, AP001604.1, AF196779.1, AC010326.6, AP000884.1, AL034419.22, AP000263. 1.
HLDBE54	165	836041	1 - 1208	15 - 1222	AF250847.1, AL450382. 6.
HLDBX13	166	815665	1 - 1801	15 - 1815	AI632044, BF871813, BF747135, AW630757, BF873312, BF770534, BF813448, AI608881, AA101562, BE792267, AI687737, BF771639, AA513370, C75490, BF848642, AW999404, AA861308, AA890390, AA486100, AW190875, C75621, AW339937, BE871109, AW338261, AI799264, AI193265, AA149993, AI469580, AW936241, AI925871, AI002582, AI955238, AI333843, AA486163, AI241578, AA702259, T86963, AI263270, BE350662, AI093487, H57108, BE934125, BF747862, BF807059, BF813934, R01692, AA837819, BF849699, BE927881, AW936086, AA714224, BF984148, BE927955, BF871808, AV725597, AI273968, BE386265, AV726550, AI350492, BF946044, AI633478, AW877520, AA342901, AW419262, BE063486, AI653886, AI761471, AA641989, AU147898, AW502975, BF998270, AL120483, AW903691, AI306524, AI312259, BF842579, AW405759, AC005899.1, AL355593.21, AC006026.2, AP003352.2, AC004491.1, AP000133.1, AP000211.1, AL163032.3, AC078962.30, AL163282.2, AC009756.9, AC010458.5, AL160471.5, AC008543.7, Y07848.1, AP000563.1, AL590762.1, AL031666.6, AC008498.3, AC009247.12, AC007666.12, AL049761.11, AC008982.5, AC022211.5, AC007850.29, AL136418.4, AL139054.1, AC020934.7, AC006126.1, AC024163.2, AP000692.1, AC005412.6, AL109804.41, AL354707.17, AL158830.17, AC010271.6, AP001630.1, AC006071.1, AC000052.16, AL137818.3, AC007216.2, AL035072.16, AL162505.20, AP001711.1, AC005067.2, AC008891.7, AJ009613.4, AC011559.3, AC022087.8, AC005193.2, AC010422.7, AC005324.1, AC003086.1, AL109627.18, AL109628.5, AC005632.2, AL031668.23, AL132640.4, AC008392.6, AC003962.1, AC006337.4, AC005280.3, AL136137.15, AC006515.7, AL049759.10, AC011464.5, AL513008.14, AC004975.2, AC008812.7, AC026061.8,

					AC005399.19, AC025588.1, AL109811.39, AC008745.6, AC005755.1, AC007676.19, AL512843.4, AC009131.6, AC090942.1, AL118520.26, AC005808.1, AL356299.16, AC005516.1, AP000555.1, AL355480.22, AC006468.9, AC004883.2, AC008044.4, AL035587.5, AC002544.1, AL157838.24, AC020913.6, AL096791.12, AP001725.1, AC018663.3, AC011452.6, AL031003.1, AC020983.7, AC006139.1, AL035659.22, AC016554.7, AL139809.16, AL096701.14, AC004019.20, AC008115.3, AL356257.14, AC011495.6, AC003109.1, AP001695.1, AP000113.1, AP000045.1, AL117381.32, AL035086.12, AC027124.4, AC018842.5, AC006449.19, AC011737.10, AC004257.1, AL121653.2, AL591034.5, AP001717.1, AP001748.1, AP001760.1, AC004821.3, AC005527.3, AC011465.4, AC008622.5, AC011497.6, AL359400.4, AC007564.9, AL034429.1, U95742.1, AC004224.1, AL138836.15, AC000102.1, AC000075.2, AC009077.7, AL161669.5, AL161624.7, AC007536.9, AL390798.3, AC083884.6, AC004971.3, AE006639.1, AF254822.1, AC073542.4, AC009060.7, AC022148.5, AP002849.2, AL391114.12, AC007963.7, AC007637.9, AF207907.1, AC008753.8, AC008440.8, AC011490.7, AC037475.9, AL031680.20, AC006211.1, AC022407.6, AL138724.12, AC006334.3, AL357137.7, AL159191.4, AC006948.4, AC005052.2, AC005253.1, AF243527.1, AL138720.19, AC006512.12, AP000049.1, AC004531.1, AC015651.18, AC027129.5, AC004167.1, AC074270.25, AC020916.7, AL121594.6, AL035405.10, AF109907.1, AL354932.26, AP001671.1, AC005520.2, U91327.1, AF111168.2, AL158172.5, AL139113.21, AC008521.5, AP001712.1, AC007021.3, AC010627.5, AC067742.5, AL139022.4, AL031847.17, AC008569.6, AC007404.4, AL009181.1, AC006538.1, AL355497.14, AC004999.1, AC009432.7, AL021155.1, AP000311.1, Z93015.9, AL078461.38, AC009137.6, AC005236.4, AP000557.2, AP001715.1, AC007308.13, AC005225.2, AC022234.3, AF172398.2, U47924.1, AC026794.4, U91326.1, AL355922.4, AC004882.2, AC000360.35, AC004974.1, AC018633.2, AL050335.32, AC011453.4, AC011450. 4.
HLDON23	167	636083	1 - 1248	15 - 1262	AL529086, BE904120, BF337766, BF345489, AV706125, AI681123, BF002270, BF055322, BE856092, BE305227, BE219427, BF438375, BG149525, BF057786, BF590112, BF196165, AI741848, AI636347, AI973055, AI554720, AI871117, BE220195, AI745311, AW192924, AW340966, AA706712, AI091179, BF445900, BE645773, AI677802, AI889659, AI804323, AI688189, AW673266, AI298377, BE046787, AA535027, AW612722, AI830304, AW675294, AI139157, AW089901, AA410579, AW073842, AW316637, AA417232, AA416567, AI827376, AI372513, AA411560, AW001905, AI796719, AW673062, AI334363, AI085075, AI400032, AI452964, AA308319, AI888902, AI400560, T33187, AA877699, AI332395, AI372512, AA485507, AA017127, BG178589, R85136, AV705959, AL526358, BG056798, H94860, BF476221, AW016699, BF594282, R18537, AA988884, AI925753, AA993373, AW953175, W05059, AI263531, AA282629, F29641, R01402, AA625328, AA126985, AA354334, H58095, BE251679, AW662030, AI559961, AW337874, AA282410, AI014243, AI671403, R41526, AA485352, R43109, Z39066, BF925559, F04091, R01401, W04796, AV751453, BE871534, AA128150, AW375092, BF237662, BE155754, T25085, F17839, AW371533, N74669, AW058382, AW371557,

					BF063353, AL360256.1, AL117482. 1.
HLDQC46	168	847397	1 - 618	15 - 632	AW274515, AA442374, AL522283, AI806931, AI928433, AI092561, AA628013, AI184518, AW262020, AW363180, AA729980, W92109, AL516443, AI436261, AA659720, AW340561, AI803297, AI802763, AA527556, AI186442, R77144, AW593087, AA953344, W91980, AI444603, R54966, AI799506, AI831001, F24469, AI934101, Z38258, AW451099, BE813043, AW956287, H00226, AI028279, AA649995, T35406, F35703, W23709, R71423, AA548429, AL530766, R77145, W35309, AL522284, N39838, AI940309, BF527253, H27628, BE896237, H44089, AF327923.1, AC006330. 5.
HLDQR62	169	753742	1 - 2558	15 - 2572	BE876197, AU133975, AW170131, AV723948, BG178057, AV652458, AW836234, AW608052, AA047046, BF104746, AA486037, BE395776, AW385580, AA488655, BE699041, AA932253, BG104619, BF671350, AA854943, AA418105, AA829456, AA243385, BE699051, BE936060, AI346694, AA418007, AA503398, AA053835, AW067836, AA878478, AI309218, BF820483, AA287990, W37960, AI401102, AI279485, W37900, AI423510, AA610711, AI050735, BF939011, BE699047, AA701403, W30974, AA017371, AW385388, AA911160, BF928600, H10281, W32542, AA133579, AV721259, H81907, BE908122, H11712, AA657490, H09562, R97956, BF810354, N68428, BF841567, AA018681, BF810349, AW838671, AW274397, BE699044, BF737894, H17436, AA133578, T03483, BF529092, BE699011, R93915, T84200, H10225, R97955, N91220, F09018, BE244933, BE697384, AW474873, Z43397, AA677745, F11358, AW838680, Z42508, H08994, H11779, R18755, AW067888, H86384, R20010, R44826, T78746, BE546845, BF768165, AA676360, Z41104, R12303, R61069, H80952, H01770, BF362799, AA857228, BE092626, AW361033, BE246721, R12953, F11514, AA298600, AA233314, H82000, Z45386, AA047038, AA988879, AA776420, R61792, BF925722, F02025, H37922, AA946813, AA058662, BE793798, AA298811, AW954042, AI024907, AA515707, AA579408, C02381, H38137, H80857, AA190438, AA059270, AW953912, W32541, AI253018, BF755527, AA252608, H39230, BF087406, BF841077, BE699066, F09175, AW608049, R36072, AW607934, AW242636, F02790, AA018740, BE092426, N47523, AW951415, BE872758, AA670010, BF793691, H86054, BE699208, AA017201, AA059226, BE857637, BG011131, AA233315, AW169463, BE935974, AA910836, BF756516, AA504287, AA489248, AW452612, BE858890, BE699076, AA953019, AA191764, BF930488, BE746764, AA552521, BF932022, BE080981, AW385586, BE092405, BE047109, AW838675, BE074538, AB046801.1, AC026749.5, AC026437.5, AC010491.3, AK001799.1, AF274753. 1.
HLDQU79	170	740755	1 - 1474	15 - 1488	BG256275, BE867624, BE907396, BE855521, BF034422, BF530803, AW959247, BE782005, AI126689, AL121446, AA757065, AW630129, BF768037, BE746763, AA206154, AA460401, AI276320, BF998689, AA295243, BE242732, BG035901, AL040350, BE242810, T86168, BF983867, W05088, AA347337, BG252443, AI133502, AF064093. 1.
HLDRM43	171	846330	1 - 595	15 - 609	AA502331, AW444616, AA568450, AW592433, AA503839, AI017393, AW957011, T85589, T78178, T72043, T85588, AI699382, BF593574, AA299977, T86494, AW956056, AW605240, AA335186, AA551860.

HLDRP33	172	647430	1 - 598	15 - 612	AP000301.1, AP000045.1, AP000114.1, AC005080.2, AC004878.2, AP001717. 1.
HLHAL68	173	684216	1 - 690	15 - 704	AA359084, AC018797.4, AF224669.1, AF283321.1, AC007883.3, AC006038.2, AC034251.5, AC006345.4, AC008149.14, AL355392.7, AC006057.5, AC084864.2, AL354720.14, AC084865.2, AC006435. 7.
HLHFP03	174	460467	1 - 599	15 - 613	H46196, AI421986, H19572, H46195, BF947135, H19490, BF738481, BF994257, BF127477, AW139949, BF947011, AF321824. 1.
HLIBD68	175	778073	1 - 1008	15 - 1022	AL538046, BF975484, BG260893, BF062040, AW250850, AW954319, BG118275, AI633756, AI436560, BE646174, AA975057, AW302253, AI651397, AI825665, AI479926, AI635567, AI612806, AI640598, AI653427, AI248825, BF770160, AI333221, AA609320, AI916748, BF346659, AW001438, BF941021, AA397893, AI083783, AA399663, AA302889, AA484860, AI659648, BF222019, AI692578, R49550, AW016187, AA393712, AI673346, D80738, D81106, D81495, D81643, C15479, AI696498, C15522, R42643, AI761655, AA302888, D81794, D81487, D60344, AA302884, AA302883, BF813253, AA091824, BE743563, N49704, AI476597, D81533, N87760, BE396027, AA352126, AA281538, AA280240, AL133447. 1.
HLICQ90	176	791828	1 - 1752	15 - 1766	BF980403, BF726329, AI984197, AI192533, AI559494, AI378638, AA430026, AI061413, AW172705, BG165333, AI190915, AA430235, N62729, AI689890, AI360764, AA705532, H90333, H30177, T99745, H78217, T86019, H26993, T91236, AV645894, AA330598, N75483, H42449, BE766728, AW135351, AA976652, AA383620, BE220880, AI630095, BF381551, BF767606, BE087130, H42847, W05293, AA911697, AI659925, BE766726, H82733, T99746, BF889067, AW955970, AW971740, AI432644, AI431328, AI623302, AW968355, AI431347, AW972091, BE672759, AI432653, AI431230, AI432654, AI432655, AI431310, AI431312, AW081103, AI432677, AW968356, AI431323, AW972093, AW968729, AI431354, AI432661, BE672719, AI431307, AI431316, BE672732, AI431337, AI432650, BE672745, BE672748, AI431238, AI492519, AI432675, AI431350, AI431231, BE672767, AW972092, AI432651, AI432647, AI431243, AI431330, BF448552, BE672742, AI432662, AI431248, BE672644, AI432657, BE672774, AI432649, AW972090, AI791349, AI431257, AI432665, AI431247, AI431318, BE672738, BE672792, AI431235, AI431321, AI431315, AI431246, AI432643, BE672743, AL042519, BE672640, AW129223, AL042931, BE672622, BE672627, AI492510, AL042729, AL042832, AL047611, BE672754, BE672626, AL043295, AL357075.17, AF064854.1, AL133082. 1.
HLMBO76	177	626831	1 - 801	15 - 815	BE962422, AW027068, BE617458, AW978331, AW992560, AW274834, AW131841, N32595, AI917820, AI907429, AI610587, AI348386, R50855, T16683, AA807222, R42665, R45605, R15777, N47819, AI699177, Z39130, M85559, AB033057.1, AF275817. 1.
HLTEJ06	178	543017	1 - 603	15 - 617	AL525142, AW274273, BE327124, AI885095, AI885299, AA085210, AW340136, AI985381, AI369742, AW086489, BE298417, AI476470, AI039658, AI034384, AI333584, BE298210, AA455921, AI287650, AW592624, AA456390, AI266556, AI672315, R14963, BF688522, AI310815, AW962407, AA902537, AW954994, AV707146, AW960308, AW952064, AW960237, AW965813, AW963378, AW963660, AV703158, AW955713, AV727916, AW955616, AW951707, AV705433, AW954006, AV708850, AW960276, AW959059, AV709232, AW958280, AW966031, AW957853, AW953868,

					AW952011, AV658299, AI525316, AV661286, AW959983, AW953763, AW955152, AV704798, AW958796, AV705319, AV707329, AW949779, AV690209, AV707196, AV726026, AW952328, AV725709, AW952583, AW951551, AW955710, AV703620, AW965530, AW959858, AV709786, AW967182, AW952579, AW963752, AV653846, AW959721, AV707171, AW964112, AW965730, AW962924, AW953575, AV709555, AW960299, AV727272, AW955088, AW967184, AW962934, AW958088, AW965839, AW960676, AV706655, AW954209, AW960579, AW954407, AW960587, AV656373, AW961228, AW956010, AV706407, AV702120, AW965759, AV652528, AW960201, AV727787, AV706925, AW951549, AV658784, AV726203, AW959366, AW955161, AV709025, AV708438, AW956762, AW949351, AV708007, AV726142, AW956138, AW951301, AV701657, AW954003, AV707422, AV729160, AW951750, AV727003, AV726619, AV705171, AV726755, AW963010, AW963641, AV727377, AW954427, AV728642, AV729557, AV702868, AV727526, AV725090, AV659389, AW954116, AW954238, AW950197, AV659294, AW960779, AW953499, AW958859, AV654287, AW951768, AV705665, AV705143, AV702574, AW954411, AV709587, AW959312, AW951184, AW957779, AW960049, AV702851, AW952192, AW963354, AV699089, AV660608, AV645504, AW954225, AW952329, AV655280, AV708320, AW954266, AI535639, AW951882, AV709314, AW950446, AV691080, AV687946, AV652001, AV728997, AV725745, AV684604, AW962980, AV728590, AV726737, AV704740, AV709660, AV701613, AW955707, AV701844, AW963643, AW958936, AV705538, AV706741, AW958529, U94592.1, Z30183.1, U45328.1, AB005666. 1.
HLTHR66	179	699812	1 - 2272	15 - 2286	AW978874, BF507862, BF033134, AL135232, AI673052, AW612437, AW880652, BF508030, AW118937, AI912990, AI651420, AI754531, AI285856, BF431306, AI760176, AI805972, BF511821, AI123209, AW001864, AI377932, AI141443, AI743946, H19020, BE857717, AW962968, AI221575, AA588506, BF475287, AA026012, AI249502, AI660528, AI949710, R68887, AV653095, AA026000, R77684, H19313, AI460280, AA829761, AA357748, BF511571, R77685, BE671786, AA084602, AI687732, AW889295, BE002919, AI812062, BF365444, C21025, AL136231.12, AF147395. 1.
HLTIP94	180	1087335	1 - 1226	15 - 1240	AA552985, AA314716, BE778519, BE894256, BE779796, AA228139, AI802948, AC005325. 1.
HLWAA17	181	629552	1 - 983	15 - 997	AL522002, BF305304, AL521608, BE732838, BE899550, BF344719, BG115015, BG109203, BF982386, BE410162, BE735023, BE901175, BG117962, BE281306, BG165427, BF793440, BE901577, BE872442, BF316646, BE409982, BF982251, BF970528, BE262711, BE299415, BF340859, BE386152, BF569778, BE281612, BF305644, BG251248, BF673757, BF183244, BE547252, AL521166, BF237978, BG249255, BE280374, BE301893, BG109330, BG164142, AL522550, BE018945, BG170896, AW732476, BE779176, BE018944, AL532064, AW250139, AA580387, H20615, BE741195, BE736037, BE272171, AI752100, BE870251, BE742694, BE883834, Z42865, W21970, AA873793, AW579408, BF753347, AA204913, AA206511, AA158660, BF971112, H66924, R25678, AA233944, BE743048, BE743976, BF304498, BE546682, BG112068, BF317329, BE278514, BF878947, BE744899, Z25248, BG248593, AW675147, T56764, AA368717, BE793472, AW956985, BE246887, BE298316, BE410692, BE707861, BF125052, BE388318, BF970723, BF675911, BE868990,

					BF031826, AA380216, AJ271671.1, BC007886.1, BC002563.1, AJ243649.1, BC003152.1, AF151829.1, AF132942.1, AJ243650.1, AC004832.3, AC005585. 1.
HLWAA88	182	588485	1 - 1756	15 - 1770	AI075040, AI566035, AI346970, AW453036, AU136077, AW572319, BE677521, AI971962, AI354722, AI611131, AI285086, AI017423, AW612105, AA719963, AI493120, AI910743, AI346087, AA860835, BG055741, AA995966, AW235992, AI188298, BF740313, AI205497, BG055743, AI949884, BF851530, AA939291, AA883259, AI985431, AA070019, AA613006, BE075994, AK023527. 1.
HLWAD77	183	653513	1 - 1153	15 - 1167	BG250493, BE786038, BF968793, AI148564, AV714668, AI911259, AV717040, BF031366, BF970799, W60958, BE221213, AV701362, AI683823, AW268612, AV711084, AW275920, BE551456, BE551386, BF244446, BE550880, BG110482, BF669035, AA404358, AW956755, BE669452, BE504275, BE674209, AV763474, AA443743, BF381847, AI271616, AA936391, AI675766, AV703458, AI695003, AA403095, BF968311, AI311856, AI082141, BF036575, BF575757, BE905833, AA503819, N30670, BF027805, T86418, AI079408, AA393808, AV711478, BE872085, AA393892, AA827290, AI189388, AA910984, R21152, H96780, AW804422, AI014740, AA804216, AV714823, AI219049, H23300, AI566294, R99539, BF724670, N75557, R99538, AI299755, AA476793, AA974212, AA417638, AI374805, AW952564, AV725011, AI094470, AI133161, BF221760, W05584, AI089034, AA905867, T86508, AA677753, R99550, BF753822, AA335337, AI240536, AA313386, AI538267, AA918453, BF811514, H23186, H92649, W87796, AW445161, Z40615, BE272827, T33983, AW298229, R08382, BF475310, R08329, H97711, H96103, H80948, T99199, N24555, AA375092, T99198, H92437, BE260997, AA383378, BE536680, AI085108, BF920784, AF132289.1, AF242523.1, AK024574.1, AF151859.1, AC004148.1, AC024082.6, AC009263.6, AA419545.
HLWAE11	184	783071	1 - 1604	15 - 1618	AI344312, AI276017, AI476822, AI139478, AI160906, AI240398, AW001088, AA425919, AA011278, AA428788, AI354692, AI089176, AA622689, BF431807, AI968918, N68826, AI467807, BF436247, AW673768, AW135943, R24434, R16812, R31419, R31434, R24435, H83155, AI865939, R31418, AW673133, W67349, R31433, AA027080, R28030, BE542160, T81223, AI631986, AA677315, BF760063, AI872675, BF331923, BE926682, BE926741, AF329842.1, Z82188. 2.
HLWAO22	185	587270	1 - 1324	15 - 1338	AL515814, AL515776, AL534165, AL520605, BF342613, AI064806, BF528629, BE856301, AI140344, AI763061, BF063934, BF244655, BF683133, AW340290, BF344711, AI659614, AL515777, BF034915, AI554886, AI086027, BE929854, AW193974, AL515815, AL525649, AA410368, AI937139, AA918821, AI218197, BF313091, AL525747, AA829365, AI336469, AW473975, AA577435, AV645326, AW070946, H22929, AA722774, AI610462, T90764, AA404313, AI623603, R54057, AV723824, AA404713, AW168607, AA079100, AV752738, BF316436, AW402756, AA912779, BE742923, AL534166, AA609213, BE350786, AA406191, AA923714, AW750290, AA325220, AW952354, BE898647, BF092248, AA293154, AI218895, AI198020, AI672973, BG002684, AA649195, W81523, H08723, AW207732, AA927962, AI873660, AA774521, BF880685, AL520606, BF837510, AW794716, BE044401, BF767735, AI383372, AI204653, AI361791, Z39695, BE673415, H70703, R54056, AI187740, H24109, AA079003, AI867628, AA330197, BF310103, BF854730, BE797091, BE737142, BF541812, AI689520, AW297870, BF965605, AW590611, H08439, BE263819,

					BF086702, F02166, BE547512, BF115405, AA477404, F04433, T83213, BF036962, BF767508, BE795356, AA430434, AW797192, AA479566, R16340, BF678079, BF685049, BF847264, BF847254, BF804160, BF847373, BE904852, R41416, BE312226, Z45578, BF733974, AA971991, W81639, AI902460, BF833057, BF804096, AI903581, BE798202, AA453110, Z42682, BF917644, AI564885, AA335484, AI811209, AW083638, BE260879, BF314999, BE274089, AI903535, AW376204, AI755186, AI880283, BE540568, AI523835, BG165048, AI627893, AW008226, AI440284, AI568293, AI559296, AI954721, AI446511, AI934011, AI364167, AI538564, AI744268, AI688858, AV750565, AI539800, AW129264, AI540179, AI364589, AI638644, AI690784, AI499570, AI590043, BE966550, AA659690, AI829432, AI932739, AI719817, AI500061, AI873604, AI479292, AI244360, AI141406, AI633125, AI620864, AI866040, AL515021, AI885982, AW081383, AI824746, AI620056, AI269469, AI270448, AI274655, AI884318, AI287252, AI678446, AI651840, AI890183, AI701097, AI635634, AI763414, AI370623, AI476478, AI266652, AI696714, AI799968, AI628325, AW236186, AI653402, BF035033, BE963355, AW151714, AI637584, AW055081, AV703776, AI866893, AA836665, AW152182, AK000833.1, AF226048.1, BC000659.1, AJ289857.1, AL110160.1, AJ297977.1, AJ289848.1, AJ289856.1, AJ289847.1, AJ289849.1, AJ289846.1, AJ289851.1, AJ289852.1, AJ289854.1, AJ289853.1, AJ289850.1, AJ289855.1, AK026408.1, AL117587.1, L25851.2, AL136850.1, BC004349.1, AL050149.1, AF183393.1, AL133619.1, AL162083.1, BC008591.1, AJ299431.1, BC009360.1, BC001785.1, L19437.2, AL080159.1, BC001711.1, AK000027.1, AL512684.1, X99971.1, AL133084.1, AB055331.1, BC001336.1, AL389935.1, BC004373.1, AL389982.1, AL133062.1, AK027209.1, AF115392.1, AL049959.1, AB056420.1, AL137530.1, AF122922.1, BC000732.1, BC005070.1, AK026462.1, AK000418.1, Y14314.1, AF124728.1, BC001199.1, AL050138.1, AF217973.1, AF131821.1, BC002849.1, BC006345.1, AK000484.1, BC008649.1, BC007641.1, AL157479.1, AK000414.1, AB060897.1, AL080154.1, AF353673.1, AK024974.1, BC007571.1, AK026182.1, BC005123.1, AK025658.1, BC001760.1, AL080148.1, AL133559.1, AB011076.1, BC007364.1, BC008063.1, AF267739.1, BC003101.1, AF218000.1, X99270.1, AL137682.1, AL138832.10, AP001601.1, AP001698.1, AB047878.1, AL137533.1, AF061795.1, AF151685.1, AL359583.1, AL137254.1, AC004805. 1.
HLWBH18	186	1045194	1 - 799	15 - 813	BG000096, AC023490.5, AC018636.4, AC006435.7, U95742.1, AL121891.22, AL451142.7, AL035659.22, AC020716.3, AL136179.15, AL450339.5, AC007216.2, AL136418.4, AL139054.1, AC011533.6, AC000159. 6.
HLWBY76	187	797609	1 - 2067	15 - 2081	AA923172, AI139607, AI269739, AI802946, N30680, AI277957, AI277237, BE715040, BE838082, BF354274, AW797336, AW797335, BF987948, AW873630, AI806044, AK026806.1, AC003991.1, AK027807. 1.
HLYAC95	188	778075	1 - 298	15 - 312	AV764526.
HMADK33	189	561941	1 - 850	15 - 864	AL538273, AW139111, AA663592, AI582741, AL120259, H51572, AI122619, AI124509, BF366373, R86660, H50906, R86835, BF836623, BE884648, AF070673.1, AF030196.1, AL161976.1, BC005837. 1.

HMADS41	190	596831	1 - 1253	15 - 1267	BE740695, BE739906, BE899124, BE742745, BF685920, BF971897, BF684948, BE336652, BE747520, BE925550, AI733012, AI492192, BE207602, AW275042, AA954656, AW139807, AI791409, AW136444, AI361524, BE207644, AI762361, AI762373, AI246377, BF684146, AA306161, BF062047, BF222947, AW003832, BG028044, AA865078, AA402599, N32269, BC007725.1, AF123757.1, AF123758.1, AF123759.1, AF123760.1, AF123761. 1.
HMAMI15	191	1352406	1 - 1244	15 - 1258	BE790239, AI114496, BE047613, AI609021, AI478544, AI949665, R96283, AI205799, W39248, AI670908, T70976, AA070919, AI243978, AW854183, AI796472, BF883407, AW975683, AA654405, AI125888, AA730911, AA545731, BE222003, AA730927, C21177, AA721678, AI478489, AL137139.9, AL139035. 27.
HMCFY13	192	635301	1 - 869	15 - 883	BF026299, BE277091, AI343297, BF027218, BE390121, BE387283, AL514638, BE388858, AI364111, BE389119, AI668959, BE391988, AW206551, AA676232, BE870993, BF002101, BE277034, BE729557, BE276352, BF125430, BF896609, BE386944, AW207225, AA551687, BE718320, BF131318, AI990714, BE693868.
HMDAB56	193	560676	1 - 1451	15 - 1465	AI075053, AW972336, AI199257, AA493693, N80663, AW879550, AL138455, AA633753, AA640410, AA640430, AW815064, BF820510, AA018283, AL037554, BG033220, BF822854, AV759329, BG033926, AL120343, BE062169, BF679557, AV757425, AI631355, AW129526, AV710289, BF868399, AW063373, BF437493, AW936354, AI094787, AW500029, BF915002, AA908411, AV760207, AV761925, AW975971, BF666395, BE858219, AV764035, AU137841, BF679274, BG002515, BF698704, BE064275, AA493136, AI700109, BE883107, BF699964, AI918465, AA507547, AI805123, AP002088.2, AC008014.5, AC009470.4, AC011450.4, AL133480.9, AL356244.12, AP000493.1, AC008521.5, AL353741.16, AC004638.1, AL139148.11, AC011475.6, AL158832.13, AC004634.1, AC005102.1, AL135749.3, AC010105.12, AC000088.2, AC019197.7, AL133214.12, AP000901.5, AC008891.7, AC021188.6, AL049776.3, AL117355.5, AC002128.1, AL450483.1, AC007774.1, AL080315.18, AC008622.5, AL135901.23, AP001692.1, Z84485.1, AC007097.4, Z84480.1, AC022415.5, AC008747.5, AC000082.4, AC020908.6, AF121897.2, Z98747.1, AC010422.7, Z84720.1, AL109921.21, AC090944.1, AC074338.1, AC007318.4, AL136219.17, AC004841.2, AC003109.1, U82668.1, AC003103.1, AC020977.5, AF057280.1, L44140.1, AC004774.1, AC011242.8, AC020913.6, AL354935.23, AC069080.12, AL389888.8, AC007036.3, AL136359.13, AC005746.1, AC006441.13, AL133453.3, AC084732.1, AL353194.13, AC004466.1, AC004253.1, AC025165.27, AL160175.5, AC005840.2, AP000251.1, AC007225.2, AL161779.32, AL033378.12, AL359397.3, AL022725.8, AL159977.10, AP001412.2, AF196779.1, AC025765.5, AC007388.3, AC016697.8, AC006023.2, AF334404.1, U52111.2, AC008896.5, AL121655.1, AP003117.2, AC009320.7, AC004087.1, AL121992.24, AL136304.10, AL138759.20, AL031228.1, AC006211.1, AL121752.13, AL157406.19, AC025418.23, AC007012.1, AC006548.20, AL354670. 4.
HMDAM2	194	514394	1 - 982	15 - 996	BF741516, BF740289, BF740290, BF741538, BF760315, BF911969, BF830586, BF759998, BE083615,

4					BF932902, BF763222, BE079695, AC004797.1, AB023141. 1.
HMEAI48	195	1352290	1 - 399	15 - 413	AA297104, AA298556, AA216561, AW957476, AL532709, AU124631, AA173361, AA206770, R14826, AL513976, BF726195, BF901681, AA873180, W20303, AF109127.1, AF109126. 1.
HMEED18	196	560775	1 - 1355	15 - 1369	BF967947, BF794640, BE744676, BE872383, BE261972, BF680443, BF967220, BE732377, AI417193, W95515, AW294641, BF306808, AI189166, BE856708, BE644954, AI949989, BF530795, AA628537, BE551422, BE747031, BE304795, BE735201, AI457735, BE870962, AI634510, BF131863, AI671536, BF242851, AI870629, AW514766, AI813311, AI862663, BE293244, AI768533, AI823596, AA129467, AI446582, AI435116, AI627345, AA972422, AI968606, AI088367, AI827354, BF439637, AI824877, BE220123, AV703921, AW236583, AI377591, AI040592, AA648774, AI095815, AW953613, D59730, D59523, AA029160, AW009152, AA054405, AI244209, AW023899, BE674038, BF059180, D59622, AA778356, AI470145, BF378975, AA970493, AI368877, D59801, AA129466, AI659586, AI344665, AI824866, AI803930, D59455, AA993837, D59633, R61441, AA704531, AW022576, AA484947, BF955158, D59447, AV725111, BE870487, AI082578, R35366, T74319, BF948389, D59583, D59781, R35909, AI365131, D59454, AW341984, BE467192, AI864239, D59649, D59777, H09254, T89104, AI128531, H23419, D59584, H09679, R23394, T77005, D59540, F13041, F10282, D80153, D80213, F10633, D59650, AA333625, BF855208, D59537, D59800, D59536, AI867775, AI702258, D80146, D59825, D59539, R25274, AA301260, D59438, H23420, D80341, D59769, D80323, AA827217, D59439, D59794, D59473, AA319561, R38088, R44178, R20566, D59692, F16283, D80260, R61396, D59749, AV726311, AA095729, D59772, AI088314, BF967226, AI383053, D59813, H22900, R14241, D59752, R40536, T34343, BF510049, F13475, D59782, AA346675, D80245, AI434889, Z43638, D59459, AW303981, D80381, BG054921, AW291373, D59812, AI418992, BF948033, AW516233, AI434666, BF837006, AW816352, AI356833, BF771676, AW340432, AA331587, AA332355, BF156021, AF353992.1, AK026257.1, BC008873.1, BC006150.1, AL512689. 1.
HMEFT54	197	520307	1 - 582	15 - 596	AI925461, AI187417, AA527170, W51933, AA534506, AI699870, AA430389, AW264729, AA284284, D20078, AI350867, AW131222, W48637, AA400891, AI458334, AI168826, AA400960, BF590627, AV719049, AV699669, AI557751, AW962245, AW975618, AA365173, Z21582, C14298, C14331, C15076, AV699550, AV724520, AW973541, AV718692, AW950117, D80064, AV719758, AV718489, AW949498, D59787, D59467, AA526218, AA701131, F13647, AW817409, AA434346, D80164, AV729929, AW964468, AI201668, D59889, D80195, AA507526, AV720791, AV718530, AI694178, D81030, BF382730, AV720203, AW960553, D50995, AV700889, BE148028, AU119190, R20046, BE001177, AW949645, D80196, BE748599, D51423, T41134, BF837744, AV718800, BF876179, D80212, C14227, BC002933.1, AK026989.1, AF254260.1, AL136917.1, BC008301.1, AF086205.1, AF254860.1, AC090939.1, AC005230.1, AF037338.1, AC004823.1, AC004922.2, AC020716.3, Z95116.1, AC025166.7, AL445184.11, AC009131.6, AC006581.16, AC010530.7, AP000172.1, AC003101.1, AP000057.1, AC005038.5, AP000125.1, BC005232.1, AC002407.1, AL031985.10, AC007308.13, AC002492.1, AC007021.3, AC012476.8, AP000688.1, Z98884.11, AC006241.1, AL355312.24, AL354932.26, AC004526.1, AC007387.3, AF283320.1,

					AC008543.7, AC034193.4, Z83851.17, AC005529.7, AC007193.1, AC018828.3, AC022383.3, AL158159.14, AC018808.4, AP001721.1, AC083873.3, AC004476.1, AL136365.9, AL096791.12, AC008009.4, AC005670.1, AC008524.6, AL031673.19, AL139317.5, AC005531.1, AC008397.7, AF215937.1, AC011811.42, U80017.1, AC006071.1, AL158828.14, AC008969.5, AL590002.7, U53331.1, AL354685.17, AL157877.11, AL442203.12, AL096701.14, AL160269.14, AC006312.8, AL512600.5, AP000030.1, AL445237.16, AC010271.6, AC010326.6, AC006571.12, AL034379.8, AC004685.1, AL023807.6, AC022415.5, AL121747.41, AL161669.5, AC000025.2, AL121886.22, AC018663.3, AC020983.7, AC010183.6, AC073366.3, AL359402.3, AC005015.2, AC005527.3, AC005823.1, AC026464.6, AL138878.10, AC005585.1, AC006480.3, AC010422.7, AC004832.3, AC004973.1, AC005039.1, AC004825. 2.
HMEGF92	198	520304	1 - 615	15 - 629	T65556, BF952979, F09666, AA995112, AA983746, AA983748, AP001972. 4.
HMSDL37	199	973996	1 - 2483	15 - 2497	BF358189, BF358186, BF358188, BF673854, AV762975, AA481760, AL042906, BE908602, AU154050, AU158859, AI310464, AA113159, AV718718, AW080062, AI952885, AL042905, BG029899, AA679794, BF813805, BE206133, AL048969, AI132963, AW401509, AV700988, AA113272, N49425, BF968610, AW975169, AA524604, AW157616, BE300645, AW008089, AV699423, AW976010, AV700654, BF679169, AI016704, N80210, AW151713, AU117926, AA427470, AW957502, AV760701, AI631119, N48230, BE895796, AW962035, AW979158, BF673743, AL534685, AA833875, AA833896, BF926318, BE061906, AA081138, AL044339, AW268329, AW960015, BG254652, AW600804, AU140392, BF820678; BF668559, AV764259, AA572968, BF736198, AV734543, BG222875, AW897556, BF892846, AC022001.3, AC018811.4, AC018494.6, AL353810.9, AC005553.1, AL139396.17, AL020995.14, AL163151.1, AL021918.1, AC022534.7, AL135903.12, AL161443.13, AC007912.6, AC018684.3, AC019052.7, AL163248.2, AJ400877.1, AC006313.1, AC022401.3, AC025165.27, AF274857.1, AL445186.4, AL137782.9, AL139322.13, AL355520.8, AC003065.1, AC004813.2, AE000659.1, AL139109.14, AC027670.4, AC021396.6, AC005033.1, AC007251.3, AC015723.8, AL392106.4, AC004073.1, AC007963.7, AC006544.19, AL353788.33, AL133500.3, AL512641.9, AC010376.5, AC073964.3, AC004650.1, AL157955.5, AL358372.11, AL359077.10, AL137918.4, AL035608.11, AL138783.6, AL135924.11, AP001189.4, AP002453.3, AL133373.5, AL391122.9, AL023876.2, AL163209.2, AC021093.16, AP001719.1, AC068643.27, AL121755.23, AC007068.17, AL359332.2, AL133241.3, AC007611.5, AL357060.31, AC078841.4, AL138880.14, AL159140.4, AL513264.8, AL138920.11, AC004021.1, Z92547.1, AC068102.4, AC089987.26, AC009289.8, AL163280.2, AC010282.5, AL157827.17, AJ006997.1, AC005066.1, AL163303.2, AC009122.8, AL035090.10, AL359205.15, AL133417.10, AC090497.2, AC007097.4, AC005280.3, AL359400.4, AC010591.8, AL354868.10, AP001718.1, AF131216.1, AC068312.4, AL109865.36, Z84480.1, AC009404.5, AC006543.7, AC007510.6, AL160162.11, AL354942.10, AC005862.1,

					AL136090.12, AC084882.2, AL353812.13, AC022740.4, AC008863.7, AC018797.4, AC006348.3, AL359644.10, AC008701.5, AC087427.2, AC074391.5, AL035407.15, AC010292.7, AL512310.3, AC020717.3, AC010885.8, AF235098.1, AL161629.10, AL035468.3, AC007447.6, AC007455.7, AC007385.3, AL390121.6, AC021351.4, AC009499.4, AC021849.5, AC010904.10, AL034410.8, AC010726.4, AC011701.22, AP001713.1, AL160281.17, AL357150.7, AL109854.10, AL035661.16, AL355530.6, AL138479.4, AC073125.5, Z95126.1, AC068139.5, AL390731.9, AP002006.5, AL161938.6, AC073150.7, AL117345.21, AC066593.4, AL391868.15, AC068993.14, AC010585.6, AF279660.2, AL161892.9, AL121895.26, AL022241.2, AL035697.19, AC002403.1, AC026882.5, AL021940.1, AL445495.5, AL049875.2, AC018653.29, Z93015.9, AL117693.5, AC010638.7, AP001981.5, AL390838.26, AC008962.8, AC004852.2, AP000751.4, AC020941.5, AL160397.17, AL158167.15, AF188030.3, AL121932.19, AL590239.7, AL356379.10, AL390039.10, AF205588.1, AC007938.1, AL031294.1, AP003438.2, AL050308.9, AF002223.1, AC006028.3, AC011246.6, AL137129.4, AL162455.14, AC080094.5, AC005183.2, AJ006345.1, AF106564.1, AC007739.2, AC010127.12, AL392044.7, AP000577.4, AL132987.4, AL135841.11, AL031286.1, AC066611.6, AC073532.18, AB026898.1, AF003627.2, AL162430.15, AL512359.2, AP001720.1, AL136520.3, AC073917.19, AC024367.6, AF224669.1, AL161804.4, AP003477.2, AL359763.9, AC025263.22, AL163301.2, AC004933.1, AL356108.12, AL359693.11, AC022407.6, AC022468.5, AL121900.26, Z82206.1, AC011497.6, AC034305.6, AL035671.5, AC008280.4, AL117337.25, AL022163.1, AP001731.1, AL158147.17, AL354750.12, AL359292.12, AC007717.8, AL132774.20, AL050305.9, AL118557.5, AL356421.10, AC019233.7, AL355615.12, AL034384.1, AC010422.7, AC013242.7, AL356125.13, AC005058.1, AC006288.1, AL161908.13, AC009479.4, AL360231. 16.
HMSFI26	200	560229	1 - 1203	15 - 1217	BF902399, W89152, BE391139, AW975663, AA767864, AW020255, AW021440, AI024622, AA730474, AA551532, AC069548.4, AC004906.3, AC004675.1, AC006965.3, AF088219.1, AL121574.19, AL139109.14, AC004813.2, AL162231.20, AC013734.4, AC012459.7, AL157955.5, AL391827.18, AC022407.6, AL034422.24, AC004216.1, AC011551.3, AL355336.15, Z83822.1, AC010252.3, AC008720.6, AL391122.9, AC000353.27, AC012377.5, AC011816.17, AC004408.1, AC007363.3, AC073101.7, AC010092.4, AC016396.5, AL117355.5, AC022201.4, AF235098.1, AL157372.18, AC007228.1, AL445237.16, AC008066.4, AL591770.1, AL162831.5, AP000355.1, AC026770.6, AL353588.25, AC006461.2, AC005840.2, AC005912.1, AC011456.2, AC009137.6, AL035079.14, AB042297.1, AL365400.19, AC003950.1, AC027126.4, Z98884.11, AL034369.1, AL031670.6, AC090955.2, AL157893.16, AC004685.1, AL133500.3, AC011497.6, AC018500.3, AL158206.8, AC019171.4, AC025168.7, AL034346.31, AC005736.1, AL133279.7, AL391724.7, AC002565.1, AP000284.1, AL080315.18, AL133410. 31.
HMSGT42	201	383470	1 - 1549	15 - 1563	AL533548, BG254144, BE789099, BE887081, BE878731, BG116125, BG025945, AW957637,

					BE612783, AV714585, BG107890, BE781717, BG030517, AV718270, BE888408, BF665580, BE880927, AV710046, BF666320, BF030581, C75683, BG029271, BE880632, BE887874, AV733955, BE695911, BF668753, BF666696, BF978924, AV757896, BE568697, BE932552, W55909, AV651776, AV714563, BF700463, AI377408, BF669293, AI857934, BF669212, BF213025, BE545003, BF691021, AW024331, AA725652, BF185721, AI829947, AA454213, BF680798, BF964977, BE904360, BF701393, BF241919, BE789978, BE932459, BF665354, AA314273, BF037589, AW351912, BF028073, AI309773, BE932553, BF701113, BE932539, BE816887, BF665260, BE932447, BF692251, BF184304, AV701697, AV707435, AW270018, BF697317, BF244581, BF029708, BF129991, BF185277, AA861381, AA001402, BF131429, BF670186, AA305370, BF696039, BF211541, BF690925, AA447415, BF214411, BE932475, BF572141, BE932540, BF724466, BF667996, AI857939, BE644614, BF968128, AA629424, BF700100, BE958024, BE646415, AI857941, BE968671, AA306430, BF692658, BE779388, AA858363, BF667913, BF242902, BE932484, BF700414, AV655721, BF695497, AA454212, BE932439, BF132852, BF031185, BF028474, AI589640, BF245173, AA521350, AW752399, AA447414, BF244157, BF381984, BE568476, W55910, BF195161, BE504467, BF185628, BF213439, AA809077, BE960947, BF104162, BE816941, BF031301, AW298803, BG260202, AI475816, AV700780, AW630212, BE569124, BF668875, BF541632, BE865509, BF699689, BF665760, N93336, BE898217, BE568064, BF372428, BF674472, BF664872, AI540152, BF693954, BF571750, BF792635, AA703503, BF307415, BF242078, AA629906, BF184679, BF243347, AW778874, AA523671, AA181455, AA431132, AI560791, BE958209, AA315633, H18045, AV755841, BF030440, BF131135, BG249184, BF670667, AA186625, AA861405, AA663419, AW996056, BE567887, BE865807, AA531308, AI139080, AA843632, W95504, R80694, BF664562, BF977109, AI291233, AI745163, H98623, C75579, BF666247, AW971769, AI274327, BE565642, AI218737, N93386, BF240785, AA204997, AI291765, W39740, BF757214, AV714850, AI027269, W44792, AA192752, AA772002, BF215015, BG058583, AI807027, AA493379, BE168171, AI285081, AA918748, AA459602, AV682318, W95451, W80402, AI085784, BF106436, AV681563, BE168154, AW604348, W32254, AA311342, AI346231, AI086810, AI348232, BF437332, AI304545, W79010, AW058049, AA157979, AI565637, BF215257, AA205366, AI302529, AW085164, AA432149, H99232, BF690888, AI358223, BE168394, BE932473, W15312, BG165346, BE835844, AA744881, BE814385, BF131056, AF288991.1, BC005294.1, AF051894.1, AL121989.12, AF288992.1, AF267986.1, AL132640.4, AL049779.6, AF267983.1, Z62873.1, AF267982.1, Z62874.1, AF267984.1, AF267985.1, T54811, T55185, R24125, R27504, R64164, R64278, R76615, R77750, R78101, R80695, H00161, H00199, H01506, H01612, H03815, H11302, H11303, H18029, H18238, H18276, H21844, H21845, H22737, H24019, H40729, H40861, H41003, H39213, H43589, H43591, R93867, H50227, H50262, N25143, N26355, N93005, N93049, W20245, W21356, W21385, W25189, W25405, W44746, W44715, W93846, W93867, W95402, W95407, AA001470, N91043, AA026860, AA026861, AA057539, AA057538, AA088796, AA179997, AA192828.
HMSHM14	202	461897	1 - 742	15 - 756	AW817008, AW817118, AW951170, AL078634. 24.

HMSHS36	203	1127691	1 - 1388	15 - 1402	AV701925, BF793477, AV652861, AV706319, BF733347, AV731015, AA649067, BF217767, AU116940, BG032917, BF811794, BF982391, AU120741, AI133602, BF871285, BF673583, BE620216, AI132952, BE250577, BE797641, AV652798, BF874267, BE883545, BF951636, BF877837, AL133895, BE898175, AU120778, AA577789, AW893125, AW962273, AA720812, AA225638, BE736918, BE153395, AA583363, AI926740, AA601152, BE563291, AA180390, AW845697, AW023095, BG009679, AW962826, BF871283, BF732306, BE616582, AA456928, BF803637, BE385152, AA553442, AA604116, AA503299, BE728115, BF763241, AA584599, AI568660, BF918672, AA808950, N62150, AI761174, AU147985, BF943073, AA418822, BE646483, AW845701, AA081957, AI084217, AI832080, BE379426, AA584606, BE615376, AA593381, AW593396, AA630813, N23657, AA487214, AA601086, AA309271, AA179694, BF755046, AA524729, AA631405, AV730261, AA703315, BE154390, AI052560, BF883829, N23646, AA826146, AA713998, AI940701, BF815608, AA584589, BE790104, AW087334, AA487598, AW939910, AI493725, AA418919, AA779025, BF338817, AI686420, BF001825, BF063736, AA663257, AW872342, BF929662, BF919126, BF919125, AI002286, AI940708, AW845664, AU156101, AI800842, AU148272, AA669412, BE676217, AA584914, AI564481, AA593077, H71269, AW088584, AI479770, BE167158, T07383, AU140348, BF958620, T57745, T57474, T63786, BE141836, AL134317, AI671215, AA910874, AW439349, AA171526, AI968135, BF871286, AA774178, AA353087, AA281350, BE531051, AI858454, H63688, AA076475, AW993580, AW865469, AA280232, AU139668, BF997714, BG012085, AI248986, AW819076, BF218444, AW190986, AW238615, AA084198, H71280, AA258511, H92806, BF767788, BF763870, BF878613, BF905882, BF969711, BE783575, AL048837, H59185, AA632760, AA076364, AA281143, AA227286, AA587277, AI795961, AA481809, AA434462, BF812273, AW513636, AV653743, BE897813, AA581506, AI081365, AA180023, BE177666, BF869076, AA969742, AA188746, AW845678, BF878615, AA218640, AW088010, AA354211, AV652938, BE072874, AA583368, BF829537, AI654594, AW865403, N70045, AA487808, AA431655, AA486234, AA664413, AI114647, AP002532.1, AL121986.12, AB045358.1, AL450382.6, AL121879.14, AC073311.7, AC004389.1, AL035397.4, AL355379.5, AC022416.5, AC079147.5, AL133226.16, AC006154.1, AL355796.11, AC018795.9, AC005521.1, AL354926.16, AL133282.15, AC004049.1, AC078950.19, AC012492.9, AL096862.18, AL354941.10, AL353811.12, AL121964.16, AC007882.3, AC026756.15, AL359925.9, AC007001.2, AC007967.3, AC006999.2, AC006386.4, AC010080.2, AL512374.1, AL357394.11, AL022160.1, AP001712.1, AP000466.1, AC078927.20, AC010146.13, AL137191.5, AL133553.9, AC004932.4, AC018741.3, AC068712.6, AC044791.6, AC005029.1, AC002349.1, AC007000.2, AL133229.40, AC009478.4, AL391987.15, AL135903.12, AC006210.2, AC007388.3, AJ400877.1, AL109662.3, AC002086.1, AP001208.3, AC012323.7, AC010681.15, AL139277.7, AC020910.5, AC019097.5, AC010209.13, AC025471.5, AP001207.3, AC016057.5, AC083875.1, AL356214.20, AC009299.5, AL359316.6, AL109845.8, AL353573.10, AC004979.1, AL035551.6, AL359237.4, AC016748.3, AC010289.7, AL163248.2, AF207955.1,

					AL162390.9, AC018705.10, AL035427.17, AL139141.22, AC048346.13, AF235098.1, AL163206.2, AF198099.1, U82696.1, AF274856.2, AC078955.24, AC022073.13, AL008633.1, AL590675.3, AL121780.11, AL356115.9, Z95333.1, AC006477.3, AL500522.9, AL365222.24, AL031622.1, AL138743.5, AC007035.3, AL162580.20, AC007759.1, AC025265.21, AL138920.11, AC003098.1, AL353691.12, AC012152.12, AL133411.8, AC010623.7, AC008430.3, AC090645.1, AC018833.3, AC026214.3, AC087092.1, AL359914.14, AC004208.1, AC022710.10, AP001669.1, AP000457.3, AE006462.1, Z84812.1, AC010528.8, AL078600.15, AC003658.1, AF196972.1, AC005875.2, AC026182.4, AC087086.1, Z82975.1, AC007250.2, AC068812.13, AL162464.5, AL035258.10, AL132987.4, AL390061.9, AC003013.1, AL136101.7, AL080316.8, AF117829.1, AB014082.1, AP000515.1, AC016617.5, AC007743.3, AL158823.11, AL356804.4, AC006979.2, Z99570.1, AL355540.12, AC002479.1, AC010629.6, AC011359.5, AC090497.2, AL139231.13, AL590043.7, U73465.1, AL359012.7, AF003529.1, AC005023.1, AL391358.14, AP001634.1, AC083870.2, AL356956.11, AL034410.8, AC023154.5, AL022401.1, AP001429.2, D83253.1, AL158819.14, AC079316.15, AL132825.35, AF216667.3, AF257497.3, AL161871.6, AC007444.1, AL160471.5, AL030995.1, AC069543.4, AL590034.10, AP000924.6, AP002788.3, AP002076.3, AL157815.12, AC005491.1, AL162388.8, AC008973.5, AL157791.4, AC008860.6, AC016612.5, AC079824.25, AC009196.13, AL133249.1, AC016716.6, AF128525.2, AC026116.26, AL050401.5, AC026445.4, AC009480.4, AC008407.4, AC090043.1, AL160234.2, AL137226.3, AL139165.1, AL158841.6, AC063979.4, AL354913.11, AC010523.6, AC007788.1, AC007065.5, AP001964.2, AL133480.9, AC006399.6, AL136110.17, AC025457.5, AL353643.10, AC012089.13, AC006565.4, AL022399.2, AC016689.3, AL034428.4, AC018712.5, AL033375.2, AL499610.10, AL121694.4, AL360272.23, AL356317.8, AL136309.8, AC079034.34, Z82203.1, AL049734.11, AC010368.4, AC022740.4, AC025447.4, AL136297.3, AL138479.4, AC004551.1, Z94056.1, AC008154.6, AC087879.8, AL137795.10, AC010201.18, AC018787.5, AC007256.5, AC008488.7, AL117339.10, AC008071.2, AL389895. 3.
HMSKC04	204	799540	1 - 1403	15 - 1417	BF843276, AA483606, H73550, AA570740, AV695478, AI623764, AW969743, AI342183, AA568204, AI369580, BF811714, BE315483, BG180976, BF804359, C75622, AI278089, C15060, AA829036, AW194325, AW161016, AL138182, AV763057, AC010191.24, AC004590.1, AL121586.31, AF168787.1, AP000046.1, AP001714.1, AL445686.14, AF222856.1, AF222854.1, AF222855.1, AP000104.1, AL138849.12, AL109758.2, AP001721.1, AL121758.24, AC008994.3, AP000512.1, AP001717.1, AL513008.14, AC018663.3, Z93017.6, AF042484.1, AJ003147.1, Z94056.1, AL118525.17, AC008738.6, AC011472.7, AL139342.7, AC005015.2, AC005756.1, AL355392.7, AC020906.6, AL136300.22, AC018755.3, AL512883.5, AC013429.12, AC004867.5, AL365445.11, AC005231.2, AC073347.3, AL391259.15, AJ400877.1, AC006236.1, AP001726.1, AL354720.14, AC005874.3, AF134471.1, AL136295.3, AL096840.25, U63630.3, AC069285.8, AC005295.1, AC004166.12, AC008753.8, AP001718.1,

					AL121845.20, AL136418.4, AL139054.1, AL049869.6, AC005049.2, AL049713.20, AC004150.8, AF002223.1, AC007938.1, AC010271.6, Z83844.5, AC079316.15, AL163281.2, AL157823.9, AC010530.7, AP000045.1, AP000113.1, AC007129.3, AC004228.2, AL158207.15, AL133163.2, AC011510.7, AC015801.25, AC010319.7, AC002544.1, U91326.1, AF307337.1, AC005971.5, AP000466.1, AC007374.6, AC002558.1, Z85987.13, AC008521.5, AC006238.1, AC005071.2, AL121771.17, AC006160.9, AC005940.3, AC004686.1, AC006040.3, AC013355.7, AC017033.5, AC005522.2, Z93241.11, AC011465.4, AF015416.1, AC005378.2, AC020552.4, Z99755.1, AL034549.19, AC090005.1, AC006965.3, AC011449.6, Z95113.2, AP001747.1, AL139035.27, AC007225.2, AP002852.3, AC009086.5, AC004024.2, AC004814.2, AC068319.4, AL132825.35, AL365444.11, AL163280.2, AF139813.1, AL356806.4, AP000787.4, AC011461.4, AL049871.4, AC005291.1, Z95152.1, AP001711.1, AC069262.24, AL355385.15, AL136137.15, AC006121.1, AL031283.26, AC011484.4, AL355589.8, AP001754.1, AC072052.6, AC005914.1, AC004983.2, AL121897.32, AL049709.18, AL096791.12, AL050307.13, AL133215.16, AC008805.7, AL132772.14, AC084865.2, AF047825.1, AF111167.2, AC005747.1, AP001705.1, AC044797.5, AL158830.17, AL050331.11, AC005103.3, AC004953.1, AC004051.1, AP001712.1, AL049569.13, AL354873.19, AL031311.1, AC051619.7, AF124523.1, AP000665.5, AC011736.4, AE000658.1, AC004701.1, AC068799.14, AC003684.1, AL138743.5, AC009570.13, AP001745.1, AL022322.1, AC072061.8, AP000014.2, AC083866.2, AL137129.4, AL121594.6, AC011895.4, AL133246.2, AL031587.3, AC004963.2, AE006467.1, AL161937.13, AP002812.3, AL450104.14, AC004878.2, AL121827.33, AC090509.1, AF121897.2, AC008747.5, AC005668. 1.
HMUAP70	205	872208	1 - 1951	15 - 1965	BE613319, AV687447, AV725712, AV687625, BG166531, BE612728, BG114876, AV686519, AW952404, AV725638, AI061630, BE877777, BF055022, BF439548, BF692350, BF732575, BF967994, BG054984, AW372569, BE866270, AW160677, AV706186, BF690981, AA813278, BF206792, BE876393, BE645016, AV728247, BF195583, AI612729, BF446480, BF210620, AW167859, AW167862, AA521082, BF445077, BF698977, BE348758, AW753532, AA161332, BF665995, BF195330, AI806813, AI887683, AA843967, AA525839, AI869290, AA447934, AW068627, BE881059, AI912708, AA843171, AW206294, BF673423, AA402367, AA910679, AA037122, AI091239, AI422091, AA287736, AI816253, AI802199, BE042949, W56256, AW156905, AA779099, AI057601, BG168894, BE327200, AA781082, AA496466, AW022886, AW275342, AI091181, BE218417, AA873496, AI290167, AA992894, AI168731, N35917, BF028133, AI929639, AW003760, AA287895, AA774263, N22752, AA843277, BF001600, AI685261, AA283859, AI678620, AW403982, AA984140, AA056053, AA907413, AI361356, BF572327, AW157133, N94537, AI816334, H15827, BE383297, BE218532, AA931689, W17196, BE538941, AI027113, W33009, AA293343, AI079727, AW161562, AV749347, N92441, BE673987, W23456, AA410485, D81853, AA935683, D58802, N27027, H99819, AI004733, N30220, AW516664, BE702242, AA452710, N94329, BF692523, AW470953, BF681161, AI566161, AA258458, BE077323, AA910558, AI128706, AA664059,

				AI446094, AA872758, AA725042, AW160789, AV684142, BF762393, AA861311, BE167341, N34534, AA846407, AA918516, BF762409, AA973796, AW073424, AA448868, N59261, AA857543, AA399445, AA515285, R90917, AA399423, AA911982, AA995135, BF036554, AW513259, AA577338, AA872812, T63367, AI422456, AA643728, AI027067, AA293329, AW162091, AA085090, R56184, AI245725, BF436213, BG109166, H23642, AI973249, AV650608, AV686647, BE928331, N68929, R64440, AA029562, H13310, W46630, AA114922, H41386, N57112, AA258388, AA744562, AA993782, AI499779, AI571822, AA744564, N40152, AA029728, Z43644, AA837702, Z45519, AV689458, AA620561, AI093848, AA602387, AA421573, AA922986, BE564509, C14582, R12614, AA410303, AA782100, AW083148, N36220, R32391, AA055763, AI570545, AA939289, R90813, AA112870, AI207050, H16135, N89859, F06244, AW162345, W92571, AI027262, AI149386, AW023549, R63828, AA311835, AW517389, H38655, AI348632, AW015099, T54934, AI826301, BE464247, AI360861, W30811, AI028088, AI768693, AI307614, AI343572, R32390, AI744258, AW276195, AA055962, AA724357, R42373, AW206298, AI167826, N78834, BC004317.1, AC004752.1, AK025312.1, AL583915.1, AL353956.1, AL122045.1, AK025209.1, AK026480.1, AL389935.1, AK026542.1, AL136790.1, AF159615.1, AL122050.1, AF125948.1, AF217982.1, AL049382.1, AF353396.1, AB063100.1, AL162002.1, AL080163.1, AJ299431.1, AF058921.1, S78214.1, AK000450.1, AF358829.1, Y16645.1, AK025414.1, AF321617.1, AL136928.1, BC002454.1, BC000556.1, AL353940.1, AK000718.1, AL137429.1, AL136844.1, AL512689.1, AL442082.1, AF061573.2, AK027193.1, AL122123.1, AK000618.1, AF217966.1, BC004958.1, BC003695.1, AL137537.1, AK025375.1, AB047904.1, AL133665.1, AL080159.1, BC006480.1, AK026885.1, AL117460.1, AL050116.1, AL389939.1, AK025465.1, AJ012755.1, AL136893.1, AK026550.1, AL133557.1, AL049452.1, AL137533.1, AL133113.1, AF106862.1, BC008365.1, AK027204.1, BC006332.1, AK000418.1, AK026642.1, AL049314.1, S76508.1, AF143723.1, AK026865.1, AK025378.1, BC009033.1, AB060826.1, AB052191.1, AK025541.1, AL137550.1, AL137547.1, AF090901.1, AL110222.1, AL389982.1, AL136799.1, S61953.1, AF026816.2, AB048953.1, AL137271.1, AB055352.1, AB050431.1, AL110158.1, AL096744.1, AL117432.1, AK024538.1, AF271350.1, AK026408.1, AL136850.1, BC007326.1, AK026583.1, BC001967.1, AB048975.1, AB060839.1, BC007567.1, AF155827.1, AL136845.1, AL137294.1, AL136882.1, AF242525.1, AF090934.1, BC003683.1, AF090943.1, BC006440.1, AK026744.1, AB056421.1, AB060916.1, BC008485.1, AF090903.1, BC005678.1, AF090896.1, D83032.1, AB049848.1, AB055361.1, X53587.1, BC004530.1, AB060211.1, BC002523.1, BC007198.1, AL136780.1, BC008078.1, BC002844.1, AL136892.1, BC002733.1, AK027868.1, AK026532.1, AK026591.1, AK000652.1, AL122110.1, AB048913.1, AB048919.1, BC004951.1, AL050172.1, AB056420.1, AK026746.1, BC003682.1, AL133075.1, AK025524.1, AL133072.1, AK026462.1, AL133560.1, AB060912.1, AK024992.1, AK025967.1, AK026855.1, AB047623.1, BC004899.1, AB060897.1, AL117583.1, AB060863.1, AL117416.1, AL512733.1, AB060929.1, BC001964.1, AK025435.1, AB056809.1, AL137711.1, AB056372.1, AL162062.1, AK026627.1, BC002466.1, AF252872.1,

				AF274348.1, AK026927.1, AL023657.1, AF274347.1, AL157431.1, BC004264.1, AL137488.1, AL050155.1, AF056191.1, AL137292.1, BC003687.1, AK027114.1, AK026504.1, AL049300.1, AL049938.1, AB047878.1, AK026630.1, AL136792.1, AK027144.1, AL137558.1, AL512765.1, AL050024.1, AK024594.1, BC002365.1, BC006509.1, AL137705.1, AB062942.1, BC008899.1, AK026959.1, BC007456.1, AF202636.1, AB048974.1, AL136540.1, AL162006.1, BC004244.1, AL133014.1, AL359618.1, BC004215.1, BC003122.1, AL136805.1, AF207829.1, AF078844.1, AK027113.1, AL049460.1, AK000247.1, BC002839.1, AL137478.1, AK000323.1, U39656.1, AB063008.1, AK026762.1, AK026784.1, AL133077.1, AB055303.1, AL359601.1, Z37987.1, AB055368.1, AF090886.1, AB060887.1, BC003548.1, AK027142.1, AL137256.1, BC007346.1, AL080148.1, AL133619.1, AL050393.1, AL137548.1, AK027136.1, AL122121.1, AF285167.1, AL390167.1, AL359941.1, AL512750.1, BC008673.1, AK027096.1, AK026528.1, AF245044.1, AB063070.1, T54768, T63693, T91023, T84597, R13763, R18327, R20519, R25031, R43789, R53025, R20519, R43789, R55911, R81848, R81849, R90812, R90918, H53640, H53684, H86289, H97448, N25711, N43983, N59141, N75178, N76730, W31472, W31935, W35396, N89770, AA018416, AA019585, AA122341, AA565211, AA583521, AA613126, AA767024, AA807259, AA829478, AA831898, AA876196, AA906972, AA932624, AA953784, AA953789, AA975996, AI028021, N56132, C00677, R29165, AA092968, AA679878, AA782815, AA890689, AI042642, AI041151, AI093012, T24514, F02527, F04381, F04532, F08307, AI244846, AI276792, AI279043, AI298862, AI334644, AI348509, AI364763, AI202774, AI453449, AI400913, AI401566, AI417788, AI418178, AI498899, AI419614, AI582814, AI423417, AI127285, AI147786, AI148738, AI167754, AI187434, AI652739, AI219638.
HMVBS81	206	639203	1 - 515	15 - 529	AW080812, AW082817, AI951822, AW328562, BE138773, AI453744, AW246456, AW248692, AI953814, AA916922, AW166193, BE741575, AI189652, AI554578, BE207752, AW051430, AI143755, AW631158, AI378866, AA602780, AW166148, AI346750, AA402608, AI191618, AA643353, BE207747, AA703840, BF969135, AA503856, AI991172, AI150232, AI885695, BE312018, AA599791, BF940193, AI951334, AI192449, AI423588, AI089026, AI564055, AI160783, BE904552, BE675401, AA722619, AI333580, BE465600, AI147788, AI201929, N39330, AI806345, AA740539, AI359694, BF569026, BG111020, AW078736, W42999, AA915948, BG231541, AI453740, AA845228, AA128902, AI262427, BG111584, AW005011, AI191380, AA838219, N93880, AL529784, AI289245, AA975577, AA654241, BE270980, R17925, AA455946, AA858122, AL529713, AW070627, AW068993, AA480313, AW249124, AL530076, AL044257, AW381690, AW381728, AI073423, AW606063, AW381754, AW381773, W40373, H84216, AW381761, AW381723, AA032144, AW381716, AA639632, BE151932, AI284233, AW606042, AW606073, AL530075, AW381757, AW381711, BE151941, AW606072, H82810, AW328561, BE151934, AW606039, AI001133, D20808, F35123, AW606054, AW381758, F21453, BE909136, AI866123, T50401, AL526916, AA126629, AA282016, AW881457, AA308337, AA134834, AW364188, BG024191, AL529714, AI220753, AW601155, AI186566, H48575, BE908027, BE265069, AW469208, BF531105, AW182036, BE733058,

					AI202946, BE409400, AW250560, BE408657, AA774739, BE514152, AI902442, AA448447, BE792882, BE269512, AW951942, W45258, AW381677, AW885253, BF125578, AW885254, AW996198, H48844, AA402390, AI874330, AA032143, BF806199, BC001299.1, AF004876. 1.
HMWDC28	207	460487	1 - 1132	15 - 1146	BF511110, BF511098, BF507863, W52839, AW194969, AI199267, R68505, AI521938, R46033, W81166, BE000169, N47371, BE814496, W81165, AA086195, T64991, AI827849, AI816972, BF592053, AI797732.
HMWFT65	208	562063	1 - 1332	15 - 1346	AW795416, AL121287, AL133445.4, Z85996.1, AL034548.25, Z98304.1, AC004953.1, AC068799.14, AC074121.16, AC004905.1, AL031431.8, AC003982.1, AC006487.8, AC005971.5, AL050335.32, AL009181.1, AC010271.6, AC006483. 3.
HMWGY65	209	1308287	1 - 1960	15 - 1974	AW963001, BF059395, AW466899, BF590276, AI582610, AI281917, AI983184, BE501967, BF848401, BE219310, AI359514, AI582296, AI033082, AW594623, AW770514, AI088503, AI307166, AI818405, AW272259, AI143722, AW204164, AI590378, AI285806, AA004670, AI580084, AA904597, R51653, AW293660, AA968840, AA358991, AI278964, AW970496, AA836864, AA699611, BF003024, AA292694, T05806, R51562, AI935808, AW243480, AW243365, R14788, AV741332, F37583, AA365140, AI814209, BE842966, AA004251, AW103604, R40100, H46612, AI270512, AA092304, AI989617, R63257, AV734885, AL161751.2, AL450109. 3.
HNEAC05	210	519340	1 - 876	15 - 890	BF095683, BF767062, AL121059, BE082604, AB011104.1, AP003473.2, AP001573. 3.
HNEEB45	211	1036397	1 - 1029	15 - 1043	AW007722, F08319, C14331, AW978633, D80132, AV718681, AW949655, L81855.1, AC003677.1, AC048330.20, AC018769.2, AL513342. 7.
HNEEE24	212	553558	1 - 1065	15 - 1079	BE695767, H18634, R44271, AA022988, AA454219, AA454220, AA022950, AA429414, BF112103, AI183463, AW293235, AA584870, AI608821, AA564655, AI467968, H69890, Z95152.1, Z77249.1, AC004837.1, AL050335.32, AC009399.5, AF222686.1, AD000090.1, AC069539.4, AL139080.11, AL117338.15, AC005000.2, AP000427.3, AF039905.1, AC027319.5, AC004996.1, AC010328.4, AP000043.1, AP000111.1, AP001716.1, AP000424.3, AP000292.1, AC073321.4, AL133330.14, AL138743.5, AL050338.12, AL445423.13, AC068715.5, AC009003.7, AL450026.10, AC008493.4, AL355334.26, AC002300. 1.
HNFFC43	213	753337	1 - 2089	15 - 2103	AL048903, AI678076, BF527660, BE728354, BF317174, BE409263, AL530934, AL042801, BE729268, AL041340, AL530935, BE314879, AL042802, AW190561, BE313085, AI961484, AU154235, AU132769, AW027201, AI424792, AL524550, AA864499, AI432437, AA917094, AI934618, BE327057, BE383358, AI499074, AI344032, AI955647, BG253760, AA572961, AL048902, AW769938, BF509684, BE208853, AI342638, AI761488, AW732625, BE259667, AW974120, AI564533, W51904, AW961340, AI289643, AW971194, AW272378, BE297579, AI867205, AI796156, AA884306, BF002574, BF927739, BE885728, BF847648, AA456581, AA918441, AL524551, BF918942, AI766564, AW769937, AA493778, BF918936, AA304712, BF869582, AI168435, AU126961, AA298993, AA377693, AW769673, AI383037, H67555, AA322347, AA221032, AA713594, AI366484, AL039675, BE273248, F24965, AW797208, AA426295, AA322180, AA322590, BF919436, BF919454, BF919453, BF919451, AW178871, AI538564, BF752997, AI766348, AI701097,

				AW080090, AI367680, BF812961, AI619820, AI633125, AI828682, AI818240, AW152182, BF811804, AI796113, BF968679, BF669151, AI800648, AI500714, AI702073, AI884318, AI590043, AI868680, BG122005, AA740450, AI866469, AI971615, AI345415, AI934259, AI570056, AI433157, AL046466, AI819545, AI499570, AI698391, AI440448, AI915291, AI434731, AI445829, AI889189, AI638644, AI370623, AW188525, AW008226, AI699823, T69241, AI635634, AW148363, AI818350, AW089844, AI686817, AI376425, AI609375, AW051088, AI744268, AV736995, BF970652, AI569637, AW163834, AI270295, BE393784, AI471282, AW075381, AL043355, AI872423, AI801460, AI620864, W74529, AI421252, BF812938, AW081256, AI581362, AL513817, AW193911, AI670009, AI871697, AI537261, AI950729, AV709679, AI651840, AI281757, AI619502, AI591387, AW168822, AI473536, AW196720, AI345612, AI620056, AW834282, AL046595, AI677796, AI582932, N21402, AI922266, AI500061, AI474646, AI345416, AW079409, AA641818, AI621341, AI702068, AW081383, AI633198, BF814761, AI619662, T49776, AI565172, AI696714, AV747571, AI524179, BF766531, AI366900, AI521560, BF925771, AI927233, AI536638, AI479292, AI564719, AW027898, AI419826, AI432969, AI432030, AI799183, AW238688, AI932966, AI354643, AW168788, AI401697, AI357940, AI890214, AW078712, AI250627, AI636507, AI357273, AI634345, AI579901, AI352497, AV711455, AW104724, AL514079, AI783825, AI612852, AI956080, AI524654, AW104827, AI445025, AI815232, AW198090, AI684244, AL513761, AW078606, AW083374, AA830709, AW192652, AK001356.1, AF260728.1, AL137599.1, AK001651.1, BC008337.1, AB033000.1, AF351620.1, AF183393.1, AL389935.1, BC003573.1, AK026408.1, AL117587.1, BC008591.1, AL080159.1, BC006103.1, AK026462.1, AL137530.1, BC002466.1, AK026744.1, AK026593.1, BC003101.1, AL133075.1, AL137537.1, BC005825.1, AK000418.1, AL136850.1, AL023657.1, BC001199.1, AK026389.1, BC004945.1, L19437.2, BC004349.1, AL122104.1, AL050149.1, AL389982.1, BC006181.1, BC001964.1, AB047878.1, BC002631.1, AL050138.1, AB050410.1, AB050421.1, BC006345.1, AK000414.1, S76508.1, BC008686.1, AF115392.1, AL389947.1, AF232009.1, AL050155.1, AL050366.1, AB050510.1, AK026464.1, AF131821.1, AK027144.1, AL137533.1, BC003658.1, AF245044.1, AB052176.1, AL137711.1, AF274348.1, AF274347.1, AL137480.1, BC002733.1, AL359941.1, AL133637.1, X82434.1, BC008364.1, AL080146.1, BC004925.1, AB060897.1, BC005168.1, AB056421.1, Z82022.1, BC002970.1, BC003590.1, AL353940.1, BC001844.1, BC004264.1, AL049452.1, AL117416.1, BC008717.1, AF132730.1, AB050431.1, AF090903.1, D83032.1, AK026633.1, AK025889.1, AL162083.1, AL137271.1, AF218006.1, BC003569.1, AK027204.1, BC004336.1, AL583915.1, BC001655.1, BC006287.1, X99971.1, AL080148.1, AL110280.1, AL137476.1, AF205073.1, BC008063.1, AB060916.1, X59812.1, BC003684.1, AL137292.1, AL133077.1, BC006487.1, AK027096.1, BC001785.1, AK027173.1, BC006410.1, S77771.1, Y14314.1, AL133062.1, AL050143.1, AF044323.1, AF195092.1, AY033593.1, X15132.1, BC003410.1, BC005678.1, AL080154.1, AK000636.1, AB055331.1, AF339775.1, AK025435.1, BC008037.1, BC006458.1, AL122100.1, U73682.1, AL133619.1, M85164.1, AF230496.1, AL442083.1, AL137574.1, AF285167.1, BC005002.1, AF169154.1, AF038847.1, AL136615.1,

					AK027095.1, AL162003.1, BC003056.1, AL390184.1, BC007571.1, AK025350.1, AL110221.1, AK024747.1, AF262032.1, AF106862.1, AL136805.1, AL133665.1, AC006288.1, AF002672.1, AK026556.1, BC004181.1, AL133084.1, BC002365.1, AK024992.1, BC007206.1, BC000550.1, BC006091.1, AB048913.1, AK026746.1, AL110158.1, AF184965.1, X78627.1, AB047627.1, AL133623.1, BC009294.1, AY034001.1, AK026532.1, AL162002.1, AF026816.2, BC000199.1, BC008649.1, BC003591.1, AJ299431.1, Y13350.1, AK025099.1, BC004362.1, BC007460.1, AL512733.1, AB056420.1, BC008075.1, BC000090.1, AK025798.1, AF106697.1, AL136889.1, AL136893.1, AF199509.1, AF124728.1, U37359.1, AK025113.1, BC008078.1, BC004556.1, AF202636.1, D44497.1, AL133049.1, AF061573.2, AL157433.1, AL136784.1, BC008417.1, BC005070.1, AK026528.1, AL137478.1, X83544.1, AB060834.1, AL136844.1, AK000266.1, AL357195.1, AK027160.1, BC001305.1, AL137488.1, AL117435.1, X99226.1, BC004222.1, AL137550.1, AL161628.9, BC007021.1, Y14040.1, AF218000.1, AF141289.1, AK026613.1, AL117460.1, AF126488.1, AL080139.1, AK027365.1, AJ296345.1, AL137298.1, AL137716.1, Z35309.1, AL137627.1, AK000476.1, AK026550.1, AL359624.1, AL389939.1, AB048953.1, AL512684.1, BC000253.1, BC002370.1, BC002849.1, AF217987. 1.
HNFIY77	214	634551	1 - 1198	15 - 1212	BE778688, AA350580, AW451334, BE247283, BE242191, AI640492, AA078462, BE242141, AW003105, AA336368, R54889, AI910199, AI871293, AI267818, BF204188, AI858691, AC009412.6, AC072052.6, AL033517.1, AL161747.5, AC018897.4, AC005663.2, AL139095.15, AL135744.4, AC008072.3, AC005484.2, AL121897.32, AP000359.1, AC079141.7, AC020955. 6.
HNFJF07	215	577013	1 - 602	15 - 616	AA487061, AA486615, D78759, AC002091.1, AC004089.25, AC005015.2, AC039056.7, AC006329.5, AC005081.3, AC084693.2, U91323.1, AC002352.1, U82668.1, AL391259.15, AL109897. 30.
HNGAK47	216	561488	1 - 1130	15 - 1144	AL390802.2.
HNGBC07	217	1037631	1 - 1635	15 - 1649	D80268, AW960553, D80212, D59859, AW966534, AW978661, AV720151, D80253, AV701839, AW952839, AV699447, AW958993, AW973490, AW959597, D59619, AW978634, D80210, D80240, D80366, D59889, AW959799, AV720878, D51423, AW966331, AW949656, D80439, D80219, D57483, AW973482, AW966059, AW966398, AW966342, AW966369, AW973474, AA305409, AW975613, AW966368, AW959136, AV718489, D80166, AW973445, AW964967, C14389, AV719557, AV720616, D51799, AV722801, AV719822, AW966053, AV718692, AW973307, AW973447, AV719324, AV718938, AV718633, AW975605, AW966378, AW975618, AV719913, AW950578, AV718707, AW973488, AW966386, AW960454, AV720211, AV718931, AV720729, AV720731, AW973334, AW966388, AW966397, AW949498, AV723927, AV699866, AW949642, AW973473, AW959202, D81030, D80391, D59787, AW966029, AV718440, AV720028, AW966075, AW966065, AW966022, AW964737, AW960465, D80188, AW966332, AW966399, AW966531, AW958992, AW956397, AV702451, AW966041, D58283, AW966333, AW966013, D59275, D80248, AW960483, D80038, AW962082, D80022, AW949586, C14331, D80024, AW966330, D80195, AW975621, AW978648, AW966385, D59467, D80247, AW959582, AV692290, AV654329, AV655880, AW965163, D80164,

					AW973541, AW966030, AW964488, AW949641, AV720791, AW952852, AW966054, AW949645, AV720203, AW964756, AW966050, AV719188, D80043, D80227, AW949657, AW966062, AV719783, D59502, AW959628, AW960473, AW965177, AW959570, AV719468, AV718800, AW965185, AW965197, AW965196, AW973485, AW965184, AV720104, AW965175, AW966400, AW962395, D80196, AV718844, AV720464, AV718770, AV720150, AW966380, AV700229, AV724520, AW959062, AW964477, AW956434, AV699550, AW949500, AW964468, AW949654, AW964532, AV699927, D80251, D59610, C14014, D51060, D51022, AV720533, D81026, D80269, AV726330, AW966032, D80133, D50979, AV750778, D80522, AW966343, D50995, AW973330, AW975623, AW949629, AW949653, AW949631, AW949643, AA514186, AW949618, AW949655, AW966329, D59927, D80157, AV719945, AA305578, C15076, AV718530, AV719632, AV718487, D59653, AV719049, AV723097, AW966043, AW965176, AW973465, AW961136, D80193, AW965158, AW962245, D80045, AW949633, AW959469, AW978642, AW966389, AW960532, AV721386, D51759, AW949646, AW949632, AW949658, AV702365, AA514188, D80302, D80241, AW360811, AW966377, D80378, AW752082, AW753053, AW177440, D51103, AV720035, AW950117, AV699652, AV699746, AW949630, AV700889, AW966023, AV720812, C06015, AV702035, AW966379, AW178893, AL022339.1, AL021937.1, AB028859.1, AF058696.1, AB002449.1, AF271371.1, X67155.2, D34614.1, AB038216.1, D88547.1, D50010. 1.
HNGEP09	219	499076	1 - 1028	15 - 1042	AW275971, AI369580, AW576034, AL353692.14, AC004638.1, AC027319.5, AC007011.1, AL354932.26, AK000932.1, AC074121.16, AC019171.4, AL390374.16, AJ400877.1, AL158830.17, AL109897.30, AC008403.6, AL121929.17, AC016025.12, AC002390.1, AL360227.17, AL049709.18, AL353777.18, AC004890.2, AC005098.2, AC005015.2, AL354794.16, AL590762.1, AC020931.5, AP001695.1, AC005052.2, AL121754.18, AC073655.26, AC004166.12, AC005225.2, AC010328.4, AC004876.2, AL133353.6, AP000553.1, AL136418.4, AL139054.1, AC004985.2, AL354873.19, AL121897.32, AC003962.1, AL121972.17, AC011472.7, AC011462.4, AC073316.6, AC079602.15, AL590763.1, AL023575.1, AC007216.2, AC005049.2, AL139095.15, AC005033.1, AD000092.1, AL133453.3, AC011514.3, AC008072.3, AC009123.6, AC006130.1, AC005899.1, AC005800.1, AC016995.4, AL021368.1, AP003439.2, AC005740.1, AC004893.1, AC013726.7, AC007546.5, AL031727.42, AL109984.14, AC005280.3, AC020629.6, AL445490.6, AP000067.1, AC003010.1, AP000506.1, AC004520.1, AL121586.31, AB043547.1, AP000501.1, AC007030.3, AE006467.1, AC012476.8, AL512347.14, AC010203.13, AC004217.1, AL133387.8, AC051619.7, AC002504.1, AL096791.12, AL133347.28, AC004826.3, AC004910.1, AL031663.2, AC006544.19, AC069282.6, AF111168.2, AC005089.2, AC002551.1, AC020908.6, AL022323.7, AC011443.6, AC005914.1, AF001548.1, AC010271.6, AL049569.13, AC079630.18, Z93015.9, AL133246.2, AL356299.16, AC002984.1, AL121658.2, AC006088.1, AC006349.3, AC006125.1, AL096840.25, AC005971.5, AB000882.1, AC005519.3, Z93241.11, AL031447.4, AF196969.1, AC007686.5, AC005041.2, AC016587.7, AC009144.5, AC010618.7,

					AC009137.6, AL121903.13, AL512378.7, AC024028.10, AL117381.32, AC008392.6, AP003357.2, AL137162.25, AL139317.5, AC004626.1, AC006329.5, AL139396.17, AC007956.5, AC020552.4, AL139352.16, AC003065. 1.
HNGFR31	220	553552	1 - 522	15 - 536	AL360297.12, AC005023.1, AC022124.5, AC008390.7, AC004836.2, AL136984.20, AC009558.14, AL117373.14, AP002350.3, AC006265.1, AC007057.3, AL139233.8, AC005079.6, AL359824.17, AP001541.4, AP000426.3, AJ239322. 3.
HNGIJ31	221	519120	1 - 782	15 - 796	AU147901, AA376128, BE562634, AC051619.7, AC020629.6, AL445531.10, AC009412.6, AC005052.2, AC079383.17, AL009172.1, AC016637.6, AK022380.1, AC004032.7, AP000555.1, AC009789.21, Z83851.17, AL359643.27, AC011005.7, AC008521.5, AC008635. 6.
HNGND37	224	839224	1 - 827	15 - 841	AA774312, BE670568, AI298480, BE702731, AI088824, AI149772, AA976633, AI870274, AA010606, AA010607, AW957725, AA010628, T33898, T75431, AI355909, AC005300.10, AC006946.20, AF307451. 1.
HNGOI12	225	1041375	1 - 2114	15 - 2128	AJ006345.1, AC005950.1, AC003675.1, AC001228. 1.
HNGOM56	226	836064	1 - 942	15 - 956	AA714124, AC016720.9, AL357075.17, AC008440.8, AF283321.1, AL137792.11, AC006060.1, AC004859.2, AL353668.18, AC004057.1, AL031311. 1.
HNGOW62	228	892160	1 - 1284	15 - 1298	BF755895, AB011086. 1.
HNHEU93	229	634851	1 - 734	15 - 748	AW502688, AW410844, AI444575, AW504667, AW157128, AV758849, AW974923, AI038029, AA533011, AW021674, AW731858, AA618531, AA554289, AA557945, AA046906, AI065031, AW963552, AL121039, BG180320, AI702049, BG059139, AA157876, BE080768, AI567676, AI745666, AV732057, AW953437, N72678, H53546, AL044966, BF942991, BF679568, BF724416, AI003068, BG059924, AA640305, BF439153, H47461, AA507623, AI921744, AA935827, AW265468, BF589864, AA831714, AW020682, AI572680, AA601336, AI791720, AI791408, BE049409, AI114755, AW962971, AI828721, AU158433, BE244547, AI251024, AV730440, AW148821, AW474825, AA631915, AI791659, AA595661, AA610644, AW023975, AA657392, AW029626, AA834891, AI884404, AV743067, AI890283, BF944618, AI609992, AI797998, AW970856, BG223384, BE677164, BE150831, AW836225, AA658890, BE882869, AI031759, BF913232, AA493245, N55076, AA019793, AA523718, AI888050, H48017, AW576388, AV763460, AW192930, AI076729, AW021847, BF431825, AA652675, AI708565, AA315052, AI734076, AI281622, AI064968, AI538404, BF950367, AL138262, AA632355, BE676988, AA527633, AI052366, AI445699, BF849260, AI634466, AW960129, AL523272, AA411337, AI640905, AV729090, AI312267, AI570067, AV728973, AW675677, AI701898, BE676910, BF973510, AI889614, BG250794, AI571094, AW239465, BF725844, R92703, BE391183, AW028376, AA578711, AL590005.6, AC055740.17, AC090950.1, AL161757.4, AL391375.11, AL158063.12, AC022542.4, AP002898.1, AL161779.32, AL109804.41, AL157700.13, AL136123.19, AL359397.3, AL359273.11, AC007597.3, AP001781.4, AL121932.19, AL109847.5, AL109825.23, AL163209.2, AL390838.26, AC011740.7, AL138880.14, AL137918.4, AL139109.14, AL031229.2, AL035427.17, AL354937.12, AC005303.1, AC006249.1, AC006487.8, AP001713.1, AF334404.1, AC002312.1,

					AC018653.29, AL138499.4, AP000486.5, AC072061.8, AC005181.1, AL137818.3, AC011816.17, AL162430.15, AL158167.15, AL035400.13, AP000263.1, AL109758.2, AC005844.7, AL139396.17, AC025165.27, AP000080.1, AL354696.11, AC008651.7, AL354861.11, AL157915.3, AC010585.6, AC007256.5, AL513548.8, AC005779.1, AC007912.6, AL360227.17, AC008280.4, AC012150.16, AL109627.18, AC025436.2, AC008498.3, AF205588.1, Z95327.1, AL355305.9, AC068319.4, AL136418.4, AL139054.1, AL357075.17, AL022578.1, AP003548.2, AL132778.6, AB026898.1, AL132709.5, AL121989.12, AC005972.1, AL163301.2, AC002302.1, AL137129.4, AC034191.5, AC002550.1, AC007097.4, AL139021.6, AC006079.1, AL139095.15, AC011247.10, AL138755.13, AL021808.1, AC073964.3, AL121594.6, AL137782.9, AC016950.8, AL133328.13, AL137128.4, AC022367.34, AL138920.11, AC025207.5, AL357150.7, AC008536.6, AC005291.1, AC005754.1, AL049712.12, AL354816.5, AL513342.7, AL390039.10, AC002990.1, AF111167.2, AB020868.1, AL022069.1, AL355343.18, AL160411.25, AC005036.1, AC018719.4, AL139389.16, AC005228.1, AC002996.1, AL049835.3, AC090509.1, AC010000.5, AC090005.1, AL161936.15, AC020558.4, AL583856.6, AP002392.3, AL031643.1, AE000661.1, AC016608.5, AL162853.17, AL031659.9, AC005079.6, AC009953.4, AL121865.7, AL109854.10, AC002395.1, AL391601.6, AC073125.5, AL161892.9, AL133373.5, AC019184.3, AC009137.6, Z84483.1, AC002381.1, AC017099.11, AL162426.20, AL136234.12, AC009955.4, Z99716.4, AL117337.25, AL138743.5, AC011005.7, AC007543.4, AC004847.3, AC008901.5, AC009961.11, AL135783.6, AF229163.1, Z84480.1, AL122057.4, AL035455.30, AC016644.7, AJ400879.1, AL590387.7, AL158828.14, AC089985.14, AC069548.4, AC016831.1, AC009481.4, AC027129.5, AL022165.1, AL162503.12, AL022067.1, AC016705.4, AC002524.1, AL137140.12, AL109865.36, AC010583.5, Z98036.1, AC008518.3, AC008155.9, AL079295.1, AL033527.26, AC007277.2, AC007363.3, AL162231.20, AC013751.6, AL163218.2, AC068724.7, AE000658.1, AC006543.7, AP001646.4, AL451075.15, AC020601.10, AC012157.20, AC006581.16, AL360232.24, AP002534.1, AL132986.4, AC000353.27, AC007308.13, AP001727.1, AC008268.3, AL049646.19, AC006461.2, AL356118.15, AL445483.13, AC007345.5, AL442167.1, AC007956.5, AC006544.19, AC008569. 6.
HNHFM14	230	664507	1 - 283	15 - 297	AC020552.4.
HNHFO29	231	463568	1 - 685	15 - 699	N68677, BE063506, AA659190, AW063123, AW797598, AW337282, AW074332, BF844388, AA573067, BF844391, AA504679, AA578326, AW499708, BF678990, BF913236, AA749062, AA330576, AC060231.6, AC022027.5, AC023105.7, AL031005.1, AC007221.2, AP002852.3, AP000907.5, AC007541.9, AC020663.1, AC007263.4, AC027124.4, AC004217.1, AC008569.6, AL034379.8, AL022311.5, AF001551.1, AC011472.7, AC012512.7, AC009244.24, AL590763.1, AC018695.6, AL353804.22, AJ295844.1, Z79488.1, AC011114.5, AC011465.4, AC004159.1, AC004805.1, AL356805.5, AC017111.4, AL133477.16, AC005480.3, AL049871.4, AC002288.1, AP000338.2, AL354735.14, AL031120.1, AP000216.1, AC073316.6, AL031597.7,

					AL138724.12, AL121759.25, AL049793.4, AC018868.4, AC007225.2, AC012085.4, AC007421.12, AL590762.1, AL034377.1, AL139233.8, AL035420.15, Z83844.5, AL354773.8, AC006455.2, AC007110.3, AC005335.1, AC007365.3, AC007298.17, AC002980.1, AC004019.20, AC004477.1, AL139105.17, AC002045.1, AC005971.5, AL139385.12, AL359552.16, AC011500.7, AC010627.5, AC011445.6, AL109827.8, AC002394.1, AL109963.4, AC020906.6, AC011475.6, AC073542.4, AC006139.1, AC006319.3, AC090939.1, AC008543.7, AC073347.3, AC010422.7, AC011479.6, AC010878.4, AL450266.9, U73647.1, AL355385.15, AL121808.4, AL160492.5, AF172277.1, AC010768.9, AC005516.1, AE006639.1, AC010132.5, AC004797.1, AF228703.1, AF095725.1, AC020983.7, AL139022.4, AC019206.4, AC002301.1, AC005330.2, AC091529.1, AL139035.27, AC002126.1, AL132653.22, AC004150.8, AC006468.9, AC007064.27, AC004231.1, AC005940.3, AC006213.1, AD000812.1, AC005829.1, AC025457.5, AC002401.1, AL096791.12, AL162724.16, Z83838.2, AC006581.16, AL445263.6, AC011443.6, AC005323.1, AL441883.11, AC005031.1, AC004867.5, AL445465.10, AC090937.1, AL139317.5, AF126483.1, AL445483.13, AC011461.4, AL121591.3, AC006011.2, Z82215.1, AL109613. 11.
HNHNB29	232	895462	1 - 1880	15 - 1894	AI049955, AA904211, AI921765, AU146342, R98218, BF725178, BF337320, AA515728, AL524675, BF772474, BG057207, BE675681, BE063437, BF804385, AI962030, R74433, BF724699, AV656063, AI499954, AI653776, AI523074, AI362442, AU118374, AW023302, AW957372, BE150793, AV763026, AV763058, BE281645, AW410354, AL038842, AW963444, AW403829, AA503298, AI709307, AW023111, AA825827, AV756491, AU158454, BF877926, AA713705, BG236484, AI735609, AW082104, AW780190, AV760014, AI254779, AA558404, AV719392, AA502532, AI114704, AA833875, AA833896, AA832145, AW957600, AA644090, BE072475, AW575605, AV703785, AW503420, AW973992, AI802087, BE301610, AW302017, AV738383, AW237905, AI859438, BF760573, AW962611, AV733437, BF944736, AV647070, AW513789, BG110818, AA581247, AI687343, BF854308, AW970958, AW615560, AI755057, AU157093, AI821987, BG222875, AA714110, AI732869, AA811741, AW849714, AL079734, AI889995, AA452887, AW978041, AV740009, AV764259, AA084609, H63660, AI587349, AW965008, AW190484, BE677244, AW501542, AW236219, BF217723, AA056248, AW843204, AV695478, AA633875, AW978591, AW192373, AW957154, AA604831, AW303872, AI141130, BF977305, AA297776, AI160786, AU151428, AU150634, AW083934, AA613624, AW051819, AI961983, BE968477, AW510513, AI417469, AC084881.19, Y10196.1, AL357515.26, AC005736.1, AL139396.17, AL356415.26, AC006241.1, AC006121.1, AL590763.1, AL022316.2, AL096677.21, AC016597.4, AF053356.1, AC002996.1, AL158040.13, AC012320.6, AC013434.8, AL109843.25, AC009194.8, AL356020.3, AC002425.1, AL133448.4, AC020916.7, AC005081.3, AL161731.20, AC078846.2, Z83819.1, AC011247.10, AL139317.5, AL022323.7, U95090.1, AC007225.2, AC083884.6, D86995.1, AC020913.6, AL356915.19, AL050349.27, AC023425.20, AC034242.5, AP001705.1, AC008946.6, Z95331.2, AP002008.5, Z98752.16, AC005920.1,

					AL157838.24, AL135839.15, Z93023.1, AC002045.1, AC005522.2, AC010419.5, AC016655.6, AC008616.6, AP001718.1, AL161669.5, AL035684.25, AP001752.1, AC002369.1, U95739.1, AC026794.4, AC015982.9, AL121586.31, AC009087.4, AC026202.6, AC008733.7, AL133477.16, AC005015.2, AL023575.1, AC007685.2, AC008397.7, AC018644.6, AL137061.12, AP001922.4, AC011442.5, AC006430.22, AC008766.4, AL132639.4, AC018821.4, AC006334.3, AC002492.1, AL157372.18, AC002073.1, AP000501.1, AC011465.4, AC022404.7, AC018639.8, AL135783.6, AL358434.16, AL031295.1, AL353807.18, AL157791.4, Z99716.4, Z83844.5, AP001709.1, AL031311.1, AC006040.3, AC067941.7, AC009032.7, AC007404.4, AL022326.1, AC018523.9, AC008755.6, AC008622.5, AC009996.7, AC008403.6, AC000353.27, AP001728.1, AP002007.4, AP000152.1, AC011287.4, AL021026.1, AC090950.1, AL049643.12, AL392106.4, AP001711.1, AC006028.3, AC008745.6, Z83822.1, AL136040.5, AC025280.4, AC010150.3, AB001523.1, AL159191.4, AC078957.16, AC020906.6, AL096701.14, AL138920.11, AC010271.6, AC022116.5, AL162426.20, AC004685.1, AC025159.28, AL139353.3, AF139813.1, AC007462.2, AC008904.6, AC013355.7, AL390241.19, AC022217.5, AC009165.6, AC004491.1, AP001670.1, AC007546.5, AL121899.37, AL162584.9, AB000882.1, AL121652.2, AC004000.1, AL139099.2, AC034251.5, AL136300.22, AC022425.6, AL031843.2, AL163032.3, AL162503.12, AC011472.7, AC009365.9, AL049757.14, AP001753.1, AC007249.5, AL354864.16, AC005006.2, AL117381.32, AC072052.6, AC027644.9, AC011508.4, AC074344.5, AL365475.1, AC002375.1, AF104455.1, AC000134.14, AC004840.3, AL139186.16, AL139809.16, AC007383.4, AP002851.2, AL118497.9, AL137078.20, AL022159.1, AC003025.1, AC005014.1, AC011479.6, AC007220.4, AC007242.3, AC084865.2, AL109759.4, AC012099.4, AL035604.15, AC005088.2, AC005666.1, AC006013.3, AC006205.7, AC084732.1, Z98044.13, AL137853.12, AL118502.38, AL390211.1, AL078461.38, AC008264.10, Z83826.12, AF124523.1, AC004975.2, AL133153.3, AL158214.33, AD000671.1, AF312915.1, AF279660.2, Z94044.1, AL021546.1, AC009269.6, AC010742.4, AF196779.1, AL031228.1, AC004099.1, AC008962.8, AC008626.5, AC011452.6, AL354735.14, AL354928.9, AC002314.1, AL449264.18, AL118506.27, AC021016.4, U80017.1, AC004477.1, AC008738.6, AC003085.1, AC004230.1, AJ295844.1, AC007114.7, AL109801.13, AC010378.6, AF200465.1, AJ300188.1, AC004832.3, AC005057.2, AC020915.6, Z97054.1, AC007664.12, AC009220.10, U91326.1, AL031433.4, AP001727.1, AC004757.1, AL109798.19, AC008074.3, AC003962.1, AC005228.1, AL133551. 13.
HNHOD46	233	843488	1 - 1341	15 - 1355	AV700498, BG164166, AV700988, AV700545, AL037632, AV762783, BG260565, AV714931, AV760723, AF074667, BF792326, AF034176, BE796439, AW962035, AW976010, AA524604, AV760360, BE541237, AU118837, AV719941, BF678427, AL138265, AW188427, AV733710, AL048626, AU117926, BE909125, AV764490, AU119532, BE067011, AL534817, AV699709, AV686853, AV722030, BE393367, BE538259, AA708751, AI732911, BF346320, AW970915, AA526787, AW131249, AU147226, AV763174, AV760497, BF805173, BF968141, AV762900,

				AV759711, AV759356, AV760364, BF307044, AV762902, BF679169, AV759686, AV762779, AW963982, AL042906, AV759684, AV762001, AV759683, AL135377, AV734543, AW408643, AU155227, AV759046, AA601355, BF913258, BE273856, AL044340, AA081138, AI952885, AA584482, AV734401, AL042905, AV722075, AV737621, BF666736, AA211734, AW080062, AV762002, AV761309, AI791227, AW961160, AV763305, AI038990, AV759172, AW102955, AA708108, BF381650, BF828714, AI685198, AI679294, BE066950, AV763952, AA831913, AI679871, AU145521, AI204309, AW151713, AW069670, AA481760, BF892846, AW130036, AV763135, AU140392, AA284247, AW102811, AA722372, AW008212, AU158859, AA640277, U51704, AU155168, BG258140, AW088689, AU155048, AA577824, BE387734, BE867712, AL119123, AW079809, AA601326, BF968610, AA515829, AC008440.8, AC011531.7, AC002302.1, AC027319.5, AC005484.2, AC005972.1, AC010469.7, AL109743.4, AC005077.5, AL035398.19, AC020916.7, AC022211.5, AC002301.1, AC018808.4, AP001711.1, AC008745.6, AC000052.16, AL035587.5, AC008720.6, AC007421.12, AC003101.1, AC034193.4, AC025593.5, AC006511.5, AF045555.1, AC007374.6, AL096814.26, AC005081.3, AL445685.17, AJ400877.1, AC004985.2, AC020558.4, AC009516.19, AC008443.8, AL031447.4, AC006028.3, AL121992.24, AC011465.4, AC008655.6, AC008616.6, AL135928.6, AL513550.9, AL031295.1, AL050335.32, AL049780.4, AC005052.2, AL390060.14, AC011005.7, AP001717.1, AB023049.1, AC007000.2, U82668.1, AC005840.2, AC006530.4, AF111168.2, AC018809.4, AC002477.1, AC011443.6, AC018751.30, AC008622.5, AC023058.17, L78833.1, AC007956.5, Z85986.1, AC072052.6, AL137067.7, AC018635.6, AC002059.3, AC004824.3, AC026172.3, AC018506.4, AP000116.1, AL135927.14, AC007227.3, AL445248.7, AL590763.1, AC005914.1, AP001727.1, AL158207.15, AC010320.9, AP000557.2, AL050318.13, AL139809.16, AC008764.7, AC004882.2, AC007731.14, AJ312686.1, AC008969.5, AC004965.2, AC005037.2, AC000353.27, AC027130.5, AC087590.1, AL513008.14, AC005520.2, AC005088.2, AL133244.1, AC008551.5, AL109976.23, AC011461.4, AL132639.4, AC005089.2, AC010492.7, AC009244.24, AC006930.1, AC007318.4, AC005098.2, AC005399.19, AC005529.7, AC004859.2, AL031584.1, AL160471.5, AL391139.19, AF111169.2, AL133448.4, AL451125.7, AP001670.1, AC011890.4, AC005231.2, AF030453.1, AC010527.5, AL034420.16, AC009247.12, AC010328.4, AC073657.5, AC006120.1, AL117692.5, AP000512.1, AL161452.19, AC022382.3, AL445435.11, AC005722.1, AC005632.2, AL162426.20, AL138721.16, AL163636.6, AL049766.14, AL137792.11, AL391827.18, AC004815.2, AL135901.23, AC020983.7, AC021036.5, AL162724.16, AL590762.1, AC011500.7, AC005736.1, AL022312.7, AP003357.2, AL158830.17, AC004089.25, AC006538.1, AP000212.1, AC008760.6, AL450226.1, AL163249.2, AC009002.5, AL121658.2, AF200465.1, AC025438.5, AC091118.2, AC008736.6, AL121601.13, AC004583.1, AC019205.4, AC010326.6, AC007676.19, AC018638.5, AC008755.6, AF001549.1, AC003109.1, AC009194.8, AL021578.4, AF064861.1, AC011247.10, AL354808.24, AP001718.1, AL355480.22, AC005015.2,

					AL079335.29, AC002299.1, AL035086.12, AC005368.1, AL357515.26, AF168787.1, AC074270.25, Z95152.1, AC002470.17, AP001752.1, AC005070.1, AC005332.1, AC005619.1, AC010458.5, AF196779.1, AC006285.11, AC010422.7, AC010463.6, AC004813.2, AC024561.4, AC007097.4, AC005280.3, AL096701.14, AC002985.1, AC007957.36, AL034379.8, AC004257.1, AL033529.25, AL359092.14, Z93023.1, AP001725.1, AL357560.11, AC022261.8, AL031681.16, AC025166.7, AC007999.12, AC005874.3, AF134471.1, AC016025.12, AC006254.10, AC004148.1, U95742.1, AC026464.6, AC011462.4, AC005821.1, AC003110.1, AC009756.9, AC011442.5, U78027.1, AC007619.22, AC010605.4, AL117344.12, AL121975.9, AL136300.22, AC006337.4, AL157838.24, AL158040.13, AC006970.6, AC007488.15, AC000026.3, AC008687.4, AC018720.5, Z84487.2, AL445222.9, AL132855.4, AC006480.3, AL031286.1, AC004906.3, AF196971.1, Z83843.1, AC003043. 1.
HNHOG73	234	835026	1 - 788	15 - 802	AA584096, BF853760, AL137798.8, AL049569.13, AL137802. 7.
HNTBI26	235	1310821	1 - 1368	15 - 1382	AL528533, AL520935, AL521290, AL515806, AL520965, BE293492, AL520936, AL515807, AW972854, AV753139, BG178370, BF968317, AL520966, BE780476, BE305183, AI678037, AW293248, AL521291, AI269883, BF978348, AA894746, AI493776, AA778869, AI424848, AA525497, BF307374, AA622403, BG109953, N21347, AI095265, BF792489, AL519236, AA564674, BE249905, AI268502, AA995849, AA894745, AI249680, AW087844, AI300762, N72839, AI244187, AI089147, AI368934, AI740804, AI339842, AW516709, BF315359, AI335796, AW192649, AW801578, N28008, AI095231, BF977145, BF977663, BF765528, BE778762, BE875935, AI951011, BF669511, BG033337, AW393151, AL519237, AW819092, AW393138, BE868896, AV691113, BE875559, AV693124, BF976999, BF690855, AI127890, BE293585, AW984556, BF994881, AW090182, W76593, AA362394, AI906642, BE741647, T57136, AW753803, BF813621, AA533658, BF882501, AI638644, AI370623, AI698391, AA806720, T49776, AW008226, AI568293, AI332957, BE393784, AI590043, AI954721, AW128834, AI364167, AI419826, AW166870, AI884318, AI685005, AI473799, AI699823, AI440239, AI956080, AI393038, AI889189, AI621341, BG119543, AW166583, AW105296, AI580451, AI634345, BE966496, AI619820, AI570807, AW834282, AI499570, AI500113, AI620864, AI684369, AI633125, AW983832, AW103928, BF752997, BF727091, BF761618, AI254731, AW087934, AI802542, BE964556, AI927233, AI538564, AI270706, AW148882, AI915291, AW152182, N21402, AL046466, AA019328, BF811804, AI678446, AI473536, BF669151, AA102339, AW130362, AI653402, AI869765, AI270183, AI613038, BE965129, BG122005, AI950729, AI540821, AI700358, AI266652, AI701097, AW004606, AW198090, AW262552, AI934011, AI282669, AI349482, AI612913, AW084873, AI125015, BE963426, AI695857, AI636588, AI610446, AI572096, AI689157, AW075671, BF812960, BF996654, AI799183, AI687127, AI866419, AI824688, AI866040, AI824576, BE895003, AI683563, AW029489, AI540350, AI499890, BE963355, AI951950, BF724420, BG251076, AI421149, AI567513, AI866469, AI932966, AW129659, AI474146, AI298321, BE275487, AI816306, BE961919, AI539260, AW243451, AL080011, AA878142, AI567769, AV720998, AI524626, AI096481, AI470717, BF814527, AW102794, BE963310, AI478723, AI800341, AW089726, AI912434, AI648509,

					AI499963, AI673363, AF086351.1, AL117587.1, AL050366.1, BC008591.1, AB056106.1, X78627.1, X99971.1, BC004945.1, BC005825.1, AL080159.1, BC001199.1, BC003573.1, AL080148.1, AL080146.1, AK027095.1, AL136752.1, AC004942.1, AB047627.1, X68560.1, BC004416.1, AL133619.1, BC006181.1, AL133084.1, AF044323.1, BC004373.1, AK027052.1, AK026408.1, AL133653.1, AL133559.1, AF126488.1, BC008063.1, AL136850.1, BC001236.1, BC002373.1, Z82022.1, BC005123.1, AL139099.2, AL162066.1, AK025350.1, AL110280.1, AB056420.1, BC006345.1, AB050431.1, BC002349.1, Y14314.1, AK026210.1, AL137682.1, AC006288.1, AF115392.1, AK026182.1, AL133062.1, AL162729.8, BC008708.1, AK026746.1, AL357195.1, AL050155.1, BC002849.1, AB047878.1, AK000484.1, AJ299431.1, L25851.2, AC016706.6, BC004349.1, AL050149.1, AL137478. 1.
HNTBL27	236	545534	1 - 777	15 - 791	AW169270, BF475369, AL524823, BE903984, AL530691, BE536833, BG230736, BE881512, BF033804, AA716162, AW183635, AI188277, AI141766, AI624087, AW173452, AI129419, AI683124, BE903838, AI828817, AI308087, BE544869, BF061917, AW291854, BE880241, AW471490, AW615124, AA701470, BF447518, AW025680, BF094269, AW449210, AA315210, BG251005, AW504333, AI239598, BE697836, BE742666, AI284846, AI355748, BE899398, BG027544, BF352604, AW376334, AW376337, AW752527, AW194025, AI890712, AI565340, BC006846. 1.
HNTCE26	237	1160395	1 - 2149	15 - 2163	BG252201, AV726464, AL529709, BE894106, AV726994, BF970560, BF132059, BF977798, AI703275, AW512938, BG164577, AL529708, AI767521, AI823746, BE220262, AA583438, AI143608, AW468337, AI949854, AV727138, AI620344, AI209187, AI630993, BG007081, AI004986, AI565892, AV715169, AI367983, BF056815, AW394003, R70620, BG007658, AA152183, BF381743, AA565300, AA088574, AA931697, AA995899, AI025252, AA297479, T84083, AW138535, H71679, Z45535, AA297478, AI865989, AA367654, AA150060, AA044326, AW338484, D29436, R24591, AI005551, H00983, H39751, AI669105, T83438, BF091777, AW138127, R21165; BF083909, BE934286, R76620, AA971307, AA745052, AW945769, AI554153, T84151, BE550213, H01724, AW051517, AW373316, AW373313, T89390, BF083903, BE541509, AA180271, AI263504, AF303588.1, AF140242.1, AL133390.7, AF056032. 1.
HNTNI01	238	1352285	1 - 2073	15 - 2087	AA447485, AA196688, M86015, AI750365, R13985, BF356780, N28763, AC005028. 1.
HODDF13	239	684307	1 - 816	15 - 830	AC011245.8.
HODDN92	240	422913	1 - 1925	15 - 1939	BG116781, BG110501, BE150456, AI742087, AA453725, AI917507, AW769479, AI860142, BE326465, AI459289, AI860141, AW963123; BE646467, AA868553, AW872412, AW971193, AW277065, AI921333, BF576826, AI024689, BE466760, AI354470, AI005467, AW103830, BE045272, AI827987, AA442638, BF109829, AA813604, N28268, AA442648, AA563934, N63406, AA833517, AA663108, AA437299, AA632986, AA436880, N58885, AA812876, AA447794, AA442379, N58892, AW020895, AA522837, AA600372, AA229448, T78981, AA663178, AV693238, AI187977, AV696576, AI472712, AA229164, T85178, AW270324, AV683374, R64648, AA333708, AA703066, AW961515, BE093710, T78927, R64655, BF802058, R95914, T84294, AA551512, AA460220, AI916737, R31132, AA359583, AI217018, N56349, AI191725, BE835233, BE835385, T84796,

					AV741009, BE835410, AI084517, N83238, AW362842, AA247541, R31089, T91125, AA493776, BE818350, BE818352, AI253986, R31247, AW303285, N95696, BE708493, AA678297, AI003856, BE818343, N95562, AW024721, AA862707, N95587, AA401399, AA399957, AW511080, AL157879.7, AL021368.1, AL009030.15, AL049987.1, AL133255.13, AL390738. 4.
HODGE68	242	834907	1 - 837	15 - 851	AW812930, AI741403, AI193921, AA292663, AW812933, AV707090, BF892766, AA528261, AA513570, BE152032, AW812788, AL139296.4, AL355886.4, AL512449.6, AL360179.8, AC005284.1, AC011246.6, D84394.1, AC034245.4, AC012361.10, AL133373.5, AC027287.20, AL078634.24, AC012039.10, AB020863.1, AL158064.16, AL138758.7, AC034240.4, AL121575.24, AC016045.8, AL157819. 15.
HOEDB32	243	634994	1 - 1448	15 - 1462	BE728085, BF525463, AL043598, BE379024, BE729709, BE388931, BF058202, BE389160, BF219910, AA937045, BE888648, BF983683, BF058514, BE729777, BE386542, BE270287, BF220144, BF732488, BF205132, N37022, AI806995, BE302761, AI218926, AI040017, AV700992, BF204637, AW269653, AW664365, BF851636, AA558441, AI971923, BE389935, AI971822, AI984087, BF109553, BE149505, AI371806, BE466285, N63999, AI218921, BE896831, AW105333, AW264122, H97490, BF830445, AW410288, AW856197, AI041603, AW469216, N28797, BE379424, AW662759, AI218000, AI283819, AA789225, AA916425, W67366, AI354311, AW517796, AI343922, AA872912, BE207555, AW410287, AI751344, AI537028, AW379887, AI469495, N23215, AA305895, AV700226, AI399649, AW602751, AI857609, BF832669, BF738545, BF732356, AW960917, W67367, AI093054, AW132083, AA613324, AI220983, AW241183, AJ239424, AW876666, N32087, AI126987, AA722964, BF361409, AI312696, AI193728, H93764, W24695, H11009, AW876671, BF515670, AA166810, AI754948, AA166918, N93890, N93062, H92111, AI208255, AA994700, AA341436, AL043597, AI751345, T58592, R57961, BF929058, AI015141, AA375135, C01839, H14764, AW889983, D12283, BF755440, H06898, AI868297, AA594530, AA303707, AA535409, AA373071, AA885934, AA359174, AI280938, D83887, AW889975, N88528, BE673462, AA341295, BF088497, AA090557, H06857, BF512261, BC000526.1, AL117619.1, AF132000.1, AC003687.1, AL049873.3, AL450324. 10.
HOFMQ33	244	1184465	1 - 2396	15 - 2410	AL528504, AU121718, AI820674, T94707, AJ224741.1, Y13341.1, AC079145.3, AJ001047. 1.
HOFMT75	245	911180	1 - 2117	15 - 2131	AL532142, BG260401, BF688316, BF796465, BE907259, BE878185, BF311180, BF182869, BF793219, BF528084, BG164901, BF025894, BF343463, BF027348, BE615276, BF339485, BG251657, BF340866, BE869513, BG168879, BF312304, BF344218, BG035574, BE909308, BF317451, BF346215, BF569244, BF569508, BF341893, BG164819, BG251015, BE876727, BE314260, AU119847, AW732268, AV691326, BF346288, BE907910, BE792057, BF314016, BE386414, BE787546, BF337708, BE384083, BF032872, BF308223, BF982476, BF313919, BF967499, BE272948, BE878890, BE272586, BE878055, BF853224, BE386215, BG035861, BF686718, BF569555, BE907675, AL036113, BE262510, BE261041, BG114738, BF315298, AU141949, BG171668, BE383392, BE906327, BF316184, BF846927, BE871813, BE780677, BE266551, BF316458, BE793972, BE870259, AI869324, BG171700, BG251535, BE302664, BE261412, BE905686, BF314291, BF528326, BE018644, BF846926, BF338012, BF344721, BE170034, BE797588, BF725914, BF313723, BE295702, BE539065,

				BE789580, BF526208, BE547474, AA433879, BF312413, BE735885, BE260798, BF724105, AW601604, BF724433, BE736776, BF314509, BE906884, AL526830, AW068684, BF312224, BF807244, BE890682, AL045190, BF344403, AW239170, BG165173, BE382506, BF872251, BE909949, AW630822, N20475, BF026564, BG178360, BE294687, BE867221, AW403966, BE392521, BE167525, BF985419, AW179034, BF872266, BF743019, AW239410, AW375966, BE277237, BE276165, BE276172, AW402407, BE543928, BE062186, BF378665, BF087437, BF880137, BE567147, BE938659, BE617502, AW067770, BF868761, BE336783, BE312715, AA057554, BG004418, BF985426, AW841776, BF851414, BF872268, AA410697, BE908992, BF883702, BE538481, AW884175, AI752785, BE542584, BG168264, BF883546, AW067904, AW068103, BE697629, BE697634, BF764898, BF870917, AW797744, R88501, AA074710, BE697637, BE717209, BF761588, H10878, BG164643, AI868439, AA603295, BF125971, AI751896, BF063288, BF846855, BG116325, BE174856, BF880542, BF304390, BE875185, AI909381, AW889411, BE796125, BF724712, R87863, BF817489, BG167275, BF380296, BF087740, BE006180, BF087690, BE075860, BE905813, AA852669, R88022, BF087652, BF087788, R87854, BF815395, BF354394, BE932097, F05545, BE707522, AW372168, M11233.1, X05344.1, M63138.1, M63135.1, M63136.1, BC008983.1, AK024538.1, AK026534.1, BC008382.1, AB056768.1, AK026592.1, AF090900.1, AK027204.1, AK026464.1, AK000432.1, BC004370.1, U39656.1, AB063008.1, AL080060.1, AL122098.1, AB063084.1, AL080127.1, AL136768.1, AK026452.1, AL390167.1, AF348209.1, AL353625.5, AF078844.1, AK027116.1, AL050393.1, AL512718.1, Z82022.1, AL080137.1, AK026551.1, AF271350.1, AL122121.1, BC005890.1, BC003687.1, BC006164.1, AK026045.1, BC004951.1, AF177336.1, AL117585.1, AL050108.1, AL136799.1, AL050138.1, AK026865.1, AL133104.1, AL512719.1, AK024524.1, AB056420.1, AF207829.1, AB063079.1, AL110221.1, AK024588.1, AK026542.1, AK000137.1, AL049464.1, AL359618.1, AL050277.1, BC004958.1, BC008387.1, AK025524.1, AK026532.1, BC008488.1, AL442072.1, AK000718.1, AK026408.1, AK000652.1, AL049466.1, BC009033.1, AK000647.1, AL389978.1, AF217966.1, AK026583.1, AK026642.1, AL049382.1, X69819.1, BC006807.1, BC001349.1, BC008485.1, BC007198.1, AF090901.1, AL133072.1, AL136787.1, AF104032.1, X72889.1, AF003737.1, BC008070.1, AK026480.1, AL512684.1, AL080159.1, AL133640.1, AB060883.1, BC005678.1, AK025958.1, AK000486.1, AK025092.1, BC001045.1, AL136915.1, AK025632.1, AL133016.1, AK025254.1, AK000323.1, AL157431.1, AF146568.1, AL133565.1, AB019565.1, AL136805.1, AL136864.1, AL162008.1, AL512733.1, AB060825.1, AL359615.1, AL359620.1, AL136928.1, AL359941.1, AB048964.1, AF218014.1, BC005168.1, AL080124.1, AB052191.1, BC003683.1, AK026947.1, AL133093.1, BC008417.1, AK026597.1, AK025414.1, S78214.1, AB060916.1, AL050146.1, AK026608.1, AB060852.1, AL162062.1, AF125948.1, AK026593.1, BC009341.1, AL136892.1, BC008280.1, AJ012755.1, AL137556.1, AF090934.1, Y16645.1, AK026629.1, AF090943.1, AK026528.1, AL050024.1, BC002839.1, AL110196.1, AL512761.1, AB047615.1, AF225424.1, AL359596.1, AL050172.1, AB055366.1, AB060929.1, AL137538.1, AK027164.1, AK026630.1,

					AL136843.1, AB055303.1, AB060887.1, AK025312.1, BC003684.1, AK025772.1, AK025484.1, AL136586.1, U80742.1, AL137463.1, X65873.1, AF111112.1, AL389982.1, AL162002.1, AF162270.1, AK027113.1, AL122049.1, AK026086.1, AL122050.1, AK025906.1, AL512754.1, AB055374.1, AB050534.1, AL359583.1, AB056421.1, AL136844.1, AK025209.1, AL137271.1, AL512746.1, AB047801.1, AB062938.1, AL133557.1, AL133075.1, Y14314.1, AB049758.1, AL096744.1, AL133077.1, AL133014.1, BC008365.1, AL133113.1, AL137527.1, BC006412.1, AF106862.1, BC006195.1, AB051158.1, AB055361.1, AK026855.1, AL389939.1, AL442082.1, AF183393.1, BC007021.1, AF125949.1, AB055315.1, BC007326.1, AK026533.1, AB060912.1, AL049452.1, AK026504.1, AK026526.1, BC005151.1, AB048953.1, AL137550.1, AB063070.1, AB047904.1, AB056427.1, AL049314.1, AL117583. 1.
HOFNY91	246	847425	1 - 2392	15 - 2406	AL529530, BE896219, BE905006, BF701370, AV726968, BF697098, D56471, AA398982, D54791, AW952054, D54998, AA137223, D52957, AL529529, BF667411, AV722244, BE539516, AW603940, BG252620, R33682, D53702, AL537902, BG171582, AW752566, BE874188, R79409, BE891332, BE888598, BG180774, AA702285, D52438, AA306169, F00618, M78614, AW965817, BF515338, BF091420, AW847750, AA307191, AA446770, BE785930, AW157201, AW801965, BF031768, T31797, BF031629, AA658190, D52945, BE565940, AA157919, AA136378, AA150656, AW162647, AA282187, AI684319, BE540207, BF028795, H22397, AW847690, AW293605, AI457838, AA938423, T36093, BE878093, T30493, BG251689, BF341242, AW847685, BG169305, BF115649, BG166888, AV727838, BE739764, BF207904, BE738987, AV725549, AV726582, BE865924, BE866601, BE811512, BF028097, BF028440, AA155611, BF030153, AW070701, AA357234, D55509, BF028402, BF208666, BG054885, BF947687, AW997229, BE699329, BG164817, AV727582, AW750879, BG258115, BF446900, BG151519, BF001920, AW300512, AA639868, AA256021, W23904, BE866188, AI925691, R56031, AW379828, H08997, AI904379, AI632020, AW029553, AI950933, BG104880, AA828915, AI904416, AI986473, BF131266, BF588526, BF433181, AI125136, BF476107, AW770808, AA399621, AW801803, AI978599, AI700677, BE184726, BE184725, R35739, N52155, AB024334.1, AK024230.1, AC006388. 3.
HOFOC73	247	931871	1 - 1477	15 - 1491	BF195687, AI762843, BF435173, AW167715, BE675436, AI829951, BF195590, AW517368, AI831464, BF110813, BF939079, AW573230, BE747230, AI760936, BF348602, AA418800, AI870845, AI420441, AI377190, BF196297, N32270, AI813507, AI313119, AI472198, AI340272, AA502942, AI363372, AI806717, AI479956, AA861188, AI073435, AI128897, AI799480, N35138, AA832426, AW753935, AA421515, AW362239, AA258517, AI907351, AA789084, BF924856, H42825, F35882, BF814541, AW409775, AW265004, AA830821, AW089179, AL133741, AA835966, BG029053, BE781369, AI696969, AI565172, AW089006, BE965169, BF527012, AA807088, BE048071, AI567637, AW088899, AI571868, BF725863, BF970263, AI244380, AL119791, BG058039, AW020419, BE964497, AW999906, BE785868, AI400725, AL046463, AI874166, AI922577, AI874151, AW081034, AI620093, AI282903, AI280661, AW193203, AA603709, AI570966, BG260144, BE061389, AI537617, AI919345, BG027628, AW130863, BF915537, AW834355, BF815196,

				AI648567, BE963918, BF915208, BE072233, AI952302, AI805638, AI366549, AI636719, AI539153, BE964767, AW085786, BE538466, BF904180, BE172499, BE963286, AL036638, AI857760, AA568405, AI611743, AI689420, AW083804, AI696626, AI633477, AV757067, AI589993, AI365256, T99953, BG105895, AL038505, BF814449, AW022682, BE393551, AA464646, AI963062, BF817746, AI886055, AI472536, AI677797, AW999599, AF009923.1, AL109840.24, AC010102.3, BC008142.1, AF136273.1, AF032906.1, AF136275.1, AL389978.1, BC004874.1, AK024538.1, AK025383.1, AK000137.1, AB063079.1, AL359600.1, BC004265.1, AK026624.1, BC001349.1, AF262032.1, AB063074.1, AF188698.1, BC007355.1, AK000421.1, AF069506.1, BC009253.1, BC008382.1, BC004908.1, AL359620.1, AK027868.1, BC007456.1, J05032.1, AF090886.1, AL137292.1, BC002454.1, AB063008.1, BC001045.1, AL133016.1, AF078844.1, BC004529.1, BC007255.1, BC008488.1, AF125949.1, BC000556.1, BC008893.1, AL080060.1, AL049382.1, BC007534.1, AL389935.1, AB019565.1, BC005007.1, AK025708.1, AL162006.1, U42031.1, AL096751.1, BC007389.1, AL136692.1, AL050277.1, AL512719.1, AF067420.1, BC005678.1, AK024588.1, BC003650.1, AK024601.1, AL122111.1, AB048975.1, AK000647.1, BC003548.1, AL137521.1, U91329.1, AL137665.1, AL117432.1, AF271350.1, AL133104.1, AL110196.1, AK000445.1, AF218014.1, BC006164.1, AK026522.1, AK026626.1, AL133081.1, AK025958.1, AF217987.1, AB048974.1, BC000316.1, AK027164.1, AL117457.1, AB062978.1, AL137300.1, AB056768.1, U77594.1, U39656.1, BC004370.1, AB049848.1, AK000652.1, AL512754.1, AB056427.1, AB060211.1, BC008785.1, BC003682.1, BC008417.1, AK000753.1, BC008282.1, AL133014.1, BC006201.1, BC006412.1, S76508.1, AF081197.1, AF081195.1, BC003687.1, AF239683.1, AF348209.1, AL353625.5, AL117648.1, AL137429.1, AK026533.1, AK026504.1, BC006508.1, AL512761.1, AF305835.1, AB049758.1, AF217991.1, AL122121.1, BC006133.1, BC005835.1, AF091084.1, AF162270.1, AF159141.1, AK026642.1, AB060905.1, AB056421.1, AK024974.1, AK027081.1, M92439.1, AL390167.1, AL080086.1, AL080074.1, BC000550.1, BC002647.1, AB063070.1, AK000432.1, BC003602.1, AB050510.1, BC007391.1, BC008673.1, AK026526.1, AB060852.1, AF303581.1, AF178432.1, AL136586.1, AL389939.1, AJ006417.1, AK026353.1, AB047615.1, AB047897.1, BC008040.1, BC008280.1, AK025573.1, AF219137.1, AL110221.1, BC007998.1, AL442072.1, AL137527.1, AL050393.1, AK000450.1, BC000348.1, AK026591.1, AL136790.1, AC006451.5, AF012536.1, AL049460.1, BC007280.1, AF218031.1, AL133645.1, AK025375.1, AK025541.1, AB063084.1, AK026452.1, U00686.1, AF040751.1, S77771.1, BC008025.1, AL080137.1, AL049465.1, BC000785.1, AK024546.1, AF000145.1, AL137537.1, BC004533.1, AK027116.1, BC003052.1, AK024524.1, BC006210.1, BC005858.1, AK026086.1, AB047887.1, AB060837.1, AK027161.1, AK026647.1, AK026947.1, AB060929.1, BC008485.1, AL122098.1, AL080158.1, AB056809.1, S69510.1, BC004244.1, BC007346.1, AL359618.1, X65873.1, S78214.1, BC006195.1, AK026600.1, BC008455.1, AL080124.1, AL137463.1, S61953.1, BC008780.1, BC007326.1, AL122049.1, AL137526.1, AL136767.1, BC009403.1, AK000391.1, AB048964.1, AK025391.1, AK026528.1, AF245044.1, AK026597.1,

					AL122050.1, BC008899.1, AK026855.1, BC001967.1, AK026164.1, AF225424.1, AB047941.1, X69819.1, AK026959.1, AL117583.1, AL136844.1, AL133098.1, AK027182.1, AL512746.1, AK026746.1, BC000090.1, AB047801.1, AK025431.1, AL133557.1, AL117649. 1.
HOGAW62	248	579891	1 - 557	15 - 571	BF673679, BF340318, BF681126, AW630816, AW630056, BF684524, AI471808, D31084, BE932204, BE778532, AI365605.
HOHCH55	249	827481	1 - 2485	15 - 2499	AW967050, BF793252, AA150407, AI889756, AW068908, AI539422, AI189000, AA149419, AA047109, AW304902, AI750990, AI123024, AA317245, AI752854, AI095919, AI984090, AI679980, AI954496, AA047265, BF749346, AW068311, AA136657, AA417383, AA446268, BE763257, AA136596, AA852682, BG222753, AA150286, AA417352, N52533, N52541, AA149305, AI129506, AA723730, BF987955, C01867, AA445992, BF928215, AF072752.1, AB008375.1, AL160153.11, AL355807.11, AL139800.10, AL359052. 1.
HOQBJ82	250	1352356	1 - 3516	15 - 3530	BE904978, BE383830, BE890564, BE729647, BE732309, BE789481, BE886173, BE733387, BE386405, BG258301, BE383286, BF125887, BE777790, BE280391, BE515074, AI459129, BE281548, BE644930, AI660728, BE894488, AW749978, AW169336, AW370341, AA719364, AW452738, BG256682, BF439379, AI361918, AW188152, AI690424, AI810025, AA281766, BE890960, AI150426, AI587146, AA630686, AI160979, AI741787, AA634292, AW264224, AA824631, BE207252, AW900280, AI689370, AA233695, BF125572, AA351589, AA769227, AI351341, AW029513, R41719, AI985709, AA634567, AW269038, AA351643, AW674550, R36553, H23984, H22704, AI819095, AA984407, AA355743, AW408651, AA973659, AI538888, T58501, AW661810, AA649086, AI933293, AI673569, BG057154, AI364341, R32827, AA973736, AW273585, AI497846, BF755875, BF927524, AW615711, AA356192, BF963119, BE501436, AA937403, R17171, AA353188, AA922835, AA026761, T99539, R27062, AA280121, H63038, R32930, AI537859, AI796641, BF927128, AI250269, D81030, AA693444, R27063, AV723591, R06448, AW375956, N56014, AA126901, AI276126, AI963082, BG222601, AW964936, BF345885, BF448000, BG002228, AA806733, AW802995, BF346206, AW410405, BF307973, BF755869, T58551, AA905213, BF346212, AJ305226.1, AJ305227.1, AL136564.1, AL035681. 13.
HOSBY40	251	589431	1 - 1131	15 - 1145	BE465874, BE465890, AW418562, AW814995, AA721114, AC002543. 1.
HOSDJ25	252	854234	1 - 2200	15 - 2214	AL521533, BF966564, BG109192, BE621548, BG259805, BF666690, BF667661, BF185318, BF666019, BE621125, AI433432, AW963800, BE883279, BF028488, BF667980, BF196902, BF111775, BF667265, BF664922, BF966437, BF667218, AI277896, BF028500, AI401346, BF696865, BF698781, BG169528, BF696312, AW338135, AI280253, AA873621, AI435513, BE552077, BF699387, BF055949, BF697521, BE542555, AI277959, AA121788, AI961880, AW969937, BF478121, AW338124, AA528626, AW367010, R76478, AA101422, T62844, AI918990, BE167397, W72961, AA876737, R28131, BE176581, AA375127, BF332407, AI365181, W73131, T62693, W21429, N92911, BF570557, AI077290, AA127501, R66340, AI926197, C00153, AA813575, R28517, AI580500, AI222072, AI033269, AA758476, W86851, AV661704, AV725920, AV728997, AV704234, AV726624, AV655280, AV729378, AV708992, AV727787, AV709407, AV654908, AV660608, AV652001,

					AV656903, AV707541, AV706854, AV702117, AV726738, AV728733, AV708834, AV687035, AV697196, AV708704, AV659322, AV656478, AV698545, AV709314, AV708381, AV660728, AV691080, AV651955, AV703169, AV728518, AW952409, AV709660, AV729220, AV696866, AV726816, AV695545, AV656283, AV708025, AV707933, AV684604, AV708980, AV692691, AV701914, AV705159, AV702516, AV693523, AV726103, AV727029, AV725826, AV725134, AV705280, AV702994, AV683272, AV697288, AV652156, AV728670, AV708723, AV729263, AV707510, AV699089, AV658863, AV701560, AV727776, AV698609, AV696106, AV706744, AV708438, AW951263, AV689111, AV728157, AV708109, AV692345, AV704553, AV683443, AV708893, AV659536, AV706219, AV658275, AV705693, AW960720, AV686064, AV705632, AV706721, AV701067, AV709604, AV704955, AV701707, AV707753, AV706089, AV704269, AV703495, AV702021, AV706677, AW960326, AV709869, AV656256, AV687909, AW954031, AV702832, AV708622, AV729259, AV726784, AV702833, AV707296, AV707767, AW958647, AV654896, AV645906, AV728806, AV652617, AV703599, AV727990, AV701580, AV708004, AV727003, AV703970, AV727526, AV727799, AV728471, AV703472, AV702147, AV686060, AV726156, AV649758, AV706342, AV702266, AV729189, AW953965, AV696931, AV698429, AV692972, AV685688, AV689800, AV693005, AV709390, AW953787, AW952414, AV722222, AV645936, AW955653, AV706185, AV684075, AW951618, AV658332, AV703168, AV648263, AV705384, AV707024, AV727807, AW952410, AV707792, AV726259, AW955723, AV706279, AW954439, AV647659, AV725617, AV698583, BC005700.1, AL137163.1, Z83826.12, AF086333.1, AF217994.1, Y08991. 1.
HOSFD58	253	614040	1 - 2513	15 - 2527	AL517202, AL517203, AW957146, BG116418, BF038478, AI563954, AU132232, AA932901, AI755091, AI831671, BE889854, AU127679, BE891799, AI582904, AI038368, BE246025, BG177748, BE906332, BE277910, BF982210, BE276343, AI633334, BE891988, AI954440, AI687563, BF984413, AW956931, AI565064, AI879207, AW778725, AI472032, AI924693, BF972236, BE889752, AV753606, BE536916, BE269039, BF196580, AA165526, AI248179, BF060729, BF308455, BE539211, AV734590, AA165570, AI219806, AI803270, BF027703, AI433120, AA780394, AW593783, AA305509, BE887807, BF032636, AA314159, AA745078, BE677439, AU150180, AI525645, AL046195, AW388378, AA740296, BE858748, AA745958, AV753692, BE934649, AI879591, BE671082, AW390682, AI091788, AW118905, AW407201, AI521298, BE327080, AA993868, BE550016, N39180, AI249054, BE301992, AI147071, AA137129, AA939319, AA593391, AI751805, N62852, AW473172, AA513491, AA630359, T09181, AA824241, H40891, AI570848, N77759, AA169832, BF948867, H18116, AW875628, N48472, AI168762, AI984827, AA312180, T15583, AW263215, H07053, AA644510, BE018377, H12907, N39112, AI751806, AI538630, AI478724, AI364661, R54299, AA137058, AW571962, AW137978, AA236150, BF512413, T31959, T09180, AA165129, AW965437, N49188, AI393653, T31501, AI889542, AA507842, R51911, AW273523, AI807100, AV695683, AW085260, T36296, AA236118, AI091951, H50337, AA493467, AW664638, AA304893, AW150373, AW519322, BF901925, AW079446, AA029150, N73896,

					BF744173, AA878611, H07054, AA676446, H05492, AA332663, AI167495, AA361172, AI240673, AA337044, T05940, T34466, AW474105, AW388354, N45253, AI460248, BF750384, AI954456, T16557, T31824, BE763619, AI499330, AA385497, N84723, BE842309, AW387927, AW388264, H28059, N50243, AW387979, D56528, AA169652, AL036975, AL043667, BF375439, AI908550, AA029027, AW387992, W03958, BE778418, AA484014, BF992834, AA019284, AF105227.1, Y10387.1, AF033026.1, AF016496.1, U53447.1, AC004045.1, AF097721.1, AF097719.1, AF097712.1, AF097720.1, AF097717.1, AF097713.1, AF097718.1, AF097714.1, AF097711.1, AF097715.1, AF097716.1, AF097710. 1.
HPDDC77	254	1306899	1 - 964	15 - 978	BF337609, AV745285, W56118, AA411082, BF031537, AA250775, BE813320, AA862532, AA862534, BF669016, AA505270, BF130828, T32131, AA372427, BF696363, BF028658, AW518578, BF030194, BF131517, BE179443, BF030661, AW630420, AW900594, AI267426, BF381745, AA236139, AA318983, AA164404, AL534009, AL047026, BF095360, T07060, AW891586, BF541413, BG168343, BF928857, R79561, BE380028, R33720, C01622, Z24914, AV746413, AV752615, BE708396, BF910231, BE925952, BF540973, R36171, D54233, AW818345, AB037797.1, AK025028.1, AK026917.1, AF250324.1, AC079801. 2.
HPEAD79	255	520202	1 - 799	15 - 813	AC004590.1, AC069275.3, AL117382.28, AC002094.1, AP002852.3, AC009955.4, AC055740.17, AC011470.5, AC004965.2, AF109907.1, AC078846.2, AL109804.41, AC008745.6, AL121653.2, AC018832.4, AC018738.4, AC009502.4, AL136137.15, AC016543.6, AL121579.4, AL161670.4, AL353679.18, AL096701.14, AC025097.41, AC011449.6, AC006345.4, AC007637.9, AC003029.2, AL050341.18, AL353135.32, AC008403.6, AL365499.19, AC008764.7, AC023472.4, AC006449.19, AL513008.14, AC012306.11, AC005632.2, AC005041.2, AJ011930.1, AL163300.2, AL034405.16, AL109865.36, AC074121.16, AC090051.8, AC004962.1, AL096814.26, AC007666.12, AL161911.17, AF053356.1, AL109897. 30.
HPFCL43	256	535710	1 - 651	15 - 665	BF976224, AV729127, AA837404, AV729103, BG055177, AW169122, AI796276, AA603456, AV729600, BF447152, BF059491, AW196971, AI566470, AI636657, AA279066, AA845528, BE219765, AV725215, AV725488, AA046476, AI025283, BF663369, BE379318, AA936074, AA031332, BF003040, BE467269, BE270829, BG060181, AA568448, AV727986, BE271012, AI351514, AW470751, AA878870, AA026888, BE879122, AA015966, AA632383, AI090910, H20001, AA150301, AV725538, AW236006, AA625391, AV704013, BE737339, AI358381, AI476276, AI718051, AV728067, BE561457, AL048514, BF105823, AV756946, AV758524, BF576620, AA455061, AW955472, AI337508, AA026657, AI468881, AI559878, AA090696, AA455761, BF132919, BF790637, AW062362, AW149768, AA743298, AA447922, AA031331, BE839021, BG104864, AA446847, AA148792, AV702908, AV712537, AI370062, BC007349.1, AF151895.1, AF110777.1, AC007241.3, AC007742. 4.
HPIBO15	257	1310868	1 - 1725	15 - 1739	AI056404, AI802391, AW270724, AI750249, N41425, N47678, AI188511, AI376981, AA029314, AW452123, BE466507, N39755, AI937190, AA063620, AA693737, AI139466, AA701241, AI250789,

					AI672263, AI198257, BF055537, AI199035, AA677064, W69895, AA040154, BF196981, W73711, AA029867, W69841, BF222273, AW900121, AW022270, W69574, AI373227, AI200161, AA701858, AV690112, AW044223, W69662, AI052153, AA872860, H29417, H29324, N26312, AI283749, AA036704, AI383659, AA332627, N47677, AI424682, BE089934, AA329748, AW952484.
HPICB53	258	1042309	1 - 1125	15 - 1139	AI284640, AL079734, AI345695, AA410788, AA128592, AV760508, AA449997, AU147162, AV756491, AW302315, AI801482, AW265385, AW021583, AW265393, AI733856, AA521323, AW963117, AW327624, AV763026, AV763058, BE150796, BG059568, AV759204, AV760915, BF827410, BE147833, BE062478, AW969941, AW062724, AA634786, BE063437, AA521399, AV764259, AV763971, AW270258, AI491765, AA666332, AW302909, AW504485, AW974932, AI908093, AI753488, BG236735, AW963463, BF681619, AA581903, BE139267, AL120343, BF804385, BE062476, AI669589, AW402458, AW189068, BG236628, AV759632, AA584489, BF989483, AI610468, AI244127, AW467323, AW271904, AW630298, BE872393, AV759274, AW805539, BE393367, AW189113, BE139358, AW970877, AI732483, AI754037, AW845366, AA468022, AI251576, BF030641, AV761519, AA643770, AW237905, AA284247, AW084445, AW148507, AW439558, AI612142, AI358384, AI471691, AU118374, AL040054, BF750422, BF761328, AW020992, AA469327, AU147922, AA469451, AA704393, AL037910, BF736198, AW503900, AV758903, AV703785, AL038936, BF944940, AL048616, AA483256, AW021917, AV762395, AW062682, BF965775, AV713243, AA916430, AA857296, BG029528, BG009317, AI708009, AV762982, AW268232, AI306232, AA661948, AV744179, BE062545, AA515048, AI583466, D83989.1, AF077058.1, X75335.1, X55926.1, X55931.1, AC018690.5, U18398.1, AP001208.3, AC005399.19, AL096755.1, AC018494.6, U02531.1, AP001330.3, AJ003147.1, AL121586.31, AL137792.11, AP000251.1, AC018511.4, AL356915.19, AL133347.28, AF091512.1, AL160163.24, AC002316.1, AL022336.1, AP000212.1, AC011471.6, AC018695.6, AP001711.1, AC006487.8, AP000030.1, AP000134.1, AC005037.2, AF288742.1, AC005342.1, AL050318.13, X76070.1, AC011462.4, AC004126.1, AC006435.7, AC074331.1, AC005089.2, AL162718.15, AC072052.6, Z96568.1, AC007272.3, AL033529.25, AL163636.6, AC009228.4, AC005520.2, AP001760.1, AC006333.3, AL096817.12, AC005519.3, AC005215.1, AP000557.2, AC005207.1, AC005102.1, AC005088.2, AC006077.1, AC004531.1, AL353140.12, AC009068.10, AC087225.1, AC004841.2, AC004583.1, AC009131.6, AC002996.1, AC002301.1, AL022323.7, AF205588.1, AC007957.36, AL449212.1, AC019206.4, AC010913.9, AL109797.18, AL078621.19, AL034417.14, M87898.1, AF317635.1, AL157823.9, AP001759.1, AL031658.11, AC002036.1, AL035555.10, AC068319.4, Z93023.1, AC007383.4, AL136979.16, AP000501.1, AL138499.4, AC000073.1, AC024576.5, AP001753.1, AC010422.7, AB001523.1, AP001717.1, Z85987.13, AC005593.1, AC006509.15, AL122004.17, U73023.1, AL031681.16, AL157372.18, AL158830.17, AC007308.13, AL139378.15, AC026185.3, AC007546.5, AC005740.1, AL138692.26, AC007421.12, AC006992.2, AL356532.9, AL137784.14, AL034420.16, AL445664.14, AC005522.2, AP000556.2, AC010363.6, AC007707.13,

					AC006511.5, AC023490.5, AC004821.3, AC011472.7, AC018633.2, AC005531.1, AL133448.4, AC004103.1, AP000115.1, Z82182.2, AC012450.9, AP002810.3, AL161454.10, AC010458.5, AC009756.9, AL031596.7, AL136984.20, AC009309.4, AC026439.3, AL159970.16, AP003357.2, AL121826.11, AL035450.1, AJ009610.1, AL139353.3, AL050404.3, AC090942.1, M63796.1, AL356796.16, Z84469.1, AL033528.19, AC079175.24, AC004826.3, AC004921.1, AC026161.4, AC083871.2, U91323.1, AC000085.5, AC004824.3, AC022415.5, Z84486.1, AC006130.1, AL590031.6, AL109952.15, AL136452.7, AL353748.13, AC009086.5, AC006195.1, AP001101.2, AC004967.3, AC023869.5, AC018808.4, AP001060.1, AL158823.11, AC006483.3, U47924.1, AL132772.14, AF196969.1, AL590762.1, AC010150.3, AL136303.15, AL391595.14, AC073193.10, AC008946.6, AL031291.3, AC005387.1, AL136992.22, AL136172.16, AF312032.1, AC009087.4, AL355392.7, AC024028.10, AC005057.2, AC005231.2, AC002350.1, AC034198.6, AC022201.4, AC067722.21, U29895.1, AF053356.1, AC024166.3, AF336797.2, AC007637.9, AP000306.1, AL445532.8, AC025280.4, AC004662.1, AL021939_1.
HPJBI33	259	685699	1 - 1663	15 - 1677	AI679782, BE796439, AV763892, BE387734, AW303196, AW301350, AW274349, AL046409, AI204304, AU148742, AL048142, F36273, BF475381, BE156019, AL041690, BE872393, N94311, BG236735, AA599480, AW630298, AW473163, AI754955, BF683672, AI281881, AW276827, AI341548, BF806176, AW467362, BF805094, BF940837, AV762050, BE350475, AA631507, AV652936, AW963497, BF965007, AV681599, BE042649, AV762139, AW080939, AW276435, AI291268, AI291124, AW339568, AU154961, AA426277, AI133164, AW088616, AI951863, AW873530, BF816072, AL038785, AW148792, AW338086, BE869857, AW408717, BE042475, AI580652, AA525190, AL044940, AV760466, AV713243, AW969694, AI537955, AC005527.3, AL050318.13, AC010279.4, AC000025.2, AF134726.1, AC008736.6, AC004983.2, AC004965.2, AL162458.10, AC009269.6, AC020552.4, U91321.1, AL136179.15, AC011455.6, AC020916.7, AC084783.2, AC009244.24, AL133332.12, AC009144.5, AC005755.1, AC013449.8, U95740.1, AC010319.7, AP001725.1, AC008068.4, AC011497.6, AL021546.1, AL121586.31, AC004971.3, AL021391.2, AC007055.3, AC011464.5, AC010422.7, AC006430.22, AL390738.4, AL109805.14, AC006483.3, AL033528.19, AP001716.1, AF053356.1, AP000112.1, AL160271.19, AL157882.5, AL022323.7, AC018751.30, AL121900.26, AL356354.10, AL121897.32, AC006435.7, AL160471.5, AC027689.10, AC004878.2, AL121903.13, AL121890.34, AP000044.1, AP000513.1, AC004662.1, AC027319.5, AC011236.8, AC008738.6, AL136980.5, AC020904.6, AL132640.4, AC009516.19, AC018506.4, AJ400877.1, AC003003.1, AC016587.7, AC004847.3, AC012476.8, AP000555.1, AC020931.5, AC018719.4, AC003029.2, Z93241.11, AC004797.1, AL031281.6, AP001741.1, AC016894.7, AL033529.25, AC068533.7, AC011479.6, AJ003147.1, AL163248.2, AC022148.5, AP001727.1, AL031602.14, AC008403.6, AL139021.6, AC005488.2, AC006329.5, AC079602.15, AC020754.4, AC005736.1, AC004841.2, AL022316.2, AC003684.1, U47924.1, AL031733.3, AL365225.12, AL356915.19, AC008622.5,

					AC008073.4, AL050349.27, AL353135.32, AC005231.2, AC004707.1, AC022083.6, AL121585.22, AC005015.2, AL137800.12, AC016025.12, AC010616.5, AP001726.1, AC027644.9, AC034198.6, AC005295.1, AC007956.5, AL139321.28, AC006050.1, AC069262.24, AC013434.8, AC004382.1, AC010553.6, AC006581.16, AC004638.1, AE006463.1, AC007739.2, AC007011.1, AL049537.48, AL049760.26, AC006211.1, AF109907.1, Z93015.9, AC011462.4, AC090710.16, AC005844.7, AC006312.8, AC002990.1, AC008474.7, AC011489.6, AC007272.3, AL136418.4, AL139054.1, AL136137.15, AL139352.16, AL109936.10, AC002365.1, AL353579.17, AC005080.2, AL355302.14, AP001710.1, AC009298.3, AC004858.2, AL035404.20, AC005531.1, AC008812.7, AC011491.5, AC024028.10, AC004089.25, AL035659.22, AL354932.26, AC005529.7, AC007226.3, AC006452.4, AB050050.1, AC005837.1, AF111168.2, AL109797.18, AL135838.5, AL355392.7, AL021155.1, AC005512.1, AL009181.1, AC009137.6, AC004491.1, AC018720.5, AL445686.14, Z97054.1, AC007686.5, AC023344.4, AC011005.7, AC007597.3, AC005562.1, AL133367.4, AC010618.7, AP000347.1, AC002369.1, AC004953.1, AC010654.8, AC005081.3, AC008946.6, AC025540.7, AC011495.6, AP001748.1, AL049869.6, AC011461.4, Z86090.10, AC002470.17, AL138724.12, AC009412.6, AC005840.2, AC008760.6, AJ009611.6, AC008985.6, AC011484.4, AC015982.9, AC002133.1, AL049709.18, AC011444.5, Z98200.8, AC010969.11, AL121652.2, AP002851.2, AC008372.6, AL022320.23, AL109965.34, AL096701.14, AL031584.1, AC018809.4, AJ400879.1, AC018808.4, AC008616.6, AL034405.16, AC016643.6, AC005077.5, AC008649.6, AP000045.1, AL355305.9, AP001610.1, AC005225.2, AL161626.20, AC020908.6, AC073542.4, AC023510.16, AC006538.1, AC008764.7, AC012170.6, Z85996.1, AC003070.1, AC005778.1, AC022384.4, AC005037.2, AC020550.4, AL137140.12, AC004859. 2.
HPJBK12	260	1011467	1 - 2634	15 - 2648	AP001206.3, AP001329. 3.
HPMDK28	261	846357	1 - 1070	15 - 1084	BG112660, BG025264, AL528310, BG168817, BE744551, BE877617, AI356771, BG163540, AA203523, BG031683, BF822950, AW592567, AA176981, AA904437, BF209639, BF312400, AU134583, BF194783, BF058517, BF445932, BF115227, BF732680, BF445936, AW303381, AW149649, AW027536, AW583459, AW475091, AA065227, BF869433, AW103970, AA703536, AA902103, AI735312, AI082224, BE262098, AW405660, AW009422, AA932869, BF940753, AI830877, AI830074, BG222176, AI742006, AI381584, AA133474, AI347025, BF869417, AI452483, AA993536, AW954279, BE737248, N66683, BE261151, AI369439, AI334008, AI005081, AL528309, BE166345, AA365303, BF222033, F32952, AI697441, AA488152, AI418548, BG248769, AI279351, AI888277, BF115544, AI200343, AA977299, AI612818, BE163359, AI830668, BE740423, AW574601, AA315546, BE397815, AA573402, BE004351, AA573411, AA633508, BF925742, AA741489, H82686, BF894571, AA065233, AA360707, AV728079, BG230581, N29979, BE561199, N98991, AW439071, AA744699, R73710, AW407745, AA877633, H99709, BF804312, AI381618, BF806994, BF806622, BF806680, BF807000, BF807012, AW407070, BF804328, BF807005, AU155517, AA933001, AA321772, W57549, BF806996, BE271504, H39645, H26855, BF807004, H82425, BF804308,

					BF975948, AI928746, R81659, R82397, BE791088, R73635, BE939764, AI688429, BE171442, BF378561, BE261882, BF818292, AA469038, AA913203, AA300974, BE171441, AA298641, AW999308, BF206994, BF807016, H26756, BF093709, AW884799, BF737549, AW797205, H11203, AA305598, R81461, BF773046, BF804289, AI738864, BE814697, H49134, H40077, AW889970, AI669504, BE561022, BE394911, AA911419, H40072, BF806979, R82344, AI701370, AI984879, AA064931, AI300423, AA380950, AI301586, BE902194, BE707909, AI983746, AA533457, AW803830, AA737402, AI926327, AI263788, R52293, F26866, AA827751, BF868527, AI168033, AI265814, AI264365, AW085104, AI982777, AW590204, AI381485, AI972009, AA580064, AA463767, AU130766, BE673288, BF109947, AA364441, BE464383, AI693626, AA133473, AW410601, AI685572, BF437257, AI279199, BF437797, BF064139, BE080941, BF059063, BE671687, AA064925, AI051392, BE348682, AI457365, AW341328, AW408516, AA622272, AA642661, Z21606, AA732692, AI261971, AA976709, BF091789, AW002951, BE163143, AI697458, T25507, AA341138, N86893, AI951605, BF058146, BE270120, BC008070.1, AK001809.1, AF277178.1, AK023110. 1.
HPMFP40	262	638165	1 - 1203	15 - 1217	U48436.1, AC005731. 2.
HPRAL78	263	1352342	1 - 2058	15 - 2072	BF342508, BE745079, BF316647, AW954022, BF219864, BF220093, BF182978, BG108443, BE879671, AI684112, BE840525, AW957217, BE840530, AI148569, AI128199, AL041807, BF027688, AA401860, BF915566, BF914452, AA938143, AA588312, AI991034, AI672251, AI862148, AI333529, AI798586, AI095534, BF826436, AA976203, AA424398, AI475525, AL039685, T52017, AI055912, R51437, AW071787, AI598282, AA578538, AA554343, AI140222, AW268634, AI300146, AA340540, AA411182, C04045, AI926947, AW088744, AA757547, AI798454, AW473352, AV691484, AI076726, AV647523, AW475065, AA364829, AW028194, AW249610, W22554, H66782, AA081290, N95459, W25198, R60726, AI311111, AI351724, AW614976, AA506965, AI142999, BF091172, AA604134, T63960, BE840632, AI583100, AI351726, AW009121, AA081115, AA081697, AA411256, BF679941, R60727, AA578520, AW129067, AA612772, AI824391, AA470674, H66783, AW953852, AW006565, N34727, AW160746, AA832062, R36715, R90863, R84524, BF924179, H12158, AW770335, AA315553, AA702770, AW246146, AA370468, AA832305, AW082570, AI568825, BF929006, AA251006, AA043375, AA508725, AW068182, AA766464, BF769780, AW316684, BE260322, BE819573, AA082047, AA370467, BF929011, BG056952, AW241232, BF751574, AI686507, AL050275.1, BC008720.1, AC022007.3, AC018809. 4.
HPRBC80	264	829136	1 - 2529	15 - 2543	BF508706, BG251902, BG118348, AL522364, AI690187, AW959485, AV705315, BF672789, AL520227, BG176557, AL528876, AV713609, BE439925, BF130665, AW963928, BF994344, AL536566, AA446397, AA180531, BG026529, AA180520, BF672895, BF029282, BF670440, BF799935, BF510400, AA179618, AL513906, BE246173, AA625572, BE244085, BF671786, AI681635, BE004437, AA431963, AV701964, BE566300, AV653358, BE004444, BF790083, Z30124, AA164383, C17250, AA379401, N24451, AA363823, BE004648, AA180509, AV713647, T35331, AW961450, BF800059, AV686722, BF575322, AW020971, BF229438, AW361378, AA465249, AA313690, BF979498, BE694196, AW999825, T35345, AA625571, BE925937, T30431, AA135096,

					BE172414, BF980120, N54675, AW897938, BF210564, AW665936, AA769851, Z20951, AW242738, Z19798, C16481, AW197150, AI567621, BE222028, BE622950, AW883664, AA885770, AI039327, AA628005, N50019, AI650889, AJ271835.1, AF136972.1, AC013717.8, AJ271832.1, AF294792.1, AJ005801. 1.
HPTTG19	265	635033	1 - 545	15 - 559	AA968657, AA493232, AW964196, AW945159, AW950095, AW963925, AW949384, AW951182, AW952751, AW949383, AW962651, AW963933, AW964422, AW958763, AW956474, AW960718, AW964284, AW967195, AW960207, AW954032, AW957083, AW959366, AW949682, AW962713, AW958568, AW958569, AW949767, AW951201, AW963026, AW949757, AW957085, AW949750, AW953772, AW954070, AW960237, AW957062, AW949697, AW967372, AW955902, AW958365, AW950217, AW954506, AW966270, AW964223, AW958756, AW955977, AW955982, AW951187, AW949856, AW951437, AW953773, AW962636, AW952126, AW957059, AW964421, AW954068, AW949551, AW949863, AW962650, AW950219, AW961026, AW963025, AW964203, AW949552, AW957068, AW958225, AW960720, AW951452, AW966421, AW962648, AW964012, AW958740, AW959899, AW955892, AW959356, AW949761, AW949762, AW964198, AW951430, AW963027, AW964420, AW963915, AW953657, AW955900, AW945197, AW965978, AW956278, AW951409, AW952743, AW951624, AW951197, AW949764, AW957061, AW964224, AW949850, AW962649, AW962644, AW964423, AW953769, AW965895, AW949759, AW963931, AW963940, AV706741, AW953807, AW945155, AV707067, AV707786, AV702794, AV705836, AW961247, AV707234, AV727499, AW955724, AW965899, AW956626, AW965869, AV704974, AW965866, AW957677, AW961052, AV702716, AV725181, AW951184, AV709772, AV705660, AW965033, AW963011, AV703239, AV702990, AV661286, AW950678, AW963962, AW961400, AW963598, AV704490, AW959270, AW956792, AW952418, AW950240, AW966389, D50992, AV705590, AV704497, AV706871, AV704891, AW963631, AV688823, AV701911, AV693604, AV705273, AV695888, AV727353, AV707576, AV703275, AW964074, AV705282, AW967052, AW951738, AV703453, AV707368, AW954228, AV709635, AV687035, AV708304, AV701769, AW961255, AW960629, AV702964, AV707331, AV707197, AW949517, AV703742, AV705710, AV701667, AV726551, AV652860, AW953804, AW957674, AV709248, AW951768, AV728539, AW953797, AV728953, AV649758, AW954697, AW963405, AV704785, AV705453, AV708872, AV727314, AV654686, AW963087, AV706876, AV703457, AV706453, AV709527, AW950520, AV701730, AV705909, AV728282, AV707059, AV702637, AV703591, AV704124, AV702306, AW962983, AV705757, AW951773, AW959804, AV728999, AV709596, AW950671, AV729532, AV708610, AW963700, AV706579, AV707909, AW950006, AV707238, AV709725, AW964490, AV706910, AV729198, AW961313, AW956618, AW956619, AW956624, AW958455, AW955710, AW964429, AW950778, AV726337, AV703553, AV704376, AV656478, AW959846, AW958161, AW952328, U73636.1, U94592.1, Z30183.1, U45328.1, AB005666.1, Z79435. 1.
HPZAB47	266	585702	1 - 1662	15 - 1676	AW993896, AA493291, AA526359, AW972615, AI720194, AA358397, AW204400, AA508549.
HRAAB15	267	658717	1 - 1733	15 - 1747	BG111918, AI823987, AI807761, AW165961, AI418806, AI738753, C05983, BG152897, AI439250,

					BF327504, AA923586, AI424510, BE003132, BF894183.
HRABA80	268	882176	1 - 1237	15 - 1251	AU147250, F24079, AI791459, AI732503, AA523577, AI791342, AU121439, BF309840, BF308519, AI659402, AA719317, AA602233, AI752815, AW967109, AV694013, AA470486, AI218622, AA644545, AK022184.1, AC005777.1, AL031431.8, AC007406.1, AC032011.14, AC004143.1, AC006131.1, AC074121.16, AC005760.1, AC005529.7, AL354766.17, AC025166.7, AC012476.8, AC005544.1, AL035079.14, AL356299.16, AL031297.4, AC005778.1, AC011666. 28.
HRACD15	269	871221	1 - 1525	15 - 1539	AL519765, AL519766, BE910445, BF684654, BE270497, BE513843, BF975936, BE396890, BF973472, BE515166, BF686665, BE744708, BG257119, BE880162, BE797305, AW248552, BE514176, BE793786, BE791776, BE296702, BE271500, BE268991, AW512838, BE791090, BE727326, BF026627, BE797018, BE275277, BE277906, AU133849, AW248687, AU120611, BE270509, BF027092, BE384166, AI565668, BE513807, AW405789, AU151587, AA261853, AW043669, BE729554, AI949119, AW575486, AW751019, AI524253, BE391940, AW245114, AU145208, BE312276, BE796133, BE561087, AI953094, BE390017, AA283855, BE265439, BE391036, BE391843, AI620547, AW402545, AI075157, AI744741, BF125945, BF941740, W60104, BE266246, AW085553, AW131075, AI768378, AA401964, BE390215, AI752668, BE736619, AW967867, AI565659, BE387591, BE222775, AA283856, AW750999, AA261854, AI498229, AA830894, W60024, AA496293, AI660481, BE960924, BE277521, AA994223, AA868400, BF026241, BE382766, AI801124, BE671092, AI264882, AI355420, AW248994, BE503489, AI262893, AA583344, BE266582, AI832018, N29665, AA622755, AI439625, AI193362, BF446254, BE504260, BE387503, AW806699, AU146635, BE856089, AI087826, BF801189, AA133817, AA843858, AI287716, AA928793, AA699788, AI027345, BE728607, AW629986, W52804, T10369, AW103963, AA933691, BE138812, AI284845, AW264928, AW152071, AI265798, AI809041, AI038469, AW246086, AI435409, AV691151, AW957437, AI620834, AI452870, AI860541, AI475835, AI418409, AI744163, AW002187, AV692842, AI521647, AA845397, AI744800, AW002140, AI309558, AU118709, W96176, AW768771, BE207457, AW236670, AW264115, D29066, AA026580, AA135589, H55790, AW732194, BG006063, AI024919, AA256768, AI214884, AA280734, AA565467, R87509, BF056311, AA643222, AI024305, BF204467, AA077296, BF310268, W07856, T30234, R48997, AI435115, AI567828, AI537884, AW050631, AI740587, BE162565, BE149783, AW090152, T10368, AW627586, AI537596, AA622914, T50404, AW016161, W45022, AI274609, AA570075, AL039562, AA827726, AW246353, W04715, H89133, BF125722, AA626654, AW246566, AW519242, AI659744, AI752669, AW247535, AA077415, AW129363, AI202252, AA628809, BE869982, AI208476, BE206952, AW511835, AA037397, BF828156, BG031018, BE513491, BE736901, AW149144, AI189756, AA078651, BE513973, BF194732, H47888, AW954928, AA806404, AW080710, BF847605, AA077110, AA319080, AA101354, AI214676, AA434187, AA932091, BF837875, BE140453, AA428843, R11194, AA778244, AA077601, AW082443, N90686, AI675644, BF794477, W05073, AI520907, AL046053, AW298462, AA496322, T50535, BC008084.1, AK001129.1, AK021688.1, BC007488.1,

					AL117583.1, AC006014.2, AB014518.1, AC005488.2, Y16704.1, N54250, N81046, AA036807, AA135546, AA236044, AA262692, AA938381, AA204918, AA402082, AA455506, AA455507, AI217271.
HRACJ35	270	877666	1 - 2063	15 - 2077	BE906771, BE218907, AI912661, BE670671, BG166321, AW167740, AI698131, AI796048, BF476110, AW952474, AW474992, AW149683, AI814137, BF436724, AA452391, AI635719, AI422285, AI675301, AW301634, AI800309, AI023300, AI269915, AA054467, BF062213, AI220479, AA991181, AI159765, W88683, AI623293, AI205308, AA043330, AA461136, BE669608, AI032982, AA634903, AI361429, AA877688, BF681677, AW868366, AI683625, AI094869, AI268543, AI040482, AA460833, AI042583, AI800329, H40189, AA041196, AI420048, AA127006, AI023081, AA045134, T96696, M79132, W23483, BF000996, AI161385, BF476853, AI521085, AI984382, AA492294, AA016124, N95081, R13864, AI146307, W28330, AI022619, T19296, AA410735, BF573582, BF056915, T30952, AI971069, AA043329, AA126627, AA215786, R07660, BE833878, BE833866, AA329616, BE833882, BE833868, AA977851, Z41866, AA226105, AA126801, AA056673, AV693019, AA216384, R18560, AA041433, AW244035, R05716, AA868767, BF222351, H40140, AW589719, AV686312, BF207973, AA226035, AA228673, AI817777, AI420271, AV747189, AI248289, R05717, T30818, BF847400, Z38161, AA879250, D57208, R37006, AA319785, AI699205, T96591, AW945698, AA225132, AA333327, AA045610, D57177, AA226695, AA045355, BE905736, BE670421, AW469919, BF000980, AW771589, BF871391, F19153, AW152062, AW964837, R41427, BE242459, BF445505, AW373047, AW069103, W88670, AA761464, BF844537, AF107834.1, AF119386.1, AP003117.2, AF107833.1, AP003111.1, AP003112.1, AP003477. 2.
HRDFD27	271	567004	1 - 791	15 - 805	W85784, AI254961, AA767643, BG164474, AA428410, BG007947, AI625142, AI111171, AC005274.1, AC004491.1, Z68192.1, AL365225.12, AL033529.25, AC009086.5, AC008569.6, AC002420.1, AC022392.4, AC012170.6, AC008474.7, AL157912.5, AC004966.2, AC002551.1, AL035695.17, AC005184.1, AC002115.1, AC027319.5, AC020610.6, AL121777.39, AC024568.4, AC009412.6, AC090955.2, AL133453.3, AP003352.2, AL163248.2, AL118520.26, AF260011.2, AC005940.3, U95742.1, AL022396.1, AC005362.1, AC004841.2, AC007676.19, AC024578. 3.
HRGBL78	272	910133	1 - 2094	15 - 2108	BE271199, AW575245, BF794609, BF797900, BE559773, BE384088, BE513826, BE270971, BF572042, BE560978, BF690655, BE674800, BE275832, BF303959, AW205367, AW402801, BF203242, AW402242, AW402928, BF305905, BE466652, BE892536, AW403946, N24246, AW968460, AI654541, N28316, BF572179, N29315, N38941, AW383418, AA458944, AI276242, BE729612, AA215300, N33010, AW383426, AW383396, N20230, BF692515, AI439520, N29316, AA459158, N25452, W03476, AW383428, AW402824, N30453, N28949, N21241, AI760983, N20533, AI434284, BG025865, N72999, N20563, BF896859, AW403434, N67502, AI470743, N73074, AA837208, AW407871, H84381, AW404443, N26470, W02963, AI864746, N46511, W02298, H98912, H84382, N35519, H99497, BF890914, AA761778, N71796, AI222330, BC006521.1, AL359541. 11.
HROAJ03	273	567005	1 - 1168	15 - 1182	AW959762, AW015128, AW753637, AV711012, AA296493, BE151396, AV655181, AI220561,

					BE006108, AA311800, AW962850, AW516636, BF881635.
HROAJ39	274	1181699	1 - 1132	15 - 1146	T66247, BE081925, R34513, F12057, AA852760, AA125904, BF996914, BF107281, BF743278, BF742834, AB040901. 1.
HROBD68	275	827306	1 - 1984	15 - 1998	AI921101, AW102963, C17730, AW139132, AI499286, AU157470, AW157413, AW517766, AI285660, AL038713, AU146974, AA779937, AW272376, AI862212, AI246569, W58428, AU145383, AI051341, AI925647, AI869945, N77920, AI591332, AI440018, AU148220, AI872191, AV695638, T06365, AI310239, AI559442, AI818151, AA811111, AI453790, AA130476, F16040, AI685116, AI610326, BE646447, AA166854, AI540098, AI375417, AI887321, AA767353, AV693309, N20521, AI369914, AA846188, H96719, AA961590, AI088245, AA902828, BF112065, AA129986, AI439415, N30146, AI817158, N33132, N31608, AW084901, AA055654, BE245707, AI619818, AI628308, N20064, AV726924, AA347740, AA932087, AA657353, AA550798, AI028382, AW262471, AI147839, AA132716, AA460715, AI250812, H97388, BG027070, AW072619, BF002501, AI568919, Z36956, AI538654, N90055, AI376849, AI952804, AI264673, AA468571, AA584498, H04879, AA342051, AI733728, BF963854, AW962610, AA099788, AI858607, AI189033, AA157033, AI675848, AA722562, AA659014, AW468555, AA862135, AA911409, AA226507, AI244642, N24958, AW085676, AA169142, AA364962, AA569918, BF221900, AU156129, AV702748, AA016272, AI601265, AW272291, AI082077, AI376984, AI377100, AA864823, W16525, N26697, AL110383, AW088343, BE264670, T48029, T69889, AA724610, W96522, AA826143, AW753399, AI827133, AI783731, AI598077, AA565911, AL523955, BE677100, BF772474, AV695478, BF576607, AU143935, AL521095, H20876, W31567, BF805088, R70883, AA136630, H01156, AI521525, AA503213, H68343, BG152386, AI890971, AC009623.6, AC008173.2, AC084881.19, AL161901.18, AC020892.7, AC020603.4, AC024341.9, AJ271735.1, AC002486.1, AC013719.8, AL109847.5, AL138965.10, AL137011.9, AL356962.8, Z99758.7, AC005798.10, AL163202.2, AC073200.6, AC004894.1, AL451083.5, AC004087.1, AC025040.7, AC015987.5, AL163152.4, AL353772.14, AL590043.7, AC002527.1, AC009483.3, AB045357.1, AC005885.1, AL360089.13, AC067941.7, AL163203.2, AL162500.15, AP002532.1, AL355581.14, AC006334.3, AL445383.5, AB000882.1, AC021017.4, AP003493.1, AC073964.3, AL139109.14, AC010252.3, AC009802.13, AC023842.5, AP002797.3, AC008109.6, AL050309.4, AL353650.5, AL442183.4, AC006043.1, AC010719.4, AF224669.1, AC012558.8, AL022153.1, AL121578.1, AC010747.10, AC003091.1, AP001691.1, AL049732.11, AL583822.6, AC073137.7, AC003051.1, AC009120.8, AC007102.4, AL512427.10, AC018616.5, AP000949.2, AC018468.4, AL355888.3, AL050329.12, AL035466.3, AL139110.17, AC003083.1, AC087431.2, AL159152.11, AC007773.1, AC008427.7, AL138703.10, AC079631.16, AL133370.4, AL109753.9, AL512310.3, AC019041.8, AL160413.7, Z82205.1, AC016831.1, AP001692.1, AF017104.1, AL157915.3, AL355365.10, AC000112.1, AC003012.1, AL392087.7, AP000077.1, AC025226.4, AP001683.1, AC006249.1, AC007000.2, AC004605.1, AL158158.14, AC005668.1, AC022467.7, AC006239.5, Z98304.1, AL359085.14, AP000506.1, AC007262.4, AC034245.4,

					AL450305.7, AL356005.9, AL163248.2, AC090527.3, AF001549.1, AC008014.5, AP001922.4, AC005213.1, AC025471.5, AC006287.1, AL121595.5, AC012491.7, AF241726.1, AC069543.4, AC022363.24, AF196972.1, AC005562.1, AC022274.5, AP002436.3, AC002456.1, AC021070.24, AC008774.5, AC019100.4, AC004993.1, AC004848.1, AC002541.1, AL513011.7, AL163227.2, AL354831.18, AC008444.4, AC026167.4, AC013410.5, AC005146.1, AL035552.9, Z83850.1, AL139090.11, AP001700.1, AL356269.10, AL136307.12, AL390731.9, Z83822.1, AC024900.20, AC034240.4, AL354937.12, AC005939.1, Z98754.1, AL512449.6, AC005378.2, AC021015.4, AC006961.16, AC025920.12, AL163247.2, AC078957.16, AC007533.2, AP000402.2, AF130343.1, AL009172.1, AC008583.5, AC006370.2, AC004066.1, AC009892.5, AC018645.4, AC005988.1, AL132985.4, AC005188.1, AL356276.9, AC020644.6, AP000742.4, AP001686.1, AL133353.6, AL049767.12, AL121868.11, AC015541.21, AC005358.1, Z74696.1, AL163280.2, AC000115.1, AL589693.3, AC002458.1, AC025887.4, AC005406.2, AL358112.20, AC026162.5, AL135978.4, AL391221.15, AE000661.1, AC022404.7, AL031643.1, AC005951.1, AC068139.5, AL138758.7, AC006213.1, AC007163.3, AC011247.10, AL512641.9, Z99571.1, AC009319.19, AL022308.1, AL049831.2, AL158193.13, U82670.2, AC061958.11, AL158038.10, AC004740.1, AC084373.24, AL355612.8, AL359197.20, AC015502.6, AP001681.1, AL136419.2, AC025265.21, AL137145.13, AC021382.6, AC010140.3, AP001674.1, AC006994.4, AC005593.1, AC006840.17, AC019072.7, AC009961.11, AC026743.4, AC006016.2, AC068726.5, AL359502.14, Z82216.1, AL035427.17, AC078961.23, AL137226.3, AC024084.4, AL157698.8, AC021079.4, AF241725.1, AC005901.1, AC010376.5, AC011288.4, AC068812.13, AC022267.8, AL132800.4, AC021850.8, AF235093. 1.
HSATR82	276	531973	1 - 763	15 - 777	BG056575, N22501, AW884147, BF903801, H59173, AW963463, BF997339, AW958318, AA374525, AW502694, BF816190, AA364420, AA378207, AA810158, AC007130.2, AL122035.6, AL353692.14, AF124523.1, AL391122.9, AL035404.20, Z93241.11, AC007917.15, AL353680.8, AC005881.3, AC005740.1, AP002851.2, AL133477.16, AC004805.1, AC008891.7, AL390882.12, AL031602.14, AC005015.2, AL133479.11, AC005920.1, AL136228.8, AL139317.5, AL137792.11, Z84487.2, AF205588.1, AC007782.20, AD000092.1, AC025594.5, AL109804.41, AJ009612.5, AP000557.2, AC072061.8, AC083884.6, AC005529.7, AL133243.1, AL096791.12, AL137802.7, AL133410.31, AF243527.1, AC005399.19, AB026898.1, AC004883.2, AL392166.19, AL050318.13, AP003357.2, AC009331.5, AC011455.6, AC004965.2, AL139021.6, AC024603.5, AC005914.1, AL121809.6, AC069262.24, AC004867.5, AC005519.3, AC069025.4, AC008088. 8.
HSAVH65	277	545459	1 - 586	15 - 600	BF793712, AW080832, AI693734, BE869501, AI564525, BF037343, AW475057, AA523950, AV719716, AW024144, BF827012, AI185475, AI197788, AV660309, AI708671.
HSAWD74	278	460527	1 - 956	15 - 970	BG056446, N32720, AW152171, AA339555, AA076697, AA525291, AA380007, BE734992, AA077031, AA379882, BE047929, AA515728, AI282253, AA683069, AW275432, AW274078, AA533025, AI675615, AL040054, AA644090, AI345123, N42169, AW023111, AV756491, AI962030,

				AV758870, AW021774, AA602906, BG222564, BG222326, AV762454, AL048060, AA225406, AI879951, AA078830, AW514006, BE063437, BF725844, AI591299, AI590522, H68343, AA825827, AA559166, AW272294, BF213224, BE049095, AI344810, AA714011, AW502237, H63660, H24331, AA171400, AL449689, AI753113, F18888, AA282951, AV761486, AW193493, AA669238, AI557644, AI049868, AW631267, AA525331, AW117740, AA507623, AA862183, BE968744, BE677164, AW571963, AI433952, BF991881, AA701080, BF970107, BF212465, AA832175, AA470933, AW157128, AI343144, AW974751, AW338376, AW410409, AW844636, AW664505, AA827383, AV760014, AI745116, AI003611, AV683406, AW021154, AW501278, BE968477, BF991882, AI189682, AU124213, AI336637, AW572140, AA610644, AW963463, AA708322, AA489390, AI887235, AC004084.1, AC004951.5, AP000252.1, AP001711.1, AC006160.9, AP000031.1, AC022383.3, AC009131.6, AL354864.16, AL121900.26, AP000212.1, AP000134.1, AL031281.6, Z99716.4, AC009144.5, AC005015.2, AL137852.15, AP001207.3, AL035458.35, AP001753.1, AC026794.4, AL139022.4, AC009179.17, AL033383.26, AC090498.2, AC011472.7, AL162578.13, AL590762.1, AL117380.28, AF045555.1, AE006467.1, AC006088.1, AL096701.14, AL137881.12, AC011491.5, AC018828.3, AC005081.3, AC034193.4, AL110115.38, AB001523.1, AL023586.1, AL022237.1, AP000348.1, U91322.1, AL049591.12, AL133367.4, AC018808.4, AC091529.1, AC005666.1, AC011497.6, AL450339.5, AC004655.1, AP001718.1, AC005052.2, AC026866.8, AL136228.8, AC005793.1, AL139317.5, AL354720.14, AC004129.1, AL035461.11, AL161727.15, AF217413.1, AC007371.16, AL049539.21, AL008729.1, AC000353.27, AC003962.1, AC005940.3, AL158830.17, AF001549.1, AC004263.1, AC006441.13, AP000345.1, AC011811.42, AE006640.1, AL035086.12, AC004777.1, AC055120.5, AC002430.1, X02571.1, AC009477.4, AC006285.11, AC006597.2, AC018663.3, AC011479.6, AL139193.4, AC005692.1, AC009220.10, AC005907.1, AC007384.3, AC005049.2, AC004913.2, AC010328.4, AC005701.1, AC016025.12, U59962.1, AP003357.2, AC006345.4, AC006241.1, AL356805.5, AC004089.25, AC009247.12, AC005520.2, AC004910.1, AC027319.5, AC011495.6, AC008126.9, AC008521.5, AC005231.2, AC006449.19, AC002554.1, AL138720.19, AC011485.6, AL138875.8, AC008747.5, AC002994.2, AC003029.2, AC005291.1, AC006430.22, AL121712.27, AC078962.30, AL359082.16, AC004647.1, AC002429.1, AJ277546.2, AL133351.33, AL355102.5, AL391827.18, AL137140.12, AC004812.1, AC005098.2, AL390878.6, AL512883.5, AC090958.1, AC004883.2, AL135924.11, M12901.1, AL109984.14, AC018758.2, AL133477.16, AC012170.6, AC026185.3, AC005736.1, AC090426.1, AF283320.1, AC012499.7, AC011446.6, AC005288.1, AC005355.1, AC006581.16, AL162430.15, AL133500.3, AL109865.36, AC010271.6, AL445195.4, AC005005.1, AC003043.1, AL354815.10, AC083884.6, AC008755.6, AL021579.1, AL354935.23, Z81364.1, AL109925.11, AL139339.22, AC004876.2, AC020983.7, AF195658.1, AL022727.1, AC005598.6, Z93930.10, AC011480.3, AF312915.1, AC005220.1, AC074121.16, AL139123.14, AC010679.6, AC027124.4, AL157838.24, AC010205.5,

					AL049547.10, AJ300188.1, AL357972.18, AC002350.1, AL356095.11, AL162505.20, AL118502.38, AL022331.1, AC021016.4, AC008753.8, AC011890.4, AC005409.1, AC005516.1, Z97987.1, AC010458.5, AF053356.1, AC006111.3, AC007537.3, AC002133.1, AL390026.1, AC002319.1, AL137142.20, AP000555.1, AC005180.2, AL135838.5, AC024028.10, AL034429.1, AC007055.3, AC007298.17, AE006639.1, AL078633.32, AC066597.4, AC007766.1, AC010605.4, AC025280.4, AC005363.1, Z68870.1, AL162503.12, AP000501.1, AL355101.2, AC006208.3, AC010422.7, AC008752.6, AP000901.5, AC008569.6, AP000346.1, AL031121.5, AC005038.5, L78810.1, AC005839.1, AC005037.2, AL391374.9, Z83840.7, AC005911.6, AC004840.3, AL034402.9, AC005228.1, AL035464.20, AL355336.15, AL121920.21, AC025166.7, AC011465.4, AC005695.1, AL133448.4, AC007003. 4.
HSAWZ41	279	580872	1 - 1374	15 - 1388	AI547110, AI344906, AI318548, AV683406, AA425283, AW162314, AW409621, AI174703, AF126947, AA493546, BE139230, AV758849, BE677164, BG003974, AI065031, AA280886, AV763460, AA584360, AI251024, AW504667, AA533660, AW021674, AA493245, AW162332, AA313025, AA524604, AA557945, AW410844, AI028148, BF882222, AW069110, BG180320, AA577706, AW963552, AI890283, AU120423, AW474825, AW514844, AW023975, AI003068, AI281622, AI275989, AA601376, AI753131, AW151848, AI754926, AW662484, AA533066, AV762541, AI114543, AW265468, BE244308, AI572680, AW085811, BE747923, AV760048, AA636077, BF882223, AV764119, AA515727, AW875184, AI797998, BF970107, AW962971, AI732690, AI174827, BE049409, BE042324, AA828840, BG059139, AI921744, BF724416, AA084439, AA748071, AI446618, AW963489, BF942991, AI813920, AA807704, AI826857, AI732720, AA702637, AW439224, AI755227, AA640305, AA658443, AA804177, AI431442, H62123, AA676462, BE080768, AI114755, AA535558, AW501278, AL121039, AW631267, AI702049, AW262946, AV712092, AW403177, AW979200, N99245, BF944618, BF445745, AA601712, AW162762, AW409626, AI064968, AV732057, AW855527, BF876005, AW157128, AW148964, AA663579, AW847344, AA086042, AI859368, AI571894, AA507623, AA046906, AA554289, AW085626, AW151247, AW148821, AI821901, AI570067, BE882869, AA600127, AW103990, AA632355, AI640717, AL039436, AI828721, BF949151, AA157876, AW084152, AW960129, AA618531, AI744890, AI252005, AI038029, AI254463, BE967607, AA809125, AW771679, AW975150, AA419230, AA167656, AL046620, AI733523, AV706458, AW166996, AW022796, AV683668, AC015541.21, AC026162.5, AC018816.5, AC004953.1, L44140.1, AC008891.7, AC009131.6, AC020934.7, AB043547.1, AC079844.3, AL080243.21, AC008264.10, AL137792.11, AC008754.8, AP001711.1, AL139100.9, AC007376.9, AL031680.20, AP002847.2, AC005971.5, AL354943.9, AC010319.7, AC006468.9, AC005236.4, AL391119.8, AC011462.4, AC006241.1, AC018663.3, AL031296.1, AC005696.1, AL050308.9, AC011446.6, AC020931.5, AL445184.11, AC006452.4, AC005527.3, AL049869.6, AC011531.7, AC008649.6, AL022336.1, AL034405.16, AC016602.6, Z83826.12, AL022165.1, AL354707.17, AC004019.20, AC002306.1, AP001712.1, AC020916.7, AC009996.7, AL096840.25, AC004167.1, U80017.1, AC002991.1, AC006538.1,

					AL160166.10, AF288742.1, AL449305.4, AC010422.7, AC005000.2, AC006345.4, AL121712.27, U73169.1, AC005057.2, AC013449.8, AL121601.13, AL161624.7, AL355480.22, U91327.1, AC012476.8, AP000211.1, AP000133.1, AC011475.6, AF228703.1, Z48051.1, AC005212.1, AC009032.7, AC016894.7, AC006162.1, AC020983.7, AC006460.3, AJ009616.3, AL031847.17, AC008843.5, AF271269.1, AP000872.5, AC044797.5, AC007957.36, AC002310.1, AL391827.18, AC020896.5, AC063979.4, L78833.1, AL139286.13, AF196779.1, AL590762.1, Z97054.1, AC004895.2, AC089987.26, AL022323.7, AC002126.1, AF038458.1, AL034420.16, AL136313.27, AL162505.20, AF129756.1, AC011485.6, AL354932.26, AC009502.4, AL591807.1, AL133275.5, AL122035.6, AL031407.3, AC018636.4, AC005722.1, AP000563.1, AL050328.24, AC009314.4, AL135927.14, AC007227.3, AL021453.1, AL031427.15, AL353804.22, AL445528.16, AC010145.9, AC005529.7, AL139415.10, Z98050.1, AL136126.34, AD000092.1, AL079342.17, AC004814.2, Z82198.2, AC004821.3, AL121886.22, AC012499.7, AC005305.1, AL050349.27, AP001760.1, AC006581.16, AC067941.7, AC005484.2, AC000353.27, AC005840.2, AC073323.5, AC005921.3, AL096814.26, AC022137.5, AC090949.1, AL161747.5, AC008812.7, AP000466.1, AC004150.8, AP000210.1, AP000132.1, AC021016.4, AC000360.35, AP000213.1, AC034203.7, AL035420.15, AP000135.1, AP001870.2, AL359513.12, AL135844.9, AC006057.5, AC007900.5, AL020997.1, AC007404.4, AL117334.29, AC026776.4, AP000250.1, AP000031.1, AP000030.1, AJ003147.1, AL035659.22, AL161937.13, AL137800.12, AL022315.1, AC005003.2, AF023268.1, AF134726.1, AL359236.4, AL138880.14, AL122001.32, AP001486.4, AC008265.15, AC079602.15, AC010271.6, AC005080.2, AC011451.6, AL050335.32, AC007731.14, AL161452.19, AF075069.1, AC005500.2, AC005618.1, AL158198.14, AC007243.3, AC005399.19, AL121992.24, AC005585.1, AC011816.17, AC018751.30, Z93930.10, AC018633.2, AL138756.23, AC026464.6, AL109980.1, AC008773.7, AC073934.1, AL356257.14, AC024076.4, AC005103.3, AP000099.1, AL132713.11, AF047825.1, AC010553.6, AC010605.4, AL355495.10, AF053356.1, AC025207.5, AC005821.1, AC026391.6, AL133551.13, AL354928.9, AL138807.12, AL132642.4, AC008397.7, AC008372.6, Z93015.9, AL022721.1, AC008070.4, AL391647.16, AL136526.27, AC006211.1, AC020928.6, AP003548.2, AC078899.1, AL133294.10, AL445483.13, AL133454.6, AL513550.9, AC013416.4, AL355392.7, AP000036.1, AL161799.19, AC016250.5, AC007637.9, AC004643.1, AL096700. 14.
HSAXA83	280	545051	1 - 635	15 - 649	BE275396, BE275061, AA313781, BF977059, AI640202, AV709881, BE677876, AI291229, BF693434, AV710052, AI366963, AW137805, AI968874, AV744018, AV708132, AV688915, AA083495, AA336782, BG258938, BE142105, BF896038, BG031184, BE168021, BE890609, AV752295, W25439, R18412, BE903633, BC008739.1, AF164793. 1.
HSAYB43	281	604143	1 - 1685	15 - 1699	F17610, BF109566, AC026185.3, AC067941.7, AC002527.1, AC007263.4, AC006581.16, AL445237.16, AC005220.1, AL139415.10, AB045358.1, AP001711.1, AC013751.6,

					AC004104.1, AL109628.5, AL121986.12, AC005086.2, AC011890.4, AL512378.7, AP002532.1, AP001712.1, Y10196.1, AC005883.14, AC026672.44, AP000036. 1.
HSDEK49	282	1352253	1 - 1768	15 - 1782	AL513706, AL513705, AV700980, BF343961, AV710516, AV716397, AV715849, BF351156, AV717025, AW071975, AI922669, AI129815, BF106386, AA702864, W32947, AV690218, AV685715, AV693576, AV686846, AV695322, AV697709, BF924861, AI168499, AI343825, AA627735, AI554367, AI335089, AV697729, AI290781, AA875852, AA442570, AV686969, AV698914, AA486920, AI357884, AI088635, W79882, R39812, AV683817, BF932594, W17367, N78991, AA972857, R62969, R59135, AW961380, R56601, BE857524, R66262, W74268, AA436814, AA813538, H05057, AA133776, Z43556, R14044, R81029, T48889, AA228697, R56602, AA142932, R63023, Z39624, F02373, AA993978, R66723, R67603, R59136, R80928, AA133775, AW874480, T48888, AA228698, AA368546, BF525711, AA115592, AA328299, AA486747, BG001652, AJ132502.1, AL034397. 1.
HSDFJ26	283	834619	1 - 1191	15 - 1205	AI770009, BE467511, AW593206, AA434584, AI767843, AA780308, AA563708, AA317400, AA433906, AB021123.1, AC005598.6, AF361936. 1.
HSDJJ82	284	460602	1 - 448	15 - 462	AW594636, AA610164, AL050309.4, AC011445. 6.
HSDSB09	285	1301498	1 - 795	15 - 809	BF432333, AI861851, AI240993, AI795956, AI074484, AI640759, AW006868, AW241621, BF592070, AW271387, AW614840, AW450466, AW243423, AI244694, AI640517, BF431431, BF431530, AI439169, AI613108, AI915938, AI984796, AI245393, AW300335, AA931466, AW235983, AC005722. 1.
HSDSE75	286	545057	1 - 1137	15 - 1151	AW378251, BF349814, AA687791, BF739001, AW378183, AA661723, H61383, T88677, H62404, AA443169, AW339864, AA458622, AA252063, AI129690, AW960791, AB006755.1, AB006756.1, AB006757. 1.
HSDZR57	287	651375	1 - 294	15 - 308	BE255995, AW473473, AW206723, BE312252, AI571368, AI810895, AI479711, AI656582, BE676619, AI492370, AI929750, AI762058, AW271956, BF591321, BF434884, AI500262, AW612319, AW085870, AI627969, AW168428, BE796769, AI767097, AI205848, AA632229, AI565786, BG033526, AV729047, AA876257, BE563237, BE905450, AA478285, BE257238, BE878838, BF664024, AA641693, AA478343, BC002907.1, AK000519.1, AC008755. 6.
HSIDJ81	288	589447	1 - 1289	15 - 1303	H27567, H27494, H71543, AI754653, BF857849, AW023111, AI521525, AW572721, AW963450, AI254770, AI926102, AV701462, AW020150, AI871973, AW500534, AW275432, AA218851, AA595661, BF854170, BF853574, BF853009, AW151247, AA536040, AW274078, AW958962, AI791659, AA669238, AI223626, AI249853, AW302048, BF725844, AI284543, BE139139, AW855625, AL042621, AW575000, AI801505, N68677, AI250552, AV758870, AW272294, H86725, AW851405, AI625604, AI251034, AA525807, AW075979, AI697235, AI090377, AA570255, AA702637, AV760014, AA729387, AA831426, AI697239, AI697242, AW504224, AI879951, AW502949, H77492, AW514065, AI224583, AV759203, BF527070, AA491767, AA229496, AL158830.17, AC005412.6, AL355855.23, AL132718.5, AL391868.15, AF285442.1, U91321.1, AP000505.1, AF129756.1, Y14768.1, AB000882.1, AL353804.22, AC005013.1, AC004448.2,

					AL139415.10, AC009309.4, AC091529.1, AL391122.9, AC009996.7, AL354836.13, AC010530.7, AC005274.1, AC007242.3, Z98048.1, AL354861.11, AC006121.1, AC007685.2, AC020552.4, AC008126.9, AC090509.1, AL096701.14, AC090951.1, AC066597.4, AC068319.4, AC006581.16, AC005332.1, AL117334.29, AC005200.1, AC024163.2, AC005632.2, AL031447.4, AL163279.2, AL355074.5, AL121586.31, AL021546.1, AJ295844.1, AC005484.2, AC013717.8, AL445196.7, AC007255.4, AC008760.6, AL136219.17, AL160274.9, AL031277.1, AL390037.16, AL031658.11, AC012170.6, AC005102.1, AC026464.6, AF228703.1, AC008068.4, AC005921.3, AL121808.4, AC004699.1, AC009412.6, AL031311.1, AC007216.2, AB053170.1, AL109965.34, AC009488.5, AF312915.1, AL132713.11, AL133173.19, AC087225.1, AC022516.4, AC009314.4, AC007376.9, AL034420.16, AC007850.29, AC005280.3, AL449305.4, AC020913.6, AC010326.6, AL391259.15, AL512885.4, AC004824.3, AC024168.4, AC009137.6, AL023575.1, AC010271.6, AC011446.6, AC004000.1, AC090005.1, AL121594.6, AL031726.22, AC005180.2, AL136305.14, AC006251.3, AL139316.5, AC007262.4, AL109963.4, AC012085.4, AP000503.1, AC005995.3, AC007041.3, AL121903.13, AL139039.17, AL121973.2, AL022326.1, AC073101.7, AL359986.15, AC006449.19, AL356257.14, AC019206.4, AL358237.13, AL138720.19, AC006457.3, AL162458.10, AL034380.26, AP002436.3, AL445143.2, AC010223.5, AL157952.8, AC007707.13, AL031293.1, AC008641.6, AL357315.14, AC003080.1, AL138688.27, AL138752.5, Z95115.1, AL158207.15, AC004840.3, Y10196.1, AC005859.1, AE006465.1, AL356115.9, AC018492.6, AC006455.2, AC018764.6, AL117348.25, AL049835.3, AL118520.26, AC004491.1, AC005480.3, AC090518.2, AC010618.7, AC005940.3, AF111168.2, AP000213.1, AC018636.4, AL356299.16, AC091493.1, AL136179.15, AC005257.1, AL096791.12, AL139113.21, AP000135.1, AL357518.15, AL021808.1, AL133453.3, Z93017.6, AL365444.11, AL390838.26, AL445669.9, AC008812.7, AL513008.14, AC007537.3, AC004447.1, AC003029.2, AC026776.4, Z97054.1, AC005399.19, AC010412.7, AL133466.22, AL136164.8, AC005527.3, AP000031.1, AC010616.5, AC074295.7, AC090532.1, AC004846.2, AC018808.4, AP001724.1, AC005529.7, AC004551.1, AL353777.18, AC004686.1, AC008044.4, AC018663.3, AC004873.3, AP001412.2, AL022316.2, AF064858.2, AC008279.3, Z94801.1, AC010363.6, AL162390.9, AC005070.1, AL078596.8, AL590762.1, AC079177.21, AC003101.1, AC004644.1, AC006101.3, AC005516.1, AL353798.9, AC002037.1, AL049576.19, AC008784.6, AC011455.6, AL162584.9, U82828.1, AF134726.1, AC009319.19, AC007541.9, AL136295.3, AC013449.8, AL132780.5, AL109952.15, AC005081.3, AC007991.7, AF168787.1, AL136304.10, AC004789.1, AL354808.24, AC027130.5, AP000152.1, AL138958.18, AC020633.3, AC004813.2, AC018500.3, AC006077.1, AL109956.19, AL139317.5, AC004851.2, AF243527. 1.
HSKDA27	289	1352409	1 - 4398	15 - 4412	BF338364, BG253437, BG122685, BF037455, AW303375, AW173315, BF037378, BG120262, BG117983, BF915045, BF057308, BG252401, BG034853, BF793365, AW379378, BF826037, AA570507, BF915582, BG122734, W07328, AA600736, AI971935, BE697573, BE313814, AI090486,

					AI751258, BE839359, BF447303, AW631492, AA625303, BF513067, AI609700, AI768270, AI751257, BE939504, AA417652, AI751036, BE378218, AI652363, AI971415, AA599207, AI371013, AA024968, AI147536, W55850, AA063585, AW794702, AA446024, BE889110, AI828437, AI862133, AA421744, AI272646, AI148235, AA419609, AW005418, AA634323, BF883408, BF378271, AA416767, AA258414, AW305114, AI083516, AI752526, AW024492, AI698032, AW957682, AI092202, AI191710, C05155, AA419525, AI218226, AI754332, AW794499, AA410929, AI936116, AI079893, BE272411, AA593295, AA455497, AI039656, BG035195, AA747741, AA774270, AA364833, AI350380, BF940413, T59268, BF197746, AI084698, AW800540, AA834031, AI673545, AW795817, AA978105, AA622501, AA032249, AA912802, AI432010, N66832, AI751035, AI754989, AI082183, BE178218, AI751086, N75819, N67061, AA971661, AA873147, AA478719, AA036654, T59227, AI538117, AA662437, BE765721, T66232, AI751085, AW674273, AA024662, BF197986, AI564218, AA319726, AA657729, N64555, AA852211, C03119, AI221431, AA455496, AA033678, C04206, AI520867, AA258397, AW867914, AW867908, AA382381, N24008, AA456579, AA936765, AI433202, AA446297, AW338252, BF940540, AI075349, D31528, BE839377, AI537292, AA382234, AI446798, BE839418, AA459088, BF724219, BE839363, BE773013, AI064722, AW375493, AW375513, AW375482, AW375483, AW375502, AW370152, AW134700, BF352435, AW375514, F12285, BE772982, AW797394, BE839409, BE710069, AA299257, AI061637, BE773049, AW375497, H63649, AW805832, H29954, AI587210, AW836298, BE773047, H75893, BF985423, BF089372, AA610296, T73259, D30912, BE839372, BE934501, AW937287, AL531501, AI270416, AW376140, AW838930, AI886158, AA375571, AL134647, H94943, BG006581, AW964941, AA336003, AA410897, R94988, W47433, R64321, D31541, W39467, AV693669, T82080, W04350, AA384793, AW572523, BE693478, AW375499, BF569459, AA428478, BF001215, H43934, AA382233, Z20767, AA382380, BE157468, W16893, BE066790, AW384231, BE157596, H80974, R96403, BE814079, AA345211, BG153436, AV654605, BE157507, AW292030, H62182, AW384236, AI382511, BF674009, AA335755, H25902, W65400, BG169442, AV710284, T64640, AA994712, BF944442, BF725435, BF726055, BF917617, W67868, H71581, AA326037, M14036.1, X07577.1, M13690.1, M13656.1, M13203.1, X54486.1, X07432.1, AB062098.1, X07431.1, AB062097.1, AB062096. 1.
HSKGN81	290	676075	1 - 1893	15 - 1907	BG110811, BE745101, BE743722, BE545826, BE745120, BF681303, AW978606, AV702796, BE047756, BF848815, AW961578, AA446896, AI422823, BF848816, AI911304, AI038608, AA312710, AI143843, AI150244, BF829479, AI193547, AA705005, AI268239, AI140112, T65948, BE547522, AA393113, AI366477, AI085862, AI074853, AI277116, AI983894, AA394060, AA643650, AA100891, BF819277, AA922511, AV762171, AA478086, AI689302, AI275103, AI359079, AA532473, AV729423, BE349933, AI287604, AA477628, AV704180, BF847512, AI921910, AW105712, AW370596, AI624549, AW149890, AA505962, AA321215, AI357856, AA292337, BE292730, T34097, AW439882, AA447016, AI914726, R42595, AI858704, AI446219, AI275944, Z43230, BE707350, AW194214, AA135290, AW378090, BE241555, BE243232, AA010669, AW953547, AA632244, AW662488, BG057144, AW068278, R12726, BE151809, AW674205, T74373,

					N78860, BE242323, T31535, AI689506, R27706, F09665, R17501, AA435604, AW572245, BE548954, AI023355, BE545268, Z41318, AA383547, AA454729, AA570630, AA031630, AW173762, AW840945, AA381001, AA234325, T35951, Z45645, BE242712, T35949, AI866536, AA381111, AA693741, D82426, U83555, BE243322, F12018, AW793087, D82527, T64523, AW130852, AW262657, AA090647, AA359844, T19865, AA082483, U52870, R39778, W17267, AW603488, AA858156, AW068025, AW801618, BE242609, R05679, BE672790.
HSLCQ82	291	1352226	1 - 1462	15 - 1476	BF116042, AA454571, AW192766, AI278160, H24834, AI091291, AA456465, AI242593, AA098966, AI379014, H24785, AA921986, BF745395.
HSNAD72	292	467397	1 - 847	15 - 861	AW971203, AW861646, AI610321, AI880774, AA829195, AI880765, AA551170, AI969833, AA133550, T61620, AV758870, AA557945, AW873417, AI635819, C06160, AV761107, BE268727, AA743968, AA845333, BF574331, BG222875, BF946125, BF882222, BE068993, BF946124, AA493841, AW169469, AI251576, AI821901, BE044000, AI701898, H86399, H47461, AI338426, AI926093, AC009086.5, AC003007.1, AF001549.1, AC004638.1, AC018868.4, AC008747.5, AC090527.3, AL050318.13, AC078846.2, AC006254.10, AL035462.21, AL355476.12, AC026431.3, AC087091.1, AC005245.1, AL031311.1, AL136981.22, AL391241.21, AC010422.7, AC010267.6, AC011609.9, AC006538.1, AC006483.3, AL353807.18, AL049776.3, Z98200.8, AC067722.21, AC010913.9, AC008622.5, AC018828.3, AL080317.11, AC005484.2, AC022383.3, Z97989.1, AL117258.4, AC004531.1, AL121594.6, AL161656.20, AL122020.5, AL157372.18, AC067742.5, AL021453.1, AL390074.17, U47924.1, AC005077.5, AC002404.1, AC008482.5, AL035404.20, AL136124.10, AC005519.3, AL359983.7, AC005932.1, Z74739.1, AL034402.9, AC004813.2, AL136304.10, AC007386.3, AC022392.4, AL136979.16, AL031660.16, Z83844.5, AP000279.1, AC004975.2, AC011462.4, AL139809.16, AL450226.1, AC007193.1, AC008812.7, AC025588.1, AL445212.9, AL121890.34, AC011497.6, AC008752.6, AP000688.1, AC007216.2, AL356915.19, AP000106.1, AF207550.1, AC016742.10, AC005620.1, AC022384.4, U95742.1, AC004000.1, AL117381.32, AC011479.6, AC007285.3, AC008484.5, AC005755.1, AL157838.24, AC023790.21, AL162724.16, AC011487.5, AC000353.27, AL137077.31, AL031733.3, AL445490.6, AC025165.27, AC018711.4, AL354707.17, AC006251.3, AP000038.1, AL590763.1, AF129756.1, AP002852.3, AC005602.1, AC010170.3, AC005041.2, AL050302.2, AC005821.1, AC004846.2, AC003041.1, AL133238.3, AL031575.1, AC005257.1, AL137918.4, AC007163.3, AP000555.1, AL135905.6, AC020915.6, AP000047.1, AC025280.4, AL117330.6, AL135927.14, AC007227.3, AL049868.20, AL133367.4, AC007686.5, AC005365.1, AC006511.5, AL163203.2, AC020928.6, AC007298.17, AC009756.9, AC005666.1, AL359091.10, AC006515.7, AL139353.3, AL136170.12, AC009238.4, AL353804.22, U91323.1, AL160236.4, AL450224.1, AL159997.14, AP001724.1, AC006452.4, AL158830.17, AC004812.1, AC007751.3, AC004675.1, AL080243.21, AJ246003.1, AL354932.26, AC009488.5, AL391987.15, AP000213.1, AL354935.23, AL158813.16, AP000744.4, AC002543.1, AC010271.6, AL138878.10, AP000558.1,

					AC009144.5, AL020997.1, AC004913.2, AC008392.6, AL133246.2, AL161436.12, AC073073.2, AC012306.11, AC020914.7, AC090942.1, U52112.1, AL110115.38, AC004491.1, Z96074.4, AP000135.1, AC005410.2, AJ009616.3, AF165926.2, AL121886.22, AL109628.5, AL109743.4, AC008760.6, AL078477.5, AC004534.1, AL357052.15, AC006077.1, AC008745.6, Z98752.16, AP000692.1, AC009077.7, AP000031.1, Y18000.1, Z98051.6, AC002418.1, AC008687.4, AC005920.1, AC004234.1, AC012476.8, AL513043.7, L44140.1, AL136305.14, AC010605.4, AL022323.7, AC004825.2, AC013436.5, AL138752.5, AL132712.4, AL359092.14, AC018758.2, AC011510.7, AC004659.1, AC007597.3, AL353602.10, AL136039.4, AC008521.5, AL390738.4, AC020931. 5.
HSNMC45	293	1352201	1 - 573	15 - 587	AA377442.
HSQFP66	294	460537	1 - 463	15 - 477	BE465277, BF593260, AI765036, BE181153, BE181155, AA834498, BF365438.
HSRFZ57	295	892171	1 - 1916	15 - 1930	AC006159.3, AF125348.1, AC084730. 2.
HSSFT08	296	589978	1 - 777	15 - 791	AA602964, AA609200, AL133255.13, AL157879.7, AL009030. 15.
HSSGD52	297	1352343	1 - 2411	15 - 2425	AU140435, AI609706, AU118420, AI831837, BF529529, AI554814, BE786730, BF984481, BE872435, BE899402, BG179330, AI479884, AI982533, AI690830, AI346254, AI828401, BF094552, BE881525, BF094556, BE669959, BG037013, AW471268, AI561157, AI638805, AL037237, BE855637, AW296244, AI566243, AW675774, AI401405, AW673452, AI476445, AW001226, BF679313, BG057709, AA127685, BE907977, AA861929, BG260609, BF237821, AW956800, AA447921, AI571901, AW589479, AI766919, AI473830, AA938585, AU144989, AI262410, AA559052, AI446187, BG008928, AA917796, BE503565, AI275823, AW470299, AA127785, AI861789, AI167155, AW008965, AA905576, AI167659, BE218804, AI493520, AI281278, H99336, BE710637, AW205944, AI752329, AI752330, AI765810, AV653987, W52643, BF946032, AW168159, BF945858, BF316720, N26442, AA972078, AI817934, AI264423, W45166, AI557365, AI264431, AI288175, BE549758, AA442622, AI824617, AA919004, R70430, AA857204, AI368414, BF593079, AI418025, BE898318, AI262064, AA678751, BG057197, AI084548, W44908, H42841, AI827422, BE771829, AW449397, R48178, N93753, H72494, AA339568, BF108797, BE771822, R44778, BE091331, N88020, R48179, BE003856, AA678750, BE717116, AA837786, AW452952, BE828508, BF663442, AA975074, R19112, D11951, AI391505, BE814402, AI424232, AA436865, BF765542, AI420371, R82965, AW511561, AA541734, BE774069, AI867545, AA367966, AA385530, AA732924, AI371313, BF740054, AI828905, BF957657, H53943, BF764296, BF742191, T10746, F31373, AI559802, R09272, BG116091, R69447, AA303616, BE301258, W78796, W52012, BF956541, T07614, AW439006, T75428, BF917390, BE179163, AI086470, BF821360, BE938534, AA577454, BE301248, AI869470, AU076647, BF001674, AI086839, W94113, U94831.1, AL136295. 3.
HSSGG82	298	618535	1 - 1529	15 - 1543	AW964177, BF663662, AW603820, AI884560, AA398834, AA054137, BE503763, AW613529, BF509801, AA378851, H86275, H84069, BF346487, BF754228, AA327575, AA421165, BF686426, AI825151, BF476556, AI700323, AI591094, AW206900, AI948671, AI695979, AI632290, AW204774, AW134977.

HSUBW09	299	413246	1 - 1007	15 - 1021	AI991103, AI765351, AA703513, BF939824, AI925701, AW295389, AW976578, AI199421, AI422698, AI934983, BE501421, AI127932, AA703493, AW297092, AA677025, AA848037, AA814098, AW404152, AW904298, AW182186, AW197850, AA741121, AA651794, AI678148, AA906044, F18680, AA743764, AI632270, AW590435, BE045258, AA608892.
HSVBU91	300	596868	1 - 713	15 - 727	AW839808, AA077633, BF919965, AC008171.3, AF041056.1, AC004089.25, AC005081.3, AC005015.2, AB006629. 2.
HSYAV50	301	847358	1 - 2787	15 - 2801	BF313680, BE742185, BE383304, BE741869, BF526599, BE619099, AI341487, AI971709, AI623222, AW593800, AW959076, AI983635, AI952164, AW275114, AI800442, AA977038, AW513859, AW273202, AW337946, AW273147, AI801910, BE463718, AA250733, AW072844, AI453134, AI818468, AI086791, BF329916, AW166266, AW300481, AI561259, AW103087, BE048584, BE907359, AW470887, BF063936, AI207341, AW235230, AA448721, AW206033, AW175624, AW193322, AW193240, AI128968, AW264492, AA410939, AI682412, AA455784, BF525380, AI631778, AW771868, AI669677, BE619620, AI128695, AA448630, AA456607, AW239315, AW195959, AI825128, AA327876, AI168173, BF376618, N79049, AA349394, AI470892, BF194812, D79030, AA902669, AI569983, AI682120, AA385255, AI052433, AI948815, W24199, AI735600, W24193, AI214684, AA770139, AI672486, AA769789, N91773, BF944570, C02034, AI955870, AC005222. 1.
HTAEE28	302	1018291	1 - 1327	15 - 1341	AW195720, AI765273, AI817356, AI928166, AI283845, BE503396, AW081502, BE349083, BF059350, AA419437, AA758800, AW206944, AA933673, AW104261, AI627565, AI264565, AW469909, AA845240, AA332515, AL021453. 1.
HTECC05	303	1352365	1 - 825	15 - 839	AA437009, AI806582, AI040972, AA442839, AA759268, AI214390, AI799076, AA918443, AW195596, AA910234.
HTEEB42	304	206980	1 - 1008	15 - 1022	AL522795, AA725566, AI421450, AL522796, AI199779, AA406389, AA912674, AW022835, AI952846, AI123727, BE218057, AW022646, N90730, BF846982, BF845761, AI652914, BF056970, AW020783, AI312805, AW393829, AI017553, AW393887, AW474261, AW264246, BF848293, AI366088, AI418268, T89217, AI052637, AW082343, BF221504, AW593293, AA865038, AI201753, BF091146, AI140139, AA987434, AA410345, BF846977, BF846980, AW900593, BF932982, BF932991, AW865421, AW136481, AI650503, AI432092, T89127, AA974715, AW261924, BE938414, AF255910.1, AY016009.1, AP001694.1, AP000087.1, AP000225.1, AP000226.1, AP000086.1, AP000223. 1.
HTEFU65	305	543396	1 - 1014	15 - 1028	AW072387, R83559, AI924465, AI364031, AW513660, BF361111, AA705541, AL162032. 1.
HTEGA76	306	381995	1 - 436	15 - 450	BF059486, AW293425, AI190540, AI201137, AI026778, AI016787, AA604883, AW172655, AA393061, AA709172, AC002456. 1.
HTELM16	307	834058	1 - 517	15 - 531	AI651078, AW193716, AA833735, AI656090, AA939044, AI005061, BE550563, AA972135, AW173087, BE551605, AI807541, AW235353, AA769984, AI631437, BF755659, BF755660, AA910026, AI954833, AA442458, AW236934, BF478195, AW291899, AA807414, AW003815, AA436650, AI001919, W26260, AW070283, AW302924, AI344928, AI344933, BF968779, AI335449,

					AL031650.22, AL121751. 12.
HTELP17	308	836072	1 - 794	15 - 808	AW976593, AW275003, BF103848, AA744857, AI458735, AW013800, AA453589, AI684921, AI184517, AI376535, AA621297, AI970221, AW015543, AA969112, AA992291, AA442130, W01308, H72782, AL519628, AA129060, AA460996, AA721433, BF665557, BE170715, AA460649, BG035897, H72781, AI382100, BF541499, AW800324, AI806305, BF885871, AI868710, AI241242, BE386136, AV723953, R75918, N75771, AI865320, AI355277, AI500061, AW088944, AI491842, BE544111, AI866469, AW007955, AI800464, AI335426, AI348777, BE891834, BG179438, AW409772, AL037582, AL037602, AV758017, AV712838, AV713988, AI536563, H42557, AV713143, AV755673, AV702147, AI174799, BE881061, BF814357, BF797305, AV721644, AI345010, AW021717, BG029829, BF793891, BF909758, AI538817, AW827289, AL037454, AW025279, AA766104, AV717730, AI817523, AL046942, BG001293, BF969354, AI554818, BE887537, AI583032, AI473536, BE789373, AI582932, AI590043, AV714010, AV717397, BG121959, AV706915, AV706624, AW027374, AA744531, AV703585, BF924856, AI819545, BE883591, AW196078, AI811631, AL036705, AI929108, BF997967, AI345745, BF921291, BE964497, AI279925, AI873638, BG029053, AI923989, AI288152, AI305745, AI539800, BF816685, AI567582, AL040694, BF751288, BG166654, AL039276, AW090102, AI440238, AW161202, AI309306, AI401697, AI679959, AI345131, AL118781, AW078818, AI628325, AI697324, AI471429, T69241, AI470293, AI687568, BG033723, BF826429, AW965840, AA603709, AI371786, AI376748, AL043355, AI499986, BG032919, AI866770, BF924855, AW827211, AW059713, BG107590, AI125884, AI866465, BF092710, BE612681, AV750565, AI452707, AI446721, AI912438, AI288335, AI371243, AW020425, AI568138, AV682249, AV763927, AI972112, BG164558, BF811802, AW020397, AV713908, AW160905, AV681643, AW150826, AI864102, BG031447, AW193467, BG171892, AW162189, AI345415, AA514684, BE927769, AW059765, AL039274, AV648334, BF792047, BF970768, AI866780, AI570140, AI648663, AI363957, BF341210, BF792781, BG253033, AI890887, AL045626, BE957870, AI560679, AI434969, AL110306, AI561228, AA652505, AW172723, AI802244, AW022494, BE536058, AV705066, BF904265, AW410430, BF752997, AW183130, N81164, AI954293, AL120254, AW163464, BG112644, AW021662, AI571000, BG165979, AI927256, AI250852, AV682289, BF812963, AI336575, AL040241, AV682300, AI799364, AI445620, AL040449, AI656270, BF337602, BE965724, BF814412, BG260037, AA806719, AW264895, BE964614, BF904180, BF032768, AW151132, BE965432, AI474646, AW089664, AI653769, AW089275, AW020095, AI434656, Z99428, AW834325, AI923833, AI285419, BG122101, AC000077.2, AK026885.1, BC008365.1, AK024570.1, AB063093.1, Y14040.1, X82434.1, AL136748.1, AF078844.1, AF073483.1, AF285836.1, AL050092.1, AK025958.1, AK025414.1, AK025435.1, AL122118.1, BC003591.1, AF218006.1, AK026613.1, AF218023.1, BC007522.1, BC003410.1, BC007534.1, AF090901.1, AL133072.1, AL136882.1, AK026583.1, BC004310.1, AB062978.1, AK025407.1, AL389935.1, AL136884.1, AL512719.1, AL359596.1, AB056420.1, AF090903.1, AK026556.1, Z82022.1, AL110280.1, D83032.1, AB055805.1, AL137283.1, AB060826.1, AF262032.1, AL133049.1, AK026608.1, BC001328.1, AK027164.1,

					AL049283.1, AL122050.1, AK026522.1, AL137533.1, AL136864.1, S76508.1, AK024545.1, BC008785.1, BC002750.1, BC005890.1, AK024944.1, AL133665.1, AK025099.1, AF155827.1, BC008455.1, BC003120.1, BC003573.1, AL162008.1, BC001785.1, AK025906.1, BC006164.1, AF225424.1, AK025209.1, AK026762.1, BC001964.1, AL122100.1, AB056372.1, Y14314.1, AK026038.1, AK026534.1, AL133081.1, BC000316.1, AK026630.1, AK025410.1, AF252872.1, BC003122.1, BC005070.1, AL137479.1, BC006807.1, AL162002.1, AL080074.1, AK026784.1, AK027160.1, AB055303.1, AB060887.1, AL136766.1, AK026464.1, BC006408.1, BC006159.1, AL353802.14, AL117460.1, AL117649.1, AK026649.1, AF044323.1, S77771.1, AK024538.1, BC008196.1, AL133067.1, BC003683.1, BC008649.1, AK026528.1, BC008416.1, AB048913.1, AL049382.1, AK027173.1, AK026797.1, AK027146.1, AK000421.1, AB050431.1, AK025524.1, AL137488.1, U88966.1, BC002777.1, AK026462.1, BC002688.1, Y16645.1, AL050024.1, Y10936.1, AK026642.1, AK025084.1, AK000083.1, AB052191.1, AB055368.1, BC006525.1, AF081571.1, AK027111.1, S61953.1, AF090934.1, BC008387.1, AL136615.1, BC008284.1, AL136786.1, BC004530.1, AF110640.1, AF159615.1, AF106697.1, AB063079.1, AL512689.1, BC003590.1, AL157482.1, AL050393.1, AL136540.1, AK027113.1, BC004883.1, AK026480.1, AF177336.1, BC008723.1, AL136789.1, AL133062.1, U72621.3, BC004960.1, AB049849.1, AL136640.1, AB047623.1, AK024747.1, BC002409.1, AK025375.1, AF232009.1, AF217987.1, AK025092.1, AK025491.1, AL080162.1, BC003548.1, BC002473.1, AK000647.1, BC002844.1, AY033593.1, AL137480.1, AK026506.1, AL162004.1, AK024546.1, BC007499.1, BC005002.1, BC008673.1, AL512718.1, AB060897.1, AK027161.1, AF202636.1, BC000090.1, AF061795.1, AK026452.1, AF151685.1, AL136754.1, BC003684.1, AF260566.1, AK000391.1, AL353956.1, AL136586.1, BC005997.1, AL136784.1, AL133560.1, AK026408.1, BC007053.1, AK024588.1, AK027096.1, BC006091.1, AL357195.1, AF218014.1, AK025857.1, AB060879.1, AK026749.1, AK000257.1, BC007680.1, AL137558.1, AL583915.1, AL117432.1, AL389982.1, S78214.1, AK024992.1, AB051158.1, AL389939.1, BC003614.1, AJ299431.1, AK027082.1, BC002357.1, AF141289.1, AK026947.1, AB048954.1, AB048975.1, AL110221.1, AL096744.1, AB060914.1, AK026631.1, AK026542.1, BC007326.1, AB050407.1, AL136850.1, AB060893.1, AF132676.1, AB060873.1, AF061836.1, AL117583.1, AL137648.1, AL512733.1, AL390184.1, AL137711.1, AB060888.1, AL110158.1, AF090900.1, AF274348.1, AF036268.1, AF274347. 1.
HTELS08	309	847090	1 - 1884	15 - 1898	AW664990, AA608835, BE972717, AA383680, AW572898, AI028204, AI554902, AI138881.
HTEPG70	310	834931	1 - 799	15 - 813	AW001355, AA426091, AW182920, AI698237, AA844647, AW592578, AA436649, AA936263, AW072458, AA678521, AA442457, AC005789.1, AC005625. 1.
HTGEP89	311	410582	1 - 689	15 - 703	AV762334, AI300541, BG109719, AW663660, AA988368, AA927889, AA417006, AI206569, AA417219, AI005145, AI810124, AA723941, AA620800, AA917882, AA912169, BE927871, AA732367.
HTHBG43	312	919911	1 - 834	15 - 848	AA830144, AW196413, AW662711, AA346392, F01235, Z28908, AA704393, AV754716, AA602906, AI061313, BF804385, AA284247, AI609972, AW265614, AA491955, AW872574, AA715814,

					AW855528, AA552586, AW188742, AA622801, AA720774, AA502532, AA169245, AW238253, AI611533, BF870792, AI612070, AI301475, BF920612, AA528503, BE906142, AA558404, AA530958, AP003357.2, AP000555.1, AL049838.3, AC020906.6, AC003043.1, AL138878.10, AL031727.42, AC074338.1, AL355792.8, AF031078.1, AL022396.1, AL354932.26, AF030876.1, AL049637.43, AC005736.1, AP000116.1, AL133448.4, AL358777.12, AF243527.1, AP001712.1, AC016968.24, AC008736.6, AC073345.10, AC010271.6, AC007546.5, AC007687.16, AL035555.10, AL031678.2, AC010205.5, AC005940.3, AC002996.1, AC002565.1, AL162587.20, AL031228.1, AL109935.39, AL009181.1, AF168787.1, AP001331.1, AL031728.12, AC010150.3, AL157372.18, AC007731.14, AL049653.7, AC004821.3, AC005500.2, AL138759.20, AC009077.7, AC011527.4, AL022320.23, AL034405.16, AC018755.3, AC004611.1, AC021849.5, AL138837.12, AC007011.1, AC002300.1, AC007917.15, AL390209.1, AB038653.1, AL035462.21, AL391834.8, AL121928.13, AC006057.5, AC002432.1, AC009756.9, AC005098.2, AC009721.9, AL109947.19, AC010311.8, AC024563.4, AP001717.1, AL138752.5, AL009172.1, AC000035.2, AC002549.1, AL359494.17, AL008726.3, AL354766.17, AL353807.18, AL138743.5, Z84466.1, AL162424.20, AC073326.6, AP001748.1, AL118501.22, AC010768.9, AC005790.1, AC004222.1, AL035685.21, AC008946.6, AC009570.13, AL121972.17, AC004903.2, AC027130.5, AL049869.6, AC005215.1, AJ009613.4, AC009408.3, AC024561.4, AC005071.2, AL162426.20, AC003104.1, U80017.1, AL117382.28, AL132716.6, AC006581.16, AL122020.5, AC066597.4, AL031447.4, AC011445.6, AP001726.1, AL163279.2, AP001715.1, AC018828.3, AC005067.2, AC005288.1, AL137853.12, AC022383.3, AC010618.7, AL136295.3, AL133453.3, AL591398.2, AF067844.1, AC004032.7, AL034423.21, AC005971.5, AL353692.14, AL136170.12, AC006014.2, AC013467.8, AL117336.22, AC044797.5, AL158817.11, AC020552.4, Z83840.7, AL137077.31, AL031658.11, AC083863.2, AC007055.3, U82828.1, AC020913.6, AL390294.19, AC004253.1, AL132777.4, AC009086.5, AC011890.4, AL359397.3, AL022311.5, AC007993.15, AC000003.1, AC008427.7, AL513366.11, AC005939.1, U52111.2, AC010489.4, AL512666.6, AC005972.1, Z98884.11, AL137073.13, AC037475.9, AC011236.8, AC005520.2, AC011811.42, AC004089.25, AL137791.19, AP003465.2, AF064863.2, AC005031.1, AL031681.16, AL160163.24, AC009144.5, AL132640.4, AC016995.4, AC006208.3, AP001725.1, AC005089.2, AC011444.5, AF064861.1, AC000025.2, AL133373.5, AC002504.1, AL121891.22, AL358972.13, AF207550.1, AL133445.4, AC005368.1, AC006241.1, AL035659.22, AC011467.7, AL162417.22, AC005527.3, AC078962.30, AL139809.16, AC007991.7, AL096701.14, AC083884.6, AL121992.24, AL121594.6, AL136126.34, AC010458.5, AP002078.3, AC006966.3, AC004659.1, AC005086.2, AF229163.1, AC067722.21, AL031846.2, AP000257.1, AP002982.2, AC005081.3, AC005363.1, AC009068.10, AC007684.3, AL035587.5, AC010363.6, AC020626.6, AP001709.1, AL132639.4, AF190464.1, AC002301.1, AL133294.10, AC004778. 1.

HTHDS25	313	772559	1 - 1047	15 - 1061	AI801504, AA385855, AA812703, AA349881, AI254831, AW293292, AI963714, BF674168, AW967329, BE241437, T08386, AI521458, BF855114, AL357075.17, AL031668.23, AL358976.11, AP000067.1, AC004089.25, AL357519.19, AC005015.2, AL034417.14, AC004491.1, AC004962.1, AL133353.6, AC004634.1, AC022027.5, AC060231.6, AC004084.1, AB043547.1, AP000304.1, AL139390.15, AP000047.1, AL080243.21, AC004841.2, AL035685.21, AP000115.1, AC008957.7, AL035684.25, AP001717.1, AC015982.9, AC020916.7, AL139230.25, AL096773.6, AL137073.13, Z85996.1, AC010386.5, AC005098.2, AC003010.1, AC004166.12, AC005488.2, AC012170.6, AC005972.1, AC008507.8, AC008569.6, AL049198.2, AL133354.14, AL357507.9, AC008771.4, AB014077.1, AC011479.6, AC079171.21, AC004156.1, AL157823.9, AL356464.15, AL138976.5, AC002126.1, AL133507.8, AL024498.12, AC008766.4, AC020904.6, AL035073.7, U91323.1, AC005103.3, AL078633.32, AF047825. 1.
HTLEP53	314	634852	1 - 804	15 - 818	BF876683, AI755202, AI066646, AW613805, AA084609, AW769151, BE169870, AA601674, AI561210, BF926568, AW265614, BF826830, AI613389, AL042667, AL042670, AW130427, BF868994, AW471092, AV760019, AW576485, AI281818, AA225956, N64587, AU157209, BF941382, AI340151, AI859834, AW328202, AV754716, AW501278, BG222269, AI955029, AL134440, AI799569, BG250286, AW518030, AW576437, BF725884, BE396138, AW974363, T05118, AA524616, AI732682, AW268329, AI192440, AA669741, AW166920, D58782, AI653493, AW238341, BE301068, AI955718, BF923179, BF526964, AW438850, AW438662, U95742.1, AC019205.4, AC027125.4, AL356299.16, AC007216.2, AC008649.6, AC005484.2, AC005098.2, AC005740.1, AB020868.1, AC008569.6, AL359091.10, AL136527.9, AC005527.3, AC005000.2, AC005529.7, AL121809.6, AC090883.1, AC006312.8, AC004166.12, AF250325.1, AL008726.3, AL139396.17, AC010913.9, Z85987.13, AL590762.1, AL121658.2, AJ246003.1, AP001781.4, AP001694.1, AC004867.5, AL133312.3, AL513550.9, AC008507.8, AL022476.2, AC005520.2, AC068533.7, AL160163.24, AC011485.6, AF111167.2, AC002544.1, AC004702.1, AL158141.14, AC005071.2, AC007191.1, AC005229.1, AL357515.26, AC010412.7, AL161670.4, AF196972.1, AL135927.14, AC007227.3, AC083884.6, AC004089.25, AL445483.13, AF165926.2, AC009060.7, AL359235.3, AC002350.1, AC005952.1, AC007052.4, AC020558.4, AL035071.17, AP000510.2, AC007731.14, AL121586.31, AL354815.10, AC005500.2, AC006014.2, AC005015.2, AL161893.24, AC005726.1, AC004985.2, AL161725.13, AC002390.1, AL450265.11, AL353135.32, AL160231.4, AC026672.44, AC004466.1, AC060231.6, AL360227.17, AL117382.28, AL021397.1, AC083863.2, AC011487.5, AL158824.11, AC018638.5, AL031283.26, AL121761.5, AC004242.1, AL020993.1, AL512641.9, AL121936.17, AC005280.3, AL035587.5, AC020916.7, AC067941.7, AC009812.17, AC012476.8, AL136228.8, AP001728.1, AL354808.24, AL049561.16, AL352984.4, AP000046.1, AC010378.6, AC000381.1, AC006480.3, AC006023.2, AL050308.9, AC005531.1, AL049776.3, AP000114.1, AC008551.5, AL031680.20, AL391827.18,

					AP001360.4, AL354707.17, AF111168.2, AL031683.2, U89337.1, AC010605.4, AL035367.5, AC002546.1, AL138724.12, AL033521.2, AC020906.6, AC078846.2, AC006452.4, AC007003.4, AC009244.24, AL049547.10, AL163279.2, AF064861.1, AC000025.2, AC027319.5, AL391280.15, AC008083.23, AC004253.1, AC008598.5, Y10196.1, AL049766.14, AL512666.6, AL138784.30, AC008891.7, AC004840.3, AC083873.3, AC005377.2, AC000360.35, AL049637.43, AL512378.7, AC008753.8, AC005488.2, AF001548.1, AC010422.7, AC009179.17, AC008623.4, AC004876.2, AP001717.1, AP001709.1, AC011465.4, AP000901.5, AL160471.5, AC006329.5, AL034405.16, AC008521.5, L44140.1, AC008481.7, U15177.1, AL162578.13, AC006449.19, Z97876.1, AC016830.5, AC008946.6, AL137792.11, AL109743.4, Z83844.5, AL049631.7, AC025275.4, AC091736.1, AP002453.3, AC006512.12, AC004491.1, AL356095.11, AC005291.1, AL136297.3, AC003982.1, AL022318.2, AC009086.5, AC005736.1, AC004824.3, Z84466.1, AP001670.1, AL157823.9, AC018904.6, AC002425.1, AF312032.1, AL109806.22, AL035413.19, AC006027.1, Z84469.1, AL513366.11, AC011737.10, AF196779.1, AC026756.15, AC008745.6, AC090527.3, AC006038.2, AC005318.1, AL391137.11, AC010543.8, AC005081.3, AC005522.2, AC005231.2, AC013726.7, AL109804.41, AC005399.19, AC004832.3, AC022148.5, AF134726.1, AC022007.3, AP002851.2, AL136084.11, AL031295.1, AP001748.1, AL121834.20, AC007686.5, AL049872.3, AL049569.13, AC016993.4, AC004805.1, AL133551.13, AL136966.27, AC004167.1, AP000237.1, AL117186.3, AL161747.5, AC005288.1, X54156.1, U94788.1, Z99127.1, AC016691.10, AC016025.12, AC010526.7, AC004890. 2.
HTLGE31	315	1035130	1 - 520	15 - 534	AA714179, AW051497, AI971919, AI094911, AW055123, AA293722, AI094408, AA631985, AL445222.9, Y17801.1, AJ245937. 1.
HTLHY14	316	838460	1 - 1018	15 - 1032	AW182303, BF530991, AA885453, AA913620, AI024359, AI218809, AA436925, AA904573, AA729136, AA448181, AA431731, AI768931, AI138595, AA868685, AV721013, AI191602, AA970192, AI004977, H19402, AA496009, T19190, AI024060, AI015490, AA860370, AW081876, T05239, AA810634, AA609572, AA824562, AA789135, AA904853, AC005328.1, AC005545. 1.
HTLIV19	317	1046341	1 - 964	15 - 978	H73550, AA715075, AA425924, AI792525, AA303049, AA715173, BF895531, AW086361, AV733366, AI348722, BE168680, BF880342, BF725844, BE464794, AI862231, AL033519.42, AL138706.9, Z82244.1, AC004000.1, L78810.1, AP002453.3, AL117382.28, AC004491.1, AC005399.19, AL354798.13, AC004867.5, AL022326.1, AC006160.9, AC004805.1, AC018801.4, AC022007.3, AL133444.4, AL356481.16, AL121751.12, AC008687.4, AC002369.1, AL353668.18, AC011495.6, AF279660.2, AL132640.4, AC004263.1, AC009077.7, AC005105.2, AL450169.1, AC025262.27, AC007425.16, AL050349.27, AC004887.2, AL022396.1, AC040160.4, AC018642.6, AP002340.3, AC074331.1, AE006462.1, AC002073.1, AC003070.1, AL031767.13, AL133153.3, AC007263.4, AC004882.2, AL050341.18, AC005921.3, AC007619.22, Z98200.8, AB003151.1, AC008050.6, Z92542.2, AC010305.3, AL157789.6, AC002300.1, AL020997.1, Z97989.1, AL023281.1, AL021707.2, AC079602.15, AC007225.2, AF243527.1, AC008267.6,

					AC007279.4, Z83840.7, AP001694.1, AL096764.11, AL031602.14, AC008895.7, AL391280.15, AC007073.2, AC005225.2, AL109614.28, AC008403.6, AL354808.24, AL138752.5, AL162430.15, AC008569.6, AL450104.14, AC007005.3, AL355392.7, AL133548.6, AL121997.7, AL034380.26, AL117352.12, AC009267.15, U91321.1, AL391827.18, AC022383.3, AC025438.5, AC091118.2, AC074013.5, AC002299.1, AL354797.16, U91326.1, AL034420.16, AC012384.16, AC022212.4, AL096840.25, AC005200.1, AC011489.6, AC008009.4, AL139317. 5.
HTOAK16	318	560744	1 - 1452	15 - 1466	AU145310, AW274654, BF838423, AW139789, AW205436, AA017033, AU118838, T87405, AI143925, AI174470, T87300, AA019253, AK021714. 1.
HTOGR42	319	838160	1 - 1416	15 - 1430	AA573067, H30513, AI266619, R20206, AW084004, AI064724, AW851828, BF031134, AA773890, AA507343, AL031295.1, AL355343.18, AC005031.1, AL354932.26, AC044797.5, AL356019.5, AC011994.10, AL034420.16, U80460.1, AL031281.6, AC022392.4, AC073657.5, Z99716.4, AF196779.1, AC009144.5, L44140.1, AC008440.8, AL049776.3, AL031847.17, AC010378.6, AL136418.4, AL139054.1, AC004797.1, AL353777.18, AL117382.28, AC005231.2, AC008521.5, AC002425.1, AC011446.6, AB023048.1, AL139113.21, AL355480.22, Z97196.1, AC008753.8, AL031685.18, AL160271.19, AL109952.15, AC004999.1, AC021012.5, AL355093.3, AL512883.5, AC007055.3, AF001550.1, Z95115.1, AC008745.6, AL021579.1, AL136304.10, AL121886.22, AC009086.5, AC003109.1, AC004953.1, AC005052.2, AL137229.4, AC005379.1, AC068724.7, AL135744.4, AL121890.34, AL589723.7, AC012170.6, AC005288.1, AC006538.1, D86995.1, AP000098.1, AC003007.1, AC009412.6, AL357497.17, Z83844.5, AL356575.8, AL031680.20, AL354735.14, AC007216.2, AL445071.14, AL136123.19, AP001710.1, AC008372.6, AP000901.5, AC025540.7, AF129756.1, AL355336.15, AP001717.1, AC008149.14, AC010279.4, AC008018.20, AC011487.5, AC003041.1, AL159997.14, AL080243.21, AF001549.1, AL135839.15, AC078962.30, AC008733.7, AP000504.1, AL132713.11, AL365505.15, AC005632.2, U62317. 2.
HTOHT18	320	628300	1 - 1485	15 - 1499	AC004928.2.
HTOJK60	322	545067	1 - 890	15 - 904	AL079734, AI613389, AA129746, AI267356, AW970571, BE048991, AI267450, BF902572, AI133083, AI085242, H07953, AI253376, BG029528, AL038606, BF876179, AI207728, BF868994, AI049709, AA832016, BG222875, AA720774, AW089016, AW995665, BE084668, AA565911, BF821897, BG015615, BF529925, BE256101, AI357823, N30205, AI249447, AI537800, AA632839, AI440117, T74524, BE244243, AA501867, BE000614, BE154781, AA502207, AA084609, AA599080, AI679759, AV760019, AA191659, AA515351, BF678165, AW069412, AI284092, AW265359, AI056177, BE387304, AV757069, BF131490, BE049021, AW970987, AW276678, AW303098, AA584756, AW021627, AI628859, BE893315, AI251034, AA912287, BE501593, BE139139, AU117926, AC084864.2, AC078846.2, AC004815.2, U51560.1, AJ400877.1, AL445490.6, AC024082.6, AC007078.3, Z80896.2, AC012170.6, AJ009612.5, AC005940.3, AL357497.17, AC022415.5, AC008736.6, AL023879.1, AC004520.1, AL009031.1, AP003352.2, Z95116.1, AL356095.11,

					AL135927.14, AC007227.3, AC068533.7, AC005071.2, AP001710.1, AC003007.1, AL035420.15, AL353807.18, AC018695.6, AF168787.1, AL359494.17, AC012384.16, AC009311.3, AL117336.22, AC005736.1, AC008784.6, AB003151.1, AL024498.12, AC005519.3, AP000553.1, AL135928.6, AC011472.7, AL133373.5, AP000359.1, AC022201.4, AC004000.1, AF036405.1, AC019206.4, AC008403.6, AC008626.5, AB000882.1, AC005341.12, AC002430.1, U67810.1, AC004867.5, AL109804.41, AC007384.3, AC090939.1, U89335.1, AL049713.20, AL020997.1, AL049776.3, AC008962.8, AL022238.1, AC007216.2, AC006329.5, AC027129.5, AC083871.2, AC005907.1, AC004166.12, U95742.1, AL138725.19, AC002326.1, AL132777.4, AC055740.17, AL356915.19, AC011446.6, AC008397.7, AL365364.19, AC009412.6, AC001227.1, AP001748.1, AC011452.6, Z83844.5, AC002476.1, AC011475.6, AC003101.1, AL136295.3, AL157912.5, AC011464.5, AC011450.4, AL138889.9, AL022476.2, AL138965.10, AC004878.2, AL356785.18, U62631.1, AL035587.5, AL354932.26, AC024085.5, AP001714.1, AC006312.8, AC009145.4, X55926.1, AC020917.4, AC002544.1, AL139099.2, AC005500.2, AC073136.6, AC002543.1, AL121943.22, Z93015.9, AL138822.13, AC004990.1, AL354928.9, AL121901.20, AC004702.1, AL121601.13, AC011491.5, AP001412.2, AL049869.6, AL159191.4, L44140.1, AC017082.4, AL035407.15, AF001549.1, AC004821.3, AC004814.2, AC018506.4, AC009131.6, Z82244.1, AC022083.6, AL162584.9, AC006333.3, AC005005.1, AL355480.22, AL161626.20, AC006367.3, AC011455.6, AL096701.14, AL049653.7, AC005874.3, AF134471.1, AC001231.2, AL021154.1, U91326.1, AP000688.1, AP000692.1, AC009996.7, AL117258.4, AP000687.2, AC005332.1, AP001666.1, AP000151.1, AP000152.1, AP003357.2, AC006275.1, AP000252.1, AC044797.5, AC005015.2, AL031311.1, AC009004.6, AC023105.7, AP000208.1, AP000130.1, AC005291.1, AL121834.20, AF250324.1, AC011490.7, AL031295.1, AC008812.7, AL353716.18, AC067941.7, AP001630.1, AL121881.35, AC004812.1, AP000313.1, AC004686.1, AL031005.1, AP001724.1, AC074121.16, AC007318.4, AL139002.18, AP001432.1, AC026794.4, AC006285.11, AC002558.1, AP000521.1, AC007376.9, AC005632.2, AL138836.15, AC011484.4, AC009570.13, AP000247.1, AL391987.15, AL159997.14, AL031721.1, AC007842.1, AL133244.1, AC002563.1, AC005839.1, AC020931.5, AC016697.8, AC034240.4, AL031123.14, AP000212.1, AL136139.6, AC073897.6, AC007679.4, AC005821.1, AP002085.1, AC009079.4, AL451075.15, AC007283.3, AL033529.25, AC005098.2, AC005207.1, AL133284.13, AL390074.17, AL445184.11, AP000134.1, AC009331.5, AC084881.19, Z99716.4, AC008649.6, AF088219.1, AC006511.5, AC005871.3, AP001716.1, AC009510.9, AC007546.5, AL139415.10, AL021977.10, AC004824.3, AC022308.17, AC009229.5, AC011811.42, AP000103.1, AF196971.1, AP001728.1, AC010654.8, AC006138.1, AC005378.2, AL389889. 11.
HTPCS72	323	854941	1 - 3421	15 - 3435	AV716024, BF032601, BE884480, BG107409, BE896847, AA534380, BF996760, BE935961, AA625472, BF593809, AI275974, AA758011, AI091865, AA770655, AA826573, AA642458, AA284480, AA308157, BF316735, AA150509, AI338707, H98214, AI085686, AI613457, AW007656,

					BE677803, BE092569, AW083271, BF890758, AA156713, BF315290, BF687549, AI079204, R38877, AI561066, AW629504, Z44870, AI638057, AA468549, BF445676, AW771735, BF852685, AW173317, BF882397, BE092420, AA368918, AW969242, AI254739, T80580, AA406249, F07793, R55262, R12721, BE832360, R55263, AW900776, BF357645, F05814, Z40638, F04054, AA321781, AW021358, AA714089, BF886411, BE149465, H91564, AA954780, BF871030, AI640665, BF036620, F02061, AA243079, BF307290, BF835491, BE774931, H90643, N44003, AA307326, AW135695, BE927559, AA242996, BF757045, AW999558, AI002239, BE567146, D19832, AW672798, BF089866, W73266, AF017388, BE932984, BE832354, BE707285, AB040946.1, AL008639.15, AF139898.1, AK027079.1, AF131746. 1.
HTPIH83	324	919916	1 - 1467	15 - 1481	BE513091, BE304667, BG164062, AW385836, AW837727, AW837724, BF032123, BF541534, AW006504, AI769564, AW837723, AA552647, AW015998, AI343787, AI285131, AA976345, BE048787, AI949846, AI685788, AI953481, AW083920, BF819923, AI262767, AW194732, AA345449, AA639438, T86266, AI469683, AI244378, AI659323, T86158, BF758311, BG164241, AI932964, AV647382, BF104997, AI913916, AF177340.1, AL158821.16, AF250558. 1.
HTSEW17	325	460579	1 - 638	15 - 652	AA779073, AI860913, AI028060, AI024955, BE549714, AW136463, R07163, AW612172, BF773051, AF007146.1, AF381980. 1.
HTTBI76	326	637725	1 - 1697	15 - 1711	AA059411, BE568135, BE856883, BF435859, BF977217, AV701624, BE566398, BE856637, AA429722, BE564953, BE568948, BF214557, AA196423, AW237471, AA716665, AI377511, AA193289, N51319, BF248318, AI796263, AI770155, AA045194, BE380112, BF029088, AI185077, AA442760, BF214729, BE865742, AA810811, AI572127, AI494075, BE777718, AA128609, AA933879, BF027898, BF691014, BF977570, AV702879, AA421072, N63065, BE866018, AI373224, R99289, BG003427, BE568709, AA919169, AI580336, AW024454, BF057794, AA731146, AA128610, BF105164, AA062583, BF031391, BE866602, BF238619, AI758175, AA045378, D61992, BF211153, R99375, AA420992, AA194235, AA976350, AW135598, AI648675, BF436083, BE392607, AA383499, BF368270, AA878813, AA877180, BE379677, AI219249, AA846496, AV760348, AA380012, BE866426, AA453722, BF687711, BF213063, H84990, H86604, H86921, AL519369, AA383353, BE742087, AA007586, T85467, BE514581, BF573588, BF028113, AL521923, BF091941, BE548812, AI244008, H55168, AA379174, BE621508, AI200967, BF346162, AL137861.5, AC005690.8, AF277188. 1.
HTTBS64	327	1008159	1 - 2044	15 - 2058	AW801486, AL157701.2, AC006356.3, AC079033.12, AC025159.28, AL360078.16, AF002997.2, AL034428.4, AP001693.1, AL049873.3, Z83819.1, AL389889.11, AP001669.1, AL035552.9, AL590043.7, AC005406.2, AC009069.3, AC048346.13, AL354937.12, AL050401.5, AL136324.6, AL390800.4, AC073941.5, AP001597.1, AC012464.24, AC008277.4, AL121985.13, AC004988.2, AL359085.14, AC016623.5, AL163213.2, AL359850.7, AL357894.6, AL133247.1, AF003528.1, AC090946.1, AL021877.1, AL157779.6, AL137245.11, AC008250.23, AL031391.1, AL355530.6, AL589740.4, AL354750.12, AC002076.1, AL139090.11, AL354896.16, AC021863.5, AL121577.1, AL049732.11, AC012003.9,

					AL117259.6, AC010144.4, AC068061.5, AC068800.28, AL512452.7, AC010142.4, AC026691.4, AL354802.15, AL359252.17, AL512662.8, AC008506.7, AL022718.1, AC008462.6, AL356499.16, AL359332.2, AC019196.10, AL138479.4, AL137061.12, AP001331.1, AC019179.4, AL450333.13, AF003529.1, AL133444.4, AC034195.6, Z98753.1, AL161630.12, AL359273.11, AC005799.1, AL390247.11, AL392087.7, AL078594.36, AL139087.13, AL359999.11, AC004216.1, AC007543.4, AL033522.1, Z99571.1, AC012405.5, AL390959.12, AL160236.4, AL138773.4, AC079457.14, AC007158.10, AL359636.17, AC006979.2, AC002302.1, AL445687.5, AC005873.3, AC023095.7, AL136100.12, AC007214.13, AL162500.15, AC004160.1, AP001533.4, U82828.1, AC073273.9, AL034369.1, AL445985.10, AC006351.3, AC002065.1, AC022081.32, AL158053.14, AC010591.8, AC005284.1, AL355578.4, AC010534.7, AC005249.1, AC009466. 17.
HTWDF76	328	714344	1 - 949	15 - 963	AL528049, AL043219, AW088366, AW152013, BE779803, BE672597, AW243555, AI818186, AI653697, BE251084, AU160597, AU150608, AI871013, AA496891, AA428540, AA349190, AW249598, AI701503, AU151739, BE502287, T18883, AI202674, AU152190, AW732070, AI376266, AW139928, AI299710, AI888510, AI658535, AW341396, BF976767, BF224111, AA912087, AA694485, AI887614, H17658, AA432221, T33286, AI571236, AI299136, R56443, R51367, BF447467, AI367595, AI420610, AI825055, T70333, AA928620, AI681192, AI499499, AI197972, AA664995, BE045622, AI961711, AI184815, AA888827, AA768736, AI659770, AA292170, AI383839, AI888009, R51842, AA973896, AW470342, AI915171, AI989713, BF802487, BE799943, AI275745, AI934660, Z39039, AA634437, AW137356, F04023, AI762348, AI253211, AI824874, AL136295.3, BC004159.1, AK001435.1, AF006264. 1.
HTXCV12	329	1352213	1 - 1120	15 - 1134	AI014551, AI379840, AA928131, AA463863, AA463357, AI360362, AI553741, AI933132, AA682260, AA437378, AW612124, BE939238, AC017099. 11.
HTXFL30	330	620001	1 - 1977	15 - 1991	BE891940, BF851322, W28069, AW298651, AA112484, T08083, BF955273.
HTXJM03	331	603918	1 - 2384	15 - 2398	AL518347, BE742019, AI114655, BF514929, AL118845, BF880731, AA236989, AI140989, AW813468, BE841331, AW582445, AA252594, AA618239, AI823453, AI280443, BF988837, AL042692, BF989072, H15090, AW391644, BG011632, H15570, Z43079, H15630, AW813319, H22799, Z39170, AA252414, F07601, F11156, F05157, AA746494, H15091, F08825, W68008, AW813329, F03848, F01404, AA804351, AC005829.1, AB033093.1, BC006271. 1.
HTXON32	332	838288	1 - 1491	15 - 1505	AA746911, AA410788, AA704393, AA181917, BG222813, BE301584, AA683069, AA507822, AI056177, AA228778, AA084609, BE178231, BE178064, AI678867, AU147162, AV747362, AI857836, BF821968, AI754170, AW769654, AA825827, AA468975, AW513071, AW328202, AW069412, BF950533, AI962030, AI188049, BG250286, AI915075, BG222564, BG222326, AV733824, AV759632, AA584862, BE246405, AK000114.1, AL035088.1, AC003691.1, AP001359.4, AC004605.1, Z94056.1, AC010422.7, AC004125.1, AC012157.20, AC007912.6, AC005368.1, AL031257.1, AL354680.14, AC079353.5, AF130417.4, AC005011.2, AP001672.1, AC005255.1, AL445071.14, AL354977.10, AC006013.3, AP000851.4, AC008945.6,

					AC003689.1, AC002288.1, AC006211.1, AP002751.3, AL133391.5, Z98200.8, AF001905.1, AC006597.2, AC012450.9, AC005840.2, AC008699.5, AC007934.7, AC002422.1, AP000347.1, AL162831.5, AC009408.3, AC026191.3, AL136992.22, AC007436.1, AL590381.4, AC008840.4, AL008721.1, AC005841.3, AC021325.5, AL451061.8, AL117382.28, AC008511.6, AC004846.2, AL355365.10, AC004531.1, AC007652.1, AP001972.4, AP001727.1, AC087237.14, AC010465.7, AL157877.11, AL355984.11, AC010601.5, AL356095.11, AC004916.2, AC008264.10, AC025457.5, AP001561.4, AP000008.1, AC018719.4, AC007773.1, AC009094.7, AC010234.5, AC011890.4, AL355812.23, AC025471.5, AC020913.6, AP000704.2, AL135905.6, AC021863.5, AC022087.8, AC004659.1, AL022329.9, AC027342.4, AC019212.4, AC017100.4, AC020928.6, AC004104.1, AC019184.3, AL160274.9, AL161899.21, Z82194.1, AC026811.4, AC015842.9, AC002420.1, AL035079.14, AL390239.16, AC008012.8, AP001691.1, AL138819.9, AC009142.10, AL512449.6, AC024028.10, AC079408.25, AC005015.2, AL451126.18, AF011889.1, AL032821.2, AC004999.1, AF131216.1, AL109963.4, AL021939.1, AC008474.7, AC004089.25, AL391666.5, AL353135.32, AC005081.3, AF001551.1, AL096699.11, AC012312.8, AL031657.5, AL158832.13, AC006030.2, AL355336.15, AL050320.19, AC002553.1, AC005480.3, AF017104.1, AP001825.4, AC009779.18, AC016554.7, AC037433.6, AL033519.42, AC006313.1, AC019050.4, AL109623.9, AC012150.16, AL138749.13, AP000067.1, AL132994.4, AC004491.1, AC007993.15, AC025165.27, AF196970.1, AL157817.13, AC002377.1, AP000495.1, AB020869.1, AC009224.6, AC010582.6, AL160397.17, AL136040.5, AC068513.7, AL133173.19, AC004057.1, AC004616.1, AL353777.18, AP003473.2, AC008958.6, Z97635.10, AC073057.6, AC008427.7, AL137790.4, AC006316.2, AC005537.2, AC067941.7, AL035604.15, AC004021.1, AL035462.21, Z84480.1, AC003009.1, AC016778.3, AL355312.24, AC005746.1, AC005768.17, AC003690.1, Z97054.1, AP000577.4, AC069292.12, AL138696.16, AL354799.12, AL158828. 14.
HUFBY15	333	1352349	1 - 1179	15 - 1193	AW389141, AW609901, BF374842, BF374845, AW388854, AW389152, BF374846, AW389148, AW389140, AW388908, BF374844, AW752215, AI797737, AW662557, AW375776, AW389144, AI990471, AA625286, AW388954, AW271542, AW752222, BF032067, AI953121, BE504740, AW389077, AW388858, AA303053, AI991077, AA303052, AW388926, AA613119, AA297581, AI963985, AW388918, AW388731, AW388732, AW388759, AA524545, BF513041, AW811008, AL132639. 4.
HUFCJ30	334	638402	1 - 854	15 - 868	AL533274, AI741266, AA194264, BF438670, BE855763, AI912191, BF109379, AI815187, AA521107, BE646628, AI911233, AA828445, AA429411, AI912933, AI423970, AI242299, BE042993, AW276617, AA905840, AA464614, AI394374, AW340805, AI096492, AI221797, AW129415, AI554269, AW969178, BG055418, AW029033, AW044596, AA582358, BE882568, AI870051, AA233165, AI933519, AI370473, BE676140, AW292630, AA429458, F03916, AA233241, F03174, AA193481, H61820, AA193313, AW080606, AL533316, AA442046, AW975876, AW971403, AW974801,

					AW976024, AW975037, AW971975, AW972292, AW975965, AW975031, AW975002, AW971404, AW975019, AW975952, AW979127, AW974786, AW975105, AW975032, AW974964, AW979238, AW971968, AW975930, AW975954, AW969673, AW979090, AW975154, AW979002, AW969727, AW976023, AW975434, AW979204, AW969680, AW969643, AW974806, AW979098, AW975942, AW975971, AW973213, AW979176, AW973717, AW971326, AW974658, AW973219, AW969885, AW974338, AW971375, AW974998, AW975981, AW979208, AW970969, AW975149, AW979169, AW974975, AW975027, AW971732, AW970936, AW974802, AW974823, AW970942, AW975028, AW972377, AW973270, AW970010, AW972296, AW973185, AW975020, AW975632, AW969839, AW973750, AW973819, AW969816, AW976511, AW979294, AW979106, AW976031, AW975966, AW975058, AW975015, AW979212, AW976982, AW971378, AW976000, AW969852, AW979220, AW975585, AW979219, AW973209, AW974785, AW975692, AW972680, AW974101, AW973967, AW974971, AW972880, AW970962, AW972817, AW969861, AW973785, AW975025, AW975022, AW975649, AW973252, AW975959, AW973812, AW976506, AW979076, AW969637, AW972440, AW972154, AW971254, AW970889, AW979232, AW971305, AW979142, AW975230, AW973821, AW975899, AW972774, AW975167, AW972226, AW972660, AW973814, AW973775, AW973217, AW969768, AW975896, AW973779, AW976003, AW979054, AW975941, AW973211, AW969874, AW970113, AW972884, AW973189, AW973202, AW972695, AW973805, AW972719, AW976515, AW975976, AW979165, AW976510, AW971954, AW975975, AW969884, AW972943, AW969759, AW979083, BF592735, AW970587, AW973650, AW979175, AW969931, AW973986, AW979064, AW975938, AL359608. 1.
HUKAH51	335	1352424	1 - 839	15 - 853	AA502331, AA503839, AW592433, AW444616, AW957011, AA568450, AI017393, T85589, T72043, T78178, AW079940, T85588, AI699382, AA299977, BF593574, T86494, AW605240, AW956056, AA335186, AA551860.
HUSXS50	336	1352367	1 - 2547	15 - 2561	BF683736, BE730782, BF792931, BF446001, BF205853, BE734189, BE796114, BG252706, BE560701, BE560444, BE562462, BE869307, BF309461, BE397034, BE560928, BE560121, BF691174, BF204949, BF312317, BE387292, BE856236, BG122978, BE298856, BE792425, BF797657, BE869619, BE616370, BE616612, BF306220, BF306195, AV655974, AW978168, BF305460, BG120823, BE560047, AW978171, BE882111, BF037530, BE676498, BE251660, BE270241, BF203303, BE902628, BF309616, BE267578, BG033765, AA485950, BE065146, BG254407, BF310813, BE312978, BF306475, BE905968, BF446006, BE737387, AW984420, N22768, AA176598, AW984416, BF125825, AW984417, BF307029, H95262, AW984415, BF435055, BF979227, BE693917, BE732765, AW984418, AW984423, BF306361, AV753202, AV690488, AA176958, AW984338, AI751645, AI301138, AA315010, AI830086, AW984422, AA176601, BG057361, BE390359, BE314347, BF307951, BG120049, T66123, BF030495, BE348975, BE675980, BE905732, BE538385, R61430, AA176961, AW337133, AW189210, AI264229, BF727126, BF573743, BF979483, AA779980, AW984421, AI142549, BF305130, BE931839, BE297623, BF941393, AA451629, BE044637, AW984413, BF308011, AW192745, AW027544, W37275, AA827128, BG115366, AI151013,

					AA034495, AA604131, AV650977, AI127612, AW150320, AI524711, AW973257, AI861987, AI469431, AW090258, AI985865, AI129520, AI129524, H37844, AA063465, AA151284, AW513431, H99312, AW984346, AI312744, BF819503, AA781668, AA026636, AI093350, AI089601, N25147, BG235957, AA191371, H72514, AA115146, BE298404, AA309734, AV749302, AA127064, AA709104, AA779590, BE901613, AW075416, W94571, BF375767, AA429862, H96717, AI458596, AI751646, AA828465, W65488, AI144280, N70034, AA630583, BF379967, W94665, AI990143, AW074204, N54139, AI360050, AI139072, AI298031, N31021, BE246664, AA151285, AA113370, AI673233, AA279340, N55099, AA341830, AW984344, AA620847, BF928260, AI289617, AW074213, AW364601, N58667, AA777063, AA489561, AW887094, N95463, R81022, BG055405, AA766203, AI038290, AA025249, T58352, AW189287, AW028461, AI633400, AW984345, AI147792, AI299766, BF799616, H75310, AI200071, BE561076, BG249896, AI499250, AA354776, W65499, AA809914, AI903841, AI453808, T71499, H10629, H58855, AI094411, R87151, AW089182, W96032, H81218, H81223, AV726304, R95799, AI370222, AA548305, R66175, AA814999, W80425, H94290, AA216453, BF798979, AA927662, H81224, W25203, H66405, BF092277, W02774, N48499, BE278547, N40461, AA846361, H19408, AA602474, AV738327, R89366, BF448937, BC008361.1, AL050254.1, AF233225.1, AF129537.1, Z71183.2, AL021937.1, AL035068. 3.
HUVEB53	337	571200	1 - 1488	15 - 1502	BE786669, AA453165, BG027754, AI694207, AW751021, BE140357, BE140309, BF673837, AI827679, AI597942, AI831626, BF572868, AW131344, AV726756, BE844218, BE162515, AA188243, AW188015, AW044629, AA877403, AI127993, BF691063, AA989288, AA453945, AA191206, AV748508, AA481849, AA405313, BF670519, AI167809, AA431686, AA846755, AI041097, AA305896, BE844200, BE844214, AI160824, H13901, AA655009, R68945, W26226, AA861877, AW974213, H11654, AW953548, AA453440, AI587514, AI076451, AA405350, H04206, AW751099, AA855040, AA974088, H43741, Z33442, AA825311, AA036965, AA188839, BE844205, H04207, AA923377, AA903946, AV693909, BE968480, AA761680, AV724398, AV724896, AA352991, AA330417, AA887483, D57665, N51756, AA206627, D61904, BF440004, AI248842, H58383, AA975213, D79380, AA205353, BE785631, AA344562, AA864363, D61991, BE467097, AA773771, AA649813, AW592162, AA642834, D79365, N47004, AW900901, AA036966, D61899, D58112, AA579902, AA865874, AA722600, R68832, R40852, H45338, BF131609, AA007516, H13852, AI828027, AA431480, BE149422, AV686924, AW074757, D20526, AB032988.1, AL021396. 8.
HWAAD63	338	838626	1 - 3294	15 - 3308	BG058664, AW953071, BF668217, AL046409, AI284640, AW406162, BF852604, AU123691, AL046205, AW303196, D82290, AW301350, AI334443, AV761286, AL121235, AW274349, AW600804, BF339640, BF677892, AV763892, BG032943, AI572924, AI801482, AI431303, AL044940, AV740801, AV764490, BG249643, AV762098, AI270117, AW969629, AI732378, AW265385, AI963720, AI708009, AI350211, AU147104, AW473163, AA669840, AV735495, AI149478, AV763971, AA581903, AV759518, AV760937, AI754955, AL041690, AI583283, AV710066, AV763550, BG236735, AU145314, AW502975, AV742057, BG167743, BF940837,

				AW193265, AV760777, BF914859, BF918590, AF074667, AV763122, BF918640, BE908796, BG036337, AW513362, AA491814, AV759362, BF725315, AV762050, AV763354, AW021583, BF919090, AI203955, AA531580, AA613232, AA490183, D82542, AW576391, AI623720, AV739452, AV728425, BE350475, AW500125, AA521323, AA665330, AV702857, AV730391, BF347791, AA610491, T40452, AA584167, AW474160, AI613280, AV762139, BE253048, AI192631, AI732865, AW020992, AA938105, AV733830, AF074677, AV652936, AW276817, BE872393, AW088846, AW438643, AI434695, AI345654, AW270270, AI610159, AW274346, AW265170, BF680041, BF854876, AA469451, AI589230, AA584145, AW833862, BE047069, AI570261, BF347740, AI619997, AW264934, AL042420, BF475381, AW518220, BF942454, AV762009, AI708125, BF697673, AW148792, BE297262, AW731867, AV759505, AA457542, BF991286, BF806176, AV728410, AU159337, AW089322, BE164494, AA774222, AI345518, AW963497, AV763255, AI696962, AL041706, F36273, AA496508, AV764228, AA478355, AV713243, AV761613, BE677379, BF736198, BF916517, AW079135, AV735370, R99597, AA652764, AW029038, AV725423, AA410828, AW169517, BG250302, AV761786, BE393367, BF872630, AF063563, AV764241, AA601294, BF827410, BF812839, AL119691, AV760378, AA177061, BG177715, BF674620, AI298710, AW169151, AA502104, AI345681, AI345675, AA633798, AV761925, AA682912, BF965007, AV733710, BF680074, AV762768, AA579362, BE139146, BF217299, AV762111, AV764578, AL118559.6, AB038653.1, AC020904.6, AC009497.3, AC006581.16, AF001549.1, AC004638.1, AC008267.6, AL121601.13, AL109865.36, AL356915.19, AC018809.4, AL163973.1, AC023908.6, AC011465.4, AL160237.4, AP000459.3, AC005081.3, AC044797.5, AC009154.5, AP001760.1, AL035367.5, AC007298.17, AL139350.17, AC006329.5, AC004019.20, AC006038.2, AC011455.6, AC008616.6, AL354932.26, AC011461.4, AL161892.9, AC005911.6, AC008265.15, U80017.1, AP003357.2, U91323.1, AC018636.4, AC005562.1, AL096701.14, AL080243.21, AC011450.4, AL133367.4, AL162458.10, AL354720.14, AC020658.6, AL158830.17, AL050318.13, AC005839.1, AP001687.1, AC009144.5, AC005041.2, Z99495.1, AC002565.1, AC022007.3, AC018769.2, AP000031.1, AC008372.6, AC011811.42, AC008688.7, AC009298.3, AP000047.1, AL445222.9, AL163248.2, AL139113.21, AC006435.7, AL136219.17, AC011495.6, AC008562.4, AC022308.17, AC008537.5, AP001667.1, AL133399.1, AL353135.32, AL121809.6, AC005696.1, AC073838.6, AC002476.1, AC006028.3, AP000115.1, AL445928.8, Z69666.1, AC005522.2, AC084783.2, AL133485.3, AC016025.12, AC004906.3, AC008649.6, AP000553.1, AC009470.4, AL031054.1, AC007193.1, AP000338.2, AL117334.29, AC009530.5, AP001346.1, AL034380.26, AC016830.5, AC008403.6, AL049550.5, AC027644.9, AC011930.5, AL109965.34, AC006241.1, AL049869.6, Z83844.5, Z98941.1, AL031283.26, AL159191.4, AP000216.1, AC009996.7, AC015842.9, AL136295.3, AL139330.17, AC008745.6, AC005527.3, AC007731.14, U47924.1, AC012377.5, AC025212.5, AC005500.2, AC018751.30, Z93241.11, AL078638.9, AL354993.24, AC016769.10, AC005324.1, AL355517.12, AC074121.16, AC012170.6, AC006538.1,

					AP000962.2, AC004650.1, AC083884.6, AL354935.23, U52111.2, AC016027.15, AC079363.19, AP000113.1, AP000045.1, AL136123.19, AC007011.1, AL357150.7, AC008753.8, AL121675.36, AC002551.1, AL157838.24, AC009516.19, AC004865.1, AL139230.25, AC005529.7, AL050335.32, AC007216.2, AL049759.10, AP001716.1, AL021546.1, AC000360.35, AP001718.1, AE006639.1, AC025436.2, AL359091.10, AC004940.1, AC008101.15, AC003029.2, AL352978.6, AC020983.7, AL118520.26, AC007272.3, AC005154.1, AC078878.20, AL136980.5, AC005778.1, AC004971.3, AL033383.26, AC005921.3, AL159995.8, AC008068.4, AL008718.23, U95742.1, AC068712.6, AL024474.1, AC005031.1, AC017091.8, AC090514.1, AP001666.1, AL158040.13, AL161799.19, AL133387.8, AC003108.1, AC005808.1, AL109825.23, AC004033.3, Z98051.6, AC005295.1, AL353764.9, AC011236.8, AL132768.15, AC006285.11, Z99716.4, AL139396.17, AL096840.25, AL022098.1, AC005052.2, AC002300.1, AC007066.4, AL109797.18, AC004686.1, AL031662.26, AC008812.7, AL161656.20, AL136961.19, AC007404.4, AC020550.4, AJ003147.1, AP001858.4, AC021203.5, AC011559.3, AL117258.4, AC007620.30, AC010553.6, AP002028.1, AL356575.8, AP000299.1, AL121748.6, AL136300.22, AC016257.22, AC003684.1, AC004941.2, AL157406.19, AL049694.9, AL162853.17, U66059.1, AC026464.6, AL121972.17, AC013264.4, AL162426.20, AC006345.4, AC090960.1, AL049742.7, AC005037.2, AP000359.1, AC007051.3, AC018633.2, AL133174.15, AC008474.7, AC018635.6, AB023049.1, AC034198.6, AC022211. 5.
HWABY10	339	768334	1 - 2936	15 - 2950	BG110964, BF795642, BF338736, BF344299, BF339610, BF344724, BE905985, BG171717, BF663359, BE878057, BF344117, BF797494, BE779728, BG110428, BE548198, BG113392, BE514891, BG105728, BF344895, BF342409, BE731592, BF344700, BF326253, BG107408, BF337274, AA029404, BE873119, BF339289, BE537561, BE546615, BF215522, BF348090, BF341943, BF974666, BG106809, AW517110, BE866817, BF337936, BE312135, BF342571, BF339613, BF795397, BE259965, BG025377, AW328067, AW051360, BF112053, AW467352, AW328066, BF305147, BF432273, BF925893, AW517104, AI921698, AI683501, BF338943, BE910326, AW732485, BF338023, BE465948, W38916, AA779337, BF854480, BE045837, W25986, AA973853, AA101157, AW084136, AA181835, AA775283, AA186569, W68073, AI560223, AI147239, AI089340, AI095449, BE670405, AA082143, AI066562, AA679092, AI422300, AI613463, AA588711, BG176783, AI761003, AI088731, AW051882, AI126290, BE646503, AA837279, AW087365, AI148227, AA009501, AI283584, AI434557, W28104, T62574, AI951073, AA782618, AI479881, W47512, N46795, AI985937, N40931, AI039397, AI432803, AI583386, BF802889, BF832903, BF804217, AW956881, W46793, BF802896, W68195, BG230721, BF815862, BG222416, BG222489, AI083847, BF806737, N40938, AI684916, AW576132, BF805055, W45117, W27429, AA324201, BF876216, AA862278, AI627377, Z43491, W26072, BF871297, W46921, AW518033, BG055999, AA071418, BF339697, BF432684, BF664265, H87824, BF804896, AI369040, N46788, AI280551, AW393985, BF343179, AI961956, R54302, AW393954, AA021161, W25922, AA574349, BF819220, BF933082, T08587.

					AI954952, T03895, AA910718, BF832997, BF833048, R60251, AI272774, AI682434, AW351625, AI369469, BF432394, W47511, AA366238, AA021160, AW394010, BF814966, BF089042, BF155712, AA379745, AA877680, BF834816, BF359736, BF155722, AI373184, BF833953, N79680, AI370695, AI633094, AI244521, AW367090, BF832989, AI564952, T60257, Z39561, BF832028, BF964430, AA071417, BF831958, AI475015, AA843970, BF834819, BF831774, BF832084, BF128611, BF838597, AW243364, BF832026, R51913, AW973898, BF834823, AA381066, BE868310, AA077947, BF832092, F34684, AA318041, F03657, T63198, BF834818, N62740, AW407707, AI905924, AA844604, AA594549, BF834825, AA036914, BF749722, AI962077, T03318, T30346, AW902956, BE874414, T61397, AI915039, AI097627, BF831259, BE829374, BF832901, BF941457, H87774, BF094249, AW243479, BE563198, AW003146, BF752515, AW589814, BE815641, AW518327, BE714416, AA782804, BF831773, BF155715, AA026160, AA628683, AL136610.1, AK000539.1, AC073347.3, AC073237.3, AL162008.1, AF126488.1, BC008784.1, AL359932.1, BC004905.1, AL157480.1, BC006480.1, BC008282.1, AK026541.1, BC004119.1, BC008488.1, AL122049.1, AF218031. 1.
HWADJ89	340	799506	1 - 1755	15 - 1769	AW958273, AW377130, AW574767, AW138853, BF111962, AA135712, AA156931, AW264402, AW117200, AI684896, AW339989, AA524553, AI394626, AI754796, AI860485, AI989549, AW129957, AI672796, BG056354, AA040909, AI000898, AI421190, AI693729, AW512733, AW044450, AI090274, AW205364, AW081734, BE939287, N35410, AA788655, N55117, AA844145, AI091868, N62863, AW302517, AI361489, AI628038, AA765992, AI800010, AI817849, BF800164, AI285397, AW403436, AA658416, AA648845, F13408, N73777, AA983941, R34886, AI024148, T04873, AA310563, Z33435, R72500, AI219780, AI149773, BG248348, R49268, BE305119, BE293618, AI743430, AW440724, T78828, BE249965, F10993, BE250024, AI371489, BE171979, N77769, AW235832, AI204426, R34492, N48042, BF899137, BF842700, R34372, Z38685, N99398, AI857456, AW841803, BE176205, AW899803, AA665233, AI290874, AW591407, AI432644, BF757092, AI623302, AW968355, AI431347, AI432653, AW081103, AI431230, AI431328, AI432654, AI432655, AI431310, AI431312, AI432650, AI432677, AW968356, BE672759, AI431353, AW971740, AW972091, AW972093, AW968729, AI431307, AI431316, AI432661, AI431354, AI431315, AI431337, AI431257, AI492519, BE672745, BE672732, AI791349, AI432666, AI432675, AW128900, BE672748, AI431238, AI492520, BE672719, AI432651, AI432647, AI431330, AI432674, AI432672, BF448552, AW972092, BE672767, AI431243, AI431248, AI432665, AI432657, AI432658, AI432649, BE672644, AI431255, BE672774, BE672742, AW969229, AI431254, BF589777, AI431350, AI431231, AI432662, AI431345, BE672738, AI431357, AW858522, AI431241, AI431351, AI431323, AI431346, AI431247, AI431318, AI432676, AI432673, AI431235, AI431321, AW128897, AI431340, AI432643, BE672792, AW128846, AI432664, AI431246, AW972090, AI432645, AW128884, BE672743, AI492510, BE672640, AL042931, AI431314, AW129223, AI431308, BE672749, BE672744, AI492509, BE672622, AI431751, BE672627, AL042729, AL045494, AL042655, BE672626, AL042523, AL042519, AL042853, AL031296.1, AK026719.1, AB007922.2, AF052104.1, AF064854.1, AL133082. 1.
HWBCB89	341	1093347	1 - 1303	15 - 1317	BE383506, AW957082, BF965615, AA749209, BE314194, BE856755, AW959644, AA406605,

				BF673639, AI635816, AI332841, AW576111, AI925364, AA599283, BE646653, AA815259, AI093865, AA557291, AA992639, AI199140, AI094047, AA778372, AA777994, BF110030, AA700564, AW236389, AW405247, AI376136, AW195935, AA418750, AA418959, AA809375, AI378198, W47086, AA258421, AA833614, AA722806, AW135756, AI312116, N26019, AI401448, BE047114, AI004747, N36650, AA297567, AA975019, AA369324, F32728, AW592186, AA298693, AA248246, AA214511, AA298744, AA248186, R01364, AA651996, AI382499, AA215364, AW241153, AW167882, AI038732, AL514627, AL514919, AV681857, AL513907, AA421957, AV756703, AL514473, AL513597, AL514791, AV682351, AI567360, AL135661, AI679916, AV756477, AL513803, AW087445, AV726951, BF904180, AL514691, BF792469, AV682330, BF726603, AV710479, AV706777, AV682266, BE965432, BE966388, AV758179, BG105099, BG257535, BE879906, AI499381, AW162071, AV717725, BG179993, BG112879, BF681080, BE964614, AI349772, AV682222, AL514155, AV757598, AL120854, BG036846, BF969484, BF971016, AV755207, AA640779, AV729334, AI633419, AI282903, AW301409, AI569616, AI433976, BF925729, AV682249, AV755581, BE963035, BG110517, BG109270, BG120816, BF343241, AI537677, BF970449, AW827289, BF883916, AL514935, BF724691, BE965481, BG122481, AL079963, AW103371, BG110684, AL513763, AI799199, AL036802, BF812933, AI868831, AV723953, BE048071, AI857296, BF904258, BF882343, BF795712, AV721967, AI678357, AL119863, AI521012, BF055737, BE964812, BG260037, AI498579, AV756560, AL045500, AW071349, BG105078, AW088899, BF344652, BF054789, BE964700, BG168696, AL048871, AI696626, AW068845, AI612913, AI572418, AI783792, AW238730, N80094, AI802240, BG180996, BG256950, AV757455, AL040243, AV681668, AI610645, AW983783, AI250663, BE876038, AI538085, AI620287, BF970162, AI702433, AL119791, AL045903, AI567351, AI280661, BE621256, AI537617, BF342070, AV682792, AI872914, BF034349, BG027082, BG108324, AA572758, AL036146, AV733824, AV681987, AV757096, AV758806, AI538716, AV755613, BF694790, AW268253, AI591316, BF726160, AI636456, AV682326, BF981774, AL121328, AI312428, AI281779, AI584140, BF673434, BG031815, AI950664, AV729890, AI680498, AV686346, AI682743, AW071417, BF792961, AI349004, BE881155, AV714975, BE966443, AI648663, AW148320, AI340582, BG250190, AL500077, AI349645, AV682051, AW149236, AI224992, AI289937, AI906328, AV716613, AV699193, AI564719, AI922676, BF343172, AW074993, AI349614, BG032208, BE781369, BE172767, BF793644, AK027683.1, AF091092.1, AL133640.1, S78214.1, AK025339.1, AF078844.1, AK000137.1, AB060908.1, AB049758.1, BC008387.1, AF090943.1, AF090934.1, AB063008.1, AF177336.1, AL512718.1, AF125949.1, AL512733.1, AL050393.1, AF090901.1, AL157431.1, AL133016.1, AL133606.1, AF104032.1, AF090900.1, AK000614.1, AL049938.1, BC007021.1, AL136586.1, AK024538.1, AL359596.1, AK025958.1, AK026741.1, AL050146.1, BC008485.1, AK027164.1, AL122093.1, BC003687.1, AL137550.1, AL049382.1, BC008365.1, AK000652.1, BC003683.1, BC008488.1, AB056420.1, AL389978.1, AB055303.1, AL136799.1, BC008417.1, AK026504.1, AF218014.1, AK000212.1, AL390167.1, AL117457.1, AF111847.1, AL080060.1, AB048953.1, AK026045.1,

					AB047801.1, AL442082.1, AL137527.1, AL136749.1, AK000432.1, AL122098.1, AL442072.1, AB063070.1, AF207829.1, AF090903.1, AK026452.1, AL050116.1, AB055361.1, AL110196.1, AL096744.1, AB063046.1, AL136845.1, AL136928.1, AF097996.1, AL122050.1, AJ242859.1, AK026593.1, AK026592.1, AL136787.1, AL049452.1, AL133565.1, AK025084.1, AB019565.1, AF090896.1, AL512719.1, AB055366.1, AK026532.1, AL110221.1, AL136789.1, AL050149.1, AL136892.1, BC007199.1, AL137459.1, AL117585.1, AB056809.1, AB060887.1, AL050108.1, AL117435.1, AF106862.1, AK027868.1, Y16645.1, AK026608.1, Z82022.1, AK026534.1, AK026865.1, AF146568.1, AK026855.1, BC006195.1, AB047615.1, AL117460.1, AL359618.1, AF225424.1, BC008280.1, AK025524.1, AK026542.1, AF056191.1, AL136786.1, BC004951.1, AK026947.1, AB055368.1, AK025772.1, AL133093.1, AL353940.1, AL122110.1, AL359941.1, X72889.1, AB060912.1, AB048964.1, AB056421.1, AK026528.1, AK027113.1, AL162083.1, BC006807.1, AL136844.1, AL133075.1, AK000718.1, AB056768.1, U42766.1, BC001967.1, AL512754.1, AB060883.1, AB060863.1, AK025092.1, AF183393.1, AL512746.1, AL359601.1, AL389982.1, AL050277.1, AB060916.1, AL162006.1, AL133557.1, AL133560.1, AK025484.1, AL080137.1, AL122121.1, BC008070.1, AK026086.1, AL133080.1, AK026583.1, AL359583.1, AL136768.1, AK025414.1, AK000323.1, AB055315.1, AK000647.1, BC004370.1, AL157482.1, AL049466.1, AB052191.1, BC008382.1, AL122123.1, BC002839.1, AL137271.1, BC001045.1, AB052200.1, AK024524.1, AB047904.1, AK025967.1, AK000445.1, BC002733.1, AL117583.1, AL137538.1, AL080124.1, AK027096.1, AL512684.1, AB051158.1, AB062938.1, AB060825.1, AL136843.1, AK025632.1, AK026647.1, AL137557.1, AL049314.1, AK027204.1, AL512761.1, AK026630.1, AL050138.1, AK026533.1, X82434.1, AL049464.1, AB050510.1, AK026784.1, AK000083.1, AF260566.1, AK000618.1, AF091084.1, AK027116.1, AB060826.1, AK026744.1, AF125948.1, AB048954.1, AB060852.1, AL080127.1, AK026927.1, AL137463.1, AL583915.1, BC004556.1, AL133113.1, AK026353.1, AK025491.1, AB063084.1, AL512689.1, AF219137.1, AL359615.1, AL110225.1, AL117394.1, BC008899.1, AL137283.1, AK026959.1, AK025391.1, AB055374.1, BC007198.1, X65873.1, U91329.1, AL050024.1, AL049430.1, BC008983.1, AL162062.1, U80742.1, AK026526.1, BC009033.1, BC004958.1, AK026629.1, AK024588.1, AL049300.1, X98834.1, BC006164.1, AK000753. 1.
HWBFX31	342	799427	1 - 1663	15 - 1677	H93613, N75773, N22551, AA884923, AW873751, H93612, AC039057. 8.
HWDAH38	343	1028519	1 - 1590	15 - 1604	AA410788, AU147162, AW069227, AW805539, AI278089, AW578373, BF769368, AW054995, AI733856, AI890324, AW849032, AI923052, AA547979, AU144540, AI634187, AI056177, AA847499, BF681619, AW861303, AW500029, AA916430, AV762633, AI457313, AA228778, BG250286, AI732389, AI754653, BE138594, BF675251, AI537020, AW973992, AA158190, AI679002, AW168433, AI891080, AW514662, AL079734, BE062159, AA515728, AA491423, BF832074, AA832145, BE897079, AW674631, AW798093, BF725178, AI049630, AW068596, AA579179, BG115297, AW004884, AW084445, AI923050, AW575000, AI282479, AU152561, AL120282, BF917346, AW338035, AW338021, AL038842, AA719073, AV762009, T09219, AW971987,

				AW338179, AA669155, AA502991, BG222875, AI279417, AA491955, AA236867, AA640710, AW872575, AI254770, AA223174, BE042511, AI821714, AI791913, AV756491, AI284126, AI792133, AI821785, BE139139, AI251034, AA176604, AW302315, AA569648, BG236628, AV759518, AA714110, AI133164, AC008481.7, AE006639.1, AC006057.5, AL049776.3, AC004846.2, AL035404.20, AC008397.7, AL355593.21, AC002544.1, AL031311.1, AL590762.1, AC002045.1, AJ400877.1, AP001051.1, AC004882.2, AC004840.3, AC008623.4, AP000046.1, AF129756.1, AC007021.3, AL136526.27, AL133367.4, AC007957.36, AL513131.1, AC008569.6, AC008687.4, AL137077.31, AL359252.17, AC010543.8, AC007216.2, AC016601.6, AC011449.6, Z83844.5, AF038458.1, AC008891.7, Z83845.14, AC007686.5, AL050318.13, AC011500.7, AC004024.2, AL022323.7, AC002073.1, AC019184.3, AL3592236.4, AF288742.1, Z95115.1, AC003667.1, AL445222.9, AC008280.4, AL353802.14, AC010616.5, AC009131.6, AC004531.1, AP001721.1, AL358777.12, AL139317.5, AC005037.2, AL031666.6, AC002553.1, AL359092.14, AL163300.2, AL162426.20, AL163249.2, AF047825.1, AL079335.29, AC005015.2, U95740.1, AL133163.2, AL121586.31, AC004228.2, AC005049.2, AC004867.5, AL118520.26, AL391833.10, AC002365.1, AP000356.1, AC090517.2, AL590763.1, AC008395.6, AL139415.10, AL031717.11, AL354864.16, AC009996.7, AP001718.1, AC008543.7, AL354735.14, AC005079.6, AF243527.1, AC080012.20, AC005280.3, AL033518.14, AL354760.11, AL035406.25, AC040160.4, AC034193.4, AL356915.19, AC079177.21, AC005488.2, AC020917.4, AC008812.7, AC018663.3, AC005052.2, AP001724.1, AC005972.1, AC051619.7, AC006441.13, AC008074.3, AC010422.7, AC006285.11, AC011740.7, AL024498.12, AJ251973.1, AP001717.1, U95742.1, AC006487.8, AL355312.24, AL157823.9, AC005746.1, AP000113.1, AP000045.1, AP001716.1, AC003101.1, AL139113.21, AF131215.1, AL139099.2, AC006511.5, AC011470.5, AC005182.2, AC006064.9, AC004865.1, AC008753.8, AL078461.38, Z95114.19, AL022476.2, AC005668.1, AL031602.14, AL121972.17, AC005695.1, AC011811.42, AC008018.20, AC004098.1, AC004491.1, AC022467.7, AC011484.4, AL121949.13, AL139396.17, AL121895.26, AC027319.5, AC004921.1, AC005291.1, AL513008.14, AC006530.4, AF001549.1, AC007263.4, AL049760.26, AL049869.6, AC011487.5, AC016830.5, AC069262.24, AL132780.5, AC012442.7, AL034405.16, AB023049.1, AL354798.13, AC009228.4, AL109947.19, AF053356.1, AF024533.1, AL353616.13, AP000557.2, AL080243.21, AL161937.13, AC005103.3, AC068799.14, AC084865.2, AC011718.2, AC004821.3, AC007842.1, AC005696.1, AL450325.5, AC007450.1, AL512883.5, AC011471.6, AL133500.3, AL512638.5, AC003664.1, AC024028.10, AC003098.1, AP001753.1, AC010530.7, AC009412.6, AL121905.23, AC004812.1, AC004020.1, AP001693.1, AP001667.1, AL355833.4, AL360179.8, AC007376.9, AL137139.9, AF111169.2, AC005098.2, AF001548.1, AL009181.1, AC004590.1, AP001670.1, AC026161.4, AL109804.41, AL035072.16, AP001725.1, AF139813.1, AL033529.25, AP000116.1, AC027644.9, AL137818.3, AC073593.13, AL080242.11,

					AC009154.5, AF235097.1, Z83826.12, AP001710.1, AC007371.16, AF219991.1, AP000043.1, AP000111.1, AC007151.2, AL136295.3, AC005519.3, AC005020.5, AL449305.4, AC016025.12, AC002549.1, AL163281.2, AC007390.3, AL024474.1, AL157886.11, AC007541.9, AC011479.6, AL022238.1, AL353692.14, AC005080.2, AC006356.3, AL109798.19, AP001714.1, Z98200.8, AL109797.18, AL121601.13, AL365505.15, AC005295.1, AC008551. 5.
HWHGZ51	344	886212	1 - 1685	15 - 1699	BE735965, AW372956, BF826018, BE735558, AW007721, AI955624, N30735, BF842481, AA531286, BE735650, AA476961, AA479609, AA709157, N29329, BF813297, AI680020, BF814081, W72299, AW450151, BF349121, AI342682, BE713111, AI207356, BE713103, BE713065, AA459897, AI206356, W23589, BF349122, BE939515, BE714549, W76325, W35267, AW272943, AA158001, AA442947, BE713172, BG012569, T69460, AA321599, AW135072, AA369339, BE713162, AI202455, AA369441, N57021, W68131, BE713086, BE713074, T69437, BE713165, AI301772, T70492, T70513, BF738317, AW389438, BE717812, D29356, BE717821, AA127911, AA846442, AA127966, BF842499, BF739402, BE140441, BE048026, AV658585, AL037582, AL037602, BG179993, AI802542, AV741327, AI628337, BE184331, N29277, AL040241, AW079572, BF812960, BF792961, AV743962, BG114432, AI469505, AL042745, AV757865, AL079963, BF970768, AI698391, BG110684, AI499285, BE968711, BF751302, AI570807, AI345416, AI345612, BF726183, AI824576, BF724420, AI345415, BE789764, F37323, AI627988, BG256090, AL043355, BG113188, BF856052, AV658845, AI884318, AI491775, AV656595, BF924855, AI886594, BG104927, AW051088, BF032768, BG111560, AV713305, BF526020, AI540458, AA287231, AW880037, AV733448, AI288285, AW983832, BF725534, BE047852, BG029086, BF970652, AA580663, BE963838, BG167986, AI538850, AI580436, AW673679, BF055899, AI440239, AI685005, AI687295, BG058150, AA833760, AA225339, AI241923, AI568138, BE018334, BG033723, BF054877, BG115626, BF338002, AL042744, AW303152, BG001235, AI673363, BG030364, AW090393, AI783997, AL042191, BF812938, BF752245, BF727091, AI670009, AV718258, AW020561, AI433157, AI818358, AI702073, AI473536, BF911521, AV757052, BF868489, AV682124, AI682798, T95813, BF812961, AI570966, AL036214, AI345778, AI932794, AW163834, BE879108, AW827206, AI564259, BG110682, BG058398, AA641818, AI633125, AI866040, BE535384, AI538564, AI638798, AW161156, AI915291, AW152182, BG117375, AW051059, BF811804, AV681993, BG166654, AI866770, AL041150, AW104141, AI800440, BE877904, BF086116, AI433590, BE069120, AA806720, BE778453, BG180605, AL036673, BG112456, AI969655, AV733734, AL514887, AW827103, BG028116, BE964614, AI539847, AI863191, AI254727, AL039086, AI445992, BF885081, AI345608, BG029667, AI345688, AW083573, AI572717, AL036631, BF816037, AI613038, AW834302, BF909758, AW026882, AL038445, AI868931, R36271, BF872365, BG110517, BG257547, BG164558, AI267454, AI581033, AI623941, AI568114, AW167918, AA743354, AV714798, AV757035, AW983829, BF794478, AJ223603.2, AF082889.1, AC018758.2, AL353940.1, BC006472.1, AF132676.1, AF061836.1, AL137533.1, AL137294.1, AB055352.1, AF262032.1, AL137271.1, AL137480.1, AF056191.1, AL117435.1, AL080154.1, X72889.1, AK024538.1, BC004370.1, AB047941.1, AL389935.1, AL117460.1,

					BC002473.1, AL136845.1, BC006103.1, AL389939.1, AB050431.1, Z82022.1, AL512733.1, BC003548.1, AL122093.1, AB052191.1, AK026762.1, AL110221.1, AL049430.1, AL359583.1, AF217982.1, AF146568.1, AL050155.1, AB062750.1, AL137476.1, AL137557.1, AB060873.1, BC001655.1, X65873.1, AL512718.1, AB055371.1, AL137463.1, AB056427.1, AK027144.1, BC008282.1, AL442082.1, AK026600.1, AL133606.1, AF285167.1, AL122050.1, AB050410.1, AK026642.1, BC004925.1, AK025414.1, AB060908.1, AK025435.1, BC007534.1, AL136864.1, AL137488.1, AL080148.1, AL512719.1, AL512750.1, AK026480.1, BC003614.1, AL390154.1, BC004530.1, AB056421.1, BC007053.1, AK026593.1, AK024594.1, X82434.1, AK000418.1, AB047904.1, AB060929.1, AK027146.1, AL133665.1, AF104032.1, BC005007.1, BC008673.1, AB060826.1, AK026583.1, BC009395.1, AL359596.1, AB049758.1, AL137658.1, AL080137.1, AF100781.1, AF090934.1, AF358829.1, AL137478.1, AB055370.1, BC004899.1, AK026613.1, BC000090.1, AK026506.1, BC002733.1, AF321617.1, AB062978.1, AL137479.1, S61953.1, BC005858.1, AF218031.1, AK026885.1, BC002523.1, BC000348.1, AF061795.1, AF151685.1, AY034001.1, AK026542.1, AF320073.1, AF026816.2, AK024992.1, AK027081.1, AJ299431.1, AK026626.1, BC008417.1, AL137550.1, AK025491.1, AL359601.1, AL117578.1, AL136893.1, AL359618.1, U80742.1, AF111112.1, BC008387.1, AK027096.1, AL133640.1, AF225424.1, AL137459.1, AF183393.1, BC004958.1, AB048975.1, AB063079.1, AB056809.1, AB052200.1, AK026927.1, AF061943.1, AL096744.1, AF090901.1, AF057300.1, AF057299.1, X98834.1, AL133067.1, Y16645.1, AL133558.1, AK026528.1, AB063070.1, AK027161.1, BC006440.1, AF177336.1, AL136844.1, AB056420.1, AL137538.1, AB063093.1, AK027164.1, AL136843.1, BC007567.1, AL133075.1, AK025312.1, AF125948.1, AL583915.1, AL157431.1, AK025484.1, BC008078.1, BC008893.1, AK025465.1, AL137548.1, AL137521.1, AL136784.1, AL050366.1, AK027868.1, AF230496.1, AK026855.1, AB060905.1, AB060837.1, AL096720.1, AK026462.1, AL136540.1, BC004349.1, X69819.1, BC004951.1, BC004362.1, BC009212.1, Y14314.1, AL050149.1, AL110225.1, AL122098.1, AL136892.1, AL389982.1, AL136805.1, AL050277.1, AK026504.1, AK025391.1, AK027121.1, AB048953.1, AC021325.5, AL512754.1, AB063074.1, AK026630.1, AL080234.1, AL162062.1, AL359620.1, AB063100.1, BC001844.1, AB055361.1, AK024570.1, BC008983.1, AL359941.1, AB060912.1, BC003683.1, AB060897.1, AF143723.1, BC005168.1, AK026744.1, AL117416.1, BC004195.1, AK026784.1, AL122100.1, AL122118.1, AB056768.1, AY033593.1, BC007499.1, AL110280.1, AL133560.1, AL080124.1, AK026647.1, BC009033.1, AK024588.1, AK026086.1, AL049283.1, BC008899.1, AB048919.1, AK026959.1, AK000647.1, AB048974.1, AL136792.1, Z37987.1, AL137529.1, BC007680.1, BC006525.1, BC001056.1, AL050116.1, BC003684.1, AL137558. 1.
HWLIH65	345	793713	1 - 817	15 - 831	AW663887, AA702920, AI042498, BF981980, AA661749, AW401902, AI286001, AW237708, AA512902, AW503623, BE645601, AW405179, AW973049, Z39825, AA129086, AL134524, AW972845, AW975037, AW979204, AW975032, AW976024, AW979127, AW972292, AW975002, AW975965, AW975628, AW970942, AW861944, AW969988, AW971403, AW979098, AW975105,

					AW858525, AW975019, AW972849, AW025744, AW974801, AW971404, AW975954, AW877209, AW975031, AW969791, AW979002, AW974786, AI088353, AW973219, AW972867, AW979238, AL119324, AW971375, AW979212, AW970540, AW979090, AW979176, AW975154, AW979294, AW970079, AW973397, AW969673, AW971968, AW973717, AW976023, AW975971, AW969885, AW975876, AW975952, AW975649, AW969643, AW975020, AW975254, AW975025, AW975650, AW969680, AW974964, AW979106, AW858522, AW975981, AI824626, AW975942, AW970070, AW975028, AW968181, AW975027, AW975990, AW975434, AW970969, AW975966, AW975632, AW972680, AW976511, AW968212, AW974823, AW974975, AW969839, AW974338, AW973750, AW969816, AW974658, AW972296, AW971732, AW979169, AW969852, AW976000, AW976031, AW974785, AW969793, AW972721, AW979220, AW971975, AW969911, AW979219, AW970936, AW975230, AW975596, AW969637, AW975015, AW858455, AW968347, AW976982, AW979173, AW972880, AW972817, AW969748, AW975244, AW970050, AW975930, AW969861, AW975585, AW979147, AW973819, AW979142, AW974101, AW858526, AW970101, AW972154, AW968207, AW968204, AW451860, AW975022, AW971378, AW979232, AW970889, AW973214, AW975959, AW973254, AW972649, AW979133, AW979113, AW973785, AA456016, AW973654, AW969785, AW979208, AW970927, AW979211, AW974802, AW971326, AW971305, AW970107, AW976506, AW975626, AW970010, AW970113, AW976035, AW975231, AW975149, AW975084, AW972884, AW970025, AW972695, AW973805, AW972719, AW976515, AW969633, AW975921, AW969921, AW975157, AW979165, AW979054, AW971254, AW976510, AW971954, AW975941, AW974089, AW973230, AW975975, AW969778, AW969884, AW974962, AW972943, AW969759, AW979083, AW970587, AW979175, AW979037, AW973986, AW979064, AW975938, AW975016, AW970921, AW969766, AW979116, AW972806, AW973987, AW972706, AW973164, AW973824, AW970097, AW974393, AW970094, AW971964, AW975904, AW974379, AW969752, AW973718, AW973967, AW975933, AW973734, AW973207, AW972882, AW973104, AW969782, AW970868, AW972868, AW973985, AW975648, AW973821, AW971129, AW969930, AW972864, AW979178, AW969658, AW972883, AW979081, AW972933, AW975162, AW971183, AW971387, AW970110, AW972705, AW972827, AW973946, AW976012, AW972823, AW970589, AW971259, AW971350, AW975261, AW971367, BC008596.1, AK001798.1, AL122101.1, AL133053.1, AL136763.1, AL133049.1, AL133074.1, AL136755.1, AL136758.1, AL133076.1, AL136764.1, AL136762.1, D17247.1, AL133082.1, AJ276251.1, AJ276253.1, AJ276255.1, AJ276256.1, AL133068.1, AB026436.1, AL136825.1, AJ276254.1, AL133655.1, AF141306.1, AL133020.1, AF002985.1, AF126531.1, Z69719.1, AE006462.1.
HTEAM34	346	898364	1 - 787	15 - 801	AA693501, AI990639, AW003313, AI015821, AI990561, AA435707, AI203905, AA398805, AA382530, AI341921, AI867558, AA382529, AA382827.

Description of Table 4

Table 4 provides a key to the tissue/cell source identifier code disclosed in Table 1B.2, column 8. Column 1 provides the tissue/cell source identifier code disclosed in Table 1B.2, Column 8. Columns 2-5 provide a description of the tissue or cell source. Note that "Description" and "Tissue" sources (i.e. columns 2 and 3) having the prefix "a_" indicates organs, tissues, or cells derived from "adult" sources. Codes corresponding to diseased tissues are indicated in column 6 with the word "disease." The use of the word "disease" in column 6 is non-limiting. The tissue or cell source may be specific (e.g. a neoplasm), or may be disease-associated (e.g., a tissue sample from a normal portion of a diseased organ). Furthermore, tissues and/or cells lacking the "disease" designation may still be derived from sources directly or indirectly involved in a disease state or disorder, and therefore may have a further utility in that disease state or disorder. In numerous cases where the tissue/cell source is a library, column 7 identifies the vector used to generate the library.

TABLE 4

Code	Description	Tissue	Organ	Cell Line	Disease	Vector
AR022	a_Heart	a_Heart				
AR023	a_Liver	a_Liver				
AR024	a_mammary gland	a_mammary gland				
AR025	a_Prostate	a_Prostate				
AR026	a_small intestine	a_small intestine				
AR027	a_Stomach	a_Stomach				
AR028	Blood B cells	Blood B cells				
AR029	Blood B cells activated	Blood B cells activated				
AR030	Blood B cells resting	Blood B cells resting				
AR031	Blood T cells activated	Blood T cells activated				
AR032	Blood T cells resting	Blood T cells resting				
AR033	brain	brain				
AR034	breast	breast				
AR035	breast cancer	breast cancer				
AR036	Cell Line CAOV3	Cell Line CAOV3				
AR037	cell line PA-1	cell line PA-1				
AR038	cell line transformed	cell line transformed				
AR039	colon	colon				
AR040	colon (9808co65R)	colon (9808co65R)				
AR041	colon (9809co15)	colon (9809co15)				
AR042	colon cancer	colon cancer				
AR043	colon cancer (9808co64R)	colon cancer (9808co64R)				
AR044	colon cancer 9809co14	colon cancer 9809co14				
AR050	Donor II B Cells 24hrs	Donor II B Cells 24hrs				
AR051	Donor II B Cells 72hrs	Donor II B Cells 72hrs				
AR052	Donor II B-Cells 24 hrs.	Donor II B-Cells 24 hrs.				
AR053	Donor II B-Cells 72hrs	Donor II B-Cells 72hrs				
AR054	Donor II Resting B	Donor II Resting B Cells				

	Cells					
AR055	Heart	Heart				
AR056	Human Lung (clonetech)	Human Lung (clonetech)				
AR057	Human Mammary (clontech)	Human Mammary (clontech)				
AR058	Human Thymus (clonetech)	Human Thymus (clonetech)				
AR059	Jurkat (unstimulated)	Jurkat (unstimulated)				
AR060	Kidney	Kidney				
AR061	Liver	Liver				
AR062	Liver (Clontech)	Liver (Clontech)				
AR063	Lymphocytes chronic lymphocytic leukaemia	Lymphocytes chronic lymphocytic leukaemia				
AR064	Lymphocytes diffuse large B cell lymphoma	Lymphocytes diffuse large B cell lymphoma				
AR065	Lymphocytes follicular lymphoma	Lymphocytes follicular lymphoma				
AR066	normal breast	normal breast				
AR067	Normal Ovarian (4004901)	Normal Ovarian (4004901)				
AR068	Normal Ovary 9508G045	Normal Ovary 9508G045				
AR069	Normal Ovary 9701G208	Normal Ovary 9701G208				
AR070	Normal Ovary 9806G005	Normal Ovary 9806G005				
AR071	Ovarian Cancer	Ovarian Cancer				
AR072	Ovarian Cancer (9702G001)	Ovarian Cancer (9702G001)				
AR073	Ovarian Cancer (9707G029)	Ovarian Cancer (9707G029)				
AR074	Ovarian Cancer	Ovarian Cancer (9804G011)				

	(9804G011)					
AR075	Ovarian Cancer (9806G019)	Ovarian Cancer (9806G019)				
AR076	Ovarian Cancer (9807G017)	Ovarian Cancer (9807G017)				
AR077	Ovarian Cancer (9809G001)	Ovarian Cancer (9809G001)				
AR078	ovarian cancer 15799	ovarian cancer 15799				
AR079	Ovarian Cancer 17717AID	Ovarian Cancer 17717AID				
AR080	Ovarian Cancer 4004664B1	Ovarian Cancer 4004664B1				
AR081	Ovarian Cancer 4005315A1	Ovarian Cancer 4005315A1				
AR082	ovarian cancer 94127303	ovarian cancer 94127303				
AR083	Ovarian Cancer 96069304	Ovarian Cancer 96069304				
AR084	Ovarian Cancer 9707G029	Ovarian Cancer 9707G029				
AR085	Ovarian Cancer 9807G045	Ovarian Cancer 9807G045				
AR086	ovarian cancer 9809G001	ovarian cancer 9809G001				
AR087	Ovarian Cancer 9905C032RC	Ovarian Cancer 9905C032RC				
AR088	Ovarian cancer 9907 C00 3rd	Ovarian cancer 9907 C00 3rd				
AR089	Prostate	Prostate				
AR090	Prostate (clonetech)	Prostate (clonetech)				
AR091	prostate cancer	prostate cancer				
AR092	prostate cancer #15176	prostate cancer #15176				
AR093	prostate cancer #15509	prostate cancer #15509				

AR094	prostate cancer #15673	prostate cancer #15673				
AR095	Small Intestine (Clontech)	Small Intestine (Clontech)				
AR096	Spleen	Spleen				
AR097	Thymus T cells activated	Thymus T cells activated				
AR098	Thymus T cells resting	Thymus T cells resting				
AR099	Tonsil	Tonsil				
AR100	Tonsil geminal center centroblast	Tonsil geminal center centroblast				
AR101	Tonsil germinal center B cell	Tonsil germinal center B cell				
AR102	Tonsil lymph node	Tonsil lymph node				
AR103	Tonsil memory B cell	Tonsil memory B cell				
AR104	Whole Brain	Whole Brain				
AR105	Xenograft ES-2	Xenograft ES-2				
AR106	Xenograft SW626	Xenograft SW626				
AR124	002 : Monocytes untreated (1hr)	002 : Monocytes untreated (1hr)				
AR125	002 : Monocytes untreated (5hrs)	002 : Monocytes untreated (5hrs)				
AR135	004 : Monocytes untreated (5hrs)	004 : Monocytes untreated (5hrs)				
AR136	004 : Monocytes untreated 1hr	004 : Monocytes untreated 1hr				
AR139	005: Placebo (48hrs)	005: Placebo (48hrs)				
AR140	006: pC4 (24hrs)	006: pC4 (24hrs)				
AR141	006: pC4 (48hrs)	006: pC4 (48hrs)				
AR152	007: PHA(1hr)	007: PHA(1hr)				
AR153	007: PHA(6HRS)	007: PHA(6HRS)				
AR154	007: PMA(6hrs)	007: PMA(6hrs)				
AR155	008: 1449_#2	008: 1449_#2				

AR168	3T3P10 1.0uM insulin	3T3P10 1.0uM insulin				
AR169	3T3P10 10nM Insulin	3T3P10 10nM Insulin				
AR170	3T3P10 10uM insulin	3T3P10 10uM insulin				
AR171	3T3P10 No Insulin	3T3P10 No Insulin				
AR172	3T3P4	3T3P4				
AR173	Adipose (41892)	Adipose (41892)				
AR174	Adipose Diabetic (41611)	Adipose Diabetic (41611)				
AR175	Adipose Diabetic (41661)	Adipose Diabetic (41661)				
AR176	Adipose Diabetic (41689)	Adipose Diabetic (41689)				
AR177	Adipose Diabetic (41706)	Adipose Diabetic (41706)				
AR178	Adipose Diabetic (42352)	Adipose Diabetic (42352)				
AR179	Adipose Diabetic (42366)	Adipose Diabetic (42366)				
AR180	Adipose Diabetic (42452)	Adipose Diabetic (42452)				
AR181	Adipose Diabetic (42491)	Adipose Diabetic (42491)				
AR182	Adipose Normal (41843)	Adipose Normal (41843)				
AR183	Adipose Normal (41893)	Adipose Normal (41893)				
AR184	Adipose Normal (42452)	Adipose Normal (42452)				
AR185	Adrenal Gland	Adrenal Gland				
AR186	Adrenal Gland + Whole Brain	Adrenal Gland + Whole Brain				
AR187	B7(1hr)+ (inverted)	B7(1hr)+ (inverted)				
AR188	Breast (18275A2B)	Breast (18275A2B)				

AR189	Breast (4004199)	Breast (4004199)				
AR190	Breast (4004399)	Breast (4004399)				
AR191	Breast (4004943B7)	Breast (4004943B7)				
AR192	Breast (4005570B1)	Breast (4005570B1)				
AR193	Breast Cancer (4004127A30)	Breast Cancer (4004127A30)				
AR194	Breast Cancer (400443A21)	Breast Cancer (400443A21)				
AR195	Breast Cancer (4004643A2)	Breast Cancer (4004643A2)				
AR196	Breast Cancer (4004710A7)	Breast Cancer (4004710A7)				
AR197	Breast Cancer (4004943A21)	Breast Cancer (4004943A21)				
AR198	Breast Cancer (400553A2)	Breast Cancer (400553A2)				
AR199	Breast Cancer (9805C046R)	Breast Cancer (9805C046R)				
AR200	Breast Cancer (9806C012R)	Breast Cancer (9806C012R)				
AR201	Breast Cancer (ODQ 45913)	Breast Cancer (ODQ 45913)				
AR202	Breast Cancer (ODQ45913)	Breast Cancer (ODQ45913)				
AR203	Breast Cancer (ODQ4591B)	Breast Cancer (ODQ4591B)				
AR204	Colon Cancer (15663)	Colon Cancer (15663)				
AR205	Colon Cancer (4005144A4)	Colon Cancer (4005144A4)				
AR206	Colon Cancer (4005413A4)	Colon Cancer (4005413A4)				
AR207	Colon Cancer (4005570B1)	Colon Cancer (4005570B1)				

AR208	Control RNA #1	Control RNA #1				
AR209	Control RNA #2	Control RNA #2				
AR210	Cultured Preadipocyte (blue)	Cultured Preadipocyte (blue)				
AR211	Cultured Preadipocyte (Red)	Cultured Preadipocyte (Red)				
AR212	Donor II B-Cells 24hrs	Donor II B-Cells 24hrs				
AR213	Donor II Resting B-Cells	Donor II Resting B-Cells				
AR214	H114EP12 10nM Insulin	H114EP12 10nM Insulin				
AR215	H114EP12 (10nM insulin)	H114EP12 (10nM insulin)				
AR216	H114EP12 (2.6ug/ul)	H114EP12 (2.6ug/ul)				
AR217	H114EP12 (3.6ug/ul)	H114EP12 (3.6ug/ul)				
AR218	HUVEC #1	HUVEC #1				
AR219	HUVEC #2	HUVEC #2				
AR221	L6 undiff.	L6 undiff.				
AR222	L6 Undifferentiated	L6 Undifferentiated				
AR223	L6P8 + 10nM Insulin	L6P8 + 10nM Insulin				
AR224	L6P8 + HS	L6P8 + HS				
AR225	L6P8 10nM Insulin	L6P8 10nM Insulin				
AR226	Liver (00-06-A007B)	Liver (00-06-A007B)				
AR227	Liver (96-02-A075)	Liver (96-02-A075)				
AR228	Liver (96-03-A144)	Liver (96-03-A144)				
AR229	Liver (96-04-A138)	Liver (96-04-A138)				
AR230	Liver (97-10-A074B)	Liver (97-10-A074B)				
AR231	Liver (98-09-A242A)	Liver (98-09-A242A)				
AR232	Liver Diabetic (1042)	Liver Diabetic (1042)				
AR233	Liver Diabetic (41616)	Liver Diabetic (41616)				
AR234	Liver Diabetic (41955)	Liver Diabetic (41955)				
AR235	Liver Diabetic (42352R)	Liver Diabetic (42352R)				

AR236	Liver Diabetic (42366)	Liver Diabetic (42366)				
AR237	Liver Diabetic (42483)	Liver Diabetic (42483)				
AR238	Liver Diabetic (42491)	Liver Diabetic (42491)				
AR239	Liver Diabetic (99-09-A281A)	Liver Diabetic (99-09-A281A)				
AR240	Lung	Lung				
AR241	Lung (27270)	Lung (27270)				
AR242	Lung (2727Q)	Lung (2727Q)				
AR243	Lung Cancer (4005116A1)	Lung Cancer (4005116A1)				
AR244	Lung Cancer (4005121A5)	Lung Cancer (4005121A5)				
AR245	Lung Cancer (4005121A5))	Lung Cancer (4005121A5))				
AR246	Lung Cancer (4005340A4)	Lung Cancer (4005340A4)				
AR247	Mammary Gland	Mammary Gland				
AR248	Monocyte (CT)	Monocyte (CT)				
AR249	Monocyte (OCT)	Monocyte (OCT)				
AR250	Monocytes (CT)	Monocytes (CT)				
AR251	Monocytes (INFG 18 hr)	Monocytes (INFG 18 hr)				
AR252	Monocytes (INFG 18hr)	Monocytes (INFG 18hr)				
AR253	Monocytes (INFG 8-11)	Monocytes (INFG 8-11)				
AR254	Monocytes (O CT)	Monocytes (O CT)				
AR255	Muscle (91-01-A105)	Muscle (91-01-A105)				
AR256	Muscle (92-04-A059)	Muscle (92-04-A059)				
AR257	Muscle (97-11-A056d)	Muscle (97-11-A056d)				
AR258	Muscle (99-06-A210A)	Muscle (99-06-A210A)				
AR259	Muscle (99-07-A203B)	Muscle (99-07-A203B)				
AR260	Muscle (99-7-A203B)	Muscle (99-7-A203B)				
AR261	Muscle Diabetic	Muscle Diabetic (42352R)				

	(42352R)					
AR262	Muscle Diabetic (42366)	Muscle Diabetic (42366)				
AR263	NK-19 Control	NK-19 Control				
AR264	NK-19 IL Treated 72hrs	NK-19 IL Treated 72hrs				
AR265	NK-19 UK Treated 72 hrs.	NK-19 UK Treated 72 hrs.				
AR266	Omentum Normal (94-08-B009)	Omentum Normal (94-08-B009)				
AR267	Omentum Normal (97-01-A039A)	Omentum Normal (97-01-A039A)				
AR268	Omentum Normal (97-04-A114C)	Omentum Normal (97-04-A114C)				
AR269	Omentum Normal (97-06-A117C)	Omentum Normal (97-06-A117C)				
AR270	Omentum Normal (97-09-B004C)	Omentum Normal (97-09-B004C)				
AR271	Ovarian Cancer (17717AID)	Ovarian Cancer (17717AID)				
AR272	Ovarian Cancer (9905C023RC)	Ovarian Cancer (9905C023RC)				
AR273	Ovarian Cancer (9905C032RC)	Ovarian Cancer (9905C032RC)				
AR274	Ovary (9508G045)	Ovary (9508G045)				
AR275	Ovary (9701G208)	Ovary (9701G208)				
AR276	Ovary 9806G005	Ovary 9806G005				
AR277	Pancreas	Pancreas				
AR278	Placebo	Placebo				
AR279	rIL2 Control	rIL2 Control				
AR280	RSS288L	RSS288L				
AR281	RSS288LC	RSS288LC				
AR282	Salivary Gland	Salivary Gland				
AR283	Skeletal Muscle	Skeletal Muscle				

AR284	Skeletal Muscle (91-01-A105)	Skeletal Muscle (91-01-A105)				
AR285	Skeletal Muscle (42180)	Skeletal Muscle (42180)				
AR286	Skeletal Muscle (42386)	Skeletal Muscle (42386)				
AR287	Skeletal Muscle (42461)	Skeletal Muscle (42461)				
AR288	Skeletal Muscle (91-01-A105)	Skeletal Muscle (91-01-A105)				
AR289	Skeletal Muscle (92-04-A059)	Skeletal Muscle (92-04-A059)				
AR290	Skeletal Muscle (96-08-A171)	Skeletal Muscle (96-08-A171)				
AR291	Skeletal Muscle (97-07-A190A)	Skeletal Muscle (97-07-A190A)				
AR292	Skeletal Muscle Diabetic (42352)	Skeletal Muscle Diabetic (42352)				
AR293	Skeletal Muscle Diabetic (42366)	Skeletal Muscle Diabetic (42366)				
AR294	Skeletal Muscle Diabetic (42395)	Skeletal Muscle Diabetic (42395)				
AR295	Skeletal Muscle Diabetic (42483)	Skeletal Muscle Diabetic (42483)				
AR296	Skeletal Muscle Diabetic (42491)	Skeletal Muscle Diabetic (42491)				
AR297	Skeletal Muscle Diabetic 42352	Skeletal Muscle Diabetic 42352				
AR298	Skeletal Musle (42461)	Skeletal Musle (42461)				
AR299	Small Intestine	Small Intestine				
AR300	Stomach	Stomach				
AR301	T-Cell + HDPBQ71.fc 1449 16hrs	T-Cell + HDPBQ71.fc 1449 16hrs				
AR302	T-Cell + HDPBQ71.fc 1449 6hrs	T-Cell + HDPBQ71.fc 1449 6hrs				
AR303	T-Cell + IL2 16hrs	T-Cell + IL2 16hrs				

AR304	T-Cell + IL2 6hrs	T-Cell + IL2 6hrs				
AR306	T-Cell Untreated 16hrs	T-Cell Untreated 16hrs				
AR307	T-Cell Untreated 6hrs	T-Cell Untreated 6hrs				
AR308	T-Cells 24 hours	T-Cells 24 hours				
AR309	T-Cells 24 hrs	T-Cells 24 hrs				
AR310	T-Cells 24 hrs.	T-Cells 24 hrs.				
AR311	T-Cells 24hrs	T-Cells 24hrs				
AR312	T-Cells 4 days	T-Cells 4 days				
AR313	Thymus	Thymus				
AR314	TRE	TRE				
AR315	TREC	TREC				
H0004	Human Adult Spleen	Human Adult Spleen	Spleen			Uni-ZAP XR
H0007	Human Cerebellum	Human Cerebellum	Brain			Uni-ZAP XR
H0008	Whole 6 Week Old Embryo					Uni-ZAP XR
H0009	Human Fetal Brain					Uni-ZAP XR
H0012	Human Fetal Kidney	Human Fetal Kidney	Kidney			Uni-ZAP XR
H0013	Human 8 Week Whole Embryo	Human 8 Week Old Embryo	Embryo			Uni-ZAP XR
H0014	Human Gall Bladder	Human Gall Bladder	Gall Bladder			Uni-ZAP XR
H0015	Human Gall Bladder, fraction II	Human Gall Bladder	Gall Bladder			Uni-ZAP XR
H0020	Human Hippocampus	Human Hippocampus	Brain			Uni-ZAP XR
H0022	Jurkat Cells	Jurkat T-Cell Line				Lambda ZAP II
H0024	Human Fetal Lung III	Human Fetal Lung	Lung			Uni-ZAP XR
H0025	Human Adult Lymph Node	Human Adult Lymph Node	Lymph Node			Lambda ZAP II
H0026	Namalwa Cells	Namalwa B-Cell Line, EBV immortalized				Lambda ZAP II
H0030	Human Placenta					Uni-ZAP XR
H0031	Human Placenta	Human Placenta	Placenta			Uni-ZAP XR
H0032	Human Prostate	Human Prostate	Prostate			Uni-ZAP XR

H0033	Human Pituitary	Human Pituitary				Uni-ZAP XR
H0036	Human Adult Small Intestine	Human Adult Small Intestine	Small Int.			Uni-ZAP XR
H0038	Human Testes	Human Testes	Testis			Uni-ZAP XR
H0039	Human Pancreas Tumor	Human Pancreas Tumor	Pancreas		disease	Uni-ZAP XR
H0040	Human Testes Tumor	Human Testes Tumor	Testis		disease	Uni-ZAP XR
H0041	Human Fetal Bone	Human Fetal Bone	Bone			Uni-ZAP XR
H0042	Human Adult Pulmonary	Human Adult Pulmonary	Lung			Uni-ZAP XR
H0044	Human Cornea	Human Cornea	eye			Uni-ZAP XR
H0045	Human Esophagus, Cancer	Human Esophagus, cancer	Esophagus		disease	Uni-ZAP XR
H0046	Human Endometrial Tumor	Human Endometrial Tumor	Uterus		disease	Uni-ZAP XR
H0047	Human Fetal Liver	Human Fetal Liver	Liver			Uni-ZAP XR
H0050	Human Fetal Heart	Human Fetal Heart	Heart			Uni-ZAP XR
H0051	Human Hippocampus	Human Hippocampus	Brain			Uni-ZAP XR
H0052	Human Cerebellum	Human Cerebellum	Brain			Uni-ZAP XR
H0056	Human Umbilical Vein, Endo. remake	Human Umbilical Vein Endothelial Cells	Umbilical vein			Uni-ZAP XR
H0057	Human Fetal Spleen					Uni-ZAP XR
H0059	Human Uterine Cancer	Human Uterine Cancer	Uterus		disease	Lambda ZAP II
H0063	Human Thymus	Human Thymus	Thymus			Uni-ZAP XR
H0068	Human Skin Tumor	Human Skin Tumor	Skin		disease	Uni-ZAP XR
H0069	Human Activated T-Cells	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0070	Human Pancreas	Human Pancreas	Pancreas			Uni-ZAP XR
H0071	Human Infant Adrenal Gland	Human Infant Adrenal Gland	Adrenal gland			Uni-ZAP XR
H0073	Human Leiomyeloid Carcinoma	Human Leiomyeloid Carcinoma	Muscle		disease	Uni-ZAP XR
H0075	Human Activated T-Cells (II)	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR

H0077	Human Thymus Tumor	Human Thymus Tumor	Thymus		disease	Lambda ZAP II
H0081	Human Fetal Epithelium (Skin)	Human Fetal Skin	Skin			Uni-ZAP XR
H0083	HUMAN JURKAT MEMBRANE BOUND POLYSOMES	Jurkat Cells				Uni-ZAP XR
H0085	Human Colon	Human Colon				Lambda ZAP II
H0086	Human epithelioid sarcoma	Epithelioid Sarcoma, muscle	Sk Muscle		disease	Uni-ZAP XR
H0087	Human Thymus	Human Thymus				pBluescript
H0090	Human T-Cell Lymphoma	T-Cell Lymphoma	T-Cell		disease	Uni-ZAP XR
H0096	Human Parotid Cancer	Human Parotid Cancer	Parotid		disease	Lambda ZAP II
H0098	Human Adult Liver, subtracted	Human Adult Liver	Liver			Uni-ZAP XR
H0100	Human Whole Six Week Old Embryo	Human Whole Six Week Old Embryo	Embryo			Uni-ZAP XR
H0102	Human Whole 6 Week Old Embryo (II), subt	Human Whole Six Week Old Embryo	Embryo			pBluescript
H0103	Human Fetal Brain, subtracted	Human Fetal Brain	Brain			Uni-ZAP XR
H0108	Human Adult Lymph Node, subtracted	Human Adult Lymph Node	Lymph Node			Uni-ZAP XR
H0111	Human Placenta, subtracted	Human Placenta	Placenta			pBluescript
H0112	Human Parathyroid Tumor, subtracted	Human Parathyroid Tumor	Parathyroid			pBluescript
H0120	Human Adult Spleen, subtracted	Human Adult Spleen	Spleen			Uni-ZAP XR
H0121	Human Cornea, subtracted	Human Cornea	eye			Uni-ZAP XR
H0122	Human Adult Skeletal Muscle	Human Skeletal Muscle	Sk Muscle			Uni-ZAP XR

H0123	Human Fetal Dura Mater	Human Fetal Dura Mater	Brain			Uni-ZAP XR
H0124	Human Rhabdomyosarcoma	Human Rhabdomyosarcoma	Sk Muscle		disease	Uni-ZAP XR
H0125	Cem cells cyclohexamide treated	Cyclohexamide Treated Cem, Jurkat, Raji, and Supt	Blood	Cell Line		Uni-ZAP XR
H0130	LNCAP untreated	LNCAP Cell Line	Prostate	Cell Line		Uni-ZAP XR
H0131	LNCAP + o.3nM R1881	LNCAP Cell Line	Prostate	Cell Line		Uni-ZAP XR
H0132	LNCAP + 30nM R1881	LNCAP Cell Line	Prostate	Cell Line		Uni-ZAP XR
H0134	Raji Cells, cyclohexamide treated	Cyclohexamide Treated Cem, Jurkat, Raji, and Supt	Blood	Cell Line		Uni-ZAP XR
H0135	Human Synovial Sarcoma	Human Synovial Sarcoma	Synovium			Uni-ZAP XR
H0136	Supt Cells, cyclohexamide treated	Cyclohexamide Treated Cem, Jurkat, Raji, and Supt	Blood	Cell Line		Uni-ZAP XR
H0139	Activated T-Cells, 4 hrs.	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0140	Activated T-Cells, 8 hrs.	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0141	Activated T-Cells, 12 hrs.	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0144	Nine Week Old Early Stage Human	9 Wk Old Early Stage Human	Embryo			Uni-ZAP XR
H0147	Human Adult Liver	Human Adult Liver	Liver			Uni-ZAP XR
H0149	7 Week Old Early Stage Human, subtracted	Human Whole 7 Week Old Embryo	Embryo			Uni-ZAP XR
H0150	Human Epididymus	Epididymis	Testis			Uni-ZAP XR
H0151	Early Stage Human Liver	Human Fetal Liver	Liver			Uni-ZAP XR
H0156	Human Adrenal Gland Tumor	Human Adrenal Gland Tumor	Adrenal Gland		disease	Uni-ZAP XR
H0158	Activated T-Cells, 4 hrs., ligation 2	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0159	Activated T-Cells, 8 hrs., ligation 2	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR

H0160	Activated T-Cells, 12 hrs., ligation 2	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0161	Activated T-Cells, 24 hrs., ligation 2	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0163	Human Synovium	Human Synovium	Synovium			Uni-ZAP XR
H0165	Human Prostate Cancer, Stage B2	Human Prostate Cancer, stage B2	Prostate		disease	Uni-ZAP XR
H0166	Human Prostate Cancer, Stage B2 fraction	Human Prostate Cancer, stage B2	Prostate		disease	Uni-ZAP XR
H0167	Activated T-Cells, 24 hrs.	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0169	Human Prostate Cancer, Stage C fraction	Human Prostate Cancer, stage C	Prostate		disease	Uni-ZAP XR
H0170	12 Week Old Early Stage Human	Twelve Week Old Early Stage Human	Embryo			Uni-ZAP XR
H0171	12 Week Old Early Stage Human, II	Twelve Week Old Early Stage Human	Embryo			Uni-ZAP XR
H0172	Human Fetal Brain, random primed	Human Fetal Brain	Brain			Lambda ZAP II
H0176	CAMA1Ee Cell Line	CAMA1Ee Cell Line	Breast	Cell Line		Uni-ZAP XR
H0177	CAMA1Ee Cell Line	CAMA1Ee Cell Line	Breast	Cell Line		Uni-ZAP XR
H0178	Human Fetal Brain	Human Fetal Brain	Brain			Uni-ZAP XR
H0179	Human Neutrophil	Human Neutrophil	Blood	Cell Line		Uni-ZAP XR
H0180	Human Primary Breast Cancer	Human Primary Breast Cancer	Breast		disease	Uni-ZAP XR
H0181	Human Primary Breast Cancer	Human Primary Breast Cancer	Breast		disease	Uni-ZAP XR
H0182	Human Primary Breast Cancer	Human Primary Breast Cancer	Breast		disease	Uni-ZAP XR
H0183	Human Colon Cancer	Human Colon Cancer	Colon		disease	Uni-ZAP XR
H0187	Resting T-Cell	T-Cells	Blood	Cell Line		Lambda ZAP II
H0188	Human Normal Breast	Human Normal Breast	Breast			Uni-ZAP XR
H0189	Human Resting	Human	Blood	Cell Line		Uni-ZAP XR

	Macrophage	Macrophage/Monocytes				
H0192	Cem Cells, cyclohexamide treated, subtra	Cyclohexamide Treated Cem, Jurkat, Raji, and Supt	Blood	Cell Line		Uni-ZAP XR
H0194	Human Cerebellum, subtracted	Human Cerebellum	Brain			pBluescript
H0196	Human Cardiomyopathy, subtracted	Human Cardiomyopathy	Heart			Uni-ZAP XR
H0197	Human Fetal Liver, subtracted	Human Fetal Liver	Liver			Uni-ZAP XR
H0199	Human Fetal Liver, subtracted, neg clone	Human Fetal Liver	Liver			Uni-ZAP XR
H0200	Human Greater Omentum, fract II remake,	Human Greater Omentum	peritoneum			Uni-ZAP XR
H0202	Jurkat Cells, cyclohexamide treated, subtraction	Cyclohexamide Treated Cem, Jurkat, Raji, and Supt	Blood	Cell Line		Uni-ZAP XR
H0204	Human Colon Cancer, subtracted	Human Colon Cancer	Colon			pBluescript
H0205	Human Colon Cancer, differential	Human Colon Cancer	Colon			pBluescript
H0207	LNCAP, differential expression	LNCAP Cell Line	Prostate	Cell Line		pBluescript
H0208	Early Stage Human Lung, subtracted	Human Fetal Lung	Lung			pBluescript
H0211	Human Prostate,differential expression	Human Prostate	Prostate			pBluescript
H0212	Human Prostate, subtracted	Human Prostate	Prostate			pBluescript
H0213	Human Pituitary,	Human Pituitary				Uni-ZAP XR

	subtracted					
H0214	Raji cells, cyclohexamide treated, subtracted	Cyclohexamide Treated Cem, Jurkat, Raji, and Supt	Blood	Cell Line		pBluescript
H0216	Supt cells, cyclohexamide treated, subtracted	Cyclohexamide Treated Cem, Jurkat, Raji, and Supt	Blood	Cell Line		pBluescript
H0217	Supt cells, cyclohexamide treated, differentially expressed	Cyclohexamide Treated Cem, Jurkat, Raji, and Supt	Blood	Cell Line		pBluescript
H0218	Activated T-Cells, 0hrs, subtracted	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0219	Activated T-Cells, 0hrs, differentially expressed	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0220	Activated T-Cells, 4 hrs, subtracted	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0222	Activated T-Cells, 8 hrs, subtracted	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0224	Activated T-Cells, 12 hrs, subtracted	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0225	Activated T-Cells, 12hrs, differentially expressed	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0229	Early Stage Human Brain, random primed	Early Stage Human Brain	Brain			Lambda ZAP II
H0231	Human Colon, subtraction	Human Colon				pBluescript
H0233	Human Fetal Heart, Differential (Adult-Specific)	Human Fetal Heart	Heart			pBluescript
H0234	human colon cancer, metastatic to liver, differentially expressed	Human Colon Cancer, metasticized to liver	Liver			pBluescript

H0235	Human colon cancer, metaticized to liver, subtraction	Human Colon Cancer, metasticized to liver	Liver			pBluescript
H0239	Human Kidney Tumor	Human Kidney Tumor	Kidney		disease	Uni-ZAP XR
H0241	C7MCF7 cell line, estrogen treated, subtraction	C7MCF7 Cell Line, estrogen treated	Breast	Cell Line		Uni-ZAP XR
H0242	Human Fetal Heart, Differential (Fetal-Specific)	Human Fetal Heart	Heart			pBluescript
H0244	Human 8 Week Whole Embryo, subtracted	Human 8 Week Old Embryo	Embryo			Uni-ZAP XR
H0250	Human Activated Monocytes	Human Monocytes				Uni-ZAP XR
H0251	Human Chondrosarcoma	Human Chondrosarcoma	Cartilage		disease	Uni-ZAP XR
H0252	Human Osteosarcoma	Human Osteosarcoma	Bone		disease	Uni-ZAP XR
H0253	Human adult testis, large inserts	Human Adult Testis	Testis			Uni-ZAP XR
H0254	Breast Lymph node cDNA library	Breast Lymph Node	Lymph Node			Uni-ZAP XR
H0255	breast lymph node CDNA library	Breast Lymph Node	Lymph Node			Lambda ZAP II
H0256	HL-60, unstimulated	Human HL-60 Cells, unstimulated	Blood	Cell Line		Uni-ZAP XR
H0257	HL-60, PMA 4H	HL-60 Cells, PMA stimulated 4H	Blood	Cell Line		Uni-ZAP XR
H0261	H. cerebellum, Enzyme subtracted	Human Cerebellum	Brain			Uni-ZAP XR
H0263	human colon cancer	Human Colon Cancer	Colon		disease	Lambda ZAP II
H0264	human tonsils	Human Tonsil	Tonsil			Uni-ZAP XR
H0265	Activated T-Cell (12hs)/Thiouridine	T-Cells	Blood	Cell Line		Uni-ZAP XR

	labelledEco					
H0266	Human Microvascular Endothelial Cells, fract. A	HMEC	Vein	Cell Line		Lambda ZAP II
H0267	Human Microvascular Endothelial Cells, fract. B	HMEC	Vein	Cell Line		Lambda ZAP II
H0268	Human Umbilical Vein Endothelial Cells, fract. A	HUVE Cells	Umbilical vein	Cell Line		Lambda ZAP II
H0269	Human Umbilical Vein Endothelial Cells, fract. B	HUVE Cells	Umbilical vein	Cell Line		Lambda ZAP II
H0270	HPAS (human pancreas, subtracted)	Human Pancreas	Pancreas			Uni-ZAP XR
H0271	Human Neutrophil, Activated	Human Neutrophil - Activated	Blood	Cell Line		Uni-ZAP XR
H0272	HUMAN TONSILS, FRACTION 2	Human Tonsil	Tonsil			Uni-ZAP XR
H0274	Human Adult Spleen, fractionII	Human Adult Spleen	Spleen			Uni-ZAP XR
H0275	Human Infant Adrenal Gland, Subtracted	Human Infant Adrenal Gland	Adrenal gland			pBluescript
H0280	K562 + PMA (36 hrs)	K562 Cell line	cell line	Cell Line		ZAP Express
H0282	HBGB"s differential consolidation	Human Primary Breast Cancer	Breast			Uni-ZAP XR
H0284	Human OB MG63 control fraction I	Human Osteoblastoma MG63 cell line	Bone	Cell Line		Uni-ZAP XR
H0286	Human OB MG63 treated (10 nM E2) fraction I	Human Osteoblastoma MG63 cell line	Bone	Cell Line		Uni-ZAP XR
H0288	Human OB HOS control fraction I	Human Osteoblastoma HOS cell line	Bone	Cell Line		Uni-ZAP XR

H0290	Human OB HOS treated (1 nM E2) fraction I	Human Osteoblastoma HOS cell line	Bone	Cell Line		Uni-ZAP XR
H0292	Human OB HOS treated (10 nM E2) fraction I	Human Osteoblastoma HOS cell line	Bone	Cell Line		Uni-ZAP XR
H0293	WI 38 cells					Uni-ZAP XR
H0294	Amniotic Cells - TNF induced	Amniotic Cells - TNF induced	Placenta	Cell Line		Uni-ZAP XR
H0295	Amniotic Cells - Primary Culture	Amniotic Cells - Primary Culture	Placenta	Cell Line		Uni-ZAP XR
H0298	HCBB"s differential consolidation	CAMA1Ee Cell Line	Breast	Cell Line		Uni-ZAP XR
H0305	CD34 positive cells (Cord Blood)	CD34 Positive Cells	Cord Blood			ZAP Express
H0306	CD34 depleted Buffy Coat (Cord Blood)	CD34 Depleted Buffy Coat (Cord Blood)	Cord Blood			ZAP Express
H0309	Human Chronic Synovitis	Synovium, Chronic Synovitis/ Osteoarthritis	Synovium		disease	Uni-ZAP XR
H0310	human caudate nucleus	Brain	Brain			Uni-ZAP XR
H0313	human pleural cancer	pleural cancer			disease	pBluescript
H0316	HUMAN STOMACH	Human Stomach	Stomach			Uni-ZAP XR
H0318	HUMAN B CELL LYMPHOMA	Human B Cell Lymphoma	Lymph Node		disease	Uni-ZAP XR
H0320	Human frontal cortex	Human Frontal Cortex	Brain			Uni-ZAP XR
H0327	human corpus colosum	Human Corpus Callosum	Brain			Uni-ZAP XR
H0328	human ovarian cancer	Ovarian Cancer	Ovary		disease	Uni-ZAP XR
H0329	Dermatofibrosarcoma Protuberance	Dermatofibrosarcoma Protuberans	Skin		disease	Uni-ZAP XR
H0331	Hepatocellular Tumor	Hepatocellular Tumor	Liver		disease	Lambda ZAP II
H0333	Hemangiopericytoma	Hemangiopericytoma	Blood vessel		disease	Lambda ZAP II
H0334	Kidney cancer	Kidney Cancer	Kidney		disease	Uni-ZAP XR
H0339	Duodenum	Duodenum				Uni-ZAP XR
H0341	Bone Marrow Cell Line (RS4;11)	Bone Marrow Cell Line RS4;11	Bone Marrow	Cell Line		Uni-ZAP XR

H0342	Lingual Gyrus	Lingual Gyrus	Brain			Uni-Zap XR
H0343	stomach cancer (human)	Stomach Cancer - 5383A (human)			disease	Uni-ZAP XR
H0346	Brain-medulloblastoma	Brain (Medulloblastoma)-9405C006R	Brain		disease	Uni-ZAP XR
H0350	Human Fetal Liver, mixed 10 & 14 week	Human Fetal Liver, mixed 10&14 Week	Liver			Uni-ZAP XR
H0351	Glioblastoma	Glioblastoma	Brain		disease	Uni-ZAP XR
H0352	wilm"s tumor	Wilm"s Tumor			disease	Uni-ZAP XR
H0354	Human Leukocytes	Human Leukocytes	Blood	Cell Line		pCMVSport 1
H0355	Human Liver	Human Liver, normal Adult				pCMVSport 1
H0356	Human Kidney	Human Kidney	Kidney			pCMVSport 1
H0357	H. Normalized Fetal Liver, II	Human Fetal Liver	Liver			Uni-ZAP XR
H0359	KMH2 cell line	KMH2				ZAP Express
H0361	Human rejected kidney	Human Rejected Kidney			disease	pBluescript
H0362	HeLa cell line	HELA CELL LINE				pSport1
H0366	L428 cell line	L428				ZAP Express
H0369	H. Atrophic Endometrium	Atrophic Endometrium and myometrium				Uni-ZAP XR
H0370	H. Lymph node breast Cancer	Lymph node with Met. Breast Cancer			disease	Uni-ZAP XR
H0372	Human Testes	Human Testes	Testis			pCMVSport 1
H0373	Human Heart	Human Adult Heart	Heart			pCMVSport 1
H0374	Human Brain	Human Brain				pCMVSport 1
H0375	Human Lung	Human Lung				pCMVSport 1
H0376	Human Spleen	Human Adult Spleen	Spleen			pCMVSport 1
H0379	Human Tongue, frac 1	Human Tongue				pSport1
H0380	Human Tongue, frac 2	Human Tongue				pSport1
H0381	Bone Cancer	Bone Cancer			disease	Uni-ZAP XR
H0383	Human Prostate BPH, re-excision	Human Prostate BPH				Uni-ZAP XR

H0384	Brain, Kozak	Human Brain				pCMVSport 1
H0386	Leukocyte and Lung; 4 screens	Human Leukocytes	Blood	Cell Line		pCMVSport 1
H0388	Human Rejected Kidney, 704 re-excision	Human Rejected Kidney			disease	pBluescript
H0390	Human Amygdala Depression, re-excision	Human Amygdala Depression			disease	pBluescript
H0391	H. Meniingima, M6	Human Meningima	brain			pSport1
H0392	H. Meningima, M1	Human Meningima	brain			pSport1
H0393	Fetal Liver, subtraction II	Human Fetal Liver	Liver			pBluescript
H0394	A-14 cell line	Redd-Sternberg cell				ZAP Express
H0395	A1-CELL LINE	Redd-Sternberg cell				ZAP Express
H0396	L1 Cell line	Redd-Sternberg cell				ZAP Express
H0399	Human Kidney Cortex, re-rescue	Human Kidney Cortex				Lambda ZAP II
H0400	Human Striatum Depression, re-rescue	Human Brain, Striatum Depression	Brain			Lambda ZAP II
H0402	CD34 depleted Buffy Coat (Cord Blood), re-excision	CD34 Depleted Buffy Coat (Cord Blood)	Cord Blood			ZAP Express
H0403	H. Umbilical Vein Endothelial Cells, IL4 induced	HUVE Cells	Umbilical vein	Cell Line		Uni-ZAP XR
H0404	H. Umbilical Vein endothelial cells, uninduced	HUVE Cells	Umbilical vein	Cell Line		Uni-ZAP XR
H0405	Human Pituitary, subtracted VI	Human Pituitary				pBluescript
H0406	H Amygdala Depression, subtracted	Human Amygdala Depression				Uni-ZAP XR
H0408	Human kidney Cortex, subtracted	Human Kidney Cortex				pBluescript

H0409	H. Striatum Depression, subtracted	Human Brain, Striatum Depression	Brain			pBluescript
H0410	H. Male bladder, adult	H Male Bladder, Adult	Bladder			pSport1
H0411	H Female Bladder, Adult	Human Female Adult Bladder	Bladder			pSport1
H0412	Human umbilical vein endothelial cells, IL-4 induced	HUVE Cells	Umbilical vein	Cell Line		pSport1
H0413	Human Umbilical Vein Endothelial Cells, uninduced	HUVE Cells	Umbilical vein	Cell Line		pSport1
H0415	H. Ovarian Tumor, II, OV5232	Ovarian Tumor, OV5232	Ovary		disease	pCMVSport 2.0
H0416	Human Neutrophils, Activated, re-excision	Human Neutrophil - Activated	Blood	Cell Line		pBluescript
H0417	Human Pituitary, subtracted VIII	Human Pituitary				pBluescript
H0418	Human Pituitary, subtracted VII	Human Pituitary				pBluescript
H0419	Bone Cancer, re-excision	Bone Cancer				Uni-ZAP XR
H0421	Human Bone Marrow, re-excision	Bone Marrow				pBluescript
H0422	T-Cell PHA 16 hrs	T-Cells	Blood	Cell Line		pSport1
H0423	T-Cell PHA 24 hrs	T-Cells	Blood	Cell Line		pSport1
H0424	Human Pituitary, subt IX	Human Pituitary				pBluescript
H0427	Human Adipose	Human Adipose, left hiplipoma				pSport1
H0428	Human Ovary	Human Ovary Tumor	Ovary			pSport1
H0429	K562 + PMA (36 hrs),re-excision	K562 Cell line	cell line	Cell Line		ZAP Express
H0431	H. Kidney Medulla, re-	Kidney medulla	Kidney			pBluescript

	excision					
H0433	Human Umbilical Vein Endothelial cells, frac B, re-excision	HUVE Cells	Umbilical vein	Cell Line		pBluescript
H0435	Ovarian Tumor 10-3-95	Ovarian Tumor, OV350721	Ovary			pCMVSport 2.0
H0436	Resting T-Cell Library,II	T-Cells	Blood	Cell Line		pSport1
H0437	H Umbilical Vein Endothelial Cells, frac A, re-excision	HUVE Cells	Umbilical vein	Cell Line		Lambda ZAP II
H0438	H. Whole Brain #2, re-excision	Human Whole Brain #2				ZAP Express
H0439	Human Eosinophils	Eosinophils				pBluescript
H0441	H. Kidney Cortex, subtracted	Kidney cortex	Kidney			pBluescript
H0443	H. Adipose, subtracted	Human Adipose, left hiplipoma				pSport1
H0444	Spleen metastic melanoma	Spleen, Metastic malignant melanoma	Spleen		disease	pSport1
H0445	Spleen, Chronic lymphocytic leukemia	Human Spleen, CLL	Spleen		disease	pSport1
H0449	CD34+ cell, I	CD34 positive cells				pSport1
H0455	H. Striatum Depression, subt	Human Brain, Striatum Depression	Brain			pBluescript
H0457	Human Eosinophils	Human Eosinophils				pSport1
H0458	CD34+ cell, I, frac II	CD34 positive cells				pSport1
H0459	CD34+cells, II, FRACTION 2	CD34 positive cells				pCMVSport 2.0
H0461	H. Kidney Medulla, subtracted	Kidney medulla	Kidney			pBluescript
H0462	H. Amygdala Depression, subtracted		Brain			pBluescript
H0477	Human Tonsil, Lib 3	Human Tonsil	Tonsil			pSport1

H0478	Salivary Gland, Lib 2	Human Salivary Gland	Salivary gland			pSport1
H0483	Breast Cancer cell line, MDA 36	Breast Cancer Cell line, MDA 36				pSport1
H0484	Breast Cancer Cell line, angiogenic	Breast Cancer Cell line, Angiogenic, 36T3				pSport1
H0485	Hodgkin"s Lymphoma I	Hodgkin"s Lymphoma I			disease	pCMVSport 2.0
H0486	Hodgkin"s Lymphoma II	Hodgkin"s Lymphoma II			disease	pCMVSport 2.0
H0487	Human Tonsils, lib I	Human Tonsils				pCMVSport 2.0
H0488	Human Tonsils, Lib 2	Human Tonsils				pCMVSport 2.0
H0489	Crohn"s Disease	Ileum	Intestine		disease	pSport1
H0490	Hl-60, untreated, subtracted	Human HL-60 Cells, unstimulated	Blood	Cell Line		Uni-ZAP XR
H0491	HL-60, PMA 4H, subtracted	HL-60 Cells, PMA stimulated 4H	Blood	Cell Line		Uni-ZAP XR
H0492	HL-60, RA 4h, Subtracted	HL-60 Cells, RA stimulated for 4H	Blood	Cell Line		Uni-ZAP XR
H0494	Keratinocyte	Keratinocyte				pCMVSport 2.0
H0497	HEL cell line	HEL cell line		HEL 92.1.7		pSport1
H0505	Human Astrocyte	Human Astrocyte				pSport1
H0506	Ulcerative Colitis	Colon	Colon			pSport1
H0509	Liver, Hepatoma	Human Liver, Hepatoma, patient 8	Liver		disease	pCMVSport 3.0
H0510	Human Liver, normal	Human Liver, normal, Patient # 8	Liver			pCMVSport 3.0
H0512	Keratinocyte, lib 3	Keratinocyte				pCMVSport 2.0
H0518	pBMC stimulated w/ poly I/C	pBMC stimulated with poly I/C				pCMVSport 3.0
H0519	NTERA2, control	NTERA2, Teratocarcinoma cell line				pCMVSport 3.0
H0520	NTERA2 + retinoic acid, 14 days	NTERA2, Teratocarcinoma cell line				pSport1
H0521	Primary Dendritic Cells,	Primary Dendritic cells				pCMVSport 3.0

	lib 1					
H0522	Primary Dendritic cells,frac 2	Primary Dendritic cells				pCMVSport 3.0
H0525	PCR, pBMC I/C treated	pBMC stimulated with poly I/C				PCRII
H0529	Myoloid Progenitor Cell Line	TF-1 Cell Line; Myoloid progenitor cell line				pCMVSport 3.0
H0530	Human Dermal Endothelial Cells,untreated	Human Dermal Endothelial Cells; untreated				pSport1
H0537	H. Primary Dendritic Cells,lib 3	Primary Dendritic cells				pCMVSport 2.0
H0538	Merkel Cells	Merkel cells	Lymph node			pSport1
H0539	Pancreas Islet Cell Tumor	Pancreas Islet Cell Tumour	Pancreas		disease	pSport1
H0542	T Cell helper I	Helper T cell				pCMVSport 3.0
H0543	T cell helper II	Helper T cell				pCMVSport 3.0
H0544	Human endometrial stromal cells	Human endometrial stromal cells				pCMVSport 3.0
H0545	Human endometrial stromal cells-treated with progesterone	Human endometrial stromal cells-treated with proge				pCMVSport 3.0
H0546	Human endometrial stromal cells-treated with estradiol	Human endometrial stromal cells-treated with estra				pCMVSport 3.0
H0547	NTERA2 teratocarcinoma cell line+retinoic acid (14 days)	NTERA2, Teratocarcinoma cell line				pSport1
H0549	H. Epididiymus, caput & corpus	Human Epididiymus, caput and corpus				Uni-ZAP XR
H0550	H. Epididiymus, cauda	Human Epididiymus, cauda				Uni-ZAP XR
H0551	Human Thymus Stromal	Human Thymus Stromal				pCMVSport 3.0

	Cells	Cells				
H0553	Human Placenta	Human Placenta				pCMVSport 3.0
H0555	Rejected Kidney, lib 4	Human Rejected Kidney	Kidney		disease	pCMVSport 3.0
H0556	Activated T-cell(12h)/Thiouridine-re-excision	T-Cells	Blood	Cell Line		Uni-ZAP XR
H0559	HL-60, PMA 4H, re-excision	HL-60 Cells, PMA stimulated 4H	Blood	Cell Line		Uni-ZAP XR
H0560	KMH2	KMH2				pCMVSport 3.0
H0561	L428	L428				pCMVSport 3.0
H0562	Human Fetal Brain, normalized c5-11-26	Human Fetal Brain				pCMVSport 2.0
H0563	Human Fetal Brain, normalized 50021F	Human Fetal Brain				pCMVSport 2.0
H0564	Human Fetal Brain, normalized C5001F	Human Fetal Brain				pCMVSport 2.0
H0566	Human Fetal Brain,normalized c50F	Human Fetal Brain				pCMVSport 2.0
H0567	Human Fetal Brain, normalized A5002F	Human Fetal Brain				pCMVSport 2.0
H0569	Human Fetal Brain, normalized CO	Human Fetal Brain				pCMVSport 2.0
H0570	Human Fetal Brain, normalized C500H	Human Fetal Brain				pCMVSport 2.0
H0571	Human Fetal Brain, normalized C500HE	Human Fetal Brain				pCMVSport 2.0
H0572	Human Fetal Brain, normalized AC5002	Human Fetal Brain				pCMVSport 2.0
H0574	Hepatocellular Tumor; re-excision	Hepatocellular Tumor	Liver		disease	Lambda ZAP II
H0575	Human Adult Pulmonary;re-excision	Human Adult Pulmonary	Lung			Uni-ZAP XR
H0576	Resting T-Cell; re-	T-Cells	Blood	Cell Line		Lambda ZAP II

	excision					
H0578	Human Fetal Thymus	Fetal Thymus	Thymus			pSport1
H0580	Dendritic cells, pooled	Pooled dendritic cells				pCMVSport 3.0
H0581	Human Bone Marrow, treated	Human Bone Marrow	Bone Marrow			pCMVSport 3.0
H0583	B Cell lymphoma	B Cell Lymphoma	B Cell		disease	pCMVSport 3.0
H0584	Activated T-cells, 24 hrs,re-excision	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0585	Activated T-Cells,12 hrs,re-excision	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0586	Healing groin wound, 6.5 hours post incision	healing groin wound, 6.5 hours post incision - 2/	groin		disease	pCMVSport 3.0
H0587	Healing groin wound; 7.5 hours post incision	Groin-2/19/97	groin		disease	pCMVSport 3.0
H0589	CD34 positive cells (cord blood),re-ex	CD34 Positive Cells	Cord Blood			ZAP Express
H0590	Human adult small intestine,re-excision	Human Adult Small Intestine	Small Int.			Uni-ZAP XR
H0591	Human T-cell lymphoma;re-excision	T-Cell Lymphoma	T-Cell		disease	Uni-ZAP XR
H0592	Healing groin wound - zero hr post-incision (control)	HGS wound healing project; abdomen			disease	pCMVSport 3.0
H0593	Olfactory epithelium;nasalcavity	Olfactory epithelium from roof of left nasal cacit				pCMVSport 3.0
H0594	Human Lung Cancer;re-excision	Human Lung Cancer	Lung		disease	Lambda ZAP II
H0595	Stomach cancer (human);re-excision	Stomach Cancer - 5383A (human)			disease	Uni-ZAP XR
H0596	Human Colon Cancer;re-excision	Human Colon Cancer	Colon			Lambda ZAP II
H0597	Human Colon; re-excision	Human Colon				Lambda ZAP II

H0598	Human Stomach;re-excision	Human Stomach	Stomach			Uni-ZAP XR
H0599	Human Adult Heart;re-excision	Human Adult Heart	Heart			Uni-ZAP XR
H0600	Healing Abdomen wound;70&90 min post incision	Abdomen			disease	pCMVSport 3.0
H0601	Healing Abdomen Wound;15 days post incision	Abdomen			disease	pCMVSport 3.0
H0602	Healing Abdomen Wound;21&29 days post incision	Abdomen			disease	pCMVSport 3.0
H0604	Human Pituitary, re-excision	Human Pituitary				pBluescript
H0606	Human Primary Breast Cancer;re-excision	Human Primary Breast Cancer	Breast		disease	Uni-ZAP XR
H0613	H.Leukocytes, normalized cot 5B	H.Leukocytes				pCMVSport 1
H0614	H. Leukocytes, normalized cot 500 A	H.Leukocytes				pCMVSport 1
H0615	Human Ovarian Cancer Reexcision	Ovarian Cancer	Ovary		disease	Uni-ZAP XR
H0616	Human Testes, Reexcision	Human Testes	Testis			Uni-ZAP XR
H0617	Human Primary Breast Cancer Reexcision	Human Primary Breast Cancer	Breast		disease	Uni-ZAP XR
H0618	Human Adult Testes, Large Inserts, Reexcision	Human Adult Testis	Testis			Uni-ZAP XR
H0619	Fetal Heart	Human Fetal Heart	Heart			Uni-ZAP XR
H0620	Human Fetal Kidney; Reexcision	Human Fetal Kidney	Kidney			Uni-ZAP XR

H0622	Human Pancreas Tumor; Reexcision	Human Pancreas Tumor	Pancreas		disease	Uni-ZAP XR
H0623	Human Umbilical Vein; Reexcision	Human Umbilical Vein Endothelial Cells	Umbilical vein			Uni-ZAP XR
H0624	12 Week Early Stage Human II; Reexcision	Twelve Week Old Early Stage Human	Embryo			Uni-ZAP XR
H0625	Ku 812F Basophils Line	Ku 812F Basophils				pSport1
H0626	Saos2 Cells; Untreated	Saos2 Cell Line; Untreated				pSport1
H0627	Saos2 Cells; Vitamin D3 Treated	Saos2 Cell Line; Vitamin D3 Treated				pSport1
H0628	Human Pre-Differentiated Adipocytes	Human Pre-Differentiated Adipocytes				Uni-ZAP XR
H0631	Saos2, Dexamethosome Treated	Saos2 Cell Line; Dexamethosome Treated				pSport1
H0632	Hepatocellular Tumor;re-excision	Hepatocellular Tumor	Liver			Lambda ZAP II
H0633	Lung Carcinoma A549 TNFalpha activated	TNFalpha activated A549--Lung Carcinoma			disease	pSport1
H0634	Human Testes Tumor, re-excision	Human Testes Tumor	Testis		disease	Uni-ZAP XR
H0635	Human Activated T-Cells, re-excision	Activated T-Cells	Blood	Cell Line		Uni-ZAP XR
H0637	Dendritic Cells From CD34 Cells	Dentritic cells from CD34 cells				pSport1
H0638	CD40 activated monocyte dendridic cells	CD40 activated monocyte dendridic cells				pSport1
H0640	Ficolled Human Stromal Cells, Untreated	Ficolled Human Stromal Cells, Untreated				Other
H0641	LPS activated derived dendritic cells	LPS activated monocyte derived dendritic cells				pSport1
H0642	Hep G2 Cells, lambda	Hep G2 Cells				Other

	library					
H0643	Hep G2 Cells, PCR library	Hep G2 Cells				Other
H0644	Human Placenta (re-excision)	Human Placenta	Placenta			Uni-ZAP XR
H0645	Fetal Heart, re-excision	Human Fetal Heart	Heart			Uni-ZAP XR
H0646	Lung, Cancer (4005313 A3): Invasive Poorly Differentiated Lung Adenocarcinoma,	Metastatic squamous cell lung carcinoma, poorly di				pSport1
H0647	Lung, Cancer (4005163 B7): Invasive, Poorly Diff. Adenocarcinoma, Metastatic	Invasive poorly differentiated lung adenocarcinoma			disease	pSport1
H0648	Ovary, Cancer: (4004562 B6) Papillary Serous Cystic Neoplasm, Low Malignant Pot	Papillary Cstic neoplasm of low malignant potentia			disease	pSport1
H0649	Lung, Normal: (4005313 B1)	Normal Lung				pSport1
H0650	B-Cells	B-Cells				pCMVSport 3.0
H0651	Ovary, Normal: (9805C040R)	Normal Ovary				pSport1
H0652	Lung, Normal: (4005313 B1)	Normal Lung				pSport1
H0653	Stromal Cells	Stromal Cells				pSport1
H0654	Lung, Cancer: (4005313 A3) Invasive Poorly-differentiated Metastatic lung adenoc	Metastatic Squamous cell lung Carcinoma poorly dif				Other
H0656	B-cells (unstimulated)	B-cells (unstimulated)				pSport1
H0657	B-cells (stimulated)	B-cells (stimulated)				pSport1

H0658	Ovary, Cancer (9809C332): Poorly differentiated adenocarcinoma	9809C332- Poorly differentiate	Ovary & Fallopian Tubes		disease	pSport1
H0659	Ovary, Cancer (15395A1F): Grade II Papillary Carcinoma	Grade II Papillary Carcinoma, Ovary	Ovary		disease	pSport1
H0660	Ovary, Cancer: (15799A1F) Poorly differentiated carcinoma	Poorly differentiated carcinoma, ovary			disease	pSport1
H0661	Breast, Cancer: (4004943 A5)	Breast cancer			disease	pSport1
H0662	Breast, Normal: (4005522B2)	Normal Breast - #4005522(B2)	Breast			pSport1
H0663	Breast, Cancer: (4005522 A2)	Breast Cancer - #4005522(A2)	Breast		disease	pSport1
H0664	Breast, Cancer: (9806C012R)	Breast Cancer	Breast		disease	pSport1
H0665	Stromal cells 3.88	Stromal cells 3.88				pSport1
H0666	Ovary, Cancer: (4004332 A2)	Ovarian Cancer, Sample #4004332A2			disease	pSport1
H0667	Stromal cells(HBM3.18)	Stromal cell(HBM 3.18)				pSport1
H0668	stromal cell clone 2.5	stromal cell clone 2.5				pSport1
H0669	Breast, Cancer: (4005385 A2)	Breast Cancer (4005385A2)	Breast			pSport1
H0670	Ovary, Cancer(4004650 A3): Well-Differentiated Micropapillary Serous Carcinoma	Ovarian Cancer - 4004650A3				pSport1
H0671	Breast, Cancer: (9802C02OE)	Breast Cancer- Sample # 9802C02OE				pSport1

H0672	Ovary, Cancer: (4004576 A8)	Ovarian Cancer(4004576A8)	Ovary			pSport1
H0673	Human Prostate Cancer, Stage B2; re-excision	Human Prostate Cancer, stage B2	Prostate			Uni-ZAP XR
H0674	Human Prostate Cancer, Stage C; re-excission	Human Prostate Cancer, stage C	Prostate			Uni-ZAP XR
H0675	Colon, Cancer: (9808C064R)	Colon Cancer 9808C064R				pCMVSport 3.0
H0677	TNFR degenerate oligo	B-Cells				PCRII
H0678	screened clones from placental library	Placenta	Placenta			Other
H0682	Serous Papillary Adenocarcinoma	serous papillary adenocarcinoma (9606G304SPA3B)				pCMVSport 3.0
H0683	Ovarian Serous Papillary Adenocarcinoma	Serous papillary adenocarcinoma, stage 3C (9804G01				pCMVSport 3.0
H0684	Serous Papillary Adenocarcinoma	Ovarian Cancer-9810G606	Ovaries			pCMVSport 3.0
H0685	Adenocarcinoma of Ovary, Human Cell Line, # OVCAR-3	Adenocarcinoma of Ovary, Human Cell Line, # OVCAR-				pCMVSport 3.0
H0686	Adenocarcinoma of Ovary, Human Cell Line	Adenocarcinoma of Ovary, Human Cell Line, # SW-626				pCMVSport 3.0
H0687	Human normal ovary(#9610G215)	Human normal ovary(#9610G215)	Ovary			pCMVSport 3.0
H0688	Human Ovarian Cancer(#9807G017)	Human Ovarian cancer(#9807G017),mRNA from Maura Ru				pCMVSport 3.0
H0689	Ovarian Cancer	Ovarian Cancer, #9806G019				pCMVSport 3.0
H0690	Ovarian Cancer, # 9702G001	Ovarian Cancer, #9702G001				pCMVSport 3.0

H0691	Normal Ovary, #9710G208	normal ovary, #9710G208				pCMVSport 3.0
H0692	BLyS Receptor from Expression Cloning	B Cell Lymphoma	B Cell			pCMVSport 3.0
H0693	Normal Prostate #ODQ3958EN	Normal Prostate Tissue # ODQ3958EN				pCMVSport 3.0
H0694	Prostate gland adenocarcinoma	Prostate gland, adenocarcinoma, mod/diff, gleason	prostate gland			pCMVSport 3.0
H0695	mononucleocytes from patient	mononucleocytes from patient at Shady Grove Hospit				pCMVSport 3.0
N0003	Human Fetal Brain	Human Fetal Brain				
N0006	Human Fetal Brain	Human Fetal Brain				
N0007	Human Hippocampus	Human Hippocampus				
N0009	Human Hippocampus, prescreened	Human Hippocampus				
S0001	Brain frontal cortex	Brain frontal cortex	Brain			Lambda ZAP II
S0002	Monocyte activated	Monocyte-activated	blood	Cell Line		Uni-ZAP XR
S0003	Human Osteoclastoma	Osteoclastoma	bone		disease	Uni-ZAP XR
S0004	Prostate	Prostate BPH	Prostate			Lambda ZAP II
S0006	Neuroblastoma	Human Neural Blastoma			disease	pCDNA
S0007	Early Stage Human Brain	Human Fetal Brain				Uni-ZAP XR
S0010	Human Amygdala	Amygdala				Uni-ZAP XR
S0011	STROMAL - OSTEOCLASTOMA	Osteoclastoma	bone		disease	Uni-ZAP XR
S0013	Prostate	Prostate	prostate			Uni-ZAP XR
S0014	Kidney Cortex	Kidney cortex	Kidney			Uni-ZAP XR
S0015	Kidney medulla	Kidney medulla	Kidney			Uni-ZAP XR
S0016	Kidney Pyramids	Kidney pyramids	Kidney			Uni-ZAP XR
S0022	Human Osteoclastoma Stromal Cells -	Osteoclastoma Stromal Cells				Uni-ZAP XR

	unamplified					
S0024	Human Kidney Medulla - unamplified	Human Kidney Medulla				
S0026	Stromal cell TF274	stromal cell	Bone marrow	Cell Line		Uni-ZAP XR
S0027	Smooth muscle, serum treated	Smooth muscle	Pulmanary artery	Cell Line		Uni-ZAP XR
S0028	Smooth muscle,control	Smooth muscle	Pulmanary artery	Cell Line		Uni-ZAP XR
S0029	brain stem	Brain stem	brain			Uni-ZAP XR
S0031	Spinal cord	Spinal cord	spinal cord			Uni-ZAP XR
S0032	Smooth muscle-ILb induced	Smooth muscle	Pulmanary artery	Cell Line		Uni-ZAP XR
S0036	Human Substantia Nigra	Human Substantia Nigra				Uni-ZAP XR
S0037	Smooth muscle, IL1b induced	Smooth muscle	Pulmanary artery	Cell Line		Uni-ZAP XR
S0038	Human Whole Brain #2 - Oligo dT > 1.5Kb	Human Whole Brain #2				ZAP Express
S0039	Hypothalamus	Hypothalamus	Brain			Uni-ZAP XR
S0040	Adipocytes	Human Adipocytes from Osteoclastoma				Uni-ZAP XR
S0042	Testes	Human Testes				ZAP Express
S0044	Prostate BPH	prostate BPH	Prostate		disease	Uni-ZAP XR
S0045	Endothelial cells-control	Endothelial cell	endothelial cell-lung	Cell Line		Uni-ZAP XR
S0046	Endothelial-induced	Endothelial cell	endothelial cell-lung	Cell Line		Uni-ZAP XR
S0048	Human Hypothalamus, Alzheimer"s	Human Hypothalamus, Alzheimer"s			disease	Uni-ZAP XR
S0049	Human Brain, Striatum	Human Brain, Striatum				Uni-ZAP XR
S0050	Human Frontal Cortex, Schizophrenia	Human Frontal Cortex, Schizophrenia			disease	Uni-ZAP XR
S0051	Human Hypothalmus,Schizophr	Human Hypothalmus, Schizophrenia			disease	Uni-ZAP XR

	enia					
S0052	neutrophils control	human neutrophils	blood	Cell Line		Uni-ZAP XR
S0053	Neutrophils IL-1 and LPS induced	human neutrophil induced	blood	Cell Line		Uni-ZAP XR
S0106	STRIATUM DEPRESSION		BRAIN		disease	Uni-ZAP XR
S0110	Brain Amygdala Depression		Brain		disease	Uni-ZAP XR
S0112	Hypothalamus		Brain			Uni-ZAP XR
S0114	Anergic T-cell	Anergic T-cell		Cell Line		Uni-ZAP XR
S0116	Bone marrow	Bone marrow	Bone marrow			Uni-ZAP XR
S0122	Osteoclastoma-normalized A	Osteoclastoma	bone		disease	pBluescript
S0124	Smooth muscle-edited A	Smooth muscle	Pulmanary artery	Cell Line		Uni-ZAP XR
S0126	Osteoblasts	Osteoblasts	Knee	Cell Line		Uni-ZAP XR
S0132	Epithelial-TNFa and INF induced	Airway Epithelial				Uni-ZAP XR
S0134	Apoptotic T-cell	apoptotic cells		Cell Line		Uni-ZAP XR
S0136	PERM TF274	stromal cell	Bone marrow	Cell Line		Lambda ZAP II
S0140	eosinophil-IL5 induced	eosinophil	lung	Cell Line		Uni-ZAP XR
S0142	Macrophage-oxLDL	macrophage-oxidized LDL treated	blood	Cell Line		Uni-ZAP XR
S0144	Macrophage (GM-CSF treated)	Macrophage (GM-CSF treated)				Uni-ZAP XR
S0146	prostate-edited	prostate BPH	Prostate			Uni-ZAP XR
S0148	Normal Prostate	Prostate	prostate			Uni-ZAP XR
S0150	LNCAP prostate cell line	LNCAP Cell Line	Prostate	Cell Line		Uni-ZAP XR
S0152	PC3 Prostate cell line	PC3 prostate cell line				Uni-ZAP XR
S0168	Prostate/LNCAP, subtraction I	PC3 prostate cell line				pBluescript
S0176	Prostate, normal,	Prostate	prostate			Uni-ZAP XR

	subtraction I					
S0180	Bone Marrow Stroma, TNF&LPS ind	Bone Marrow Stroma, TNF & LPS induced			disease	Uni-ZAP XR
S0182	Human B Cell 8866	Human B- Cell 8866				Uni-ZAP XR
S0190	Prostate BPH,Lib 2, subtracted	Human Prostate BPH				pSport1
S0192	Synovial Fibroblasts (control)	Synovial Fibroblasts				pSport1
S0194	Synovial hypoxia	Synovial Fibroblasts				pSport1
S0196	Synovial IL-1/TNF stimulated	Synovial Fibroblasts				pSport1
S0206	Smooth Muscle-HASTE normalized	Smooth muscle	Pulmanary artery	Cell Line		pBluescript
S0208	Messangial cell, frac 1	Messangial cell				pSport1
S0210	Messangial cell, frac 2	Messangial cell				pSport1
S0212	Bone Marrow Stromal Cell, untreated	Bone Marrow Stromal Cell,untreated				pSport1
S0214	Human Osteoclastoma, re-excision	Osteoclastoma	bone		disease	Uni-ZAP XR
S0216	Neutrophils IL-1 and LPS induced	human neutrophil induced	blood	Cell Line		Uni-ZAP XR
S0218	Apoptotic T-cell, re-excision	apoptotic cells		Cell Line		Uni-ZAP XR
S0220	H. hypothalamus, frac A;re-excision	Hypothalamus	Brain			ZAP Express
S0222	H. Frontal cortex,epileptic;re-excision	H. Brain, Frontal Cortex, Epileptic	Brain		disease	Uni-ZAP XR
S0242	Synovial Fibroblasts (Il1/TNF), subt	Synovial Fibroblasts				pSport1
S0250	Human Osteoblasts II	Human Osteoblasts	Femur		disease	pCMVSport 2.0
S0260	Spinal Cord, re-excision	Spinal cord	spinal cord			Uni-ZAP XR
S0276	Synovial hypoxia-RSF	Synovial fobroblasts	Synovial tissue			pSport1

	subtracted	(rheumatoid)				
S0278	H Macrophage (GM-CSF treated), re-excision	Macrophage (GM-CSF treated)				Uni-ZAP XR
S0280	Human Adipose Tissue, re-excision	Human Adipose Tissue				Uni-ZAP XR
S0282	Brain Frontal Cortex, re-excision	Brain frontal cortex	Brain			Lambda ZAP II
S0292	Osteoarthritis (OA-4)	Human Osteoarthritic Cartilage	Bone		disease	pSport1
S0294	Larynx tumor	Larynx tumor	Larynx,vocal cord		disease	pSport1
S0298	Bone marrow stroma,treated	Bone marrow stroma,treatedSB	Bone marrow			pSport1
S0300	Frontal lobe,dementia;re-excision	Frontal Lobe dementia/Alzheimer"s	Brain			Uni-ZAP XR
S0306	Larynx normal #10 261-273	Larynx normal				pSport1
S0308	Spleen/normal	Spleen normal				pSport1
S0310	Normal trachea	Normal trachea				pSport1
S0312	Human osteoarthritic;fraction II	Human osteoarthritic cartilage			disease	pSport1
S0314	Human osteoarthritis;fraction I	Human osteoarthritic cartilage			disease	pSport1
S0316	Human Normal Cartilage,Fraction I	Human Normal Cartilage				pSport1
S0318	Human Normal Cartilage Fraction II	Human Normal Cartilage				pSport1
S0328	Palate carcinoma	Palate carcinoma	Uvula		disease	pSport1
S0330	Palate normal	Palate normal	Uvula			pSport1
S0332	Pharynx carcinoma	Pharynx carcinoma	Hypopharynx			pSport1
S0334	Human Normal	Human Normal Cartilage				pSport1

	Cartilage Fraction III					
S0336	Human Normal Cartilage Fraction IV	Human Normal Cartilage				pSport1
S0338	Human Osteoarthritic Cartilage Fraction III	Human osteoarthritic cartilage			disease	pSport1
S0340	Human Osteoarthritic Cartilage Fraction IV	Human osteoarthritic cartilage			disease	pSport1
S0342	Adipocytes;re-excision	Human Adipocytes from Osteoclastoma				Uni-ZAP XR
S0344	Macrophage-oxLDL; re-excision	macrophage-oxidized LDL treated	blood	Cell Line		Uni-ZAP XR
S0346	Human Amygdala;re-excision	Amygdala				Uni-ZAP XR
S0348	Cheek Carcinoma	Cheek Carcinoma			disease	pSport1
S0350	Pharynx Carcinoma	Pharynx carcinoma	Hypopharynx		disease	pSport1
S0354	Colon Normal II	Colon Normal	Colon			pSport1
S0356	Colon Carcinoma	Colon Carcinoma	Colon		disease	pSport1
S0358	Colon Normal III	Colon Normal	Colon			pSport1
S0360	Colon Tumor II	Colon Tumor	Colon		disease	pSport1
S0362	Human Gastrocnemius	Gastrocnemius muscle				pSport1
S0364	Human Quadriceps	Quadriceps muscle				pSport1
S0366	Human Soleus	Soleus Muscle				pSport1
S0368	Human Pancreatic Langerhans	Islets of Langerhans				pSport1
S0370	Larynx carcinoma II	Larynx carcinoma			disease	pSport1
S0372	Larynx carcinoma III	Larynx carcinoma			disease	pSport1
S0374	Normal colon	Normal colon				pSport1
S0376	Colon Tumor	Colon Tumor			disease	pSport1
S0378	Pancreas normal PCA4 No	Pancreas Normal PCA4 No				pSport1
S0380	Pancreas Tumor PCA4 Tu	Pancreas Tumor PCA4 Tu			disease	pSport1
S0382	Larynx carcinoma IV	Larynx carcinoma			disease	pSport1

S0386	Human Whole Brain, re-excision	Whole brain	Brain			ZAP Express
S0388	Human Hypothalamus,schizophrenia, re-excision	Human Hypothalamus, Schizophrenia			disease	Uni-ZAP XR
S0390	Smooth muscle, control; re-excision	Smooth muscle	Pulmanary artery	Cell Line		Uni-ZAP XR
S0392	Salivary Gland	Salivary gland; normal				pSport1
S0394	Stomach;normal	Stomach; normal				pSport1
S0398	Testis; normal	Testis; normal				pSport1
S0400	Brain; normal	Brain; normal				pSport1
S0402	Adrenal Gland,normal	Adrenal gland; normal				pSport1
S0404	Rectum normal	Rectum, normal				pSport1
S0406	Rectum tumour	Rectum tumour				pSport1
S0408	Colon, normal	Colon, normal				pSport1
S0410	Colon, tumour	Colon, tumour				pSport1
S0412	Temporal cortex-Alzheizmer; subtracted	Temporal cortex, alzheimer			disease	Other
S0414	Hippocampus, Alzheimer Subtracted	Hippocampus, Alzheimer Subtracted				Other
S0418	CHME Cell Line;treated 5 hrs	CHME Cell Line; treated				pCMVSport 3.0
S0420	CHME Cell Line,untreated	CHME Cell line, untreatetd				pSport1
S0422	Mo7e Cell Line GM-CSF treated (1ng/ml)	Mo7e Cell Line GM-CSF treated (1ng/ml)				pCMVSport 3.0
S0424	TF-1 Cell Line GM-CSF Treated	TF-1 Cell Line GM-CSF Treated				pSport1
S0426	Monocyte activated; re-excision	Monocyte-activated	blood	Cell Line		Uni-ZAP XR
S0428	Neutrophils control; re-excision	human neutrophils	blood	Cell Line		Uni-ZAP XR
S0430	Aryepiglottis Normal	Aryepiglottis Normal				pSport1

S0432	Sinus piniformis Tumour	Sinus piniformis Tumour				pSport1
S0434	Stomach Normal	Stomach Normal			disease	pSport1
S0436	Stomach Tumour	Stomach Tumour			disease	pSport1
S0438	Liver Normal Met5No	Liver Normal Met5No				pSport1
S0440	Liver Tumour Met 5 Tu	Liver Tumour				pSport1
S0442	Colon Normal	Colon Normal				pSport1
S0444	Colon Tumor	Colon Tumour			disease	pSport1
S0446	Tongue Tumour	Tongue Tumour				pSport1
S0448	Larynx Normal	Larynx Normal				pSport1
S0450	Larynx Tumour	Larynx Tumour				pSport1
S0452	Thymus	Thymus				pSport1
S0454	Placenta	Placenta	Placenta			pSport1
S0456	Tongue Normal	Tongue Normal				pSport1
S0458	Thyroid Normal (SDCA2 No)	Thyroid normal				pSport1
S0460	Thyroid Tumour	Thyroid Tumour				pSport1
S0462	Thyroid Thyroiditis	Thyroid Thyroiditis				pSport1
S0464	Larynx Normal	Larynx Normal				pSport1
S0468	Ea.hy.926 cell line	Ea.hy.926 cell line				pSport1
S0470	Adenocarcinoma	PYFD			disease	pSport1
S0474	Human blood platelets	Platelets	Blood platelets			Other
S0665	Human Amygdala; re-excission	Amygdala				Uni-ZAP XR
S3012	Smooth Muscle Serum Treated, Norm	Smooth muscle	Pulmanary artery	Cell Line		pBluescript
S3014	Smooth muscle, serum induced,re-exc	Smooth muscle	Pulmanary artery	Cell Line		pBluescript
S6014	H. hypothalamus, frac A	Hypothalamus	Brain			ZAP Express
S6016	H. Frontal Cortex, Epileptic	H. Brain, Frontal Cortex, Epileptic	Brain		disease	Uni-ZAP XR
S6022	H. Adipose Tissue	Human Adipose Tissue				Uni-ZAP XR

S6024	Alzheimers, spongy change	Alzheimer"s/Spongy change	Brain		disease	Uni-ZAP XR
S6026	Frontal Lobe, Dementia	Frontal Lobe dementia/Alzheimer"s	Brain			Uni-ZAP XR
S6028	Human Manic Depression Tissue	Human Manic depression tissue	Brain		disease	Uni-ZAP XR
T0002	Activated T-cells	Activated T-Cell, PBL fraction	Blood	Cell Line		pBluescript SK-
T0003	Human Fetal Lung	Human Fetal Lung				pBluescript SK-
T0004	Human White Fat	Human White Fat				pBluescript SK-
T0006	Human Pineal Gland	Human Pinneal Gland				pBluescript SK-
T0008	Colorectal Tumor	Colorectal Tumor			disease	pBluescript SK-
T0010	Human Infant Brain	Human Infant Brain				Other
T0023	Human Pancreatic Carcinoma	Human Pancreatic Carcinoma			disease	pBluescript SK-
T0039	HSA 172 Cells	Human HSA172 cell line				pBluescript SK-
T0040	HSC172 cells	SA172 Cells				pBluescript SK-
T0041	Jurkat T-cell G1 phase	Jurkat T-cell				pBluescript SK-
T0042	Jurkat T-Cell, S phase	Jurkat T-Cell Line				pBluescript SK-
T0048	Human Aortic Endothelium	Human Aortic Endothilium				pBluescript SK-
T0049	Aorta endothelial cells + TNF-a	Aorta endothelial cells				pBluescript SK-
T0060	Human White Adipose	Human White Fat				pBluescript SK-
T0067	Human Thyroid	Human Thyroid				pBluescript SK-
T0068	Normal Ovary, Premenopausal	Normal Ovary, Premenopausal				pBluescript SK-
T0069	Human Uterus, normal	Human Uterus, normal				pBluescript SK-
T0071	Human Bone Marrow	Human Bone Marrow				pBluescript SK-
T0082	Human Adult Retina	Human Adult Retina				pBluescript SK-
T0103	Human colon carcinoma (HCC) cell line					pBluescript SK-
T0104	HCC cell line metastisis					pBluescript SK-

	to liver					
T0109	Human (HCC) cell line liver (mouse) metastasis, remake					pBluescript SK-
T0110	Human colon carcinoma (HCC) cell line, remake					pBluescript SK-
T0112	Human (Caco-2) cell line, adenocarcinoma, colon					pBluescript SK-
T0114	Human (Caco-2) cell line, adenocarcinoma, colon, remake					pBluescript SK-
T0115	Human Colon Carcinoma (HCC) cell line					pBluescript SK-
L0002	Atrium cDNA library Human heart					
L0005	Clontech human aorta polyA+ mRNA (#6572)					
L0015	Human					
L0018	Human (M.Lovett)					
L0021	Human adult (K.Okubo)					
L0022	Human adult lung 3" directed MboI cDNA					
L0040	Human colon mucosa					
L0041	Human epidermal keratinocyte					
L0045	Human keratinocyte differential display (B.Lin)					
L0053	Human pancreatic tumor					
L0055	Human promyelocyte					

L0060	Human thymus NSTH II					
L0065	Liver HepG2 cell line.					
L0070	Selected chromosome 21 cDNA library					
L0096	Subtracted human retina					
L0103	DKFZphamy1	amygdala				
L0105	Human aorta polyA+ (TFujiwara)	aorta				
L0142	Human placenta cDNA (TFujiwara)	placenta				
L0143	Human placenta polyA+ (TFujiwara)	placenta				
L0157	Human fetal brain (TFujiwara)		brain			
L0163	Human heart cDNA (YNakamura)		heart			
L0183	Human HeLa cells (M.Lovett)			HeLa		
L0194	Human pancreatic cancer cell line Patu 8988t	pancreatic cancer		Patu 8988t		
L0351	Infant brain, Bento Soares					BA, M13-derived
L0352	Normalized infant brain, Bento Soares					BA, M13-derived
L0355	P, Human foetal Brain Whole tissue					Bluescript
L0356	S, Human foetal Adrenals tissue					Bluescript
L0361	Stratagene ovary (#937217)		ovary			Bluescript SK
L0362	Stratagene ovarian					Bluescript SK-

	cancer (#937219)					
L0363	NCI_CGAP_GC2	germ cell tumor				Bluescript SK-
L0364	NCI_CGAP_GC5	germ cell tumor				Bluescript SK-
L0365	NCI_CGAP_Phe1	pheochromocytoma				Bluescript SK-
L0366	Stratagene schizo brain S11	schizophrenic brain S-11 frontal lobe				Bluescript SK-
L0367	NCI_CGAP_Sch1	Schwannoma tumor				Bluescript SK-
L0368	NCI_CGAP_SS1	synovial sarcoma				Bluescript SK-
L0369	NCI_CGAP_AA1	adrenal adenoma	adrenal gland			Bluescript SK-
L0370	Johnston frontal cortex	pooled frontal lobe	brain			Bluescript SK-
L0371	NCI_CGAP_Br3	breast tumor	breast			Bluescript SK-
L0372	NCI_CGAP_Co12	colon tumor	colon			Bluescript SK-
L0373	NCI_CGAP_Co11	tumor	colon			Bluescript SK-
L0374	NCI_CGAP_Co2	tumor	colon			Bluescript SK-
L0375	NCI_CGAP_Kid6	kidney tumor	kidney			Bluescript SK-
L0376	NCI_CGAP_Lar1	larynx	larynx			Bluescript SK-
L0378	NCI_CGAP_Lu1	lung tumor	lung			Bluescript SK-
L0381	NCI_CGAP_HN4	squamous cell carcinoma	pharynx			Bluescript SK-
L0382	NCI_CGAP_Pr25	epithelium (cell line)	prostate			Bluescript SK-
L0383	NCI_CGAP_Pr24	invasive tumor (cell line)	prostate			Bluescript SK-
L0384	NCI_CGAP_Pr23	prostate tumor	prostate			Bluescript SK-
L0385	NCI_CGAP_Gas1	gastric tumor	stomach			Bluescript SK-
L0386	NCI_CGAP_HN3	squamous cell carcinoma from base of tongue	tongue			Bluescript SK-
L0387	NCI_CGAP_GCB0	germinal center B-cells	tonsil			Bluescript SK-
L0388	NCI_CGAP_HN6	normal gingiva (cell line from immortalized kerati				Bluescript SK-
L0394	H, Human adult Brain Cortex tissue					gt11
L0411	1-NIB					Lafmid BA
L0415	b4HB3MA Cot8-HAP-Ft					Lafmid BA

L0428	Cot1374Ft-4HB3MA					Lafmid BA
L0435	Infant brain, LLNL array of Dr. M. Soares 1NIB					lafmid BA
L0438	normalized infant brain cDNA	total brain	brain			lafmid BA
L0439	Soares infant brain 1NIB		whole brain			Lafmid BA
L0446	N4HB3MK					Lafmid BK
L0454	Clontech adult human fat cell library HL1108A					lambda gt10
L0455	Human retina cDNA randomly primed sublibrary	retina	eye			lambda gt10
L0456	Human retina cDNA Tsp509I-cleaved sublibrary	retina	eye			lambda gt10
L0457	multi-tissue normalized short-fragment	multi-tissue	pooled			lambda gt10
L0462	WATM1					lambda gt11
L0463	fetal brain cDNA	brain	brain			lambda gt11
L0471	Human fetal heart, Lambda ZAP Express					Lambda ZAP Express
L0475	KG1-a Lambda Zap Express cDNA library			KG1-a		Lambda Zap Express (Stratagene)
L0476	Fetal brain, Stratagene					Lambda ZAP II
L0480	Stratagene cat#937212 (1992)					Lambda ZAP, pBluescript SK(-)
L0481	CD34+DIRECTIONAL					Lambda ZAPII
L0483	Human pancreatic islet					Lambda ZAPII
L0485	STRATAGENE Human skeletal muscle cDNA	skeletal muscle	leg muscle			Lambda ZAPII

	library, cat. #936215.					
L0493	NCI_CGAP_Ov26	papillary serous carcinoma	ovary			pAMP1
L0497	NCI_CGAP_HSC4	CD34+, CD38- from normal bone marrow donor	bone marrow			pAMP1
L0498	NCI_CGAP_HSC3	CD34+, T negative, patient with chronic myelogenou	bone marrow			pAMP1
L0499	NCI_CGAP_HSC2	stem cell 34+/38+	bone marrow			pAMP1
L0500	NCI_CGAP_Brn20	oligodendroglioma	brain			pAMP1
L0502	NCI_CGAP_Br15	adenocarcinoma	breast			pAMP1
L0503	NCI_CGAP_Br17	adenocarcinoma	breast			pAMP1
L0504	NCI_CGAP_Br13	breast carcinoma in situ	breast			pAMP1
L0505	NCI_CGAP_Br12	invasive carcinoma	breast			pAMP1
L0506	NCI_CGAP_Br16	lobullar carcinoma in situ	breast			pAMP1
L0507	NCI_CGAP_Br14	normal epithelium	breast			pAMP1
L0508	NCI_CGAP_Lu25	bronchioalveolar carcinoma	lung			pAMP1
L0509	NCI_CGAP_Lu26	invasive adenocarcinoma	lung			pAMP1
L0510	NCI_CGAP_Ov33	borderline ovarian carcinoma	ovary			pAMP1
L0511	NCI_CGAP_Ov34	borderline ovarian carcinoma	ovary			pAMP1
L0512	NCI_CGAP_Ov36	borderline ovarian carcinoma	ovary			pAMP1
L0513	NCI_CGAP_Ov37	early stage papillary serous carcinoma	ovary			pAMP1
L0514	NCI_CGAP_Ov31	papillary serous carcinoma	ovary			pAMP1
L0515	NCI_CGAP_Ov32	papillary serous carcinoma	ovary			pAMP1
L0517	NCI_CGAP_Pr1					pAMP10
L0518	NCI_CGAP_Pr2					pAMP10
L0519	NCI_CGAP_Pr3					pAMP10
L0520	NCI_CGAP_Alv1	alveolar rhabdomyosarcoma				pAMP10
L0521	NCI_CGAP_Ew1	Ewing"s sarcoma				pAMP10
L0522	NCI_CGAP_Kid1	kidney				pAMP10
L0523	NCI_CGAP_Lip2	liposarcoma				pAMP10
L0526	NCI_CGAP_Pr12	metastatic prostate bone lesion				pAMP10

L0527	NCI_CGAP_Ov2	ovary				pAMP10
L0528	NCI_CGAP_Pr5	prostate				pAMP10
L0529	NCI_CGAP_Pr6	prostate				pAMP10
L0530	NCI_CGAP_Pr8	prostate				pAMP10
L0532	NCI_CGAP_Thy1	thyroid				pAMP10
L0534	Chromosome 7 Fetal Brain cDNA Library	brain	brain			pAMP10
L0539	Chromosome 7 Placental cDNA Library		placenta			pAMP10
L0540	NCI_CGAP_Pr10	invasive prostate tumor	prostate			pAMP10
L0542	NCI_CGAP_Pr11	normal prostatic epithelial cells	prostate			pAMP10
L0543	NCI_CGAP_Pr9	normal prostatic epithelial cells	prostate			pAMP10
L0544	NCI_CGAP_Pr4	prostatic intraepithelial neoplasia - high grade	prostate			pAMP10
L0545	NCI_CGAP_Pr4.1	prostatic intraepithelial neoplasia - high grade	prostate			pAMP10
L0547	NCI_CGAP_Pr16	tumor	prostate			pAMP10
L0549	NCI_CGAP_HN10	carcinoma in situ from retromolar trigone				pAMP10
L0550	NCI_CGAP_HN9	normal squamous epithelium from retromolar trigone				pAMP10
L0551	NCI_CGAP_HN7	normal squamous epithelium, floor of mouth				pAMP10
L0553	NCI_CGAP_Co22	colonic adenocarcinoma	colon			pAMP10
L0558	NCI_CGAP_Ov40	endometrioid ovarian metastasis	ovary			pAMP10
L0559	NCI_CGAP_Ov39	papillary serous ovarian metastasis	ovary			pAMP10
L0560	NCI_CGAP_HN12	moderate to poorly differentiated invasive carcino	tongue			pAMP10

L0561	NCI_CGAP_HN11	normal squamous epithelium	tongue			pAMP10
L0562	Chromosome 7 HeLa cDNA Library			HeLa cell line; ATCC		pAMP10
L0564	Jia bone marrow stroma	bone marrow stroma				pBluescript
L0565	Normal Human Trabecular Bone Cells	Bone	Hip			pBluescript
L0581	Stratagene liver (#937224)		liver			pBluescript SK
L0586	HTCDL1					pBluescript SK(-)
L0587	Stratagene colon HT29 (#937221)					pBluescript SK-
L0588	Stratagene endothelial cell 937223					pBluescript SK-
L0589	Stratagene fetal retina 937202					pBluescript SK-
L0590	Stratagene fibroblast (#937212)					pBluescript SK-
L0591	Stratagene HeLa cell s3 937216					pBluescript SK-
L0592	Stratagene hNT neuron (#937233)					pBluescript SK-
L0593	Stratagene neuroepithelium (#937231)					pBluescript SK-
L0594	Stratagene neuroepithelium NT2RAMI 937234					pBluescript SK-
L0595	Stratagene NT2 neuronal precursor 937230	neuroepithelial cells	brain			pBluescript SK-
L0596	Stratagene colon (#937204)		colon			pBluescript SK-
L0597	Stratagene corneal		cornea			pBluescript SK-

	stroma (#937222)					
L0598	Morton Fetal Cochlea	cochlea	ear			pBluescript SK-
L0599	Stratagene lung (#937210)		lung			pBluescript SK-
L0600	Weizmann Olfactory Epithelium	olfactory epithelium	nose			pBluescript SK-
L0601	Stratagene pancreas (#937208)		pancreas			pBluescript SK-
L0602	Pancreatic Islet	pancreatic islet	pancreas			pBluescript SK-
L0603	Stratagene placenta (#937225)		placenta			pBluescript SK-
L0604	Stratagene muscle 937209	muscle	skeletal muscle			pBluescript SK-
L0605	Stratagene fetal spleen (#937205)	fetal spleen	spleen			pBluescript SK-
L0606	NCI_CGAP_Lym5	follicular lymphoma	lymph node			pBluescript SK-
L0607	NCI_CGAP_Lym6	mantle cell lymphoma	lymph node			pBluescript SK-
L0608	Stratagene lung carcinoma 937218	lung carcinoma	lung	NCI-H69		pBluescript SK-
L0609	Schiller astrocytoma	astrocytoma	brain			pBluescript SK- (Stratagene)
L0611	Schiller meningioma	meningioma	brain			pBluescript SK- (Stratagene)
L0612	Schiller oligodendroglioma	oligodendroglioma	brain			pBluescript SK- (Stratagene)
L0615	22 week old human fetal liver cDNA library					pBluescriptII SK(-)
L0617	Chromosome 22 exon					pBluescriptIIKS+
L0622	HM1					pcDNAII (*Invitrogen*)
L0623	HM3	pectoral muscle (after mastectomy)				pcDNAII (Invitrogen)
L0625	NCI_CGAP_AR1	bulk alveolar tumor				pCMV-SPORT2
L0626	NCI_CGAP_GC1	bulk germ cell seminoma				pCMV-SPORT2

L0628	NCI_CGAP_Ov1	ovary bulk tumor	ovary			pCMV-SPORT2
L0629	NCI_CGAP_Mel3	metastatic melanoma to bowel	bowel (skin primary)			pCMV-SPORT4
L0630	NCI_CGAP_CNS1	substantia nigra	brain			pCMV-SPORT4
L0632	NCI_CGAP_Li5	hepatic adenoma	liver			pCMV-SPORT4
L0633	NCI_CGAP_Lu6	small cell carcinoma	lung			pCMV-SPORT4
L0634	NCI_CGAP_Ov8	serous adenocarcinoma	ovary			pCMV-SPORT4
L0635	NCI_CGAP_PNS1	dorsal root ganglion	peripheral nervous system			pCMV-SPORT4
L0636	NCI_CGAP_Pit1	four pooled pituitary adenomas	brain			pCMV-SPORT6
L0637	NCI_CGAP_Brn53	three pooled meningiomas	brain			pCMV-SPORT6
L0638	NCI_CGAP_Brn35	tumor, 5 pooled (see description)	brain			pCMV-SPORT6
L0639	NCI_CGAP_Brn52	tumor, 5 pooled (see description)	brain			pCMV-SPORT6
L0640	NCI_CGAP_Br18	four pooled high-grade tumors, including two prima	breast			pCMV-SPORT6
L0641	NCI_CGAP_Co17	juvenile granulosa tumor	colon			pCMV-SPORT6
L0642	NCI_CGAP_Co18	moderately differentiated adenocarcinoma	colon			pCMV-SPORT6
L0643	NCI_CGAP_Co19	moderately differentiated adenocarcinoma	colon			pCMV-SPORT6
L0644	NCI_CGAP_Co20	moderately differentiated adenocarcinoma	colon			pCMV-SPORT6
L0645	NCI_CGAP_Co21	moderately differentiated adenocarcinoma	colon			pCMV-SPORT6
L0646	NCI_CGAP_Co14	moderately-differentiated adenocarcinoma	colon			pCMV-SPORT6
L0647	NCI_CGAP_Sar4	five pooled sarcomas, including myxoid liposarcoma	connective tissue			pCMV-SPORT6
L0648	NCI_CGAP_Eso2	squamous cell carcinoma	esophagus			pCMV-SPORT6

L0649	NCI_CGAP_GU1	2 pooled high-grade transitional cell tumors	genitourinary tract			pCMV-SPORT6
L0650	NCI_CGAP_Kid13	2 pooled Wilms" tumors, one primary and one metast	kidney			pCMV-SPORT6
L0651	NCI_CGAP_Kid8	renal cell tumor	kidney			pCMV-SPORT6
L0652	NCI_CGAP_Lu27	four pooled poorly-differentiated adenocarcinomas	lung			pCMV-SPORT6
L0653	NCI_CGAP_Lu28	two pooled squamous cell carcinomas	lung			pCMV-SPORT6
L0654	NCI_CGAP_Lu31		lung, cell line			pCMV-SPORT6
L0655	NCI_CGAP_Lym12	lymphoma, follicular mixed small and large cell	lymph node			pCMV-SPORT6
L0656	NCI_CGAP_Ov38	normal epithelium	ovary			pCMV-SPORT6
L0657	NCI_CGAP_Ov23	tumor, 5 pooled (see description)	ovary			pCMV-SPORT6
L0658	NCI_CGAP_Ov35	tumor, 5 pooled (see description)	ovary			pCMV-SPORT6
L0659	NCI_CGAP_Pan1	adenocarcinoma	pancreas			pCMV-SPORT6
L0661	NCI_CGAP_Mel15	malignant melanoma, metastatic to lymph node	skin			pCMV-SPORT6
L0662	NCI_CGAP_Gas4	poorly differentiated adenocarcinoma with signet r	stomach			pCMV-SPORT6
L0663	NCI_CGAP_Ut2	moderately-differentiated endometrial adenocarcino	uterus			pCMV-SPORT6
L0664	NCI_CGAP_Ut3	poorly-differentiated endometrial adenocarcinoma,	uterus			pCMV-SPORT6
L0665	NCI_CGAP_Ut4	serous papillary carcinoma, high grade, 2 pooled t	uterus			pCMV-SPORT6
L0666	NCI_CGAP_Ut1	well-differentiated endometrial adenocarcinoma, 7	uterus			pCMV-SPORT6
L0667	NCI_CGAP_CML1	myeloid cells, 18 pooled	whole blood			pCMV-SPORT6

		CML cases, BCR/ABL rearra				
L0683	Stanley Frontal NS pool 2	frontal lobe (see description)	brain			pCR2.1-TOPO (Invitrogen)
L0686	Stanley Frontal SN pool 2	frontal lobe (see description)	brain			pCR2.1-TOPO (Invitrogen)
L0698	Testis 2					PGEM 5zf(+)
L0708	NIH_MGC_17	rhabdomyosarcoma	muscle			pOTB7
L0709	NIH_MGC_21	choriocarcinoma	placenta			pOTB7
L0710	NIH_MGC_7	small cell carcinoma	lung	MGC3		pOTB7
L0717	Gessler Wilms tumor					pSPORT1
L0718	Testis 5					pSPORT1
L0731	Soares_pregnant_uterus _NbHPU		uterus			pT7T3-Pac
L0738	Human colorectal cancer					pT7T3D
L0740	Soares melanocyte 2NbHM	melanocyte				pT7T3D (Pharmacia) with a modified polylinker
L0741	Soares adult brain N2b4HB55Y		brain			pT7T3D (Pharmacia) with a modified polylinker
L0742	Soares adult brain N2b5HB55Y		brain			pT7T3D (Pharmacia) with a modified polylinker
L0743	Soares breast 2NbHBst		breast			pT7T3D (Pharmacia) with a modified polylinker
L0744	Soares breast 3NbHBst		breast			pT7T3D (Pharmacia) with a modified polylinker
L0745	Soares retina N2b4HR	retina	eye			pT7T3D (Pharmacia) with a modified polylinker

L0746	Soares retina N2b5HR	retina	eye			pT7T3D (Pharmacia) with a modified polylinker
L0747	Soares_fetal_heart_NbHH19W		heart			pT7T3D (Pharmacia) with a modified polylinker
L0748	Soares fetal liver spleen 1NFLS		Liver and Spleen			pT7T3D (Pharmacia) with a modified polylinker
L0749	Soares_fetal_liver_spleen_1NFLS_S1		Liver and Spleen			pT7T3D (Pharmacia) with a modified polylinker
L0750	Soares_fetal_lung_NbHL19W		lung			pT7T3D (Pharmacia) with a modified polylinker
L0751	Soares ovary tumor NbHOT	ovarian tumor	ovary			pT7T3D (Pharmacia) with a modified polylinker
L0752	Soares_parathyroid_tumor_NbHPA	parathyroid tumor	parathyroid gland			pT7T3D (Pharmacia) with a modified polylinker
L0753	Soares_pineal_gland_N3HPG		pineal gland			pT7T3D (Pharmacia) with a modified polylinker
L0754	Soares placenta Nb2HP		placenta			pT7T3D (Pharmacia) with a modified polylinker
L0755	Soares_placenta_8to9weeks_2NbHP8to9W		placenta			pT7T3D (Pharmacia) with a modified polylinker
L0756	Soares_multiple_sclerosis_2NbHMSP	multiple sclerosis lesions				pT7T3D (Pharmacia) with a modified polylinker V_TYPE

L0757	Soares_senescent_fibroblasts_NbHSF	senescent fibroblast				pT7T3D (Pharmacia) with a modified polylinker V_TYPE
L0758	Soares_testis_NHT					pT7T3D-Pac (Pharmacia) with a modified polylinker
L0759	Soares_total_fetus_Nb2HF8_9w					pT7T3D-Pac (Pharmacia) with a modified polylinker
L0761	NCI_CGAP_CLL1	B-cell, chronic lymphotic leukemia				pT7T3D-Pac (Pharmacia) with a modified polylinker
L0762	NCI_CGAP_Br1.1	breast				pT7T3D-Pac (Pharmacia) with a modified polylinker
L0763	NCI_CGAP_Br2	breast				pT7T3D-Pac (Pharmacia) with a modified polylinker
L0764	NCI_CGAP_Co3	colon				pT7T3D-Pac (Pharmacia) with a modified polylinker
L0765	NCI_CGAP_Co4	colon				pT7T3D-Pac (Pharmacia) with a modified polylinker
L0766	NCI_CGAP_GCB1	germinal center B cell				pT7T3D-Pac (Pharmacia) with a modified polylinker
L0767	NCI_CGAP_GC3	pooled germ cell tumors				pT7T3D-Pac (Pharmacia) with a modified polylinker
L0768	NCI_CGAP_GC4	pooled germ cell tumors				pT7T3D-Pac (Pharmacia) with a modified polylinker

L0769	NCI_CGAP_Brn25	anaplastic oligodendroglioma	brain			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0770	NCI_CGAP_Brn23	glioblastoma (pooled)	brain			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0771	NCI_CGAP_Co8	adenocarcinoma	colon			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0772	NCI_CGAP_Co10	colon tumor RER+	colon			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0773	NCI_CGAP_Co9	colon tumor RER+	colon			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0774	NCI_CGAP_Kid3		kidney			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0775	NCI_CGAP_Kid5	2 pooled tumors (clear cell type)	kidney			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0776	NCI_CGAP_Lu5	carcinoid	lung			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0777	Soares_NhHMPu_S1	Pooled human melanocyte, fetal heart, and pregnant	mixed (see below)			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0779	Soares_NFL_T_GBC_S1		pooled			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0780	Soares_NSF_F8_9W_OT_PA_P_S1		pooled			pT7T3D-Pac (Pharmacia) with a modified polylinker

L0782	NCI_CGAP_Pr21	normal prostate	prostate			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0783	NCI_CGAP_Pr22	normal prostate	prostate			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0784	NCI_CGAP_Lei2	leiomyosarcoma	soft tissue			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0785	Barstead spleen HPLRB2		spleen			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0786	Soares_NbHFB		whole brain			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0787	NCI_CGAP_Sub1					pT7T3D-Pac (Pharmacia) with a modified polylinker
L0788	NCI_CGAP_Sub2					pT7T3D-Pac (Pharmacia) with a modified polylinker
L0789	NCI_CGAP_Sub3					pT7T3D-Pac (Pharmacia) with a modified polylinker
L0790	NCI_CGAP_Sub4					pT7T3D-Pac (Pharmacia) with a modified polylinker
L0791	NCI_CGAP_Sub5					pT7T3D-Pac (Pharmacia) with a modified polylinker
L0792	NCI_CGAP_Sub6					pT7T3D-Pac (Pharmacia) with a modified polylinker

L0793	NCI_CGAP_Sub7					pT7T3D-Pac (Pharmacia) with a modified polylinker
L0794	NCI_CGAP_GC6	pooled germ cell tumors				pT7T3D-Pac (Pharmacia) with a modified polylinker
L0796	NCI_CGAP_Brn50	medulloblastoma	brain			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0800	NCI_CGAP_Co16	colon tumor, RER+	colon			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0803	NCI_CGAP_Kid11		kidney			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0804	NCI_CGAP_Kid12	2 pooled tumors (clear cell type)	kidney			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0805	NCI_CGAP_Lu24	carcinoid	lung			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0806	NCI_CGAP_Lu19	squamous cell carcinoma, poorly differentiated (4	lung			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0807	NCI_CGAP_Ov18	fibrotheoma	ovary			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0809	NCI_CGAP_Pr28		prostate			pT7T3D-Pac (Pharmacia) with a modified polylinker
L0811	BATM2					PTZ18
L0946	BT0333		breast			puc18
L1446	CT0254		colon			puc18

L1819	HT0268		head_neck			puc18
L1942	HT0452		head_neck			puc18
L2138	ST0186		stomach			puc18
L2174	ST0240		stomach			puc18
L2251	Human fetal lung	Fetal lung				
L2252	Human placenta	placenta				
L2255	GLC	corresponding non cancerous liver tissue				pBluescript sk(-)
L2257	NIH_MGC_65	adenocarcinoma	colon			pCMV-SPORT6
L2258	NIH_MGC_67	retinoblastoma	eye			pCMV-SPORT6
L2259	NIH_MGC_68	large cell carcinoma	lung			pCMV-SPORT6
L2260	NIH_MGC_69	large cell carcinoma, undifferentiated	lung			pCMV-SPORT6
L2261	NIH_MGC_70	epithelioid carcinoma	pancreas			pCMV-SPORT6
L2262	NIH_MGC_72	melanotic melanoma	skin			pCMV-SPORT6
L2263	NIH_MGC_66	adenocarcinoma	ovary			pCMV-SPORT6
L2264	NIH_MGC_71	leiomyosarcoma	uterus			pCMV-SPORT6
L2265	NIH_MGC_39	adenocarcinoma	pancreas			pOTB7
L2270	Lupski_dorsal_root_ganglion	dorsal root ganglia				pCMV-SPORT6 (Life Technologies)
L2289	BT0757		breast			puc18
L2333	CT0417		colon			puc18
L2338	CT0432		colon			puc18
L2346	CT0483		colon			puc18
L2367	UT0039		uterus_tumor			puc18
L2380	NN0068		nervous_normal			puc18
L2400	NN0116		nervous_normal			puc18
L2412	NN0136		nervous_normal			puc18
L2439	NN1022		nervous_normal			puc18
L2477	HT0408		head_neck			puc18
L2490	HT0545		head_neck			puc18
L2495	HT0594		head_neck			puc18

L2504	HT0636		head_neck			puc18
L2518	HT0697		head_neck			puc18
L2522	HT0704		head_neck			puc18
L2539	HT0727		head_neck			puc18
L2540	HT0728		head_neck			puc18
L2543	HT0734		head_neck			puc18
L2562	HT0760		head_neck			puc18
L2570	HT0771		head_neck			puc18
L2634	HT0872		head_neck			puc18
L2637	HT0877		head_neck			puc18
L2647	HT0894		head_neck			puc18
L2651	NIH_MGC_20	melanotic melanoma	skin			pOTB7
L2653	NIH_MGC_58	hypernephroma	kidney			pDNR-LIB (Clontech)
L2654	NIH_MGC_9	adenocarcinoma cell line	ovary			pOTB7
L2655	NIH_MGC_55	from acute myelogenous leukemia	bone marrow			pDNR-LIB (Clontech)
L2657	NIH_MGC_54	from chronic myelogenous leukemia	bone marrow			pDNR-LIB (Clontech)
L2702	NT0098		nervous_tumor			puc18
L2738	GN0049		placenta_normal			puc18
L2791	FT0077		prostate_tumor			puc18
L2799	FT0096		prostate_tumor			puc18
L2804	FT0103		prostate_tumor			puc18
L2831	FT0162		prostate_tumor			puc18
L2854	UM0091		uterus			puc18
L2877	AN0027		amnion_normal			puc18
L2884	AN0041		amnion_normal			puc18
L2906	BN0047		breast_normal			puc18
L2910	BN0070		breast_normal			puc18
L2915	BN0098		breast_normal			puc18
L2991	BN0264		breast_normal			puc18
L2999	BN0273		breast_normal			puc18

L3002	BN0276		breast_normal			puc18
L3019	BN0303		breast_normal			puc18
L3071	EN0026		lung_normal			puc18
L3081	ET0005		lung_tumor			puc18
L3089	ET0018		lung_tumor			puc18
L3092	ET0023		lung_tumor			puc18
L3104	ET0041		lung_tumor			puc18
L3117	ET0068		lung_tumor			puc18
L3119	ET0072		lung_tumor			puc18
L3127	ET0084		lung_tumor			puc18
L3140	MT0031		marrow			puc18
L3154	MT0050		marrow			puc18
L3210	OT0067		ovary			puc18
L3212	OT0076		ovary			puc18
L3215	OT0083		ovary			puc18
L3255	FN0064		prostate_normal			puc18
L3262	FN0073		prostate_normal			puc18
L3316	FN0188		prostate_normal			puc18
L3352	TN0027		testis_normal			puc18
L3357	TN0034		testis_normal			puc18
L3372	TN0068		testis_normal			puc18
L3374	TN0070		testis_normal			puc18
L3388	GKC	hepatocellular carcinoma				pBluescript sk(-)
L3391	NIH_MGC_53	carcinoma, cell line	bladder			pDNR-LIB (Clontech)
L3435	CT0465		colon			puc18
L3450	CT0508		colon			puc18
L3459	FT0175		prostate_tumor			puc18
L3480	GN0057		placenta_normal			puc18
L3484	GN0067		placenta_normal			puc18
L3491	GN0076		placenta_normal			puc18
L3499	HT0617		head_neck			puc18
L3504	HT0873		head_neck			puc18

L3516	HT0913		head_neck			puc18
L3521	HT0919		head_neck			puc18
L3562	TN0030		testis_normal			puc18
L3603	UM0093		uterus			puc18
L3612	UT0011		uterus_tumor			puc18
L3618	UT0050		uterus_tumor			puc18
L3632	UT0074		uterus_tumor			puc18
L3636	NIH_MGC_73		brain			pDNR-LIB (Clontech)
L3642	ADA	Adrenal gland				pBluescript sk(-)
L3643	ADB	Adrenal gland				pBluescript sk(-)
L3644	ADC	Adrenal gland				pBluescript sk(-)
L3645	Cu	adrenal cortico adenoma for Cushing"s syndrome				pBluescript sk(-)
L3646	DCA					pTriplEx2
L3649	DCB					pTriplEx2
L3653	HTB	Hypothalamus				pBluescript sk(-)
L3655	HTC	Hypothalamus				pBluescript sk(-)
L3657	HTF	Hypothalamus				pBluescript sk(-)
L3658	cdA	pheochromocytoma				pTriplEx2
L3659	CB	cord blood				pBluescript
L3667	NIH_MGC_79		placenta			pDNR-LIB (Clontech)
L3729	GN0079		placenta_normal			puc18
L3750	HT0945		head_neck			puc18
L3783	TN0136		testis_normal			puc18
L3807	UT0077		uterus_tumor			puc18
L3808	UT0078		uterus_tumor			puc18
L3811	NPC	pituitary				pBluescript sk(-)
L3812	NPD	pituitary				pBluescript sk(-)
L3814	BM	Bone marrow				pTriplEx2
L3815	MDS	Bone marrow				pTriplEx2
L3816	HEMBA1	whole embryo, mainly head				pME18SFL3
L3817	HEMBB1	whole embryo, mainly body				pME18SFL3

L3823	NT2RM1			NT2		pUC19FL3
L3825	NT2RM4			NT2		pME18SFL3
L3827	NT2RP2			NT2		pME18SFL3
L3828	NT2RP3			NT2		pME18SFL3
L3829	NT2RP4			NT2		pME18SFL3
L3831	OVARC1	ovary, tumor tissue				pME18SFL3
L3832	PLACE1	placenta				pME18SFL3
L3833	PLACE2	placenta				pME18SFL3
L3834	PLACE3	placenta				pME18SFL3
L3872	NCI_CGAP_Skn1		skin, normal, 4 pooled sa			pCMV-SPORT6
L3904	NCI_CGAP_Brn64	glioblastoma with EGFR amplification	brain			pCMV-SPORT6
L3905	NCI_CGAP_Brn67	anaplastic oligodendroglioma with 1p/19q loss	brain			pCMV-SPORT6
L4497	NCI_CGAP_Br22	invasive ductal carcinoma, 3 pooled samples	breast			pCMV-SPORT6
L4501	NCI_CGAP_Sub8					pT7T3D-Pac (Pharmacia) with a modified polylinker
L4537	NCI_CGAP_Thy7	follicular adenoma (benign lesion)	thyroid			pAMP10
L4556	NCI_CGAP_HN13	squamous cell carcinoma	tongue			pCMV-SPORT6
L4560	NCI_CGAP_Ut7	tumor	uterus			pCMV-SPORT6
L4669	NCI_CGAP_Ov41	serous papillary tumor	ovary			pCMV-SPORT6
L4747	NCI_CGAP_Brn41	oligodendroglioma	brain			pT7T3D-Pac (Pharmacia) with a modified polylinker
L5564	NCI_CGAP_HN20		normal head/neck tissue			pAMP1
L5565	NCI_CGAP_Brn66	glioblastoma with probably TP53 mutation and witho	brain			pCMV-SPORT6
L5566	NCI_CGAP_Brn70	anaplastic oligodendroglioma	brain			pCMV-SPORT6.ccdb

L5568	NCI_CGAP_HN21	nasopharyngeal carcinoma	head/neck			pAMP1
L5569	NCI_CGAP_HN17	normal epithelium	nasopharynx			pAMP10
L5574	NCI_CGAP_HN19	normal epithelium	nasopharynx			pAMP10
L5575	NCI_CGAP_Brn65	glioblastoma without EGFR amplification	brain			pCMV-SPORT6
L5622	NCI_CGAP_Skn3		skin			pCMV-SPORT6
L5623	NCI_CGAP_Skn4	squamous cell carcinoma	skin			pCMV-SPORT6

Description of Table 5

Table 5 provides a key to the OMIM reference identification numbers disclosed in Table 1B.1. OMIM reference identification numbers (Column 1) were derived from Online Mendelian Inheritance in Man (Online Mendelian Inheritance in Man, OMIM. McKusick-Nathans Institute for Genetic Medicine, Johns Hopkins University (Baltimore, MD) and National Center for Biotechnology Information, National Library of Medicine, (Bethesda, MD) 2000. World Wide Web URL: http://www.ncbi.nlm.nih.gov/omim/). Column 2 provides diseases associated with the cytologic band disclosed in Table 1B.1, as determined using the Morbid Map database.

TABLE 5

OMIM Reference	Description
101000	Meningioma, NF2-related, sporadic Schwannoma, sporadic
101000	Neurofibromatosis, type 2
101000	Neurolemmomatosis
101000	Malignant mesothelioma, sporadic
102200	Somatotrophinoma
102578	Leukemia, acute promyelocytic, PML/RARA type
102770	Myoadenylate deaminase deficiency
102772	[AMP deaminase deficiency, erythrocytic]
103050	Autism, succinylpurinemic
103050	Adenylosuccinase deficiency
103600	[Dysalbuminemic hyperthyroxinemia]
103600	[Dysalbuminemic hyperzincemia], 194470
103600	Analbuminemia
103850	Aldolase A deficiency
104150	[AFP deficiency, congenital]
104150	[Hereditary persistence of alpha-fetoprotein]
104500	Amelogenesis imperfecta-2, hypoplastic local type
104770	Amyloidosis, secondary, susceptibility to
106100	Angioedema, hereditary
106165	Hypertension, essential, 145500
106210	Peters anomaly
106210	Cataract, congenital, with late-onset corneal dystrophy
106210	Foveal hypoplasia, isolated, 136520
106210	Aniridia
107271	CD59 deficiency
107300	Antithrombin III deficiency
107670	Apolipoprotein A-II deficiency
107741	Hyperlipoproteinemia, type III
107777	Diabetes insipidus, nephrogenic, autosomal recessive, 222000
108725	Atherosclerosis, susceptibility to
109270	Renal tubular acidosis, distal, 179800
109270	Spherocytosis, hereditary
109270	[Acanthocytosis, one form]
109270	[Elliptocytosis, Malaysian-Melanesian type]

109270	Hemolytic anemia due to band 3 defect
109560	Leukemia/lymphoma, B-cell, 3
109700	Hemodialysis-related amyloidosis
110100	Blepharophimosis, epicanthus inversus, and ptosis, type 1
110700	Vivax malaria, susceptibility to
112261	Fibrodysplasia ossificans progressiva
113100	Brachydactyly, type C
113900	Heart block, progressive familial, type I
114550	Hepatocellular carcinoma
114835	Monocyte carboxyesterase deficiency
115500	Acatalasemia
116800	Cataract, Marner type
116806	Colorectal cancer
116860	Cavernous angiomatous malformations
117700	[Hypoceruloplasminemia, hereditary]
117700	Hemosiderosis, systemic, due to aceruloplasminemia
118485	Polycystic ovary syndrome with hyperandrogenemia
120070	Alport syndrome, autosomal recessive, 203780
120131	Alport syndrome, autosomal recessive, 203780
120131	Hematuria, familial benign
120140	Osteoarthrosis, precocious
120140	SED congenita
120140	SMED Strudwick type
120140	Stickler syndrome, type I
120140	Wagner syndrome, type II
120140	Achondrogenesis-hypochondrogenesis, type II
120140	Kniest dysplasia
120150	Osteogenesis imperfecta, 4 clinical forms, 166200, 166210, 259420, 166220
120150	Osteoporosis, idiopathic, 166710
120150	Ehlers-Danlos syndrome, type VIIA1, 130060
120220	Bethlem myopathy, 158810
120240	Bethlem myopathy, 158810
120260	Epiphyseal dysplasia, multiple, type 2, 600204
120435	Muir-Torre syndrome, 158320
120435	Colorectal cancer, hereditary, nonpolyposis, type 1 Ovarian cancer
120550	C1q deficiency, type A
120570	C1q deficiency, type B
120575	C1q deficiency, type C
120700	C3 deficiency
120950	C8 deficiency, type I
120960	C8 deficiency, type II
121800	Corneal dystrophy, crystalline, Schnyder
122720	Nicotine addiction, protection from
122720	Coumarin resistance, 122700
123000	Craniometaphyseal dysplasia
123580	Cataract, congenital, autosomal dominant
123620	Cataract, cerulean, type 2, 601547
123940	White sponge nevus, 193900
124030	Parkinsonism, susceptibility to
124030	Debrisoquine sensitivity
124200	Darier disease (keratosis follicularis)
126060	Anemia, megaloblastic, due to DHFR deficiency

126090	Hyperphenylalaninemia due to pterin-4a-carbinolamine dehydratase deficiency, 264070
126337	Myxoid liposarcoma
126340	Xeroderma pigmentosum, group D, 278730
126391	DNA ligase I deficiency
126600	Doyne honeycomb retinal dystrophy
126600	Drusen, radial, autosomal dominant
129010	Neuropathy, congenital hypomyelinating, 1
129900	EEC syndrome-1
130410	Glutaricaciduria, type IIB
130500	Elliptocytosis-1
131100	Multiple endocrine neoplasia I
131100	Prolactinoma, hyperparathyroidism, carcinoid syndrome
131100	Carcinoid tumor of lung
131210	Atherosclerosis, susceptibility to
131400	Eosinophilia, familial
133171	[Erythrocytosis, familial], 133100
133200	Erythrokeratodermia variabilis
133530	Xeroderma pigmentosum, group G, 278780
133701	Exostoses, multiple, type 2
133780	Vitreoretinopathy, exudative, familial
134790	Hyperferritinemia-cataract syndrome, 600886
135300	Fibromatosis, gingival
135940	Ichthyosis vulgaris, 146700
136132	[Fish-odor syndrome], 602079
136435	Ovarian dysgenesis, hypergonadotropic, with normal karyotype, 233300
136530	Male infertility, familial
136836	Fucosyltransferase-6 deficiency
138030	[Hyperproglucagonemia]
138140	Glucose transport defect, blood-brain barrier
138570	Non-insulin dependent diabetes mellitus, susceptibility to
138760	[Glyoxalase II deficiency]
138981	Pulmonary alveolar proteinosis, 265120
139350	Epidermolytic hyperkeratosis, 113800
139350	Keratoderma, palmoplantar, nonepidermolytic
140100	[Anhaptoglobinemia]
140100	[Hypohaptogloginemia]
142600	Hemolytic anemia due to hexokinase deficiency
143200	Wagner syndrome
143200	Erosive vitreoretinopathy
145001	Hyperparathyroidism-jaw tumor syndrome
145260	Pseudohypoaldosteronism, type II
145981	Hypocalciuric hypercalcemia, type II
146760	[IgG receptor I, phagocytic, familial deficiency of]
146790	Lupus nephritis, susceptibility to
147050	Atopy
147141	Leukemia, acute lymphoblastic
147440	Growth retardation with deafness and mental retardation
148040	Epidermolysis bullosa simplex, Koebner, Dowling-Meara, and Weber-Cockayne types, 131900, 131760, 131800
148041	Pachyonychia congenita, Jadassohn-Lewandowsky type, 167200
148043	Meesmann corneal dystrophy, 122100

148065	White sponge nevus, 193900
148070	Liver disease, susceptibility to, from hepatotoxins or viruses
148080	Epidermolytic hyperkeratosis, 113800
148370	Keratolytic winter erythema
148900	Klippel-Feil syndrome with laryngeal malformation
150210	Lactoferrin-deficient neutrophils, 245480
151385	Leukemia, acute myeloid
151390	Leukemia, acute T-cell
151670	Hepatic lipase deficiency
152445	Vohwinkel syndrome, 124500
152445	Erythrokeratoderma, progressive symmetric, 602036
152780	Hypogonadism, hypergonadotropic
152780	Male pseudohermaphroditism due to defective LH
152790	Precocious puberty, male, 176410
152790	Leydig cell hypoplasia
153454	Ehlers-Danlos syndrome, type VI, 225400
153700	Macular dystrophy, vitelliform type
154275	Malignant hyperthermia susceptibility 2
154276	Malignant hyperthermia susceptibility 3
154545	Chronic infections, due to opsonin defect
154550	Carbohydrate-deficient glycoprotein syndrome, type Ib, 602579
155555	[Red hair/fair skin]
155555	UV-induced skin damage, vulnerability to
157147	Abetalipoproteinemia, 200100
157170	Holoprosencephaly-2
158590	Spinal muscular atrophy-4
159000	Muscular dystrophy, limb-girdle, type 1A
159001	Muscular dystrophy, limb-girdle, type 1B
160760	Cardiomyopathy, familial hypertrophic, 1, 192600
160760	Central core disease, one form
160781	Cardiomyopathy, hypertrophic, mid-left ventricular chamber type
160900	Myotonic dystrophy
160980	Carney myxoma-endocrine complex
161015	Mitochondrial complex I deficiency, 252010
162150	Obestiy with impaired prohormone processing, 600955
162200	Neurofibromatosis, type 1
162200	Watson syndrome, 193520
163950	Noonan syndrome-1
163950	Cardiofaciocutaneous syndrome, 115150
164009	Leukemia, acute promyelocytic, NUMA/RARA type
164500	Spinocerebellar ataxia-7
164731	Ovarian carcinoma, 167000
164920	Piebaldism
164920	Mast cell leukemia
164920	Mastocytosis with associated hematologic disorder
164953	Liposarcoma
168360	Paraneoplastic sensory neuropathy
168450	Hypoparathyroidism, autosomal dominant
168450	Hypoparathyroidism, autosomal recessive
168461	Multiple myeloma, 254250
168461	Parathyroid adenomatosis 1
168461	Centrocytic lymphoma

168468	Metaphyseal chondrodysplasia, Murk Jansen type, 156400
168500	Parietal foramina
169600	Hailey-Hailey disease
170650	Periodontitis, juvenile
171190	Hypertension, essential, 145500
171650	Lysosomal acid phosphatase deficiency
171760	Hypophosphatasia, adult, 146300
171760	Hypophosphatasia, infantile, 241500
171860	Hemolytic anemia due to phosphofructokinase deficiency
172400	Hemolytic anemia due to glucosephosphate isomerase deficiency
172400	Hydrops fetalis, one form
173470	Glanzmann thrombasthenia, type B
173610	Platelet alpha/delta storage pool deficiency
173850	Polio, susceptibility to
174000	Medullary cystic kidney disease, AD
174810	Osteolysis, familial expansile
174900	Polyposis, juvenile intestinal
176100	Porphyria cutanea tarda
176100	Porphyria, hepatoerythropoietic
176640	Creutzfeldt-Jakob disease, 123400
176640	Gerstmann-Straussler disease, 137440
176640	Insomnia, fatal familial
176880	Protein S deficiency
176930	Dysprothrombinemia
176930	Hypoprothrombinemia
178300	Ptosis, hereditary congenital, 1
179615	Reticulosis, familial histiocytic, 267700
179615	Severe combined immunodeficiency, B cell-negative, 601457
179616	Severe combined immunodeficiency, B cell-negative, 601457
179755	Renal cell carcinoma, papillary, 1
180069	Retinal dystrophy, autosomal recessive, childhood-onset
180069	Retinitis pigmentosa-20
180069	Leber congenital amaurosis-2, 204100
180071	Retinitis pigmentosa, autosomal recessive
180105	Retinitis pigmentosa-10
180200	Osteosarcoma, 259500
180200	Pinealoma with bilateral retinoblastoma
180200	Retinoblastoma
180200	Bladder cancer, 109800
180380	Night blindness, congenital stationery, rhodopsin-related
180380	Retinitis pigmentosa, autosomal recessive
180380	Retinitis pigmentosa-4, autosomal dominant
180385	Leukemia, acute T-cell
180721	Retinitis pigmentosa, digenic
180840	Susceptibility to IDDM
180901	Malignant hyperthermia susceptibility 1, 145600
180901	Central core disease, 117000
181405	Scapuloperoneal spinal muscular atrophy, New England type
181460	Schistosoma mansoni, susceptibility/resistance to
181510	Schizophrenia
182138	Anxiety-related personality traits
182280	Small-cell cancer of lung

182380	Glucose/galactose malabsorption
182600	Spastic paraplegia-3A
182601	Spastic paraplegia-4
182860	Pyropoikilocytosis
182860	Spherocytosis, recessive
182860	Elliptocytosis-2
185800	Symphalangism, proximal
186580	Arthrocutaneouveal granulomatosis
186880	Leukemia/lymphoma, T-cell
187040	Leukemia-1, T-cell acute lymphoblastic
188070	Bleeding disorder due to defective thromboxane A2 receptor
188826	Sorsby fundus dystrophy, 136900
189800	Preeclampsia/eclampsia
190040	Meningioma, SIS-related
190040	Dermatofibrosarcoma protuberans
190040	Giant-cell fibroblastoma
190195	Ichthyosiform erythroderma, congenital, 242100
190195	Ichthyosis, lamellar, autosomal recessive, 242300
190685	Down syndrome
191044	Cardiomyopathy, familial hypertrophic
191181	Cervical carcinoma
191315	Insensitivity to pain, congenital, with anhidrosis, 256800
192090	Ovarian carcinoma
192090	Breast cancer, lobular
192090	Endometrial carcinoma
192090	Gastric cancer, familial, 137215
192340	Diabetes insipidus, neurohypophyseal, 125700
193235	Vitreoretinopathy, neovascular inflammatory
193300	Renal cell carcinoma
193300	von Hippel-Lindau syndrome
194070	Wilms tumor, type 1
194070	Denys-Drash syndrome
194070	Frasier syndrome, 136680
201450	Acyl-CoA dehydrogenase, medium chain, deficiency of
201810	3-beta-hydroxysteroid dehydrogenase, type II, deficiency
203300	Hermansky-Pudlak syndrome
203500	Alkaptonuria
205900	Anemia, Diamond-Blackfan
207750	Hyperlipoproteinemia, type Ib
208400	Aspartylglucosaminuria
209901	Bardet-Biedl syndrome 1
212138	Carnitine-acylcarnitine translocase deficiency
216550	Cohen syndrome
221770	Polycystic lipomembranous osteodysplasia with sclerosing leukencephalopathy
221820	Gliosis, familial progressive subcortical
222700	Lysinuric protein intolerance
222800	Hemolytic anemia due to bisphosphoglycerate mutase deficiency
222900	Sucrose intolerance
227646	Fanconi anemia, type D
227650	Fanconi anemia, type A
230000	Fucosidosis

230800	Gaucher disease
230800	Gaucher disease with cardiovascular calcification
231550	Achalasia-addisonianism-alacrimia syndrome
231675	Glutaricaciduria, type IIC
231680	Glutaricaciduria, type IIA
232500	Glycogen storage disease IV
232600	McArdle disease
233700	Chronic granulomatous disease due to deficiency of NCF-1
234200	Neurodegeneration with brain iron accumulation
236100	Holoprosencephaly-1
236200	Homocystinuria, B6-responsive and nonresponsive types
236250	Homocystinuria due to MTHFR deficiency
236700	McKusick-Kaufman syndrome
236730	Urofacial syndrome
239100	Van Buchem disease
240300	Autoimmune polyglandular disease, type I
245349	Lacticacidemia due to PDX1 deficiency
245900	Norum disease
245900	Fish-eye disease
248510	Mannosidosis, beta-
248600	Maple syrup urine disease, type Ia
248610	Maple syrup urine disease, type II
249000	Meckel syndrome
249100	Familial Mediterranean fever
250850	Hypermethioninemia, persistent, autosomal dominant, due to methionine adenosyltransferase I/III deficiency
251170	Mevalonicaciduria
253000	Mucopolysaccharidosis IVA
253200	Maroteaux-Lamy syndrome, several forms
253250	Mulibrey nanism
255800	Schwartz-Jampel syndrome
256700	Neuroblastoma
257200	Niemann-Pick disease, type A
257200	Niemann-Pick disease, type B
258501	3-methylglutaconicaciduria, type III
259700	Osteopetrosis, recessive
259770	Osteoporosis-pseudoglioma syndrome
259900	Hyperoxaluria, primary, type 1
266200	Anemia, hemolytic, due to PK deficiency
266600	Inflammatory bowel disease-1
267750	Knobloch syndrome
268800	Sandhoff disease, infantile, juvenile, and adult forms
268800	Spinal muscular atrophy, HEXB-related
272750	GM2-gangliosidosis, AB variant
272800	Tay-Sachs disease
272800	[Hex A pseudodeficiency]
272800	GM2-gangliosidosis, juvenile, adult
273800	Thrombocytopenia, neonatal alloimmune
273800	Glanzmann thrombasthenia, type A
274180	Thromboxane synthase deficiency
276600	Tyrosinemia, type II
276700	Tyrosinemia, type I

276710	Tyrosinemia, type III
276901	Usher syndrome, type 2
276902	Usher syndrome, type 3
300011	Menkes disease, 309400
300011	Occipital horn syndrome, 304150
300011	Cutis laxa, neonatal
300031	Mental retardation, X-linked, FRAXF type
300044	Wernicke-Korsakoff syndrome, susceptibility to
300046	Mental retardation, X-linked 23, nonspecific
300047	Mental retardation, X-linked 20
300048	Intestinal pseudoobstruction, neuronal, X-linked
300049	Nodular heterotopia, bilateral periventricular
300049	BPNH/MR syndrome
300055	Mental retardation with psychosis, pyramidal signs, and macroorchidism
300067	Subcortical laminar heterotopia, X-linked dominant
300067	Lissencephaly, X-linked
300071	Night blindness, congenital stationary, type 2
300075	Coffin-Lowry syndrome, 303600
300077	Mental retardation, X-linked 29
300100	Adrenoleukodystrophy
300100	Adrenomyeloneuropathy
300104	Mental retardation, X-linked nonspecific, 309541
300110	Night blindness, congenital stationary, X-linked incomplete, 300071
300121	Subcortical laminal heteropia, X-linked, 300067
300121	Lissencephaly, X-linked, 300067
300126	Dyskeratosis congenita-1, 305000
300127	Mental retardation, X-linked, 60
300600	Ocular albinism, Forsius-Eriksson type
301000	Thrombocytopenia, X-linked, 313900
301000	Wiskott-Aldrich syndrome
301200	Amelogenesis imperfecta
301201	Amelogenesis imperfecta-3, hypoplastic type
301590	Anophthalmos-1
301830	Arthrogryposis, X-linked (spinal muscular atrophy, infantile, X-linked)
301835	Arts syndrome
302060	Noncompaction of left ventricular myocardium, isolated
302060	Barth syndrome
302060	Cardiomyopathy, X-linked dilated, 300069
302060	Endocardial fibroelastosis-2
302350	Nance-Horan syndrome
302801	Charcot-Marie-Tooth neuropathy, X-linked-2, recessive
302960	Chondrodysplasia punctata, X-linked dominant
303700	Colorblindness, blue monochromatic
303800	Colorblindness, deutan
303900	Colorblindness, protan
304040	Charcot-Marie-Tooth neuropathy, X-linked-1, dominant, 302800
304800	Diabetes insipidus, nephrogenic
305100	Anhidrotic ectodermal dysplasia
305435	Heterocellular hereditary persistence of fetal hemoglobin, Swiss type
305450	FG syndrome
305900	Favism
305900	G6PD deficiency

305900	Hemolytic anemia due to G6PD deficiency
306000	Glycogenosis, X-linked hepatic, type I
306000	Glycogenosis, X-linked hepatic, type II
306700	Hemophilia A
306995	[Homosexuality, male]
307800	Hypophosphatemia, hereditary
308310	Incontinentia pigmenti, familial
308800	Keratosis follicularis spinulosa decalvans
308840	Spastic paraplegia, 312900
308840	Hydrocephalus due to aqueductal stenosis, 307000
308840	MASA syndrome, 303350
309200	Manic-depressive illness, X-linked
309470	Mental retardation, X-linked, syndromic-3, with spastic diplegia
309500	Renpenning syndrome-1
309510	Mental retardation, X-linked, syndromic-1, with dystonic movements, ataxia, and seizures
309548	Mental retardation, X-linked, FRAXE type
309605	Mental retardation, X-linked, syndromic-4, with congenital contractures and low fingertip arches
309610	Mental retardation, X-linked, syndromic-2, with dysmorphism and cerebral atrophy
309620	Mental retardation-skeletal dysplasia
309850	Brunner syndrome
309900	Mucopolysaccharidosis II
310300	Emery-Dreifuss muscular dystrophy
310400	Myotubular myopathy, X-linked
310460	Myopia-1
310460	Bornholm eye disease
311050	Optic atrophy, X-linked
311200	Oral-facial-digital syndrome 1
311300	Otopalatodigital syndrome, type I
311510	Waisman parkinsonism-mental retardation syndrome
311850	Phosphoribosyl pyrophosphate synthetase-related gout
312040	N syndrome, 310465
312060	Properdin deficiency, X-linked
312170	Pyruvate dehydrogenase deficiency
312700	Retinoschisis
312760	Turner syndrome
313400	Spondyloepiphyseal dysplasia tarda
313700	Perineal hypospadias
313700	Prostate cancer
313700	Spinal and bulbar muscular atrophy of Kennedy, 313200
313700	Breast cancer, male, with Reifenstein syndrome
313700	Androgen insensitivity, several forms
314250	Dystonia-3, torsion, with parkinsonism, Filipino type
314300	Goeminne TKCR syndrome
314400	Cardiac valvular dysplasia-1
314580	Wieacker-Wolff syndrome
600040	Colorectal cancer
600045	Xeroderma pigmentosum, group E, subtype 2
600065	Leukocyte adhesion deficiency, 116920
600079	Colon cancer

600101	Deafness, autosomal dominant 2
600119	Muscular dystrophy, Duchenne-like, type 2
600119	Adhalinopathy, primary
600138	Retinitis pigmentosa-11
600151	Bardet-Biedl syndrome 3
600163	Long QT syndrome-3
600175	Spinal muscular atrophy, congenital nonprogressive, of lower limbs
600194	Ichthyosis bullosa of Siemens, 146800
600223	Spinocerebellar ataxia-4
600231	Palmoplantar keratoderma, Bothnia type
600243	Temperature-sensitive apoptosis
600309	Atrioventricular canal defect-1
600319	Diabetes mellitus, insulin-dependent, 4
600332	Rippling muscle disease-1
600354	Spinal muscular atrophy-1, 253300
600354	Spinal muscular atrophy-2, 253550
600354	Spinal muscular atrophy-3, 253400
600359	Bartter syndrome, type 2
600374	Bardet-Biedl syndrome 4
600525	Trichodontoosseous syndrome, 190320
600528	CPT deficiency, hepatic, type I, 255120
600536	Myopathy, congenital
600623	Prostate cancer, 176807
600631	Enuresis, nocturnal, 1
600650	Myopathy due to CPT II deficiency, 255110
600650	CPT deficiency, hepatic, type II, 600649
600652	Deafness, autosomal dominant 4
600678	Cancer susceptibility
600722	Ceroid lipofuscinosis, neuronal, variant juvenile type, with granular osmiophilic deposits
600722	Ceroid lipofuscinosis, neuronal-1, infantile, 256730
600757	Orofacial cleft-3
600759	Alzheimer disease-4
600760	Pseudohypoaldosteronism, type I, 264350
600760	Liddle syndrome, 177200
600761	Pseudohypoaldosteronism, type I, 264350
600761	Liddle syndrome, 177200
600792	Deafness, autosomal recessive 5
600795	Dementia, familial, nonspecific
600807	Bronchial asthma
600808	Enuresis, nocturnal, 2
600811	Xeroderma pigmentosum, group E, DDB-negative subtype, 278740
600850	Schizophrenia disorder-4
600881	Cataract, congenital, zonular, with sutural opacities
600882	Charcot-Marie-Tooth neuropathy-2B
600887	Endometrial carcinoma
600897	Cataract, zonular pulverulent-1, 116200
600900	Muscular dystrophy, limb-girdle, type 2E
600918	Cystinuria, type III
600956	Persistent Mullerian duct syndrome, type II, 261550
600957	Persistent Mullerian duct syndrome, type I, 261550
600958	Cardiomyopathy, familial hypertrophic, 4, 115197

600975	Glaucoma 3, primary infantile, B
601072	Deafness, autosomal recessive 8
601105	Pycnodysostosis, 265800
601145	Epilepsy, progressive myoclonic 1, 254800
601199	Neonatal hyperparathyroidism, 239200
601199	Hypocalcemia, autosomal dominant, 601198
601199	Hypocalciuric hypercalcemia, type I, 145980
601238	Cerebellar ataxia, Cayman type
601284	Hereditary hemorrhagic telangiectasia-2, 600376
601295	Bile acid malabsorption, primary
601362	DiGeorge syndrome/velocardiofacial syndrome complex-2
601369	Deafness, autosomal dominant 9
601386	Deafness, autosomal recessive 12
601412	Deafness, autosomal dominant 7
601414	Retinitis pigmentosa-18
601493	Cardiomyopathy, dilated 1C
601517	Spinocerebellar ataxia-2, 183090
601518	Prostate cancer, hereditary, 1, 176807
601567	Combined factor V and VIII deficiency, 227300
601596	Charcot-Marie-Tooth neuropathy, demyelinating
601652	Glaucoma 1A, primary open angle, juvenile-onset, 137750
601669	Hirschsprung disease, one form
601676	Acute insulin response
601682	Glaucoma 1C, primary open angle
601691	Retinitis pigmentosa-19, 601718
601691	Stargardt disease-1, 248200
601691	Cone-rod dystrophy 3
601691	Fundus flavimaculatus with macular dystrophy, 248200
601718	Retinitis pigmentosa-19
601744	Systemic lupus erythematosus, susceptibility to, 1
601769	Osteoporosis, involutional
601769	Rickets, vitamin D-resistant, 277440
601771	Glaucoma 3A, primary infantile, 231300
601780	Ceroid-lipofuscinosis, neuronal-6, variant late infantile
601844	Pseudohypoaldosteronism type II
601846	Muscular dystrophy with rimmed vacuoles
601863	Bare lymphocyte syndrome, complementation group C
601884	[High bone mass]
601920	Alagille syndrome, 118450
601928	Monilethrix, 158000
601954	Muscular dystrophy, limb-girdle, type 2G
601975	Ectodermal dysplasia/skin fragility syndrome
602080	Paget disease of bone-2
602086	Arrhythmogenic right ventricular dysplasia-3
602089	Hemangioma, capillary, hereditary
602092	Deafness, autosomal recessive 18
602094	Lipodystrophy, familial partial
602116	Glioma
602136	Refsum disease, infantile, 266510
602136	Zellweger syndrome-1, 214100
602136	Adrenoleukodystrophy, neonatal, 202370
602153	Monilethrix, 158000

602216	Peutz-Jeghers syndrome, 175200
602225	Cone-rod retinal dystrophy-2, 120970
602225	Leber congenital amaurosis, type III
602279	Oculopharyngeal muscular dystorphy, 164300
602279	Oculopharyngeal muscular dystrophy, autosomal recessive, 257950
602403	Alzheimer disease, susceptibility to
602447	Coronary artery disease, susceptibility to
602477	Febrile convulsions, familial, 2
602491	Hyperlipidemia, familial combined, 1
602522	Bartter syndrome, infantile, with sensorineural deafness
602568	Homocystinuria-megaloblastic anemia, cbl E type, 236270
602574	Deafness, autosomal dominant 12, 601842
602574	Deafness, autosomal dominant 8, 601543
602716	Nephrosis-1, congenital, Finnish type, 256300
602782	Faisalabad histiocytosis
602783	Spastic paraplegia-7

Mature Polypeptides

The present invention also encompasses mature forms of a polypeptide having the amino acid sequence of SEQ ID NO:Y and/or the amino acid sequence encoded by the cDNA in a deposited clone. Polynucleotides encoding the mature forms (such as, for example, the polynucleotide sequence in SEQ ID NO:X and/or the polynucleotide sequence contained in the cDNA of a deposited clone) are also encompassed by the invention. Moreover, fragments or variants of these polypeptides (such as, fragments as described herein, polypeptides at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to these polypeptides, or polypeptides encoded by a polynucleotide that hybridizes under stringent conditions to the complementary strand of the polynucleotide encoding these polypeptides) are also encompassed by the invention. In preferred embodiments, these fragments or variants retain one or more functional acitivities of the full-length or mature form of the polypeptide (e.g., biological activity (such as, for example, activity useful in detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating cardiovascular disorders), antigenicity (ability to bind, or compete with a polypeptide of the invention for binding, to an anti-polypeptide of the invention antibody), immunogenicity (ability to generate antibody which binds to a specific polypeptide of the invention), ability to form multimers with polypeptides of the invention, and ability to bind to a receptor or ligand for a polypeptide of the invention). Antibodies that bind the polypeptides of the invention, and polynucleotides encoding these polypeptides are also encompassed by the invention.

According to the signal hypothesis, proteins secreted by mammalian cells have a signal or secretary leader sequence which is cleaved from the mature protein once export of the growing protein chain across the rough endoplasmic reticulum has been initiated. Most mammalian cells and even insect cells cleave secreted proteins with the same specificity. However, in some cases, cleavage of a secreted protein is not entirely uniform, which results in two or more mature species

of the protein. Further, it has long been known that cleavage specificity of a secreted protein is ultimately determined by the primary structure of the complete protein, that is, it is inherent in the amino acid sequence of the polypeptide.

Methods for predicting whether a protein has a signal sequence, as well as the cleavage point for that sequence, are available. For instance, the method of McGeoch, Virus Res. 3:271-286 (1985), uses the information from a short N-terminal charged region and a subsequent uncharged region of the complete (uncleaved) protein. The method of von Heinje, Nucleic Acids Res. 14:4683-4690 (1986) uses the information from the residues surrounding the cleavage site, typically residues -13 to +2, where +1 indicates the amino terminus of the secreted protein. The accuracy of predicting the cleavage points of known mammalian secretory proteins for each of these methods is in the range of 75-80%. (von Heinje, supra.) However, the two methods do not always produce the same predicted cleavage point(s) for a given protein.

In the present case, the deduced amino acid sequence of the secreted polypeptide was analyzed by a computer program called SignalP (Henrik Nielsen et al., Protein Engineering 10:1-6 (1997)), which predicts the cellular location of a protein based on the amino acid sequence. As part of this computational prediction of localization, the methods of McGeoch and von Heinje are incorporated. The analysis of the amino acid sequences of the secreted proteins described herein by this program provided the results shown in Table 1A.

In specific embodiments, polypeptides of the invention comprise, or alternatively consist of, the predicted mature form of the polypeptide as delineated in columns 14 and 15 of Table 1A. Moreover, fragments or variants of these polypeptides (such as, fragments as described herein, polypeptides at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to these polypeptides, or polypeptides encoded by a polynucleotide that hybridizes under stringent conditions to the complementary strand of the polynucleotide encoding these polypeptides) are also encompassed by the invention. In preferred embodiments, these fragments or variants retain one or more functional acitivities of the full-length or mature form of the polypeptide (e.g., biological activity (such as, for example, activity useful in detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating cardiovascular disorders), antigenicity (ability to bind, or compete with a polypeptide of the invention for binding, to an anti-polypeptide of the invention antibody), immunogenicity (ability to generate antibody which binds to a specific polypeptide of the invention), ability to form multimers with polypeptides of the invention, and ability to bind to a receptor or ligand for a polypeptide of the invention). Antibodies that bind the polypeptides of the invention, and polynucleotides encoding these polypeptides are also encompassed by the invention.

Polynucleotides encoding proteins comprising, or consisting of, the predicted mature form of polypeptides of the invention (e.g., polynucleotides having the sequence of SEQ ID NO: X (Table 1A, column 4), the sequence delineated in columns 7 and 8 of Table 1A, and a sequence

encoding the mature polypeptide delineated in columns 14 and 15 of Table 1A (e.g., the sequence of SEQ ID NO:X encoding the mature polypeptide delineated in columns 14 and 15 of Table 1)) are also encompassed by the invention, as are fragments or variants of these polynucleotides (such as, fragments as described herein, polynucleotides at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to these polyncueotides, and nucleic acids which hybridizes under stringent conditions to the complementary strand of the polynucleotide).

As one of ordinary skill would appreciate, however, cleavage sites sometimes vary from organism to organism and cannot be predicted with absolute certainty. Accordingly, the present invention provides secreted polypeptides having a sequence shown in SEQ ID NO:Y which have an N-terminus beginning within 15 residues of the predicted cleavage point (i.e., having 1, 2, 3, 4, 5, 6, 7, 8 , 9, 10, 11, 12, 13, 14, or 15 more or less contiguous residues of SEQ ID NO:Y at the N-terminus when compared to the predicted mature form of the polypeptide (e.g., the mature polypeptide delineated in columns 14 and 15 of Table 1). Similarly, it is also recognized that in some cases, cleavage of the signal sequence from a secreted protein is not entirely uniform, resulting in more than one secreted species. These polypeptides, and the polynucleotides encoding such polypeptides, are contemplated by the present invention.

Moreover, the signal sequence identified by the above analysis may not necessarily predict the naturally occurring signal sequence. For example, the naturally occurring signal sequence may be further upstream from the predicted signal sequence. However, it is likely that the predicted signal sequence will be capable of directing the secreted protein to the ER. Nonetheless, the present invention provides the mature protein produced by expression of the polynucleotide sequence of SEQ ID NO:X and/or the polynucleotide sequence contained in the cDNA of a deposited clone, in a mammalian cell (e.g., COS cells, as desribed below). These polypeptides, and the polynucleotides encoding such polypeptides, are contemplated by the present invention.

Polynucleotide and Polypeptide Variants

The present invention is also directed to variants of the polynucleotide sequence disclosed in SEQ ID NO:X or the complementary strand thereto, nucleotide sequences encoding the polypeptide of SEQ ID NO:Y, the nucleotide sequence of SEQ ID NO:X that encodes the polypeptide sequence as defined in columns 13 and 14 of Table 1A, nucleotide sequences encoding the polypeptide sequence as defined in columns 13 and 14 of Table 1A, the nucleotide sequence of SEQ ID NO:X encoding the polypeptide sequence as defined in column 7 of Table 1B.1, nucleotide sequences encoding the polypeptide as defined in Table 1B.1, the nucleotide sequence as defined in columns 8 and 9 of Table 2, nucleotide sequences encoding the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2, the nucleotide sequence as defined in column 6 of Table 1C, nucleotide sequences encoding the polypeptide

encoded by the nucleotide sequence as defined in column 6 of Table 1C, the cDNA sequence contained in ATCC Deposit No:Z, nucleotide sequences encoding the polypeptide encoded by the cDNA sequence contained in ATCC Deposit No:Z, and/or nucleotide sequences encoding a mature (secreted) polypeptide encoded by the cDNA sequence contained in ATCC Deposit No:Z.

The present invention also encompasses variants of the polypeptide sequence disclosed in SEQ ID NO:Y, the polypeptide as defined in columns 13 and 14 of Table 1A, the polypeptide sequence as defined in Table 1B.1, a polypeptide sequence encoded by the polynucleotide sequence in SEQ ID NO:X, a polypeptide sequence encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2, a polypeptide sequence encoded by the nucleotide sequence as defined in column 6 of Table 1C, a polypeptide sequence encoded by the complement of the polynucleotide sequence in SEQ ID NO:X, the polypeptide sequence encoded by the cDNA sequence contained in ATCC Deposit No:Z and/or a mature (secreted) polypeptide encoded by the cDNA sequence contained in ATCC Deposit No:Z.

"Variant" refers to a polynucleotide or polypeptide differing from the polynucleotide or polypeptide of the present invention, but retaining essential properties thereof. Generally, variants are overall closely similar, and, in many regions, identical to the polynucleotide or polypeptide of the present invention.

Thus, one aspect of the invention provides an isolated nucleic acid molecule comprising, or alternatively consisting of, a polynucleotide having a nucleotide sequence selected from the group consisting of: (a) a nucleotide sequence described in SEQ ID NO:X or contained in the cDNA sequence of ATCC Deposit No:Z; (b) a nucleotide sequence in SEQ ID NO:X or the cDNA in ATCC Deposit No:Z which encodes the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence encoded by the cDNA in ATCC Deposit No:Z; (c) a nucleotide sequence in SEQ ID NO:X or the cDNA in ATCC Deposit No:Z which encodes a mature polypeptide (i.e., a secreted polypeptide (e.g., as delineated in columns 14 and 15 of Table 1A)); (d) a nucleotide sequence in SEQ ID NO:X or the cDNA sequence of ATCC Deposit No:Z, which encodes a biologically active fragment of a polypeptide; (e) a nucleotide sequence in SEQ ID NO:X or the cDNA sequence of ATCC Deposit No:Z, which encodes an antigenic fragment of a polypeptide; (f) a nucleotide sequence encoding a polypeptide comprising the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence encoded by the cDNA in ATCC Deposit No:Z; (g) a nucleotide sequence encoding a mature polypeptide of the amino acid sequence of SEQ ID NO:Y (i.e., a secreted polypeptide (e.g., as delineated in columns 14 and 15 of Table 1A)) or a mature polypeptide of the amino acid sequence encoded by the cDNA in ATCC Deposit No:Z ; (h) a nucleotide sequence encoding a biologically active fragment of a polypeptide having the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence encoded by the cDNA in ATCC Deposit No:Z; (i) a nucleotide sequence encoding an antigenic fragment of a polypeptide having the complete amino acid sequence of SEQ ID NO:Y or the

complete amino acid sequence encoded by the cDNA in ATCC Deposit No:Z; and (j) a nucleotide sequence complementary to any of the nucleotide sequences in (a), (b), (c), (d), (e), (f), (g), (h), or (i) above.

The present invention is also directed to nucleic acid molecules which comprise, or alternatively consist of, a nucleotide sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100%, identical to, for example, any of the nucleotide sequences in (a), (b), (c), (d), (e), (f), (g), (h), (i), or (j) above, the nucleotide coding sequence in SEQ ID NO:X or the complementary strand thereto, the nucleotide coding sequence of the cDNA contained in ATCC Deposit No:Z or the complementary strand thereto, a nucleotide sequence encoding the polypeptide of SEQ ID NO:Y, a nucleotide sequence encoding a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a polypeptide sequence encoded by the complement of the polynucleotide sequence in SEQ ID NO:X, a nucleotide sequence encoding the polypeptide encoded by the cDNA contained in ATCC Deposit No:Z, the nucleotide coding sequence in SEQ ID NO:X as defined in columns 8 and 9 of Table 2 or the complementary strand thereto, a nucleotide sequence encoding the polypeptide encoded by the nucleotide sequence in SEQ ID NO:X as defined in columns 8 and 9 of Table 2 or the complementary strand thereto, the nucleotide coding sequence in SEQ ID NO:B as defined in column 6 of Table 1C or the complementary strand thereto, a nucleotide sequence encoding the polypeptide encoded by the nucleotide sequence in SEQ ID NO:B as defined in column 6 of Table 1C or the complementary strand thereto, the nucleotide sequence in SEQ ID NO:X encoding the polypeptide sequence as defined in Table 1B.1 or the complementary strand thereto, nucleotide sequences encoding the polypeptide as defined in Table 1B.1 or the complementary strand thereto, and/or polynucleotide fragments of any of these nucleic acid molecules (e.g., those fragments described herein). Polynucleotides which hybridize to the complement of these nucleic acid molecules under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides and nucleic acids.

In a preferred embodiment, the invention encompasses nucleic acid molecules which comprise, or alternatively, consist of a polynucleotide which hybridizes under stringent hybridization conditions, or alternatively, under lower stringency conditions, to a polynucleotide in (a), (b), (c), (d), (e), (f), (g), (h), or (i), above, as are polypeptides encoded by these polynucleotides. In another preferred embodiment, polynucleotides which hybridize to the complement of these nucleic acid molecules under stringent hybridization conditions, or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

In another embodiment, the invention provides a purified protein comprising, or alternatively consisting of, a polypeptide having an amino acid sequence selected from the group

consisting of: (a) the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence encoded by the cDNA in ATCC Deposit No:Z; (b) the amino acid sequence of a mature (secreted) form of a polypeptide having the amino acid sequence of SEQ ID NO:Y (e.g., as delineated in columns 14 and 15 of Table 1A) or a mature form of the amino acid sequence encoded by the cDNA in ATCC Deposit No:Z mature; (c) the amino acid sequence of a biologically active fragment of a polypeptide having the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence encoded by the cDNA in ATCC Deposit No:Z; and (d) the amino acid sequence of an antigenic fragment of a polypeptide having the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence encoded by the cDNA in ATCC Deposit No:Z.

The present invention is also directed to proteins which comprise, or alternatively consist of, an amino acid sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100%, identical to, for example, any of the amino acid sequences in (a), (b), (c), or (d), above, the amino acid sequence shown in SEQ ID NO:Y, the amino acid sequence encoded by the cDNA contained in ATCC Deposit No:Z, the amino acid sequence of the polypeptide encoded by the nucleotide sequence in SEQ ID NO:X as defined in columns 8 and 9 of Table 2, the amino acid sequence of the polypeptide encoded by the nucleotide sequence in SEQ ID NO:B as defined in column 6 of Table 1C, the amino acid sequence as defined in Table 1B.1, an amino acid sequence encoded by the nucleotide sequence in SEQ ID NO:X, and an amino acid sequence encoded by the complement of the polynucleotide sequence in SEQ ID NO:X. Fragments of these polypeptides are also provided (e.g., those fragments described herein). Further proteins encoded by polynucleotides which hybridize to the complement of the nucleic acid molecules encoding these amino acid sequences under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as are the polynucleotides encoding these proteins.

By a nucleic acid having a nucleotide sequence at least, for example, 95% "identical" to a reference nucleotide sequence of the present invention, it is intended that the nucleotide sequence of the nucleic acid is identical to the reference sequence except that the nucleotide sequence may include up to five point mutations per each 100 nucleotides of the reference nucleotide sequence encoding the polypeptide. In other words, to obtain a nucleic acid having a nucleotide sequence at least 95% identical to a reference nucleotide sequence, up to 5% of the nucleotides in the reference sequence may be deleted or substituted with another nucleotide, or a number of nucleotides up to 5% of the total nucleotides in the reference sequence may be inserted into the reference sequence. The query sequence may be an entire sequence referred to in Table 1B.1 or Table 2 as the ORF (open reading frame), or any fragment specified as described herein.

As a practical matter, whether any particular nucleic acid molecule or polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to a nucleotide sequence of the

present invention can be determined conventionally using known computer programs. A preferred method for determining the best overall match between a query sequence (a sequence of the present invention) and a subject sequence, also referred to as a global sequence alignment, can be determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci. 6:237-245 (1990)). In a sequence alignment the query and subject sequences are both DNA sequences. An RNA sequence can be compared by converting U's to T's. The result of said global sequence alignment is expressed as percent identity. Preferred parameters used in a FASTDB alignment of DNA sequences to calculate percent identity are: Matrix=Unitary, k-tuple=4, Mismatch Penalty=1, Joining Penalty=30, Randomization Group Length=0, Cutoff Score=1, Gap Penalty=5, Gap Size Penalty 0.05, Window Size=500 or the length of the subject nucleotide sequence, whichever is shorter.

If the subject sequence is shorter than the query sequence because of 5' or 3' deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for 5' and 3' truncations of the subject sequence when calculating percent identity. For subject sequences truncated at the 5' or 3' ends, relative to the query sequence, the percent identity is corrected by calculating the number of bases of the query sequence that are 5' and 3' of the subject sequence, which are not matched/aligned, as a percent of the total bases of the query sequence. Whether a nucleotide is matched/aligned is determined by results of the FASTDB sequence alignment. This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This corrected score is what is used for the purposes of the present invention. Only bases outside the 5' and 3' bases of the subject sequence, as displayed by the FASTDB alignment, which are not matched/aligned with the query sequence, are calculated for the purposes of manually adjusting the percent identity score.

For example, a 90 base subject sequence is aligned to a 100 base query sequence to determine percent identity. The deletions occur at the 5' end of the subject sequence and therefore, the FASTDB alignment does not show a matched/alignment of the first 10 bases at 5' end. The 10 unpaired bases represent 10% of the sequence (number of bases at the 5' and 3' ends not matched/total number of bases in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 bases were perfectly matched the final percent identity would be 90%. In another example, a 90 base subject sequence is compared with a 100 base query sequence. This time the deletions are internal deletions so that there are no bases on the 5' or 3' of the subject sequence which are not matched/aligned with the query. In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only bases 5' and 3' of the subject sequence which are not matched/aligned with the query sequence are manually corrected for. No other manual corrections are to be made for the purposes of the present invention.

By a polypeptide having an amino acid sequence at least, for example, 95% "identical" to a query amino acid sequence of the present invention, it is intended that the amino acid sequence of the subject polypeptide is identical to the query sequence except that the subject polypeptide sequence may include up to five amino acid alterations per each 100 amino acids of the query amino acid sequence. In other words, to obtain a polypeptide having an amino acid sequence at least 95% identical to a query amino acid sequence, up to 5% of the amino acid residues in the subject sequence may be inserted, deleted, (indels) or substituted with another amino acid. These alterations of the reference sequence may occur at the amino or carboxy terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence.

As a practical matter, whether any particular polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to, for instance, the amino acid sequence of a polypeptide referred to in Table 1A (e.g., the amino acid sequence delineated in columns 14 and 15) or a fragment thereof, Table 1B (e.g., the amino acid sequence identified in column 6) or a fragment thereof, Table 2 (e.g., the amino acid sequence of the polypeptide encoded by the polynucleotide sequence defined in columns 8 and 9 of Table 2) or a fragment thereof, the amino acid sequence of the polypeptide encoded by the polynucleotide sequence in SEQ ID NO:B as defined in column 6 of Table 1C or a fragment thereof, the amino acid sequence of the polypeptide encoded by the nucleotide sequence in SEQ ID NO:X or a fragment thereof, or the amino acid sequence of the polypeptide encoded by cDNA contained in ATCC Deposit No:Z, or a fragment thereof, the amino acid sequence of a mature (secreted) polypeptide encoded by cDNA contained in ATCC Deposit No:Z, or a fragment thereof, can be determined conventionally using known computer programs. A preferred method for determining the best overall match between a query sequence (a sequence of the present invention) and a subject sequence, also referred to as a global sequence alignment, can be determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci.6:237-245 (1990)). In a sequence alignment the query and subject sequences are either both nucleotide sequences or both amino acid sequences. The result of said global sequence alignment is expressed as percent identity. Preferred parameters used in a FASTDB amino acid alignment are: Matrix=PAM 0, k-tuple=2, Mismatch Penalty=1, Joining Penalty=20, Randomization Group Length=0, Cutoff Score=1, Window Size=sequence length, Gap Penalty=5, Gap Size Penalty=0.05, Window Size=500 or the length of the subject amino acid sequence, whichever is shorter.

If the subject sequence is shorter than the query sequence due to N- or C-terminal deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for N- and C-terminal truncations of the subject sequence when calculating global percent identity. For subject sequences truncated at the N- and

C-termini, relative to the query sequence, the percent identity is corrected by calculating the number of residues of the query sequence that are N- and C-terminal of the subject sequence, which are not matched/aligned with a corresponding subject residue, as a percent of the total bases of the query sequence. Whether a residue is matched/aligned is determined by results of the FASTDB sequence alignment. This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This final percent identity score is what is used for the purposes of the present invention. Only residues to the N- and C-termini of the subject sequence, which are not matched/aligned with the query sequence, are considered for the purposes of manually adjusting the percent identity score. That is, only query residue positions outside the farthest N- and C-terminal residues of the subject sequence.

For example, a 90 amino acid residue subject sequence is aligned with a 100 residue query sequence to determine percent identity. The deletion occurs at the N-terminus of the subject sequence and therefore, the FASTDB alignment does not show a matching/alignment of the first 10 residues at the N-terminus. The 10 unpaired residues represent 10% of the sequence (number of residues at the N- and C- termini not matched/total number of residues in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 residues were perfectly matched the final percent identity would be 90%. In another example, a 90 residue subject sequence is compared with a 100 residue query sequence. This time the deletions are internal deletions so there are no residues at the N- or C-termini of the subject sequence which are not matched/aligned with the query. In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only residue positions outside the N- and C-terminal ends of the subject sequence, as displayed in the FASTDB alignment, which are not matched/aligned with the query sequnce are manually corrected for. No other manual corrections are to made for the purposes of the present invention.

The polynucleotide variants of the invention may contain alterations in the coding regions, non-coding regions, or both. Especially preferred are polynucleotide variants containing alterations which produce silent substitutions, additions, or deletions, but do not alter the properties or activities of the encoded polypeptide. Nucleotide variants produced by silent substitutions due to the degeneracy of the genetic code are preferred. Moreover, polypeptide variants in which less than 50, less than 40, less than 30, less than 20, less than 10, or 5-50, 5-25, 5-10, 1-5, or 1-2 amino acids are substituted, deleted, or added in any combination are also preferred. Polynucleotide variants can be produced for a variety of reasons, e.g., to optimize codon expression for a particular host (change codons in the human mRNA to those preferred by a bacterial host such as E. coli).

Naturally occurring variants are called "allelic variants," and refer to one of several alternate forms of a gene occupying a given locus on a chromosome of an organism. (Genes II,

Lewin, B., ed., John Wiley & Sons, New York (1985)). These allelic variants can vary at either the polynucleotide and/or polypeptide level and are included in the present invention. Alternatively, non-naturally occurring variants may be produced by mutagenesis techniques or by direct synthesis.

Using known methods of protein engineering and recombinant DNA technology, variants may be generated to improve or alter the characteristics of the polypeptides of the present invention. For instance, one or more amino acids can be deleted from the N-terminus or C-terminus of the polypeptide of the present invention without substantial loss of biological function. As an example, Ron et al. (J. Biol. Chem. 268: 2984-2988 (1993)) reported variant KGF proteins having heparin binding activity even after deleting 3, 8, or 27 amino-terminal amino acid residues. Similarly, Interferon gamma exhibited up to ten times higher activity after deleting 8-10 amino acid residues from the carboxy terminus of this protein. (Dobeli et al., J. Biotechnology 7:199-216 (1988).)

Moreover, ample evidence demonstrates that variants often retain a biological activity similar to that of the naturally occurring protein. For example, Gayle and coworkers (J. Biol. Chem. 268:22105-22111 (1993)) conducted extensive mutational analysis of human cytokine IL-1a. They used random mutagenesis to generate over 3,500 individual IL-1a mutants that averaged 2.5 amino acid changes per variant over the entire length of the molecule. Multiple mutations were examined at every possible amino acid position. The investigators found that "[m]ost of the molecule could be altered with little effect on either [binding or biological activity]." In fact, only 23 unique amino acid sequences, out of more than 3,500 nucleotide sequences examined, produced a protein that significantly differed in activity from wild-type.

Furthermore, even if deleting one or more amino acids from the N-terminus or C-terminus of a polypeptide results in modification or loss of one or more biological functions, other biological activities may still be retained. For example, the ability of a deletion variant to induce and/or to bind antibodies which recognize the secreted form will likely be retained when less than the majority of the residues of the secreted form are removed from the N-terminus or C-terminus. Whether a particular polypeptide lacking N- or C-terminal residues of a protein retains such immunogenic activities can readily be determined by routine methods described herein and otherwise known in the art.

Thus, the invention further includes polypeptide variants which show a biological or functional activity of the polypeptides of the invention (such as, for example, activity useful in detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating cardiovascular disorders). Such variants include deletions, insertions, inversions, repeats, and substitutions selected according to general rules known in the art so as have little effect on activity.

The present application is directed to nucleic acid molecules at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to the nucleic acid sequences disclosed herein, (e.g.,

encoding a polypeptide having the amino acid sequence of an N and/or C terminal deletion), irrespective of whether they encode a polypeptide having functional activity. This is because even where a particular nucleic acid molecule does not encode a polypeptide having functional activity, one of skill in the art would still know how to use the nucleic acid molecule, for instance, as a hybridization probe or a polymerase chain reaction (PCR) primer. Uses of the nucleic acid molecules of the present invention that do not encode a polypeptide having functional activity include, inter alia, (1) isolating a gene or allelic or splice variants thereof in a cDNA library; (2) in situ hybridization (e.g., "FISH") to metaphase chromosomal spreads to provide precise chromosomal location of the gene, as described in Verma et al., Human Chromosomes: A Manual of Basic Techniques, Pergamon Press, New York (1988); (3) Northern Blot analysis for detecting mRNA expression in specific tissues (e.g., normal or diseased tissues); and (4) *in situ* hybridization (e.g., histochemistry) for detecting mRNA expression in specific tissues (e.g., normal or diseased tissues).

Preferred, however, are nucleic acid molecules having sequences at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to the nucleic acid sequences disclosed herein, which do, in fact, encode a polypeptide having functional activity. By a polypeptide having "functional activity" is meant, a polypeptide capable of displaying one or more known functional activities associated with a full-length (complete) protein and/or a mature (secreted) protein of the invention. Such functional activities include, but are not limited to, biological activity (such as, for example, activity useful in detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating cardiovascular diseases and disorders), antigenicity (ability to bind, or compete with a polypeptide of the invention for binding, to an anti-polypeptide of the invention antibody), immunogenicity (ability to generate antibody which binds to a specific polypeptide of the invention), ability to form multimers with polypeptides of the invention, and ability to bind to a receptor or ligand for a polypeptide of the invention.

The functional activity of the polypeptides, and fragments, variants and derivatives of the invention, can be assayed by various methods.

For example, in one embodiment where one is assaying for the ability to bind or compete with a full-length polypeptide of the present invention for binding to an anti-polypetide antibody, various immunoassays known in the art can be used, including but not limited to, competitive and non-competitive assay systems using techniques such as radioimmunoassays, ELISA (enzyme linked immunosorbent assay), "sandwich" immunoassays, immunoradiometric assays, gel diffusion precipitation reactions, immunodiffusion assays, in situ immunoassays (using colloidal gold, enzyme or radioisotope labels, for example), western blots, precipitation reactions, agglutination assays (e.g., gel agglutination assays, hemagglutination assays), complement fixation assays, immunofluorescence assays, protein A assays, and immunoelectrophoresis assays, etc. In one embodiment, antibody binding is detected by detecting a label on the primary antibody. In

another embodiment, the primary antibody is detected by detecting binding of a secondary antibody or reagent to the primary antibody. In a further embodiment, the secondary antibody is labeled. Many means are known in the art for detecting binding in an immunoassay and are within the scope of the present invention.

In another embodiment, where a ligand is identified, or the ability of a polypeptide fragment, variant or derivative of the invention to multimerize is being evaluated, binding can be assayed, e.g., by means well-known in the art, such as, for example, reducing and non-reducing gel chromatography, protein affinity chromatography, and affinity blotting. See generally, Phizicky et al., Microbiol. Rev. 59:94-123 (1995). In another embodiment, the ability of physiological correlates of a polypeptide of the present invention to bind to a substrate(s) of the polypeptide of the invention can be routinely assayed using techniques known in the art.

In addition, assays described herein (see Examples) and otherwise known in the art may routinely be applied to measure the ability of polypeptides of the present invention and fragments, variants and derivatives thereof to elicit polypeptide related biological activity (either *in vitro* or *in vivo*). Other methods will be known to the skilled artisan and are within the scope of the invention.

Of course, due to the degeneracy of the genetic code, one of ordinary skill in the art will immediately recognize that a large number of the nucleic acid molecules having a sequence at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to, for example, the nucleic acid sequence of the cDNA contained in ATCC Deposit No:Z, the nucleic acid sequence referred to in Table 1B (SEQ ID NO:X), the nucleic acid sequence disclosed in Table 1A (e.g., the nucleic acid sequence delineated in columns 7 and 8), the nucleic acid sequence disclosed in Table 2 (e.g., the nucleic acid sequence delineated in columns 8 and 9) or fragments thereof, will encode polypeptides "having functional activity." In fact, since degenerate variants of any of these nucleotide sequences all encode the same polypeptide, in many instances, this will be clear to the skilled artisan even without performing the above described comparison assay. It will be further recognized in the art that, for such nucleic acid molecules that are not degenerate variants, a reasonable number will also encode a polypeptide having functional activity. This is because the skilled artisan is fully aware of amino acid substitutions that are either less likely or not likely to significantly effect protein function (e.g., replacing one aliphatic amino acid with a second aliphatic amino acid), as further described below.

For example, guidance concerning how to make phenotypically silent amino acid substitutions is provided in Bowie et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions," Science 247:1306-1310 (1990), wherein the authors indicate that there are two main strategies for studying the tolerance of an amino acid sequence to change.

The first strategy exploits the tolerance of amino acid substitutions by natural selection during the process of evolution. By comparing amino acid sequences in different species, conserved amino acids can be identified. These conserved amino acids are likely important for protein function. In contrast, the amino acid positions where substitutions have been tolerated by natural selection indicates that these positions are not critical for protein function. Thus, positions tolerating amino acid substitution could be modified while still maintaining biological activity of the protein.

The second strategy uses genetic engineering to introduce amino acid changes at specific positions of a cloned gene to identify regions critical for protein function. For example, site directed mutagenesis or alanine-scanning mutagenesis (introduction of single alanine mutations at every residue in the molecule) can be used. See Cunningham and Wells, Science 244:1081-1085 (1989). The resulting mutant molecules can then be tested for biological activity.

As the authors state, these two strategies have revealed that proteins are surprisingly tolerant of amino acid substitutions. The authors further indicate which amino acid changes are likely to be permissive at certain amino acid positions in the protein. For example, most buried (within the tertiary structure of the protein) amino acid residues require nonpolar side chains, whereas few features of surface side chains are generally conserved. Moreover, tolerated conservative amino acid substitutions involve replacement of the aliphatic or hydrophobic amino acids Ala, Val, Leu and Ile; replacement of the hydroxyl residues Ser and Thr; replacement of the acidic residues Asp and Glu; replacement of the amide residues Asn and Gln, replacement of the basic residues Lys, Arg, and His; replacement of the aromatic residues Phe, Tyr, and Trp, and replacement of the small-sized amino acids Ala, Ser, Thr, Met, and Gly.

Besides conservative amino acid substitution, variants of the present invention include (i) substitutions with one or more of the non-conserved amino acid residues, where the substituted amino acid residues may or may not be one encoded by the genetic code, or (ii) substitutions with one or more of the amino acid residues having a substituent group, or (iii) fusion of the mature polypeptide with another compound, such as a compound to increase the stability and/or solubility of the polypeptide (for example, polyethylene glycol), (iv) fusion of the polypeptide with additional amino acids, such as, for example, an IgG Fc fusion region peptide, serum albumin (preferably human serum albumin) or a fragment thereof, or leader or secretory sequence, or a sequence facilitating purification, or (v) fusion of the polypeptide with another compound, such as albumin (including but not limited to recombinant albumin (see, e.g., U.S. Patent No. 5,876,969, issued March 2, 1999, EP Patent 0 413 622, and U.S. Patent No. 5,766,883, issued June 16, 1998, herein incorporated by reference in their entirety)). Such variant polypeptides are deemed to be within the scope of those skilled in the art from the teachings herein.

For example, polypeptide variants containing amino acid substitutions of charged amino acids with other charged or neutral amino acids may produce proteins with improved

characteristics, such as less aggregation. Aggregation of pharmaceutical formulations both reduces activity and increases clearance due to the aggregate's immunogenic activity. See Pinckard et al., Clin. Exp. Immunol. 2:331-340 (1967); Robbins et al., Diabetes 36: 838-845 (1987); Cleland et al., Crit. Rev. Therapeutic Drug Carrier Systems 10:307-377 (1993).

A further embodiment of the invention relates to polypeptides which comprise the amino acid sequence of a polypeptide having an amino acid sequence which contains at least one amino acid substitution, but not more than 50 amino acid substitutions, even more preferably, not more than 40 amino acid substitutions, still more preferably, not more than 30 amino acid substitutions, and still even more preferably, not more than 20 amino acid substitutions from a polypeptide sequence disclosed herein. Of course it is highly preferable for a polypeptide to have an amino acid sequence which, for example, comprises the amino acid sequence of a polypeptide of SEQ ID NO:Y, the amino acid sequence of the mature (e.g., secreted) polypeptide of SEQ ID NO:Y, an amino acid sequence encoded by SEQ ID NO:X, an amino acid sequence encoded by the portion of SEQ ID NO:X as defined in columnns 8 and 9 of Table 2, an amino acid sequence encoded by the complement of SEQ ID NO:X, an amino acid sequence encoded by cDNA contained in ATCC Deposit No:Z, and/or the amino acid sequence of a mature (secreted) polypeptide encoded by cDNA contained in ATCC Deposit No:Z, or a fragment thereof, which contains, in order of ever-increasing preference, at least one, but not more than 10, 9, 8, 7, 6, 5, 4, 3, 2 or 1 amino acid substitutions.

In specific embodiments, the polypeptides of the invention comprise, or alternatively, consist of, fragments or variants of a reference amino acid sequence selected from: (a) the amino acid sequence of SEQ ID NO:Y or fragments thereof (e.g., the mature formand/or other fragments described herein); (b) the amino acid sequence encoded by SEQ ID NO:X or fragments thereof; (c) the amino acid sequence encoded by the complement of SEQ ID NO:X or fragments thereof; (d) the amino acid sequence encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2 or fragments thereof; and (e) the amino acid sequence encoded by cDNA contained in ATCC Deposit No:Z or fragments thereof; wherein the fragments or variants have 1-5, 5-10, 5-25, 5-50, 10-50 or 50-150, amino acid residue additions, substitutions, and/or deletions when compared to the reference amino acid sequence. In preferred embodiments, the amino acid substitutions are conservative. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Polynucleotide and Polypeptide Fragments

The present invention is also directed to polynucleotide fragments of the polynucleotides (nucleic acids) of the invention. In the present invention, a "polynucleotide fragment" refers to a polynucleotide having a nucleic acid sequence which, for example: is a portion of the cDNA contained in ATCC Deposit No:Z or the complementary strand thereto; is a

portion of the polynucleotide sequence encoding the polypeptide encoded by the cDNA contained in ATCC Deposit No:Z or the complementary strand thereto; is a portion of the polynucleotide sequence encoding the mature (secreted) polypeptide encoded by the cDNA contained in ATCC Deposit No:Z or the complementary strand thereto; is a portion of a polynucleotide sequence encoding the mature amino acid sequence as defined in columns 14 and 15 of Table 1A or the complementary strand thereto; is a portion of a polynucleotide sequence encoding the amino acid sequence encoded by the region of SEQ ID NO:X as defined in columns 8 and 9 of Table 2 or the complementary strand thereto; is a portion of the polynucleotide sequence of SEQ ID NO:X as defined in columns 8 and 9 of Table 2 or the complementary strand thereto; is a portion of the polynucleotide sequence in SEQ ID NO:X or the complementary strand thereto; is a polynucleotide sequence encoding a portion of the polypeptide of SEQ ID NO:Y; is a polynucleotide sequence encoding a portion of a polypeptide encoded by SEQ ID NO:X; is a polynucleotide sequence encoding a portion of a polypeptide encoded by the complement of the polynucleotide sequence in SEQ ID NO:X; is a portion of a polynucleotide sequence encoding the amino acid sequence encoded by the region of SEQ ID NO:B as defined in column 6 of Table 1C or the complementary strand thereto; or is a portion of the polynucleotide sequence of SEQ ID NO:B as defined in column 6 of Table 1C or the complementary strand thereto.

The polynucleotide fragments of the invention are preferably at least about 15 nt, and more preferably at least about 20 nt, still more preferably at least about 30 nt, and even more preferably, at least about 40 nt, at least about 50 nt, at least about 75 nt, or at least about 150 nt in length. A fragment "at least 20 nt in length," for example, is intended to include 20 or more contiguous bases from the cDNA sequence contained in ATCC Deposit No:Z, or the nucleotide sequence shown in SEQ ID NO:X or the complementary stand thereto. In this context "about" includes the particularly recited value or a value larger or smaller by several (5, 4, 3, 2, or 1) nucleotides, at either terminus or at both termini. These nucleotide fragments have uses that include, but are not limited to, as diagnostic probes and primers as discussed herein. Of course, larger fragments (e.g., at least 160, 170, 180, 190, 200, 250, 500, 600, 1000, or 2000 nucleotides in length) are also encompassed by the invention.

Moreover, representative examples of polynucleotide fragments of the invention comprise, or alternatively consist of, a sequence from about nucleotide number 1-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-400, 401-450, 451-500, 501-550, 551-600, 601-650, 651-700, 701-750, 751-800, 801-850, 851-900, 901-950, 951-1000, 1001-1050, 1051-1100, 1101-1150, 1151-1200, 1201-1250, 1251-1300, 1301-1350, 1351-1400, 1401-1450, 1451-1500, 1501-1550, 1551-1600, 1601-1650, 1651-1700, 1701-1750, 1751-1800, 1801-1850, 1851-1900, 1901-1950, 1951-2000, 2001-2050, 2051-2100, 2101-2150, 2151-2200, 2201-2250, 2251-2300, 2301-2350, 2351-2400, 2401-2450, 2451-2500, 2501-2550, 2551-2600, 2601-2650, 2651-2700, 2701-2750, 2751-2800, 2801-2850, 2851-2900, 2901-2950, 2951-3000, 3001-3050, 3051-3100,

3101-3150, 3151-3200, 3201-3250, 3251-3300, 3301-3350, 3351-3400, 3401-3450, 3451-3500, 3501-3550, 3551-3600, 3601-3650, 3651-3700, 3701-3750, 3751-3800, 3801-3850, 3851-3900, 3901-3950, 3951-4000, 4001-4050, 4051-4100, 4101-4150, 4151-4200, 4201-4250, 4251-4300, 4301-4350, 4351-4400, 4401-4450, 4451-4500, 4501-4550, 4551-4600, 4601-4650, 4651-4700, 4701-4750, 4751-4800, 4801-4850, 4851-4900, 4901-4950, 4951-5000, 5001-5050, 5051-5100, 5101-5150, 5151-5200, 5201-5250, 5251-5300, 5301-5350, 5351-5400, 5401-5450, 5451-5500, 5501-5550, 5551-5600, 5601-5650, 5651-5700, 5701-5750, 5751-5800, 5801-5850, 5851-5900, 5901-5950, 5951-6000, 6001-6050, 6051-6100, 6101-6150, 6151-6200, 6201-6250, 6251-6300, 6301-6350, 6351-6400, 6401-6450, 6451-6500, 6501-6550, 6551-6600, 6601-6650, 6651-6700, 6701-6750, 6751-6800, 6801-6850, 6851-6900, 6901-6950, 6951-7000, 7001-7050, 7051-7100, 7101-7150, 7151-7200, 7201-7250, 7251-7300 or 7301 to the end of SEQ ID NO:X, or the complementary strand thereto. In this context "about" includes the particularly recited range or a range larger or smaller by several (5, 4, 3, 2, or 1) nucleotides, at either terminus or at both termini. Preferably, these fragments encode a polypeptide which has a functional activity (e.g., biological activity; such as, for example, activity useful in detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating cardiovascular diseases and disorders). More preferably, these polynucleotides can be used as probes or primers as discussed herein. Polynucleotides which hybridize to one or more of these polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

Further representative examples of polynucleotide fragments of the invention comprise, or alternatively consist of, a sequence from about nucleotide number 1-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-400, 401-450, 451-500, 501-550, 551-600, 601-650, 651-700, 701-750, 751-800, 801-850, 851-900, 901-950, 951-1000, 1001-1050, 1051-1100, 1101-1150, 1151-1200, 1201-1250, 1251-1300, 1301-1350, 1351-1400, 1401-1450, 1451-1500, 1501-1550, 1551-1600, 1601-1650, 1651-1700, 1701-1750, 1751-1800, 1801-1850, 1851-1900, 1901-1950, 1951-2000, 2001-2050, 2051-2100, 2101-2150, 2151-2200, 2201-2250, 2251-2300, 2301-2350, 2351-2400, 2401-2450, 2451-2500, 2501-2550, 2551-2600, 2601-2650, 2651-2700, 2701-2750, 2751-2800, 2801-2850, 2851-2900, 2901-2950, 2951-3000, 3001-3050, 3051-3100, 3101-3150, 3151-3200, 3201-3250, 3251-3300, 3301-3350, 3351-3400, 3401-3450, 3451-3500, 3501-3550, 3551-3600, 3601-3650, 3651-3700, 3701-3750, 3751-3800, 3801-3850, 3851-3900, 3901-3950, 3951-4000, 4001-4050, 4051-4100, 4101-4150, 4151-4200, 4201-4250, 4251-4300, 4301-4350, 4351-4400, 4401-4450, 4451-4500, 4501-4550, 4551-4600, 4601-4650, 4651-4700, 4701-4750, 4751-4800, 4801-4850, 4851-4900, 4901-4950, 4951-5000, 5001-5050, 5051-5100, 5101-5150, 5151-5200, 5201-5250, 5251-5300, 5301-5350, 5351-5400, 5401-5450, 5451-5500, 5501-5550, 5551-5600, 5601-5650, 5651-5700, 5701-5750, 5751-5800, 5801-5850, 5851-5900, 5901-5950, 5951-6000, 6001-6050, 6051-6100, 6101-6150, 6151-6200, 6201-6250, 6251-6300,

6301-6350, 6351-6400, 6401-6450, 6451-6500, 6501-6550, 6551-6600, 6601-6650, 6651-6700, 6701-6750, 6751-6800, 6801-6850, 6851-6900, 6901-6950, 6951-7000, 7001-7050, 7051-7100, 7101-7150, 7151-7200, 7201-7250, 7251-7300 or 7301 to the end of the cDNA sequence contained in ATCC Deposit No:Z, or the complementary strand thereto. In this context "about" includes the particularly recited range or a range larger or smaller by several (5, 4, 3, 2, or 1) nucleotides, at either terminus or at both termini. Preferably, these fragments encode a polypeptide which has a functional activity (e.g., biological activity). More preferably, these polynucleotides can be used as probes or primers as discussed herein. Polynucleotides which hybridize to one or more of these polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

Moreover, representative examples of polynucleotide fragments of the invention comprise, or alternatively consist of, a nucleic acid sequence comprising one, two, three, four, five, six, seven, eight, nine, ten, or more of the above described polynucleotide fragments of the invention in combination with a polynucleotide sequence delineated in Table 1C column 6. Additional, representative examples of polynucleotide fragments of the invention comprise, or alternatively consist of, a nucleic acid sequence comprising one, two, three, four, five, six, seven, eight, nine, ten, or more of the above described polynucleotide fragments of the invention in combination with a polynucleotide sequence that is the complementary strand of a sequence delineated in column 6 of Table 1C. In further embodiments, the above-described polynucleotide fragments of the invention comprise, or alternatively consist of, sequences delineated in Table 1C, column 6, and have a nucleic acid sequence which is different from that of the BAC fragment having the sequence disclosed in SEQ ID NO:B (see Table 1C, column 5). In additional embodiments, the above-described polynucleotide fragments of the invention comprise, or alternatively consist of, sequences delineated in Table 1C, column 6, and have a nucleic acid sequence which is different from that published for the BAC clone identified as BAC ID NO:A (see Table 1C, column 4). In additional embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated Table 1C, column 6, and have a nucleic acid sequence which is different from that contained in the BAC clone identified as BAC ID NO:A (see Table 1C, column 4). Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides and polypeptides are also encompassed by the invention.

In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more fragments of the sequences delineated in column 6 of Table 1C, and the polynucleotide sequence of SEQ ID NO:X (e.g., as defined in Table 1C, column 2) or fragments or variants thereof. Polypeptides

encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention.

In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more fragments of the sequences delineated in column 6 of Table 1C which correspond to the same ATCC Deposit No:Z (see Table 1C, column 1), and the polynucleotide sequence of SEQ ID NO:X (e.g., as defined in Table 1A, 1B, or 1C) or fragments or variants thereof. Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention.

In further specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more fragments of the sequences delineated in the same row of column 6 of Table 1C, and the polynucleotide sequence of SEQ ID NO:X (e.g., as defined in Table 1A, 1B, or 1C) or fragments or variants thereof. Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention.

In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of a polynucleotide sequence in which the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1C and the 5' 10 polynucleotides of the sequence of SEQ ID NO:X are directly contiguous. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of a polynucleotide sequence in which the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1C and the 5' 10 polynucleotides of a fragment or variant of the sequence of SEQ ID NO:X (e.g., as described herein) are directly contiguous Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

In further specific embodiments, polynucleotides of the invention comprise, or alternatively consist of a polynucleotide sequence in which the 3' 10 polynucleotides of a fragment or variant of the sequence of SEQ ID NO:X and the 5' 10 polynucleotides of the sequence of one of the sequences delineated in column 6 of Table 1C are directly contiguous. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

In specific embodiments, polynucleotides of the invention comprise, or alternatively consist of a polynucleotide sequence in which the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1C and the 5' 10 polynucleotides of another sequence in column 6 are directly contiguous. In preferred embodiments, the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1C is directly contiguous with the 5' 10 polynucleotides of the next sequential exon delineated in Table 1C, column 6. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

In the present invention, a "polypeptide fragment" refers to an amino acid sequence which is a portion of the amino acid sequence contained in SEQ ID NO:Y, is a portion of the mature form of SEQ ID NO:Y as defined in columns 14 and 15 of Table 1A, a portion of an amino acid sequence encoded by the portion of SEQ ID NO:X as defined in columnns 8 and 9 of Table 2, is a portion of an amino acid sequence encoded by the polynucleotide sequence of SEQ ID NO:X, is a portion of an amino acid sequence encoded by the complement of the polynucleotide sequence in SEQ ID NO:X, is a portion of the amino acid sequence of a mature (secreted) polypeptide encoded by the cDNA contained in ATCC Deposit No:Z, and/or is a portion of an amino acid sequence encoded by the cDNA contained in ATCC Deposit No:Z. Protein (polypeptide) fragments may be "free-standing," or comprised within a larger polypeptide of which the fragment forms a part or region, most preferably as a single continuous region. Representative examples of polypeptide fragments of the invention, include, for example, fragments comprising, or alternatively consisting of, from about amino acid number 1-20, 21-40, 41-60, 61-80, 81-100, 101-

120, 121-140, 141-160, 161-180, 181-200, 201-220, 221-240, 241-260, 261-280, 281-300, 301-320, 321-340, 341-360, 361-380, 381-400, 401-420, 421-440, 441-460, 461-480, 481-500, 501-520, 521-540, 541-560, 561-580, 581-600, 601-620, 621-640, 641-660, 661-680, 681-700, 701-720, 721-740, 741-760, 761-780, 781-800, 801-820, 821-840, 841-860, 861-880, 881-900, 901-920, 921-940, 941-960, 961-980, 981-1000, 1001-1020, 1021-1040, 1041-1060, 1061-1080, 1081-1100, 1101-1120, 1121-1140, 1141-1160, 1161-1180, 1181-1200, 1201-1220, 1221-1240, 1241-1260, 1261-1280, 1281-1300, 1301-1320, 1321-1340, 1341-1360, 1361-1380, 1381-1400, 1401-1420, 1421-1440, or 1441 to the end of the coding region of cDNA and SEQ ID NO: Y. In a preferred embodiment, polypeptide fragments of the invention include, for example, fragments comprising, or alternatively consisting of, from about amino acid number 1-20, 21-40, 41-60, 61-80, 81-100, 101-120, 121-140, 141-160, 161-180, 181-200, 201-220, 221-240, 241-260, 261-280, 281-300, 301-320, 321-340, 341-360, 361-380, 381-400, 401-420, 421-440, 441-460, 461-480, 481-500, 501-520, 521-540, 541-560, 561-580, 581-600, 601-620, 621-640, 641-660, 661-680, 681-700, 701-720, 721-740, 741-760, 761-780, 781-800, 801-820, 821-840, 841-860, 861-880, 881-900, 901-920, 921-940, 941-960, 961-980, 981-1000, 1001-1020, 1021-1040, 1041-1060, 1061-1080, 1081-1100, 1101-1120, 1121-1140, 1141-1160, 1161-1180, 1181-1200, 1201-1220, 1221-1240, 1241-1260, 1261-1280, 1281-1300, 1301-1320, 1321-1340, 1341-1360, 1361-1380, 1381-1400, 1401-1420, 1421-1440, or 1441 to the end of the coding region of SEQ ID NO:Y. Moreover, polypeptide fragments of the invention may be at least about 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 130, 140, or 150 amino acids in length. In this context "about" includes the particularly recited ranges or values, or ranges or values larger or smaller by several (5, 4, 3, 2, or 1) amino acids, at either extreme or at both extremes. Polynucleotides encoding these polypeptide fragments are also encompassed by the invention.

Even if deletion of one or more amino acids from the N-terminus of a protein results in modification of loss of one or more biological functions of the protein, other functional activities (e.g., biological activities; such as, for example, activity useful in detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating cardiovascular diseases and disorders; ability to multimerize; ability to bind a ligand; antigenic ability useful for production of polypeptide specific antibodies) may still be retained. For example, the ability of shortened muteins to induce and/or bind to antibodies which recognize the complete or mature forms of the polypeptides generally will be retained when less than the majority of the residues of the complete or mature polypeptide are removed from the N-terminus. Whether a particular polypeptide lacking N-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a mutein with a large number of deleted N-terminal amino acid residues may retain some biological or immunogenic activities. In fact, peptides composed of as few as six amino acid residues may often evoke an immune response.

Accordingly, polypeptide fragments include the secreted protein as well as the mature form. Further preferred polypeptide fragments include the secreted protein or the mature form having a continuous series of deleted residues from the amino or the carboxy terminus, or both. For example, any number of amino acids, ranging from 1-60, can be deleted from the amino terminus of either the secreted polypeptide or the mature form. Similarly, any number of amino acids, ranging from 1-30, can be deleted from the carboxy terminus of the secreted protein or mature form. Furthermore, any combination of the above amino and carboxy terminus deletions are preferred. Similarly, polynucleotides encoding these polypeptide fragments are also preferred.

The present invention further provides polypeptides having one or more residues deleted from the amino terminus of the amino acid sequence of a polypeptide disclosed herein (e.g., a polypeptide of SEQ ID NO:Y, a polypeptide as defined in columns 14 and 15 of Table 1A, a polypeptide encoded by the polynucleotide sequence contained in SEQ ID NO:X or the complement thereof, a polypeptide encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, a polypeptide encoded by the portion of SEQ ID NO:B as defined in column 6 of Table 1C, a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z, and/or a mature polypeptide encoded by the cDNA contained in ATCC Deposit No:Z). In particular, N-terminal deletions may be described by the general formula m-q, where q is a whole integer representing the total number of amino acid residues in a polypeptide of the invention (e.g., the polypeptide disclosed in SEQ ID NO:Y, the mature (secreted) portion of SEQ ID NO:Y as defined in columns 14 and 15 of Table 1A, or the polypeptide encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2), and m is defined as any integer ranging from 2 to q-6. Polynucleotides encoding these polypeptides are also encompassed by the invention.

The present invention further provides polypeptides having one or more residues from the carboxy terminus of the amino acid sequence of a polypeptide disclosed herein (e.g., a polypeptide of SEQ ID NO:Y, the mature (secreted) portion of SEQ ID NO:Y as defined in columns 14 and 15 of Table 1A, a polypeptide encoded by the polynucleotide sequence contained in SEQ ID NO:X, a polypeptide encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, a polypeptide encoded by the portion of SEQ ID NO:B as defined in column 6 of Table 1C, a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z, and/or a mature polypeptide encoded by the cDNA contained in ATCC Deposit No:Z). In particular, C-terminal deletions may be described by the general formula 1-n, where n is any whole integer ranging from 6 to q-1, and where n corresponds to the position of amino acid residue in a polypeptide of the invention. Polynucleotides encoding these polypeptides are also encompassed by the invention.

In addition, any of the above described N- or C-terminal deletions can be combined to produce a N- and C-terminal deleted polypeptide. The invention also provides polypeptides having one or more amino acids deleted from both the amino and the carboxyl termini, which may be described generally as having residues m-n of a polypeptide encoded by SEQ ID NO:X (e.g.,

including, but not limited to, the preferred polypeptide disclosed as SEQ ID NO:Y, the mature (secreted) portion of SEQ ID NO:Y as defined in columns 14 and 15 of Table 1A, and the polypeptide encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2), the cDNA contained in ATCC Deposit No:Z, and/or the complement thereof, where n and m are integers as described above. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Also as mentioned above, even if deletion of one or more amino acids from the C-terminus of a protein results in modification of loss of one or more biological functions of the protein, other functional activities (e.g., biological activities such as, for example, activity useful in detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating cardiovascular diseases and disorders; ability to multimerize; ability to bind a ligand; antigenic ability useful for production of polypeptide specific antibodies) may still be retained. For example the ability of the shortened mutein to induce and/or bind to antibodies which recognize the complete or mature forms of the polypeptide generally will be retained when less than the majority of the residues of the complete or mature polypeptide are removed from the C-terminus. Whether a particular polypeptide lacking C-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a mutein with a large number of deleted C-terminal amino acid residues may retain some biological or immunogenic activities. In fact, peptides composed of as few as six amino acid residues may often evoke an immune response.

The present application is also directed to proteins containing polypeptides at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to a polypeptide sequence set forth herein. In preferred embodiments, the application is directed to proteins containing polypeptides at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to polypeptides having the amino acid sequence of the specific N- and C-terminal deletions. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Any polypeptide sequence encoded by, for example, the polynucleotide sequences set forth as SEQ ID NO:X or the complement thereof, (presented, for example, in Tables 1A and 2), the cDNA contained in ATCC Deposit No:Z, or the polynucleotide sequence as defined in column 6 of Table 1C, may be analyzed to determine certain preferred regions of the polypeptide. For example, the amino acid sequence of a polypeptide encoded by a polynucleotide sequence of SEQ ID NO:X (e.g., the polypeptide of SEQ ID NO:Y and the polypeptide encoded by the portion of SEQ ID NO:X as defined in columnns 8 and 9 of Table 2) or the cDNA contained in ATCC Deposit No:Z may be analyzed using the default parameters of the DNASTAR computer algorithm (DNASTAR, Inc., 1228 S. Park St., Madison, WI 53715 USA; http://www.dnastar.com/).

Polypeptide regions that may be routinely obtained using the DNASTAR computer algorithm include, but are not limited to, Garnier-Robson alpha-regions, beta-regions, turn-regions, and coil-regions; Chou-Fasman alpha-regions, beta-regions, and turn-regions; Kyte-Doolittle hydrophilic regions and hydrophobic regions; Eisenberg alpha- and beta-amphipathic regions; Karplus-Schulz flexible regions; Emini surface-forming regions; and Jameson-Wolf regions of high antigenic index. Among highly preferred polynucleotides of the invention in this regard are those that encode polypeptides comprising regions that combine several structural features, such as several (e.g., 1, 2, 3 or 4) of the features set out above.

Additionally, Kyte-Doolittle hydrophilic regions and hydrophobic regions, Emini surface-forming regions, and Jameson-Wolf regions of high antigenic index (i.e., containing four or more contiguous amino acids having an antigenic index of greater than or equal to 1.5, as identified using the default parameters of the Jameson-Wolf program) can routinely be used to determine polypeptide regions that exhibit a high degree of potential for antigenicity. Regions of high antigenicity are determined from data by DNASTAR analysis by choosing values which represent regions of the polypeptide which are likely to be exposed on the surface of the polypeptide in an environment in which antigen recognition may occur in the process of initiation of an immune response.

Preferred polypeptide fragments of the invention are fragments comprising, or alternatively, consisting of, an amino acid sequence that displays a functional activity (e.g. biological activity such as, for example, activity useful in detecting, preventing, diagnosing, prognosticating, treating, and/or ameliorating cardiovascular diseases and disorders; ability to multimerize; ability to bind a ligand; antigenic ability useful for production of polypeptide specific antibodies) of the polypeptide sequence of which the amino acid sequence is a fragment. By a polypeptide displaying a "functional activity" is meant a polypeptide capable of one or more known functional activities associated with a full-length protein, such as, for example, biological activity, antigenicity, immunogenicity, and/or multimerization, as described herein.

Other preferred polypeptide fragments are biologically active fragments. Biologically active fragments are those exhibiting activity similar, but not necessarily identical, to an activity of the polypeptide of the present invention. The biological activity of the fragments may include an improved desired activity, or a decreased undesirable activity.

In preferred embodiments, polypeptides of the invention comprise, or alternatively consist of, one, two, three, four, five or more of the antigenic fragments of the polypeptide of SEQ ID NO:Y, or portions thereof. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Epitopes and Antibodies

The present invention encompasses polypeptides comprising, or alternatively consisting of, an epitope of: the polypeptide sequence shown in SEQ ID NO:Y; a polypeptide sequence encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide sequence encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2; the polypeptide sequence encoded by the portion of SEQ ID NO:B as defined in column 6 of Table 1C or the complement thereto; the polypeptide sequence encoded by the cDNA contained in ATCC Deposit No:Z; or the polypeptide sequence encoded by a polynucleotide that hybridizes to the sequence of SEQ ID NO:X, the complement of the sequence of SEQ ID NO:X, the complement of a portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, or the cDNA sequence contained in ATCC Deposit No:Z under stringent hybridization conditions or alternatively, under lower stringency hybridization as defined *supra*. The present invention further encompasses polynucleotide sequences encoding an epitope of a polypeptide sequence of the invention (such as, for example, the sequence disclosed in SEQ ID NO:X, or a fragment thereof), polynucleotide sequences of the complementary strand of a polynucleotide sequence encoding an epitope of the invention, and polynucleotide sequences which hybridize to the complementary strand under stringent hybridization conditions or alternatively, under lower stringency hybridization conditions defined *supra*.

The term "epitopes," as used herein, refers to portions of a polypeptide having antigenic or immunogenic activity in an animal, preferably a mammal, and most preferably in a human. In a preferred embodiment, the present invention encompasses a polypeptide comprising an epitope, as well as the polynucleotide encoding this polypeptide. An "immunogenic epitope," as used herein, is defined as a portion of a protein that elicits an antibody response in an animal, as determined by any method known in the art, for example, by the methods for generating antibodies described *infra*. (See, for example, Geysen et al., Proc. Natl. Acad. Sci. USA 81:3998-4002 (1983)). The term "antigenic epitope," as used herein, is defined as a portion of a protein to which an antibody can immunospecifically bind its antigen as determined by any method well known in the art, for example, by the immunoassays described herein. Immunospecific binding excludes non-specific binding but does not necessarily exclude cross- reactivity with other antigens. Antigenic epitopes need not necessarily be immunogenic.

Fragments which function as epitopes may be produced by any conventional means. (See, e.g., Houghten, R. A., Proc. Natl. Acad. Sci. USA 82:5131-5135 (1985) further described in U.S. Patent No. 4,631,211.)

In the present invention, antigenic epitopes preferably contain a sequence of at least 4, at least 5, at least 6, at least 7, more preferably at least 8, at least 9, at least 10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 20, at least 25, at least 30, at least 40, at least 50, and, most preferably, between about 15 to about 30 amino acids. Preferred polypeptides comprising immunogenic or antigenic epitopes are at least 10, 15, 20, 25, 30, 35, 40, 45, 50, 55,

60, 65, 70, 75, 80, 85, 90, 95, or 100 amino acid residues in length. Additional non-exclusive preferred antigenic epitopes include the antigenic epitopes disclosed herein, as well as portions thereof. Antigenic epitopes are useful, for example, to raise antibodies, including monoclonal antibodies, that specifically bind the epitope. Preferred antigenic epitopes include the antigenic epitopes disclosed herein, as well as any combination of two, three, four, five or more of these antigenic epitopes. Antigenic epitopes can be used as the target molecules in immunoassays. (See, for instance, Wilson et al., Cell 37:767-778 (1984); Sutcliffe et al., Science 219:660-666 (1983)).

Non-limiting examples of epitopes of polypeptides that can be used to generate antibodies of the invention include a polypeptide comprising, or alternatively consisting of, at least one, two, three, four, five, six or more of the portion(s) of SEQ ID NO:Y specified in Table 1B. These polypeptide fragments have been determined to bear antigenic epitopes of the proteins of the invention by the analysis of the Jameson-Wolf antigenic index which is included in the DNAStar suite of computer programs. By "comprise" it is intended that a polypeptide contains at least one, two, three, four, five, six or more of the portion(s) of SEQ ID NO:Y shown in Table 1B, but it may contain additional flanking residues on either the amino or carboxyl termini of the recited portion. Such additional flanking sequences are preferably sequences naturally found adjacent to the portion; i.e., contiguous sequence shown in SEQ ID NO:Y. The flanking sequence may, however, be sequences from a heterolgous polypeptide, such as from another protein described herein or from a heterologous polypeptide not described herein. In particular embodiments, epitope portions of a polypeptide of the invention comprise one, two, three, or more of the portions of SEQ ID NO:Y shown in Table 1B.

Similarly, immunogenic epitopes can be used, for example, to induce antibodies according to methods well known in the art. See, for instance, Sutcliffe et al., *supra*; Wilson et al., *supra*; Chow et al., Proc. Natl. Acad. Sci. USA 82:910-914; and Bittle et al., J. Gen. Virol. 66:2347-2354 (1985). Preferred immunogenic epitopes include the immunogenic epitopes disclosed herein, as well as any combination of two, three, four, five or more of these immunogenic epitopes. The polypeptides comprising one or more immunogenic epitopes may be presented for eliciting an antibody response together with a carrier protein, such as an albumin, to an animal system (such as rabbit or mouse), or, if the polypeptide is of sufficient length (at least about 25 amino acids), the polypeptide may be presented without a carrier. However, immunogenic epitopes comprising as few as 8 to 10 amino acids have been shown to be sufficient to raise antibodies capable of binding to, at the very least, linear epitopes in a denatured polypeptide (e.g., in Western blotting).

Epitope-bearing polypeptides of the present invention may be used to induce antibodies according to methods well known in the art including, but not limited to, *in vivo* immunization, in vitro immunization, and phage display methods. See, e.g., Sutcliffe et al., *supra*; Wilson et al.,

supra, and Bittle et al., J. Gen. Virol., 66:2347-2354 (1985). If *in vivo* immunization is used, animals may be immunized with free peptide; however, anti-peptide antibody titer may be boosted by coupling the peptide to a macromolecular carrier, such as keyhole limpet hemacyanin (KLH) or tetanus toxoid. For instance, peptides containing cysteine residues may be coupled to a carrier using a linker such as maleimidobenzoyl- N-hydroxysuccinimide ester (MBS), while other peptides may be coupled to carriers using a more general linking agent such as glutaraldehyde. Animals such as rabbits, rats and mice are immunized with either free or carrier- coupled peptides, for instance, by intraperitoneal and/or intradermal injection of emulsions containing about 100 μg of peptide or carrier protein and Freund's adjuvant or any other adjuvant known for stimulating an immune response. Several booster injections may be needed, for instance, at intervals of about two weeks, to provide a useful titer of anti-peptide antibody which can be detected, for example, by ELISA assay using free peptide adsorbed to a solid surface. The titer of anti-peptide antibodies in serum from an immunized animal may be increased by selection of anti-peptide antibodies, for instance, by adsorption to the peptide on a solid support and elution of the selected antibodies according to methods well known in the art.

As one of skill in the art will appreciate, and as discussed above, the polypeptides of the present invention (e.g., those comprising an immunogenic or antigenic epitope) can be fused to heterologous polypeptide sequences. For example, polypeptides of the present invention (including fragments or variants thereof), may be fused with the constant domain of immunoglobulins (IgA, IgE, IgG, IgM), or portions thereof (CH1, CH2, CH3, or any combination thereof and portions thereof, resulting in chimeric polypeptides. By way of another non-limiting example, polypeptides and/or antibodies of the present invention (including fragments or variants thereof) may be fused with albumin (including but not limited to recombinant human serum albumin or fragments or variants thereof (see, e.g., U.S. Patent No. 5,876,969, issued March 2, 1999, EP Patent 0 413 622, and U.S. Patent No. 5,766,883, issued June 16, 1998, herein incorporated by reference in their entirety)). In a preferred embodiment, polypeptides and/or antibodies of the present invention (including fragments or variants thereof) are fused with the mature form of human serum albumin (i.e., amino acids 1 – 585 of human serum albumin as shown in Figures 1 and 2 of EP Patent 0 322 094) which is herein incorporated by reference in its entirety. In another preferred embodiment, polypeptides and/or antibodies of the present invention (including fragments or variants thereof) are fused with polypeptide fragments comprising, or alternatively consisting of, amino acid residues 1-z of human serum albumin, where z is an integer from 369 to 419, as described in U.S. Patent 5,766,883 herein incorporated by reference in its entirety. Polypeptides and/or antibodies of the present invention (including fragments or variants thereof) may be fused to either the N- or C-terminal end of the heterologous protein (e.g., immunoglobulin Fc polypeptide or human serum albumin polypeptide). Polynucleotides encoding fusion proteins of the invention are also encompassed by the invention.

Such fusion proteins as those described above may facilitate purification and may increase half-life *in vivo*. This has been shown for chimeric proteins consisting of the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light chains of mammalian immunoglobulins. See, e.g., EP 394,827; Traunecker et al., Nature, 331:84-86 (1988). Enhanced delivery of an antigen across the epithelial barrier to the immune system has been demonstrated for antigens (e.g., insulin) conjugated to an FcRn binding partner such as IgG or Fc fragments (see, e.g., PCT Publications WO 96/22024 and WO 99/04813). IgG fusion proteins that have a disulfide-linked dimeric structure due to the IgG portion desulfide bonds have also been found to be more efficient in binding and neutralizing other molecules than monomeric polypeptides or fragments thereof alone. See, e.g., Fountoulakis et al., J. Biochem., 270:3958-3964 (1995). Nucleic acids encoding the above epitopes can also be recombined with a gene of interest as an epitope tag (e.g., the hemagglutinin (HA) tag or flag tag) to aid in detection and purification of the expressed polypeptide. For example, a system described by Janknecht et al. allows for the ready purification of non-denatured fusion proteins expressed in human cell lines (Janknecht et al., 1991, Proc. Natl. Acad. Sci. USA 88:8972- 897). In this system, the gene of interest is subcloned into a vaccinia recombination plasmid such that the open reading frame of the gene is translationally fused to an amino-terminal tag consisting of six histidine residues. The tag serves as a matrix binding domain for the fusion protein. Extracts from cells infected with the recombinant vaccinia virus are loaded onto Ni2+ nitriloacetic acid-agarose column and histidine-tagged proteins can be selectively eluted with imidazole-containing buffers.

Fusion Proteins

Any polypeptide of the present invention can be used to generate fusion proteins. For example, the polypeptide of the present invention, when fused to a second protein, can be used as an antigenic tag. Antibodies raised against the polypeptide of the present invention can be used to indirectly detect the second protein by binding to the polypeptide. Moreover, because secreted proteins target cellular locations based on trafficking signals, polypeptides of the present invention which are shown to be secreted can be used as targeting molecules once fused to other proteins.

Examples of domains that can be fused to polypeptides of the present invention include not only heterologous signal sequences, but also other heterologous functional regions. The fusion does not necessarily need to be direct, but may occur through linker sequences.

In certain preferred embodiments, proteins of the invention are fusion proteins comprising an amino acid sequence that is an N and/or C- terminal deletion of a polypeptide of the invention. In preferred embodiments, the invention is directed to a fusion protein comprising an amino acid sequence that is at least 90%, 95%, 96%, 97%, 98% or 99% identical to a polypeptide sequence of the invention. Polynucleotides encoding these proteins are also encompassed by the invention.

Moreover, fusion proteins may also be engineered to improve characteristics of the polypeptide of the present invention. For instance, a region of additional amino acids, particularly charged amino acids, may be added to the N-terminus of the polypeptide to improve stability and persistence during purification from the host cell or subsequent handling and storage. Also, peptide moieties may be added to the polypeptide to facilitate purification. Such regions may be removed prior to final preparation of the polypeptide. The addition of peptide moieties to facilitate handling of polypeptides are familiar and routine techniques in the art.

As one of skill in the art will appreciate that, as discussed above, polypeptides of the present invention, and epitope-bearing fragments thereof, can be combined with heterologous polypeptide sequences. For example, the polypeptides of the present invention may be fused with heterologous polypeptide sequences, for example, the polypeptides of the present invention may be fused with the constant domain of immunoglobulins (IgA, IgE, IgG, IgM) or portions thereof (CH1, CH2, CH3, and any combination thereof, including both entire domains and portions thereof), or albumin (including, but not limited to, native or recombinant human albumin or fragments or variants thereof (see, e.g., U.S. Patent No. 5,876,969, issued March 2, 1999, EP Patent 0 413 622, and U.S. Patent No. 5,766,883, issued June 16, 1998, herein incorporated by reference in their entirety)), resulting in chimeric polypeptides. For example, EP-A-O 464 533 (Canadian counterpart 2045869) discloses fusion proteins comprising various portions of constant region of immunoglobulin molecules together with another human protein or part thereof. In many cases, the Fc part in a fusion protein is beneficial in therapy and diagnosis, and thus can result in, for example, improved pharmacokinetic properties (EP-A 0232 262). Alternatively, deleting the Fc part after the fusion protein has been expressed, detected, and purified, would be desired. For example, the Fc portion may hinder therapy and diagnosis if the fusion protein is used as an antigen for immunizations. In drug discovery, for example, human proteins, such as hIL-5, have been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of hIL-5. See, D. Bennett et al., J. Molecular Recognition 8:52-58 (1995); K. Johanson et al., J. Biol. Chem. 270:9459-9471 (1995).

Moreover, the polypeptides of the present invention can be fused to marker sequences, such as a polypeptide which facilitates purification of the fused polypeptide. In preferred embodiments, the marker amino acid sequence is a hexa-histidine peptide, such as the tag provided in a pQE vector (QIAGEN, Inc., 9259 Eton Avenue, Chatsworth, CA, 91311), among others, many of which are commercially available. As described in Gentz et al., Proc. Natl. Acad. Sci. USA 86:821-824 (1989), for instance, hexa-histidine provides for convenient purification of the fusion protein. Another peptide tag useful for purification, the "HA" tag, corresponds to an epitope derived from the influenza hemagglutinin protein (Wilson et al., Cell 37:767 (1984)).

Additional fusion proteins of the invention may be generated through the techniques of gene-shuffling, motif-shuffling, exon-shuffling, and/or codon-shuffling (collectively referred to as

"DNA shuffling"). DNA shuffling may be employed to modulate the activities of polypeptides of the invention, such methods can be used to generate polypeptides with altered activity, as well as agonists and antagonists of the polypeptides. See, generally, U.S. Patent Nos. 5,605,793; 5,811,238; 5,830,721; 5,834,252; and 5,837,458, and Patten et al., Curr. Opinion Biotechnol. 8:724-33 (1997); Harayama, Trends Biotechnol. 16(2):76-82 (1998); Hansson, et al., J. Mol. Biol. 287:265-76 (1999); and Lorenzo and Blasco, Biotechniques 24(2):308- 13 (1998) (each of these patents and publications are hereby incorporated by reference in its entirety). In one embodiment, alteration of polynucleotides corresponding to SEQ ID NO:X and the polypeptides encoded by these polynucleotides may be achieved by DNA shuffling. DNA shuffling involves the assembly of two or more DNA segments by homologous or site-specific recombination to generate variation in the polynucleotide sequence. In another embodiment, polynucleotides of the invention, or the encoded polypeptides, may be altered by being subjected to random mutagenesis by error-prone PCR, random nucleotide insertion or other methods prior to recombination. In another embodiment, one or more components, motifs, sections, parts, domains, fragments, etc., of a polynucleotide encoding a polypeptide of the invention may be recombined with one or more components, motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules.

Thus, any of these above fusions can be engineered using the polynucleotides or the polypeptides of the present invention.

Recombinant and Synthetic Production of Polypeptides of the Invention

The present invention also relates to vectors containing the polynucleotide of the present invention, host cells, and the production of polypeptides by synthetic and recombinant techniques. The vector may be, for example, a phage, plasmid, viral, or retroviral vector. Retroviral vectors may be replication competent or replication defective. In the latter case, viral propagation generally will occur only in complementing host cells.

The polynucleotides of the invention may be joined to a vector containing a selectable marker for propagation in a host. Generally, a plasmid vector is introduced in a precipitate, such as a calcium phosphate precipitate, or in a complex with a charged lipid. If the vector is a virus, it may be packaged in vitro using an appropriate packaging cell line and then transduced into host cells.

The polynucleotide insert should be operatively linked to an appropriate promoter, such as the phage lambda PL promoter, the E. coli lac, trp, phoA and tac promoters, the SV40 early and late promoters and promoters of retroviral LTRs, to name a few. Other suitable promoters will be known to the skilled artisan. The expression constructs will further contain sites for transcription initiation, termination, and, in the transcribed region, a ribosome binding site for translation. The coding portion of the transcripts expressed by the constructs will preferably

include a translation initiating codon at the beginning and a termination codon (UAA, UGA or UAG) appropriately positioned at the end of the polypeptide to be translated.

As indicated, the expression vectors will preferably include at least one selectable marker. Such markers include dihydrofolate reductase, G418, glutamine synthase, or neomycin resistance for eukaryotic cell culture, and tetracycline, kanamycin or ampicillin resistance genes for culturing in E. coli and other bacteria. Representative examples of appropriate hosts include, but are not limited to, bacterial cells, such as E. coli, Streptomyces and Salmonella typhimurium cells; fungal cells, such as yeast cells (e.g., Saccharomyces cerevisiae or Pichia pastoris (ATCC Accession No. 201178)); insect cells such as Drosophila S2 and Spodoptera Sf9 cells; animal cells such as CHO, COS, 293, and Bowes melanoma cells; and plant cells. Appropriate culture mediums and conditions for the above-described host cells are known in the art.

Among vectors preferred for use in bacteria include pQE70, pQE60 and pQE-9, available from QIAGEN, Inc.; pBluescript vectors, Phagescript vectors, pNH8A, pNH16a, pNH18A, pNH46A, available from Stratagene Cloning Systems, Inc.; and ptrc99a, pKK223-3, pKK233-3, pDR540, pRIT5 available from Pharmacia Biotech, Inc. Among preferred eukaryotic vectors are pWLNEO, pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; and pSVK3, pBPV, pMSG and pSVL available from Pharmacia. Preferred expression vectors for use in yeast systems include, but are not limited to pYES2, pYD1, pTEF1/Zeo, pYES2/GS, pPICZ, pGAPZ, pGAPZalph, pPIC9, pPIC3.5, pHIL-D2, pHIL-S1, pPIC3.5K, pPIC9K, and PAO815 (all available from Invitrogen, Carlbad, CA). Other suitable vectors will be readily apparent to the skilled artisan.

Vectors which use glutamine synthase (GS) or DHFR as the selectable markers can be amplified in the presence of the drugs methionine sulphoximine or methotrexate, respectively. An advantage of glutamine synthase based vectors are the availabilty of cell lines (e.g., the murine myeloma cell line, NS0) which are glutamine synthase negative. Glutamine synthase expression systems can also function in glutamine synthase expressing cells (e.g., Chinese Hamster Ovary (CHO) cells) by providing additional inhibitor to prevent the functioning of the endogenous gene. A glutamine synthase expression system and components thereof are detailed in PCT publications: WO87/04462; WO86/05807; WO89/01036; WO89/10404; and WO91/06657, which are hereby incorporated in their entireties by reference herein. Additionally, glutamine synthase expression vectors can be obtained from Lonza Biologics, Inc. (Portsmouth, NH). Expression and production of monoclonal antibodies using a GS expression system in murine myeloma cells is described in Bebbington *et al.*, *Bio/technology* 10:169(1992) and in Biblia and Robinson *Biotechnol. Prog.* 11:1 (1995) which are herein incorporated by reference.

The present invention also relates to host cells containing the above-described vector constructs described herein, and additionally encompasses host cells containing nucleotide sequences of the invention that are operably associated with one or more heterologous control

regions (e.g., promoter and/or enhancer) using techniques known of in the art. The host cell can be a higher eukaryotic cell, such as a mammalian cell (e.g., a human derived cell), or a lower eukaryotic cell, such as a yeast cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. A host strain may be chosen which modulates the expression of the inserted gene sequences, or modifies and processes the gene product in the specific fashion desired. Expression from certain promoters can be elevated in the presence of certain inducers; thus expression of the genetically engineered polypeptide may be controlled. Furthermore, different host cells have characteristics and specific mechanisms for the translational and post-translational processing and modification (e.g., phosphorylation, cleavage) of proteins. Appropriate cell lines can be chosen to ensure the desired modifications and processing of the foreign protein expressed.

Introduction of the nucleic acids and nucleic acid constructs of the invention into the host cell can be effected by calcium phosphate transfection, DEAE-dextran mediated transfection, cationic lipid-mediated transfection, electroporation, transduction, infection, or other methods. Such methods are described in many standard laboratory manuals, such as Davis et al., Basic Methods In Molecular Biology (1986). It is specifically contemplated that the polypeptides of the present invention may in fact be expressed by a host cell lacking a recombinant vector.

In addition to encompassing host cells containing the vector constructs discussed herein, the invention also encompasses primary, secondary, and immortalized host cells of vertebrate origin, particularly mammalian origin, that have been engineered to delete or replace endogenous genetic material (e.g., the coding sequence), and/or to include genetic material (e.g., heterologous polynucleotide sequences) that is operably associated with polynucleotides of the invention, and which activates, alters, and/or amplifies endogenous polynucleotides. For example, techniques known in the art may be used to operably associate heterologous control regions (e.g., promoter and/or enhancer) and endogenous polynucleotide sequences via homologous recombination (see, e.g., US Patent Number 5,641,670, issued June 24, 1997; International Publication Number WO 96/29411; International Publication Number WO 94/12650; Koller *et al.*, *Proc. Natl. Acad. Sci. USA 86*:8932-8935 (1989); and Zijlstra *et al.*, *Nature 342*:435-438 (1989), the disclosures of each of which are incorporated by reference in their entireties).

Polypeptides of the invention can be recovered and purified from recombinant cell cultures by well-known methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Most preferably, high performance liquid chromatography ("HPLC") is employed for purification.

Polypeptides of the present invention can also be recovered from: products purified from natural sources, including bodily fluids, tissues and cells, whether directly isolated or cultured; products of chemical synthetic procedures; and products produced by recombinant

techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, higher plant, insect, and mammalian cells. Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. In addition, polypeptides of the invention may also include an initial modified methionine residue, in some cases as a result of host-mediated processes. Thus, it is well known in the art that the N-terminal methionine encoded by the translation initiation codon generally is removed with high efficiency from any protein after translation in all eukaryotic cells. While the N-terminal methionine on most proteins also is efficiently removed in most prokaryotes, for some proteins, this prokaryotic removal process is inefficient, depending on the nature of the amino acid to which the N-terminal methionine is covalently linked.

In one embodiment, the yeast *Pichia pastoris* is used to express polypeptides of the invention in a eukaryotic system. *Pichia pastoris* is a methylotrophic yeast which can metabolize methanol as its sole carbon source. A main step in the methanol metabolization pathway is the oxidation of methanol to formaldehyde using O_2. This reaction is catalyzed by the enzyme alcohol oxidase. In order to metabolize methanol as its sole carbon source, *Pichia pastoris* must generate high levels of alcohol oxidase due, in part, to the relatively low affinity of alcohol oxidase for O_2. Consequently, in a growth medium depending on methanol as a main carbon source, the promoter region of one of the two alcohol oxidase genes (*AOX1*) is highly active. In the presence of methanol, alcohol oxidase produced from the *AOX1* gene comprises up to approximately 30% of the total soluble protein in *Pichia pastoris*. See Ellis, S.B., *et al., Mol. Cell. Biol.* 5:1111-21 (1985); Koutz, P.J, *et al., Yeast* 5:167-77 (1989); Tschopp, J.F., *et al., Nucl. Acids Res.* 15:3859-76 (1987). Thus, a heterologous coding sequence, such as, for example, a polynucleotide of the present invention, under the transcriptional regulation of all or part of the *AOX1* regulatory sequence is expressed at exceptionally high levels in *Pichia* yeast grown in the presence of methanol.

In one example, the plasmid vector pPIC9K is used to express DNA encoding a polypeptide of the invention, as set forth herein, in a *Pichea* yeast system essentially as described in "*Pichia* Protocols: Methods in Molecular Biology," D.R. Higgins and J. Cregg, eds. The Humana Press, Totowa, NJ, 1998. This expression vector allows expression and secretion of a polypeptide of the invention by virtue of the strong *AOX1* promoter linked to the *Pichia pastoris* alkaline phosphatase (PHO) secretory signal peptide (i.e., leader) located upstream of a multiple cloning site.

Many other yeast vectors could be used in place of pPIC9K, such as, pYES2, pYD1, pTEF1/Zeo, pYES2/GS, pPICZ, pGAPZ, pGAPZalpha, pPIC9, pPIC3.5, pHIL-D2, pHIL-S1,

pPIC3.5K, and PAO815, as one skilled in the art would readily appreciate, as long as the proposed expression construct provides appropriately located signals for transcription, translation, secretion (if desired), and the like, including an in-frame AUG as required.

In another embodiment, high-level expression of a heterologous coding sequence, such as, for example, a polynucleotide of the present invention, may be achieved by cloning the heterologous polynucleotide of the invention into an expression vector such as, for example, pGAPZ or pGAPZalpha, and growing the yeast culture in the absence of methanol.

In addition to encompassing host cells containing the vector constructs discussed herein, the invention also encompasses primary, secondary, and immortalized host cells of vertebrate origin, particularly mammalian origin, that have been engineered to delete or replace endogenous genetic material (e.g., coding sequence), and/or to include genetic material (e.g., heterologous polynucleotide sequences) that is operably associated with polynucleotides of the invention, and which activates, alters, and/or amplifies endogenous polynucleotides. For example, techniques known in the art may be used to operably associate heterologous control regions (e.g., promoter and/or enhancer) and endogenous polynucleotide sequences via homologous recombination (see, e.g., U.S. Patent No. 5,641,670, issued June 24, 1997; International Publication No. WO 96/29411, published September 26, 1996; International Publication No. WO 94/12650, published August 4, 1994; Koller et al., Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); and Zijlstra et al., Nature 342:435-438 (1989), the disclosures of each of which are incorporated by reference in their entireties).

In addition, polypeptides of the invention can be chemically synthesized using techniques known in the art (e.g., see Creighton, 1983, Proteins: Structures and Molecular Principles, W.H. Freeman & Co., N.Y., and Hunkapiller et al., *Nature*, 310:105-111 (1984)). For example, a polypeptide corresponding to a fragment of a polypeptide can be synthesized by use of a peptide synthesizer. Furthermore, if desired, nonclassical amino acids or chemical amino acid analogs can be introduced as a substitution or addition into the polypeptide sequence. Non-classical amino acids include, but are not limited to, to the D-isomers of the common amino acids, 2,4-diaminobutyric acid, a-amino isobutyric acid, 4-aminobutyric acid, Abu, 2-amino butyric acid, g-Abu, e-Ahx, 6-amino hexanoic acid, Aib, 2-amino isobutyric acid, 3-amino propionic acid, ornithine, norleucine, norvaline, hydroxyproline, sarcosine, citrulline, homocitrulline, cysteic acid, t-butylglycine, t-butylalanine, phenylglycine, cyclohexylalanine, b-alanine, fluoro-amino acids, designer amino acids such as b-methyl amino acids, Ca-methyl amino acids, Na-methyl amino acids, and amino acid analogs in general. Furthermore, the amino acid can be D (dextrorotary) or L (levorotary).

The invention encompasses polypeptides of the present invention which are differentially modified during or after translation, e.g., by glycosylation, acetylation,

phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to an antibody molecule or other cellular ligand, etc. Any of numerous chemical modifications may be carried out by known techniques, including but not limited, to specific chemical cleavage by cyanogen bromide, trypsin, chymotrypsin, papain, V8 protease, $NaBH_4$; acetylation, formylation, oxidation, reduction; metabolic synthesis in the presence of tunicamycin; etc.

Additional post-translational modifications encompassed by the invention include, for example, e.g., N-linked or O-linked carbohydrate chains, processing of N-terminal or C-terminal ends), attachment of chemical moieties to the amino acid backbone, chemical modifications of N-linked or O-linked carbohydrate chains, and addition or deletion of an N-terminal methionine residue as a result of procaryotic host cell expression. The polypeptides may also be modified with a detectable label, such as an enzymatic, fluorescent, isotopic or affinity label to allow for detection and isolation of the protein.

Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, beta-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin; and examples of suitable radioactive material include iodine (^{121}I, ^{123}I, ^{125}I, ^{131}I), carbon (^{14}C), sulfur (^{35}S), tritium (^{3}H), indium (^{111}In, ^{112}In, ^{113m}In, ^{115m}In), technetium (^{99}Tc,^{99m}Tc), thallium (^{201}Ti), gallium (^{68}Ga, ^{67}Ga), palladium (^{103}Pd), molybdenum (^{99}Mo), xenon (^{133}Xe), fluorine (^{18}F), ^{153}Sm, ^{177}Lu, ^{159}Gd, ^{149}Pm, ^{140}La, ^{175}Yb, ^{166}Ho, ^{90}Y, ^{47}Sc, ^{186}Re, ^{188}Re, ^{142}Pr, ^{105}Rh, and ^{97}Ru.

In specific embodiments, a polypeptide of the present invention or fragment or variant thereof is attached to macrocyclic chelators that associate with radiometal ions, including but not limited to, ^{177}Lu, ^{90}Y, ^{166}Ho, and ^{153}Sm, to polypeptides. In a preferred embodiment, the radiometal ion associated with the macrocyclic chelators is ^{111}In. In another preferred embodiment, the radiometal ion associated with the macrocyclic chelator is ^{90}Y. In specific embodiments, the macrocyclic chelator is 1,4,7,10-tetraazacyclododecane-N,N',N",N"'-tetraacetic acid (DOTA). In other specific embodiments, DOTA is attached to an antibody of the invention or fragment thereof via a linker molecule. Examples of linker molecules useful for conjugating DOTA to a polypeptide are commonly known in the art - see, for example, DeNardo et al., Clin Cancer Res. 4(10):2483-90 (1998); Peterson et al., Bioconjug. Chem. 10(4):553-7 (1999); and Zimmerman et al, Nucl. Med. Biol. 26(8):943-50 (1999); which are hereby incorporated by reference in their entirety.

As mentioned, the proteins of the invention may be modified by either natural processes, such as posttranslational processing, or by chemical modification techniques which are

well known in the art. It will be appreciated that the same type of modification may be present in the same or varying degrees at several sites in a given polypeptide. Polypeptides of the invention may be branched, for example, as a result of ubiquitination, and they may be cyclic, with or without branching. Cyclic, branched, and branched cyclic polypeptides may result from posttranslation natural processes or may be made by synthetic methods. Modifications include acetylation, acylation, ADP-ribosylation, amidation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphotidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cysteine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, pegylation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination. (See, for instance, PROTEINS - STRUCTURE AND MOLECULAR PROPERTIES, 2nd Ed., T. E. Creighton, W. H. Freeman and Company, New York (1993); POSTTRANSLATIONAL COVALENT MODIFICATION OF PROTEINS, B. C. Johnson, Ed., Academic Press, New York, pgs. 1-12 (1983); Seifter et al., Meth. Enzymol. 182:626-646 (1990); Rattan et al., Ann. N.Y. Acad. Sci. 663:48-62 (1992)).

Also provided by the invention are chemically modified derivatives of the polypeptides of the invention which may provide additional advantages such as increased solubility, stability and circulating time of the polypeptide, or decreased immunogenicity (see U.S. Patent No. 4,179,337). The chemical moieties for derivitization may be selected from water soluble polymers such as polyethylene glycol, ethylene glycol/propylene glycol copolymers, carboxymethylcellulose, dextran, polyvinyl alcohol and the like. The polypeptides may be modified at random positions within the molecule, or at predetermined positions within the molecule and may include one, two, three or more attached chemical moieties.

The polymer may be of any molecular weight, and may be branched or unbranched. For polyethylene glycol, the preferred molecular weight is between about 1 kDa and about 100 kDa (the term "about" indicating that in preparations of polyethylene glycol, some molecules will weigh more, some less, than the stated molecular weight) for ease in handling and manufacturing. Other sizes may be used, depending on the desired therapeutic profile (e.g., the duration of sustained release desired, the effects, if any on biological activity, the ease in handling, the degree or lack of antigenicity and other known effects of the polyethylene glycol to a therapeutic protein or analog). For example, the polyethylene glycol may have an average molecular weight of about 200, 500, 1000, 1500, 2000, 2500, 3000, 3500, 4000, 4500, 5000, 5500, 6000, 6500, 7000, 7500, 8000, 8500, 9000, 9500, 10,000, 10,500, 11,000, 11,500, 12,000, 12,500, 13,000, 13,500, 14,000, 14,500, 15,000, 15,500, 16,000, 16,500, 17,000, 17,500, 18,000, 18,500, 19,000, 19,500, 20,000,

25,000, 30,000, 35,000, 40,000, 45,000, 50,000, 55,000, 60,000, 65,000, 70,000, 75,000, 80,000, 85,000, 90,000, 95,000, or 100,000 kDa.

As noted above, the polyethylene glycol may have a branched structure. Branched polyethylene glycols are described, for example, in U.S. Patent No. 5,643,575; Morpurgo *et al.*, *Appl. Biochem. Biotechnol. 56*:59-72 (1996); Vorobjev *et al., Nucleosides Nucleotides 18*:2745-2750 (1999); and Caliceti *et al., Bioconjug. Chem. 10*:638-646 (1999), the disclosures of each of which are incorporated herein by reference.

The polyethylene glycol molecules (or other chemical moieties) should be attached to the protein with consideration of effects on functional or antigenic domains of the protein. There are a number of attachment methods available to those skilled in the art, such as, for example, the method disclosed in EP 0 401 384 (coupling PEG to G-CSF), herein incorporated by reference; see also Malik et al., Exp. Hematol. 20:1028-1035 (1992), reporting pegylation of GM-CSF using tresyl chloride. For example, polyethylene glycol may be covalently bound through amino acid residues via a reactive group, such as a free amino or carboxyl group. Reactive groups are those to which an activated polyethylene glycol molecule may be bound. The amino acid residues having a free amino group may include lysine residues and the N-terminal amino acid residues; those having a free carboxyl group may include aspartic acid residues glutamic acid residues and the C-terminal amino acid residue. Sulfhydryl groups may also be used as a reactive group for attaching the polyethylene glycol molecules. Preferred for therapeutic purposes is attachment at an amino group, such as attachment at the N-terminus or lysine group.

As suggested above, polyethylene glycol may be attached to proteins via linkage to any of a number of amino acid residues. For example, polyethylene glycol can be linked to proteins via covalent bonds to lysine, histidine, aspartic acid, glutamic acid, or cysteine residues. One or more reaction chemistries may be employed to attach polyethylene glycol to specific amino acid residues (e.g., lysine, histidine, aspartic acid, glutamic acid, or cysteine) of the protein or to more than one type of amino acid residue (e.g., lysine, histidine, aspartic acid, glutamic acid, cysteine and combinations thereof) of the protein.

One may specifically desire proteins chemically modified at the N-terminus. Using polyethylene glycol as an illustration of the present composition, one may select from a variety of polyethylene glycol molecules (by molecular weight, branching, etc.), the proportion of polyethylene glycol molecules to protein (polypeptide) molecules in the reaction mix, the type of pegylation reaction to be performed, and the method of obtaining the selected N-terminally pegylated protein. The method of obtaining the N-terminally pegylated preparation (i.e., separating this moiety from other monopegylated moieties if necessary) may be by purification of the N-terminally pegylated material from a population of pegylated protein molecules. Selective proteins chemically modified at the N-terminus modification may be accomplished by reductive alkylation which exploits differential reactivity of different types of primary amino groups (lysine

versus the N-terminal) available for derivatization in a particular protein. Under the appropriate reaction conditions, substantially selective derivatization of the protein at the N-terminus with a carbonyl group containing polymer is achieved.

As indicated above, pegylation of the proteins of the invention may be accomplished by any number of means. For example, polyethylene glycol may be attached to the protein either directly or by an intervening linker. Linkerless systems for attaching polyethylene glycol to proteins are described in Delgado et al., Crit. Rev. Thera. Drug Carrier Sys. 9:249-304 (1992); Francis et al., Intern. J. of Hematol. 68:1-18 (1998); U.S. Patent No. 4,002,531; U.S. Patent No. 5,349,052; WO 95/06058; and WO 98/32466, the disclosures of each of which are incorporated herein by reference.

One system for attaching polyethylene glycol directly to amino acid residues of proteins without an intervening linker employs tresylated MPEG, which is produced by the modification of monmethoxy polyethylene glycol (MPEG) using tresylchloride ($ClSO_2CH_2CF_3$). Upon reaction of protein with tresylated MPEG, polyethylene glycol is directly attached to amine groups of the protein. Thus, the invention includes protein-polyethylene glycol conjugates produced by reacting proteins of the invention with a polyethylene glycol molecule having a 2,2,2-trifluoreothane sulphonyl group.

Polyethylene glycol can also be attached to proteins using a number of different intervening linkers. For example, U.S. Patent No. 5,612,460, the entire disclosure of which is incorporated herein by reference, discloses urethane linkers for connecting polyethylene glycol to proteins. Protein-polyethylene glycol conjugates wherein the polyethylene glycol is attached to the protein by a linker can also be produced by reaction of proteins with compounds such as MPEG-succinimidylsuccinate, MPEG activated with 1,1'-carbonyldiimidazole, MPEG-2,4,5-trichloropenylcarbonate, MPEG-p-nitrophenolcarbonate, and various MPEG-succinate derivatives. A number of additional polyethylene glycol derivatives and reaction chemistries for attaching polyethylene glycol to proteins are described in International Publication No. WO 98/32466, the entire disclosure of which is incorporated herein by reference. Pegylated protein products produced using the reaction chemistries set out herein are included within the scope of the invention.

The number of polyethylene glycol moieties attached to each protein of the invention (i.e., the degree of substitution) may also vary. For example, the pegylated proteins of the invention may be linked, on average, to 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15, 17, 20, or more polyethylene glycol molecules. Similarly, the average degree of substitution within ranges such as 1-3, 2-4, 3-5, 4-6, 5-7, 6-8, 7-9, 8-10, 9-11, 10-12, 11-13, 12-14, 13-15, 14-16, 15-17, 16-18, 17-19, or 18-20 polyethylene glycol moieties per protein molecule. Methods for determining the degree of substitution are discussed, for example, in Delgado et al., Crit. Rev. Thera. Drug Carrier Sys. 9:249-304 (1992).

The polypeptides of the invention can be recovered and purified from chemical synthesis and recombinant cell cultures by standard methods which include, but are not limited to, ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Most preferably, high performance liquid chromatography ("HPLC") is employed for purification. Well known techniques for refolding protein may be employed to regenerate active conformation when the polypeptide is denatured during isolation and/or purification.

The polypeptides of the invention may be in monomers or multimers (i.e., dimers, trimers, tetramers and higher multimers). Accordingly, the present invention relates to monomers and multimers of the polypeptides of the invention, their preparation, and compositions (preferably, Therapeutics) containing them. In specific embodiments, the polypeptides of the invention are monomers, dimers, trimers or tetramers. In additional embodiments, the multimers of the invention are at least dimers, at least trimers, or at least tetramers.

Multimers encompassed by the invention may be homomers or heteromers. As used herein, the term homomer refers to a multimer containing only polypeptides corresponding to a protein of the invention (e.g., the amino acid sequence of SEQ ID NO:Y, an amino acid sequence encoded by SEQ ID NO:X or the complement of SEQ ID NO:X, the amino acid sequence encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, and/or an amino acid sequence encoded by cDNA contained in ATCC Deposit No:Z (including fragments, variants, splice variants, and fusion proteins, corresponding to these as described herein)). These homomers may contain polypeptides having identical or different amino acid sequences. In a specific embodiment, a homomer of the invention is a multimer containing only polypeptides having an identical amino acid sequence. In another specific embodiment, a homomer of the invention is a multimer containing polypeptides having different amino acid sequences. In specific embodiments, the multimer of the invention is a homodimer (e.g., containing two polypeptides having identical or different amino acid sequences) or a homotrimer (e.g., containing three polypeptides having identical and/or different amino acid sequences). In additional embodiments, the homomeric multimer of the invention is at least a homodimer, at least a homotrimer, or at least a homotetramer.

As used herein, the term heteromer refers to a multimer containing one or more heterologous polypeptides (i.e., polypeptides of different proteins) in addition to the polypeptides of the invention. In a specific embodiment, the multimer of the invention is a heterodimer, a heterotrimer, or a heterotetramer. In additional embodiments, the heteromeric multimer of the invention is at least a heterodimer, at least a heterotrimer, or at least a heterotetramer.

Multimers of the invention may be the result of hydrophobic, hydrophilic, ionic and/or covalent associations and/or may be indirectly linked by, for example, liposome formation. Thus,

in one embodiment, multimers of the invention, such as, for example, homodimers or homotrimers, are formed when polypeptides of the invention contact one another in solution. In another embodiment, heteromultimers of the invention, such as, for example, heterotrimers or heterotetramers, are formed when polypeptides of the invention contact antibodies to the polypeptides of the invention (including antibodies to the heterologous polypeptide sequence in a fusion protein of the invention) in solution. In other embodiments, multimers of the invention are formed by covalent associations with and/or between the polypeptides of the invention. Such covalent associations may involve one or more amino acid residues contained in the polypeptide sequence (e.g., that recited in SEQ ID NO:Y, encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, and/or encoded by the cDNA contained in ATCC Deposit No:Z). In one instance, the covalent associations are cross-linking between cysteine residues located within the polypeptide sequences which interact in the native (i.e., naturally occurring) polypeptide. In another instance, the covalent associations are the consequence of chemical or recombinant manipulation. Alternatively, such covalent associations may involve one or more amino acid residues contained in the heterologous polypeptide sequence in a fusion protein. In one example, covalent associations are between the heterologous sequence contained in a fusion protein of the invention (see, e.g., US Patent Number 5,478,925). In a specific example, the covalent associations are between the heterologous sequence contained in a Fc fusion protein of the invention (as described herein). In another specific example, covalent associations of fusion proteins of the invention are between heterologous polypeptide sequence from another protein that is capable of forming covalently associated multimers, such as for example, osteoprotegerin (see, e.g., International Publication NO: WO 98/49305, the contents of which are herein incorporated by reference in its entirety). In another embodiment, two or more polypeptides of the invention are joined through peptide linkers. Examples include those peptide linkers described in U.S. Pat. No. 5,073,627 (hereby incorporated by reference). Proteins comprising multiple polypeptides of the invention separated by peptide linkers may be produced using conventional recombinant DNA technology.

Another method for preparing multimer polypeptides of the invention involves use of polypeptides of the invention fused to a leucine zipper or isoleucine zipper polypeptide sequence. Leucine zipper and isoleucine zipper domains are polypeptides that promote multimerization of the proteins in which they are found. Leucine zippers were originally identified in several DNA-binding proteins (Landschulz et al., Science 240:1759, (1988)), and have since been found in a variety of different proteins. Among the known leucine zippers are naturally occurring peptides and derivatives thereof that dimerize or trimerize. Examples of leucine zipper domains suitable for producing soluble multimeric proteins of the invention are those described in PCT application WO 94/10308, hereby incorporated by reference. Recombinant fusion proteins comprising a polypeptide of the invention fused to a polypeptide sequence that dimerizes or trimerizes in

solution are expressed in suitable host cells, and the resulting soluble multimeric fusion protein is recovered from the culture supernatant using techniques known in the art.

Trimeric polypeptides of the invention may offer the advantage of enhanced biological activity. Preferred leucine zipper moieties and isoleucine moieties are those that preferentially form trimers. One example is a leucine zipper derived from lung surfactant protein D (SPD), as described in Hoppe et al. (FEBS Letters 344:191, (1994)) and in U.S. patent application Ser. No. 08/446,922, hereby incorporated by reference. Other peptides derived from naturally occurring trimeric proteins may be employed in preparing trimeric polypeptides of the invention.

In another example, proteins of the invention are associated by interactions between Flag® polypeptide sequence contained in fusion proteins of the invention containing Flag® polypeptide sequence. In a further embodiment, proteins of the invention are associated by interactions between heterologous polypeptide sequence contained in Flag® fusion proteins of the invention and anti-Flag® antibody.

The multimers of the invention may be generated using chemical techniques known in the art. For example, polypeptides desired to be contained in the multimers of the invention may be chemically cross-linked using linker molecules and linker molecule length optimization techniques known in the art (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Additionally, multimers of the invention may be generated using techniques known in the art to form one or more inter-molecule cross-links between the cysteine residues located within the sequence of the polypeptides desired to be contained in the multimer (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Further, polypeptides of the invention may be routinely modified by the addition of cysteine or biotin to the C-terminus or N-terminus of the polypeptide and techniques known in the art may be applied to generate multimers containing one or more of these modified polypeptides (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Additionally, techniques known in the art may be applied to generate liposomes containing the polypeptide components desired to be contained in the multimer of the invention (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety).

Alternatively, multimers of the invention may be generated using genetic engineering techniques known in the art. In one embodiment, polypeptides contained in multimers of the invention are produced recombinantly using fusion protein technology described herein or otherwise known in the art (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). In a specific embodiment, polynucleotides coding for a homodimer of the invention are generated by ligating a polynucleotide sequence encoding a polypeptide of the invention to a sequence encoding a linker polypeptide and then further to a synthetic polynucleotide encoding the translated product of the polypeptide in the reverse orientation from the original C-terminus to the N-terminus (lacking the leader sequence) (see, e.g., US Patent

Number 5,478,925, which is herein incorporated by reference in its entirety). In another embodiment, recombinant techniques described herein or otherwise known in the art are applied to generate recombinant polypeptides of the invention which contain a transmembrane domain (or hydrophobic or signal peptide) and which can be incorporated by membrane reconstitution techniques into liposomes (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety).

Antibodies

Further polypeptides of the invention relate to antibodies and T-cell antigen receptors (TCR) which immunospecifically bind a polypeptide, polypeptide fragment, or variant of the invention (e.g., a polypeptide or fragment or variant of the amino acid sequence of SEQ ID NO:Y or a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z, and/or an epitope, of the present invention) as determined by immunoassays well known in the art for assaying specific antibody-antigen binding. Antibodies of the invention include, but are not limited to, polyclonal, monoclonal, multispecific, human, humanized or chimeric antibodies, single chain antibodies, Fab fragments, F(ab') fragments, fragments produced by a Fab expression library, anti-idiotypic (anti-Id) antibodies (including, e.g., anti-Id antibodies to antibodies of the invention), intracellularly-made antibodies (i.e., intrabodies), and epitope-binding fragments of any of the above. The term "antibody," as used herein, refers to immunoglobulin molecules and immunologically active portions of immunoglobulin molecules, i.e., molecules that contain an antigen binding site that immunospecifically binds an antigen. The immunoglobulin molecules of the invention can be of any type (e.g., IgG, IgE, IgM, IgD, IgA and IgY), class (e.g., IgG1, IgG2, IgG3, IgG4, IgA1 and IgA2) or subclass of immunoglobulin molecule. In preferred embodiments, the immunoglobulin molecules of the invention are IgG1. In other preferred embodiments, the immunoglobulin molecules of the invention are IgG4.

Most preferably the antibodies are human antigen-binding antibody fragments of the present invention and include, but are not limited to, Fab, Fab' and F(ab')2, Fd, single-chain Fvs (scFv), single-chain antibodies, disulfide-linked Fvs (sdFv) and fragments comprising either a VL or VH domain. Antigen-binding antibody fragments, including single-chain antibodies, may comprise the variable region(s) alone or in combination with the entirety or a portion of the following: hinge region, CH1, CH2, and CH3 domains. Also included in the invention are antigen-binding fragments also comprising any combination of variable region(s) with a hinge region, CH1, CH2, and CH3 domains. The antibodies of the invention may be from any animal origin including birds and mammals. Preferably, the antibodies are human, murine (e.g., mouse and rat), donkey, ship rabbit, goat, guinea pig, camel, horse, or chicken. As used herein, "human" antibodies include antibodies having the amino acid sequence of a human immunoglobulin and include antibodies isolated from human immunoglobulin libraries or from animals transgenic for

one or more human immunoglobulin and that do not express endogenous immunoglobulins, as described infra and, for example in, U.S. Patent No. 5,939,598 by Kucherlapati et al.

The antibodies of the present invention may be monospecific, bispecific, trispecific or of greater multispecificity. Multispecific antibodies may be specific for different epitopes of a polypeptide of the present invention or may be specific for both a polypeptide of the present invention as well as for a heterologous epitope, such as a heterologous polypeptide or solid support material. See, e.g., PCT publications WO 93/17715; WO 92/08802; WO 91/00360; WO 92/05793; Tutt, et al., J. Immunol. 147:60-69 (1991); U.S. Patent Nos. 4,474,893; 4,714,681; 4,925,648; 5,573,920; 5,601,819; Kostelny et al., J. Immunol. 148:1547-1553 (1992).

Antibodies of the present invention may be described or specified in terms of the epitope(s) or portion(s) of a polypeptide of the present invention which they recognize or specifically bind. The epitope(s) or polypeptide portion(s) may be specified as described herein, e.g., by N-terminal and C-terminal positions, or by size in contiguous amino acid residues, or listed in the Tables and Figures. Preferred epitopes of the invention include the predicted epitopes shown in Table 1B, as well as polynucleotides that encode these epitopes. Antibodies which specifically bind any epitope or polypeptide of the present invention may also be excluded. Therefore, the present invention includes antibodies that specifically bind polypeptides of the present invention, and allows for the exclusion of the same.

Antibodies of the present invention may also be described or specified in terms of their cross-reactivity. Antibodies that do not bind any other analog, ortholog, or homolog of a polypeptide of the present invention are included. Antibodies that bind polypeptides with at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 65%, at least 60%, at least 55%, and at least 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In specific embodiments, antibodies of the present invention cross-react with murine, rat and/or rabbit homologs of human proteins and the corresponding epitopes thereof. Antibodies that do not bind polypeptides with less than 95%, less than 90%, less than 85%, less than 80%, less than 75%, less than 70%, less than 65%, less than 60%, less than 55%, and less than 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In a specific embodiment, the above-described cross-reactivity is with respect to any single specific antigenic or immunogenic polypeptide, or combination(s) of 2, 3, 4, 5, or more of the specific antigenic and/or immunogenic polypeptides disclosed herein. Further included in the present invention are antibodies which bind polypeptides encoded by polynucleotides which hybridize to a polynucleotide of the present invention under stringent hybridization conditions (as described herein). Antibodies of the present invention may also be described or specified in terms of their binding affinity to a polypeptide of the invention. Preferred binding affinities include those with a dissociation constant or Kd less

than 5 X 10^{-2} M, 10^{-2} M, 5 X 10^{-3} M, 10^{-3} M, 5 X 10^{-4} M, 10^{-4} M, 5 X 10^{-5} M, 10^{-5} M, 5 X 10^{-6} M, 10^{-6}M, 5 X 10^{-7} M, 10^{7} M, 5 X 10^{-8} M, 10^{-8} M, 5 X 10^{-9} M, 10^{-9} M, 5 X 10^{-10} M, 10^{-10} M, 5 X 10^{-11} M, 10^{-11} M, 5 X 10^{-12} M, 10^{-12} M, 5 X 10^{-13} M, 10^{-13} M, 5 X 10^{-14} M, 10^{-14} M, 5 X 10^{-15} M, or 10^{-15} M.

The invention also provides antibodies that competitively inhibit binding of an antibody to an epitope of the invention as determined by any method known in the art for determining competitive binding, for example, the immunoassays described herein. In preferred embodiments, the antibody competitively inhibits binding to the epitope by at least 95%, at least 90%, at least 85 %, at least 80%, at least 75%, at least 70%, at least 60%, or at least 50%.

Antibodies of the present invention may act as agonists or antagonists of the polypeptides of the present invention. For example, the present invention includes antibodies which disrupt the receptor/ligand interactions with the polypeptides of the invention either partially or fully. Preferably, antibodies of the present invention bind an antigenic epitope disclosed herein, or a portion thereof. The invention features both receptor-specific antibodies and ligand-specific antibodies. The invention also features receptor-specific antibodies which do not prevent ligand binding but prevent receptor activation. Receptor activation (i.e., signaling) may be determined by techniques described herein or otherwise known in the art. For example, receptor activation can be determined by detecting the phosphorylation (e.g., tyrosine or serine/threonine) of the receptor or its substrate by immunoprecipitation followed by western blot analysis (for example, as described *supra*). In specific embodiments, antibodies are provided that inhibit ligand activity or receptor activity by at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 60%, or at least 50% of the activity in absence of the antibody.

The invention also features receptor-specific antibodies which both prevent ligand binding and receptor activation as well as antibodies that recognize the receptor-ligand complex, and, preferably, do not specifically recognize the unbound receptor or the unbound ligand. Likewise, included in the invention are neutralizing antibodies which bind the ligand and prevent binding of the ligand to the receptor, as well as antibodies which bind the ligand, thereby preventing receptor activation, but do not prevent the ligand from binding the receptor. Further included in the invention are antibodies which activate the receptor. These antibodies may act as receptor agonists, i.e., potentiate or activate either all or a subset of the biological activities of the ligand-mediated receptor activation, for example, by inducing dimerization of the receptor. The antibodies may be specified as agonists, antagonists or inverse agonists for biological activities comprising the specific biological activities of the peptides of the invention disclosed herein. The above antibody agonists can be made using methods known in the art. See, e.g., PCT publication WO 96/40281; U.S. Patent No. 5,811,097; Deng et al., Blood 92(6):1981-1988 (1998); Chen et al., Cancer Res. 58(16):3668-3678 (1998); Harrop et al., J. Immunol. 161(4):1786-1794 (1998); Zhu et al., Cancer Res. 58(15):3209-3214 (1998); Yoon et al., J. Immunol. 160(7):3170-3179 (1998);

Prat et al., J. Cell. Sci. 111(Pt2):237-247 (1998); Pitard et al., J. Immunol. Methods 205(2):177-190 (1997); Liautard et al., Cytokine 9(4):233-241 (1997); Carlson et al., J. Biol. Chem. 272(17):11295-11301 (1997); Taryman et al., Neuron 14(4):755-762 (1995); Muller et al., Structure 6(9):1153-1167 (1998); Bartunek et al., Cytokine 8(1):14-20 (1996) (which are all incorporated by reference herein in their entireties).

Antibodies of the present invention may be used, for example, to purify, detect, and target the polypeptides of the present invention, including both *in vitro* and *in vivo* diagnostic and therapeutic methods. For example, the antibodies have utility in immunoassays for qualitatively and quantitatively measuring levels of the polypeptides of the present invention in biological samples. See, e.g., Harlow et al., Antibodies: A Laboratory Manual, (Cold Spring Harbor Laboratory Press, 2nd ed. 1988); incorporated by reference herein in its entirety.

As discussed in more detail below, the antibodies of the present invention may be used either alone or in combination with other compositions. The antibodies may further be recombinantly fused to a heterologous polypeptide at the N- or C-terminus or chemically conjugated (including covalent and non-covalent conjugations) to polypeptides or other compositions. For example, antibodies of the present invention may be recombinantly fused or conjugated to molecules useful as labels in detection assays and effector molecules such as heterologous polypeptides, drugs, radionuclides, or toxins. See, e.g., PCT publications WO 92/08495; WO 91/14438; WO 89/12624; U.S. Patent No. 5,314,995; and EP 396,387; the disclosures of which are incorporated herein by reference in their entireties.

The antibodies of the invention include derivatives that are modified, i.e, by the covalent attachment of any type of molecule to the antibody such that covalent attachment does not prevent the antibody from generating an anti-idiotypic response. For example, but not by way of limitation, the antibody derivatives include antibodies that have been modified, e.g., by glycosylation, acetylation, pegylation, phosphylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to a cellular ligand or other protein, etc. Any of numerous chemical modifications may be carried out by known techniques, including, but not limited to specific chemical cleavage, acetylation, formylation, metabolic synthesis of tunicamycin, etc. Additionally, the derivative may contain one or more non-classical amino acids.

The antibodies of the present invention may be generated by any suitable method known in the art. Polyclonal antibodies to an antigen-of- interest can be produced by various procedures well known in the art. For example, a polypeptide of the invention can be administered to various host animals including, but not limited to, rabbits, mice, rats, etc. to induce the production of sera containing polyclonal antibodies specific for the antigen. Various adjuvants may be used to increase the immunological response, depending on the host species, and include but are not limited to, Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides,

oil emulsions, keyhole limpet hemocyanins, dinitrophenol, and potentially useful human adjuvants such as BCG (bacille Calmette-Guerin) and corynebacterium parvum. Such adjuvants are also well known in the art.

Monoclonal antibodies can be prepared using a wide variety of techniques known in the art including the use of hybridoma, recombinant, and phage display technologies, or a combination thereof. For example, monoclonal antibodies can be produced using hybridoma techniques including those known in the art and taught, for example, in Harlow et al., Antibodies: A Laboratory Manual, (Cold Spring Harbor Laboratory Press, 2nd ed. 1988); Hammerling, et al., in: Monoclonal Antibodies and T-Cell Hybridomas 563-681 (Elsevier, N.Y., 1981) (said references incorporated by reference in their entireties). The term "monoclonal antibody" as used herein is not limited to antibodies produced through hybridoma technology. The term "monoclonal antibody" refers to an antibody that is derived from a single clone, including any eukaryotic, prokaryotic, or phage clone, and not the method by which it is produced.

Methods for producing and screening for specific antibodies using hybridoma technology are routine and well known in the art and are discussed in detail in the Examples. In a non-limiting example, mice can be immunized with a polypeptide of the invention or a cell expressing such peptide. Once an immune response is detected, e.g., antibodies specific for the antigen are detected in the mouse serum, the mouse spleen is harvested and splenocytes isolated. The splenocytes are then fused by well known techniques to any suitable myeloma cells, for example cells from cell line SP20 available from the ATCC. Hybridomas are selected and cloned by limited dilution. The hybridoma clones are then assayed by methods known in the art for cells that secrete antibodies capable of binding a polypeptide of the invention. Ascites fluid, which generally contains high levels of antibodies, can be generated by immunizing mice with positive hybridoma clones.

Accordingly, the present invention provides methods of generating monoclonal antibodies as well as antibodies produced by the method comprising culturing a hybridoma cell secreting an antibody of the invention wherein, preferably, the hybridoma is generated by fusing splenocytes isolated from a mouse immunized with an antigen of the invention with myeloma cells and then screening the hybridomas resulting from the fusion for hybridoma clones that secrete an antibody able to bind a polypeptide of the invention.

Another well known method for producing both polyclonal and monoclonal human B cell lines is transformation using Epstein Barr Virus (EBV). Protocols for generating EBV-transformed B cell lines are commonly known in the art, such as, for example, the protocol outlined in Chapter 7.22 of Current Protocols in Immunology, Coligan et al., Eds., 1994, John Wiley & Sons, NY, which is hereby incorporated in its entirety by reference. The source of B cells for transformation is commonly human peripheral blood, but B cells for transformation may also be derived from other sources including, but not limited to, lymph nodes, tonsil, spleen, tumor

tissue, and infected tissues. Tissues are generally made into single cell suspensions prior to EBV transformation. Additionally, steps may be taken to either physically remove or inactivate T cells (e.g., by treatment with cyclosporin A) in B cell-containing samples, because T cells from individuals seropositive for anti-EBV antibodies can suppress B cell immortalization by EBV.

In general, the sample containing human B cells is innoculated with EBV, and cultured for 3-4 weeks. A typical source of EBV is the culture supernatant of the B95-8 cell line (ATCC #VR-1492). Physical signs of EBV transformation can generally be seen towards the end of the 3-4 week culture period. By phase-contrast microscopy, transformed cells may appear large, clear, hairy and tend to aggregate in tight clusters of cells. Initially, EBV lines are generally polyclonal. However, over prolonged periods of cell cultures, EBV lines may become monoclonal or polyclonal as a result of the selective outgrowth of particular B cell clones. Alternatively, polyclonal EBV transformed lines may be subcloned (e.g., by limiting dilution culture) or fused with a suitable fusion partner and plated at limiting dilution to obtain monoclonal B cell lines. Suitable fusion partners for EBV transformed cell lines include mouse myeloma cell lines (e.g., SP2/0, X63-Ag8.653), heteromyeloma cell lines (human x mouse; e.g, SPAM-8, SBC-H20, and CB-F7), and human cell lines (e.g., GM 1500, SKO-007, RPMI 8226, and KR-4). Thus, the present invention also provides a method of generating polyclonal or monoclonal human antibodies against polypeptides of the invention or fragments thereof, comprising EBV-transformation of human B cells.

Antibody fragments which recognize specific epitopes may be generated by known techniques. For example, Fab and F(ab')2 fragments of the invention may be produced by proteolytic cleavage of immunoglobulin molecules, using enzymes such as papain (to produce Fab fragments) or pepsin (to produce F(ab')2 fragments). F(ab')2 fragments contain the variable region, the light chain constant region and the CH1 domain of the heavy chain.

For example, the antibodies of the present invention can also be generated using various phage display methods known in the art. In phage display methods, functional antibody domains are displayed on the surface of phage particles which carry the polynucleotide sequences encoding them. In a particular embodiment, such phage can be utilized to display antigen binding domains expressed from a repertoire or combinatorial antibody library (e.g., human or murine). Phage expressing an antigen binding domain that binds the antigen of interest can be selected or identified with antigen, e.g., using labeled antigen or antigen bound or captured to a solid surface or bead. Phage used in these methods are typically filamentous phage including fd and M13 binding domains expressed from phage with Fab, Fv or disulfide stabilized Fv antibody domains recombinantly fused to either the phage gene III or gene VIII protein. Examples of phage display methods that can be used to make the antibodies of the present invention include those disclosed in Brinkman et al., J. Immunol. Methods 182:41-50 (1995); Ames et al., J. Immunol. Methods 184:177-186 (1995); Kettleborough et al., Eur. J. Immunol. 24:952-958 (1994); Persic et al., Gene

187 9-18 (1997); Burton et al., Advances in Immunology 57:191-280 (1994); PCT application No. PCT/GB91/01134; PCT publications WO 90/02809; WO 91/10737; WO 92/01047; WO 92/18619; WO 93/11236; WO 95/15982; WO 95/20401; and U.S. Patent Nos. 5,698,426; 5,223,409; 5,403,484; 5,580,717; 5,427,908; 5,750,753; 5,821,047; 5,571,698; 5,427,908; 5,516,637; 5,780,225; 5,658,727; 5,733,743 and 5,969,108; each of which is incorporated herein by reference in its entirety.

As described in the above references, after phage selection, the antibody coding regions from the phage can be isolated and used to generate whole antibodies, including human antibodies, or any other desired antigen binding fragment, and expressed in any desired host, including mammalian cells, insect cells, plant cells, yeast, and bacteria, e.g., as described in detail below. For example, techniques to recombinantly produce Fab, Fab' and F(ab')2 fragments can also be employed using methods known in the art such as those disclosed in PCT publication WO 92/22324; Mullinax et al., BioTechniques 12(6):864-869 (1992); and Sawai et al., AJRI 34:26-34 (1995); and Better et al., Science 240:1041-1043 (1988) (said references incorporated by reference in their entireties).

Examples of techniques which can be used to produce single-chain Fvs and antibodies include those described in U.S. Patents 4,946,778 and 5,258,498; Huston et al., Methods in Enzymology 203:46-88 (1991); Shu et al., PNAS 90:7995-7999 (1993); and Skerra et al., Science 240:1038-1040 (1988). For some uses, including *in vivo* use of antibodies in humans and in vitro detection assays, it may be preferable to use chimeric, humanized, or human antibodies. A chimeric antibody is a molecule in which different portions of the antibody are derived from different animal species, such as antibodies having a variable region derived from a murine monoclonal antibody and a human immunoglobulin constant region. Methods for producing chimeric antibodies are known in the art. See e.g., Morrison, Science 229:1202 (1985); Oi et al., BioTechniques 4:214 (1986); Gillies et al., (1989) J. Immunol. Methods 125:191-202; U.S. Patent Nos. 5,807,715; 4,816,567; and 4,816397, which are incorporated herein by reference in their entirety. Humanized antibodies are antibody molecules from non-human species antibody that binds the desired antigen having one or more complementarity determining regions (CDRs) from the non-human species and a framework regions from a human immunoglobulin molecule. Often, framework residues in the human framework regions will be substituted with the corresponding residue from the CDR donor antibody to alter, preferably improve, antigen binding. These framework substitutions are identified by methods well known in the art, e.g., by modeling of the interactions of the CDR and framework residues to identify framework residues important for antigen binding and sequence comparison to identify unusual framework residues at particular positions. (See, e.g., Queen et al., U.S. Patent No. 5,585,089; Riechmann et al., Nature 332:323 (1988), which are incorporated herein by reference in their entireties.) Antibodies can be humanized using a variety of techniques known in the art including, for example, CDR-grafting

(EP 239,400; PCT publication WO 91/09967; U.S. Patent Nos. 5,225,539; 5,530,101; and 5,585,089), veneering or resurfacing (EP 592,106; EP 519,596; Padlan, Molecular Immunology 28(4/5):489-498 (1991); Studnicka et al., Protein Engineering 7(6):805-814 (1994); Roguska. et al., PNAS 91:969-973 (1994)), and chain shuffling (U.S. Patent No. 5,565,332).

Completely human antibodies are particularly desirable for therapeutic treatment of human patients. Human antibodies can be made by a variety of methods known in the art including phage display methods described above using antibody libraries derived from human immunoglobulin sequences. See also, U.S. Patent Nos. 4,444,887 and 4,716,111; and PCT publications WO 98/46645, WO 98/50433, WO 98/24893, WO 98/16654, WO 96/34096, WO 96/33735, and WO 91/10741; each of which is incorporated herein by reference in its entirety.

Human antibodies can also be produced using transgenic mice which are incapable of expressing functional endogenous immunoglobulins, but which can express human immunoglobulin genes. For example, the human heavy and light chain immunoglobulin gene complexes may be introduced randomly or by homologous recombination into mouse embryonic stem cells. Alternatively, the human variable region, constant region, and diversity region may be introduced into mouse embryonic stem cells in addition to the human heavy and light chain genes. The mouse heavy and light chain immunoglobulin genes may be rendered non-functional separately or simultaneously with the introduction of human immunoglobulin loci by homologous recombination. In particular, homozygous deletion of the JH region prevents endogenous antibody production. The modified embryonic stem cells are expanded and microinjected into blastocysts to produce chimeric mice. The chimeric mice are then bred to produce homozygous offspring which express human antibodies. The transgenic mice are immunized in the normal fashion with a selected antigen, e.g., all or a portion of a polypeptide of the invention. Monoclonal antibodies directed against the antigen can be obtained from the immunized, transgenic mice using conventional hybridoma technology. The human immunoglobulin transgenes harbored by the transgenic mice rearrange during B cell differentiation, and subsequently undergo class switching and somatic mutation. Thus, using such a technique, it is possible to produce therapeutically useful IgG, IgA, IgM and IgE antibodies. For an overview of this technology for producing human antibodies, see Lonberg and Huszar, Int. Rev. Immunol. 13:65-93 (1995). For a detailed discussion of this technology for producing human antibodies and human monoclonal antibodies and protocols for producing such antibodies, see, e.g., PCT publications WO 98/24893; WO 92/01047; WO 96/34096; WO 96/33735; European Patent No. 0 598 877; U.S. Patent Nos. 5,413,923; 5,625,126; 5,633,425; 5,569,825; 5,661,016; 5,545,806; 5,814,318; 5,885,793; 5,916,771; 5,939,598; 6,075,181; and 6,114,598, which are incorporated by reference herein in their entirety. In addition, companies such as Abgenix, Inc. (Freemont, CA) and Genpharm (San Jose, CA) can be engaged to provide human antibodies directed against a selected antigen using technology similar to that described above.

Completely human antibodies which recognize a selected epitope can be generated using a technique referred to as "guided selection." In this approach a selected non-human monoclonal antibody, e.g., a mouse antibody, is used to guide the selection of a completely human antibody recognizing the same epitope. (Jespers et al., Bio/technology 12:899-903 (1988)).

Further, antibodies to the polypeptides of the invention can, in turn, be utilized to generate anti-idiotype antibodies that "mimic" polypeptides of the invention using techniques well known to those skilled in the art. (See, e.g., Greenspan & Bona, FASEB J. 7(5):437-444; (1989) and Nissinoff, J. Immunol. 147(8):2429-2438 (1991)). For example, antibodies which bind to and competitively inhibit polypeptide multimerization and/or binding of a polypeptide of the invention to a ligand can be used to generate anti-idiotypes that "mimic" the polypeptide multimerization and/or binding domain and, as a consequence, bind to and neutralize polypeptide and/or its ligand. Such neutralizing anti-idiotypes or Fab fragments of such anti-idiotypes can be used in therapeutic regimens to neutralize polypeptide ligand(s)/receptor(s). For example, such anti-idiotypic antibodies can be used to bind a polypeptide of the invention and/or to bind its ligand(s)/receptor(s), and thereby block its biological activity. Alternatively, antibodies which bind to and enhance polypeptide multimerization and/or binding, and/or receptor/ligand multimerization, binding and/or signaling can be used to generate anti-idiotypes that function as agonists of a polypeptide of the invention and/or its ligand/receptor. Such agonistic anti-idiotypes or Fab fragments of such anti-idiotypes can be used in therapeutic regimens as agonists of the polypeptides of the invention or its ligand(s)/receptor(s). For example, such anti-idiotypic antibodies can be used to bind a polypeptide of the invention and/or to bind its ligand(s)/receptor(s), and thereby promote or enhance its biological activity.

Intrabodies of the invention can be produced using methods known in the art, such as those disclosed and reviewed in Chen et al., Hum. Gene Ther. 5:595-601 (1994); Marasco, W.A., Gene Ther. 4:11-15 (1997); Rondon and Marasco, Annu. Rev. Microbiol. 51:257-283 (1997); Proba et al., J. Mol. Biol. 275:245-253 (1998); Cohen et al., Oncogene 17:2445-2456 (1998); Ohage and Steipe, J. Mol. Biol. 291:1119-1128 (1999); Ohage et al., J. Mol. Biol. 291:1129-1134 (1999); Wirtz and Steipe, Protein Sci. 8:2245-2250 (1999); Zhu et al., J. Immunol. Methods 231:207-222 (1999); and references cited therein.

Polynucleotides Encoding Antibodies

The invention further provides polynucleotides comprising a nucleotide sequence encoding an antibody of the invention and fragments thereof. The invention also encompasses polynucleotides that hybridize under stringent or alternatively, under lower stringency hybridization conditions, e.g., as defined *supra*, to polynucleotides that encode an antibody, preferably, that specifically binds to a polypeptide of the invention, preferably, an antibody that binds to a polypeptide having the amino acid sequence of SEQ ID NO:Y, to a polypeptide encoded

by a portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, and/or to a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z.

The polynucleotides may be obtained, and the nucleotide sequence of the polynucleotides determined, by any method known in the art. For example, if the nucleotide sequence of the antibody is known, a polynucleotide encoding the antibody may be assembled from chemically synthesized oligonucleotides (e.g., as described in Kutmeier et al., BioTechniques 17:242 (1994)), which, briefly, involves the synthesis of overlapping oligonucleotides containing portions of the sequence encoding the antibody, annealing and ligating of those oligonucleotides, and then amplification of the ligated oligonucleotides by PCR.

Alternatively, a polynucleotide encoding an antibody may be generated from nucleic acid from a suitable source. If a clone containing a nucleic acid encoding a particular antibody is not available, but the sequence of the antibody molecule is known, a nucleic acid encoding the immunoglobulin may be chemically synthesized or obtained from a suitable source (e.g., an antibody cDNA library, or a cDNA library generated from, or nucleic acid, preferably poly A+ RNA, isolated from, any tissue or cells expressing the antibody, such as hybridoma cells selected to express an antibody of the invention) by PCR amplification using synthetic primers hybridizable to the 3' and 5' ends of the sequence or by cloning using an oligonucleotide probe specific for the particular gene sequence to identify, e.g., a cDNA clone from a cDNA library that encodes the antibody. Amplified nucleic acids generated by PCR may then be cloned into replicable cloning vectors using any method well known in the art.

Once the nucleotide sequence and corresponding amino acid sequence of the antibody is determined, the nucleotide sequence of the antibody may be manipulated using methods well known in the art for the manipulation of nucleotide sequences, e.g., recombinant DNA techniques, site directed mutagenesis, PCR, etc. (see, for example, the techniques described in Sambrook et al., 1990, Molecular Cloning, A Laboratory Manual, 2d Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, NY and Ausubel et al., eds., 1998, Current Protocols in Molecular Biology, John Wiley & Sons, NY, which are both incorporated by reference herein in their entireties), to generate antibodies having a different amino acid sequence, for example to create amino acid substitutions, deletions, and/or insertions.

In a specific embodiment, the amino acid sequence of the heavy and/or light chain variable domains may be inspected to identify the sequences of the complementarity determining regions (CDRs) by methods that are well know in the art, e.g., by comparison to known amino acid sequences of other heavy and light chain variable regions to determine the regions of sequence hypervariability. Using routine recombinant DNA techniques, one or more of the CDRs may be inserted within framework regions, e.g., into human framework regions to humanize a non-human antibody, as described *supra*. The framework regions may be naturally occurring or consensus framework regions, and preferably human framework regions (see, e.g., Chothia et al.,

J. Mol. Biol. 278: 457-479 (1998) for a listing of human framework regions). Preferably, the polynucleotide generated by the combination of the framework regions and CDRs encodes an antibody that specifically binds a polypeptide of the invention. Preferably, as discussed *supra*, one or more amino acid substitutions may be made within the framework regions, and, preferably, the amino acid substitutions improve binding of the antibody to its antigen. Additionally, such methods may be used to make amino acid substitutions or deletions of one or more variable region cysteine residues participating in an intrachain disulfide bond to generate antibody molecules lacking one or more intrachain disulfide bonds. Other alterations to the polynucleotide are encompassed by the present invention and within the skill of the art.

In addition, techniques developed for the production of "chimeric antibodies" (Morrison et al., Proc. Natl. Acad. Sci. 81:851-855 (1984); Neuberger et al., Nature 312:604-608 (1984); Takeda et al., Nature 314:452-454 (1985)) by splicing genes from a mouse antibody molecule of appropriate antigen specificity together with genes from a human antibody molecule of appropriate biological activity can be used. As described *supra*, a chimeric antibody is a molecule in which different portions are derived from different animal species, such as those having a variable region derived from a murine mAb and a human immunoglobulin constant region, e.g., humanized antibodies.

Alternatively, techniques described for the production of single chain antibodies (U.S. Patent No. 4,946,778; Bird, Science 242:423- 42 (1988); Huston et al., Proc. Natl. Acad. Sci. USA 85:5879-5883 (1988); and Ward et al., Nature 334:544-54 (1989)) can be adapted to produce single chain antibodies. Single chain antibodies are formed by linking the heavy and light chain fragments of the Fv region via an amino acid bridge, resulting in a single chain polypeptide. Techniques for the assembly of functional Fv fragments in E. coli may also be used (Skerra et al., Science 242:1038- 1041 (1988)).

Methods of Producing Antibodies

The antibodies of the invention can be produced by any method known in the art for the synthesis of antibodies, in particular, by chemical synthesis or preferably, by recombinant expression techniques. Methods of producing antibodies include, but are not limited to, hybridoma technology, EBV transformation, and other methods discussed herein as well as through the use recombinant DNA technology, as discussed below.

Recombinant expression of an antibody of the invention, or fragment, derivative or analog thereof, (e.g., a heavy or light chain of an antibody of the invention or a single chain antibody of the invention), requires construction of an expression vector containing a polynucleotide that encodes the antibody. Once a polynucleotide encoding an antibody molecule or a heavy or light chain of an antibody, or portion thereof (preferably containing the heavy or light chain variable domain), of the invention has been obtained, the vector for the production of

the antibody molecule may be produced by recombinant DNA technology using techniques well known in the art. Thus, methods for preparing a protein by expressing a polynucleotide containing an antibody encoding nucleotide sequence are described herein. Methods which are well known to those skilled in the art can be used to construct expression vectors containing antibody coding sequences and appropriate transcriptional and translational control signals. These methods include, for example, in vitro recombinant DNA techniques, synthetic techniques, and *in vivo* genetic recombination. The invention, thus, provides replicable vectors comprising a nucleotide sequence encoding an antibody molecule of the invention, or a heavy or light chain thereof, or a heavy or light chain variable domain, operably linked to a promoter. Such vectors may include the nucleotide sequence encoding the constant region of the antibody molecule (see, e.g., PCT Publication WO 86/05807; PCT Publication WO 89/01036; and U.S. Patent No. 5,122,464) and the variable domain of the antibody may be cloned into such a vector for expression of the entire heavy or light chain.

The expression vector is transferred to a host cell by conventional techniques and the transfected cells are then cultured by conventional techniques to produce an antibody of the invention. Thus, the invention includes host cells containing a polynucleotide encoding an antibody of the invention, or a heavy or light chain thereof, or a single chain antibody of the invention, operably linked to a heterologous promoter. In preferred embodiments for the expression of double-chained antibodies, vectors encoding both the heavy and light chains may be co-expressed in the host cell for expression of the entire immunoglobulin molecule, as detailed below.

A variety of host-expression vector systems may be utilized to express the antibody molecules of the invention. Such host-expression systems represent vehicles by which the coding sequences of interest may be produced and subsequently purified, but also represent cells which may, when transformed or transfected with the appropriate nucleotide coding sequences, express an antibody molecule of the invention in situ. These include but are not limited to microorganisms such as bacteria (e.g., E. coli, B. subtilis) transformed with recombinant bacteriophage DNA, plasmid DNA or cosmid DNA expression vectors containing antibody coding sequences; yeast (e.g., Saccharomyces, Pichia) transformed with recombinant yeast expression vectors containing antibody coding sequences; insect cell systems infected with recombinant virus expression vectors (e.g., baculovirus) containing antibody coding sequences; plant cell systems infected with recombinant virus expression vectors (e.g., cauliflower mosaic virus, CaMV; tobacco mosaic virus, TMV) or transformed with recombinant plasmid expression vectors (e.g., Ti plasmid) containing antibody coding sequences; or mammalian cell systems (e.g., COS, CHO, BHK, 293, 3T3 cells) harboring recombinant expression constructs containing promoters derived from the genome of mammalian cells (e.g., metallothionein promoter) or from mammalian viruses (e.g., the adenovirus late promoter; the vaccinia virus 7.5K promoter).

Preferably, bacterial cells such as Escherichia coli, and more preferably, eukaryotic cells, especially for the expression of whole recombinant antibody molecule, are used for the expression of a recombinant antibody molecule. For example, mammalian cells such as Chinese hamster ovary cells (CHO), in conjunction with a vector such as the major intermediate early gene promoter element from human cytomegalovirus is an effective expression system for antibodies (Foecking et al., Gene 45:101 (1986); Cockett et al., Bio/Technology 8:2 (1990)).

In bacterial systems, a number of expression vectors may be advantageously selected depending upon the use intended for the antibody molecule being expressed. For example, when a large quantity of such a protein is to be produced, for the generation of pharmaceutical compositions of an antibody molecule, vectors which direct the expression of high levels of fusion protein products that are readily purified may be desirable. Such vectors include, but are not limited, to the E. coli expression vector pUR278 (Ruther et al., EMBO J. 2:1791 (1983)), in which the antibody coding sequence may be ligated individually into the vector in frame with the lac Z coding region so that a fusion protein is produced; pIN vectors (Inouye & Inouye, Nucleic Acids Res. 13:3101-3109 (1985); Van Heeke & Schuster, J. Biol. Chem. 24:5503-5509 (1989)); and the like. pGEX vectors may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by adsorption and binding to matrix glutathione-agarose beads followed by elution in the presence of free glutathione. The pGEX vectors are designed to include thrombin or factor Xa protease cleavage sites so that the cloned target gene product can be released from the GST moiety.

In an insect system, Autographa californica nuclear polyhedrosis virus (AcNPV) is used as a vector to express foreign genes. The virus grows in *Spodoptera frugiperda* cells. The antibody coding sequence may be cloned individually into non-essential regions (for example the polyhedrin gene) of the virus and placed under control of an AcNPV promoter (for example the polyhedrin promoter).

In mammalian host cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, the antibody coding sequence of interest may be ligated to an adenovirus transcription/translation control complex, e.g., the late promoter and tripartite leader sequence. This chimeric gene may then be inserted in the adenovirus genome by in vitro or *in vivo* recombination. Insertion in a non- essential region of the viral genome (e.g., region E1 or E3) will result in a recombinant virus that is viable and capable of expressing the antibody molecule in infected hosts. (e.g., see Logan & Shenk, Proc. Natl. Acad. Sci. USA 81:355-359 (1984)). Specific initiation signals may also be required for efficient translation of inserted antibody coding sequences. These signals include the ATG initiation codon and adjacent sequences. Furthermore, the initiation codon must be in phase with the reading frame of the desired coding sequence to ensure translation of the entire insert. These exogenous

translational control signals and initiation codons can be of a variety of origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of appropriate transcription enhancer elements, transcription terminators, etc. (see Bittner et al., Methods in Enzymol. 153:51-544 (1987)).

In addition, a host cell strain may be chosen which modulates the expression of the inserted sequences, or modifies and processes the gene product in the specific fashion desired. Such modifications (e.g., glycosylation) and processing (e.g., cleavage) of protein products may be important for the function of the protein. Different host cells have characteristic and specific mechanisms for the post-translational processing and modification of proteins and gene products. Appropriate cell lines or host systems can be chosen to ensure the correct modification and processing of the foreign protein expressed. To this end, eukaryotic host cells which possess the cellular machinery for proper processing of the primary transcript, glycosylation, and phosphorylation of the gene product may be used. Such mammalian host cells include but are not limited to CHO, VERY, BHK, Hela, COS, MDCK, 293, 3T3, WI38, and in particular, breast cancer cell lines such as, for example, BT483, Hs578T, HTB2, BT20 and T47D, and normal mammary gland cell line such as, for example, CRL7030 and Hs578Bst.

For long-term, high-yield production of recombinant proteins, stable expression is preferred. For example, cell lines which stably express the antibody molecule may be engineered. Rather than using expression vectors which contain viral origins of replication, host cells can be transformed with DNA controlled by appropriate expression control elements (e.g., promoter, enhancer, sequences, transcription terminators, polyadenylation sites, etc.), and a selectable marker. Following the introduction of the foreign DNA, engineered cells may be allowed to grow for 1-2 days in an enriched media, and then are switched to a selective media. The selectable marker in the recombinant plasmid confers resistance to the selection and allows cells to stably integrate the plasmid into their chromosomes and grow to form foci which in turn can be cloned and expanded into cell lines. This method may advantageously be used to engineer cell lines which express the antibody molecule. Such engineered cell lines may be particularly useful in screening and evaluation of compounds that interact directly or indirectly with the antibody molecule.

A number of selection systems may be used, including but not limited to the herpes simplex virus thymidine kinase (Wigler et al., Cell 11:223 (1977)), hypoxanthine-guanine phosphoribosyltransferase (Szybalska & Szybalski, Proc. Natl. Acad. Sci. USA 48:202 (1992)), and adenine phosphoribosyltransferase (Lowy et al., Cell 22:817 (1980)) genes can be employed in tk-, hgprt- or aprt- cells, respectively. Also, antimetabolite resistance can be used as the basis of selection for the following genes: dhfr, which confers resistance to methotrexate (Wigler et al., Natl. Acad. Sci. USA 77:357 (1980); O'Hare et al., Proc. Natl. Acad. Sci. USA 78:1527 (1981)); gpt, which confers resistance to mycophenolic acid (Mulligan & Berg, Proc. Natl. Acad. Sci. USA

78:2072 (1981)); neo, which confers resistance to the aminoglycoside G-418 Clinical Pharmacy 12:488-505; Wu and Wu, Biotherapy 3:87-95 (1991); Tolstoshev, Ann. Rev. Pharmacol. Toxicol. 32:573-596 (1993); Mulligan, Science 260:926-932 (1993); and Morgan and Anderson, Ann. Rev. Biochem. 62:191-217 (1993); May, 1993, TIB TECH 11(5):155-215 (1993)); and hygro, which confers resistance to hygromycin (Santerre et al., Gene 30:147 (1984)). Methods commonly known in the art of recombinant DNA technology may be routinely applied to select the desired recombinant clone, and such methods are described, for example, in Ausubel et al. (eds.), Current Protocols in Molecular Biology, John Wiley & Sons, NY (1993); Kriegler, Gene Transfer and Expression, A Laboratory Manual, Stockton Press, NY (1990); and in Chapters 12 and 13, Dracopoli et al. (eds), Current Protocols in Human Genetics, John Wiley & Sons, NY (1994); Colberre-Garapin et al., J. Mol. Biol. 150:1 (1981), which are incorporated by reference herein in their entireties.

The expression levels of an antibody molecule can be increased by vector amplification (for a review, see Bebbington and Hentschel, The use of vectors based on gene amplification for the expression of cloned genes in mammalian cells in DNA cloning, Vol.3. (Academic Press, New York, 1987)). When a marker in the vector system expressing antibody is amplifiable, increase in the level of inhibitor present in culture of host cell will increase the number of copies of the marker gene. Since the amplified region is associated with the antibody gene, production of the antibody will also increase (Crouse et al., Mol. Cell. Biol. 3:257 (1983)).

Vectors which use glutamine synthase (GS) or DHFR as the selectable markers can be amplified in the presence of the drugs methionine sulphoximine or methotrexate, respectively. An advantage of glutamine synthase based vectors are the availabilty of cell lines (e.g., the murine myeloma cell line, NS0) which are glutamine synthase negative. Glutamine synthase expression systems can also function in glutamine synthase expressing cells (e.g. Chinese Hamster Ovary (CHO) cells) by providing additional inhibitor to prevent the functioning of the endogenous gene. A glutamine synthase expression system and components thereof are detailed in PCT publications: WO87/04462; WO86/05807; WO89/01036; WO89/10404; and WO91/06657 which are incorporated in their entireties by reference herein. Additionally, glutamine synthase expression vectors that may be used according to the present invention are commercially available from suplliers, including, for example Lonza Biologics, Inc. (Portsmouth, NH). Expression and production of monoclonal antibodies using a GS expression system in murine myeloma cells is described in Bebbington *et al.*, *Bio/technology* 10:169(1992) and in Biblia and Robinson *Biotechnol. Prog.* 11:1 (1995) which are incorporated in their entirities by reference herein.

The host cell may be co-transfected with two expression vectors of the invention, the first vector encoding a heavy chain derived polypeptide and the second vector encoding a light chain derived polypeptide. The two vectors may contain identical selectable markers which enable equal expression of heavy and light chain polypeptides. Alternatively, a single vector may be used

which encodes, and is capable of expressing, both heavy and light chain polypeptides. In such situations, the light chain should be placed before the heavy chain to avoid an excess of toxic free heavy chain (Proudfoot, Nature 322:52 (1986); Kohler, Proc. Natl. Acad. Sci. USA 77:2197 (1980)). The coding sequences for the heavy and light chains may comprise cDNA or genomic DNA.

Once an antibody molecule of the invention has been produced by an animal, chemically synthesized, or recombinantly expressed, it may be purified by any method known in the art for purification of an immunoglobulin molecule, for example, by chromatography (e.g., ion exchange, affinity, particularly by affinity for the specific antigen after Protein A, and sizing column chromatography), centrifugation, differential solubility, or by any other standard technique for the purification of proteins. In addition, the antibodies of the present invention or fragments thereof can be fused to heterologous polypeptide sequences described herein or otherwise known in the art, to facilitate purification.

The present invention encompasses antibodies recombinantly fused or chemically conjugated (including both covalently and non-covalently conjugations) to a polypeptide (or portion thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino acids of the polypeptide) of the present invention to generate fusion proteins. The fusion does not necessarily need to be direct, but may occur through linker sequences. The antibodies may be specific for antigens other than polypeptides (or portion thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino acids of the polypeptide) of the present invention. For example, antibodies may be used to target the polypeptides of the present invention to particular cell types, either in vitro or *in vivo*, by fusing or conjugating the polypeptides of the present invention to antibodies specific for particular cell surface receptors. Antibodies fused or conjugated to the polypeptides of the present invention may also be used in in vitro immunoassays and purification methods using methods known in the art. See e.g., Harbor et al., *supra*, and PCT publication WO 93/21232; EP 439,095; Naramura et al., Immunol. Lett. 39:91-99 (1994); U.S. Patent 5,474,981; Gillies et al., PNAS 89:1428-1432 (1992); Fell et al., J. Immunol. 146:2446-2452 (1991), which are incorporated by reference in their entireties.

The present invention further includes compositions comprising the polypeptides of the present invention fused or conjugated to antibody domains other than the variable regions. For example, the polypeptides of the present invention may be fused or conjugated to an antibody Fc region, or portion thereof. The antibody portion fused to a polypeptide of the present invention may comprise the constant region, hinge region, CH1 domain, CH2 domain, and CH3 domain or any combination of whole domains or portions thereof. The polypeptides may also be fused or conjugated to the above antibody portions to form multimers. For example, Fc portions fused to the polypeptides of the present invention can form dimers through disulfide bonding between the Fc portions. Higher multimeric forms can be made by fusing the polypeptides to portions of IgA

and IgM. Methods for fusing or conjugating the polypeptides of the present invention to antibody portions are known in the art. See, e.g., U.S. Patent Nos. 5,336,603; 5,622,929; 5,359,046; 5,349,053; 5,447,851; 5,112,946; EP 307,434; EP 367,166; PCT publications WO 96/04388; WO 91/06570; Ashkenazi et al., Proc. Natl. Acad. Sci. USA 88:10535-10539 (1991); Zheng et al., J. Immunol. 154:5590-5600 (1995); and Vil et al., Proc. Natl. Acad. Sci. USA 89:11337- 11341 (1992) (said references incorporated by reference in their entireties).

As discussed, *supra*, the polypeptides corresponding to a polypeptide, polypeptide fragment, or a variant of SEQ ID NO:Y may be fused or conjugated to the above antibody portions to increase the *in vivo* half life of the polypeptides or for use in immunoassays using methods known in the art. Further, the polypeptides corresponding to SEQ ID NO:Y may be fused or conjugated to the above antibody portions to facilitate purification. One reported example describes chimeric proteins consisting of the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light chains of mammalian immunoglobulins. See EP 394,827; and Traunecker et al., Nature 331:84-86 (1988). The polypeptides of the present invention fused or conjugated to an antibody having disulfide- linked dimeric structures (due to the IgG) may also be more efficient in binding and neutralizing other molecules, than the monomeric secreted protein or protein fragment alone. See, for example, Fountoulakis et al., J. Biochem. 270:3958-3964 (1995). In many cases, the Fc part in a fusion protein is beneficial in therapy and diagnosis, and thus can result in, for example, improved pharmacokinetic properties. See, for example, EP A 232,262. Alternatively, deleting the Fc part after the fusion protein has been expressed, detected, and purified, would be desired. For example, the Fc portion may hinder therapy and diagnosis if the fusion protein is used as an antigen for immunizations. In drug discovery, for example, human proteins, such as hIL-5, have been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of hIL-5. (See, Bennett et al., J. Molecular Recognition 8:52-58 (1995); Johanson et al., J. Biol. Chem. 270:9459-9471 (1995)).

Moreover, the antibodies or fragments thereof of the present invention can be fused to marker sequences, such as a peptide to facilitate purification. In preferred embodiments, the marker amino acid sequence is a hexa-histidine peptide, such as the tag provided in a pQE vector (QIAGEN, Inc., 9259 Eton Avenue, Chatsworth, CA, 91311), among others, many of which are commercially available. As described in Gentz et al., Proc. Natl. Acad. Sci. USA 86:821-824 (1989), for instance, hexa-histidine provides for convenient purification of the fusion protein. Other peptide tags useful for purification include, but are not limited to, the "HA" tag, which corresponds to an epitope derived from the influenza hemagglutinin protein (Wilson et al., Cell 37:767 (1984)) and the "flag" tag.

The present invention further encompasses antibodies or fragments thereof conjugated to a diagnostic or therapeutic agent. The antibodies can be used diagnostically to, for example,

monitor the development or progression of a tumor as part of a clinical testing procedure to, e.g., determine the efficacy of a given treatment regimen. Detection can be facilitated by coupling the antibody to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, radioactive materials, positron emitting metals using various positron emission tomographies, and nonradioactive paramagnetic metal ions. The detectable substance may be coupled or conjugated either directly to the antibody (or fragment thereof) or indirectly, through an intermediate (such as, for example, a linker known in the art) using techniques known in the art. See, for example, U.S. Patent No. 4,741,900 for metal ions which can be conjugated to antibodies for use as diagnostics according to the present invention. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, beta-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin; and examples of suitable radioactive material include 125I, 131I, 111In or 99Tc.

Further, an antibody or fragment thereof may be conjugated to a therapeutic moiety such as a cytotoxin, e.g., a cytostatic or cytocidal agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example, 213Bi. A cytotoxin or cytotoxic agent includes any agent that is detrimental to cells. Examples include paclitaxol, cytochalasin B, gramicidin D, ethidium bromide, emetine, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicin, doxorubicin, daunorubicin, dihydroxy anthracin dione, mitoxantrone, mithramycin, actinomycin D, 1-dehydrotestosterone, glucocorticoids, procaine, tetracaine, lidocaine, propranolol, and puromycin and analogs or homologs thereof. Therapeutic agents include, but are not limited to, antimetabolites (e.g., methotrexate, 6-mercaptopurine, 6-thioguanine, cytarabine, 5-fluorouracil decarbazine), alkylating agents (e.g., mechlorethamine, thioepa chlorambucil, melphalan, carmustine (BSNU) and lomustine (CCNU), cyclothosphamide, busulfan, dibromomannitol, streptozotocin, mitomycin C, and cis- dichlorodiamine platinum (II) (DDP) cisplatin), anthracyclines (e.g., daunorubicin (formerly daunomycin) and doxorubicin), antibiotics (e.g., dactinomycin (formerly actinomycin), bleomycin, mithramycin, and anthramycin (AMC)), and anti-mitotic agents (e.g., vincristine and vinblastine).

The conjugates of the invention can be used for modifying a given biological response, the therapeutic agent or drug moiety is not to be construed as limited to classical chemical therapeutic agents. For example, the drug moiety may be a protein or polypeptide possessing a desired biological activity. Such proteins may include, for example, a toxin such as abrin, ricin A, pseudomonas exotoxin, or diphtheria toxin; a protein such as tumor necrosis factor, a-interferon, ß-interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator, an

apoptotic agent, e.g., TNF-alpha, TNF-beta, AIM I (See, International Publication No. WO 97/33899), AIM II (See, International Publication No. WO 97/34911), Fas Ligand (Takahashi *et al., Int. Immunol., 6*:1567-1574 (1994)), VEGI (See, International Publication No. WO 99/23105), a thrombotic agent or an anti- angiogenic agent, e.g., angiostatin or endostatin; or, biological response modifiers such as, for example, lymphokines, interleukin-1 ("IL-1"), interleukin-2 ("IL-2"), interleukin-6 ("IL-6"), granulocyte macrophage colony stimulating factor ("GM-CSF"), granulocyte colony stimulating factor ("G-CSF"), or other growth factors.

Antibodies may also be attached to solid supports, which are particularly useful for immunoassays or purification of the target antigen. Such solid supports include, but are not limited to, glass, cellulose, polyacrylamide, nylon, polystyrene, polyvinyl chloride or polypropylene.

Techniques for conjugating such therapeutic moiety to antibodies are well known. See, for example, Arnon et al., "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", in Monoclonal Antibodies And Cancer Therapy, Reisfeld et al. (eds.), pp. 243-56 (Alan R. Liss, Inc. 1985); Hellstrom et al., "Antibodies For Drug Delivery", in Controlled Drug Delivery (2nd Ed.), Robinson et al. (eds.), pp. 623-53 (Marcel Dekker, Inc. 1987); Thorpe, "Antibody Carriers Of Cytotoxic Agents In Cancer Therapy: A Review", in Monoclonal Antibodies '84: Biological And Clinical Applications, Pinchera et al. (eds.), pp. 475-506 (1985); "Analysis, Results, And Future Prospective Of The Therapeutic Use Of Radiolabeled Antibody In Cancer Therapy", in Monoclonal Antibodies For Cancer Detection And Therapy, Baldwin et al. (eds.), pp. 303-16 (Academic Press 1985), and Thorpe et al., "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", Immunol. Rev. 62:119-58 (1982).

Alternatively, an antibody can be conjugated to a second antibody to form an antibody heteroconjugate as described by Segal in U.S. Patent No. 4,676,980, which is incorporated herein by reference in its entirety.

An antibody, with or without a therapeutic moiety conjugated to it, administered alone or in combination with cytotoxic factor(s) and/or cytokine(s) can be used as a therapeutic.

Immunophenotyping

The antibodies of the invention may be utilized for immunophenotyping of cell lines and biological samples. Translation products of the gene of the present invention may be useful as cell-specific markers, or more specifically as cellular markers that are differentially expressed at various stages of differentiation and/or maturation of particular cell types. Monoclonal antibodies directed against a specific epitope, or combination of epitopes, will allow for the screening of cellular populations expressing the marker. Various techniques can be utilized using monoclonal antibodies to screen for cellular populations expressing the marker(s), and include magnetic separation using antibody-coated magnetic beads, "panning" with antibody attached to a solid

matrix (i.e., plate), and flow cytometry (See, e.g., U.S. Patent 5,985,660; and Morrison *et al., Cell, 96*:737-49 (1999)).

These techniques allow for the screening of particular populations of cells, such as might be found with hematological malignancies (i.e. minimal residual disease (MRD) in acute leukemic patients) and "non-self" cells in transplantations to prevent Graft-versus-Host Disease (GVHD). Alternatively, these techniques allow for the screening of hematopoietic stem and progenitor cells capable of undergoing proliferation and/or differentiation, as might be found in human umbilical cord blood.

Assays For Antibody Binding

The antibodies of the invention may be assayed for immunospecific binding by any method known in the art. The immunoassays which can be used include but are not limited to competitive and non-competitive assay systems using techniques such as western blots, radioimmunoassays, ELISA (enzyme linked immunosorbent assay), "sandwich" immunoassays, immunoprecipitation assays, precipitin reactions, gel diffusion precipitin reactions, immunodiffusion assays, agglutination assays, complement-fixation assays, immunoradiometric assays, fluorescent immunoassays, and protein A immunoassays, to name but a few. Such assays are routine and well known in the art (see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York, which is incorporated by reference herein in its entirety). Exemplary immunoassays are described briefly below (but are not intended by way of limitation).

Immunoprecipitation protocols generally comprise lysing a population of cells in a lysis buffer such as RIPA buffer (1% NP-40 or Triton X- 100, 1% sodium deoxycholate, 0.1% SDS, 0.15 M NaCl, 0.01 M sodium phosphate at pH 7.2, 1% Trasylol) supplemented with protein phosphatase and/or protease inhibitors (e.g., EDTA, PMSF, aprotinin, sodium vanadate), adding the antibody of interest to the cell lysate, incubating for a period of time (e.g., 1-4 hours) at 4° C, adding protein A and/or protein G sepharose beads to the cell lysate, incubating for about an hour or more at 4° C, washing the beads in lysis buffer and resuspending the beads in SDS/sample buffer. The ability of the antibody of interest to immunoprecipitate a particular antigen can be assessed by, e.g., western blot analysis. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the binding of the antibody to an antigen and decrease the background (e.g., pre-clearing the cell lysate with sepharose beads). For further discussion regarding immunoprecipitation protocols see, e.g., Ausubel et al., eds., (1994), Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York, section 10.16.1.

Western blot analysis generally comprises preparing protein samples, electrophoresis of the protein samples in a polyacrylamide gel (e.g., 8%- 20% SDS-PAGE depending on the molecular weight of the antigen), transferring the protein sample from the polyacrylamide gel to a

membrane such as nitrocellulose, PVDF or nylon, blocking the membrane in blocking solution (e.g., PBS with 3% BSA or non-fat milk), washing the membrane in washing buffer (e.g., PBS-Tween 20), blocking the membrane with primary antibody (the antibody of interest) diluted in blocking buffer, washing the membrane in washing buffer, blocking the membrane with a secondary antibody (which recognizes the primary antibody, e.g., an anti-human antibody) conjugated to an enzymatic substrate (e.g., horseradish peroxidase or alkaline phosphatase) or radioactive molecule (e.g., 32P or 125I) diluted in blocking buffer, washing the membrane in wash buffer, and detecting the presence of the antigen. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected and to reduce the background noise. For further discussion regarding western blot protocols see, e.g., Ausubel et al, eds, (1994), Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York, section 10.8.1.

ELISAs comprise preparing antigen, coating the well of a 96 well microtiter plate with the antigen, adding the antibody of interest conjugated to a detectable compound such as an enzymatic substrate (e.g., horseradish peroxidase or alkaline phosphatase) to the well and incubating for a period of time, and detecting the presence of the antigen. In ELISAs the antibody of interest does not have to be conjugated to a detectable compound; instead, a second antibody (which recognizes the antibody of interest) conjugated to a detectable compound may be added to the well. Further, instead of coating the well with the antigen, the antibody may be coated to the well. In this case, a second antibody conjugated to a detectable compound may be added following the addition of the antigen of interest to the coated well. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected as well as other variations of ELISAs known in the art. For further discussion regarding ELISAs see, e.g., Ausubel et al, eds, (1994), Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York, section 11.2.1.

The binding affinity of an antibody to an antigen and the off-rate of an antibody-antigen interaction can be determined by competitive binding assays. One example of a competitive binding assay is a radioimmunoassay comprising the incubation of labeled antigen (e.g., 3H or 125I) with the antibody of interest in the presence of increasing amounts of unlabeled antigen, and the detection of the antibody bound to the labeled antigen. The affinity of the antibody of interest for a particular antigen and the binding off-rates can be determined from the data by scatchard plot analysis. Competition with a second antibody can also be determined using radioimmunoassays. In this case, the antigen is incubated with antibody of interest conjugated to a labeled compound (e.g., 3H or 125I) in the presence of increasing amounts of an unlabeled second antibody.

Antibodies of the invention may be characterized using immunocytochemisty methods on cells (e.g., mammalian cells, such as CHO cells) transfected with a vector enabling the

expression of an antigen or with vector alone using techniques commonly known in the art. Antibodies that bind antigen transfected cells, but not vector-only transfected cells, are antigen specific.

Therapeutic Uses

Table 1D also provides information regarding biological activities and preferred therapeutic uses (i.e. see, "Preferred Indications" column) for polynucleotides and polypeptides of the invention (including antibodies, agonists, and/or antagonists thereof). Table 1D also provides information regarding assays which may be used to test polynucleotides and polypeptides of the invention (including antibodies, agonists, and/or antagonists thereof) for the corresponding biological activities. The first column ("Gene No.") provides the gene number in the application for each clone identifier. The second column ("cDNA ATCC Deposit No:Z") provides the unique clone identifier for each clone as previously described and indicated in Table 1A, Table 1B, and Table 1C. The third column ("AA SEQ ID NO:Y") indicates the Sequence Listing SEQ ID Number for polypeptide sequences encoded by the corresponding cDNA clones (also as indicated in Table 1A, Table 1B, and Table 2). The fourth column ("Biological Activity") indicates a biological activity corresponding to the indicated polypeptides (or polynucleotides encoding said polypeptides). The fifth column ("Exemplary Activity Assay") further describes the corresponding biological activity and also provides information pertaining to the various types of assays which may be performed to test, demonstrate, or quantify the corresponding biological activity.

The present invention is further directed to antibody-based therapies which involve administering antibodies of the invention to an animal, preferably a mammal, and most preferably a human, patient for treating one or more of the disclosed diseases, disorders, or conditions. Therapeutic compounds of the invention include, but are not limited to, antibodies of the invention (including fragments, analogs and derivatives thereof as described herein) and nucleic acids encoding antibodies of the invention (including fragments, analogs and derivatives thereof and anti-idiotypic antibodies as described herein). The antibodies of the invention can be used to detect, prevent, diagnose, prognosticate, treat, and/or ameliorate diseases, disorders or conditions associated with aberrant expression and/or activity of a polypeptide of the invention, including, but not limited to, cardiovascular diseases and disorders. The treatment and/or prevention of cardiovascular diseases and disorders associated with aberrant expression and/or activity of a polypeptide of the invention includes, but is not limited to, alleviating symptoms associated with cardiovascular diseases and disorders. Antibodies of the invention may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

In a specific and preferred embodiment, the present invention is directed to antibody-based therapies which involve administering antibodies of the invention to an animal, preferably a

mammal, and most preferably a human, patient for treating cardiovascular diseases and disorders. Therapeutic compounds of the invention include, but are not limited to, antibodies of the invention (e.g., antibodies directed to the full length protein expressed on the cell surface of a mammalian cell; antibodies directed to an epitope of a polypeptide of the invention (such as, for example, a predicted linear epitope shown in Table 1B; or a conformational epitope, including fragments, analogs and derivatives thereof as described herein) and nucleic acids encoding antibodies of the invention (including fragments, analogs and derivatives thereof and anti-idiotypic antibodies as described herein). The antibodies of the invention can be used to detect, diagnose, prevent, treat, prognosticate, and/or ameliorate cardiovascular diseases, disorders or conditions associated with aberrant expression and/or activity of a polypeptide of the invention. The treatment and/or prevention of cardiovascular diseases, disorders, or conditions associated with aberrant expression and/or activity of a polypeptide of the invention includes, but is not limited to, alleviating symptoms associated with those diseases, disorders or conditions. Antibodies of the invention may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

A summary of the ways in which the antibodies of the present invention may be used therapeutically includes binding polynucleotides or polypeptides of the present invention locally or systemically in the body or by direct cytotoxicity of the antibody, e.g. as mediated by complement (CDC) or by effector cells (ADCC). Some of these approaches are described in more detail below. Armed with the teachings provided herein, one of ordinary skill in the art will know how to use the antibodies of the present invention for diagnostic, monitoring or therapeutic purposes without undue experimentation.

The antibodies of this invention may be advantageously utilized in combination with other monoclonal or chimeric antibodies, or with lymphokines or hematopoietic growth factors (such as, e.g., IL-2, IL-3 and IL-7), for example, which serve to increase the number or activity of effector cells which interact with the antibodies.

The antibodies of the invention may be administered alone or in combination with other types of treatments (e.g., radiation therapy, chemotherapy, hormonal therapy, immunotherapy and anti-tumor agents). Generally, administration of products of a species origin or species reactivity (in the case of antibodies) that is the same species as that of the patient is preferred. Thus, in a preferred embodiment, human antibodies, fragments derivatives, analogs, or nucleic acids, are administered to a human patient for therapy or prophylaxis.

It is preferred to use high affinity and/or potent *in vivo* inhibiting and/or neutralizing antibodies against polypeptides or polynucleotides of the present invention, fragments or regions thereof, for both immunoassays directed to and therapy of cardiovascular diseases and disorders related to polynucleotides or polypeptides, including fragments thereof, of the present invention. Such antibodies, fragments, or regions, will preferably have an affinity for polynucleotides or

polypeptides of the invention, including fragments thereof. Preferred binding affinities include those with a dissociation constant or Kd less than 5 X 10^{-2} M, 10^{-2} M, 5 X 10^{-3} M, 10^{-3} M, 5 X 10^{-4} M, 10^{-4} M, 5 X 10^{-5} M, 10^{-5} M, 5 X 10^{-6} M, 10^{-6} M, 5 X 10^{-7} M, 10^{-7} M, 5 X 10^{-8} M, 10^{-8} M, 5 X 10^{-9} M, 10^{-9} M, 5 X 10^{-10} M, 10^{-10} M, 5 X 10^{-11} M, 10^{-11} M, 5 X 10^{-12} M, 10^{-12} M, 5 X 10^{-13} M, 10^{-13} M, 5 X 10^{-14} M, 10^{-14} M, 5 X 10^{-15} M, and 10^{-15} M.

Gene Therapy

In a specific embodiment, nucleic acids comprising sequences encoding antibodies or functional derivatives thereof, are administered to treat, inhibit or prevent a cardiovascular disease or disorder associated with aberrant expression and/or activity of a polypeptide of the invention, by way of gene therapy. Gene therapy refers to therapy performed by the administration to a subject of an expressed or expressible nucleic acid. In this embodiment of the invention, the nucleic acids produce their encoded protein that mediates a therapeutic effect.

Any of the methods for gene therapy available in the art can be used according to the present invention. Exemplary methods are described below.

For general reviews of the methods of gene therapy, see Goldspiel et al., Clinical Pharmacy 12:488-505 (1993); Wu and Wu, Biotherapy 3:87-95 (1991); Tolstoshev, Ann. Rev. Pharmacol. Toxicol. 32:573-596 (1993); Mulligan, Science 260:926-932 (1993); and Morgan and Anderson, Ann. Rev. Biochem. 62:191-217 (1993); May, TIBTECH 11(5):155-215 (1993). Methods commonly known in the art of recombinant DNA technology which can be used are described in Ausubel et al. (eds.), Current Protocols in Molecular Biology, John Wiley & Sons, NY (1993); and Kriegler, Gene Transfer and Expression, A Laboratory Manual, Stockton Press, NY (1990).

In a preferred embodiment, the compound comprises nucleic acid sequences encoding an antibody, said nucleic acid sequences being part of expression vectors that express the antibody or fragments or chimeric proteins or heavy or light chains thereof in a suitable host. In particular, such nucleic acid sequences have promoters operably linked to the antibody coding region, said promoter being inducible or constitutive, and, optionally, tissue-specific. In another particular embodiment, nucleic acid molecules are used in which the antibody coding sequences and any other desired sequences are flanked by regions that promote homologous recombination at a desired site in the genome, thus providing for intrachromosomal expression of the antibody encoding nucleic acids (Koller and Smithies, Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); Zijlstra et al., Nature 342:435-438 (1989). In specific embodiments, the expressed antibody molecule is a single chain antibody; alternatively, the nucleic acid sequences include sequences encoding both the heavy and light chains, or fragments thereof, of the antibody.

Delivery of the nucleic acids into a patient may be either direct, in which case the patient is directly exposed to the nucleic acid or nucleic acid- carrying vectors, or indirect, in

which case, cells are first transformed with the nucleic acids in vitro, then transplanted into the patient. These two approaches are known, respectively, as *in vivo* or ex vivo gene therapy.

In a specific embodiment, the nucleic acid sequences are directly administered *in vivo*, where it is expressed to produce the encoded product. This can be accomplished by any of numerous methods known in the art, e.g., by constructing them as part of an appropriate nucleic acid expression vector and administering it so that they become intracellular, e.g., by infection using defective or attenuated retrovirals or other viral vectors (see U.S. Patent No. 4,980,286), or by direct injection of naked DNA, or by use of microparticle bombardment (e.g., a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, encapsulation in liposomes, microparticles, or microcapsules, or by administering them in linkage to a peptide which is known to enter the nucleus, by administering it in linkage to a ligand subject to receptor-mediated endocytosis (see, e.g., Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)) (which can be used to target cell types specifically expressing the receptors), etc. In another embodiment, nucleic acid-ligand complexes can be formed in which the ligand comprises a fusogenic viral peptide to disrupt endosomes, allowing the nucleic acid to avoid lysosomal degradation. In yet another embodiment, the nucleic acid can be targeted *in vivo* for cell specific uptake and expression, by targeting a specific receptor (see, e.g., PCT Publications WO 92/06180; WO 92/22635; WO92/20316; WO93/14188, WO 93/20221). Alternatively, the nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination (Koller and Smithies, Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); Zijlstra et al., Nature 342:435-438 (1989)).

In a specific embodiment, viral vectors that contains nucleic acid sequences encoding an antibody of the invention are used. For example, a retroviral vector can be used (see Miller et al., Meth. Enzymol. 217:581-599 (1993)). These retroviral vectors contain the components necessary for the correct packaging of the viral genome and integration into the host cell DNA. The nucleic acid sequences encoding the antibody to be used in gene therapy are cloned into one or more vectors, which facilitates delivery of the gene into a patient. More detail about retroviral vectors can be found in Boesen et al., Biotherapy 6:291-302 (1994), which describes the use of a retroviral vector to deliver the mdr1 gene to hematopoietic stem cells in order to make the stem cells more resistant to chemotherapy. Other references illustrating the use of retroviral vectors in gene therapy are: Clowes et al., J. Clin. Invest. 93:644-651 (1994); Kiem et al., Blood 83:1467-1473 (1994); Salmons and Gunzberg, Human Gene Therapy 4:129-141 (1993); and Grossman and Wilson, Curr. Opin. in Genetics and Devel. 3:110-114 (1993).

Adenoviruses are other viral vectors that can be used in gene therapy. Adenoviruses are especially attractive vehicles for delivering genes to respiratory epithelia. Adenoviruses naturally infect respiratory epithelia where they cause a mild disease. Other targets for adenovirus-based delivery systems are liver, the central nervous system, endothelial cells, and

muscle. Adenoviruses have the advantage of being capable of infecting non-dividing cells. Kozarsky and Wilson, Current Opinion in Genetics and Development 3:499-503 (1993) present a review of adenovirus-based gene therapy. Bout et al., Human Gene Therapy 5:3-10 (1994) demonstrated the use of adenovirus vectors to transfer genes to the respiratory epithelia of rhesus monkeys. Other instances of the use of adenoviruses in gene therapy can be found in Rosenfeld et al., Science 252:431-434 (1991); Rosenfeld et al., Cell 68:143- 155 (1992); Mastrangeli et al., J. Clin. Invest. 91:225-234 (1993); PCT Publication WO94/12649; and Wang, et al., Gene Therapy 2:775-783 (1995). In a preferred embodiment, adenovirus vectors are used.

Adeno-associated virus (AAV) has also been proposed for use in gene therapy (Walsh et al., Proc. Soc. Exp. Biol. Med. 204:289-300 (1993); U.S. Patent No. 5,436,146).

Another approach to gene therapy involves transferring a gene to cells in tissue culture by such methods as electroporation, lipofection, calcium phosphate mediated transfection, or viral infection. Usually, the method of transfer includes the transfer of a selectable marker to the cells. The cells are then placed under selection to isolate those cells that have taken up and are expressing the transferred gene. Those cells are then delivered to a patient.

In this embodiment, the nucleic acid is introduced into a cell prior to administration *in vivo* of the resulting recombinant cell. Such introduction can be carried out by any method known in the art, including but not limited to transfection, electroporation, microinjection, infection with a viral or bacteriophage vector containing the nucleic acid sequences, cell fusion, chromosome-mediated gene transfer, microcell-mediated gene transfer, spheroplast fusion, etc. Numerous techniques are known in the art for the introduction of foreign genes into cells (see, e.g., Loeffler and Behr, Meth. Enzymol. 217:599-618 (1993); Cohen et al., Meth. Enzymol. 217:618-644 (1993); Cline, Pharmac. Ther. 29:69-92m (1985) and may be used in accordance with the present invention, provided that the necessary developmental and physiological functions of the recipient cells are not disrupted. The technique should provide for the stable transfer of the nucleic acid to the cell, so that the nucleic acid is expressible by the cell and preferably heritable and expressible by its cell progeny.

The resulting recombinant cells can be delivered to a patient by various methods known in the art. Recombinant blood cells (e.g., hematopoietic stem or progenitor cells) are preferably administered intravenously. The amount of cells envisioned for use depends on the desired effect, patient state, etc., and can be determined by one skilled in the art.

Cells into which a nucleic acid can be introduced for purposes of gene therapy encompass any desired, available cell type, and include but are not limited to epithelial cells, endothelial cells, keratinocytes, fibroblasts, muscle cells, hepatocytes; blood cells such as T lymphocytes, B lymphocytes, monocytes, macrophages, neutrophils, eosinophils, megakaryocytes, granulocytes; various stem or progenitor cells, in particular hematopoietic stem

or progenitor cells, e.g., as obtained from bone marrow, umbilical cord blood, peripheral blood, fetal liver, etc.

In a preferred embodiment, the cell used for gene therapy is autologous to the patient.

In an embodiment in which recombinant cells are used in gene therapy, nucleic acid sequences encoding an antibody are introduced into the cells such that they are expressible by the cells or their progeny, and the recombinant cells are then administered *in vivo* for therapeutic effect. In a specific embodiment, stem or progenitor cells are used. Any stem and/or progenitor cells which can be isolated and maintained in vitro can potentially be used in accordance with this embodiment of the present invention (see e.g. PCT Publication WO 94/08598; Stemple and Anderson, Cell 71:973-985 (1992); Rheinwald, Meth. Cell Bio. 21A:229 (1980); and Pittelkow and Scott, Mayo Clinic Proc. 61:771 (1986)).

In a specific embodiment, the nucleic acid to be introduced for purposes of gene therapy comprises an inducible promoter operably linked to the coding region, such that expression of the nucleic acid is controllable by the presence or absence of an appropriate inducer of transcription.

Demonstration of Therapeutic or Prophylactic Activity

The compounds or pharmaceutical compositions of the invention are preferably tested in vitro, and then *in vivo* for the desired therapeutic or prophylactic activity, prior to use in humans. For example, in vitro assays to demonstrate the therapeutic or prophylactic utility of a compound or pharmaceutical composition include, the effect of a compound on a cell line or a patient tissue sample. The effect of the compound or composition on the cell line and/or tissue sample can be determined utilizing techniques known to those of skill in the art including, but not limited to, rosette formation assays and cell lysis assays. In accordance with the invention, in vitro assays which can be used to determine whether administration of a specific compound is indicated, include in vitro cell culture assays in which a patient tissue sample is grown in culture, and exposed to or otherwise administered a compound, and the effect of such compound upon the tissue sample is observed.

Therapeutic/Prophylactic Administration and Composition

The invention provides methods of treatment, inhibition and prophylaxis by administration to a subject of an effective amount of a compound or pharmaceutical composition of the invention, preferably a polypeptide or antibody of the invention. In a preferred embodiment, the compound is substantially purified (e.g., substantially free from substances that limit its effect or produce undesired side-effects). The subject is preferably an animal, including but not limited to animals such as cows, pigs, horses, chickens, cats, dogs, etc., and is preferably a mammal, and most preferably human.

Formulations and methods of administration that can be employed when the compound comprises a nucleic acid or an immunoglobulin are described above; additional appropriate formulations and routes of administration can be selected from among those described herein below.

Various delivery systems are known and can be used to administer a compound of the invention, e.g., encapsulation in liposomes, microparticles, microcapsules, recombinant cells capable of expressing the compound, receptor-mediated endocytosis (see, e.g., Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)), construction of a nucleic acid as part of a retroviral or other vector, etc. Methods of introduction include but are not limited to intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intranasal, epidural, and oral routes. The compounds or compositions may be administered by any convenient route, for example by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings (e.g., oral mucosa, rectal and intestinal mucosa, etc.) and may be administered together with other biologically active agents. Administration can be systemic or local. In addition, it may be desirable to introduce the pharmaceutical compounds or compositions of the invention into the central nervous system by any suitable route, including intraventricular and intrathecal injection; intraventricular injection may be facilitated by an intraventricular catheter, for example, attached to a reservoir, such as an Ommaya reservoir. Pulmonary administration can also be employed, e.g., by use of an inhaler or nebulizer, and formulation with an aerosolizing agent.

In a specific embodiment, it may be desirable to administer the pharmaceutical compounds or compositions of the invention locally to the area in need of treatment; this may be achieved by, for example, and not by way of limitation, local infusion during surgery, topical application, e.g., in conjunction with a wound dressing after surgery, by injection, by means of a catheter, by means of a suppository, or by means of an implant, said implant being of a porous, non-porous, or gelatinous material, including membranes, such as sialastic membranes, or fibers. Preferably, when administering a protein, including an antibody, of the invention, care must be taken to use materials to which the protein does not absorb.

In another embodiment, the compound or composition can be delivered in a vesicle, in particular a liposome (see Langer, Science 249:1527-1533 (1990); Treat et al., in Liposomes in the Therapy of Infectious Disease and Cancer, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 353- 365 (1989); Lopez-Berestein, ibid., pp. 317-327; see generally ibid.)

In yet another embodiment, the compound or composition can be delivered in a controlled release system. In one embodiment, a pump may be used (see Langer, *supra*; Sefton, CRC Crit. Ref. Biomed. Eng. 14:201 (1987); Buchwald et al., Surgery 88:507 (1980); Saudek et al., N. Engl. J. Med. 321:574 (1989)). In another embodiment, polymeric materials can be used (see Medical Applications of Controlled Release, Langer and Wise (eds.), CRC Pres., Boca Raton, Florida (1974); Controlled Drug Bioavailability, Drug Product Design and Performance,

Smolen and Ball (eds.), Wiley, New York (1984); Ranger and Peppas, J., Macromol. Sci. Rev. Macromol. Chem. 23:61 (1983); see also Levy et al., Science 228:190 (1985); During et al., Ann. Neurol. 25:351 (1989); Howard et al., J.Neurosurg. 71:105 (1989)). In yet another embodiment, a controlled release system can be placed in proximity of the therapeutic target, e.g., the brain, thus requiring only a fraction of the systemic dose (see, e.g., Goodson, in Medical Applications of Controlled Release, *supra*, vol. 2, pp. 115-138 (1984)).

Other controlled release systems are discussed in the review by Langer (Science 249:1527-1533 (1990)).

In a specific embodiment where the compound of the invention is a nucleic acid encoding a protein, the nucleic acid can be administered *in vivo* to promote expression of its encoded protein, by constructing it as part of an appropriate nucleic acid expression vector and administering it so that it becomes intracellular, e.g., by use of a retroviral vector (see U.S. Patent No. 4,980,286), or by direct injection, or by use of microparticle bombardment (e.g., a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, or by administering it in linkage to a homeobox- like peptide which is known to enter the nucleus (see e.g., Joliot et al., Proc. Natl. Acad. Sci. USA 88:1864-1868 (1991)), etc. Alternatively, a nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination.

The present invention also provides pharmaceutical compositions. Such compositions comprise a therapeutically effective amount of a compound, and a pharmaceutically acceptable carrier. In a specific embodiment, the term "pharmaceutically acceptable" means approved by a regulatory agency of the Federal or a state government or listed in the U.S. Pharmacopeia or other generally recognized pharmacopeia for use in animals, and more particularly in humans. The term "carrier" refers to a diluent, adjuvant, excipient, or vehicle with which the therapeutic is administered. Such pharmaceutical carriers can be sterile liquids, such as water and oils, including those of petroleum, animal, vegetable or synthetic origin, such as peanut oil, soybean oil, mineral oil, sesame oil and the like. Water is a preferred carrier when the pharmaceutical composition is administered intravenously. Saline solutions and aqueous dextrose and glycerol solutions can also be employed as liquid carriers, particularly for injectable solutions. Suitable pharmaceutical excipients include starch, glucose, lactose, sucrose, gelatin, malt, rice, flour, chalk, silica gel, sodium stearate, glycerol monostearate, talc, sodium chloride, dried skim milk, glycerol, propylene, glycol, water, ethanol and the like. The composition, if desired, can also contain minor amounts of wetting or emulsifying agents, or pH buffering agents. These compositions can take the form of solutions, suspensions, emulsion, tablets, pills, capsules, powders, sustained-release formulations and the like. The composition can be formulated as a suppository, with traditional binders and carriers such as triglycerides. Oral formulation can include standard carriers such as pharmaceutical grades of mannitol, lactose, starch, magnesium

stearate, sodium saccharine, cellulose, magnesium carbonate, etc. Examples of suitable pharmaceutical carriers are described in "Remington's Pharmaceutical Sciences" by E.W. Martin. Such compositions will contain a therapeutically effective amount of the compound, preferably in purified form, together with a suitable amount of carrier so as to provide the form for proper administration to the patient. The formulation should suit the mode of administration.

In a preferred embodiment, the composition is formulated in accordance with routine procedures as a pharmaceutical composition adapted for intravenous administration to human beings. Typically, compositions for intravenous administration are solutions in sterile isotonic aqueous buffer. Where necessary, the composition may also include a solubilizing agent and a local anesthetic such as lignocaine to ease pain at the site of the injection. Generally, the ingredients are supplied either separately or mixed together in unit dosage form, for example, as a dry lyophilized powder or water free concentrate in a hermetically sealed container such as an ampoule or sachette indicating the quantity of active agent. Where the composition is to be administered by infusion, it can be dispensed with an infusion bottle containing sterile pharmaceutical grade water or saline. Where the composition is administered by injection, an ampoule of sterile water for injection or saline can be provided so that the ingredients may be mixed prior to administration.

The compounds of the invention can be formulated as neutral or salt forms. Pharmaceutically acceptable salts include those formed with anions such as those derived from hydrochloric, phosphoric, acetic, oxalic, tartaric acids, etc., and those formed with cations such as those derived from sodium, potassium, ammonium, calcium, ferric hydroxides, isopropylamine, triethylamine, 2-ethylamino ethanol, histidine, procaine, etc.

The amount of the compound of the invention which will be effective in the treatment, inhibition and prevention of a disease or disorder associated with aberrant expression and/or activity of a polypeptide of the invention can be determined by standard clinical techniques. In addition, *in vitro* assays may optionally be employed to help identify optimal dosage ranges. The precise dose to be employed in the formulation will also depend on the route of administration, and the seriousness of the disease or disorder, and should be decided according to the judgment of the practitioner and each patient's circumstances. Effective doses may be extrapolated from dose-response curves derived from in vitro or animal model test systems.

For antibodies, the dosage administered to a patient is typically 0.1 mg/kg to 100 mg/kg of the patient's body weight. Preferably, the dosage administered to a patient is between 0.1 mg/kg and 20 mg/kg of the patient's body weight, more preferably 1 mg/kg to 10 mg/kg of the patient's body weight. Generally, human antibodies have a longer half-life within the human body than antibodies from other species due to the immune response to the foreign polypeptides. Thus, lower dosages of human antibodies and less frequent administration is often possible. Further, the dosage and frequency of administration of antibodies of the invention may be reduced

by enhancing uptake and tissue penetration (e.g., into the brain) of the antibodies by modifications such as, for example, lipidation.

The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Optionally associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration.

Diagnosis and Imaging

Labeled antibodies, and derivatives and analogs thereof, which specifically bind to a polypeptide of interest can be used for diagnostic purposes to detect, diagnose, prognosticate, or monitor cardiovascular diseases, disorders, and/or conditions associated with the aberrant expression and/or activity of a polypeptide of the invention. The invention provides for the detection of aberrant expression of a polypeptide of interest, comprising (a) assaying the expression of the polypeptide of interest in cells or body fluid of an individual using one or more antibodies specific to the polypeptide interest and (b) comparing the level of gene expression with a standard gene expression level, whereby an increase or decrease in the assayed polypeptide gene expression level compared to the standard expression level is indicative of aberrant expression.

The invention provides a diagnostic assay for diagnosing a cardiovascular disease or disorder, comprising (a) assaying the expression of the polypeptide of interest in cells or body fluid of an individual using one or more antibodies specific to the polypeptide interest and (b) comparing the level of gene expression with a standard gene expression level, whereby an increase or decrease in the assayed polypeptide gene expression level compared to the standard expression level is indicative of a particular cardiovascular disease or disorder. With respect to cancers of the cardiovascular system, the presence of a relatively high amount of transcript in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer of the cardiovascular system.

Antibodies of the invention can be used to assay protein levels in a biological sample using classical immunohistological methods known to those of skill in the art (e.g., see Jalkanen et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen et al., J. Cell . Biol. 105:3087-3096 (1987)). Other antibody-based methods useful for detecting protein gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose

oxidase; radioisotopes, such as iodine (125I, 121I), carbon (14C), sulfur (35S), tritium (3H), indium (112In), and technetium (99Tc); luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

One facet of the invention is the detection and diagnosis of a disease or disorder associated with aberrant expression of a polypeptide of interest in an animal, preferably a mammal and most preferably a human. In one embodiment, diagnosis comprises: a) administering (for example, parenterally, subcutaneously, or intraperitoneally) to a subject an effective amount of a labeled molecule which specifically binds to the polypeptide of interest; b) waiting for a time interval following the administering for permitting the labeled molecule to preferentially concentrate at sites in the subject where the polypeptide is expressed (and for unbound labeled molecule to be cleared to background level); c) determining background level; and d) detecting the labeled molecule in the subject, such that detection of labeled molecule above the background level indicates that the subject has a particular disease or disorder associated with aberrant expression of the polypeptide of interest. Background level can be determined by various methods including, comparing the amount of labeled molecule detected to a standard value previously determined for a particular system.

It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of 99mTc. The labeled antibody or antibody fragment will then preferentially accumulate at the location of cells which contain the specific protein. *In vivo* tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments." (Chapter 13 in Tumor Imaging: The Radiochemical Detection of Cancer, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982)).

Depending on several variables, including the type of label used and the mode of administration, the time interval following the administration for permitting the labeled molecule to preferentially concentrate at sites in the subject and for unbound labeled molecule to be cleared to background level is 6 to 48 hours or 6 to 24 hours or 6 to 12 hours. In another embodiment the time interval following administration is 5 to 20 days or 5 to 10 days.

In an embodiment, monitoring of the disease or disorder is carried out by repeating the method for diagnosing the disease or disease, for example, one month after initial diagnosis, six months after initial diagnosis, one year after initial diagnosis, etc.

Presence of the labeled molecule can be detected in the patient using methods known in the art for *in vivo* scanning. These methods depend upon the type of label used. Skilled artisans will be able to determine the appropriate method for detecting a particular label. Methods and devices that may be used in the diagnostic methods of the invention include, but are not limited to,

computed tomography (CT), whole body scan such as position emission tomography (PET), magnetic resonance imaging (MRI), and sonography.

In a specific embodiment, the molecule is labeled with a radioisotope and is detected in the patient using a radiation responsive surgical instrument (Thurston et al., U.S. Patent No. 5,441,050). In another embodiment, the molecule is labeled with a fluorescent compound and is detected in the patient using a fluorescence responsive scanning instrument. In another embodiment, the molecule is labeled with a positron emitting metal and is detected in the patent using positron emission-tomography. In yet another embodiment, the molecule is labeled with a paramagnetic label and is detected in a patient using magnetic resonance imaging (MRI).

Kits

The present invention provides kits that can be used in the above methods. In one embodiment, a kit comprises an antibody of the invention, preferably a purified antibody, in one or more containers. In a specific embodiment, the kits of the present invention contain a substantially isolated polypeptide comprising an epitope which is specifically immunoreactive with an antibody included in the kit. Preferably, the kits of the present invention further comprise a control antibody which does not react with the polypeptide of interest. In another specific embodiment, the kits of the present invention contain a means for detecting the binding of an antibody to a polypeptide of interest (e.g., the antibody may be conjugated to a detectable substrate such as a fluorescent compound, an enzymatic substrate, a radioactive compound or a luminescent compound, or a second antibody which recognizes the first antibody may be conjugated to a detectable substrate).

In another specific embodiment of the present invention, the kit is a diagnostic kit for use in screening serum containing antibodies specific against proliferative and/or cancerous polynucleotides and polypeptides. Such a kit may include a control antibody that does not react with the polypeptide of interest. Such a kit may include a substantially isolated polypeptide antigen comprising an epitope which is specifically immunoreactive with at least one anti-polypeptide antigen antibody. Further, such a kit includes means for detecting the binding of said antibody to the antigen (e.g., the antibody may be conjugated to a fluorescent compound such as fluorescein or rhodamine which can be detected by flow cytometry). In specific embodiments, the kit may include a recombinantly produced or chemically synthesized polypeptide antigen. The polypeptide antigen of the kit may also be attached to a solid support.

In a more specific embodiment the detecting means of the above-described kit includes a solid support to which said polypeptide antigen is attached. Such a kit may also include a non-attached reporter-labeled anti-human antibody. In this embodiment, binding of the antibody to the polypeptide antigen can be detected by binding of the said reporter-labeled antibody.

In an additional embodiment, the invention includes a diagnostic kit for use in screening serum containing antigens of the polypeptide of the invention. The diagnostic kit includes a substantially isolated antibody specifically immunoreactive with polypeptide or polynucleotide antigens, and means for detecting the binding of the polynucleotide or polypeptide antigen to the antibody. In one embodiment, the antibody is attached to a solid support. In a specific embodiment, the antibody may be a monoclonal antibody. The detecting means of the kit may include a second, labeled monoclonal antibody. Alternatively, or in addition, the detecting means may include a labeled, competing antigen.

In one diagnostic configuration, test serum is reacted with a solid phase reagent having a surface-bound antigen obtained by the methods of the present invention. After binding with specific antigen antibody to the reagent and removing unbound serum components by washing, the reagent is reacted with reporter-labeled anti-human antibody to bind reporter to the reagent in proportion to the amount of bound anti-antigen antibody on the solid support. The reagent is again washed to remove unbound labeled antibody, and the amount of reporter associated with the reagent is determined. Typically, the reporter is an enzyme which is detected by incubating the solid phase in the presence of a suitable fluorometric, luminescent or colorimetric substrate (Sigma, St. Louis, MO).

The solid surface reagent in the above assay is prepared by known techniques for attaching protein material to solid support material, such as polymeric beads, dip sticks, 96-well plate or filter material. These attachment methods generally include non-specific adsorption of the protein to the support or covalent attachment of the protein, typically through a free amine group, to a chemically reactive group on the solid support, such as an activated carboxyl, hydroxyl, or aldehyde group. Alternatively, streptavidin coated plates can be used in conjunction with biotinylated antigen(s).

Thus, the invention provides an assay system or kit for carrying out this diagnostic method. The kit generally includes a support with surface- bound recombinant antigens, and a reporter-labeled anti-human antibody for detecting surface-bound anti-antigen antibody.

Uses of the Polynucleotides

Each of the polynucleotides identified herein can be used in numerous ways as reagents. The following description should be considered exemplary and utilizes known techniques.

The polynucleotides of the present invention are useful for chromosome identification. There exists an ongoing need to identify new chromosome markers, since few chromosome marking reagents, based on actual sequence data (repeat polymorphisms), are presently available. Each sequence is specifically targeted to and can hybridize with a particular location on an

individual human chromosome, thus each polynucleotide of the present invention can routinely be used as a chromosome marker using techniques known in the art. Table 1B, column 9 provides the chromosome location of some of the polynucleotides of the invention.

Briefly, sequences can be mapped to chromosomes by preparing PCR primers (preferably at least 15 bp (e.g., 15-25 bp) from the sequences shown in SEQ ID NO:X. Primers can optionally be selected using computer analysis so that primers do not span more than one predicted exon in the genomic DNA. These primers are then used for PCR screening of somatic cell hybrids containing individual human chromosomes. Only those hybrids containing the human gene corresponding to SEQ ID NO:X will yield an amplified fragment.

Similarly, somatic hybrids provide a rapid method of PCR mapping the polynucleotides to particular chromosomes. Three or more clones can be assigned per day using a single thermal cycler. Moreover, sublocalization of the polynucleotides can be achieved with panels of specific chromosome fragments. Other gene mapping strategies that can be used include in situ hybridization, prescreening with labeled flow-sorted chromosomes, preselection by hybridization to construct chromosome specific-cDNA libraries, and computer mapping techniques (See, e.g., Shuler, Trends Biotechnol 16:456-459 (1998) which is hereby incorporated by reference in its entirety).

Precise chromosomal location of the polynucleotides can also be achieved using fluorescence in situ hybridization (FISH) of a metaphase chromosomal spread. This technique uses polynucleotides as short as 500 or 600 bases; however, polynucleotides 2,000-4,000 bp are preferred. For a review of this technique, see Verma et al., "Human Chromosomes: a Manual of Basic Techniques," Pergamon Press, New York (1988).

For chromosome mapping, the polynucleotides can be used individually (to mark a single chromosome or a single site on that chromosome) or in panels (for marking multiple sites and/or multiple chromosomes).

Thus, the present invention also provides a method for chromosomal localization which involves (a) preparing PCR primers from the polynucleotide sequences in Table 1B and/or Table 2 and SEQ ID NO:X and (b) screening somatic cell hybrids containing individual chromosomes.

The polynucleotides of the present invention would likewise be useful for radiation hybrid mapping, HAPPY mapping, and long range restriction mapping. For a review of these techniques and others known in the art, see, e.g. Dear, "Genome Mapping: A Practical Approach," IRL Press at Oxford University Press, London (1997); Aydin, J. Mol. Med. 77:691-694 (1999); Hacia et al., Mol. Psychiatry 3:483-492 (1998); Herrick et al., Chromosome Res. 7:409-423 (1999); Hamilton et al., Methods Cell Biol. 62:265-280 (2000); and/or Ott, J. Hered. 90:68-70 (1999) each of which is hereby incorporated by reference in its entirety.

Once a polynucleotide has been mapped to a precise chromosomal location, the physical position of the polynucleotide can be used in linkage analysis. Linkage analysis establishes coinheritance between a chromosomal location and presentation of a particular disease. (Disease mapping data are found, for example, in V. McKusick, Mendelian Inheritance in Man (available on line through Johns Hopkins University Welch Medical Library)). Table 1B provides an OMIM reference identification number of diseases associated with the cytologic band disclosed in Table 1B, as determined using techniques described herein and by reference to Table 5. Assuming 1 megabase mapping resolution and one gene per 20 kb, a cDNA precisely localized to a chromosomal region associated with the disease could be one of 50-500 potential causative genes.

Thus, once coinheritance is established, differences in a polynucleotide of the invention and the corresponding gene between affected and unaffected individuals can be examined. First, visible structural alterations in the chromosomes, such as deletions or translocations, are examined in chromosome spreads or by PCR. If no structural alterations exist, the presence of point mutations are ascertained. Mutations observed in some or all affected individuals, but not in normal individuals, indicates that the mutation may cause the disease. However, complete sequencing of the polypeptide and the corresponding gene from several normal individuals is required to distinguish the mutation from a polymorphism. If a new polymorphism is identified, this polymorphic polypeptide can be used for further linkage analysis.

Furthermore, increased or decreased expression of the gene in affected individuals as compared to unaffected individuals can be assessed using the polynucleotides of the invention. Any of these alterations (altered expression, chromosomal rearrangement, or mutation) can be used as a diagnostic or prognostic marker. Diagnostic and prognostic methods, kits and reagents encompassed by the present invention are briefly described below and more thoroughly elsewhere herein (see e.g., the sections labeled "Antibodies", "Diagnostic Assays", and "Methods for Detecting Diseases").

Thus, the invention also provides a diagnostic method useful during diagnosis of a disorder, involving measuring the expression level of polynucleotides of the present invention in cells or body fluid from an individual and comparing the measured gene expression level with a standard level of polynucleotide expression level, whereby an increase or decrease in the gene expression level compared to the standard is indicative of a disorder. Additional non-limiting examples of diagnostic methods encompassed by the present invention are more thoroughly described elsewhere herein (see, e.g., Example 12).

In still another embodiment, the invention includes a kit for analyzing samples for the presence of proliferative and/or cancerous polynucleotides derived from a test subject. In a general embodiment, the kit includes at least one polynucleotide probe containing a nucleotide sequence that will specifically hybridize with a polynucleotide of the invention and a suitable container. In a

specific embodiment, the kit includes two polynucleotide probes defining an internal region of the polynucleotide of the invention, where each probe has one strand containing a 31'mer-end internal to the region. In a further embodiment, the probes may be useful as primers for polymerase chain reaction amplification.

Where a diagnosis of a related disorder, including, for example, diagnosis of a tumor, has already been made according to conventional methods, the present invention is useful as a prognostic indicator, whereby patients exhibiting enhanced or depressed polynucleotide of the invention expression will experience a worse clinical outcome relative to patients expressing the gene at a level nearer the standard level.

By "measuring the expression level of polynucleotides of the invention" is intended qualitatively or quantitatively measuring or estimating the level of the polypeptide of the invention or the level of the mRNA encoding the polypeptide of the invention in a first biological sample either directly (e.g., by determining or estimating absolute protein level or mRNA level) or relatively (e.g., by comparing to the polypeptide level or mRNA level in a second biological sample). Preferably, the polypeptide level or mRNA level in the first biological sample is measured or estimated and compared to a standard polypeptide level or mRNA level, the standard being taken from a second biological sample obtained from an individual not having the related disorder or being determined by averaging levels from a population of individuals not having a related disorder. As will be appreciated in the art, once a standard polypeptide level or mRNA level is known, it can be used repeatedly as a standard for comparison.

By "biological sample" is intended any biological sample obtained from an individual, body fluid, cell line, tissue culture, or other source which contains polypeptide of the present invention or the corresponding mRNA. As indicated, biological samples include body fluids (such as semen, lymph, vaginal pool, sera, plasma, urine, synovial fluid and spinal fluid) which contain the polypeptide of the present invention, and tissue sources found to express the polypeptide of the present invention. Methods for obtaining tissue biopsies and body fluids from mammals are well known in the art. Where the biological sample is to include mRNA, a tissue biopsy is the preferred source.

The method(s) provided above may preferably be applied in a diagnostic method and/or kits in which polynucleotides and/or polypeptides of the invention are attached to a solid support. In one exemplary method, the support may be a "gene chip" or a "biological chip" as described in US Patents 5,837,832, 5,874,219, and 5,856,174. Further, such a gene chip with polynucleotides of the invention attached may be used to identify polymorphisms between the isolated polynucleotide sequences of the invention, with polynucleotides isolated from a test subject. The knowledge of such polymorphisms (i.e. their location, as well as, their existence) would be beneficial in identifying disease loci for many disorders, such as for example, in neural disorders, immune system disorders, muscular disorders, reproductive disorders, gastrointestinal

disorders, pulmonary disorders, digestive disorders, metabolic disorders, cardiovascular disorders, renal disorders, proliferative disorders, and/or cancerous diseases and conditions. Such a method is described in US Patents 5,858,659 and 5,856,104. The US Patents referenced *supra* are hereby incorporated by reference in their entirety herein.

The present invention encompasses polynucleotides of the present invention that are chemically synthesized, or reproduced as peptide nucleic acids (PNA), or according to other methods known in the art. The use of PNAs would serve as the preferred form if the polynucleotides of the invention are incorporated onto a solid support, or gene chip. For the purposes of the present invention, a peptide nucleic acid (PNA) is a polyamide type of DNA analog and the monomeric units for adenine, guanine, thymine and cytosine are available commercially (Perceptive Biosystems). Certain components of DNA, such as phosphorus, phosphorus oxides, or deoxyribose derivatives, are not present in PNAs. As disclosed by Nielsen et al., Science 254, 1497 (1991); and Egholm et al., Nature 365, 666 (1993), PNAs bind specifically and tightly to complementary DNA strands and are not degraded by nucleases. In fact, PNA binds more strongly to DNA than DNA itself does. This is probably because there is no electrostatic repulsion between the two strands, and also the polyamide backbone is more flexible. Because of this, PNA/DNA duplexes bind under a wider range of stringency conditions than DNA/DNA duplexes, making it easier to perform multiplex hybridization. Smaller probes can be used than with DNA due to the strong binding. In addition, it is more likely that single base mismatches can be determined with PNA/DNA hybridization because a single mismatch in a PNA/DNA 15-mer lowers the melting point (T.sub.m) by 8°-20° C, vs. 4°-16° C for the DNA/DNA 15-mer duplex. Also, the absence of charge groups in PNA means that hybridization can be done at low ionic strengths and reduce possible interference by salt during the analysis.

The compounds of the present invention have uses which include, but are not limited to, detecting cancer in mammals. In particular the invention is useful during diagnosis of pathological cell proliferative neoplasias which include, but are not limited to: acute myelogenous leukemias including acute monocytic leukemia, acute myeloblastic leukemia, acute promyelocytic leukemia, acute myelomonocytic leukemia, acute erythroleukemia, acute megakaryocytic leukemia, and acute undifferentiated leukemia, etc.; and chronic myelogenous leukemias including chronic myelomonocytic leukemia, chronic granulocytic leukemia, etc. Preferred mammals include monkeys, apes, cats, dogs, cows, pigs, horses, rabbits and humans. Particularly preferred are humans.

Pathological cell proliferative disorders are often associated with inappropriate activation of proto-oncogenes. (Gelmann, E. P. et al., "The Etiology of Acute Leukemia: Molecular Genetics and Viral Oncology," in Neoplastic Diseases of the Blood, Vol 1., Wiernik, P. H. et al. eds., 161-182 (1985)). Neoplasias are now believed to result from the qualitative alteration of a normal cellular gene product, or from the quantitative modification of gene

expression by insertion into the chromosome of a viral sequence, by chromosomal translocation of a gene to a more actively transcribed region, or by some other mechanism. (Gelmann et al., *supra*) It is likely that mutated or altered expression of specific genes is involved in the pathogenesis of some leukemias, among other tissues and cell types. (Gelmann et al., *supra*) Indeed, the human counterparts of the oncogenes involved in some animal neoplasias have been amplified or translocated in some cases of human leukemia and carcinoma. (Gelmann et al., *supra*)

For example, c-myc expression is highly amplified in the non-lymphocytic leukemia cell line HL-60. When HL-60 cells are chemically induced to stop proliferation, the level of c-myc is found to be downregulated. (International Publication Number WO 91/15580). However, it has been shown that exposure of HL-60 cells to a DNA construct that is complementary to the 5' end of c-myc or c-myb blocks translation of the corresponding mRNAs which downregulates expression of the c-myc or c-myb proteins and causes arrest of cell proliferation and differentiation of the treated cells. (International Publication Number WO 91/15580; Wickstrom et al., Proc. Natl. Acad. Sci. 85:1028 (1988); Anfossi et al., Proc. Natl. Acad. Sci. 86:3379 (1989)). However, the skilled artisan would appreciate the present invention's usefulness is not be limited to treatment, prevention, and/or prognosis of proliferative disorders of cells and tissues of hematopoietic origin, in light of the numerous cells and cell types of varying origins which are known to exhibit proliferative phenotypes.

In addition to the foregoing, a polynucleotide of the present invention can be used to control gene expression through triple helix formation or through antisense DNA or RNA. Antisense techniques are discussed, for example, in Okano, J. Neurochem. 56: 560 (1991); "Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Triple helix formation is discussed in, for instance Lee et al., Nucleic Acids Research 6: 3073 (1979); Cooney et al., Science 241: 456 (1988); and Dervan et al., Science 251: 1360 (1991). Both methods rely on binding of the polynucleotide to a complementary DNA or RNA. For these techniques, preferred polynucleotides are usually oligonucleotides 20 to 40 bases in length and complementary to either the region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res. 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1360 (1991)) or to the mRNA itself (antisense - Okano, J. Neurochem. 56:560 (1991); Oligodeoxy-nucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988)). Triple helix formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. The oligonucleotide described above can also be delivered to cells such that the antisense RNA or DNA may be expressed *in vivo* to inhibit production of polypeptide of the present invention antigens. Both techniques are effective in model systems, and the information disclosed herein can be used to design antisense or triple helix polynucleotides in an effort to treat disease, and in particular, for the treatment of proliferative diseases and/or conditions. Non-limiting antisense and

triple helix methods encompassed by the present invention are more thoroughly described elsewhere herein (see, e.g., the section labeled "Antisense and Ribozyme (Antagonists)").

Polynucleotides of the present invention are also useful in gene therapy. One goal of gene therapy is to insert a normal gene into an organism having a defective gene, in an effort to correct the genetic defect. The polynucleotides disclosed in the present invention offer a means of targeting such genetic defects in a highly accurate manner. Another goal is to insert a new gene that was not present in the host genome, thereby producing a new trait in the host cell. Additional non-limiting examples of gene therapy methods encompassed by the present invention are more thoroughly described elsewhere herein (see, e.g., the sections labeled "Gene Therapy Methods", and Examples 16, 17 and 18).

The polynucleotides are also useful for identifying individuals from minute biological samples. The United States military, for example, is considering the use of restriction fragment length polymorphism (RFLP) for identification of its personnel. In this technique, an individual's genomic DNA is digested with one or more restriction enzymes, and probed on a Southern blot to yield unique bands for identifying personnel. This method does not suffer from the current limitations of "Dog Tags" which can be lost, switched, or stolen, making positive identification difficult. The polynucleotides of the present invention can be used as additional DNA markers for RFLP.

The polynucleotides of the present invention can also be used as an alternative to RFLP, by determining the actual base-by-base DNA sequence of selected portions of an individual's genome. These sequences can be used to prepare PCR primers for amplifying and isolating such selected DNA, which can then be sequenced. Using this technique, individuals can be identified because each individual will have a unique set of DNA sequences. Once an unique ID database is established for an individual, positive identification of that individual, living or dead, can be made from extremely small tissue samples.

Forensic biology also benefits from using DNA-based identification techniques as disclosed herein. DNA sequences taken from very small biological samples such as tissues, e.g., hair or skin, or body fluids, e.g., blood, saliva, semen, synovial fluid, amniotic fluid, breast milk, lymph, pulmonary sputum or surfactant, urine, fecal matter, etc., can be amplified using PCR. In one prior art technique, gene sequences amplified from polymorphic loci, such as DQa class II HLA gene, are used in forensic biology to identify individuals. (Erlich, H., PCR Technology, Freeman and Co. (1992)). Once these specific polymorphic loci are amplified, they are digested with one or more restriction enzymes, yielding an identifying set of bands on a Southern blot probed with DNA corresponding to the DQa class II HLA gene. Similarly, polynucleotides of the present invention can be used as polymorphic markers for forensic purposes.

There is also a need for reagents capable of identifying the source of a particular tissue. Such need arises, for example, in forensics when presented with tissue of unknown origin.

Appropriate reagents can comprise, for example, DNA probes or primers prepared from the sequences of the present invention, specific to tissues, including but not limited to those shown in Table 1B. Panels of such reagents can identify tissue by species and/or by organ type. In a similar fashion, these reagents can be used to screen tissue cultures for contamination. Additional non-limiting examples of such uses are further described herein.

The polynucleotides of the present invention are also useful as hybridization probes for differential identification of the tissue(s) or cell type(s) present in a biological sample. Similarly, polypeptides and antibodies directed to polypeptides of the present invention are useful to provide immunological probes for differential identification of the tissue(s) (e.g., immunohistochemistry assays) or cell type(s) (e.g., immunocytochemistry assays). In addition, for a number of disorders of the above tissues or cells, significantly higher or lower levels of gene expression of the polynucleotides/polypeptides of the present invention may be detected in certain tissues (e.g., tissues expressing polypeptides and/or polynucleotides of the present invention, for example, those disclosed in Table 1B, and/or cancerous and/or wounded tissues) or bodily fluids (e.g., semen, lymph, vaginal pool, serum, plasma, urine, synovial fluid or spinal fluid) taken from an individual having such a disorder, relative to a "standard" gene expression level, i.e., the expression level in healthy tissue from an individual not having the disorder.

Thus, the invention provides a diagnostic method of a disorder, which involves: (a) assaying gene expression level in cells or body fluid of an individual; (b) comparing the gene expression level with a standard gene expression level, whereby an increase or decrease in the assayed gene expression level compared to the standard expression level is indicative of a disorder.

In the very least, the polynucleotides of the present invention can be used as molecular weight markers on Southern gels, as diagnostic probes for the presence of a specific mRNA in a particular cell type, as a probe to "subtract-out" known sequences in the process of discovering novel polynucleotides, for selecting and making oligomers for attachment to a "gene chip" or other support, to raise anti-DNA antibodies using DNA immunization techniques, and as an antigen to elicit an immune response.

Uses of the Polypeptides

Each of the polypeptides identified herein can be used in numerous ways. The following description should be considered exemplary and utilizes known techniques.

Polypeptides and antibodies directed to polypeptides of the present invention are useful to provide immunological probes for differential identification of the tissue(s) (e.g., immunohistochemistry assays such as, for example, ABC immunoperoxidase (Hsu et al., J. Histochem. Cytochem. 29:577-580 (1981)) or cell type(s) (e.g., immunocytochemistry assays).

Antibodies can be used to assay levels of polypeptides encoded by polynucleotides of the invention in a biological sample using classical immunohistological methods known to those of skill in the art (e.g., see Jalkanen, et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen, et al., J. Cell. Biol. 105:3087-3096 (1987)). Other antibody-based methods useful for detecting protein gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase; radioisotopes, such as iodine (^{131}I, ^{125}I, ^{123}I, ^{121}I), carbon (^{14}C), sulfur (^{35}S), tritium (^{3}H), indium (^{115m}In, ^{113m}In, ^{112}In, ^{111}In), and technetium (^{99}Tc, ^{99m}Tc), thallium (^{201}Ti), gallium (^{68}Ga, ^{67}Ga), palladium (^{103}Pd), molybdenum (^{99}Mo), xenon (^{133}Xe), fluorine (^{18}F), ^{153}Sm, ^{177}Lu, ^{159}Gd, ^{149}Pm, ^{140}La, ^{175}Yb, ^{166}Ho, ^{90}Y, ^{47}Sc, ^{186}Re, ^{188}Re, ^{142}Pr, ^{105}Rh, ^{97}Ru; luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

In addition to assaying levels of polypeptide of the present invention in a biological sample, proteins can also be detected *in vivo* by imaging. Antibody labels or markers for *in vivo* imaging of protein include those detectable by X-radiography, NMR or ESR. For X-radiography, suitable labels include radioisotopes such as barium or cesium, which emit detectable radiation but are not overtly harmful to the subject. Suitable markers for NMR and ESR include those with a detectable characteristic spin, such as deuterium, which may be incorporated into the antibody by labeling of nutrients for the relevant hybridoma.

A protein-specific antibody or antibody fragment which has been labeled with an appropriate detectable imaging moiety, such as a radioisotope (for example, ^{131}I, ^{112}In, ^{99m}Tc, (^{131}I, ^{125}I, ^{123}I, ^{121}I), carbon (^{14}C), sulfur (^{35}S), tritium (^{3}H), indium (^{115m}In, ^{113m}In, ^{112}In, ^{111}In), and technetium (^{99}Tc, ^{99m}Tc), thallium (^{201}Ti), gallium (^{68}Ga, ^{67}Ga), palladium (^{103}Pd), molybdenum (^{99}Mo), xenon (^{133}Xe), fluorine (^{18}F, ^{153}Sm, ^{177}Lu, ^{159}Gd, ^{149}Pm, ^{140}La, ^{175}Yb, ^{166}Ho, ^{90}Y, ^{47}Sc, ^{186}Re, ^{188}Re, ^{142}Pr, ^{105}Rh, ^{97}Ru), a radio-opaque substance, or a material detectable by nuclear magnetic resonance, is introduced (for example, parenterally, subcutaneously or intraperitoneally) into the mammal to be examined for immune system disorder. It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of ^{99m}Tc. The labeled antibody or antibody fragment will then preferentially accumulate at the location of cells which express the polypeptide encoded by a polynucleotide of the invention. *In vivo* tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments" (Chapter 13 in *Tumor Imaging: The Radiochemical Detection of Cancer*, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982)).

In one embodiment, the invention provides a method for the specific delivery of compositions of the invention to cells by administering polypeptides of the invention (e.g.,

polypeptides encoded by polynucleotides of the invention and/or antibodies) that are associated with heterologous polypeptides or nucleic acids. In one example, the invention provides a method for delivering a therapeutic protein into the targeted cell. In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate episomally and that can be transcribed) into the targeted cell.

In another embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention in association with toxins or cytotoxic prodrugs.

By "toxin" is meant one or more compounds that bind and activate endogenous cytotoxic effector systems, radioisotopes, holotoxins, modified toxins, catalytic subunits of toxins, or any molecules or enzymes not normally present in or on the surface of a cell that under defined conditions cause the cell's death. Toxins that may be used according to the methods of the invention include, but are not limited to, radioisotopes known in the art, compounds such as, for example, antibodies (or complement fixing containing portions thereof) that bind an inherent or induced endogenous cytotoxic effector system, thymidine kinase, endonuclease, RNAse, alpha toxin, ricin, abrin, *Pseudomonas* exotoxin A, diphtheria toxin, saporin, momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin. "Toxin" also includes a cytostatic or cytocidal agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example, ^{213}Bi, or other radioisotopes such as, for example, ^{103}Pd, ^{133}Xe, ^{131}I, ^{68}Ge, ^{57}Co, ^{65}Zn, ^{85}Sr, ^{32}P, ^{35}S, ^{90}Y, ^{153}Sm, ^{153}Gd, ^{169}Yb, ^{51}Cr, ^{54}Mn, ^{75}Se, ^{113}Sn, ^{90}Yttrium, ^{117}Tin, ^{186}Rhenium, ^{166}Holmium, and ^{188}Rhenium; luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin. In a specific embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention or antibodies of the invention in association with the radioisotope ^{90}Y. In another specific embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention or antibodies of the invention in association with the radioisotope ^{111}In. In a further specific embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention or antibodies of the invention in association with the radioisotope ^{131}I.

Techniques known in the art may be applied to label polypeptides of the invention (including antibodies). Such techniques include, but are not limited to, the use of bifunctional conjugating agents (see e.g., U.S. Patent Nos. 5,756,065; 5,714,631; 5,696,239; 5,652,361; 5,505,931; 5,489,425; 5,435,990; 5,428,139; 5,342,604; 5,274,119; 4,994,560; and 5,808,003; the contents of each of which are hereby incorporated by reference in its entirety).

Thus, the invention provides a diagnostic method of a disorder, which involves (a) assaying the expression level of a polypeptide of the present invention in cells or body fluid of an individual; and (b) comparing the assayed polypeptide expression level with a standard polypeptide expression level, whereby an increase or decrease in the assayed polypeptide expression level compared to the standard expression level is indicative of a disorder. With respect to cancer, the presence of a relatively high amount of transcript in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer.

Moreover, polypeptides of the present invention can be used to treat or prevent diseases or conditions such as, for example, neural disorders, immune system disorders, muscular disorders, reproductive disorders, gastrointestinal disorders, pulmonary disorders, cardiovascular disorders, renal disorders, proliferative disorders, and/or cancerous diseases and conditions. For example, patients can be administered a polypeptide of the present invention in an effort to replace absent or decreased levels of the polypeptide (e.g., insulin), to supplement absent or decreased levels of a different polypeptide (e.g., hemoglobin S for hemoglobin B, SOD, catalase, DNA repair proteins), to inhibit the activity of a polypeptide (e.g., an oncogene or tumor supressor), to activate the activity of a polypeptide (e.g., by binding to a receptor), to reduce the activity of a membrane bound receptor by competing with it for free ligand (e.g., soluble TNF receptors used in reducing inflammation), or to bring about a desired response (e.g., blood vessel growth inhibition, enhancement of the immune response to proliferative cells or tissues).

Similarly, antibodies directed to a polypeptide of the present invention can also be used to treat disease (as described *supra*, and elsewhere herein). For example, administration of an antibody directed to a polypeptide of the present invention can bind, and/or neutralize the polypeptide, and/or reduce overproduction of the polypeptide. Similarly, administration of an antibody can activate the polypeptide, such as by binding to a polypeptide bound to a membrane (receptor).

At the very least, the polypeptides of the present invention can be used as molecular weight markers on SDS-PAGE gels or on molecular sieve gel filtration columns using methods well known to those of skill in the art. Polypeptides can also be used to raise antibodies, which in turn are used to measure protein expression from a recombinant cell, as a way of assessing transformation of the host cell. Moreover, the polypeptides of the present invention can be used to test the biological activities described herein.

Diagnostic Assays

The compounds of the present invention are useful for diagnosis, treatment, prevention and/or prognosis of various disorders in mammals, preferably humans. Such disorders include, but are not limited to, those related to biological activities described in Table 1D and, also as described herein under the section heading "Biological Activities".

For a number of disorders, substantially altered (increased or decreased) levels of gene expression can be detected in tissues, cells or bodily fluids (e.g., sera, plasma, urine, semen, synovial fluid or spinal fluid) taken from an individual having such a disorder, relative to a "standard" gene expression level, that is, the expression level in tissues or bodily fluids from an individual not having the disorder. Thus, the invention provides a diagnostic method useful during diagnosis of a disorder, which involves measuring the expression level of the gene encoding the polypeptide in tissues, cells or body fluid from an individual and comparing the measured gene expression level with a standard gene expression level, whereby an increase or decrease in the gene expression level(s) compared to the standard is indicative of a disorder. These diagnostic assays may be performed *in vivo* or *in vitro*, such as, for example, on blood samples, biopsy tissue or autopsy tissue.

The present invention is also useful as a prognostic indicator, whereby patients exhibiting enhanced or depressed gene expression will experience a worse clinical outcome relative to patients expressing the gene at a level nearer the standard level.

In certain embodiments, a polypeptide of the invention, or polynucleotides, antibodies, agonists, or antagonists corresponding to that polypeptide, may be used to diagnose and/or prognosticate diseases and/or disorders associated with the tissue(s) in which the polypeptide of the invention is expressed, including one, two, three, four, five, or more tissues disclosed in Table 1B.2 (Tissue Distribution Library Code).

By "assaying the expression level of the gene encoding the polypeptide" is intended qualitatively or quantitatively measuring or estimating the level of the polypeptide of the invention or the level of the mRNA encoding the polypeptide of the invention in a first biological sample either directly (e.g., by determining or estimating absolute protein level or mRNA level) or relatively (e.g., by comparing to the polypeptide level or mRNA level in a second biological sample). Preferably, the polypeptide expression level or mRNA level in the first biological sample is measured or estimated and compared to a standard polypeptide level or mRNA level, the standard being taken from a second biological sample obtained from an individual not having the disorder or being determined by averaging levels from a population of individuals not having the disorder. As will be appreciated in the art, once a standard polypeptide level or mRNA level is known, it can be used repeatedly as a standard for comparison.

By "biological sample" is intended any biological sample obtained from an individual, cell line, tissue culture, or other source containing polypeptides of the invention (including portions thereof) or mRNA. As indicated, biological samples include body fluids (such as sera,

plasma, urine, synovial fluid and spinal fluid) and tissue sources found to express the full length or fragments thereof of a polypeptide or mRNA. Methods for obtaining tissue biopsies and body fluids from mammals are well known in the art. Where the biological sample is to include mRNA, a tissue biopsy is the preferred source.

Total cellular RNA can be isolated from a biological sample using any suitable technique such as the single-step guanidinium-thiocyanate-phenol-chloroform method described in Chomczynski and Sacchi, Anal. Biochem. 162:156-159 (1987). Levels of mRNA encoding the polypeptides of the invention are then assayed using any appropriate method. These include Northern blot analysis, S1 nuclease mapping, the polymerase chain reaction (PCR), reverse transcription in combination with the polymerase chain reaction (RT-PCR), and reverse transcription in combination with the ligase chain reaction (RT-LCR).

The present invention also relates to diagnostic assays such as quantitative and diagnostic assays for detecting levels of polypeptides of the invention, in a biological sample (e.g., cells and tissues), including determination of normal and abnormal levels of polypeptides. Thus, for instance, a diagnostic assay in accordance with the invention for detecting over-expression of polypeptides of the invention compared to normal control tissue samples may be used to detect the presence of tumors. Assay techniques that can be used to determine levels of a polypeptide, such as a polypeptide of the present invention in a sample derived from a host are well-known to those of skill in the art. Such assay methods include radioimmunoassays, competitive-binding assays, Western Blot analysis and ELISA assays. Assaying polypeptide levels in a biological sample can occur using any art-known method.

Assaying polypeptide levels in a biological sample can occur using antibody-based techniques. For example, polypeptide expression in tissues can be studied with classical immunohistological methods (Jalkanen et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen, M., et al., J. Cell . Biol. 105:3087-3096 (1987)). Other antibody-based methods useful for detecting polypeptide gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase, and radioisotopes, such as iodine (^{125}I, ^{121}I), carbon (^{14}C), sulfur (^{35}S), tritium (^{3}H), indium (^{112}In), and technetium (^{99m}Tc), and fluorescent labels, such as fluorescein and rhodamine, and biotin.

The tissue or cell type to be analyzed will generally include those which are known, or suspected, to express the gene of inteest (such as, for example, cancer). The protein isolation methods employed herein may, for example, be such as those described in Harlow and Lane (Harlow, E. and Lane, D., 1988, "Antibodies: A Laboratory Manual", Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York), which is incorporated herein by reference in its entirety. The isolated cells can be derived from cell culture or from a patient. The analysis of cells taken from culture may be a necessary step in the assessment of cells that could be used as

part of a cell-based gene therapy technique or, alternatively, to test the effect of compounds on the expression of the gene.

For example, antibodies, or fragments of antibodies, such as those described herein, may be used to quantitatively or qualitatively detect the presence of gene products or conserved variants or peptide fragments thereof. This can be accomplished, for example, by immunofluorescence techniques employing a fluorescently labeled antibody coupled with light microscopic, flow cytometric, or fluorimetric detection.

In a preferred embodiment, antibodies, or fragments of antibodies directed to any one or all of the predicted epitope domains of the polypeptides of the invention (shown in Table 1B) may be used to quantitatively or qualitatively detect the presence of gene products or conserved variants or peptide fragments thereof. This can be accomplished, for example, by immunofluorescence techniques employing a fluorescently labeled antibody coupled with light microscopic, flow cytometric, or fluorimetric detection.

In an additional preferred embodiment, antibodies, or fragments of antibodies directed to a conformational epitope of a polypeptide of the invention may be used to quantitatively or qualitatively detect the presence of gene products or conserved variants or peptide fragments thereof. This can be accomplished, for example, by immunofluorescence techniques employing a fluorescently labeled antibody coupled with light microscopic, flow cytometric, or fluorimetric detection.

The antibodies (or fragments thereof), and/or polypeptides of the present invention may, additionally, be employed histologically, as in immunofluorescence, immunoelectron microscopy or non-immunological assays, for in situ detection of gene products or conserved variants or peptide fragments thereof. In situ detection may be accomplished by removing a histological specimen from a patient, and applying thereto a labeled antibody or polypeptide of the present invention. The antibody (or fragment thereof) or polypeptide is preferably applied by overlaying the labeled antibody (or fragment) onto a biological sample. Through the use of such a procedure, it is possible to determine not only the presence of the gene product, or conserved variants or peptide fragments, or polypeptide binding, but also its distribution in the examined tissue. Using the present invention, those of ordinary skill will readily perceive that any of a wide variety of histological methods (such as staining procedures) can be modified in order to achieve such in situ detection.

Immunoassays and non-immunoassays for gene products or conserved variants or peptide fragments thereof will typically comprise incubating a sample, such as a biological fluid, a tissue extract, freshly harvested cells, or lysates of cells which have been incubated in cell culture, in the presence of a detectably labeled antibody capable of binding gene products or conserved variants or peptide fragments thereof, and detecting the bound antibody by any of a number of techniques well-known in the art.

The biological sample may be brought in contact with and immobilized onto a solid phase support or carrier such as nitrocellulose, or other solid support which is capable of immobilizing cells, cell particles or soluble proteins. The support may then be washed with suitable buffers followed by treatment with the detectably labeled antibody or detectable polypeptide of the invention. The solid phase support may then be washed with the buffer a second time to remove unbound antibody or polypeptide. Optionally the antibody is subsequently labeled. The amount of bound label on solid support may then be detected by conventional means.

By "solid phase support or carrier" is intended any support capable of binding an antigen or an antibody. Well-known supports or carriers include glass, polystyrene, polypropylene, polyethylene, dextran, nylon, amylases, natural and modified celluloses, polyacrylamides, gabbros, and magnetite. The nature of the carrier can be either soluble to some extent or insoluble for the purposes of the present invention. The support material may have virtually any possible structural configuration so long as the coupled molecule is capable of binding to an antigen or antibody. Thus, the support configuration may be spherical, as in a bead, or cylindrical, as in the inside surface of a test tube, or the external surface of a rod. Alternatively, the surface may be flat such as a sheet, test strip, etc. Preferred supports include polystyrene beads. Those skilled in the art will know many other suitable carriers for binding antibody or antigen, or will be able to ascertain the same by use of routine experimentation.

The binding activity of a given lot of antibody or antigen polypeptide may be determined according to well known methods. Those skilled in the art will be able to determine operative and optimal assay conditions for each determination by employing routine experimentation.

In addition to assaying polypeptide levels or polynucleotide levels in a biological sample obtained from an individual, polypeptide or polynucleotide can also be detected *in vivo* by imaging. For example, in one embodiment of the invention, polypeptides and/or antibodies of the invention are used to image diseased cells, such as neoplasms. In another embodiment, polynucleotides of the invention (e.g., polynucleotides complementary to all or a portion of an mRNA) and/or antibodies (e.g., antibodies directed to any one or a combination of the epitopes of a polypeptide of the invention, antibodies directed to a conformational epitope of a polypeptide of the invention, or antibodies directed to the full length polypeptide expressed on the cell surface of a mammalian cell) are used to image diseased or neoplastic cells.

Antibody labels or markers for *in vivo* imaging of polypeptides of the invention include those detectable by X-radiography, NMR, MRI, CAT-scans or ESR. For X-radiography, suitable labels include radioisotopes such as barium or cesium, which emit detectable radiation but are not overtly harmful to the subject. Suitable markers for NMR and ESR include those with a detectable characteristic spin, such as deuterium, which may be incorporated into the antibody by labeling of nutrients for the relevant hybridoma. Where *in vivo* imaging is used to detect enhanced levels of

polypeptides for diagnosis in humans, it may be preferable to use human antibodies or "humanized" chimeric monoclonal antibodies. Such antibodies can be produced using techniques described herein or otherwise known in the art. For example methods for producing chimeric antibodies are known in the art. See, for review, Morrison, *Science 229*:1202 (1985); Oi et al., *BioTechniques 4*:214 (1986); Cabilly et al., U.S. Patent No. 4,816,567; Taniguchi et al., EP 171496; Morrison et al., EP 173494; Neuberger et al., WO 8601533; Robinson et al., WO 8702671; Boulianne *et al., Nature 312*:643 (1984); Neuberger *et al., Nature 314*:268 (1985).

Additionally, any polypeptides of the invention whose presence can be detected, can be administered. For example, polypeptides of the invention labeled with a radio-opaque or other appropriate compound can be administered and visualized *in vivo*, as discussed, above for labeled antibodies. Further, such polypeptides can be utilized for *in vitro* diagnostic procedures.

A polypeptide-specific antibody or antibody fragment which has been labeled with an appropriate detectable imaging moiety, such as a radioisotope (for example, ^{131}I, ^{112}In, ^{99m}Tc), a radio-opaque substance, or a material detectable by nuclear magnetic resonance, is introduced (for example, parenterally, subcutaneously or intraperitoneally) into the mammal to be examined for a disorder. It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of ^{99m}Tc. The labeled antibody or antibody fragment will then preferentially accumulate at the location of cells which contain the antigenic protein. *In vivo* tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments" (Chapter 13 in *Tumor Imaging: The Radiochemical Detection of Cancer*, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982)).

With respect to antibodies, one of the ways in which an antibody of the present invention can be detectably labeled is by linking the same to a reporter enzyme and using the linked product in an enzyme immunoassay (EIA) (Voller, A., "The Enzyme Linked Immunosorbent Assay (ELISA)", 1978, Diagnostic Horizons 2:1-7, Microbiological Associates Quarterly Publication, Walkersville, MD); Voller et al., *J. Clin. Pathol.* 31:507-520 (1978); Butler, J.E., *Meth. Enzymol.* 73:482-523 (1981); Maggio, E. (ed.), 1980, Enzyme Immunoassay, CRC Press, Boca Raton, FL,; Ishikawa, E. et al., (eds.), 1981, Enzyme Immunoassay, Kgaku Shoin, Tokyo). The reporter enzyme which is bound to the antibody will react with an appropriate substrate, preferably a chromogenic substrate, in such a manner as to produce a chemical moiety which can be detected, for example, by spectrophotometric, fluorimetric or by visual means. Reporter enzymes which can be used to detectably label the antibody include, but are not limited to, malate dehydrogenase, staphylococcal nuclease, delta-5-steroid isomerase, yeast alcohol dehydrogenase, alpha-glycerophosphate, dehydrogenase, triose phosphate isomerase, horseradish peroxidase, alkaline phosphatase, asparaginase, glucose oxidase, beta-galactosidase, ribonuclease,

urease, catalase, glucose-6-phosphate dehydrogenase, glucoamylase and acetylcholinesterase. Additionally, the detection can be accomplished by colorimetric methods which employ a chromogenic substrate for the reporter enzyme. Detection may also be accomplished by visual comparison of the extent of enzymatic reaction of a substrate in comparison with similarly prepared standards.

Detection may also be accomplished using any of a variety of other immunoassays. For example, by radioactively labeling the antibodies or antibody fragments, it is possible to detect polypeptides through the use of a radioimmunoassay (RIA) (see, for example, Weintraub, B., Principles of Radioimmunoassays, Seventh Training Course on Radioligand Assay Techniques, The Endocrine Society, March, 1986, which is incorporated by reference herein). The radioactive isotope can be detected by means including, but not limited to, a gamma counter, a scintillation counter, or autoradiography.

It is also possible to label the antibody with a fluorescent compound. When the fluorescently labeled antibody is exposed to light of the proper wave length, its presence can then be detected due to fluorescence. Among the most commonly used fluorescent labeling compounds are fluorescein isothiocyanate, rhodamine, phycoerythrin, phycocyanin, allophycocyanin, ophthaldehyde and fluorescamine.

The antibody can also be detectably labeled using fluorescence emitting metals such as ^{152}Eu, or others of the lanthanide series. These metals can be attached to the antibody using such metal chelating groups as diethylenetriaminepentacetic acid (DTPA) or ethylenediaminetetraacetic acid (EDTA).

The antibody also can be detectably labeled by coupling it to a chemiluminescent compound. The presence of the chemiluminescent-tagged antibody is then determined by detecting the presence of luminescence that arises during the course of a chemical reaction. Examples of particularly useful chemiluminescent labeling compounds are luminol, isoluminol, theromatic acridinium ester, imidazole, acridinium salt and oxalate ester.

Likewise, a bioluminescent compound may be used to label the antibody of the present invention. Bioluminescence is a type of chemiluminescence found in biological systems in, which a catalytic protein increases the efficiency of the chemiluminescent reaction. The presence of a bioluminescent protein is determined by detecting the presence of luminescence. Important bioluminescent compounds for purposes of labeling are luciferin, luciferase and aequorin.

Methods for Detecting Diseases

In general, a disease may be detected in a patient based on the presence of one or more proteins of the invention and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, urine, and/or tumor biopsies) obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a disease or disorder,

including cancer and/or as described elsewhere herein. In addition, such proteins may be useful for the detection of other diseases and cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding polypeptides of the invention, which is also indicative of the presence or absence of a disease or disorder, including cancer. In general, polypeptides of the invention should be present at a level that is at least three fold higher in diseased tissue than in normal tissue.

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. See, e.g., Harlow and Lane, *supra.* In general, the presence or absence of a disease in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of a binding agent(s) immobilized on a solid support to bind to and remove the polypeptide of the invention from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding agent. Suitable polypeptides for use within such assays include polypeptides of the invention and portions thereof, or antibodies, to which the binding agent binds, as described above.

The solid support may be any material known to those of skill in the art to which polypeptides of the invention may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a

microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for the suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10 ug, and preferably about 100 ng to about 1 ug, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (see, e.g., Pierce Immunotechnology Catalog and Handbook, 1991, at A12-A13).

Gene Therapy Methods

Also encompassed by the invention are gene therapy methods for treating or preventing disorders, diseases and conditions. The gene therapy methods relate to the introduction of nucleic acid (DNA, RNA and antisense DNA or RNA) sequences into an animal to achieve expression of the polypeptide of the present invention. This method requires a polynucleotide which codes for a polypeptide of the present invention operatively linked to a promoter and any other genetic elements necessary for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques are known in the art, see, for example, WO90/11092, which is herein incorporated by reference.

Thus, for example, cells from a patient may be engineered with a polynucleotide (DNA or RNA) comprising a promoter operably linked to a polynucleotide of the present invention ex vivo, with the engineered cells then being provided to a patient to be treated with the polypeptide of the present invention. Such methods are well-known in the art. For example, see Belldegrun, A., et al., J. Natl. Cancer Inst. 85: 207-216 (1993); Ferrantini, M. et al., Cancer Research 53: 1107-1112 (1993); Ferrantini, M. et al., J. Immunology 153: 4604-4615 (1994); Kaido, T., et al., Int. J. Cancer 60: 221-229 (1995); Ogura, H., et al., Cancer Research 50: 5102-5106 (1990); Santodonato, L., et al., Human Gene Therapy 7:1-10 (1996); Santodonato, L., et al., Gene Therapy 4:1246-1255 (1997); and Zhang, J.-F. et al., Cancer Gene Therapy 3: 31-38 (1996)), which are herein incorporated by reference. In one embodiment, the cells which are engineered are arterial cells. The arterial cells may be reintroduced into the patient through direct injection to the artery, the tissues surrounding the artery, or through catheter injection.

As discussed in more detail below, the polynucleotide constructs can be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of tissues (heart, muscle, skin, lung, liver, and the like). The polynucleotide constructs may be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

In one embodiment, the polynucleotide of the present invention is delivered as a naked polynucleotide. The term "naked" polynucleotide, DNA or RNA refers to sequences that are free from any delivery vehicle that acts to assist, promote or facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating agents and the like. However, the polynucleotide of the present invention can also be delivered in liposome formulations and lipofectin formulations and the like can be prepared by methods well known to those skilled in the art. Such methods are described, for example, in U.S. Patent Nos. 5,593,972, 5,589,466, and 5,580,859, which are herein incorporated by reference.

The polynucleotide vector constructs used in the gene therapy method are preferably constructs that will not integrate into the host genome nor will they contain sequences that allow for replication. Appropriate vectors include pWLNEO, pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; pSVK3, pBPV, pMSG and pSVL available from Pharmacia; and pEF1/V5, pcDNA3.1, and pRc/CMV2 available from Invitrogen. Other suitable vectors will be readily apparent to the skilled artisan.

Any strong promoter known to those skilled in the art can be used for driving the expression of the polynucleotide sequence. Suitable promoters include adenoviral promoters, such as the adenoviral major late promoter; or heterologous promoters, such as the cytomegalovirus (CMV) promoter; the respiratory syncytial virus (RSV) promoter; inducible promoters, such as the MMT promoter, the metallothionein promoter; heat shock promoters; the albumin promoter; the ApoAI promoter; human globin promoters; viral thymidine kinase promoters, such as the Herpes Simplex thymidine kinase promoter; retroviral LTRs; the b-actin promoter; and human growth hormone promoters. The promoter also may be the native promoter for the polynucleotide of the present invention.

Unlike other gene therapy techniques, one major advantage of introducing naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.

The polynucleotide construct can be delivered to the interstitial space of tissues within the an animal, including of muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph, blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis, ovary, uterus, rectum, nervous system, eye, gland, and connective tissue. Interstitial space of the tissues comprises the intercellular, fluid, mucopolysaccharide matrix among the reticular fibers of organ tissues, elastic fibers in the walls of vessels or chambers, collagen fibers of fibrous tissues, or that

same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by the plasma of the circulation and the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is preferred for the reasons discussed below. They may be conveniently delivered by injection into the tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such as, for example, stem cells of blood or skin fibroblasts. *In vivo* muscle cells are particularly competent in their ability to take up and express polynucleotides.

For the naked nucleic acid sequence injection, an effective dosage amount of DNA or RNA will be in the range of from about 0.05 mg/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably from about 0.05 mg/kg to about 5 mg/kg. Of course, as the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration.

The preferred route of administration is by the parenteral route of injection into the interstitial space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous membranes of the nose. In addition, naked DNA constructs can be delivered to arteries during angioplasty by the catheter used in the procedure.

The naked polynucleotides are delivered by any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, and so-called "gene guns". These delivery methods are known in the art.

The constructs may also be delivered with delivery vehicles such as viral sequences, viral particles, liposome formulations, lipofectin, precipitating agents, etc. Such methods of delivery are known in the art.

In certain embodiments, the polynucleotide constructs are complexed in a liposome preparation. Liposomal preparations for use in the instant invention include cationic (positively charged), anionic (negatively charged) and neutral preparations. However, cationic liposomes are particularly preferred because a tight charge complex can be formed between the cationic liposome and the polyanionic nucleic acid. Cationic liposomes have been shown to mediate intracellular delivery of plasmid DNA (Felgner et al., Proc. Natl. Acad. Sci. USA (1987) 84:7413-7416, which is herein incorporated by reference); mRNA (Malone et al., Proc. Natl. Acad. Sci. USA (1989) 86:6077-6081, which is herein incorporated by reference); and purified transcription factors (Debs et al., J. Biol. Chem. (1990) 265:10189-10192, which is herein incorporated by reference), in functional form.

Cationic liposomes are readily available. For example, N[1-2,3-dioleyloxy)propyl]-N,N,N-triethylammonium (DOTMA) liposomes are particularly useful and are available under the trademark Lipofectin, from GIBCO BRL, Grand Island, N.Y. (See, also, Felgner et al., Proc. Natl Acad. Sci. USA (1987) 84:7413-7416, which is herein incorporated by reference). Other commercially available liposomes include transfectace (DDAB/DOPE) and DOTAP/DOPE (Boehringer).

Other cationic liposomes can be prepared from readily available materials using techniques well known in the art. See, e.g. PCT Publication No. WO 90/11092 (which is herein incorporated by reference) for a description of the synthesis of DOTAP (1,2-bis(oleoyloxy)-3-(trimethylammonio)propane) liposomes. Preparation of DOTMA liposomes is explained in the literature, see, e.g., P. Felgner et al., Proc. Natl. Acad. Sci. USA 84:7413-7417, which is herein incorporated by reference. Similar methods can be used to prepare liposomes from other cationic lipid materials.

Similarly, anionic and neutral liposomes are readily available, such as from Avanti Polar Lipids (Birmingham, Ala.), or can be easily prepared using readily available materials. Such materials include phosphatidyl, choline, cholesterol, phosphatidyl ethanolamine, dioleoylphosphatidyl choline (DOPC), dioleoylphosphatidyl glycerol (DOPG), dioleoylphoshatidyl ethanolamine (DOPE), among others. These materials can also be mixed with the DOTMA and DOTAP starting materials in appropriate ratios. Methods for making liposomes using these materials are well known in the art.

For example, commercially dioleoylphosphatidyl choline (DOPC), dioleoylphosphatidyl glycerol (DOPG), and dioleoylphosphatidyl ethanolamine (DOPE) can be used in various combinations to make conventional liposomes, with or without the addition of cholesterol. Thus, for example, DOPG/DOPC vesicles can be prepared by drying 50 mg each of DOPG and DOPC under a stream of nitrogen gas into a sonication vial. The sample is placed under a vacuum pump overnight and is hydrated the following day with deionized water. The sample is then sonicated for 2 hours in a capped vial, using a Heat Systems model 350 sonicator equipped with an inverted cup (bath type) probe at the maximum setting while the bath is circulated at 15EC. Alternatively, negatively charged vesicles can be prepared without sonication to produce multilamellar vesicles or by extrusion through nucleopore membranes to produce unilamellar vesicles of discrete size. Other methods are known and available to those of skill in the art.

The liposomes can comprise multilamellar vesicles (MLVs), small unilamellar vesicles (SUVs), or large unilamellar vesicles (LUVs), with SUVs being preferred. The various liposome-nucleic acid complexes are prepared using methods well known in the art. See, e.g., Straubinger et al., Methods of Immunology (1983), 101:512-527, which is herein incorporated by reference. For example, MLVs containing nucleic acid can be prepared by depositing a thin film

of phospholipid on the walls of a glass tube and subsequently hydrating with a solution of the material to be encapsulated. SUVs are prepared by extended sonication of MLVs to produce a homogeneous population of unilamellar liposomes. The material to be entrapped is added to a suspension of preformed MLVs and then sonicated. When using liposomes containing cationic lipids, the dried lipid film is resuspended in an appropriate solution such as sterile water or an isotonic buffer solution such as 10 mM Tris/NaCl, sonicated, and then the preformed liposomes are mixed directly with the DNA. The liposome and DNA form a very stable complex due to binding of the positively charged liposomes to the cationic DNA. SUVs find use with small nucleic acid fragments. LUVs are prepared by a number of methods, well known in the art. Commonly used methods include Ca^{2+}-EDTA chelation (Papahadjopoulos et al., Biochim. Biophys. Acta (1975) 394:483; Wilson et al., Cell 17:77 (1979)); ether injection (Deamer, D. and Bangham, A., Biochim. Biophys. Acta 443:629 (1976); Ostro et al., Biochem. Biophys. Res. Commun. 76:836 (1977); Fraley et al., Proc. Natl. Acad. Sci. USA 76:3348 (1979)); detergent dialysis (Enoch, H. and Strittmatter, P., Proc. Natl. Acad. Sci. USA 76:145 (1979)); and reverse-phase evaporation (REV) (Fraley et al., J. Biol. Chem. 255:10431 (1980); Szoka, F. and Papahadjopoulos, D., Proc. Natl. Acad. Sci. USA 75:145 (1978); Schaefer-Ridder et al., Science 215:166 (1982)), which are herein incorporated by reference.

Generally, the ratio of DNA to liposomes will be from about 10:1 to about 1:10. Preferably, the ration will be from about 5:1 to about 1:5. More preferably, the ration will be about 3:1 to about 1:3. Still more preferably, the ratio will be about 1:1.

U.S. Patent No. 5,676,954 (which is herein incorporated by reference) reports on the injection of genetic material, complexed with cationic liposomes carriers, into mice. U.S. Patent Nos. 4,897,355, 4,946,787, 5,049,386, 5,459,127, 5,589,466, 5,693,622, 5,580,859, 5,703,055, and international publication no. WO 94/9469 (which are herein incorporated by reference) provide cationic lipids for use in transfecting DNA into cells and mammals. U.S. Patent Nos. 5,589,466, 5,693,622, 5,580,859, 5,703,055, and international publication no. WO 94/9469 provide methods for delivering DNA-cationic lipid complexes to mammals.

In certain embodiments, cells are engineered, ex vivo or *in vivo*, using a retroviral particle containing RNA which comprises a sequence encoding a polypeptide of the present invention. Retroviruses from which the retroviral plasmid vectors may be derived include, but are not limited to, Moloney Murine Leukemia Virus, spleen necrosis virus, Rous sarcoma Virus, Harvey Sarcoma Virus, avian leukosis virus, gibbon ape leukemia virus, human immunodeficiency virus, Myeloproliferative Sarcoma Virus, and mammary tumor virus.

The retroviral plasmid vector is employed to transduce packaging cell lines to form producer cell lines. Examples of packaging cells which may be transfected include, but are not limited to, the PE501, PA317, R-2, R-AM, PA12, T19-14X, VT-19-17-H2, RCRE, RCRIP, GP+E-86, GP+envAm12, and DAN cell lines as described in Miller, Human Gene Therapy 1:5-14

(1990), which is incorporated herein by reference in its entirety. The vector may transduce the packaging cells through any means known in the art. Such means include, but are not limited to, electroporation, the use of liposomes, and $CaPO_4$ precipitation. In one alternative, the retroviral plasmid vector may be encapsulated into a liposome, or coupled to a lipid, and then administered to a host.

The producer cell line generates infectious retroviral vector particles which include polynucleotide encoding a polypeptide of the present invention. Such retroviral vector particles then may be employed, to transduce eukaryotic cells, either in vitro or *in vivo*. The transduced eukaryotic cells will express a polypeptide of the present invention.

In certain other embodiments, cells are engineered, ex vivo or *in vivo*, with polynucleotide contained in an adenovirus vector. Adenovirus can be manipulated such that it encodes and expresses a polypeptide of the present invention, and at the same time is inactivated in terms of its ability to replicate in a normal lytic viral life cycle. Adenovirus expression is achieved without integration of the viral DNA into the host cell chromosome, thereby alleviating concerns about insertional mutagenesis. Furthermore, adenoviruses have been used as live enteric vaccines for many years with an excellent safety profile (Schwartz et al. Am. Rev. Respir. Dis.109:233-238 (1974)). Finally, adenovirus mediated gene transfer has been demonstrated in a number of instances including transfer of alpha-1-antitrypsin and CFTR to the lungs of cotton rats (Rosenfeld, M. A. et al. (1991) Science 252:431-434; Rosenfeld et al., (1992) Cell 68:143-155). Furthermore, extensive studies to attempt to establish adenovirus as a causative agent in human cancer were uniformly negative (Green, M. et al. (1979) Proc. Natl. Acad. Sci. USA 76:6606).

Suitable adenoviral vectors useful in the present invention are described, for example, in Kozarsky and Wilson, Curr. Opin. Genet. Devel. 3:499-503 (1993); Rosenfeld et al., Cell 68:143-155 (1992); Engelhardt et al., Human Genet. Ther. 4:759-769 (1993); Yang et al., Nature Genet. 7:362-369 (1994); Wilson et al., Nature 365:691-692 (1993); and U.S. Patent No. 5,652,224, which are herein incorporated by reference. For example, the adenovirus vector Ad2 is useful and can be grown in human 293 cells. These cells contain the E1 region of adenovirus and constitutively express Ela and Elb, which complement the defective adenoviruses by providing the products of the genes deleted from the vector. In addition to Ad2, other varieties of adenovirus (e.g., Ad3, Ad5, and Ad7) are also useful in the present invention.

Preferably, the adenoviruses used in the present invention are replication deficient. Replication deficient adenoviruses require the aid of a helper virus and/or packaging cell line to form infectious particles. The resulting virus is capable of infecting cells and can express a polynucleotide of interest which is operably linked to a promoter, but cannot replicate in most cells. Replication deficient adenoviruses may be deleted in one or more of all or a portion of the following genes: E1a, E1b, E3, E4, E2a, or L1 through L5.

In certain other embodiments, the cells are engineered, ex vivo or *in vivo*, using an adeno-associated virus (AAV). AAVs are naturally occurring defective viruses that require helper viruses to produce infectious particles (Muzyczka, N., Curr. Topics in Microbiol. Immunol. 158:97 (1992)). It is also one of the few viruses that may integrate its DNA into non-dividing cells. Vectors containing as little as 300 base pairs of AAV can be packaged and can integrate, but space for exogenous DNA is limited to about 4.5 kb. Methods for producing and using such AAVs are known in the art. See, for example, U.S. Patent Nos. 5,139,941, 5,173,414, 5,354,678, 5,436,146, 5,474,935, 5,478,745, and 5,589,377.

For example, an appropriate AAV vector for use in the present invention will include all the sequences necessary for DNA replication, encapsidation, and host-cell integration. The polynucleotide construct is inserted into the AAV vector using standard cloning methods, such as those found in Sambrook et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Press (1989). The recombinant AAV vector is then transfected into packaging cells which are infected with a helper virus, using any standard technique, including lipofection, electroporation, calcium phosphate precipitation, etc. Appropriate helper viruses include adenoviruses, cytomegaloviruses, vaccinia viruses, or herpes viruses. Once the packaging cells are transfected and infected, they will produce infectious AAV viral particles which contain the polynucleotide construct. These viral particles are then used to transduce eukaryotic cells, either ex vivo or *in vivo*. The transduced cells will contain the polynucleotide construct integrated into its genome, and will express a polypeptide of the invention.

Another method of gene therapy involves operably associating heterologous control regions and endogenous polynucleotide sequences (e.g. encoding a polypeptide of the present invention) via homologous recombination (see, e.g., U.S. Patent No. 5,641,670, issued June 24, 1997; International Publication No. WO 96/29411, published September 26, 1996; International Publication No. WO 94/12650, published August 4, 1994; Koller et al., Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); and Zijlstra et al., Nature 342:435-438 (1989), which are herein encorporated by reference. This method involves the activation of a gene which is present in the target cells, but which is not normally expressed in the cells, or is expressed at a lower level than desired.

Polynucleotide constructs are made, using standard techniques known in the art, which contain the promoter with targeting sequences flanking the promoter. Suitable promoters are described herein. The targeting sequence is sufficiently complementary to an endogenous sequence to permit homologous recombination of the promoter-targeting sequence with the endogenous sequence. The targeting sequence will be sufficiently near the 5' end of the desired endogenous polynucleotide sequence so the promoter will be operably linked to the endogenous sequence upon homologous recombination.

The promoter and the targeting sequences can be amplified using PCR. Preferably, the amplified promoter contains distinct restriction enzyme sites on the 5' and 3' ends. Preferably, the 3' end of the first targeting sequence contains the same restriction enzyme site as the 5' end of the amplified promoter and the 5' end of the second targeting sequence contains the same restriction site as the 3' end of the amplified promoter. The amplified promoter and targeting sequences are digested and ligated together.

The promoter-targeting sequence construct is delivered to the cells, either as naked polynucleotide, or in conjunction with transfection-facilitating agents, such as liposomes, viral sequences, viral particles, whole viruses, lipofection, precipitating agents, etc., described in more detail above. The P promoter-targeting sequence can be delivered by any method, included direct needle injection, intravenous injection, topical administration, catheter infusion, particle accelerators, etc. The methods are described in more detail below.

The promoter-targeting sequence construct is taken up by cells. Homologous recombination between the construct and the endogenous sequence takes place, such that an endogenous sequence is placed under the control of the promoter. The promoter then drives the expression of the endogenous sequence.

The polynucleotide encoding a polypeptide of the present invention may contain a secretory signal sequence that facilitates secretion of the protein. Typically, the signal sequence is positioned in the coding region of the polynucleotide to be expressed towards or at the 5' end of the coding region. The signal sequence may be homologous or heterologous to the polynucleotide of interest and may be homologous or heterologous to the cells to be transfected. Additionally, the signal sequence may be chemically synthesized using methods known in the art.

Any mode of administration of any of the above-described polynucleotides constructs can be used so long as the mode results in the expression of one or more molecules in an amount sufficient to provide a therapeutic effect. This includes direct needle injection, systemic injection, catheter infusion, biolistic injectors, particle accelerators (i.e., "gene guns"), gelfoam sponge depots, other commercially available depot materials, osmotic pumps (e.g., Alza minipumps), oral or suppositorial solid (tablet or pill) pharmaceutical formulations, and decanting or topical applications during surgery. For example, direct injection of naked calcium phosphate-precipitated plasmid into rat liver and rat spleen or a protein-coated plasmid into the portal vein has resulted in gene expression of the foreign gene in the rat livers (Kaneda et al., Science 243:375 (1989)).

A preferred method of local administration is by direct injection. Preferably, a recombinant molecule of the present invention complexed with a delivery vehicle is administered by direct injection into or locally within the area of arteries. Administration of a composition locally within the area of arteries refers to injecting the composition centimeters and preferably, millimeters within arteries.

Another method of local administration is to contact a polynucleotide construct of the present invention in or around a surgical wound. For example, a patient can undergo surgery and the polynucleotide construct can be coated on the surface of tissue inside the wound or the construct can be injected into areas of tissue inside the wound.

Therapeutic compositions useful in systemic administration, include recombinant molecules of the present invention complexed to a targeted delivery vehicle of the present invention. Suitable delivery vehicles for use with systemic administration comprise liposomes comprising ligands for targeting the vehicle to a particular site. In specific embodiments, suitable delivery vehicles for use with systemic administration comprise liposomes comprising polypeptides of the invention for targeting the vehicle to a particular site.

Preferred methods of systemic administration, include intravenous injection, aerosol, oral and percutaneous (topical) delivery. Intravenous injections can be performed using methods standard in the art. Aerosol delivery can also be performed using methods standard in the art (see, for example, Stribling et al., Proc. Natl. Acad. Sci. USA 189:11277-11281, 1992, which is incorporated herein by reference). Oral delivery can be performed by complexing a polynucleotide construct of the present invention to a carrier capable of withstanding degradation by digestive enzymes in the gut of an animal. Examples of such carriers, include plastic capsules or tablets, such as those known in the art. Topical delivery can be performed by mixing a polynucleotide construct of the present invention with a lipophilic reagent (e.g., DMSO) that is capable of passing into the skin.

Determining an effective amount of substance to be delivered can depend upon a number of factors including, for example, the chemical structure and biological activity of the substance, the age and weight of the animal, the precise condition requiring treatment and its severity, and the route of administration. The frequency of treatments depends upon a number of factors, such as the amount of polynucleotide constructs administered per dose, as well as the health and history of the subject. The precise amount, number of doses, and timing of doses will be determined by the attending physician or veterinarian.

Therapeutic compositions of the present invention can be administered to any animal, preferably to mammals and birds. Preferred mammals include humans, dogs, cats, mice, rats, rabbits sheep, cattle, horses and pigs, with humans being particularly preferred.

Biological Activities

Polynucleotides or polypeptides, or agonists or antagonists of the present invention, can be used in assays to test for one or more biological activities. If these polynucleotides or polypeptides, or agonists or antagonists of the present invention, do exhibit activity in a particular assay, it is likely that these molecules may be involved in the diseases associated with the

biological activity. Thus, the polynucleotides and polypeptides, and agonists or antagonists could be used to treat the associated disease.

Members of the secreted family of proteins are believed to be involved in biological activities associated with, for example, cellular signaling. Accordingly, compositions of the invention (including polynucleotides, polypeptides and antibodies of the invention, and fragments and variants thereof) may be used in diagnosis, prognosis, prevention and/or treatment of diseases and/or disorders associated with aberrant activity of secreted polypeptides.

In preferred embodiments, compositions of the invention (including polynucleotides, polypeptides and antibodies of the invention, and fragments and variants thereof) may be used in the diagnosis, prognosis, prevention, treatment, and/or amelioration of diseases and/or disorders relating to the cardiovascular system (e.g., atherosclerosis, stroke, myocardial infarction, hypertension, and as described in the "Cardiovascular Disorders" section below).

In certain embodiments, a polypeptide of the invention, or polynucleotides, antibodies, agonists, or antagonists corresponding to that polypeptide, may be used to diagnose and/or prognosticate diseases and/or disorders associated with the tissue(s) in which the polypeptide of the invention is expressed including one, two, three, four, five, or more tissues disclosed in Table 1B.2 (Tissue Distribution Library Code).

Thus, polynucleotides, translation products and antibodies of the invention are useful in the diagnosis, detection, prevention, prognistication, and/or treatment of diseases and/or disorders associated with activities that include, but are not limited to, prohormone activation, neurotransmitter activity, cellular signaling, cellular proliferation, cellular differentiation, and cell migration.

More generally, polynucleotides, translation products and antibodies corresponding to this gene may be useful for the diagnosis, prognosis, prevention, treatment and/or amelioration of diseases and/or disorders associated with the following system or systems.

Cardiovascular Disorders

Polynucleotides or polypeptides, or agonists or antagonists of the present invention, may be used to detect, prevent, diagnose, prognosticate, treat, and/or ameliorate cardiovascular diseases and disorders, including, but not limited to, peripheral artery disease, such as limb ischemia.

Cardiovascular disorders include, but are not limited to, cardiovascular abnormalities, such as arterio-arterial fistula, arteriovenous fistula, cerebral arteriovenous malformations, congenital heart defects, pulmonary atresia, and Scimitar Syndrome. Congenital heart defects include, but are not limited to, aortic coarctation, cor triatriatum, coronary vessel anomalies, crisscross heart, dextrocardia, patent ductus arteriosus, Ebstein's anomaly, Eisenmenger complex, hypoplastic left heart syndrome, levocardia, tetralogy of fallot, transposition of great vessels,

double outlet right ventricle, tricuspid atresia, persistent truncus arteriosus, and heart septal defects, such as aortopulmonary septal defect, endocardial cushion defects, Lutembacher's Syndrome, trilogy of Fallot, ventricular heart septal defects.

Cardiovascular disorders also include, but are not limited to, heart disease, such as arrhythmias, carcinoid heart disease, high cardiac output, low cardiac output, cardiac tamponade, endocarditis (including bacterial), heart aneurysm, cardiac arrest, congestive heart failure, congestive cardiomyopathy, paroxysmal dyspnea, cardiac edema, heart hypertrophy, congestive cardiomyopathy, left ventricular hypertrophy, right ventricular hypertrophy, post-infarction heart rupture, ventricular septal rupture, heart valve diseases, myocardial diseases, myocardial ischemia, pericardial effusion, pericarditis (including constrictive and tuberculous), pneumopericardium, postpericardiotomy syndrome, pulmonary heart disease, rheumatic heart disease, ventricular dysfunction, hyperemia, cardiovascular pregnancy complications, Scimitar Syndrome, cardiovascular syphilis, and cardiovascular tuberculosis.

Arrhythmias include, but are not limited to, sinus arrhythmia, atrial fibrillation, atrial flutter, bradycardia, extrasystole, Adams-Stokes Syndrome, bundle-branch block, sinoatrial block, long QT syndrome, parasystole, Lown-Ganong-Levine Syndrome, Mahaim-type pre-excitation syndrome, Wolff-Parkinson-White syndrome, sick sinus syndrome, tachycardias, and ventricular fibrillation. Tachycardias include paroxysmal tachycardia, supraventricular tachycardia, accelerated idioventricular rhythm, atrioventricular nodal reentry tachycardia, ectopic atrial tachycardia, ectopic junctional tachycardia, sinoatrial nodal reentry tachycardia, sinus tachycardia, Torsades de Pointes, and ventricular tachycardia.

Heart valve diseases include, but are not limited to, aortic valve insufficiency, aortic valve stenosis, hear murmurs, aortic valve prolapse, mitral valve prolapse, tricuspid valve prolapse, mitral valve insufficiency, mitral valve stenosis, pulmonary atresia, pulmonary valve insufficiency, pulmonary valve stenosis, tricuspid atresia, tricuspid valve insufficiency, and tricuspid valve stenosis.

Myocardial diseases include, but are not limited to, alcoholic cardiomyopathy, congestive cardiomyopathy, hypertrophic cardiomyopathy, aortic subvalvular stenosis, pulmonary subvalvular stenosis, restrictive cardiomyopathy, Chagas cardiomyopathy, endocardial fibroelastosis, endomyocardial fibrosis, Kearns Syndrome, myocardial reperfusion injury, and myocarditis.

Myocardial ischemias include, but are not limited to, coronary disease, such as angina pectoris, coronary aneurysm, coronary arteriosclerosis, coronary thrombosis, coronary vasospasm, myocardial infarction and myocardial stunning.

Cardiovascular diseases also include vascular diseases such as aneurysms, angiodysplasia, angiomatosis, bacillary angiomatosis, Hippel-Lindau Disease, Klippel-Trenaunay-Weber Syndrome, Sturge-Weber Syndrome, angioneurotic edema, aortic diseases, Takayasu's

Arteritis, aortitis, Leriche's Syndrome, arterial occlusive diseases, arteritis, enarteritis, polyarteritis nodosa, cerebrovascular disorders, diabetic angiopathies, diabetic retinopathy, embolisms, thrombosis, erythromelalgia, hemorrhoids, hepatic veno-occlusive disease, hypertension, hypotension, ischemia, peripheral vascular diseases, phlebitis, pulmonary veno-occlusive disease, Raynaud's disease, CREST syndrome, retinal vein occlusion, Scimitar syndrome, superior vena cava syndrome, telangiectasia, atacia telangiectasia, hereditary hemorrhagic telangiectasia, varicocele, varicose veins, varicose ulcer, vasculitis, and venous insufficiency.

Aneurysms include, but are not limited to, dissecting aneurysms, false aneurysms, infected aneurysms, ruptured aneurysms, aortic aneurysms, cerebral aneurysms, coronary aneurysms, heart aneurysms, and iliac aneurysms.

Arterial occlusive diseases include, but are not limited to, arteriosclerosis, intermittent claudication, carotid stenosis, fibromuscular dysplasias, mesenteric vascular occlusion, Moyamoya disease, renal artery obstruction, retinal artery occlusion, and thromboangiitis obliterans.

Cerebrovascular disorders include, but are not limited to, carotid artery diseases, cerebral amyloid angiopathy, cerebral aneurysm, cerebral anoxia, cerebral arteriosclerosis, cerebral arteriovenous malformation, cerebral artery diseases, cerebral embolism and thrombosis, carotid artery thrombosis, sinus thrombosis, Wallenberg's syndrome, cerebral hemorrhage, epidural hematoma, subdural hematoma, subaraxhnoid hemorrhage, cerebral infarction, cerebral ischemia (including transient), subclavian steal syndrome, periventricular leukomalacia, vascular headache, cluster headache, migraine, and vertebrobasilar insufficiency.

Embolisms include, but are not limited to, air embolisms, amniotic fluid embolisms, cholesterol embolisms, blue toe syndrome, fat embolisms, pulmonary embolisms, and thromoboembolisms. Thrombosis include, but are not limited to, coronary thrombosis, hepatic vein thrombosis, retinal vein occlusion, carotid artery thrombosis, sinus thrombosis, Wallenberg's syndrome, and thrombophlebitis.

Ischemic disorders include, but are not limited to, cerebral ischemia, ischemic colitis, compartment syndromes, anterior compartment syndrome, myocardial ischemia, reperfusion injuries, and peripheral limb ischemia. Vasculitis includes, but is not limited to, aortitis, arteritis, Behcet's Syndrome, Churg-Strauss Syndrome, mucocutaneous lymph node syndrome, thromboangiitis obliterans, hypersensitivity vasculitis, Schoenlein-Henoch purpura, allergic cutaneous vasculitis, and Wegener's granulomatosis.

Polypeptides may be administered using any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, biolistic injectors, particle accelerators, gelfoam sponge depots, other commercially available depot materials, osmotic pumps, oral or suppositorial solid pharmaceutical formulations, decanting or topical applications during surgery, aerosol delivery. Such methods are known in the art. Polypeptides may be administered as part of a Therapeutic,

described in more detail below. Methods of delivering polynucleotides are described in more detail herein.

Wound Healing and Epithelial Cell Proliferation

In accordance with yet a further aspect of the present invention, there is provided a process for utilizing polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, for therapeutic purposes, for example, to stimulate epithelial cell proliferation and basal keratinocytes for the purpose of wound healing, and to stimulate hair follicle production and healing of dermal wounds. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may be clinically useful in stimulating wound healing including surgical wounds, excisional wounds, deep wounds involving damage of the dermis and epidermis, eye tissue wounds, dental tissue wounds, oral cavity wounds, diabetic ulcers, dermal ulcers, cubitus ulcers, arterial ulcers, venous stasis ulcers, burns resulting from heat exposure or chemicals, and other abnormal wound healing conditions such as uremia, malnutrition, vitamin deficiencies and complications associated with systemic treatment with steroids, radiation therapy and antineoplastic drugs and antimetabolites. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to promote dermal reestablishment subsequent to dermal loss

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to increase the adherence of skin grafts to a wound bed and to stimulate re-epithelialization from the wound bed. The following are types of grafts that polynucleotides or polypeptides, agonists or antagonists of the present invention, could be used to increase adherence to a wound bed: autografts, artificial skin, allografts, autodermic graft, autoepdermic grafts, avacular grafts, Blair-Brown grafts, bone graft, brephoplastic grafts, cutis graft, delayed graft, dermic graft, epidermic graft, fascia graft, full thickness graft, heterologous graft, xenograft, homologous graft, hyperplastic graft, lamellar graft, mesh graft, mucosal graft, Ollier-Thiersch graft, omenpal graft, patch graft, pedicle graft, penetrating graft, split skin graft, thick split graft. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, can be used to promote skin strength and to improve the appearance of aged skin.

It is believed that polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, will also produce changes in hepatocyte proliferation, and epithelial cell proliferation in the lung, breast, pancreas, stomach, small intestine, and large intestine. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could promote proliferation of epithelial cells such as sebocytes, hair follicles, hepatocytes, type II pneumocytes, mucin-producing goblet cells, and other epithelial cells and their progenitors contained within the skin, lung, liver, and gastrointestinal tract. Polynucleotides or polypeptides,

agonists or antagonists of the present invention, may promote proliferation of endothelial cells, keratinocytes, and basal keratinocytes.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could also be used to reduce the side effects of gut toxicity that result from radiation, chemotherapy treatments or viral infections. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may have a cytoprotective effect on the small intestine mucosa. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may also stimulate healing of mucositis (mouth ulcers) that result from chemotherapy and viral infections.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could further be used in full regeneration of skin in full and partial thickness skin defects, including burns, (i.e., repopulation of hair follicles, sweat glands, and sebaceous glands), treatment of other skin defects such as psoriasis. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to treat epidermolysis bullosa, a defect in adherence of the epidermis to the underlying dermis which results in frequent, open and painful blisters by accelerating reepithelialization of these lesions. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could also be used to treat gastric and doudenal ulcers and help heal by scar formation of the mucosal lining and regeneration of glandular mucosa and duodenal mucosal lining more rapidly. Inflammatory bowel diseases, such as Crohn's disease and ulcerative colitis, are diseases which result in destruction of the mucosal surface of the small or large intestine, respectively. Thus, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to promote the resurfacing of the mucosal surface to aid more rapid healing and to prevent progression of inflammatory bowel disease. Treatment with polynucleotides or polypeptides, agonists or antagonists of the present invention, is expected to have a significant effect on the production of mucus throughout the gastrointestinal tract and could be used to protect the intestinal mucosa from injurious substances that are ingested or following surgery. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to treat diseases associate with the under expression.

Moreover, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to prevent and heal damage to the lungs due to various pathological states. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, which could stimulate proliferation and differentiation and promote the repair of alveoli and brochiolar epithelium to prevent or treat acute or chronic lung damage. For example, emphysema, which results in the progressive loss of aveoli, and inhalation injuries, i.e., resulting from smoke inhalation and burns, that cause necrosis of the bronchiolar epithelium and alveoli could be effectively treated using polynucleotides or polypeptides, agonists or antagonists of the

present invention. Also, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to stimulate the proliferation of and differentiation of type II pneumocytes, which may help treat or prevent disease such as hyaline membrane diseases, such as infant respiratory distress syndrome and bronchopulmonary displasia, in premature infants.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could stimulate the proliferation and differentiation of hepatocytes and, thus, could be used to alleviate or treat liver diseases and pathologies such as fulminant liver failure caused by cirrhosis, liver damage caused by viral hepatitis and toxic substances (i.e., acetaminophen, carbon tetraholoride and other hepatotoxins known in the art).

In addition, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used treat or prevent the onset of diabetes mellitus. In patients with newly diagnosed Types I and II diabetes, where some islet cell function remains, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to maintain the islet function so as to alleviate, delay or prevent permanent manifestation of the disease. Also, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used as an auxiliary in islet cell transplantation to improve or promote islet cell function.

Chemotaxis

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may have chemotaxis activity. A chemotaxic molecule attracts or mobilizes cells (e.g., monocytes, fibroblasts, neutrophils, T-cells, mast cells, eosinophils, epithelial and/or endothelial cells) to a particular site in the body, such as inflammation, infection, or site of hyperproliferation. The mobilized cells can then fight off and/or heal the particular trauma or abnormality.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may increase chemotaxic activity of particular cells. These chemotactic molecules can then be used to treat inflammation, infection, hyperproliferative disorders, or any immune system disorder by increasing the number of cells targeted to a particular location in the body. For example, chemotaxic molecules can be used to treat wounds and other trauma to tissues by attracting immune cells to the injured location. Chemotactic molecules of the present invention can also attract fibroblasts, which can be used to treat wounds.

It is also contemplated that polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may inhibit chemotactic activity. These molecules could also be used to treat disorders. Thus, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention could be used as an inhibitor of chemotaxis.

Binding Activity

A polypeptide of the present invention may be used to screen for molecules that bind to the polypeptide or for molecules to which the polypeptide binds. The binding of the polypeptide and the molecule may activate (agonist), increase, inhibit (antagonist), or decrease activity of the polypeptide or the molecule bound. Examples of such molecules include antibodies, oligonucleotides, proteins (e.g., receptors),or small molecules.

Preferably, the molecule is closely related to the natural ligand of the polypeptide, e.g., a fragment of the ligand, or a natural substrate, a ligand, a structural or functional mimetic. (See, Coligan et al., Current Protocols in Immunology 1(2):Chapter 5 (1991)). Similarly, the molecule can be closely related to the natural receptor to which the polypeptide binds, or at least, a fragment of the receptor capable of being bound by the polypeptide (e.g., active site). In either case, the molecule can be rationally designed using known techniques.

Preferably, the screening for these molecules involves producing appropriate cells which express the polypeptide. Preferred cells include cells from mammals, yeast, Drosophila, or *E. coli*. Cells expressing the polypeptide (or cell membrane containing the expressed polypeptide) are then preferably contacted with a test compound potentially containing the molecule to observe binding, stimulation, or inhibition of activity of either the polypeptide or the molecule.

The assay may simply test binding of a candidate compound to the polypeptide, wherein binding is detected by a label, or in an assay involving competition with a labeled competitor. Further, the assay may test whether the candidate compound results in a signal generated by binding to the polypeptide.

Alternatively, the assay can be carried out using cell-free preparations, polypeptide/molecule affixed to a solid support, chemical libraries, or natural product mixtures. The assay may also simply comprise the steps of mixing a candidate compound with a solution containing a polypeptide, measuring polypeptide/molecule activity or binding, and comparing the polypeptide/molecule activity or binding to a standard.

Preferably, an ELISA assay can measure polypeptide level or activity in a sample (e.g., biological sample) using a monoclonal or polyclonal antibody. The antibody can measure polypeptide level or activity by either binding, directly or indirectly, to the polypeptide or by competing with the polypeptide for a substrate.

Additionally, the receptor to which the polypeptide of the present invention binds can be identified by numerous methods known to those of skill in the art, for example, ligand panning and FACS sorting (Coligan, et al., Current Protocols in Immun., 1(2), Chapter 5, (1991)). For example, expression cloning is employed wherein polyadenylated RNA is prepared from a cell responsive to the polypeptides, for example, NIH3T3 cells which are known to contain multiple receptors for the FGF family proteins, and SC-3 cells, and a cDNA library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the

polypeptides. Transfected cells which are grown on glass slides are exposed to the polypeptide of the present invention, after they have been labeled. The polypeptides can be labeled by a variety of means including iodination or inclusion of a recognition site for a site-specific protein kinase.

Following fixation and incubation, the slides are subjected to auto-radiographic analysis. Positive pools are identified and sub-pools are prepared and re-transfected using an iterative sub-pooling and re-screening process, eventually yielding a single clones that encodes the putative receptor.

As an alternative approach for receptor identification, the labeled polypeptides can be photoaffinity linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE analysis and exposed to X-ray film. The labeled complex containing the receptors of the polypeptides can be excised, resolved into peptide fragments, and subjected to protein microsequencing. The amino acid sequence obtained from microsequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the genes encoding the putative receptors.

Moreover, the techniques of gene-shuffling, motif-shuffling, exon-shuffling, and/or codon-shuffling (collectively referred to as "DNA shuffling") may be employed to modulate the activities of the polypeptide of the present invention thereby effectively generating agonists and antagonists of the polypeptide of the present invention. *See generally*, U.S. Patent Nos. 5,605,793, 5,811,238, 5,830,721, 5,834,252, and 5,837,458, and Patten, P. A., *et al., Curr. Opinion Biotechnol.* 8:724-33 (1997); Harayama, S. *Trends Biotechnol.* 16(2):76-82 (1998); Hansson, L. O., *et al., J. Mol. Biol.* 287:265-76 (1999); and Lorenzo, M. M. and Blasco, R. *Biotechniques* 24(2):308-13 (1998); each of these patents and publications are hereby incorporated by reference). In one embodiment, alteration of polynucleotides and corresponding polypeptides may be achieved by DNA shuffling. DNA shuffling involves the assembly of two or more DNA segments into a desired molecule by homologous, or site-specific, recombination. In another embodiment, polynucleotides and corresponding polypeptides may be altered by being subjected to random mutagenesis by error-prone PCR, random nucleotide insertion or other methods prior to recombination. In another embodiment, one or more components, motifs, sections, parts, domains, fragments, etc., of the polypeptide of the present invention may be recombined with one or more components, motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules. In preferred embodiments, the heterologous molecules are family members. In further preferred embodiments, the heterologous molecule is a growth factor such as, for example, platelet-derived growth factor (PDGF), insulin-like growth factor (IGF-I), transforming growth factor (TGF)-alpha, epidermal growth factor (EGF), fibroblast growth factor (FGF), TGF-beta, bone morphogenetic protein (BMP)-2, BMP-4, BMP-5, BMP-6, BMP-7, activins A and B, decapentaplegic(dpp), 60A, OP-2, dorsalin, growth differentiation factors (GDFs), nodal, MIS,

inhibin-alpha, TGF-beta1, TGF-beta2, TGF-beta3, TGF-beta5, and glial-derived neurotrophic factor (GDNF).

Other preferred fragments are biologically active fragments of the polypeptide of the present invention. Biologically active fragments are those exhibiting activity similar, but not necessarily identical, to an activity of the polypeptide of the present invention. The biological activity of the fragments may include an improved desired activity, or a decreased undesirable activity.

Additionally, this invention provides a method of screening compounds to identify those which modulate the action of the polypeptide of the present invention. An example of such an assay comprises combining a mammalian fibroblast cell, a the polypeptide of the present invention, the compound to be screened and ^{3}[H] thymidine under cell culture conditions where the fibroblast cell would normally proliferate. A control assay may be performed in the absence of the compound to be screened and compared to the amount of fibroblast proliferation in the presence of the compound to determine if the compound stimulates proliferation by determining the uptake of ^{3}[H] thymidine in each case. The amount of fibroblast cell proliferation is measured by liquid scintillation chromatography which measures the incorporation of ^{3}[H] thymidine. Both agonist and antagonist compounds may be identified by this procedure.

In another method, a mammalian cell or membrane preparation expressing a receptor for a polypeptide of the present invention is incubated with a labeled polypeptide of the present invention in the presence of the compound. The ability of the compound to enhance or block this interaction could then be measured. Alternatively, the response of a known second messenger system following interaction of a compound to be screened and the receptor is measured and the ability of the compound to bind to the receptor and elicit a second messenger response is measured to determine if the compound is a potential agonist or antagonist. Such second messenger systems include but are not limited to, cAMP guanylate cyclase, ion channels or phosphoinositide hydrolysis.

All of these above assays can be used as diagnostic or prognostic markers. The molecules discovered using these assays can be used to treat disease or to bring about a particular result in a patient (e.g., blood vessel growth) by activating or inhibiting the polypeptide/molecule. Moreover, the assays can discover agents which may inhibit or enhance the production of the polypeptides of the invention from suitably manipulated cells or tissues.

Therefore, the invention includes a method of identifying compounds which bind to a polypeptide of the invention comprising the steps of: (a) incubating a candidate binding compound with a polypeptide of the present invention; and (b) determining if binding has occurred. Moreover, the invention includes a method of identifying agonists/antagonists comprising the steps of: (a) incubating a candidate compound with a polypeptide of the present

invention, (b) assaying a biological activity, and (b) determining if a biological activity of the polypeptide has been altered.

Targeted Delivery

In another embodiment, the invention provides a method of delivering compositions to targeted cells expressing a receptor for a polypeptide of the invention, or cells expressing a cell bound form of a polypeptide of the invention.

As discussed herein, polypeptides or antibodies of the invention may be associated with heterologous polypeptides, heterologous nucleic acids, toxins, or prodrugs via hydrophobic, hydrophilic, ionic and/or covalent interactions. In one embodiment, the invention provides a method for the specific delivery of compositions of the invention to cells by administering polypeptides of the invention (including antibodies) that are associated with heterologous polypeptides or nucleic acids. In one example, the invention provides a method for delivering a therapeutic protein into the targeted cell. In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate episomally and that can be transcribed) into the targeted cell.

In another embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention (e.g., polypeptides of the invention or antibodies of the invention) in association with toxins or cytotoxic prodrugs.

By "toxin" is meant compounds that bind and activate endogenous cytotoxic effector systems, radioisotopes, holotoxins, modified toxins, catalytic subunits of toxins, or any molecules or enzymes not normally present in or on the surface of a cell that under defined conditions cause the cell's death. Toxins that may be used according to the methods of the invention include, but are not limited to, radioisotopes known in the art, compounds such as, for example, antibodies (or complement fixing containing portions thereof) that bind an inherent or induced endogenous cytotoxic effector system, thymidine kinase, endonuclease, RNAse, alpha toxin, ricin, abrin, *Pseudomonas* exotoxin A, diphtheria toxin, saporin, momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin. By "cytotoxic prodrug" is meant a non-toxic compound that is converted by an enzyme, normally present in the cell, into a cytotoxic compound. Cytotoxic prodrugs that may be used according to the methods of the invention include, but are not limited to, glutamyl derivatives of benzoic acid mustard alkylating agent, phosphate derivatives of etoposide or mitomycin C, cytosine arabinoside, daunorubisin, and phenoxyacetamide derivatives of doxorubicin.

Drug Screening

Further contemplated is the use of the polypeptides of the present invention, or the polynucleotides encoding these polypeptides, to screen for molecules which modify the activities of the polypeptides of the present invention. Such a method would include contacting the polypeptide of the present invention with a selected compound(s) suspected of having antagonist or agonist activity, and assaying the activity of these polypeptides following binding.

This invention is particularly useful for screening therapeutic compounds by using the polypeptides of the present invention, or binding fragments thereof, in any of a variety of drug screening techniques. The polypeptide or fragment employed in such a test may be affixed to a solid support, expressed on a cell surface, free in solution, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. One may measure, for example, the formulation of complexes between the agent being tested and a polypeptide of the present invention.

Thus, the present invention provides methods of screening for drugs or any other agents which affect activities mediated by the polypeptides of the present invention. These methods comprise contacting such an agent with a polypeptide of the present invention or a fragment thereof and assaying for the presence of a complex between the agent and the polypeptide or a fragment thereof, by methods well known in the art. In such a competitive binding assay, the agents to screen are typically labeled. Following incubation, free agent is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of a particular agent to bind to the polypeptides of the present invention.

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to the polypeptides of the present invention, and is described in great detail in European Patent Application 84/03564, published on September 13, 1984, which is incorporated herein by reference herein. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. The peptide test compounds are reacted with polypeptides of the present invention and washed. Bound polypeptides are then detected by methods well known in the art. Purified polypeptides are coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies may be used to capture the peptide and immobilize it on the solid support.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding polypeptides of the present invention specifically compete with a test compound for binding to the polypeptides or fragments thereof. In this

manner, the antibodies are used to detect the presence of any peptide which shares one or more antigenic epitopes with a polypeptide of the invention.

Antisense And Ribozyme (Antagonists)

In specific embodiments, antagonists according to the present invention are nucleic acids corresponding to the sequences contained in SEQ ID NO:X, or the complementary strand thereof, and/or to cDNA sequences contained in cDNA ATCC Deposit No:Z identified for example, in Table 1A and/or 1B. In one embodiment, antisense sequence is generated internally, by the organism, in another embodiment, the antisense sequence is separately administered (see, for example, O'Connor, J., Neurochem. 56:560 (1991). Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Antisense technology can be used to control gene expression through antisense DNA or RNA, or through triple-helix formation. Antisense techniques are discussed for example, in Okano, J., Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Triple helix formation is discussed in, for instance, Lee et al., Nucleic Acids Research 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1300 (1991). The methods are based on binding of a polynucleotide to a complementary DNA or RNA.

For example, the use of c-myc and c-myb antisense RNA constructs to inhibit the growth of the non-lymphocytic leukemia cell line HL-60 and other cell lines was previously described. (Wickstrom et al. (1988); Anfossi et al. (1989)). These experiments were performed in vitro by incubating cells with the oligoribonucleotide. A similar procedure for *in vivo* use is described in WO 91/15580. Briefly, a pair of oligonucleotides for a given antisense RNA is produced as follows: A sequence complimentary to the first 15 bases of the open reading frame is flanked by an EcoR1 site on the 5 end and a HindIII site on the 3 end. Next, the pair of oligonucleotides is heated at 90°C for one minute and then annealed in 2X ligation buffer (20mM TRIS HCl pH 7.5, 10mM MgCl2, 10MM dithiothreitol (DTT) and 0.2 mM ATP) and then ligated to the EcoR1/Hind III site of the retroviral vector PMV7 (WO 91/15580).

For example, the 5' coding portion of a polynucleotide that encodes the polypeptide of the present invention may be used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription thereby preventing transcription and the production of the receptor. The antisense RNA oligonucleotide hybridizes to the mRNA *in vivo* and blocks translation of the mRNA molecule into receptor polypeptide.

In one embodiment, the antisense nucleic acid of the invention is produced intracellularly by transcription from an exogenous sequence. For example, a vector or a portion thereof, is transcribed, producing an antisense nucleic acid (RNA) of the invention. Such a vector would contain a sequence encoding the antisense nucleic acid. Such a vector can remain episomal

or become chromosomally integrated, as long as it can be transcribed to produce the desired antisense RNA. Such vectors can be constructed by recombinant DNA technology methods standard in the art. Vectors can be plasmid, viral, or others known in the art, used for replication and expression in vertebrate cells. Expression of the sequence encoding the polypeptide of the present invention or fragments thereof, can be by any promoter known in the art to act in vertebrate, preferably human cells. Such promoters can be inducible or constitutive. Such promoters include, but are not limited to, the SV40 early promoter region (Bernoist and Chambon, Nature 29:304-310 (1981), the promoter contained in the 3' long terminal repeat of Rous sarcoma virus (Yamamoto et al., Cell 22:787-797 (1980), the herpes thymidine promoter (Wagner et al., Proc. Natl. Acad. Sci. U.S.A. 78:1441-1445 (1981), the regulatory sequences of the metallothionein gene (Brinster, et al., Nature 296:39-42 (1982)), etc.

The antisense nucleic acids of the invention comprise a sequence complementary to at least a portion of an RNA transcript of a gene of the present invention. However, absolute complementarity, although preferred, is not required. A sequence "complementary to at least a portion of an RNA," referred to herein, means a sequence having sufficient complementarity to be able to hybridize with the RNA, forming a stable duplex; in the case of double stranded antisense nucleic acids, a single strand of the duplex DNA may thus be tested, or triplex formation may be assayed. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense nucleic acid. Generally, the larger the hybridizing nucleic acid, the more base mismatches with a RNA it may contain and still form a stable duplex (or triplex as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures to determine the melting point of the hybridized complex.

Oligonucleotides that are complementary to the 5' end of the message, e.g., the 5' untranslated sequence up to and including the AUG initiation codon, should work most efficiently at inhibiting translation. However, sequences complementary to the 3' untranslated sequences of mRNAs have been shown to be effective at inhibiting translation of mRNAs as well. See generally, Wagner, R., 1994, Nature 372:333-335. Thus, oligonucleotides complementary to either the 5'- or 3'- non- translated, non-coding regions of polynucleotide sequences described herein could be used in an antisense approach to inhibit translation of endogenous mRNA. Oligonucleotides complementary to the 5' untranslated region of the mRNA should include the complement of the AUG start codon. Antisense oligonucleotides complementary to mRNA coding regions are less efficient inhibitors of translation but could be used in accordance with the invention. Whether designed to hybridize to the 5'-, 3'- or coding region of mRNA of the present invention, antisense nucleic acids should be at least six nucleotides in length, and are preferably oligonucleotides ranging from 6 to about 50 nucleotides in length. In specific aspects the oligonucleotide is at least 10 nucleotides, at least 17 nucleotides, at least 25 nucleotides or at least 50 nucleotides.

The polynucleotides of the invention can be DNA or RNA or chimeric mixtures or derivatives or modified versions thereof, single-stranded or double-stranded. The oligonucleotide can be modified at the base moiety, sugar moiety, or phosphate backbone, for example, to improve stability of the molecule, hybridization, etc. The oligonucleotide may include other appended groups such as peptides (e.g., for targeting host cell receptors *in vivo*), or agents facilitating transport across the cell membrane (see, e.g., Letsinger et al., 1989, Proc. Natl. Acad. Sci. U.S.A. 86:6553-6556; Lemaitre et al., 1987, Proc. Natl. Acad. Sci. 84:648-652; PCT Publication No. WO88/09810, published December 15, 1988) or the blood-brain barrier (see, e.g., PCT Publication No. WO89/10134, published April 25, 1988), hybridization-triggered cleavage agents. (See, e.g., Krol et al., 1988, BioTechniques 6:958-976) or intercalating agents. (See, e.g., Zon, 1988, Pharm. Res. 5:539-549). To this end, the oligonucleotide may be conjugated to another molecule, e.g., a peptide, hybridization triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent, etc.

The antisense oligonucleotide may comprise at least one modified base moiety which is selected from the group including, but not limited to, 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xantine, 4-acetylcytosine, 5-(carboxyhydroxylmethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

The antisense oligonucleotide may also comprise at least one modified sugar moiety selected from the group including, but not limited to, arabinose, 2-fluoroarabinose, xylulose, and hexose.

In yet another embodiment, the antisense oligonucleotide comprises at least one modified phosphate backbone selected from the group including, but not limited to, a phosphorothioate, a phosphorodithioate, a phosphoramidothioate, a phosphoramidate, a phosphordiamidate, a methylphosphonate, an alkyl phosphotriester, and a formacetal or analog thereof.

In yet another embodiment, the antisense oligonucleotide is an a-anomeric oligonucleotide. An a-anomeric oligonucleotide forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual b-units, the strands run parallel to each other (Gautier et al., 1987, Nucl. Acids Res. 15:6625-6641). The oligonucleotide is a 2'-0-

methylribonucleotide (Inoue et al., 1987, Nucl. Acids Res. 15:6131-6148), or a chimeric RNA-DNA analogue (Inoue et al., 1987, FEBS Lett. 215:327-330).

Polynucleotides of the invention may be synthesized by standard methods known in the art, e.g. by use of an automated DNA synthesizer (such as are commercially available from Biosearch, Applied Biosystems, etc.). As examples, phosphorothioate oligonucleotides may be synthesized by the method of Stein et al. (1988, Nucl. Acids Res. 16:3209), methylphosphonate oligonucleotides can be prepared by use of controlled pore glass polymer supports (Sarin et al., 1988, Proc. Natl. Acad. Sci. U.S.A. 85:7448-7451), etc.

While antisense nucleotides complementary to the coding region sequence could be used, those complementary to the transcribed untranslated region are most preferred.

Potential antagonists according to the invention also include catalytic RNA, or a ribozyme (See, e.g., PCT International Publication WO 90/11364, published October 4, 1990; Sarver et al, Science 247:1222-1225 (1990). While ribozymes that cleave mRNA at site specific recognition sequences can be used to destroy mRNAs, the use of hammerhead ribozymes is preferred. Hammerhead ribozymes cleave mRNAs at locations dictated by flanking regions that form complementary base pairs with the target mRNA. The sole requirement is that the target mRNA have the following sequence of two bases: 5'-UG-3'. The construction and production of hammerhead ribozymes is well known in the art and is described more fully in Haseloff and Gerlach, Nature 334:585-591 (1988). There are numerous potential hammerhead ribozyme cleavage sites within the nucleotide sequence of SEQ ID NO:X. Preferably, the ribozyme is engineered so that the cleavage recognition site is located near the 5' end of the mRNA; i.e., to increase efficiency and minimize the intracellular accumulation of non-functional mRNA transcripts.

As in the antisense approach, the ribozymes of the invention can be composed of modified oligonucleotides (e.g., for improved stability, targeting, etc.) and should be delivered to cells which express *in vivo*. DNA constructs encoding the ribozyme may be introduced into the cell in the same manner as described above for the introduction of antisense encoding DNA. A preferred method of delivery involves using a DNA construct "encoding" the ribozyme under the control of a strong constitutive promoter, such as, for example, pol III or pol II promoter, so that transfected cells will produce sufficient quantities of the ribozyme to destroy endogenous messages and inhibit translation. Since ribozymes unlike antisense molecules, are catalytic, a lower intracellular concentration is required for efficiency.

Antagonist/agonist compounds may be employed to inhibit the cell growth and proliferation effects of the polypeptides of the present invention on neoplastic cells and tissues, i.e. stimulation of angiogenesis of tumors, and, therefore, retard or prevent abnormal cellular growth and proliferation, for example, in tumor formation or growth.

The antagonist/agonist may also be employed to prevent hyper-vascular diseases, and prevent the proliferation of epithelial lens cells after extracapsular cataract surgery. Prevention of the mitogenic activity of the polypeptides of the present invention may also be desirous in cases such as restenosis after balloon angioplasty.

The antagonist/agonist may also be employed to prevent the growth of scar tissue during wound healing.

The antagonist/agonist may also be employed to treat the diseases described herein.

Thus, the invention provides a method of treating disorders or diseases, including but not limited to the disorders or diseases listed throughout this application, associated with overexpression of a polynucleotide of the present invention by administering to a patient (a) an antisense molecule directed to the polynucleotide of the present invention, and/or (b) a ribozyme directed to the polynucleotide of the present invention.

Binding Peptides and Other Molecules

The invention also encompasses screening methods for identifying polypeptides and nonpolypeptides that bind polypeptides of the invention, and the binding molecules identified thereby. These binding molecules are useful, for example, as agonists and antagonists of the polypeptides of the invention. Such agonists and antagonists can be used, in accordance with the invention, in the therapeutic embodiments described in detail, below.

This method comprises the steps of:

a. contacting polypeptides of the invention with a plurality of molecules; and
b. identifying a molecule that binds the polypeptides of the invention.

The step of contacting the polypeptides of the invention with the plurality of molecules may be effected in a number of ways. For example, one may contemplate immobilizing the polypeptides on a solid support and bringing a solution of the plurality of molecules in contact with the immobilized polypeptides. Such a procedure would be akin to an affinity chromatographic process, with the affinity matrix being comprised of the immobilized polypeptides of the invention. The molecules having a selective affinity for the polypeptides can then be purified by affinity selection. The nature of the solid support, process for attachment of the polypeptides to the solid support, solvent, and conditions of the affinity isolation or selection are largely conventional and well known to those of ordinary skill in the art.

Alternatively, one may also separate a plurality of polypeptides into substantially separate fractions comprising a subset of or individual polypeptides. For instance, one can separate the plurality of polypeptides by gel electrophoresis, column chromatography, or like method known to those of ordinary skill for the separation of polypeptides. The individual polypeptides can also be produced by a transformed host cell in such a way as to be expressed on or about its outer surface (e.g., a recombinant phage). Individual isolates can then be "probed" by the

polypeptides of the invention, optionally in the presence of an inducer should one be required for expression, to determine if any selective affinity interaction takes place between the polypeptides and the individual clone. Prior to contacting the polypeptides with each fraction comprising individual polypeptides, the polypeptides could first be transferred to a solid support for additional convenience. Such a solid support may simply be a piece of filter membrane, such as one made of nitrocellulose or nylon. In this manner, positive clones could be identified from a collection of transformed host cells of an expression library, which harbor a DNA construct encoding a polypeptide having a selective affinity for polypeptides of the invention. Furthermore, the amino acid sequence of the polypeptide having a selective affinity for the polypeptides of the invention can be determined directly by conventional means or the coding sequence of the DNA encoding the polypeptide can frequently be determined more conveniently. The primary sequence can then be deduced from the corresponding DNA sequence. If the amino acid sequence is to be determined from the polypeptide itself, one may use microsequencing techniques. The sequencing technique may include mass spectroscopy.

In certain situations, it may be desirable to wash away any unbound polypeptides from a mixture of the polypeptides of the invention and the plurality of polypeptides prior to attempting to determine or to detect the presence of a selective affinity interaction. Such a wash step may be particularly desirable when the polypeptides of the invention or the plurality of polypeptides are bound to a solid support.

The plurality of molecules provided according to this method may be provided by way of diversity libraries, such as random or combinatorial peptide or nonpeptide libraries which can be screened for molecules that specifically bind polypeptides of the invention. Many libraries are known in the art that can be used, e.g., chemically synthesized libraries, recombinant (e.g., phage display libraries), and in vitro translation-based libraries. Examples of chemically synthesized libraries are described in Fodor et al., 1991, Science 251:767-773; Houghten et al., 1991, Nature 354:84-86; Lam et al., 1991, Nature 354:82-84; Medynski, 1994, Bio/Technology 12:709-710;Gallop et al., 1994, J. Medicinal Chemistry 37(9):1233-1251; Ohlmeyer et al., 1993, Proc. Natl. Acad. Sci. USA 90:10922-10926; Erb et al., 1994, Proc. Natl. Acad. Sci. USA 91:11422-11426; Houghten et al., 1992, Biotechniques 13:412; Jayawickreme et al., 1994, Proc. Natl. Acad. Sci. USA 91:1614-1618; Salmon et al., 1993, Proc. Natl. Acad. Sci. USA 90:11708-11712; PCT Publication No. WO 93/20242; and Brenner and Lerner, 1992, Proc. Natl. Acad. Sci. USA 89:5381-5383.

Examples of phage display libraries are described in Scott and Smith, 1990, Science 249:386-390; Devlin et al., 1990, Science, 249:404-406; Christian, R. B., et al., 1992, J. Mol. Biol. 227:711-718); Lenstra, 1992, J. Immunol. Meth. 152:149-157; Kay et al., 1993, Gene 128:59-65; and PCT Publication No. WO 94/18318 dated Aug. 18, 1994.

In vitro translation-based libraries include but are not limited to those described in PCT

Publication No. WO 91/05058 dated Apr. 18, 1991; and Mattheakis et al., 1994, Proc. Natl. Acad. Sci. USA 91:9022-9026.

By way of examples of nonpeptide libraries, a benzodiazepine library (see e.g., Bunin et al., 1994, Proc. Natl. Acad. Sci. USA 91:4708-4712) can be adapted for use. Peptoid libraries (Simon et al., 1992, Proc. Natl. Acad. Sci. USA 89:9367-9371) can also be used. Another example of a library that can be used, in which the amide functionalities in peptides have been permethylated to generate a chemically transformed combinatorial library, is described by Ostresh et al. (1994, Proc. Natl. Acad. Sci. USA 91:11138-11142).

The variety of non-peptide libraries that are useful in the present invention is great. For example, Ecker and Crooke, 1995, Bio/Technology 13:351-360 list benzodiazepines, hydantoins, piperazinediones, biphenyls, sugar analogs, beta-mercaptoketones, arylacetic acids, acylpiperidines, benzopyrans, cubanes, xanthines, aminimides, and oxazolones as among the chemical species that form the basis of various libraries.

Non-peptide libraries can be classified broadly into two types: decorated monomers and oligomers. Decorated monomer libraries employ a relatively simple scaffold structure upon which a variety functional groups is added. Often the scaffold will be a molecule with a known useful pharmacological activity. For example, the scaffold might be the benzodiazepine structure.

Non-peptide oligomer libraries utilize a large number of monomers that are assembled together in ways that create new shapes that depend on the order of the monomers. Among the monomer units that have been used are carbamates, pyrrolinones, and morpholinos. Peptoids, peptide-like oligomers in which the side chain is attached to the alpha amino group rather than the alpha carbon, form the basis of another version of non-peptide oligomer libraries. The first non-peptide oligomer libraries utilized a single type of monomer and thus contained a repeating backbone. Recent libraries have utilized more than one monomer, giving the libraries added flexibility.

Screening the libraries can be accomplished by any of a variety of commonly known methods. See, e.g., the following references, which disclose screening of peptide libraries: Parmley and Smith, 1989, Adv. Exp. Med. Biol. 251:215-218; Scott and Smith, 1990, Science 249:386-390; Fowlkes et al., 1992; BioTechniques 13:422-427; Oldenburg et al., 1992, Proc. Natl. Acad. Sci. USA 89:5393-5397; Yu et al., 1994, Cell 76:933-945; Staudt et al., 1988, Science 241:577-580; Bock et al., 1992, Nature 355:564-566; Tuerk et al., 1992, Proc. Natl. Acad. Sci. USA 89:6988-6992; Ellington et al., 1992, Nature 355:850-852; U.S. Pat. No. 5,096,815, U.S. Pat. No. 5,223,409, and U.S. Pat. No. 5,198,346, all to Ladner et al.; Rebar and Pabo, 1993, Science 263:671-673; and CT Publication No. WO 94/18318.

In a specific embodiment, screening to identify a molecule that binds polypeptides of the invention can be carried out by contacting the library members with polypeptides of the invention immobilized on a solid phase and harvesting those library members that bind to the

polypeptides of the invention. Examples of such screening methods, termed "panning" techniques are described by way of example in Parmley and Smith, 1988, Gene 73:305-318; Fowlkes et al., 1992, BioTechniques 13:422-427; PCT Publication No. WO 94/18318; and in references cited herein.

In another embodiment, the two-hybrid system for selecting interacting proteins in yeast (Fields and Song, 1989, Nature 340:245-246; Chien et al., 1991, Proc. Natl. Acad. Sci. USA 88:9578-9582) can be used to identify molecules that specifically bind to polypeptides of the invention.

Where the binding molecule is a polypeptide, the polypeptide can be conveniently selected from any peptide library, including random peptide libraries, combinatorial peptide libraries, or biased peptide libraries. The term "biased" is used herein to mean that the method of generating the library is manipulated so as to restrict one or more parameters that govern the diversity of the resulting collection of molecules, in this case peptides.

Thus, a truly random peptide library would generate a collection of peptides in which the probability of finding a particular amino acid at a given position of the peptide is the same for all 20 amino acids. A bias can be introduced into the library, however, by specifying, for example, that a lysine occur every fifth amino acid or that positions 4, 8, and 9 of a decapeptide library be fixed to include only arginine. Clearly, many types of biases can be contemplated, and the present invention is not restricted to any particular bias. Furthermore, the present invention contemplates specific types of peptide libraries, such as phage displayed peptide libraries and those that utilize a DNA construct comprising a lambda phage vector with a DNA insert.

As mentioned above, in the case of a binding molecule that is a polypeptide, the polypeptide may have about 6 to less than about 60 amino acid residues, preferably about 6 to about 10 amino acid residues, and most preferably, about 6 to about 22 amino acids. In another embodiment, a binding polypeptide has in the range of 15-100 amino acids, or 20-50 amino acids.

The selected binding polypeptide can be obtained by chemical synthesis or recombinant expression.

Other Activities

A polypeptide, polynucleotide, agonist, or antagonist of the present invention, as a result of the ability to stimulate vascular endothelial cell growth, may be employed in treatment for stimulating re-vascularization of ischemic tissues due to various disease conditions such as thrombosis, arteriosclerosis, and other cardiovascular conditions. The polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed to stimulate angiogenesis and limb regeneration, as discussed above.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for treating wounds due to injuries, burns, post-operative tissue repair, and ulcers

since they are mitogenic to various cells of different origins, such as fibroblast cells and skeletal muscle cells, and therefore, facilitate the repair or replacement of damaged or diseased tissue.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed stimulate neuronal growth and to treat and prevent neuronal damage which occurs in certain neuronal disorders or neuro-degenerative conditions such as Alzheimer's disease, Parkinson's disease, and AIDS-related complex. A polypeptide, polynucleotide, agonist, or antagonist of the present invention may have the ability to stimulate chondrocyte growth, therefore, they may be employed to enhance bone and periodontal regeneration and aid in tissue transplants or bone grafts.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may be also be employed to prevent skin aging due to sunburn by stimulating keratinocyte growth.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for preventing hair loss, since FGF family members activate hair-forming cells and promotes melanocyte growth. Along the same lines, a polypeptide, polynucleotide, agonist, or antagonist of the present invention may be employed to stimulate growth and differentiation of hematopoietic cells and bone marrow cells when used in combination with other cytokines.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed to maintain organs before transplantation or for supporting cell culture of primary tissues. A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for inducing tissue of mesodermal origin to differentiate in early embryos.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also increase or decrease the differentiation or proliferation of embryonic stem cells, besides, as discussed above, hematopoietic lineage.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be used to modulate mammalian characteristics, such as body height, weight, hair color, eye color, skin, percentage of adipose tissue, pigmentation, size, and shape (e.g., cosmetic surgery). Similarly, a polypeptide, polynucleotide, agonist, or antagonist of the present invention may be used to modulate mammalian metabolism affecting catabolism, anabolism, processing, utilization, and storage of energy.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may be used to change a mammal's mental state or physical state by influencing biorhythms, caricadic rhythms, depression (including depressive disorders), tendency for violence, tolerance for pain, reproductive capabilities (preferably by Activin or Inhibin-like activity), hormonal or endocrine levels, appetite, libido, memory, stress, or other cognitive qualities.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be used as a food additive or preservative, such as to increase or decrease storage capabilities, fat content, lipid, protein, carbohydrate, vitamins, minerals, cofactors or other nutritional components.

The above-recited applications have uses in a wide variety of hosts. Such hosts include, but are not limited to, human, murine, rabbit, goat, guinea pig, camel, horse, mouse, rat, hamster, pig, micro-pig, chicken, goat, cow, sheep, dog, cat, non-human primate, and human. In specific embodiments, the host is a mouse, rabbit, goat, guinea pig, chicken, rat, hamster, pig, sheep, dog or cat. In preferred embodiments, the host is a mammal. In most preferred embodiments, the host is a human.

Other Preferred Embodiments

Other preferred embodiments of the claimed invention include an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 50 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, the nucleotide sequence as defined in column 5 of Table 1B.1 or columns 8 and 9 of Table 2 or the complementary strand thereto, and/or cDNA contained in ATCC Deposit No:Z.

Also preferred is a nucleic acid molecule wherein said sequence of contiguous nucleotides is included in the nucleotide sequence of the portion of SEQ ID NO:X as defined in column 5, "ORF (From-To)", in Table 1B.1.

Also preferred is a nucleic acid molecule wherein said sequence of contiguous nucleotides is included in the nucleotide sequence of the portion of SEQ ID NO:X as defined in columns 8 and 9, "NT From" and "NT To" respectively, in Table 2.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 150 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, the nucleotide sequence as defined in column 5 of Table 1B.1 or columns 8 and 9 of Table 2 or the complementary strand thereto, and/or cDNA contained in ATCC Deposit No:Z.

Further preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 500 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, the nucleotide sequence as defined in column 5 of Table 1B.1 or columns 8 and 9 of Table 2 or the complementary strand thereto, and/or cDNA contained in ATCC Deposit No:Z.

A further preferred embodiment is a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the nucleotide sequence of the portion of SEQ ID NO:X defined in column 5, "ORF (From-To)", in Table 1B.1.

A further preferred embodiment is a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the nucleotide sequence of the portion of SEQ ID NO:X defined in columns 8 and 9, "NT From" and "NT To", respectively, in Table 2.

A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the complete nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, the nucleotide sequence as defined in column 5 of Table 1B.1 or columns 8 and 9 of Table 2 or the complementary strand thereto, and/or cDNA contained in ATCC Deposit No:Z.

Also preferred is an isolated nucleic acid molecule which hybridizes under stringent hybridization conditions to a nucleic acid molecule comprising a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, the nucleotide sequence as defined in column 5 of Table 1B.1 or columns 8 and 9 of Table 2 or the complementary strand thereto, and/or cDNA contained in ATCC Deposit No:Z, wherein said nucleic acid molecule which hybridizes does not hybridize under stringent hybridization conditions to a nucleic acid molecule having a nucleotide sequence consisting of only A residues or of only T residues.

Also preferred is a composition of matter comprising a DNA molecule which comprises the cDNA contained in ATCC Deposit No:Z.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least 50 contiguous nucleotides of the cDNA sequence contained in ATCC Deposit No:Z.

Also preferred is an isolated nucleic acid molecule, wherein said sequence of at least 50 contiguous nucleotides is included in the nucleotide sequence of an open reading frame sequence encoded by cDNA contained in ATCC Deposit No:Z.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to sequence of at least 150 contiguous nucleotides in the nucleotide sequence encoded by cDNA contained in ATCC Deposit No:Z.

A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to sequence of at least 500 contiguous nucleotides in the nucleotide sequence encoded by cDNA contained in ATCC Deposit No:Z.

A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the complete nucleotide sequence encoded by cDNA contained in ATCC Deposit No:Z.

A further preferred embodiment is a method for detecting in a biological sample a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; the nucleotide sequence as defined in column 5 of Table 1B.1 or columns 8 and 9 of Table 2 or the complementary strand thereto; and a nucleotide sequence encoded by cDNA contained in ATCC Deposit No:Z; which method comprises a step of comparing a nucleotide sequence of at least one nucleic acid molecule in said sample with a sequence selected from said group and determining

whether the sequence of said nucleic acid molecule in said sample is at least 95% identical to said selected sequence.

Also preferred is the above method wherein said step of comparing sequences comprises determining the extent of nucleic acid hybridization between nucleic acid molecules in said sample and a nucleic acid molecule comprising said sequence selected from said group. Similarly, also preferred is the above method wherein said step of comparing sequences is performed by comparing the nucleotide sequence determined from a nucleic acid molecule in said sample with said sequence selected from said group. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

A further preferred embodiment is a method for identifying the species, tissue or cell type of a biological sample which method comprises a step of detecting nucleic acid molecules in said sample, if any, comprising a nucleotide sequence that is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; the nucleotide sequence as defined in column 5 of Table 1B.1 or columns 8 and 9 of Table 2 or the complementary strand thereto; and a nucleotide sequence of the cDNA contained in ATCC Deposit No:Z.

The method for identifying the species, tissue or cell type of a biological sample can comprise a step of detecting nucleic acid molecules comprising a nucleotide sequence in a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from said group.

Also preferred is a method for diagnosing in a subject a pathological condition associated with abnormal structure or expression of a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; the nucleotide sequence as defined in column 5 of Table 1B.1 or columns 8 and 9 of Table 2 or the complementary strand thereto; or the cDNA contained in ATCC Deposit No:Z which encodes a protein, wherein the method comprises a step of detecting in a biological sample obtained from said subject nucleic acid molecules, if any, comprising a nucleotide sequence that is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; the nucleotide sequence as defined in column 5 of Table 1B.1 or columns 8 and 9 of Table 2 or the complementary strand thereto; and a nucleotide sequence of cDNA contained in ATCC Deposit No:Z.

The method for diagnosing a pathological condition can comprise a step of detecting nucleic acid molecules comprising a nucleotide sequence in a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from said group.

Also preferred is a composition of matter comprising isolated nucleic acid molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; the nucleotide sequence as defined in column 5 of Table 1B.1 or columns 8 and 9 of Table 2 or the complementary strand thereto; and a nucleotide sequence encoded by cDNA contained in ATCC Deposit No:Z. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

Also preferred is a composition of matter comprising isolated nucleic acid molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a DNA microarray or "chip" of at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 40, 50, 100, 150, 200, 250, 300, 500, 1000, 2000, 3000, or 4000 nucleotide sequences, wherein at least one sequence in said DNA microarray or "chip" is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X wherein X is any integer as defined in Table 1A and/or Table 1B.1; and a nucleotide sequence encoded by a human cDNA clone identified by a cDNA "Clone ID" in Table 1A and/or Table 1B.1.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 90% identical to a sequence of at least about 10 contiguous amino acids in the polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and/or a polypeptide encoded by cDNA contained in ATCC Deposit No:Z.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 30 contiguous amino acids in the amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and/or a polypeptide encoded by cDNA contained in ATCC Deposit No:Z.

Further preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 100 contiguous amino acids in the amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and/or a polypeptide encoded by cDNA contained in ATCC Deposit No:Z.

Further preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to the complete amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and/or a polypeptide encoded by cDNA contained in ATCC Deposit No:Z.

Further preferred is an isolated polypeptide comprising an amino acid sequence at least 90% identical to a sequence of at least about 10 contiguous amino acids in the complete amino acid sequence of a polypeptide encoded by contained in ATCC Deposit No:Z

Also preferred is a polypeptide wherein said sequence of contiguous amino acids is included in the amino acid sequence of a portion of said polypeptide encoded by cDNA contained in ATCC Deposit No:Z; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and/or the polypeptide sequence of SEQ ID NO:Y.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 30 contiguous amino acids in the amino acid sequence of a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 100 contiguous amino acids in the amino acid sequence of a polypeptide encoded by cDNA contained in ATCC Deposit No:Z.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to the amino acid sequence of a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z.

Further preferred is an isolated antibody which binds specifically to a polypeptide comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z.

Further preferred is a method for detecting in a biological sample a polypeptide comprising an amino acid sequence which is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z; which method comprises a step of comparing an amino acid sequence of at least one polypeptide molecule in said sample with a sequence selected from said group and determining whether the sequence of said polypeptide molecule in said sample is at least 90% identical to said sequence of at least 10 contiguous amino acids.

Also preferred is the above method wherein said step of comparing an amino acid sequence of at least one polypeptide molecule in said sample with a sequence selected from said group comprises determining the extent of specific binding of polypeptides in said sample to an antibody which binds specifically to a polypeptide comprising an amino acid sequence that is at

least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z.

Also preferred is the above method wherein said step of comparing sequences is performed by comparing the amino acid sequence determined from a polypeptide molecule in said sample with said sequence selected from said group.

Also preferred is a method for identifying the species, tissue or cell type of a biological sample which method comprises a step of detecting polypeptide molecules in said sample, if any, comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z.

Also preferred is the above method for identifying the species, tissue or cell type of a biological sample, which method comprises a step of detecting polypeptide molecules comprising an amino acid sequence in a panel of at least two amino acid sequences, wherein at least one sequence in said panel is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the above group.

Also preferred is a method for diagnosing in a subject a pathological condition associated with abnormal structure or expression of a nucleic acid sequence identified in Table 1A, 1B or Table 2 encoding a polypeptide, which method comprises a step of detecting in a biological sample obtained from said subject polypeptide molecules comprising an amino acid sequence in a panel of at least two amino acid sequences, wherein at least one sequence in said panel is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z.

In any of these methods, the step of detecting said polypeptide molecules includes using an antibody.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a nucleotide sequence encoding a polypeptide wherein said polypeptide comprises an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand

thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z.

Also preferred is an isolated nucleic acid molecule, wherein said nucleotide sequence encoding a polypeptide has been optimized for expression of said polypeptide in a prokaryotic host.

Also preferred is a polypeptide molecule, wherein said polypeptide comprises an amino acid sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z.

Further preferred is a method of making a recombinant vector comprising inserting any of the above isolated nucleic acid molecule into a vector. Also preferred is the recombinant vector produced by this method. Also preferred is a method of making a recombinant host cell comprising introducing the vector into a host cell, as well as the recombinant host cell produced by this method.

Also preferred is a method of making an isolated polypeptide comprising culturing this recombinant host cell under conditions such that said polypeptide is expressed and recovering said polypeptide. Also preferred is this method of making an isolated polypeptide, wherein said recombinant host cell is a eukaryotic cell and said polypeptide is a human protein comprising an amino acid sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in ATCC Deposit No:Z. The isolated polypeptide produced by this method is also preferred.

Also preferred is a method of treatment of an individual in need of an increased level of a protein activity, which method comprises administering to such an individual a Therapeutic comprising an amount of an isolated polypeptide, polynucleotide, immunogenic fragment or analogue thereof, binding agent, antibody, or antigen binding fragment of the claimed invention effective to increase the level of said protein activity in said individual.

Also preferred is a method of treatment of an individual in need of a decreased level of a protein activity, which method comprised administering to such an individual a Therapeutic comprising an amount of an isolated polypeptide, polynucleotide, immunogenic fragment or analogue thereof, binding agent, antibody, or antigen binding fragment of the claimed invention effective to decrease the level of said protein activity in said individual.

Also preferred is a method of treatment of an individual in need of a specific delivery of toxic compositions to diseased cells (e.g., tumors, leukemias or lymphomas), which method comprises administering to such an individual a Therapeutic comprising an amount of an isolated

polypeptide of the invention, including, but not limited to a binding agent, or antibody of the claimed invention that are associated with toxin or cytotoxic prodrugs.

Having generally described the invention, the same will be more readily understood by reference to the following examples, which are provided by way of illustration and are not intended as limiting.

Description of Table 6

Table 6 summarizes some of the ATCC Deposits, Deposit dates, and ATCC designation numbers of deposits made with the ATCC in connection with the present application. These deposits were made in addition to those described in the Table 1A.

Table 6

ATCC Deposits	Deposit Date	ATCC Designation Number
LP01, LP02, LP03, LP04, LP05, LP06, LP07, LP08, LP09, LP10, LP11,	May-20-97	209059, 209060, 209061, 209062, 209063, 209064, 209065, 209066, 209067, 209068, 209069
LP12	Jan-12-98	209579
LP13	Jan-12-98	209578
LP14	Jul-16-98	203067
LP15	Jul-16-98	203068
LP16	Feb-1-99	203609
LP17	Feb-1-99	203610
LP20	Nov-17-98	203485
LP21	Jun-18-99	PTA-252
LP22	Jun-18-99	PTA-253
LP23	Dec-22-99	PTA-1081

Examples

Example 1: Isolation of a Selected cDNA Clone From the Deposited Sample

Each ATCC Deposit No:Z is contained in a plasmid vector. Table 7 identifies the vectors used to construct the cDNA library from which each clone was isolated. In many cases, the vector used to construct the library is a phage vector from which a plasmid has been excised. The following correlates the related plasmid for each phage vector used in constructing the cDNA library. For example, where a particular clone is identified in Table 7 as being isolated in the vector "Lambda Zap," the corresponding deposited clone is in "pBluescript."

Vector Used to Construct Library	Corresponding Deposited Plasmid
Lambda Zap	pBluescript (pBS)
Uni-Zap XR	pBluescript (pBS)
Zap Express	pBK
lafmid BA	plafmid BA
pSport1	pSport1
pCMVSport 2.0	pCMVSport 2.0
pCMVSport 3.0	pCMVSport 3.0
pCR®2.1	pCR®2.1

Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286,636), pBluescript (pBS) (Short, J. M. et al., Nucleic Acids Res. 16:7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., Nucleic Acids Res. 17:9494 (1989)) and pBK (Alting-Mees, M. A. et al., Strategies 5:58-61 (1992)) are commercially available from Stratagene Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Both can be transformed into E. coli strain XL-1 Blue, also available from Stratagene. pBS comes in 4 forms SK+, SK-, KS+ and KS. The S and K refers to the orientation of the polylinker to the T7 and T3 primer sequences which flank the polylinker region ("S" is for SacI and "K" is for KpnI which are the first sites on each respective end of the linker). "+" or "-" refer to the orientation of the f1 origin of replication ("ori"), such that in one orientation, single stranded rescue initiated from the f1 ori generates sense strand DNA and in the other, antisense.

Vectors pSport1, pCMVSport 2.0 and pCMVSport 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an ampicillin resistance gene and may be transformed into E. coli strain DH10B, also available from Life Technologies. (See, for instance, Gruber, C. E., et al., Focus 15:59 (1993)). Vector lafmid

BA (Bento Soares, Columbia University, NY) contains an ampicillin resistance gene and can be transformed into E. coli strain XL-1 Blue. Vector pCR®2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an ampicillin resistance gene and may be transformed into E. coli strain DH10B, available from Life Technologies. (See, for instance, Clark, J. M., Nuc. Acids Res. 16:9677-9686 (1988) and Mead, D. et al., Bio/Technology 9: (1991)). Preferably, a polynucleotide of the present invention does not comprise the phage vector sequences identified for the particular clone in Table 7, as well as the corresponding plasmid vector sequences designated above.

The deposited material in the sample assigned the ATCC Deposit Number cited by reference to Table 1A, Table 2, Table 6 and Table 7 for any given cDNA clone also may contain one or more additional plasmids, each comprising a cDNA clone different from that given clone. Thus, deposits sharing the same ATCC Deposit Number contain at least a plasmid for each ATCC Deposit No:Z.

TABLE 7

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HUKA HUKB HUKC HUKD HUKE HUKF HUKG	Human Uterine Cancer	Lambda ZAP II	LP01
HCNA HCNB	Human Colon	Lambda Zap II	LP01
HFFA	Human Fetal Brain, random primed	Lambda Zap II	LP01
HTWA	Resting T-Cell	Lambda ZAP II	LP01
HBQA	Early Stage Human Brain, random primed	Lambda ZAP II	LP01
HLMB HLMF HLMG HLMH HLMI HLMJ HLMM HLMN	breast lymph node CDNA library	Lambda ZAP II	LP01
HCQA HCQB	human colon cancer	Lamda ZAP II	LP01
HMEA HMEC HMED HMEE HMEF HMEG HMEI HMEJ HMEK HMEL	Human Microvascular Endothelial Cells, fract. A	Lambda ZAP II	LP01
HUSA HUSC	Human Umbilical Vein Endothelial Cells, fract. A	Lambda ZAP II	LP01
HLQA HLQB	Hepatocellular Tumor	Lambda ZAP II	LP01
HHGA HHGB HHGC HHGD	Hemangiopericytoma	Lambda ZAP II	LP01
HSDM	Human Striatum Depression, re-rescue	Lambda ZAP II	LP01
HUSH	H Umbilical Vein Endothelial Cells, frac A, re-excision	Lambda ZAP II	LP01
HSGS	Salivary gland, subtracted	Lambda ZAP II	LP01
HFXA HFXB HFXC HFXD HFXE HFXF HFXG HFXH	Brain frontal cortex	Lambda ZAP II	LP01
HPQA HPQB HPQC	PERM TF274	Lambda ZAP II	LP01
HFXJ HFXK	Brain Frontal Cortex, re-excision	Lambda ZAP II	LP01
HCWA HCWB HCWC HCWD HCWE HCWF HCWG HCWH HCWI HCWJ HCWK	CD34 positive cells (Cord Blood)	ZAP Express	LP02

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HCUA HCUB HCUC	CD34 depleted Buffy Coat (Cord Blood)	ZAP Express	LP02
HRSM	A-14 cell line	ZAP Express	LP02
HRSA	A1-CELL LINE	ZAP Express	LP02
HCUD HCUE HCUF HCUG HCUH HCUI	CD34 depleted Buffy Coat (Cord Blood), re-excision	ZAP Express	LP02
HBXE HBXF HBXG	H. Whole Brain #2, re-excision	ZAP Express	LP02
HRLM	L8 cell line	ZAP Express	LP02
HBXA HBXB HBXC HBXD	Human Whole Brain #2 - Oligo dT > 1.5Kb	ZAP Express	LP02
HUDA HUDB HUDC	Testes	ZAP Express	LP02
HHTM HHTN HHTO	H. hypothalamus, frac A;re-excision	ZAP Express	LP02
HHTL	H. hypothalamus, frac A	ZAP Express	LP02
HASA HASD	Human Adult Spleen	Uni-ZAP XR	LP03
HFKC HFKD HFKE HFKF HFKG	Human Fetal Kidney	Uni-ZAP XR	LP03
HE8A HE8B HE8C HE8D HE8E HE8F HE8M HE8N	Human 8 Week Whole Embryo	Uni-ZAP XR	LP03
HGBA HGBD HGBE HGBF HGBG HGBH HGBI	Human Gall Bladder	Uni-ZAP XR	LP03
HLHA HLHB HLHC HLHD HLHE HLHF HLHG HLHH HLHQ	Human Fetal Lung III	Uni-ZAP XR	LP03
HPMA HPMB HPMC HPMD HPME HPMF HPMG HPMH	Human Placenta	Uni-ZAP XR	LP03
HPRA HPRB HPRC HPRD	Human Prostate	Uni-ZAP XR	LP03
HSIA HSIC HSID HSIE	Human Adult Small Intestine	Uni-ZAP XR	LP03
HTEA HTEB HTEC HTED HTEE HTEF HTEG HTEH HTEI HTEJ HTEK	Human Testes	Uni-ZAP XR	LP03
HTPA HTPB HTPC HTPD HTPE	Human Pancreas Tumor	Uni-ZAP XR	LP03
HTTA HTTB HTTC HTTD HTTE HTTF	Human Testes Tumor	Uni-ZAP XR	LP03
HAPA HAPB HAPC HAPM	Human Adult Pulmonary	Uni-ZAP XR	LP03
HETA HETB HETC HETD HETE HETF HETG HETH HETI	Human Endometrial Tumor	Uni-ZAP XR	LP03
HHFB HHFC HHFD HHFE HHFF HHFG HHFH HHFI	Human Fetal Heart	Uni-ZAP XR	LP03
HHPB HHPC HHPD HHPE HHPF HHPG HHPH	Human Hippocampus	Uni-ZAP XR	LP03
HCE1 HCE2 HCE3 HCE4 HCE5 HCEB HCEC HCED HCEE HCEF HCEG	Human Cerebellum	Uni-ZAP XR	LP03
HUVB HUVC HUVD HUVE	Human Umbilical Vein, Endo. remake	Uni-ZAP XR	LP03
HSTA HSTB HSTC HSTD	Human Skin Tumor	Uni-ZAP XR	LP03
HTAA HTAB HTAC HTAD	Human Activated T-Cells	Uni-ZAP XR	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HTAE			
HFEA HFEB HFEC	Human Fetal Epithelium (Skin)	Uni-ZAP XR	LP03
HJPA HJPB HJPC HJPD	HUMAN JURKAT MEMBRANE BOUND POLYSOMES	Uni-ZAP XR	LP03
HESA	Human epithelioid sarcoma	Uni-Zap XR	LP03
HLTA HLTB HLTC HLTD HLTE HLTF	Human T-Cell Lymphoma	Uni-ZAP XR	LP03
HFTA HFTB HFTC HFTD	Human Fetal Dura Mater	Uni-ZAP XR	LP03
HRDA HRDB HRDC HRDD HRDE HRDF	Human Rhabdomyosarcoma	Uni-ZAP XR	LP03
HCAA HCAB HCAC	Cem cells cyclohexamide treated	Uni-ZAP XR	LP03
HRGA HRGB HRGC HRGD	Raji Cells, cyclohexamide treated	Uni-ZAP XR	LP03
HSUA HSUB HSUC HSUM	Supt Cells, cyclohexamide treated	Uni-ZAP XR	LP03
HT4A HT4C HT4D	Activated T-Cells, 12 hrs.	Uni-ZAP XR	LP03
HE9A HE9B HE9C HE9D HE9E HE9F HE9G HE9H HE9M HE9N	Nine Week Old Early Stage Human	Uni-ZAP XR	LP03
HATA HATB HATC HATD HATE	Human Adrenal Gland Tumor	Uni-ZAP XR	LP03
HT5A	Activated T-Cells, 24 hrs.	Uni-ZAP XR	LP03
HFGA HFGM	Human Fetal Brain	Uni-ZAP XR	LP03
HNEA HNEB HNEC HNED HNEE	Human Neutrophil	Uni-ZAP XR	LP03
HBGB HBGD	Human Primary Breast Cancer	Uni-ZAP XR	LP03
HBNA HBNB	Human Normal Breast	Uni-ZAP XR	LP03
HCAS	Cem Cells, cyclohexamide treated, subtra	Uni-ZAP XR	LP03
HHPS	Human Hippocampus, subtracted	pBS	LP03
HKCS HKCU	Human Colon Cancer, subtracted	pBS	LP03
HRGS	Raji cells, cyclohexamide treated, subtracted	pBS	LP03
HSUT	Supt cells, cyclohexamide treated, differentially expressed	pBS	LP03
HT4S	Activated T-Cells, 12 hrs, subtracted	Uni-ZAP XR	LP03
HCDA HCDB HCDC HCDD HCDE	Human Chondrosarcoma	Uni-ZAP XR	LP03
HOAA HOAB HOAC	Human Osteosarcoma	Uni-ZAP XR	LP03
HTLA HTLB HTLC HTLD HTLE HTLF	Human adult testis, large inserts	Uni-ZAP XR	LP03
HLMA HLMC HLMD	Breast Lymph node cDNA library	Uni-ZAP XR	LP03
H6EA H6EB H6EC	HL-60, PMA 4H	Uni-ZAP XR	LP03
HTXA HTXB HTXC HTXD HTXE HTXF HTXG HTXH	Activated T-Cell (12hs)/Thiouridine labelledEco	Uni-ZAP XR	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HNFA HNFB HNFC HNFD HNFE HNFF HNFG HNFH HNFJ'	Human Neutrophil, Activated	Uni-ZAP XR	LP03
HTOB HTOC	HUMAN TONSILS, FRACTION 2	Uni-ZAP XR	LP03
HMGB	Human OB MG63 control fraction I	Uni-ZAP XR	LP03
HOPB	Human OB HOS control fraction I	Uni-ZAP XR	LP03
HORB	Human OB HOS treated (10 nM E2) fraction I	Uni-ZAP XR	LP03
HSVA HSVB HSVC	Human Chronic Synovitis	Uni-ZAP XR	LP03
HROA	HUMAN STOMACH	Uni-ZAP XR	LP03
HBJA HBJB HBJC HBJD HBJE HBJF HBJG HBJH HBJI HBJJ HBJK	HUMAN B CELL LYMPHOMA	Uni-ZAP XR	LP03
HCRA HCRB HCRC	human corpus colosum	Uni-ZAP XR	LP03
HODA HODB HODC HODD	human ovarian cancer	Uni-ZAP XR	LP03
HDSA	Dermatofibrosarcoma Protuberance	Uni-ZAP XR	LP03
HMWA HMWB HMWC HMWD HMWE HMWF HMWG HMWH HMWI HMWJ	Bone Marrow Cell Line (RS4;11)	Uni-ZAP XR	LP03
HSOA	stomach cancer (human)	Uni-ZAP XR	LP03
HERA	SKIN	Uni-ZAP XR	LP03
HMDA	Brain-medulloblastoma	Uni-ZAP XR	LP03
HGLA HGLB HGLD	Glioblastoma	Uni-ZAP XR	LP03
HEAA	H. Atrophic Endometrium	Uni-ZAP XR	LP03
HBCA HBCB	H. Lymph node breast Cancer	Uni-ZAP XR	LP03
HPWT	Human Prostate BPH, re-excision	Uni-ZAP XR	LP03
HFVG HFVH HFVI	Fetal Liver, subtraction II	pBS	LP03
HNFI	Human Neutrophils, Activated, re-excision	pBS	LP03
HBMB HBMC HBMD	Human Bone Marrow, re-excision	pBS	LP03
HKML HKMM HKMN	H. Kidney Medulla, re-excision	pBS	LP03
HKIX HKIY	H. Kidney Cortex, subtracted	pBS	LP03
HADT	H. Amygdala Depression, subtracted	pBS	LP03
H6AS	Hl-60, untreated, subtracted	Uni-ZAP XR	LP03
H6ES	HL-60, PMA 4H, subtracted	Uni-ZAP XR	LP03
H6BS	HL-60, RA 4h, Subtracted	Uni-ZAP XR	LP03
H6CS	HL-60, PMA 1d, subtracted	Uni-ZAP XR	LP03
HTXJ HTXK	Activated T-cell(12h)/Thiouridine-re-excision	Uni-ZAP XR	LP03
HMSA HMSB HMSC HMSD HMSE HMSF HMSG HMSH HMSI HMSJ HMSK	Monocyte activated	Uni-ZAP XR	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HAGA HAGB HAGC HAGD HAGE HAGF	Human Amygdala	Uni-ZAP XR	LP03
HSRA HSRB HSRE	STROMAL - OSTEOCLASTOMA	Uni-ZAP XR	LP03
HSRD HSRF HSRG HSRH	Human Osteoclastoma Stromal Cells - unamplified	Uni-ZAP XR	LP03
HSQA HSQB HSQC HSQD HSQE HSQF HSQG	Stromal cell TF274	Uni-ZAP XR	LP03
HSKA HSKB HSKC HSKD HSKE HSKF HSKZ	Smooth muscle, serum treated	Uni-ZAP XR	LP03
HSLA HSLB HSLC HSLD HSLE HSLF HSLG	Smooth muscle,control	Uni-ZAP XR	LP03
HSDA HSDD HSDE HSDF HSDG HSDH	Spinal cord	Uni-ZAP XR	LP03
HPWS	Prostate-BPH subtracted II	pBS	LP03
HSKW HSKX HSKY	Smooth Muscle- HASTE normalized	pBS	LP03
HFPB HFPC HFPD	H. Frontal cortex,epileptic;re-excision	Uni-ZAP XR	LP03
HSDI HSDJ HSDK	Spinal Cord, re-excision	Uni-ZAP XR	LP03
HSKN HSKO	Smooth Muscle Serum Treated, Norm	pBS	LP03
HSKG HSKH HSKI	Smooth muscle, serum induced,re-exc	pBS	LP03
HFCA HFCB HFCC HFCD HFCE HFCF	Human Fetal Brain	Uni-ZAP XR	LP04
HPTA HPTB HPTD	Human Pituitary	Uni-ZAP XR	LP04
HTHB HTHC HTHD	Human Thymus	Uni-ZAP XR	LP04
HE6B HE6C HE6D HE6E HE6F HE6G HE6S	Human Whole Six Week Old Embryo	Uni-ZAP XR	LP04
HSSA HSSB HSSC HSSD HSSE HSSF HSSG HSSH HSSI HSSJ HSSK	Human Synovial Sarcoma	Uni-ZAP XR	LP04
HE7T	7 Week Old Early Stage Human, subtracted	Uni-ZAP XR	LP04
HEPA HEPB HEPC	Human Epididymus	Uni-ZAP XR	LP04
HSNA HSNB HSNC HSNM HSNN	Human Synovium	Uni-ZAP XR	LP04
HPFB HPFC HPFD HPFE	Human Prostate Cancer, Stage C fraction	Uni-ZAP XR	LP04
HE2A HE2D HE2E HE2H HE2I HE2M HE2N HE2O	12 Week Old Early Stage Human	Uni-ZAP XR	LP04
HE2B HE2C HE2F HE2G HE2P HE2Q	12 Week Old Early Stage Human, II	Uni-ZAP XR	LP04
HPTS HPTT HPTU	Human Pituitary, subtracted	Uni-ZAP XR	LP04
HAUA HAUB HAUC	Amniotic Cells - TNF induced	Uni-ZAP XR	LP04
HAQA HAQB HAQC HAQD	Amniotic Cells - Primary Culture	Uni-ZAP XR	LP04
HWTA HWTB HWTC	wilm's tumor	Uni-ZAP XR	LP04
HBSD	Bone Cancer, re-excision	Uni-ZAP XR	LP04

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HSGB	Salivary gland, re-excision	Uni-ZAP XR	LP04
HSJA HSJB HSJC	Smooth muscle-ILb induced	Uni-ZAP XR	LP04
HSXA HSXB HSXC HSXD	Human Substantia Nigra	Uni-ZAP XR	LP04
HSHA HSHB HSHC	Smooth muscle, IL1b induced	Uni-ZAP XR	LP04
HOUA HOUB HOUC HOUD HOUE	Adipocytes	Uni-ZAP XR	LP04
HPWA HPWB HPWC HPWD HPWE	Prostate BPH	Uni-ZAP XR	LP04
HELA HELB HELC HELD HELE HELF HELG HELH	Endothelial cells-control	Uni-ZAP XR	LP04
HEMA HEMB HEMC HEMD HEME HEMF HEMG HEMH	Endothelial-induced	Uni-ZAP XR	LP04
HBIA HBIB HBIC	Human Brain, Striatum	Uni-ZAP XR	LP04
HHSA HHSB HHSC HHSD HHSE	Human Hypothalmus,Schizophrenia	Uni-ZAP XR	LP04
HNGA HNGB HNGC HNGD HNGE HNGF HNGG HNGH HNGI HNGJ	neutrophils control	Uni-ZAP XR	LP04
HNHA HNHB HNHC HNHD HNHE HNHF HNHG HNHH HNHI HNHJ	Neutrophils IL-1 and LPS induced	Uni-ZAP XR	LP04
HSDB HSDC	STRIATUM DEPRESSION	Uni-ZAP XR	LP04
HHPT	Hypothalamus	Uni-ZAP XR	LP04
HSAT HSAU HSAV HSAW HSAX HSAY HSAZ	Anergic T-cell	Uni-ZAP XR	LP04
HBMS HBMT HBMU HBMV HBMW HBMX	Bone marrow	Uni-ZAP XR	LP04
HOEA HOEB HOEC HOED HOEE HOEF HOEJ	Osteoblasts	Uni-ZAP XR	LP04
HAIA HAIB HAIC HAID HAIE HAIF	Epithelial-TNFa and INF induced	Uni-ZAP XR	LP04
HTGA HTGB HTGC HTGD	Apoptotic T-cell	Uni-ZAP XR	LP04
HMCA HMCB HMCC HMCD HMCE	Macrophage-oxLDL	Uni-ZAP XR	LP04
HMAA HMAB HMAC HMAD HMAE HMAF HMAG	Macrophage (GM-CSF treated)	Uni-ZAP XR	LP04
HPHA	Normal Prostate	Uni-ZAP XR	LP04
HPIA HPIB HPIC	LNCAP prostate cell line	Uni-ZAP XR	LP04
HPJA HPJB HPJC	PC3 Prostate cell line	Uni-ZAP XR	LP04
HOSE HOSF HOSG	Human Osteoclastoma, re-excision	Uni-ZAP XR	LP04
HTGE HTGF	Apoptotic T-cell, re-excision	Uni-ZAP XR	LP04
HMAJ HMAK	H Macrophage (GM-CSF treated), re-excision	Uni-ZAP XR	LP04
HACB HACC HACD	Human Adipose Tissue, re-excision	Uni-ZAP XR	LP04
HFPA	H. Frontal Cortex, Epileptic	Uni-ZAP XR	LP04
HFAA HFAB HFAC HFAD HFAE	Alzheimer's, spongy change	Uni-ZAP XR	LP04
HFAM	Frontal Lobe, Dementia	Uni-ZAP XR	LP04

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HMIA HMIB HMIC	Human Manic Depression Tissue	Uni-ZAP XR	LP04
HTSA HTSE HTSF HTSG HTSH	Human Thymus	pBS	LP05
HPBA HPBB HPBC HPBD HPBE	Human Pineal Gland	pBS	LP05
HSAA HSAB HSAC	HSA 172 Cells	pBS	LP05
HSBA HSBB HSBC HSBM	HSC172 cells	pBS	LP05
HJAA HJAB HJAC HJAD	Jurkat T-cell G1 phase	pBS	LP05
HJBA HJBB HJBC HJBD	Jurkat T-Cell, S phase	pBS	LP05
HAFA HAFB	Aorta endothelial cells + TNF-a	pBS	LP05
HAWA HAWB HAWC	Human White Adipose	pBS	LP05
HTNA HTNB	Human Thyroid	pBS	LP05
HONA	Normal Ovary, Premenopausal	pBS	LP05
HARA HARB	Human Adult Retina	pBS	LP05
HLJA HLJB	Human Lung	pCMVSport 1	LP06
HOFM HOFN HOFO	H. Ovarian Tumor, II, OV5232	pCMVSport 2.0	LP07
HOGA HOGB HOGC	OV 10-3-95	pCMVSport 2.0	LP07
HCGL	CD34+cells, II	pCMVSport 2.0	LP07
HDLA	Hodgkin's Lymphoma I	pCMVSport 2.0	LP07
HDTA HDTB HDTC HDTD HDTE	Hodgkin's Lymphoma II	pCMVSport 2.0	LP07
HKAA HKAB HKAC HKAD HKAE HKAF HKAG HKAH	Keratinocyte	pCMVSport2.0	LP07
HCIM	CAPFINDER, Crohn's Disease, lib 2	pCMVSport 2.0	LP07
HKAL	Keratinocyte, lib 2	pCMVSport2.0	LP07
HKAT	Keratinocyte, lib 3	pCMVSport2.0	LP07
HNDA	Nasal polyps	pCMVSport2.0	LP07
HDRA	H. Primary Dendritic Cells,lib 3	pCMVSport2.0	LP07
HOHA HOHB HOHC	Human Osteoblasts II	pCMVSport2.0	LP07
HLDA HLDB HLDC	Liver, Hepatoma	pCMVSport3.0	LP08
HLDN HLDO HLDP	Human Liver, normal	pCMVSport3.0	LP08
HMTA	pBMC stimulated w/ poly I/C	pCMVSport3.0	LP08
HNTA	NTERA2, control	pCMVSport3.0	LP08
HDPA HDPB HDPC HDPD HDPF HDPG HDPH HDPI HDPJ HDPK	Primary Dendritic Cells, lib 1	pCMVSport3.0	LP08
HDPM HDPN HDPO HDPP	Primary Dendritic cells,frac 2	pCMVSport3.0	LP08
HMUA HMUB HMUC	Myoloid Progenitor Cell Line	pCMVSport3.0	LP08
HHEA HHEB HHEC HHED	T Cell helper I	pCMVSport3.0	LP08
HHEM HHEN HHEO HHEP	T cell helper II	pCMVSport3.0	LP08
HEQA HEQB HEQC	Human endometrial stromal cells	pCMVSport3.0	LP08
HJMA HJMB	Human endometrial stromal cells-treated with progesterone	pCMVSport3.0	LP08
HSWA HSWB HSWC	Human endometrial stromal cells-treated with estradiol	pCMVSport3.0	LP08
HSYA HSYB HSYC	Human Thymus Stromal Cells	pCMVSport3.0	LP08
HLWA HLWB HLWC	Human Placenta	pCMVSport3.0	LP08

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HRAA HRAB HRAC	Rejected Kidney, lib 4	pCMVSport3.0	LP08
HMTM	PCR, pBMC I/C treated	PCRII	LP09
HMJA	H. Meniingima, M6	pSport 1	LP10
HMKA HMKB HMKC HMKD HMKE	H. Meningima, M1	pSport 1	LP10
HUSG HUSI	Human umbilical vein endothelial cells, IL-4 induced	pSport 1	LP10
HUSX HUSY	Human Umbilical Vein Endothelial Cells, uninduced	pSport 1	LP10
HOFA	Ovarian Tumor I, OV5232	pSport 1	LP10
HCFA HCFB HCFC HCFD	T-Cell PHA 16 hrs	pSport 1	LP10
HCFL HCFM HCFN HCFO	T-Cell PHA 24 hrs	pSport 1	LP10
HADA HADC HADD HADE HADF HADG	Human Adipose	pSport 1	LP10
HOVA HOVB HOVC	Human Ovary	pSport 1	LP10
HTWB HTWC HTWD HTWE HTWF	Resting T-Cell Library,II	pSport 1	LP10
HMMA	Spleen metastic melanoma	pSport 1	LP10
HLYA HLYB HLYC HLYD HLYE	Spleen, Chronic lymphocytic leukemia	pSport 1	LP10
HCGA	CD34+ cell, I	pSport 1	LP10
HEOM HEON	Human Eosinophils	pSport 1	LP10
HTDA	Human Tonsil, Lib 3	pSport 1	LP10
HSPA	Salivary Gland, Lib 2	pSport 1	LP10
HCHA HCHB HCHC	Breast Cancer cell line, MDA 36	pSport 1	LP10
HCHM HCHN	Breast Cancer Cell line, angiogenic	pSport 1	LP10
HCIA	Crohn's Disease	pSport 1	LP10
HDAA HDAB HDAC	HEL cell line	pSport 1	LP10
HABA	Human Astrocyte	pSport 1	LP10
HUFA HUFB HUFC	Ulcerative Colitis	pSport 1	LP10
HNTM	NTERA2 + retinoic acid, 14 days	pSport 1	LP10
HDQA	Primary Dendritic cells,CapFinder2, frac 1	pSport 1	LP10
HDQM	Primary Dendritic Cells, CapFinder, frac 2	pSport 1	LP10
HLDX	Human Liver, normal,CapFinder	pSport 1	LP10
HULA HULB HULC	Human Dermal Endothelial Cells,untreated	pSport1	LP10
HUMA	Human Dermal Endothelial cells,treated	pSport1	LP10
HCJA	Human Stromal Endometrial fibroblasts, untreated	pSport1	LP10
HCJM	Human Stromal endometrial fibroblasts, treated w/ estradiol	pSport1	LP10
HEDA	Human Stromal endometrial fibroblasts, treated with progesterone	pSport1	LP10
HFNA	Human ovary tumor cell	pSport1	LP10

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
	OV350721		
HKGA HKGB HKGC HKGD	Merkel Cells	pSport1	LP10
HISA HISB HISC	Pancreas Islet Cell Tumor	pSport1	LP10
HLSA	Skin, burned	pSportI	LP10
HBZA	Prostate,BPH, Lib 2	pSport 1	LP10
HBZS	Prostate BPH,Lib 2, subtracted	pSport 1	LP10
HFIA HFIB HFIC	Synovial Fibroblasts (control)	pSport 1	LP10
HFIH HFII HFIJ	Synovial hypoxia	pSport 1	LP10
HFIT HFIU HFIV	Synovial IL-1/TNF stimulated	pSport 1	LP10
HGCA	Messangial cell, frac 1	pSport1	LP10
HMVA HMVB HMVC	Bone Marrow Stromal Cell, untreated	pSport1	LP10
HFIX HFIY HFIZ	Synovial Fibroblasts (Il1/TNF), subt	pSport1	LP10
HFOX HFOY HFOZ	Synovial hypoxia-RSF subtracted	pSport1	LP10
HMQA HMQB HMQC HMQD	Human Activated Monocytes	Uni-ZAP XR	LP11
HLIA HLIB HLIC	Human Liver	pCMVSport 1	LP012
HHBA HHBB HHBC HHBD HHBE	Human Heart	pCMVSport 1	LP012
HBBA HBBB	Human Brain	pCMVSport 1	LP012
HLJA HLJB HLJC HLJD HLJE	Human Lung	pCMVSport 1	LP012
HOGA HOGB HOGC	Ovarian Tumor	pCMVSport 2.0	LP012
HTJM	Human Tonsils, Lib 2	pCMVSport 2.0	LP012
HAMF HAMG	KMH2	pCMVSport 3.0	LP012
HAJA HAJB HAJC	L428	pCMVSport 3.0	LP012
HWBA HWBB HWBC HWBD HWBE	Dendritic cells, pooled	pCMVSport 3.0	LP012
HWAA HWAB HWAC HWAD HWAE	Human Bone Marrow, treated	pCMVSport 3.0	LP012
HYAA HYAB HYAC	B Cell lymphoma	pCMVSport 3.0	LP012
HWHG HWHH HWHI	Healing groin wound, 6.5 hours post incision	pCMVSport 3.0	LP012
HWHP HWHQ HWHR	Healing groin wound; 7.5 hours post incision	pCMVSport 3.0	LP012
HARM	Healing groin wound - zero hr post-incision (control)	pCMVSport 3.0	LP012
HBIM	Olfactory epithelium; nasalcavity	pCMVSport 3.0	LP012
HWDA	Healing Abdomen wound; 70&90 min post incision	pCMVSport 3.0	LP012
HWEA	Healing Abdomen Wound;15 days post incision	pCMVSport 3.0	LP012
HWJA	Healing Abdomen Wound;21&29 days	pCMVSport 3.0	LP012
HNAL	Human Tongue, frac 2	pSport1	LP012
HMJA	H. Meniingima, M6	pSport1	LP012
HMKA HMKB HMKC HMKD HMKE	H. Meningima, M1	pSport1	LP012
HOFA	Ovarian Tumor I, OV5232	pSport1	LP012

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HCFA HCFB HCFC HCFD	T-Cell PHA 16 hrs	pSport1	LP012
HCFL HCFM HCFN HCFO	T-Cell PHA 24 hrs	pSport1	LP012
HMMA HMMB HMMC	Spleen metastic melanoma	pSport1	LP012
HTDA	Human Tonsil, Lib 3	pSport1	LP012
HDBA	Human Fetal Thymus	pSport1	LP012
HDUA	Pericardium	pSport1	LP012
HBZA	Prostate,BPH, Lib 2	pSport1	LP012
HWCA	Larynx tumor	pSport1	LP012
HWKA	Normal lung	pSport1	LP012
HSMB	Bone marrow stroma,treated	pSport1	LP012
HBHM	Normal trachea	pSport1	LP012
HLFC	Human Larynx	pSport1	LP012
HLRB	Siebben Polyposis	pSport1	LP012
HNIA	Mammary Gland	pSport1	LP012
HNJB	Palate carcinoma	pSport1	LP012
HNKA	Palate normal	pSport1	LP012
HMZA	Pharynx carcinoma	pSport1	LP012
HABG	Cheek Carcinoma	pSport1	LP012
HMZM	Pharynx Carcinoma	pSport1	LP012
HDRM	Larynx Carcinoma	pSport1	LP012
HVAA	Pancreas normal PCA4 No	pSport1	LP012
HICA	Tongue carcinoma	pSport1	LP012
HUKA HUKB HUKC HUKD HUKE	Human Uterine Cancer	Lambda ZAP II	LP013
HFFA	Human Fetal Brain, random primed	Lambda ZAP II	LP013
HTUA	Activated T-cell labeled with 4-thioluri	Lambda ZAP II	LP013
HBQA	Early Stage Human Brain, random primed	Lambda ZAP II	LP013
HMEB	Human microvascular Endothelial cells, fract. B	Lambda ZAP II	LP013
HUSH	Human Umbilical Vein Endothelial cells, fract. A, re-excision	Lambda ZAP II	LP013
HLQC HLQD	Hepatocellular tumor, re-excision	Lambda ZAP II	LP013
HTWJ HTWK HTWL	Resting T-cell, re-excision	Lambda ZAP II	LP013
HF6S	Human Whole 6 week Old Embryo (II), subt	pBluescript	LP013
HHPS	Human Hippocampus, subtracted	pBluescript	LP013
HL1S	LNCAP, differential expression	pBluescript	LP013
HLHS HLHT	Early Stage Human Lung, Subtracted	pBluescript	LP013
HSUS	Supt cells, cyclohexamide treated, subtracted	pBluescript	LP013
HSUT	Supt cells, cyclohexamide treated, differentially expressed	pBluescript	LP013
HSDS	H. Striatum Depression,	pBluescript	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
	subtracted		
HPTZ	Human Pituitary, Subtracted VII	pBluescript	LP013
HSDX	H. Striatum Depression, subt II	pBluescript	LP013
HSDZ	H. Striatum Depression, subt	pBluescript	LP013
HPBA HPBB HPBC HPBD HPBE	Human Pineal Gland	pBluescript SK-	LP013
HRTA	Colorectal Tumor	pBluescript SK-	LP013
HSBA HSBB HSBC HSBM	HSC172 cells	pBluescript SK-	LP013
HJAA HJAB HJAC HJAD	Jurkat T-cell G1 phase	pBluescript SK-	LP013
HJBA HJBB HJBC HJBD	Jurkat T-cell, S1 phase	pBluescript SK-	LP013
HTNA HTNB	Human Thyroid	pBluescript SK-	LP013
HAHA HAHB	Human Adult Heart	Uni-ZAP XR	LP013
HE6A	Whole 6 week Old Embryo	Uni-ZAP XR	LP013
HFCA HFCB HFCC HFCD HFCE	Human Fetal Brain	Uni-ZAP XR	LP013
HFKC HFKD HFKE HFKF HFKG	Human Fetal Kidney	Uni-ZAP XR	LP013
HGBA HGBD HGBE HGBF HGBG	Human Gall Bladder	Uni-ZAP XR	LP013
HPRA HPRB HPRC HPRD	Human Prostate	Uni-ZAP XR	LP013
HTEA HTEB HTEC HTED HTEE	Human Testes	Uni-ZAP XR	LP013
HTTA HTTB HTTC HTTD HTTE	Human Testes Tumor	Uni-ZAP XR	LP013
HYBA HYBB	Human Fetal Bone	Uni-ZAP XR	LP013
HFLA	Human Fetal Liver	Uni-ZAP XR	LP013
HHFB HHFC HHFD HHFE HHFF	Human Fetal Heart	Uni-ZAP XR	LP013
HUVB HUVC HUVD HUVE	Human Umbilical Vein, End. remake	Uni-ZAP XR	LP013
HTHB HTHC HTHD	Human Thymus	Uni-ZAP XR	LP013
HSTA HSTB HSTC HSTD	Human Skin Tumor	Uni-ZAP XR	LP013
HTAA HTAB HTAC HTAD HTAE	Human Activated T-cells	Uni-ZAP XR	LP013
HFEA HFEB HFEC	Human Fetal Epithelium (skin)	Uni-ZAP XR	LP013
HJPA HJPB HJPC HJPD	Human Jurkat Membrane Bound Polysomes	Uni-ZAP XR	LP013
HESA	Human Epithelioid Sarcoma	Uni-ZAP XR	LP013
HALS	Human Adult Liver, Subtracted	Uni-ZAP XR	LP013
HFTA HFTB HFTC HFTD	Human Fetal Dura Mater	Uni-ZAP XR	LP013
HCAA HCAB HCAC	Cem cells, cyclohexamide treated	Uni-ZAP XR	LP013
HRGA HRGB HRGC HRGD	Raji Cells, cyclohexamide treated	Uni-ZAP XR	LP013
HE9A HE9B HE9C HE9D HE9E	Nine Week Old Early Stage Human	Uni-ZAP XR	LP013
HSFA	Human Fibrosarcoma	Uni-ZAP XR	LP013
HATA HATB HATC HATD HATE	Human Adrenal Gland Tumor	Uni-ZAP XR	LP013
HTRA	Human Trachea Tumor	Uni-ZAP XR	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HE2A HE2D HE2E HE2H HE2I	12 Week Old Early Stage Human	Uni-ZAP XR	LP013
HE2B HE2C HE2F HE2G HE2P	12 Week Old Early Stage Human, II	Uni-ZAP XR	LP013
HNEA HNEB HNEC HNED HNEE	Human Neutrophil	Uni-ZAP XR	LP013
HBGA	Human Primary Breast Cancer	Uni-ZAP XR	LP013
HPTS HPTT HPTU	Human Pituitary, subtracted	Uni-ZAP XR	LP013
HMQA HMQB HMQC HMQD	Human Activated Monocytes	Uni-ZAP XR	LP013
HOAA HOAB HOAC	Human Osteosarcoma	Uni-ZAP XR	LP013
HTOA HTOD HTOE HTOF HTOG	human tonsils	Uni-ZAP XR	LP013
HMGB	Human OB MG63 control fraction I	Uni-ZAP XR	LP013
HOPB	Human OB HOS control fraction I	Uni-ZAP XR	LP013
HOQB	Human OB HOS treated (1 nM E2) fraction I	Uni-ZAP XR	LP013
HAUA HAUB HAUC	Amniotic Cells - TNF induced	Uni-ZAP XR	LP013
HAQA HAQB HAQC HAQD	Amniotic Cells - Primary Culture	Uni-ZAP XR	LP013
HROA HROC	HUMAN STOMACH	Uni-ZAP XR	LP013
HBJA HBJB HBJC HBJD HBJE	HUMAN B CELL LYMPHOMA	Uni-ZAP XR	LP013
HODA HODB HODC HODD	human ovarian cancer	Uni-ZAP XR	LP013
HCPA	Corpus Callosum	Uni-ZAP XR	LP013
HSOA	stomach cancer (human)	Uni-ZAP XR	LP013
HERA	SKIN	Uni-ZAP XR	LP013
HMDA	Brain-medulloblastoma	Uni-ZAP XR	LP013
HGLA HGLB HGLD	Glioblastoma	Uni-ZAP XR	LP013
HWTA HWTB HWTC	wilm's tumor	Uni-ZAP XR	LP013
HEAA	H. Atrophic Endometrium	Uni-ZAP XR	LP013
HAPN HAPO HAPP HAPQ HAPR	Human Adult Pulmonary;re-excision	Uni-ZAP XR	LP013
HLTG HLTH	Human T-cell lymphoma;re-excision	Uni-ZAP XR	LP013
HAHC HAHD HAHE	Human Adult Heart;re-excision	Uni-ZAP XR	LP013
HAGA HAGB HAGC HAGD HAGE	Human Amygdala	Uni-ZAP XR	LP013
HSJA HSJB HSJC	Smooth muscle-ILb induced	Uni-ZAP XR	LP013
HSHA HSHB HSHC	Smooth muscle, IL1b induced	Uni-ZAP XR	LP013
HPWA HPWB HPWC HPWD HPWE	Prostate BPH	Uni-ZAP XR	LP013
HPIA HPIB HPIC	LNCAP prostate cell line	Uni-ZAP XR	LP013
HPJA HPJB HPJC	PC3 Prostate cell line	Uni-ZAP XR	LP013
HBTA	Bone Marrow Stroma, TNF&LPS ind	Uni-ZAP XR	LP013
HMCF HMCG HMCH HMCI HMCJ	Macrophage-oxLDL; re-excision	Uni-ZAP XR	LP013
HAGG HAGH HAGI	Human Amygdala;re-excision	Uni-ZAP XR	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HACA	H. Adipose Tissue	Uni-ZAP XR	LP013
HKFB	K562 + PMA (36 hrs),re-excision	ZAP Express	LP013
HCWT HCWU HCWV	CD34 positive cells (cord blood),re-ex	ZAP Express	LP013
HBWA	Whole brain	ZAP Express	LP013
HBXA HBXB HBXC HBXD	Human Whole Brain #2 - Oligo dT > 1.5Kb	ZAP Express	LP013
HAVM	Temporal cortex-Alzheizmer	pT-Adv	LP014
HAVT	Hippocampus, Alzheimer Subtracted	pT-Adv	LP014
HHAS	CHME Cell Line	Uni-ZAP XR	LP014
HAJR	Larynx normal	pSport 1	LP014
HWLE HWLF HWLG HWLH	Colon Normal	pSport 1	LP014
HCRM HCRN HCRO	Colon Carcinoma	pSport 1	LP014
HWLI HWLJ HWLK	Colon Normal	pSport 1	LP014
HWLQ HWLR HWLS HWLT	Colon Tumor	pSport 1	LP014
HBFM	Gastrocnemius Muscle	pSport 1	LP014
HBOD HBOE	Quadriceps Muscle	pSport 1	LP014
HBKD HBKE	Soleus Muscle	pSport 1	LP014
HCCM	Pancreatic Langerhans	pSport 1	LP014
HWGA	Larynx carcinoma	pSport 1	LP014
HWGM HWGN	Larynx carcinoma	pSport 1	LP014
HWLA HWLB HWLC	Normal colon	pSport 1	LP014
HWLM HWLN	Colon Tumor	pSport 1	LP014
HVAM HVAN HVAO	Pancreas Tumor	pSport 1	LP014
HWGQ	Larynx carcinoma	pSport 1	LP014
HAQM HAQN	Salivary Gland	pSport 1	LP014
HASM	Stomach; normal	pSport 1	LP014
HBCM	Uterus; normal	pSport 1	LP014
HCDM	Testis; normal	pSport 1	LP014
HDJM	Brain; normal	pSport 1	LP014
HEFM	Adrenal Gland,normal	pSport 1	LP014
HBAA	Rectum normal	pSport 1	LP014
HFDM	Rectum tumour	pSport 1	LP014
HGAM	Colon, normal	pSport 1	LP014
HHMM	Colon, tumour	pSport 1	LP014
HCLB HCLC	Human Lung Cancer	Lambda Zap II	LP015
HRLA	L1 Cell line	ZAP Express	LP015
HHAM	Hypothalamus, Alzheimer's	pCMVSport 3.0	LP015
HKBA	Ku 812F Basophils Line	pSport 1	LP015
HS2S	Saos2, Dexamethosome Treated	pSport 1	LP016
HA5A	Lung Carcinoma A549 TNFalpha activated	pSport 1	LP016
HTFM	TF-1 Cell Line GM-CSF Treated	pSport 1	LP016
HYAS	Thyroid Tumour	pSport 1	LP016
HUTS	Larynx Normal	pSport 1	LP016
HXOA	Larynx Tumor	pSport 1	LP016
HEAH	Ea.hy.926 cell line	pSport 1	LP016
HINA	Adenocarcinoma Human	pSport 1	LP016

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HRMA	Lung Mesothelium	pSport 1	LP016
HLCL	Human Pre-Differentiated Adipocytes	Uni-Zap XR	LP017
HS2A	Saos2 Cells	pSport 1	LP020
HS2I	Saos2 Cells; Vitamin D3 Treated	pSport 1	LP020
HUCM	CHME Cell Line, untreated	pSport 1	LP020
HEPN	Aryepiglottis Normal	pSport 1	LP020
HPSN	Sinus Piniformis Tumour	pSport 1	LP020
HNSA	Stomach Normal	pSport 1	LP020
HNSM	Stomach Tumour	pSport 1	LP020
HNLA	Liver Normal Met5No	pSport 1	LP020
HUTA	Liver Tumour Met 5 Tu	pSport 1	LP020
HOCN	Colon Normal	pSport 1	LP020
HOCT	Colon Tumor	pSport 1	LP020
HTNT	Tongue Tumour	pSport 1	LP020
HLXN	Larynx Normal	pSport 1	LP020
HLXT	Larynx Tumour	pSport 1	LP020
HTYN	Thymus	pSport 1	LP020
HPLN	Placenta	pSport 1	LP020
HTNG	Tongue Normal	pSport 1	LP020
HZAA	Thyroid Normal (SDCA2 No)	pSport 1	LP020
HWES	Thyroid Thyroiditis	pSport 1	LP020
HFHD	Ficolled Human Stromal Cells, 5Fu treated	pTrip1Ex2	LP021
HFHM,HFHN	Ficolled Human Stromal Cells, Untreated	pTrip1Ex2	LP021
HPCI	Hep G2 Cells, lambda library	lambda Zap-CMV XR	LP021
HBCA,HBCB,HBCC	H. Lymph node breast Cancer	Uni-ZAP XR	LP021
HCOK	Chondrocytes	pSPORT1	LP022
HDCA, HDCB, HDCC	Dendritic Cells From CD34 Cells	pSPORT1	LP022
HDMA, HDMB	CD40 activated monocyte dendritic cells	pSPORT1	LP022
HDDM, HDDN, HDDO	LPS activated derived dendritic cells	pSPORT1	LP022
HPCR	Hep G2 Cells, PCR library	lambda Zap-CMV XR	LP022
HAAA, HAAB, HAAC	Lung, Cancer (4005313A3): Invasive Poorly Differentiated Lung Adenocarcinoma	pSPORT1	LP022
HIPA, HIPB, HIPC	Lung, Cancer (4005163 B7): Invasive, Poorly Diff. Adenocarcinoma, Metastatic	pSPORT1	LP022
HOOH, HOOI	Ovary, Cancer: (4004562 B6) Papillary Serous Cystic Neoplasm, Low Malignant Pot	pSPORT1	LP022
HIDA	Lung, Normal: (4005313 B1)	pSPORT1	LP022
HUJA,HUJB,HUJC,HUJD,HUJE	B-Cells	pCMVSport 3.0	LP022

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HNOA,HNOB,HNOC,HNOD	Ovary, Normal: (9805C040R)	pSPORT1	LP022
HNLM	Lung, Normal: (4005313 B1)	pSPORT1	LP022
HSCL	Stromal Cells	pSPORT1	LP022
HAAX	Lung, Cancer: (4005313 A3) Invasive Poorly-differentiated Metastatic lung adenocarcinoma	pSPORT1	LP022
HUUA,HUUB,HUUC,HUUD	B-cells (unstimulated)	pTrip1Ex2	LP022
HWWA,HWWB,HWWC,HWWD,HWWE,HWWF,HWWG	B-cells (stimulated)	pSPORT1	LP022
HCCC	Colon, Cancer: (9808C064R)	pCMVSport 3.0	LP023
HPDO HPDP HPDQ HPDR HPD	Ovary, Cancer (9809C332): Poorly differentiated adenocarcinoma	pSport 1	LP023
HPCO HPCP HPCQ HPCT	Ovary, Cancer (15395A1F): Grade II Papillary Carcinoma	pSport 1	LP023
HOCM HOCO HOCP HOCQ	Ovary, Cancer: (15799A1F) Poorly differentiated carcinoma	pSport 1	LP023
HCBM HCBN HCBO	Breast, Cancer: (4004943 A5)	pSport 1	LP023
HNBT HNBU HNBV	Breast, Normal: (4005522B2)	pSport 1	LP023
HBCP HBCQ	Breast, Cancer: (4005522 A2)	pSport 1	LP023
HBCJ	Breast, Cancer: (9806C012R)	pSport 1	LP023
HSAM HSAN	Stromal cells 3.88	pSport 1	LP023
HVCA HVCB HVCC HVCD	Ovary, Cancer: (4004332 A2)	pSport 1	LP023
HSCK HSEN HSEO	Stromal cells (HBM3.18)	pSport 1	LP023
HSCP HSCQ	stromal cell clone 2.5	pSport 1	LP023
HUXA	Breast Cancer: (4005385 A2)	pSport 1	LP023
HCOM HCON HCOO HCOP HCOQ	Ovary, Cancer (4004650 A3): Well-Differentiated Micropapillary Serous Carcinoma	pSport 1	LP023
HBNM	Breast, Cancer: (9802C020E)	pSport 1	LP023
HVVA HVVB HVVC HVVD HVVE	Human Bone Marrow, treated	pSport 1	LP023

Two nonlimiting examples are provided below for isolating a particular clone from the deposited sample of plasmid cDNAs cited for that clone in Table 7. First, a plasmid is directly isolated by screening the clones using a polynucleotide probe corresponding to the nucleotide sequence of SEQ ID NO:X.

Particularly, a specific polynucleotide with 30-40 nucleotides is synthesized using an Applied Biosystems DNA synthesizer according to the sequence reported. The oligonucleotide is labeled, for instance, with ^{32}P-γ-ATP using T4 polynucleotide kinase and purified according to routine methods. (E.g., Maniatis et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Press, Cold Spring, NY (1982)). The plasmid mixture is transformed into a suitable host, as indicated above (such as XL-1 Blue (Stratagene)) using techniques known to those of skill in the art, such as those provided by the vector supplier or in related publications or patents cited

above. The transformants are plated on 1.5% agar plates (containing the appropriate selection agent, e.g., ampicillin) to a density of about 150 transformants (colonies) per plate. These plates are screened using Nylon membranes according to routine methods for bacterial colony screening (e.g., Sambrook et al., Molecular Cloning: A Laboratory Manual, 2nd Edit., (1989), Cold Spring Harbor Laboratory Press, pages 1.93 to 1.104), or other techniques known to those of skill in the art.

Alternatively, two primers of 17-20 nucleotides derived from both ends of the nucleotide sequence of SEQ ID NO:X are synthesized and used to amplify the desired cDNA using the deposited cDNA plasmid as a template. The polymerase chain reaction is carried out under routine conditions, for instance, in 25 μl of reaction mixture with 0.5 ug of the above cDNA template. A convenient reaction mixture is 1.5-5 mM $MgCl_2$, 0.01% (w/v) gelatin, 20 μM each of dATP, dCTP, dGTP, dTTP, 25 pmol of each primer and 0.25 Unit of Taq polymerase. Thirty five cycles of PCR (denaturation at 94°C for 1 min; annealing at 55°C for 1 min; elongation at 72°C for 1 min) are performed with a Perkin-Elmer Cetus automated thermal cycler. The amplified product is analyzed by agarose gel electrophoresis and the DNA band with expected molecular weight is excised and purified. The PCR product is verified to be the selected sequence by subcloning and sequencing the DNA product.

Several methods are available for the identification of the 5' or 3' non-coding portions of a gene which may not be present in the deposited clone. These methods include but are not limited to, filter probing, clone enrichment using specific probes, and protocols similar or identical to 5' and 3' "RACE" protocols which are well known in the art. For instance, a method similar to 5' RACE is available for generating the missing 5' end of a desired full-length transcript. (Fromont-Racine et al., Nucleic Acids Res. 21(7):1683-1684 (1993)).

Briefly, a specific RNA oligonucleotide is ligated to the 5' ends of a population of RNA presumably containing full-length gene RNA transcripts. A primer set containing a primer specific to the ligated RNA oligonucleotide and a primer specific to a known sequence of the gene of interest is used to PCR amplify the 5' portion of the desired full-length gene. This amplified product may then be sequenced and used to generate the full length gene.

This above method starts with total RNA isolated from the desired source, although poly-A+ RNA can be used. The RNA preparation can then be treated with phosphatase if necessary to eliminate 5' phosphate groups on degraded or damaged RNA which may interfere with the later RNA ligase step. The phosphatase should then be inactivated and the RNA treated with tobacco acid pyrophosphatase in order to remove the cap structure present at the 5' ends of messenger RNAs. This reaction leaves a 5' phosphate group at the 5' end of the cap cleaved RNA which can then be ligated to an RNA oligonucleotide using T4 RNA ligase.

This modified RNA preparation is used as a template for first strand cDNA synthesis using a gene specific oligonucleotide. The first strand synthesis reaction is used as a template for

PCR amplification of the desired 5' end using a primer specific to the ligated RNA oligonucleotide and a primer specific to the known sequence of the gene of interest. The resultant product is then sequenced and analyzed to confirm that the 5' end sequence belongs to the desired gene.

Example 2: Isolation of Genomic Clones Corresponding to a Polynucleotide

A human genomic P1 library (Genomic Systems, Inc.) is screened by PCR using primers selected for the sequence corresponding to SEQ ID NO:X according to the method described in Example 1. (See also, Sambrook.)

Example 3: Tissue specific expression analysis

The Human Genome Sciences, Inc. (HGS) database is derived from sequencing tissue and/or disease specific cDNA libraries. Libraries generated from a particular tissue are selected and the specific tissue expression pattern of EST groups or assembled contigs within these libraries is determined by comparison of the expression patterns of those groups or contigs within the entire database. ESTs and assembled contigs which show tissue specific expression are selected.

The original clone from which the specific EST sequence was generated, or in the case of an assembled contig, the clone from which the 5' most EST sequence was generated, is obtained from the catalogued library of clones and the insert amplified by PCR using methods known in the art. The PCR product is denatured and then transferred in 96 or 384 well format to a nylon membrane (Schleicher and Scheull) generating an array filter of tissue specific clones. Housekeeping genes, maize genes, and known tissue specific genes are included on the filters. These targets can be used in signal normalization and to validate assay sensitivity. Additional targets are included to monitor probe length and specificity of hybridization.

Radioactively labeled hybridization probes are generated by first strand cDNA synthesis per the manufacturer's instructions (Life Technologies) from mRNA/RNA samples prepared from the specific tissue being analyzed (e.g., prostate, prostate cancer, ovarian, ovarian cancer, etc.). The hybridization probes are purified by gel exclusion chromatography, quantitated, and hybridized with the array filters in hybridization bottles at 65°C overnight. The filters are washed under stringent conditions and signals are captured using a Fuji phosphorimager.

Data is extracted using AIS software and following background subtraction, signal normalization is performed. This includes a normalization of filter-wide expression levels between different experimental runs. Genes that are differentially expressed in the tissue of interest are identified.

Example 4: Chromosomal Mapping of the Polynucleotides

An oligonucleotide primer set is designed according to the sequence at the 5' end of SEQ ID NO:X. This primer preferably spans about 100 nucleotides. This primer set is then used in a polymerase chain reaction under the following set of conditions: 30 seconds, 95°C; 1 minute, 56°C; 1 minute, 70°C. This cycle is repeated 32 times followed by one 5 minute cycle at 70°C. Human, mouse, and hamster DNA is used as template in addition to a somatic cell hybrid panel containing individual chromosomes or chromosome fragments (Bios, Inc). The reactions are analyzed on either 8% polyacrylamide gels or 3.5 % agarose gels. Chromosome mapping is determined by the presence of an approximately 100 bp PCR fragment in the particular somatic cell hybrid.

Example 5: Bacterial Expression of a Polypeptide

A polynucleotide encoding a polypeptide of the present invention is amplified using PCR oligonucleotide primers corresponding to the 5' and 3' ends of the DNA sequence, as outlined in Example 1, to synthesize insertion fragments. The primers used to amplify the cDNA insert should preferably contain restriction sites, such as BamHI and XbaI, at the 5' end of the primers in order to clone the amplified product into the expression vector. For example, BamHI and XbaI correspond to the restriction enzyme sites on the bacterial expression vector pQE-9. (Qiagen, Inc., Chatsworth, CA). This plasmid vector encodes antibiotic resistance (Amp^r), a bacterial origin of replication (ori), an IPTG-regulatable promoter/operator (P/O), a ribosome binding site (RBS), a 6-histidine tag (6-His), and restriction enzyme cloning sites.

The pQE-9 vector is digested with BamHI and XbaI and the amplified fragment is ligated into the pQE-9 vector maintaining the reading frame initiated at the bacterial RBS. The ligation mixture is then used to transform the E. coli strain M15/rep4 (Qiagen, Inc.) which contains multiple copies of the plasmid pREP4, which expresses the lacI repressor and also confers kanamycin resistance (Kan^r). Transformants are identified by their ability to grow on LB plates and ampicillin/kanamycin resistant colonies are selected. Plasmid DNA is isolated and confirmed by restriction analysis.

Clones containing the desired constructs are grown overnight (O/N) in liquid culture in LB media supplemented with both Amp (100 ug/ml) and Kan (25 ug/ml). The O/N culture is used to inoculate a large culture at a ratio of 1:100 to 1:250. The cells are grown to an optical density 600 ($O.D._{600}$) of between 0.4 and 0.6. IPTG (Isopropyl-B-D-thiogalacto pyranoside) is then added

to a final concentration of 1 mM. IPTG induces by inactivating the lacI repressor, clearing the P/O leading to increased gene expression.

Cells are grown for an extra 3 to 4 hours. Cells are then harvested by centrifugation (20 mins at 6000Xg). The cell pellet is solubilized in the chaotropic agent 6 Molar Guanidine HCl by stirring for 3-4 hours at 4°C. The cell debris is removed by centrifugation, and the supernatant containing the polypeptide is loaded onto a nickel-nitrilo-tri-acetic acid ("Ni-NTA") affinity resin column (available from QIAGEN, Inc., *supra*). Proteins with a 6 x His tag bind to the Ni-NTA resin with high affinity and can be purified in a simple one-step procedure (for details see: The QIAexpressionist (1995) QIAGEN, Inc., *supra*).

Briefly, the supernatant is loaded onto the column in 6 M guanidine-HCl, pH 8. The column is first washed with 10 volumes of 6 M guanidine-HCl, pH 8, then washed with 10 volumes of 6 M guanidine-HCl pH 6, and finally the polypeptide is eluted with 6 M guanidine-HCl, pH 5.

The purified protein is then renatured by dialyzing it against phosphate-buffered saline (PBS) or 50 mM Na-acetate, pH 6 buffer plus 200 mM NaCl. Alternatively, the protein can be successfully refolded while immobilized on the Ni-NTA column. The recommended conditions are as follows: renature using a linear 6M-1M urea gradient in 500 mM NaCl, 20% glycerol, 20 mM Tris/HCl pH 7.4, containing protease inhibitors. The renaturation should be performed over a period of 1.5 hours or more. After renaturation the proteins are eluted by the addition of 250 mM immidazole. Immidazole is removed by a final dialyzing step against PBS or 50 mM sodium acetate pH 6 buffer plus 200 mM NaCl. The purified protein is stored at 4°C or frozen at -80°C.

In addition to the above expression vector, the present invention further includes an expression vector, called pHE4a (ATCC Accession Number 209645, deposited on February 25, 1998) which contains phage operator and promoter elements operatively linked to a polynucleotide of the present invention, called pHE4a. (ATCC Accession Number 209645, deposited on February 25, 1998.) This vector contains: 1) a neomycinphosphotransferase gene as a selection marker, 2) an E. coli origin of replication, 3) a T5 phage promoter sequence, 4) two lac operator sequences, 5) a Shine-Delgarno sequence, and 6) the lactose operon repressor gene (lacIq). The origin of replication (oriC) is derived from pUC19 (LTI, Gaithersburg, MD). The promoter and operator sequences are made synthetically.

DNA can be inserted into the pHE4a by restricting the vector with NdeI and XbaI, BamHI, XhoI, or Asp718, running the restricted product on a gel, and isolating the larger fragment (the stuffer fragment should be about 310 base pairs). The DNA insert is generated according to the PCR protocol described in Example 1, using PCR primers having restriction sites for NdeI (5' primer) and XbaI, BamHI, XhoI, or Asp718 (3' primer). The PCR insert is gel purified and restricted with compatible enzymes. The insert and vector are ligated according to standard protocols.

The engineered vector could easily be substituted in the above protocol to express protein in a bacterial system.

Example 6: Purification of a Polypeptide from an Inclusion Body

The following alternative method can be used to purify a polypeptide expressed in *E coli* when it is present in the form of inclusion bodies. Unless otherwise specified, all of the following steps are conducted at 4-10°C.

Upon completion of the production phase of the *E. coli* fermentation, the cell culture is cooled to 4-10°C and the cells harvested by continuous centrifugation at 15,000 rpm (Heraeus Sepatech). On the basis of the expected yield of protein per unit weight of cell paste and the amount of purified protein required, an appropriate amount of cell paste, by weight, is suspended in a buffer solution containing 100 mM Tris, 50 mM EDTA, pH 7.4. The cells are dispersed to a homogeneous suspension using a high shear mixer.

The cells are then lysed by passing the solution through a microfluidizer (Microfuidics, Corp. or APV Gaulin, Inc.) twice at 4000-6000 psi. The homogenate is then mixed with NaCl solution to a final concentration of 0.5 M NaCl, followed by centrifugation at 7000 xg for 15 min. The resultant pellet is washed again using 0.5M NaCl, 100 mM Tris, 50 mM EDTA, pH 7.4.

The resulting washed inclusion bodies are solubilized with 1.5 M guanidine hydrochloride (GuHCl) for 2-4 hours. After 7000 xg centrifugation for 15 min., the pellet is discarded and the polypeptide containing supernatant is incubated at 4°C overnight to allow further GuHCl extraction.

Following high speed centrifugation (30,000 xg) to remove insoluble particles, the GuHCl solubilized protein is refolded by quickly mixing the GuHCl extract with 20 volumes of buffer containing 50 mM sodium, pH 4.5, 150 mM NaCl, 2 mM EDTA by vigorous stirring. The refolded diluted protein solution is kept at 4°C without mixing for 12 hours prior to further purification steps.

To clarify the refolded polypeptide solution, a previously prepared tangential filtration unit equipped with 0.16 μm membrane filter with appropriate surface area (e.g., Filtron), equilibrated with 40 mM sodium acetate, pH 6.0 is employed. The filtered sample is loaded onto a cation exchange resin (e.g., Poros HS-50, Perseptive Biosystems). The column is washed with 40 mM sodium acetate, pH 6.0 and eluted with 250 mM, 500 mM, 1000 mM, and 1500 mM NaCl in the same buffer, in a stepwise manner. The absorbance at 280 nm of the effluent is continuously monitored. Fractions are collected and further analyzed by SDS-PAGE.

Fractions containing the polypeptide are then pooled and mixed with 4 volumes of water. The diluted sample is then loaded onto a previously prepared set of tandem columns of

strong anion (Poros HQ-50, Perseptive Biosystems) and weak anion (Poros CM-20, Perseptive Biosystems) exchange resins. The columns are equilibrated with 40 mM sodium acetate, pH 6.0. Both columns are washed with 40 mM sodium acetate, pH 6.0, 200 mM NaCl. The CM-20 column is then eluted using a 10 column volume linear gradient ranging from 0.2 M NaCl, 50 mM sodium acetate, pH 6.0 to 1.0 M NaCl, 50 mM sodium acetate, pH 6.5. Fractions are collected under constant A_{280} monitoring of the effluent. Fractions containing the polypeptide (determined, for instance, by 16% SDS-PAGE) are then pooled.

The resultant polypeptide should exhibit greater than 95% purity after the above refolding and purification steps. No major contaminant bands should be observed from Commassie blue stained 16% SDS-PAGE gel when 5 μg of purified protein is loaded. The purified protein can also be tested for endotoxin/LPS contamination, and typically the LPS content is less than 0.1 ng/ml according to LAL assays.

Example 7: Cloning and Expression of a Polypeptide in a Baculovirus Expression System

In this example, the plasmid shuttle vector pA2 is used to insert a polynucleotide into a baculovirus to express a polypeptide. This expression vector contains the strong polyhedrin promoter of the *Autographa californica* nuclear polyhedrosis virus (AcMNPV) followed by convenient restriction sites such as BamHI, Xba I and Asp718. The polyadenylation site of the simian virus 40 ("SV40") is used for efficient polyadenylation. For easy selection of recombinant virus, the plasmid contains the beta-galactosidase gene from *E. coli* under control of a weak Drosophila promoter in the same orientation, followed by the polyadenylation signal of the polyhedrin gene. The inserted genes are flanked on both sides by viral sequences for cell-mediated homologous recombination with wild-type viral DNA to generate a viable virus that express the cloned polynucleotide.

Many other baculovirus vectors can be used in place of the vector above, such as pAc373, pVL941, and pAcIM1, as one skilled in the art would readily appreciate, as long as the construct provides appropriately located signals for transcription, translation, secretion and the like, including a signal peptide and an in-frame AUG as required. Such vectors are described, for instance, in Luckow et al., Virology 170:31-39 (1989).

Specifically, the cDNA sequence contained in the deposited clone, including the AUG initiation codon, is amplified using the PCR protocol described in Example 1. If a naturally occurring signal sequence is used to produce the polypeptide of the present invention, the pA2 vector does not need a second signal peptide. Alternatively, the vector can be modified (pA2 GP) to include a baculovirus leader sequence, using the standard methods described in Summers et al., "A Manual of Methods for Baculovirus Vectors and Insect Cell Culture Procedures," Texas Agricultural Experimental Station Bulletin No. 1555 (1987).

The amplified fragment is isolated from a 1% agarose gel using a commercially available kit ("Geneclean," BIO 101 Inc., La Jolla, Ca.). The fragment then is digested with appropriate restriction enzymes and again purified on a 1% agarose gel.

The plasmid is digested with the corresponding restriction enzymes and optionally, can be dephosphorylated using calf intestinal phosphatase, using routine procedures known in the art. The DNA is then isolated from a 1% agarose gel using a commercially available kit ("Geneclean" BIO 101 Inc., La Jolla, Ca.).

The fragment and the dephosphorylated plasmid are ligated together with T4 DNA ligase. *E. coli* HB101 or other suitable *E. coli* hosts such as XL-1 Blue (Stratagene Cloning Systems, La Jolla, CA) cells are transformed with the ligation mixture and spread on culture plates. Bacteria containing the plasmid are identified by digesting DNA from individual colonies and analyzing the digestion product by gel electrophoresis. The sequence of the cloned fragment is confirmed by DNA sequencing.

Five μg of a plasmid containing the polynucleotide is co-transfected with 1.0 μg of a commercially available linearized baculovirus DNA ("BaculoGold™ baculovirus DNA, Pharmingen, San Diego, CA), using the lipofection method described by Felgner et al., Proc. Natl. Acad. Sci. USA 84:7413-7417 (1987). One μg of BaculoGold™ virus DNA and 5 μg of the plasmid are mixed in a sterile well of a microtiter plate containing 50 μl of serum-free Grace's medium (Life Technologies Inc., Gaithersburg, MD). Afterwards, 10 μl Lipofectin plus 90 μl Grace's medium are added, mixed and incubated for 15 minutes at room temperature. Then the transfection mixture is added drop-wise to Sf9 insect cells (ATCC CRL 1711) seeded in a 35 mm tissue culture plate with 1 ml Grace's medium without serum. The plate is then incubated for 5 hours at 27° C. The transfection solution is then removed from the plate and 1 ml of Grace's insect medium supplemented with 10% fetal calf serum is added. Cultivation is then continued at 27° C for four days.

After four days the supernatant is collected and a plaque assay is performed, as described by Summers and Smith, *supra*. An agarose gel with "Blue Gal" (Life Technologies Inc., Gaithersburg) is used to allow easy identification and isolation of gal-expressing clones, which produce blue-stained plaques. (A detailed description of a "plaque assay" of this type can also be found in the user's guide for insect cell culture and baculovirology distributed by Life Technologies Inc., Gaithersburg, page 9-10.) After appropriate incubation, blue stained plaques are picked with the tip of a micropipettor (e.g., Eppendorf). The agar containing the recombinant viruses is then resuspended in a microcentrifuge tube containing 200 μl of Grace's medium and the suspension containing the recombinant baculovirus is used to infect Sf9 cells seeded in 35 mm dishes. Four days later the supernatants of these culture dishes are harvested and then they are stored at 4° C.

To verify the expression of the polypeptide, Sf9 cells are grown in Grace's medium supplemented with 10% heat-inactivated FBS. The cells are infected with the recombinant baculovirus containing the polynucleotide at a multiplicity of infection ("MOI") of about 2. If radiolabeled proteins are desired, 6 hours later the medium is removed and is replaced with SF900 II medium minus methionine and cysteine (available from Life Technologies Inc., Rockville, MD). After 42 hours, 5 μCi of ^{35}S-methionine and 5 μCi ^{35}S-cysteine (available from Amersham) are added. The cells are further incubated for 16 hours and then are harvested by centrifugation. The proteins in the supernatant as well as the intracellular proteins are analyzed by SDS-PAGE followed by autoradiography (if radiolabeled).

Microsequencing of the amino acid sequence of the amino terminus of purified protein may be used to determine the amino terminal sequence of the produced protein.

Example 8: Expression of a Polypeptide in Mammalian Cells

The polypeptide of the present invention can be expressed in a mammalian cell. A typical mammalian expression vector contains a promoter element, which mediates the initiation of transcription of mRNA, a protein coding sequence, and signals required for the termination of transcription and polyadenylation of the transcript. Additional elements include enhancers, Kozak sequences and intervening sequences flanked by donor and acceptor sites for RNA splicing. Highly efficient transcription is achieved with the early and late promoters from SV40, the long terminal repeats (LTRs) from Retroviruses, e.g., RSV, HTLVI, HIVI and the early promoter of the cytomegalovirus (CMV). However, cellular elements can also be used (e.g., the human actin promoter).

Suitable expression vectors for use in practicing the present invention include, for example, vectors such as pSVL and pMSG (Pharmacia, Uppsala, Sweden), pRSVcat (ATCC 37152), pSV2dhfr (ATCC 37146), pBC12MI (ATCC 67109), pCMVSport 2.0, and pCMVSport 3.0. Mammalian host cells that could be used include, human Hela, 293, H9 and Jurkat cells, mouse NIH3T3 and C127 cells, Cos 1, Cos 7 and CV1, quail QC1-3 cells, mouse L cells and Chinese hamster ovary (CHO) cells.

Alternatively, the polypeptide can be expressed in stable cell lines containing the polynucleotide integrated into a chromosome. The co-transfection with a selectable marker such as DHFR, gpt, neomycin, or hygromycin allows the identification and isolation of the transfected cells.

The transfected gene can also be amplified to express large amounts of the encoded protein. The DHFR (dihydrofolate reductase) marker is useful in developing cell lines that carry several hundred or even several thousand copies of the gene of interest. (See, e.g., Alt, F. W., et

al., J. Biol. Chem. 253:1357-1370 (1978); Hamlin, J. L. and Ma, C., Biochem. et Biophys. Acta, 1097:107-143 (1990); Page, M. J. and Sydenham, M. A., Biotechnology 9:64-68 (1991)). Another useful selection marker is the enzyme glutamine synthase (GS) (Murphy et al., Biochem J. 227:277-279 (1991); Bebbington et al., Bio/Technology 10:169-175 (1992). Using these markers, the mammalian cells are grown in selective medium and the cells with the highest resistance are selected. These cell lines contain the amplified gene(s) integrated into a chromosome. Chinese hamster ovary (CHO) and NSO cells are often used for the production of proteins.

Derivatives of the plasmid pSV2-dhfr (ATCC Accession No. 37146), the expression vectors pC4 (ATCC Accession No. 209646) and pC6 (ATCC Accession No.209647) contain the strong promoter (LTR) of the Rous Sarcoma Virus (Cullen et al., Molecular and Cellular Biology, 438-447 (March, 1985)) plus a fragment of the CMV-enhancer (Boshart et al., Cell 41:521-530 (1985)). Multiple cloning sites, e.g., with the restriction enzyme cleavage sites BamHI, XbaI and Asp718, facilitate the cloning of the gene of interest. The vectors also contain the 3' intron, the polyadenylation and termination signal of the rat preproinsulin gene, and the mouse DHFR gene under control of the SV40 early promoter.

Specifically, the plasmid pC6, for example, is digested with appropriate restriction enzymes and then dephosphorylated using calf intestinal phosphates by procedures known in the art. The vector is then isolated from a 1% agarose gel.

A polynucleotide of the present invention is amplified according to the protocol outlined in Example 1. If a naturally occurring signal sequence is used to produce the polypeptide of the present invention, the vector does not need a second signal peptide. Alternatively, if a naturally occurring signal sequence is not used, the vector can be modified to include a heterologous signal sequence. (See, e.g., International Publication No. WO 96/34891.)

The amplified fragment is isolated from a 1% agarose gel using a commercially available kit ("Geneclean," BIO 101 Inc., La Jolla, Ca.). The fragment then is digested with appropriate restriction enzymes and again purified on a 1% agarose gel.

The amplified fragment is then digested with the same restriction enzyme and purified on a 1% agarose gel. The isolated fragment and the dephosphorylated vector are then ligated with T4 DNA ligase. *E. coli* HB101 or XL-1 Blue cells are then transformed and bacteria are identified that contain the fragment inserted into plasmid pC6 using, for instance, restriction enzyme analysis.

Chinese hamster ovary cells lacking an active DHFR gene is used for transfection. Five μg of the expression plasmid pC6 or pC4 is cotransfected with 0.5 μg of the plasmid pSVneo using lipofectin (Felgner et al., *supra*). The plasmid pSV2-neo contains a dominant selectable marker, the *neo* gene from Tn5 encoding an enzyme that confers resistance to a group of antibiotics including G418. The cells are seeded in alpha minus MEM supplemented with 1 mg/ml G418. After 2 days, the cells are trypsinized and seeded in hybridoma cloning plates

(Greiner, Germany) in alpha minus MEM supplemented with 10, 25, or 50 ng/ml of methotrexate plus 1 mg/ml G418. After about 10-14 days single clones are trypsinized and then seeded in 6-well petri dishes or 10 ml flasks using different concentrations of methotrexate (50 nM, 100 nM, 200 nM, 400 nM, 800 nM). Clones growing at the highest concentrations of methotrexate are then transferred to new 6-well plates containing even higher concentrations of methotrexate (1 μM, 2 μM, 5 μM, 10 mM, 20 mM). The same procedure is repeated until clones are obtained which grow at a concentration of 100 - 200 μM. Expression of the desired gene product is analyzed, for instance, by SDS-PAGE and Western blot or by reversed phase HPLC analysis.

Example 9: Protein Fusions

The polypeptides of the present invention are preferably fused to other proteins. These fusion proteins can be used for a variety of applications. For example, fusion of the present polypeptides to His-tag, HA-tag, protein A, IgG domains, and maltose binding protein facilitates purification. (See Example 5; see also EP A 394,827; Traunecker, et al., Nature 331:84-86 (1988)). Similarly, fusion to IgG-1, IgG-3, and albumin increases the halflife time *in vivo*. Nuclear localization signals fused to the polypeptides of the present invention can target the protein to a specific subcellular localization, while covalent heterodimer or homodimers can increase or decrease the activity of a fusion protein. Fusion proteins can also create chimeric molecules having more than one function. Finally, fusion proteins can increase solubility and/or stability of the fused protein compared to the non-fused protein. All of the types of fusion proteins described above can be made by modifying the following protocol, which outlines the fusion of a polypeptide to an IgG molecule, or the protocol described in Example 5.

Briefly, the human Fc portion of the IgG molecule can be PCR amplified, using primers that span the 5' and 3' ends of the sequence described below. These primers also should have convenient restriction enzyme sites that will facilitate cloning into an expression vector, preferably a mammalian expression vector.

For example, if pC4 (ATCC Accession No. 209646) is used, the human Fc portion can be ligated into the BamHI cloning site. Note that the 3' BamHI site should be destroyed. Next, the vector containing the human Fc portion is re-restricted with BamHI, linearizing the vector, and a polynucleotide of the present invention, isolated by the PCR protocol described in Example 1, is ligated into this BamHI site. Note that the polynucleotide is cloned without a stop codon, otherwise a fusion protein will not be produced.

If the naturally occurring signal sequence is used to produce the polypeptide of the present invention, pC4 does not need a second signal peptide. Alternatively, if the naturally occurring signal sequence is not used, the vector can be modified to include a heterologous signal sequence. (See, e.g., International Publication No. WO 96/34891.)

Human IgG Fc region:

GGGATCCGGAGCCCAAATCTTCTGACAAAACTCACACATGCCCACCGTGCCCAGCAC
CTGAATTCGAGGGTGCACCGTCAGTCTTCCTCTTCCCCCCAAAACCCAAGGACACCCT
CATGATCTCCCGGACTCCTGAGGTCACATGCGTGGTGGTGGACGTAAGCCACGAAGA
CCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC
AAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCCTCACCGT
CCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAGC
CCTCCCAACCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACC
ACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCT
GACCTGCCTGGTCAAAGGCTTCTATCCAAGCGACATCGCCGTGGAGTGGGAGAGCAA
TGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGACGGCTC
CTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGT
CTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTC
TCCCTGTCTCCGGGTAAATGAGTGCGACGGCCGCGACTCTAGAGGAT (SEQ ID NO: 1)

Example 10: Production of an Antibody from a Polypeptide

a) Hybridoma Technology

The antibodies of the present invention can be prepared by a variety of methods. (See, Current Protocols, Chapter 2.) As one example of such methods, cells expressing a polypeptide of the present invention are administered to an animal to induce the production of sera containing polyclonal antibodies. In a preferred method, a preparation of a polypeptide of the present invention is prepared and purified to render it substantially free of natural contaminants. Such a preparation is then introduced into an animal in order to produce polyclonal antisera of greater specific activity.

Monoclonal antibodies specific for a polypeptide of the present invention are prepared using hybridoma technology (Kohler et al., Nature 256:495 (1975); Kohler et al., Eur. J. Immunol. 6:511 (1976); Kohler et al., Eur. J. Immunol. 6:292 (1976); Hammerling et al., in: Monoclonal Antibodies and T-Cell Hybridomas, Elsevier, N.Y., pp. 563-681 (1981)). In general, an animal (preferably a mouse) is immunized with a polypeptide of the present invention or, more preferably, with a secreted polypeptide-expressing cell. Such polypeptide-expressing cells are cultured in any suitable tissue culture medium, preferably in Earle's modified Eagle's medium supplemented with 10% fetal bovine serum (inactivated at about 56°C), and supplemented with about 10 g/l of nonessential amino acids, about 1,000 U/ml of penicillin, and about 100 μg/ml of streptomycin.

The splenocytes of such mice are extracted and fused with a suitable myeloma cell line. Any suitable myeloma cell line may be employed in accordance with the present invention;

however, it is preferable to employ the parent myeloma cell line (SP2O), available from the ATCC. After fusion, the resulting hybridoma cells are selectively maintained in HAT medium, and then cloned by limiting dilution as described by Wands et al. (Gastroenterology 80:225-232 (1981)). The hybridoma cells obtained through such a selection are then assayed to identify clones which secrete antibodies capable of binding the polypeptide of the present invention .

Alternatively, additional antibodies capable of binding to a polypeptide of the present invention can be produced in a two-step procedure using anti-idiotypic antibodies. Such a method makes use of the fact that antibodies are themselves antigens, and therefore, it is possible to obtain an antibody which binds to a second antibody. In accordance with this method, protein specific antibodies are used to immunize an animal, preferably a mouse. The splenocytes of such an animal are then used to produce hybridoma cells, and the hybridoma cells are screened to identify clones which produce an antibody whose ability to bind to the polypeptide-specific antibody can be blocked by said polypeptide. Such antibodies comprise anti-idiotypic antibodies to the polypeptide-specific antibody and are used to immunize an animal to induce formation of further polypeptide-specific antibodies.

For *in vivo* use of antibodies in humans, an antibody is "humanized". Such antibodies can be produced using genetic constructs derived from hybridoma cells producing the monoclonal antibodies described above. Methods for producing chimeric and humanized antibodies are known in the art and are discussed herein. (See, for review, Morrison, Science 229:1202 (1985); Oi et al., BioTechniques 4:214 (1986); Cabilly et al., U.S. Patent No. 4,816,567; Taniguchi et al., EP 171496; Morrison et al., EP 173494; Neuberger et al., WO 8601533; Robinson et al., International Publication No. WO 8702671; Boulianne et al., Nature 312:643 (1984); Neuberger et al., Nature 314:268 (1985)).

b) Isolation Of Antibody Fragments Directed Against a Polypeptide of the Present Invention From A Library Of scFvs

Naturally occurring V-genes isolated from human PBLs are constructed into a library of antibody fragments which contain reactivities against a polypeptide of the present invention to which the donor may or may not have been exposed (see e.g., U.S. Patent 5,885,793 incorporated herein by reference in its entirety).

Rescue of the Library. A library of scFvs is constructed from the RNA of human PBLs as described in International Publication No. WO 92/01047. To rescue phage displaying antibody fragments, approximately 10^9 *E. coli* harboring the phagemid are used to inoculate 50 ml of 2xTY containing 1% glucose and 100 μg/ml of ampicillin (2xTY-AMP-GLU) and grown to an O.D. of 0.8 with shaking. Five ml of this culture is used to inoculate 50 ml of 2xTY-AMP-GLU, 2 x 108 TU of delta gene 3 helper (M13 delta gene III, see International Publication No. WO 92/01047) are added and the culture incubated at 37°C for 45 minutes without shaking and then at 37°C for

45 minutes with shaking. The culture is centrifuged at 4000 r.p.m. for 10 min. and the pellet resuspended in 2 liters of 2xTY containing 100 μg/ml ampicillin and 50 ug/ml kanamycin and grown overnight. Phage are prepared as described in International Publication No. WO 92/01047.

M13 delta gene III is prepared as follows: M13 delta gene III helper phage does not encode gene III protein, hence the phage(mid) displaying antibody fragments have a greater avidity of binding to antigen. Infectious M13 delta gene III particles are made by growing the helper phage in cells harboring a pUC19 derivative supplying the wild type gene III protein during phage morphogenesis. The culture is incubated for 1 hour at 37° C without shaking and then for a further hour at 37°C with shaking. Cells are spun down (IEC-Centra 8,400 r.p.m. for 10 min), resuspended in 300 ml 2xTY broth containing 100 μg ampicillin/ml and 25 μg kanamycin/ml (2xTY-AMP-KAN) and grown overnight, shaking at 37°C. Phage particles are purified and concentrated from the culture medium by two PEG-precipitations (Sambrook et al., 1990), resuspended in 2 ml PBS and passed through a 0.45 μm filter (Minisart NML; Sartorius) to give a final concentration of approximately 10^{13} transducing units/ml (ampicillin-resistant clones).

Panning of the Library. Immunotubes (Nunc) are coated overnight in PBS with 4 ml of either 100 μg/ml or 10 μg/ml of a polypeptide of the present invention. Tubes are blocked with 2% Marvel-PBS for 2 hours at 37°C and then washed 3 times in PBS. Approximately 10^{13} TU of phage is applied to the tube and incubated for 30 minutes at room temperature tumbling on an over and under turntable and then left to stand for another 1.5 hours. Tubes are washed 10 times with PBS 0.1% Tween-20 and 10 times with PBS. Phage are eluted by adding 1 ml of 100 mM triethylamine and rotating 15 minutes on an under and over turntable after which the solution is immediately neutralized with 0.5 ml of 1.0M Tris-HCl, pH 7.4. Phage are then used to infect 10 ml of mid-log E. coli TG1 by incubating eluted phage with bacteria for 30 minutes at 37°C. The E. coli are then plated on TYE plates containing 1% glucose and 100 μg/ml ampicillin. The resulting bacterial library is then rescued with delta gene 3 helper phage as described above to prepare phage for a subsequent round of selection. This process is then repeated for a total of 4 rounds of affinity purification with tube-washing increased to 20 times with PBS, 0.1% Tween-20 and 20 times with PBS for rounds 3 and 4.

Characterization of Binders. Eluted phage from the 3rd and 4th rounds of selection are used to infect E. coli HB 2151 and soluble scFv is produced (Marks, et al., 1991) from single colonies for assay. ELISAs are performed with microtitre plates coated with either 10 pg/ml of the polypeptide of the present invention in 50 mM bicarbonate pH 9.6. Clones positive in ELISA are further characterized by PCR fingerprinting (see, e.g., International Publication No. WO 92/01047) and then by sequencing. These ELISA positive clones may also be further characterized by techniques known in the art, such as, for example, epitope mapping, binding affinity, receptor signal transduction, ability to block or competitively inhibit antibody/antigen binding, and competitive agonistic or antagonistic activity.

Example 11: Method of Determining Alterations in a Gene Corresponding to a Polynucleotide

RNA isolated from entire families or individual patients presenting with a cardiovascular disease or disorder is isolated. cDNA is then generated from these RNA samples using protocols known in the art. (See, Sambrook.) The cDNA is then used as a template for PCR, employing primers surrounding regions of interest in SEQ ID NO:X; and/or the nucleotide sequence of the cDNA contained in ATCC Deposit No:Z. Suggested PCR conditions consist of 35 cycles at 95 degrees C for 30 seconds; 60-120 seconds at 52-58 degrees C; and 60-120 seconds at 70 degrees C, using buffer solutions described in Sidransky et al., Science 252:706 (1991).

PCR products are then sequenced using primers labeled at their 5' end with T4 polynucleotide kinase, employing SequiTherm Polymerase (Epicentre Technologies). The intron-exon boundaries of selected exons is also determined and genomic PCR products analyzed to confirm the results. PCR products harboring suspected mutations are then cloned and sequenced to validate the results of the direct sequencing.

PCR products are cloned into T-tailed vectors as described in Holton et al., Nucleic Acids Research, 19:1156 (1991) and sequenced with T7 polymerase (United States Biochemical). Affected individuals are identified by mutations not present in unaffected individuals.

Genomic rearrangements are also observed as a method of determining alterations in a gene corresponding to a polynucleotide. Genomic clones isolated according to Example 2 are nick-translated with digoxigenindeoxy-uridine 5'-triphosphate (Boehringer Manheim), and FISH performed as described in Johnson et al., Methods Cell Biol. 35:73-99 (1991). Hybridization with the labeled probe is carried out using a vast excess of human cot-1 DNA for specific hybridization to the corresponding genomic locus.

Chromosomes are counterstained with 4,6-diamino-2-phenylidole and propidium iodide, producing a combination of C- and R-bands. Aligned images for precise mapping are obtained using a triple-band filter set (Chroma Technology, Brattleboro, VT) in combination with a cooled charge-coupled device camera (Photometrics, Tucson, AZ) and variable excitation wavelength filters. (Johnson et al., Genet. Anal. Tech. Appl., 8:75 (1991)). Image collection, analysis and chromosomal fractional length measurements are performed using the ISee Graphical Program System. (Inovision Corporation, Durham, NC.) Chromosome alterations of the genomic region hybridized by the probe are identified as insertions, deletions, and translocations. These alterations are used as a diagnostic marker for an associated disease.

Example 12: Method of Detecting Abnormal Levels of a Polypeptide in a Biological Sample

A polypeptide of the present invention can be detected in a biological sample, and if an increased or decreased level of the polypeptide is detected, this polypeptide is a marker for a particular phenotype. Methods of detection are numerous, and thus, it is understood that one skilled in the art can modify the following assay to fit their particular needs.

For example, antibody-sandwich ELISAs are used to detect polypeptides in a sample, preferably a biological sample. Wells of a microtiter plate are coated with specific antibodies, at a final concentration of 0.2 to 10 ug/ml. The antibodies are either monoclonal or polyclonal and are produced by the method described in Example 10. The wells are blocked so that non-specific binding of the polypeptide to the well is reduced.

The coated wells are then incubated for > 2 hours at RT with a sample containing the polypeptide. Preferably, serial dilutions of the sample should be used to validate results. The plates are then washed three times with deionized or distilled water to remove unbound polypeptide.

Next, 50 ul of specific antibody-alkaline phosphatase conjugate, at a concentration of 25-400 ng, is added and incubated for 2 hours at room temperature. The plates are again washed three times with deionized or distilled water to remove unbound conjugate.

Add 75 ul of 4-methylumbelliferyl phosphate (MUP) or p-nitrophenyl phosphate (NPP) substrate solution to each well and incubate 1 hour at room temperature. Measure the reaction by a microtiter plate reader. Prepare a standard curve, using serial dilutions of a control sample, and plot polypeptide concentration on the X-axis (log scale) and fluorescence or absorbance of the Y-axis (linear scale). Interpolate the concentration of the polypeptide in the sample using the standard curve.

Example 13: Formulation

The invention also provides methods of preventing, treating and/or ameliorating a cardiovascular disease or disorder by administration to a subject of an effective amount of a Therapeutic. By therapeutic is meant polynucleotides or polypeptides of the invention (including fragments and variants), agonists or antagonists thereof, and/or antibodies thereto, in combination with a pharmaceutically acceptable carrier type (e.g., a sterile carrier).

The Therapeutic will be formulated and dosed in a fashion consistent with good medical practice, taking into account the clinical condition of the individual patient (especially the side effects of treatment with the Therapeutic alone), the site of delivery, the method of administration, the scheduling of administration, and other factors known to practitioners. The "effective amount" for purposes herein is thus determined by such considerations.

As a general proposition, the total pharmaceutically effective amount of the Therapeutic administered parenterally per dose will be in the range of about 1ug/kg/day to 10 mg/kg/day of patient body weight, although, as noted above, this will be subject to therapeutic discretion. More preferably, this dose is at least 0.01 mg/kg/day, and most preferably for humans between about 0.01 and 1 mg/kg/day for the hormone. If given continuously, the Therapeutic is typically administered at a dose rate of about 1 ug/kg/hour to about 50 ug/kg/hour, either by 1-4 injections per day or by continuous subcutaneous infusions, for example, using a mini-pump. An intravenous bag solution may also be employed. The length of treatment needed to observe changes and the interval following treatment for responses to occur appears to vary depending on the desired effect.

Therapeutics can be are administered orally, rectally, parenterally, intracistemally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), bucally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler, diluent, encapsulating material or formulation auxiliary of any. The term "parenteral" as used herein refers to modes of administration which include intravenous, intramuscular, intraperitoneal, intrasternal, subcutaneous and intraarticular injection and infusion.

Therapeutics of the invention are also suitably administered by sustained-release systems. Suitable examples of sustained-release Therapeutics are administered orally, rectally, parenterally, intracistemally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), bucally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler, diluent, encapsulating material or formulation auxiliary of any type. The term "parenteral" as used herein refers to modes of administration which include intravenous, intramuscular, intraperitoneal, intrasternal, subcutaneous and intraarticular injection and infusion.

Therapeutics of the invention are also suitably administered by sustained-release systems. Suitable examples of sustained-release Therapeutics include suitable polymeric materials (such as, for example, semi-permeable polymer matrices in the form of shaped articles, e.g., films, or mirocapsules), suitable hydrophobic materials (for example as an emulsion in an acceptable oil) or ion exchange resins, and sparingly soluble derivatives (such as, for example, a sparingly soluble salt).

Sustained-release matrices include polylactides (U.S. Pat. No. 3,773,919, EP 58,481), copolymers of L-glutamic acid and gamma-ethyl-L-glutamate (Sidman et al., Biopolymers 22:547-556 (1983)), poly (2- hydroxyethyl methacrylate) (Langer et al., J. Biomed. Mater. Res. 15:167-277 (1981), and Langer, Chem. Tech. 12:98-105 (1982)), ethylene vinyl acetate (Langer et al., Id.) or poly-D- (-)-3-hydroxybutyric acid (EP 133,988).

In a preferred embodiment, polypeptide, polynucleotide, and antibody compositions of the invention are formulated in a biodegradable, polymeric drug delivery system, for example as described in U.S. Patent Nos. 4,938,763; 5,278,201; 5,278,202; 5,324,519; 5,340,849; and 5,487,897 and in International Publication Numbers WO01/35929, WO00/24374, and WO00/06117 which are hereby incorporated by reference in their entirety. In specific preferred embodiments the polypeptide, polynucleotide, and antibody compositions of the invention are formulated using the ATRIGEL® Biodegradable System of Atrix Laboratories, Inc. (Fort Collins, Colorado).

Examples of biodegradable polymers which can be used in the formulation of polypeptide, polynucleotide, and antibody compositions, include but are not limited to, polylactides, polyglycolides, polycaprolactones, polyanhydrides, polyamides, polyurethanes, polyesteramides, polyorthoesters, polydioxanones, polyacetals, polyketals, polycarbonates, polyorthocarbonates, polyphosphazenes, polyhydroxybutyrates, polyhydroxyvalerates, polyalkylene oxalates, polyalkylene succinates, poly(malic acid), poly(amino acids), poly(methyl vinyl ether), poly(maleic anhydride), polyvinylpyrrolidone, polyethylene glycol, polyhydroxycellulose, chitin, chitosan, and copolymers, terpolymers, or combinations or mixtures of the above materials. The preferred polymers are those that have a lower degree of crystallization and are more hydrophobic. These polymers and copolymers are more soluble in the biocompatible solvents than the highly crystalline polymers such as polyglycolide and chitin which also have a high degree of hydrogen-bonding. Preferred materials with the desired solubility parameters are the polylactides, polycaprolactones, and copolymers of these with glycolide in which there are more amorphous regions to enhance solubility. In specific preferred embodiments, the biodegradable polymers which can be used in the formulation of polypeptide, polynucleotide, and antibody compositions are poly(lactide-co-glycolides). Polymer properties such as molecular weight, hydrophobicity, and lactide/glycolide ratio may be modified to obtain the desired polypeptide, polynucleotide, or antibody release profile (See, e.g., Ravivarapu et al., Journal of Pharmaceutical Sciences 89:732-741 (2000), which is hereby incorporated by reference in its entirety).

It is also preferred that the solvent for the biodegradable polymer be non-toxic, water miscible, and otherwise biocompatible. Examples of such solvents include, but are not limited to, N-methyl-2-pyrrolidone, 2-pyrrolidone, C2 to C6 alkanols, C1 to C15 alchohols, dils, triols, and tetraols such as ethanol, glycerine propylene glycol, butanol; C3 to C15 alkyl ketones such as acetone, diethyl ketone and methyl ethyl ketone; C3 to C15 esters such as methyl acetate, ethyl acetate, ethyl lactate; alkyl ketones such as methyl ethyl ketone, C1 to C15 amides such as dimethylformamide, dimethylacetamide and caprolactam; C3 to C20 ethers such as tetrahydrofuran, or solketal; tweens, triacetin, propylene carbonate, decylmethylsulfoxide, dimethyl sulfoxide, oleic acid, 1-dodecylazacycloheptan-2-one, Other preferred solvents are

benzyl alchohol, benzyl benzoate, dipropylene glycol, tributyrin, ethyl oleate, glycerin, glycofural, isopropyl myristate, isopropyl palmitate, oleic acid, polyethylene glycol, propylene carbonate, and triethyl citrate. The most preferred solvents are N-methyl-2-pyrrolidone, 2-pyrrolidone, dimethyl sulfoxide, triacetin, and propylene carbonate because of the solvating ability and their compatibility.

Additionally, formulations comprising polypeptide, polynucleotide, and antibody compositions and a biodegradable polymer may also include release-rate modification agents and/or pore-forming agents. Examples of release-rate modification agents include, but are not limited to, fatty acids, triglycerides, other like hydrophobic compounds, organic solvents, plasticizing compounds and hydrophilic compounds. Suitable release rate modification agents include, for example, esters of mono-, di-, and tricarboxylic acids, such as 2-ethoxyethyl acetate, methyl acetate, ethyl acetate, diethyl phthalate, dimethyl phthalate, dibutyl phthalate, dimethyl adipate, dimethyl succinate, dimethyl oxalate, dimethyl citrate, triethyl citrate, acetyl tributyl citrate, acetyl triethyl citrate, glycerol triacetate, di(n-butyl) sebecate, and the like; polyhydroxy alcohols, such as propylene glycol, polyethylene glycol, glycerin, sorbitol, and the like; fatty acids; triesters of glycerol, such as triglycerides, epoxidized soybean oil, and other epoxidized vegetable oils; sterols, such as cholesterol; alcohols, such as C.sub.6 -C.sub.12 alkanols, 2-ethoxyethanol. The release rate modification agent may be used singly or in combination with other such agents. Suitable combinations of release rate modification agents include, but are not limited to, glycerin/propylene glycol, sorbitol/glycerine, ethylene oxide/propylene oxide, butylene glycol/adipic acid, and the like. Preferred release rate modification agents include, but are not limited to, dimethyl citrate, triethyl citrate, ethyl heptanoate, glycerin, and hexanediol. Suitable pore-forming agents that may be used in the polymer composition include, but are not limited to, sugars such as sucrose and dextrose, salts such as sodium chloride and sodium carbonate, polymers such as hydroxylpropylcellulose, carboxymethylcellulose, polyethylene glycol, and polyvinylpyrrolidone. Solid crystals that will provide a defined pore size, such as salt or sugar, are preferred.

In specific preferred embodiments the polypeptide, polynucleotide, and antibody compositions of the invention are formulated using the BEMA™ BioErodible Mucoadhesive System, MCA™ MucoCutaneous Absorption System, SMP™ Solvent MicroParticle System, or BCP™ BioCompatible Polymer System of Atrix Laboratories, Inc. (Fort Collins, Colorado).

Sustained-release Therapeutics also include liposomally entrapped Therapeutics of the invention (*see* generally, Langer, *Science* 249:1527-1533 (1990); Treat et al., in *Liposomes in the Therapy of Infectious Disease and Cancer*, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 317 -327 and 353-365 (1989)). Liposomes containing the Therapeutic are prepared by methods known per se: DE 3,218,121; Epstein et al., Proc. Natl. Acad. Sci. (USA) 82:3688-3692 (1985); Hwang et al., Proc. Natl. Acad. Sci.(USA) 77:4030-4034 (1980); EP 52,322; EP 36,676; EP

88,046; EP 143,949; EP 142,641; Japanese Pat. Appl. 83-118008; U.S. Pat. Nos. 4,485,045 and 4,544,545; and EP 102,324. Ordinarily, the liposomes are of the small (about 200-800 Angstroms) unilamellar type in which the lipid content is greater than about 30 mol. percent cholesterol, the selected proportion being adjusted for the optimal Therapeutic.

In yet an additional embodiment, the Therapeutics of the invention are delivered by way of a pump (*see* Langer, *supra*; Sefton, CRC Crit. Ref. Biomed. Eng. 14:201 (1987); Buchwald et al., Surgery 88:507 (1980); Saudek et al., N. Engl. J. Med. 321:574 (1989)).

Other controlled release systems are discussed in the review by Langer (*Science* 249:1527-1533 (1990)).

For parenteral administration, in one embodiment, the Therapeutic is formulated generally by mixing it at the desired degree of purity, in a unit dosage injectable form (solution, suspension, or emulsion), with a pharmaceutically acceptable carrier, i.e., one that is non-toxic to recipients at the dosages and concentrations employed and is compatible with other ingredients of the formulation. For example, the formulation preferably does not include oxidizing agents and other compounds that are known to be deleterious to the Therapeutic.

Generally, the formulations are prepared by contacting the Therapeutic uniformly and intimately with liquid carriers or finely divided solid carriers or both. Then, if necessary, the product is shaped into the desired formulation. Preferably the carrier is a parenteral carrier, more preferably a solution that is isotonic with the blood of the recipient. Examples of such carrier vehicles include water, saline, Ringer's solution, and dextrose solution. Non-aqueous vehicles such as fixed oils and ethyl oleate are also useful herein, as well as liposomes.

The carrier suitably contains minor amounts of additives such as substances that enhance isotonicity and chemical stability. Such materials are non-toxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate, succinate, acetic acid, and other organic acids or their salts; antioxidants such as ascorbic acid; low molecular weight (less than about ten residues) polypeptides, e.g., polyarginine or tripeptides; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids, such as glycine, glutamic acid, aspartic acid, or arginine; monosaccharides, disaccharides, and other carbohydrates including cellulose or its derivatives, glucose, manose, or dextrins; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; counterions such as sodium; and/or nonionic surfactants such as polysorbates, poloxamers, or PEG.

The Therapeutic is typically formulated in such vehicles at a concentration of about 0.1 mg/ml to 100 mg/ml, preferably 1-10 mg/ml, at a pH of about 3 to 8. It will be understood that the use of certain of the foregoing excipients, carriers, or stabilizers will result in the formation of polypeptide salts.

Any pharmaceutical used for therapeutic administration can be sterile. Sterility is readily accomplished by filtration through sterile filtration membranes (e.g., 0.2 micron membranes). Therapeutics generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

Therapeutics ordinarily will be stored in unit or multi-dose containers, for example, sealed ampoules or vials, as an aqueous solution or as a lyophilized formulation for reconstitution. As an example of a lyophilized formulation, 10-ml vials are filled with 5 ml of sterile-filtered 1% (w/v) aqueous Therapeutic solution, and the resulting mixture is lyophilized. The infusion solution is prepared by reconstituting the lyophilized Therapeutic using bacteriostatic Water-for-Injection.

The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the Therapeutics of the invention. Associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration. In addition, the Therapeutics may be employed in conjunction with other therapeutic compounds.

The Therapeutics of the invention may be administered alone or in combination with adjuvants. Adjuvants that may be administered with the Therapeutics of the invention include, but are not limited to, alum, alum plus deoxycholate (ImmunoAg), MTP-PE (Biocine Corp.), QS21 (Genentech, Inc.), BCG (e.g., THERACYS®), MPL and nonviable prepartions of *Corynebacterium parvum*. In a specific embodiment, Therapeutics of the invention are administered in combination with alum. In another specific embodiment, Therapeutics of the invention are administered in combination with QS-21. Further adjuvants that may be administered with the Therapeutics of the invention include, but are not limited to, Monophosphoryl lipid immunomodulator, AdjuVax 100a, QS-21, QS-18, CRL1005, Aluminum salts, MF-59, and Virosomal adjuvant technology. Vaccines that may be administered with the Therapeutics of the invention include, but are not limited to, vaccines directed toward protection against MMR (measles, mumps, rubella), polio, varicella, tetanus/diptheria, hepatitis A, hepatitis B, haemophilus influenzae B, whooping cough, pneumonia, influenza, Lyme's Disease, rotavirus, cholera, yellow fever, Japanese encephalitis, poliomyelitis, rabies, typhoid fever, and pertussis. Combinations may be administered either concomitantly, e.g., as an admixture, separately but simultaneously or concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined agents are administered separately but simultaneously, e.g., as through separate intravenous lines into the same individual. Administration "in combination" further includes the separate administration of one of the compounds or agents given first, followed by the second.

The Therapeutics of the invention may be administered alone or in combination with other therapeutic agents. Therapeutic agents that may be administered in combination with the Therapeutics of the invention, include but not limited to, chemotherapeutic agents, antibiotics, steroidal and non-steroidal anti-inflammatories, conventional immunotherapeutic agents, and/or therapeutic treatments described below. Combinations may be administered either concomitantly, e.g., as an admixture, separately but simultaneously or concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined agents are administered separately but simultaneously, e.g., as through separate intravenous lines into the same individual. Administration "in combination" further includes the separate administration of one of the compounds or agents given first, followed by the second.

In one embodiment, the Therapeutics of the invention are administered in combination with an anticoagulant. Anticoagulants that may be administered with the compositions of the invention include, but are not limited to, heparin, low molecular weight heparin, warfarin sodium (e.g., COUMADIN®), dicumarol, 4-hydroxycoumarin, anisindione (e.g., MIRADON™), acenocoumarol (e.g., nicoumalone, SINTHROME™), indan-1,3-dione, phenprocoumon (e.g., MARCUMAR™), ethyl biscoumacetate (e.g., TROMEXAN™), and aspirin. In a specific embodiment, compositions of the invention are administered in combination with heparin and/or warfarin. In another specific embodiment, compositions of the invention are administered in combination with warfarin. In another specific embodiment, compositions of the invention are administered in combination with warfarin and aspirin. In another specific embodiment, compositions of the invention are administered in combination with heparin. In another specific embodiment, compositions of the invention are administered in combination with heparin and aspirin.

In another embodiment, the Therapeutics of the invention are administered in combination with thrombolytic drugs. Thrombolytic drugs that may be administered with the compositions of the invention include, but are not limited to, plasminogen, lys-plasminogen, alpha2-antiplasmin, streptokinae (e.g., KABIKINASE™), antiresplace (e.g., EMINASE™), tissue plasminogen activator (t-PA, altevase, ACTIVASE™), urokinase (e.g., ABBOKINASE™), sauruplase, (Prourokinase, single chain urokinase), and aminocaproic acid (e.g., AMICAR™). In a specific embodiment, compositions of the invention are administered in combination with tissue plasminogen activator and aspirin.

In another embodiment, the Therapeutics of the invention are administered in combination with antiplatelet drugs. Antiplatelet drugs that may be administered with the compositions of the invention include, but are not limited to, aspirin, dipyridamole (e.g., PERSANTINE™), and ticlopidine (e.g., TICLID™).

In specific embodiments, the use of anti-coagulants, thrombolytic and/or antiplatelet

drugs in combination with Therapeutics of the invention is contemplated for the detection, prevention, diagnosis, prognostication, treatment, and/or amelioration of thrombosis, arterial thrombosis, venous thrombosis, thromboembolism, pulmonary embolism, atherosclerosis, myocardial infarction, transient ischemic attack, unstable angina. In specific embodiments, the use of anticoagulants, thrombolytic drugs and/or antiplatelet drugs in combination with Therapeutics of the invention is contemplated for the prevention of occulsion of saphenous grafts, for reducing the risk of periprocedural thrombosis as might accompany angioplasty procedures, for reducing the risk of stroke in patients with atrial fibrillation including nonrheumatic atrial fibrillation, for reducing the risk of embolism associated with mechanical heart valves and or mitral valves disease. Other uses for the therapeutics of the invention, alone or in combination with antiplatelet, anticoagulant, and/or thrombolytic drugs, include, but are not limited to, the prevention of occlusions in extracorporeal devices (e.g., intravascular canulas, vascular access shunts in hemodialysis patients, hemodialysis machines, and cardiopulmonary bypass machines).

Therapeutics of the invention may also be administered in combination with additional cardiovascular agents, such as, for example, beta-adrenergic blockers, calcium channel blockers, ACE inhibitors, angiotensin II blockers, alpha adrenergic blockers, hypotensive agents, antilipemic agents, and vasodilating agents.

Non-limiting examples of beta-adrenergic blockers includes TENORMIN™ (atenolol), BREVIBLOC™ (esmolol), NORMODYNE™ (labetalol), TRANDATE™, LOPRESSOR™ (metoprolol), INDERAL™ (propranolol), and BETApp96™ (sotalol). Calcium channel blockers includes, for example, NORVASC™ (amlodipine), CARDIZEM™ (diltiazem), PLENDIL™ (felodipine), DYNACRIC™ (isradipine), CARDENE™ (nicardipine), ADALAT™ (nifedipine), and CALAN™ (verapamil). ACE inhibitors includes, for example, LOTENSIN™ (benazepril), CAPOTEN™ (captopril), VASOTEC™ (enalapril), MONOPRIL™ (fosinopril), PRINIVIL™ (lisinopril), ACCUPRIL™ (quinapril), and ALTACE™ (ramipril). Non-limiting examples of angiotensin II blockers includes AVAPRO™ (irbesartan), COZAAR™ (losartan), and DIOVAN™ (valsartan). Alpha adrenergic blockers includes, for example, CARDURA™ (doxazosin), MINIPRESS™ (prazosin), FLOMAX™ (tamsulosin), and terazosin. Hypotensive agents include, for example, CATAPRES™ (clonidine), APRESOLINE™ (hydralazine), ALDOMET™ (methyldopa), LONITEN™ (minoxidil), NIPRIDE™ (nitroprusside) and reserpine. Antilipemic agents include, for example, LIPITOR™ (atorvastatin), QUESTRAN™ (cholestyramine), LOLESTID™ (colestipol), TRICOR™ (fenofibrate), LOPID™ (gemfibrate), MEVACOR™ (lovstatin), PRAVACHOL™ (pravastatin), and ZOCOR™ (simvastatin). Non-limiting examples of vasodilating agents include alprostadil, amyl nitrite, PERSANTIN™ (dipyridamole), FLONAN™ (epoprostenol), ISORDIL™ (isosorbide dinitrate), IMDUR™ (isosorbide

mononitrate), NIMOTOP™ (nimodipine), INOmax™ (nitric oxide gas), nitroglycerin, papaverine, and PRISCOLINE™ (tolazoline).

In certain embodiments, Therapeutics of the invention are administered in combination with antiretroviral agents, nucleoside/nucleotide reverse transcriptase inhibitors (NRTIs), non-nucleoside reverse transcriptase inhibitors (NNRTIs), and/or protease inhibitors (PIs). NRTIs that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, RETROVIR™ (zidovudine/AZT), VIDEX™ (didanosine/ddI), HIVID™ (zalcitabine/ddC), ZERIT™ (stavudine/d4T), EPIVIR™ (lamivudine/3TC), and COMBIVIR™ (zidovudine/lamivudine). NNRTIs that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, VIRAMUNE™ (nevirapine), RESCRIPTOR™ (delavirdine), and SUSTIVA™ (efavirenz). Protease inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, CRIXIVAN™ (indinavir), NORVIR™ (ritonavir), INVIRASE™ (saquinavir), and VIRACEPT™ (nelfinavir). In a specific embodiment, antiretroviral agents, nucleoside reverse transcriptase inhibitors, non-nucleoside reverse transcriptase inhibitors, and/or protease inhibitors may be used in any combination with Therapeutics of the invention to treat AIDS and/or to prevent or treat HIV infection.

Additional NRTIs include LODENOSINE™ (F-ddA; an acid-stable adenosine NRTI; Triangle/Abbott; COVIRACIL™ (emtricitabine/FTC; structurally related to lamivudine (3TC) but with 3- to 10-fold greater activity *in vitro*; Triangle/Abbott); dOTC (BCH-10652, also structurally related to lamivudine but retains activity against a substantial proportion of lamivudine-resistant isolates; Biochem Pharma); Adefovir (refused approval for anti-HIV therapy by FDA; Gilead Sciences); PREVEON® (Adefovir Dipivoxil, the active prodrug of adefovir; its active form is PMEA-pp); TENOFOVIR™ (bis-POC PMPA, a PMPA prodrug; Gilead); DAPD/DXG (active metabolite of DAPD; Triangle/Abbott); D-D4FC (related to 3TC, with activity against AZT/3TC-resistant virus); GW420867X (Glaxo Wellcome); ZIAGEN™ (abacavir/159U89; Glaxo Wellcome Inc.); CS-87 (3'azido-2',3'-dideoxyuridine; WO 99/66936); and S-acyl-2-thioethyl (SATE)-bearing prodrug forms of β-L-FD4C and β-L-FddC (WO 98/17281).

Additional NNRTIs include COACTINON™ (Emivirine/MKC-442, potent NNRTI of the HEPT class; Triangle/Abbott); CAPRAVIRINE™ (AG-1549/S-1153, a next generation NNRTI with activity against viruses containing the K103N mutation; Agouron); PNU-142721 (has 20- to 50-fold greater activity than its predecessor delavirdine and is active against K103N mutants; Pharmacia & Upjohn); DPC-961 and DPC-963 (second-generation derivatives of efavirenz, designed to be active against viruses with the K103N mutation; DuPont); GW-420867X (has 25-fold greater activity than HBY097 and is active against K103N mutants; Glaxo

Wellcome); CALANOLIDE A (naturally occurring agent from the latex tree; active against viruses containing either or both the Y181C and K103N mutations); and Propolis (WO 99/49830).

Additional protease inhibitors include LOPINAVIR™ (ABT378/r; Abbott Laboratories); BMS-232632 (an azapeptide; Bristol-Myres Squibb); TIPRANAVIR™ (PNU-140690, a non-peptic dihydropyrone; Pharmacia & Upjohn); PD-178390 (a nonpeptidic dihydropyrone; Parke-Davis); BMS 232632 (an azapeptide; Bristol-Myers Squibb); L-756,423 (an indinavir analog; Merck); DMP-450 (a cyclic urea compound; Avid & DuPont); AG-1776 (a peptidomimetic with *in vitro* activity against protease inhibitor-resistant viruses; Agouron); VX-175/GW-433908 (phosphate prodrug of amprenavir; Vertex & Glaxo Welcome); CGP61755 (Ciba); and AGENERASE™ (amprenavir; Glaxo Wellcome Inc.).

Additional antiretroviral agents include fusion inhibitors/gp41 binders. Fusion inhibitors/gp41 binders include T-20 (a peptide from residues 643-678 of the HIV gp41 transmembrane protein ectodomain which binds to gp41 in its resting state and prevents transformation to the fusogenic state; Trimeris) and T-1249 (a second-generation fusion inhibitor; Trimeris).

Additional antiretroviral agents include fusion inhibitors/chemokine receptor antagonists. Fusion inhibitors/chemokine receptor antagonists include CXCR4 antagonists such as AMD 3100 (a bicyclam), SDF-1 and its analogs, and ALX40-4C (a cationic peptide), T22 (an 18 amino acid peptide; Trimeris) and the T22 analogs T134 and T140; CCR5 antagonists such as RANTES (9-68), AOP-RANTES, NNY-RANTES, and TAK-779; and CCR5/CXCR4 antagonists such as NSC 651016 (a distamycin analog). Also included are CCR2B, CCR3, and CCR6 antagonists. Chemokine recpetor agonists such as RANTES, SDF-1, MIP-1α, MIP-1β, etc., may also inhibit fusion.

Additional antiretroviral agents include integrase inhibitors. Integrase inhibitors include dicaffeoylquinic (DFQA) acids; L-chicoric acid (a dicaffeoyltartaric (DCTA) acid); quinalizarin (QLC) and related anthraquinones; ZINTEVIR™ (AR 177, an oligonucleotide that probably acts at cell surface rather than being a true integrase inhibitor; Arondex); and naphthols such as those disclosed in WO 98/50347.

Additional antiretroviral agents include hydroxyurea-like compunds such as BCX-34 (a purine nucleoside phosphorylase inhibitor; Biocryst); ribonucleotide reductase inhibitors such as DIDOX™ (Molecules for Health); inosine monophosphate dehydrogenase (IMPDH) inhibitors sucha as VX-497 (Vertex); and mycopholic acids such as CellCept (mycophenolate mofetil; Roche).

Additional antiretroviral agents include inhibitors of viral integrase, inhibitors of viral genome nuclear translocation such as arylene bis(methylketone) compounds; inhibitors of HIV entry such as AOP-RANTES, NNY-RANTES, RANTES-IgG fusion protein, soluble complexes

of RANTES and glycosaminoglycans (GAG), and AMD-3100; nucleocapsid zinc finger inhibitors such as dithiane compounds; targets of HIV Tat and Rev; and pharmacoenhancers such as ABT-378.

Other antiretroviral therapies and adjunct therapies include cytokines and lymphokines such as MIP-1α, MIP-1β, SDF-1α, IL-2, PROLEUKIN™ (aldesleukin/L2-7001; Chiron), IL-4, IL-10, IL-12, and IL-13; interferons such as IFN-α2a; antagonists of TNFs, NFκB, GM-CSF, M-CSF, and IL-10; agents that modulate immune activation such as cyclosporin and prednisone; vaccines such as Remune™ (HIV Immunogen), APL 400-003 (Apollon), recombinant gp120 and fragments, bivalent (B/E) recombinant envelope glycoprotein, rgp120CM235, MN rgp120, SF-2 rgp120, gp120/soluble CD4 complex, Delta JR-FL protein, branched synthetic peptide derived from discontinuous gp120 C3/C4 domain, fusion-competent immunogens, and Gag, Pol, Nef, and Tat vaccines; gene-based therapies such as genetic suppressor elements (GSEs; WO 98/54366), and intrakines (genetically modified CC chemokines targetted to the ER to block surface expression of newly synthesized CCR5 (Yang *et al., PNAS 94*:11567-72 (1997); Chen *et al., Nat. Med. 3*:1110-16 (1997)); antibodies such as the anti-CXCR4 antibody 12G5, the anti-CCR5 antibodies 2D7, 5C7, PA8, PA9, PA10, PA11, PA12, and PA14, the anti-CD4 antibodies Q4120 and RPA-T4, the anti-CCR3 antibody 7B11, the anti-gp120 antibodies 17b, 48d, 447-52D, 257-D, 268-D and 50.1, anti-Tat antibodies, anti-TNF-α antibodies, and monoclonal antibody 33A; aryl hydrocarbon (AH) receptor agonists and antagonists such as TCDD, 3,3',4,4',5-pentachlorobiphenyl, 3,3',4,4'-tetrachlorobiphenyl, and α-naphthoflavone (WO 98/30213); and antioxidants such as γ-L-glutamyl-L-cysteine ethyl ester (γ-GCE; WO 99/56764).

In a further embodiment, the Therapeutics of the invention are administered in combination with an antiviral agent. Antiviral agents that may be administered with the Therapeutics of the invention include, but are not limited to, acyclovir, ribavirin, amantadine, and remantidine.

In other embodiments, Therapeutics of the invention may be administered in combination with anti-opportunistic infection agents. Anti-opportunistic agents that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, TRIMETHOPRIM-SULFAMETHOXAZOLE™, DAPSONE™, PENTAMIDINE™, ATOVAQUONE™, ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, ETHAMBUTOL™, RIFABUTIN™, CLARITHROMYCIN™, AZITHROMYCIN™, GANCICLOVIR™, FOSCARNET™, CIDOFOVIR™, FLUCONAZOLE™, ITRACONAZOLE™, KETOCONAZOLE™, ACYCLOVIR™, FAMCICOLVIR™, PYRIMETHAMINE™, LEUCOVORIN™, NEUPOGEN™ (filgrastim/G-CSF), and LEUKINE™ (sargramostim/GM-CSF). In a specific embodiment, Therapeutics of the invention are used in any combination with TRIMETHOPRIM-SULFAMETHOXAZOLE™, DAPSONE™, PENTAMIDINE™, and/or

ATOVAQUONE™ to prophylactically treat or prevent an opportunistic *Pneumocystis carinii* pneumonia infection. In another specific embodiment, Therapeutics of the invention are used in any combination with ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, and/or ETHAMBUTOL™ to prophylactically treat or prevent an opportunistic *Mycobacterium avium* complex infection. In another specific embodiment, Therapeutics of the invention are used in any combination with RIFABUTIN™, CLARITHROMYCIN™, and/or AZITHROMYCIN™ to prophylactically treat or prevent an opportunistic *Mycobacterium tuberculosis* infection. In another specific embodiment, Therapeutics of the invention are used in any combination with GANCICLOVIR™, FOSCARNET™, and/or CIDOFOVIR™ to prophylactically treat or prevent an opportunistic cytomegalovirus infection. In another specific embodiment, Therapeutics of the invention are used in any combination with FLUCONAZOLE™, ITRACONAZOLE™, and/or KETOCONAZOLE™ to prophylactically treat or prevent an opportunistic fungal infection. In another specific embodiment, Therapeutics of the invention are used in any combination with ACYCLOVIR™ and/or FAMCICOLVIR™ to prophylactically treat or prevent an opportunistic herpes simplex virus type I and/or type II infection. In another specific embodiment, Therapeutics of the invention are used in any combination with PYRIMETHAMINE™ and/or LEUCOVORIN™ to prophylactically treat or prevent an opportunistic *Toxoplasma gondii* infection. In another specific embodiment, Therapeutics of the invention are used in any combination with LEUCOVORIN™ and/or NEUPOGEN™ to prophylactically treat or prevent an opportunistic bacterial infection.

In a further embodiment, the Therapeutics of the invention are administered in combination with an antibiotic agent. Antibiotic agents that may be administered with the Therapeutics of the invention include, but are not limited to, amoxicillin, beta-lactamases, aminoglycosides, beta-lactam (glycopeptide), beta-lactamases, Clindamycin, chloramphenicol, cephalosporins, ciprofloxacin, erythromycin, fluoroquinolones, macrolides, metronidazole, penicillins, quinolones, rapamycin, rifampin, streptomycin, sulfonamide, tetracyclines, trimethoprim, trimethoprim-sulfamethoxazole, and vancomycin.

In other embodiments, the Therapeutics of the invention are administered in combination with immunestimulants. Immunostimulants that may be administered in combination with the Therapeutics of the invention include, but are not limited to, levamisole (e.g., ERGAMISOL™), isoprinosine (e.g. INOSIPLEX™), interferons (e.g. interferon alpha), and interleukins (e.g., IL-2).

In other embodiments, Therapeutics of the invention are administered in combination with immunosuppressive agents. Immunosuppressive agents that may be administered in combination with the Therapeutics of the invention include, but are not limited to, steroids, cyclosporine, cyclosporine analogs, cyclophosphamide methylprednisone, prednisone,

azathioprine, FK-506, 15-deoxyspergualin, and other immunosuppressive agents that act by suppressing the function of responding T cells. Other immunosuppressive agents that may be administered in combination with the Therapeutics of the invention include, but are not limited to, prednisolone, methotrexate, thalidomide, methoxsalen, rapamycin, leflunomide, mizoribine (BREDININ™), brequinar, deoxyspergualin, and azaspirane (SKF 105685), ORTHOCLONE OKT® 3 (muromonab-CD3), SANDIMMUNE™, NEORAL™, SANGDYA™ (cyclosporine), PROGRAF® (FK506, tacrolimus), CELLCEPT® (mycophenolate motefil, of which the active metabolite is mycophenolic acid), IMURAN™ (azathioprine), glucocorticosteroids, adrenocortical steroids such as DELTASONE™ · (prednisone) and HYDELTRASOL™ (prednisolone), FOLEX™ and MEXATE™ (methotrxate), OXSORALEN-ULTRA™ (methoxsalen) and RAPAMUNE™ (sirolimus). In a specific embodiment, immunosuppressants may be used to prevent rejection of organ or bone marrow transplantation.

In an additional embodiment, Therapeutics of the invention are administered alone or in combination with one or more intravenous immune globulin preparations. Intravenous immune globulin preparations that may be administered with the Therapeutics of the invention include, but not limited to, GAMMAR™, IVEEGAM™, SANDOGLOBULIN™, GAMMAGARD S/D™, ATGAM™ (antithymocyte glubulin), and GAMIMUNE™. In a specific embodiment, Therapeutics of the invention are administered in combination with intravenous immune globulin preparations in transplantation therapy (e.g., bone marrow transplant).

In certain embodiments, the Therapeutics of the invention are administered alone or in combination with an anti-inflammatory agent. Anti-inflammatory agents that may be administered with the Therapeutics of the invention include, but are not limited to, corticosteroids (e.g. betamethasone, budesonide, cortisone, dexamethasone, hydrocortisone, methylprednisolone, prednisolone, prednisone, and triamcinolone), nonsteroidal anti-inflammatory drugs (e.g., diclofenac, diflunisal, etodolac, fenoprofen, floctafenine, flurbiprofen, ibuprofen, indomethacin, ketoprofen, meclofenamate, mefenamic acid, meloxicam, nabumetone, naproxen, oxaprozin, phenylbutazone, piroxicam, sulindac, tenoxicam, tiaprofenic acid, and tolmetin.), as well as antihistamines, aminoarylcarboxylic acid derivatives, arylacetic acid derivatives, arylbutyric acid derivatives, arylcarboxylic acids, arylpropionic acid derivatives, pyrazoles, pyrazolones, salicylic acid derivatives, thiazinecarboxamides, e-acetamidocaproic acid, S-adenosylmethionine, 3-amino-4-hydroxybutyric acid, amixetrine, bendazac, benzydamine, bucolome, difenpiramide, ditazol, emorfazone, guaiazulene, nabumetone, nimesulide, orgotein, oxaceprol, paranyline, perisoxal, pifoxime, proquazone, proxazole, and tenidap.

In an additional embodiment, the compositions of the invention are administered alone or in combination with an anti-angiogenic agent. Anti-angiogenic agents that may be administered with the compositions of the invention include, but are not limited to, Angiostatin (Entremed,

Rockville, MD), Troponin-1 (Boston Life Sciences, Boston, MA), anti-Invasive Factor, retinoic acid and derivatives thereof, paclitaxel (Taxol), Suramin, Tissue Inhibitor of Metalloproteinase-1, Tissue Inhibitor of Metalloproteinase-2, VEGI, Plasminogen Activator Inhibitor-1, Plasminogen Activator Inhibitor-2, and various forms of the lighter "d group" transition metals.

Lighter "d group" transition metals include, for example, vanadium, molybdenum, tungsten, titanium, niobium, and tantalum species. Such transition metal species may form transition metal complexes. Suitable complexes of the above-mentioned transition metal species include oxo transition metal complexes.

Representative examples of vanadium complexes include oxo vanadium complexes such as vanadate and vanadyl complexes. Suitable vanadate complexes include metavanadate and orthovanadate complexes such as, for example, ammonium metavanadate, sodium metavanadate, and sodium orthovanadate. Suitable vanadyl complexes include, for example, vanadyl acetylacetonate and vanadyl sulfate including vanadyl sulfate hydrates such as vanadyl sulfate mono- and trihydrates.

Representative examples of tungsten and molybdenum complexes also include oxo complexes. Suitable oxo tungsten complexes include tungstate and tungsten oxide complexes. Suitable tungstate complexes include ammonium tungstate, calcium tungstate, sodium tungstate dihydrate, and tungstic acid. Suitable tungsten oxides include tungsten (IV) oxide and tungsten (VI) oxide. Suitable oxo molybdenum complexes include molybdate, molybdenum oxide, and molybdenyl complexes. Suitable molybdate complexes include ammonium molybdate and its hydrates, sodium molybdate and its hydrates, and potassium molybdate and its hydrates. Suitable molybdenum oxides include molybdenum (VI) oxide, molybdenum (VI) oxide, and molybdic acid. Suitable molybdenyl complexes include, for example, molybdenyl acetylacetonate. Other suitable tungsten and molybdenum complexes include hydroxo derivatives derived from, for example, glycerol, tartaric acid, and sugars.

A wide variety of other anti-angiogenic factors may also be utilized within the context of the present invention. Representative examples include, but are not limited to, platelet factor 4; protamine sulphate; sulphated chitin derivatives (prepared from queen crab shells), (Murata et al., Cancer Res. 51:22-26, (1991)); Sulphated Polysaccharide Peptidoglycan Complex (SP- PG) (the function of this compound may be enhanced by the presence of steroids such as estrogen, and tamoxifen citrate); Staurosporine; modulators of matrix metabolism, including for example, proline analogs, cishydroxyproline, d,L-3,4-dehydroproline, Thiaproline, alpha,alpha-dipyridyl, aminopropionitrile fumarate; 4-propyl-5-(4-pyridinyl)-2(3H)-oxazolone; Methotrexate; Mitoxantrone; Heparin; Interferons; 2 Macroglobulin-serum; ChIMP-3 (Pavloff et al., J. Bio. Chem. 267:17321-17326, (1992)); Chymostatin (Tomkinson et al., Biochem J. 286:475-480, (1992)); Cyclodextrin Tetradecasulfate; Eponemycin; Camptothecin; Fumagillin (Ingber et al., Nature 348:555-557, (1990)); Gold Sodium Thiomalate ("GST"; Matsubara and Ziff, J. Clin.

Invest. 79:1440-1446, (1987)); anticollagenase-serum; alpha2-antiplasmin (Holmes et al., J. Biol. Chem. 262(4):1659-1664, (1987)); Bisantrene (National Cancer Institute); Lobenzarit disodium (N-(2)-carboxyphenyl-4- chloroanthronilic acid disodium or "CCA"; (Takeuchi et al., Agents Actions 36:312-316, (1992)); and metalloproteinase inhibitors such as BB94.

Additional anti-angiogenic factors that may also be utilized within the context of the present invention include Thalidomide, (Celgene, Warren, NJ); Angiostatic steroid; AGM-1470 (H. Brem and J. Folkman *J Pediatr. Surg.* 28:445-51 (1993)); an integrin alpha v beta 3 antagonist (C. Storgard et al., *J Clin. Invest.* 103:47-54 (1999)); carboxynaminolmidazole; Carboxyamidotriazole (CAI) (National Cancer Institute, Bethesda, MD); Conbretastatin A-4 (CA4P) (OXiGENE, Boston, MA); Squalamine (Magainin Pharmaceuticals, Plymouth Meeting, PA); TNP-470, (Tap Pharmaceuticals, Deerfield, IL); ZD-0101 AstraZeneca (London, UK); APRA (CT2584); Benefin, Byrostatin-1 (SC339555); CGP-41251 (PKC 412); CM101; Dexrazoxane (ICRF187); DMXAA; Endostatin; Flavopridiol; Genestein; GTE; ImmTher; Iressa (ZD1839); Octreotide (Somatostatin); Panretin; Penacillamine; Photopoint; PI-88; Prinomastat (AG-3340) Purlytin; Suradista (FCE26644); Tamoxifen (Nolvadex); Tazarotene; Tetrathiomolybdate; Xeloda (Capecitabine); and 5-Fluorouracil.

Anti-angiogenic agents that may be administed in combination with the compounds of the invention may work through a variety of mechanisms including, but not limited to, inhibiting proteolysis of the extracellular matrix, blocking the function of endothelial cell-extracellular matrix adhesion molecules, by antagonizing the function of angiogenesis inducers such as growth factors, and inhibiting integrin receptors expressed on proliferating endothelial cells. Examples of anti-angiogenic inhibitors that interfere with extracellular matrix proteolysis and which may be administered in combination with the compositons of the invention include, but are not lmited to, AG-3340 (Agouron, La Jolla, CA), BAY-12-9566 (Bayer, West Haven, CT), BMS-275291 (Bristol Myers Squibb, Princeton, NJ), CGS-27032A (Novartis, East Hanover, NJ), Marimastat (British Biotech, Oxford, UK), and Metastat (Aeterna, St-Foy, Quebec). Examples of anti-angiogenic inhibitors that act by blocking the function of endothelial cell-extracellular matrix adhesion molecules and which may be administered in combination with the compositons of the invention include, but are not lmited to, EMD-121974 (Merck KcgaA Darmstadt, Germany) and Vitaxin (Ixsys, La Jolla, CA/Medimmune, Gaithersburg, MD). Examples of anti-angiogenic agents that act by directly antagonizing or inhibiting angiogenesis inducers and which may be administered in combination with the compositons of the invention include, but are not lmited to, Angiozyme (Ribozyme, Boulder, CO), Anti-VEGF antibody (Genentech, S. San Francisco, CA), PTK-787/ZK-225846 (Novartis, Basel, Switzerland), SU-101 (Sugen, S. San Francisco, CA), SU-5416 (Sugen/ Pharmacia Upjohn, Bridgewater, NJ), and SU-6668 (Sugen). Other anti-angiogenic agents act to indirectly inhibit angiogenesis. Examples of indirect inhibitors of angiogenesis which may be administered in combination with the compositons of the invention include, but are

not limited to, IM-862 (Cytran, Kirkland, WA), Interferon-alpha, IL-12 (Roche, Nutley, NJ), and Pentosan polysulfate (Georgetown University, Washington, DC).

In particular embodiments, the use of compositions of the invention in combination with anti-angiogenic agents is contemplated for the treatment, prevention, and/or amelioration of an autoimmune disease, such as for example, an autoimmune disease described herein.

In a particular embodiment, the use of compositions of the invention in combination with anti-angiogenic agents is contemplated for the treatment, prevention, and/or amelioration of arthritis. In a more particular embodiment, the use of compositions of the invention in combination with anti-angiogenic agents is contemplated for the treatment, prevention, and/or amelioration of rheumatoid arthritis.

In another embodiment, the polynucleotides encoding a polypeptide of the present invention are administered in combination with an angiogenic protein, or polynucleotides encoding an angiogenic protein. Examples of angiogenic proteins that may be administered with the compositions of the invention include, but are not limited to, acidic and basic fibroblast growth factors, VEGF-1, VEGF-2, VEGF-3, epidermal growth factor alpha and beta, platelet-derived endothelial cell growth factor, platelet-derived growth factor, tumor necrosis factor alpha, hepatocyte growth factor, insulin-like growth factor, colony stimulating factor, macrophage colony stimulating factor, granulocyte/macrophage colony stimulating factor, and nitric oxide synthase.

In additional embodiments, compositions of the invention are administered in combination with a chemotherapeutic agent. Chemotherapeutic agents that may be administered with the Therapeutics of the invention include, but are not limited to alkylating agents such as nitrogen mustards (for example, Mechlorethamine, cyclophosphamide, Cyclophosphamide Ifosfamide, Melphalan (L-sarcolysin), and Chlorambucil), ethylenimines and methylmelamines (for example, Hexamethylmelamine and Thiotepa), alkyl sulfonates (for example, Busulfan), nitrosoureas (for example, Carmustine (BCNU), Lomustine (CCNU), Semustine (methyl-CCNU), and Streptozocin (streptozotocin)), triazenes (for example, Dacarbazine (DTIC; dimethyltriazenoimidazolecarboxamide)), folic acid analogs (for example, Methotrexate (amethopterin)), pyrimidine analogs (for example, Fluorouacil (5-fluorouracil; 5-FU), Floxuridine (fluorodeoxyuridine; FudR), and Cytarabine (cytosine arabinoside)), purine analogs and related inhibitors (for example, Mercaptopurine (6-mercaptopurine; 6-MP), Thioguanine (6-thioguanine; TG), and Pentostatin (2'-deoxycoformycin)), vinca alkaloids (for example, Vinblastine (VLB, vinblastine sulfate)) and Vincristine (vincristine sulfate)), epipodophyllotoxins (for example, Etoposide and Teniposide), antibiotics (for example, Dactinomycin (actinomycin D), Daunorubicin (daunomycin; rubidomycin), Doxorubicin, Bleomycin, Plicamycin (mithramycin), and Mitomycin (mitomycin C), enzymes (for example, L-Asparaginase), biological response modifiers (for example, Interferon-alpha and interferon-alpha-2b), platinum coordination compounds (for example, Cisplatin (cis-DDP) and Carboplatin), anthracenedione (Mitoxantrone),

substituted ureas (for example, Hydroxyurea), methylhydrazine derivatives (for example, Procarbazine (N-methylhydrazine; MIH), adrenocorticosteroids (for example, Prednisone), progestins (for example, Hydroxyprogesterone caproate, Medroxyprogesterone, Medroxyprogesterone acetate, and Megestrol acetate), estrogens (for example, Diethylstilbestrol (DES), Diethylstilbestrol diphosphate, Estradiol, and Ethinyl estradiol), antiestrogens (for example, Tamoxifen), androgens (Testosterone proprionate, and Fluoxymesterone), antiandrogens (for example, Flutamide), gonadotropin-releasing horomone analogs (for example, Leuprolide), other hormones and hormone analogs (for example, methyltestosterone, estramustine, estramustine phosphate sodium, chlorotrianisene, and testolactone), and others (for example, dicarbazine, glutamic acid, and mitotane).

In one embodiment, the compositions of the invention are administered in combination with one or more of the following drugs: infliximab (also known as Remicade™ Centocor, Inc.), Trocade (Roche, RO-32-3555), Leflunomide (also known as Arava™ from Hoechst Marion Roussel), Kineret™ (an IL-1 Receptor antagonist also known as Anakinra from Amgen, Inc.)

In a specific embodiment, compositions of the invention are administered in combination with CHOP (cyclophosphamide, doxorubicin, vincristine, and prednisone) or combination of one or more of the components of CHOP. In one embodiment, the compositions of the invention are administered in combination with anti-CD20 antibodies, human monoclonal anti-CD20 antibodies. In another embodiment, the compositions of the invention are administered in combination with anti-CD20 antibodies and CHOP, or anti-CD20 antibodies and any combination of one or more of the components of CHOP, particularly cyclophosphamide and/or prednisone. In a specific embodiment, compositions of the invention are administered in combination with Rituximab. In a further embodiment, compositions of the invention are administered with Rituximab and CHOP, or Rituximab and any combination of one or more of the components of CHOP, particularly cyclophosphamide and/or prednisone. In a specific embodiment, compositions of the invention are administered in combination with tositumomab. In a further embodiment, compositions of the invention are administered with tositumomab and CHOP, or tositumomab and any combination of one or more of the components of CHOP, particularly cyclophosphamide and/or prednisone. The anti-CD20 antibodies may optionally be associated with radioisotopes, toxins or cytotoxic prodrugs.

In another specific embodiment, the compositions of the invention are administered in combination Zevalin™. In a further embodiment, compositions of the invention are administered with Zevalin™ and CHOP, or Zevalin™ and any combination of one or more of the components of CHOP, particularly cyclophosphamide and/or prednisone. Zevalin™ may be associated with one or more radisotopes. Particularly preferred isotopes are ^{90}Y and ^{111}In.

In an additional embodiment, the Therapeutics of the invention are administered in combination with cytokines. Cytokines that may be administered with the Therapeutics of the invention include, but are not limited to, IL2, IL3, IL4, IL5, IL6, IL7, IL10, IL12, IL13, IL15, anti-CD40, CD40L, IFN-gamma and TNF-alpha. In another embodiment, Therapeutics of the invention may be administered with any interleukin, including, but not limited to, IL-1alpha, IL-1beta, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-11, IL-12, IL-13, IL-14, IL-15, IL-16, IL-17, IL-18, IL-19, IL-20, and IL-21.

In one embodiment, the Therapeutics of the invention are administered in combination with members of the TNF family. TNF, TNF-related or TNF-like molecules that may be administered with the Therapeutics of the invention include, but are not limited to, soluble forms of TNF-alpha, lymphotoxin-alpha (LT-alpha, also known as TNF-beta), LT-beta (found in complex heterotrimer LT-alpha2-beta), OPGL, FasL, CD27L, CD30L, CD40L, 4-1BBL, DcR3, OX40L, TNF-gamma (International Publication No. WO 96/14328), AIM-I (International Publication No. WO 97/33899), endokine-alpha (International Publication No. WO 98/07880), OPG, and neutrokine-alpha (International Publication No. WO 98/18921, OX40, and nerve growth factor (NGF), and soluble forms of Fas, CD30, CD27, CD40 and 4-IBB, TR2 (International Publication No. WO 96/34095), DR3 (International Publication No. WO 97/33904), DR4 (International Publication No. WO 98/32856), TR5 (International Publication No. WO 98/30693), TRANK, TR9 (International Publication No. WO 98/56892),TR10 (International Publication No. WO 98/54202), 312C2 (International Publication No. WO 98/06842), and TR12, and soluble forms CD154, CD70, and CD153.

In an additional embodiment, the Therapeutics of the invention are administered in combination with angiogenic proteins. Angiogenic proteins that may be administered with the Therapeutics of the invention include, but are not limited to, Glioma Derived Growth Factor (GDGF), as disclosed in European Patent Number EP-399816; Platelet Derived Growth Factor-A (PDGF-A), as disclosed in European Patent Number EP-682110; Platelet Derived Growth Factor-B (PDGF-B), as disclosed in European Patent Number EP-282317; Placental Growth Factor (PlGF), as disclosed in International Publication Number WO 92/06194; Placental Growth Factor-2 (PlGF-2), as disclosed in Hauser et al., Growth Factors, 4:259-268 (1993); Vascular Endothelial Growth Factor (VEGF), as disclosed in International Publication Number WO 90/13649; Vascular Endothelial Growth Factor-A (VEGF-A), as disclosed in European Patent Number EP-506477; Vascular Endothelial Growth Factor-2 (VEGF-2), as disclosed in International Publication Number WO 96/39515; Vascular Endothelial Growth Factor B (VEGF-3); Vascular Endothelial Growth Factor B-186 (VEGF-B186), as disclosed in International Publication Number WO 96/26736; Vascular Endothelial Growth Factor-D (VEGF-D), as disclosed in International Publication Number WO 98/02543; Vascular Endothelial Growth Factor-D (VEGF-D), as disclosed in International Publication Number WO 98/07832; and Vascular Endothelial Growth

Factor-E (VEGF-E), as disclosed in German Patent Number DE19639601. The above mentioned references are herein incorporated by reference in their entireties.

In an additional embodiment, the Therapeutics of the invention are administered in combination with Fibroblast Growth Factors. Fibroblast Growth Factors that may be administered with the Therapeutics of the invention include, but are not limited to, FGF-1, FGF-2, FGF-3, FGF-4, FGF-5, FGF-6, FGF-7, FGF-8, FGF-9, FGF-10, FGF-11, FGF-12, FGF-13, FGF-14, and FGF-15.

In an additional embodiment, the Therapeutics of the invention are administered in combination with hematopoietic growth factors. Hematopoietic growth factors that may be administered with the Therapeutics of the invention include, but are not limited to, granulocyte macrophage colony stimulating factor (GM-CSF) (sargramostim, LEUKINE™, PROKINE™), granulocyte colony stimulating factor (G-CSF) (filgrastim, NEUPOGEN™), macrophage colony stimulating factor (M-CSF, CSF-1) erythropoietin (epoetin alfa, EPOGEN™, PROCRIT™), stem cell factor (SCF, c-kit ligand, steel factor), megakaryocyte colony stimulating factor, PIXY321 (a GMCSF/IL-3 fusion protein), interleukins, especially any one or more of IL-1 through IL-12, interferon-gamma, or thrombopoietin.

In certain embodiments, Therapeutics of the present invention are administered in combination with adrenergic blockers, such as, for example, acebutolol, atenolol, betaxolol, bisoprolol, carteolol, labetalol, metoprolol, nadolol, oxprenolol, penbutolol, pindolol, propranolol, sotalol, and timolol.

In another embodiment, the Therapeutics of the invention are administered in combination with an antiarrhythmic drug (e.g., adenosine, amidoarone, bretylium, digitalis, digoxin, digitoxin, diliazem, disopyramide, esmolol, flecainide, lidocaine, mexiletine, moricizine, phenytoin, procainamide, N-acetyl procainamide, propafenone, propranolol, quinidine, sotalol, tocainide, and verapamil).

In another embodiment, the Therapeutics of the invention are administered in combination with diuretic agents, such as carbonic anhydrase-inhibiting agents (e.g., acetazolamide, dichlorphenamide, and methazolamide), osmotic diuretics (e.g., glycerin, isosorbide, mannitol, and urea), diuretics that inhibit Na^+-K^+-$2Cl^-$ symport (e.g., furosemide, bumetanide, azosemide, piretanide, tripamide, ethacrynic acid, muzolimine, and torsemide), thiazide and thiazide-like diuretics (e.g., bendroflumethiazide, benzthiazide, chlorothiazide, hydrochlorothiazide, hydroflumethiazide, methyclothiazide, polythiazide, trichormethiazide, chlorthalidone, indapamide, metolazone, and quinethazone), potassium sparing diuretics (e.g., amiloride and triamterene), and mineralcorticoid receptor antagonists (e.g., spironolactone, canrenone, and potassium canrenoate).

In one embodiment, the Therapeutics of the invention are administered in combination with treatments for endocrine and/or hormone imbalance disorders. Treatments for endocrine

and/or hormone imbalance disorders include, but are not limited to, ^{127}I, radioactive isotopes of iodine such as ^{131}I and ^{123}I; recombinant growth hormone, such as HUMATROPE™ (recombinant somatropin); growth hormone analogs such as PROTROPIN™ (somatrem); dopamine agonists such as PARLODEL™ (bromocriptine); somatostatin analogs such as SANDOSTATIN™ (octreotide); gonadotropin preparations such as PREGNYL™, A.P.L.™ and PROFASI™ (chorionic gonadotropin (CG)), PERGONAL™ (menotropins), and METRODIN™ (urofollitropin (uFSH)); synthetic human gonadotropin releasing hormone preparations such as FACTREL™ and LUTREPULSE™ (gonadorelin hydrochloride); synthetic gonadotropin agonists such as LUPRON™ (leuprolide acetate), SUPPRELIN™ (histrelin acetate), SYNAREL™ (nafarelin acetate), and ZOLADEX™ (goserelin acetate); synthetic preparations of thyrotropin-releasing hormone such as RELEFACT TRH™ and THYPINONE™ (protirelin); recombinant human TSH such as THYROGEN™; synthetic preparations of the sodium salts of the natural isomers of thyroid hormones such as L-T_4™, SYNTHROID™ and LEVOTHROID™ (levothyroxine sodium), L-T_3™, CYTOMEL™ and TRIOSTAT™ (liothyroine sodium), and THYROLAR™ (liotrix); antithyroid compounds such as 6-*n*-propylthiouracil (propylthiouracil), 1-methyl-2-mercaptoimidazole and TAPAZOLE™ (methimazole), NEO-MERCAZOLE™ (carbimazole); beta-adrenergic receptor antagonists such as propranolol and esmolol; Ca^{2+} channel blockers; dexamethasone and iodinated radiological contrast agents such as TELEPAQUE™ (iopanoic acid) and ORAGRAFIN™ (sodium ipodate).

Additional treatments for endocrine and/or hormone imbalance disorders include, but are not limited to, estrogens or congugated estrogens such as ESTRACE™ (estradiol), ESTINYL™ (ethinyl estradiol), PREMARIN™, ESTRATAB™, ORTHO-EST™, OGEN™ and estropipate (estrone), ESTROVIS™ (quinestrol), ESTRADERM™ (estradiol), DELESTROGEN™ and VALERGEN™ (estradiol valerate), DEPO-ESTRADIOL CYPIONATE™ and ESTROJECT LA™ (estradiol cypionate); antiestrogens such as NOLVADEX™ (tamoxifen), SEROPHENE™ and CLOMID™ (clomiphene); progestins such as DURALUTIN™ (hydroxyprogesterone caproate), MPA™ and DEPO-PROVERA™ (medroxyprogesterone acetate), PROVERA™ and CYCRIN™ (MPA), MEGACE™ (megestrol acetate), NORLUTIN™ (norethindrone), and NORLUTATE™ and AYGESTIN™ (norethindrone acetate); progesterone implants such as NORPLANT SYSTEM™ (subdermal implants of norgestrel); antiprogestins such as RU 486™ (mifepristone); hormonal contraceptives such as ENOVID™ (norethynodrel plus mestranol), PROGESTASERT™ (intrauterine device that releases progesterone), LOESTRIN™, BREVICON™, MODICON™, GENORA™, NELONA™, NORINYL™, OVACON-35™ and OVACON-50™ (ethinyl estradiol/norethindrone), LEVLEN™, NORDETTE™, TRI-LEVLEN™ and TRIPHASIL-21™ (ethinyl estradiol/levonorgestrel) LO/OVRAL™ and OVRAL™ (ethinyl estradiol/norgestrel),

DEMULEN™ (ethinyl estradiol/ethynodiol diacetate), NORINYL™, ORTHO-NOVUM™, NORETHIN™, GENORA™, and NELOVA™ (norethindrone/mestranol), DESOGEN™ and ORTHO-CEPT™ (ethinyl estradiol/desogestrel), ORTHO-CYCLEN™ and ORTHO-TRICYCLEN™ (ethinyl estradiol/norgestimate), MICRONOR™ and NOR-QD™ (norethindrone), and OVRETTE™ (norgestrel).

Additional treatments for endocrine and/or hormone imbalance disorders include, but are not limited to, testosterone esters such as methenolone acetate and testosterone undecanoate; parenteral and oral androgens such as TESTOJECT-50™ (testosterone), TESTEX™ (testosterone propionate), DELATESTRYL™ (testosterone enanthate), DEPO-TESTOSTERONE™ (testosterone cypionate), DANOCRINE™ (danazol), HALOTESTIN™ (fluoxymesterone), ORETON METHYL™, TESTRED™ and VIRILON™ (methyltestosterone), and OXANDRIN™ (oxandrolone); testosterone transdermal systems such as TESTODERM™; androgen receptor antagonist and 5-alpha-reductase inhibitors such as ANDROCUR™ (cyproterone acetate), EULEXIN™ (flutamide), and PROSCAR™ (finasteride); adrenocorticotropic hormone preparations such as CORTROSYN™ (cosyntropin); adrenocortical steroids and their synthetic analogs such as ACLOVATE™ (alclometasone dipropionate), CYCLOCORT™ (amcinonide), BECLOVENT™ and VANCERIL™ (beclomethasone dipropionate), CELESTONE™ (betamethasone), BENISONE™ and UTICORT™ (betamethasone benzoate), DIPROSONE™ (betamethasone dipropionate), CELESTONE PHOSPHATE™ (betamethasone sodium phosphate), CELESTONE SOLUSPAN™ (betamethasone sodium phosphate and acetate), BETA-VAL™ and VALISONE™ (betamethasone valerate), TEMOVATE™ (clobetasol propionate), CLODERM™ (clocortolone pivalate), CORTEF™ and HYDROCORTONE™ (cortisol (hydrocortisone)), HYDROCORTONE ACETATE™ (cortisol (hydrocortisone) acetate), LOCOID™ (cortisol (hydrocortisone) butyrate), HYDROCORTONE PHOSPHATE™ (cortisol (hydrocortisone) sodium phosphate), A-HYDROCORT™ and SOLU CORTEF™ (cortisol (hydrocortisone) sodium succinate), WESTCORT™ (cortisol (hydrocortisone) valerate), CORTISONE ACETATE™ (cortisone acetate), DESOWEN™ and TRIDESILON™ (desonide), TOPICORT™ (desoximetasone), DECADRON™ (dexamethasone), DECADRON LA™ (dexamethasone acetate), DECADRON PHOSPHATE™ and HEXADROL PHOSPHATE™ (dexamethasone sodium phosphate), FLORONE™ and MAXIFLOR™ (diflorasone diacetate), FLORINEF ACETATE™ (fludrocortisone acetate), AEROBID™ and NASALIDE™ (flunisolide), FLUONID™ and SYNALAR™ (fluocinolone acetonide), LIDEX™ (fluocinonide), FLUOR-OP™ and FML™ (fluorometholone), CORDRAN™ (flurandrenolide), HALOG™ (halcinonide), HMS LIZUIFILM™ (medrysone), MEDROL™ (methylprednisolone), DEPO-MEDROL™ and

MEDROL ACETATE™ (methylprednisone acetate), A-METHAPRED™ and SOLUMEDROL™ (methylprednisolone sodium succinate), ELOCON™ (mometasone furoate), HALDRONE™ (paramethasone acetate), DELTA-CORTEF™ (prednisolone), ECONOPRED™ (prednisolone acetate), HYDELTRASOL™ (prednisolone sodium phosphate), HYDELTRA-T.B.A™ (prednisolone tebutate), DELTASONE™ (prednisone), ARISTOCORT™ and KENACORT™ (triamcinolone), KENALOG™ (triamcinolone acetonide), ARISTOCORT™ and KENACORT DIACETATE™ (triamcinolone diacetate), and ARISTOSPAN™ (triamcinolone hexacetonide); inhibitors of biosynthesis and action of adrenocortical steroids such as CYTADREN™ (aminoglutethimide), NIZORAL™ (ketoconazole), MODRASTANE™ (trilostane), and METOPIRONE™ (metyrapone); bovine, porcine or human insulin or mixtures thereof; insulin analogs; recombinant human insulin such as HUMULIN™ and NOVOLIN™; oral hypoglycemic agents such as ORAMIDE™ and ORINASE™ (tolbutamide), DIABINESE™ (chlorpropamide), TOLAMIDE™ and TOLINASE™ (tolazamide), DYMELOR™ (acetohexamide), glibenclamide, MICRONASE™, DIBETA™ and GLYNASE™ (glyburide), GLUCOTROL™ (glipizide), and DIAMICRON™ (gliclazide), GLUCOPHAGE™ (metformin), ciglitazone, pioglitazone, and alpha-glucosidase inhibitors; bovine or porcine glucagon; somatostatins such as SANDOSTATIN™ (octreotide); and diazoxides such as PROGLYCEM™ (diazoxide).

In an additional embodiment, the Therapeutics of the invention are administered in combination with drugs effective in treating iron deficiency and hypochromic anemias, including but not limited to, ferrous sulfate (iron sulfate, FEOSOL™), ferrous fumarate (e.g., FEOSTAT™), ferrous gluconate (e.g., FERGON™), polysaccharide-iron complex (e.g., NIFEREX™), iron dextran injection (e.g., INFED™), cupric sulfate, pyroxidine, riboflavin, Vitamin B_{12}, cyancobalamin injection (e.g., REDISOL™, RUBRAMIN PC™), hydroxocobalamin, folic acid (e.g., FOLVITE™), leucovorin (folinic acid, 5-CHOH4PteGlu, citrovorum factor) or WELLCOVORIN (Calcium salt of leucovorin), transferrin or ferritin.

In another embodiment, Therapeutics of the invention are administered in combination with vasodilating agents and/or calcium channel blocking agents. Vasodilating agents that may be administered with the Therapeutics of the invention include, but are not limited to, Angiotensin Converting Enzyme (ACE) inhibitors (e.g., papaverine, isoxsuprine, benazepril, captopril, cilazapril, enalapril, enalaprilat, fosinopril, lisinopril, moexipril, perindopril, quinapril, ramipril, spirapril, trandolapril, and nylidrin), and nitrates (e.g., isosorbide dinitrate, isosorbide mononitrate, and nitroglycerin). Examples of calcium channel blocking agents that may be administered in combination with the Therapeutics of the invention include, but are not limited to amlodipine, bepridil, diltiazem, felodipine, flunarizine, isradipine, nicardipine, nifedipine, nimodipine, and verapamil.

In additional embodiments, the Therapeutics of the invention are administered in combination with other therapeutic or prophylactic regimens, such as, for example, radiation therapy.

Example 14: Method of Treating Decreased Levels of the Polypeptide

The present invention relates to a method for treating an individual in need of an increased level of a polypeptide of the invention in the body comprising administering to such an individual a composition comprising a therapeutically effective amount of polypeptides (including agonists thereto), and/or antibodies of the invention. Moreover, it will be appreciated that conditions caused by a decrease in the standard or normal expression level of a polypeptide of the present invention in an individual may be treated by administering agonists of said polypeptide. Thus, the invention also provides a method of treatment of an individual in need of an increased level of the polypeptide comprising administering to such an individual a Therapeutic comprising an amount of the agonist (including polypeptides and antibodies of the present invention) to increase the activity level of the polypeptide in such an individual.

For example, a patient with decreased levels of a polypeptide receives a daily dose 0.1-100 ug/kg of the agonist for six consecutive days. The exact details of the dosing scheme, based on administration and formulation, are provided in Example 13.

Example 15: Method of Treating Increased Levels of the Polypeptide

The present invention also relates to a method of treating an individual in need of a decreased level of a polypeptide of the invention in the body comprising administering to such an individual a composition comprising a therapeutically effective amount of an antagonist of the invention (including polypeptides and antibodies of the invention).

In one example, antisense technology is used to inhibit production of a polypeptide of the present invention. This technology is one example of a method of decreasing levels of a polypeptide, due to a variety of etiologies, such as cancer.

For example, a patient diagnosed with abnormally increased levels of a polypeptide is administered intravenously antisense polynucleotides at 0.5, 1.0, 1.5, 2.0 and 3.0 mg/kg day for 21 days. This treatment is repeated after a 7-day rest period if the treatment was well tolerated. The antisense polynucleotides of the present invention can be formulated using techniques and formulations described herein (e.g. see Example 13), or otherwise known in the art.

Example 16: Method of Treatment Using Gene Therapy-Ex Vivo

One method of gene therapy transplants fibroblasts, which are capable of expressing a polypeptide, onto a patient. Generally, fibroblasts are obtained from a subject by skin biopsy. The resulting tissue is placed in tissue-culture medium and separated into small pieces. Small chunks of the tissue are placed on a wet surface of a tissue culture flask, approximately ten pieces are placed in each flask. The flask is turned upside down, closed tight and left at room temperature over night. After 24 hours at room temperature, the flask is inverted and the chunks of tissue remain fixed to the bottom of the flask and fresh media (e.g., Ham's F12 media, with 10% FBS, penicillin and streptomycin) is added. The flasks are then incubated at 37 degree C for approximately one week.

At this time, fresh media is added and subsequently changed every several days. After an additional two weeks in culture, a monolayer of fibroblasts emerge. The monolayer is trypsinized and scaled into larger flasks.

pMV-7 (Kirschmeier, P.T. et al., DNA, 7:219-25 (1988)), flanked by the long terminal repeats of the Moloney murine sarcoma virus, is digested with EcoRI and HindIII and subsequently treated with calf intestinal phosphatase. The linear vector is fractionated on agarose gel and purified, using glass beads.

The cDNA encoding a polypeptide of the present invention can be amplified using PCR primers which correspond to the 5' and 3' end sequences respectively as set forth in Example 1 using primers and having appropriate restriction sites and initiation/stop codons, if necessary. Preferably, the 5' primer contains an EcoRI site and the 3' primer includes a HindIII site. Equal quantities of the Moloney murine sarcoma virus linear backbone and the amplified EcoRI and HindIII fragment are added together, in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The ligation mixture is then used to transform bacteria HB101, which are then plated onto agar containing kanamycin for the purpose of confirming that the vector has the gene of interest properly inserted.

The amphotropic pA317 or GP+am12 packaging cells are grown in tissue culture to confluent density in Dulbecco's Modified Eagles Medium (DMEM) with 10% calf serum (CS), penicillin and streptomycin. The MSV vector containing the gene is then added to the media and the packaging cells transduced with the vector. The packaging cells now produce infectious viral particles containing the gene (the packaging cells are now referred to as producer cells).

Fresh media is added to the transduced producer cells, and subsequently, the media is harvested from a 10 cm plate of confluent producer cells. The spent media, containing the infectious viral particles, is filtered through a millipore filter to remove detached producer cells and this media is then used to infect fibroblast cells. Media is removed from a sub-confluent plate of fibroblasts and quickly replaced with the media from the producer cells. This media is removed

and replaced with fresh media. If the titer of virus is high, then virtually all fibroblasts will be infected and no selection is required. If the titer is very low, then it is necessary to use a retroviral vector that has a selectable marker, such as neo or his. Once the fibroblasts have been efficiently infected, the fibroblasts are analyzed to determine whether protein is produced.

The engineered fibroblasts are then transplanted onto the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads.

Example 17: Gene Therapy Using Endogenous Genes Corresponding To Polynucleotides of the Invention

Another method of gene therapy according to the present invention involves operably associating the endogenous polynucleotide sequence of the invention with a promoter via homologous recombination as described, for example, in U.S. Patent NO: 5,641,670, issued June 24, 1997; International Publication NO: WO 96/29411, published September 26, 1996; International Publication NO: WO 94/12650, published August 4, 1994; Koller et al., *Proc. Natl. Acad. Sci. USA*, 86:8932-8935 (1989); and Zijlstra et al., *Nature*, 342:435-438 (1989). This method involves the activation of a gene which is present in the target cells, but which is not expressed in the cells, or is expressed at a lower level than desired.

Polynucleotide constructs are made which contain a promoter and targeting sequences, which are homologous to the 5' non-coding sequence of endogenous polynucleotide sequence, flanking the promoter. The targeting sequence will be sufficiently near the 5' end of the polynucleotide sequence so the promoter will be operably linked to the endogenous sequence upon homologous recombination. The promoter and the targeting sequences can be amplified using PCR. Preferably, the amplified promoter contains distinct restriction enzyme sites on the 5' and 3' ends. Preferably, the 3' end of the first targeting sequence contains the same restriction enzyme site as the 5' end of the amplified promoter and the 5' end of the second targeting sequence contains the same restriction site as the 3' end of the amplified promoter.

The amplified promoter and the amplified targeting sequences are digested with the appropriate restriction enzymes and subsequently treated with calf intestinal phosphatase. The digested promoter and digested targeting sequences are added together in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The construct is size fractionated on an agarose gel, then purified by phenol extraction and ethanol precipitation.

In this Example, the polynucleotide constructs are administered as naked polynucleotides via electroporation. However, the polynucleotide constructs may also be administered with transfection-facilitating agents, such as liposomes, viral sequences, viral particles, precipitating agents, etc. Such methods of delivery are known in the art.

Once the cells are transfected, homologous recombination will take place which results in the promoter being operably linked to the endogenous polynucleotide sequence. This results in the expression of polynucleotide corresponding to the polynucleotide in the cell. Expression may be detected by immunological staining, or any other method known in the art.

Fibroblasts are obtained from a subject by skin biopsy. The resulting tissue is placed in DMEM + 10% fetal calf serum. Exponentially growing or early stationary phase fibroblasts are trypsinized and rinsed from the plastic surface with nutrient medium. An aliquot of the cell suspension is removed for counting, and the remaining cells are subjected to centrifugation. The supernatant is aspirated and the pellet is resuspended in 5 ml of electroporation buffer (20 mM HEPES pH 7.3, 137 mM NaCl, 5 mM KCl, 0.7 mM Na_2 HPO_4, 6 mM dextrose). The cells are recentrifuged, the supernatant aspirated, and the cells resuspended in electroporation buffer containing 1 mg/ml acetylated bovine serum albumin. The final cell suspension contains approximately $3X10^6$ cells/ml. Electroporation should be performed immediately following resuspension.

Plasmid DNA is prepared according to standard techniques. For example, to construct a plasmid for targeting to the locus corresponding to the polynucleotide of the invention, plasmid pUC18 (MBI Fermentas, Amherst, NY) is digested with HindIII. The CMV promoter is amplified by PCR with an XbaI site on the 5' end and a BamHI site on the 3' end. Two non-coding sequences are amplified via PCR: one non-coding sequence (fragment 1) is amplified with a HindIII site at the 5' end and an Xba site at the 3'end; the other non-coding sequence (fragment 2) is amplified with a BamHI site at the 5'end and a HindIII site at the 3'end. The CMV promoter and the fragments (1 and 2) are digested with the appropriate enzymes (CMV promoter - XbaI and BamHI; fragment 1 - XbaI; fragment 2 - BamHI) and ligated together. The resulting ligation product is digested with HindIII, and ligated with the HindIII-digested pUC18 plasmid.

Plasmid DNA is added to a sterile cuvette with a 0.4 cm electrode gap (Bio-Rad). The final DNA concentration is generally at least 120 μg/ml. 0.5 ml of the cell suspension (containing approximately $1.5.X10^6$ cells) is then added to the cuvette, and the cell suspension and DNA solutions are gently mixed. Electroporation is performed with a Gene-Pulser apparatus (Bio-Rad). Capacitance and voltage are set at 960 μF and 250-300 V, respectively. As voltage increases, cell survival decreases, but the percentage of surviving cells that stably incorporate the introduced DNA into their genome increases dramatically. Given these parameters, a pulse time of approximately 14-20 mSec should be observed.

Electroporated cells are maintained at room temperature for approximately 5 min, and the contents of the cuvette are then gently removed with a sterile transfer pipette. The cells are added directly to 10 ml of prewarmed nutrient media (DMEM with 15% calf serum) in a 10 cm dish and incubated at 37 degree C. The following day, the media is aspirated and replaced with 10 ml of fresh media and incubated for a further 16-24 hours.

The engineered fibroblasts are then injected into the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads. The fibroblasts now produce the protein product. The fibroblasts can then be introduced into a patient as described above.

Example 18: Method of Treatment Using Gene Therapy - In Vivo

Another aspect of the present invention is using *in vivo* gene therapy methods to prevent, treat, and/or ameliorate cardiovascular diseases and disorders. The gene therapy method relates to the introduction of naked nucleic acid (DNA, RNA, and antisense DNA or RNA) sequences into an animal to increase or decrease the expression of the polypeptide. The polynucleotide of the present invention may be operatively linked to (i.e., associated with) a promoter or any other genetic elements necessary for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques and methods are known in the art, see, for example, WO90/11092, WO98/11779; U.S. Patent NO. 5693622, 5705151, 5580859; Tabata et al., Cardiovasc. Res. 35(3):470-479 (1997); Chao et al., Pharmacol. Res. 35(6):517-522 (1997); Wolff, Neuromuscul. Disord. 7(5):314-318 (1997); Schwartz et al., Gene Ther. 3(5):405-411 (1996); Tsurumi et al., Circulation 94(12):3281-3290 (1996) (incorporated herein by reference).

The polynucleotide constructs may be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of tissues (heart, muscle, skin, lung, liver, intestine and the like). The polynucleotide constructs can be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

The term "naked" polynucleotide, DNA or RNA, refers to sequences that are free from any delivery vehicle that acts to assist, promote, or facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating agents and the like. However, the polynucleotides of the present invention may also be delivered in liposome formulations (such as those taught in Felgner P.L. et al. (1995) Ann. NY Acad. Sci. 772:126-139 and Abdallah B. et al. (1995) Biol. Cell 85(1):1-7) which can be prepared by methods well known to those skilled in the art.

The polynucleotide vector constructs used in the gene therapy method are preferably constructs that will not integrate into the host genome nor will they contain sequences that allow for replication. Any strong promoter known to those skilled in the art can be used for driving the expression of DNA. Unlike other gene therapy techniques, one major advantage of introducing naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.

The polynucleotide construct can be delivered to the interstitial space of tissues within an animal, including muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph,

blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis, ovary, uterus, rectum, nervous system, eye, gland, and connective tissue. Interstitial space of the tissues comprises the intercellular fluid, mucopolysaccharide matrix among the reticular fibers of organ tissues, elastic fibers in the walls of vessels or chambers, collagen fibers of fibrous tissues, or that same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by the plasma of the circulation and the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is preferred for the reasons discussed below. They may be conveniently delivered by injection into the tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such as, for example, stem cells of blood or skin fibroblasts. *In vivo* muscle cells are particularly competent in their ability to take up and express polynucleotides.

For the naked polynucleotide injection, an effective dosage amount of DNA or RNA will be in the range of from about 0.05 g/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably from about 0.05 mg/kg to about 5 mg/kg. Of course, as the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration. The preferred route of administration is by the parenteral route of injection into the interstitial space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous membranes of the nose. In addition, naked polynucleotide constructs can be delivered to arteries during angioplasty by the catheter used in the procedure.

The dose response effects of injected polynucleotide in muscle *in vivo* is determined as follows. Suitable template DNA for production of mRNA coding for polypeptide of the present invention is prepared in accordance with a standard recombinant DNA methodology. The template DNA, which may be either circular or linear, is either used as naked DNA or complexed with liposomes. The quadriceps muscles of mice are then injected with various amounts of the template DNA.

Five to six week old female and male Balb/C mice are anesthetized by intraperitoneal injection with 0.3 ml of 2.5% Avertin. A 1.5 cm incision is made on the anterior thigh, and the quadriceps muscle is directly visualized. The template DNA is injected in 0.1 ml of carrier in a 1 cc syringe through a 27 gauge needle over one minute, approximately 0.5 cm from the distal insertion site of the muscle into the knee and about 0.2 cm deep. A suture is placed over the injection site for future localization, and the skin is closed with stainless steel clips.

After an appropriate incubation time (e.g., 7 days) muscle extracts are prepared by

excising the entire quadriceps. Every fifth 15 um cross-section of the individual quadriceps muscles is histochemically stained for protein expression. A time course for protein expression may be done in a similar fashion except that quadriceps from different mice are harvested at different times. Persistence of DNA in muscle following injection may be determined by Southern blot analysis after preparing total cellular DNA and HIRT supernatants from injected and control mice. The results of the above experimentation in mice can be used to extrapolate proper dosages and other treatment parameters in humans and other animals using naked DNA.

Example 19: Transgenic Animals

The polypeptides of the invention can also be expressed in transgenic animals. Animals of any species, including, but not limited to, mice, rats, rabbits, hamsters, guinea pigs, pigs, micro-pigs, goats, sheep, cows and non-human primates, *e.g.*, baboons, monkeys, and chimpanzees may be used to generate transgenic animals. In a specific embodiment, techniques described herein or otherwise known in the art, are used to express polypeptides of the invention in humans, as part of a gene therapy protocol.

Any technique known in the art may be used to introduce the transgene (i.e., polynucleotides of the invention) into animals to produce the founder lines of transgenic animals. Such techniques include, but are not limited to, pronuclear microinjection (Paterson et al., Appl. Microbiol. Biotechnol. 40:691-698 (1994); Carver et al., Biotechnology (NY) 11:1263-1270 (1993); Wright et al., Biotechnology (NY) 9:830-834 (1991); and Hoppe et al., U.S. Pat. No. 4,873,191 (1989)); retrovirus mediated gene transfer into germ lines (Van der Putten et al., Proc. Natl. Acad. Sci., USA 82:6148-6152 (1985)), blastocysts or embryos; gene targeting in embryonic stem cells (Thompson et al., Cell 56:313-321 (1989)); electroporation of cells or embryos (Lo, 1983, Mol Cell. Biol. 3:1803-1814 (1983)); introduction of the polynucleotides of the invention using a gene gun (see, e.g., Ulmer et al., Science 259:1745 (1993); introducing nucleic acid constructs into embryonic pleuripotent stem cells and transferring the stem cells back into the blastocyst; and sperm-mediated gene transfer (Lavitrano et al., Cell 57:717-723 (1989); etc. For a review of such techniques, see Gordon, "Transgenic Animals," Intl. Rev. Cytol. 115:171-229 (1989), which is incorporated by reference herein in its entirety.

Any technique known in the art may be used to produce transgenic clones containing polynucleotides of the invention, for example, nuclear transfer into enucleated oocytes of nuclei from cultured embryonic, fetal, or adult cells induced to quiescence (Campell et al., Nature 380:64-66 (1996); Wilmut et al., Nature 385:810-813 (1997)).

The present invention provides for transgenic animals that carry the transgene in all their cells, as well as animals which carry the transgene in some, but not all their cells, *i.e.*, mosaic animals or chimeric. The transgene may be integrated as a single transgene or as multiple copies

such as in concatamers, *e.g.*, head-to-head tandems or head-to-tail tandems. The transgene may also be selectively introduced into and activated in a particular cell type by following, for example, the teaching of Lasko et al. (Lasko et al., Proc. Natl. Acad. Sci. USA 89:6232-6236 (1992)). The regulatory sequences required for such a cell-type specific activation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art. When it is desired that the polynucleotide transgene be integrated into the chromosomal site of the endogenous gene, gene targeting is preferred. Briefly, when such a technique is to be utilized, vectors containing some nucleotide sequences homologous to the endogenous gene are designed for the purpose of integrating, via homologous recombination with chromosomal sequences, into and disrupting the function of the nucleotide sequence of the endogenous gene. The transgene may also be selectively introduced into a particular cell type, thus inactivating the endogenous gene in only that cell type, by following, for example, the teaching of Gu et al. (Gu et al., Science 265:103-106 (1994)). The regulatory sequences required for such a cell-type specific inactivation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art.

Once transgenic animals have been generated, the expression of the recombinant gene may be assayed utilizing standard techniques. Initial screening may be accomplished by Southern blot analysis or PCR techniques to analyze animal tissues to verify that integration of the transgene has taken place. The level of mRNA expression of the transgene in the tissues of the transgenic animals may also be assessed using techniques which include, but are not limited to, Northern blot analysis of tissue samples obtained from the animal, *in situ* hybridization analysis, and reverse transcriptase-PCR (rt-PCR). Samples of transgenic gene-expressing tissue may also be evaluated immunocytochemically or immunohistochemically using antibodies specific for the transgene product.

Once the founder animals are produced, they may be bred, inbred, outbred, or crossbred to produce colonies of the particular animal. Examples of such breeding strategies include, but are not limited to: outbreeding of founder animals with more than one integration site in order to establish separate lines; inbreeding of separate lines in order to produce compound transgenics that express the transgene at higher levels because of the effects of additive expression of each transgene; crossing of heterozygous transgenic animals to produce animals homozygous for a given integration site in order to both augment expression and eliminate the need for screening of animals by DNA analysis; crossing of separate homozygous lines to produce compound heterozygous or homozygous lines; and breeding to place the transgene on a distinct background that is appropriate for an experimental model of interest.

Transgenic animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

Example 20: Knock-Out Animals

Endogenous gene expression can also be reduced by inactivating or "knocking out" the gene and/or its promoter using targeted homologous recombination. (e.g., see Smithies et al., Nature 317:230-234 (1985); Thomas & Capecchi, Cell 51:503-512 (1987); Thompson et al., Cell 5:313-321 (1989); each of which is incorporated by reference herein in its entirety). For example, a mutant, non-functional polynucleotide of the invention (or a completely unrelated DNA sequence) flanked by DNA homologous to the endogenous polynucleotide sequence (either the coding regions or regulatory regions of the gene) can be used, with or without a selectable marker and/or a negative selectable marker, to transfect cells that express polypeptides of the invention *in vivo*. In another embodiment, techniques known in the art are used to generate knockouts in cells that contain, but do not express the gene of interest. Insertion of the DNA construct, via targeted homologous recombination, results in inactivation of the targeted gene. Such approaches are particularly suited in research and agricultural fields where modifications to embryonic stem cells can be used to generate animal offspring with an inactive targeted gene (e.g., see Thomas & Capecchi 1987 and Thompson 1989, *supra*). However this approach can be routinely adapted for use in humans provided the recombinant DNA constructs are directly administered or targeted to the required site *in vivo* using appropriate viral vectors that will be apparent to those of skill in the art.

In further embodiments of the invention, cells that are genetically engineered to express the polypeptides of the invention, or alternatively, that are genetically engineered not to express the polypeptides of the invention (e.g., knockouts) are administered to a patient *in vivo*. Such cells may be obtained from the patient (i.e., animal, including human) or an MHC compatible donor and can include, but are not limited to fibroblasts, bone marrow cells, blood cells (e.g., lymphocytes), adipocytes, muscle cells, endothelial cells etc. The cells are genetically engineered *in vitro* using recombinant DNA techniques to introduce the coding sequence of polypeptides of the invention into the cells, or alternatively, to disrupt the coding sequence and/or endogenous regulatory sequence associated with the polypeptides of the invention, e.g., by transduction (using viral vectors, and preferably vectors that integrate the transgene into the cell genome) or transfection procedures, including, but not limited to, the use of plasmids, cosmids, YACs, naked DNA, electroporation, liposomes, etc. The coding sequence of the polypeptides of the invention can be placed under the control of a strong constitutive or inducible promoter or promoter/enhancer to achieve expression, and preferably secretion, of the polypeptides of the invention. The engineered cells which express and preferably secrete the polypeptides of the invention can be introduced into the patient systemically, e.g., in the circulation, or intraperitoneally.

Alternatively, the cells can be incorporated into a matrix and implanted in the body, e.g., genetically engineered fibroblasts can be implanted as part of a skin graft; genetically engineered endothelial cells can be implanted as part of a lymphatic or vascular graft. (See, for example, Anderson et al. U.S. Patent No. 5,399,349; and Mulligan & Wilson, U.S. Patent No. 5,460,959 each of which is incorporated by reference herein in its entirety).

When the cells to be administered are non-autologous or non-MHC compatible cells, they can be administered using well known techniques which prevent the development of a host immune response against the introduced cells. For example, the cells may be introduced in an encapsulated form which, while allowing for an exchange of components with the immediate extracellular environment, does not allow the introduced cells to be recognized by the host immune system.

Transgenic and "knock-out" animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

Example 21: Biological Effects of Agonists or Antagonists of the Invention

Fibroblast and endothelial cell assays:

Human lung fibroblasts are obtained from Clonetics (San Diego, CA) and maintained in growth media from Clonetics. Dermal microvascular endothelial cells are obtained from Cell Applications (San Diego, CA). For proliferation assays, the human lung fibroblasts and dermal microvascular endothelial cells can be cultured at 5,000 cells/well in a 96-well plate for one day in growth medium. The cells are then incubated for one day in 0.1% BSA basal medium. After replacing the medium with fresh 0.1% BSA medium, the cells are incubated with the test proteins for 3 days. Alamar Blue (Alamar Biosciences, Sacramento, CA) is added to each well to a final concentration of 10%. The cells are incubated for 4 hr. Cell viability is measured by reading in a CytoFluor fluorescence reader. For the PGE_2 assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or agonists or antagonists of the invention with or without IL-1α for 24 hours. The supernatants are collected and assayed for PGE_2 by EIA kit (Cayman, Ann Arbor, MI). For the IL-6 assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or with or without agonists or antagonists of the invention IL-1α for 24 hours. The supernatants are collected and assayed for IL-6 by ELISA kit (Endogen, Cambridge, MA).

Human lung fibroblasts are cultured with FGF-2 or agonists or antagonists of the invention for 3 days in basal medium before the addition of Alamar Blue to assess effects on growth of the fibroblasts. FGF-2 should show a stimulation at 10 - 2500 ng/ml which can be used to compare stimulation with agonists or antagonists of the invention.

Example 22: The Effect of Agonists or Antagonists of the Invention on the Growth of Vascular Endothelial Cells

On day 1, human umbilical vein endothelial cells (HUVEC) are seeded at 2-5x10^4 cells/35 mm dish density in M199 medium containing 4% fetal bovine serum (FBS), 16 units/ml heparin, and 50 units/ml endothelial cell growth supplements (ECGS, Biotechnique, Inc.). On day 2, the medium is replaced with M199 containing 10% FBS, 8 units/ml heparin. An agonist or antagonist of the invention, and positive controls, such as VEGF and basic FGF (bFGF) are added, at varying concentrations. On days 4 and 6, the medium is replaced. On day 8, cell number is determined with a Coulter Counter.

An increase in the number of HUVEC cells indicates that the compound of the invention may proliferate vascular endothelial cells, while a decrease in the number of HUVEC cells indicates that the compound of the invention inhibits vascular endothelial cells.

The studies described in this example tested activity of a polypeptide of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), agonists, and/or antagonists of the invention.

Example 23: Lymphadema Animal Model

The purpose of this experimental approach is to create an appropriate and consistent lymphedema model for testing the therapeutic effects of an agonist or antagonist of the invention in lymphangiogenesis and re-establishment of the lymphatic circulatory system in the rat hind limb. Effectiveness is measured by swelling volume of the affected limb, quantification of the amount of lymphatic vasculature, total blood plasma protein, and histopathology. Acute lymphedema is observed for 7-10 days. Perhaps more importantly, the chronic progress of the edema is followed for up to 3-4 weeks.

Prior to beginning surgery, blood sample is drawn for protein concentration analysis. Male rats weighing approximately ~350g are dosed with Pentobarbital. Subsequently, the right legs are shaved from knee to hip. The shaved area is swabbed with gauze soaked in 70% EtOH. Blood is drawn for serum total protein testing. Circumference and volumetric measurements are made prior to

injecting dye into paws after marking 2 measurement levels (0.5 cm above heel, at mid-pt of dorsal paw). The intradermal dorsum of both right and left paws are injected with 0.05 ml of 1% Evan's Blue. Circumference and volumetric measurements are then made following injection of dye into paws.

Using the knee joint as a landmark, a mid-leg inguinal incision is made circumferentially allowing the femoral vessels to be located. Forceps and hemostats are used to dissect and separate the skin flaps. After locating the femoral vessels, the lymphatic vessel that runs along side and underneath the vessel(s) is located. The main lymphatic vessels in this area are then electrically coagulated or suture ligated.

Using a microscope, muscles in back of the leg (near the semitendinosis and adductors) are bluntly dissected. The popliteal lymph node is then located. The 2 proximal and 2 distal lymphatic vessels and distal blood supply of the popliteal node are then ligated by suturing. The popliteal lymph node, and any accompanying adipose tissue, is then removed by cutting connective tissues.

Care is taken to control any mild bleeding resulting from this procedure. After lymphatics are occluded, the skin flaps are sealed by using liquid skin (Vetbond) (AJ Buck). The separated skin edges are sealed to the underlying muscle tissue while leaving a gap of ~0.5 cm around the leg. Skin also may be anchored by suturing to underlying muscle when necessary.

To avoid infection, animals are housed individually with mesh (no bedding). Recovering animals are checked daily through the optimal edematous peak, which typically occurred by day 5-7. The plateau edematous peak are then observed. To evaluate the intensity of the lymphedema, the circumference and volumes of 2 designated places on each paw before operation and daily for 7 days are measured. The effect of plasma proteins on lymphedema is determined and whether protein analysis is a useful testing perimeter is also investigated. The weights of both control and edematous limbs are evaluated at 2 places. Analysis is performed in a blind manner.

Circumference Measurements: Under brief gas anesthetic to prevent limb movement, a cloth tape is used to measure limb circumference. Measurements are done at the ankle bone and dorsal paw by 2 different people and those 2 readings are averaged. Readings are taken from both control and edematous limbs.

Volumetric Measurements: On the day of surgery, animals are anesthetized with Pentobarbital and are tested prior to surgery. For daily volumetrics animals are under brief halothane anesthetic (rapid immobilization and quick recovery), and both legs are shaved and equally marked using waterproof marker on legs. Legs are first dipped in water, then dipped into instrument to each marked level then measured by Buxco edema software(Chen/Victor). Data is recorded by one person, while the other is dipping the limb to marked area.

Blood-plasma protein measurements: Blood is drawn, spun, and serum separated prior to surgery and then at conclusion for total protein and $Ca2^{+}$ comparison.

Limb Weight Comparison: After drawing blood, the animal is prepared for tissue collection. The limbs are amputated using a quillitine, then both experimental and control legs are cut at the

ligature and weighed. A second weighing is done as the tibio-cacaneal joint is disarticulated and the foot is weighed.

Histological Preparations: The transverse muscle located behind the knee (popliteal) area is dissected and arranged in a metal mold, filled with freezeGel, dipped into cold methylbutane, placed into labeled sample bags at - 80EC until sectioning. Upon sectioning, the muscle is observed under fluorescent microscopy for lymphatics..

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 24: Suppression of TNF alpha-induced adhesion molecule expression by an Agonist or Antagonist of the Invention

The recruitment of lymphocytes to areas of inflammation and angiogenesis involves specific receptor-ligand interactions between cell surface adhesion molecules (CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and pathological settings, follows a multi-step cascade that involves intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the local tissue during the development of an inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.

Tumor necrosis factor alpha (TNF-a), a potent proinflammatory cytokine, is a stimulator of all three CAMs on endothelial cells and may be involved in a wide variety of inflammatory responses, often resulting in a pathological outcome.

The potential of an agonist or antagonist of the invention to mediate a suppression of TNF-a induced CAM expression can be examined. A modified ELISA assay which uses ECs as a solid phase absorbent is employed to measure the amount of CAM expression on TNF-a treated ECs when co-stimulated with a member of the FGF family of proteins.

To perform the experiment, human umbilical vein endothelial cell (HUVEC) cultures are obtained from pooled cord harvests and maintained in growth medium (EGM-2; Clonetics, San Diego, CA) supplemented with 10% FCS and 1% penicillin/streptomycin in a 37 degree C humidified incubator containing 5% CO_2. HUVECs are seeded in 96-well plates at concentrations of 1×10^4 cells/well in EGM medium at 37 degree C for 18-24 hrs or until confluent. The monolayers are subsequently washed 3 times with a serum-free solution of RPMI-1640 supplemented with 100 U/ml

penicillin and 100 mg/ml streptomycin, and treated with a given cytokine and/or growth factor(s) for 24 h at 37 degree C. Following incubation, the cells are then evaluated for CAM expression.

Human Umbilical Vein Endothelial cells (HUVECs) are grown in a standard 96 well plate to confluence. Growth medium is removed from the cells and replaced with 90 ul of 199 Medium (10% FBS). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10 ul volumes). Plates are incubated at 37 degree C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to remove medium and 100 μl of 0.1% paraformaldehyde-PBS(with Ca++ and Mg++) is added to each well. Plates are held at 4°C for 30 min.

Fixative is then removed from the wells and wells are washed 1X with PBS(+Ca,Mg)+0.5% BSA and drained. Do not allow the wells to dry. Add 10 μl of diluted primary antibody to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin and Anti-E-selectin-Biotin are used at a concentration of 10 μg/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed X3 with PBS(+Ca,Mg)+0.5% BSA.

Then add 20 μl of diluted ExtrAvidin-Alkaline Phosphotase (1:5,000 dilution) to each well and incubated at 37°C for 30 min. Wells are washed X3 with PBS(+Ca,Mg)+0.5% BSA. 1 tablet of p-Nitrophenol Phosphate pNPP is dissolved in 5 ml of glycine buffer (pH 10.4). 100 μl of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphotase in glycine buffer: 1:5,000 (10^{0}) > $10^{-0.5}$ > 10^{-1} > $10^{-1.5}$. 5 μl of each dilution is added to triplicate wells and the resulting AP content in each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100 μl of pNNP reagent must then be added to each of the standard wells. The plate must be incubated at 37°C for 4h. A volume of 50 μl of 3M NaOH is added to all wells. The results are quantified on a plate reader at 405 nm. The background subtraction option is used on blank wells filled with glycine buffer only. The template is set up to indicate the concentration of AP-conjugate in each standard well [5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng]. Results are indicated as amount of bound AP-conjugate in each sample.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 25: Production Of Polypeptide of the Invention For High-Throughput Screening Assays

The following protocol produces a supernatant containing polypeptide of the present invention to be tested. This supernatant can then be used in the Screening Assays described in Examples 27-30.

First, dilute Poly-D-Lysine (644 587 Boehringer-Mannheim) stock solution (1mg/ml in PBS) 1:20 in PBS (w/o calcium or magnesium 17-516F Biowhittaker) for a working solution of

50ug/ml. Add 200 ul of this solution to each well (24 well plates) and incubate at RT for 20 minutes. Be sure to distribute the solution over each well (note: a 12-channel pipetter may be used with tips on every other channel). Aspirate off the Poly-D-Lysine solution and rinse with 1ml PBS (Phosphate Buffered Saline). The PBS should remain in the well until just prior to plating the cells and plates may be poly-lysine coated in advance for up to two weeks.

Plate 293T cells (do not carry cells past P+20) at 2 x 10^5 cells/well in .5ml DMEM(Dulbecco's Modified Eagle Medium)(with 4.5 G/L glucose and L-glutamine (12-604F Biowhittaker))/10% heat inactivated FBS(14-503F Biowhittaker)/1x Penstrep(17-602E Biowhittaker). Let the cells grow overnight.

The next day, mix together in a sterile solution basin: 300 ul Lipofectamine (18324-012 Gibco/BRL) and 5ml Optimem I (31985070 Gibco/BRL)/96-well plate. With a small volume multi-channel pipetter, aliquot approximately 2ug of an expression vector containing a polynucleotide insert, produced by the methods described in Examples 8-10, into an appropriately labeled 96-well round bottom plate. With a multi-channel pipetter, add 50ul of the Lipofectamine/Optimem I mixture to each well. Pipette up and down gently to mix. Incubate at RT 15-45 minutes. After about 20 minutes, use a multi-channel pipetter to add 150ul Optimem I to each well. As a control, one plate of vector DNA lacking an insert should be transfected with each set of transfections.

Preferably, the transfection should be performed by tag-teaming the following tasks. By tag-teaming, hands on time is cut in half, and the cells do not spend too much time on PBS. First, person A aspirates off the media from four 24-well plates of cells, and then person B rinses each well with .5-1ml PBS. Person A then aspirates off PBS rinse, and person B, using a12-channel pipetter with tips on every other channel, adds the 200ul of DNA/Lipofectamine/Optimem I complex to the odd wells first, then to the even wells, to each row on the 24-well plates. Incubate at 37 degree C for 6 hours.

While cells are incubating, prepare appropriate media, either 1%BSA in DMEM with 1x penstrep, or HGS CHO-5 media (116.6 mg/L of CaCl2 (anhyd); 0.00130 mg/L $CuSO_4$-$5H_2O$; 0.050 mg/L of $Fe(NO_3)_3$-$9H_2O$; 0.417 mg/L of $FeSO_4$-$7H_2O$; 311.80 mg/L of Kcl; 28.64 mg/L of $MgCl_2$; 48.84 mg/L of $MgSO_4$; 6995.50 mg/L of NaCl; 2400.0 mg/L of $NaHCO_3$; 62.50 mg/L of NaH_2PO_4-H_20; 71.02 mg/L of Na_2HPO4; .4320 mg/L of $ZnSO_4$-$7H_2O$; .002 mg/L of Arachidonic Acid ; 1.022 mg/L of Cholesterol; .070 mg/L of DL-alpha-Tocopherol-Acetate; 0.0520 mg/L of Linoleic Acid; 0.010 mg/L of Linolenic Acid; 0.010 mg/L of Myristic Acid; 0.010 mg/L of Oleic Acid; 0.010 mg/L of Palmitric Acid; 0.010 mg/L of Palmitic Acid; 100 mg/L of Pluronic F-68; 0.010 mg/L of Stearic Acid; 2.20 mg/L of Tween 80; 4551 mg/L of D-Glucose; 130.85 mg/ml of L- Alanine; 147.50 mg/ml of L-Arginine-HCL; 7.50 mg/ml of L-Asparagine-H_20; 6.65 mg/ml of L-Aspartic Acid; 29.56 mg/ml of L-Cystine-2HCL-H_20; 31.29 mg/ml of L-

Cystine-2HCL; 7.35 mg/ml of L-Glutamic Acid; 365.0 mg/ml of L-Glutamine; 18.75 mg/ml of Glycine; 52.48 mg/ml of L-Histidine-HCL-H_20; 106.97 mg/ml of L-Isoleucine; 111.45 mg/ml of L-Leucine; 163.75 mg/ml of L-Lysine HCL; 32.34 mg/ml of L-Methionine; 68.48 mg/ml of L-Phenylalainine; 40.0 mg/ml of L-Proline; 26.25 mg/ml of L-Serine; 101.05 mg/ml of L-Threonine; 19.22 mg/ml of L-Tryptophan; 91.79 mg/ml of L-Tryrosine-2Na-2H_20; and 99.65 mg/ml of L-Valine; 0.0035 mg/L of Biotin; 3.24 mg/L of D-Ca Pantothenate; 11.78 mg/L of Choline Chloride; 4.65 mg/L of Folic Acid; 15.60 mg/L of i-Inositol; 3.02 mg/L of Niacinamide; 3.00 mg/L of Pyridoxal HCL; 0.031 mg/L of Pyridoxine HCL; 0.319 mg/L of Riboflavin; 3.17 mg/L of Thiamine HCL; 0.365 mg/L of Thymidine; 0.680 mg/L of Vitamin B_{12}; 25 mM of HEPES Buffer; 2.39 mg/L of Na Hypoxanthine; 0.105 mg/L of Lipoic Acid; 0.081 mg/L of Sodium Putrescine-2HCL; 55.0 mg/L of Sodium Pyruvate; 0.0067 mg/L of Sodium Selenite; 20uM of Ethanolamine; 0.122 mg/L of Ferric Citrate; 41.70 mg/L of Methyl-B-Cyclodextrin complexed with Linoleic Acid; 33.33 mg/L of Methyl-B-Cyclodextrin complexed with Oleic Acid; 10 mg/L of Methyl-B-Cyclodextrin complexed with Retinal Acetate. Adjust osmolarity to 327 mOsm) with 2mm glutamine and 1x penstrep. (BSA (81-068-3 Bayer) 100gm dissolved in 1L DMEM for a 10% BSA stock solution). Filter the media and collect 50 ul for endotoxin assay in 15ml polystyrene conical.

The transfection reaction is terminated, preferably by tag-teaming, at the end of the incubation period. Person A aspirates off the transfection media, while person B adds 1.5ml appropriate media to each well. Incubate at 37 degree C for 45 or 72 hours depending on the media used: 1%BSA for 45 hours or CHO-5 for 72 hours.

On day four, using a 300ul multichannel pipetter, aliquot 600ul in one 1ml deep well plate and the remaining supernatant into a 2ml deep well. The supernatants from each well can then be used in the assays described in Examples 27-30.

It is specifically understood that when activity is obtained in any of the assays described below using a supernatant, the activity originates from either the polypeptide of the present invention directly (e.g., as a secreted protein) or by polypeptide of the present invention inducing expression of other proteins, which are then secreted into the supernatant. Thus, the invention further provides a method of identifying the protein in the supernatant characterized by an activity in a particular assay.

Example 26: Construction of GAS Reporter Construct

One signal transduction pathway involved in the differentiation and proliferation of cells is called the Jaks-STATs pathway. Activated proteins in the Jaks-STATs pathway bind to gamma activation site "GAS" elements or interferon-sensitive responsive element ("ISRE"),

located in the promoter of many genes. The binding of a protein to these elements alter the expression of the associated gene.

GAS and ISRE elements are recognized by a class of transcription factors called Signal Transducers and Activators of Transcription, or "STATs." There are six members of the STATs family. Stat1 and Stat3 are present in many cell types, as is Stat2 (as response to IFN-alpha is widespread). Stat4 is more restricted and is not in many cell types though it has been found in T helper class I, cells after treatment with IL-12. Stat5 was originally called mammary growth factor, but has been found at higher concentrations in other cells including myeloid cells. It can be activated in tissue culture cells by many cytokines.

The STATs are activated to translocate from the cytoplasm to the nucleus upon tyrosine phosphorylation by a set of kinases known as the Janus Kinase ("Jaks") family. Jaks represent a distinct family of soluble tyrosine kinases and include Tyk2, Jak1, Jak2, and Jak3. These kinases display significant sequence similarity and are generally catalytically inactive in resting cells.

The Jaks are activated by a wide range of receptors summarized in the Table below. (Adapted from review by Schidler and Darnell, Ann. Rev. Biochem. 64:621-51 (1995)). A cytokine receptor family, capable of activating Jaks, is divided into two groups: (a) Class 1 includes receptors for IL-2, IL-3, IL-4, IL-6, IL-7, IL-9, IL-11, IL-12, IL-15, Epo, PRL, GH, G-CSF, GM-CSF, LIF, CNTF, and thrombopoietin; and (b) Class 2 includes IFN-a, IFN-g, and IL-10. The Class 1 receptors share a conserved cysteine motif (a set of four conserved cysteines and one tryptophan) and a WSXWS motif (a membrane proximal region encoding Trp-Ser-Xaa-Trp-Ser (SEQ ID NO: 2)).

Thus, on binding of a ligand to a receptor, Jaks are activated, which in turn activate STATs, which then translocate and bind to GAS elements. This entire process is encompassed in the Jaks-STATs signal transduction pathway. Therefore, activation of the Jaks-STATs pathway, reflected by the binding of the GAS or the ISRE element, can be used to indicate proteins involved in the proliferation and differentiation of cells. For example, growth factors and cytokines are known to activate the Jaks-STATs pathway (See Table below). Thus, by using GAS elements linked to reporter molecules, activators of the Jaks-STATs pathway can be identified.

Ligand	JAKs tyk2	Jak1	Jak2	Jak3	STATS	GAS(elements) or ISRE
IFN family						
IFN-a/B	+	+	-	-	1,2,3	ISRE
IFN-g		+	+	-	1	GAS (IRF1>Lys6>IFP)
Il-10	+	?	?	-	1,3	
gp130 family						
IL-6 (Pleiotropic)	+	+	+	?	1,3	GAS (IRF1>Lys6>IFP)
Il-11(Pleiotropic)	?	+	?	?	1,3	
OnM(Pleiotropic)	?	+	+	?	1,3	
LIF(Pleiotropic)	?	+	+	?	1,3	
CNTF(Pleiotropic)	-/+	+	+	?	1,3	
G-CSF(Pleiotropic)	?	+	?	?	1,3	
IL-12(Pleiotropic)	+	-	+	+	1,3	
g-C family						
IL-2 (lymphocytes)	-	+	-	+	1,3,5	GAS
IL-4 (lymph/myeloid)	-	+	-	+	6	GAS (IRF1 = IFP >>Ly6)(IgH)
IL-7 (lymphocytes)	-	+	-	+	5	GAS
IL-9 (lymphocytes)	-	+	-	+	5	GAS
IL-13 (lymphocyte)	-	+	?	?	6	GAS
IL-15	?	+	?	+	5	GAS
gp140 family						
IL-3 (myeloid)	-	-	+	-	5	GAS (IRF1>IFP>>Ly6)
IL-5 (myeloid)	-	-	+	-	5	GAS
GM-CSF (myeloid)	-	-	+	-	5	GAS
Growth hormone family						
GH	?	-	+	-	5	
PRL	?	+/-	+	-	1,3,5	
EPO	?	-	+	-	5	GAS(B-CAS>IRF1=IFP>>Ly6)
Receptor Tyrosine Kinases						
EGF	?	+	+	-	1,3	GAS (IRF1)
PDGF	?	+	+	-	1,3	
CSF-1	?	+	+	-	1,3	GAS (not IRF1)

To construct a synthetic GAS containing promoter element, a PCR based strategy is employed to generate a GAS-SV40 promoter sequence. The 5' primer contains four tandem copies of the GAS binding site found in the IRF1 promoter and previously demonstrated to bind STATs upon induction with a range of cytokines (Rothman et al., Immunity 1:457-468 (1994).), although other GAS or ISRE elements can be used instead. The 5' primer also contains 18bp of sequence complementary to the SV40 early promoter sequence and is flanked with an XhoI site. The sequence of the 5' primer is:

5':GCGCCTCGAGATTTCCCCGAAATCTAGATTTCCCCGAAATGATTTCCCCG AAATGATTTCCCCGAAATATCTGCCATCTCAATTAG:3' (SEQ ID NO: 3)

The downstream primer is complementary to the SV40 promoter and is flanked with a Hind III site: 5':GCGGCAAGCTTTTTGCAAAGCCTAGGC:3' (SEQ ID NO: 4)

PCR amplification is performed using the SV40 promoter template present in the B-gal:promoter plasmid obtained from Clontech. The resulting PCR fragment is digested with XhoI/Hind III and subcloned into BLSK2-. (Stratagene.) Sequencing with forward and reverse primers confirms that the insert contains the following sequence:

5':CTCGAGATTTCCCCGAAATCTAGATTTCCCCGAAATGATTTCCCCGAAAT GATTTCCCCGAAATATCTGCCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAAC TCCGCCCATCCCGCCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCCCCATGGCTGAC TAATTTTTTTTATTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTCCAGAAG TAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTT:3' (SEQ ID NO: 5)

With this GAS promoter element linked to the SV40 promoter, a GAS:SEAP2 reporter construct is next engineered. Here, the reporter molecule is a secreted alkaline phosphatase, or "SEAP." Clearly, however, any reporter molecule can be instead of SEAP, in this or in any of the other Examples. Well known reporter molecules that can be used instead of SEAP include chloramphenicol acetyltransferase (CAT), luciferase, alkaline phosphatase, B-galactosidase, green fluorescent protein (GFP), or any protein detectable by an antibody.

The above sequence confirmed synthetic GAS-SV40 promoter element is subcloned into the pSEAP-Promoter vector obtained from Clontech using HindIII and XhoI, effectively replacing the SV40 promoter with the amplified GAS:SV40 promoter element, to create the GAS-SEAP vector. However, this vector does not contain a neomycin resistance gene, and therefore, is not preferred for mammalian expression systems.

Thus, in order to generate mammalian stable cell lines expressing the GAS-SEAP reporter, the GAS-SEAP cassette is removed from the GAS-SEAP vector using SalI and NotI, and inserted into a backbone vector containing the neomycin resistance gene, such as pGFP-1 (Clontech), using these restriction sites in the multiple cloning site, to create the GAS-SEAP/Neo

vector. Once this vector is transfected into mammalian cells, this vector can then be used as a reporter molecule for GAS binding.

Other constructs can be made using the above description and replacing GAS with a different promoter sequence. However, many other promoters can be substituted using the protocols described in these Examples. For instance, SRE, IL-2, NFAT, or Osteocalcin promoters can be substituted, alone or in combination (e.g., GAS/NF-KB/EGR, GAS/NF-KB, Il-2/NFAT, or NF-KB/GAS). Similarly, other cell lines can be used to test reporter construct activity, such as HELA (epithelial), HUVEC (endothelial), Reh (B-cell), Saos-2 (osteoblast), HUVAC (aortic), or Cardiomyocyte.

Example 27: Assay for SEAP Activity

As a reporter molecule for the assays, SEAP activity is assayed using the Tropix Phospho-light Kit (Cat. BP-400) according to the following general procedure. The Tropix Phospho-light Kit supplies the Dilution, Assay, and Reaction Buffers used below.

Prime a dispenser with the 2.5x Dilution Buffer and dispense 15 ul of 2.5x dilution buffer into Optiplates containing 35 ul of a supernatant. Seal the plates with a plastic sealer and incubate at 65 degree C for 30 min. Separate the Optiplates to avoid uneven heating.

Cool the samples to room temperature for 15 minutes. Empty the dispenser and prime with the Assay Buffer. Add 50 ml Assay Buffer and incubate at room temperature 5 min. Empty the dispenser and prime with the Reaction Buffer (see the Table below). Add 50 ul Reaction Buffer and incubate at room temperature for 20 minutes. Since the intensity of the chemiluminescent signal is time dependent, and it takes about 10 minutes to read 5 plates on a luminometer, thus one should treat 5 plates at each time and start the second set 10 minutes later.

Read the relative light unit in the luminometer. Set H12 as blank, and print the results. An increase in chemiluminescence indicates reporter activity.

Reaction Buffer Formulation:

# of plates	Rxn buffer diluent (ml)	CSPD (ml)
10	60	3
11	65	3.25
12	70	3.5
13	75	3.75
14	80	4
15	85	4.25
16	90	4.5

17	95	4.75
18	100	5
19	105	5.25
20	110	5.5
21	115	5.75
22	120	6
23	125	6.25
24	130	6.5
25	135	6.75
26	140	7
27	145	7.25
28	150	7.5
29	155	7.75
30	160	8
31	165	8.25
32	170	8.5
33	175	8.75
34	180	9
35	185	9.25
36	190	9.5
37	195	9.75
38	200	10
39	205	10.25
40	210	10.5
41	215	10.75
42	220	11
43	225	11.25
44	230	11.5
45	235	11.75
46	240	12
47	245	12.25
48	250	12.5
49	255	12.75
50	260	13

Example 28: High-Throughput Screening Assay Identifying Changes in Small Molecule Concentration and Membrane Permeability

Binding of a ligand to a receptor is known to alter intracellular levels of small molecules, such as calcium, potassium, sodium, and pH, as well as alter membrane potential. These alterations can be measured in an assay to identify supernatants which bind to receptors of a particular cell. Although the following protocol describes an assay for calcium, this protocol can easily be modified to detect changes in potassium, sodium, pH, membrane potential, or any other small molecule which is detectable by a fluorescent probe.

The following assay uses Fluorometric Imaging Plate Reader ("FLIPR") to measure changes in fluorescent molecules (Molecular Probes) that bind small molecules. Clearly, any

fluorescent molecule detecting a small molecule can be used instead of the calcium fluorescent molecule, fluo-4 (Molecular Probes, Inc.; catalog no. F-14202), used here.

For adherent cells, seed the cells at 10,000 -20,000 cells/well in a Co-star black 96-well plate with clear bottom. The plate is incubated in a CO_2 incubator for 20 hours. The adherent cells are washed two times in Biotek washer with 200 ul of HBSS (Hank's Balanced Salt Solution) leaving 100 ul of buffer after the final wash.

A stock solution of 1 mg/ml fluo-4 is made in 10% pluronic acid DMSO. To load the cells with fluo-4, 50 ul of 12 ug/ml fluo-4 is added to each well. The plate is incubated at 37 degrees C in a CO_2 incubator for 60 min. The plate is washed four times in the Biotek washer with HBSS leaving 100 ul of buffer.

For non-adherent cells, the cells are spun down from culture media. Cells are re-suspended to 2-5x10^6 cells/ml with HBSS in a 50-ml conical tube. 4 ul of 1 mg/ml fluo-4 solution in 10% pluronic acid DMSO is added to each ml of cell suspension. The tube is then placed in a 37 degrees C water bath for 30-60 min. The cells are washed twice with HBSS, resuspended to 1x10^6 cells/ml, and dispensed into a microplate, 100 ul/well. The plate is centrifuged at 1000 rpm for 5 min. The plate is then washed once in Denley Cell Wash with 200 ul, followed by an aspiration step to 100 ul final volume.

For a non-cell based assay, each well contains a fluorescent molecule, such as fluo-4 . The supernatant is added to the well, and a change in fluorescence is detected.

To measure the fluorescence of intracellular calcium, the FLIPR is set for the following parameters: (1) System gain is 300-800 mW; (2) Exposure time is 0.4 second; (3) Camera F/stop is F/2; (4) Excitation is 488 nm; (5) Emission is 530 nm; and (6) Sample addition is 50 ul. Increased emission at 530 nm indicates an extracellular signaling event caused by the a molecule, either polypeptide of the present invention or a molecule induced by polypeptide of the present invention, which has resulted in an increase in the intracellular Ca^{++} concentration.

Example 29: High-Throughput Screening Assay Identifying Tyrosine Kinase Activity

The Protein Tyrosine Kinases (PTK) represent a diverse group of transmembrane and cytoplasmic kinases. Within the Receptor Protein Tyrosine Kinase RPTK) group are receptors for a range of mitogenic and metabolic growth factors including the PDGF, FGF, EGF, NGF, HGF and Insulin receptor subfamilies. In addition there are a large family of RPTKs for which the corresponding ligand is unknown. Ligands for RPTKs include mainly secreted small proteins, but also membrane-bound and extracellular matrix proteins.

Activation of RPTK by ligands involves ligand-mediated receptor dimerization, resulting in transphosphorylation of the receptor subunits and activation of the cytoplasmic tyrosine kinases. The cytoplasmic tyrosine kinases include receptor associated tyrosine kinases of the src-family (e.g., src, yes, lck, lyn, fyn) and non-receptor linked and cytosolic protein tyrosine kinases, such as the Jak family, members of which mediate signal transduction triggered by the cytokine superfamily of receptors (e.g., the Interleukins, Interferons, GM-CSF, and Leptin).

Because of the wide range of known factors capable of stimulating tyrosine kinase activity, identifying whether polypeptide of the present invention or a molecule induced by polypeptide of the present invention is capable of activating tyrosine kinase signal transduction pathways is of interest. Therefore, the following protocol is designed to identify such molecules capable of activating the tyrosine kinase signal transduction pathways.

Seed target cells (e.g., primary keratinocytes) at a density of approximately 25,000 cells per well in a 96 well Loprodyne Silent Screen Plates purchased from Nalge Nunc (Naperville, IL). The plates are sterilized with two 30 minute rinses with 100% ethanol, rinsed with water and dried overnight. Some plates are coated for 2 hr with 100 ml of cell culture grade type I collagen (50 mg/ml), gelatin (2%) or polylysine (50 mg/ml), all of which can be purchased from Sigma Chemicals (St. Louis, MO) or 10% Matrigel purchased from Becton Dickinson (Bedford,MA), or calf serum, rinsed with PBS and stored at 4 degree C. Cell growth on these plates is assayed by seeding 5,000 cells/well in growth medium and indirect quantitation of cell number through use of alamarBlue as described by the manufacturer Alamar Biosciences, Inc. (Sacramento, CA) after 48 hr. Falcon plate covers #3071 from Becton Dickinson (Bedford,MA) are used to cover the Loprodyne Silent Screen Plates. Falcon Microtest III cell culture plates can also be used in some proliferation experiments.

To prepare extracts, A431 cells are seeded onto the nylon membranes of Loprodyne plates (20,000/200ml/well) and cultured overnight in complete medium. Cells are quiesced by incubation in serum-free basal medium for 24 hr. After 5-20 minutes treatment with EGF (60ng/ml) or 50 ul of the supernatant produced in Example 25, the medium was removed and 100 ml of extraction buffer ((20 mM HEPES pH 7.5, 0.15 M NaCl, 1% Triton X-100, 0.1% SDS, 2 mM Na3VO4, 2 mM Na4P2O7 and a cocktail of protease inhibitors (# 1836170) obtained from Boeheringer Mannheim (Indianapolis, IN)) is added to each well and the plate is shaken on a rotating shaker for 5 minutes at 4°C. The plate is then placed in a vacuum transfer manifold and the extract filtered through the 0.45 mm membrane bottoms of each well using house vacuum. Extracts are collected in a 96-well catch/assay plate in the bottom of the vacuum manifold and immediately placed on ice. To obtain extracts clarified by centrifugation, the content of each well,

after detergent solubilization for 5 minutes, is removed and centrifuged for 15 minutes at 4 degree C at 16,000 x g.

Test the filtered extracts for levels of tyrosine kinase activity. Although many methods of detecting tyrosine kinase activity are known, one method is described here.

Generally, the tyrosine kinase activity of a supernatant is evaluated by determining its ability to phosphorylate a tyrosine residue on a specific substrate (a biotinylated peptide). Biotinylated peptides that can be used for this purpose include PSK1 (corresponding to amino acids 6-20 of the cell division kinase cdc2-p34) and PSK2 (corresponding to amino acids 1-17 of gastrin). Both peptides are substrates for a range of tyrosine kinases and are available from Boehringer Mannheim.

The tyrosine kinase reaction is set up by adding the following components in order. First, add 10ul of 5uM Biotinylated Peptide, then 10ul ATP/Mg_{2+} (5mM ATP/50mM $MgCl_2$), then 10ul of 5x Assay Buffer (40mM imidazole hydrochloride, pH7.3, 40 mM beta-glycerophosphate, 1mM EGTA, 100mM $MgCl_2$, 5 mM $MnCl_2$, 0.5 mg/ml BSA), then 5ul of Sodium Vanadate(1mM), and then 5ul of water. Mix the components gently and preincubate the reaction mix at 30 degree C for 2 min. Initial the reaction by adding 10ul of the control enzyme or the filtered supernatant.

The tyrosine kinase assay reaction is then terminated by adding 10 ul of 120mm EDTA and place the reactions on ice.

Tyrosine kinase activity is determined by transferring 50 ul aliquot of reaction mixture to a microtiter plate (MTP) module and incubating at 37 degree C for 20 min. This allows the streptavidin coated 96 well plate to associate with the biotinylated peptide. Wash the MTP module with 300ul/well of PBS four times. Next add 75 ul of anti-phospotyrosine antibody conjugated to horse radish peroxidase(anti-P-Tyr-POD(0.5u/ml)) to each well and incubate at 37 degree C for one hour. Wash the well as above.

Next add 100ul of peroxidase substrate solution (Boehringer Mannheim) and incubate at room temperature for at least 5 mins (up to 30 min). Measure the absorbance of the sample at 405 nm by using ELISA reader. The level of bound peroxidase activity is quantitated using an ELISA reader and reflects the level of tyrosine kinase activity.

Example 30: High-Throughput Screening Assay Identifying Phosphorylation Activity

As a potential alternative and/or complement to the assay of protein tyrosine kinase activity described in Example 29, an assay which detects activation (phosphorylation) of major intracellular signal transduction intermediates can also be used. For example, as described below

one particular assay can detect tyrosine phosphorylation of the Erk-1 and Erk-2 kinases. However, phosphorylation of other molecules, such as Raf, JNK, p38 MAP, Map kinase kinase (MEK), MEK kinase, Src, Muscle specific kinase (MuSK), IRAK, Tec, and Janus, as well as any other phosphoserine, phosphotyrosine, or phosphothreonine molecule, can be detected by substituting these molecules for Erk-1 or Erk-2 in the following assay.

Specifically, assay plates are made by coating the wells of a 96-well ELISA plate with 0.1ml of protein G (1ug/ml) for 2 hr at room temp, (RT). The plates are then rinsed with PBS and blocked with 3% BSA/PBS for 1 hr at RT. The protein G plates are then treated with 2 commercial monoclonal antibodies (100ng/well) against Erk-1 and Erk-2 (1 hr at RT) (Santa Cruz Biotechnology). (To detect other molecules, this step can easily be modified by substituting a monoclonal antibody detecting any of the above described molecules.) After 3-5 rinses with PBS, the plates are stored at 4 degree C until use.

A431 cells are seeded at 20,000/well in a 96-well Loprodyne filterplate and cultured overnight in growth medium. The cells are then starved for 48 hr in basal medium (DMEM) and then treated with EGF (6ng/well) or 50 ul of the supernatants obtained in Example 25 for 5-20 minutes. The cells are then solubilized and extracts filtered directly into the assay plate.

After incubation with the extract for 1 hr at RT, the wells are again rinsed. As a positive control, a commercial preparation of MAP kinase (10ng/well) is used in place of A431 extract. Plates are then treated with a commercial polyclonal (rabbit) antibody (1ug/ml) which specifically recognizes the phosphorylated epitope of the Erk-1 and Erk-2 kinases (1 hr at RT). This antibody is biotinylated by standard procedures. The bound polyclonal antibody is then quantitated by successive incubations with Europium-streptavidin and Europium fluorescence enhancing reagent in the Wallac DELFIA instrument (time-resolved fluorescence). An increased fluorescent signal over background indicates a phosphorylation by polypeptide of the present invention or a molecule induced by polypeptide of the present invention.

Example 31: Human Dermal Fibroblast and Aortic Smooth Muscle Cell Proliferation

The polypeptide of interest is added to cultures of normal human dermal fibroblasts (NHDF) and human aortic smooth muscle cells (AoSMC) and two co-assays are performed with each sample. The first assay examines the effect of the polypeptide of interest on the proliferation of normal human dermal fibroblasts (NHDF) or aortic smooth muscle cells (AoSMC). Aberrant growth of fibroblasts or smooth muscle cells is a part of several pathological processes, including fibrosis, and restenosis. The second assay examines IL6 production by both NHDF and SMC. IL6

production is an indication of functional activation. Activated cells will have increased production of a number of cytokines and other factors, which can result in a proinflammatory or immunomodulatory outcome. Assays are run with and without co-TNFa stimulation, in order to check for costimulatory or inhibitory activity.

Briefly, on day 1, 96-well black plates are set up with 1000 cells/well (NHDF) or 2000 cells/well (AoSMC) in 100 µl culture media. NHDF culture media contains: Clonetics FB basal media, 1mg/ml hFGF, 5mg/ml insulin, 50mg/ml gentamycin, 2%FBS, while AoSMC culture media contains Clonetics SM basal media, 0.5 µg/ml hEGF, 5mg/ml insulin, 1µg/ml hFGF, 50mg/ml gentamycin, 50 µg/ml Amphotericin B, 5%FBS. After incubation at 37°C for at least 4-5 hours culture media is aspirated and replaced with growth arrest media. Growth arrest media for NHDF contains fibroblast basal media, 50mg/ml gentamycin, 2% FBS, while growth arrest media for AoSMC contains SM basal media, 50mg/ml gentamycin, 50µg/ml Amphotericin B, 0.4% FBS. Incubate at 37 °C until day 2.

On day 2, serial dilutions and templates of the polypeptide of interest are designed such that they always include media controls and known-protein controls. For both stimulation and inhibition experiments, proteins are diluted in growth arrest media. For inhibition experiments, TNFa is added to a final concentration of 2ng/ml (NHDF) or 5ng/ml (AoSMC). Add 1/3 vol media containing controls or polypeptides of the present invention and incubate at 37 degrees C/5% CO_2 until day 5.

Transfer 60µl from each well to another labeled 96-well plate, cover with a plate-sealer, and store at 4 degrees C until Day 6 (for IL6 ELISA). To the remaining 100 µl in the cell culture plate, aseptically add Alamar Blue in an amount equal to 10% of the culture volume (10µl). Return plates to incubator for 3 to 4 hours. Then measure fluorescence with excitation at 530nm and emission at 590nm using the CytoFluor. This yields the growth stimulation/inhibition data.

On day 5, the IL6 ELISA is performed by coating a 96 well plate with 50-100 ul/well of Anti-Human IL6 Monoclonal antibody diluted in PBS, pH 7.4, incubate ON at room temperature.

On day 6, empty the plates into the sink and blot on paper towels. Prepare Assay Buffer containing PBS with 4% BSA. Block the plates with 200 µl/well of Pierce Super Block blocking buffer in PBS for 1-2 hr and then wash plates with wash buffer (PBS, 0.05% Tween-20). Blot plates on paper towels. Then add 50 µl/well of diluted Anti-Human IL-6 Monoclonal, Biotin-labeled antibody at 0.50 mg/ml. Make dilutions of IL-6 stock in media (30, 10, 3, 1, 0.3, 0 ng/ml). Add duplicate samples to top row of plate. Cover the plates and incubate for 2 hours at RT on shaker.

Plates are washed with wash buffer and blotted on paper towels. Dilute EU-labeled Streptavidin 1:1000 in Assay buffer, and add 100 µl/well. Cover the plate and incubate 1 h at RT. Plates are again washed with wash buffer and blotted on paper towels.

Add 100 µl/well of Enhancement Solution. Shake for 5 minutes. Read the plate on the Wallac DELFIA Fluorometer. Readings from triplicate samples in each assay were tabulated and averaged.

A positive result in this assay suggests AoSMC cell proliferation and that the polypeptide of the present invention may be involved in dermal fibroblast proliferation and/or smooth muscle cell proliferation. A positive result also suggests many potential uses of polypeptides, polynucleotides, agonists and/or antagonists of the polynucleotide/polypeptide of the present invention which gives a positive result. For example, inflammation and immune responses, wound healing, and angiogenesis, as detailed throughout this specification. Particularly, polypeptides of the present invention and polynucleotides of the present invention may be used in wound healing and dermal regeneration, as well as the promotion of vasculogenesis, both of the blood vessels and lymphatics. The growth of vessels can be used in the treatment of, for example, cardiovascular diseases. Additionally, antagonists of polypeptides and polynucleotides of the invention may be useful in treating diseases, disorders, and/or conditions which involve angiogenesis by acting as an anti-vascular agent (e.g., anti-angiogenesis). These diseases, disorders, and/or conditions are known in the art and/or are described herein, such as, for example, malignancies, solid tumors, benign tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas; artheroscleric plaques; ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, uvietis and Pterygia (abnormal blood vessel growth) of the eye; rheumatoid arthritis; psoriasis; delayed wound healing; endometriosis; vasculogenesis; granulations; hypertrophic scars (keloids); nonunion fractures; scleroderma; trachoma; vascular adhesions; myocardial angiogenesis; coronary collaterals; cerebral collaterals; arteriovenous malformations; ischemic limb angiogenesis; Osler-Webber Syndrome; plaque neovascularization; telangiectasia; hemophiliac joints; angiofibroma; fibromuscular dysplasia; wound granulation; Crohn's disease; and atherosclerosis. Moreover, antagonists of polypeptides and polynucleotides of the invention may be useful in treating anti-hyperproliferative diseases and/or anti-inflammatory known in the art and/or described herein.

One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof.

Example 32: Cellular Adhesion Molecule (CAM) Expression on Endothelial Cells

The recruitment of lymphocytes to areas of inflammation and angiogenesis involves specific receptor-ligand interactions between cell surface adhesion molecules (CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and pathological settings, follows a multi-step cascade that involves intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the local tissue during the development of an inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.

Briefly, endothelial cells (e.g., Human Umbilical Vein Endothelial cells (HUVECs)) are grown in a standard 96 well plate to confluence, growth medium is removed from the cells and replaced with 100 μl of 199 Medium (10% fetal bovine serum (FBS)). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10 μl volumes). Plates are then incubated at 37°C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to remove medium and 100 μl of 0.1% paraformaldehyde-PBS(with Ca++ and Mg++) is added to each well. Plates are held at 4°C for 30 min. Fixative is removed from the wells and wells are washed 1X with PBS(+Ca,Mg) + 0.5% BSA and drained. 10 μl of diluted primary antibody is added to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin and Anti-E-selectin-Biotin are used at a concentration of 10 μg/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed three times with PBS(+Ca,Mg) + 0.5% BSA. 20 μl of diluted ExtrAvidin-Alkaline Phosphatase (1:5,000 dilution, referred to herein as the working dilution) are added to each well and incubated at 37°C for 30 min. Wells are washed three times with PBS(+Ca,Mg)+0.5% BSA. Dissolve 1 tablet of p-Nitrophenol Phosphate pNPP per 5 ml of glycine buffer (pH 10.4). 100 μl of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphotase in glycine buffer: 1:5,000 (10^0) > $10^{-0.5}$ > 10^{-1} > $10^{-1.5}$. 5 μl of each dilution is added to triplicate wells and the resulting AP content in each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100 μl of pNNP reagent is then added to each of the standard wells. The plate is incubated at 37°C for 4h. A volume of 50 μl of 3M NaOH is added to all wells. The plate is read on a plate reader at

405 nm using the background subtraction option on blank wells filled with glycine buffer only. Additionally, the template is set up to indicate the concentration of AP-conjugate in each standard well [5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng]. Results are indicated as amount of bound AP-conjugate in each sample.

Example 33: Alamar Blue Endothelial Cells Proliferation Assay

This assay may be used to quantitatively determine protein mediated inhibition of bFGF-induced proliferation of Bovine Lymphatic Endothelial Cells (LECs), Bovine Aortic Endothelial Cells (BAECs) or Human Microvascular Uterine Myometrial Cells (UTMECs). This assay incorporates a fluorometric growth indicator based on detection of metabolic activity. A standard Alamar Blue Proliferation Assay is prepared in EGM-2MV with 10 ng /ml of bFGF added as a source of endothelial cell stimulation. This assay may be used with a variety of endothelial cells with slight changes in growth medium and cell concentration. Dilutions of the protein batches to be tested are diluted as appropriate. Serum-free medium (GIBCO SFM) without bFGF is used as a non-stimulated control and Angiostatin or TSP-1 are included as a known inhibitory controls.

Briefly, LEC, BAECs or UTMECs are seeded in growth media at a density of 5000 to 2000 cells/well in a 96 well plate and placed at 37 degreesC overnight. After the overnight incubation of the cells, the growth media is removed and replaced with GIBCO EC-SFM. The cells are treated with the appropriate dilutions of the protein of interest or control protein sample(s) (prepared in SFM) in triplicate wells with additional bFGF to a concentration of 10 ng/ ml. Once the cells have been treated with the samples, the plate(s) is/are placed back in the 37° C incubator for three days. After three days 10 ml of stock alamar blue (Biosource Cat# DAL1100) is added to each well and the plate(s) is/are placed back in the 37°C incubator for four hours. The plate(s) are then read at 530nm excitation and 590nm emission using the CytoFluor fluorescence reader. Direct output is recorded in relative fluorescence units.

Alamar blue is an oxidation-reduction indicator that both fluoresces and changes color in response to chemical reduction of growth medium resulting from cell growth. As cells grow in culture, innate metabolic activity results in a chemical reduction of the immediate surrounding environment. Reduction related to growth causes the indicator to change from oxidized (non-fluorescent blue) form to reduced (fluorescent red) form (i.e., stimulated proliferation will produce a stronger signal and inhibited proliferation will produce a weaker signal and the total signal is proportional to the total number of cells as well as their metabolic activity). The background level

of activity is observed with the starvation medium alone. This is compared to the output observed from the positive control samples (bFGF in growth medium) and protein dilutions.

Example 34: Detection of Inhibition of a Mixed Lymphocyte Reaction

This assay can be used to detect and evaluate inhibition of a Mixed Lymphocyte Reaction (MLR) by gene products (e.g., isolated polypeptides). Inhibition of a MLR may be due to a direct effect on cell proliferation and viability, modulation of costimulatory molecules on interacting cells, modulation of adhesiveness between lymphocytes and accessory cells, or modulation of cytokine production by accessory cells. Multiple cells may be targeted by these polypeptides since the peripheral blood mononuclear fraction used in this assay includes T, B and natural killer lymphocytes, as well as monocytes and dendritic cells.

Polypeptides of interest found to inhibit the MLR may find application in diseases associated with lymphocyte and monocyte activation or proliferation. These include, but are not limited to, diseases such as asthma, arthritis, diabetes, inflammatory skin conditions, psoriasis, eczema, systemic lupus erythematosus, multiple sclerosis, glomerulonephritis, inflammatory bowel disease, crohn's disease, ulcerative colitis, arteriosclerosis, cirrhosis, graft vs. host disease, host vs. graft disease, hepatitis, leukemia and lymphoma.

Briefly, PBMCs from human donors are purified by density gradient centrifugation using Lymphocyte Separation Medium (LSM®, density 1.0770 g/ml, Organon Teknika Corporation, West Chester, PA). PBMCs from two donors are adjusted to 2 x 10^6 cells/ml in RPMI-1640 (Life Technologies, Grand Island, NY) supplemented with 10% FCS and 2 mM glutamine. PBMCs from a third donor is adjusted to 2 x 10^5 cells/ml. Fifty microliters of PBMCs from each donor is added to wells of a 96-well round bottom microtiter plate. Dilutions of test materials (50 µl) is added in triplicate to microtiter wells. Test samples (of the protein of interest) are added for final dilution of 1:4; rhuIL-2 (R&D Systems, Minneapolis, MN, catalog number 202-IL) is added to a final concentration of 1 µg/ml; anti-CD4 mAb (R&D Systems, clone 34930.11, catalog number MAB379) is added to a final concentration of 10 µg/ml. Cells are cultured for 7-8 days at 37°C in 5% CO_2, and 1 µC of [^{3}H] thymidine is added to wells for the last 16 hrs of culture. Cells are harvested and thymidine incorporation determined using a Packard TopCount. Data is expressed as the mean and standard deviation of triplicate determinations.

Samples of the protein of interest are screened in separate experiments and compared to the negative control treatment, anti-CD4 mAb, which inhibits proliferation of lymphocytes and the positive control treatment, IL-2 (either as recombinant material or supernatant), which enhances proliferation of lymphocytes.

One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof.

Example 35: Assays for Protease Activity

The following assay may be used to assess protease activity of the polypeptides of the invention.

Gelatin and casein zymography are performed essentially as described (Heusen et al., *Anal. Biochem.*, 102:196-202 (1980); Wilson et al., *Journal of Urology*, 149:653-658 (1993)). Samples are run on 10% polyacryamide/0.1% SDS gels containing 1% gelain orcasein, soaked in 2.5% triton at room temperature for 1 hour, and in 0.1M glycine, pH 8.3 at 37°C 5 to 16 hours. After staining in amido black areas of proteolysis apear as clear areas agains the blue-black background. Trypsin (Sigma T8642) is used as a positive control.

Protease activity is also determined by monitoring the cleavage of n-a-benzoyl-L-arginine ethyl ester (BAEE) (Sigma B-4500. Reactions are set up in (25mM$NaPO_4$,1mM EDTA, and 1mM BAEE), pH 7.5. Samples are added and the change in adsorbance at 260nm is monitored on the Beckman DU-6 spectrophotometer in the time-drive mode. Trypsin is used as a positive control.

Additional assays based upon the release of acid-soluble peptides from casein or hemoglobin measured as adsorbance at 280 nm or colorimetrically using the Folin method are performed as described in Bergmeyer, et al., *Methods of Enzymatic Analysis*, 5 (1984). Other assays involve the solubilization of chromogenic substrates (Ward, *Applied Science*, 251-317 (1983)).

Example 36: Identifying Serine Protease Substrate Specificity

Methods known in the art or described herein may be used to determine the substrate specificity of the polypeptides of the present invention having serine protease activity. A preferred method of determining substrate specificity is by the use of positional scanning synthetic combinatorial libraries as described in GB 2 324 529 (incorporated herein in its entirety).

Example 37: Ligand Binding Assays

The following assay may be used to assess ligand binding activity of the polypeptides of the invention.

Ligand binding assays provide a direct method for ascertaining receptor pharmacology and are adaptable to a high throughput format. The purified ligand for a polypeptide is radiolabeled to high specific activity (50-2000 Ci/mmol) for binding studies. A determination is then made that the process of radiolabeling does not diminish the activity of the ligand towards its polypeptide. Assay conditions for buffers, ions, pH and other modulators such as nucleotides are optimized to establish a workable signal to noise ratio for both membrane and whole cell polypeptide sources. For these assays, specific polypeptide binding is defined as total associated radioactivity minus the radioactivity measured in the presence of an excess of unlabeled competing ligand. Where possible, more than one competing ligand is used to define residual nonspecific binding.

Example 38: Functional Assay in Xenopus Oocytes

Capped RNA transcripts from linearized plasmid templates encoding the polypeptides of the invention are synthesized in vitro with RNA polymerases in accordance with standard procedures. In vitro transcripts are suspended in water at a final concentration of 0.2 mg/mi. Ovarian lobes are removed from adult female toads, Stage V defolliculated oocytes are obtained, and RNA transcripts (10 ng/oocytc) are injected in a 50 nl bolus using a microinjection apparatus. Two electrode voltage clamps are used to measure the currents from individual *Xenopus oocytes* in response polypeptides and polypeptide agonist exposure. Recordings are made in Ca2+ free Barth's medium at room temperature. The Xenopus system can be used to screen known ligands and tissue/cell extracts for activating ligands.

Example 39: Microphysiometric Assays

Activation of a wide variety of secondary messenger systems results in extrusion of small amounts of acid from a cell. The acid formed is largely as a result of the increased metabolic activity required to fuel the intracellular signaling process. The pH changes in the media surrounding the cell are very small but are detectable by the CYTOSENSOR microphysiometer (Molecular Devices Ltd., Menlo Park, Calif.). The CYTOSENSOR is thus capable of detecting the activation of polypeptide which is coupled to an energy utilizing intracellular signaling pathway.

Example 40: Extract/Cell Supernatant Screening

A large number of mammalian receptors exist for which there remains, as yet, no cognate activating ligand (agonist). Thus, active ligands for these receptors may not be included within the ligands banks as identified to date. Accordingly, the polypeptides of the invention can also be functionally screened (using calcium, cAMP, microphysiometer, oocyte electrophysiology, etc., functional screens) against tissue extracts to identify its natural ligands. Extracts that produce positive functional responses can be sequentially subfractionated until an activating ligand is isolated and identified.

Example 41: Calcium and cAMP Functional Assays

Seven transmembrane receptors which are expressed in HEK 293 cells have been shown to be coupled functionally to activation of PLC and calcium mobilization and/or cAMP stimulation or inhibition. Basal calcium levels in the HEK 293 cells in receptor-transfected or vector control cells were observed to be in the normal, 100 nM to 200 nM, range. HEK 293 cells expressing recombinant receptors are loaded with fura 2 and in a single day >150 selected ligands or tissue/cell extracts are evaluated for agonist induced calcium mobilization. Similarly, HEK 293 cells expressing recombinant receptors are evaluated for the stimulation or inhibition of cAMP production using standard cAMP quantitation assays. Agonists presenting a calcium transient or cAMP fluctuation are tested in vector control cells to determine if the response is unique to the transfected cells expressing receptor.

Example 42: ATP-binding assay

The following assay may be used to assess ATP-binding activity of polypeptides of the invention.

ATP-binding activity of the polypeptides of the invention may be detected using the ATP-binding assay described in U.S. Patent 5,858,719, which is herein incorporated by reference in its entirety. Briefly, ATP-binding to polypeptides of the invention is measured via photoaffinity labeling with 8-azido-ATP in a competition assay. Reaction mixtures containing 1 mg/ml of the ABC transport protein of the present invention are incubated with varying concentrations of ATP, or the non-hydrolyzable ATP analog adenyl-5'-imidodiphosphate for 10 minutes at 4°C. A mixture of 8-azido-ATP (Sigma Chem. Corp., St. Louis, MO.) plus 8-azido-ATP (^{32}P-ATP) (5 mCi/μmol, ICN, Irvine CA.) is added to a final concentration of 100 μM and 0.5 ml aliquots are placed in the wells of a porcelain spot plate on ice. The plate is irradiated using a short wave 254 nm UV lamp

at a distance of 2.5 cm from the plate for two one-minute intervals with a one-minute cooling interval in between. The reaction is stopped by addition of dithiothreitol to a final concentration of 2mM. The incubations are subjected to SDS-PAGE electrophoresis, dried, and autoradiographed. Protein bands corresponding to the particular polypeptides of the invention are excised, and the radioactivity quantified. A decrease in radioactivity with increasing ATP or adenly-5'-imidodiphosphate provides a measure of ATP affinity to the polypeptides.

Example 43: Small Molecule Screening

This invention is particularly useful for screening therapeutic compounds by using the polypeptides of the invention, or binding fragments thereof, in any of a variety of drug screening techniques. The polypeptide or fragment employed in such a test may be affixed to a solid support, expressed on a cell surface, free in solution, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. One may measure, for example, the formulation of complexes between the agent being tested and polypeptide of the invention.

Thus, the present invention provides methods of screening for drugs or any other agents which affect activities mediated by the polypeptides of the invention. These methods comprise contacting such an agent with a polypeptide of the invention or fragment thereof and assaying for the presence of a complex between the agent and the polypeptide or fragment thereof, by methods well known in the art. In such a competitive binding assay, the agents to screen are typically labeled. Following incubation, free agent is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of a particular agent to bind to the polypeptides of the invention.

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to the polypeptides of the invention, and is described in great detail in European Patent Application 84/03564, published on September 13, 1984, which is herein incorporated by reference in its entirety. Briefly stated, large numbers of different small molecule test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. The test compounds are reacted with polypeptides of the invention and washed. Bound polypeptides are then detected by methods well known in the art. Purified polypeptides are coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies may be used to capture the peptide and immobilize it on the solid support.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding polypeptides of the invention specifically compete with a test compound for binding to the polypeptides or fragments thereof. In this manner, the antibodies are used to detect the presence of any peptide which shares one or more antigenic epitopes with a polypeptide of the invention.

Example 44: Phosphorylation Assay

In order to assay for phosphorylation activity of the polypeptides of the invention, a phosphorylation assay as described in U.S. Patent 5,958,405 (which is herein incorporated by reference) is utilized. Briefly, phosphorylation activity may be measured by phosphorylation of a protein substrate using gamma-labeled ^{32}P-ATP and quantitation of the incorporated radioactivity using a gamma radioisotope counter. The polypeptides of the invention are incubated with the protein substrate, ^{32}P-ATP, and a kinase buffer. The ^{32}P incorporated into the substrate is then separated from free ^{32}P-ATP by electrophoresis, and the incorporated ^{32}P is counted and compared to a negative control. Radioactivity counts above the negative control are indicative of phosphorylation activity of the polypeptides of the invention.

Example 45: Detection of Phosphorylation Activity (Activation) of the Polypeptides of the Invention in the Presence of Polypeptide Ligands

Methods known in the art or described herein may be used to determine the phosphorylation activity of the polypeptides of the invention. A preferred method of determining phosphorylation activity is by the use of the tyrosine phosphorylation assay as described in US 5,817,471 (incorporated herein by reference).

Example 46: Identification Of Signal Transduction Proteins That Interact With Polypeptides Of The Present Invention

The purified polypeptides of the invention are research tools for the identification, characterization and purification of additional signal transduction pathway proteins or receptor proteins. Briefly, labeled polypeptides of the invention are useful as reagents for the purification of molecules with which it interacts. In one embodiment of affinity purification, polypeptides of the invention are covalently coupled to a chromatography column. Cell-free extract derived from

putative target cells, such as carcinoma tissues, is passed over the column, and molecules with appropriate affinity bind to the polypeptides of the invention. The protein complex is recovered from the column, dissociated, and the recovered molecule subjected to N-terminal protein sequencing. This amino acid sequence is then used to identify the captured molecule or to design degenerate oligonucleotide probes for cloning the relevant gene from an appropriate cDNA library.

Example 47: Assay for Phosphatase Activity

The following assay may be used to assess serine/threonine phosphatase (PTPase) activity of the polypeptides of the invention.

In order to assay for serine/threonine phosphatase (PTPase) activity, assays can be utilized which are widely known to those skilled in the art. For example, the serine/threonine phosphatase (PSPase) activity is measured using a PSPase assay kit from New England Biolabs, Inc. Myelin basic protein (MyBP), a substrate for PSPase, is phosphorylated on serine and threonine residues with cAMP-dependent Protein Kinase in the presence of [^{32}P]ATP. Protein serine/threonine phosphatase activity is then determined by measuring the release of inorganic phosphate from 32P-labeled MyBP.

Example 48: Interaction of Serine/Threonine Phosphatases with other Proteins

The polypeptides of the invention with serine/threonine phosphatase activity as determined in Example 47 are research tools for the identification, characterization and purification of additional interacting proteins or receptor proteins, or other signal transduction pathway proteins. Briefly, labeled polypeptide(s) of the invention is useful as a reagent for the purification of molecules with which it interacts. In one embodiment of affinity purification, polypeptide of the invention is covalently coupled to a chromatography column. Cell-free extract derived from putative target cells, such as neural or liver cells, is passed over the column, and molecules with appropriate affinity bind to the polypeptides of the invention. The polypeptides of the invention -complex is recovered from the column, dissociated, and the recovered molecule subjected to N-terminal protein sequencing. This amino acid sequence is then used to identify the captured molecule or to design degenerate oligonucleotide probes for cloning the relevant gene from an appropriate cDNA library.

Example 49: Assaying for Heparanase Activity

In order to assay for heparanase activity of the polypeptides of the invention, the heparanase assay described by Vlodavsky et al is utilized (Vlodavsky, I., et al., Nat. Med., 5:793-802 (1999)). Briefly, cell lysates, conditioned media or intact cells (1 x 10^6 cells per 35-mm dish) are incubated for 18 hrs at 37°C, pH 6.2-6.6, with ^{35}S-labeled ECM or soluble ECM derived peak I proteoglycans. The incubation medium is centrifuged and the supernatant is analyzed by gel filtration on a Sepharose CL-6B column (0.9 x 30 cm). Fractions are eluted with PBS and their radioactivity is measured. Degradation fragments of heparan sulfate side chains are eluted from Sepharose 6B at $0.5 < K_{av} < 0.8$ (peak II). Each experiment is done at least three times. Degradation fragments corresponding to "peak II," as described by Vlodavsky et al., is indicative of the activity of the polypeptides of the invention in cleaving heparan sulfate.

Example 50: Immobilization of biomolecules

This example provides a method for the stabilization of polypeptides of the invention in non-host cell lipid bilayer constucts (see, e.g., Bieri et al., Nature Biotech 17:1105-1108 (1999), hereby incorporated by reference in its entirety herein) which can be adapted for the study of polypeptides of the invention in the various functional assays described above. Briefly, carbohydrate-specific chemistry for biotinylation is used to confine a biotin tag to the extracellular domain of the polypeptides of the invention, thus allowing uniform orientation upon immobilization. A 50uM solution of polypeptides of the invention in washed membranes is incubated with 20 mM NaIO4 and 1.5 mg/ml (4mM) BACH or 2 mg/ml (7.5mM) biotin-hydrazide for 1 hr at room temperature (reaction volume, 150ul). Then the sample is dialyzed (Pierce Slidealizer Cassett, 10 kDa cutoff; Pierce Chemical Co., Rockford IL) at 4C first for 5 h, exchanging the buffer after each hour, and finally for 12 h against 500 ml buffer R (0.15 M NaCl, 1 mM MgCl2, 10 mM sodium phosphate, pH7). Just before addition into a cuvette, the sample is diluted 1:5 in buffer ROG50 (Buffer R supplemented with 50 mM octylglucoside).

Example 51: TAQMAN

Quantitative PCR (QPCR). Total RNA from cells in culture are extracted by Trizol separation as recommended by the supplier (LifeTechnologies). (Total RNA is treated with DNase I (Life Technologies) to remove any contaminating genomic DNA before reverse transcription.) Total RNA (50 ng) is used in a one-step, 50ul, RT-QPCR, consisting of Taqman Buffer A (Perkin-

Elmer; 50 mM KCl/10 mM Tris, pH 8.3), 5.5 mM $MgCl_2$, 240 μM each dNTP, 0.4 units RNase inhibitor(Promega), 8%glycerol, 0.012% Tween-20, 0.05% gelatin, 0.3uM primers, 0.1uM probe, 0.025units Amplitaq Gold (Perkin-Elmer) and 2.5 units Superscript II reverse transcriptase (Life Technologies). As a control for genomic contamination, parallel reactions are setup without reverse transcriptase. The relative abundance of (unknown) and 18S RNAs are assessed by using the Applied Biosystems Prism 7700 Sequence Detection System (Livak, K. J., Flood, S. J., Marmaro, J., Giusti, W. & Deetz, K. (1995) PCR Methods Appl. 4, 357-362). Reactions are carried out at 48°C for 30 min, 95°C for 10 min, followed by 40 cycles of 95°C for 15s, 60°C for 1 min. Reactions are performed in triplicate.

Primers (f & r) and FRET probes sets are designed using Primer Express Software (Perkin-Elmer). Probes are labeled at the 5'-end with the reporter dye 6-FAM and on the 3'-end with the quencher dye TAMRA (Biosource International, Camarillo, CA or Perkin-Elmer).

Example 52: Assays for Metalloproteinase Activity

Metalloproteinases (EC 3.4.24.-) are peptide hydrolases which use metal ions, such as Zn^{2+}, as the catalytic mechanism. Metalloproteinase activity of polypeptides of the present invention can be assayed according to the following methods.

Proteolysis of alpha-2-macroglobulin

To confirm protease activity, purified polypeptides of the invention are mixed with the substrate alpha-2-macroglobulin (0.2 unit/ml; Boehringer Mannheim, Germany) in 1x assay buffer (50 mM HEPES, pH 7.5, 0.2 M NaCl, 10 mM $CaCl_2$, 25 μM $ZnCl_2$ and 0.05% Brij-35) and incubated at 37°C for 1-5 days. Trypsin is used as positive control. Negative controls contain only alpha-2-macroglobulin in assay buffer. The samples are collected and boiled in SDS-PAGE sample buffer containing 5% 2-mercaptoethanol for 5-min, then loaded onto 8% SDS-polyacrylamide gel. After electrophoresis the proteins are visualized by silver staining. Proteolysis is evident by the appearance of lower molecular weight bands as compared to the negative control.

Inhibition of alpha-2-macroglobulin proteolysis by inhibitors of metalloproteinases

Known metalloproteinase inhibitors (metal chelators (EDTA, EGTA, AND $HgCl_2$), peptide metalloproteinase inhibitors (TIMP-1 and TIMP–2), and commercial small molecule MMP inhibitors) are used to characterize the proteolytic activity of polypeptides of the invention. The three synthetic MMP inhibitors used are: MMP inhibitor I, [IC_{50} = 1.0 μM against MMP-1 and MMP–8; IC_{50} = 30 μM against MMP-9; IC_{50} = 150 μM against MMP-3]; MMP-3 (stromelysin-1) inhibitor I [IC_{50} = 5 μM against MMP-3], and MMP-3 inhibitor II [K_i = 130 nM against MMP-3];

inhibitors available through Calbiochem, catalog # 444250, 444218, and 444225, respectively). Briefly, different concentrations of the small molecule MMP inhibitors are mixed with purified polypeptides of the invention (50µg/ml) in 22.9 µl of 1x HEPES buffer (50 mM HEPES, pH 7.5, 0.2 M NaCl, 10 mM $CaCl_2$, 25 µM $ZnCl_2$ and 0.05%Brij-35) and incubated at room temperature (24 °C) for 2-hr, then 7.1 µl of substrate alpha-2-macroglobulin (0.2 unit/ml) is added and incubated at 37°C for 20-hr. The reactions are stopped by adding 4x sample buffer and boiled immediately for 5 minutes. After SDS-PAGE, the protein bands are visualized by silver stain.

Synthetic Fluorogenic Peptide Substrates Cleavage Assay

The substrate specificity for polypeptides of the invention with demonstrated metalloproteinase activity can be determined using synthetic fluorogenic peptide substrates (purchased from BACHEM Bioscience Inc). Test substrates include, M-1985, M-2225, M-2105, M-2110, and M-2255. The first four are MMP substrates and the last one is a substrate of tumor necrosis factor-α (TNF-α) converting enzyme (TACE). All the substrates are prepared in 1:1 dimethyl sulfoxide (DMSO) and water. The stock solutions are 50-500 µM. Fluorescent assays are performed by using a Perkin Elmer LS 50B luminescence spectrometer equipped with a constant temperature water bath. The excitation λ is 328 nm and the emission λ is 393 nm. Briefly, the assay is carried out by incubating 176 µl 1x HEPES buffer (0.2 M NaCl, 10 mM $CaCl_2$, 0.05% Brij-35 and 50 mM HEPES, pH 7.5) with 4 µl of substrate solution (50 µM) at 25 °C for 15 minutes, and then adding 20 µl of a purified polypeptide of the invention into the assay cuvett. The final concentration of substrate is 1 µM. Initial hydrolysis rates are monitored for 30-min.

Example 53: Characterization of the cDNA contained in a deposited plasmid

The size of the cDNA insert contained in a deposited plasmid may be routinely determined using techniques known in the art, such as PCR amplification using synthetic primers hybridizable to the 3' and 5' ends of the cDNA sequence. For example, two primers of 17-30 nucleotides derived from each end of the cDNA (i.e., hybridizable to the absolute 5' nucleotide or the 3' nucleotide end of the sequence of SEQ ID NO:X, respectively) are synthesized and used to amplify the cDNA using the deposited cDNA plasmid as a template. The polymerase chain reaction is carried out under routine conditions, for instance, in 25 ul of reaction mixture with 0.5 ug of the above cDNA template. A convenient reaction mixture is 1.5-5 mM $MgCl_2$, 0.01% (w/v) gelatin, 20 uM each of dATP, dCTP, dGTP, dTTP, 25 pmol of each primer and 0.25 Unit of Taq polymerase. Thirty five cycles of PCR (denaturation at 94 degree C for 1 min; annealing at 55 degree C for 1 min; elongation at 72 degree C for 1 min) are performed with a Perkin-Elmer Cetus

automated thermal cycler. The amplified product is analyzed by agarose gel electrophoresis. The PCR product is verified to be the selected sequence by subcloning and sequencing the DNA product.It will be clear that the invention may be practiced otherwise than as particularly described in the foregoing description and examples. Numerous modifications and variations of the present invention are possible in light of the above teachings and, therefore, are within the scope of the appended claims.

Incorporation by Reference

The entire disclosure of each document cited (including patents, patent applications, journal articles, abstracts, laboratory manuals, books, or other disclosures) in the Background of the Invention, Detailed Description, and Examples is hereby incorporated herein by reference. In addition, the sequence listing submitted herewith is incorporated herein by reference in its entirety. The specification and sequence listing of each of the following U.S. and PCT applications are herein incorporated by reference in their entirety: U.S. Appln. No. 60/040,162 filed on 07-Mar-1997, U.S. Appln. No. 60/043,576 filed on 11-Apr-1997, U.S. Appln. No. 60/047,601 filed on 23-May-1997, U.S. Appln. No. 60/056,845 filed on 22-Aug-1997, U.S. Appln. No. 60/043,580 filed on 11-Apr-1997, U.S. Appln. No. 60/047,599 filed on 23-May-1997, U.S. Appln. No. 60/056,664 filed on 22-Aug-1997, U.S. Appln. No. 60/043,314 filed on 11-Apr-1997, U.S. Appln. No. 60/047,632 filed on 23-May-1997, U.S. Appln. No. 60/056,892 filed on 22-Aug-1997, U.S. Appln. No. 60/043,568 filed on 11-Apr-1997, U.S. Appln. No. 60/047,595 filed on 23-May-1997, U.S. Appln. No. 60/056,632 filed on 22-Aug-1997, U.S. Appln. No. 60/043,578 filed on 11-Apr-1997, U.S. Appln. No. 60/040,333 filed on 07-Mar-1997, U.S. Appln. No. 60/043,670 filed on 11-Apr-1997, U.S. Appln. No. 60/047,596 filed on 23-May-1997, U.S. Appln. No. 60/056,864 filed on 22-Aug-1997, U.S. Appln. No. 60/043,674 filed on 11-Apr-1997, U.S. Appln. No. 60/047,612 filed on 23-May-1997, U.S. Appln. No. 60/056,631 filed on 22-Aug-1997, U.S. Appln. No. 60/043,569 filed on 11-Apr-1997, U.S. Appln. No. 60/047,588 filed on 23-May-1997, U.S. Appln. No. 60/056,876 filed on 22-Aug-1997, U.S. Appln. No. 60/043,671 filed on 11-Apr-1997, U.S. Appln. No. 60/043,311 filed on 11-Apr-1997, U.S. Appln. No. 60/038,621 filed on 07-Mar-1997, U.S. Appln. No. 60/043,672 filed on 11-Apr-1997, U.S. Appln. No. 60/047,613 filed on 23-May-1997, U.S. Appln. No. 60/056,636 filed on 22-Aug-1997, U.S. Appln. No. 60/043,669 filed on 11-Apr-1997, U.S. Appln. No. 60/047,582 filed on 23-May-1997, U.S. Appln. No. 60/056,910 filed on 22-Aug-1997, U.S. Appln. No. 60/043,315 filed on 11-Apr-1997, U.S. Appln. No. 60/047,598 filed on 23-May-1997, U.S. Appln. No. 60/056,874 filed on 22-Aug-1997, U.S. Appln. No. 60/043,312 filed on 11-Apr-1997, U.S. Appln. No. 60/047,585 filed on 23-May-1997, U.S. Appln. No. 60/056,881 filed on 22-Aug-1997, U.S. Appln. No. 60/043,313 filed on 11-Apr-1997, U.S. Appln.

No. 60/047,586 filed on 23-May-1997, U.S. Appln. No. 60/056,909 filed on 22-Aug-1997, U.S. Appln. No. 60/040,161 filed on 07-Mar-1997, U.S. Appln. No. 60/047,587 filed on 23-May-1997, U.S. Appln. No. 60/056,879 filed on 22-Aug-1997, U.S. Appln. No. 60/047,500 filed on 23-May-1997, U.S. Appln. No. 60/056,880 filed on 22-Aug-1997, U.S. Appln. No. 60/047,584 filed on 23-May-1997, U.S. Appln. No. 60/056,894 filed on 22-Aug-1997, U.S. Appln. No. 60/047,492 filed on 23-May-1997, U.S. Appln. No. 60/056,911 filed on 22-Aug-1997, U.S. Appln. No. 60/040,626 filed on 07-Mar-1997, U.S. Appln. No. 60/047,503 filed on 23-May-1997, U.S. Appln. No. 60/056,903 filed on 22-Aug-1997, U.S. Appln. No. 60/047,501 filed on 23-May-1997, U.S. Appln. No. 60/056,637 filed on 22-Aug-1997, U.S. Appln. No. 60/047,590 filed on 23-May-1997, U.S. Appln. No. 60/056,875 filed on 22-Aug-1997, U.S. Appln. No. 60/047,581 filed on 23-May-1997, U.S. Appln. No. 60/056,882 filed on 22-Aug-1997, U.S. Appln. No. 60/047,592 filed on 23-May-1997, U.S. Appln. No. 60/056,888 filed on 22-Aug-1997, U.S. Appln. No. 60/040,334 filed on 07-Mar-1997, U.S. Appln. No. 60/047,618 filed on 23-May-1997, U.S. Appln. No. 60/056,872 filed on 22-Aug-1997, U.S. Appln. No. 60/047,617 filed on 23-May-1997, U.S. Appln. No. 60/056,662 filed on 22-Aug-1997, U.S. Appln. No. 60/047,589 filed on 23-May-1997, U.S. Appln. No. 60/056,862 filed on 22-Aug-1997, U.S. Appln. No. 60/047,594 filed on 23-May-1997, U.S. Appln. No. 60/056,884 filed on 22-Aug-1997, U.S. Appln. No. 60/047,583 filed on 23-May-1997, U.S. Appln. No. 60/056,878 filed on 22-Aug-1997, U.S. Appln. No. 60/040,336 filed on 07-Mar-1997, U.S. Appln. No. 60/047,502 filed on 23-May-1997, U.S. Appln. No. 60/056,893 filed on 22-Aug-1997, U.S. Appln. No. 60/047,633 filed on 23-May-1997, U.S. Appln. No. 60/056,630 filed on 22-Aug-1997, U.S. Appln. No. 60/047,593 filed on 23-May-1997, U.S. Appln. No. 60/056,887 filed on 22-Aug-1997, U.S. Appln. No. 60/040,163 filed on 07-Mar-1997, U.S. Appln. No. 60/047,597 filed on 23-May-1997, U.S. Appln. No. 60/056,889 filed on 22-Aug-1997, U.S. Appln. No. 60/047,615 filed on 23-May-1997, U.S. Appln. No. 60/056,877 filed on 22-Aug-1997, U.S. Appln. No. 60/047,600 filed on 23-May-1997, U.S. Appln. No. 60/056,886 filed on 22-Aug-1997, U.S. Appln. No. 60/047,614 filed on 23-May-1997, U.S. Appln. No. 60/056,908 filed on 22-Aug-1997, U.S. Appln. No. 60/040,710 filed on 14-Mar-1997, U.S. Appln. No. 60/050,934 filed on 30-May-1997, U.S. Appln. No. 60/048,100 filed on 30-May-1997, U.S. Appln. No. 60/040,762 filed on 14-Mar-1997, U.S. Appln. No. 60/048,357 filed on 30-May-1997, U.S. Appln. No. 60/048,189 filed on 30-May-1997, U.S. Appln. No. 60/041,277 filed on 21-Mar-1997, U.S. Appln. No. 60/048,188 filed on 30-May-1997, U.S. Appln. No. 60/048,094 filed on 30-May-1997, U.S. Appln. No. 60/048,350 filed on 30-May-1997, U.S. Appln. No. 60/048,135 filed on 30-May-1997, U.S. Appln. No. 60/042,344 filed on 21-Mar-1997, U.S. Appln. No. 60/048,187 filed on 30-May-1997, U.S. Appln. No. 60/048,099 filed on 30-May-1997, U.S. Appln. No. 60/050,937 filed on 30-May-1997, U.S. Appln. No. 60/048,352 filed on 30-May-1997, U.S. Appln. No. 60/041,276 filed on 21-

Mar-1997, U.S. Appln. No. 60/048,069 filed on 30-May-1997, U.S. Appln. No. 60/048,131 filed on 30-May-1997, U.S. Appln. No. 60/048,186 filed on 30-May-1997, U.S. Appln. No. 60/048,095 filed on 30-May-1997, U.S. Appln. No. 60/041,281 filed on 21-Mar-1997, U.S. Appln. No. 60/048,355 filed on 30-May-1997, U.S. Appln. No. 60/048,096 filed on 30-May-1997, U.S. Appln. No. 60/048,351 filed on 30-May-1997, U.S. Appln. No. 60/048,154 filed on 30-May-1997, U.S. Appln. No. 60/048,160 filed on 30-May-1997, U.S. Appln. No. 60/042,825 filed on 08-Apr-1997, U.S. Appln. No. 60/048,070 filed on 30-May-1997, U.S. Appln. No. 60/042,727 filed on 08-Apr-1997, U.S. Appln. No. 60/048,068 filed on 30-May-1997, U.S. Appln. No. 60/042,726 filed on 08-Apr-1997, U.S. Appln. No. 60/048,184 filed on 30-May-1997, U.S. Appln. No. 60/042,728 filed on 08-Apr-1997, U.S. Appln. No. 60/042,754 filed on 08-Apr-1997, U.S. Appln. No. 60/048,190 filed on 30-May-1997, U.S. Appln. No. 60/044,039 filed on 30-May-1997, U.S. Appln. No. 60/048,093 filed on 30-May-1997, U.S. Appln. No. 60/048,885 filed on 06-Jun-1997, U.S. Appln. No. 60/057,645 filed on 05-Sep-1997, U.S. Appln. No. 60/049,375 filed on 06-Jun-1997, U.S. Appln. No. 60/057,642 filed on 05-Sep-1997, U.S. Appln. No. 60/048,881 filed on 06-Jun-1997, U.S. Appln. No. 60/057,668 filed on 05-Sep-1997, U.S. Appln. No. 60/048,880 filed on 06-Jun-1997, U.S. Appln. No. 60/057,635 filed on 05-Sep-1997, U.S. Appln. No. 60/048,896 filed on 06-Jun-1997, U.S. Appln. No. 60/057,627 filed on 05-Sep-1997, U.S. Appln. No. 60/049,020 filed on 06-Jun-1997, U.S. Appln. No. 60/057,667 filed on 05-Sep-1997, U.S. Appln. No. 60/048,876 filed on 06-Jun-1997, U.S. Appln. No. 60/057,666 filed on 05-Sep-1997, U.S. Appln. No. 60/048,895 filed on 06-Jun-1997, U.S. Appln. No. 60/057,764 filed on 05-Sep-1997, U.S. Appln. No. 60/048,884 filed on 06-Jun-1997, U.S. Appln. No. 60/057,643 filed on 05-Sep-1997, U.S. Appln. No. 60/048,894 filed on 06-Jun-1997, U.S. Appln. No. 60/057,769 filed on 05-Sep-1997, U.S. Appln. No. 60/048,971 filed on 06-Jun-1997, U.S. Appln. No. 60/057,763 filed on 05-Sep-1997, U.S. Appln. No. 60/048,964 filed on 06-Jun-1997, U.S. Appln. No. 60/057,650 filed on 05-Sep-1997, U.S. Appln. No. 60/048,882 filed on 06-Jun-1997, U.S. Appln. No. 60/057,584 filed on 05-Sep-1997, U.S. Appln. No. 60/048,899 filed on 06-Jun-1997, U.S. Appln. No. 60/057,647 filed on 05-Sep-1997, U.S. Appln. No. 60/048,893 filed on 06-Jun-1997, U.S. Appln. No. 60/057,661 filed on 05-Sep-1997, U.S. Appln. No. 60/048,900 filed on 06-Jun-1997, U.S. Appln. No. 60/057,662 filed on 05-Sep-1997, U.S. Appln. No. 60/048,901 filed on 06-Jun-1997, U.S. Appln. No. 60/057,646 filed on 05-Sep-1997, U.S. Appln. No. 60/048,892 filed on 06-Jun-1997, U.S. Appln. No. 60/057,654 filed on 05-Sep-1997, U.S. Appln. No. 60/048,915 filed on 06-Jun-1997, U.S. Appln. No. 60/057,651 filed on 05-Sep-1997, U.S. Appln. No. 60/049,019 filed on 06-Jun-1997, U.S. Appln. No. 60/057,644 filed on 05-Sep-1997, U.S. Appln. No. 60/048,970 filed on 06-Jun-1997, U.S. Appln. No. 60/057,765 filed on 05-Sep-1997, U.S. Appln. No. 60/048,972 filed on 06-Jun-1997, U.S. Appln. No. 60/057,762 filed on 05-Sep-1997, U.S. Appln. No. 60/048,916

filed on 06-Jun-1997, U.S. Appln. No. 60/057,775 filed on 05-Sep-1997, U.S. Appln. No. 60/049,373 filed on 06-Jun-1997, U.S. Appln. No. 60/057,648 filed on 05-Sep-1997, U.S. Appln. No. 60/048,875 filed on 06-Jun-1997, U.S. Appln. No. 60/057,774 filed on 05-Sep-1997, U.S. Appln. No. 60/049,374 filed on 06-Jun-1997, U.S. Appln. No. 60/057,649 filed on 05-Sep-1997, U.S. Appln. No. 60/048,917 filed on 06-Jun-1997, U.S. Appln. No. 60/057,770 filed on 05-Sep-1997, U.S. Appln. No. 60/048,949 filed on 06-Jun-1997, U.S. Appln. No. 60/057,771 filed on 05-Sep-1997, U.S. Appln. No. 60/048,974 filed on 06-Jun-1997, U.S. Appln. No. 60/057,761 filed on 05-Sep-1997, U.S. Appln. No. 60/048,883 filed on 06-Jun-1997, U.S. Appln. No. 60/057,760 filed on 05-Sep-1997, U.S. Appln. No. 60/048,897 filed on 06-Jun-1997, U.S. Appln. No. 60/057,776 filed on 05-Sep-1997, U.S. Appln. No. 60/048,898 filed on 06-Jun-1997, U.S. Appln. No. 60/057,778 filed on 05-Sep-1997, U.S. Appln. No. 60/048,962 filed on 06-Jun-1997, U.S. Appln. No. 60/057,629 filed on 05-Sep-1997, U.S. Appln. No. 60/048,963 filed on 06-Jun-1997, U.S. Appln. No. 60/057,628 filed on 05-Sep-1997, U.S. Appln. No. 60/048,877 filed on 06-Jun-1997, U.S. Appln. No. 60/057,777 filed on 05-Sep-1997, U.S. Appln. No. 60/048,878 filed on 06-Jun-1997, U.S. Appln. No. 60/057,634 filed on 05-Sep-1997, U.S. Appln. No. 60/049,608 filed on 13-Jun-1997, U.S. Appln. No. 60/058,669 filed on 12-Sep-1997, U.S. Appln. No. 60/049,566 filed on 13-Jun-1997, U.S. Appln. No. 60/058,668 filed on 12-Sep-1997, U.S. Appln. No. 60/052,989 filed on 13-Jun-1997, U.S. Appln. No. 60/058,750 filed on 12-Sep-1997, U.S. Appln. No. 60/049,607 filed on 13-Jun-1997, U.S. Appln. No. 60/058,665 filed on 12-Sep-1997, U.S. Appln. No. 60/049,611 filed on 13-Jun-1997, U.S. Appln. No. 60/058,971 filed on 12-Sep-1997, U.S. Appln. No. 60/050,901 filed on 13-Jun-1997, U.S. Appln. No. 60/058,972 filed on 12-Sep-1997, U.S. Appln. No. 60/049,609 filed on 13-Jun-1997, U.S. Appln. No. 60/058,975 filed on 12-Sep-1997, U.S. Appln. No. 60/048,356 filed on 30-May-1997, U.S. Appln. No. 60/056,296 filed on 29-Aug-1997, U.S. Appln. No. 60/048,101 filed on 30-May-1997, U.S. Appln. No. 60/056,293 filed on 29-Aug-1997, U.S. Appln. No. 60/050,935 filed on 30-May-1997, U.S. Appln. No. 60/056,250 filed on 29-Aug-1997, U.S. Appln. No. 60/049,610 filed on 13-Jun-1997, U.S. Appln. No. 60/061,060 filed on 02-Oct-1997, U.S. Appln. No. 60/049,606 filed on 13-Jun-1997, U.S. Appln. No. 60/060,841 filed on 02-Oct-1997, U.S. Appln. No. 60/049,550 filed on 13-Jun-1997, U.S. Appln. No. 60/060,834 filed on 02-Oct-1997, U.S. Appln. No. 60/049,549 filed on 13-Jun-1997, U.S. Appln. No. 60/060,865 filed on 02-Oct-1997, U.S. Appln. No. 60/049,548 filed on 13-Jun-1997, U.S. Appln. No. 60/060,844 filed on 02-Oct-1997, U.S. Appln. No. 60/049,547 filed on 13-Jun-1997, U.S. Appln. No. 60/061,059 filed on 02-Oct-1997, U.S. Appln. No. 60/051,381 filed on 01-Jul-1997, U.S. Appln. No. 60/058,598 filed on 12-Sep-1997, U.S. Appln. No. 60/051,480 filed on 01-Jul-1997, U.S. Appln. No. 60/058,663 filed on 12-Sep-1997, U.S. Appln. No. 60/051,926 filed on 08-Jul-1997, U.S. Appln. No. 60/058,785 filed on 12-Sep-1997, U.S. Appln. No. 60/052,793

filed on 08-Jul-1997, U.S. Appln. No. 60/058,664 filed on 12-Sep-1997, U.S. Appln. No. 60/051,925 filed on 08-Jul-1997, U.S. Appln. No. 60/058,660 filed on 12-Sep-1997, U.S. Appln. No. 60/051,929 filed on 08-Jul-1997, U.S. Appln. No. 60/058,661 filed on 12-Sep-1997, U.S. Appln. No. 60/052,803 filed on 08-Jul-1997, U.S. Appln. No. 60/055,722 filed on 18-Aug-1997, U.S. Appln. No. 60/052,732 filed on 08-Jul-1997, U.S. Appln. No. 60/055,723 filed on 18-Aug-1997, U.S. Appln. No. 60/051,932 filed on 08-Jul-1997, U.S. Appln. No. 60/055,948 filed on 18-Aug-1997, U.S. Appln. No. 60/051,931 filed on 08-Jul-1997, U.S. Appln. No. 60/055,949 filed on 18-Aug-1997, U.S. Appln. No. 60/051,916 filed on 08-Jul-1997, U.S. Appln. No. 60/055,953 filed on 18-Aug-1997, U.S. Appln. No. 60/051,930 filed on 08-Jul-1997, U.S. Appln. No. 60/055,950 filed on 18-Aug-1997, U.S. Appln. No. 60/051,918 filed on 08-Jul-1997, U.S. Appln. No. 60/055,947 filed on 18-Aug-1997, U.S. Appln. No. 60/051,920 filed on 08-Jul-1997, U.S. Appln. No. 60/055,964 filed on 18-Aug-1997, U.S. Appln. No. 60/052,733 filed on 08-Jul-1997, U.S. Appln. No. 60/056,360 filed on 18-Aug-1997, U.S. Appln. No. 60/052,795 filed on 08-Jul-1997, U.S. Appln. No. 60/055,684 filed on 18-Aug-1997, U.S. Appln. No. 60/051,919 filed on 08-Jul-1997, U.S. Appln. No. 60/055,984 filed on 18-Aug-1997, U.S. Appln. No. 60/051,928 filed on 08-Jul-1997, U.S. Appln. No. 60/055,954 filed on 18-Aug-1997, U.S. Appln. No. 60/052,870 filed on 16-Jul-1997, U.S. Appln. No. 60/055,952 filed on 18-Aug-1997, U.S. Appln. No. 60/052,871 filed on 16-Jul-1997, U.S. Appln. No. 60/055,725 filed on 18-Aug-1997, U.S. Appln. No. 60/052,872 filed on 16-Jul-1997, U.S. Appln. No. 60/056,359 filed on 18-Aug-1997, U.S. Appln. No. 60/052,661 filed on 16-Jul-1997, U.S. Appln. No. 60/055,985 filed on 18-Aug-1997, U.S. Appln. No. 60/052,874 filed on 16-Jul-1997, U.S. Appln. No. 60/055,724 filed on 18-Aug-1997, U.S. Appln. No. 60/052,873 filed on 16-Jul-1997, U.S. Appln. No. 60/055,726 filed on 18-Aug-1997, U.S. Appln. No. 60/052,875 filed on 16-Jul-1997, U.S. Appln. No. 60/056,361 filed on 18-Aug-1997, U.S. Appln. No. 60/053,440 filed on 22-Jul-1997, U.S. Appln. No. 60/055,989 filed on 18-Aug-1997, U.S. Appln. No. 60/053,441 filed on 22-Jul-1997, U.S. Appln. No. 60/055,946 filed on 18-Aug-1997, U.S. Appln. No. 60/053,442 filed on 22-Jul-1997, U.S. Appln. No. 60/055,683 filed on 18-Aug-1997, U.S. Appln. No. 60/054,212 filed on 30-Jul-1997, U.S. Appln. No. 60/055,968 filed on 18-Aug-1997, U.S. Appln. No. 60/054,209 filed on 30-Jul-1997, U.S. Appln. No. 60/055,972 filed on 18-Aug-1997, U.S. Appln. No. 60/054,234 filed on 30-Jul-1997, U.S. Appln. No. 60/055,969 filed on 18-Aug-1997, U.S. Appln. No. 60/055,386 filed on 05-Aug-1997, U.S. Appln. No. 60/055,986 filed on 18-Aug-1997, U.S. Appln. No. 60/054,807 filed on 05-Aug-1997, U.S. Appln. No. 60/055,970 filed on 18-Aug-1997, U.S. Appln. No. 60/054,215 filed on 30-Jul-1997, U.S. Appln. No. 60/056,543 filed on 19-Aug-1997, U.S. Appln. No. 60/054,218 filed on 30-Jul-1997, U.S. Appln. No. 60/056,561 filed on 19-Aug-1997, U.S. Appln. No. 60/054,214 filed on 30-Jul-1997, U.S. Appln. No. 60/056,534 filed on 19-Aug-1997, U.S. Appln. No. 60/054,236 filed

on 30-Jul-1997, U.S. Appln. No. 60/056,729 filed on 19-Aug-1997, U.S. Appln. No. 60/054,213 filed on 30-Jul-1997, U.S. Appln. No. 60/056,727 filed on 19-Aug-1997, U.S. Appln. No. 60/054,211 filed on 30-Jul-1997, U.S. Appln. No. 60/056,554 filed on 19-Aug-1997, U.S. Appln. No. 60/054,217 filed on 30-Jul-1997, U.S. Appln. No. 60/056,730 filed on 19-Aug-1997, U.S. Appln. No. 60/055,312 filed on 05-Aug-1997, U.S. Appln. No. 60/056,563 filed on 19-Aug-1997, U.S. Appln. No. 60/055,309 filed on 05-Aug-1997, U.S. Appln. No. 60/056,557 filed on 19-Aug-1997, U.S. Appln. No. 60/055,310 filed on 05-Aug-1997, U.S. Appln. No. 60/056,371 filed on 19-Aug-1997, U.S. Appln. No. 60/054,798 filed on 05-Aug-1997, U.S. Appln. No. 60/056,732 filed on 19-Aug-1997, U.S. Appln. No. 60/056,369 filed on 19-Aug-1997, U.S. Appln. No. 60/056,535 filed on 19-Aug-1997, U.S. Appln. No. 60/056,556 filed on 19-Aug-1997, U.S. Appln. No. 60/056,555 filed on 19-Aug-1997, U.S. Appln. No. 60/054,806 filed on 05-Aug-1997, U.S. Appln. No. 60/056,366 filed on 19-Aug-1997, U.S. Appln. No. 60/054,809 filed on 05-Aug-1997, U.S. Appln. No. 60/056,364 filed on 19-Aug-1997, U.S. Appln. No. 60/054,804 filed on 05-Aug-1997, U.S. Appln. No. 60/056,370 filed on 19-Aug-1997, U.S. Appln. No. 60/054,803 filed on 05-Aug-1997, U.S. Appln. No. 60/056,731 filed on 19-Aug-1997, U.S. Appln. No. 60/055,311 filed on 05-Aug-1997, U.S. Appln. No. 60/056,365 filed on 19-Aug-1997, U.S. Appln. No. 60/054,808 filed on 05-Aug-1997, U.S. Appln. No. 60/056,367 filed on 19-Aug-1997, U.S. Appln. No. 60/056,726 filed on 19-Aug-1997, U.S. Appln. No. 60/056,368 filed on 19-Aug-1997, U.S. Appln. No. 60/056,728 filed on 19-Aug-1997, U.S. Appln. No. 60/056,628 filed on 19-Aug-1997, U.S. Appln. No. 60/056,629 filed on 19-Aug-1997, U.S. Appln. No. 60/056,270 filed on 29-Aug-1997, U.S. Appln. No. 60/056,271 filed on 29-Aug-1997, U.S. Appln. No. 60/056,247 filed on 29-Aug-1997, U.S. Appln. No. 60/056,073 filed on 29-Aug-1997, U.S. Appln. No. 60/057,669 filed on 05-Sep-1997, U.S. Appln. No. 60/057,663 filed on 05-Sep-1997, U.S. Appln. No. 60/057,626 filed on 05-Sep-1997, U.S. Appln. No. 60/058,666 filed on 12-Sep-1997, U.S. Appln. No. 60/058,973 filed on 12-Sep-1997, U.S. Appln. No. 60/058,974 filed on 12-Sep-1997, U.S. Appln. No. 60/058,667 filed on 12-Sep-1997, U.S. Appln. No. 60/060,837 filed on 02-Oct-1997, U.S. Appln. No. 60/060,862 filed on 02-Oct-1997, U.S. Appln. No. 60/060,839 filed on 02-Oct-1997, U.S. Appln. No. 60/060,866 filed on 02-Oct-1997, U.S. Appln. No. 60/060,843 filed on 02-Oct-1997, U.S. Appln. No. 60/060,836 filed on 02-Oct-1997, U.S. Appln. No. 60/060,838 filed on 02-Oct-1997, U.S. Appln. No. 60/060,874 filed on 02-Oct-1997, U.S. Appln. No. 60/060,833 filed on 02-Oct-1997, U.S. Appln. No. 60/060,884 filed on 02-Oct-1997, U.S. Appln. No. 60/060,880 filed on 02-Oct-1997, U.S. Appln. No. 60/061,463 filed on 09-Oct-1997, U.S. Appln. No. 60/061,529 filed on 09-Oct-1997, U.S. Appln. No. 60/071,498 filed on 09-Oct-1997, U.S. Appln. No. 60/061,527 filed on 09-Oct-1997, U.S. Appln. No. 60/061,536 filed on 09-Oct-1997, U.S. Appln. No. 60/061,532 filed on 09-Oct-1997, U.S. Appln. No. 60/063,099 filed on 24-Oct-1997, U.S. Appln. No. 60/063,088

filed on 24-Oct-1997, U.S. Appln. No. 60/063,100 filed on 24-Oct-1997, U.S. Appln. No. 60/063,387 filed on 24-Oct-1997, U.S. Appln. No. 60/063,148 filed on 24-Oct-1997, U.S. Appln. No. 60/063,386 filed on 24-Oct-1997, U.S. Appln. No. 60/062,784 filed on 24-Oct-1997, U.S. Appln. No. 60/063,091 filed on 24-Oct-1997, U.S. Appln. No. 60/063,090 filed on 24-Oct-1997, U.S. Appln. No. 60/063,089 filed on 24-Oct-1997, U.S. Appln. No. 60/063,092 filed on 24-Oct-1997, U.S. Appln. No. 60/063,111 filed on 24-Oct-1997, U.S. Appln. No. 60/063,101 filed on 24-Oct-1997, U.S. Appln. No. 60/063,109 filed on 24-Oct-1997, U.S. Appln. No. 60/063,110 filed on 24-Oct-1997, U.S. Appln. No. 60/063,098 filed on 24-Oct-1997, U.S. Appln. No. 60/063,097 filed on 24-Oct-1997, U.S. Appln. No. 60/064,911 filed on 07-Nov-1997, U.S. Appln. No. 60/064,912 filed on 07-Nov-1997, U.S. Appln. No. 60/064,983 filed on 07-Nov-1997, U.S. Appln. No. 60/064,900 filed on 07-Nov-1997, U.S. Appln. No. 60/064,988 filed on 07-Nov-1997, U.S. Appln. No. 60/064,987 filed on 07-Nov-1997, U.S. Appln. No. 60/064,908 filed on 07-Nov-1997, U.S. Appln. No. 60/064,984 filed on 07-Nov-1997, U.S. Appln. No. 60/064,985 filed on 07-Nov-1997, U.S. Appln. No. 60/066,094 filed on 17-Nov-1997, U.S. Appln. No. 60/066,100 filed on 17-Nov-1997, U.S. Appln. No. 60/066,089 filed on 17-Nov-1997, U.S. Appln. No. 60/066,095 filed on 17-Nov-1997, U.S. Appln. No. 60/066,090 filed on 17-Nov-1997, U.S. Appln. No. 60/068,006 filed on 18-Dec-1997, U.S. Appln. No. 60/068,057 filed on 18-Dec-1997, U.S. Appln. No. 60/068,007 filed on 18-Dec-1997, U.S. Appln. No. 60/068,008 filed on 18-Dec-1997, U.S. Appln. No. 60/068,054 filed on 18-Dec-1997, U.S. Appln. No. 60/068,064 filed on 18-Dec-1997, U.S. Appln. No. 60/068,053 filed on 18-Dec-1997, U.S. Appln. No. 60/070,923 filed on 18-Dec-1997, U.S. Appln. No. 60/068,365 filed on 19-Dec-1997, U.S. Appln. No. 60/068,169 filed on 19-Dec-1997, U.S. Appln. No. 60/068,367 filed on 19-Dec-1997, U.S. Appln. No. 60/068,369 filed on 19-Dec-1997, U.S. Appln. No. 60/068,368 filed on 19-Dec-1997, U.S. Appln. No. 60/070,657 filed on 07-Jan-1998, U.S. Appln. No. 60/070,692 filed on 07-Jan-1998, U.S. Appln. No. 60/070,704 filed on 07-Jan-1998, U.S. Appln. No. 60/070,658 filed on 07-Jan-1998, U.S. Appln. No. 60/073,160 filed on 30-Jan-1998, U.S. Appln. No. 60/073,159 filed on 30-Jan-1998, U.S. Appln. No. 60/073,165 filed on 30-Jan-1998, U.S. Appln. No. 60/073,164 filed on 30-Jan-1998, U.S. Appln. No. 60/073,167 filed on 30-Jan-1998, U.S. Appln. No. 60/073,162 filed on 30-Jan-1998, U.S. Appln. No. 60/073,161 filed on 30-Jan-1998, U.S. Appln. No. 60/073,170 filed on 30-Jan-1998, U.S. Appln. No. 60/074,141 filed on 09-Feb-1998, U.S. Appln. No. 60/074,341 filed on 09-Feb-1998, U.S. Appln. No. 60/074,037 filed on 09-Feb-1998, U.S. Appln. No. 60/074,157 filed on 09-Feb-1998, U.S. Appln. No. 60/074,118 filed on 09-Feb-1998, U.S. Appln. No. 60/076,051 filed on 26-Feb-1998, U.S. Appln. No. 60/076,053 filed on 26-Feb-1998, U.S. Appln. No. 60/076,054 filed on 26-Feb-1998, U.S. Appln. No. 60/076,052 filed on 26-Feb-1998, U.S. Appln. No. 60/076,057 filed on 26-Feb-1998, U.S. Appln. No. 60/077,714 filed on 12-Mar-1998, U.S. Appln. No. 60/077,687

filed on 12-Mar-1998, U.S. Appln. No. 60/077,686 filed on 12-Mar-1998, U.S. Appln. No. 60/077,696 filed on 12-Mar-1998, U.S. Appln. No. 60/078,566 filed on 19-Mar-1998, U.S. Appln. No. 60/078,574 filed on 19-Mar-1998, U.S. Appln. No. 60/078,576 filed on 19-Mar-1998, U.S. Appln. No. 60/078,579 filed on 19-Mar-1998, U.S. Appln. No. 60/078,563 filed on 19-Mar-1998, U.S. Appln. No. 60/078,573 filed on 19-Mar-1998, U.S. Appln. No. 60/078,578 filed on 19-Mar-1998, U.S. Appln. No. 60/078,581 filed on 19-Mar-1998, U.S. Appln. No. 60/078,577 filed on 19-Mar-1998, U.S. Appln. No. 60/080,314 filed on 01-Apr-1998, U.S. Appln. No. 60/080,312 filed on 01-Apr-1998, U.S. Appln. No. 60/080,313 filed on 01-Apr-1998, U.S. Appln. No. 60/085,180 filed on 12-May-1998, U.S. Appln. No. 60/085,105 filed on 12-May-1998, U.S. Appln. No. 60/085,094 filed on 12-May-1998, U.S. Appln. No. 60/085,093 filed on 12-May-1998, U.S. Appln. No. 60/085,924 filed on 18-May-1998, U.S. Appln. No. 60/085,906 filed on 18-May-1998, U.S. Appln. No. 60/085,927 filed on 18-May-1998, U.S. Appln. No. 60/085,920 filed on 18-May-1998, U.S. Appln. No. 60/085,928 filed on 18-May-1998, U.S. Appln. No. 60/085,925 filed on 18-May-1998, U.S. Appln. No. 60/085,921 filed on 18-May-1998, U.S. Appln. No. 60/085,923 filed on 18-May-1998, U.S. Appln. No. 60/085,922 filed on 18-May-1998, U.S. Appln. No. 60/090,112 filed on 22-Jun-1998, U.S. Appln. No. 60/089,508 filed on 16-Jun-1998, U.S. Appln. No. 60/089,507 filed on 16-Jun-1998, U.S. Appln. No. 60/089,510 filed on 16-Jun-1998, U.S. Appln. No. 60/089,509 filed on 16-Jun-1998, U.S. Appln. No. 60/090,113 filed on 22-Jun-1998, U.S. Appln. No. 60/092,956 filed on 15-Jul-1998, U.S. Appln. No. 60/092,921 filed on 15-Jul-1998, U.S. Appln. No. 60/092,922 filed on 15-Jul-1998, U.S. Appln. No. 60/094,657 filed on 30-Jul-1998, U.S. Appln. No. 60/095,486 filed on 05-Aug-1998, U.S. Appln. No. 60/096,319 filed on 12-Aug-1998, U.S. Appln. No. 60/095,455 filed on 06-Aug-1998, U.S. Appln. No. 60/095,454 filed on 06-Aug-1998, U.S. Appln. No. 60/097,917 filed on 25-Aug-1998, U.S. Appln. No. 60/098,634 filed on 31-Aug-1998, U.S. Appln. No. 60/101,546 filed on 23-Sep-1998, U.S. Appln. No. 60/102,895 filed on 02-Oct-1998, U.S. Appln. No. 60/108,207 filed on 12-Nov-1998, U.S. Appln. No. 60/113,006 filed on 18-Dec-1998, U.S. Appln. No. 60/112,809 filed on 17-Dec-1998, U.S. Appln. No. 60/116,330 filed on 19-Jan-1999, U.S. Appln. No. 60/119,468 filed on 10-Feb-1999, U.S. Appln. No. 60/125,055 filed on 18-Mar-1999, U.S. Appln. No. 60/128,693 filed on 09-Apr-1999, U.S. Appln. No. 60/130,991 filed on 26-Apr-1999, U.S. Appln. No. 60/137,725 filed on 07-Jun-1999, U.S. Appln. No. 60/145,220 filed on 23-Jul-1999, U.S. Appln. No. 60/149,182 filed on 17-Aug-1999, U.S. Appln. No. 60/152,317 filed on 03-Sep-1999, U.S. Appln. No. 60/152,315 filed on 03-Sep-1999, U.S. Appln. No. 60/155,709 filed on 24-Sep-1999, U.S. Appln. No. 60/163,085 filed on 02-Nov-1999, U.S. Appln. No. 60/172,411 filed on 17-Dec-1999, U.S. Appln. No. 60/162,239 filed on 29-Oct-1999, U.S. Appln. No. 60/215,139 filed on 30-Jun-2000, U.S. Appln. No. 60/162,211 filed on 29-Oct-1999, U.S. Appln. No. 60/215,138 filed on 30-Jun-2000, U.S. Appln.

No. 60/162,240 filed on 29-Oct-1999, U.S. Appln. No. 60/215,131 filed on 30-Jun-2000, U.S. Appln. No. 60/162,237 filed on 29-Oct-1999, U.S. Appln. No. 60/219,666 filed on 21-Jul-2000, U.S. Appln. No. 60/162,238 filed on 29-Oct-1999, U.S. Appln. No. 60/215,134 filed on 30-Jun-2000, U.S. Appln. No. 60/163,580 filed on 05-Nov-1999, U.S. Appln. No. 60/215,130 filed on 30-Jun-2000, U.S. Appln. No. 60/163,577 filed on 05-Nov-1999, U.S. Appln. No. 60/215,137 filed on 30-Jun-2000, U.S. Appln. No. 60/163,581 filed on 05-Nov-1999, U.S. Appln. No. 60/215,133 filed on 30-Jun-2000, U.S. Appln. No. 60/163,576 filed on 05-Nov-1999, U.S. Appln. No. 60/221,366 filed on 27-Jul-2000, U.S. Appln. No. 60/164,344 filed on 09-Nov-1999, U.S. Appln. No. 60/195,296 filed on 07-Apr-2000, U.S. Appln. No. 60/221,367 filed on 27-Jul-2000, U.S. Appln. No. 60/164,835 filed on 12-Nov-1999, U.S. Appln. No. 60/221,142 filed on 27-Jul-2000, U.S. Appln. No. 60/164,744 filed on 12-Nov-1999, U.S. Appln. No. 60/215,140 filed on 30-Jun-2000, U.S. Appln. No. 60/164,735 filed on 12-Nov-1999, U.S. Appln. No. 60/221,193 filed on 27-Jul-2000, U.S. Appln. No. 60/164,825 filed on 12-Nov-1999, U.S. Appln. No. 60/222,904 filed on 03-Aug-2000, U.S. Appln. No. 60/164,834 filed on 12-Nov-1999, U.S. Appln. No. 60/224,007 filed on 04-Aug-2000, U.S. Appln. No. 60/164,750 filed on 12-Nov-1999, U.S. Appln. No. 60/215,128 filed on 30-Jun-2000, U.S. Appln. No. 60/166,415 filed on 19-Nov-1999, U.S. Appln. No. 60/215,136 filed on 30-Jun-2000, U.S. Appln. No. 60/166,414 filed on 19-Nov-1999, U.S. Appln. No. 60/219,665 filed on 21-Jul-2000, U.S. Appln. No. 60/164,731 filed on 12-Nov-1999, U.S. Appln. No. 60/215,132 filed on 30-Jun-2000, U.S. Appln. No. 60/226,280 filed on 18-Aug-2000, U.S. Appln. No. 60/256,968 filed on 21-Dec-2000, U.S. Appln. No. 60/226,380 filed on 18-Aug-2000, U.S. Appln. No. 60/259,803 filed on 05-Jan-2001, U.S. Appln. No. 60/228,084 filed on 28-Aug-2000, U.S. Appln. No. 09/915,582 filed on 27-Jul-2001, U.S. Appln. No. 60/231,968 filed on 12-Sep-2000, U.S. Appln. No. 60/236,326 filed on 29-Sep-2000, U.S. Appln. No. 60/234,211 filed on 20-Sep-2000, U.S. Appln. No. 60/226,282 filed on 18-Aug-2000, U.S. Appln. No. 60/232,104 filed on 12-Sep-2000, U.S. Appln. No. 60/234,210 filed on 20-Sep-2000, U.S. Appln. No. 60/226,278 filed on 18-Aug-2000, U.S. Appln. No. 60/259,805 filed on 05-Jan-2001, U.S. Appln. No. 60/226,279 filed on 18-Aug-2000, U.S. Appln. No. 60/259,678 filed on 05-Jan-2001, U.S. Appln. No. 60/226,281 filed on 18-Aug-2000, U.S. Appln. No. 60/231,969 filed on 12-Sep-2000, U.S. Appln. No. 60/228,086 filed on 28-Aug-2000, U.S. Appln. No. 60/259,516 filed on 04-Jan-2001, U.S. Appln. No. 60/228,083 filed on 28-Aug-2000, U.S. Appln. No. 60/259,804 filed on 05-Jan-2001, U.S. Appln. No. 60/270,658 filed on 23-Feb-2001, U.S. Appln. No. 60/304,444 filed on 12-Jul-2001, U.S. Appln. No. 60/270,625 filed on 23-Feb-2001, U.S. Appln. No. 60/304,417 filed on 12-Jul-2001, U.S. Appln. No. 60/295,869 filed on 06-Jun-2001, U.S. Appln. No. 60/304,121 filed on 11-Jul-2001, U.S. Appln. No. 60/311,085 filed on 10-Aug-2001, U.S. Appln. No. 60/325,209 filed on 28-Sep-2001, U.S. Appln. No. 60/330,629 filed on 26-Oct-2001, U.S. Appln.

No. 60/331,046 filed on 07-Nov-2001, U.S. Appln. No. 60/358,554 filed on 22-Feb-2002, U.S. Appln. No. 60/358,714 filed on 25-Feb-2002, U.S. Appln. No. 60/277,340 filed on 21-Mar-2001, U.S. Appln. No. 60/306,171 filed on 19-Jul-2001, U.S. Appln. No. 60/278,650 filed on 27-Mar-2001, U.S. Appln. No. 60/331,287 filed on 13-Nov-2001, U.S. Appln. No. 09/950,082 filed on 12-Sep-2001, U.S. Appln. No. 09/950,083 filed on 12-Sep-2001, PCT Appln. No. US00/29363 filed on 25-Oct-2000, PCT Appln. No. US00/29360 filed on 25-Oct-2000, PCT Appln. No. US00/29362 filed on 25-Oct-2000, PCT Appln. No. US00/29365 filed on 25-Oct-2000, PCT Appln. No. US00/29364 filed on 25-Oct-2000, PCT Appln. No. US00/30040 filed on 01-Nov-2000, PCT Appln. No. US00/30037 filed on 01-Nov-2000, PCT Appln. No. US00/30045 filed on 01-Nov-2000, PCT Appln. No. US00/30036 filed on 01-Nov-2000, PCT Appln. No. US00/30039 filed on 01-Nov-2000, PCT Appln. No. US00/30654 filed on 08-Nov-2000, PCT Appln. No. US00/30628 filed on 08-Nov-2000, PCT Appln. No. US00/30653 filed on 08-Nov-2000, PCT Appln. No. US00/30629 filed on 08-Nov-2000, PCT Appln. No. US00/30679 filed on 08-Nov-2000, PCT Appln. No. US00/30674 filed on 08-Nov-2000, PCT Appln. No. US00/31162 filed on 15-Nov-2000, PCT Appln. No. US00/31282 filed on 15-Nov-2000, PCT Appln. No. US00/30657 filed on 08-Nov-2000, PCT Appln. No. US01/01396 filed on 17-Jan-2001, PCT Appln. No. US01/01387 filed on 17-Jan-2001, PCT Appln. No. US01/01567 filed on 17-Jan-2001, PCT Appln. No. US01/01431 filed on 17-Jan-2001, PCT Appln. No. US01/01432 filed on 17-Jan-2001, PCT Appln. No. US01/00544 filed on 09-Jan-2001, PCT Appln. No. US01/01435 filed on 17-Jan-2001, PCT Appln. No. US01/01386 filed on 17-Jan-2001, PCT Appln. No. US01/01565 filed on 17-Jan-2001, PCT Appln. No. US01/01394 filed on 17-Jan-2001, PCT Appln. No. US01/01434 filed on 17-Jan-2001, PCT Appln. No. US01/01397 filed on 17-Jan-2001, PCT Appln. No. US01/01385 filed on 17-Jan-2001, PCT Appln. No. US01/01384 filed on 17-Jan-2001, PCT Appln. No. US01/01383 filed on 17-Jan-2001, PCT Appln. No. (Atty. Dkt. No. PS735; unassigned) filed on 21-Feb-2002, PCT Appln. No. (Atty. Dkt. No. PS736; unassigned) filed on 21-Feb-2002, U.S. Appln. No. 09/148,545 filed on 04-Sep-1998, U.S. Appln. No. 09/621,011 filed on 20-Jul-2000, U.S. Appln. No. 09/981,876 filed on 19-Oct-2001, U.S. Appln. No. 09/149,476 filed on 08-Sep-1998, U.S. Appln. No. 09/809,391 filed on 16-Mar-2001, U.S. Appln. No. 09/882,171 filed on 18-Jun-2001, U.S. Appln. No. 60/190,068 filed on 17-Mar-2000, U.S. Appln. No. 09/152,060 filed on 11-Sep-1998, U.S. Appln. No. 09/852,797 filed on 11-May-2001, U.S. Appln. No. 09/853,161 filed on 11-May-2001, U.S. Appln. No. 09/852,659 filed on 11-May-2001, U.S. Appln. No. 10/058,993 filed on 30-Jan-2002, U.S. Appln. No. 60/265,583 filed on 02-Feb-2001, U.S. Appln. No. 09/154,707 filed on 17-Sep-1998, U.S. Appln. No. 09/966,262 filed on 01-Oct-2001, U.S. Appln. No. 09/983,966 filed on 26-Oct-2001, U.S. Appln. No. 10/059,395 filed on 31-Jan-2002, U.S. Appln. No. 09/984,245 filed on 29-Oct-2001, U.S. Appln. No. 09/166,780 filed

on 06-Oct-1998, U.S. Appln. No. 09/577,145 filed on 24-May-2000, U.S. Appln. No. 09/814,122 filed on 22-Mar-2001, U.S. Appln. No. 09/189,144 filed on 10-Nov-1998, U.S. Appln. No. 09/690,454 filed on 18-Oct-2000, U.S. Appln. No. (Atty. Dkt. No. PZ006G13A; unassigned) filed on 05-Feb-2002, U.S. Appln. No. 10/062,599 filed on 05-Feb-2002, U.S. Appln. No. 09/205,258 filed on 04-Dec-1998, U.S. Appln. No. 09/933,767 filed on 22-Aug-2001, U.S. Appln. No. 60/184,836 filed on 24-Feb-2000, U.S. Appln. No. 60/193,170 filed on 29-Mar-2000, U.S. Appln. No. 10/023,282 filed on 20-Dec-2001, U.S. Appln. No. 10/004,860 filed on 07-Dec-2001, U.S. Appln. No. 09/209,462 filed on 11-Dec-1998, U.S. Appln. No. 09/213,365 filed on 17-Dec-1998, U.S. Appln. No. 09/627,081 filed on 27-Jul-2000, U.S. Appln. No. 09/227,357 filed on 08-Jan-1999, U.S. Appln. No. 09/983,802 filed on 25-Oct-2001, U.S. Appln. No. 09/973,278 filed on 10-Oct-2001, U.S. Appln. No. 60/239,899 filed on 13-Oct-2000, U.S. Appln. No. 09/984,490 filed on 30-Oct-2001, U.S. Appln. No. 09/776,724 filed on 06-Feb-2001, U.S. Appln. No. 09/229,982 filed on 14-Jan-1999, U.S. Appln. No. 09/669,688 filed on 26-Sep-2000, U.S. Appln. No. 60/180,909 filed on 08-Feb-2000, U.S. Appln. No. 09/236,557 filed on 26-Jan-1999, U.S. Appln. No. 09/666,984 filed on 21-Sep-2000, U.S. Appln. No. 09/820,649 filed on 30-Mar-2001, U.S. Appln. No. 60/295,558 filed on 05-Jun-2001, U.S. Appln. No. 09/244,112 filed on 04-Feb-1999, U.S. Appln. No. 09/774,639 filed on 01-Feb-2001, U.S. Appln. No. 09/969,730 filed on 04-Oct-2001, U.S. Appln. No. 60/238,291 filed on 06-Oct-2000, U.S. Appln. No. 09/251,329 filed on 17-Feb-1999, U.S. Appln. No. 09/716,128 filed on 17-Nov-2000, U.S. Appln. No. 09/257,179 filed on 25-Feb-1999, U.S. Appln. No. 09/729,835 filed on 06-Dec-2000, U.S. Appln. No. 09/262,109 filed on 04-Mar-1999, U.S. Appln. No. 09/722,329 filed on 28-Nov-2000, U.S. Appln. No. (Atty. Dkt. No. PZ016P1C1; unassigned) filed on 17-Jan-2002, U.S. Appln. No. 60/262,066 filed on 18-Jan-2001, U.S. Appln. No. 09/281,976 filed on 31-Mar-1999, U.S. Appln. No. 09/288,143 filed on 08-Apr-1999, U.S. Appln. No. 09/984,429 filed on 30-Oct-2001, U.S. Appln. No. 60/244,591 filed on 01-Nov-2000, U.S. Appln. No. 09/296,622 filed on 23-Apr-1999, U.S. Appln. No. 09/305,736 filed on 05-May-1999, U.S. Appln. No. 09/818,683 filed on 28-Mar-2001, U.S. Appln. No. 09/974,879 filed on 12-Oct-2001, U.S. Appln. No. 60/239,893 filed on 13-Oct-2000, U.S. Appln. No. 09/334,595 filed on 17-Jun-1999, U.S. Appln. No. 09/348,457 filed on 07-Jul-1999, U.S. Appln. No. 09/739,907 filed on 20-Dec-2000, U.S. Appln. No. 09/938,671 filed on 27-Aug-2001, U.S. Appln. No. 09/363,044 filed on 29-Jul-1999, U.S. Appln. No. 09/813,153 filed on 21-Mar-2001, U.S. Appln. No. 09/949,925 filed on 12-Sep-2001, U.S. Appln. No. 60/232,150 filed on 12-Sep-2000, U.S. Appln. No. 09/369,247 filed on 05-Aug-1999, U.S. Appln. No. 10/062,548 filed on 05-Feb-2002, U.S. Appln. No. 09/382,572 filed on 25-Aug-1999, U.S. Appln. No. 09/716,129 filed on 17-Nov-2000, U.S. Appln. No. 09/393,022 filed on 09-Sep-1999, U.S. Appln. No. 09/798,889 filed on 06-Mar-2001, U.S. Appln. No. 09/397,945 filed on 17-Sep-1999, U.S. Appln. No.

09/437,658 filed on 10-Nov-1999, U.S. Appln. No. 09/892,877 filed on 28-Jun-2001, U.S. Appln. No. 09/948,783 filed on 10-Sep-2001, U.S. Appln. No. 60/231,846 filed on 11-Sep-2000, U.S. Appln. No. 09/461,325 filed on 14-Dec-1999, U.S. Appln. No. 10/050,873 filed on 18-Jan-2002, U.S. Appln. No. 60/263,230 filed on 23-Jan-2001, U.S. Appln. No. 60/263,681 filed on 24-Jan-2001, U.S. Appln. No. 10/012,542 filed on 12-Dec-2001, U.S. Appln. No. 09/482,273 filed on 13-Jan-2000, U.S. Appln. No. 60/234,925 filed on 25-Sep-2000, U.S. Appln. No. 09/984,276 filed on 29-Oct-2001, U.S. Appln. No. 09/984,271 filed on 29-Oct-2001, U.S. Appln. No. 09/489,847 filed on 24-Jan-2000, U.S. Appln. No. 60/350,898 filed on 25-Jan-2002, U.S. Appln. No. 09/511,554 filed on 23-Feb-2000, U.S. Appln. No. 09/739,254 filed on 19-Dec-2000, U.S. Appln. No. 09/904,615 filed on 16-Jul-2001, U.S. Appln. No. 10/054,988 filed on 25-Jan-2002, U.S. Appln. No. 09/531,119 filed on 20-Mar-2000, U.S. Appln. No. 09/820,893 filed on 30-Mar-2001, U.S. Appln. No. 09/565,391 filed on 05-May-2000, U.S. Appln. No. 09/948,820 filed on 10-Sep-2001, U.S. Appln. No. 09/591,316 filed on 09-Jun-2000, U.S. Appln. No. 09/895,298 filed on 02-Jul-2001, U.S. Appln. No. 09/618,150 filed on 17-Jul-2000, U.S. Appln. No. 09/985,153 filed on 01-Nov-2001, U.S. Appln. No. 09/628,508 filed on 28-Jul-2000, U.S. Appln. No. 09/997,131 filed on 30-Nov-2001, U.S. Appln. No. 09/661,453 filed on 13-Sep-2000, U.S. Appln. No. 10/050,882 filed on 18-Jan-2002, U.S. Appln. No. 09/684,524 filed on 10-Oct-2000, U.S. Appln. No. 10/050,704 filed on 18-Jan-2002, U.S. Appln. No. 09/726,643 filed on 01-Dec-2000, U.S. Appln. No. 10/042,141 filed on 11-Jan-2002, U.S. Appln. No. 09/756,168 filed on 09-Jan-2001, U.S. Appln. No. 09/781,417 filed on 13-Feb-2001, U.S. Appln. No. (Atty. Dkt. No. PZ042P1C1; unassigned) filed on 01-Feb-2002, U.S. Appln. No. 09/789,561 filed on 22-Feb-2001, U.S. Appln. No. 09/800,729 filed on 08-Mar-2001, U.S. Appln. No. 09/832,129 filed on 11-Apr-2001, PCT Appln. No.US98/04482 filed on 06-Mar-1998, PCT Appln. No.US98/04493 filed on 06-Mar-1998, PCT Appln. No.US98/04858 filed on 12-Mar-1998, PCT Appln. No.US98/05311 filed on 19-Mar-1998, PCT Appln. No.US98/06801 filed on 07-Apr-1998, PCT Appln. No.US98/10868 filed on 28-May-1998, PCT Appln. No.US98/11422 filed on 04-Jun-1998, PCT Appln. No.US01/05614 filed on 21-Feb-2001, PCT Appln. No.US98/12125 filed on 11-Jun-1998, PCT Appln. No.US98/13608 filed on 30-Jun-1998, PCT Appln. No.US98/13684 filed on 07-Jul-1998, PCT Appln. No.US98/14613 filed on 15-Jul-1998, PCT Appln. No.US98/15949 filed on 29-Jul-1998, PCT Appln. No.US98/16235 filed on 04-Aug-1998, PCT Appln. No.US98/17044 filed on 18-Aug-1998, PCT Appln. No.US98/17709 filed on 27-Aug-1998, PCT Appln. No.US98/18360 filed on 03-Sep-1998, PCT Appln. No.(Atty. Dkt. No. PZ016PCT2; unassigned) filed on 17-Jan-2002, PCT Appln. No.US98/20775 filed on 01-Oct-1998, PCT Appln. No.US98/21142 filed on 08-Oct-1998, PCT Appln. No.US98/22376 filed on 23-Oct-1998, PCT Appln. No.US98/23435 filed on 04-Nov-1998, PCT Appln. No.US98/27059 filed on 17-Dec-1998, PCT Appln. No.US99/00108

filed on 06-Jan-1999, PCT Appln. No.US99/01621 filed on 27-Jan-1999, PCT Appln. No.US99/02293 filed on 04-Feb-1999, PCT Appln. No.US99/03939 filed on 24-Feb-1999, PCT Appln. No.US99/05721 filed on 11-Mar-1999, PCT Appln. No.US99/05804 filed on 18-Mar-1999, PCT Appln. No.US99/09847 filed on 06-May-1999, PCT Appln. No.US99/13418 filed on 15-Jun-1999, PCT Appln. No.US99/15849 filed on 14-Jul-1999, PCT Appln. No.US01/00911 filed on 12-Jan-2001, PCT Appln. No.US01/29871 filed on 24-Sep-2001, PCT Appln. No.US99/17130 filed on 29-Jul-1999, PCT Appln. No.US99/19330 filed on 24-Aug-1999, PCT Appln. No.US99/22012 filed on 22-Sep-1999, PCT Appln. No.US99/26409 filed on 09-Nov-1999, PCT Appln. No.US99/29950 filed on 16-Dec-1999, PCT Appln. No.US00/00903 filed on 18-Jan-2000, PCT Appln. No.US00/03062 filed on 08-Feb-2000, PCT Appln. No.US00/06783 filed on 16-Mar-2000, PCT Appln. No.US00/08979 filed on 06-Apr-2000, PCT Appln. No.US00/15187 filed on 02-Jun-2000, PCT Appln. No.US00/19735 filed on 20-Jul-2000, PCT Appln. No.US00/22325 filed on 16-Aug-2000, PCT Appln. No.US00/24008 filed on 31-Aug-2000, PCT Appln. No.US00/26013 filed on 22-Sep-2000, PCT Appln. No.US00/28664 filed on 17-Oct-2000, US Appln. No. 09/833,245 filed on 12-Apr-2001, and PCT Appln. No. US01/11988 filed on 12-Apr-2001.

Applicant's File Reference Number: PS905PCT	International Application Number: Unassigned

INDICATIONS RELATING TO DEPOSITED BIOLOGICAL MATERIAL

(PCT Rule 13*bis*)

A. The indications made below relate to the deposited biological material referred to in Table 1A of the description.

B. IDENTIFICATION OF DEPOSIT: Further deposits are identified on an additional sheet: X

Name of Depository: **American Type Culture Collection**
Address of Depository: **10801 University Boulevard**
Manassas, Virginia 20110-2209
United States of America

	Accession Number	Date of Deposit		Accession Number	Date of Deposit
1	203027	26-Jun-1998	2	209215	21-Aug-1997
3	203069	27-Jul-1998	4	209224	28-Aug-1997
5	203070	27-Jul-1998	6	209225	28-Aug-1997
7	203071	27-Jul-1998	8	209226	28-Aug-1997
9	203081	30-Jul-1998	10	209236	4-Sep-1997
11	203105	13-Aug-1998	12	209242	12-Sep-1997
13	203331	8-Oct-1998	14	209243	12-Sep-1997
15	203364	19-Oct-1998	16	209244	12-Sep-1997
17	203499	1-Dec-1998	18	209277	18-Sep-1997
19	203517	10-Dec-1998	20	209299	25-Sep-1997
21	203570	11-Jan-1999	22	209300	25-Sep-1997
23	203648	9-Feb-1999	24	209324	2-Oct-1997
25	203858	18-Mar-1999	26	209346	9-Oct-1997
27	209007	28-Apr-1997	28	209368	16-Oct-1997
29	209008	28-Apr-1997	30	209407	23-Oct-1997
31	209010	28-Apr-1997	32	209423	30-Oct-1997
33	209012	28-Apr-1997	34	209463	14-Nov-1997
35	209045	15-May-1997	36	209511	3-Dec-1997
37	209070	22-May-1997	38	209551	12-Dec-1997
39	209071	22-May-1997	40	209563	18-Dec-1997
41	209072	22-May-1997	42	209568	6-Jan-1998
43	209073	22-May-1997	44	209580	14-Jan-1998
45	209082	29-May-1997	46	209603	29-Jan-1998
47	209083	29-May-1997	48	209626	12-Feb-1998
49	209084	29-May-1997	50	209627	12-Feb-1998
51	209085	29-May-1997	52	209628	12-Feb-1998
53	209086	29-May-1997	54	209641	25-Feb-1998
55	209089	5-Jun-1997	56	209651	4-Mar-1998
57	209118	12-Jun-1997	58	209683	20-Mar-1998
59	209119	12-Jun-1997	60	209745	7-Apr-1998
61	209125	19-Jun-1997	62	209746	7-Apr-1998
63	209126	19-Jun-1997	64	209782	20-Apr-1998
65	209138	3-Jul-1997	66	209852	7-May-1998
67	209139	3-Jul-1997	68	209853	7-May-1998

Applicant's File Reference Number: PS905PCT	International Application Number: Unassigned

	Accession Number	Date of Deposit		Accession Number	Date of Deposit
69	209145	17-Jul-1997	70	209877	18-May-1998
71	209195	1-Aug-1997	72	209878	18-May-1998
73	209197	8-Aug-1997	74	209889	22-May-1998
75	209965	11-Jun-1998	76	PTA-622	2-Sep-1999
77	97899	26-Feb-1997	78	PTA-623	2-Sep-1999
79	97922	7-Mar-1997	80	PTA-841	13-Oct-1999
81	97923	7-Mar-1997	82	PTA-842	13-Oct-1999
83	97957	13-Mar-1997	84	PTA-843	13-Oct-1999
85	97958	13-Mar-1997	86	PTA-844	13-Oct-1999
87	97977	4-Apr-1997	88	PTA-845	13-Oct-1999
89	PTA-1543	21-Mar-2000	90	PTA-846	13-Oct-1999
91	PTA-1544	21-Mar-2000	92	PTA-847	13-Oct-1999
93	PTA-163	1-Jun-1999	94	PTA-848	13-Oct-1999
95	PTA-2069	9-Jun-2000	96	PTA-849	13-Oct-1999
97	PTA-2070	9-Jun-2000	98	PTA-855	18-Oct-1999
99	PTA-2075	9-Jun-2000	100	PTA-867	26-Oct-1999
101	PTA-2076	9-Jun-2000	102	PTA-868	26-Oct-1999
103	PTA-2081	9-Jun-2000	104	PTA-871	26-Oct-1999
105	PTA-322	9-Jul-1999	106	PTA-883	28-Oct-1999
107	PTA-499	11-Aug-1999	108		

EUROPE

In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later that at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

What Is Claimed Is:

1. Use of a polypeptide for the preparation of a diagnostic or pharmaceutical composition for diagnosing or treating a cardiovascular disorder, wherein said polypeptide comprises an amino acid sequence at least 95% identical to a sequence selected from the group consisting of:

(a) a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(b) a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(e) a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(f) a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(g) a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

2. Use of the polypeptide of claim 1, wherein said wherein said polypeptide comprises a heterologous amino acid sequence.

3. Use of a polypeptide for the preparation of a diagnostic or pharmaceutical composition for diagnosing or treating a cardiovascular disorder, wherein said polypeptide comprises an amino acid sequence selected from the group consisting of:

(a) a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(b) a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(e) a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(f) a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(g) a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

4. Use of the polypeptide of claim 3, wherein said polypeptide comprises a heterologous amino acid sequence.

5. Use of an antibody or fragment thereof for the preparation of a diagnostic or pharmaceutical composition for diagnosing or treating a cardiovascular disorder, wherein said antibody or fragment thereof binds a polypeptide comprising an amino acid sequence at least 95% identical to a sequence selected from the group consisting of:

(a) a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(b) a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(e) a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(f) a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(g) a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

6. Use of an antibody or fragment thereof for the preparation of a diagnostic or pharmaceutical composition for diagnosing or treating a cardiovascular disorder, wherein said antibody or fragment thereof binds a polypeptide selected from the group consisting of:

(a) a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(b) a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(e) a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(f) a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(g) a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

7. Use of a nucleic acid molecule for the preparation of a diagnostic or pharmaceutical composition for diagnosing or treating a cardiovascular disorder, wherein said nucleic acid molecule comprises a polynucleotide sequence at least 95% identical to a sequence selected from the group consisting of:

(a) a polynucleotide fragment of SEQ ID NO:X as referenced in Table 1A;

(b) a polynucleotide encoding a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polynucleotide encoding a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(e) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(f) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(g) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(h) a polynucleotide encoding a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

8. Use of the nucleic acid molecule of claim 7, wherein said nucleic acid molecule comprises a heterologous polynucleotide sequence.

9. Use of a nucleic acid molecule for the preparation of a diagnostic or pharmaceutical composition for diagnosing or treating a cardiovascular disorder, wherein said nucleic acid molecule comprises a polynucleotide sequence selected from the group consisting of:

(a) a polynucleotide fragment of SEQ ID NO:X as referenced in Table 1A;

(b) a polynucleotide encoding a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polynucleotide encoding a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(e) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(f) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(g) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(h) a polynucleotide encoding a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

10. Use of the nucleic acid molecule of claim 9, wherein said nucleic acid molecule comprises a heterologous polynucleotide sequence.

11. Use of an agonist or antagonist for the preparation of a pharmaceutical composition for treating a cardiovascular disorder, wherein said agonist or antagonist binds a polypeptide comprising an amino acid sequence at least 95% identical to a sequence selected from the group consisting of:

(a) a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(b) a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(e) a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(f) a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(g) a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

12. Use of an agonist or antagonist for the preparation of a pharmaceutical composition for treating a cardiovascular disorder, wherein said agonist or antagonist binds a polypeptide selected from the group consisting of:

(a) a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(b) a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(e) a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(f) a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(g) a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

13. A polypeptide comprising an amino acid sequence at least 95% identical to a sequence selected from the group consisting of:

(a) a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(b) a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(e) a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(f) a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(g) a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

14. The polypeptide of claim 13, wherein said polypeptide comprises a heterologous amino acid sequence.

15. Use of the polypeptide of claim 13 for identifying a binding partner comprising:

(a) contacting the polypeptide of claim 13 with a binding partner; and

(b) determining whether the binding partner increases or decreases activity of the polypeptide.

16. A polypeptide comprising an amino acid sequence selected from the group consisting of:

(a) a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(b) a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(e) a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(f) a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(g) a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

17. The polypeptide of claim 16, wherein said polypeptide comprises a heterologous polypeptide sequence.

18. Use of the polypeptide of claim 16 for identifying a binding partner comprising:

(a) contacting the polypeptide of claim 16 with a binding partner; and

(b) determining whether the binding partner increases or decreases activity of the polypeptide.

19. An antibody or fragment thereof that binds a polypeptide comprising an amino acid sequence at least 95% identical to a sequence selected from the group consisting of:

(a) a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(b) a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(e) a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(f) a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(g) a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

20. An antibody or fragment thereof that binds a polypeptide selected from the group consisting of:

(a) a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(b) a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(e) a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(f) a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(g) a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

21. A nucleic acid molecule comprising a polynucleotide sequence at least 95% identical to a sequence selected from the group consisting of:

(a) a polynucleotide fragment of SEQ ID NO:X as referenced in Table 1A;

(b) a polynucleotide encoding a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polynucleotide encoding a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(e) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(f) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(g) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(h) a polynucleotide encoding a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

22. The nucleic acid molecule of claim 21, wherein said nucleic acid molecule comprises a heterologous polynucleotide sequence.

23. A recombinant vector comprising the nucleic acid molecule of claim 21.

24. A recombinant vector comprising the nucleic acid molecule of claim 22.

25. A recombinant host cell comprising the recombinant vector of claim 23.

26. A recombinant host cell comprising the recombinant vector of claim 24.

27. A nucleic acid molecule comprising a polynucleotide sequence selected from the group consisting of:

(a) a polynucleotide fragment of SEQ ID NO:X as referenced in Table 1A;

(b) a polynucleotide encoding a full length polypeptide of SEQ ID NO:Y or a full length polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(c) a polynucleotide encoding a predicted secreted form of SEQ ID NO:Y or a secreted form of the polypeptide encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(d) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A;

(e) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA Clone ID in ATCC Deposit No:Z corresponding to SEQ ID NO:Y as referenced in Table 1A, wherein said fragment has biological activity;

(f) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y as referenced in Table 1B;

(g) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y as referenced in Table 2; and

(h) a polynucleotide encoding a predicted epitope of SEQ ID NO:Y as referenced in Table 1B.

28. The nucleic acid molecule of claim 27, wherein said nucleic acid molecule comprises a heterologous polynucleotide sequence.

29. A recombinant vector comprising the nucleic acid molecule of claim 27.

30. A recombinant vector comprising the nucleic acid molecule of claim 28.

31. A recombinant host cell comprising the recombinant vector of claim 29.

32. A recombinant host cell comprising the recombinant vector of claim 30.

<110> Human Genome Sciences, Inc.

<120> Human Secreted Proteins

<130> PS905PCT

<150> US 60/331,287
<151> 2001-11-13

<150> US 60/306,171
<151> 2001-07-19

<150> US 60/277,340
<151> 2001-03-21

<160> 1130

<170> PatentIn Ver. 2.0

<210> 1
<211> 733
<212> DNA
<213> Homo sapiens

<400> 1
gggatccgga gcccaaatct tctgacaaaa ctcacacatg cccaccgtgc ccagcacctg 60
aattcgaggg tgcaccgtca gtcttcctct tccccccaaa acccaaggac accctcatga 120
tctcccggac tcctgaggtc acatgcgtgg tggtggacgt aagccacgaa gaccctgagg 180
tcaagttcaa ctggtacgtg gacggcgtgg aggtgcataa tgccaagaca aagccgcggg 240
aggagcagta caacagcacg taccgtgtgg tcagcgtcct caccgtcctg caccaggact 300
ggctgaatgg caaggagtac aagtgcaagg tctccaacaa agccctccca acccccatcg 360
agaaaaccat ctccaaagcc aaagggcagc cccgagaacc acaggtgtac accctgcccc 420
catcccggga tgagctgacc aagaaccagg tcagcctgac ctgcctggtc aaaggcttct 480
atccaagcga catcgccgtg gagtgggaga gcaatgggca gccggagaac aactacaaga 540
ccacgcctcc cgtgctggac tccgacggct ccttcttcct ctacagcaag ctcaccgtgg 600
acaagagcag gtggcagcag gggaacgtct tctcatgctc cgtgatgcat gaggctctgc 660
acaaccacta cacgcagaag agcctctccc tgtctccggg taaatgagtg cgacggccgc 720
gactctagag gat 733

<210> 2
<211> 5
<212> PRT
<213> Homo sapiens

<220>
<221> Site
<222> (3)
<223> Xaa equals any amino acid

<400> 2
Trp Ser Xaa Trp Ser
1 5

<210> 3
<211> 86
<212> DNA
<213> Artificial Sequence

<220>
<221> Primer_Bind
<223> Synthetic sequence with 4 tandem copies of the GAS binding site

found in the IRF1 promoter (Rothman et al., Immunity 1:457-468 (1994)), 18 nucleotides complementary to the SV40 early promoter, and a Xho I restriction site.

<400> 3
gcgcctcgag atttccccga aatctagatt tccccgaaat gatttccccg aaatgatttc 60
cccgaaatat ctgccatctc aattag 86

<210> 4
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<221> Primer_Bind
<223> Synthetic sequence complementary to the SV40 promter; includes a Hind III restriction site.

<400> 4
gcggcaagct ttttgcaaag cctaggc 27

<210> 5
<211> 271
<212> DNA
<213> Artificial Sequence

<220>
<221> Protein_Bind
<223> Synthetic promoter for use in biological assays; includes GAS binding sites found in the IRF1 promoter (Rothman et al., Immunity 1:457-468 (1994)).

<400> 5
ctcgagattt ccccgaaatc tagatttccc cgaaatgatt tccccgaaat gatttccccg 60
aaatatctgc catctcaatt agtcagcaac catagtcccg cccctaactc cgcccatccc 120
gcccctaact ccgcccagtt ccgcccattc tccgccccat ggctgactaa ttttttttat 180
ttatgcagag gccgaggccg cctcggcctc tgagctattc cagaagtagt gaggaggctt 240
ttttggaggc ctaggctttt gcaaaaagct t 271

<210> 6
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<221> Primer_Bind
<223> Synthetic primer complementary to human genomic EGR-1 promoter sequence (Sakamoto et al., Oncogene 6:867-871 (1991)); includes a Xho I restriction site.

<400> 6
gcgctcgagg gatgacagcg atagaacccc gg 32

<210> 7
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<221> Primer_Bind
<223> Synthetic primer complementary to human genomic EGR-1 promoter

sequence (Sakamoto et al., Oncogene 6:867-871 (1991)); includes a Hind III restriction site.

<400> 7
gcgaagcttc gcgactcccc ggatccgcct c 31

<210> 8
<211> 12
<212> DNA
<213> Homo sapiens

<400> 8
ggggactttc cc 12

<210> 9
<211> 73
<212> DNA
<213> Artificial Sequence

<220>
<221> Primer_Bind
<223> Synthetic primer with 4 tandem copies of the NF-KB binding site (GGGGACTTTCCC), 18 nucleotides complementary to the 5' end of the SV40 early promoter sequence, and a XhoI restriction site.

<400> 9
gcggcctcga ggggactttc ccggggactt tccggggact ttccgggact ttccatcctg 60
ccatctcaat tag 73

<210> 10
<211> 256
<212> DNA
<213> Artificial Sequence

<220>
<221> Protein_Bind
<223> Synthetic promoter for use in biological assays; includes NF-KB binding sites.

<400> 10
ctcgagggga ctttcccggg gactttccgg ggactttccg ggactttcca tctgccatct 60
caattagtca gcaaccatag tcccgccccc aactccgccc atcccgcccc taactccgcc 120
cagttccgcc cattctccgc cccatggctg actaattttt tttatttatg cagaggccga 180
ggccgcctcg gcctctgagc tattccagaa gtagtgagga ggcttttttg gaggcctagg 240
cttttgcaaa aagctt 256

<210> 11
<211> 2703
<212> DNA
<213> Homo sapiens

<400> 11
ggcacgagat ttcctacagg tgaaacgcca tcattaggat tcactgtaac gttagtgcta 60
ttaaactcac tagcattttt attaatggcc gttatctaca ctaagctata ctgcaacttg 120
gaaaaagagg acctctcaga aaactcacaa tctagcatga ttaagcatgt cgcttggcta 180
atcttcacca attgcatctt tttctgccct gtggcgtttt tttcatttgc accattgatc 240
actgcaatct ctatcagccc cgaaataatg aagtctgtta ctctgatatt ttttccattg 300
cctgcttgcc tgaatccagt cctgtatgtt ttcttcaacc caaagtttaa agaagactgg 360
aagttactga agcgacgtgt taccaagaaa agtggatcag tttcagtttc catcagtagc 420
caaggtggtt gtctggaaca ggatttctac tacgactgtg gcatgtactc acatttgcag 480
ggcaacctga ctgtttgcga ctgctgcgaa tcgtttcttt taacaaagcc agtatcatgc 540

aaacacttga taaaatcaca cagctgtcct gcattggcag tggcttcttg ccaaagacct 600
gagggctact ggtccgactg tggcacacag tcggcccact ctgattatgc agatgaagaa 660
gattcctttg tctcagacag ttctgaccag gtgcaggcct gtggacgagc ctgcttctac 720
cagagtagag gattcccttt ggtgcgctat gcttacaatc taccaagagt taaagactga 780
actactgtgt gtgtaaccgt ttcccccgtc aaccaaaatc agtgtttata gagtgaaccc 840
tattctcatc tttcatctgg gaagcacttc tgtaatcact gcctggtgtc acttagaaga 900
aggagaggtg gcagtttatt tctcaaacca gtcattttca aagaacaggt gcctaaatta 960
taaattggtg aaaaatgcaa tgtccaagca atgtatgatc tgtttgaaac aaatatatga 1020
cttgaaaagg atcttaggtg tagtagagca atataatgtt agtttttct gatccataag 1080
aagcaaattt atacctattt gtgtattaag cacaagataa agaacagctg ttaatatttt 1140
ttaaaaatct attttaaaat gtgattttct ataactgaag aaaatatctt gctaatttta 1200
cctaatgttt catccttaat ctcaggacaa cttactgcag ggccaaaaaa gggactgtcc 1260
cagctagaac tgtgagagta tacataggca ttactttatt atgttttcac ttgccatcct 1320
tgacataaga gaactataaa ttttgtttaa gcaatttata aatctaaaac ctgaagatgt 1380
ttttaaaaca atattaacag ctgttaggtt aaaaaaatag ctggacattt gttttcagtc 1440
attatacatt gctttggtcc aatcagtaat tttttcttaa gtgttttgtg attacactac 1500
tagaaaaaaa gtaaaaggct aattgctgtg tgggtttagt cgatttggct aaactactaa 1560
ctaatgtggg ggtttaatag tatctgaggg atttggtggc ttcatgtaat gttctcatta 1620
atgaatactt cctaatatcg ttggctctac taatattttc caatttgctg ggatgtcacc 1680
tagcaatagc ttggattata tagaaagtaa actgtggtca atacttgcat ttaattagac 1740
gaaacgggga gtaattatga cacgaagtac ttatgtttat ttcttagtga gctggattat 1800
cttgaacctg tgctattaaa tggaaatttc catacatctt ccccatacta ttttttataa 1860
aagagcctat tcaatagctc agaggttgaa ctctggttaa acaagataat atgttattaa 1920
taaaaataga agaagaaaga ataaagctta gtcctgtgtc tttaaaaatt aaaaatttta 1980
cttgattccc atctatgggc tttagaccta ttactgggtg gagtcttaaa gttataattg 2040
ttcaatatgt tttttgaaca gtgtgctaaa tcaatagcaa acccactgcc atattagtta 2100
ttctgaatat actaaaaaaa tccagctaga ttgcagttta ataattaaac tgtacatact 2160
gtgcatataa tgaattttta tcttatgtaa attatttta gaacacaagt tgggaaatgt 2220
ggcttctgtt catttcgttt aattaaagct acctcctaaa ctatagtggc tgccagtagc 2280
agactgttaa attgtggttt atatactttt tgcattgtaa atagtctttg ttgtacattg 2340
tcagtgtaat aaaaacagaa tctttgtata tcaaaatcat gtagtttgta taaaatgtgg 2400
gaaggattta tttacagtgt gttgtaattt tgtaaggcca actatttaca agttttaaaa 2460
attgctatca tgtatattta cacatctgat aaatattaaa tcataacttg gtaagaaact 2520
cctaattaaa aggttttttc caaaattcag gttattgaaa atttttcatt ttattcattt 2580
aaaaactaga ataacagata tataaaagtg ttaatctttg tgctatatgg tatgaaatac 2640
aatattgtac tcagtgtttt gaattattaa agtttctaga aagcaaaaaa aaaaaaaaaa 2700
aaa 2703

<210> 12
<211> 459
<212> DNA
<213> Homo sapiens

<400> 12
ggcacgagga agcgtgaacc ccagggaaca gcgggtccct tccctcctca gacacaagcc 60
acctcagctt gtggctcttg gcccccagcc ccaccaaccc acctgttcat ttattcaaca 120
gacaatgaca gctgatattt attggacatt tgcaccatgc caagcattcg gcttggatta 180
tcccatttgt ttctcacagc cggtatttat tgtctgctcc tctgtgccag gtgctgtgct 240
ctgggcaggg gcactgcatg ggctgcctgc cctggtggag cttgtggtct gatgggtgag 300
gctgacccaa gcccacccca ttgccaacag ggccagggca agagtacaca caggggcctc 360
ataccatatg tctaaatatt taaaaagtta tcaatcaagc taacaactgt taaataaaat 420
atgttctatt ctcctacttt gaaaaaaaaa aaaaaaaaa 459

<210> 13
<211> 760
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (13)..(13)

<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (300)..(300)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (425)..(425)
<223> n equals a,t,g, or c

<400> 13
cggacgcgtg ggncggacgc gtggggaaaa aataacaaaa caaaaaacaa gaaaaaaaaa 60
acacaaaacc ccgtaaaatc acaaagaaaa tccaacacca aaggcgcaga agccggctgg 120
ccgtggtggg ggcagcgtag gcgtasatcc ctctcctctc acttagcctg ttgactcttg 180
ttattatcat gatattcaca aaacgccgca tgtttaaaaa gtcatagatg tcatcttctc 240
tctgccccca gggaggaaag ccaccttctc ttgccccttg gccccttttgt caggggccan 300
gggtctgccg ggtgggggtg ccaacaggcc tggccctttc ctcccctgca tccagccatg 360
ggggcctctg cgattgccgg aaggttgcat ggctggtccc agggccagca caggcccgag 420
gccgngctgc ctggttttat ttttatttaa ctttattttc tgttttatga gtgtgtgtcc 480
gcccaccccc acccccttca gtgttaagtg gggagccctg ggggagtctc tcctgcctcc 540
cagcctctcc caagacctcc cccctcgtca ccagccatcc ctctggacca ggcagagggc 600
ggaccgggtg ggcaggggcc tgagggtggc tcgggccagc ccaccagcca atggacccct 660
cctcaggccg ccagtgtcgc cctgcccctt tttaaaacaa aatgccctcg tttgtaaacc 720
cttagacgct tgagaataaa ccccttcctt ttcttccaaa 760

<210> 14
<211> 1445
<212> DNA
<213> Homo sapiens

<400> 14
ggcacgaggg atttgaacaa gatcattaga attcaaaaaa caccagaaat gaaagatctt 60
tcctgaagct gtttaggaat attcatgata tacccttaac tgttctagag aacaaaatgc 120
gtctgtgctc cttcacaaaa gtccctatga atttgtttct caatgtgatc cttcttaagt 180
tctataactt tttgttttca ttaattttag gaaaatcctg ccttgcttcg ttgggcctat 240
gcaagaacaa taaatgtcta tcctaatttc agacccactc ctaaaaactc actcatggga 300
gctctgtgtg gatttgggcc cctcatcttc atttattata ttatcaaaac tgagagggta 360
agtattcaga ccagatgttt agtatttgag tgataggttc actttctagg gaccagctgc 420
agctccttct cttgaagatt gccaccagtg cccctcccac cttggggctg tcctctgcct 480
tcccttcctc tcttctttta tctttattcc tttccagcag gagttaaaac agaaagtttt 540
cagtcacctt tgtctatttt tgttagttca tttgtttttt aaaaagatga tgtttattgg 600
gttaagtatt agcagaatac ataaatcatt tagtacgttt cctgtttgcg tgaattctat 660
ttatgttggt cacattttgc aaattaatgt taaaacctat taatactcta cgggacagag 720
aagcacaagc tgcctgtgtg gggaatagct gccgtcagca gcctgggtat atgattggag 780
agaaagtcaa gctgatcttt ggcaccaaac cattccacat ctggtactaa accctgagct 840
gcagccccca ggcttgtgtt gccactggag cccactcgtc tagctttgtc tttaactggc 900
ccatctgcat tcccattaga gttcgtgtat tttgattatc tggtgaatga tctacttaac 960
agaaaggtag tccacatttt cccagaaagt gtttgcattt tgctttcaat atatggtttt 1020
atgggataat atatttctaa tgactaaaat gtgagtaaga tgtttttgaa taggagcatt 1080
ttcttactgt gtctttagtt cctcggatta ctgtttcttc gcacactccc tgggctttag 1140
acagtgggat tgcaattagg tttggagtgt ttcattctgt ttgtcagttg tacggtgggt 1200
tgtgccaaaa tgcagttttt cttacctttt ttatttattt atttttatct aatatagcca 1260
actggcagaa tatattgtct ttaatgtact ttttttctgt ctttacagga taggaaagaa 1320
aaacttatcc aggaaggaaa attggatcga acatttcacc tctcatatta agtctggcaa 1380
tgatgactat atgtattcct gcctaaataa atcatctatt aatcattaaa aaaaaaaaaa 1440
aaaaa 1445

<210> 15
<211> 1333

<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (411)..(411)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1264)..(1264)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1319)..(1319)
<223> n equals a,t,g, or c

<400> 15
cctggaacac ttcaacaacc agtatccagc cgcagaggtg gtgaactttg gcacctggtt 60
cctcttcagc ttccccatat ccctcatcat gctggtggtc agctggttct ggatgcactg 120
gctgttcctg ggctgcaatt ttaaagagac ctgctctctg agcaagaaga agaagaccaa 180
aagggaacag ttgtcagaga agagsmtcca agaagaatat gaaaaactgg gagacattag 240
ctacccagaa atggtgactg gwtttttctt catcctgatg accgtactgt ggtttamccg 300
ggagcctggc tttgtccctg gctgggattc tttctttgaa aagaaaggct accgtactga 360
tgccacagtc tctgtcttcc ttggcttcct cctcttcctc attccagcga nagaagccct 420
gctttgggaa aaagaatgat ggagagaacc aggagcactc actkgggacc gagcccatca 480
tcacgtggaa ggacttccag aagaccatgc cctgggagat tgtcattctg gttgggggag 540
gctatgctct ggcttctggt agcaagagct ctggcctctc tacatggatt gggaaccaga 600
tgttgtccct gagcagcctc ccaccgtggg ctgtcaccct gctggcatgc atcctcgtgt 660
ccattgtcac tgagtttgtg agcaacccag caaccatcac catcttcctg cccatcctgt 720
gcagcctgtc tgaaacgctg cacattaacc ccctctacac cctgatccca gtcaccatgt 780
gcatctcctt tgcagtgatg ctgcctgtgg gcaatccccc taatgccatc gtcttcagct 840
atgggcactg ccagatcaaa gatatggtga aagctggcct gggagtcaac gttattggac 900
tggtgatagt aatggtggcc atcaacacct ggggagttag cctcttccac ctggacactt 960
acccagcatg ggcgagggtc agcaacatca ctgatcaagc ctaacgccaa gtgtacaaac 1020
tggcccaacc acaggagctg ccagtatcca gcagtatctg gaccacaggc aaagaaaacc 1080
actaggacca ccaggagcac acaaccccag acccacgccg gagggcatcc ctccaccaga 1140
agattccgcc acctcaagtg aactgcagga atcctccaac aaccacaaac acatgcttcg 1200
ctgttagtgt cttcttcctg ccctcagcac cacagctcaa gaaaacctaa agtttcaata 1260
caanccatag gctcacaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaana 1320
aaaaaaaaaa aaa 1333

<210> 16
<211> 1382
<212> DNA
<213> Homo sapiens

<400> 16
acgagtgcgg gcagcagcag ccccggcacg mgggagagag acaaagcatg gaggacacaa 60
caatgggagg aaaggcggac tctcaggaac ttcattcttc acgtggttta tggtgattgc 120
attgctgggc gtctggacat ctgtacctgt cgtttggttt gatcttgttg ttgatgagca 180
gattactagc caaagcaaag gacttccgtt ataacttatc agaggtgctt caaggaaaac 240
taggaatcta tgatgctgat ggtgatggag attttgatgt ggatgatgcc aaagttttat 300
taggcctgac caaagatggc agtaatgaaa atattgattc tcttgaggaa gtccttaata 360
ttttagcaga ggaaagttca gattggtttt atggtttcct ctcatttctc tatgatataa 420
tgactccttt tgaaatgcta gaagaagaag aagaagaaag cgaaaccgca gatggtgttg 480
atggtacgtc acagaatgaa ggggttcagg gaaagacttg tgtcatattg gatttacata 540
accagtaacc ttgattcagg gactgaagtc attggctaat gaacacctga agcagcctcc 600
tttttctttt ctttccttgg cttatgcagg gcttaatgtg cagtggggtg gttgtgatct 660
taccgtgcaa gtcaaccatg tgatcttgcc cagtacagct actagcctag tcccttgctc 720

gctcagctcc cccaacttct attgaagaaa atggtactcc tcattcttgt agtcagctac 780
aaagtacact gaaaatgatg ttcttggtgg tataattggt ttctgtatcg ttttgtttca 840
actcatgtat tcactgaact aaatttggac acttaacagc aaattgtgtt gtggttaacc 900
cttgatgctt gtctttctaa cacactatta attatgatga ttctaatgga tttcattata 960
aaaatatttc tggcatgatt tttaagttaa atgcttctct gttctttaac atgactgatg 1020
tataaaatga tggttctttt actaagctga tatttttttat tgtaatttgt ttaggtttgt 1080
cagataggtt catacaaaat taaaagtaaa attctgtgtt aatggtgctt ttaaaataat 1140
ttaaaaataa ctccatgttt ttgccttaga gtaagttaac ttactgtttt cagatagtag 1200
catgacatat ttctgtctgt gaaagcaaaa tttattttaa attttatttc caaatataca 1260
tccagagaaa gtaatttgta ttttttttaa agtaggcata ttacacaaga gggaacatgt 1320
gaatatgtat cttaatgttg tacataggga aattattcat cctaaaaaaa aaaaaaaaaa 1380
aa 1382

<210> 17
<211> 1734
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1714)..(1714)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1719)..(1719)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1723)..(1723)
<223> n equals a,t,g, or c

<400> 17
gcgggagttc ctccttgctc tcgcccctac tctttctggt gttagatcga gcwaccctct 60
aaaagcagtt tagagtggta aaaaaaaaaa aaaacacacc aaacgctcgc agccacaaaa 120
gggatgaaat ttcttctgga catcctcctg cttctcccgt tactgatcgt ctgctcccta 180
gagtccttcg tgaagctttt tattcctaag aggagaaaat cagtcaccgg cgaaatcgtg 240
ctgattacag gagctgggca tggaattggg agactgactg cctatgaatt tgctaaactt 300
aaaagcaagc tggttctctg ggatataaat aagcatggac tggaggaaac agctgccaaa 360
tgcaagggac tgggtgccaa ggttcatacc tttgtggtag actgcagcaa ccgagaagat 420
atttacagct ctgcaaagaa ggtgaaggca gaaattggag atgttagtat tttagtaaat 480
aatgctggtg tagtctatac atcagatttg tttgctacac aagatcctca gattgaaaag 540
acttttgaag ttaatgtact tgcacatttc tggactacaa aggcatttct tcctgcaatg 600
acgaagaata accatggcca tattgtcact gtggcttcgg cagctggaca tgtctcggtc 660
cccttcttac tggcttactg ttcaagcaag tttgctgctg ttggatttca taaaactttg 720
acagatgaac tggctgcctt acaaataact ggagtcaaaa caacatgtct gtgtcctaat 780
ttcgtaaaca ctggcttcat caaaaatcca agtacaagtt tgggacccac tctggaacct 840
gaggaagtgg taaacaggct gatgcatggg attctgactg agcagaagat gatttttatt 900
ccatcttcta tagctttttt aacaacattg gaaaggatcc ttcctgagcg tttcctggca 960
gttttaaaac gaaaaatcag tgttaagttt gatgcagtta ttggatataa aatgaaagcg 1020
caataagcac ctagttttct gaaaactgat ttaccaggtt taggttgatg tcatctaata 1080
gtgccagaat tttaatgttt gaacttctgt tttttctaat tatccccatt tcttcaatat 1140
catttttgag gctttggcag tcttcattta ctaccacttg ttctttagcc aaaagctgat 1200
tacatatgat ataaacagag aaatacctttt agaggtgact ttaaggaaaa tgaagaaaaa 1260
gaaccaaaat gactttatta aaataatttc caagattatt tgtggctcac ctgaaggctt 1320
tgcaaaattt gtaccataac cgtttattta acatatattt ttatttttga ttgcacttaa 1380
attttgtata atttgtgttt ctttttctgt tctacataaa atcagaaact tcaagctctc 1440
taaataaaat gaaggactat atctagtggt atttcacaat gaatatcatg aactctcaat 1500
gggtaggttt catcctaccc attgccactc tgtttcctga gagatacctc acattccaat 1560
gccaaacatt tctgcacagg gaagctagag gtggatacac gtgttgcaag tataaaagca 1620

tcactgggat ttaaggagaa ttgagagaat gtacccacaa atggcagcaa taataaatgg 1680
atcacactta aaaaaaaaaa aaggggggggc cgcnctggng ggnccaagct ttcg 1734

<210> 18
<211> 751
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<400> 18
natcattttc tgtcccctcc tatcttaggc tgaccggttc cctgatgtgt tacctgcttc 60
tgctactgat ccaaactgca gaacttctca ttcatcccca aggcctccag gcagtatcca 120
atggggaatc agctctaaaa ggaaccagac caacgttttc cagcccttc attctggtga 180
ctgaggggag gaaagaatgg gaggggtat tcttgtctag tggatggaaa ggaaacacac 240
tgtcaaatta ctatatctcc ttggttttct attacagtag aattctccag ccatattttt 300
attgtctatg ggggaagttg gagatggtga ccttgattag aagtgtctgg agggggataa 360
atggagggga taagattcag ttggttttgg aaaatgttaa agtcttaaaa taatgcgtcc 420
atctgaagaa ttttttctaa aaccagagtt tataaaaata tcactgatac agcctgcccc 480
ctcatttccc tgccacagga gatgtcttgg actagagaca cttgtttaat aatagcttgt 540
ctctgatatt cccagtagct tccctctgtg tgaggaaagg atagaaatgt tcaggacatc 600
atcatacagg ctcctcatct acaaagttcc agtagcagtg acgcctacac ggaagacttg 660
gaactgcaaa caggctgggg tcacctcagt gacatctgac gctgtccaac cagaagttcg 720
atttttgttc tgggggtgaa ggaggaaaca g 751

<210> 19
<211> 1313
<212> DNA
<213> Homo sapiens

<400> 19
ctgcaggaat tcggcacgag gtcttgctgt gttgctaatg ttgaactcct ggccctaagt 60
gatcctcctg ccttacctgg gattacaggc atgcaccttg tgtctcacta atagatttgc 120
tttctaggtc tttcctgtca ggtccaccaa tattttagat ggatggagca cttgattaga 180
tcaggagtca aaattctatt cctgaatcta ttacttacca gttgtactac tttgaatgaa 240
tggcttaatt ttttagtgac tttgaattgt tccagatata aaatgacagg ataggtctag 300
agagttgcct tagatgaatt aggaaacagt ttctgagata gagatgttag tgcagtaggt 360
ttattgggga gtgttctcag gaatgcctgt ggggaagtga aggatgtgga ggaggaagat 420
ggactggaat tcatttgcca gagtcctcag cagatcctac cagcwctaga gctgggatgg 480
cccttcagag ttatcctgat ccacaagggg tcagccccta ggcattcata agtcactttg 540
tccagtcatt ggggttgacc ccaggaaaag gtatggtttg gggtaagagg actcttcagt 600
tgagggtagt tcctaggaag ctagtgagct atgagttggc atcaggcaac atttccagca 660
atttggtcaa tgagttcccc ttaaggctgg atctgggcca cggaccatgg cactcactgc 720
catattcaca gcgtcgtttt cagtgtgaaa ttctactgtg ttaaagtatt gtacagtcac 780
tgaaatgaga gtatttttat atttggctac ccatgacatt tattctcttc tgattatatt 840
gtttctctcc tgatctagag ttttagattg ttttgtttgt tttgttttgt tttcctgtac 900
ttttctgtct gttgaggaaa aagagtttta ttcttctagt atgagagttt ctattagtcc 960
tccttttag acagatgaac accctgtgac aattcctttt gtctttttgt ggcgtgtaaa 1020
aaaaaagaaa tccataaata gagtcgttac gcaagtcttc atgagttaat ttctctctcc 1080
agttttctta ctacttttc cagttttcat tttcttcaac agaaagcttc ttcttctggc 1140
tggacacagc gctcacgcct gtagtcccag cactttggaa ggctgagggg gatgtaatcc 1200
cagcactttg gaaggctgaa ctcctgagtt caggagttcc agaccagcct gggcaacatg 1260
gcgawactcc caactctaca aaaaatacaa aaaaaaaaaa aaaawactcg tag 1313

<210> 20
<211> 752
<212> DNA
<213> Homo sapiens

<400> 20
actgaacagt ggttaatcct gactctgttt ttgactgaca gttaacagtt acatgaacca 60
ttcatattac agctcttact taaatttgac caagccagga tatatctgtt aggccacatt 120
catttaggga tcatgttttc caaagcaggt ttgggcaaaa ttaatccaca ggactgaaag 180
gtatacatct gtgagttttg ttctcacttc cacctctaat ttgaagaaca ctttaattga 240
cacagaatac atttcacata tttaacctct acaataagtt ctgacacatt ttccatgaaa 300
caaaccatcg ctatattcaa gataatgaac ctatctatca tactcccaaa ttccttctkg 360
catctttgta atttctcact cttccttctc cctctccccg tcccatccca accactgatc 420
tgctcaggca actaccaatc ttctttctgt cactatagat taatttgcat ttttaaagaa 480
atttacatac atggaaccat acatcatcta tgctttgtag tatgactcct gtcactcagt 540
acaattattt tgagattcat ttatgttawt gtatgtatca atagttcatc ccttttattg 600
gtaagtaaca tttttttgta taggtatacc atgatttgtt gatgaacaaa tttacctgtt 660
gatgaacatt tacgttgtta ccaagatttt tgctattgaa aataaagttt ttatgaatat 720
ttatatatat aaaaaaaaaa aaaaaaactc ga 752

<210> 21
<211> 879
<212> DNA
<213> Homo sapiens

<400> 21
gctgcatgct gggcgggaac taggaagcct ccccaacctc tggccccgtg gagccctcag 60
cctcagctgc agtggaggca cctcgggctc tggggcaacc aagtgtgaca ggtggctgtg 120
cacgggcaga ggtcctgtgg aagatttcat gtgacgggca gaagaggagg aggaggcagg 180
ggaggaagca catccatgaa cagggctgtc tgggggcagc ctgggtggtc gtgaaatagg 240
actcagtggc cttgagtcct catttaggcc ctgatgttct ttagcctgcc tggcctttgg 300
caaatcgcca gcttcacgca caacctcatt tttcaccttt gggtgtgggg gtcagagtcg 360
ggagagcacc tgcaaagcca caatgatcca gacacacggc aaggtgggca cattcccatc 420
aggctcctcg gggagagcag cgcttctgtg cccgggagca gcgaaggtca cacaggagga 480
cccgcacctc ctcgtgtcgg tggctccgct ggtataatca ggactcacgt ggtgttcctc 540
gtgtcgtggc ccttattgca gagggagcag cacaggcttt cctggaagct cccctcggtc 600
atgtggggtg actccagaga rccccacctt gcgagactgg accagtccaa gtggcctkga 660
gccacarcgg cctkgcagta cctkgggagg gggtgatgac aggtgcacac ggaggcccat 720
gtggtctgtc tggagaatgc cggagatgtg aaatatgtaa tcctgagtgt ggcttctaga 780
aggaaggttc gcaaagctga atatccactc gtgctgttcc cttctcacag gagattcctg 840
tcaacgtccg attctgcctc gaaggcagga ggagtaagg 879

<210> 22
<211> 2761
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1006)..(1006)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1376)..(1376)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2211)..(2211)
<223> n equals a,t,g, or c

<400> 22
gattaaaatt tatttaataa taaggggagg aataaaataa ctatgcattt ttttgttgaa 60
agcacaattg tgtctgatac tttaattaca ctatctaatt taacctttca taaatgccca 120

gaatatgaga atatcatcca agatttaaat accaattacc aaaatttaca gctatcaaat 180
ggaagactca ggtttatgct atgccacgtt ttctcttctt tccttttttgt gatggtgttc 240
caaattgtgg agaaagaaaa cattctattt gtgattgctt ctgctagtta cttctgcaaa 300
acaaactact caaattcagt ggtgtgatgc aataaccatt tgtcatcctc atatattctg 360
gggtcagggg tcaaaaatgc aaagtggggt gacatctcgt ggtctacagt aattggggcc 420
tctgagaatt cctagctatc taggaatgaa ttaaacgttg gacaatgaag ttttctgaaa 480
gcttctttac gtttggctcc tgcatkggta tgacttaaag gctgcgctca aaataatctc 540
ttaaccagag kgtctgaata ttgcttcttc atgtaacttg agcttcctca caacatggaa 600
tcatacaggt agcttgcctg agtgttgcag ttaatgggtc aatgtattgc ctttaataat 660
cttgcctcag aagtcacata gaattacttt aatgctgagt tggtttaagc aatcacagcc 720
tgtctgactt caggggggaag aaacatgatg tctacccttt gatgtgagga cattcaaagt 780
attcgtggct aymttttaaa aaagccacag ttatcttctt tttaaagaga tgccatatcc 840
ttattatcag caatagaatc aggatttgaa aatagttctt atgctacata tgcatttttt 900
ataatcattc tttctattat aatctttttc agaaagggtg aaggggtaag gattatgttt 960
catactttgk gaaattctgk gctctataag catttttatt ttttgnccat aatagattat 1020
ggtacaaagt aactcaaaac tagagtgtat aaacataaaa aatacaagtt ttcatatcca 1080
agctgtggat aagatattca aatataaaaa agattgtgaa tttgttttaa aaagtcttct 1140
aattttgtaa aaagamctaa gataattgtc cactaatcac tcattaaatc tcctccttag 1200
ttctacttcc acaaaagcta ttaccatcta tgattaattt ggatttcaga ggaagaaaat 1260
acagtttgag gaaaatggat tgttggagca atctcaatgt taactacata aaatagctta 1320
ttacttgaaa aatgaggata ttgtatgaat tttcgcaagt caattggtag caaaancgac 1380
atttaagtga ttgtaaatat gtcatatata aaactatctt gtaaagatgt tacagagata 1440
ttatatgtta ctagcttctg gattcagaaa aataactgga acagatttaa gttgggtaat 1500
tgtagtgtgt ctaataattt taatacaagg taaaaacatt ttctgttgaa aatcagtttt 1560
aatattgttt ggttttattt atattttgaa aatttaagga ttcttgaata ttcttaagta 1620
aattgcaatt taatgcaatt gtagttatac tcagtaatat agttacmctt gattraagcc 1680
attataaagg aaatgtaatc ccatactgat tatcttcaca tttcttttgg ttaaagatca 1740
gtctatttca ttgagataac agttcaggag aaaagttatt gactacatgt atctatagta 1800
ttgtctaagc aacaggagtt tagtttgcat gttttttatt tttgagagta catcaacgta 1860
atgaaatgta tttaaaattg tacccatata tacataatga tatatatata tatttatgtt 1920
ttmcagcagt gtttttcctt ggagatgatt caatcaaatt gcaaagrggc acttctaatt 1980
aattattggg aagtmcaagc taggaytatt gttttcctga acgtttgtgm cttgtagtga 2040
tctcttmcag acgtgggggt ctggmcactt ggaccttaaa ttggaaatgg ttaaaaaatt 2100
gttatccaaa gaatgacaat ggtttgtttg ccaagtcttt ttgttttgtt gtgttttgtt 2160
ttttgagacg gaatctgtca ccctgcactc cagcctgggt gatagagtga nactccgtct 2220
caaaaagaaa aaaaaaaatc aacacctaaa aatttacttt cttctagtca atttatttcg 2280
atgtgcatca taaattaata acaaaagggg tagatatttt attgagctat ggttcctgaa 2340
tcaaaaccac aatctggagg tttccgtctc ttcataaaag aagttaaaac tcagtgcatg 2400
ttgctagacg tcatttaatg atcttcattc ttctctgtcc agagcatgtg tgaagtatta 2460
ggccagaaag agagagataa ataatctttt cccatgcacc cctgctggtc acagaagctg 2520
gctctttaaa gtttgagtaa ctgtcacttt gtcaggcatg gttataaagt ttccagaaag 2580
aactagtaag gagcattaat ataagatttc cccagatgcc aattttgttt tctgctatat 2640
ctcactcctc tttgaatttc ctcatacaat tttccattta aaatggagaa ttcagctttc 2700
ttgatcctat aataaacaca tttgtcttta tttgatacaa aaaaaaaaaa aaagkgcggc 2760
c 2761

<210> 23
<211> 2849
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<400> 23
ngggctgcaa ggacctgagc tcagcttccg ccccagccag ggaagcggca ggggaaagca 60
ccggctccag gccagcgtgg gccgctctct cgctcggtgc ccgccgccat gtgggccgtc 120
ctgaggttag ccctgcggcc gtgtgcccgc gcctctcccg ccgggccgcg cgcctatcac 180
ggggactcgg tggcctcgct gggcacccag ccggacttgg gctctgccct ctaccaggag 240

aactacaagc agatgaaagc actagtaaat cagctccatg aacgagtgga gcatataaaa 300
ctaggaggtg gtgagaaagc ccgagcactt cacatatcaa gaggaaaact attgcccaga 360
gaaagaattg acaatctcat agacccaggg tctccatttc tggaattatc ccagtttgca 420
ggttaccagt tatatgacaa tgaggaggtg ccaggaggtg gcattattac aggcattgga 480
agagtatcag gagtagaatg catgattatt gccaatgatg ccaccgtcaa aggaggtgcc 540
tactacccag tgactgtgaa aaaacaatta cgggcccaag aaattgccat gcaaaacagg 600
ctcccctgca tctacttagt tgattcggga ggagcatact tacctcgaca agcagatgtg 660
tttccagatc gagaccactt tggccgtaca ttctataatc aggcaattat gtcttctaaa 720
aatattgcac agatcgcagt ggtcatgggc tcctgcaccg caggaggagc ctatgtgcct 780
gccatggctg atgaaaacat cattgtacgc aagcagggta ccatttttctt ggcaggaccc 840
cccttggtta aagcggcaac tggggaagaa gtatctgctg aggatcttgg aggtgctgat 900
cttcattgca gaaagtctgg agtaagtgac cactgggctt tggatgatca tcatgccctt 960
cacttaacta ggaaggttgt gaggaatcta aattatcaga agaaattgga tgtcaccatt 1020
gaaccttctg aagagccttt atttcctgct gatgaattgt atggaatagt tggtgctaac 1080
cttaagagga gctttgatgt ccgagaggtc attgctagaa tcgtggatgg aagcagattc 1140
actgagttca aagcctttta tggagacaca ttagttacag gatttgctcg aatatttggg 1200
tacccagtag gtatcgttgg aaacaacgga gttctctttt ctgaatctgc aaaaaagggt 1260
actcactttg tccagttatg ctgccaaaga aatattcctc tgctgttcct tcaaaacatt 1320
actggattta tggttggtag agagtatgaa gctgaaggaa ttgccaagga tggtgccaag 1380
atggtggccg ctgtggcctg tgcccaagtg cctaagataa ccctcatcat tgggggctcc 1440
tatggagccg gaaactatgg gatgtgtggc agagcgtata gcccaagatt tctctacatt 1500
tggccaaatg ctcgtatctc agtgatggga ggagagcagg cagccaatgt gttggccacg 1560
ataacaaagg accaaagagc ccgggaagga aagcagttct ccagtgctga tgaagcggct 1620
ttaaaagagc ccatcattaa gaagtttgaa gaggaaggaa acccttacta ttccagcgca 1680
agggtatggg atgatgggat cattgatcca gcagacacca gactggtctt gggtctcagt 1740
tttagtgcag ccctcaacgc accaatagag aagactgact tcggtatctt caggatgtaa 1800
ctggaataaa ggatgttttc tgttggacat gtactgaaaa ttaacacatg tagtagcctt 1860
aaaattttag acttctcgaa catgaggctg ttacagtaat ttttttaaca ctgtgcattg 1920
tacttttcta ccttaaaaaa atcagtgagg atatttattt aatgaacatc aattcctttt 1980
aaattttctt agagaaattt ctctgtggct cagttttacc acccataaag cggagacagt 2040
aatttatggt tatcctttct gacccacaaa gtatgaaaag ttctgtaatc tgtaaactca 2100
gttctgtaat ctgtattatt gagatgatta atataaagtt gtattttcac tgaaactgat 2160
tgtcattgct gagttatgct atggtgatac tttcacgcgg gctataattt tatgacaagg 2220
catctgttac ttcagctggc cataaagtgc cctcaacact gctgtgcaga ccatcaccac 2280
cattcatctc cagaattggt actcagtacc aaactgcaaa ctatagcgat tcaaacaaca 2340
gtgctcccca atttcaccac taccacgagc ccatgacatc tactatatat catactgagt 2400
ctgagaaagc gatgtaacca caatagacac aaaccagaca atacgaaaga ataaatacac 2460
gactccaccg aagcaacaca acacccagaa gatcaaacaa gactatgcgc caccacacca 2520
cccaaacagc aggaacaaag agaacctaag aaaaacacca caaacaagaa tctacacaac 2580
aaacgcaaca tcaacaagat agccaaggat agactacaca aaaagccata gaggaacctc 2640
ggactggtca ccaagagcag aacaaccgac aacacacaat acagtacaaa caagacaaac 2700
gctggacaag cgagtaaaaa gatgaagaaa aaacgaagaa tcaacaacag gagaagtata 2760
tgaaaacaac accaacgcaa gaacacaaca gtctgaacga cagagacaaa tactaaaacg 2820
acaaacgtca gctactatta accgaaaaa 2849

<210> 24
<211> 755
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (733)..(734)
<223> n equals a,t,g, or c

<400> 24

natttcccgt tcagttattc cggtgacact atagaaggta cgcctgcagg taccggtccg 60
gaattcccgg gtcgacccac gcgtccgaac tcctgaaaca gtgaggacat ctcacagacc 120
agacaggagc tggggctctg catctcacag cggtgcctgt cagacaggaa gaagtcccgc 180
agaagtggcg tgtgggtcag ggcctgcacg atgcagttca tgaagcatgt gttcccaagg 240
ttgatcagcc cacgcagacc tatggtgcag ttcgaggtga tctttctcct tttcgggttg 300
tgcttcagca gttcaagctc ccgtttggtt ggttcccaag ttgaaaactt ctctccaacg 360
ccttgcattt tccaagcttt tcgctgctcc tccttggcga ttatttccat gtctttgtca 420
tagatgtagt cctggcacag aaaacagtag atgcctccgt acatcagatc aatggccagg 480
ttgtgccgct tcgccttcgc atgctcgtga atatgcttct ttgtgaaaca gccgaagaag 540
acacagtaga ggcaggaatg cagcctgttg aggtggacgc cacagacatg gcagatacag 600
gacttggcct tgcgcttgcg ggcctcagcc gtgccgctcc acacgaagca ctggtagatg 660
gcccgcaggt tctgcttcca gttgtccacc ttgaagctgc ccaggtgcga gcagcccggc 720
ggcgctaccg ccnnctcggc gtccatggcc tcgcc 755

<210> 25
<211> 4129
<212> DNA
<213> Homo sapiens

<400> 25
ccacgcgtcc gctttttctc aggatgaata ttttcctggc cgactcattg atccttggta 60
caaataaact tctggaagac ccagagagag gaaaacacag gagaaattga gcgatgtacg 120
tacatcaaat accactactc ctcagcaacc atccccagga acctcacttt caatatcacg 180
aagaccatcc gtcaggatga gtggcatgcc ctacacctgc gcagaatgac ggctggcttc 240
atgggcatgg cggtggccat catcctcttt ggctggatca tcggcgtgct gggctgctgc 300
tgggaccgag gccttatgca gtacgtggca ggctgctctt cctcatggga gggaaaacag 360
tggaattaaa gagtgtctgc cccagcccgg cagggtgaag taggatgggg aaaacgttct 420
caccagaccc tgggacttct atgctgcagc atcgtgacct gaggggtgga tgcagttgcc 480
acagctcttt gaggcaaagg ccccgatgct ctgtggacag cctcaggctt gggatggatt 540
tggcagtgag gaacttattg taacagaaga aagtcatcca agatgcctga ggaaagaaac 600
cttcaattga gccagccggc tggaaaatgt ggccaagaaa accgcagaga ccaatgttcg 660
gaggagaaaa ccagaaagag gggcctgcct ggccccttg atcctttatg gccgattccg 720
tggacattgc tgctcctcac gccggcagcc tctcttgagt acctcaattg cagtctccag 780
accctcaccc cgcaggcatt cctgggtcgg tgtcccagtc ggtcacagtc atggatcctc 840
tgcagagcag tagaaagtcg ggaggggccc gtgcccatgg tcaggaaagg agcggcagga 900
ggaaagagga gcatgagaac tcagaagaaa ttgtacctac tcagatgtgg agtgaggata 960
gacgttccca gattcaaagg catcatgaag tgtcatgaca agatagaaaa gactttgggc 1020
tggccaagaa ggaactggat aaaattatga gtgaggtaca gcaggtggga acagtgtcac 1080
tgaaccctat caacagcaga gcatgagaac gtgaattcct gctgctgggg aggcaatgaa 1140
atgatatggg ccttcagatg tctatgaatc ctgacccacc gtgggtgcca gttttcaaga 1200
gggcttccca tcaaatattg tgcgcaaagg atggatggat gaaaggaaga gtgagccaat 1260
aaacgaggga acgccgggaa aggcagcctc aagccggtgg gccctggcac ccccaccgtc 1320
cctgagcatc gagccggttc ccgccccggc ccgaactggc ccgcgcgcgc tcgcagcccc 1380
gcggcggaac ccgagggcgg cggcagcggt tccttgaacg agccggggaa tctggaggga 1440
gcacacagga aaggcagagc cgcgagctgg accagccgtg caaatctcta gaagatgacg 1500
gtgttcttta aaacgcttcg aaatcactgg aagaaaacta cagctgggct ctgcctgctg 1560
acctggggag gccattggct ctatggaaaa cactgtgata acctcctaag gagagcagcc 1620
tgtcaagaag ctcaggtgtt tggcaatcaa ctcattcctc ccaatgcaca agtgaagaag 1680
gccactgttt tctcaatcct gcagcttgca aaggaaaagc caggactcta tttgaaaaaa 1740
atgctgcccg attttacatt tatctggcat ggatgtgact attgtaagac agattatgag 1800
ggacaagcca agaaactcct ggaactgatg gaaaacacgg atgtgatcat tgttgcagga 1860
ggagatggga cactgcagga ggttgttact ggtgttcttc gacgaacaga tgaggctacc 1920
ttcagtaaga ttcccattgg atttatccca ctgggagaga ccagtagttt gagtcatacc 1980
ctctttgccg aaagtggaaa caaagtccaa catattactg atgccacact tgccattgtg 2040
aaaggagaga cagttccact tgatgtcttg cagatcaagg gtgaaaagga acagcctgta 2100
tttgcaatga ccggccttcg atggggatct ttcagagatg ctggcgtcaa agttagcaag 2160
tactggtatc ttgggcctct aaaaatcaaa gcagcccact ttttcagcac tcttaaggag 2220
tggcctcaga ctcatcaagc ctctatctca tacacgggac ctacagagag acctcccaat 2280
gaaccagagg agacccctgt acaaaggcct tctttgtaca ggagaatatt acgaaggctt 2340
gcgtcctact gggcacaacc acaggatgcc ctttcccaag aggtgagccc ggaggtctgg 2400
aaagatgtgc agctgtccac cattgaactg tccatcacaa cacggaataa tcagcttgac 2460

ccgacaagca aagaagattt tctgaatatc tgcattgaac ctgacaccat cagcaaagga 2520
gactttataa ctataggaag tcgaaaggtg agaaacccca agctgcacgt ggagggcacg 2580
gagtgtctcc aagccagcca gtgcactttg cttatcccgg agggagcagg gggctctttt 2640
agcattgaca gtgaggagta tgaagcgatg cctgtggagg tgaaactgct ccccaggaag 2700
ctgcagttct tctgtgatcc taggaagaga gaacagatgc tcacaagccc cacccagtga 2760
gcagcagaag acaagcactc tgagaccaca ctttaggcca ccggtgggac caaaagggaa 2820
caggtgcctc agccatccca acagtgtcgt cagagggtcc ccagggcatt ttcatggcaa 2880
gtacccctct gcccccactc cagcagtgct tcccaaagtg tgctctgtca cctgctttgc 2940
aatcggcttc cattagcgca tgttttattt tggtgtgacg gttggccctc ctaaacacgg 3000
actttcctca ggctggttca agacggaaaa ggactttctt ctgttttctt ccaaagtgca 3060
accacagtgg agagcccacg gtgggcttag cctgcctagg cccttccatt tctcttcttt 3120
gaccgtgcta ggaattccag gaaagtgcat tcctgccctg gtgacctttt cctatgtcta 3180
ggctcctcca caggtgctgc tattttgtga gctccggctc ctgtttagct tttatttcag 3240
ttctaacctc agtccagaaa catatgtgag gttgtttccc tcttcagcca cggctacaat 3300
accggaaaat gctagttttt atttattttt ttaagtagtg cttcctaaat ggtttgcatg 3360
agagccacct ggggtacatg ttgaaaactt atttggggtc taccccaaac ctaataaccc 3420
aaatttgggg atggggccca ggaatatgca tttttaaaaa gtcatctgcc cttcccaggt 3480
gattctgtaa gttgtccctc aactgtactt ggagaaatcg tgttttaaag cagtagtcca 3540
caaagtattc tgctcatgtg cccccaaaag tattttgaaa aatcatgtat accctcaccc 3600
atctaagttg atatctaaaa ttttatctaa gttggtatct aaaatttttc atgggaagtt 3660
aaatagttga caaagtatgt atttgctggt gtcgtgtaaa tattggtatt ttaaaataaa 3720
aactgttaca tcactatttt aaacatatcc agtacaattt aaatatcaca acaatttgac 3780
acccttcatt catttataaa aataaatgag ctagttcttt agtagttaaa catttcaaat 3840
tggcttttct ccttctgtat ttccatacca cttttcagcc aagaatccta tcataatgta 3900
atctattatg cccgacatct ttttaatcaa ttcaccccat tacttcttgt caacaaaaaa 3960
tataaatgga aatttttttt ttagctcttg ctttaagtgt ttgtttgtta tctcagtcca 4020
gaaccaatat tatcgtaatt aattattggt atataatgaa aacggtatta attcttggat 4080
gattaaaagt ttttttatta gaatgttaaa aaaaaaaaaa aaaaaaaaa 4129

<210> 26
<211> 1458
<212> DNA
<213> Homo sapiens

<400> 26
ccacgcgtcc gggaattttc aaaagatcca aacagagact tcctgcatct tctgcctttc 60
caacagaagc ggtgatcgtc taagtatgag cctgtggctt cctttgtgca tttgagcatg 120
ctgtaattaa gatgagatca gtttcttaga aaaagctttc ctgaatccct ctgacgttgc 180
ctgggatctt tctgttgatt cgtcttttct ggagattggg acagagcatc tgtggtccag 240
ggaagttagt cctctggcct caattctgtt gtggatgtgc agtgataagc gggcattgcg 300
tgcctcgggg gatgcctagt tcgtggcttc ctggctgttt tgtccttctg tgtcttgtag 360
ctgtagggtg ccagctcagg gagtggggtg ttggcggcgt ttccgcggtt ggcctccttg 420
ctttgccgca cctccaggtt ctgggcatga gaggccgtgg cctcatttct ggtggataac 480
ctttttagtt taatagcatc tttaattaga tcacagcatt gaattcaaaa tttcttctgc 540
aaagaaagtt gtggggcata agacaccggg aatgagggag gaggaagaca gttgtgtttt 600
ctctttaaac cttgagctct agccgatgca tttgtcagga aatacagcac tttgtcttaa 660
gaaaacaagg aaggaggccg ggcgcagtgg ctcacgcctg taatcccagc actttgggag 720
gccgaggcgg gcggatcacc tgaggtgggg agtatgagac caccctgact aacatggaga 780
gaccctgtct ctactaaaag tacagaatta gccgggcgtg gttgcgcatg cccataatcc 840
cagctactga ggagacttga ggtaggagaa tcacttgaac ctcagcggcg gaggttgcag 900
tgagtcgaga tcgcgccagt gcactccagc ctgggcaaga agagcgaaac tgggtctcaa 960
gttaaaaaaa gaaagcaagg aaagagtaat ttacaacgaa ggaaaaaaac ccacagcaca 1020
cccttcgcgg ctgtcagcgc tctcctgatg tcacagtggc tgcgtgtcct tggggtgggt 1080
gaggtgtggg gagcccagcc cctggccctg cctcccgcgc cccgctcccc ttctctctct 1140
tactcggtta agccatagcg aggcctccgc tcgtttcaga tatgaatttg ttttatagat 1200
tataaatatg catatacagt gtatgtataa agcagaatgc ctgcctttcc tggttatttt 1260
ttgtaccata ttgtaaatta tattatttat tctttaccaa ttttgggaat aaaaggtgtt 1320
ttggttattt aatataataa gagctgttaa acttctgttt aaatttccag ttcaacttgt 1380
aaatgttttt attgtgcata aatacatact aatgttgatc taaaaaaaaa aaaaaaaaaa 1440
aaaaaaaaaa aaaaaaaa 1458

<210> 27
<211> 1674
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1649)..(1649)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1663)..(1663)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1665)..(1665)
<223> n equals a,t,g, or c

<400> 27
caagttggta cgcctgcagg taccggtccg gaattcccgg gtcgacccac gcgtccggtc 60
gaagataggt tcgagacggt ggatgttgca gctgatcatg cagttgggtt cggtgctgct 120
cacacgctgc ccctttggg gctgcttcag ccagctcatg ctgtacgctg agagggctga 180
ggcacgccgg aagcccgaca tcccagtgcc ttacctgtat ttcgacatgg gggcagccgt 240
gctgtgcgct agtttcatgt cctttggcgt gaagcggcgc tggttcgcgc tgggggccgc 300
actccaattg gccattagca cctacgccgc ctacatcggg ggctacgtcc actacgggga 360
ctggctgaag gtccgtatgt actcgcgcac agttgccatc atcggcggct ttcttgtgtt 420
ggccagcggt gctggggagc tgtaccgccg gaaacctcgc agccgctccc tgcagtccac 480
cggccaggtg ttcctgggta tctacctcat ctgtgtggcc tactcactgc agcacagcaa 540
ggaggaccgg ctggcgtatc tgaaccatct cccaggaggg gagctgatga tccagctgtt 600
cttcgtgctg tatggcatcc tggccctggc ctttctgtca ggctactacg tgaccctcgc 660
tgcccagatc ctggctgtac tgctgccccc tgtcatgctg ctcattgatg gcaatgttgc 720
ttactggcac aacacgcggc gtgttgagtt ctggaaccag atgaagctcc ttggagagag 780
tgtgggcatc ttcggaactg ctgtcatcct ggccactgat ggctgagttt tatggcaaga 840
ggctgagatg ggcacaggga gccactgagg gtcaccctgc cttcctcctt gctggcccag 900
ctgctgttta tttatgcttt ttggtctgtt tgtttgatct tttgcttttt taaaattgtt 960
ttttgcagtt aagaggcagc tcatttgtcc aaatttctgg gctcagcgct tgggagggca 1020
ggagccctgg cactaatgct gtacaggttt ttttcctgtt aggagagctg aggccagctg 1080
cccactgagt ctcctgtccc tgagaaggga gtatggcagg gctgggatgc ggctactgag 1140
agtgggagag tgggagacag aggaaggaag atggagattg gaagtgagca aatgtgaaaa 1200
attcctcttt gaacctggca gatgcagcta ggctctgcag tgctgtttgg agactgtgag 1260
agggagtgtg tgtgttgaca catgtggatc aggcccagga agggcacagg ggctgagcac 1320
tacagaagtc acatgggttc tcagggtatg ccaggggcag aaacagtacc ggctctctgt 1380
cactcacctt gagagtagag cagaccctgt tctgctctgg gctgtgaagg ggtggagcag 1440
gcagtggcca gctttgccct tcctgctgtc tctgtttcta gctccatggt tggcctggtg 1500
ggggtggagt tccctcccaa acaccagacc acacagtcct ccaaaaataa acattttata 1560
tagamaaaaa aaaaaaaaaa aagggcggcc gctctagagg atccctcgag gggcccaagc 1620
ttacgcgtgc atgcgacgtc atagctctnt ccctatagaa gtngnaaagg gttc 1674

<210> 28
<211> 2005
<212> DNA
<213> Homo sapiens

<400> 28
ggttgctggc ccaggtgagc gggcgcgctg gtccaggtga gcgggcgcgt ccccgcgacg 60
gcgctgcctg cccgaggcgg ttcacgtaaa gacagcgaga tcctgagggc cagccgggaa 120
ggaggcgtgg atatggagct ggctgctgcc aagtccgggg cccgcgccgc tgcctagcgc 180
gtcctgggga ctctgtgggg acgcgccccg cgccgcggct cggggacccg tagagcccgg 240
cgctgcgcgc atggccctgc tctcgcgccc cgcgctcacc ctcctgctcc tcctcatggc 300

cgctgttgtc aggtgccagg agcaggccca gaccaccgac tggagagcca ccctgaagac 360
catccggaac ggcgttcata agatagacac gtacctgaac gccgccttgg acctcctggg 420
aggcgaggac ggtctctgcc agtataaatg cagtgacgga tctaagcctt tcccacgtta 480
tggttataaa ccctccccac cgaatggatg tggctctcca ctgtttggtg ktcatcttaa 540
cattggtatc ccttccctga caaagtgttg caaccaacac gacaggtgct atgaracctg 600
tggcaaaagc aagaatgact gtgatgaaga attccagtat tgcctctcca agatctgccg 660
agatgtacag aaaacactag gactaactca gcatgttcag gcatgtgaaa caacagtgga 720
gctcttgttt gacagtgtta tacatttagg ttgtaaacca tatctggaca gccaacgagc 780
cgcatgcagg tgtcattatg aagaaaaaac tgatctttaa aggagatgcc gacagctagt 840
gacagatgaa gatggaagaa cataaccttt gacaaataac taatgttttt acaacataaa 900
actgtcttat ttttgtgaaa ggattatttt gagaccttaa aataatttat atcttgatgt 960
taaaacctca aagcaaaaaa agtgagggag atagtgaggg gagggcacgc ttgtcttctc 1020
aggtatcttc cccagcattg ctcccttact tagtatgcca aatgtcttga ccaatatcaa 1080
aaacaagtgc ttgtttagcg gagaattttg aaaagaggaa tatataactc aattttcaca 1140
accacattta ccaaaaaaag agatcaaata taaaattcat cataatgtct gttcaacatt 1200
atcttatttg gaaaatgggg aaattatcac ttacaagtat ttgtttacta tgaaatttta 1260
aatacacatt tatgcctaga aggaacggac ttttttttte tattttaatt acacataata 1320
tgtaattaaa gtmcaacata atatgttgtt tctctgtagc ccgttgagca tatgagtaag 1380
tcacatttct attaggacta cttmcaagga caaggtttcc atttttccag ttgtaaaatt 1440
ggaaccatca gctgataacc tcgtagggag caaccccagg atagctaagt gttatgtaat 1500
atgcctagaa ggtgatgtga atgcgattca gaagcatagc cactcccatt ttatgagcta 1560
ctcacatgac aaatgtcatc ttttgctata acctttgcca agttagagaa aagatggatt 1620
taatgagata aatgaaaaga tatttamcct aatatatcaa ggcactattt gctgttatgc 1680
tttgttattt atttcccagc acttgttcct tattgtagat tttttaaaga ctgtaacctt 1740
ttactaactg tggtcttact aaaatttgtg cttgatactg cttttcaaaa agcctttaat 1800
tagagccaaa aggatggaaa aggcaagata taaatgcctt ttatagatct cttatttaca 1860
ttgaaaatta ttaccatatg tttagagcaa atccaagaaa acttcaacag cttctgaaga 1920
tgtctatgaa tgttgaaaac ttttcaatst cttggratgc tcakttaatt cgcagaccgg 1980
cttaacggat taaacgcccc ccccc 2005

<210> 29
<211> 1472
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<400> 29
ncttagctgt agatagaggc ggcaacctcg gaagtgcgga gcgggtgggc ctatatagat 60
gttgaggtgc ggaggccgtg ggcttttgtt gggcctggct gtagccgcag cagcggtaat 120
ggcagcacgg cttatgggct ggtggggtcc ccgcgctggc tttcgccttt tcataccgga 180
ggagctgtct cgctaccgcg gcggcccagg ggacccgggc ctgtacttgg cgttgctcgg 240
ccgtgtctac gatgtgtcct ccggccggag gcactacgag cctgggtccc actatagcgg 300
cttcgcaggc cgagacgcat ccagagcttt cgtgaccggg gactgttctg aagcaggcct 360
cgtggatgac gtatccgacc tgtcagccgc tgagatgctg acacttcaca attggctttc 420
attctatgag aagaattatg tgtgtgttgg gagggtgaca ggacggttct acggagagga 480
tgggctgccc accccggcac tgacccaggt agaagctgcg atcaccagag gcttggaggc 540
caacaaacta cagctgcaag agaagcagac attcccgccg tgcaacgcgg agtggagctc 600
agccaggggc agccggctct ggtgctccca gaagagtgga ggtgtgagca gagactggat 660
tggcgtcccc aggaagctgt ataagccagg tgctaaggag ccccgctgcg tgtgtgtgag 720
aaccaccggc ccccctagtg gccagatgcc ggacaaccct ccacacagaa atcgtgggga 780
cctggaccac ccaaacttgg cagagtacac aggctgccca ccgctagcca tcacatgctc 840
ctttccactc taagccgtag cctcttctgt taataacaca cagagagctc tgccaagcac 900
ctgagtaggc ccttgacact tgtgtgccct gggatgcctc ctggcgcgaa tcaggaggtt 960
ctggaaggac tctggctata ttctgcaaat gtggctcatg ccccttaccg tggctcggcg 1020
ttgtggtgcc tgagggacag ccggccacct gcccagtact ggtcagcttt tcaacactat 1080
tccctttgac ctactggcca tcttcctcac agccctcaga tatcaacggg cacaaataag 1140
accaactcaa tttccacttg aatttacaac caaaagcctg ctgagttgat tacagctggg 1200

ccaatacagt acgaggcaat aacaaattag tgtgggttga ttctggaatt ggaaaagctt 1260
ttgcttgtat ggatacagca aatccagatg tctctgaaca aagcaacaat ttaaagcaac 1320
gacattttct gtcctttaag cacttaaaat caggtgtggt gtgttttcaa aggcagaagt 1380
ctgcattttg agcaaaaggt ggcttcccag ctctaacaag gtaactggtt agcatgacat 1440
taaagcttgg gcaaggcttc aaacttaaaa aa 1472

<210> 30
<211> 812
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (17)..(17)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (108)..(108)
<223> n equals a,t,g, or c

<400> 30
gaccattttt agccaanctt ggaattaacc ctcacttaag ggaacaaaag ctggagcttc 60
caccgcgttg gcggccgctc tagaactagt ggatcccccg ggctgcanga attcggccac 120
gagaggactt ccccacctca tgcagctatt tgggccgtgg cgtctgaaat ttattatttc 180
agagtcaccc ctttratgac cttggcagtg ractgcagtc atctgtttag gcctttccat 240
ggcccacgtc aatgccgtta tttctgtttg ttgcacattt gatttccttg ttgttggcat 300
ttagaaggcc ccctgcttcc cagatcacac cacgggcatg gaccacagag attgcatctt 360
gtgagtctgt agaaatggtc aaggccttgt cctctcttag gtccagagct caggtgaatg 420
cagattttcc cggccatctg tgctgaagtc cctgtgggga ggctcctggc tggtttcctg 480
taggtagaca gctacacgtc ctgcccttca ttggcttctt ttcatgaagc tcctgccatc 540
tacaaaacat gtctcccttc ttgaatcaca tctctgttat tgaagctctg gaagtcaacc 600
gggcgtggtg gctatgccta taatcccagc attttgggat gccggggcgg gtggatcacc 660
tgaggtcagg agttcgggac cagcctggcc aacatggcga aaccccgtct ctaatacaag 720
tgcaaaaatt ggccaggcgt ggtggtcact gtgctccagc ctgggtgaca gagcgagctc 780
cgtctcaaaa aaaaaaaaaa aaaaaactcg ag 812

<210> 31
<211> 1756
<212> DNA
<213> Homo sapiens

<400> 31
ggcacgagtt ttcctctcac atatatattg ttttgtgtcc ctggctaaag tacaagcttt 60
ttgaaggcag aaaccatgtc tttggtttct tttgtatttc ccatagcacc ttttactgtg 120
agagtgggca cacagtatat gttgtggaat gacatcctga gtgatccctc cctggctggg 180
cctcagatta aattccctga aatggaacag tcctaaccaa cacaggacag gtattctcca 240
tctggcatgt tggttgctcc tttcaacctg ctatttgaaa tggctccctt caacatcttt 300
ctgttcccac agtggggctt gctatggcta atgctgtact tgctgtatgt gttccaggcg 360
agtctgcgga caccagaact gacctgggag cgagtgagat ctcaagttga ccagtgatat 420
ggcctgatgg caagaggata gtactgctgg cagaggtaag ctgagactgg caaaaatact 480
cccccacaac aggagagact gcaataccca ggtcccctcc tcctcatgtt ctcgaatact 540
ttcaactcct ctgttaagca caagtttgac tactttccca atggatttta cttctaattg 600
tgaaagatct tttcattcag caattaagaa actattttgg ttccccactt ttcaccaatt 660
atcctgtctc tccacgtcaa tccacaggtt gagttagata attattacta tagaaggaat 720
tcacagatag aaccagtgcc actttgagtg atgcatacaa agagataatg tcacttgtgg 780
gatgttttaa tcactaagca caaagtagat atgcccgact gtaaccagga ctatcttagg 840
caagttctgg gaatgtatgt ttttactgat agattccctg tttttgaagt ccattccctt 900
gaattgagcc agatgagtat aggtacctac ctagatatca attgctcaat tgatatttcc 960
ccatcctagc tcctagctca cattgacact attgactttc attttattgg cttccatgtc 1020
agtgtttgac cacttttcct ttcttaaaag ctcctcttcc ctagtcctgg attcctgaca 1080

gctataatat tagatgcctt ctattcttac cttgaagctt tctcttcttc agagaaagat 1140
accaaaatat caaggaggat aataatactt ttctcaattt tgattttcag ttggtttttt 1200
ttctttttt atattaaaga acctgaatat gaaaatgtaa aatatacatt gtctttatct 1260
aggggcccat aagttaggag tttttagtgt ccttactgtt tcttcacatt ttcctcactt 1320
tatctcatct tctcagatac ttcagggcat ttgtaaaggg actgaactat ttcttcacaa 1380
ggaaggagta tatatgagga ggagatgggc agattgccaa atatgcatta atagctttga 1440
tgtcagtctg ctgactgatg acttgtttct agctgcccta ggaggtccca cctggtaatt 1500
ttggtgacaa aagcaagtac catgggtgtt tttggctaga tggttgagca aaaaggtggt 1560
caggcttcat aggaaacaaa ataggaaagg gtggcattgg gggcaatttc tagttcttct 1620
actgtctgaa tcaccaactc aaaatacaag gctgacaatg ctgtctttga attcaggaga 1680
agcaaactga aggagaagca caaaaatcat cacagctatg gtgaaaccct gtctctacaa 1740
aaaaaaaaaa aaaaaa 1756

<210> 32
<211> 1675
<212> DNA
<213> Homo sapiens

<400> 32
cttaaagacg ccaggtagag acacacagaa cgtatgtatt aagaatatcc tctctgggct 60
ctgaaatttt aggagtgatt cttatccact ccaagttgta agtatttgta gaaatttgtg 120
caaacaaaca aaaactatca aatgaaaaga aaatgtactc aacctaactt atagttagca 180
gctggaattc tcaactcttc cctgccagca ctataccaca gtgtggaaga aattagtcaa 240
atgcttgttt tcctgcttct cttttcaact gttactgtgc tttgtttgaa agtagttttc 300
tctctcaaag ccgttgctta tatcgttaag aatgaaggtt tgtgtttaaa atttattgca 360
ttgcaaaggg tagtttcact gaagtcatgc accattaaat aagatgaaat atttgtattt 420
attgtcctac ttcctaagcc gtaacttctt ttcctctgtg aatttgcatt gagtcactca 480
tgctacacta catcgcttta gtatttgaga tggcatttat gtttcctctc gtttatcatg 540
aaatggggtc agattccatc agattccacc tctgtcaggt ggactcttgt ctgccttcca 600
tgatgagatt ttttttctcc ttccccttc tttaagagag gctgacagat ctaggtgtca 660
atcaattgga aaccagtctc tgatttttt tcattagtta ttttctatca ttagtttcac 720
tgtgtaaatt agatatcaac tgcacttctt taaaaaaaaa tacatctccc tattacctcc 780
ttgaaagatt tacttctgta ggccttttc aataggctca tgactgcaga caaggaaaaa 840
aaaagtaaaa acaaaaacag tatgtgcctg aaaatgacaa aaaaaaaatt tgtaacattt 900
aaaaaagaaa cctgaatagc ctttaattct ttaataatac acttaaattt tatgtaaatc 960
ggttttcgcc acgtgtgttt gttcacattc taaatgactt aatgggattc tcacggtctg 1020
tgtctttgtg tcacgtgtat aaaatgggct tgtgatgtaa gcgtttcatc tggtcagtgg 1080
ttcctttgat attgtactgc tgctgggagt gggctgtgga acctgccttc gggtaactgg 1140
gttcctcttg ggtagattgg agagatgggg gtgggcgtgg gcaaattctc acacatgttt 1200
tcttaaccta tttgcagaaa ctttcaaaag gcatttgatt aaacctcttg gcagtacagt 1260
attcttgtat ttgttaacgt ctgtgtttag gtactggtac ctttttgttt taaaatgttc 1320
taagtgttgg ctttaaagtg aatttatctt tagtatgata gttatatgaa aattatagga 1380
tttgtgtgca gagaattttt ttataaagtg ctttgtaaaa aaaaaaaaat gtattctagc 1440
ttttgcggta catatgtgtg ataactttaa tacccatgac agttaagtgc aattatttca 1500
tcactctaaa aatgctattt ttgtgtcagt tcctgcaggt gttttcatgt ctttgcaaag 1560
tgacacattt tgatgccttc ttgataaagt ggtagacatt ttgtagcttt ctagaaactt 1620
tgtattcata cggtatcaat gaaaaataaa gaaaatgaaa gtgtgggtca aaact 1675

<210> 33
<211> 910
<212> DNA
<213> Homo sapiens

<400> 33
ggcagagctg gccttcgact cgctatgtcc actaacaata tgtcggaccc acggaggccg 60
aacaaagtgc tgaggtgagg accccagcgt cgtgggcacg ggttcgggtt gtgggtgtgg 120
atcggggccc tgggaagcgc ctgtctatcc cgggggcagg acctgagcgc ccctgaccct 180
cgagcctgtc gcaggtacaa gcccccgccg agcgaatgta acccggcctt ggacgacccg 240
acgccggact acatgaacct gctgggcatg atcttcagca tgtgcggcct catgcttaag 300
ctgaagtggt gtgcttgggt cgctgtctac tgctccttca tcagctttgc caactctcgg 360
agctcggagg acacgaagca aatgatgagt agcttcatgt gagacttgcc ctacagaaca 420

agtgactctt gagtaagggg tgggggacc ccagcctggc catcctagac tgacacctct 480
ctcctgtctt catgctgtcc atctctgccg tggtgatgtc ctatctgcag aatcctcagc 540
ccatgacgcc cccatggtga taccagccta gaagggtcac attttggacc ctgtctatcc 600
actaggcctg ggctttggct gctaaacctg ctgccttcag ctgccatcct ggacttccct 660
gaatgaggcc gtctcggtgc ccccagctgg atagagggaa cctggccctt tcctagggaa 720
caccctaggc ttacccctcc tgcctccctt cccctgcctg ctgctggggg agatgctgtc 780
catgtttcta ggggtattca tttgctttct cgttgaaacc tgttgttaat aaagtttttc 840
actctgaaaa aaaaaaaaaa aaaaaaaaac tygrgggggg gcccggaacc caattcsccg 900
gatagtgagt 910

<210> 34
<211> 821
<212> DNA
<213> Homo sapiens

<400> 34
gttttgagtg tgtgaattac atatatgaac atctgaraaa atcctataag cagtttaatc 60
aactgttcca ctccactcca agtgagtcca taggcagaat tgagttatgg ggagagcggc 120
ctagtaataa ttggtttgcg taatacaaag ttctactggg tagtgatgtt gtagaagttc 180
atatagaatc agctgagctt tcagaaatgg tgaaagggtg gtaatagtca taacttagat 240
tgtaattttt ttcccatagg cttttaaaaa atattcatga ggttcttttt ttatttcaat 300
agtttttggg gaacaggtgg tttttggtta catgataagt tcttcagtgg tgatttctga 360
gattttggtg cacctgtcat gtgagcagta tgaactctac tttatgtgta gtcttatccc 420
tcatgtgtat gaactccacc ttatgtgtag tcttatccct cacccactcc tgcccttccc 480
cacaagtccc caaagtccat tatatgatct ttatgccttt acatcttcac agtttagctc 540
tcacacaact tattataatt tataagtaag ccagcattgg atatagttgt attccattat 600
taatttaaga aaccttatgc aagtaattat tagtcatcat cccaaaaaaa agggagaaca 660
gggttagatt cagaatactt tgataagagc taaatactat catgagtgct gtcagtctgt 720
agtaactttc cattggtatt ctatgtcttt taggcttaca gatacttttt acactcttac 780
aaaatgtgca caagaagaag ctgcagctca gagctcgtgc c 821

<210> 35
<211> 981
<212> DNA
<213> Homo sapiens

<400> 35
acggaagcgc agagcacgga ccccgccccc tcgcggcccc gctcgtgacg tcgcgggggg 60
cgccggcctc cgcccggccc cgagggcagg ctctccccgg aggctcagcc ccctctgctc 120
cccatgggca actgccaggc agggcacaac ctgcacctgt gtctggccca ccacccacct 180
ctggtctgtg ccactttgat cctgctgctc cttggcctct ctggcctggg ccttggcagc 240
ttcctcctca cccacaggac tggcctgcgc agccctgaca tcccccagga ctgggtctct 300
tttttgagat cttttggcca gctgaccctg tgtcccagga atgggacagt cacagggaag 360
tggcgagggt ctcacgtcgt gggcttgctg accaccttga acttcggaga cggtccagac 420
aggaacaaga cccggacatt ccaggccaca gtcctgggaa gtcagatggg attgaaagga 480
tcttctgcag gacaactggt ccttatcaca gccagggtga ccacagaaag gactgcagga 540
acctgcctat attttagtgc tgttccagga atcctaccct ccagccagcc acccatatcc 600
tgctcagagg agggggctgg aaatgccacc ctgagcccta gaatgggtga ggaatgtgtt 660
agtgtctgga gccatgaagg ccttgtgctg accaagctgc tcacctcgga ggagctggct 720
ctgtgtggct ccaggctgct ggtcttgggc tccttcctgc ttctcttctg tggccttctc 780
tgctgtgtca ctgctatgtg cttccacccg cgccgggagt cccactggtc tagaacccgg 840
ctctgagggc actggcctag ttcccgactt gtttctcagg tgtgaatcaa cttcttgggc 900
cttggctctg agttggaaaa ggttttagaa aaagtgaaga gctggaatgt gggggaaaat 960
aaaaagcttt tttgcccaaa a 981

<210> 36
<211> 1038
<212> DNA
<213> Homo sapiens

<220>

<221> misc_feature
<222> (2)..(2)
<223> n equals a,t,g, or c

<400> 36
gnaattcggc acgagttaat gtataaaata tttctataat gaattttaat gggaattaga 60
gcatcataga aaaaatgctc ttactgttga aaacattatt tgttacattt tggtcaacta 120
atctttcaat aacttttagt aactataatg ttaagttgta ccagtggcag tcttatatag 180
taaatggcag ctgacagcat gaaaataaca tatctaatat tttgtgacta tcttattagg 240
aaaatcagag aatttcaaaa ccttgttagt ttttagggta tagtcacatt ttataaatgt 300
gcggtatatt tatacatgat ttgacgtttg tgwaaatatt ttccctggac ttttatttta 360
gatgagatct acagtgtagg caaacttata taatctgtca actccattag tgtcatagtc 420
agactcatcc ccatgctaaa attatagttg tkaaaatacg cttttgtaaa tagttgtgtt 480
aggtcattat caccaagtct tcaaggkatt acattataaa aaccttggkt tttattcttg 540
tgaatamccg ttttttccat gcaaagttaa aattcttcag cctttaattt ttttattaat 600
atataaggat gtgatgagta tgactacaaa acaggaaaaa ataaacagat ttcgtttgtg 660
gcttttgcta aattgttacc tgacaaaatc ttagccagtt cttcattttc gttttgagat 720
gaagatactt agttttagtc caggggctgg gcgcgatagc tgatgcctgt ggtcccagtg 780
ctttgcgggg ccgaggcagg tggatcactt aaggtcagga gtttgagacc agcctgccca 840
acatggtgaa acgttgtctc tactaaaaat acaaaaatta gacaggcgtg gtggcacaca 900
tctgtaattc cagctactca ggaggctaac acaggaaaat tccttgaacc tgggaggcag 960
aggttgcagt gagccattgc actccagcct gggcaacaca gtgagactct tgtctcaaaa 1020
aaaaaaaaaa aaactcga 1038

<210> 37
<211> 843
<212> DNA
<213> Homo sapiens

<400> 37
ggcagctgtc caccgatccc ggccaccgcc cccggccacc cccaccccgc gagcccatgg 60
aggctccggg accccgcgcc ttgcggactg cgctctgtgg cggctgttgc tgcctcctcc 120
tatgtgccca gctggctgtg gctggtaaag gagctcgagg ctttgggagg ggagccctga 180
tccgcctgaa tatctggccg gcggtccaag gggcctgcaa acagctggag gtctgtgagc 240
actgcgtgga gggagacaga gcgcgcaatc tctccagctg catgtgggag cagtgccggc 300
cagaggagcc aggacactgt gtggcccaat ctgaggtggt caaggaaggt tgctccatct 360
acaaccgctc agaggcatgt ccagctgctc accaccaccc cacctatgaa ccgaagacag 420
tcacaacagg gagcccccca gtccctgagg cccacagccc tggatttgac ggggccagct 480
ttatcggagg tgtcgtgctg gtgttgagcc tacaggcggt ggctttcttt gtgctgcact 540
tcctcaaggc caaggacagc acctaccaga cgctaatctg acccctttgg gcctggactc 600
catcctgagg ggaaaggagg atgcagaggg tggcctctgg gcacccttgt gggtaagcgg 660
ggggcggggg cgggaaaaac tctggccgcc agtttttggc tcctgcgggc accaagcagg 720
ccaagtgttt aatgcctgac atctcctcct gtcctgggcc tggaacctgc agctgagaaa 780
atccctcaac cacctcgtct cctccatcgc ccctgctggg ccccccagcc tgacagtggg 840
ttg 843

<210> 38
<211> 1061
<212> DNA
<213> Homo sapiens

<400> 38
ggcacgagga ttctaggaca gggatggggg tgcagcactg atccaggacc cagaatggag 60
gcatcatgga gggtccccgg ggatggctgg tgctctgtgt gctggccata tcgctggcct 120
ctatggtgac cgaggacttg tgccgagcac cagacgggaa gaaaggggag gcaggaagac 180
ctggcagacg ggggcggcca ggcctcaagg gggagcaagg ggagccgggg gcccctggca 240
tccggacagg catccaaggc cttaaaggag accaggggga acctgggccc tctggaaacc 300
ccggcaaggt gggctaccca gggcccagcg gccccctcgg agcccgtggc atcccgggaa 360
ttaaaggcac caagggcagc ccaggaaaca tcaaggacca gccgaggcca gccttctccg 420
ccattcggcg gaaccccccа atgggggggca acgtggtcat cttcgacacg gtcatcacca 480
accaggaaga accgtaccag aaccactccg gccgattcgt ctgcactgta cccggctact 540

actacttcac cttccaggtg ctgtcccagt gggaaatctg cctgtccatc gtctcctcct 600
caaggggcca ggtccgacgc tccctgggct tctgtgacac caccaacaag gggctcttcc 660
aggtggtgtc agggggcatg gtgcttcagc tgcagcaggg tgaccaggtc tgggttgaaa 720
aagaccccaa aaagggtcac atttaccagg gctctgaggc cgacagcgtc ttcagcggct 780
tcctcatctt cccatctgcc tgagccaggg aaggaccccc tcccccaccc acctctctgg 840
cttccatgct ccgcctgtaa aatgggggcg ctattgcttc agctgctgaa gggagggggc 900
tggctctgag agccccagga ctggctgccc cgtgacacat gctctaagaa gctcgtttct 960
tagacctctt cctggaataa acatctgtgt ctgtgtctgc tgaaaaaaaa aaaaaaaaaa 1020
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa a 1061

<210> 39
<211> 601
<212> DNA
<213> Homo sapiens

<400> 39
gctgccagga attccggcac ggggaacagt gtaatattga agcaaatgct gtataacaac 60
cacctggaag cccctcatgt atctcttttt gaaaacactc ctctctttct ccactctaat 120
gatgaccacc gccttgtctt ttatggtaat cactgttctt tgggttttat tactgcattt 180
attggctaat atatgcatcc ctagaaaatg tagttttgcc tgcttttata taaatggaat 240
attactgcat gcagtctttt gatttgtgat tgttttgctc taaggcttgt aagggtcatc 300
catgttttgc atatagtttg tttattgtca ttgccataga gtaaatcatt gtatgaatat 360
actgcagttt atttactgtt gacatatgtt tcagttgttt ttaactacta ggaaatgcta 420
ctctgtacat tcttgtatat gtaccttggt gcacatatgt atgtttttct agagtatata 480
cagtggcatg ggattgctga attaaaaggt ttgtatatct tatactagaa gataataaaa 540
acttttcctg atggattctg ccaattcaaa aaaaaaaaaa aaaaaaaaaa aaaaaactcg 600
a 601

<210> 40
<211> 1411
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1395)..(1395)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1397)..(1397)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1401)..(1401)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1408)..(1408)
<223> n equals a,t,g, or c

<400> 40
ccggtccgga attcccgggt cgacccacgc gtccggcgtg aaccaccgtg cctggccgga 60
agtctttaaa aaataaagtg attctactct tctaagctta cagagaccag accaggtgaa 120
tgtaactggg gaaaatcaag atggtacctc tctgcattat cccgccagac actgtatttt 180
atgcattcat gtctaggata cagtgtgaaa attaaaaagt ttagagggca gatgcaattg 240
tggcaagtga cctgccaata aagcaggtgc agctatagaa gctggcatag gtatatcctt 300
aatggtgctt tctccctggg cttgtctttt tgttgttttt ttcccctata ttcagagctc 360
cttgagaagt gataaacacc tccagctttc taacatcctc cccacaccat ctcaccatat 420

ccatctccca gcatccatct gcattcagct aagggcggga aactgaccta gtgcctgtgt 480
tgcagaccat ttctgaggtc tccaccatcc aaggaggcac agccgtcatt actgtcctcc 540
atgccttcag cagcccccct cacagctaag gtacatacca ccccttctgc cgcgcctcca 600
cccctggcac caaggtcttc tgctgcttat gtctaaaggg atcacctata tttaactgcc 660
tcagtgacct aacctctttc ttctcatgtg ccagatgtta agatgaagga ggaatacmac 720
acatactcaa gcctcagcct gtttagttgt tttcactggg gctcgctttt ctgggacggt 780
atttattatc agactggcaa gcctaactcc ataggtttac aggaagtagg gatattttta 840
taaaacaatt gtgtcctccc cacattttgc tatgttaata tttgcttcta acaatttgca 900
gctgtttcac tttttcctca tttgtctcta agttgaaggc tttgttggag gggacagagc 960
acaggaacag ccttgacagt ctgtaattat tgtacagata ttttaatagc atataaataa 1020
gtatattcct tttattttga aacaaaaatg atcagacact gccttttgtg tgtttgctgc 1080
ctgtggcatc ctttttttaaa aagactgtta catattaaaa tagtgtacat atataaatat 1140
tacctctttt gctgtacagt tgtgatagag actgaagatt ttatttttg tgtgcttttt 1200
ataagaaaaa aattaataca ctaaagaatc ttgctgatgt gattgtaatg tacctatgta 1260
acttatttac ttttgaatgt tcttctgtat ctttaaacct tttattaaat aaggttttaa 1320
aaattcaaaa aaaaaaaaaa aaaaaaaaag ggsggccsct ytaraggatc caascttgcg 1380
tacgcgtgca acganancag ngtcgagngg t 1411

<210> 41
<211> 1554
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (695)..(695)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (874)..(874)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1190)..(1190)
<223> n equals a,t,g, or c

<400> 41
gctttaatag tgtacactta cacatctgga aggaagagag ttccatatgg cagggatgat 60
tgggacagga gggatctttt gataactttg tgtgagcatg aaaatcgaat ggggaaggga 120
gagctgtgaa aaaaaaatgt tatctctttt tttttgcttc tggaaaccca gctttttggt 180
cagccgtctt gtgatttggc tgggcctggt ttgtgggggt cgctctctga gttgggtagc 240
tcttggagaa gattatctgg gaactcccat ccttatccca aacatacacc aaacctgccc 300
ccatccacca ttatgggaat tagtaccaga gcatccttgc agattagttc tcattttctc 360
tctttgtgag cacacacaca tcaggtagag ttccagaaac ccagctttag gacactgttc 420
acatatcaca ggaggagcaa ggacatgaat acaagagagc tctttcctga ccagcagtgg 480
gargtggttg tactatctat ttawttgttt attwatttat ttatttttg agatggartc 540
tccttctgtc acccaggctg gagtgcagtg gcatgatctc ggctcactgc aatctctgcc 600
tcctgggttc aagcagtcct cctgcctcag ccccccaagt agctgsgatt acaggctgca 660
ccaccatgcc ccgctaattt ttgtattttt agtanagatg gggtttcacc atgttggcca 720
ggctggtctg taactcctga mctcaggtga tccacctgcc ttagcctccc aaggtgctgg 780
gattacaggt gtgagccacc gtgcccggsc tggttccact atttattaaa atgtatatat 840
gtgttttyca ctttttggt aggcatttta ttgntaataa tttggaaatt aaaaaaattt 900
ctccacaagc ttatttttg tggagacaag gtctccctgt gttgcctagg ctggtcttga 960
attcctgggc taagtgattg gtctgccttg gcctctcaaa gtgctgggga ttacaggcat 1020
aagtcaccat gccctgtttg scagcaagkt ttawackgct ctttttggta gggawwtkct 1080
maggtwcagt gatagagaac atgkagttgt ggtgggawac agtggctyat gactgtatcc 1140
gcactttggg aggctgaggc aggaggattg cttgaggctg agagttgagn acaggcctgg 1200
gcaacatagc aagacacctt ctctaaaatg aaaaaaatta gctggatgtg gtgtcatgta 1260
cctgtagtcc cagttgcttg ggaggctgag gcaggaggat cacttgagcc tgggtgttca 1320

agataggcct ggtcaacaca gcaagacccc ttctctaaaa atgaaaataa aaaaattagc 1380
tggttgtggt ggcatgtacc tgtagtccca gttacttggg aggctgagac aggaggattg 1440
cttgagccag gggtttgagg ctgcagtgag ctatgactgc tcccctgcac cccaggctgg 1500
gtgacagagt gagacccagt ctctaaaata aaaaaaaaaa aaaaaaaact cgta 1554

<210> 42
<211> 1276
<212> DNA
<213> Homo sapiens

<400> 42
gtgagtgtgt ggcactggtg gcctggagcc aaatttagct tgggtgagag ttgacaatgg 60
tagttttcct tcctcaagcc cctctgtgcc cctagagcac cctggctgtg gctgcctcct 120
tcatccaaga gcagagtcca tgttgggcca ggagacttca gatccatgtc ctggtgctgc 180
ctctggcttt gtctttcctc agtgggcagg actgggtctg ctggtccatc tttacccttc 240
tctgagctat gcagccttgg cctgctgcgt ctccggcctg tattctctcc ccttcactca 300
ggccctggga aaccagccca gtttctkgca ggagaggcag aggaggtcaa tgcctttgct 360
ctgggcttcc tgagcaccag cagtggtgtc tctggagaag atgaagtaga gcccttacac 420
gatggagttg aagaggcaga gaaaaagatg gaagaagaag gtgtgagtgt gagtgaaatg 480
gaggcaacag gagcacaagg acccagcagg gtagaagagg ctgagggaca cacagaggtg 540
acagaagcag agggatccca ggggactgct gaggctgacg ggccaggagc atcttcaggg 600
gatgaggatg cctctggcag ggcagcaagt ccagagtcgg cctccagcac ccctgagtct 660
ctccaggcca ggcgacatca tcagtttctt gagccagccc cagcgcctgg tgctgcagtc 720
ttatcttcag agcctgcaga gcctctgttg gtcaggcatc cccctaggcc ccggaccacc 780
ggccccaggc cccggcaaga tccccacaag gctggactga gccactatgt gaaactcttt 840
agcttctatg ccaagatgcc catggagagg aaggctcttg agatggtgga gaagtgccta 900
gataaatatt tccagcatct ttgtgatgat ctggaggtat ttgctgctca tgctggccgc 960
aagactgtga agccagagga cctggagctg ctgatgcggc ggcagggcct ggtcactgac 1020
caagtctcac tgcacgtgct agtggagcgg cacctgcccc tggagtaccg gcagctgctc 1080
atcccctgtg catacagtgg caactctgtc ttccctgccc agtagtggcc aggcttcaac 1140
actttccctg tcccacctgg ggactcttgc ccccacatat ttctccaggt ctcctcccca 1200
ccccccagc atcaataaag tgtcataaac agaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1260
attgggggg ggcccc 1276

<210> 43
<211> 2084
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2075)..(2075)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2083)..(2083)
<223> n equals a,t,g, or c

<400> 43
ggcacgagga gttgtgcaga tacctggctg agagctggct caccttccag attcacctgc 60
aggagctgct gcagtacaag aggcagaatc cagctcagtt ctgcgttcga gtctgctctg 120
gctgtgctgt gttggctgtg ttgggacact atgttccagg gattatgatt tcctacattg 180
tcttgttgag tatcctgctg tggcccctgg tggtttatca tgagctgatc cagaggatgt 240
acactcgcct ggagcccctg ctcatgcagc tggactacag catgaaggca gaagccaatg 300
ccctgcatca caaacacgac aagaggaagc gtcaggggaa gaatgcaccc ccaggaggtg 360
atgagccact ggcagagaca gagagtgaaa gcgaggcaga gctggctggc ttctccccag 420
tggtggatgt gaagaaaaca gcattggcct tggccattac agactcagag ctgtcagatg 480
aggaggcttc tatcttggag agtggtggct tctccgtatc ccgggccaca actccgcagc 540
tgactgatgt ctccgaggat ttggaccagc agagcctgcc aagtgaacca gaggagaccc 600
taagccggga cctaggggag ggagaggagg gagagctggc ccctcccgaa gacctactag 660

gccgtcctca agctctgtca aggcaagccc tggactcgga ggaagaggaa gaggatgtgg 720
cagctaagga aaccttgttg cggctctcat ccccctcca ctttgtgaac acgcacttca 780
atggggcagg gtccccccaa gatggagtga aatgctcccc tggaggacca gtggagacac 840
tgagccccga gacagtgagt ggtggcctca ctgctctgcc cggcaccctg tcacctccac 900
tttgccttgt tggaagtgac ccagcccccc ccccttccat tctcccacct gttccccagg 960
actcacccca gcccctgcct gcccctgagg aagaagaggc actcaccact gaggactttg 1020
agttgctgga tcaggggggag ctggagcagc tgaatgcaga gctgggcttg gagccagaga 1080
caccgccaaa acccccctgat gctccacccc tggggcccga catccattct ctggtacagt 1140
cagaccaaga agctcaggcc gtggcagagc catgagccag ccgttgagga aggagctgca 1200
ggcacagtag ggcttcttgg ctaggagtgt tgctgtttcc tcctttgcct accactctgg 1260
ggtggggcag tgtgtgggga agctggctgt cggatggtag ctattccacc ctctgcctgc 1320
ctgcctgcct gctgtcctgg gcatggtgca gtacctgtgc ctaggattgg ttttaaattt 1380
gtaaataatt ttccatttgg gttagtggat gtgaacaggg ctagggaagt ccttcccaca 1440
gcctgcgctt gcctccctgc ctcatctcta ttctcattcc actatgcccc aagccctggt 1500
ggtctggccc tttctttttc ctcctatcct cagggacctg tgctgctctg ccctcatgtc 1560
ccacttggtt gtttagttga ggcactttat aatttttctc ttgtcttgtg ttcctttctg 1620
ctttatttcc ctgctgtgtc ctgtccttag cagctcaacc ccatcctttg ccagctcctc 1680
ctatcccgtg ggcactggcc aagctttagg gaggctcctg gtctgggaag taaagagtaa 1740
acctggggca gtgggtcagg ccagtagtta cactcttagg tcactgtagt ctgtgtaacc 1800
ttcactgcat ccttgcccca ttcagcccgg cctttcatga tgcaggagag cagggatccc 1860
gcagtacatg gcgccagcac tggagttggt gagcatgtgc tctctcttga gattaggagc 1920
ttccttactg ctcctctggg tgatccaagt gtagtgggac cccctactag ggtyaggaag 1980
tggacactaa catctgtgca ggtgttgact tgaaaaataa agtgttgatt ggctagaaaa 2040
aaaaaaaaaa aaaaaaaaaa actcgagggg gggcnccggt acnc 2084

<210> 44
<211> 1765
<212> DNA
<213> Homo sapiens

<400> 44
ggcacgagat ttctgggagt cctgcagagt ctagttgcca agtggaacat tcttaaaaag 60
atcgttcaga agtttaccag aattaaaaga tgctgtcttg gaccagtatt caatgtgggg 120
aaataaattt ggagtattgc tttttctgta ttctgtatta ctgacaaagg gcattgaaaa 180
cataaaaaac gaaattgaag atgcaagtga acccttgata gatcctgtat atggacatgg 240
cagccaaagt ttaattaatc tcctgctgac gggacatgct gtttctaatg tatgggatgg 300
tgatagagag tgctcaggaa tgaaacttct tggtatacat gaacaagcag cagtaggatt 360
tttaacacta atggaagctt taagatactg taaggttggt tcttacttga aatctccaaa 420
attccctatt tggattgttg gcagtgagac tcacctcacc gtatttttg ccaaggatat 480
ggctttagtt gcccctgaag ctccttcaga acaagccaga agagttttc aaacctacga 540
cccagaagat aatggattca tacccgattc acttctggaa gatgtgatga aagcattgga 600
ccttgtttca gatcctgaat atataaatct catgaagaat aaattagatc cagaaggatt 660
aggaatcata ttattgggcc catttcttca agaatttttt cctgatcagg gctccagtgg 720
tccagaatct tttactgtct accactacaa tggattgaag cagtcaaatt ataatgaaaa 780
ggtcatgtac gtagaaggga ctgcagttgt gatgggtttt gaagatccca tgctacagac 840
agatgacact cctattaaac gctgtctgca aaccaaatgg ccatacattg agttactctg 900
gaccacagat cgctctcctt cactaaatta atttgtctaa gtatttataa ggaagatctt 960
aataacagat gttgaaagaa ggagtcaaga ctggcaattg gctggattaa gctaaacact 1020
ggtatcactg attaactgta aataacaatt aaaaacacat tttcagtgtt tatgatatgt 1080
ttaaattatt tgtcctaaag ctttatgtta aagattatcc tattttaccc cttcgtgtga 1140
aatttactag caaaattaag ctttcatcaa agttcatcac ttttgcattc agatacttgg 1200
tcatttactt accaaattac aaacgcaata ctacagcatt tgtatattaa gtatcacagt 1260
tactattgat aaactacttt tgggttttat ttcattgagg cacttttttt attgtttgaa 1320
tgattccggc ttgtaatata tcagcctcta caatgaaatg cagaagagtt cattttcta 1380
agatctgttt ttcattagaa atattgacaa ataacacatt gtcaacctgg atcctttgac 1440
aatttactta actctggcat gttcacaaaa agtagaaact ctaagagacc attaccattt 1500
attcacagat gtatagggga tgtattctaa aaactgacag aaaagagaat ctgatagtca 1560
acactgttaa cttttactgt gtaattgcca aatacacttt tccaaatttg tcccaacagc 1620
cctgtaagcc agctttcttc tatatttata aacacgataa atgcatgaga agatctgtta 1680
ttacattagt atattacgtt atttattatg atcctagttg atggcctaaa taaacacctt 1740
tttctttaaa aaaaaaaaaa aaaaa 1765

<210> 45
<211> 2494
<212> DNA
<213> Homo sapiens

<400> 45
ggcacgagga gatgtttaag gattacccgc cagccataaa accatcctac gatgtgctgc 60
tgctgctgct gctgctagtg ctcctgctgc aggccggcct caacacgggc accgccatcc 120
agtgcgtgcg cttcaaggtc agtgcaaggc tgcagggtgc atcctgggac acccagaacg 180
gcccgcagga gcgcctggct ggggaggtgg ccaggagccc cctgaaggag ttcgacaagg 240
agaaagcctg gagagccgtc gtggtgcaaa tggcccagtg acccccagac gcggaaaccg 300
ggtggcagcg cccagcctgg ccccaagcat ggaaacgcac aacccctaat cgccctgagc 360
tactgcttct aacacctctt ttcccttgtg tgagggcaaa ccaggctgca ggtggggttt 420
tcacttccta gggtagttta attttaaaat aggccaatgt tggctagtct gtgcctcagt 480
gagatcagtc agctccgagt ggctcccgtg tcgtaacagc aggagcatgg ccgcaacttc 540
ccaggccgag gaagggcccc cggctcggcc tcttgagagc cccacccctg aactggcccc 600
agctcctctt cctgcctctc tcatggcttg ggctggagtg ggctctctgg acctgaccag 660
actgtgggtc cctgcgtctc ctgcccactc tgaccgggct tcctccctcc acgcttaggg 720
tctgtcccgg gtactcagtc agcccagtgg gatcttaccc acttccctgc aaggtgcacc 780
tgccccaggc tcaggctgcc cagcggctct tcctggacag tgagagcagg gctgggcgcc 840
tctgtcctgg cccgggagcc gcaggggccc ctcctccaga gcctgggcgc aagcgacaca 900
ggctgccgct gctctcccag gtgaaatcca caccagtcca cgccgggtcg cctgccctgt 960
ctccctactt agacccagtc attctagagg gatccaccgc cacactggcc ggcccacgtc 1020
ctgggtgctg tcatgcccag cttggagtgc cacgtggccg ctgcccacgt cccgggcact 1080
gtcatgccca gcttggagtg ccacatggcc gctgcccacg tcccgggcac tgtcacgccc 1140
agcttggagt gccacgtggc cgctgctgtg acaggcagtg ttcttggggg tggggctgca 1200
tccaaggctt tgtaaaccgg ctggaccacg tctccctggc cccagtgacc gggggaagct 1260
gagcccctcc ctcctgtgtt tgctcccatt actcaaaatg caggacagat caggtcagag 1320
cccaggaatt ctcacaggtt cacccagcgc cctctacctc ctagcaagta ctttgtcttg 1380
atcctcactg agaaggcccc agggcagcgg tcttctccat ctccgctgtt ttggggtctt 1440
agggtacagc ccaggcggtc actgcccacc tgccaggctg cagggacagt tgggtgtgag 1500
aataacactg gctttgggta gtgccatggc caggagtggg tttccctgcg tctcctcgtc 1560
ccgagggcgc ctgggtcctc ccagctgacg gcagtaaatc cacagtgagt tggggcgact 1620
gtgaaactgg aatgctgtta ctttgataat tactttccag caggtgtttt ccttcacaat 1680
ggttttgttt ctttccttct gatctgagaa gacatgaacg ttttctcttc accgccgtgg 1740
ggtgtattga ctggtccccc atgggctgct ggaaaggccc ggagatgcat ctgtggcctg 1800
gggccatcaa gatcaaagaa ccaggaggcc tgggagatgc agctggatgg ggcggcctgc 1860
agaccctgcc agggggtttg aggaccctcc caggtttccc actgcggaac aggagtgact 1920
ctggctgcca agataccttc atggtgttca tgacaagtgg aatcattatt ttcaaccatt 1980
gaaggggat gcaggcaaga caccttccca gctgctccta gaggggacaa gccaggccct 2040
ctctgcagtc ctcggcagct ccggaaggac acagtcaggg gccgggcaaa cactttggcc 2100
acagccccaa acaagcgcca ccgtgggaga ggagaggctg ctgtcactgg taccggatgc 2160
agaccccacc ctgtctgcag gccaccccca cctccctgca gctttgaggc tggcggggtc 2220
tgctcctggg aatggggtgg gagccacagg gacgacccgg ggcgggctga tgtcttcttg 2280
ggggcagacc agagagctca agtttcagag tcagaattag gcacttggag cgtttttgct 2340
ggcttgcact ttcttatttt cttattttag agcgcttaaa aaaatccgga aaaatggggt 2400
ttaaaagaac tgtctctttc agtctacatt tttgtttaat acgcttgagc aataaacgct 2460
tacttgcaaa aaaaaaaaaa aaaaaaaaaa aaaa 2494

<210> 46
<211> 1509
<212> DNA
<213> Homo sapiens

<400> 46
ggcacgagga tgtacctaat gagcttctcc attcactttg taaaaataat ttgtatgtgt 60
accatcttgg tcctctcccc tcccgttttg ttaaaatatc aggatagcac tcccaggcca 120
ctttggtctc agtgtaagat ccctattaac tatctgaaag gaaaatagag ccaagacctc 180
tggtctcaaa tatataggaa ttgcctttct ttagtcttca ggactattgt gtgaaaacaa 240
gtaggggtct aatctcctag aaggtagggg ctttatcctt aaagagaata tgtccccaga 300

ttattagcac ttttagagga gaagccaagg tatgtagggg tgtgtggctg gcccatcagt 360
ggagcacgaa gagagaatgg gataccattg tgggaagaga agaaaagttc ctcaggggcc 420
tcccactgct aaagtttttt gtgagatgtt gatctgtgct tcctggattt gacttttaaa 480
ggaattattc tggcagcaca tgtagtattc ttggatgatc ttgctgctct tatttctcct 540
tttgtgtgtg tgtgtgtgtg tgtgtggcta tgggttttca tttgtaactc catctgctta 600
ggagagtggg ctctctataa gggaacctgc tgtaaacttc attgcagcaa ggatgtagag 660
agaaatagga cttaattcca ctaggggctc tcatctcaca ccttaaggag gagatttcta 720
gaaaaactgg gccagatttt ctttgttctc catcatttta atgtggcagg ctgttcagtt 780
ttcttactct tacctatgtg atatttcttc gtaacgtgtc caaaaagaaa aaagacccaa 840
tcagtgtctc ttgactttgt tctttgatcc ctcagtttct tcttgatttc agcatgtgtc 900
gggttcctaa ttttgggtat gagttagcaa atttaaccat tgtgtttgtg ccctacccag 960
gggactcccc agtttctgac ttgaagtaga ctgagaagaa tccacgaggt gctatctggc 1020
cagatttaag tagattctat ttccttggtt ctcctctcc ctgaggacct cttattttat 1080
tgtcccctct tctaggttaa ttctcctttg atttgacttt gttgagaagg aggttggaca 1140
gtagattagc aaagttccaa gtgcaaaatt acagtgtgtt agagtgtggg gggaaaatta 1200
gtcttatttt tccctacatg ggatacaaca ctgtgaattc aatcttcaac tgaaggccct 1260
gcagttctcc taaaacatag ttgtttgttt ttctttaaca aagtttaagc tagtgttaat 1320
aaattaaaaa aaattgcttg tctgtctact tcagctttgt tttatgccca tttcatattg 1380
ttgtctgtgt tgtaattcat aacttttgat accatttctg atgtgtaaaa ttggttgtct 1440
tgtaaatatc ttataaagag ttcaattgta aataaactat tgtggctgtt aaaaaaaaaa 1500
aaaaaaaaa 1509

<210> 47
<211> 885
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (233)..(233)
<223> n equals a,t,g, or c

<400> 47
aattcggcac gagagggctg catccttgcg ttctgtgagc tctgcccgtt gggagcatcc 60
atgctgatgt gcaggggccg tgcagcactg cattcttctt gccttctctg ttctgtttag 120
tacaaccacc ccagcaggtc tccagttcct gccaggttag tgtggatggc ccagcaccat 180
ctcctctcca tcttgttggc tatcctctct tgttcctcac aaccccgcca ggntcgcggc 240
tcaggagctc tgccgtgtga agtgtgctca gcagttctcc tcacatgtct acgcaaaatc 300
tctggctccc tgtgtgtctg agcccaacag acacactgag cacaggagtt ggctctcagc 360
tcctcccagc ttgccgtgac tgagccytgc cgtcctgtgg camcgccasg gagaccacag 420
tgtccaactg tccaaccttt acgtaattgg catcccagga ggagaagcaa gagtgaatgg 480
ggcaggaaaa gatcattaaa gaaatcgtgg ctgacataaa aaaggatgag ttcatgtcct 540
ttgtagggac gcgtggatga agctggaaac catcattctg agcaaactat cgcaaggaca 600
gaaaaccaaa caccatgtgt tctcactcat aggtgggaat tgaacaatga gatcacttgg 660
acacagggtg gggaacatca cacaccgggg cctgtcgtgg ggtgaggggg atggggcagg 720
gatagcatta ggagatatac ctaatgtaaa tgacgagtta atgggtgtca gcacaccaac 780
atggcacatg tatacatatg taacaaacct gcatgttgtg cacatgtacc ccagaactta 840
aagtataata aattaaaatt aaaaaaaaaa aaaaaaaact cgtag 885

<210> 48
<211> 1261
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (481)..(481)
<223> n equals a,t,g, or c

<400> 48
gttttcaaac tcatttctaa gccaaatagt ttagataaat atttaccctt atatttgggg 60

ggaattcagg ctcaccattt gccgaggcaa gcccatcaac agtctagagg catattctgt 120
gtcattcctt cccgtctcct tcatagaata ctacttttc cttttgtctc ctggccattc 180
tccatcatct gctgattatt gctaaccaca ggatgctggc aaagcttaca gtgataggca 240
catgtgttca gtgatgtcca atacactctt atcacagtgg ttattgcttc ttactctttt 300
caaatgcatt attctacccc tcaacctaya tccaatcatt agaactatac ctgactggag 360
cccagaactt gggaccaata cttaattcaa atagcagggg cttgctcaca aacattaagc 420
ccaamaagaa gcacagcact ttkgaaaagt caaataggsc tttggtagct ctgtacattt 480
ngcaatttac attgttatta agtttatagc actaataaca cttcagtcgt gaatctacag 540
tctcaatatg ataagtctta gaacatgttc tagaaatagt ggtaccttgc tgctattata 600
cttagtaact tatacccccaa tataataata agtattaaat acagattgtg tatgcattct 660
ttgtgtgtat atgccaactg tactacttaa cctcactgat gagcaattag aaaaatacac 720
aaattgtcat agtgaaaata agtcttggtc aattcagatg atacgtgaac ctgataaatg 780
ctctaataga tatgctattt tgtcctgtat tgcttgtttt acagtatggt gcatgttgtt 840
tgctaagtaa aatgataata ataataaagt atacccaatt ttaaggttag aattaaaatt 900
ttgcacatat gcttcttgat attctgaaat gtattctgtg gsttmattat cttattcata 960
cacattkmgc twggcttttt acccctagga aataactgtc caagtatata tctcgtcttc 1020
tttcttgtaa ctttgattaa actgcttact tcaacttaca acattgtaaa gccagaatac 1080
ctcattttaa cagtgaaaaa aaatattatg acctgatgtg ttctcttgta tttgatttga 1140
actacctaaa taggcttaac tgtaataata aatatacaat tttggcaaaa aaaaaaaaaa 1200
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaagggcggc 1260
c 1261

<210> 49
<211> 790
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (37)..(37)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (55)..(55)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (76)..(76)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (112)..(112)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (120)..(120)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (137)..(137)
<223> n equals a,t,g, or c

<400> 49
tcaactgggt gaaaaggaaa acccaccctt ggcgccnaat acgcaaaccg cctttntcccc 60
ggcgcgttgg ccgatncatt aatgcagctg gcacgacagt tttcccgact gnaaagcggn 120
cagtgagcgc aacgcantta aatgtgagtt agctcactca ttagcacccc aggctttaca 180

ctttatgctt ccggctcgta tgttgtgtgg aattgtgagc ggataacaat ttcacacagg 240
aaacagctat gaccatgatt acgccaagct ctaatacgac tcactatagg gaaagctggt 300
acgcctgcag gtaccggtcc ggaattcccg ggtcgaccca cgcgtccggt tgaatgcact 360
gagtcccttg gtgtagtagc aataaggaaa aatgaaatta ctttcctgtg cacacagtcc 420
agcctaattg gtatgtgatg ttgcacttag cagccatgtg gtgggcatgt gtgactactc 480
tggttttcac tttagtttct aaacttttta tccctctcaa gtccagcatg gatggggaaa 540
tgtctctgga tccccacagc tgtgtacttg tttgcatttg tttccctttg agatttgtgt 600
ttgtgtcctg ctttgagctg taccttgtcc agtccattgt gaaattatcc cagcagctgt 660
aatgtacagt tccttctgaa gcaagcaaca tcagcagcag cagcagcagc agcacaattc 720
tgtgttttat aaagacaaca gtggcttcta wwaaaaaaaa aaaaaaaaaa aaaaaaaaaa 780
aaaaaaaaaa 790

<210> 50
<211> 3576
<212> DNA
<213> Homo sapiens

<400> 50
ttcatctgcc tctcgcaaga aaaagtcctg gtaaatacac attagcattt ccgttttaca 60
cagaacactg acagatactt tcctaagatc atggagttaa tacccaccag aacctagact 120
caatacttat ggaacttcaa atctcatgct tttctcattg cacttatgat tactccatta 180
tgtaggagca agggagagtt gagagcattt gaagaggtta tgcaaaggac cagctctgag 240
gagtaggctt agcaaagtaa catgagggaa ggtaacaccg ttcatctgtg tagcggagtg 300
ggagccaaga gacaaggaga aagtttcatg ttcgtcatgt gtctcggata ttccggtttc 360
tgcagggacg agaacgcgca gtttcgcctc catcccttga cctccaacac agcttctcca 420
ctggatcatc ggtggcgatg aaggggcggc tggggaagga tgtcagagaa accagaagct 480
tgacggtgaa tcctcgggtt ttaaggagag agcaaagtcc tgagagggcg acgtattgtc 540
cctgctcacc tagcccagaa tgaacaaaca cgcgccagcc agggagcagc gagccgagaa 600
ttcggacgag cctctgcaac cgccatttgc cgttctcgca aagactacca agaccacaat 660
gcaacggggc gccgagctaa ttcccagtga gcagcaggcg aggcgccacc gacgcggaag 720
actataagcc ccagcgggcg acgaccgaac gcccccggga acaccgggcc ccgagctcgg 780
tcccgcgccc gaggatcctc cacggggcta gatggctgcg tcgggggcgg gagcggaggt 840
gagcgggcgc tagggccgcg agcccccgcc ggcccttcct ccagcgccct gcggaccccg 900
cagaaggcgc tcgcctccct agcccgcaaa aacatatcga tttttctcgc tgtggcaacg 960
gggacgtcct gatagatcct ctgctccaat aggcaactcc ggccttccct gccctgacct 1020
ggaacctctg ggagggctgc agagtaagtg ccgcctctgc gctccgacgg aggcacgagg 1080
cctgtggagt aggtccctct gttccgacag gtgcgacact tggcgctcca tgcttgcggg 1140
tgccgggagg cctggcctcc cccagggccg ccacctctgc tggttgctct gtgctttcac 1200
cttaaagctc tgccaagcag aggctcccgt gcaggaagag aagctgtcag caagcacctc 1260
aaatttgcca tgctggctgg tggaagagtt tgtggtagca gaagagtgct ctccatgctc 1320
taatttccgg gctaaaacta cccctgagtg tggtcccaca ggatatgtag agaaaatcac 1380
atgcagctca tctaagagaa atgagttcaa aagcttgccg ctcagctttg atggaacaac 1440
gcttattttg gaagttcgaa ggggctgtcg tgtgtgtggc cctgatcttc gcttgtcttg 1500
tcatcattcg tcagcgacaa ttggacagaa aggctctgga aaaggtccgg aagcaaatcg 1560
agtccatata gctacattcc acccttgtat cctgggtctt agagacccta tctcagacag 1620
tgaaagtgaa atggactgat ttgcactctt ggttctttgg agccttgtgg tggaatcccc 1680
ttttccccat cttcttcttt cagatcatta atgagcagaa taaaaagagt aaaatggttt 1740
ccttcccttc tgtaacttgg agcaggaagt catgggggca gagagggaaa ggaggtggtt 1800
acttaaggcc ccaatctacc aagtcttccc caccacttct cccttgtttt ccccctcttc 1860
tactacttat ttcaaacttc tgggatacaa tttcagctaa aacgtttatt tctcactcaa 1920
aacttatttc ccctcaaccc tatacccaaa gaagaaataa aatcacagat acataacaga 1980
agtatttgag gtaccctctc atatatgcaa acaaatgcag actaggcctc aggcagagac 2040
taaaggacat ctcttggggt gtcctgaagt gatttggacc cctgagggca gacacctaag 2100
taggaatccc agtgggaagc aaagccataa ggaagcccag gattccttgt gatcaggaag 2160
tgggccagga aggtctgttc cagctcacat ctcatctgca tgcagcacgg accggatgcg 2220
cccactgggt cttggcttcc ctcccatctt ctcaagcagt gtccttgttg agccatttgc 2280
atccttggct ccaggtggct ccctcagtct ggactctacc acttgggtct ccagattttc 2340
tgttacgtcc ttgtgggtca ggatatttct ggaagtcact ccgtgaggct ggtaatcctc 2400
agacccagct tctggtcgac tctggaatgg actgaagctg ggcaggatga tgagagccag 2460
ggaaaaaaga agaatcaaaa cacaagtgct ggtctgggca gctttgttgg aagtttgagc 2520
aattagcgtc tgcagctggc ggagctgagc taccaaggag atgttgtgcc tctccagctc 2580

ctggactttt ttctgtaatt cttggttctg tgcagaacag gctgccaccc tgctctccag 2640
cccatcaatg tactccttct tccgccgccg actgtcctga gctgactgct tgttacggat 2700
tttcctcctg accttcttga ggaccctctc ctctgccttg gtgaggggca ggtgagaggg 2760
cagggaaacc ccttcctgcc ccagcagacg cttctcctca tcggtcagga acagggtttg 2820
acagggcagc agggttgtac agggcactgg ggctacggtg cctgctctgg gcaggatgtg 2880
ggcatgagca tcaaagggca gctcactgac catgcaggaa tcaggcacca taaatgctgg 2940
gctccactga tctagctgga tggagataag gcctacattt ggcccagttt ccccctgcat 3000
cctctccagg gcccctgcct catagacaac ctcatagagc ataggagaac tggttgcctg 3060
ggggcagggg gactgtctgg atggcaggag tcctcagaga tgccactgtc actgccagga 3120
gatgcttctg agcagtacac ctcattggga tcaatgaaaa gcttcaagaa atcttcaggc 3180
tcactctctt gaaggccaca gccacggtcc ccaccggact tccagccttg cagtccctgt 3240
tcctgtagcc tagttaccgg aacctctgga gggggggcagt ggagtcccag ctccaggacg 3300
gatcctgtcg agaagatatc ctctgggggc tccagccacg cgtccagcag gtcagggatt 3360
ccgagatcca tgcttactac aaaagtggat gccaccttgc caggagccac ggtagggccg 3420
ctgtatctgg gagtagggga ctaagagtct gagggtccac aaacggaatt taagaagtag 3480
gtagccgcgc cctttctgct gcagttttct cttagctata gtaaatcttc ctgagggttt 3540
ggtgtctcct agctgaagaa cagaaaaggc tgtgac 3576

<210> 51
<211> 1343
<212> DNA
<213> Homo sapiens

<400> 51
ggcacgaggt caaggcaaaa atgggtcagg tttggagagt tcccccactc cttttgagtg 60
ttcaggtttt ccttaccatg gctcatgctt tccatcaagc accagagttg cagtggcttg 120
gcctctggtt ctgggtgagg ttatttgcag gtggagacgg ggggctgcac ctgaacattt 180
ctagtgtcac cctccctctc cttcatggga aacagctctc cagggaagta ccttcctgcc 240
aggggaagcc aaggctgggc cggccgccct acaaggagcc acaggattgc agccatgggt 300
gccacctttc atggaagggg agatttatgg gctttcctgg aacccccagg ctgtcctggc 360
caagaggaaa gaggtggtta cttcaggagt ttgaccttag ttagataact aaaagaatac 420
atttcccctc ccttttcttt atttcctcaa taaaaatgta caaagtatca ccctttctcca 480
tgccccaatc tgtgttaaag tcacaatcta tgggtgtagt tctgggattc tgtcaaattc 540
tccttcctgc tctccaaaat ggacaattgt cgtagggacc acatgccccc agaatacaat 600
ggcctctgtg ttctactggg gtcaagcctg ctagaactca gcattcatga caggggctaa 660
gtgtgcatga agtgacactg actacagcta gaaagccagg cgcacaaatg ccccttcccc 720
ccagggccgc tctttccagc gcagtcatcc agaaaggccc acgtgcagag cccctgtgtc 780
tcagatgctg cttcagttgc ccgtcctgtc ctcagaggcc actgtgctgg ccctctatca 840
tttgacctga ctttagaacc tgacctcaag gatatggcag cgctagcctt tagctcccac 900
agcacggatg ggggtgatgc cagttagaag tgggtagtga acgtttgctg agctgttcac 960
tgtttctctc ttctctttgg aagcacctct ccgagccatg tgagcccccct gatgccaccg 1020
agcaggggca gcttcatgac cgatgtctgg ctgaggctgt ggcggacact ctcggggttg 1080
tctgcaggag agcaagccag gaggacatgg gcctggacga cacggcctcg cagcaaagtg 1140
tgtcagacga gcagtgacgg gcgtgcggcc gggcggggag gctggctccc ccacacctcc 1200
cacctgcatt gctctccctc gtgctcccca aatcaccaca accaaccaat accgcaatcc 1260
atgagggact cctcctgtgg aaaaggagag ctgttccaga acacagaact gatctcaggt 1320
ttttgaaaaa aaaaaaaaaa aaa 1343

<210> 52
<211> 712
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (20)..(20)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (44)..(44)

<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (56)..(56)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (128)..(128)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (625)..(625)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (692)..(692)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (699)..(699)
<223> n equals a,t,g, or c

<400> 52
tgttgtttgg aattgtggan cggattaaca atttcaccac gggnaaccgg ctttgnccca 60
tggattccgc caaggcccga atttaccccc tcactaaagg ggaaccaaaa gctggagctc 120
caccgcgntg gcggccgctc tagaactagt ggatcccccg ggctgcagga ttcggcacga 180
ggtttcctgt cagtgctatt gagattttat tttattaatg tctgcactta gttttacttc 240
ctactttcta cttttattga gagttaaacc tgttgaagtc tcaggttcaa ttcctcaccc 300
tgagcaacct aatgttttat gtcttgttct tcctacattt ggttattgaa actgaagttt 360
taggttacca gatttgatag aagcacataa gactacttac tgctttagtc tcaattatta 420
attgagaaat tatcaattaa caataaggat ttctcttatt tttccccaag ataagttata 480
tatttaaagt gtgttttata gtagaaaggt tttagaatat ttgggttgct acattaattg 540
aaatggcagc tgaagatgtg atttccagcc agggatttat taaaaaaaaa aaaaaaaaac 600
tcgaggggggg gccgtaccca atcgncctat agtgagtcgt atacaatcac gggcgtcgtt 660
acacgtcgga ctggaaacct gcgtaccact ancgctgcnc acaccccttc gc 712

<210> 53
<211> 1089
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (353)..(353)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (528)..(528)
<223> n equals a,t,g, or c

<400> 53
cggcacgaga aacgcggtgc ttgctcctcc cggagtggcc ttggcagggt gttggagccc 60
tcggtctgcc ccgtccggtc tctggggcca aggctgggtt tccctcatgt atggcaagag 120
ctctactcgt gcggtgcttc ttctccttgg catacagctc acagctcttt ggcctatagc 180
agctgtggaa atttatacct cccgggtgct ggaggctgtt aatgggacag atgctcggtt 240

aaaatgcact ttctccagct ttgcccctgt gggtgatgct ctaacagtga cctggaattt 300
tcgtcctcta gacgggggac ctgagcagtt tgtattctac taccacatag atnccttcca 360
acccatgagt gggcggttta aagaccgggt gtcttgggat gggaatcctg agcggtacga 420
tgcctccatc cttctctgga aactgcagtt cgacgacaat gggacataca cctgccaggt 480
gaagaaccca cctgatgttg atggggtgat aggggacatc cggctcancg tcgtgcacac 540
tgtacgcttc tctgagatcc acttcctggc tctggccatt ggctctgcct gtgcactgat 600
gatcataata gtaattgtag tggtcctctt ccagcattac cggaaaaagc gatgggccga 660
aagagctcat aaagtggtgg agataaaatc aaaagaagag gaaaggctca accaagagaa 720
aaaggtctct gtttatttag aagacacaga ctaacaattt tagatggtaa ggttcacaaa 780
taggttgatt tctttcttca gctttctgac atgtccagcc catctctaat gaggactccc 840
agatcatcac tttatggctg ttaggtgttt cccatatgaa attagaggag ctgggtcagg 900
gagacaaaag tcttctatta gtcttatgga tagctcctcc ttgagtgtat tttgtgcaaa 960
agattaagaa gctggactct actgccatta aagctgagag aatcctaagg ttaaaaaaaa 1020
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1080
aaaaaaaaa 1089

<210> 54
<211> 1139
<212> DNA
<213> Homo sapiens

<400> 54
acgcgtgggt ccggacgcgt gggcggacgc gtgggagcaa gcccaggcgg cggtggaaag 60
gctggaggac acacctaaac atgtggaatc ccaatgccgg gcagccaggg ccaaatccat 120
atccccccaa tattgggtgc cctggaggtt ccaatcctgc ccacccacca cctattaatc 180
cacccttcc cccaggcccc tgtcctcctc ccccaggagc tccccatggc aatccagctt 240
tccccccagg tgggccccct catcctgtgc cacagccagg gtatccagga tgccaaccgt 300
tgggtcccta ccctcctcca tacccaccgc ctgcccctgg aatccctcct gtgaatccct 360
tggctcctgg catggttgga ccagcagtga tagtagacaa gaagatgcag aagaaaatga 420
agaaagctca taaaaagatg cacaagcacc aaaagcacca caagtaccac aagcatggca 480
agcattcctc ctcttcctcc tcctcttcca gcagtgattc tgactgaata caggccctgg 540
acccttccct caagtctcac cagttctgct ctcccatcaa gcttcagatg ccatgttgta 600
ctgggggaat gtagcccttg tgctccccac cccctaccts cacctgagcc tcaccctgct 660
gttgagccct gagtggctag gggaaatggg aagaggattg ccatggcctg gccatcttgt 720
tgctgcttgg ttagatcata tagctaatga attaggcagg ggagctattt tttgaagatg 780
atgaactaaa tgttgaagac aagtttgaga tctgtaaaat gtgatttttt acttccactt 840
ataatacttg tgattgggga ggtttgtgga aattcaatta tgatgaaaaa cctatctttt 900
ttgtaatgtt ggcatacttg gggaatttag tggcaaatac attccccagc aggccttttg 960
ttggttgcac taactgcaag gttgctggga agtagagtcc atttggttga tgagctttga 1020
ctgcggtttt ggaaccttac ctctcctcct tagcccaata tgctgtcttg ggtcctattc 1080
aaataaagtt atttctcctg gtcwmaaaaa aacggcacga gcggcacgag ctacgtggg 1139

<210> 55
<211> 1222
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (772)..(772)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (796)..(796)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (823)..(823)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (855)..(855)
<223> n equals a,t,g, or c

<400> 55
gaattcggca cgagcacatg wktatatata tattactgtt ttgcctccat tgaacatgcc 60
ttctacttcc taatttgtgc cagaattgac tagtagacgc tatgaatgca tcatgctctt 120
tggcccattt cgaacactca ggtatgtctg tactcttagt tcatctattc atcattgttt 180
ctacagttcc ctcatgcttt aaaaaatata tggcttttat aatttatcca gctttttctt 240
gtcattttaa taagagtatg tgtcttatac aactactaca ttcatcccag aagtagaagc 300
aaactattat aatcccatta tttttattcc tactattctc ttttcagaat ttcttttaga 360
tattccttgg atagttttat tcaatcctcc atggctttca gcttatctta tgttctatct 420
tttggttcat attctgcatt ctggataatt cttcatcttc actttctagt ttgttgatat 480
tccttttggt gactataagc tgctctttaa aatggtcaat aatgcctaag atgtttatta 540
tcttgccctt tgcagaaaaa aattttcagc ttttgctctg gaatgatttt gcatctcttc 600
caccaaactt ccagtgtatc aatggccaga aaataatcta tatgttaatt tgttaatttg 660
atggttcatg gttcaaggct gtataattta aaagtttgaa gtcaaacaac acatgatggg 720
ataatcctga tgttacagat tctcaaggga aaatatgttt ttgtttttc tnccaattgt 780
tctartattt acaganaaac ttcttaatta tactgggttg gtnaataart atttttcttw 840
actctttcaa tctangtcca rctatgcatc acccccttcgc tgatgagcat taagaaaatc 900
caaatttggc ccgggcgcgg tggctcacgc ttgtaatccc agcactttgg gaggccgagg 960
cgggtggatc acgaggtcag gagatcgaga ccatcctggc taacacggtg aaaccccgtc 1020
tctactaaaa atacaaaaaa aaattagctg ggcgtgatgg cgggcgcctg tagtcccagc 1080
tactcgggag gctgcggcag gagaatggcg tgaacccggg aggcggagct tgcagtgagc 1140
caagattgcg ccactgcact cccgcctggg ccacagagcg agactccgtc tcaaaaaaaa 1200
aaaaaaaaaa aaaaaaactc ga 1222

<210> 56
<211> 367
<212> DNA
<213> Homo sapiens

<400> 56
cggcacgagt gtaaatgtca ccaccaaagg tttgcaccct gatcaaaaag agtatgaaaa 60
gaataatacc acaacactta tggcctgtct tggaggcctt ctggggatta ttggtgtgat 120
atgtcttatc agctgcctct ctccagaaat gaactgtgat ggtggacaca gctatgtgag 180
gaattactta cagaaaccaa cctttgcatt aggtgagctt tatcctcctc tgataaatct 240
ctgggaagca ggaaaagaaa aaagtacatc actgaaagta aaagcaactg ttataggttt 300
accaacaaat atgtcctaaa aaccaccaag gaaacctact ccaaaaatga aaaaaaaaaa 360
aaaaaaa 367

<210> 57
<211> 875
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (66)..(66)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (872)..(872)
<223> n equals a,t,g, or c

<400> 57
ggcacagcgc gaggctgggt cccggcccag gagaaggaag tcgctgaagg cagtggccat 60
gctggncgtg gaaatgggag gcggttgcag rgggtctatg gggcccggtc ctggatactc 120

ggcaggaagc cgtgtctgca gaggctcctc cctgcctcag gtggccccgt tcaaccccag 180
ccgtgcccat ctcctgccac cgcctgtcgg tgggggttta aattcggtgt ggctttctgg 240
ggtgcagctc agcacccccc cttatgcaga ctgggagggg gtcgggcagt cccctcagcc 300
acgaggaccc tggatgggtt ctagttcact tgggaccgtg gggcctggct gcgtactgag 360
tgggtgcccc acagtcaagg ccaacggggg ctccccctgc tctgagatgt tgggagaaag 420
gcggcttctg gaaccttccg tgggacccgt aagtggctgt ccagaaaggc gggagggtgg 480
gcacggggca cgggggggcag ctggggtcgt cgttaagggt cacgcatccg tacagttgaa 540
tttccttttct cttatcatgt tttacccacc ttgtcccttt tttccccaat tgtgcttttg 600
catttttttc cttggcaaat gtaaactcag cctttcattc atgacgtgtg aaatttcagt 660
ttctctggag tttgtcagac ggcgtgggaa ccacgcctga aactcaggta ataggaggaa 720
aaaaaaaaaa cttaaaaaaa ttttttaaaaa acataaaact actctctacc tctgctggsc 780
cagcctgtct cgccctggcc gcggcagggt ggcctgtaac aatttcagtt ttcgcagaac 840
attcaggtat taaaaggaaa aaaaaaaaaa anggg 875

<210> 58
<211> 320
<212> DNA
<213> Homo sapiens

<400> 58
agggcgcacg gccaattgat gggcatgatc cttgtgctgg cgagcttcct ggcgcacccg 60
gtcgaggcgc tcgcgcaagc tgtcgcgctg ggccagcagc aactcgcgct gctcggtgts 120
carrgccatg ctgtcgaggg cttcctgcaa ttgcagrcgt gcttcgccgr cttgttcgtg 180
ttcgarggcg cgttgctcgc ccatctcggc cacttcttcg tcgagccggg tgcggcgcag 240
ggtcagttgc tcgaccttgg ccttgytcgc cgagagctgg gctttcaatt cgccctgctg 300
gcgcgcttcg tcctgcaaca 320

<210> 59
<211> 2777
<212> DNA
<213> Homo sapiens

<400> 59
ggcacgaggg gacatgtctg ggcacaagga aaggcaagca atggaggcag caagagccct 60
tggcagcaag tttccatcac ctttgcctgc cagtgtgtga gaggcgcaga ggggcagtga 120
gcaggtgaca tgcagcttcc agatacccac acactgcttt tctcccgccc agctcccacc 180
ccagttaatt gagatgggat tgtttctctt tctggtttct tcctaagccc ctctctcata 240
ttcctggtgt gcttatggcc tggcacacct tgtgaaacag aaacccaagc tcctcatttc 300
ggagctggga tttcgattgg ctatctgcct ccctaaccaa gctgtccctt ccacctcatc 360
cctagagtca ccctctggtc tcatcaacat ccagtgggca tttcagtggc ccaggatcct 420
tcaaattgca gatataaagc atcaggaccc cacacctggg atggaagctt ctaggaatta 480
atgaagcccc agtagaggtg agggtaaacc taaaacgggc tggatagggc ctctcccaag 540
gccctatgga aaggtgatgg gaaactgggg gctgaggcct catcctagga gacccctgga 600
gggacccact taccctagat aggcagcgga ggccagaaac tggaaaacag ccactcattg 660
tcggtgcatt accgtgagca ccacctgtag ggactctgtt ggcctccagc cgtcgtcaca 720
cgttcctgac aaccacaaaa gttcatttga gggtgcccag tcagctgact ttgcttccac 780
caggaatacc cacctggccc tggtccttct gctgagctac aggaggcatt cccagggtct 840
tagcaaaaac aacccctcaa ataggcccag tgcctacaac tctagagagg tttcagatgg 900
tattggagac ccagagaagt taactgactt tcccaaaagt cacccactgt aaatggcaga 960
cagatctcaa acccacatct gagcctgagt ccagtgtttt ttctctagta tcatcattgt 1020
cccttaaatg tgtttgacac atcatagttt acaaatcacc ttcactcata ttctctcact 1080
actcatcagt catgaattca gccaatgaga agggctcaga gaggttaact aaccagccac 1140
gctgtttaca tggggcatag actgcttcat gaacgcttga ctgcagcttt gccttcctca 1200
tgccctcaaa aaggaaggag ctgaccaaag cttactatac catagctggg gtctgggacc 1260
cccagccagg tctcacagat gatctgggaa tggcctccct gttgctctca ggggtccggc 1320
agtcacacag aagagtcagg ttgaaatctt ggcaagactt tggtgtggct ttgggaactg 1380
ggtttaacct cttggggact tcaccaagac agtggcaaag gacaccacct acagcttcca 1440
gtgcctctct actctcccac ctgtgctcct ggggttgaat gagaccagaa gcagctggga 1500
caagatttgg aaagataaag agagccagga gacaagacct tgagagaagc agaggtctgg 1560
ctggctgctg ccctctggtg gtgacaatgg tgacactgta aacccctctg tcaaggtgac 1620
actctccccc gactattcag gagggagaag caatcgcccc aggacagaga cggggacatc 1680

ccaggagcag ggtacaggct ctagcaatat ccatcttgcg gtactccctc cctcacaaca 1740
accagaccac acatgtgtta aatccttctg cagggatgga atgcggctct cagtttttc 1800
caagaacttc taatctagga attaggagag gtggtcaaag ctgaatgaag cagtgggcaa 1860
agagagggtg agggatggga gagaagacag gtcaaggagg aggtgggaga gaaggggagg 1920
gttgcatgag ggacaaggaa atggcatggg ttggagctgt ccccagtccc tatctggagg 1980
gacttccaac cttccagatt cccagctgat atcacatgtc caacctcagc caggcgattt 2040
ataagagaaa ggtcagggat gccactcccc ttgtaaaagc aaacatgcag catctggaga 2100
agcaaggggt agatacaaag attccaaggg gtcaccaaca gctacccaga gaccagcttt 2160
catcctatag agaagggtct cattactttg cccttccttc cttccttcct ctctccttcc 2220
ttccttcctt ccttccttcc ttccttcctt cctccttcct tccttccttc cttccttttt 2280
tctattctat tgatcattaa ttatggtcaa aacttctcat tttttcagcc aggcagggtg 2340
gcttaagcct gtaatcccaa cactttggga ggcgaggcag gcagatcact taagtctagg 2400
agtttgagac cagactgggt gacatggcaa aaccctgtct ctttaaaaac aaaaattaag 2460
gccgggcgtg gtggctcatg cctgtaatcc cagcactttg ggaggccgag gcaggcgaat 2520
cacgaggtca gaagatcgag accatcctgg ctaacatggt gaaaccctgt ctctactaaa 2580
aatacaaaaa attagctggg tgtggtggcg ggcgcctgta gtcccagcta ctcgggaggc 2640
tgaggcagga gaatggcgtg aacccgggag gcggaacttg cagtgagccg agattgcgcc 2700
attgcattcc agcctgggcg acagcgagac tccgtctcaa aaaaaaaaaa aaaaaaaaaa 2760
aaaaaaaaaa aaaaaaa 2777

<210> 60
<211> 710
<212> DNA
<213> Homo sapiens

<400> 60
ggcacgagct gggcctccag gttcttcacc tgtcacatga tcattttaca tattgtggtc 60
tgtttattta ccatcagcat catagaagag caaaaagaag aaatactgtg ctccactaaa 120
agccaggctg agaaaacagt tactcacatt gagcagtgag tgaccactag gtgggcattt 180
gttcatagct gcatggagaa caagtgccca tatacatctt tctgctgatg cagcctctaa 240
attttgaatg catcagtttt ttaaactgca ttgagcaata ttccgtgggt gtgatccata 300
atagcgtaac tatttacgcc tgtgacagag aggaaaactg tatggatatc agatatcttt 360
aagagctttt taatctttaa tcaagttagt acttcttaag gatgattaag gccaggcagt 420
ggctcacacc tgtaatccca gcattttggg aggccaagat gggtggatcc cttaaggtca 480
agagttcaag gccatcctgg ccaacatggt gaaaccccat ctctactaaa aatacaaaaa 540
ttagctgggg tgtggtggca ggcgcctgta accccagcta ctcaagaggc tgagacaaga 600
gaatcgcttg aagccaggag ttggagattg cagtgagcca agatcatgcc acttcactcc 660
agcctggaca gcagagtggg acttcttctt aaaaaaaaaa aaaaaaaaaa 710

<210> 61
<211> 1540
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (651)..(651)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1124)..(1124)
<223> n equals a,t,g, or c

<400> 61
agaattcggc acgagggcat attactttcc taggactgcc acaacaaact attaccaact 60
agcggcttaa aacaacaaga gcttattcct cacagttctg gaggccagaa gtccaaaacc 120
aaggtgtcag gaaggtcatg ctctctccaa agtctccaag gatgctcctt ccttgcctcc 180
tccagcctct ggtcgtggcc aacatcccga gggttccttg gcttgcagat gaatcactta 240
atcccacccc catcatcaca tggcagtccc cctgtgtagc tcagctctgt ccaaatttcc 300
cctttcctac aaggacatta gtcactggat tatgacacag ctcatcttaa ctggattata 360

tctgcaaaga ccctgttata tctgcaaaga cgagttaaca ttcacatgtt ccaggggaga 420
tatgaatttt aaggggacag tattggaccc agtataggag ggcaggcagc agcgagggag 480
ccagggaggg ctggcctgac ttgagcctgt ttgaaaagca tcatcctcct accaagactg 540
ggggctgctg gttctgacaa ggtttgcagg atcagctggg atgatgggtt scamccaytc 600
cttcgagyta cgttggaccc ctgggcccac ttacagcaag gagcttgccc ntycgtgtag 660
ctctycgtca gtgtgggaaa atctgartga gccagagaag ggtgagattc cccctgcaga 720
gcaggcagta ctgagcaaat ccaggatcca gaactccagt tctaatcctg gctcttgcct 780
gctttcctgt gtgaccctgg ggaagtggtt ttccctctct gagactctcc ttccccatgt 840
gagtcacaag ggctgggcct agctgacccc caaggccctt acatgagtgg atagttgcat 900
tttaaacctg gtgctcccca ggataaggga gtcaacccca aggagactgg ggtttctcct 960
gagcctggcc cctggggatg agcactcact gtggaaaaag ctggccactt cttagccctt 1020
gtcatgggca gaaaacatgc ccctccagcc ccaccagcac caacacacag ccaagctcac 1080
tgtttcattt ttagagagaa atcagggctt tcggtgcagc tgantgacac agacaagggg 1140
cgggggggaca tgaaagggag cgggcaagga cggaaattac acttctccta gcaacctggt 1200
tctgcagctc ctaggcctgg ggccgcgtga tacatgccat tcccaattaa cgggatgtta 1260
aatatacccc ggctcagcct gccccatgct gagccccgcc tggggcagtg cagggagcca 1320
tgtgatggtg tagagcactc tgcaacaccc catattcatg ttcccactcc tagggccccg 1380
ctcggtcccc aggaggccag agcggtcctg ccctctgcct gagcatggct cagctccagc 1440
ctccacttgc cctcccctat gctggccagc tcgggggtct gcaggcagcc tgtggggcag 1500
ggccagttgg ccaaactctc caagccagaa gcccctcgag 1540

<210> 62
<211> 1421
<212> DNA
<213> Homo sapiens

<400> 62
ggcagaggga gcggagagcg tgctaaccaa tgacttgagg gagtaggggg ccgggtttgg 60
gccctcagtt gctaagggct acccgagtgg gaagcggttc aagagatggg gtgaagggtg 120
gttcaccggt tcttcaagtc ctcagccttc tggcccgmgg aagttaagca accaagaggc 180
gggcctaaga ccggaagcag gaaggagggc gcaggaagca gggcgccgca gcctgtcgta 240
cggtccttct gtgggtctgt cggtgccgag ggcaggatgg agaagctgcg gctcctgggc 300
ctccgctacc aggagtacgt gactcgtcac ccggccgcca cggcccagct ggagacagca 360
gtgcggggct tcagttacct gctggcaggt cgattcgccg attcgcacga gctgtcagag 420
ctggtgtact ctgcctctaa cctgcttgtg ctgctcaatg acgggatcct acggaaggag 480
cttcggaaaa agttgcctgt gtcgctgtcc cagcagaagc tgctgacatg gctgagcgtg 540
ctggagtgcg tggaggtgtt catggagatg ggagctgcca aggtgtgggg tgaagtgggc 600
cgctggcttg tcatcgccct catccagctg gccaaggctg tactgcggat gctcctgctg 660
ctctggttca aggctggcct ccagacttca ccccctatcg ttccactgga cagagagacc 720
aggcacagcc cccggatggt gaccacagcc ywggyaacca tgagcagtcc tacgtgggga 780
agcggtcaaa ccgggtggtg cgaaccctcc agaacacgcc gtccctgcac tccaggcact 840
ggggagctcc ccagcagcgg gagggacggc agcagcagca tcacgaggag ctgagtgcga 900
cccccacccc cctggggctt gcaggagacc atcgcagagt ttttgtacat tgcccggccg 960
ctgctgcact tgctcagcct gggcctktgg ggtcarargt cgtggaaacc ctggctcttg 1020
gctggtgttg tggacgtgac cagcctgagc ctcctgagtg acagaaaggg cctgacccgg 1080
arggagcggc gggagctgcg gcgccggamc atcctgctgc tctactacct gctgcgctct 1140
cctttctacg accgcttctc cgaggccagg atcctcttcc tgctccagtt gctggccgac 1200
cacgtccctg gcgttggcct ggtcacaagg ccgctcatgg attacttgcc cacctggcag 1260
aaaatctact tctacagttg gggctgacag actcccggaa ggagggtgtg gggaggggtg 1320
ggcagggagc ccctcttccc taataaaact gactccggca gcaaaaaaaa aaaaaaaaaa 1380
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaagggcggc c 1421

<210> 63
<211> 1477
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (7)..(7)
<223> n equals a,t,g, or c

<400> 63
tgcaggnacc ggtccggaat tcccgggatc aaacagtact gttgcacgtc gaattaagga 60
tctagctgct gacattgaag aagagcttgt ttgtagactg aaaatttgcg atgggttttc 120
actgcaacta gatgaatcag ctgatgtttc aggacttgct gtgctgcttg tgtttgttcg 180
ttataggttt aataagtcta ttgaggaaga cctactcctg tgtgaatctt tgcaaagtaa 240
tgctaccggt gaagaaatat tcaactgtat caacagtttt atgcagaaac atgaaattga 300
atgggaaaaa tgtgttgatg tttgtagtga tgcttctagg gcagtggatg ggaaaattgc 360
cgaagctgtc accttaataa aatatgtggc tcccgaaagc accagtagtc actgcctatt 420
atacagacat gcactggcag ttaaaataat gcctacatct ctaaaaaatg tgctagacca 480
ggcagtacaa atcatcaatt atattaaagc tcgaccacat caatccagac tattaaaaat 540
tttatgtgag gaaatgggtg ctcagcacac agcacttctt ctaaatacag aggtgaggtg 600
gctttctcga ggtaaagttc ttgtaagact ttttgaactt cgtcgtgaac ttttggtttt 660
catggattct gcttttcgac tatctgattg tttaacaaat tcatcttggc tgctaagact 720
tgcatatctt gcagatattt ttactaaatt aaatgaagtt aatttgtcaa tgcaaggaaa 780
aaatgtgacc gtttttacag tatttgataa aatgtcgtca ttgttaagaa aattggaatt 840
ttgggcctca tctgtagaag aagaaaactt tgattgtttt cctacactca gtgatttttt 900
gactgaaatt aattctacag ttgataaaga tatttgcagt gccattgtgc agcacctaag 960
gggtttgcgc gctactctgt taaaatactt tcctgtaaca aatgacaata atgcttgggt 1020
tagaaatcca tttacagtta ctgttaaacc agcttcatta gtagcacggg actatgagag 1080
cctgattgat ttaacatctg attctcaagt gaagcaaaat tttagtgaac tttcactaaa 1140
tgatttttgg agtagcctaa ttcaggaata cccaagcatt gcaaggcgtg cagtgcgtgt 1200
acttcttcct tttgctacaa tgcacctgtg tgaaacgggg ttttcatatt acgctgcaac 1260
aaaaacaaaa tataggaaaa gacttgatgc tgcacctcat atgcgaatcc gacttagcaa 1320
tattacacct aatattaagc ggatatgtga taaaaagaca caaaaacact gttctcatta 1380
aaattggagg agtttgcatg tctcatgata accaaatgta agatgaaaat aaaagatgat 1440
ttacttcaaa aaaaaaaaaa aaaaaaaggg cggccgc 1477

<210> 64
<211> 3447
<212> DNA
<213> Homo sapiens

<400> 64
accaattccc ttcctgggag ttgcggcttc cctcgctcgg ccccactccc gtttaccctt 60
tccccagctc ccgccttagc caggggcttc cccgcctgcc gctagggctc gggccgaagc 120
gccgctcagc gccagcctgc cgctccccgg gctccacttt cactttcggt cctgggggaa 180
ctaagccgga ggcagtggtg gtggcggcgg cgcaagggtg agggcggccc cagaacccca 240
ggtaggtaga gcaagaagat ggtgtttctg cccctcaaat ggtcccttgc aaccatgtca 300
tttctacttt cctcactgtt ggctctctta actgtgtcca ctccttcatg gtgtcagagc 360
actgaagcat ctccaaaacg tagtgatggg acaccatttc cttggaataa aatacgactt 420
cctgagtacg tcatcccagt tcattatgat ctcttgatcc atgcaaacct taccacgctg 480
accttctggg gaaccacgaa agtagaaatc acagccagtc agcccaccag caccatcatc 540
ctgcatagtc accacctgca gatatctagg gccaccctca ggaagggagc tggagagagg 600
ctatcggaag aacccctgca ggtcctggaa caccccccctc aggagcaaat tgcactgctg 660
gctcccgagc ccctccttgt cgggctcccg tacacagttg tcattcacta tgctggcaat 720
ctttcggaga ctttccacgg attttacaaa agcacctaca gaaccaagga aggggaactg 780
aggatactag catcaacaca atttgaaccc actgcagcta gaatggcctt tccctgcttt 840
gatgaacctg ccttcaaagc aagtttctca atcaaaatta gaagagagcc aaggcaccta 900
gccatctcca atatgccatt ggtgaaatct gtgactgttg ctgaaggact catagaagac 960
cattttgatg tcactgtgaa gatgagcacc tatctggtgg ccttcatcat ttcagatttt 1020
gagtctgtca gcaagataac caagagtgga gtcaaggttt ctgtttatgc tgtgccagac 1080
aagatgaatc aagcagatta tgcactggat gctgcggtga ctcttctaga attttatgag 1140
gattatttca gcataccgta tcccctaccc aaacaagatc ttgctgctat tcccgacttt 1200
cagtctggtg ctatggaaaa ctggggactg acaacatata gagaatctgc tctgttgttt 1260
gatgcagaaa agtcttctgc atcaagtaag cttggcatca caatgactgt ggcccatgaa 1320
ctggcccacc agtggtttgg gaacctggtc actatggaat ggtggaatga tctttggcta 1380
aatgaaggat ttgccaaatt tatggagttt gtgtctgtca gtgtgaccca tcctgaactg 1440
aaagttggag attatttctt tggcaaatgt tttgacgcaa tggaggtaga tgctttaaat 1500
tcctcacacc ctgtgtctac acctgtggaa aatcctgctc agatccggga gatgtttgat 1560
gatgtttctt atgataaggg agcttgtatt ctgaatatgc taagggagta tcttagcgct 1620

gacgcattta aaagtggtat tgtacagtat ctccagaagc atagctataa aaatacaaaa 1680
aacgaggacc tgtgggatag tatggcaagt atttgcccta cagatggtgt aaaagggatg 1740
gatggctttt gctctagaag tcaacattca tcttcatcct cacattggca tcaggaaggg 1800
gtggatgtga aaaccatgat gaacacttgg acactgcaga ggggttttcc cctaataacc 1860
atcacagtga gggggaggaa tgtacacatg aagcaagagc actacatgaa gggctctgac 1920
ggcgccccgg acactgggta cctgtggcat gttccattga cattcatcac cagcaaatcc 1980
gacatggtcc atcgattttt gctaaaaaca aaaacagatg tgctcatcct cccagaagag 2040
gtggaatgga tcaaatttaa tgtgggcatg aatggctatt acattgtgca ttacgaggat 2100
gatggatggg actctttgac tggcctttta aaaggaacac acacagcagt cagcagtaat 2160
gatcgggcaa gtctcattaa caatgcattt cagctcgtca gcattgggaa gctgtccatt 2220
gaaaaggcct tggatttatc cctgtacttg aaacatgaaa ctgaaattat gcccgtgttt 2280
caaggtttga atgagctgat tcctatgtat aagttaatgg agaaaagaga tatgaatgaa 2340
gtggaaactc aattcaaggc cttcctcatc aggctgctaa gggacctcat tgataagcag 2400
acatggacag acgagggctc agtctcagag cgaatgctgc ggagtgaact actactcctc 2460
gcctgtgtgc acaactatca gccgtgcgta cagagggcag aaggctattt cagaaagtgg 2520
aaggaatcca atggaaactt gagcctgcct gtcgacgtga ccttggcagt gtttgctgtg 2580
ggggcccaga gcacagaagg ctgggatttt ctttatagta aatatcagtt ttctttgtcc 2640
agtactgaga aaagccaaat tgaatttgcc ctctgcagaa cccaaaataa ggaaaagctt 2700
caatggctac tagatgaaag ctttaaggga gataaaataa aaactcagga gtttccacaa 2760
attcttacac tcattggcag gaacccagta ggatacccac tggcctggca atttctgagg 2820
aaaaactgga acaaacttgt acaaaagttt gaacttggct catcttccat agcccacatg 2880
gtaatgggta caacaaatca attctccaca agaacacggc ttgaagaggt aaaaggattc 2940
ttcagctctt tgaaagaaaa tggttctcag ctccgttgtg tccaacagac aattgaaacc 3000
attgaagaaa acatcggttg gatggataag aattttgata aaatcagagt gtggctgcaa 3060
agtgaaaagc ttgaacgtat gtaaaaattc ctcccttgcc aggttcctgt tatctctaat 3120
caccaacatt ttgttgagtg tattttcaaa ctagagatgg ctgttttggc tccaactgga 3180
gatacttttt tcccttcaac tcatttttg actatccctg tgaaaagaat agctgttagt 3240
ttttcatgaa tgggctatcg ctaccatgtg ttttgttcat cacaggtgtt gccctgcaac 3300
gtaaacccaa gtgttgggtt ccctgccaca gaagaataaa gtaccttatt cttctcattt 3360
tatagtttat gcttaagcac ccgtgtccaa aaccctgtac cccatgttta tcattcataa 3420
actgtttcat cagtctcaaa aaaaaaa 3447

<210> 65
<211> 2312
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2312)..(2312)
<223> n equals a,t,g, or c

<400> 65
gcccttgtag gtgacactat agaaggtacg cctgcaggta ccggtccgga attcccgggt 60
cgacccacgc gkscgggggc tgaggggctg ccatggcggc ggcgggccgg ctcccgagct 120
cctgggccct cttctcgccg ctcctcgcag ggcttgcact actgggagtc gggccggtcc 180
cagcgcgggc gctgcacaac gtcacggccg agctctttgg ggccgaggcc tggggcaccc 240
ttgcggcttt cggggacctc aactccgaca agcagacgga tctcttcgtg ctgcgggaaa 300
gaaatgactt aatcgtcttt ttggcagacc agaatgcacc ctattttaaa cccaaagtaa 360
aggtatcttt caagaatcac agtgcattga taacaagtgt agtccctggg gattatgatg 420
gagattctca aatggatgtc cttctgacat atcttcccaa aaattatgcc aagagtgaat 480
taggagctgt tatcttctgg ggacaaaatc aaacattaga tcctaacaat atgaccatac 540
tcaataggac ttttcaagat gagccactaa ttatggattt caatggtgat ctaattcctg 600
atatttttgg tatcacaaat gaatccaacc agccacagat actattagga gggaatttat 660
catggcatcc agcattgacc actacaagta aaatgcgaat tccacattct catgcattta 720
ttgatctgac tgaagatttt acagcagatt tattcctgac gacattgaat gccaccacta 780
gtaccttcca gtttgaaata tgggaaaatt tggatggaaa cttctctgtc agtactatat 840
tggaaaaacc tcaaaatatg atggtggttg gacagtcagc atttgcagac tttgatggag 900
atggacacat ggatcattta ctgccaggct gtgaagataa aaattgccaa aagagtacca 960
tctacttagt gagatctggg atgaagcagt gggttccagt cctacaagat ttcagcaata 1020
agggcacact ctggggcttt gtgccatttg tggatgaaca gcaaccaact gaaataccaa 1080

ttccaattac ccttcatatt ggagactaca atatggatgg ctatccagac gctctggtca 1140
tactaaagaa cacatctgga agcaaccagc aggccttttt actggagaac gtcccttgta 1200
ataatgcaag ctgtgaagag gcgcgtcgaa tgtttaaagt ctactgggag ctgacagacc 1260
taaatcaaat taaggatgcc atggttgcca ccttctttga catttacgaa gatggaatct 1320
tggacattgt agtgctaagt aaaggatata caaagaatga ttttgccatt catacactaa 1380
aaaataactt tgaagcagat gcttattttg ttaaagttat tgttcttagt ggtctgtgtt 1440
ctaatgactg tcctcgtaag ataacaccct ttggagtgaa tcaacctgga ccttatatca 1500
tgtatacaac tgtagatgca aatgggtatc tgaaaaatgg atcagctggc caactcagcc 1560
aatccgcaca tttagctctc caactaccat acaacgtgct tggtttaggt cggagcgcaa 1620
attttcttga ccatctctac gttggtattc cccgtccatc tggagaaaaa tctatacgaa 1680
aacaagagtg gactgcaatc attccaaatt cccagctaat tgtcattcca taccctcaca 1740
atgtccctcg aagttggagt gccaaactgt atcttacacc aagtaatatt gttctgctta 1800
ctgctatagc tctcatcggt gtctgtgttt tcatcttggc aataattggc attttacatt 1860
ggcaggaaaa gaaagcagat gatagagaaa aacgacaaga agcccaccgg tttcattttg 1920
atgctatgtg acttgccttt aatattacat aatggaatgg ctgttcactt gattagttga 1980
aacacaaatt ctggcttgaa aaaatagggg agattaaata ttatttataa atgatgtatc 2040
ccatggtaat tattggaaag tattcaaata aatatggttt gaatatgtca caaggtcttt 2100
ttttttaaag cactttgtat ataaaaattt gggttctcta ttctgtagtg ctgtacattt 2160
ttgttccttt gtggaatgtg ttgcatgtac tccagtgttt gtgtatttat aatcttattt 2220
gcatcatgat gatggaaaaa gttgtgtaaa taaaaataat taaatgagca ggaaaaaaaa 2280
aaaaaaaaaa aaaaaaaaaa aaaacaaaaa an 2312

<210> 66
<211> 3037
<212> DNA
<213> Homo sapiens

<400> 66
aattcggcag agcctaggag gagaaagttc catcatgtcg gagatcagag gaaaacccat 60
tgagtccagc tgtatgtatg gcacctgctg cctctgggga aagacttatt ccatcggatt 120
tctgaggttc tgcaaacagg ccaccctgca gttctgtgtg gtgaagccac tcatggcggt 180
cagcactgtg gtcctccagg ccttcggcaa gtaccgggat gggggactttg acgtcaccag 240
tggctacctc tacgtgacca tcatctacaa catctccgtc agcctggccc tctacgccct 300
cttcctcttc tacttcgcca cccgggagct gctcagcccc tacagccccg tcctcaagtt 360
cttcatggtc aagtccgtca tctttctttc cttctggcaa ggcatgctcc tggccatcct 420
ggagaagtgt ggggccatcc ccaaaatcca ctcggcccgc gtgtcggtgg gcgagggcac 480
cgtggctgcc ggctaccagg acttcatcat ctgtgtggag atgttctttg cagccctggc 540
cctgcggcam gccttcamct acaaggtcta tgctgacaag aggctggacg cacaaggccg 600
ctgtgccccc atgaagagca tctccagcag cctcaaggag accatgaacc cgcacgacat 660
cgtgcaggac gccatccaca acttctcacc tgcctaccag cagtacacgc agcagtccac 720
cctggagcct gggcccacct ggcgtggtgg cgcccacggc ctctcccgct cccacagcct 780
cagtggcgcc cgcgacaacg agaagactct cctgctcagc tctgatgatg aattctaggt 840
gcgggctgca gtggcggaag tgctggcgcc atagccacgg tcaggctgtg ccccacctcc 900
agcctcacca ccaggccagg aggcagctgg cacagtgctc acgccgcctt tatttattgg 960
accagaaaca ctcacatgtc gcttccagag gaacgggggа cagccaggct cgcccatggg 1020
ccttcaggaa tatttataca tggcccagcc tgcactgccc gggcgagggc agaggacact 1080
gggagcaagg cttatgcccc tgctgcccgt cctgtgctgg gggcatgctg ggaccagccg 1140
cacccaggcc ccaatgcttg tgtgtggacc agcggctgca gccttctagc ccctcctccc 1200
cgcgagactc tcaggctgag gtcggcaagc cgtggctccc ccacacaccg tgcaataccc 1260
tgtctgacct gggctcttcc cgcctgcatc cctyccctgt ccacctttgt ccagtgctag 1320
attcacctca ccccgggcag gagtggggat gtgggcgctc tgtggtcctc ccctcctgac 1380
ccaggcctct gtggcatgct gcaaggatca gagccagaca ccaggagtca caggccccac 1440
ccaggaaggg cattcagggc ccctgggcac cgcttctgtt gaagcagggg cttctgggcc 1500
cctgggtatc cccacctgtc gtggccacac ctctgcctgc ctcatgcccc ttccccctgg 1560
cctaccaagg acagcccaca gcccgcactg ccggctcact tgggtccttc ctcgatagct 1620
ttgggcagag cccttgcttc ctggctgctt cagggctcag gggctcccag ccctccttcc 1680
caggctgatg ctgggtcctc tctctctttg gggcttctcc ctcccgtttc aggggaaagg 1740
tctgagtctc cacgtttcag accagcttct gggggaaggc agtccggcag ggagaccggg 1800
aggggtggcc acacagtggg gagctgggag gtgggggggaa tggtcccaga ctcctctcgg 1860
ggcccctatc cacacagggc ctggtgttct accccatctg gcccctggcc catctcttct 1920
gtgccttagt cacatatgaa agcgcccctc cctggctccc catctgtccc acacgctccc 1980

tggggctctt agttcagctg ctggcactcg caggatcctg cagtgctggg cccagagccc 2040
ttggacaggc ctcaggagtg gtcaggacca ccaagcccct cctctccccc tccacacctc 2100
tagacctggg gcctccggaa cccccagcag gctgggctta tactagctcc tgacttagga 2160
agagcctcgt gtcacaacac gtgtccctac aggcaaagtg tcctggcatt taaaacccag 2220
attatccctg ggtttgggct gcagtcacct ggagaagctg gtagggtaag ggagagggac 2280
cctgccggtg ttcactgggg attctttctt ttggtccttc ctggaatgaa caggttccct 2340
ccctgccacc tgtgaggaga gttggggccc agccgtcttc ctggcctcct tcctttcctc 2400
gtggcagagg cctgcatgtg ggtgccagag gccagctctc cccctccatc ttgggggggc 2460
ggagcagttg ggcccaagct gcccgggagg gtgggtgcag acacaggctg aggaccagcc 2520
ctggccctgc cccgccatct gctttcacca agctgtctct ccaccgtggc ttcccttctc 2580
cctccaggcc aaagtgctgc tgattcccac tcccttggtt ttcgcctgcc cagcgttgct 2640
gtttgcgtgg agggtggggg gagctcagtg gcagggaatc agcggtccgt ggggtcgtgg 2700
ggacgggaac atgtgcccga ccgctccatc ccctcctcct ccttaggatg cataacctac 2760
cttgtctttt ttttttaaa ttttctttcc aggtagagta gctctttgta cataaagaat 2820
acttgaaaaa ttaattgtat gatgtatgag aagacagagt ctcctagttt tgtatcttgt 2880
tgtatgactg ccatgagttc caccagaaag ccactctatt ttggtctctg tgacatttta 2940
aatgcgtgac agaagtgagc aaataaagtg aggaagaaat ctaaaaaaaa aaaaaaaaaa 3000
aaaaaaaaaa aaaaaaaaaa aaaaaaaggg cggccgc 3037

<210> 67
<211> 767
<212> DNA
<213> Homo sapiens

<400> 67
catgaaaaca cattctctta tagtttttaa attcatcatc caagagttcc tgctctttga 60
tgatgagaca tacctggtag actccaaaac agagagcaga cgcctagtat ctttgttctg 120
gggtgtgcat taagagtaca ttgacctgtc tgtctccagt cttgactctt ttggaagaga 180
gatgctagta ctgatgacaa cctgcattct ggctgcggtg tgygtccaca ctgcacagtg 240
tgcaccagac tctcgtatgg acaatgactg tccctcacat caggcgcaga tccattttag 300
agcctcagaa gtcaggagag ggtggacttt caaccacgac tgaaaacact gtctttctta 360
ggacatgctg tgtgtatgac acacttacag atgtctgtgc tcactgatgc ttgttgatgt 420
gtcatcgcac atcagtgaca aacatttgtc atgtttttgc ctttggtgga acttctttat 480
tatactcact ttcctcccaa accatttttc tcaacttcat catgaagcaa atgtcatgtg 540
gtcattctgt gatggggctc agggctaggt taggtgatga tttctgaaag ctcagagacg 600
tgaaggaaaa aggacatcag tgcttggatc ttagctctta taagcctcac gtgcaacaat 660
aaacccgagt tcaagaatca gattcttaga tagattggtt tggtagcaaa tgacaaaaaa 720
ccaacgtaaa tatgcttcgg caaaaaaaaa aaaaaaaaag ggcggcc 767

<210> 68
<211> 1256
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1079)..(1079)
<223> n equals a,t,g, or c

<400> 68
gggacaagtc cacgtatatc gagtcctcga aggataggcg ggggaagatt cctgccaccc 60
tgtgctctcg gtccagccgg acgtccatga ccttgggtgg caggaatctt cccccgccta 120
tccttcaagg acaagtccac gtatatcgag tcctcgacca aagtgtatga tgatatggca 180
ttccggtacc tgtcctggat cctcttcccg ctcctgggct gctatgccgt ctacagtctt 240
ctgtacctgg agcacaaggg ctggtactcc tgggtgctca gcatgctcta cggcttcctg 300
ctgaccttcg gcttcatcac catgacgccc cagctcttca tcaactacaa gctcaagtct 360
gtggcccacc ttccctggcg catgctcacc tacaaggccc tcaacacatt catcgacgac 420
ctgttcgcct ttgtcatcaa gatgcccgtt atgtaccgga tcggctgcct gcgggacgat 480
gtggttttct tcatctacct ctaccaacgg tggatctacc gcgtcgaccc cacccgagtc 540
aacgagtttg gcatgagtgg agaagacccc acagctgccg cccccgtggc cgaggttccc 600
acagcagcag gggccctcac gcccacacct gcacccacca cgaccaccgc caccagggag 660

gaggcctcca cgtccctgcc caccaagccc acccaggggg ccagctctgc cagcgagccc 720
caggaagccc ctccaaagcc agcagaggac aagaaaaagg attagtcgag actggtcctc 780
acctgctccg gctcctggcg accactaccc ctgcgtcccg gccccctcgc ctcccctccc 840
tgtcgccctt tccctggaca gatcaggccg gggcggtggg aggcccgcct caggtcaggg 900
cccagcgtgt gacgtagggg ccggggcagg ccagggtttg tttgtggagg cgctgtctgt 960
ccctctgtcc ctctgtgttt ccagccatct cgccctgcca gcccagcacc actgggaatc 1020
atggtgaagc tgatgcagcg ttgccgaggg ggtgggttgg gcgggggtgg ggccgggcnc 1080
ccctacggga tgcccacggc cgttcatcat cttgtccctc gtccccctac cacactcccc 1140
ctcctagacc gccgcccttt aacacagtct ggatttaata aattcatatg ggtgtttaac 1200
ttaaamwmaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaagggc ggccgc 1256

<210> 69
<211> 1057
<212> DNA
<213> Homo sapiens

<400> 69
tcgacccacg cgtccgctga gattacaggt gtgagccacc aggctcagcc ccctaagatt 60
tgaaacactt taaatggccc atggtagggt tcctgctagg ataaaacatt aagcggctgt 120
taaaagaaat aaaaggagga cacgtctctg tgcactggtg tggacaaatc tccaagtcac 180
tgcaaaatgg aaaaagtata agatgctctt tccctgaacc tcaagggtcc cgcccctctc 240
actttcaggt ctctggacct ctgactgaca ctgtgcctgc ccaggtccct gtatgcactg 300
ccacagtgcc ctgggcccca tgtccacccc tgtcctgccc ttctctggga tagggctggc 360
cttcctctgc ctctgcctgg ctgcatccat ggtcgatctc aagtgccttg gcatgaactc 420
cactctcctg cagccttcaa tcaaggaatg atggggatgt gtacataccc caccccaccc 480
cttggcaggg tgatgctgag gtgtggattt ttaacagttc ccagactttc ccaggaggct 540
tgggtttggg tgcccacagt gggagctggt gtgatatcat accttcgccg gccgcctttc 600
cttcctgttc tctgtgcccc tactcccact ctagagctgc cccgtttctc tgttttcgtg 660
aaagagctga ccctgtgctg cctcccactc tcccaatgcc cctgccactc ctgtgagcct 720
gctgctggtg aggtcggtgc tgacctctgt gttgctggat aatgagtcat ctatctctgg 780
aggagaagaa aggcaggtcc tccacagccc tgataaaatc tccaagtctc ccagtttcgg 840
gtccctctcc tgggatgcag acccactgcc tgcccagctg gtacgatcca catgccctct 900
tcttgggaat aggggcatgg gaaagtgact aaagatactg ttctggctgc tgtgttcact 960
gtgagtaata aactgtccat ttctccgaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1020
aaaaaaaaaa aaaaaaaaaa aaaaaaaggg cggccgc 1057

<210> 70
<211> 2683
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2640)..(2640)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2676)..(2676)
<223> n equals a,t,g, or c

<400> 70
acaasgtmac gcctgacagg tmaccggatc cgggaattcc cgggtcgacc cacggcgtcc 60
gcatttgcaa taacagaaaa ggaattgcat gtatgaagtt ttcaatcgtg ggcttttctt 120
tgttgtgggg agggggtcgg gggatagttt gatttccatt ttctgaaaac gacagacttg 180
gattctgttt gtgtgtgcat attttatcca gccttaagtt ataaagctca tctgtcccgc 240
tgcattccct gtgtattttc aggacatggc tcgtgggtgt gtgtgttcat tgtgtgcgtc 300
tgtatgtatt tttctgtcat cactgttccc tctcctcccg agtgtgcatt cagttaatat 360
aatcagttgc ttgcttcttt caaagtgctt tgaaggtctt gaactcatgt gtgagcatct 420
ttatcaacta tcccaattgc atgttctcca tcacatattc tcttatttgc tctgtacccc 480
ctgagaatat gttttagaga tattggaata aagctgtctg ggtaaggagt aggcttagcc 540

gacctatgaa taatacactt tagtctagtt ctttattcta aatctggatt gccagtattg 600
tgtatttaaa ccaagtctgt gaatacctgc ttttttggc cacagagtaa caagttttca 660
tgtaagatct tcataccaaa gtaggaagta aaaatagctt agaaagctct gtcaggtgtt 720
ttgtgcagct gacagargta atgttacatc acctaaaaaa gaaagataca cggtcagtta 780
tcctaaaaat aaattgtttg gaaagtacaa tgcaccacat ttttgtagaa gtctactatt 840
tgataaacag ttgaaattca agatgtgttt gacccttagt cattttact ctttggttct 900
gagtatacct attttcttag cgtatctgcc ttgtttatct ttttcttcac cttttaacaa 960
gtatgacata ggaaagtcat tttttttag aattcatgga tcagtctgat ctactcttat 1020
tcataatgga acatgtaaat atactgaaaa ctgtttttca ggagagaaat atgagttgga 1080
gggaaggaaa agtggttcta ctaatgttcc aaaatcctca tcagagaagg tatgatgttc 1140
tcaggtgtgg aaaatatttt ttagttgatt gagaatgcag gtttaacaga agagataagg 1200
ggcataatga ctgctggttt tccagactgg attttcctac cgcaactatt aatgttctca 1260
gagttgatga ggaccacctt tgtgtatata cttgtagttt taaaccttgc attggtaaca 1320
aaatgatcaa ctttaatcca ggtagaattc aagatggctg tacttcagtt gtatgataaa 1380
attaatggtt ctcatgactt gtgtggcatc taaaaataat gtttttatag catctctctg 1440
ccactaaatt gttgacttga attttgggaa aaaaaaaagt tggtgttgat atgtatatgt 1500
gtgtgtgtat atatgtattt ataaacaagt gtgtttgagt aacaagtgag tttcatagtc 1560
ttcccctacg catgtgtatt ccacacacaa atggctgagt tatagtcata aaacaatttg 1620
caataaaaaa aaaaccaaaa cagattgtca gttaaccagg aaacagttaa tgtttttaa 1680
tgaatctggc attatagtga gcaaatgtcg tattaattta ggctaatttc taatactacc 1740
ataatttgtg tctaaatttc tgttggggta gaaattacta aaattgtggg gagtttttc 1800
tgatttttac attgctttag gaaacatttt tactaattca gctgtcttag gtaaaatgaa 1860
tagttttctt cctgtttttt tatgtgtcat tgttagtggt ctcagaattc tgatcagtaa 1920
ctttgtgtat gatgctgaat tacaaaccgt ttgaatgatc cagttgaaaa cgtatccctc 1980
tactttcttc agttgtagaa aaggttaatt tccctcagtg tcccacatta taccaaccta 2040
agagaagaac aggtaatagg gagaaataaa catacggtgg tttcagtggt tttggtcatg 2100
tgtccacagg agaaactaac cattcagttg tcttaatttt agttcgttct accctgtgag 2160
gagtttgttt ccatcagttg ttgactttcc aaaatgttgc attaagtaat agttgtcact 2220
ctgttggtct catggtcaat atcaatcaga ctttcatgat ctctactaat tattagtaga 2280
gtcctgtact atgtctgtaa ctactaagtt taaagaaaag cacatagtca cttcatctct 2340
ttttttctta gcctacgctc actccccaac ccatcccaac attgacatgc tatctgtgga 2400
caaatagcag ttctcagaat ctagtcaagt tgccatcatc ccccttgcct tggccgttca 2460
tagtaggtat gcatatgttt gtttctgtac agtactgtgt gtgtgtgtgt atatatatat 2520
acatctgtat gcacacatct ttgataaaat agctatttga ctagcagggt taaagtggct 2580
tttaattact tcgtgagtgt tattggatac atcttaaaaa aaaaaaatct ggacccagan 2640
ccatgccata cttggttgga ctattttggg gcattnaaaa ttg 2683

<210> 71
<211> 2687
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1614)..(1614)
<223> n equals a,t,g, or c

<400> 71
gtacaccatg ggcctccacc tccgccccta ccgtgtgggg ctgctcccgg atggcctcct 60
gttcctcttg ctgctgctaa tgctgctcgc ggacccagcg ctcccggccg gacgtcaccc 120
cccagtggtg ctggtccctg gtgatttggg taaccaactg gaagccaagc tggacaagcc 180
gacagtggtg cactacctct gctccaagaa gaccgaaagc tacttcacaa tctggctgaa 240
cctggaactg ctgctgcctg tgcatcattg actgctggat tgacaatatc aggctggttt 300
acaacaaaac atccagggcc acccagtttc ctgatggtgt ggatgtacgt gtccctggct 360
ttgggaagac cttctcactg gagttcctgg accccagcaa aagcagcgtg ggttcctatt 420
tccacaccat ggtggagagc cttgtgggct ggggctacac acggggtgag gatgtccgag 480
gggctcccta tgactggcgc cgagccccaa atgaaaacgg gccctacttc ctggccctcc 540
gcgagatgat cgaggagatg taccagctgt atgggggccc cgtggtgctg gttgcccaca 600
gtatgggcaa catgtacacg ctctactttc tgcagcggca gccgcaggcc tggaargaca 660
agtatatccg ggccttcgtg tcactgggtg cgccctgggg gggcgtggcc aagaccctgc 720
gcgtcctggc ttcaggagac aacaaccgga tcccagtcat cgggcccctg aagatccggg 780

agcagcagcg gtcagctgtc tccaccagct ggctgctgcc ctacaactac acatggtcac 840
ctgagaaggt gttcgtgcag acacccacaa tcaactacac actgcgggac taccgcaagt 900
tcttccagga catcggcttt gaagatggct ggctcatgcg gcaggacaca gaagggctgg 960
tggaagccac gatgccacct ggcgtgcagc tgcactgcct ctatggtact ggcgtcccca 1020
caccagactc cttctactat gagagcttcc ctgaccgtga ccctaaaatc tgctttggtg 1080
acggcgatgg tactgtgaac ttgaagagtg ccctgcagtg ccaggcctgg cagagccgcc 1140
aggagcacca agtgttgctg caggagctgc caggcagcga gcacatcgag atgctggcca 1200
acgccaccac cctggcctat ctgaaacgtg tgctccttgg gccctgactc ctgtgccaca 1260
ggactcctgt ggctcggccg tggacctgct gttggcctct ggggctgtca tggcccacgc 1320
gttttgcaaa gtttgtgact caccattcaa ggccccgagt cttggactgt gaagcatctg 1380
ccatggggaa gtgctgtttg ttatcctttc tctgtggcag tgaagaagga agaaatgaga 1440
gtctagactc aagggacact ggatggcaag aatgctgctg atggtggaac tgctgtracc 1500
ttaggactgg ctccacaggg tggactggct gggccctggt cccagtccct gcctggggcc 1560
atgtgtcccc cctattcctg tgggcttttc atacttgcct actgggccct ggcncsgcag 1620
ccttcctatg agggatgtta ctgggctgtg gtcctgtacc cagaggtccc agggatcggc 1680
tcctggcccc tcgggtgacc cttcccacac accagccaca gataggcctg ccactggtca 1740
tgggtagcta gagctgctgg cttccctgtg gcttagctgg tggccagcct gactggcttc 1800
ctgggcgagc ctagtagctc ctgcaggcag gggcagtttg ttgcgttctt cgtggttccc 1860
aggccctggg acatctcact ccactcctac ctcccttacc accaggagca ttcaagctct 1920
ggattgggca gcagatgtgc ccccagtccc gcagctgtgt tccaggggcc ctgatttcct 1980
cggatgtgct attggcccca ggactgaagc tgcctccctt caccctggga ctgtggttcc 2040
aaggatgaga gcaggggttg gagccatggc cttctgggaa cctatggaga aagggaatcc 2100
aaggaagcag ccaaggctgc tcgcagcttc cctgagctgc acctcttgct aaccccacca 2160
tcacactgcc accctgccct agggtctcac tagtaccaag tgggtcagca cagggctgag 2220
gatggggctc ctatccaccc tggccagcac ccagcttagt gctgggacta gcccagaaac 2280
ttgaatggga ccctgagaga gccaggggtc ccctgaggcc cccctagggg ctttctgtct 2340
gccccagggt gctccatgga tctccctgtg gcagcaggca tggagagtca gggctgcctt 2400
catggcagta ggctctaagt gggtgactgg ccacaggccg agaaaagggt acagcctcta 2460
ggtggggttc ccaaagacgc cttcasgctg gactgagctg ctctcccaca gggtttctgt 2520
gcagctggat tttctctgtt gcatacatgc ctggcatctg tctccccttg ttcctgagtg 2580
gccccacatg gggctctgag caggctgtat ctggattctg gcaataaaag tactctggat 2640
gctgtaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaag ggcggcc 2687

<210> 72
<211> 728
<212> DNA
<213> Homo sapiens

<400> 72
aaatgattta gtgacctata caagtagcct gcagtaccgg atccgaattc ccggtcgacc 60
cacgcgtccg gtgaaaacag cagagtgcta ctccatacca ctgggatctt gtccagtaaa 120
catccagaga gtgaggttag gaaataaaaa gtatataaat attagatgcc tagaaatgca 180
agtcacttta aagattttat gtgaaataga aaaaaaagag aggagaggga ctcattgtct 240
tgtaatgggt ccttcccaga gagaggtgac tgtccagtgg caccgggccc ttttcctcct 300
tccccttta ctcttatcaa ctaggacaga aactaagaat tttggcttca agtggctaaa 360
agactgatgg gggaaaaaag aaaatagaaa aaaataacag agagactgac gctctaggca 420
gttacaagtc caagaaaaaa gacagaaact tttaagtatt gagccaaaac caggtctagc 480
aamcataatg ctggccctag attatttatt aatttatgaa gaaacttcta gatatggggg 540
tgacaaaagg aaattaaatc cattatatat gcatatattt taatgtaaat atataataga 600
taaattatgt atacataata tataaccaaa ttgaaacagt tttacaattt ggtttgactg 660
gaaattcaaa atccatatat taatttttgt agtaaaagtt tatgtaaaaa aaaaaaaaaa 720
gggcggcc 728

<210> 73
<211> 1635
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (85)..(85)

<223> n equals a,t,g, or c

<400> 73
tcgacccacg cgtccgcagc tctccgtgga caatgggctg tggcgtgtga ccctgtgcat 60
gctggccttc ccgctgctcc tcacnggcct catctccttc agggagaaga ggctgcagga 120
tgtgggcacc cccgcggccc gcgcccgtgc cttcttcacc gcacccgtgg tggtcttcca 180
cctgaacatc ctctcctact tcgccttcct ctgcctgttc gcctacgtgc tcatggtgga 240
cttccagcct gtgccctcct ggtgcgagtg tgccatctac ctctggctct tctccttggt 300
gtgcgaggag atgcggcagc tcttctatga ccctgacgag tgcgggctga tgaagaaggc 360
agccttgtac ttcagtgact tctggaataa gctggacgtc ggcgcaatct tgctcttcgt 420
ggcagggctg acctgcaggc tcatcccggc gacgctgtac cccgggcgcg tcatcctctc 480
tctggacttc atcctgttct gcctccggct catgcacatt tttaccatca gtaagacgct 540
ggggcccaag atcatcattg tgaagcggat gatgaaggac gtcttcttct tcctcttcct 600
gctggctgtg tgggtggtgt ccttcggggt ggccaagcag gccatcctca tccacaacga 660
gcgccgggtg gactggctgt tccgargggc cgtctaccac tcctacctca ccatcttcgg 720
gcagatcccg ggctacatcg acggtgtgaa cttcaacccg gagcactgca gccccaatgg 780
caccgacccc tacaagccta agtgccccga gagcgacgcg acgcagcaga ggccggcctt 840
ccctgagtgg ctgacggtcc tcctactctg cctctacctg ctcttcacca acatcctgct 900
gctcaacctc ctcatcgcca tgttcaacta caccttccag caggtgcagg agcacacgga 960
ccagatttgg aagttccagc gccatgacct gatcgaggar taccacggcc gccccgccgc 1020
gccgcccccc ttcatcctcc tcagccacct gcagctcttc atcaagaggg tggtcctgaa 1080
gactccggcc aagaggcaca agcagctcaa gaacaagctg gagaagaacg aggaggcggc 1140
cctgctatcc tgggagatct acctgaagga gaactacctc cagaaccgac agttccagca 1200
aaagcagcgg cccgagcaga agatcgagga catcagcaat aaggttgacg ccatggtgga 1260
cctgctggac ctggacccac tgaagaggtc gggctccatg gagcagaggt tggcctccct 1320
ggaggagcag gtggcccaga cagcccgagc cctgcactgg atcgtgagga cgctgcgggc 1380
cagcggcttc agctcggagg cggacgtccc cactctggcc tcccagaagg ccgcggagga 1440
gccggatgct gagccgggag gcaggaagaa gacggaggag ccgggcgaca gctaccacgt 1500
gaatgcccgg cacctcctct accccaactg ccctgtcacg cgcttccccg tgcccaacga 1560
gaaggtgccc tgggagacgg agttcctgat ctatgaccca ccctttaca cggcagagag 1620
gaaggacgcg gccgc 1635

<210> 74
<211> 4893
<212> DNA
<213> Homo sapiens

<400> 74
ccacgcgtcc gtgagaagat aatcctgaga ggctgcatcc tgagaaatac cagctggtgt 60
tttggaatgg ttatttttgc aggtcctgac actaaactaa tgcagaatag tggtaagaca 120
aagtttaaaa ggacaagcat tgatagattg atgaatactc tagtactatg gatttttggg 180
tttctgatat gcttgggaat tattcttgca ataggaaatt caatctggga gagtcaaact 240
ggggaccaat tcagaacttt cctcttttgg aatgaaggag agaagagctc tgtgttctcc 300
ggattcttaa cattctggtc atatattatt attctcaata cagttgtacc catttcctta 360
tatgtgagtg tggaagtaat tcgtctagga cacagttatt ttataaactg ggaccggaag 420
atgtattatt ctcgaaaagc aatacctgca gtggctcgaa cgaccacgct caatgaggaa 480
ctggggcaga ttgagtacat tttctccgac aaaacgggta ccctcactca aaacatcatg 540
acctttaaaa gatgttccat taatgggaga atctatggtg aagtacatga tgacctggat 600
cagaagacag aaataactca ggaaaaagag cctgtggatt tctcagtcaa atctcaagcg 660
gatagagaat ttcagttctt tgaccacaat ctgatggaat ccattaaaat gggtgatccc 720
aaagttcatg aattccttag gttacttgct ctctgccaca ctgtaatgtc agaagagaat 780
agcgcaggag agctgattta ccaagttcag tcacctgatg aaggggctct agtgactgcc 840
gctagaaatt ttgggttcat ttttaaatcc cggaccccag agaccataac aatagaagaa 900
ttgggaacac tagttactta tcaattactt gccttttttgg atttcaacaa caccagaaaa 960
aggatgtctg tcatagttcg aaacccagaa ggacagataa agctttattc caaaggagca 1020
gatactattc tgtttgagaa acttcatcct tccaatgaag tccttttgtc tttgacgtca 1080
gaccacctca gtgaatttgc aggggaaggc cttcggacct tggccatcgc atacagagac 1140
ctggatgaca agtactttaa agagtggcat aagatgcttg aagatgcgaa tgttgccaca 1200
gaagagaggg atgaacgaat agctgggcta tatgaagaaa ttgaaagaga tttgatgcta 1260
ctaggtgcca ctgctgtaga agataagtta caggagggtg ttattgaaac agttacaagt 1320
ttatcactag ccaatattaa gatctgggtc ctaacaggag acaaacaaga aactgccatc 1380

aacatcggtt atgcctgcaa catgctgact gacgacatga atgatgtgtt tgtgatagca 1440
gggaataatg ctgtggaagt gagagaagaa ctcaggaaag caaaacaaaa tttgtttgga 1500
caaaacagaa atttttccaa tggccatgta gtttgtgaaa aaaagcagca gctggagttg 1560
gattctattg tagaagaaac cataacagga gattatgcct taatcataaa tggccacagt 1620
ttggctcatg ccctagaaag tgatgtcaag aatgatctcc tagaacttgc ttgcatgtgt 1680
aagactgtaa tttgctgcag ggtcactcca ctccagaaag cccaagtggt agagctggtg 1740
aagaagtaca gaaatgctgt tactttggcc attggtgatg gagccaatga tgtcagcatg 1800
attaaaagtg ctcacattgg tgttggcatc agcggccagg aaggattgca agcagtctta 1860
gccagcgact attcatttgc acagtttaga tatctccaaa ggcttctcct tgttcatgga 1920
aggtggtctt atttccgaat gtgcaaattc ttatgctatt tcttctataa gaattttgca 1980
tttacacttg tgcatttctg gtttggtttc ttctgtggtt tctcagccca gactgtttat 2040
gaccagtggt tcatcaccct ttttaacatt gtttacacat cactgcctgt tttagccatg 2100
gggatttttg accaggatgt gagtgaccag aacagcgtgg actgtcccca gctctacaaa 2160
ccaggacagc tgaatctgct ttttaacaag cgtaaatttt tcatttgcgt gatgcatgga 2220
atctacacct cattagtcct tttcttcatc ccctatgggg ccttttacaa cgtggctgga 2280
gaagatgggc aacatattgc tgactaccag tcctttgcag ttaccatggc cacatctttg 2340
gtcattgtgg tcagtgtgca gatagccttg gataccagtt actggacttt cattaatcac 2400
gtcttcatct gggggagcat tgccatttat ttctccattt tatttacaat gcacagtaat 2460
ggcatctttg gcatcttccc aaaccagttt ccatttgttg gtaatgcacg acattccctg 2520
acccagaagt gcatctggct tgtaattctc ttaacaacag tggcttcagt tatgccagtg 2580
gtggcattca gatttttgaa ggtggattta tacccaaccc tgagtgatca gatccgccgg 2640
tggcagaagg ctcaaaagaa ggcaaggcct ccaagtagcc gaaggcctcg gacccgcagg 2700
tcaagctcaa gaaggtctgg atatgctttt gctcaccaag aaggctatgg agagcttatc 2760
acatctggaa aaaatatgcg agctaaaaat ccacccccaa catcagggct ggaaaagaca 2820
cattataata gcactagctg gattgaaaat ttatgtaaga aaaccacaga caccgtgagc 2880
agctttagcc aggataaaac agtgaaactg tgagtcaata tgaatttaaa ccacgtagtt 2940
atcttttcac ttcaggtgga gctgaaattc tgctggctcc agagtttgag atttgaggca 3000
agaggtgggg caggcagatt gcctcactta acttaaatct gcggcagaca actgccagtg 3060
cccatcaaac aggagtgtgc gctatggaaa accaggccag agggtcactg tctggtttgt 3120
gatttggtgg acaaaacact cgctgttaca agtacagatt ttttttttt ttaaatcaac 3180
ctagatacca attgacctga actttagaat cttatttatg gagaaaaact tgtaaagctg 3240
catattcact gaatggatcc tcaggcggat aaaagggtgc attttaaagg tatatatcca 3300
agctgaaaag catgcctatt gacagataaa catgtatctg taagatcagc ctttcccaag 3360
gtatactttt aaaatttaaa gcgtgtactg tgttgctttc agactgagtt gcatgtcact 3420
ctttagtctt gatatctacc tgtctgttca gccaggacaa caaatggctt ccaagcctga 3480
agaatacaaa agtgtgcttg tgtttctcat ttttatacca gtctagggac aaaggagact 3540
gaacatcttt gcagcaggat aggctggtaa tttgatcaaa tttattcaaa aagctctcag 3600
tctgtgtcat gtaaggacat gcttatgaaa tgtgagagag gctcgccact aagtattcta 3660
aatacttttc aatggctttt ctaacaacct cagtagtaat ttgctgagca tcatccagac 3720
cattaataga atcagcaaag cactggaatt tcacacttta atgataatat tccacatagt 3780
ctatgggcaa atattttcaa catttccaat ttttaaagct tcagaattga agccaaacaa 3840
attaataaat aattgtttta attactattt aaaaactcag gtttagattg tttaaaatta 3900
gttgcttttg atactcagct gtcatgttta taattcaaac atgtagtaaa catatgtagg 3960
taaggttgtt tttttggaga tgttgcagct caaatttcag tccacatatg aatcatcagt 4020
gtattttcca taaagtgatt cgggcatatt tgtgtgaaaa cctcagttct gtcacttctt 4080
acctctataa acttggacga taatgtgcct tctctgagac tcagtttctt cctctgtaaa 4140
atgaggacat actacctacc tcacgtggtt ggttgatgat tgtctgtcaa agcacaaact 4200
ctgaaattat taaaaacata attatttcat aaacagatga gttaagttcc agttaactca 4260
acatcagtat aacagagcaa ttggaagaga atatgaaaaa actggaatct aaatagtcag 4320
tgaggaaggc tttgataaaa tgaaattgcc agaaagatat aaaactggtt agggtcctac 4380
agggaaataa aattataacc gtggaggtac atttctctac cagaaagcaa aaataaagca 4440
tcatgtctta atggttttct acaaatcaac ttctaattct acagagtcct taatctggtc 4500
cctattaaat tcttggtcag acaaagttac atttcccaag agagtcaggt gacacttgag 4560
tgagtttgat ggataatgag ctaatgtgat atctataggt cacaattttt taaaaccaaa 4620
attttcaagt ctgggataat ctttcctaaa tgggatcaaa tgaaataata tgtgtaaaag 4680
agtcaaatgc agtcctttac catagtaact gcctatggac gttgtctttc ccttacatgc 4740
ctgcctacac ttaaccagat gttggttttc aatgtctaat ttgtcattag tttcaccaca 4800
tttgctcact ttttgtaaca tttttgcaag atttgaaaac tttcagtaaa tgttttggca 4860
ctattggtaa aaaaaaaaaa aaaaaaaaaa aaa 4893

<210> 75

<211> 1410
<212> DNA
<213> Homo sapiens

<400> 75
gcccacgcgt ccgagaaaaa tgctgctcag tttttattgt ctaccaatgg taagtataca 60
tattttcttt ccatgtgccc actgtgtgta cctgttgcac atatcctgta gcctaggaga 120
ggaatcattt aacagagata cttgtaaaaa ggacttttgt ttttctatac agaatgtaaa 180
ctctactttt ttactgtcac ttgcagtttt tagattctct gaaagattct ctgatagcaa 240
ttttttgttt actacacctc caatttgtag tgaaaagaat gggctgctat accattggat 300
ttaggtcagg tactatttct gtcatttctc agtctcgtaa tcttgggcag gttactaaca 360
ctgaattgaa ttttcctcag cagcaaacta gagatagcaa ttttttatta tagtattatt 420
atgaatatta aataacttca catacatcat gagtgcaagt gctcaataaa tgttaattta 480
ttcctccttt ttaagtgttt gtaaactaca cagagtatct caaactgcag atacaaaata 540
ctcaaaggat ggtctccatt ccaggatacg ctataggaga gcactttctt acttgatcac 600
cattagcata ttgccttctt cccagcaatc cacatggctg gaaggagatt cctctcctac 660
tgtttacttg ccaagggaac attttttgtt gtttttgag acaatgtctg tcgcccaggc 720
tgaagtgcat tggtgtaatc acagctcact gcagcctcga cctccctacc tcagtctcct 780
gagtagctgg gaccacaggt gagtgccacc acacccggct aatttttaa aaacattttt 840
gtagagcctg ggtaacatgg ggtggaacaa gcctgtagtc ccagatactc aggaggctga 900
ggtgaaagga ttgcttgggc cagggaggtc aaggctgcag tgagccgtga aaggccactg 960
cactccagcc tgggtgacag aatgagacct tgtctcaaaa aaaaaaaaaa agtttcttgg 1020
aacctatacg ttttttttg ttttttttt gaaaagccag accttgtgcc cttgttttga 1080
acaccgactg ggaagatggg gcttaggtaa cagccaaacc tggctgtcag ctgtgtggga 1140
gccaccaccc tctctgggaa gagttcctgc ttctgtatgg caagcataaa tcaagctcag 1200
tctgggttat ggagaagttg aaaattgttt tgttcctcat tagtttataa ttgtatgaaa 1260
tacgatttta atgaaaactt ttcagaattc acgtttgtgt agatatttca gagaaccatt 1320
tttactttac atcctaaaac tgccttttcc tatggttttg tcaataaaac actatgatgt 1380
tgaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1410

<210> 76
<211> 1655
<212> DNA
<213> Homo sapiens

<400> 76
ccacgcgtcc gggcaaagaa ttaaacctgg tgtttggact tcaacttagc atggctagaa 60
ttggaagtac agtaaacatg aacctcatgg gatggctgta ttctaagatt gaagctttgt 120
taggttctgc tggtcacaca accctcggga tcacacttat gattgggggt ataacgtgta 180
ttctttcact aatctgtgcc ttggctcttg cctacttgga tcagagagca gagagaatcc 240
ttcataaaga acaaggaaaa acaggtgaag ttattaaatt aactgatgta aaggacttct 300
ccttacccct gtggcttata tttatcatct gtgtctgcta ttatgttgct gtgttccctt 360
ttattggact tgggaaagtt ttctttacag agaaatttgg attttcttcc caggcagcaa 420
gtgcaattaa cagtgttgta tatgtcatat cagctcccat gtccccggtg tttgggctcc 480
tggtggataa aacagggaag aacatcatct gggttctttg cgcatagcag ccactcttgt 540
gtcccacatg atgctggcct ttacgatgtg gaacccttgg attgctatgt gtcttctggg 600
actctcctac tcattgcttg cctgtgcatt gtggccaatg gtggcatttg tagttcctga 660
acatcagctg ggaactgcat atggcttcat gcagtccatt cagaatcttg ggttggccat 720
catttccatc attgctggta tgatactgga ttctcggggg tatttgtttt tggaagtgtt 780
cttcattgcc tgtgtttctt tgtcactttt atctgtggtc ttactctatt ggtgaatcgt 840
gcccagggtg ggaacctaaa ttattctgca agacaaagga agaaataaaa tttcccatac 900
tgaatgagaa gttaaaatga atgtgtcaga gaatgggctt aacacatcgt tggtttgaaa 960
acttccattt taaaaattta gagtttagtc attagaaaaa ataatggact ggaaagttat 1020
atttatatcc aaatatacct atttcaaagt gtatttgtga ggcctgtttt agcctgtgtc 1080
ttttgtattg tgtgttgcta aagaattcta cttttagtag gctaatcaac aatgaaaggg 1140
ttagaaaatt gctgtggaac atccaggtga acttcaggaa agacagtgaa aaatggaaaa 1200
cgttggagct tctgttgaga taatcttcat taggtatata tcttagggat acagcctttt 1260
ctttatctta tagcaggaaa aaaaaacttt tgagggaaat agaagggctg cgttacacaa 1320
aataaacaat ggcattgtca taggccttcc ttttactagt agggcataat gctagggaat 1380
atgtgaagat gtttttttga agtctctttc tgatcacgaa caatagcttg cgctctactc 1440
tgtagttatg tggattgccg agcaatgacc cttttcaatt tcttatttct gtgttactga 1500

ggaccctaat cacttaggga tgtaatttta tagtataaac tttctgtaca gtttttctta 1560
tagtctaata agtaaaaagt gtccttcaaa ttatgataat tgcctatgta catggataaa 1620
ttaaaacact gcacacggaa aaaaaaaaaa aaaaa 1655

<210> 77
<211> 1905
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1828)..(1828)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1837)..(1837)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1846)..(1846)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1860)..(1860)
<223> n equals a,t,g, or c

<400> 77
ngccacagca gagacagtgg agggcagtgg agaggaccgc gctgtcctgc tgtcaccaag 60
agctggagac accatctccc accgagagtc atggccccat tggccctgca cctcctcgtc 120
ctcgtcccca tcctcctcag cctggtggcc tcccaggact ggaaggctga acgcagccaa 180
gacccttcg agaaatgcat gcaggatcct gactatgagc agctgctcaa ggtggtgacc 240
tgggggctca atcggaccct gaagccccag agggtgattg tggttggcgc tggtgtggcc 300
gggctggtgg ccgccaaggt gctcagcgat gctggacaca aggtcaccat cctggaggca 360
gataacagga tcgggggccg catcttcacc taccgggacc agaacacggg ctggattggg 420
gagctgggag ccatgcgcat gcccagctct cacaggatcc tccacaagct ctgccagggc 480
ctggggctca acctgaccaa gttcacccag tacgacaaga acacgtggac ggaggtgcac 540
gaagtgaagc tgcgcaacta tgtggtggag aaggtgcccg agaagctggg ctacgccttg 600
cgtccccagg aaaagggcca ctcgcccgaa gacatctacc agatggctct caaccaggcc 660
ctcaaagacc tcaaggcact gggctgcaga aaggcgatga agaagtttga aaggcacacg 720
ctcttggaat atcttctcgg ggaggggaac ctgagccggc cggccgtgca gcttctggga 780
gacgtgatgt ccgaggatgg cttcttctat ctcagcttcg ccgaggccct ccgggcccac 840
agctgcctca gcgacagact ccagtacagc cgcatcgtgg gtggctggga cctgctgccg 900
cgcgcgctgc tgagctcgct gtccgggctt gtgctgttga acgcgcccgt ggtggcgatg 960
acccagggac cgcacgatgt gcacgtgcag atcgagacct ctcccccggc gcggaatctg 1020
aaggtgctga aggccgacgt ggtgctgctg acggcgagcg gaccggcggt gaagcgcatc 1080
accttctcgc cgccgctgcc ccgccacatg caggaggcgc tgcggaggct gcactacgtg 1140
ccggccacca aggtgttcct aagcttccgc aggcccttct ggcgcgagga gcacattgaa 1200
ggcggccact caaacaccga tcgcccgtcg cgcatgattt tctacccgcc gccgcgcgag 1260
ggcgcgctgc tgctggcctc gtacacgtgg tcggacgcgg cggcagcgtt cgccggcttg 1320
agccgggaag aggcgttgcg cttggcgctc gacgacgtgg cggcattgca cgggcctgtc 1380
gtgcgccagc tctgggacgg caccggcgtc gtcaagcgtt gggcggagga ccagcacagc 1440
cagggtggct ttgtggtaca gccgccggcg ctctggcaaa ccgaaaagga tgactggacg 1500
gtcccttatg gccgcatcta ctttgccggc gagcacaccg cctacccgca cggctgggtg 1560

gagacggcgg tcaagtcggc gctgcgcgcc gccatcaaga tcaacagccg gaaggggcct 1620
gcatcggaca cggccagccc cgaggggcac gcatctgaca tggaggggca ggggcatgtg 1680
catggggtgg ccagcagccc ctcgcatgac ctggcaaagg aagaaggcag ccaccctcca 1740
gtccaaggcc agttatctct ccaaaacacg acccacacga ggacctcgca ttaaagtatt 1800
ttcggaaaaa gccgtgtggt ccagcttncc ccgtggnttc aattantttc ccaattttgn 1860
ctgcattcgg aaccattagc cctgcaattt agcaggggca agccc 1905

<210> 78
<211> 6297
<212> DNA
<213> Homo sapiens

<400> 78
ccacgcgtcc ggtcagcttt catctcgtcc tatctttgtt caggcaaact tctctagttc 60
tgttttaata ggcatatttg ttaggtctgt tttttgaaat cctctttttt acattgttta 120
aagataatgc cttggctaaa aagcctgctt cacttttccc tgtttttagt tgttttctcc 180
acattggcag taaagagcct tggcgtccca gtagcagcag gttctccttt ttgtattgtg 240
gatgttttgc atttcatact gttgtgaaga gtggctttga tcatacatgt tgttggtata 300
tttgcctttt tgctgggggt gtgagaagaa ccagagatga gcagaggtac acccagtaga 360
cttcccagcc tgcagagcct cccgggaaga gcttccgtgt tcaggtgctt ggggccccac 420
cctaggagcc tgactcacag tcagagcagg gtcccggctt gtgttcagga ttttgaaaca 480
tttgtaaggt gattttgttg tttctacacc tttctcctca tctttttttt tttgtagtta 540
atcgttacta ataacagaaa agacattttt ggcatggtaa ttggcacaaa gtgaataatt 600
gttgaataga tgacttttga ggctttcaaa attcgagtgt ccataaaatc catccagagc 660
cacctggttc ctttttttga accacttaac gtaattctgg aaaaccttga ctgtgggtct 720
taagtttggt ggattgctgc ttctcactgg ctgacctttg gaggtcgcat atttcaggat 780
gtgattccac ttaggctcca tttcacctga cactgcaatt ctgtgccttc agagggattt 840
gttattgcga atgatgtgga caacaagcgc tgctacctgc tcgtccatca agccaagagg 900
ctgagcagcc cctgcatcat ggtggtcaac catgatgcct ccagcatacc caggctccag 960
atagatgtgg acggcaggaa agagatcctc ttctatgatc gaattttatg tgatgtccct 1020
tgcagtggag acggcactat gagaaaaaac attgatgttt ggaaaaagtg gaccacctta 1080
aatagcttgc agctacatgg cttacagctg cggattgcaa cacgcggggc tgaacagctg 1140
gctgaaggtg gaaggatggt gtattccacg tgttcactaa accctattga ggatgaagca 1200
gtcatagcat ctttactgga aaaaagtgaa ggtgctttgg agcttgctga tgtgtctaat 1260
gaactgccag ggctgaagtg gatgcctgga atcacacagt ggaaggtaac ctttcctcga 1320
gaactttcat tctaaagagt aggtgcagca tcactgaagt agagtcaagt ttcaaagcat 1380
tcacgtgtga gtaacttgaa taaatactac atctggttat gccaattaga atcaatttcg 1440
gagtgttatt tcatgacaca tttcatgaca agtggcatgt ttattcctgg cagtggaaaa 1500
gtttttttt ctccacgtac agaaataaac tcttttactc tcatccctgt aagggtagct 1560
ttgctttttt ttttttttt taaattgggc cgggattcaa gccttgtttc caatatgaag 1620
taattcatta caattttagg ccagaaacag cctgaggctt gtttaaaaag aaaaaaacta 1680
gatggaaaat gttatttat aatgcttgtc ctggttttta gaataaatgt atttcatctt 1740
tgtttttaac agaatttatg tattaataat ttggggattt tctgtaaaga ttgttttgtt 1800
ttgtcttggc aaataatctt cctatctttg gagtgaatga gaatcaccat ttgtcacctt 1860
tgagagaatg gatactcctg ccctgtgatt tttgttggta ttggatagtg ctagtaatct 1920
ggaatgtacc ctgtggttct gcaggtaatg acgaaagatg ggcagtggtt tacagactgg 1980
gacgctgttc ctcacagcag acacacccag atccgaccta ccatgttccc tccgaaggac 2040
ccagaaaagc tgcaggccat gcacctggag cgatgcctta ggatattacc ccatcatcag 2100
aatactggag ggtttttgt ggcagtattg gtgaaaaaat cttcaatgcc gtggaataaa 2160
cgtcagccaa aggtgagttt ttctttttcc aaaatgacat aacatttgat cttgtacatt 2220
taagacaaaa actaaccgga gtttagtaga agtacagagg aaagaggagc ttcttgctgt 2280
gggcagcagg agagctgacc ctgaatgagg gggaatttca tttaaatatc aagttttcca 2340
aaaagcagaa atttctcata ggtgataggt aagtggagaa gtcagtgttt gggggaatgt 2400
attcctgcca cactgtaaat ccagttattt aataaaaatt gaaaagacat gaaagattgc 2460
tctgtggctc tcaattggaa gccccaggtt tctgtgctct agttccttgt gagtggttca 2520
tttcaccaat tacagatagc agagctctgc tgaccccaag ccagcccggg ttcaccttgg 2580
ctgcaaggaa tgatgacggc cttgtccaga cctggctaga aagatgcagc ccggcctgtt 2640
tgctatggat ctaaactgcc tgctggttcc tttccaaggc aggccaggaa acagtggtga 2700
aggagtgttg ccctcatcct aacacgcagt cctttgtaat gcgtgctgtc tcacctgtat 2760
cacgccagca ttatttatta gttcataaat cagccttcca tgatgaaaga acctggcctg 2820
gaatcaaagt ctggaagtct gtatttcttt aagatccatg cttgaaaatt aggacaaaaa 2880

acgcttagct ttggaggaac aaaaaggaaa cagttccgca aagagctcca gccttttttct 2940
ggggcacggt ttgtgcagtt taacgttgga acgtacagcc tcagacgggc aaaggggggcg 3000
actgcacttc tgccgccacc agggtttttc tgtcaggtta gaaagtattt cactttgagg 3060
ctaaaagtct cacaaggtat cttaacgctg atggaatgtt attttcatgg aatcagtata 3120
agaaattata ttgtaaagta ttagatactt tgcattcatt catactaggt ttcagtagct 3180
tgtgttttag actttgcgct tgtcacattt taagtggtca gtgaccacag gcttgtggct 3240
gcccagctgc agagcacagt gcagtcacag aggagcctgt cttagagacg cgtgctttag 3300
gttggcctgc attagggctt acattgatgt ttctgacgtg ttaatactta catagaaagg 3360
ttttgacatt ttttcaatta gccccttatg tatagtctta ctttttagaa caacttattg 3420
tcattttctc gtttaaataa tatgaatact tctctctttc tgttactatg tcagtttctt 3480
attcacttag ttcaacagat ctagtgctag catggcctgt gctgctgttg gtcctactgg 3540
gaacgcaggt agagtctcca tggtcaggat gccgtgttct gttgtggtgc tgaggcctgt 3600
aagcacttgg ctagaagtta ggccagggaa gctcacactg accttggtat ttgaaggtcc 3660
cagaatgagg ttgttgaggt agaacagaga tgggagaaca tgcccttgga gctggactca 3720
acaagaaggc ccctctgggg gaagctgagg ttggacagga agggcgtgtg ccctcactga 3780
cttgctcaca ggcttggggt tcatctgttt tggtttttgc ttttttacat tatattaaca 3840
tggaaataaa aggtgttccc tgggatgctc ccggcttctc tgctcagtag ctttgtggct 3900
ctgagtaaaa tgaacttgcc tgtgttgaaa tatcctaatt tttaaactta cttcataggg 3960
actgaggaat tacgactttt atcaattttg tgacctgtta aaatgttaaa aaggacatgt 4020
atttttaaa gatctttaag taaaacattt tgctcattcc caaagccaaa tttaaattat 4080
accatggccc taattcagaa gttcattctt tggcaggtgt ttccttggtg cctggggcac 4140
tctctctttc tcccagttcc tgtggcagtt tgtccaggtg cccaagaaca attcataccc 4200
tcctttctcg ttatttatat acttgtcttt ttgcccctgc cgggtatttt agaaatcgtg 4260
cttggtgcac tttgtgtcct tcagtgtgcc ttacccagag cagatgcacg ataagcattt 4320
ttacacgaga acaagctggt ggtgtaggcc tctgctaagg aacaggctgt atatgctctt 4380
tgtgggatta aggtagaatc agctttaact ccaaagaaac tgtccatgaa ttttgtttat 4440
aatagcaagt agatttaaaa tgacactttg aaaaaattct gttgtctttc tctacatata 4500
atgctgtaga aaaatataac tgatggattt tgtgaacgtg gtatttttaa cttttcgtag 4560
cagcacaaag aatgctcctc tttgtgtgtc aatgaaattg ttctttatga cagcttcagg 4620
gtaaatctgc agagaccaga gaaagcacac agctgagccc tgcagatctc acagaaggga 4680
aacccacaga tccctctaag ctggaaagtc cgtcattcac aggaactggt gacacagaaa 4740
tagctcatgc aactgaggat ttagagaata atggcagtaa gaaagatggc gtgtgtgggt 4800
aagaaaagtg gttatgtctt gatctaatac gctggtgtct tcacagtcct tttggattaa 4860
atgggatccc agagccactt cttggtcggt ttgaggggggc agtacatgtg tggtatcagg 4920
cacatgcagt gtgagggctg gactctgtgg aagccggaag gtttcaacat ctgccgcaaa 4980
ccgttccatg ttgcacagaa ctgacagaaa ggaagaatgt gcttttggta ttgaaggtta 5040
ccacacatta cagattgatt tgtctcatcc tgattccctt tttagtcctc ctccatcaaa 5100
gaaaatgaag ttatttggat ttaaagaaga tccatttgta tttattcctg aagatgaccc 5160
attatttcca cctattgagt aaggattcag ccttttttaat tattcattta aagaaattta 5220
ctatagagta tcaaatgtac aactgatcac atgtaaccat tgttttgtat gtagttctgt 5280
ctagcttttt ttttttttt aaccttttta actgcatatt agagcaggat gaaactttag 5340
aggttactca atcttttaat ttaaggagaa agtaaacttt tactttgtga acatgataga 5400
taaaaaaaaa ctggaccggg cgcggtggct cacggctgta atcccagcac tttgggaggc 5460
cgagacgggc ggagcacgag gtcaggagat tgagaccatc ctggctgaca cggtgaaacc 5520
ccgtctctac taaaaataca aaaaaaatta gccgggcgtg gtggcgggca cctgtagtcc 5580
cagctactct ggaggctgag gcaggagaat ggcgtgaacc tgggaggtgg agcttgcagt 5640
gagccgagat cgcgccgctg cactccagcc tgggcgacag agcgagactc cgtctcaaaa 5700
aaaacaaaag aaaactggac tgtgattatg aatctaaatt agttgtgatc ctgaacctaa 5760
attactcaat tgagtatata gacgagtagc caaggttgtc tagttcagtt tctgtagaag 5820
aaatgaagag cagcatgggt gagggctaat tagggatgac atagacagaa tatagaggaa 5880
aagggtttag gacaagtctg acattcatct gtttcttatt cattgaattt tagaatctat 5940
ttaccagggc ggtcacttac tgtctttttt aataactggt cctttgcata catttgtaaa 6000
agtctattaa aaaataagtc tcagccgggc acatcccagc acttggggag gctgaggcag 6060
gcagatcatg aggttaggag tttgagacca gtctgaccaa tgtggtgaaa ccccgtcttt 6120
actaaaaata caaaaaaaaa ttaggtgtgg tggcgtgcac ctataatcac agctgctcag 6180
gctgaggcag gagaaccgct tcaacccggg aggcagaggt tgcagtgagc tgagactgcg 6240
ccactgcact ccagcttgga agacagagca agactccata tcaaaaaaaa aaaaaaa 6297

<210> 79
<211> 3408
<212> DNA

<213> Homo sapiens

<400> 79

ccacgcgtcc ggaggcagga ccttgtccta ttcattaatc ttgcccctca acagttattt 60
tcagaggggc aagaagtgtt tcagggttct tggcccttgt ttgaccagtc gtcctaaccc 120
tcatgtcttg ggtcattgtt gttataatct ggggttacct tttggaaggt catggggtac 180
ccttttgcaa aagttatggg ccctctcctt ggaaactgca cacacaccat gcagcttaca 240
attcagggag ttcacaggtc tacagaatcc tggaaactct catgtccggt tctactcatt 300
gtagcttcag tggaaccttc tagcagtcct ttccagctcc tccccagctc ctcagctctg 360
cttccctccg cccatcaagc cctcctcagc ccataaggtg ggccaggtgg cctgtgggga 420
taaatcagag tgcccacaag tgcaggggcc caaagacatc ccagagcaaa cccaagaatc 480
cctctacaag ccccagccca ctcagaagga tgcattttgc cccctctgtt tatttgtttg 540
tttttaatta tgaaagtagg gcatggtcat tgttgagaat gtgagaaatg cagagaagtt 600
aaaatgatgc tttttgttta gggcgctgct gcttctggct taagatccta aatcaaagca 660
gctgccagat ctggacctaa gacttgcttc ccatcacctt acataaaaga aagagcactg 720
gactaggaat caaagatctg aattcccatc aaatctctgc tattactagc ttttatctct 780
atttatttat ttatctgtct atctatctag taccttttgt gaatatgagt gtttctcacc 840
gaggccctcc catctctctt gcccccgatc ctggaatgga ccaaatacct tgtttactga 900
aggatacaga tggcatgtga ctgttgagaa tcactcaccc tcttagagcc atggtttcct 960
cttctataaa atagggatgt tcgtgcctat ttgctaatca tgagtgacaa tgacataagg 1020
tacataaagc tgtactgcat gatgcaaaca taacatcata tttgtagggt tgttgctaat 1080
aatactatcc atcagcaaag cagtcattca tttactcagt caaatactga tgcactggta 1140
cattcagttt cctcttttgt aaaatgggga taaaaatagg acttagctca tagggtattt 1200
aagattcagt gagttaatat atataaaata cttagagcag tccttggaac atattaagaa 1260
ctcaatacat attagctagt tgagcaggct gtagtatttg ttccagccaa gaaaagactg 1320
ttctctaaca gcacaggaaa taaagatggg gttaggcacg acacggcagc aggacttacc 1380
ttctgtctaa ttcagctggc agtcaaagaa agaattatta gaagcctatg agcttggtct 1440
cccaaagatc tactgagtac agggggatat ttaaagaata aaaatcccta gacccactta 1500
cagtacagga gagacaagaa gctgttcaca caataacaag tgctaaattc cttgattttt 1560
atactgacag ctgaagtttt agagaagaga aggatcaata aagaccggaa tattaaagca 1620
gacaggccta aaagaggatt ttagatttga taaagaattc ctccagttct cagagcaggg 1680
actttggagg gtaacaactt ggatttcagt ccttgcctgc cacttactga ttgtatgacc 1740
ttggaaaagt tacttcactt ctgtgagcaa tgattctctc atctggaaaa caaaacaaaa 1800
caaaaaaact aacaagggtg ataataatac ctacctccct acctcatagg gctgatgaga 1860
agattaaaaa gtacctacat aaagcccttc tctgcgtgcc tggagcatgg caagggctcc 1920
atgtgaacca ctatttttt ttttttttt aatgaaaagt catgggcagc accaaagctc 1980
agaattttgg cagtaaggaa ttatgattct acattgaaat ttgccagaag gggagctgac 2040
tgcctcatga gacatttttg aatgaggcca aaaaaggaaa caagtgtatc ctgggatttt 2100
acgagatgct aggtatgtcc ttagcactta atcctcatga ctaccctatg atgtaagtac 2160
tatctgttgt ccctatttta cagttggcca aggtcacata gctgaaacgg acttctgtgt 2220
gtcttctaac ttttgctttc aggtctggaa aaatgcaatg taaacctaga ccctctttga 2280
aatactgaag atggtaatct tatcccttcc tcactttctg ttttctaaaa taacagtcct 2340
tgttccttac aatgtctgtt ttccagattc ttagaagact ttttgcttat tttccataac 2400
tctttacttg tgatccctga atgacaccgg gggtatagca gagaatgtcc atttcctcaa 2460
agttcaaagg tcctacaaaa aatagttgct agcctggcat gatggtgtgt gcctgtggcc 2520
tcagctacct gggaggctga ggcaggagga ttgcttgagc tgaggagttt gaggcgcagc 2580
gtgatcgcgg ctcaccgcag cctcccgggc tcaagcattc ctctcgcctc agcctcctga 2640
gtagctggga ccacagctcc actaattttg aagtttttt ggtagacatg aagtctccct 2700
gtgttgcccg ggctggtctc aaactcctga cctcaagcag tcctcctgtc ttggcctctg 2760
gaaatgctgg gattacaggc gtgagccact gtgctggcct ctttttttctt tttctttttt 2820
tttaaggttt ttatttgtta aatgggaagt ctgtgccatc aactgagcat tgtatttttct 2880
ccttagtaag agcctgggtg ggccactggg agagaactat acattaaatg taagtagcct 2940
ctgggtagag agcccctggc tggtttcctt tcctttctct ccttttctct actttggtgt 3000
ctggaggcat ttcccagact ccagtttctt accaccctca cggattttgc tattgtatta 3060
tcacctcctt tatcattccc aaaattgact ttatggagac tcattaaaag aaagaatcat 3120
cggccgggag cggtggctca cgccacgaag gcgggcgaat cacctgaggt gcggagttcg 3180
tgaccagcct gaccaaaaca gagaaacccc atctctacta aacaatacaa aattagctgg 3240
gcgtggtggt gcacgcctgt aatcccagct actggggagg ctgggacggg agaatcactt 3300
gaacccggga ggcagaggtt gcagtgacca aagatcgcac tattgcactc cagcctgggc 3360
aacaagagca aaactctatc tcaaaaaaaa aaaaaaaaaa aaaaaaaa 3408

<210> 80
<211> 1663
<212> DNA
<213> Homo sapiens

<400> 80
tcgacccacg cgtccgggca gtggggtgag ggcacacaag cagttcaggg tcccagcagg 60
aagtggggct gcagggccgg ggtgggtcct gggcctggcc atcaggcagc ctagcaggtt 120
gttctgggca tggaggggggc ctggtgtggc tgagggcatg cccagggctc cctggaggat 180
cccgctctgt gccctgccca ccctgtgcct ggggagccct ctgccctcac agcccaccca 240
ccccattttc tatgaccaca gagctccgac ctggaagatg gctcacccag gaggtcccag 300
gagctctcac tcccccagga cctggaggac acccagctct cagacaaagg ctgccttgcc 360
ggcgggggga gcccgaaaca gcccctttgca gctctgcacc aggagcaggt tttgcggaac 420
ccccatgtaa ggcttccccg gggtggggtc ctcccagccg tgggcctcag ggtgaccgat 480
cacagggaga gtggctccct gccctgggca ccccctgcgg tggccccgac gacagctgag 540
gagtgaccac aaggtctctg cccacagtgc tcggggtgcg gtgtctgggc tgcgaagtgg 600
atccccctcc tttcttgggc actgcagcag cttgggggggc tttttggacg tggatgtgcc 660
tggtcctggt ttcccgaggg cctttacagt ggatgaggag gtgaacacag gagtcctgag 720
agcaagcacc acctcgggct ttgttgtaga aacaatggcc cggaccccag gccggagccg 780
tggcttggcc tcctgggtgt gtcttggcat ctgaaatgca ggctacccac accggctcac 840
ctccaggggt acaggcaggt cccacaggga gagcttggcg ctgagctgag gctgtctggg 900
ctcctcgcct cccaaccagt ctgcagttac aggggccagt ggggggcggg tgagaaggac 960
gggttccctc aggggagccg gccggagccc gagccttccc ccttctccag gacgcaggcc 1020
tgagcagcgg ggagccgccc gagaaggagc ggcggcgcct caaagagagt tttgagaact 1080
accgcaggaa gcgcgccctc aggaagatgc agaaaggatg gcggcagggg gaggaggacc 1140
gggagaacac cacgggcagc gacaacaccg acactgaggg ctcctagccg cagcagcgca 1200
ggccccgacc agggcacacc caccggcccg gcctcctgcc acccgggggt gccgacgccc 1260
tggggcgcag acttccccga gccgtcgctg acttggcctg gaacgaggaa tctggtgccc 1320
tgaaaggccc agccggactg ccgggcattg gggccgtttg ttaagcggca ctcattttgc 1380
ggaggccatg cgggtgctca ccacccccat gcacacgcca tctgtgtaac ttcaggatct 1440
gttctgtttc accatgtaac acacaataca tgcatgcatt gtattagtgt tagaaaacac 1500
agctgcgtaa ataaacagca cgggtgaccc gcaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1560
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1620
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1663

<210> 81
<211> 2343
<212> DNA
<213> Homo sapiens

<400> 81
agtcaggact cccaggacag agagtgcaca aactacccag cacagccccc tccgcccccct 60
ctggaggctg aagagggatt ccagcccctg ccacccacag acacgggctg actggggtgt 120
ctgcccccct tgggggggggg cagcacaggg cctcaggcct gggtgccacc tggcacctag 180
aagatgcctg tgccctggtt cttgctgtcc ttggcactgg gccgaagccc agtggtcctt 240
tctctggaga ggcttgtggg gcctcaggac gctacccact gctctccggg cctctcctgc 300
cgcctctggg acagtgacat actctgcctg cctggggaca tcgtgcctgc tccgggcccc 360
gtgctggcgc ctacgcacct gcagacagag ctggtgctga ggtgccagaa ggagaccgac 420
tgtgacctct gtctgcgtgt ggctgtccac ttggccgtgc atgggcactg ggaagagcct 480
gaagatgagg aaaagtttgg aggagcagct gacttagggg tggaggagcc taggaatgcc 540
tctctccagg cccaagtcgt gctctccttc caggcctacc ctactgcccg ctgcgtcctg 600
ctggaggtgc aagtgcctgc tgcccttgtg cagtttggtc agtctgtggg ctctgtggta 660
tatgactgct tcgaggctgc cctagggagt gaggtacgaa tctggtccta tactcagccc 720
aggtacgaga aggaactcaa ccacacacag cagctgcctg actgcagggg gctcgaagtc 780
tggaacagca tcccgagctg ctgggccctg ccctggctca acgtgtcagc agatggtgac 840
aacgtgcact tcggcctctc cctgtactgg aatcaggtcc agggcccccc aaaaccccgg 900
tggcacaaaa acctgactgg accgcagatc attaccttga accacacaga cctggttccc 960
tgcctctgta ttcaggtgtg gcctctggaa cctgactccg ttaggacgaa catctgcccc 1020
ttcagggagg acccccgcgc acaccagaac ctctggcaag ccgcccgact gcgactgctg 1080
accctgcaga gctggctgct ggacgcaccg tgctcgctgc ccgcagaagc ggcactgtgc 1140
tggcgggctc cgggtgggga cccctgccag ccactggtcc caccgctttc ctgggagaac 1200

gtcactgtgg acaaggttct cgagttccca ttgctgaaag gccaccctaa cctctgtgtt 1260
caggtgaaca gctcggagaa gctgcagctg caggagtgct tgtgggctga ctccctgggg 1320
cctctcaaag acgatgtgct actgttggag acacgaggcc cccaggacaa cagatccctc 1380
tgtgccttgg aacccagtgg ctgtacttca ctacccagca aagcctccac gagggcagct 1440
cgccttggag agtacttact acaagacctg cagtcaggcc agtgtctgca gctatgggac 1500
gatgacttgg gagcgctatg ggcctgcccc atggacaaat acatccacaa gcgctgggcc 1560
ctcgtgtggc tggcctgcct actctttgcc gctgcgcttt ccctcatcct ccttctcaaa 1620
aaggatcacg cgaaagggtg gctgaggctc ttgaaacagg acgtccgctc gggggcggcc 1680
gccaggggcc gcgcggctct gctcctctac tcagccgatg actcgggttt cgagcgcctg 1740
gtgggcgccc tggcgtcggc cctgtgccag ctgccgctgc gcgtggccgt agacctgtgg 1800
agccgtcgtg aactgagcgc gcaggggccc gtggcttggt ttcacgcgca gcggcgccag 1860
accctgcagg agggcggcgt ggtggtcttg ctcttctctc ccggtgcggt ggcgctgtgc 1920
agcgagtggc tacaggatgg ggtgtccggg cccggggcgc acggcccgca cgacgccttc 1980
cgcgcctcgc tcagctgcgt gctgcccgac ttcttgcagg gccgggcgcc cggcagctac 2040
gtgggggcct gcttcgacag gctgctccac ccggacgccg tacccgccct tttccgcacc 2100
gtgcccgtct tcacactgcc ctcccaactg ccagacttcc tgggggccct gcagcagcct 2160
cgcgccccgc gttccgggcg gctccaagag agagcggagc aagtgtcccg ggcccttcag 2220
ccagccctgg atagctactt ccatcccccg gggactcccg cgccgggacg cggggtggga 2280
ccaggggcgg gacctggggc gggggacggg acttaaataa aggcagacgc tgtttttcta 2340
ccc 2343

<210> 82
<211> 3091
<212> DNA
<213> Homo sapiens

<400> 82
aaaccggaaa gtttgtagga aaattgctgc acatggcctt tgcagaaaag agagccttca 60
aaacctctta cattccagta gaaaactctc tctgcaagtc cttaactttg ttcactcatt 120
ccaggaaggt gcttcaatat tggatattca cacagagccc agtttttcaa gtttgctttc 180
acagtcatcg tatgctgaca tgggtgttcc acttcctgca aaaaacttaa tatttaaaga 240
tggtgtctta tcagaakgga gtggacggtc accttcctca cttcttattg ctaatctcca 300
tttgcaataa tttggttaca ccatttgttg ctcacacttt ctgccttttt tctttcttaa 360
cgttagcttt atagtgtcag ccactaaaaa gcatcctgct gctgcagtgc aattcttgct 420
taactaatat taaaagttgg ggaacatatt catgttttct gaagttttgc tcattattgc 480
acatcttatt gcgacaaagt gctttttagc agccagcact gtatttttta ccttgagaca 540
atctgcattt cttttataaa actaagtata tactttatag gctttatgat gactgttatg 600
tttataagca gtcactatga aaattgcaat ggtaatttta tatgttagtt tatcaaacat 660
aaatcttgtt taattttata ttttgttacc tatactttgg gggatcaagg gaagagatgg 720
aactcttcct ctgaaaaggc ttcttggtac ttaaagtagt aaaactataa aacaataaac 780
atccagtatt gagagatgat atgatagggc attatgaatt cctatgggtg tctgtaaatt 840
atgtatgtca gttggacatt gtagaaggta tgtaaatcag catagttgtg tataacttaa 900
ccttgattta taaggtctta agattatgac tattcattga catctcatga gaagctttag 960
aagactttct atttttaaac accatttata tgtggacttc tgttgtcact gactttgggc 1020
tttatatttt catagagtct ttatggaaaa aatagaattt attttccact cttgtagcta 1080
tagctgctgc acactttcac cctgatttat ttttttgttt cttagctttg atgttttcaa 1140
accaaggatt gtgattttag gttagaatta catattagaa gcattaagac tatgtctttg 1200
gatcagaatg ctttagtgat aaacctactt tgaagacata ctcttaagca atctggatct 1260
taaatttatg tgaatacttt tttagaaaat gataaagaaa aatggaatta cttcaaagtg 1320
tttcttgagt cattgattct tttagcatct caaatgttaa ttagaataat tggaatcact 1380
ttttagactt ttcaagttac cttccttggg aagtttgtgc agtgttatag tttagtttag 1440
ctcctcttac agggtaatgg tttgctagtt taaaactgta accaaacgaa ctggtcagac 1500
aacatatatc taaaacactt aaaatgttag gaagtttggg aatgttataa cctaaacgtt 1560
tttgctggta acttttttgtt atttatagat atttgtgtat ttaacataca tacttcagga 1620
aatatatgcc tttcctaaaa cttaaccatg cattcaatac catggcctat ctatagaatt 1680
gaatattttg gaccatgtta tctgtggcac agtcagtgct gtgtttgagg taaatgcagt 1740
aacggttagt tttctacttt gtcttataga aggtagaaac catgtgtatg ttatgtttgt 1800
ctataaaaga aaaaatacta atattaaata atttcttacg actctgagtc actcacttat 1860
ttttccaata attgatattg tacattccta gtgccattag gtatgtatgt atgtaacttt 1920
tacagttttt cagctgaaag ttgtaagtat tttttttttt tgatcggggc tctttaatct 1980
cattttaatt tcctttgttt gaactgtagt tatttattcc tatattaacc atctaaacca 2040

actgtaatga catgtacact aatacagaat tgaacatttg tagttgttgg cagtgaaccc 2100
agttgttggt gaatttaaag cttaaaatat gggaatgatt tgctgctata tttcctttga 2160
gagagaaagg aggaagaaat agaacctaat agtgatcatg aattttaggg aaagtaccga 2220
agaaccatgg ggtcccctct ggtttcttgt gttgaatgag gcaagggtaa tcatctgatt 2280
ccgagctgaa gacctctggt cctcttaagg agggagagtg catttttaga gcttttagca 2340
aaatgtgaaa agctgatgtt tgcgccttgc tttgtgaatt tggctttgtt ttacttatac 2400
attaactcat gtaatctctt aaatcttaca agcattgatc catttcaaca aaaaggtaaa 2460
tttaaaatgc agactttgtt atttgccaaa gaagattcat gaaaaattta cgtccaatta 2520
ttttgcaaat agttaatttc atttggcttt ttaccatgtt ccttcctttc tttttcccgc 2580
ttccttaatg taatttaaac cctggcaaac attctttaga aaccaagagg aaagaaagaa 2640
caaatatcaa aaaagacata gaatttaata ttgatacaat ttcacctcta aaatggattt 2700
gaagaaatgc aactttatat caaaaaatgt catctgattt cctttgtttc ttttttaaat 2760
tatgtaatca gatgatttta tgttttttt tcaggggagc ggaatattgg tttcttttac 2820
ttgttgtttt cagttttctc tgccattcat gtttcttttt tgtgttcagt gtttcaaata 2880
caatttgtat ttaaggattt taaaatacca aactgtaact gagtacagtg gatcgtttc 2940
tgttaggatg ttaatattat acaatgaaat ctataaagtg ttgtcaattt gattattgac 3000
acatataaca tgtttacaaa taaactgtgg tattgatcaa gttactatga aaaaaaaaaa 3060
aaacccgggg ggggccccgg aacccaatcc c 3091

<210> 83
<211> 1396
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (668)..(668)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (739)..(739)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (751)..(751)
<223> n equals a,t,g, or c

<400> 83
gctggtaacc aggtggaacc atttcacgtg tccctcccca gctgcctcag tccccttccc 60
cacctgggcc acagcatggg ggttccctca cccaccgcct ggccctctct tgcctcgttc 120
cacactcaga aaaaagcaag gatcagacaa gaagaagagt ccccacccct cccgtccccg 180
caggagctgg cgttctctgc gctaagggtg ttttttagag tgatgttttt tctcctctgt 240
ctcgttgccc tggagatcaa agggttcact ttctcagcga ggggtgccag ggacagattt 300
ctaaacaagt ctggaccgca gccaggaaaa aagatgaaaa caacacactg taaacagcct 360
ctattcagca aacctggtca ggtcagaggg gctytgagga aagcaagagg gaggcaggag 420
gagagggaag cggtggggat gtgggggggg cgggggcaca gttatcctga atacataaaa 480
acaagtgagg tcactgaggt cagggatagt cccaaacatc cccaagtcca gcctttcctg 540
acaaccaggg ttacatgcag agtcccaggc catctgcagg ttttggaggc cctgtgcggg 600
gcctgggggt ctatgtttaa acacgccctt gtggtggtcc aagtycccag aascagggga 660
agggcgantc tgggctctga atggcargtg gggcagctcc amctcatcct cctacatggc 720
acccagcact gggctgcang cytggtcccc nacttgccgc aggaatcaat cctgccagct 780
cagagccscc gtgtgacaaa caccccagga acagaggaga catgagaaag ggactcacca 840
gcccactgcc caggatgtag aagtcgtcgc aggagaagat ggtgccgggg taggaggaga 900
agaccagctt gttgccggga accagcgggt agtcccctgt gcaggcagag cgagccaggg 960
atgctggtca gacaggcaca ggtggaggcc cctgcaccct acctaacaag acacaggcac 1020
aggggcacag gcaggcctyc gaggaagccc ccactgtgtc ctttttgtca tttagcaaat 1080
gaggtcattg ggcatataaa agtgcatata cgtgcaagta aaaataaaag ctagcagcaa 1140
aacttatata gttggsccty catgtccgtg ggttccacat ccttggattc aatsgamtgg 1200
ggaccaaaaa tactaggaaa aaaacatgat taaaaagaaa caacacagct gggtgcagtg 1260

gytsacacct gtaatccctg cactttggga ggccaaggca ggcggatcac gaggtcagga 1320
gaccaagacc atcctggcta acacggtgaa acccgtctct actaaaaata caaaaaaaaa 1380
aaaaaagggc ggccgc 1396

<210> 84
<211> 1748
<212> DNA
<213> Homo sapiens

<400> 84
agacgttccc tcgcggccct ggcacctcca accccagata tgctgctgct gctgctgctg 60
cccctgctct gggggaggga gagggtggaa ggacagaaga gtaaccggaa ggattactcg 120
ctgacgatgc agagttccgt gaccgtgcaa gagggcatgt gtgtccatgt gcgctgctcc 180
ttctcctacc cagtggacag ccagactgac tctgacccag ttcatggcta ctggttccgg 240
gcagggaatg atataagctg gaaggctcca gtggccacaa acaacccagc ttgggcagtg 300
caggaggaaa ctcgggaccg attccacctc cttggggacc cacagaccaa aaattgcacc 360
ctgagcatca gagatgccag aatgagtgat gcggggagat acttctttcg tatggagaaa 420
ggaaatataa aatggaatta taaatatgac cagctctctg tgaacgtgac agccttgacc 480
cacaggccca acatccttat ccccggtacc ctggagtctg gctgcttcca gaatctgacc 540
tgctctgtgc cctgggcctg tgagcagggg acgcccccta tgatctcctg gatggggacc 600
tctgtgtccc ccctgcaccc ctccaccacc cgctcctcag tgctcaccct catcccacag 660
ccccagcacc acggcaccag cctcacctgt caggtgacct tgcctggggc cggcgtgacc 720
acgaacagga ccatccaact caatgtgtcc taccctcctc agaacttgac tgtgactgtc 780
ttccaaggag aaggcacagc atccacagct ctggggaaca gctcatctct ttcagtccta 840
gagggccagt ctctgcgctt ggtctgtgct gttgacagca atcccccctgc caggctgagc 900
tggacctgga ggagtctgac cctgtacccc tcacagccct caaaccctct ggtactggag 960
ctgcaagtgc acctggggga tgaaggggaa ttcacctgtc gagctcagaa ctctctgggt 1020
tcccagcacg tttccctgaa cctctccctg caacaggagt acacaggcaa aatgaggcct 1080
gtatcaggag tgttgctggg ggcggtcggg ggagctggag ccacagccct ggtcttcctc 1140
tccttctgtg tcatcttcat tgtagtgagg tcctgcagga agaaatcggc aaggccagca 1200
gcggacgtgg gagacatagg catgaaggat gcaaacacca tcaggggctc agcctctcag 1260
ggtaacctga ctgagtcctg ggcagatgat aacccccgac accatggcct ggctgcccac 1320
tcctcagggg aggaaagaga gatccagtat gcacccctca gctttcataa gggggagcct 1380
caggacctat caggtcaaga agccaccaac aatgagtact cagagatcaa gatccccaag 1440
taagaaaatg cagaggctcg ggcttgtttg agggttcacg acccctccag caaaggagtc 1500
tgaggctgat tccagtagaa ttagcagccc tcaatgctgt gcaacaagac atcagaactt 1560
attcctcttg tctaactgaa aatgcatgcc tgatgaccaa actctccctt tccccatcca 1620
atcggtccac actccccgcc ctggcctctg gtacccacca ttctcctctg tacttctcta 1680
aggatgacta ctttagattc cgaatatagt gagattgtaa cgtgaaaaaa aaaaaaaaaa 1740
aaaaaaaa 1748

<210> 85
<211> 2679
<212> DNA
<213> Homo sapiens

<400> 85
ccacgcgtcc gcctcagcgg ccgggcccac ggccccgagc agccatgctg ggcgcgcggg 60
cctggttggg ccgcgtcctt ctgctgcccc gcgccggtgc aggcctcgcc gcaagccgca 120
ggtgtcctgg agtctggccc aggacctggc cccacaggag tcccagcagg ggtagctcct 180
cccgggacaa ggaccgaagt gcgacggtca gtagttcagt gcccatgcct gctggaggga 240
aaggaagcca tccttcatct acaccccaga gggtccccaa ccgcctgatc cacgagaagt 300
caccatacct cctacaacat gcctacaatc ctgtggactg gtacccctgg ggacaggaag 360
ccttcgacaa ggccaggaag gaaaacaagc cgattttcct ctcagtcggg tactccacct 420
gccactggtg ccacatgatg gaagaggagt ccttccagaa tgaggagatt ggccgcctgc 480
tcagtgagga ctttgtgagt gtgaaggtag accgtgagga gcggcctgac gtggacaagg 540
tgtacatgac gttcgtgcag gccaccagca gcggcggggg ctggcccatg aatgtgtggc 600
tgactcccaa cctccagccc tttgtcgggg gcacctattt ccctcctgag gatggcttga 660
cccgagtcgg cttccgcaca gtgttgctga gaatacgaga acagtggaaa cagaacaaga 720
acaccctgct agaaaatagc cagcgtgtca ccactgccct gctggcccga tcagagatca 780
gcgtgggtga ccgccagctg ccgccctctg ccgccaccgt gaacaatcgc tgcttccagc 840

agctggatga gggctatgat gaggaatacg gtggcttcgc tgaggccccc aagtttccca 900
cgccggtgat cctgagcttc ctgttctcct actggctcag ccatcgactg actcaggatg 960
gctctcgggc ccagcagatg gccttgcata ccctgaaaat gatggctaac gggggcatcc 1020
gggaccatgt ggggcagggc tttcaccgct actccacaga ccgccagtgg cacgtccctc 1080
actttgagaa gatgctctat gaccaggcac agctcgctgt ggcctattcg caggccttcc 1140
agctctctgg tgatgaattc tactctgacg tggccaaagg catcctgcag tacgtggctc 1200
ggagcctgag ccaccggtcc ggaggcttct atagcgcaga agatgcagac tcgcccccag 1260
agcggggcca gcggcccaaa gagggcgcct actatgtgtg gacggtcaaa gaggttcagc 1320
agctcctccc ggagcctgtg ttgggtgcca ccgagccgct gacctcaggc cagctcctca 1380
tgaagcacta cggcctcaca gaggctggta acatcagccc cagtcaggac cccaaggggg 1440
agctgcaggg ccagaatgtg ctgaccgtcc ggtactcgct ggagctgact gctgcccgct 1500
ttggcttgga tgtggaggcc gtgcggacct tgctcaattc agggctggag aagctcttcc 1560
aggcccggaa gcatcggccc aagccgcacc tggacagcaa gatgctggct gcctggaatg 1620
gcttgatggt gtcaggctat gctgtgactg gggctgtcct gggccaagac aggctgatca 1680
actatgccac caatggtgcc aagttcctga agcggcacat gtttgatgtg gccagtggcc 1740
gcctgatgcg gacctgctac accggccctg gggggactgt ggagcacagc aacccaccct 1800
gctggggctt cctggaggac tacgccttcg tggtgcgggg cctgctggac ctgtatgagg 1860
cctcacagga gagtgcgtgg ctcgagtggg ctctgcggct gcaggacaca caggacaggc 1920
tcttttggga ctcccagggt ggcggctact tctgcagtga ggctgagctg ggggctggcc 1980
tgcccctgcg tctgaaggac gaccaggatg gagcagagcc cagcgccaat tccgtgtcag 2040
cccacaacct gctccggctg catggcttca cgggccacaa ggactggatg gacaagtgtg 2100
tgtgcctatt gaccgccttt tccgagcgca tgcgtcgtgt cccggtggcg ttgcccgaga 2160
tggtccgcgc cctctcagcc cagcagcaga ccctcaagca gatcgtgatc tgtggagacc 2220
gtcaggccaa ggacaccaag gccctggtgc agtgcgtcca ctctgtctac attcctaaca 2280
aggtgctgat tctggctgat ggggacccct cgagcttcct gtcccgccag ctgcctttcc 2340
tgagtaccct ccgacggttg gaagaccagg ccactgcata tgtgtgtgag aatcaagcct 2400
gctcagtgcc catcactgat ccctgcgaat tacgaaaact actacatcca tgactgcccc 2460
aacccccttg gggtggggca gaaggtgaag catcccaact gactagagac tcaggccctg 2520
cagggcccta tagaacctgt ggccatccct gagcaccctg ccaccaggtg acctcggcca 2580
tactcactgc ccccttgggg cacccactca ccctagaata aacttaacag tgtcccgtgg 2640
taaaaaaaaa aaaaaaaaaa aaaaaaaaag ggcggccgc 2679

<210> 86
<211> 766
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (670)..(670)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (713)..(713)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (721)..(721)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (728)..(728)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (731)..(731)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (756)..(756)
<223> n equals a,t,g, or c

<400> 86
ggcgagacgc gttcaccacc atatgcactg ttgtcaactc ccctggagat gcgcccaagc 60
cccacaggaa gccttcctcc tctgcctcct cttcctcatc ctcgtcctcg ttctccttgg 120
atgcagccgg ggcctccctg gccacactcc ctggaggctc catcctgcag ccgcggccct 180
ccttgccccc ctcctccacg atgcacttgg ggcctgtggt ttccaaggcc ctgagtacct 240
cttgccttgt ttgctgcctc tgccaaaacc cggccaactt caaggacctt ggggacctct 300
gtgggcccta ctaccctgaa cactgcctcc ccaaaaagaa gccaaaactc aaggagaagg 360
tgcggccaga aggcacctgt gaggaggcct cgctgccgct tgagagaaca ctcaaaggtc 420
ccgagtgtgc agctgccgcc actgccggga agcccccccag gcctgacggc ccagctgacc 480
cggccaagca gggcccactg cgcaccagtg cccggggcct gtcccggagg ctgcagagct 540
gctactgctg tgatggccgg gaggatgggg gcgaggaggc agccccagcc gacaagggtc 600
gcaaacatga gtgcagcaag gaggctccgg cagagcccgg cggggaggcc caggaagcac 660
tgggtgmatn aagcctgttm ccgtgttgga ccgggggggt tttaactggt ggncggggaa 720
ntcttttngg nttgcaagag gccaattaaa gttggncctt ggaaaa 766

<210> 87
<211> 2803
<212> DNA
<213> Homo sapiens

<400> 87
cccacgcgtc cgcgacccac gcgtccgggg ggaggtaact gcagtaagtc ccgcttggcc 60
ctggagtcca cgcggatttt cgaagctggg gctggcaaga ggccgctgga caccacgctc 120
cagtcgtcag cccacttcct agctgaacag cgcgaggcgg cggcagcgag ccgggtccca 180
ccatggccgc gaattattcc agtaccagta cccggagaga acatgtcaaa gttaaaacca 240
gctcccagcc aggcttcctg gaacggctga gcgagacctc gggtgggatg tttgtggggc 300
tcatggcctt cctgctctcc ttctacctaa ttttcaccaa tgagggccgc gcattgaaga 360
cggcaacctc attggctgag gggctctcgc ttgtggtgtc tcccgacagc atccacagtg 420
tggctccgga gaatgaagga aggctggtgc acatcattgg cgccttacgg acatccaagc 480
ttttgtctga tccaaactat ggggtccatc ttccggctgt gaaactgcgg aggcacgtgg 540
agatgtacca atgggtagaa actgaggagt ccagggagta caccgaggat gggcaggtga 600
agaaggagac gaggtattcc tacaacactg aatggaggtc agaaatcatc aacagcaaaa 660
acttcgaccg agagattggc cacaaaaacc ccagtgccat ggcagtggag tcattcatgg 720
caacagcccc ctttgtccaa attggcaggt ttttcctctc gtcaggcctc atcgacaaag 780
tcgacaactt caagtccctg agcctatcca agctggagga ccctcatgtg gacatcattc 840
gccgtggaga ctttttctac cacagcgaaa atcccaagta tccagaggtg ggagacttgc 900
gtgtctcctt ttcctatgct ggactgagcg gcgatgaccc tgacctgggc ccagctcacg 960
tggtcactgt gattgcccgg cagcggggtg accagctagt cccattctcc accaagtctg 1020
gggatacctt actgctcctg caccacgggg acttctcagc agaggaggtg tttcatagag 1080
aactaaggag caactccatg aagacctggg gcctgcgggc agctggctgg atggccatgt 1140
tcatgggcct caaccttatg acacggatcc tctacacctt ggtggactgg tttcctgttt 1200
tccgagacct ggtcaacatt ggcctgaaag cctttgcctt ctgtgtggcc acctcgctga 1260
ccctgctgac cgtggcggct ggctggctct tctaccgacc cctgtgggcc ctcctcattg 1320
ccggcctggc ccttgtgccc atccttgttg ctcggacacg ggtgccagcc aaaaagttgg 1380
agtgaaaaga ccctggcacc cgcccgacac ctgcgtgagc cctaggatcc aggtcctctc 1440
tcacctctga cccagctcca tgccagagca ggagccccgg tcaattttgg actctgcact 1500
ccctctcctc ttcaggggcc agacttggca gcatgtgcac caggttggtg ttcaccagct 1560
catgtcttcc ccacatctct tcttgccagt aagcagcttt ggtgggcagc agcagctcat 1620
gaatggcaag ctgacagctt ctcctgctgt ttccttcctc tcttggactg agtgggtacg 1680
gccagccact cagcccattg gcagctgaca acgcagacac gctctacgga ggcctgctga 1740
taaagggctc agccttgccg tgtgctgctt ctcatcactg cacacaagtg ccatgctttg 1800
ccaccaccac caagcacatc tgtgatcctg aagggcggcc gttagtcatt actgctgagt 1860
cctgggtcac cagcagacac actgggcatg gacccctcaa agcaggcaca cccaaaacac 1920
aagtctgtgg ctagaacctg atgtggtgtt taaaagagaa gaaacactga agatgtcctg 1980
aggagaaaag ctggacatat actgggcttc acacttatct tatggcttgg cagaatcttt 2040

gtagtgtgtg ggatctctga aggccctatt taagttttc ttcgttactt tgctgcttca 2100
tgtgtacttt cctaccccaa gaggaagttt tctgaaataa gatttaaaaa caaaacaaaa 2160
aaaacactta atatttcaga ctgttacagg aaacaccctt tagtctgtca gttgaattca 2220
gagcactgaa aggtgttaaa ttggggtatg tggtttgatt gataaaaagt tacctctcag 2280
tattttgtgt cactgagaag ctttacaatg gatgcttttg aaacaagtat cagcaaaagg 2340
atttgttttc actctgggag gagagggtgg agaaagcact tgctttcatc ctctggcatc 2400
ggaaactccc ctatgcactt gaagatggtt taaaagatta aagaaacgat taagagaaaa 2460
ggttggaagc tttatactaa atgggctcct tcatggtgac gccccgtcaa ccacaatcaa 2520
gaactgaggc ctgaggctgg ttgtacaatg cccacgcctg cctggctgct ttcacctggg 2580
agtgctttcg atgtgggcac ctgggcttcc tagggctgct tatgagtggt tctttcacgt 2640
gttgtgtcca tagctttagt cttcctaaat aagatccacc cacacctaag tcacagaatt 2700
tctaagttcc ccaactactc tcacaccctt ttaaagataa agtatgttgt aaccaaaaaa 2760
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 2803

<210> 88
<211> 2181
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (5)..(5)
<223> n equals a,t,g, or c

<400> 88
gtacnggatt cccgggtcga cccacgcrtc cggcaggcag aggggcagtg ggcgcgggga 60
agatgattct gggcctcccc catctactgt cattaaccaa aatgaaacat ttgccaacat 120
aatttttaaa cctactgtag tacaacaagc caggattgcc cagaatggaa ttttgggaga 180
ctttatcatt agatatgacg tcaatagaga acagagcatt ggggacatcc aggttctaaa 240
tggctatttt gtgcactact ttgctcctaa agaccttcct cctttaccca agaatgtggt 300
attcgtgctt gacagcagtg cttctatggt gggaaccaaa ctccggcaga ccaaggatgc 360
cctcttcaca attctccatg acctccgacc ccaggaccgt ttcagtatca ttggattttc 420
caaccggatc aaagtatgga aggaccactt gatatcagtc actccagaca gcatcaggga 480
tgggaaagtg tacattcacc atatgtcacc cactggaggc acagacatca acggggtcct 540
gcagagggcc atcaggctcc tcaacaagta cgtggcccac agtggcattg gagaccggag 600
cgtgtccctc atcgtcttcc tgacggatgg gaagcccacg gtcggggaga cgcacaccct 660
caagatcctc aacaacaccc gagaggccgc ccgaggccaa gtctgcatct tcaccattgg 720
catcggcaac gacgtggact tcaggctgct ggagaaactg tcgctggaga actgcggcct 780
cacacggcgc gtgcacgagg aggaggacgc aggctcgcag ctcatcgggt tctacgatga 840
aatcaggacc ccgctcctct ctgacatccg catcgattat ccccccagct cagtggtgca 900
ggccaccaag accctgttcc ccaactactt caacggctcg gagatcatca ttgcggggaa 960
gctggtggac aggaagctgg atcacctgca cgtggaggtc accgccagca acagtaagaa 1020
attcatcatc ctgaagacag atgtgcctgt gcggcctcag aaggcaggga aagatgtcac 1080
aggaagcccc aggcctggag gcgatggaga gggggacmcc aaccacatcg agcgtctctg 1140
gagctacctc accacaaagg agctgctgag ctcctggctg caaagtgacg atgaaccgga 1200
gaaggagcgg ctgcggcagc gggcccaggc cctggctgtg agctaccgct tcctcactcc 1260
cttcacctcc atgaagctga gggggccggt cccacgcatg gacggcctgg aggaggccca 1320
cggcatgtcg gctgccatgg gacccgaacc ggtggtgcag agcgtgcgag gagctggcac 1380
gcagccagga cctttgctca agaagccata ccagccaaga attaaaatct ctaaaacatc 1440
agtggatggt gatccccact ttgttgtgga tttccccctg agcagactca ccgtgtgctt 1500
caacattgat gggcagcccg gggacatcct caggctggtc tctgatcaca gggactctgg 1560
tgtcacagtg aacggagagt taattggggc acccgccct ccaaatggcc acaagaaaca 1620
gcgcacttac ttgcgcacta tcaccatcct catcaacaag ccagagagat cttatctcga 1680
gatcacaccg agcagagtca tcttggatgg tggggacaga ctggtgctcc cctgcaacca 1740
gagtgtggtg gtggggagct ggggkctgga ggtgtccgtg tctgccaacg ccaatgtcac 1800
cgtcaccatc cagggctcca tagcctttgt catcctcatc cacctctaca aaaagccggc 1860
gcccttccag cgacaccacc tgggtttcta cattgccaac agcgagggcc tttccagcaa 1920
ctgccacgga ctgctgggtc agttcctgaa tcaggatgcc agactcacag aagaccctgc 1980
agggcccagc cagaacctca ctcaccctct gctccttcag gtgggagagg ggcctgaggc 2040
cgtcctaaca gtgaaaggcc accaagtccc agtggtctgg aagcaaagga agatttacaa 2100
cggggaagag cagwtagayt gytggtttgc caggaacatg ccgccaaact gattgacggg 2160

gagtacagga ttacctggca t 2181

<210> 89
<211> 2207
<212> DNA
<213> Homo sapiens

<400> 89
ccacgcgtcc ggaaaaaggg aaaagatgcc gtgtaaaatc tcgttctgtg tctgaattgc 60
cgtagggctc agatcttcat ttgaggttct gtgtctgaat tgccgtaggg ctcagatctt 120
catttgaggt tatgttctat aagttaacgt tgatcttgtg tgagctttcg gtagctggag 180
taacacaggc ggcctcacag cgacctctcc agcgccttcc aaggcacatc tgcagccagc 240
gtagctcctc ctgggagatg cctcctcaag gccctgctcc agaccacgtg gggagggcct 300
gacagccaat tcccaggctg tccccaccct tggagagtga ccctaaacgc tagacagatg 360
gggaatggga aagaaaagaa agctgcagac ctcaagttaa aattccctca aaaacgtttt 420
tatttatctg ctttttctga aaggataaag gctttttgaa aattattttc taacaaataa 480
catgaacact tctagaaacc ctagaaaaac acaaagtatt caaaatagaa agaaaaatta 540
cccattactc tttaagccag cattatccat tgcggtgctt ttggagttgg gtgaggccgt 600
agcctctgcc aagtcaagga gcccggtggt ggctgtggca ttcctgcagg gttgtttttt 660
tttctttgag atggagtctc actcttgtca ccccagctgg aatgtggtgg tgtaaacagc 720
tcactgcagc cttgaccctg aggctcaagc gatccttctg ccttggcctc ctgagtagct 780
gggatcccag gcgagagtca ccacaccctg tccatgttcc tgcaggtctt gatatgcgag 840
gacgctgtgt cttccctgcc acattttctt cttctttctt gagacagacc cttgctccat 900
cacccaggcc agagtgtggt ggtgcgaaca cggctcactg cagcctcgac cctcaggctc 960
aagcgatcct cacgcctcgg acccccaaag tgctgggatc acaggcgaga gtcaccatgc 1020
tggcctgaat cttcagggta ttttacggtt gaagtgtcac ttacttaacc atccctgttt 1080
caagagtgta ggtggtcacc ctgtctctgc cgctgacctg gcctggaccc tcggctgtga 1140
gagggagggg tgggctgggc tggaggaacc tgaagccctc gtgatgtcac aagcccatct 1200
ggctgggcat cccctgctgt gtcctgagct gcacatgccc caggtggccc ccacagcaga 1260
ggcgagccac tggagggtgg agggcttcca cgggacggtc ttcaggggga gaaggaaggg 1320
cccaggcccc caggagactc aggagaccag agcctggggt caggggctca gccaggggct 1380
cagccagggc tggatgtccg gagccagccc cgcagccctg tgttctttgt tcttcgcact 1440
cccaccgtcc gtgtgaacag ctccagcccc acctgcgcct ccctgtgctg ggctccatca 1500
gggagcccag aagacgtgtg tgcttctgaa attgggtccc tacatgcctt tgtcccagtg 1560
caccttgctc cttccattta ctatcgagat ttaaatgcct gttttctccc cagaggttga 1620
cggatatatt cagacgttac gacacggatc aggacggctg gattcaggtg tcgtacgaac 1680
agtacctgtc catggtcttc agtatcgtat gaccctggcc tctcgtgaag agcagcacaa 1740
catggaaaga gccaaaatgt cacagttcct atctgtgagg gaatggagca caggtgcagt 1800
tagatgctgt tcttccttta gattttgtca cgtggggacc cagctgtaca tatgtggata 1860
agctgattaa tggttttgca actgtaatag tagctgtatc gttctaatgc agacattgga 1920
tttggtgact gtctcattgt gccatgaggt aaatgtaatg tttcaggcat tctgcttgca 1980
aaaaaatcta tcatgtgctt ttctagatgt ctctggttct atagtgcaaa tgctttttta 2040
gccaatagga attttaaaat aacatggaac ttacacaaaa ggcttttcat gtgccttact 2100
tttttaaaaa ggagtttatt gtattcattg gaatatgtga cgtaagcaat aaagggaatg 2160
ttagacgtgt aaaaaaaaaa aaaaagggcg gccgctctag aggatcc 2207

<210> 90
<211> 3533
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (44)..(44)
<223> n equals a,t,g, or c

<400> 90
ttttatttac ttcaaattaa ctgtacttta ctcaaataga aaangaataa ttttcacatt 60
atgaagctac acaattccaa aatacacatg ctgaggctct ttttaagtcc gaattgtcta 120
gtaattacaa aaaagtgaag agtttacaga tatacaagga aataaaggcg aattattgca 180
aagaaaacaa gtttaatttc actttgaatg acaacgattt ttctggaaag cagatacttc 240

actcctttaa gtttccaccc aagccacaat aatttcaaac ggtcttgcgg atgacccagc 300
tggtcactct tgtttatgtg gggactggag gtaatgagag ccaaaaaaag tgctataaac 360
ctaatttggc tagagcaagt tcacacgaca cgaccgtgct ttaaaaactt gctctccatt 420
atgtacttcc ttccatcagg ttggggaaaa aaaaatggtg gggatggtga gtaaacacac 480
cagtggtttc atcagagggg aactcactac tcaggaggtg acggtgacgt ggtgccggtc 540
cctgaagtac gcgcacaagc tccggaggtt gcgggagctt ccgctgccgc ctggagggaa 600
gccggagcga cgggggtcac ggcggcggtc agagggtaaa ggtcttgctc ccagcagcct 660
ccgcggtgga tacgtcgcca tcttggatcc gcgggacaag aaaattcatg cgagggagac 720
gtggtgggcg gtccttcctg tgacacgacc cttgagtgac agttctattt gattgcctcc 780
ggtactgtga ggaaaggaca cgactctatg gtgaggactg atggacatac attatctgag 840
aaaagaaact accaggtgac aaacagcatg tttggtgctt caagaaagaa gtttgtagag 900
ggggtcgaca gtgactacca tgacgaaaac atgtactaca gccagtcttc tatgtttcca 960
catcggtcag aaaaagatat gctggcatca ccatctacat caggtcagct gtctcagttt 1020
ggggcaagtt tatacgggca acaaagtgca ctaggccttc caatgagggg gatgagcaac 1080
aataccctc agttaaatcg cagcttatca caaggcactc agttaccgag ccacgtcacg 1140
ccaacaacag gggtaccaac aatgtcactt cacacgcctc catctccaag caggggtatt 1200
ttgcctatga atcctargaa tatgatgaac cactcccagg ttggtcaggg cattggaatt 1260
cctagcagga caaatagcat gagcagttca gggttaggta gccccaacag aagctcgcca 1320
agcataatat gtatgccaaa gcagcagcct tctcgacagc cttttactgt gaacagtatg 1380
tctggatttg gaatgaacag gaatcaggca tttggaatga ataactcctt atcaagtaac 1440
atttttaatg gaacagacgg aagtgaaaat gtgacaggat tggacctttc agatttccca 1500
gcattagcag accgaaacag gagggaagga agtggtaacc caactccatt aataaacccc 1560
ttggctggaa gagctcctta tgttggaatg gtaacaaaac cagcaaatga acaatcccag 1620
gacttctcaa tacacaatga agattttcca gcattaccag gctccagcta taaagatcca 1680
acatcaagta atgatgacag taaatctaat ttgaatacat ctggcaagac aacttcaagt 1740
acagatggac ccaaattccc tggagataaa agttcaacaa cacaaaataa taaccagcag 1800
aaaaaaggga tccaggtgtt acctgatggt cgggttacta acattcctca agggatggtg 1860
acggaccaat ttggaatgat tggcctgtta acatttatca gggcagcaga gacagaccca 1920
ggaatggtac atcttgcatt aggaagtgac ttaacaacat taggcctcaa tctgaactct 1980
cctgaaaatc tctaccccaa atttgcgtca ccctgggcat cttcaccttg tcgacctcaa 2040
gacatagact tccatgttcc atctgagtac ttaacgaaca ttcacattag ggataagctg 2100
gctgcaataa aacttggccg atatggtgaa gaccttctct tctatctcta ttacatgaat 2160
ggaggagacg tattacaact tttagctgca gtggagcttt ttaaccgtga ttggagatac 2220
cacaaagaag aacgagtatg gattaccagg gcaccaggca tggagccaac aatgaaaacc 2280
aatacctatg agaggggaac atattacttc tttgactgtc ttaactggag gaaagtagct 2340
aaggagttcc atctggaata tgacaaatta gaagaacggc ctcacctgcc atccaccttc 2400
aactacaacc ctgctcagca agccttctaa aaaaaaaaaa aaaaaaaaaa aaaaagactt 2460
ccctttttctt ggggtatggc tgtctcagca caatactcaa cataactgca gaactgatgt 2520
ggctcaggca ccctggtttt aattccttga ggatctggca attggcttac gcaaaaggtc 2580
accatttgag gtcctgcctt actaattatg tgctgcccaa caactaaatt tgtaatttgt 2640
ttttctctag tttgagcagg gtctgaattt tttcatttat ttccttttt gccagcagac 2700
agacttgagt ctgtaaagac aagcaaatac actgacagaa gtttaccata gtttctaaaa 2760
tgtaaaaaag aaaaccccca aaagactcaa gaaaattaga ccacaaattt tgcattgttc 2820
attgtagcac tattggtaat aaaataacaa atgtttgtgc atttttatgt gaagatcctt 2880
ctcgtatttc atttggaaag atgagcaaga ggtctgcttc cttcatttta cttccccttc 2940
tgtttttgaa aggcagtttc gccaagctta atgcaagaat atctgactgt ttagaagaaa 3000
gatattgcca caatctctgg atggttttcc agggttgtgt tattactgag cttcatcttt 3060
ccagaatgag caaaacactg tccagtcttt gttacgattt tgtaataaat gtgtacattt 3120
ttttaaatt tttggacatc acatgaataa aggtatgtat gtacgaatgt gtatatatta 3180
tatatatgac atctattttg gaaaatgttt gccctgctgt acctcatttt taggaggtgt 3240
gcatggatgc aatatatgaa aatgggacat tctggaactg ctggtcaggg gactttgtcg 3300
ccctgtgcac taaaagggcc agattttcag cagccaagga catccatacc caagtgaatg 3360
tgatgggact taaaagaagt gaactgagac aattcactct ggctgtttga acagcagcgt 3420
ttcataggaa gagaaaaaaa gatcaatctt gtattttctg accacataaa ggcttcttct 3480
ctttgtaata aagtagaaaa gctctcctca aaaaaaaaaa aaaaaaactc gag 3533

<210> 91
<211> 1434
<212> DNA
<213> Homo sapiens

<400> 91
cattaaactc tttttatcgg gaatagtatg atattttcaa tgtcactcca ttcatgttga 60
tttggagctg acagttattt tgtgtaagca gagatttaat tttatattga aagtcagtgc 120
aaaattatga ataggatata ctaataaata caaagtaata acaaaagtca aagcagtgtt 180
ctaaataaaa attctgggtt ccttaaaaat tattttaaat ttatcttgaa atagttttct 240
tagattaatc tcaggatatg agaaagtcaa ttaagtgtga gtaaagttag tatcattaaa 300
caaattgtct attaaatgca mgagtggtaa tatacagaat ttatcaggca ttaccaagtc 360
taggcacata taggaaatgc agcactcaga atggtttcaa tgtagtagtt gatgcttgta 420
aggtagggga gcttattcag acatagtaga tagtttctct aatgctgtst caattgctgg 480
cctttggcta cctgtacttc cscattatgg cagcccattc agtcttgagt tttcttctct 540
ggacacctta tgctctgaaa tcatgagcga ggctgattca attggtgatt tgggtagaaa 600
gcagtatgtt ttgctgacat taagatgtag gttatagata ggtttagcct ttaagtgtat 660
gtttttatac tttaaaataa gaaatataac cttttaagct attccacctc ctcccccagc 720
ctatctcaaa ctggtggaat atatggagag atcttgaaag aagtaaaata aaccttcact 780
gctccactcc aggtgaatcc gcccactccc actgacctag tagaatttgt aatttaatac 840
ttaccttcta tttctgaaat cagttgtgaa ctgttgcctt atgttcagar gtttaagaac 900
ctcmgtgaat tcatttttta aaatctgcta ttctgagaag cattgaatga attcttaaca 960
agaagactca tctgtagctg tttgctgact cctatgagcc ccataagggt tctgtgctta 1020
gcattaacaa aataaggttt ataggtaaag ccaatgtatt aatttttttt tgcatggagg 1080
gctttaaaat ttgtgctctt tttcatattt tattcatatt caatttatgg tttgtaactg 1140
ctttttaggg agataattat atgttataaa ttagttttgg ggggaataat tgtgcaaaga 1200
ggataattta atttacgtgc ttctgttatt cagaataaag agagaagact acgctgcata 1260
ttcaagagtt gtaccttaac attggtgaaa catttttttct aagattttca aaaggaatat 1320
gtgtaaattg agaaatcata accactgtcc taacttggta aacaaactgt tcttaaataa 1380
agtatttaat gattttaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 1434

<210> 92
<211> 867
<212> DNA
<213> Homo sapiens

<400> 92
ggcacgagca ggtactgggt gactgcctgg ctgaggaaaa gttaactaga cacttgggga 60
aaggagatcc aagggagtaa gaggcaaaat gcctttgcat gcttttcttc ctatctcttt 120
ttctttctct ccttctcact ctctcccttc cttcctttct tcctttctct ttctttttt 180
tttctctttt cccccacctc tctgcctgcc tccttccttc cctcccctcc cctcccttcc 240
ccctccctcc ctccctcccc tccttccttc cttccttcct tccttccttc cttccctccc 300
tcctctctcc ctccttcccc gccttctttc cttcgttctg ccaacttgcc agaaggagcc 360
caagaaaaag cacccagatg cttcagtcaa cttcttagaa ttcttctttt ttttatgttc 420
agaaaagatg gaaattcatt tctgctaaag agaaagaaaa aattggaaga cagggtgaag 480
gtgaacaggc ccattataag aaagaaacaa aaatctatat tctgtctaca aggaagcgag 540
agagagaaag agagagaaga aagaagttcc aggattctaa tgtaccaaag ggatctcctt 600
tttcttgttt tgttctgaaa atttcaccaa aagagcacag gagaacatct tggctaattc 660
attggcgatg atgtaagaaa actgagagaa atgaaagaaa tgaagaatta ctgctgcaga 720
taatatacag ccttgaggaa agaaaggctt ttaagattat agatataaag gctattgctg 780
tattctggga taaaagaaag tctgatgtca gggaaagggg aagttggaaa aactggaaaa 840
agaaaaaaga aaaaaaaaaa aaaaaaa 867

<210> 93
<211> 1558
<212> DNA
<213> Homo sapiens

<400> 93
ggttttggag tatatatatt gtatgccatg aactatattt ttctgcttat ggctttgcct 60
catttaattg ccatagcact tacatggggc aggtattcat tttcctgctt agcaaataag 120
gaaactgaat ttcagagatg tcaggtaacc tgcctacttc acacactagg agttttgatg 180
tttaattttg aactaagatc tatctggctt gaaagctctt tgcattaaac aaccttgaac 240
aatatacttg gaacgtaggt gtgtttttgg cacagaacat ggcatgtgtg tgagggattg 300
aacacagact tgcccagatt caaacttacc aatcttctgt ttcatgtgcc cagaagaaac 360
agcctgtttc tcagcctcaa acccaaactt ctagttgtct tgattggttc agcctgactg 420

tccaactctg atttatagct gtgattgggg gagctgagat tacacagtgt aggcaggcag 480
aagggcccca ggcctattga tatgggtgag gacaatactc acgcactccc ttcacttact 540
cactcttcca aggtcttggc ttgaacccaa ttttttttga gagaataaac caggcttttt 600
gttctccact tggcctgact ccatttctgg cattccagcc atgtatttag ctgttatcag 660
ctttcagatt tagascaaag ccttgtttcc aataagcttg tttctctgaa gtaattgtta 720
aaatataatt ttcagaaaaa ggttaaatca tgactcatac aaatataaaa atgaacatgt 780
gctaaagatt tttatttcac tcatgtgata tgaagtaacc agacagaagt tataaccagt 840
acatatggaa agtcaaaaag cacaaattca tatgtagtaa aggaattgga ttgcaaatga 900
aggcaaaact gtttttycta cagggtggag ggaagataat caaaatgcta gaaccagaat 960
ttscatgcct gtcacttagc ttcaatttac aaaagcccag aataactcaa aggcaaattc 1020
tagccctgca aatatcagcc ctaaagctgt gctgtggcca gtgcatagtt ttctattgaa 1080
gtacaatttt ttccccaaat acattatctc tcagagggag tccaaattgc ttccctttca 1140
ctcagcagat ctgttcagtc aacagatgtt aaatagctac agcgtatcag gcacaaataa 1200
ttctttataa aataaagtaa caaactatat gttgtttcaa agttccagtt aaggccagcc 1260
gtggtagctc acccttataa tcccaacact gggaggccga ggcaggcgga tcacttgggc 1320
taggagttcc ataccagcat ggccaacatg gtgaaaccct gctctactag aatgcaaaga 1380
ttagccaggt gtggtggcgc atgccggtag tccaggctac tcaggtggct gaggcacagg 1440
aatggcttga gcctgggagg cggaggttgc agtgagccga gattgcgwcc gctgcactcc 1500
agcctgggca acactgtgag actcctgtct acaaaaaaaa aaaaaaaaaa aactcgta 1558

<210> 94
<211> 2199
<212> DNA
<213> Homo sapiens

<400> 94
ggcacgagct tttccatctt gagcttggca gcctgtctag ttgtggaagc tgtggtgtgg 60
aaatcggtga ccaagaatcg gacttcttat atgcgccaca cctgcatagt gaatatcgct 120
gcctcccttc tggtcgccaa cacctggttc attgtggtcg ctgccatcca ggacaatcgc 180
tacatactct gcaagacagc ctgtgtggct gccaccttct tcatccactt cttctacctc 240
agcgtcttct tctggatgct gacactgggg cctcatgctg ttctatcgcc tggttttcat 300
tctgcatgaa acaagcaggt ccactcagaa agccattgcc ttctgtcttg gctatggctg 360
cccacttgcc atctcggtca tcacgctggg agccacccag ccccgggaag tctatacgag 420
gaagaatgtc tgttggctca actgggagga caccaaggcc ctgctggctt tcgccatccc 480
agcactgatc attgtggtgg tgaacataac catcactatt gtggtcatca ccaagatcct 540
gaggccttcc attggagaca agccatgcaa gcaggagaag agcagcctgt ttcagatcag 600
caagagcatt ggggtcctca caccactctt gggcctcact tggggttttg gtctcaccac 660
tgtgttccca gggaccaacc ttgtgttcca tatcatattt gccatcctca atgtcttcca 720
gggattattc attttactct ttggatgcct ctgggatctg aaggtacagg aagctttgct 780
gaataagttt tcattgtcga gatggtcttc acagcactca aagtcaacat ccctgggttc 840
atccacacct gtgttttcta tgagttctcc aatatcaagg agatttaaca atttgtttgg 900
taaaacagga acgtataatg tttccacccc agaagcaacc agctcatccc tggaaaactc 960
atccagtgct tcttcgttgc tcaactaaga acaggataat ccaacctacg tgacctcccg 1020
gggacagtgg ctgtgctttt aaaaagagat gcttgcaaag caatggggaa cgtgttctcg 1080
gggcaggttt ccgggagcag atgccaaaaa gacttttca tagagaagag gctttctttt 1140
gtaaagacag aataaaaata attgttatgt ttctgtttgt tccctccccc tccccttgt 1200
gtgataccac atgtgtatag tatttaagtg aaactcaagc cctcaaggcc caacttctct 1260
gtctatattg taatatagaa tttcgaagag acattttcac tttttacaca ttgggcacaa 1320
agataagctt tgattaaagt agtaagtaaa aggctaccta ggaaatactt cagtgaattc 1380
taagaaggaa ggaaggaaga aaggaaggaa agaagggagg gaaacaggga gaaagggaaa 1440
aagaagaaaa agagaaagat gaaaatagga acaaataaag acaaacaaca ttaagggcca 1500
tattgtaaga tttccatgtt aatgatctaa tataatcact cagtgcaaca ttgagaattt 1560
ttttttaatg gctcaaaaat ggaaactgaa agcaagtcat ggggaatgaa tactttgggc 1620
agtatcttcc tcatgtcttc ttagctaaga ggaggaaaaa aaggctgaaa aaatagggag 1680
gaaattcctt catcagaacg acttcaagtg gataacaata tttataagaa atgaatggaa 1740
ggaaatatga tcctcctgag actaactttg tatgttaagg tttgaactaa gtgaatgtat 1800
ctgcagagga agtattacaa agatatgtca ttagatccca agtgctgatt aaatttttat 1860
agtttatcag aaaagcctta tattttagtt tgttccacat tttgaaagca aaaaatatat 1920
atttgatata cccttcaatt gccaaatttg atatgttgca ctgaagacag accctgtcat 1980
atatttaatg gcttcaagca ggtacttctc tgtgcattat agaatagatt ttaataatct 2040
tatagcattg tatattatta ttgctgttgt cactgttatt attattgtgg atactggccc 2100

ttggtgtgtt gcatagctcc ctatgtattc tctgtttcca tctttaagtt cccagaccaa 2160
tatacattaa gagttttgaa aaaaaaaaaa aaaaaaaaa 2199

<210> 95
<211> 1392
<212> DNA
<213> Homo sapiens

<400> 95
attcggcaga gcagaaaacc agactgcact tgctttataa aacagagctt tatttttcct 60
tcataataag cagagttgca gtgttgctgg tattgattca ctggcgtggt ggtatcagga 120
cagatgtctc tatgattaat ttttggcctg tcactcatgt ttgcatatgg ctgttgtggc 180
tccaagcatt ggaagcaaga ggacagggaa gcaacattga ctgtaccagg aactccaaaa 240
cagtcttcac atcttaatgg ttggacaatg ccaaatggtc actcttttct ggaagttgac 300
tggggacaag atagtggtaa ggattagatt tggccagaaa gtttctgcca cagtgagctt 360
tcctgtctaa atccttattt taactgttgt cacttaatat tcacactttg gaaggacatc 420
tactgttggt tacaattatg aaaccaactt gaatactttt tagttgaaca tttcagtagt 480
cttaattatg tttaaatagg tttcacaatt tactgttttt agtttagttt ccggctcccc 540
ccaaccccca acttttgyta gagagttact ctcttaactt ttgctagaaa gtagcaaagt 600
tctctactct acatgttcag ggctggctgt agaatttcgt tttttaagga aacaggaaga 660
cagaactaat tatgcaagtc ttcatttagc tttttaaaaa aacagcttta ttgagttaga 720
attgacatgc agtaaatggt acatatttaa agcgtacaat ttgttaagtt ttgacataag 780
tatacattgt gaaaacatca gtcaccacaa tcaggatact tattttaaaa aacaacttta 840
tttaggatta gtatactgat aatgtgtcca ttgtaagtgt acattttcag ttttgacaaa 900
tgtatagatt tttgtaacta ccaccaccag tcaagatgaa aacgtttcta gcactccaga 960
aagttccctt gtgtcccttc ttggtcagtt attcccacca tgctctcagg caaccacagt 1020
tctgcttcta tcactatata agtgacagaa tttttctaca gaatttcaca tagatggaat 1080
catacaatat gtactgttct gtctggcttc ttgaggtaag ccaaatgtct tttaagagtc 1140
atgcatgttt ttgcatttat tagtagttta ttctttttt gttggtgagt agcattcatt 1200
gtatggatat attccagtct gttttattca ttcacttttt ggacatttgg gttgttatca 1260
attttgggct cttttgaatt aatccctccc tccttccctc cttcccyccc tccctccttc 1320
cctccctccc tccctctctc cctccctcct tccttccctc cctccctccc tccctttttt 1380
ttttcggcac ga 1392

<210> 96
<211> 717
<212> DNA
<213> Homo sapiens

<400> 96
ggcacgagct agctgccgcc acccgaacag cctgtcctgg tgccccggct ccctgccccg 60
cgcccagtca tgaccctgcg cccctcactc ctcccgctcc atctgctgct gctgctgctg 120
ctcagtgcgg cggtgtgccg ggctgaggct gggctcgaaa ccgaaagtcc cgtccggacc 180
ctccaagtgg agaccctggt ggagccccca gaaccatgtg ccgagcccgc tgcttttgga 240
gacacgcttc acatacacta cacgggaagc ttggtagatg gacgtattat tgacacctcc 300
ctgaccagag accctctggt tatagaactt ggccaaaagc aggtgattcc aggtctggag 360
cagagtcttc tcgacatgtg tgtgggagag aagcgaaggg caatcattcc ttctcacttg 420
gcctatggaa aacggggatt tccaccatct gtcccagcgg atgcagtggt gcagtatgac 480
gtggagctga ttgcactaat ccgagccaac tactggctaa agctggtgaa gggcattttg 540
cctctggtag ggatggccat ggtgccagcc ctcctgggcc tcattgggta tcacctatac 600
agaaaggcca atagacccaa agtctccaaa aagaagctca aggaagagaa acgaaacaag 660
agcaaaaaga aataataaat aataaatttt aaaaaactta aaaaaaaaaa aaaaaaa 717

<210> 97
<211> 832
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (827)..(829)

<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (831)..(831)
<223> n equals a,t,g, or c

<400> 97
gaattcggca cgagtatgaa actaacaaca tagaatgccc cccaaacaaa ttcctctaac 60
ctcactgagt ttacttgccc tattactatt ttttttttt aagatcttct gtctcttgtt 120
tttgttttat cccttacctg atgaaagtga acatttctag tggagaaaga agatcacagt 180
tctctaatat gggcattaag agaggggtac agctagaggg gaggtgaaaa cctgcctcca 240
ctggggtgaa aaacagtgtg ctgaggtttc agccagtgat tacactgggt aatcaaccag 300
tcccatgttt cacaaaggag ttgtaatgat taacagttca ggtatgctty tgaggaaatc 360
taattgagac ctttggaaaa tagcattgtt atgaatggtg tggtgttacg ccctggaggg 420
gaaaaggcta ggaaaaacat tttaactttt caagtgtatt taaattaaca tccaaatgtt 480
tcagtgtgct ttactggaga ctgcctgagt ttggaattca aatattgtaa ccaaattact 540
ccaggtttct gaactaaaat gatctattga tgtttctcaa agtatagatc acagagtaag 600
aaaagaggaa atcaagtctg gtttatgaca aacttttttc catgttaaca ttggacccaa 660
agatgttamt aagagctttt tactactgtg agagraccag cgtgatgtga agacaacgaa 720
cattttaaga agtttgacta gtagacattt cgtttaagtc ttttggaggg tcttggttga 780
caacccacaa ttttattgtg gctccccagg ctgggagaac gtggaannnc na 832

<210> 98
<211> 685
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (678)..(679)
<223> n equals a,t,g, or c

<400> 98
actacggctg cgagaagacg acagaagggg ggcggcgacg gaggaggagg atggaggcgg 60
tggtgttcgt cttctctctc ctcgattgtt gcgcgctcat cttcctctcg gtctacttca 120
taattacatt gtctgattta gaatgtgatt acattaatgc tagatcatgt tgctcaaaat 180
taaacaagtg ggtaattcca gaattgattg gccataccat tgtcactgta ttactgctca 240
tgtcattgca ctggttcatc ttccttctca acttacctgt tgccacttgg aatatatatc 300
gatacattat ggtgccgagt ggtaacatgg gagtgtttga tccaacagaa atacacaatc 360
gagggcagct gaagtcacac atgaaagaag ccatgatcaa gcttggtttc cacttgctct 420
gcttcttcat gtatctttat agtatgatct tagctttgat aaatgactga agctggagaa 480
gccgtggttg aagtcagcct acactacagt gcacagttga ggagccagag acttcttaaa 540
tcatccttag aaccgtgacc atagcagtat atattttcct cttggaacaa aaaactattt 600
ttgctgtatt tttaccatat aaagtattta aaaaacatga aaaaaaaaaa aaaaaaaaaa 660
aaaaaaaaaa aaaaaaanna aaaaa 685

<210> 99
<211> 921
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (4)..(4)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (9)..(9)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (11)..(11)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (15)..(15)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (20)..(20)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (901)..(901)
<223> n equals a,t,g, or c

<400> 99
gcgnggggna naggnaagcn ccccactatt gggttcaaaa gctggagctc caccgcggtg 60
gcggccgctc tagaactagt ggatcccccg ggctgcagga attcggcacg aggtctgagc 120
agataagatt aagggctggg tctgtgctca attaactcct gtgggcacgg gggctgggaa 180
gagcaaagtc agcggtgcct acagtcagca ccatgctggg cctgccgtgg aagggaggtc 240
tgtcctgggc gctgctgctg cttctcttag gctcccagat cctgctgatc tatgcctggc 300
atttccacga gcaaagggac tgtgatgaac acaatgtcat ggctcgttac ctccctgcca 360
cagtggagtt tgctgtccac acattcaacc aacagagcaa ggactactat gcctacagac 420
tggggcacat cttgaattcc tggaaggagc aggtggagtc caagactgta ttctcaatgg 480
agctactgct ggggagaact aggtgtggga aatttgaaga cgacattgac aactgccatt 540
tccaagaaag cacagagctg aacaatactt tcacctgctt cttcaccatc agcaccaggc 600
cctggatgac tcagttcagc ctcctgaaca agacctgctt ggagggattc cactgagtga 660
aacccactca caggcttgtc catgtgctgc tcccacattc cgtggacatc agcactactc 720
tyctgaggac tcttcagtgg ctgagcagct ttggacttgt ttgttatcct attttgcatg 780
tgtttgagat ctcagatcag tgttttagaa aatccacaca tcttgagcct aatcatgtag 840
tgtagatcat taaacatcag cattttaaga aaaaaaaaaa aaaaaaarct cgaggggggg 900
nccggtaccc agggcggaag a 921

<210> 100
<211> 442
<212> DNA
<213> Homo sapiens

<400> 100
ggcacgagat agaacccact gcctcctgat gaagtcccta ctgttcaccc ttgcagtttt 60
tatgctcctg gcccaattgg tctcaggtaa ttggtatgtg aaaaagtgtc taaacgacgt 120
tggaatttgc aagaagaagt gcaaacctga agagatgcat gtaaagaatg gttgggcaat 180
gtgcggcaaa caaagggact gctgtgttcc agctgacaga cgtgctaatt atcctgtttt 240
ctgtgtccag acaaagacta caagaatttc aacagtaaca gcaacaacag caacaacaac 300
tttgatgatg actactgctt cgatgtcttc gatggctcct acccccgttt ctcccactgg 360
ttgaacattc cagcctctgt ctcctgctct aggatccccg actcattaaa gcaaagaggc 420
ttaaaaaaaa aaaaaaaaaa aa 442

<210> 101
<211> 1886
<212> DNA
<213> Homo sapiens

<400> 101
ggcacgagcg gcacgaggga aaatagagag caacttaatt atgttaaggt tgactcaaac 60

```
ttttttttc atttcacaga cacttctaga ttggttctta gcagcagctc ttgctcttcc   120
taatttgtgt tccccattag catctaattt caagagcagg caaatctcat ctgttcccat   180
ccagcccagc cagggaacct ccagagttgc tttgcagata tggtgtggat cctgcagaat   240
gaggatgagc tcttccacga tccacattct tgccctttaa aaaataaagc gggtaggcag   300
cggggtggcg gtgtggggtg tgtggggcaa gagctagagc gttcctcctc agtgagtttg   360
atgaagggag aatgtaaaac ttggctgaac ttagccctcc aggaaagggt agccagaatg   420
ttgtattaat ttagtgatgt cttcaaaagg gtgtggtgga ggaggagtct cattcagaat   480
gagaagctga tcccagctcc caggaaatcg acacagttgc tggtgtgtag tggtcagcac   540
tagccgagtc cctatttgta gcttcatgct gtttttttata ctgttgtgat gtaatgtaca   600
tctgtgttca cccaagctgc ctatgcaatg acttctataa agctcagttt ttaaacacag   660
tctcttacag ataaaacaac agaaccagtg ccagaaagca gccttccctt acatgggcac   720
ttctgccaag catatgagtt cattgccttg aagatcaaag tcaaagagaa atggagaggg   780
tgttgaaatg atcagcgaaa attaaatgaa aatatattct tattggaagc tgatgctcta   840
ttatcaataa aggacccata gcaaagatac atagaggagt gatttttcaa gcagtcaaga   900
gcagaactac gaaggttttg agatggtgta gctgccaaag aagtcacccc tggctgtccc   960
ccatctcagt gagcctgagt tgaatgtttc ccaatgtcat atcccacagg gggatactta  1020
gtgcccacag catgtgatcg gtagctgata aggaagcatt ggaccagaat gtcatggaag  1080
aaacaaaagc ccacttatct tccgcggcaa tatgtttatg aacatgtgaa tcattgttca  1140
tataactgtc tcaaatactt ggctgaaaag tagactgttt ggtgttaagt ttcgacttat  1200
tttcgaggga ggatgggata tggttataca ccatatgaag gattttgtga ataaagagtt  1260
tcaaaatatt ttgggaatag tagttcggca tttatttttt ttcccagtca catttcatga  1320
gcaacaattt tatgtttaag gtagtatctg actaacctac tgatgctgtc tattcattcc  1380
attagcatac ttatgccatg ggtaaaagca atccatctag aactctttca accatttttt  1440
agtttgtctt tgcacactct agatagcatt tctgaaatca tctgcaggaa cagagttcct  1500
gaaaagagca atggtctaga gcaggctttc tcagacttca gtgtgcacca gagtcaccca  1560
ggatcttgtt aaaatgctga ttctgaggcc aggcgcggtg gctcacgcct gtaatcccag  1620
cactttagga ggctgaggcg ggcggatcac ggggtcagga gagcgagacc atcctggcta  1680
acagcatgag accctgtctc tactaaaaat acgaaaaatt agccaggcat ggtggcaggc  1740
acctgtagtc ccagctactc aggaggctga ggcaggagaa tggtgtgaac ctgggaggtg  1800
gagcttgcag tgagccgaga tcgcgccact gcactccagc ctgggggaca gagcgagact  1860
ccacctccaa aaaaaaaaaa aaaaaa                                       1886

<210> 102
<211> 1336
<212> DNA
<213> Homo sapiens

<400> 102
ccacgcgtcc ggagttccac aaaatttgtt agtcatcaaa taatagagtt tttcttaagt     60
gaccacttac atactcatct acaataaacc ccaactaact aatttttcac tttgtgtacc    120
tcatgctaat atccgtggac agtaatgtgc ctgttgtgtt ccttttgctt ttcatccttg    180
tgatcttatg tcacatggaa tgtaaaggcc acatatatat atgtgtgtgt gtgtgtgtgt    240
atatgtatat ttttaagaat atttagtctg gatttcatga aattgacttc tgaaataatt    300
tgcctcaatt ttgtttcctg gtggtttgag aagaaagttc ctgtggtgaa atgaaaaggg    360
gataaaggga agtacttatt ttaaaacata agtaacttgt ggattgttga atactggaaa    420
aagagtgtta cttccccgtt aacctacgcc tcgtgtaatc cttcaggttg gaagtcggat    480
cgcagaccgt gtatatgaca tacccagaaa tttccccctt gctttggatc ttggttgtgg    540
aagaggttac attgcacaat atttgaataa gcttcagtta ttccattgca ggaaactatt    600
ggaaagtttt tccaagctga cattgcagaa aatgctttgt ttgcattggg tgaatgacct    660
tcctagagca cttgagcaga ttcattatat tttaaaacca gatggagtgt ttatcggtgc    720
aatgtttgga ggcgacacac tctatgaact tcggtgttcc ttacagttag cggaaacgga    780
aagggaagga ggattttctc cacacatttc tcctttcact gctgtcaatg acctgggaca    840
tctgcttggg agagctggct ttaatactct gactgtggac actgatgaaa ttcaagttaa    900
ctatcctgga atgtttgaat tgatggaaga tttacaagaa caaaagtcca gaatgttgac    960
ctaattttac aaaacaagct gcatatcagc tgatgaatgc atgagaaatt ttcaaggctt   1020
tcacagtggt cttaaggtat gggtgagagt aactgtgctt ggaatagaaa agccctgctg   1080
catcgagaca caatgctggc agctgcggca gtgtacagag aaatgtacag aaatgaagat   1140
ggttcagtac ctgctacata ccagatctat tacatgatag gatggaaata tcatgagtca   1200
caggcaagac cagctgaaag aggttccgca actgtgtcat ttggagagct aggaaaaata   1260
aacaacctta tgccaccggg gaaaaaatca caataaatat ttattcagtg ttaaaaaaaa   1320
aaaaaaaaaa aaaaaa                                                  1336
```

<210> 103
<211> 1129
<212> DNA
<213> Homo sapiens

<400> 103
gctgcttccc aaggaccatg aaactcctgc tgctggctct tcctatgctt gtgctcctac 60
cccaagtgat cccagcctat agtggtgaaa aaaaatgctg gaacagatca gggcactgca 120
ggaaacaatg caaagatgga gaagcagtga aagatacatg caaaaatctt cgagcttgct 180
gcattccatc caatgaagac cacaggcgag ttcctgcgac atctcccaca cccttgagtg 240
actcaacacc aggaattatt gatgatattt taacagtaag gttcacgaca gactactttg 300
aagtaagcag caagaaagat atggttgaag agtctgaggc gggaagggga actgagacct 360
ctcttccaaa tgttcaccat agctcatgac ttcctctcgg ctatcactca cccctgtcct 420
cagagtgata aactaagtca catacagata aagcactgaa aacaccacag tgaccctccc 480
acccccccacc aatatgtaat tctattaata gaaacagctg tgtaaagaag tctaaaattt 540
tcactatttc caatgataaa ctcttcagtg ctcttcttga aatgtcacat tatttcccaa 600
caagttatac ctatttttag tattcttgtt gctagtgcca tgcacaactt caatagctag 660
ttgctattcc aacaacaatt tcttcatgta tcgttctgtc ttctcaacag ctgtctttca 720
tggcagcata agtggtcatg atcaaaattc taaatcttgc atctgtgaga gtagctacta 780
tgacactaaa agctttttt ctagaacagg agacacttca ggtgaagcat tcattctcct 840
actaactatg gccttggagc caggttttat ctctcactgt aggaaattgg ccgccccagg 900
tgtgagctat gaagactcct ttttgcccca gtggctttgg ggttgaaatg ctgtcgaaaa 960
gcttttatgg ctctgtagac ccatcttttt gaccaagcct tgatcacaca tggacatcca 1020
agggtaatca tggacccccа attgtgggtg aaaggatgga tcatttatct acctgattac 1080
tgagagcttt atttgtctcc ctctgatagc aaaaaaaaaa aaaaaaaaa 1129

<210> 104
<211> 799
<212> DNA
<213> Homo sapiens

<400> 104
ggagacggtg ggtgaccaga gagtcctgtc tatcctagga ggagaacatt cagcccaaat 60
cccagcccca tcatgcacag atcagagcca tttctgaaaa tgtcgctgct gattctgctt 120
ttcctgggat tggcagaagc ctgtactcct cgtgaagtca acttgctgaa agggatcata 180
ggtctcatga gcagactgtc accggatgag atcctaggct tgctgagcct ccaagtactg 240
catgaagaaa caagtggctg caaggaggaa gttaaaccct tctcaggcac caccccatcc 300
aggaaaccac tccccaagag gaagaacacg tggaacttcc tgaaatgcgc ctacatggtg 360
atgacctacc tcttcgtatc ctacaacaaa ggggactggt tcacttttтc ctcccaagtg 420
ttactgccac tactgtaact tggaactgga catcagggat gatccctgct gttctttcta 480
gtgagcctgc tccatctcag cttagccttc acaaggcctc catctcccag gcattctaac 540
ctctgaagaa agctctctgt cccctggact gcctgtgtgg agggtaatga actgggtcct 600
ttaaggaatg gcacctgggt gcccagaggc atggccagaa ggtgtctgtg ggggccatgc 660
cttaggggga tgcacccagg gcggctgaga gagcaactgc aggagtttcc cctaaaatct 720
ctcctccaga tcgttctcga actttcccca ctacttccat aataaaatgt atacttgttg 780
aaaaaaaaaa aaaaaaaaa 799

<210> 105
<211> 1345
<212> DNA
<213> Homo sapiens

<400> 105
tctacctctt gtcctccccc caacaccacc accaccctgg ctcccctccc tcatgaccgc 60
ctggatcctc ctgcctgtca gcctgtcagc gttctccatc actggcatat ggactgtgta 120
tgccatggct gtgatgaacc accatgtatg ccctgtggag aactggtcct acaacgagtc 180
ctgccctcct gaccctgctg agcaaggggg tcccaagacc tgctgcaccc tggacgatgt 240
ccccctcatc agtggccctg atctgcctcc tgcgctacgg gcagctcctg gagcagagtc 300
ggcactcttg ggttaacacc acggcactca tcacaggctg caccaacgct gcgggcctct 360
tggtggttgg caactttcag gtggatcatg ccaggtctct gcactacgtt ggagctggcg 420

tggccttccc tgcggggctg ctctttgttt gcctgcactg tgctctctcc taccaagggg 480
ccaccgcccc gctggacctg gctgtggcct atctgcgaag tgtgctggct gtcatcgcct 540
ttatcaccct ggtcctcagt ggagtcttct ttgtccatga gagttctcag ctgcaacatg 600
gggcagccct gtgtgagtgg gtgtgtgtca tcgatatcct cattttctat ggcaccttca 660
gctacgagtt tggggcagtc tcctcagaca cactggtggc tgcactgcag cctacccctg 720
gccgggcctg caagtcctcc gggagcagca gcacctccac ccacctcaac tgtgcccccg 780
agagcatcgc tatgatctaa ggtctgggga gggtggctgg cccggcctcc acagcacccc 840
accccatatc ttctttccat ttattttgta ccaaaaacaa ttttgagaaa gtattctgtt 900
gggatctggg cttcctcact tctggagaag tggccatccc atgcccacct gtgccatgga 960
ggagtgggcc ctgccagctg ccacagctgc atgacctgct tccccacccc acggtgtcgt 1020
tttgttttta aaggtcacct gtcctcactc acccagccag cccttcaggt gccttctact 1080
cccagtgcca aagccagacc actggggttt cctgctgcag gaattggggg ctgggaacag 1140
cagaggggat agaagtctgg tggaggtgga gtgggcacgc cttagctacg gaaaggccca 1200
tttctgggcc cactgagctg cactgggatt cttcactctg cccctcactt cctttagggc 1260
aaataacaca gcagaaccac gtgggtattt tagtactttt ttttatatta aaagaattct 1320
aatttgcaaa aaaaaaaaaa aaaaa 1345

<210> 106
<211> 1347
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (83)..(83)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (334)..(334)
<223> n equals a,t,g, or c

<400> 106
gggcagccct caggccctcc ggcagcctgg ccgggcccga gtggccatgg cagcactggt 60
gtggctgctg gcgggagcac atngtcaagc ctcaacaagt ggatcttcac agtgcacggc 120
tttgggcggc ccctgctgct gtcggccctg cacatgctgg tggcagccct ggcatgccac 180
cgggggggcac ggcgccccat gccaggcggc actcgctgcc gagtcctact gctcagtctc 240
acctttggca cgtccatggc ctgcggcaac gtgggcctaa ggctgtgccc ctggacctgg 300
cacaactggt tactaccacc acacctctgt tcancctggc cctgtcggcg ctgctgctgg 360
gccgccgcca ccacccactt cagttggccg ccatgggtcc gctctgcctg ggggccgcct 420
gcagcctggc tggagagttc cggacacccc ctaccggctg tggcttcctg ctcgcagcca 480
cctgcctccg cggactcaag tcggttcagc aaagtgccct gctgcaggag gagaggctgg 540
acgcggtgac cctgctttac gccacctcgc tgcccagctt ctgcctgctg gcgggtgcag 600
ccctggtgct ggaggctggc gttgccccac cgcccactgc tggcgactct cgcctctggg 660
cctgcatcct gctcagctgc ctcctgtctg ttctctataa cctggccagc ttctccctgc 720
tggccctcac ctctgccctc accgtccacg tcctgggcaa cctcaccgtg gtgggcaacc 780
tcatcctgtc ccggctgttg tttggcagcc gcctcagtgc cctcagctac gtgggcatcg 840
cactcactct ttcaggaatg ttcctttacc acaactgcga rttcgtggcc tcctgggctg 900
cccgtcgggg gctgtggcgg agggaccagc ccagcaaggg tctttgagac ctgggggatc 960
tcaggagcca cctgggatgg ccctggcctg aatccagcct ccgctgtggc catagaagga 1020
atggagaaca gggctgggca tggtsgctca cgcctataat cccagcactt ccagagtccg 1080
aggtgggtgg atcacctgag gccaggagtt cgagaccagc ctggctagca tggcaaaacc 1140
tcatctctac taaaaataga aaaattagct gggcatggtg gcgcgtgcct atagtcccag 1200
ctacatggga ggctgaggtg ggaggatcac ttgagccctg gagatcgagg ctgcagtaag 1260
ccaagatcgc atgctactgc actccagcct gggagacaga gcgagacgct gtctcaatta 1320
aaaaaaaaaa aaaaaaccgg cacgtag 1347

<210> 107
<211> 642
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (41)..(41)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (49)..(49)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (64)..(64)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (607)..(607)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (621)..(621)
<223> n equals a,t,g, or c

<400> 107
taaaggggaa acaaaaaggc tgggaaggct tccaaccgcg ntttgcggnc cggcttctag 60
gaantagtgg aatcccccgg gctggcagga attcggcacg agaaaatgac ttcagacaaa 120
tatgatcaat ctctacagtc ccctgatgaa tttcacaggt tcccaccacc atcagttcta 180
cctattcatc tcatccatgc tcattgttct gcctctttcc tgttcctatg gatgccctgg 240
catgtttgtt tctttctttc tggcctccta tttccctccc ctcagacatc acttcagcat 300
ctgtgccttc tcacttccct tatcctgggt gttaccattt cagcctatga gcatgccatt 360
aatttgccat ctttacaaaa ttctctcttg acttcacatc cctctgtagc tgccctctcc 420
cttctctcct cttctttaca acaaaactcc ttaaaagaac tgttggctgg gcacagtggt 480
tcactcctat aatcccagca ctttcagaag ccaaggtggg aacatcactt gaggccaaga 540
ggtcgagacc agcccaggca acacagtgag acctcatcac tacaaaaaaa aaaaaaaaaa 600
actcganggg ggggccggta nccaattggc ctaaagtgag tc 642

<210> 108
<211> 669
<212> DNA
<213> Homo sapiens

<400> 108
cagcctcatt ttctcagtgc cccagaggtc taggatagga tttctaaact ggaatcatcc 60
ttaatcacct tgaagatccc ttaagaggca tttgactggt gctgccgtct gtgtcctcaa 120
agcaatgctg gtggcatcgt cctgtgtaca catgcagagc taatacccaa actaaaaact 180
gggtaactgg ccctgaagtg cttcccaatc agtaagccac agggaaatgt ttgattttta 240
tgttctgttg gattttggtt tgcttggcat atctaaaggt gcctttactt ttctttttt 300
tttttttct ttctgctttg ttttgtagga cttgttctaa catggaaaac aagtccagaa 360
gactctcctc tgactgttac ctttgcccca agccacccca aacttttatg ctcatgtttt 420
attaaagcag gtgctccctg gaatctctgg gacatttttg aggcatttga agcagaatat 480
agagtggtct catctccttc cttaatcttc ctggtggttg ggatgttcca cttgtatcat 540
agatttttt attacagata tgctccactg tttttaaatg tgaacttgtg cgcaaatgtg 600
cagattcaat gttcttgtta cagattgaat aaatttttat tttgaarawr aaaaaaaaaa 660
aaactcgag 669

<210> 109
<211> 1271
<212> DNA

<213> Homo sapiens

<400> 109
ggggctgggc cctgctcagg tggctctctc cttgcaggga ccggcgatgc tctgcaggct 60
gtgctggctg gtctcgtaca gcttggctgt gctgttgctc ggctgcctgc tcttcctgag 120
gaaggcggcc aagcccgcag agaccccacg gcccaccagc ctttctgggg ctcccccaac 180
accccgtcac agccggtgtc cacccaacca cacagtgtct agcgcctctc tgtccctgcc 240
tagccgtcac cgtctcttct tgacctatcg tcactgccga aatttctcta tcttgctgga 300
gccttcaggc tgttccaagg ataccttctt gctcctggcc atcaagtcac agcctggtca 360
cgtggagcga cgtgcggcta tccgcagcac gtggggcagg tgggggatg ggctagggcc 420
ggcactgaag ctggtgttcc tcctaggggt ggcaggatcc gctcccccag cccagctgct 480
ggcctatgag agtagggagt ttgatgacat cctccagtgg gacttcactg aggacttctt 540
caacctgacg ctcaaggagc tgcacctgca gcgctgggtg gtggctgcct gcccccaggc 600
ccatttcatg ctaaagggag atgacgatgt ctttgtccac gtccccaacg tgttagagtt 660
cctggatggc tgggacccag cccaggacct cctggtggga gatgtcatcc gccaagccct 720
gcccaacagg aacactaagg tcaaatactt catcccaccc tcaatgtaca gggccaccca 780
ctacccaccc tatgctggtg ggggaggata tgtcatgtcc agagccacag tgcggcgcct 840
ccaggctatc atggaagatg ctgaactctt ccccattgat gatgtctttg tgggtatgtg 900
cctgaggagg ctggggctga gccctatgca ccatgctggc ttcaagacat ttggaatccg 960
gcggcccctg gaccccttag acccctgcct gtatagggggg ctcctgctgg ttcaccgcct 1020
cagccccctc gagatgtgga ccatgtgggc actggtgaca gatgaggggc tcaagtgtgc 1080
agctggcccc ataccccagc gctgaagggt gggttgggca acagcctgag agtggactca 1140
gtgttgattc tctatcgtga tgcgaaattg atgcctgctg ctctacagaa aatgccaact 1200
tggtttttta actcctctca ccctgttagc tctgattaaa aacactgcaa cccaaaaaaa 1260
aaaaaaaaaa a 1271

<210> 110
<211> 802
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (105)..(105)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (730)..(730)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (755)..(755)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (757)..(757)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (777)..(777)
<223> n equals a,t,g, or c

<400> 110
cgtgcctgta gtaagctcat ccctgccttt gagatggtga tgcgtgccaa ggacaatgtt 60
taccacctgg actgctttgc atgtcagctt tgtaatcaga gattntgtgt tggagacaaa 120
tttttcctaa agaataacwt gaycctttgc caracggact acgaggaagg tttaatgaaa 180
gaaggttatg caccccmggt tcgctgatct atcaacatca ccccattaag aatacaaagc 240

actacattct tttatctttt ttgctccaca tgtacataag aattgacaca ggaacctact 300
gaatagcgta gatataggaa ggcaggatgg ttatatggaa taaaaggcgg actgcatctg 360
tatgtagtga aattgcccca gttcagagtt gaatgtttat tattaaagaa aaaagtaatg 420
tacatatggc tggatttttt tgcttgctat tcgtttttgt gtcacttggc atgagatgtt 480
tattttggac tattgtatat aatgtattgt aatatttgaa gcacaaatgt aatacagttt 540
tattgtgtta ccatttgtgt tccatttgct yctttgtatt gttgcattta gtacaatcag 600
tgtttaaact tactgtatat ttatgctttc tgtatttacc agctatttta aatgagctgt 660
aactttctag taaagaattg aaaagcaaat cctcactaaa ggatacacag gataggataa 720
agccaagtcn catcaacatt aaaaaatact aaaananaaa acacaaaaaa aaaaaanccc 780
ggggggggcc cggaacccat tc 802

<210> 111
<211> 470
<212> DNA
<213> Homo sapiens

<400> 111
ggcacgaggg aaatcttgca cataggcagg taaataatta taaatggtga agtggattat 60
tctgagctgc ttaattttaa agggaaagag aactttaaac tcttcaacct tttatgctgc 120
taataagagt tccacaatca atagaaatct atcttggcag gcacttcctt ttacccacta 180
gaatttttc ccttgggagt tcacgatccc cagaaactgt gatatgagcc attcaatatt 240
gatgtactaa aacagtgctc tgcttaaata cagtttttca acatacagtc ttggaagaaa 300
caaaatccaa aataaattcc aatagtccag taacaggaat aaagacaact attgcaaatt 360
aaatcttaca gacttatatg aaagctgttg ttaacagctg ggtactagtt atttgaaaag 420
tttctcgtgc cgaattcgat atcaagctta tcgataccgt cgacctcgta 470

<210> 112
<211> 1020
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (3)..(3)
<223> n equals a,t,g, or c

<400> 112
cgncacgagg tgaagttcaa cccaatgcaa ctttccttca gtctttccgt gaaagcgcct 60
gtgaaaaatg aggtcatatt tccctttctc agtctgcccc ttcccgtttt gctctccggt 120
tttcttcttt gtcttcacag atgtttacct atgttttttc tttgtttttg ctgttggaag 180
acatctaagt gatccttttc ccattctctt tttcactcat aaatgtcctg atgtttagca 240
aaaggcagtt ctctttgcta cttgagcttg taaactgttg ttaaatgagt aaccaaaagg 300
aaagtccttg cgaagttggt taccatttca gatacaagaa ccgtttatct tcccacgctg 360
acgaattttg cgagtgagat gattattttt ccttgtgttt gtaatttatt taagtaaatt 420
ccttgtttgt ttttcttttc agtacaccag gggtatatat tttcaatatg acatgtacct 480
ttggttcagg gctaagttag agtctgaaaa atgaagcctg taggattcat ggcagtgatc 540
taattgtgat tcatcttact gattgtaggg caagaagagt ggactaactc aagacacaag 600
gcaccttcag cgaggacagc aaagggcgtc tacagagacc agccatatgg cagatactga 660
ttgtactgtc tgatgttgtg aaatagccaa tctccaccag tcctgtatac tgttcaaagt 720
aatttttttc tatgaacaat ccctttttaa ataaatcaaa atgcttaaaa tctgaatgga 780
tggaacttaa aactactttg ttgaaacatc aacctgggca gaaaaaaaaa aaaaaaagac 840
atgtaaaatt ttgttatttc cagtctgtat atgaaaaaat aggtcatcaa aaggaaaaaa 900
aataactttg attaactagt gttaaacaaa aaataggttt actaaatctc gtgccgaatt 960
cgatatcaag cttatcgata ccgtcgacct cgtaggggggg gcccgtaccc aatcgcctgt 1020

<210> 113
<211> 1881
<212> DNA
<213> Homo sapiens

<220>

<221> misc_feature
<222> (70)..(70)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (126)..(126)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1860)..(1860)
<223> n equals a,t,g, or c

<400> 113
attttttctt ttccttaaca ataccttttgg ccatttttttt ccagttcact atgtttgtat 60
actaactttn cttcagcctt ttaatgcgaa gcaactagta gagcatgctt tcaggatctg 120
acagcnctgc tagtagagcg aagtatttat taatacagaa ttaaccttmg ccccttttaaa 180
gtcaagtctg tctaatctaa ctagcgcctc gctttgcctt ctcacaatgc tcactagcca 240
tcatgctcac ccttctcttc cagatccact tcctcatgat actgtcttct aactgggctt 300
acttaaagga tgcgagcaaa atgcaggctt accaggatat caaagcaaag gaagaacagg 360
aactgcaaga tatccagtct cggtcaaaag aacaactcaa ttcttacaca taaatgtttg 420
ccagagtgtt tcggccgacg tatttacagc tctgacaaat catcagacag ctgctctgca 480
gtacagatgt gtatcccacc aaactaatgt agatgtacaa acacttcact gtctgtctca 540
agctgctggg atgtatctct aggaaaacct tccagtgggt aaatcttttt ctttagaaca 600
aatattggag gtttcatgtt agccatttta aaaggcaaca ctttgacaaa atgatcgttc 660
atactttggg aatttgtggc atgttcacat ttattgctag ggcaattcta ccaagacact 720
caatggaata tgtcacactc cttaataggg acctgtgact ccttaataag gacctgtgac 780
atgcccagca tcaagggata agaccgtaaa ttcacatata tgccatctgt cctcaagtgt 840
tatctacata ggaaataaaa tggaattgat gtaaagttcc atttctgaca gctgacattt 900
attaaacttt ggatcaaaga taatgtgatt cttatgattg atttctcaaa ctagcttttc 960
cctcccaagt ccaggaccca ttaatttcct gagccaatca gaaatatatt tttcaataat 1020
gctaaaatta gctacaattc tgctgaccct actattaaag aatctggatg ctggactcac 1080
tgacaagctt tccagaagca attttataac agatttcatt ttaacaaaat actgatccaa 1140
ttttcattat tcttgagaaa tgtcagcttt gccttaatga gtatttgctt taaatttcta 1200
agaatttata tcataactag agacccaaat atctttcaca gaattttgtt ccataaatgt 1260
ttttcttaat tattaagaag tgttacctta ttaaaatgac caccattcta aaccattttt 1320
cagtggtctg gatacgaagt ttacagtttc ataccaacta tctaaaacct aattgcaaat 1380
tgaccacaga cctctaacct cctactttta tagacttgaa tacttaagta atttaaatta 1440
gggttggtat ttcatttttt tcttatctaa atcttagttt cctggaataa taaagtttga 1500
tgttcagcaa gagaactgct tgagtttaag ccattttcaa aagaaacttg ccttttacat 1560
tattgtgttc cagaacatta agtgactgta ggtactgggt attagtgatg gtaaactttg 1620
tgttgctctt tatgaaatga tccatataac tgttgggtgc atcagtgctt ttcaaagggg 1680
ctgcttacta tagggttaac tatgtatatt cattgttaag agttaacttg tggtttggct 1740
gttycctgga ttttataaca tacatgtgca gaaatgtatt caaatgaaag gaagcatacc 1800
tttatcaaga tgctattaaa attgaacatc aagtataaaa aaaaaaaaaa aaaaaaattn 1860
ctgcggccga caagggaatt c 1881

<210> 114
<211> 541
<212> DNA
<213> Homo sapiens

<400> 114
tgcaggtaac cgttccggaa ttcccgggtt cgacccaagg ggtcccgtga tgccttgtca 60
tggtcttctt gcacagggcc tcagcctggc acctctgcca ccgtgggctc tctgttgtgt 120
gggggtgtcc cgtgcattgc aggacatcca gcagcatccc cggcctcctg ctccgtgcca 180
gtagcgccgc accccgccgt cgtgacagcc caggtctccc ggtgtgcaga atgcccgctg 240
gtcatgctga gaggtacagg ggtgctgccc ccagggtttg aacgctgtct aactcccacc 300
tctggtgtgt ctctcccctg tgtgtagcgt ggagtcactg gatgagtgtg gtgacctccc 360
tgtgtccagc tgccctgggc tgcaagcagg tccctcctgc agccctccag gccaccctta 420

agcagagctg gaccagcctg gccaacatgg tgaaacccca tctctactaa aaatacaaaa 480
attagccaag cgtggtggaa ctctgtctca aaaaaaaaaa aaaaaaaaaa aaagggcggc 540
c 541

<210> 115
<211> 762
<212> DNA
<213> Homo sapiens

<400> 115
ggcacgagtg cctctacgtc atgtcttctc caatgtcatg attcacgtcg tgcagtactg 60
ttttggactt gtctattatg tccttgttgg cctaactgtg ctgagccaag tgccaatgga 120
tggcaggaat gcctacataa cagggaaaaa tctattgatg caagcacggt ggttccatat 180
tcttgggatg atgatgttca tctggtcatc tgcccatcag tataagtgcc catgttattc 240
gcggcaatct caggaaaaat aaagcaggag tggtcattca ctgtaaccac aggatcccat 300
ttggagactg gtttgaatat gtttcttccc ctaactactt agcagagctg atgatctacg 360
tttccatggc cgtcaccttt gggttccaca acttaacttg gtggctagtg gtgacaaatg 420
tcttctttaa tcaggccctg tctgcctttc tcagccacca attctacaaa agcaaatttg 480
tctcttaccc gaagcatagg aaagctttcc taccattttt gttttaagtt aacctcagtc 540
atgaagaatg caaaccaggt gatggtttca atgcctaagg acagtgaagt ctggagccca 600
aagtacagtt tcagcaaagc tgtttgaaac tctccattcc atttctatac cccacaagtt 660
ttcactgaat gagcatggca gtgccactca agaaaatgaa tctccaaagt atcttcaaag 720
aataaatact aatggcagaa aaaaaaaaaa aaaaaaaaaa aa 762

<210> 116
<211> 1103
<212> DNA
<213> Homo sapiens

<400> 116
gtcttaatga gcaacagcaa cagcagtctc cagttaagaa agagagaatt aaatacagca 60
gagatttcct gttgaagctc tcaagtgttt ccatctgcag aaaaaaacca gactttctgc 120
ctgatcatcc cattgtactg caaaaaccag aaaacaacca aagttttaag tagcatttta 180
agaacagatg aatttaagtt tggacatctg caaatgaggt ggatctagca acaataactg 240
taatggactg tgacaattca atttattctt aattttgatg gttggctatt tgacttctct 300
aaaaatgaga aagagctatt ttaaaatata aagaattttc taatcagttt cagctttgca 360
ggaggtttcc tgcataaatt gggaagtaac actggaaagt aggaatttgg ttagtgaagt 420
gggaagactg tatatttata atttgcatac tacttgcaat tttttgtttt tcatcacttg 480
taataatgga atggaaatgt aagctgtaaa gactctcaaa tataaaatat ttgctacagt 540
gtatatatgg tacataattg cttgttgctt ttaaagttcc ttctgttgtt ctgcttccca 600
ctgatttcat accagctcat gaatggatca ttacagtctc tccagaggct tagaatgatt 660
cagaatgttc aatgcatagt tctcaataaa caggaggcag aatttttaat gggtatttct 720
tttcagatat atgattggtc tctaggtttt tgataataat atggtcttaa attcataatt 780
actagcagag attgataatt tggaaacaat ggtagtgaat gaaactgaag ttgaaaaacg 840
gctgctactt atgtcactaa tcagaccata tgaatagcag aagttgagca atttcaaagt 900
aaaactgata tttttatttc caaaggaatt tagacatttg aaaataattg acatacatta 960
agttttaatt cgataatttc ttatatatgg atgaacaatt tttgggttta agcttttaat 1020
tcctagaaat tttatacatt aaatctcctg caatttgtca ctctggatgt tactgtttaa 1080
aaaaaaaaaa aaaaaactcg tag 1103

<210> 117
<211> 1175
<212> DNA
<213> Homo sapiens

<400> 117
ggcacgagat tgaatgttcc agataatccc tttcccagtc ctgcctgaca tctgggtagg 60
gggtttgtcc ctggaattct gggacactgg ctggggtttg aggagagaag ccagtaccta 120
cctggctgca ggatgaagct ggccagtggc ttcttggttt tgtggctcag ccttgggggt 180
ggcctggctc agagcgacac gagccctgac acggaggagt cctattcaga ctggggcctt 240
cggcacctcc ggggaagctt tgaatccgtc aatagctact tcgattcttt tctggagctg 300

ctgggaggga agaatggagt ctgtcagtac aggtgccgat atggaaaggc accaatgccc 360
agacctggct acaagcccca agagcccaat ggctgcggct cctatttcct gggtctcaag 420
gtaccagaaa gtatggactt gggcattcca gcaatgacaa agtgctgcaa ccagctggat 480
gtctgttatg acacttgcgg tgccaacaaa tatcgctgtg atgcaaaatt ccgatggtgt 540
ctccactcga tctgctctga ccttaagcgg agtctgggct ttgtctccaa agtggaagcc 600
tgtgattccc tggttgacac tgtgttcaac accgtgtgga ccttgggctg ccgccccttt 660
atgaatagtc agcgggcagc ttgcatctgt gcagaggagg agaaggaaga gttatgagga 720
agaagtgatt ccttcctggt tttgagtgac accacagctg tcagccttca agatgtcaag 780
tcttcgagtc agcgtgactc attcgttctt ccaacagttt ggacaccaca aagcaggaga 840
aagggaacat ttttctacag ctggaaagtg agtcctatcc tttgaggaaa tttgaaaaaa 900
gacatggagt ggtttgaaag ctactcttca tttaagactg ctctccccaa ccaagacaca 960
tttgcctgga aattcagttc ttagcttaaa gactaaaatg caagcaaacc ctgcaattcc 1020
tggacctgat agttatattc atgagtgaaa ttgtggggag tccagccatt tgggaggcaa 1080
tgactttctg ctggcccatg tttcagttgc cagtaagctt ctcacattta ataaagtgta 1140
ctttttagaa catttggaaa aaaaaaaaaa aaaaa 1175

<210> 118
<211> 572
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (106)..(106)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (110)..(110)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (422)..(422)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (427)..(427)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (548)..(548)
<223> n equals a,t,g, or c

<400> 118
ggcacgagcc agggcccagc atcagaagcc ggccgttttg atagacgtgt tccctctgcg 60
tccttgcagc cttccatctg tgctacctcc caggaagccg aagcgncagn agtccctttc 120
ggatggcact gggagcagga aaatgaggtg attatgggct gctgctccaa gaagtattgg 180
cagctgttgc tgggggcggc tccctggggt gtcatccctt kcttgctctt gtggatggga 240
accagagcac cccacttcaa agactctgta agccagggct taccaragaa agctgaagag 300
tctagggcca attttaatca gtttcttgtg cttctcatgc caaaagagat gattgtcctc 360
actatagttc atcctatagt gcggcgggcc tgactcgcta ctgccctcta atgttctggg 420
anagaanctg ttgggtcttt cctacctaat ctggtagaaa tgtgagaaca gaggctaatt 480
tggggaaata aatctctcaa ttttttttgag ttgctttgtg tgtgtgcgcg cgcgcatgtg 540
tgtgtgtnag gggcagggtc tctaagaaag aa 572

<210> 119
<211> 1633
<212> DNA

<213> Homo sapiens

<400> 119
ggcacgagca tcagtaagta ggagctaggg aagagaaagc atgcaaaagg gcaagaatca 60
ggagaattga tatagtagct ggacagaact ctagatgtgt gtgtgtgaga gaaagagagg 120
cagggagaag gagggaggag ttacccccac gatgacctcc aacttccctt tctgcaccct 180
catcctgggg atagcacagg ctcaggcctg ccctggttgc cctggcgatt ggcctggcct 240
gggctcaggg gtgggggagg ggctgcacca cattaggacc tgccgtactc caatcccatg 300
cagtcctcct gctcctgctg ctgcgtgcct gggctctggt catgccaggc ttccttgtgt 360
cctgcgtctg tggccggttc ctgccaacct gtctagtcct ttcaggcttg aggccctgca 420
ttgctctttc tggtcctctc ccctccttcc cgctccccat ctagcctttt ttgggttccg 480
ggatctgctg acagactttc ttcttgctgc ctgcctgctt acatttcaga agacccctct 540
ggaactgccc atggctgtgg tccacctgct ggtagcaacg ccctgttacc aaatgctaga 600
taatctgcca ctccctctg cagccgccaa ctggtgctga gctgccacct gttgtctgtt 660
tccacaccct tgtacactgc attctgcctg tcactctgga cagctgccca gcagctgcag 720
ctgaggccgt cctgccagca cctaccgcag ccccatgggt ggtcctgtcc agttcctggc 780
gctcccagcc tgcctcatct gctgtactta cagagccaca tctggttgaa tacagagctg 840
gggtagcctg gatgggccca tggcacactc actcccagag aggcgggcat cctctctctg 900
gacctctagg gaagggcagg gtctggagcc caataataaa acacagtaat gataatcata 960
gctaatgttt actgagaact taggatgtga taggctcaat gatttaccag aattactcta 1020
tactgcataa ctaccctatc aggtaagtac tattaatatc ccctttccca catgaagaaa 1080
ctaaggctaa ccaatagaaa tgaacctgtg taatgtccca tgggcataat tcatggagcc 1140
aggattcaga accaggtgct ttacttcagg gctgaagctc ataaccacta gaccaaagcg 1200
cctcctccgt gacctctggg gaaggcccag caacatcctc tattgcgtcc aatgacttct 1260
ccctggtctg agatccactg actcacaggg gtagggttaa ggttaaggcc agagtctcag 1320
ctaagctttg gatactttct tctggatttg gagaaggctg gaataactga atttctgctc 1380
atcttcagga gcggcctact agagccacac atttcccagc tctccttgtg tgtttcccag 1440
acccttcttc catcgtgtcc tctcccttag gctcctggaa agttttcaga gagaatcacc 1500
cagtggtaac attgttaaac aaaacaggaa aatgggactt gtgtgtatat atgattaaat 1560
tattaattga tggatctacc ttcttagctc gtgccgaatt cgatatcaag cttatcgata 1620
ccgtcgacct cga 1633

<210> 120
<211> 1026
<212> DNA
<213> Homo sapiens

<400> 120
gtctaaatgt tcagtttttc ttcctaattc caatgattct cctcatttct caatgtcctt 60
tgtccatctt tgctgctcca tttgcactgc ctcccaaagg tcactgtggc tccttctctg 120
acttccacag tcaagttaca cttcataaaa attctaagct cattttcaga agccacaaat 180
ctatccttct ttaaagtctt caaactttga ttgtgtaaat aaatactcag aaacaagatt 240
tctaaaaaac aaacactatt ggccatcgta tgttcaaagg agataacaaa tgtttaacct 300
tatatgttgt aggctttcta aacttaattt caaaaaaaga ctaaataaac agtgtcaata 360
tgtctataaa ctcacaacga aaattttcag atcatccaat tgtgtattca ttggccggaa 420
acaatcatgt aaaaaccaca gccctggagc tgggtagcat agaaacaaga agattcagca 480
tttcatggtt ggtgactcaa atctctaaag ggktgtcagg ttaaaaaaaa aaaargaaaa 540
gaaaagaata gaaatttgac ctgatctata aaaatgaaag tcgctgggca aagttttggc 600
ttttcactcc tgacaaagat gagctctctc ataggtagac caaggcacac gagtgatgac 660
tttcgtggcc ccaaaattct tcaagaaaat agtagattga ggaagcgatc tgcgcattga 720
tagaggtgct gtttgaactg gatgacattt aagcttcctt ctttctccaa gattctgtga 780
ggccatgaag catgctattt catccccact ccaattgctg tctccctggc ctggtgccct 840
taccacctca atcttgggtc actgatctct tttgcaagaa atcagtcctg cctaccacct 900
gcaacttcat cttcctaaaa tgtcactttc cttaaggcct gctctgttca aaggccagtt 960
cccagccaca ccaatgtaaa ctcgtgccga attcgatatc aagcttatcg ataccgtcga 1020
cctcga 1026

<210> 121
<211> 1384
<212> DNA
<213> Homo sapiens

<400> 121
ggcacgagca gttattttca aaatggctat ggaaaacacg taagttttaa aatatgccct 60
ctttctcgtt ttaaaaaatt attactattg tccatacatg ttactctttt catctagatt 120
tatcatgttt ctttggcctc cagtctctgg tgtttgccta agctttatta gagacaggtc 180
atttctacct atgtgtcatt ttatctatgt cttgatctta tgtaattcaa ttgctcttta 240
agattatgtt ctcttctcat gtttggttta tccattatcc aaattttcca tttctttaac 300
ctgttatccc ttgactcttt acagttctac ctttttattc acttagtctt ttacccttt 360
tttattcgtt caccccttt tgttgtttca ggtactcctt acttatctcc ttagcctttt 420
cttcttcatc ttctttctta cttttctcct acttctcatt ttacataata cttacttttt 480
gcttcagtct tcaaccattg tcaatcttgt ttttccttat attccatttt actttctgaa 540
ctactcttta atctcctgtt caacactacc tttccttctt ttttatcccc tcttatttac 600
acggtgatta caacagtttg gtatagtctg atttatctga ttgtaaaatt gatgagttgg 660
atgtaccaaa aatataagga agctaaattc aaagaaggta aaagatttgc ttgtgtcacc 720
tagctggtta attttggcat atgcattgtt tctctacata gtctatgtag tcaaacaggt 780
ttcatttaga aatcattccc cataagaagg gtttcaattt gatttgaaca ggcagagatg 840
gaaaaaattt cctctctgat aactactgct actgttgtat accagtagaa atataacagc 900
agcacttagg ttagaagaag ctcattagct attcagaata aatttcattt ttcttaattt 960
ttggtaatca tatctcagcc tgttgaattt aacttaaact ctgaaagaat tttggttgcc 1020
atttaatttt taggtttcct taatgatagg gacctaataa tttgttttaa aaaatttgtc 1080
ttggctggga gcagtggctc atgcctgtaa tcccagcact ttaggaagcc aacattggag 1140
gattgcatga gcccaggatt tcgagaccag cctgggcaac acagtgaaac ctcatctcta 1200
caaaaagtta aaaaattaac caactgtggt gccacatgcc tgtagtccca gctgcttggg 1260
aggatgaggt gagaggattt cttgagtcca ggagtttgag gctgcagtga gctatgatca 1320
cactcctgct cttcagccta ggtgacacag caggacacta tctttgaaaa aaaaaaaaaa 1380
aaaa 1384

<210> 122
<211> 941
<212> DNA
<213> Homo sapiens

<400> 122
ggcacgagat tttggcaagt gctgttatgt gaacaccacc atcacaatca agatagtcta 60
tagttctagt acccccctgcc ctgaaacttg cttgttctgt ttagtcagct cctctcccca 120
ccaccagccc ttgtcaactg actcattttc tgtctgtata gtttatatca tttccagaat 180
gtcatataaa tggaattcta gagtatgttt cctttggagt cgcacctttc acttaatgct 240
tctgagactc atctgtcttg ttgcatatat cagtacagaa gtcatttctt ttattgctga 300
gtagtaatct gtcatatgga tgttccacag tttgtttatc catttatcac tggtggggat 360
acttgggktt tcagttttca gtgattatga agaaagctgc tgtcaacatt tgcaaacagt 420
ttgtgtgtcc acattgtckt agtaaataac taggagtgga attgccgggt tgtatggtaa 480
cagtatactt atctatgaaa aactgacaga cttttctaaa ataactgtac cattttacat 540
tcccaccacc agtgtatgaa agtcccagtt ccttaacttc actgacaatt ggtatgtcag 600
ggtttggttt catttttatt ttgttgttag gatttcaaag ggttatagcg ggatttcatt 660
ttggttttaa tttacacttc cctaatggcc attgagcatc tccactgctc gtttgctatc 720
catttgccta ttttcttttg tgaactatgt tcaaatcttt tgtccatttt tttaaaacct 780
ggattgtttc ttattgattt ttgagagttc tttatatgtt ctggatagat atctttgtca 840
gttatgtgtt ttgcaaatat tgtataccat tatgtggctt gtgtttttat tccattaaca 900
gtatttttca cacaagaaaa aaaaaaaaaa aaaaaaaaaa a 941

<210> 123
<211> 1715
<212> DNA
<213> Homo sapiens

<400> 123
ggcacgaggg acattggagc tccccacacc actcattgct gcccaccagc tatacaacta 60
cgtggctgat cacgccagct cttaccacat gaagccattg cgaatggccc ggccaggggg 120
cccagaacac aacgagtatg ccctggtgtc ggcatggcac agttctggct cctacctgga 180
ctctgaggga cttcgacacc aggatgactt tgatgtgtct ctgcttgtct gtcactgtgc 240
tgcacccttt gaggagcaag gagaggctga gcggcacgtt ctgcggctac agttcttcgt 300

ggtgctcacc agccagcgag agctcttccc caggctcact gctgacatgc gccgcttccg 360
gaagccaccc agactgcccc ctgagccaga ggctcctggg agttcagctg gcagccctgg 420
ggaggcctca gggcttattc tagcgcctgg accggctcct ctgttcccac cactggctgc 480
agaggtgggc atggcacgag cacggctggc tcagctggtg cggctggctg gagggcactg 540
ccgtcgggac acccttttgga agcgcctctt cttgctggag ccaccggggc ctgatcgact 600
gcggctaggg gggcgcctgg ccctggcaga gctggaggaa ctcctagaag cagtccatgc 660
caaatccatt ggggacatcg acccccagct ggactgcttc ctatccatga cggtctcctg 720
gtaccagagc ctgatcaaag ttctcctaag ccgcttcccc agagctgtcg ccatttccaa 780
agcccagact tgggaactca gtacctggtt gcgctgaatc agaagttcac tgactgctct 840
gcgctagtgt tctggactcc acttaggaaa gacgtctctg aagtggtttt ccgagaagcc 900
cttccagtac agccccagga cacgagaagc ccccctgccc aactggtctc cacctaccac 960
cacctggagt ctgtcatcaa cacagcctgt ttcacccttc tggacccgcc tcctctgaag 1020
ggagtggact ggaccactga atgtcactgt tccttgaatc atgggcctac cagattgcct 1080
gccagaggca ggactgacca gcccttctgg gccccagggc aagccagaca ctgagtgaca 1140
ccaaaggctt tgtaactatg tcttgagggt ctgctgcccc agcctggcag caggaaccgc 1200
cctccccaaa cacccacagc cactgaccca tccaggactc cagagagtca ggtcaacccc 1260
gaggacccct tgggcccttc tggggtactc ctttcggccc ccctggtaga gtctcgggag 1320
ttcacacagg gtggcaaaca ccccctagag ctcctctgcc tgaatcctgc cccctagcct 1380
ttgaccactg tcagccacct gtgtcccttg agccttcggg tcttcacttc ccacttggac 1440
atcactgctg gacattccca tcgagatgac acctgggttc caatcccagc tctgcctttg 1500
aagcacttgc ggccaccgtc aagtcccttt gctctcggac cctgggtttc tcatccttta 1560
atgaggtggg ttcagaagct ctcccatctt cacagcaacc ctggcactgg cttctcaatg 1620
ggagggaagt cagcagagaa actgaagtgt tagacactat gtgtcccacc accccattac 1680
agagacatat gacaatgaaa aaaaaaaaaa aaaaa 1715

<210> 124
<211> 1437
<212> DNA
<213> Homo sapiens

<400> 124
cgcccgacgc cggaactgcg agctctcagc gggagccgag acggtgcagg gccggagaag 60
caccttcact cccagcctgc gccccgatgc tgcgcgttct gtgcctcctg cgcccctgga 120
ggcccccttcg ggcccgcggc tgcgcttccg acggggcggc cgggggctca gagatccaag 180
tgcgcgccct ggcgggtccg gaccaaggga tcactgagat tctgatgaac agaccttctg 240
cccgcaatgc cttggggaat gtcttcgtca gtgagctgct ggaaactctg gcccagctgc 300
gggaggaccg gcaagtgcgt gtcctgctct tcagaagtgg agtgaagggc gtgttctgtg 360
caggtgcaga cctgaaggag cgggaacaga tgagtgaagc agaggtgggg gtgtttgtcc 420
agcgactccg gggcctgatg aatgacatcg cagccttccc tgcacccacc attgcggcta 480
tggatgggtt tgccttgggc ggaggcctag agcttgccct ggcctgtgac ctccgagtgg 540
cagcttcctc ggcagtcatg ggactgattg agaccacgcg agggctcctc ccgggggcag 600
gagggactca raggctgccc cgttgtctgg gggtggccct ggcgaaggag ctcatcttca 660
cgggccgacg actgagtgga actgaggccc acgtactggg gctggtgaat cacgctgtgg 720
cccagaacga ggaggggggac gccgcctacc agcgggcacg agcactggcc caggagatcc 780
tgccccaggc ccccattgcc gtgcggctgg gcaaagtagc cattgaccga ggaacggagg 840
tggacattgc atctgggatg gccattgaag ggatgtgcta tgcccagaat attccaaccc 900
gggaccggct agagggcatg gcagccttca gggagaagcg gactcccaaa tttgttggca 960
aatgaccccc atttaacct tcagcatggg agatgcatgc cctgaagagc aggatccaga 1020
aggaagattt gtggccagat tgccttcatc atttcacctc tccagacttc catttcttca 1080
caaggatgat gatggaaata aaatgactgg cgtgatgcct ggaaccaagg tgctgatcct 1140
accacctact gctaccttcc ttagcttcac cctggctaga aataatcacg agggttgggt 1200
ttgctttgga aaatgcctgt ctctctactt gaatgataaa gaattaaatt agatctctct 1260
gagtcttggt atcattggct ctcagcccct gacctctctc agttatcagg cactcattag 1320
agatgtcaga agattttaag ataccctag tttcttcctg tggaacaaca gaggtaataa 1380
ataaactctg gacatcggtt gaaccagtgt caggggtcag actgcagatc ccagtct 1437

<210> 125
<211> 1816
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (504)..(504)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1405)..(1405)
<223> n equals a,t,g, or c

<400> 125
gcgtggatcc aagatggcga cggcgatgga ttggttgccg tggtctttac tgcttttctc 60
cctgatgtgt gaaacaagcg ccttctatgt gcctggggtc gcgcctatca acttccacca 120
gaacgatccc gtagaaatca aggctgtgaa gctcaccagc tctcgaaccc agctaccttа 180
tgaatactat tcactgccct tctgccagcc cagcaagata acctacaagg cagagaatct 240
gggagaggtg ctgagagggg accggattgt caacacccct ttccaggttc tcatgaacag 300
cgagaagaag tgtgaagttc tgtgcagcca gtccaacaag ccagtgaccc tgacagtgga 360
gcagagccga ctcgtggccg agcggatcac agaagactac tacgtccacc tcattgctga 420
caacctgcct gtggccaccc ggctggagct ctactccaac cgagacagcg atgacaagaa 480
gaaggaaagt gatatcaaat gggnctctcg ctgggacact tacctgacca tgagtgacgt 540
ccagatccac tggttttcta tcattaactc cgttgttgtg gtcttcttcc tgtcaggtat 600
cctgagcatg attatcattc ggaccctccg gaaggacatt gccaactaca mcaaggagga 660
tgacattgaa gacaccatgg aggagtctgg gtggaagttg gtgcacggcg acgtcttcag 720
gccccccca gtaccccatg atcctcagct ccctgctggg ctcaggcatt cagctgttct 780
gtatgatcct catcgtcatc tttgtagcca tgcttgggat gctgtcgccc tccagccggg 840
gagctctcat gaccacagcc tgcttcctct tcatgttcat gggggtgttt ggcggatttt 900
ctgctggccg tctgtaccgc actttaaaag gccatcggtg gaagaaagga gccttctgta 960
cggcaactct gtaccctggt gtggtttttg gcatctgctt cgtattgaat tgcttcattt 1020
ggggaaagca ctcatcagga gcggtgccct ttcccaccat ggtggctctg ctgtgcatgt 1080
ggttcgggat ctccctgccc ctcgtctact tgggctacta cttcggcttc cgaaagcagc 1140
catatgacaa ccctgtgcgc accaaccaga ttccccggca gatccccgag cagcggtggt 1200
acatgaaccg atttgtgggc atcctcatgg ctgggatctt gcccttcggc gccatgttca 1260
tcgagctctt cttcatcttc agtgctatct gggagaatca gttctattac ctctttggct 1320
tcctgktcct tggtttcatc atcctggtgg katcctgktc acaaatcagc atcgtcatgg 1380
tgkacttcca rctgtgtgca gaggnattac cgytggtggt ggagaaatty cctagtctcc 1440
gggggctctg cattcwacgt cctggtttat gccatctttw atttcgttaa caagtgactg 1500
cagcgccaag cggcatccac caagcatcaa gttggagaaa agggaaccca agcagtagag 1560
agcgatattg gagtcttttg ttcattcaaa tcttggattt tttttttcc ctaagagatt 1620
ctcttttag ggggaatggg aaacggacac ctcataaagg gttcaaagat catcaatttt 1680
tctgactttt taaatcatta tcattattat ttttaattaa aaaaatgcct gtatgccttt 1740
ttttggtcgg attgtaaata aatataccat tgtcctacaa aaaaaaaaaa aaaaaaaact 1800
tctcggccgc aaggaa 1816

<210> 126
<211> 776
<212> DNA
<213> Homo sapiens

<400> 126
ggcacgagct gatttctatt tttaggagct acttggattt gtatgtattt tttctacgtg 60
aaaatatatg tactcttcac ttttgttcca gtactataat tgctcatgca ctctttctcc 120
cctttgagaa cattcagtga aatacaactt catcaaagat ttgctcaaag gagaagaatc 180
gcatgagtgt gaaaagtaga tgctcgtagc cagaacagaa aaggttacac atgatcatgg 240
cacagaagat aggaggtttg acttggtggg ccataatgtt tattatcctt tttgaaataa 300
cagggaccag cagcagtttt ctcaggataa atgctctacc ccacttctct atgaacaggt 360
gtggggaggc ttactttcca ttttcatatt tatacacctc tctacaaaag caatttttaa 420
tgaaggttag tggaattgtt aaaaatctga gagggaatga tgactggagg tgttttgggg 480
ttttttttctg tattcatttt ttaatgagaa aagttttaaa tgtagtacag gttagaccca 540
actactacct tactattata ggacgattct atgtttctgt taaagtattc aagtagcttt 600
ctctgggggа aaaagtacca cttggacact taaaggaatt gggatttttg tctactttgg 660
ataaggcagt tgacttctta agtaaaagca atagtgtaaa atgtcatttt gtttggaatg 720

ttaagtgagc aaataaaaaa catgttgaaa ttgtaaaaaa aaaaaaaaaa aaaaaa 776

<210> 127
<211> 406
<212> DNA
<213> Homo sapiens

<400> 127
aggttttcca gaaagttatc agatcttgct ttcctgatta gcagcagtta gcggggtgga 60
taaaagcacc ccttcagagc aatctcattt ccatttcttt caggccactt atttttcca 120
actttttttc cgtatcttca taaatgtttc actcttcttt gttagtattt cttagtctct 180
tgagtcaaga aatatttact gagtatgatt gcatgcataa gtagtgtgcg ttagagatac 240
gatacctgta agacaccaca gtgctgggta gatccgggtg ccattgtctg ttgccagggc 300
cgaagttggc attttgtaag tgttcgaata agcaccatgc cgtgggataa gaaataaaag 360
tgtgtgcctc atctgtaaaa aaaaaaaaaa aaaactcgag gggggg 406

<210> 128
<211> 3102
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (3096)..(3096)
<223> n equals a,t,g, or c

<400> 128
tcgacccacg cgtccgccca cgcgtccggc ccagtagttt ttattgttgg gtttttgaaa 60
aaacctctac caagaatatg gtgtttttttt tgtttgtttg ttttagaaaa attgggattt 120
ccccccaccc cgccccaccc agataaacta tatctacact gtctcgtcaa gttctctgac 180
acgatctttc tgggctctac atttcctact agtttgtgtc cagaaactgc aagttgacat 240
gaatagagga caaaggttgt gtcttgcttt tgtctctctc ttccctccct gcaactctct 300
ckssectcct cccactctct tcccctcccc cctcctccca ctgtctctca cctcccccac 360
cccccactct ctctcatctc tcgctgtgtc ctgtgtatgt gtgggtgtgt gtgtatttgg 420
gtgtgtaaat gttggttctt ccactactgg attttgtaat ctaggataaa tcacttttt 480
tggggacttt gattttgctc cattacgttt tcatttttc tgagcactga ctgttctgaa 540
agctgcacaa aacgtagaaa gaagacatag cgcctgccag ggaataggaa atgagggcac 600
ttacacatta atgtgaatta gtaattgtgg tatagaaatg ttttatagtg aaagattcaa 660
atttgctttt caagaaaaat gccaaaagct atttaaataa ttcgaggtta catcgtargt 720
tttgattttt ctcaatttaa gatacagaaa tacagcaagc cttaatataa agtttcctaa 780
agtttcttca agtatttttt aaggtggaga aatgcaggaa ttgtataacc agaattgttt 840
ctgcctttag cttttcagaa cttgagatgt ggcagcactg gactgggttt ttttaaatgt 900
taggactagg aatgtttgct cttgttaatt atgaattaat tgattattaa gtttagaatg 960
cattttaca agtatctaac tatcaaattg tgtttagtaa cttgagtgta tgcacaagtt 1020
tgatcaacag caaaatagag ttctgaattt cttttaaagt gatgatatat tattttgtga 1080
aactttgtgt ttgaaaatgt ttatttctgt ttatggtgta atcattctga ggtgaggctt 1140
ttcttatttc ctttgcattt tgctagagct gtgctgagtt cagcatttgc ttatttaacc 1200
actacataat gacagaccag ttattaggta ttagcatgtg tggtaataat aatagtggaa 1260
cttcacactt acatcaattc agtgcagggg catagaataa aatattaaat attggcagat 1320
gtatgaaaag aagtgtgagt taaaaatatt gaatattggc aggtgtgaaa acaagtgtca 1380
aaattcctca tatagagaaa ataattttga gtttagagta ttatctttta attaagtgta 1440
gtctaaactt aactttctgt aaaggcactt tgtggttttty ccaaagatgt tctagatcta 1500
tttggttgct ctatagtcaa acagctcttt tgaagacaac tgtcttattt tattacaaat 1560
tggcttgaca tatyyatact gtaacattgt aatattgctg tgctgtacat tttggccctt 1620
ackaaatacg tctttttcag aactgttaaa gttttgatgt acatcragct gaattctgtt 1680
tttaccagtt tcaaaacctt caagtgatat gtggaaaaaa gtgaatgaga cctctgatag 1740
ggggttttca gaaccttgtt cacaccaaaa tgtgacagtt ctttcatgtt ttcctaaacc 1800
aagttaaaat tacatgtata ttttggtgtt aaggttgatt tttaagatac ttctgatttg 1860
tacaaaagga atgtttcctt tataaatcac agaagaaaat gacaatatct gttggatatt 1920
tgatataatt taatggtgtt ataaaacctt taagaggatt catggtgaat atatgtgata 1980
acatctttat actttgaaaa atgttccact tacccttcag atatttgttg taagttaatt 2040

caattcttaa tactttaatt ttgctccaac aagggcttta tgttgctggt aagagaattt 2100
atttactaaa tgcactatgt ataaagtgaa agatagttta cttatctgac tttgatatta 2160
gatggctgac attagtgcac ataatgcaga gtttaacctt gattcttcaa cagagtccag 2220
atttaaatgt ctacttagtt aattagttag ctgatattct tccacaatta atatattcaa 2280
tttcccatca gtatatcact ttaaatttta tgtttttcta aggaaacttt ccacagaatt 2340
ttaaacaact gatgcatcca tactcagggt gtagggagaa tactttgcat ttaaaaaccc 2400
tgtccacctg tcaccagcac aagagaatta gagcttcagt gagaatttag aaaaattata 2460
ctaaagtgag atgcattttt tctcattttc agcaagactc ctctaagcat ttactcattt 2520
actgtattcc tgctctgaag atgtggatac agaattagtc actcttgtca ctttatttat 2580
ttattggttt ttttttaacc atctgtgtac attcctttca tagggtagag ttctagttct 2640
agaagttctt attttgtttt tgttgtaatg tttgaatact atttaatatc cggttttaat 2700
attgctggat ttgctacctt tggttacttg tgcagtgtta aaagtaatcc actttcttgt 2760
ttaatatacc agatacatag caaaagcagc ttggaataat tatagctgtt tatttggctg 2820
tgctcagtta ctatattaag atcttgtact gtgtaacagt aactcttttt tgcttttcag 2880
taatttaata tgttcactta acaaaatacg aactttgaga tgcactaaag ttttgtttca 2940
gcagtggctc aaaaaatttc agaaattact tttgtaatta tttgcaatta attgttcttt 3000
tatcttacaa ttgtttaagc ctgtgatctt tcttctccca gctaagagtt cttcaataaa 3060
tttaagaaat acaaaaaaaa aaaaaaaaaa aaaaanaaaa aa 3102

<210> 129
<211> 1155
<212> DNA
<213> Homo sapiens

<400> 129
ccgggtcgac ccacgcgtcc ggtgagtgca ctctaggatg ttcacatgat gacaaaatca 60
cctaacaatg tagacgcttc agaacatata ccctttgtta atcgatgcat cactgtatat 120
atgtgtgtat atacacacat atatgtacat atatttaata catttgtgta tgtgtgtgta 180
tatatatata tatatacttc tcattattta tactctagac ccagagcctc ctagctggtc 240
tccaaaattg gactctcatc tctctttgag acagccttca aatgatcgtt tttaaagtgc 300
taattaactc ctcttctcaa aatgcttcaa tggcccacta atctctaccg aatcaaggaa 360
ttcagccata ctgtcccaag atatctttcc ttggccagtt ggagcctcat ttcagctgct 420
ctgggtttat cccctgtctc ttctttccca cttccaagcc tgtgctcagc ccacctcctc 480
ttctggggat gccccacacc ccactctgcc atatctgcca aacctttcat ctccccgtga 540
agctcttgac accaaataca gtttacttta gaaaatgtat tttttccact ttctcaacta 600
aacttttcct tgtgtgatct gcttttccgc tgccaaggca catcgttttt aattctctac 660
agcactgctc atatcttgcc cagtattata gcttctacat attggtcttg cttcttattt 720
ttgagcacaa aaactaagcc actccacttt ctcttaccag tgaatccagc ttaaaaaaac 780
tgtgagcaac ctatcagtat tttgttgaca tgaactctat agaaacctta gtccctggat 840
cttcgactct gcctcccctg acatttatct gctcccacaa agcacgcagg tgtgggaaga 900
gaagtggctg ttttttgagg tcacatttca gccctgattc atcctaatgt cttcaccctt 960
tttatccttt ggscactgtg tycctagaga tgtgaattca attccgcacc attctctcct 1020
ttacaatgat gccaatattc tcaggctttt aagactaaat tttaaattac gagaaaattt 1080
gatcttcaaa cttaagttgg acctagaaag aacaatctca tgaactcaaa aaaaaaaaaa 1140
aaaaaaaaaa aaaaa 1155

<210> 130
<211> 1459
<212> DNA
<213> Homo sapiens

<400> 130
acgcgtccgg cgtctgcagc tgcaggggag gaggactggg tccttccctc tgaagttgaa 60
gtgttggagt ccatctatct agatgaacta caggtgatta aaggaaatgg cagaacttca 120
ccatgggaga tctacatcac tttgcatcct gccactgcag aggaccagga ttcacagtat 180
gtctgcttca ctctggtgct tcaggtccca gcagagtatc cccatgaggt gccacagatc 240
tctatccgaa atccccgagg actttcagat gaacagatcc acacgatctt acaggtgctg 300
ggccacgtgg ccaaggctgg gctgggcact gccatgctgt atgaactcat tgagaaaggg 360
aaggaaattc tcacagataa caacatccct catggccagt gtgtcatctg cctctatggt 420
ttccaggaga aggaggcctt taccaaaaca ccctgttacc actacttcca ctgccactgc 480
cttgctcggt acatccagca catggagcaa gagctgaagg cacaaggaca ggagcaggaa 540

caggaacggc agcatgctac aaccaaacag aaggcagtcg gtgtgcagtg tccagtgtgc 600
agagagcccc tcgtgtatga tcttgcctca ctgaaagcag cccctgaacc ccaacagcct 660
atggagctgt accagcccag tgcagagagc ttgcgccagc aagaagaacg caagcggctc 720
taccagaggc agcaggagcg gggggaatc attgaccttg aggctgagcg aaaccgatac 780
ttcatcagcc ttcagcagcc tcctgccccg gcggaacctg agtcagctgt agatgtctcc 840
aaaggatccc aaccacccag cacccttgca gcagaactat ccacctcacc agccgtccaa 900
tccactttgc cacctcctct gcctgtggcg acccagcaca tatgtgagaa gattccaggg 960
accaggtcaa atcagcaaag gttgggcgaa acccagaaag ctatgctaga tccccccaag 1020
cccagtcgag gtccctggcg acagcccgaa cggaggcacc cgaagggagg ggagtgccac 1080
gcccctaaag gtacccgtga cacccaggaa ctgccacctc ctgaggggcc cctcaaggag 1140
cccatggacc taaagccaga accccatagc caaggagttg aaggccccca caagagaagg 1200
ggcctggcag ctggcagggg cccccacccc gcaggactcg ggactgtgtt cgctgggagc 1260
gctctaaagg ccggacaccc ggttcttcct accctcgcct gcctcggggc cagggagcat 1320
accggcctgg tactcggagg gagtccctgg gcctggaatc taaggatggt tcctagcagg 1380
acttggtggg gggaacaggg aattggggat gggagggagg caataaagat atttggcctt 1440
caaaaaaaaa aaaaaaaaa 1459

<210> 131
<211> 870
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (743)..(743)
<223> n equals a,t,g, or c

<400> 131
ggcacgagca gatattaaat ctcacagaaa ggtgttcctt attaatcttt acaaaattgt 60
catttccccg gtgaagccaa tttacattaa aaataatgtt cagaaaatgc tgctgcctgc 120
tttctctcct cttttaccca ccccttgttc tcccagcaat cttcgccctg tatgtttatg 180
tggacaattt ctattgtaac attctccatt ccattaactc tgcctcttcc tctgaggggg 240
gaaaataaaa ccctaaatgg ctctaatagt tatgtatttt attttgtctc agaggtttcc 300
aaacttctgc ttttagcttc cttttcactg ggacaaatgg atgtaagtta ttttccagtt 360
tcctgaaaaa taatcaggga ctatttttctt catctatctc aggtgcttca tgagtttcct 420
aagatattaa ttacggtttc catacattca gaatcaaggg actcacggat atggtactgt 480
gttcactgct acacagagtt tttctagaaa aaaaaattct ttatttttat cttctatttg 540
tatccaaacg atggtaaaac aaaattcctc tttagctagg tactgggatt ttttctttag 600
gaaatactaa tagagttaca aaggttagct tataggtaga caaaagactg gcggccaaac 660
agagcagtgg gtgaaatggg tccctgggtg acatgtcaga tctttgtacg taattaaaaa 720
tattgtggca ggattaatag canaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 780
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 840
aaaaaaaaaa aaaaaaaaaa aaaaaaactc 870

<210> 132
<211> 1835
<212> DNA
<213> Homo sapiens

<400> 132
ggcacgagag ccgccctggg tgtcagcggc tcggctcccg cgcacgctcc ggccgtcgcg 60
cagcctcggc acctgcaggt ccgtgcgtcc cgcggctggc gcccctgact ccgtcccggc 120
cagggagggc catgatttcc ctcccggggc ccctggtgac caacttgctg cggtttttgt 180
tcctggggct gagtgccctc gcgccccccct cgcgggccca gctgcaactg cacttgcccg 240
ccaaccggtt gcaggcggtg gagggagggg aagtggtgct tccagcgtgg tacaccttgc 300
acggggaggt gtcttcatcc cagccatggg aggtgccctt tgtgatgtgg ttcttcaaac 360
agaaagaaaa ggaggatcag gtgttgtcct acatcaatgg ggtcacaaca agcaaacctg 420
gagtatcctt ggtctactcc atgccctccc ggaacctgtc cctgcggctg gagggtctcc 480
aggagaaaga ctctggcccc tacagctgct ccgtgaatgt gcaagacaaa caaggcaaat 540
ctaggggcca cagcatcaaa accttagaac tcaatgtact ggttcctcca gctcctccat 600
cctgccgtct ccagggtgtg ccccatgtgg gggcaaacgt gaccctgagc tgccagtctc 660

caaggagtaa gcccgctgtc caataccagt gggatcggca gcttccatcc ttccagactt 720
tctttgcacc agcattagat gtcatccgtg ggtctttaag cctcaccaac ctttcgtctt 780
ccatggctgg agtctatgtc tgcaaggccc acaatgaggt gggcactgcc caatgtaatg 840
tgacgctgga agtgagcaca gggcctggag ctgcagtggt tgctggagct gttgtgggta 900
ccctggttgg actggggttg ctggctgggc tggtcctctt gtaccaccgc cggggcaagg 960
ccctggagga gccagccaat gatatcaagg aggatgccat tgctccccgg accctgccct 1020
ggcccaagag ctcagacaca atctccaaga atgggaccct ttcctctgtc acctccgcac 1080
gagccctccg gccaccccat ggccctccca ggcctggtgc attgaccccc acgcccagtc 1140
tctccagcca ggccctgccc tcaccaagac tgcccacgac agatggggcc caccctcaac 1200
caatatcccc catccctggt ggggtttctt cctctggctt gagccgcatg ggtgctgtgc 1260
ctgtgatggt gcctgcccag agtcaagctg gctctctggt atgatgaccc caccactcat 1320
tggctaaagg atttggggtc tctccttcct ataagggtca cctctagcac agaggcctga 1380
gtcatgggaa agagtcacac tcctgaccct tagtactctg cccccacctc tctttactgt 1440
gggaaaacca tctcagtaag acctaagtgt ccaggagaca gaaggagaag aggaagtgga 1500
tctggaattg ggaggagcct ccacccaccc ctgactcctc cttatgaagc cagctgctga 1560
aattagctac tcaccaagag tgaggggcag agacttccag tcactgagtc tcccaggccc 1620
ccttgatctg taccccaccc ctatctaaca ccacccttgg ctcccactcc agctccctgt 1680
attgatataa cctgtcaggc tggcttggtt aggttttact ggggcagagg atagggaatc 1740
tcttattaaa actaacatga aatatgtgtt gttttcattt gcaaatttaa ataaagatac 1800
ataatgtttg tatgaaaaaa aaaaaaaaaa aaaaa 1835

<210> 133
<211> 407
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (352)..(352)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (376)..(376)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (378)..(378)
<223> n equals a,t,g, or c

<400> 133
ctttctgggt ttagggaagt ggtggacaag gcaggagaga accacattca tcttctcctc 60
ttgtgtttgt cttctgtctt tcaataacgt ccatgaactg tgaggttagt gtcttggctg 120
agagataagt awggctkggc atkgattctt ytgtkgtwac ctcaagctgt tttctagtcc 180
ccaagaacag caytytcagt gggtgtggaa gtgggcggga catgaagcaa tggttttaca 240
ttgcattgcc tggctacags ttggcatttc tttccttttt ctttttcttt gcgtcattgc 300
cattggtgcc actaattttg cttcccctyt cttttataaa cttgtttcct cnggagttgc 360
ctaagagtcc tgcatnanaa cctaattggg aatgaagcag tgtgttc 407

<210> 134
<211> 711
<212> DNA
<213> Homo sapiens

<400> 134
ggcacgagcg aagaccctgt tcggaccctg ccccgattcc agactcaggt agatcgtcgg 60
cataccctct accgtggaca ccaggcagcc ctggggctga tggagagaga tcaggtatcc 120
cccagggagt aggggctacc ttgaggggat gatagacctc ccccactccc agtgkkactc 180
tggaaatatg aaggaactag ggagtggaag agatttcaga gctggggaga ggagttcctc 240
ccttcaaagc cagcaactgc ctttggggaa tgtcgggggg tctctccttt ctcctgcttg 300

tgtkargtgg tacacagtcc ccccttcacc tggcgggaag ctgtcccgga cagactcatc 360
tcagctttcc cttggggcag gatcgggggc agcagctcca gcagaaacag caggatctgg 420
agcaggaagg cctcgaggcc acacaggggc tgctggccgg cgagtgggcc ccacccctct 480
ggragctggg cagcctcttc caggccttcg tgaagaggga gagccaggct tatgcgtaag 540
cttcatagct tctgctggcc tggggtggac ccaggacccc tggggcctgg gtgccctgag 600
tggtggtaaa gtggagcaat cccttcacgc tccttggcca tgttctgagc ggccagcttg 660
gcctttgcct taataaatgt gctttatttt caaaaaaaaa aaaaaaaaac t 711

<210> 135
<211> 890
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (818)..(819)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (829)..(829)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (859)..(859)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (887)..(887)
<223> n equals a,t,g, or c

<400> 135
cttgtaaatg tttcttttcc cttaaataca gataattcat ttgtattgct tattttatta 60
tgagctacaa caaaaggact tcaggaacaa gtaatgtatt agtatggttc aagattgttg 120
ataggaactg tctcaaaagg atggtggtta ttttaaatat aaatagctaa tgggggtggt 180
aggcctataa aattaaatgc cttgtataaa atccaaaatg aatgcaaaat tgttttcact 240
tgtattgact ttatgttgta tgattccaat ctctgttctg tttggcactt gtatttaatt 300
cttcaccttt gtaagacatt tgtatattgt ggatgtgttc attcaagcta tttaatatct 360
ggcactgtta atacacagta ctttattgta cagactgttt tactgtttta attgtagttc 420
tgtgtacttt ttttggatgg ggctggcatg ttttctttgt ttcctggcaa tacgacgtgg 480
gaatttcaat gcgttttgtt gtagatgcta acgtgtcaga atcctttaca ttcaactttt 540
ctaagaaaag cattttcagt cttgtagtgt gtgcttacag taactaattt tgttgaaaat 600
ggtttcaagt tattcaaatt tgtacaggac tgtaaagatt tgttgacagc aaaatgttga 660
agaaaaaagc ttatagaata aaagctataa agtatatatt aggatctgca aacaatgaag 720
aattatgtaa tatattgtac aaatgtaagc aaaggctctg aaataaaatg ccatagtttg 780
tgaaaaaaaa aaaaaaaaaa actcgagggg gggcccgnna cccaatcgnc caaaagtgag 840
tcgtattaca attcactgng ccgtcgttta caacgtcgtg actgggnaaa 890

<210> 136
<211> 1161
<212> DNA
<213> Homo sapiens

<400> 136
ggggaaacgg agctctgggt gtgatatttc ctctgcattt tcctgtcggg gtggtgaaat 60
aactggtttg aacccagtcc actggactcg aaagctcatg ctcagaagcc ccagggctcc 120
ctctaacttt cttggttgct gcaactcaga gagcgctgga atggacccag ggcatgctcc 180
tcatctcagc ggttcaggtt ttcattcttc tatctccatc cttctattta attctgtact 240
tactaagacc tgggggtaca gggaggggct tggagcctat ttgcccagct gctgaatggg 300

gaggttggag agatggatac ttatggctcc agtaccagga gccaactgtt tcccttgaca 360
actggggaaa ctgaggccca cagagccaag gccacttgcc cgtggttacc taaagatgtt 420
aacgagaaat ccgggtctgg aactcagatc cctttgtatc ctgtttcggt gttggtgtag 480
tttgttgctt tccctaagat gagcccagat agggaaactg aagtgcctgg gstcctggtt 540
gggtcttctg cggggagaga atggcgattc aactcccgtg tactgttgaa cttgacacaa 600
acacgctcac atcccaggct gcatacgtgt tttgctttag aaatgacatg aagccttttg 660
actattttta agagaaaggc aatggctgtg atatttcccc tgcacctccc tctcggggcc 720
acttggttaa atgtcaggaa agggagagta tttcctggtc aggaacattc agagcttgct 780
gggagctgaa gttttgtttt ccattaagta ggtattcggg gagtctattt ccctctgcct 840
cctctgtttc cctggaarct tgcgcttgac agttgcaggg aggaggggtt tgagaatgag 900
cagccgagat gcccacgtat cgcgtgcccg ctctaggagt ggcggggtgg ctatttttag 960
ccatcctgat tcagtagagg catttcagcg tttgttcaat atttaattat ccatctgaaa 1020
ttggcccatg tggccttcag tttggaagca gctctctgtg ctgtgatttc ccagttgcat 1080
aaataaggaa gtcaagggaa tctcaatagc cctccaaata ataataacga aaaaaaaaaa 1140
aaaaaaactc gacggcacgt a 1161

<210> 137
<211> 2152
<212> DNA
<213> Homo sapiens

<400> 137
ccgctttgtt ctccagatgt gaatagctcc actataccag cctcgtcttc cttccggggg 60
acaacgtggg tcagggcaca gagagatatt taatgtcacc ctcttggggc tttcatggga 120
ctccctctgc cacatttttt ggaggttggg aaagttgcta gaggcttcag aactccagcc 180
taatggatcc caaactcggg agaatggctg cgtccctgct ggctgtgctg ctgctgctgc 240
tgctggagcg cggcatgttc tcctcaccct ccccgccccc ggcgctgtta gagaaagtct 300
tccagtacat tgacctccat caggatgaat ttgtgcagac gctgaaggag tgggtggcca 360
tcgagagcga ctctgtccag cctgtgcctc gcttcagaca agagctcttc agaatgatgg 420
ccgtggctgc ggacacgctg cagcgcctgg gggcccgtgt ggcctcggtg gacatgggtc 480
ctcagcagct gcccgatggt cagagtcttc caatacctcc cgtcatcctg gccgaactgg 540
ggagcgatcc cacgaaaggc accgtgtgct tctacggcca cttggacgtg cagcctgctg 600
accggggcga tgggtggctc acggaccccc atgtgctgac ggaggtagac gggaaacttt 660
atggacgagg agcgaccgac aacaaaggcc ctgtcttggc ttggatcaat gctgtgagcg 720
ccttcagagc cctggagcaa gatcttcctg tgaatatcaa attcatcatt gaggggatgg 780
aagaggctgg ctctgttgcc ctggaggaac ttgtggaaaa agaaaaggac cgattcttct 840
ctggtgtgga ctacattgta atttcagata acctgtggat cagccaaagg aagccagcaa 900
tcacttatgg aacccggggg aacagctact tcatggtgga ggtgaaatgc agagaccagg 960
attttcactc aggaaccttt ggtggcatcc ttcatgaacc aatggctgat ctggttgctc 1020
ttctcggtag cctggtagac tcgtctggtc atatcctggt ccctggaatc tatgatgaag 1080
tggttcctct tacagaagag gaaataaata catacaaagc catccatcta gacctagaag 1140
aataccggaa tagcagccgg gttgagaaat ttctgttcga tactaaggag gagattctaa 1200
tgcacctctg gaggtaccca tctctttcta ttcatgggat cgagggcgcg tttgatgagc 1260
ctggaactaa aacagtcata cctggccgag ttataggaaa attttcaatc cgtctagtcc 1320
ctcacatgaa tgtgtctgcg gtggaaaaac aggtgacacg acatcttgaa gatgtgttct 1380
ccaaaagaaa tagttccaac aagatggttg tttccatgac tctaggacta cacccgtgga 1440
ttgcaaatat tgatgacacc cagtatctcg cagcaaaaag agcgatcaga acagtgtttg 1500
gaacagaacc agatatgatc cgggatggat ccaccattcc aattgccaaa atgttccagg 1560
agatcgtcca caagagcgtg gtgctaattc cgctgggagc tgttgatgat ggagaacatt 1620
cgcagaatga gaaaatcaac aggtggaact acatagaggg aaccaaatta tttgctgcct 1680
ttttcttaga gatggcccag ctccattaat cacaagaacc ttctagtctg atctgatcca 1740
ctgacagatt cacctccccc acatccctag acagggatgg aatgtaaata tccagagaat 1800
ttgggtctag tatagtacat tttcccttcc atttaaaatg tcttgggata tctggatcag 1860
taataaaata tttcaaaggc acagatgttg gaaatggttt aaggtccccc actgcacacc 1920
ttcctcaagt catagctgct tgcagcaact tgatttcccc aagtcctgtg caatagcccc 1980
aggattggat tccttccaac cttttagcat atctccaacc ttgcaatttg attggcataa 2040
tcactccggt ttgctttcta ggtcctcaag tgctcgtgac acataatcat tccatccaat 2100
gatcgccttt gctttaccay tctttccttt tatcttatta ataaaaatgt tg 2152

<210> 138
<211> 1002

<212> DNA
<213> Homo sapiens

<400> 138
ggcacgagcc cagcggaagc caagccacca ggccccccag cgtccacgcg gagcatgaac 60
attgaggatg gcgcgtgccc gcggctcccc gtgccccccg ctgccgcccg gtaggatgtc 120
ctggccccac ggggcattgc tcttcctctg gctcttctcc ccacccctgg gggccggtgg 180
aggtggagtg gccgtgacgt ctgccgccgg agggggctcc ccgccggcca cctcctgccc 240
cgtggcctgc tcctgcagca accaggccag ccgggtgatc tgcacacgga gagacctggc 300
cgaggtccca gccagcatcc cggtcaacac gcggtacctg aacctgcaag agaacggcat 360
ccaggtgatc cggacggaca cgttcaagca cctgcggcac ctggagattc tgcagctgag 420
caagaacctg gtgcgcaaga tcgaggtggg cgccttcaac gggctgccca gcctcaacac 480
gctggagctt tttgacaacc ggctgaccac ggtgcccacg caggccttcg agtacctgtc 540
caagctgcgg gagctctggc tgcggaacaa ccccatcgag agcatccgct cctacgcctt 600
caaccgcgtg ccctcgctgc ggcgcctgga cctgggcgag ctcaagcggc tggaatacat 660
ctcggaggcg gccttcgagg ggctggtcaa cctgcgctac ctcaacctgg gcatgtgcaa 720
cctcaaggac atccccaacc tgacggccct ggtgcgcctg gaggagctgg agctgtcggg 780
caaccggctg gacctgatcc gcccgggctc cttccagggt ctcaccagcc tgcgcaagct 840
gtggctcatg cacgcccagg tagccaccat cgagcgcaac gccttcgacg acctcaagtc 900
gctggaggag ctcaacctgt cccacaacaa cctgatgtcg ctgccccacg acctcttcac 960
gcccctgcac cgcctcgagg gggggcccgg tacccaattc gc 1002

<210> 139
<211> 1113
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (349)..(349)
<223> n equals a,t,g, or c

<400> 139
gttggtgttg agcacagctt taggcttaga ttcttcatca actaggagaa gctgtgcttc 60
aatacagtta ttcgtttgca tggttcctaa tgtgcttcac tcaatttagc agaatttttt 120
ttttaacctc ttccttgacg ctagctgctt gtgcaaatca catcttggcc gcctactctt 180
cttcacttgc tgacagatgt gtaggtgaga aaagtctcat agtcattgtt cctgaaagaa 240
gcttccagac ccacttctag ggccagtgac atatgcagga aatcagctgc ttctgggcca 300
ggacagagct ggtctttttt ttagtggggg atggcgggca gtggggcang ggacattcaa 360
aatttatttt ccaacagaca gatagcatca gcaggtacaa ctacaagggt atctacatag 420
atcatacatt cacaaggcat tattagttca acagtgagaa agccactcgt gggttttctg 480
taacaatatc ccacttcata gtgtaaacag gtactatttt gttcacttac aattccggaa 540
ggaagggcac accttgcagg ggggaagaaa aggggaatcc taaagtaagg tgcaacaatt 600
aagagacaac actttggcta acaatcttgg atccacattt cagtcagggc cttccacata 660
gaggggaaag acttttctct cagaagttag aatctttctt cctccttttct tgttaaactg 720
agagcagtgt tttgtttgct caatattaca tgtacaaaag gagattagaa gaaaatgcat 780
cacaaaacca tcttgaacgt tcagctcttc ctgccaatac atcacaactc ttaggtttta 840
gacggggcct gggaatacgt aagtgttttt tctttttttt ttttttaagt gaaagcaagt 900
ttattacgaa agcaaaggga taaaagaatg gctgctccat aggcagagag cagcccagta 960
atcttaaaat aggaaaatag acactatggc tacaaaaaat aaaaaataaa tgaggtagat 1020
aaaattttca cacccaggac ttgcctgttc caacttcata gtcttcatga aatattcatc 1080
aagaagacaa aaaaaaaaaa aaaaaacctc gta 1113

<210> 140
<211> 1668
<212> DNA
<213> Homo sapiens

<400> 140
aatttcgaac acccataaaa ttgtaaagaa ttgtacagta cattttaaca tattkgcttg 60
ttacaaycta tacatttwaw gttttttaac cacttcaaag taagtttcag acaccaacac 120

atttttaaa tgatccctac catttttaa atgatcccta ccaaaatgga aggctggtat 180
cccaaggttt tgttccattt ctcaattcta gtctgtgaaa ttgargtctg atgaccactc 240
ttaagrgggc tgttcattag ggkgcgggct gggcattatg agtgtgtttt tcatgagkca 300
gtggaaggag gggcttgttg tgagcagtgc atgagaaaaa cggcttggct ttgcttcttt 360
ttccagctct gtggccttgg tcaggttacg tctcttcagt atcgtaactg taatgtggag 420
ataaagcctt cattagttag gggcacacac cgcagtattc cttaagtcat cttgatgaca 480
agtgaatgca aggcagctgg tacctttcag gtagtagttg aattcaggta gtattgttca 540
gtttttttt ttcccttcat gttctaagac cagctgagag gcaaagttgt accactgagc 600
tctagttgtt gttacctaaa aagsccttgt tttaaatttc tgtgatacct aagaatttca 660
aatctgggtt gtcatggatt ctttattctt ttttctccc ttaaaaagtt acattttaga 720
tgaaatcccc tttyttaaaa tgggcaaagc aataattcta catcatttct ccccttccct 780
tccacttgtt tagactaaga tatgttagag agggaaaggg tcgttgtttt agtaaatact 840
attgctgttg acatgttaat actattgctg ttgacatgtt tactgatggg ctgtgttcca 900
taattttgtt ttaggtcttt tgtttgaaac agtttactgt ttttatcagt tttggtccct 960
aatttttcct aacctacagt ttttctctga gtacatatgg tttcattgtt tgatctactt 1020
tctatctatc tgaatatgaa cttctaggat catgtttatt ctagtagatg atgacttaaa 1080
gcctgcagta taggagggac aacgtcaact actgcatgtg caataacaag cttgaaggga 1140
agctaaatgt ttgttacaaa tttaagacag tattttaatg ccgtttgcat ttttctaaga 1200
attttctata aagctaattc tgktatttt tgtctctaaa ttagggaact gtccaggttt 1260
attgctgccg ggagactaca ctgcaaaata gataaagtga atgaaatagt agaaaccaac 1320
aggtactctc atttctcaga ataaggggc attcctaaat tttaaaagta ggkcaactat 1380
tgkcatggaa taatgtgact ggtaaataat tcatttttc ttgaatttat ttatagacct 1440
gatagcaaga actggcagta ccaagaaact atcaagaaag gagatctgct actaaacaga 1500
gttcaaaaac tttccagagt aattaatatg taaagccatg taactaacaa aggatttgct 1560
ttagagataa ttatttggaa tttttatagc ttacttcaca atgtgcccag gtcagctgta 1620
taaaataaat actgcattgt tgttaaaaaa aaaaaaaaaa aactcgta 1668

<210> 141
<211> 1555
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1248)..(1248)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1389)..(1389)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1391)..(1391)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1393)..(1393)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1396)..(1396)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1551)..(1551)
<223> n equals a,t,g, or c

<400> 141
ggcacgagct gggcagatgc aaaatctgga gagcgcgagg gccgggcggt cagtcagcac 60
ccagactggc agcatgaccg gtcagatacc aaggctttct aaagtcaacc ttttcactct 120
gctcagcctc tggatggagc tctttccagc agaagcccag cggcaaaaat ctcagaaaaa 180
tgaagaggga aagcatggac ccttaggaga taatgaagag aggaccagag tatctactga 240
caaaagacag gattactggg agcagctaag atgcctarat gaaaggttta ccatcactgc 300
tggttaggaa atggattatg agaactcgaa cagagggaag gtgaaatgca accggaggaa 360
acactctgat atgaggtttg aggccttcaa aattgctttg cagcataagc cacagtgagt 420
caggagtacc agggagtgga tagaatgttt atttgtttaa ctgagacttt ttagttcatc 480
aattattttg aagggtagaa cactctgtgg gctctctttc tatttccttc tgggtacaat 540
cacaaaaaaa aaatctctcc tagctgaaat tacatgcagt actagcaaag ggtctctttg 600
ttataaactg ttcattaatt gacgaacatt tgtgtactta actatgtata aggcatctca 660
tcgttcaatt tcaaatacaa attaaaatat tttttcacat ttgttatcct gttatgtttt 720
ctcttttaca aattgtctgt tcgtatcttt ttgtctctct ttaggcctta ttcttgtcaa 780
ttcatatgtg ctctaatgaa ttgaaatatt ttctgtatat taaacattac taacctttcc 840
tctgtcacac tgattgaaaa atgatctatt tagtttgttg ttttgtcttt aattttgtaa 900
gctttaaaaa gttaatattg cccttcagac accatcccaa catcacataa gaatttttc 960
atgttataaa ttctttgtgg acatatttga taactgtttt attatgagga ggaccataat 1020
taattcaacc attcccctat tttggtcatt taggtttttg ggtttgggtt ttttgtttgt 1080
ttaacgtctt tgcttgctat tttaaagaat gctgcactaa atgtgaatgc ttgagatttc 1140
ttctctgtat ttagaatatt ttcctagaat ggattctcag aagaattctc agtctgtgga 1200
gaggaacatt tttaatgcat ggaagagctg gagtgaaccg aatttcanac tgccctgctg 1260
atccagaaat aagtttgctt acggaggctt ctagttctga agatgcaaag ttagatgcca 1320
aagcagtgga aagattgaag tcaaacagtc gggcccatgt gtgtgtctta cttcaacctt 1380
tggtgtgtna nanggngcag tttgtagagg agacctctta caaatgtgac tttattcaaa 1440
aaattacaaa aacattgccg gatgctaaca ctgactttta ttatgaatgt aaacaagaaa 1500
gaataaaaga atatgaaatg ttaaaaaaaa aaaaaaaaaa aaaaaaaaaa naaaa 1555

<210> 142
<211> 575
<212> DNA
<213> Homo sapiens

<400> 142
ggcacgagtg caggaattcg tgtgccggat ttggttagct gagcccaccg agaggcgcct 60
gcaggatgaa agctctctgt ctcctcctcc tccctgtcct ggggctgttg gtgtctagca 120
agaccctgtg ctccatggaa gaagccatca atgagaggat ccaggaggtc gccggctccc 180
taatatttag ggcaataagc agcattggcc tggagtgcca gagcgtcacc tccaggggg 240
acctggctac ttgcccccga ggcttcgccg tcaccggctg cacttgtggc tccgcctgtg 300
gctcgtggga tgtgcgcgcc gagaccacat gtcactgcca gtgcgcgggc atggactgga 360
ccggagcgcg ctgctgtcgt gtgcagccct gaggtcgcgc gcagcgcgtg cacagcgcgg 420
gcggaggcgg ctccaggtcc ggaggggttg cgggggagct ggaaataaac ctggagatga 480
tgatgatgat gatgatggaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 540
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaa 575

<210> 143
<211> 1532
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1412)..(1412)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1433)..(1433)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1446)..(1446)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1505)..(1505)
<223> n equals a,t,g, or c

<400> 143
gctggagcgg tttcattgcc tacattccgc attggaaaat agaagcaggc acaatgaagg 60
gaaaaggccg aggcatcagc gtgtgaagac cgcaaagacg atcccgagta cagttgtgaa 120
cagcattgct gctaggctcc tcctgcagat catctgaaat gaacctctct tattgatttt 180
tattggccta gagccaggag tactgcattc agttgacttt cagggtaaaa agaaaacagt 240
cctggttgtt gtcatcataa acatatggac cagtgtgatg gtgaaatgag atgaggctcc 300
gcaatggaac tgtagccact gctttagcat ttatcacttc cttccttact ttgtcttggt 360
atactacatg gcaaaatggg aaaggtaagg aaaatgactc ggaaaatgtg catgaaatgt 420
actagggttt ttgcttggtt aaggtgccta aatgcttagg tcaaataccc tggcaatctg 480
catgttacat gctatctgct ggcagtttct ttctgatata aaaatgaaac agtattcttg 540
gacagaggac acagaatttc taattccagt ggggcttgtt ttgctttcag tttcttataa 600
ttgtacttgg agaaacagat actgatcagt gttttatatt ctaaaagaca gccaagttga 660
ataataaaga ctttcgtttt ggcattttgt tctttttact aaacataatt aagtgtttaa 720
taagcttcct tgtaccgagt gttgcataaa acacttaaaa ggacacaatt agtgccttcg 780
tgagatttac atgctaatta tgctaaygat tgggtgctat gtagttaatg atttaaactg 840
catgcattga cagattactc cttaggcaaa agtatttaag aagggataag tagaaattct 900
gattggaata ttaaaacatt ttttaaaaat taattatgkt tagactgktg aaccgkgtta 960
tataatttta ggataawgga ttwatttgct ttttttttt ttaagagaaa ctacttgaag 1020
taaattccta cccatacttc ttacttgtct cctttccttt gattaatcta aggaatgktg 1080
atgatgagaa gaaagatgga aatgttgagg tggttgcata tttggtttgt tagaatatct 1140
gtcatcacct gggctwtttg aagctgctgt tgctgatgtt gttttattga ctcatgaaga 1200
caactgaaaa gattgctttg taaccttatt tttttctgat gtgtgtttac atccatgtct 1260
atatatacat attgcatatg tatatatctg tatgtgcatg tatatgttaa aaatctgata 1320
taagtgaaaa catgctctgt gctttgaaac aaaaaaaaaa aaaaaaaact cgaggggggg 1380
cccggtaccc aattcgccct atagtgagtc gnattacaat tcactggccg cngtttacaa 1440
cgtcgngact gggaaaaccc tggcgttacc caacttaatc gccttgcagc acatcccccc 1500
ttcgncagct ggcgtaatag cgaagaggcc cg 1532

<210> 144
<211> 1559
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1445)..(1445)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1551)..(1551)
<223> n equals a,t,g, or c

<400> 144
atccagcagt ggggagacag cgtgctgggc aggcgctgcc gagaccttct cctgcagctc 60
tacctacagc ggccggagct gcgggtgccc gtgcctgagg tcctactgca cagcgaaggg 120
gctgccagca gcagcgtctg caagctggac ggactcatcc accgcttcat cacgctcctt 180
gcggacacca gcgactcccg ggcgttggag aaccgagggg cggatgccag catggcctgc 240
cggaagctgg cggtggcgca cccgctgctg ctgctcaggc acctgcccat gatcgcggcg 300
ctcctgcacg gccgcaccca cctcaacttc caggagttcc ggcagcagaa ccacctgagc 360
tgcttcctgc acgtgctggg cctgctggag ctgctgcagc cgcacgtgtt ccgcagcgag 420

caccaggggg cgctgtggga ctgccttctg tccttcatcc gcctgctgct gaattacagg 480
aagtcctccc gccatctggc tgccttcatc aacaagtttg tgcagttcat ccataagtac 540
attacctaca atgccccagc agccatctcc ttcctgcaga agcacgccga cccgctccac 600
gacctgtcct tcgacaacag tgacctggtg atgctgaaat ccctccttgc agggctcagc 660
ctgcccagca gggacgacag gaccgaccga ggcctggacg aagagggcga ggaggagagc 720
tcagccggct ccttgccccc ggtcagcgtc tccctgttca cccctctgac cgcggccgag 780
atggcccccc acatgaaacg gctttcccgg ggccaaacgg tggaggatct gctggaggtt 840
ctgagtgaca tagacgagat gtcccggcgg agacccgaga tcctgagctt cttctcgacc 900
aacctgcagc ggctgatgag ctcggccgag gagtgttgcc gcaacctcgc cttcagcctg 960
gccctgcgct ccatgcagaa cagccccagc attgcagccg ctttcctgcc cacgttcatg 1020
tactgcctgg gcagccagga ctttgaggtg gtgcagacgg ccctccggaa cctgcctgag 1080
tacgctctcc tgtgccaaga gcacgcggct gtgctgctcc accgggcctt cctggtgggc 1140
atgtacggcc agatggaccc cagcgcgcag atctccgagg ccctgaggat cctgcatatg 1200
gaggccgtga tgtgagcctg tggcagccga ccccctcca agccccggcc cgtcccgtcc 1260
ccggggatcc tcgaggcaaa gcccaggaag cgtgggcgtt gctggtctgt ccgaggaggt 1320
gagggcgccg agccctgagg ccaggcaggc ccaggagcaa tactccgagc cctggggtgg 1380
ctccgggccg gccgctggca tcaggggccg tccagcaagc cctcattcac cttctgggcc 1440
acagncctgc gcggagcggc ggatcccccc gggcatggcc tgggctggtt ttgaatgaaa 1500
cgacctgaac tgtcaaaaaa aaaaaaaaaa aaacccgrgg gggggcccgg nacccaatt 1559

<210> 145
<211> 1021
<212> DNA
<213> Homo sapiens

<400> 145
gtaattcctt aaacatacca tctgtcacag ttaatctaga tttgtaaata ggtagtaatt 60
tatagaattt ttaaagcgta aaatccggta atattaaaag ataggtaaac ctaggcctgg 120
aaagctgtta tttggctaaa attgcacagg aggccatgaa cagaggcaag tgccccagag 180
actccacttt cattcctaac tgttctcaaa ttaatgctca tgattgagta ttctcagtgc 240
aactcgtaga gtttgataag taaaagttac atgcccctgt tttcctagca tgatattcac 300
tgttatcaaa gacaagaggc agaccattca ttcattctca aaacactgaa tgccattctg 360
tgcctagtgc tatacaaggc atgggagatt cagtgtgaat aagtctttgc tctccaccta 420
acaagggaca gttttaatta tagattgtct tcctattaag tatgagtttt agtaggcatt 480
aaaaatcgta attagtttga taatatgaga cccaacccta acttgccaga agagtaatca 540
gttcatgaac cattgatatt tcctgtatat ttcatgaatg tgacttcagt cattctagtg 600
ttaatactgt ggaatgtcat tggtgtagca acgtgggttc accaaaacac ctttttatac 660
aaaagacaga tgygtgaatt aaagagatta aaggatagag tattctgttt ctttgttttg 720
atttggcttt taggtattaa aataaggccc agatcactaa aaattagtaa cagagggaga 780
cctctaatag atttaaagtc agttaattct ctctgaaatt tgatgttttc ttctataaag 840
aataactcta aaataggcat cttcccagga ctttccattc tcaggaaaag acctagttac 900
gtataaaaaa taacttctac tgctttatgt agtcatatag gtctgcctaa aataagaatt 960
tgtatttaat aaataccaaa attttcaaat ggtaaaaaaa aaaaaaaaaa aaaggggggg 1020
c 1021

<210> 146
<211> 1024
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (5)..(5)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (14)..(14)
<223> n equals a,t,g, or c

<220>

<221> misc_feature
<222> (32)..(32)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (713)..(713)
<223> n equals a,t,g, or c

<400> 146
gtggntcccc cggntggcca ggattcggca cngggcgctg gccgccttcc agctgctcaa 60
cctgactggg caacgtgggg ctcttcctgc gctcggatcc cagcatccgt ggcgtgatgc 120
tggccggccg cggtctgggc cagggctggg cttactgcta ccaatgccaa agccaggtgc 180
cgccacgcag cggacactgc tctgcctgcc gcgtctgcat cctgcgtcgg gaccaccact 240
gccgmctgct gggccgctgc gtgggcttcg gcaactaccg gcccttcctg tgcctgctgc 300
ttcatgccgc cggcgtcctg ctccacgtct ctgtgctgct gggccctgca ctgtcggccc 360
tgctgcgagc ccacacgccc ctccacatgg ctgccctcct cctgcttccc tggctcatgt 420
tgctcacagg cagagtgtct ctggcacagt ttgccttggc cttcgtgacg gacacgtgcg 480
tggcgggtgc gctgctgtgc ggggctkggc tgctcttcca tgggatgctg ctgctgcggg 540
gccagaccac atgggagtgg gctcggggcc agcactccta tgacctgggt ccctgccaca 600
acctgcaggc agccctgggg ccccgctggg ccctcgtctg gctctggccc ttcctggcct 660
ccccattgcc tggggatggg atcaccttcc agaccacagc agatgtggga canacagcct 720
cctgactcca ggaagagcca gagctgtgca gggaggaagg ggtgagaggg gggcccccac 780
acctagactc agtaaggaag tcgggttgga ccttaacatc tgcattggac aactccaccc 840
cttccttggc cttgcccctg cccgcctaca ctcctacgtg tccagggctt gggccgtgac 900
ttaggcagag gagtgcagag gagggtctgg caggggctgc tcaggccgcc tagctgcccc 960
tttgccaggt taataaagca ctgacttgtt aaaaaaaaaa aaaaaaaaaa aaagggcggc 1020
cgct 1024

<210> 147
<211> 1231
<212> DNA
<213> Homo sapiens

<400> 147
ggcacgagtg aatgtcgagg agttccagga tctctggcct cagttgtcct tggttattga 60
tgggggacaa attggggatg gccagagccc cgagtgtcgc cttggctcaa ctgtggttga 120
tttgtctgtg cccggaaagt ttggcatcat tcgtccaggc tgtgccctgg aaagtactac 180
agccatcctc caacagaagt acggactgct cccctcacat gcgtcctacc tgtgaaactc 240
tgggaagcag gaaggcccaa gacctggtgc tggatactat gtgtctgtcc actgacgact 300
gtcaaggcct catttgcaga ggccaccgga gctagggcac tagcctgact tttaaggcag 360
tgtgtctttc tgagcactgt agaccaagcc cttggagctg ctggtttagc cttgcacctg 420
gggaaaggat gtatttattt gtattttcat atatcagcca aaagctgaat ggaaaagtta 480
agaacattcc taggtggcct tattctaata agtttcttct gtctgttttg tttttcaatt 540
gaaaagtaat taaataacag attagaatct agtgagagcc tcctctctgg tgggtggtgg 600
catttaaggt caaaccagcc agaagtgctg gtgctgttta aaaagtctca ggtggctgcg 660
tgtggtggct catgcctgta atcccaacat tctgggaggc ccaggcggga gaactgcttg 720
agccccagga gttcagaatc agcctgggca acatagcaat actccgtctc ataaaaatta 780
ataaataaaa agtctcaggt gaccaaaggc tcctgaagct agaaccaggt ttggataaag 840
attgaagagc cacaggccac tcttccctct gagccattgg gcctagtggt gtcatgtatt 900
gtaattgctc gcagggagag cagtcttttt ggtgtaatag tgggatgtct gcttagttgg 960
caggggttca gtccaaatgg aagaatattg ggaaataaac ctccactatc ctttatagcc 1020
agggactttt ttcctattta ttcataaaat aaattatagt taattatacc cataacacct 1080
ttatttaaat ccagtgttct ccgcagcctt ttgtctattt atatgtgtac caagtgttaa 1140
acataattat tattgggcat ttgaactttg tttttcttta aagaaatgct gctattaaac 1200
atatttgtaa atggaaaaaa aaaaaaaaaa a 1231

<210> 148
<211> 1223
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1204)..(1204)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1206)..(1206)
<223> n equals a,t,g, or c

<400> 148
gcttagctcg aaattaaccc tcactaaagg gaacaaaagc tggagctcca ccgcggtggc 60
ggccgctcta gaactagtgg atcccccggg ctgywkgaat tcggcacgag ctgctgtctg 120
tgcttcggga tcctgccctc cagaagtcct ccaaggcttg gtacttgctg cgtgtccagg 180
tcctgcagct ggtggcagct taccttagcc tcccgtcaaa caacctctca cactccctgt 240
gggagcagct ctgtgcccaa ggctggcaga cacctgagat agctctcata gactcccata 300
agctcctccg aagcatcatc ctcctgctga tgggcagtga cattctctca actcagaaag 360
cagctgtgga gacatcgttt ttggactatg gtgaaaatct ggtacaaaaa tggcaggttc 420
tttcagaggt gctgagctgc tcagagaagc tggtctgcca cctgggccgc ctgggtagtg 480
tgagtgaagc caaggccttt tgcttggagg ccctaaaact tacaacaaag ctgcagatac 540
cacgccagtg tgccctgttc ctggtgctga agggcgagct ggagctggcc cgcaatgaca 600
ttgatctctg tcagtcggac ctgcagcagg ttctgttctt gcttgagtct tgcacagagt 660
ttggtggggt gactcagcac ctggactctg tgaagaaggt ccacctgcag aaggggaagc 720
agcaggccca ggtcccctgt cctccacagc tcccagagga ggagctcttc ctaagaggcc 780
ctgctctaga gctggtgcca ctgtggccaa ggagcctggc cccatagcac cttctacaaa 840
ctcctcccca gtcttgaaaa ccaagcccca gcccataccc aacttcctgt cccattcacc 900
cacctgtgac tgctcgctct gcgccagccc tgtcctcaca gcagtctgtc tgcgctgggt 960
attggtcacg gcaggggtga ggctggccat gggccaccaa gcccagggtc tggatctgct 1020
gcaggtcgtg ctgaagggct gtcctgaagc cgctgagcgc ctcacccaag ctctccaagc 1080
ttccctgaat cataaaacac ccccctcctt ggttccaagc ctcttggatg agatttggct 1140
aagcatacac actgttgcac tggagggcct gaaccagcca tcaaacgaga gcctgcagaa 1200
ggtncncagt aaggctgaag ttt 1223

<210> 149
<211> 1238
<212> DNA
<213> Homo sapiens

<400> 149
ccctcacatc agggaaaatg accttcactg ctgttaacag taatgkgtcc ctttcatttt 60
ctggatcaag ccttctcagc ggtgggtctg gatgtgggta aactaaggta aaggggatga 120
tattccacaa actaattatg cacacagaaa atctgtggag cctatcagac cccaagtgtc 180
ttgaaatgtt tgtagaaacc cactaaaatg ccccttctct gggtgtgggc ccttattgca 240
gctgtctcac agcctgagct gtggtacaga gaaatggggg ttctcctttt attttcattt 300
tttttcccca atggcagctt ttctcccgtt gttttacctt cctatttccc aaacagttcc 360
tcttattttg tcttttgcac cagtttctgg aggcccttgt catttcaaaa aggatagtct 420
cttttcttac tctggcaaac ctgtgagtga ttccacaaag atacagtatt acttagctaw 480
ctgaattatg atagaaaagg tcctagttag gttcctatat aaagcatttg gaagatgacc 540
ttgttgccct tgaaacttga aaatagggat tctggggtga ggatacaaag acattgtctt 600
gcatatccat aagcaggtct tagagcatta ttccaaactc tagctgtttc agtagttcta 660
tgaggattgc aagtcatagg tgtgtgtggc atatcagtcc atctccctca tctccattct 720
cagtttcttc cccacaaaat ttggaatcaa agcttttatg acgtttgcca attgcagaac 780
ttcttcagct aaggttaatt tgacgctatg ataaaactga gagatgtcaa aaagcctctt 840
agaaatttta atcttgaaag acttttcagg gtatctcatt ttttaggtgg gggtggcagg 900
tgtatttctt ttttaacaaa taaaaggcat ttaagtaaaa ctaaaatgaa aaaagtaggc 960
cttctgacat tgtgtacttg gtggttctgt ccctctgcct gtaacaaatc tcatttttgt 1020
taccaagaac tgtatgaaag aagtaaatcc accccgattc tgtatgatta attccatctg 1080
tgtttgtcat ttctgactgg aaaacttctt actccatacc ttgttcgata tggaggacaa 1140
ataattggat tgtctgataa gtctgccaat aaactatcca gaaatagcaa gtgtaaaaaa 1200
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gggcggcc 1238

<210> 150
<211> 1189
<212> DNA
<213> Homo sapiens

<400> 150
gcgtccgctg ggctggaaca gcacagaacc cacagggctg ccgtccacac tctcccggtc 60
agagtcctgg gaccacatgg ggacgctgcc atggcttctt gccttcttca ttctgggtct 120
ccaggcttgg gatactccca ccatcgtctc ccgcaaggag tgggggggcaa gaccgctcgc 180
ctgcagggcc ctgctgaccc tgcctgtggc ctacatcatc acagaccagc tcccagggat 240
gcagtgccag cagcagagcg tttgcagcca gatgctgcgg gggttgcagt cccattccgt 300
ctacaccata ggctggtgcg acgtggcgta caacttcctg gttggggatg atggcagggt 360
gtatgaaggt gttggctgga acatccaagg cttgcacacc cagggctaca acaacatttc 420
cctgggcatc gccttctttg gcaataagat aagcagcagt cccagccctg ctgccttatc 480
agctgcagag ggtctgatct cctatgccat ccagaagggt cacctgtcgc ccaggtatat 540
tcagccactt cttctgaaag aagagacctg cctggaccct caacatccag tgatgcccag 600
gaaggtttgc cccaacatca tcaaacgatc tgcttgggaa gccagagaga cacactgccc 660
taaaatgaac ctcccagcca aatatgtcat catcatccac accgctggca caagctgcac 720
tgtatccaca gactgccaga ctgtcgtccg aaacatacag tcctttcaca tggacacacg 780
gaacttttgt gacattggat atcaataagg ccaggcgtgg cggcgattac gtctgtaatc 840
ccaggacttt gggaggccaa ggcgggcaga tcacttcagg ccaggaattc aagagcagcc 900
tggccaatat ggcgaaactc tgtctctact gaaaacaaac aaacaaacaa acaaacaaac 960
aaagaaacaa caaaaattag ccgggtgtgg tggcacacgc ctgtagtccc agctactcag 1020
gaggctgagg cataagaatt gcttgaaccc tggaggcgga ggttgcagtg agctgagatt 1080
gggccaccgc actccagtct gggagacaga gtgagactgt ctcaaaacaa caacaaaaaa 1140
atccctaaca taatctcaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaa 1189

<210> 151
<211> 496
<212> DNA
<213> Homo sapiens

<400> 151
tcgacccacg cgtccgaact gacacaatga aactgtcagg catgtttctg ctcctctctc 60
tggctctttt ctgcttttta acaggtgtct tcagtcaggg aggacaggtt gactgtggtg 120
agttccagga caccaaggtc tactgcactc gggaatctaa cccacactgt ggctctgatg 180
gccagacata tggcaataaa tgtgccttct gtaaggccat agtgaaaagt ggtggaaaga 240
ttagcctaaa gcatcctgga aaatgctgag ttaaagccaa tgtttcttgg tgacttgcca 300
gcttttgcag ccttcttttc tcacttctgc ttatactttt gctggtggat tcctttaatt 360
cataaagaca tacctactct gcctgggtct tgaggagttc aatgtatgtc tatttctctt 420
gattcacttg tcaataaagt acattctgca aaagcaaaaa aaaaaaaaaa aaaaaaaaaa 480
aaaaaaaaaa aaaaaa 496

<210> 152
<211> 3153
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2584)..(2584)
<223> n equals a,t,g, or c

<220>
<221> misc_feature

<222> (2590)..(2590)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (3153)..(3153)
<223> n equals a,t,g, or c

<400> 152
nggccgtggg tgtacgcggc gcagcgcggc agtcctgatg gcccggcatg ggttaccgct 60
gctgcccctg ctgtcgctcc tggtcggcgc gtggctcaag ctaggaaatg gacaggctac 120
tagcatggtc caactgcagg gtgggagatt cctgatggga acaaattctc cagacagcag 180
agatggtgaa gggcctgtgc gggaggcgac agtgaaaccc tttgccatcg acatatttcc 240
tgtcaccaac aaagatttca gggattttgt cagggagaaa aagtatcgga cagaagctga 300
gatgtttgga tggagctttg tctttgagga ctttgtctct gatgagctga gaaacaaagc 360
cacccagcca atgaagtctg tactctggtg gcttccagtg gaaaaggcat tttggaggca 420
gcctgcaggt cctggctctg gcatccgaga gagactggag cacccagtgt tacacgtgag 480
ctggaatgac gcccgtgcct actgtgcttg gcggggaaaa cgactgccca cggaggaaga 540
gtgggagttt gccgcccgag ggggcttgaa gggtcaagtt tacccatggg ggaactggtt 600
ccagccaaac cgcaccaacc tgtggcaggg aaagttcccc aagggagaca aagctgagga 660
tggcttccat ggagtctccc cagtgaatgc tttccccgcc cagaacaact acgggctcta 720
tgacctcctg gggaacgtgt gggagtggac agcatcaccg taccaggctg ctgagcagga 780
catgcgcgtc ctccgggggg catcctggat cgacacagct gatggctctg ccaatcaccg 840
ggcccgggtc accaccagga tgggcaacac tccagattca gcctcagaca acctcggttt 900
ccgctgtgct gcagacgcag gccggccgcc aggggagctg taagcagccg ggtggtgaca 960
aggagaaaag ccttctaggg tcactgtcat tccctggcca tgttgcaaac agcgcaattc 1020
caagctcgag agcttcagcc tcaggaaaga acttcccctt ccctgtctcc catccctctg 1080
tggcaggcgc ctctcaccag ggcaggagag gactcagcct cctgtgtttt ggagaagggg 1140
cccaatgtgt gttgacgatg gctgggggcc aggtgtttct gttagaggcc aagtattatt 1200
gacacaggat tgcaaacaca caaacaattg gaacagagca ctctgaaagg ccatttttta 1260
agcattttaa aatctattct ctcccccttt ctccctggat gattcaggaa gctgacattg 1320
tttcctcaag gcagaatttt cctggttctg ttttctcagc cagttgctgt ggaaggagaa 1380
tgctttcttt gtggcctcat ctgtggtttc gtgtccctct gaaggaaact agtttccact 1440
gtgtaacagg cagacatgta actatttaaa gcacagttca gtcctaaaag ggtctgggag 1500
aaccagatga tgtactaggt gaagcattgc attgtgggaa tcacaaagca aatagtactc 1560
cagaaagaca aatatcagaa gcttcctatt ctttttttct ttttttttct tttgagacag 1620
ggtctttctc tgttgcccag gctagagtgc actggtgatc acggctcact ctagccttga 1680
attcctgggc ccaagcaatt ctcccacctc agcctcctga gtagctggga ctacaagtgt 1740
gcaccaccat gcctggctaa ttttttgaat ttttgtagtg atgggatctc gctctgttgc 1800
ccagggtggt ctcgaactcc tggcctcaag cgatcctccc acctcgacct cccaaagtgc 1860
tgggattaca ggtgtgagcc acctcgcctg ggcccccttc tccatatgcc tccaaaaaca 1920
tgtccctgga gagtagcctg ctcccacact gtcactggat gtcatggggc caataaaatc 1980
tcctgcaatt gtgtatctca gacatttgtg tctttgatcc tcaccctgtg accctaaagg 2040
gaagaaagcc tgagtgtcaa gtaactctgg gcctccccta aagagaaatg gagatggtgg 2100
ctcatctagg aagtagagga gcaggggggtt cctggttctc aggccacgtg tgatctctgc 2160
ccacccaggg cctgccccag cctgcaggta ttgctgtgtg gtgggaacac ccacttccct 2220
tgtgcacagc ctttgagagg ggatcgtggc ctcagttcca ggggttcctg gccagggcca 2280
agtgctcctt ctgcagaggc ctgcacgcat ctcacccctt tgacttgtat ttccatggct 2340
tcccctcccc acctgccccc tagccctccc tgactggcca gcccctcagt agtcctcctc 2400
ggccagggag aggagcacgg ccttgggtgt gttctcgaaa agggctgccc ggttctgctg 2460
ctgccccttc ttcacccagt ggccatagat tcggaaagcg taggcgtcga tgagccggcg 2520
cagaggccgg agggcatagg ggtctcggat gacgatctcc cgggtcacag gcttcacccg 2580
gcgntactgn tagtagatcc gcactgaagc cagcacggtc agagcgatca ccttgaactt 2640
ccccggggg ctgaagtgcc gcacttcctc taccaagtac tgctggaaga aggggtgtgc 2700
caaggcctct tccgctgtgt agcggttctg gggttgcacc accaggaatc gggagaccag 2760
gtccttcacg gtgtccgagt aatcatccca ctcgggcgag ccaaactggt agttgccgct 2820
catgatcatc ctcagcatca gcatctgctt ccggtgccag aagggcgggg agccggccag 2880
cagcgtgtac atgatgacgc cagtgctcca catgtccacc tctttcccgt agcccgggtg 2940
gtcctcattc atggagcact cgataatctc aggggccagg taactggggg tcccgcagac 3000
ctctcgcagc ctctctcccg gctccagctg gcaggaaaag ccaaagtctg tgagcttgat 3060
gttcatgttg tcatccaaga gaatgttctc gggcttcagg tcccggtgca cgatgttgag 3120

tttgtgcaag gtgcagatca cctccagcag agn 3153

<210> 153
<211> 686
<212> DNA
<213> Homo sapiens

<400> 153
tcgacccacg cgtccgaact gccaaaagct ggtgattctg ggacaggcct tcactttgga 60
gccacgggat ggggtggggg agccccatgg gcctgggaag gagggtgctg tggaggggc 120
tgcagggctg accagcaggc agcctcatct ggtcgggggc gggggcggca ggagcagaag 180
cggggtctcc gtccttggga ctgtcctggt tggccacggg ccctgaggat gcacggtgcc 240
tggggctcct gtgccggtgg gcgggggggca tgctggcctc tgagcgatca ggcgaggcca 300
gcgagggtgt gcttgcaaat tcaagcaata agaggggggt tcctgggggc ttccagccca 360
ggctagaagc ccccatggct tctggcagct ggacatcagc cccaggtatt ggggtgattt 420
tggtcatgac agtgtgcctg tcccactgtt acacgcatga atgggggtta tggggtgggg 480
gtgggactca aggcttgacc gactcctagt ggacctgatg tgaaattcct gtcaaacaaa 540
caccactttt caatggtttg ctaggagtat ttctgtattg aaagtttcta attatgcttt 600
ttaaaaaaat actaaaaata aaggttcaag ctgccaaaaa aaaaaaaaaa aaaaaaaaaa 660
aaaaaaaaaa aaaaaaaaaa aaaaaa 686

<210> 154
<211> 2496
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2340)..(2340)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2373)..(2373)
<223> n equals a,t,g, or c

<400> 154
ggccttacct actagcggaa tcgactgaag agacgcctgc cagtgcggga ggtaggaagc 60
tcgatcccca aagaaaagag cgagtgggca ggcagctgcg agacagaacc ggagtgtgca 120
gggtccctag aggccggttc ctggtctgtg ctgctctcct ggaagccatg gtacaggcag 180
agctcagggc gatccccagg tgagggcagc ggctctgcct gggattccac cgcagtacaa 240
ccgggtagat gcggggtgga gaagaaagga tgttgcctgc actgctcgcc aatagcaccc 300
tgagaggcta catttgcaga agcagcagca gcagaagaca cagcgccggt ccaggaggcg 360
gctcgagctg ttcgtaaagt cgcccgacag ctttttctcc gtagtatgcg agttgacaaa 420
acagccagag aacagggctc cccattacaa tcttttcgag atcttttccc ttgctaaccg 480
gatctgattt gtgcgaaaac atgccttgca cttgtacctg gaggaactgg agacagtgga 540
ttcgaccttt agtagcggtc atctacctgg tgtcaatagt ggttgcggtt cccctatgcg 600
tgtgggaatt acagaaactg gaggttggaa tacacaccaa ggcttggttt attgctggaa 660
tctttttgct gttgactatt cctatatcac tgtgggtgat attgcaacac ttagtgcatt 720
atacacaacc tgaactacaa aaaccaataa taaggattct ttggatggta cctatttaca 780
gtttagatag ttggatagct ttgaaatatc ccggaattgc aatatatgtg gatacctgca 840
gagaatgcta tgaagcttat gtaatttaca actttatggg attccttacc aattatctaa 900
ctaaccggta tccaaatctg gtattaatcc ttgaagccaa agatcaacag aaacatttcc 960
ctcctttatg ttgctgtcca ccatgggcta tgggagaagt attgctgttt aggtgcaaac 1020
taggtgtatt acagtacaca gttgtcagac ctttcaccac catcgttgct ttaatctgtg 1080
agctgcttgg tatatatgac gaagggaact ttagcttttc aaatgcttgg acttatttgg 1140
ttataataaa caacatgtca cagttgtttg ccatgtattg tctcctgctc ttttataaag 1200
tactaaaaga agaactgagc ccaatccaac ctgttggcaa atttctttgt gtaaagctgg 1260
tggtttttgt ttctttttgg caagcagtag ttattgcttt gttggtaaaa gttggcgtta 1320
tttctgaaaa gcatacgtgg gaatggcaaa ctgtagaagc tgtggccacc ggactccagg 1380
attttattat ctgtattgag atgttcctcg ctgccattgc tcatcattac acattctcat 1440

ataaaccata tgtccaagaa gcagaagagg gctcatgctt tgattccttt cttgccatgt 1500
gggatgtctc agatattaga gatgatattt ctgaacaagt aaggcatgtt ggacggacag 1560
tcaggggaca tcccaggaaa aaattgtttc ccgaggatca agatcaaaat gaacatacaa 1620
gtttattatc atcatcatca caagatgcaa tttccattgc ttcttctatg ccaccttcac 1680
ccatgggtca ctaccaaggg tttggacaca ctgtgactcc ccagactaca cctaccacag 1740
ctaagatatc tgatgaaatc cttagtgata ctataggaga gaaaaaagaa ccttcagata 1800
aatccgtgga ttcctgaaca gtatggaaaa gcaaactgtg caactactac attatatcat 1860
tacctggtat cccatggatt ttgtgcttgg gacagaccat aaatgatgga aaatgtcaac 1920
acaaaaatag ctgaaagcca ggtacaacta ctgcatttat atatgtaagt tttgtatatc 1980
aaaaataatt ggtctaaatt tcctagactt agacttgatt tcttaacatt agggtatcgc 2040
atactcaaat ggtagacaat gaccccaact aaatcttcct gatgttacac tgctttatca 2100
agaggatgga ctttttttt ttgaggcaga cagagtcttg gctctgtcac ccaggctgga 2160
gtgcagtggc gcaatctcgg gtcactgcaa gctctgcctc ccaagttcat gccattctcc 2220
tgcctcagcc tcccaagtag ctgcgactac aagcacctgc caccatgccc agctaatttt 2280
ttttttcagt agagacaggg tctcaccatg ttagccacga tgctcttgat ctgaccttgn 2340
gatcccgcga cctcggcctt ccaaagtgct ggnaatacag gcgtgagcca ctgggccttg 2400
ccaagattgg gcacttttta acatcagaac ttcctatcac tgctgcattg agttgctccg 2460
catttattag aagcattatg cctgtacgga ttgggg 2496

<210> 155
<211> 1001
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (919)..(919)
<223> n equals a,t,g, or c

<400> 155
cgcgctggaa ccctgtggcg gcggccatgg ccatatggcg ctgcccgcct ggctgcagcc 60
aggtatagga agaatgcgta tcttttcatc tattacttaa tccagttctg tggccactct 120
tggatattta caaatatgac agtcagattc ttttcatttg gaaaaggtaa aactccgaaa 180
cagtttttt atttttaact tttaatcctt gttttcacct catcctgctt atattaaatt 240
tctacacacc tcaaccttct accacgggat acagattcaa tggttgacac tttttatgct 300
attggacttg tgatgcgact ttgccaatcc gtatctctcc tggaactgct gcacatatat 360
gttggcattg agtcaaacca tcttctccca aggtttttgc agctcacaga aagaataatc 420
atccttttg tggtgatcac cagtcaagag gaagtccaag agaaatatgt ggtgtgtgtt 480
ttattcgtct tttggaatct attggatatg gttaggtaca cttatagcat gttatcagtc 540
ataggaatat cctatgctgt cttgacatgg ctcagtcaaa cactatggat gccaatttat 600
cctttgtgtg ttcttgctga agcatttgcc atctatcaat cgctgcctta ttttgaatca 660
tttggcactt attccaccaa gctgcccttt gacttatcca tctatttccc atatgtgctg 720
aaaatatatc tcatgatgct ctttataggt atgtatttta cctacagtca tctatactca 780
gaaagaagag acatcctcgg aatctttccc attaaaaaaa agaagatgtg aagtacagca 840
ttccagtgtg acacgagaaa agacaggctg tggattcagt gcagtaaata aaacacagga 900
agtattctgg tggaaaaana aaaaaaaaaa aaaaaaaaar aaraaaaaaa aawaaaaaaa 960
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa a 1001

<210> 156
<211> 1142
<212> DNA
<213> Homo sapiens

<400> 156
gaagaagtga cacttcttgg tcagaatgtt aatagttttc gggacaattc ggaggtccag 60
ttcaacagtg cagtgcctac caatctcagt cgtggcttta ccaccaacta taaaaccaag 120
caaggaggac ttcgttttgc tcatcttctg gatcaggtct ccagagtaga tcctgaaatg 180
aggatccgtt ttacctctcc ccaccccaag gattttcctg atgaggttct gcagctgatt 240
catgagagag ataacatctg taaacagatc cacctgccag cccagagtgg aagcagccgt 300
gtgttggagg ccatgcggag gggatattca agagaagctt atgtggagtt agttcaccat 360
attagagaat ctattccagg tgtgagcctc agcagcgatt tcattgctgg cttttgtggt 420

gagacggagg aagatcacgt ccagacagtc tctttgctcc gggaagttca gtacaacatg 480
ggcttcctct ttgcctacag catgagacag aagacacggg catatcatag gctgaaggat 540
gatgtcccgg aagaggtaaa attaaggcgt ttggaggaac tcatcactat cttccgagaa 600
gaagcaacaa aagccaatca gacctctgtg ggctgtaccc agttggtgct agtggaaggg 660
ctcagtaaac gctctgccac tgacctgtgt ggcaggaatg atggaaacct taaggtgatc 720
ttccctgatg cagagatgga ggatgtcaat aaccctgggc tcagggtcag agcccagcct 780
ggggactatg tgctggtgaa gatcacctca gccagttctc agacacttag gggacatgtt 840
ctctgcagga ccactctgag ggactcttct gcatattgct gacctgagag gatggcctca 900
gagctgactt gggcaatcct ccccaacagg aaggggagac attgcctgcc actgaggaaa 960
caggtcatga aggtggagat aagctgcaag gggcgaagca actttatgtc agtggaaaac 1020
gtgtctcttt aaagctgcta tgtgaacagc ttttacagtc attaaattta cctaaactaa 1080
ggttaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaag ggcggccgct 1140
ct 1142

<210> 157
<211> 2238
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (12)..(12)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (45)..(45)
<223> n equals a,t,g, or c

<400> 157
tgtccttgtt gncgcggctg aagtacgccg tgggccactt cctcnaacga cctgtgcgcg 60
tccatgtggt tcacctacct gctgctctac ctgcactcgg tgcgcgccta cagctcccgc 120
ggcgcggggc tgctgctgct gctgggccag gtggccgacg ggctgtgcac accgctcgtg 180
ggctacgagg ccgaccgcgc cgccagctgc tgcgcccgct acggcccgcg caaggcctgg 240
cacctggtcg gcaccgtctg cgtcctgctg tccttccccc tcatcttcag cccctgcctg 300
ggctgtgggg cggccacgcc cgagtgggct gccctcctct actacggccc gttcatcgtg 360
atcttccagt ttggctgggc ctccacacag atctcccacc tcagcctcat cccggagctc 420
gtcaccaacg accatgagaa ggtggagctc acggcactca ggtatgcgtt caccgtggtg 480
gccaacatca ccgtctacgg cgccgcctgg ctcctgctgc acctgcaggg ctcgtcgcgg 540
gtggagccca cccaagacat cagcatcagc gaccagctgg ggggccagga cgtgcccgtg 600
ttccggaacc tgtccctgct ggtggtgggt gtcggcgccg tgttctcact gctattccac 660
ctgggcaccc gggagaggcg ccggccgcat gcggaggagc caggcgagca caccccctg 720
ttggcccctg ccacggccca gcccctgctg ctctggaagc actggctccg ggagccggct 780
ttctaccagg tgggcatact gtacatgacc accaggctca tcgtgaacct gtcccagacc 840
tacatggcca tgtacctcac ctactcgctc cacctgccca agaagttcat cgcgaccatt 900
cccctggtga tgtacctcag cggcttcttg tcctccttcc tcatgaagcc catcaacaag 960
tgcattggga ggaacatgac ctacttctca ggcctcctgg tgatcctggc ctttgccgcc 1020
tgggtggcgc tggcggaggg actgggtgtg gccgtgtacg cagcggctgt gctgctgggt 1080
gctggctgtg ccaccatcct cgtcacctcg ctggccatga cggccgacct catcggtccc 1140
cacacgaaca gcggagcgtt cgtgtacggc tccatgagct tcttggataa ggtggccaat 1200
gggctggcag tcatggccat ccagagcctg cacccttgcc cctcagagct ctgctgcagg 1260
gcctgcgtga gcttttacca ctgggcgatg gtggctgtga cgggcggcgt gggcgtggcc 1320
gctgccctgt gtctctgtag cctcctgctg tggccgaccc gcctgcgacg ctcccgaggc 1380
ggagaacacc gaacacccag tgaaggtgag gggatcagca cggcgccgcc accgtgctgg 1440
aacgagactc agccacaagg aggtgcgaag ctctgaccca ggccacagtg cggatgcacc 1500
ttgaggatgt cacgctcagt gagagacacc agacacagaa gggtacgctg tgatcccact 1560
tctatgaaat gtccaggaca gaccaatcca cagaatcagg gagaggattc gtgggtgccg 1620
ggactgagga gggggacctg ggggtgacta ggtgacataa tggggatcag cacgggcggc 1680
accagcacac acgtgctgga atgagaactc agccacaagg ggaggtgcga agttctgacc 1740
caggccacag tgcggatgca cctttgagga tgtcacgctc agtgagagac accagacaca 1800
gaagggtacg ctgtgatccc acttctatga aatgtccagg acagaccaat ccacagaatc 1860

agggagagga ttcgtgggtg ccgggactgg ggaggggggac ctgggggtga ctaggtgaca 1920
taatggggac aagggctgcc tttctggggt gatgagaatg ttctggaatc agaatgggat 1980
ggctgcacgg cgtggttgaa gggtactgaa ggccaccctt cagtgtacga aggggtagat 2040
ttttgtattt ttaccaacaa taaacaaaaa gaaaagaaaa caaacaaaaa aaaaaagaaa 2100
aagataaaaa gaatagagaa caagaaagaa aaaaaaaaaa acaaggggggg acttttttggg 2160
cgggggagaa agggtataaa gggcgcgggg tcaaaggttt cgagcaccct tttttacaag 2220
agggaatagg ggcccata 2238

<210> 158
<211> 1052
<212> DNA
<213> Homo sapiens

<400> 158
acgcgtccgg ccagccagtc cgcccgtccg gagcccggct cgctgggca gcatggcggg 60
gtcgccgctg ctctgggggc cgcgggccgg gggcgtcggc cttttggtgc tgctgctgct 120
cggcctgttt cggccgcccc ccgcgctctg cgcgcggccg gtaaaggagc cccgcggcct 180
aagcgcagcg tctccgccct tggctgagac tggcgctcct cgccgcttcc ggcggtcagt 240
gccccgaggt gaggcggcgg gggcggtgca ggacctggcg cgggcgctgg cgcatctgct 300
ggaggccgaa cgtcaggagc gggcgcgggc cgaggcgcag gaggctgagg atcagcaggc 360
gcgcgtcctg gcgcagctgc tgcgcgtctg gggcgccccc cgcaactctg atccggctct 420
gggcctggac gacgaccccg acgcgcctgc agcgcagctc gctcgcgctc tgctccgcgc 480
ccgccttgac cctgccgccc tagcagccca gcttgtcccc gcgcccgtcc ccgccgcggc 540
gctccgaccc cggcccccgg tctacgacga cggccccgcg ggcccggatg ctgaggaggc 600
aggcgacgag acacccgacg tggaccccga gctgttgagg tacttgctgg gacggattct 660
tgcgggaagc gcggactccg aggggggtggc agccccgcgc cgcctccgcc gtgccgccga 720
ccacgatgtg ggctctgagc tgccccctga gggcgtgctg ggggcgctgc tgcgtgtgaa 780
acgcctagag accccggcgc cccaggtgcc tgcacgccgc ctcttgccac cctgagcact 840
gcccggatcc cgtgcaccct gggacccaga agtgcccccg ccatcccgcc accaggactg 900
ctccccgcca gcacgtccag agcaacttac cccggccagc cagccctctc acccgaggat 960
ccctaccccc tggccccaca ataaacatga tctgaagcag caaaaaaaaa aaaaaaaaaa 1020
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aa 1052

<210> 159
<211> 1492
<212> DNA
<213> Homo sapiens

<400> 159
gccttcccac actccattcc ctgtcaagtt atggctgtcc cctcacccca gctgctccta 60
gagaggccct tkttacctgt gtcattcatg tttctaacaa gccaccctcc accccgtctt 120
gtgtgcccca tgcacctgtg catctgtgct gtgtgggtgt tggtggccct tttgcgcatg 180
catggggcat cccctgccca gaccagcggg acaaggagcg ggaacggcgg ctgcaggagg 240
cacggggccg gccaggggag gggcgcggca acacagccac tgagaccacc acgaggcaca 300
gccagcgggc agctgatggc tctgctgtca gcactgttac caagactgag cggctcgtcc 360
actccaatga tggcacacgg acggcccgca ccaccacagt ggagtcgagt ttcgtgaggc 420
gctcggagaa tggcagtggc agcaccatga tgcaaaccaa gaccttctcc tcttcctcct 480
catccaagaa gatgggcagc atcttcgacc gcgargacca ggccagccca cgggccggca 540
gcctggcggc gctcgagaaa cggcaggccg agaagaagaa agagctgatg aaggcgcaga 600
gtctgcccaa gacctcagcc tcccaggcgc gcaaggccat gattgaraag ctggagaagg 660
agggcgcggc cggcagccct ggcggacccc gcgcagccgt gcagcgatcc accagcttcg 720
gggtccccaa cgccaacagc atcaagcaga tgctgctgga ctggtgtcga gccaagactc 780
gcggctacga gcacgtcgac atccagaact tctcctccag ctggagtgat gggatggcct 840
tctgtgccct ggtgcacaac ttcttccctg aggccttcga ctatgggcag cttagccctc 900
agaaccgacg ccagaacttc gaggtggcct tctcatctgc ggagacccat gcggactgcc 960
cgcagctcct ggatacagag gacatggtgc ggcttcgaga gcctgactgg aagtgcgtgt 1020
acacgtacat ccaggaattc taccgctgtc tggtccagaa ggggctggta aaaaccaaaa 1080
agtcctaamc cctgctcggg gccccacgga tgctggtgga ctgtgtgccc ctggtggagg 1140
tggacgacat gatgatcatg ggcaagaagc ctgaccccaa gtgtgtcttc acctatgtgc 1200
agtcgctcta caaccacctg cgacgccacg aactgcgcct gcgcggcaag aatgtctagc 1260
ctgcccgccc gcatggccag ccagtggcaa gctgccgccc ccactctccg ggcaccgtct 1320

cctgcctgtg cgtccgccca ccgctgccct gtctgttgcg acaccctccc ccccacatac 1380
acacgcagcg ttttgataaa ttattggttt tcaamraaaa aaaaaaaaaa aaaaaaaaaa 1440
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa ag 1492

<210> 160
<211> 954
<212> DNA
<213> Homo sapiens

<400> 160
gaattcggca cgagcccaca ccaaacctgt ggacgccgac ccgggaccgc cgctggctgg 60
ctgctggctc actcgaccgt catggagacc ctgggggccc ttctggtgct ggagtttctg 120
ctcctctccc cggtggaggc ccagcaggcc acggagcatc gcctgaagcc gtggctggtg 180
ggcctggctg cggtagtcgg cttcctgttc atcgtctatt tggtcttgct ggccaaccgc 240
ctctggtgtt ccaaggccag ggctgaggac gaggaggaga ccacgttcag aatggagtcc 300
aacctatacc aggaccagag tgaagacaag agagagaaga aagaggccaa ggagaaagaa 360
gagaagagga agaaggagaa aaagacagca aaggaaggag agagcaactt gggactggat 420
ctggaggaaa aagagcccgg agaccatgag agagcaaaga gcacagtcat gtgaagattc 480
ctggctgcct cttccaggca gtcccccaga gatgcctctt ctgccccctа aaagcagtgc 540
cctggacttg aagcccgtga aatgactcca tctgggattc agaatacagt gttctcaagt 600
gaagaaggct tggaacccac cccacctccc tcattggggg ctctctgggc aaacatggtt 660
ttcatgcacc cctcttcctg agcttggtcc ctgcctggtg attcttctta tactcggaga 720
gcatccctgg ttgaggagac acccgcaatc ctccacgatc tcatggctcc acctgcttct 780
ccccactgcc tgatttcttt tctctctgcc tgatgtctac tgaacagaac ttcccctctc 840
ccatgcaccc actgccagct gagagctgct tcccaatggc ctgcattaaa gcattcgtaa 900
cagccaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaac tcga 954

<210> 161
<211> 2784
<212> DNA
<213> Homo sapiens

<400> 161
ggcacgagga actctgagca ccgtggcttc cagcatcaat gccttggcaa cagtgacctt 60
tgaggatttt gtcaagagct gttttcctca tctctccgac aagctgagca cctggatcag 120
taaaggctta tgtctcttat ttggcgtgat gtgtacctct atggctgtgg ctgcatctgt 180
catgggaggt gttgtgcagg cttccctcag cattcacggc atgtgtggag gaccaatgct 240
gggcttattc tccctgggaa tcgtgttccc ttttgtgaat tggaagggtg cactaggagg 300
tcttcttact ggaatcacct tgtcattttg ggtggccatt ggggccttca tttaccctgc 360
accagcctct aagacatggc ctttgcctct atcaacagac caatgtatca aatcaaatgt 420
gacagcaaca gggcctccag tactatccag cagacctgga atagctgata cctggtactc 480
gatctcctac ctttactaca gtgcagtggg ctgcttagga tgcattgttg ctggagtaat 540
catcagcctc ataacaggtc gccaaagagg tgaggatatt caaccactgt taattagacc 600
agtttgtaat ttattttgct tttggtctaa gaagtacaaa acactatgct ggtgtggagt 660
tcagcatgac agtgggacag agcaggaaaa ccttgagaat ggcagtgccc ggaaacaggg 720
ggctgaatct gtcttacaga atggactcag gagagaaagc ctggtacatg ttccaggcta 780
tgatcctaag gacaaaagct acaacaatat ggcatttgag actacccatt tctaaggcaa 840
tacctgtatg aacgcacaca cacacgtgca atacacacac acacacacac acacacacac 900
acaaactcca catacttctt gcctacttgt tagtagatat gtatagttgc cattgctaga 960
agacagggat gtctggtgcc tatttctact tatttataac tacatgcaaa atgactatct 1020
ctcgggatat tcttagaaag actccaactt tcacagagaa aaaccaacct gctccaaatg 1080
cccttgacta cttccttctt gaataaatta gggctggatt tcattaccat tcaagaaagc 1140
gaagtctttt tgcttggtgt catattaaac ttcaggtttt tcgttttagt agtttttaa 1200
ccatcaaaat atcttggagt ttagaggcag aacgggaaac agaaatatgc atatttaaca 1260
ctttcctgcc acgagggata aaatagagga atgacatcca cccccgacct catacctgac 1320
atacatgtag acatatttta tgccacccat ctcccatcct gtagctacaa ttggcataca 1380
actactatta acctcccttc accaccactg tcaggtcctc ttccagtcat tcctcattag 1440
ctgtcctgac caaacattaa aaaaaaaatt cagctaaata cagaagaaga tggtatgtct 1500
ggctagtggg agtgattata actaaaaact ttgctccttt tgtgctgtcc atgcagtatg 1560
tcttcttcct ttctatcact ttacaatgaa aaattgcctc agagctcaat aagaagtctg 1620
gagccttttt ccagggctaa ggaaagagaa aaggaatgtc ctatagaagg ttgttaggat 1680

agaatttggt aaaagaacgt tgcagatatt gtaacagacc ataggagatt tcatcagcaa 1740
taggattctt ctttggagaa aatacattgt ccataagact tgtactctat tcattcaact 1800
catgtgagca agctcaactc actccacctg ggttaggtaa cagaagtgga gaacttcata 1860
gttcgtgtct agaaaataat gtttaaagtt ctggagaatg agggtattgc agattaaaag 1920
gcgagttgac aaatgaagga gcagtgaaag atttttggaa gaagtgaaga agtgaaattc 1980
tgaaaaggta aaagaaagaa ccagtatgtc acaggggcca agtcagagga cagataataa 2040
gaaacaaagt tgtatctgag agtcatatat taggacaggt gtcagatatt tattttggtg 2100
gccagataaa agcaaaaggc ctagaaacag tgtgttagca aagtaagaag aaatggtcca 2160
aataggcaag gataaggaaa tccaaaggtt gtctttaaat atttctcaaa agagaaagcc 2220
ttgaaagaag catacaatag agaaaaaata aattaccagt atttattatt agaaaagata 2280
gaaagacaga caaatcagtg gaggaattaa aacagagaaa ctggagttta taaaacagag 2340
cccaatcctt gccttctctc cctccactca aatagaaaag gagaatggag aaagagaaag 2400
aaggtattag gctacagttt ataagagaga tgagaaaaaa atacatttgg gaatagaggg 2460
aaagggtcaa aaggggtcac atttggagaa atatctgaaa atgagaagga gcagaatttt 2520
tggaaacatt ttttaaagtc tggcaacgct aattaagctg ttgatctaag gatttgcaaa 2580
ttgagaggtg caattatttt ccaaatgatt tgtgacactc ttattaatta gaatatatat 2640
tctgtgaata ttgaaatctg agccaaaact agttagcttt attaatatct tagggaaaga 2700
agagagaaag aaagagggag ggagagagag aaagaaagaa agaaagaaag aaagaaagaa 2760
agaaagaaaa aaaaaaaaaa aaaa 2784

<210> 162
<211> 943
<212> DNA
<213> Homo sapiens

<400> 162
gtattttcaa gggtctgtcc tgttatagca cataacggaa cttcattcct tttttaaaag 60
atataattca tgtaccaggt gattcacccc tttaaagtct caaattcagt ggtttttagt 120
atatttccag aattgtgcag ttatcactag gagcaatttt agaatgtttt catcacccgg 180
aaagaaactc tatatccata cgcagcctct ccccatttct ccccaacccc cagccctagg 240
caaccactca tctgctttcc gtgtctgtag gattgcttgt tctggaaatg ttgtatacat 300
ggaatcatgc actgtgaact cttgtgtgtc acagaaggat catgtttcca tggtgcgtct 360
gtgtcatagc atgtatcagt gcagtaaccc cccttatcca aggttttact ttctgcagtt 420
tcagttaccc acagtacagt acagtaagat attttgagag agagaccaca ctcacattac 480
ttttattgta atatatcgtt ataattgttc tatttgatta ttgttgttaa tctcttactg 540
tgccttattt agaagttaga ctttgtcata agtatgtatg tataggagaa aagatagtat 600
atataaggtt tggtgctatc cacagtttcg gacatcccct gggggtcttg gaatgtawcc 660
tgtggataag cgggaccact gtacttcatt ccttttttatt gtcaaataat attycatkgk 720
gtggctawgc catawtttgc cyattcattc gtcagttggt agacatttga ggtgtttcca 780
twttttggct tttgtgaaga atcctaggcc gggcacagtg gctcatactc ctgggacctt 840
gggaggccaa gacgggacga tcacttgagc tcaggaattt aagaccagcc tgggcaacat 900
agtgagactc tgtctctaca aaaaaaaaaa aaaaaaactc gag 943

<210> 163
<211> 1794
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1675)..(1675)
<223> n equals a,t,g, or c

<400> 163
gctcctctag tgactgctgg ggtgctagtt ttcacggtta ccacagaact tgagagagga 60
aaatgagaac ggcaaattaa aatgccataa aattccattc ttaacaagcg ttagtttttt 120
tttcctatat atccactccc tcacctatct tatgacatat gagaaatcct aacatgggac 180
ttggtgtata attagcattg aatgaattta agttttcttt ctttctttct tttcttttat 240
cttctgtggt ctcctgcaga atcagtctat aaaaagggca tggtaaaaaa aaatctatct 300
catagcattg ttgaaaagat taaatgacat aataagatga tgcatatata gtagctagca 360
ctgtacctga tgcatattag gagcttgata atattactaa cattatcatc atcaatgcta 420

tctgagcaaa gaggctgttc cttctttcca gccagagttc ttctgttgga taatatttcc 480
agctgtgaac cccaaccaga gaccttgaag cctttatttc cttttctctc attggccttt 540
ggctgaagtc tcctttctgc agagaacaaa gtgaccagct tttgatgaac tattttcctc 600
ttttatccat ttccaagtgt tagccatagt gaagaagtgt agctgggtgc tagcccaact 660
caagaagtga taatgtwata tccaacccaa gataaactca aggataactt tcaacacggc 720
tactcaagca gttcaggggg gaggcatctt gtagagagga gaccaggaag tcacttggca 780
gctgggccag cacacagagg gccattgctc cagtaaagca gctaacctcc atctcttcat 840
caaaccatcc tagactcagc actctgcaga gaaggagcag atggagggaa tgtgtggaga 900
gattagataa gaaggatttc taatctagtg ggggagcgag taaaatgtac agaagtttga 960
gaagccaagc tcttatgtam maatccrccc ccatcactca acaatcccca ctgtatgaat 1020
aaagcctgga aagtttccaa ttaaaacagt gcttgtgaat attggcaagg ggtatctttg 1080
tgtgcagggt acatttaaag ggagaagggt gaagatacac ccttgcctty taggagtaca 1140
ctttctgaga gcttgttcac caggctgtga gtttctcagt ctatctgttt ctcagtctgt 1200
tagtaatgaa tgtatctccc acttagcaca gcagctagca catagtagat gcctaacaaa 1260
tgtgtgttaa attgaatgtt ggaagtctgt gtcctgaaag cttttcttca catattacaa 1320
ggctttttat ttgttcaaca cattttacc aagtttttt ctgtgttcca ggtcttttga 1380
ttagctgttt ttaagtcaca gaaatgggtg tcgggaacaa aaccagtcaa aagtcctcat 1440
tctacatcat ttacactttc ccttcctata tttataagtt ttaatatcag cttctacaat 1500
aggttccaga acaagtggtg ctcaaggaat ggagaaaatg actattccaa ccctagctgt 1560
aggtgaacca aaaaccccag agaaatcaaa gtgtagttta aagcagtgct tctcaagttg 1620
taatgtgcat atagatcacc tggggttgtt attaaaatgc aaattctaaa agagncagga 1680
gaatatcttg agcctgggag ccagaggttg cagtgagccg agatcattcc actgcattcc 1740
agcctgggtg acacagcgag actccatctt aaaaaaaaaa aaaaaaaact cgta 1794

<210> 164
<211> 887
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (303)..(303)
<223> n equals a,t,g, or c

<400> 164
ggcacgagag aattataggt gcatgatggg gcttttggag actggcaatg ttctgttttg 60
ggtctgggta gtggttactt gtgtgtattc actttatgct aactcattga actgtacaga 120
tatggactgt gccccttttct atatgtgtgt aatgcttcaa caaaagtgtc aatagtgatg 180
catgcacatg ttaaaatttc aaactatatt aaagagtgtg caattaaaag gaagttatcc 240
tctcactcta aagtcctatt tcctctcttc agtctatcat tactactagt ttctagtata 300
tcntttagaa atgkgctgta aaagaacaat gatgtgtatg tctctacagg tatatattta 360
ttctttttgt aattacaaaa atataaactc actacatatg ttattctacc acatgctttt 420
tttcatgtaa cagtatgtct tagacatctt ttcctattat tgcgtggaag ctatcaacct 480
tattctttgt aatgactcca taaattattc tactgtgaaa acacaccatg tttaaccagt 540
tctctgttag tgaacattta ggatttttcc agtttttaaa tattacagtg acatattaaa 600
cattaaacat atcttttgac acatgtcctt gcacacatgt ataggtatga tggactttaa 660
caccctttgg ctagattctt tagcacataa cgtaaatatc ccatagagtc aaaaccaccc 720
ttaaaacttc ctcaggaggc tgggtgtggt ggctcacgcc cgtaatccca gcactttagg 780
aggccgaggt gggcggatca cgaggtcagg agatcgagac catcctggcc aacatggtga 840
aaccctgtct ctactaaaaa tacaaaaaaa aaaaaaaaaa actcgta 887

<210> 165
<211> 1222
<212> DNA
<213> Homo sapiens

<400> 165
aattcccggg tcgacccacg cgtccgagcc cagcaacgtg caaggggaaa ggggacagga 60
ttctggatgg ccatttgctt cactgggatg caaaacctct tttgagtact agaatcagta 120
tttcttcttc catctctgct gtacctgaga agaaatggcc aaacgcacct tctctaactt 180
ggagacattc ctgattttcc tccttgtaat gatgagtgcc atcacagtgg cccttctcag 240

cctcttgttt atcaccagtg ggaccattga aaaccacaaa gatttaggag gccatttttt 300
ttcaaccacc caaagccctc cagccaccca gggctccaca gccgcccaac gctccacagc 360
cacccagcat tccacagcca cccagagctc cacagccact caaacttctc cagtgccttt 420
aaccccagag tctcctctat ttcagaactt cagtggctac catattggtg ttggacgagc 480
tgactgcaca ggacaagtag cagatatcaa tttgatgggc tatggcaaat ccggccagaa 540
tgcacagggc atcctcacca ggctatacag tcgtgccttc atcatggcag aacctgatgg 600
gtccaatcga acagtgtttg tcagcatcga cataggcatg gtatcccaaa ggctcaggct 660
ggaggtcctg aacagactgc agagtaaata tggctccctg tacagaagag ataatgtcat 720
cctgagtggc actcacactc attcaggtcc tgcaggatat ttccagtata ccgtgtttgt 780
aattgccagt gaaggattta gcaatcaaac ttttcagcac atggtcactg gtatcttgaa 840
gagcattgac ataccacaca caaatatgaa accaggcaaa atcttcatca ataaaggaaa 900
tgtggatggt gtgcagatca acagaagtcc gtattcttac cttcaaaatc cgcagtcaga 960
gagagcaagg tattcttcaa atacagacaa ggaaatgata gttttgaaaa tggtagattt 1020
gaatggagat gacttgggcc ttatcagttt ttcattcagc aagtctgcac tagggaccta 1080
ctatgagcca cgcaatactt ccttggaatg atgtattccc tggccttgaa ataaggaatc 1140
tagtacccat gtttgtgcta ctggaatgaa tccattaaac tctctgagac tcaaaaaaaa 1200
aaaaaaaaaa aaaaaaaagg gc 1222

<210> 166
<211> 1815
<212> DNA
<213> Homo sapiens

<400> 166
cacgcgtccg cggacgctgg gctcaatctc ctgaccttgt gatctgcccg cctcggcctc 60
ccaaagtgct gggtttacag gcatgagcca cagcgcccgg ctgagtattg ggtctttagg 120
ggtcaaaact tttgatcttt gcttgcagtt tttgtttttt tctcttttac actctccctg 180
ttccctgatt aaatgaaggc caggcttgcc tagttccagg gaaaaggccc agggtgccta 240
gagcaaggtg gatgggactt tgttcgcaga tgggccttga gagagcgacc cctcgctcct 300
aaatgcccgg aggaagggac ggacttcttt atctttacca tgggtattct gccttactgc 360
tttggcctgt ggcgtttctt cacttgcttt tcctcatttt gcttggaatg tgctttgcct 420
gttgcatacc cacctcgtct gccccccttgc acactccatg gctggcctaa aagcccagtc 480
tgctgtcctg tgcccttag acttccactg taggattatg tttccacact ccctgtggac 540
tgtgccactg gagctctctg cagacaggga ctgtgtcagg ttgacctcca tccttcagac 600
cagcccagtg cctggcaggt agaggaaaga gaagctgagg aaggacttgc tgcacaagtg 660
gatgccagga gctctggtct tcccttcttg aatctgctac cttatgatgg gagggacaca 720
gggctgtgct ggatttgtgc acgatgcttt ggacagccca tgggagaggg ccaggaggaa 780
ggaaacccag actgagtgga tagcaggctg gatgggggca ttgacagtgg gggaagcatt 840
aaaggccatt tatagccttc acaggtcttg gtaatgggct cttacacggg ttggtggcgg 900
aaggacacag gtggacctgg gctggtggtc actcctgggc tgctcttggc cctggcatct 960
gagacctgtt ggccaaaggc tttgatgtgg ctctggtatt ttttcttttt tttgagaatg 1020
gaacttttt ttttttaatg aaatgctctt ttgaataggc aatacagtca cgtttctaaa 1080
atgaaaatat attaaaatat attttaagaa attttgcccc tcactcctga tctcatctct 1140
gtcctccctc ctccctggta accacctgta gcagtttgaa taccttcta gtttttctta 1200
atgcaagtac agcaaacaca aattgtgtat tattatttct ccctttcag taaatgaaag 1260
atagcattct gtgtgtactg ttcttcatct tgtgcttttt ttaacttatt gtagagattt 1320
ttccatatca gtgcatggag aatggttgtc attctctttc agctgtgttg cactgtgaag 1380
ttgtccctgt ttgaatactc acccctgagg aaaggcacct ggctgtttcc agcttgtttc 1440
atgacatgcc ggcgacagtt gtctcacgtg cacatcgttt cccacattgc agtggtcctg 1500
cagggtggca tcccgcaggc acattgctga gtcaaagagg aaacacagtt gtaattttga 1560
cagattttgc ccagttgccc tctacagggc ttgttccatg ttgcactccc actggcggtg 1620
ttgatgcctg attccccact gactcgtcaa cacaaggtgt agtcaaatgc ttggagttct 1680
gccagcctga ccaacatgga gaaaccctac tgaggataca aagttagcca ggcatggtgg 1740
tgcatgcctg tagtcccagc tgctcaggag cctggcaaca agagcaaaac tccagctcaa 1800
aaaaaaaaaa aaaaa 1815

<210> 167
<211> 1262
<212> DNA
<213> Homo sapiens

<400> 167
cctaatggcc cgasctgaat acttgaagga gctcaagatg agggaatctc gctgggaagc 60
tgacaccctg gacaaagagg gactgtcgga atctgttcgt agctcttgca cccttcagtg 120
accctagaag aatgattgga cagatgtgag ccatctggag cagaggggca ctaacccagg 180
ctgacgccaa gaatgaagtg gcccactgca gccctggcga gcaggcttct tggatggaca 240
gtgctgagac ccccatatcc cagagtcccc agcctccctc aggttactct gcaccccaca 300
gatggtttga tggctgtgct gtatactgga ggggagggca ggactctggg agaacagcac 360
ttctttcatg agacctttgt tactcggtgg ttactgggtc ctgtgcctgt ccgttttggg 420
gcatgcagcc ctctatcatt tttggctccg agaagagggc aaggggcccc cgcaggtarc 480
ttctgtgctt gccctcgccc tgccagcagg cagctgtgcc cctggcctgc ccttcccggg 540
acccccttatt ccaactcagc tcctctttgc actggaatgg ggcactccaa caccccctcag 600
ggaccaccct ccccacagta tgcactcagc cccacagaac ccaccagtct ttctgggaac 660
tcacacctgc ccgccatctt ggtactttag gttaatccct caagcatgaa agctggatct 720
tttggggttt aagaagccca agccttgttc ctgccctggc ctagggagca ctcaggaggg 780
ttccttggtc ctcatctctc ccacctccgt tccctctggg ccccacacta gccacagcgc 840
gggccttgtg ctggagtttg agcctgggac agggagaggg aggcttggag acagtctgac 900
ccagtgccct ctaggccacc cacttctagg cctgccctgc cgccgtggag ccctgggcaa 960
gctctttccc ctttctgggc ctgggtctcc ccatctcttc aatggggctg ataccttcac 1020
agcccacagc atgggcactt atgaggacaa agtgaattta acctggaaaa gaatgtattt 1080
gagagtttct tttaaataat cagcgggtgt tggtgatttg tagcccttct gcccttaaat 1140
gcttccttgg gcaagagctg tctgtcctcc ctgcaggagg ctgagtgtga agagtatcat 1200
tcattgtttc tctattaaat tattttctgc taaaaaaaaa aaaaaaaaat ttctgcggtc 1260
cg 1262

<210> 168
<211> 632
<212> DNA
<213> Homo sapiens

<400> 168
aattcccggg tcgacccacg cgtccgcgac ggtctcatgt accagaaatt ccggaaccaa 60
ttcctctcct tttccatgta ccagagcttc gtgcagtttc tccagtacta ctaccagagc 120
ggctgcctct accgcctgcg ggcgctgggc gagcggcaca ccatggacct cactgtggag 180
ggcttccagt cctggatgtg gcggggcctc accttcctgc tgccttttct tttctttgga 240
cacttctggc agctttttaa cgcgctgacg ttgttcaacc tggcccagga ccctcagtgc 300
aaggagtggc aggtgcttat gtgcggcttt cccttcctcc tccttttcct cggcaatttc 360
ttcaccaccc tgagggttgt gcaccacaag tttcacagtc agcggcacgg gagcaagaag 420
gattgaggct gggccttccc ctgccggccc agaggggctt ctgtcctgtg tgttgtggga 480
ggggatggga ggcgcccctc gagtgtgcgt gtatcagggg gtctcttcta ttctcccttg 540
ggttttatgg gcgctgtggg ccctgaagga agacctgggc ccagtgccct caataaagag 600
aggcccagag gtggaaaaaa aaaaaaaaaa aa 632

<210> 169
<211> 2572
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2527)..(2527)
<223> n equals a,t,g, or c

<400> 169
aattcggcac gagtctggac cttcttagmt tgcttgatat caggttgttt ttgtagccat 60
tttgcttcac agtcacctgg aatgccggga gcccctgctc atcccgatcc tctccttgta 120
catgggcgca cttgtgcgct gcaccaccct gtgcctgggc tactacaaga acattcacga 180
catcatccct gacagaagtg gcccggagct ggggggagat gcaacaataa gaaagatgct 240
gagcttctgg tggcctttgg ctctaattct ggccacacag agaatcagtc ggcctattgt 300
caacctcttt gtttcccggg accttggtgg cagttctgca gccacagagg cagtggcgat 360
tttgacagcc acataccctg tggtcacatg ccatacggct ggttgacgga aatccgtgct 420
gtgtatcctg ctttcgacaa gaataacccc agcaacaaac tggtgagcac gagcaacaca 480

gtcacggcag cccacatcaa gaagttcacc ttcgtctgca tggctctgtc actcacgctc 540
tgtttcgtga tgttttggac acccaacgtg tctgagaaaa tcttgataga catcatcgga 600
gtggactttg cctttgcaga actctgtgtt gttcctttgc ggatcttctc cttcttccca 660
gttccagtca cagtgagggc gcatctcacc gggtggctga tgacactgaa gaaaaccttc 720
gtccttgccc ccagctctgt gctgcggatc atcgtcctca tcgccagcct cgtggtccta 780
ccctacctgg gggtgcacgg tgcgaccctg ggcgtgggct ccctcctggc gggctttgtg 840
ggagaatcca ccatggtcgc catcgctgcg tgctatgtct accggaagca gaaaaagaag 900
atggagaatg agtcggccac ggaggggggaa gactctgcca tgacagacat gcctccgaca 960
gaggaggtga cagacatcgt ggaaatgaga gaggagaatg aataaggcac gggacgccat 1020
gggcactgca gggacagtca gtcaggatga cacttcggca tcatctcttc cctctcccat 1080
cgtattttgt tccctttttt ttgttttgtt ttggtaatga aagaggcctt gatttaaagg 1140
tttcgtgtca attctctagc atactgggta tgctcacact gacgggggga cctagtgaat 1200
ggtctttact gttgctatgt aaaaacaaac gaaacaactg acttcatacc cctgcctcac 1260
gaaaacccaa aagacacagc tgcctcacgg ttgacgttgt gtcctcctcc cctggacaat 1320
ctcctcttgg aaccaaagga ctgcagctgt gccatcgcgc ctcggtcacc ctgcacagca 1380
ggccacagac tctcctgtcc cccttcatcg ctcttaagaa tcaacaggtt aaaactcggc 1440
ttcctttgat ttgcttccca gtcacatggc cgtacaaaga gatggagccc cggtggcctc 1500
ttaaatttcc cttccgccac ggagttcgaa accatctact ccacacatgc aggaggcggg 1560
tggcacgctg cagcccggag tccccgttca cactgaggaa cggagacctg tgaccacagc 1620
aggctgacag atggacagaa tctcccgtag aaaggtttgg tttgaaatgc cccgggggca 1680
gcaaactgac atggttgaat gatagcattt cactctgcgt tctcctagat ctgagcaagc 1740
tgtcagttct caccccccacc gtgtatatac atgagctaac ttttttaaat tgtcacaaaa 1800
gcgcatctcc agattccaga ccctgccgca tgacttttcc tgaaggcttg cttttccctc 1860
gcctttcctg aaggtcgcat tagagcgagt cacatggagc atcctaactt tgcattttag 1920
tttttacagt gaactgaagc tttaagtctc atccagcatt ctaatgccag gttgctgtag 1980
ggtaactttt gaagtagata tattacctgg ttctgctatc cttagtcata actctgcggt 2040
acaggtaatt gagaatgtac tacggtactt ccctcccaca ccatacgata aagcaagaca 2100
ttttataacg ataccagagt cactatgtgg tcctccctga aataacgcat tcgaaatcca 2160
tgcagtgcag tatatttttc taagttttgg aaagcaggtt ttttccttta aaaaaattat 2220
agacacggtt cactaaattg atttagtcag aattcctaga ctgaaagaac ctaaacaaaa 2280
aaatatttta aagatataaa tatatgctgt atatgttatg taatttattt taggctataa 2340
tacatttcct attttcgcat tttcaataaa atgtctctaa tacaatacgg tgattgcttg 2400
tgtgctcaac atacctgcag ttgaaacgta ttgtatcaat gaacattgta ccttattggc 2460
agcagtttta taaagtccgt catttgcatt tgaatgtaag gctcagtaaa tgacagaact 2520
atttttncat tatgggtaac tgggggaata aatggggtca ctgggagtag gg 2572

<210> 170
<211> 1488
<212> DNA
<213> Homo sapiens

<400> 170
cgccaagttt ccggagggag agggtagaaa ctggaggggg tggacctgtc actcacggga 60
ctgagggtcc ttttctcccg ctcccaggag gaacgagaat gaatatgact caagcccggg 120
ttctggtggc tgcagtggtg gggttggtgg ctgtcctgct ctacgcctcc atccacaaga 180
ttgaggaggg ccatctggct gtgtactaca ggggaggagc tttactaact agccccagtg 240
gaccaggcta tcatatcatg ttgcctttca ttactacgtt cagatctgtg cagacaacac 300
tacaaactga tgaagttaaa aatgtgcctt gtggaacaag tggtggggtc atgatctata 360
ttgaccgaat agaagtggtt aatatgttgg ctccttatgc agtgtttgat atcgtgagga 420
actatactgc agattatgac aagaccttaa tcttcaataa aatccaccat gagctgaacc 480
agttctgcag tgcccacaca cttcaggaag tttacattga attgtttgat caaatagatg 540
aaaacctgaa gcaagctctg cagaaagact taaacctcat ggccccaggt ctcactatac 600
aggctgtgcg tgttacaaaa cccaaaatcc cagaagccat aagaagaaat tttgagttaa 660
tggaggctga gaagacaaaa ctccttatag ctgcacagaa acaaaaggtt gtggaaaaag 720
aagctgagac agagaggaaa aaggcagtta tagaagcaga gaagattgca caagtggcaa 780
aaattcggtt tcagcagaaa gtgatggaaa aagaaactga aaagcgcatt tctgaaatcg 840
aagatgctgc attcctggcc cgagagaaag cgaaagcaga tgctgaatat tatgctgcac 900
acaaatatgc cacctcaaac aagcacaagt tgaccccgga atatctggag ctcaaaaagt 960
accaggccat tgcttctaac agtaagatct attttggcag caacatccct aacatgttcg 1020
tggactcctc atgtgctttg aaatattcag atattaggac tggaagagaa agctcactcc 1080
cctctaagga ggctcttgaa ccctctggag agaacgtcat ccaaaacaaa gagagcacag 1140

gttgatgcaa gaggtggaaa tgttctccat atcaagatgt ggcccaaggg gttaagtggg 1200
aacaatcatt atacggactc ttcagattta cagagaactt acacttcatc tgttccacct 1260
ctcctgcgat agtcctgggt gctccactga ttggaggata gagccagctg tctgacacac 1320
aaatggtctt ttcagccaca gtcttatcaa gtatcctata tgtattcctt tctaaactgc 1380
tactcatgaa tgaggaaagt ctgatgctaa gatactgcct gcactggaat gttaaacact 1440
aaatatataa caagctgtgt tttcctaagc tgaaaaaaaa aaaaaaaa 1488

<210> 171
<211> 609
<212> DNA
<213> Homo sapiens

<400> 171
ccacgcgtcc gcggacccca gacatgagga ggctcctcct ggtcaccagc ctggtggttg 60
tgctgctgtg ggaggcaggt gcagtcccag cacccaaggt ccctatcaag atgcaagtca 120
aacactggcc ctcagagcag gacccagaga aggcctgggg cgcccgtgtg gtggagcctc 180
cggagaagga cgaccagctg gtggtgctgt tccctgtcca gaagccgaaa ctcttgacca 240
ccgaggagaa gccacgaggt cagggcaggg gccccatcct tccaggcacc aaggcctgga 300
tggagaccga ggacaccctg ggccgtgtcc tgagtcccga gcccgaccat gacagcctgt 360
accaccctcc gcctgaggag gaccagggcg aggagaggcc ccggttgtgg gtgatgccaa 420
atcaccaggt gctcctggga ccggaggaag accaagacca catctaccac ccccagtagg 480
gctccagggg ccatcactgc ccccgccctg tcccaaggcc caggctgttg ggactgggac 540
cctccctacc ctgccccagc tagacaaata aaccccagca ggccgggaaa aaaaaaaaaa 600
aaaaaaaaa 609

<210> 172
<211> 612
<212> DNA
<213> Homo sapiens

<400> 172
ggtcgaccca cgcgtccgag catttgtctg tataatttta gttattgaat taaaatcttt 60
tgggacccca acaggatgag atcattggcc agctggcttc ctcccacctg cacctggact 120
gaaattcccc gtggcattag aggtgtttcg taaggtgctc cctgctgtct gtcctacaga 180
ttgcagtggc tctgctggaa aagaacggaa ttctatgcaa gttgcgtgtg tcatgaaggt 240
ctctgcacag tgggtgtgtt tctttgtcgt cttttctcca ctctgctctt ctgtgaaatg 300
tgccagcagt ggacagaaca ggggcagagg tgatcagtga ccattgcaca gaatatcagt 360
aagtgttgta aggtatatag tcttggccaa caaattgtaa gcaaaatacc aggaacttcc 420
taatctagta ggaaattttg tatgcttttg acaaacatct gatcctactg acactgaaag 480
tccttagaag gagaattgct tgaacccgga aggtggcggt tgcagtgagc caagatggcg 540
ctactgcact ccagcctggg caataggaat gaaactccgt caccaaaaaa aaaaaaaaaa 600
aagggcggcc gc 612

<210> 173
<211> 704
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (287)..(287)
<223> n equals a,t,g, or c

<400> 173
actgtgtctg tcttgtctct gatatttata tgccattatg tggcctctac tgccttagga 60
ttctaatgtt cccactaaga tcagctaact cagttccact acagtgttta ccaccatcat 120
ctctcgcaaa caaagacagc cacttcagag ctcctaggaa atagtggtgc tcccatcatc 180
attgcattcc ttaatsacat ggtgaaaatt aacaatggct aaggagcctt tgtgttttct 240
cctctacaat atgcccagga atttctggca ttttggccat cttattnata ggctattact 300
gaatttmagc ctmatcctmc caaattatta atgccaaaat attaactctt gattcttagg 360
tgagtgcacc catgccaata aatttgccat gatctaacct taaatgtatt ctcatatatg 420

ctgtccaagt ttctrctgat taaaatggca aggcctttag ttctcctaca taggttttct 480
ctctccagag aaggcctcaa ttctctgact aggctatgtt gggatataac tggaggcact 540
aataggtagt agggtaaatt ctttatttta ttatttttgg agacagggag ggtcttgctt 600
tgttcagact ggagtgcagt ggtgtgatca tggctcattg caactttgaa ctcctgggcg 660
acagagcaag actccatctc aaaaaaaaaa aaaaaaaaac tcga 704

<210> 174
<211> 613
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (25)..(25)
<223> n equals a,t,g, or c

<400> 174
gaattcggca cgagcgggac gcggntgaag atagcctgcg gagtgtccgg gcggaacacg 60
gttgcagcac tcccagtaga ccaggagctc cgggaggcag ggccggcccc acgtcctctg 120
cgcaccaccc tgagttggat cctctgtgcg ccacccctga gttggatcca gggctagctg 180
ctgttgacct ccccactccc acgctgccct cctgcctgca gccatgacgc ccctgctcac 240
cctgatcctg gtggtcctca tgggcttacc tctggcccag gccttggact gccacgtgtg 300
tgcctacaac ggagacaact gcttcaaccc catgcgctgc ccggctatgg ttgcctactg 360
catgaccacg cgcacctact acacccccac caggatgaag gtcagtaagt cctgcgtgcc 420
ccgctgcttc gagactgtgt atgatggcta ctccaagcac gcgtccacca cctcctgctg 480
ccagtacgac ctctgcaacg gcaccggcct tgccaccccg gccaccctgg ccctggcccc 540
catcctcctg gccaccctct ggggtctcct ctaaagcccc cgaggcagac ccactcaaga 600
acaaagctct cga 613

<210> 175
<211> 1022
<212> DNA
<213> Homo sapiens

<400> 175
ttcccgggtc gacccacgcg tccgcccacg cgtccggctt ggggccagca ccctgtctca 60
aagatggcaa aatgaggcta gttctggatg agctagctgg tgtgggttcc aaccatagga 120
acacactgat gctcaaatcc taaggtgcca agctctaggc cctggaggct ggtagaacag 180
gatctatgcc tggaatcctg gcagggattc ctgtcaagga cttgtgttta agcctgcttc 240
agggcttcag gctgcttctg ctctgtgtct gcccaggctg gctgagcggg tggatgggtg 300
gacagaaggg ctcaccaagg attgtggaca tagggtaggc cctggtacca cgggtttcag 360
gctgttatca cttcccttgt aggaacatag ccagaagcag atgagccagg gtagagggct 420
ggcccctcct ctcatcttcc cttcagtctt aaattgtctc cagcgatggg aagaggccag 480
ggactgtaac ccttgtgctg tgtattctct gagcctctgc tcactctcag ggccaagcag 540
ctcccaagcc ggggccctct cttggccaaa atctgaggag cagtctaggt tacaggcttt 600
ttggtaggta ggttctggct gcctgttaat gcagttaggc cccctgatta ggtacagtga 660
gaaacaagct agaacaaccc tggcccagaa gactgtgcac tccagcaaga tccagggatg 720
atagccttgc agggccactg ggagtttgtg cccaagcttc tccctcttct ctccccaggg 780
ggcactggga ctggtccctg ccctcatcct tagcctgggc cttccccaga ggtattaaag 840
agaagtatga ttcctctgtc ttcagttctt ttcaggggca tcctgcccat agtacccagt 900
tcccaagggg cccccagtca cgtggtgaag cctagcactc atgcagctct tagggaacca 960
aaaaccagca ctgaaataaa gctgaatgac tgactgaaaa aaaaaaaaaa aaagggcggc 1020
cg 1022

<210> 176
<211> 1766
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature

<222> (14)..(14)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (36)..(36)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1750)..(1750)
<223> n equals a,t,g, or c

<400> 176
acgggggctt taangggaaa cccttcccgg aatttncggg tcgacccacg cgtccggttt 60
tgtttatgga gggtccagta agtgcaaaca accattgcct ggtcctaagg gttcagagtc 120
cccgaattcc ttcttggacc aggaaagccg gagacgaaga ttcaccattg cagactcgga 180
tcagttgcct gggtactcgg tggaaaccaa cattctgccc acaaaaatga gagagaaaac 240
accatcttat ggcaagccac ggcctttgtc catgcctgct gatgggaact ggatggggat 300
tgtggaccct tttgccagac ctcgaggtca tggcaggaaa ggggaggatg ccctttgccg 360
gtatttcagt aacgagcgga ttcctccgat cattgaagag agctcctctc ccccataccg 420
gttctccaga cccacgaccg agcggcatct ggtccggggt gcggactaca tccgaggaag 480
caggtgctac atcaactcag atctccacag cagcgccacg attccattcc aggaggaagg 540
gaccaaaaag aaatctggct cctcagctac gagtcctcgt ccacagaacc gtccctcctg 600
gtcagctggt ttacgcgcct caaactgttg actcactgag agggaccctg ctcaggccac 660
ctgcctggct cctgscccaa gtgccttgct tttacagtgg acagcctctt ctcgtttcag 720
cctcagtatt atgtagggac cttatgcaat ttctttttct tttgaaaagt tatctactgc 780
ccttcttgga agtttgcagg attggatggg aacaaattca gaggatctta ggtgctggct 840
tgtggagaca aaaggaggga aatgggtaga gcctgtttgt cttgcttccc cagagataga 900
atgtgaagac acgcgctaga aatcgcagtc ctggccagag acgttatggt cattgtgagg 960
gactggtggc attgttcctt tttgaggggc tgggggggact caaattggtg gctgttttca 1020
cacagatgtg ttggtttgtg gtccaacttc tttatctgaa aaagccagtg agaaaacatt 1080
tttgatttga ttttttctaaa ctatctacca tattttaagt gtagcagctt tgactttgca 1140
ataacgtggc aagtatctga tttctccttt gaggcagagg tttaagtgta ggcctgttac 1200
acttgtttga tacctttttc atgacagtct cagtatagat cagttggtac agaaatacat 1260
gaacacattt tgatagggct tatttcacac aaagaagttt atggttattt gtgtggggtg 1320
gtgttgttat atattattgt ctttaaggga aaagaagcta taagattcgc tgacagccaa 1380
agtatcattt agaaaagtga agcaacaaga tttaggttga tgaaagatac atgagtttgc 1440
attttgacct gttcagtgtc tgtcttccag cacggtgtgt acacttcttc aaaattgtac 1500
acagtttgct aattagaaat atcttggaaa gcctcatggt cactaatttt caactagcat 1560
caggtatttt gaaaacgtgt gtctggatat taactcttgt ttaaactgaa tgtatgatat 1620
tttgttagaa tggaaaagta ctatcttgtt aatttaagta ttttaaatat agttgtatat 1680
ttttcttaaa aaaaaaaaaa aaaaaaaaaa aaagggcggc cgctctagag gatcccgcga 1740
ggggccccan attacgcgtg agcgtt 1766

<210> 177
<211> 815
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (406)..(406)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (794)..(794)
<223> n equals a,t,g, or c

<400> 177

ggcacgagcg gcacgagcgg cacgagatgg aatgttcatt ttatggcagt tgttttaagt 60
tktaaawtac acagaggaaa mtattgtgga aggacctctt tgttgctttc ccttctaagt 120
tgtcttcttc ttcttcttct tcttcttctt cttcttcttt ggtccttaag tgaaataaag 180
actctaaaac taatttgtat attatcagcc agagatgcgg atggcagtcg agccaaatcg 240
catggctttc agatcaggta ttctgcacat tcattccaag gtcatagatt tttaaaagga 300
cctggatttg aagagatggc aaatgrtgag ccatcagaaa acttaatttg gaaaacatgt 360
atgtagccag tgtggatatt gtggcctctc tcaagacaca ttgacnactg tagacytcat 420
tcagtccagt gtgagtattt tggagtaggt tggatgtaga ttttgttttt atcgttgatt 480
tgtaccgaca gaaatagaca tttcatcatg taaaattcct gttattctgg aaaaacctat 540
tgttttgatc cttcttgttt tcctgacttg gaagtatcct ttcaaaaaaa ctcttaagat 600
atctaggtct aaaaagcact tcatgagatg ctaaagctga cccactggtt gaaaatgttg 660
accctatcct gttatttaaa tgtgaacatt tattgtacat tcagtgagtt atagtgttaa 720
tagtcttgtg ctatgcagca ggtgtaaaaa ttaataaata tatttttaa taaaaaaaaa 780
aaaaaaaaaa attnctgcgg tccgcaaggg aattc 815

<210> 178
<211> 617
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (9)..(9)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (513)..(513)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (559)..(559)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (587)..(587)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (602)..(602)
<223> n equals a,t,g, or c

<400> 178
atggaaaanc aggcaaatcc tgaaatgggc tggaaaaaag ggagggaccc agcactycca 60
gggagaaaac ttggcattyc ttgggaatct aacaggatgc agtgaaccca agccttttga 120
agagctcacc aatcagactg cccttgtcta tccatgagca gatgtttgat agtattgcgg 180
aggccctcta gtgggtatgc tgccaagcaa ctggagtggc acttgggctc taatccagtt 240
gtctatccct ttcaccctgg catttcatca gccaaacaaa aaccaactaa ctcagaaaaa 300
aaggaaagcc cctcaagggt cctttgaccc cgatatctac atagatgcta tcggggtccc 360
ctgaggggta ccaaacraat tcaaagctcg aaatcaaata gctgctggat tcaagtctgt 420
ccttttcttg tggtctacta taaataaaaa tgtagactgg ataaattaca tatactataa 480
aaaaaaaaaa aaaaaaaaaa ctcgaggggg ggnccggtac ccaattcggc ctatagtgag 540
tcgtattaca atcatgggnc gtcgttttac aaagtcgtga ctggggnaaa acctggcgtt 600
anccaattta atcggct 617

<210> 179
<211> 2286
<212> DNA

<213> Homo sapiens

<220>
<221> misc_feature
<222> (2262)..(2262)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2264)..(2264)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2272)..(2272)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2278)..(2279)
<223> n equals a,t,g, or c

<400> 179
gctgatgtcg aggttcatcc tgaaccacct ggtgctggcc attccactga gggtgctggt 60
ggttctgtgg gccttcgtct tgggcctatc cagggtcatg ctggggcggc acaatgtcac 120
cgacgtagct tttggctttt ttctgggcta catgcagtac agcatcgtgg actattgctg 180
gctctcaccc cataatgctc cggtcctctt tttactgtgg agtcaacgat gacaccatct 240
cattgattat ggcaccagga agtctgaagg tttccacatt cgatgatgtc aacctaaacc 300
agcagccatc ccgcttgtcc ctcttaggca tttcaggctt cctttgggat ttcaggtgtc 360
ccatgatctt gatgtgctgc taggctggag cacacactgg ccattactga acacagccat 420
attagggaaa gcaaaaaaac ccaaaaaatc ctctattgta tatttattca acaactgttt 480
atgtttccag gacaactgca aagaaaacaa gctgaggtgg ttatactgtt gctgttaaaa 540
gttggtatca gtaagatttg tgttttgtga taatccctaa atcaacatac cacttgtaaa 600
ctgaacttcg agaaagaaac atgatgttca ttctgtaaat atacatgcag acaggtcatg 660
tactaatcct agtccttttc ctgaggtaga ttttaaacag tatttttaaa gtccaagaca 720
taggtttttc tagtttattc cctgaagatc tgttgccaca gttgggagat ttcttcttaa 780
tcctgatttt cttggtaagc ttttttactt tattatctct ataatttatt atctctatcc 840
atatttgtgg atcgggtagt gggaaaagag attataatac ttgtctttct ctcctctccc 900
tccatccctc aaaagatctt tatgcatttc ccactactcc cttactgtct tttagcattc 960
agagaaaaag ccaacttgct taaagaggaa tcacttaaaa ggtaggcata tctaagatgc 1020
tcatagaaga ggaagaatgg gacatggccc catgcttatt tttgtttaca acgtaacatg 1080
gcatgagaga gggcagagaa actaagttgc tggggaaagt tagaggaact gaaagtttgg 1140
gaataggctg accacatatt atgccagtga ccagtatgac aggagatggg gccctgctgc 1200
cagtcatctc cactgaataa agaataatgc tcctctttca gggtaataaa gtggggaaaa 1260
ggaacgtctt ctcaatgcaa gaacataagc tttctcgtat atacctgtat gctacagttt 1320
ttcacatgga attccgtttt ctgaggtaca gcacatttta ggtaacagta tttaacttga 1380
aattcatcat gggagtctgc tgctatacca ggcacaagat aaaactccaa aatttctgtt 1440
tacattgacc tttacattta aagctgttca tccatggtgc ctccccaaat cataagacca 1500
aagaccacca aacgcagggt ggactctgct cattattctt tgacccagaa agactggaga 1560
aggtatgtgc tttaagtgct gctctacctg aaaagaaatc ctttaaatta cctatggaag 1620
tgatgtcctc agataatctt aatgactatt ttggcattta taaatagaaa tgattatgga 1680
ctttgatctg ccatacggag gttcggaacc tggagaaygg ctgtgataag taggttttga 1740
ttgagtgaaa gcatgagctt gttcagagtg aggggcatag tgaaaaagga acagccatgc 1800
ctcawaatca aatcatttgc rttcccacag catcctgaat accgactacc tcttcacttg 1860
ctaaagcagc taaactgtga agctctaagt ggtttgggtt tgttgtttaa ccttagcgag 1920
atcctttaac tgcagcaata ttcaagccag atatttggaa gcaaatgata tttcctcttg 1980
cagtgtccac aaatctgaat attaggggca tgaaattagg cttaccatct gatttgtaat 2040
tacaattttg gaattctctg ttttagttgc tgaggcctga gttttctggc tcttaaagca 2100
tagatcattt cacctgatgt ttttgaagca tcctaagtac agtagagtag aaaactgatt 2160
tctttgttaa ttgtacactg aataatgcct tttaaaaatc aaaataaaat taacaaataa 2220
tggtgaaaaa aaaaaaaaaa aaaaaaaact cgaggggggg cncnaaaaca antcgacnna 2280

tagtga 2286

<210> 180
<211> 1240
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1225)..(1225)
<223> n equals a,t,g, or c

<400> 180
gtgaaacgcc tgggctcaag ctgattcacc tgcctccacc tcccacagtg ctgggattac 60
aaacatgatc ccccacgccc agccaacaca aaacttctga tgctctgttt tctcatctgt 120
gaactggagc taaggctaag tggtctgtct gtttaataag agtttgaatc agatggcctg 180
gcatgaagag tcactggcct gagagaatgt caggggcatt tgtaaatgtg taaagggctg 240
aaaaatcctg agggattatt attattgcta ttgttgttat tattcacaga cacatccaac 300
agccattgtc tgcctcctta tctgtcatgc tttctgcacg agcgtcagcc tgagcttcaa 360
tctgtgtgta tatctgcagc ttacgtcctt gccacccctc cagaacccag tttcatcctt 420
gtaggttttt ccgaagcagg atttgcacaa gtggcgtgtt ttcttaagta tttattttgc 480
aggccattta ctcggcatgg ctatttttac agtgggtaag gagcaaggct aaaaataact 540
tagctcataa ccagacaggt tctgcatttg acatttacgt ggaattcatt tgcatctcat 600
ttgttcgcct ttctgtttaa caggtagaat gtaagaaagc tcagccgaaa gaagtcatgt 660
tcccacctgg gacaagaggc cgggcccggg gactgcctta caccatggac gcgttcatgc 720
ttggcatggg gatgctgggt gagtctggac aggaccgcag gtcaccatgg actgggaggg 780
ctatggaggc ctctactccc aactgggtca cctaccagtg gggcaaactg cttcaccttt 840
ctaagcctca gtttccttgt ctgtagatga ggatgataat tccccgttcc aagacagttg 900
tgatgattaa gtgtgggtgt gtgtgtgtgc atgcatgtgt gtgtgtgtgt gtgtgtttgt 960
atttataata ttgccccatg cctggcttat aggatatgtt agactatttt ctctcttttc 1020
catctccttc ctcaaaagaa ggaaaagtcc ccctctattg cctcagccct ctcatctgag 1080
tgggagttct taagatgtaa ggactcctgg ctgacttgac ttgtgtgggc taaggctacg 1140
ttttctaaaa ctkgggagag gagggaagtg gtaagggtgg gcgataatcc tgtctattta 1200
aatgattaac atttttctct tgggntatca aaatttgcat 1240

<210> 181
<211> 997
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (963)..(963)
<223> n equals a,t,g, or c

<400> 181
cccgactcta ggccggaagc gcgcggagac catgtagtga gaccctcgcg aggtctgaga 60
gtcactggag ctaccagaag catcatgggg ccctggggag agccagagct cctggtgtgg 120
cgccccgagg cggtagcttc agagcctcca gtgcctgtgg ggctggaggt gaagttgggg 180
gccctggtgc tgctgctggt gctcaccctc ctctgcagcc tggtgcccat ctgtgtgctg 240
cgccggccag gagctaacca tgaaggctca gcttcccgcc agaaagccct gagcctagta 300
agctgtttcg cgggggggcgt ctttttggcc acttgtctcc tggacctgct gcctgactac 360
ctggctgcca tagatgaggc cctggcagcc ttgcacgtga cgctccagtt cccactgcaa 420
gagttcatcc tggccatggg cttcttcctg gtcctggtga tggagcagat cacactggct 480
tacaaggagc agtcagggcc gtcacctctg gaggaaacaa gggctctgct gggaacagtg 540
aatggtgggc cgcagcattg gcatgatggg ccaggggtcc cacaggcgag tggagcccca 600
gcaacccccct cagccttgcg tgcctgtgta ctggtgttct ccctggccct ccactccgtg 660
ttcgaggggc tggcggtagg gctgcagcga gaccgggctc gggccatgga gctgtgcctg 720
gctttgctgc tccacaaggg catcctggct gtcagcctgt ccctgcggct gttgcagagc 780
caccttaggg cacaggtggt ggctggctgt gggatcctct tctcatgcat gacacctcta 840
ggcatcgggc tgggtgcagc tctggcagag tcggcaggac ctctgcacca gctggcccag 900

tctgtgctag agggcatggc agctggcacc tttytytata tcacctttyt ggaaatcctg 960
ctntttcatc ccaaatttaa gggggtttca agaagaa 997

<210> 182
<211> 1770
<212> DNA
<213> Homo sapiens

<400> 182
gctgagtgtg agctgagcct gccccaccac caagatgatc ctgagcttgc tgttcagcct 60
tgggggcccc ctgggctggg ggctgctggg ggcatgggcc caggcttcca gtactagcct 120
ctctgatctg cagagctcca ggacacctgg ggtctggaag gcagaggctg aggacaccag 180
caaggacccc gttggacgta actggtgccc ctacccaatg tccaagctgg tcaccttact 240
agctctttgc aaaacagaga aattcctcat ccactcgcag cagccgtgtc cgcaggagct 300
ccagactgcc agaaagtcaa agtcatgtac cgcatggccc acaagccagt gtaccaggtc 360
aagcagaagg tgctgacctc tttggcctgg aggtgctgcc ctggctacac gggccccaac 420
tgcgagcacc acgattccat ggcaatccct gagcctgcag atcctggtga cagccaccag 480
gaacctcagg atggaccagt cagcttcaaa cctggccacc ttgctgcagt gatcaatgag 540
gttgaggtgc aacaggaaca gcaggaacat ctgctgggag atctccagaa tgatgtgcac 600
cgggtggcag acagcctgcc aggcctgtgg aaagccctgc ctggtaacct cacagctgca 660
gtgatggaag caaatcaaac agggcacgaa gttccctgat agatccttgg agcaggtgct 720
gctaccccac gtggacacct tcctacaagt gcatttcagc cccatctgga ggagctttaa 780
ccaaagcctg cacagcctta cccaggccat aagaaacctg tctcttgacg tggaggccaa 840
ccgccaggcc atctccagag tccaggacag tgccgtggcc agggctgact tccaggagct 900
tggtgccaaa tttgaggcca aggtccagga gaacactcag agagtgggtc agctgcgaca 960
ggacgtggag gaacgcctgc acgcccagca ctttaccctg caccgctcga tctcagagct 1020
ccaagccgat gtggacacca aattgaagag gctgcacaag gctcaggagg ccccagggac 1080
caatggcagt ctggtgttgg caacgcctgg ggctggggca aggcctgagc cggacagcct 1140
gcaggccagg ctgggccagc tgcagaggaa cctctcagag ctgcacatga ccacggcccg 1200
cagggaggag gagttgcagt acaccctgga ggacatgagg gccaccctga cccggcacgt 1260
ggatgagatc aaggaactgt actccgaatc ggacgagact ttcgatcaga ttagcaaggt 1320
ggagcggcag gtggaggagc tgcaggtgaa ccacacggcg ctccgtgagc tgcgcgtgat 1380
cctgatggag aagtctctga tcatggagga gaacaaggag gaggtggagc ggcagctcct 1440
ggagctcaac ctcacgctgc agcacctgca gggtggccat gccgacctca tcaagtacgt 1500
gaaggactgc aattgccaga agctctattt agacctggac gtcatccggg agggccagag 1560
ggacgccacg cgtgccctgg aggagaccca ggtgagcctg gacgagcggc ggcagctgga 1620
cggctcctcc ctgcaggccc tgcagaacgc cgtggacgcc gtgtcgctgg ccgtggacgc 1680
gcacaaagcg gagggcgagc gggcgcgggc ggccacgtcg cggctccgga gccaagtgca 1740
ggcgctggat gacgaggtgg gcgcgctgaa 1770

<210> 183
<211> 1167
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (432)..(432)
<223> n equals a,t,g, or c

<400> 183
gggggtgggg caggcgacgg tggggaagat ggcgtaccag agcttgcggc tggagtacct 60
gcagatccca ccggtcagcc gcgcctacac cactgcctgc gtcctcacca ccgccgccgt 120
gcagttggaa ttgatcacac cttttcagtt gtacttcaat cctgaattaa tctttaaaca 180
ctttcaaata tggagattaa tcaccaactt cttatttttt gggccagttg gattcaattt 240
tttatttaac atgatttttc tatatcgtta ctgtcgaatg ctagaagaag gctctttccg 300
aggtcggaca gcagactttg tatttatgtt ccttttttggt ggattcttaa tgacccttttt 360
tggtctgttt gtgagcttag ttttcttggg ccaggccttt acaataatgc tcgtctatgt 420
gtggagccga angaacccct atgtccgcat gaacttcttc ggccttctca acttccaggc 480
ccccttttctg ccctgggtgc tcatgggatt ttccttgttg ttggggaact caatcattgt 540
ggacctttttg ggtattgcag ttggacacat atatttttttc ttggaagatg tatttcccaa 600

tcaacctggt ggaataagaa ttctgaaaac accatctatt ttgaaagcta tttttgatac 660
accagatgag gatccaaatt acaatccact acctgaggaa cggccaggag gcttcgcctg 720
gggtgagggc cagcggcttg gaggttaaag cagcagtgcc aataatgaga cccagctggg 780
aaggactcgg tgatacccac tgggatcttt tatcctttgt tgcaaaagtg tggacacttt 840
tgacagcttg gcagatttta actccagaag cactttatga aatggtacac tgactaatcc 900
agaagacatt tccaacagtt tgccagtggt tcctcactac actggtactg aaagtgtaat 960
ttcttagagc caraaaactg gagaaacaaa tatcctgcca cctctaacaa gtacatgagt 1020
acttgatttt tatggtataa gcagagcctt ttcttcctct tcttgataga tgaggccatg 1080
gtgtaaatgg aagtttcaga gaggacaaaa taaaacggaa ttccattttt ctctcactgt 1140
aaaaaaaaaa aaaaaaaggg cggccgc 1167

<210> 184
<211> 1618
<212> DNA
<213> Homo sapiens

<400> 184
ccacgcgtcc gcaaggagcc agaggccatg cagtggctca gggtccgtga gtcgcctggg 60
gaggccacag gacacagggt caccatgggg acagccgccc tgggtcccgt ctgggcagcg 120
ctcctgctct ttctcctgat gtgtgagatc cctatggtgg agctcacctt tgacagagct 180
gtggccagcg actgccaacg gtgctgtgac tctgaggacc ccctggatcc tgcccatgta 240
tcctcagcct cttcctccgg ccgcccccac gccctgcctg agatcagacc ctacattaat 300
atcaccatcc tgaagggtga caaaggggac ccaggcccaa tgggcctgcc agggtacatg 360
ggcagggagg gtccccaagg ggagcctggc cctcagggca gcaagggtga caagggggag 420
atgggcagcc ccggcgcccc gtgccagaag cgcttcttcg ccttctcagt gggccgcaag 480
acggccctgc acagcggcga ggacttccag acgctgctct tcgaaagggt ctttgtgaac 540
cttgatgggt gctttgacat ggcgaccggc cagtttgctg ctcccctgcg tggcatctac 600
ttcttcagcc tcaatgtgca cagctggaat tacaaggaga cgtacgtgca cattatgcat 660
aaccagaaag aggctgtcat cctgtacgcg cagcccagcg agcgcagcat catgcagagc 720
cagagtgtga tgctggacct ggcctacggg gaccgcgtct gggtgcggct cttcaagcgc 780
cagcgcgaga acgccatcta cagcaacgac ttcgacacct acatcacctt cagcggccac 840
ctcatcaagg ccgaggacga ctgagggcct ctgggccacc ctcccggctg gagagctcag 900
ctgatacggc atcctgcgag aagacctgcc ctcctcactg ggatcccctt cctgcctcct 960
cccagggctc tgccagggcc ttgctcagtc ccttccacca aagtcatctg aacttccgtt 1020
tcccagggcc tccagctgcc ctcagacact gatgtctgtc cccaggtgct ctctgccct 1080
catgcccctc tcaccggccc agtgccccga ctctccaggc tttatcaagg tgctaaggcc 1140
cgggtgggca gctcctcgtc tcagagccct cctccggcct ggtgctgcct ttacaaacac 1200
ctgcaggaga agggccacgg aagccccagg ctttagagcc ctcagcaggt ctggggagct 1260
agagcaaagg agggacctca ggccttccgt ttcttcttcc agggtggggt ggcctggtgt 1320
tcccctagcc ttccaaaccc aggtggcctg cccttctccc cagagggagg cggcctccgc 1380
ccattggtgc tcatgcagac tctggggctg aggtgccccg gggggtgatc tctggtgctc 1440
acagtcgagg gagccgtggc tccatggcca gatgacggaa acagggtctg accaagtgcc 1500
aggaagacct gtgctataaa ccaccctgcc tgatcctgcc cctgcctgac cccgccacgc 1560
cctgccgtcc agcatgatta aagaatgctg tctcctcttg gaaaaaaaaa aaaaaaaa 1618

<210> 185
<211> 1338
<212> DNA
<213> Homo sapiens

<400> 185
cccacgcgtc cggttccccc atctgtctct caggagcgag atctgatcgc tgaatttgcc 60
caagtcacaa attggtccag ctgctgcttg cgtgtctttg catggcaccc ccacaccaac 120
aagtttgcag tggccctgct agatgactca gtccgtgtgt ataatgccag cagcaccata 180
gtcccctccc tgaagcaccg gctgcagcga aatgtggcgt ctctggcctg gaagcccctt 240
agtgcctctg tcttggctgt ggcctgccag agctgcattc ttatctggac cctggaccct 300
acctccttgt ctacccgacc ctcttctggc tgtgcccaag tgctgtctca ccctgggcat 360
acacctgtta ccagcttggc ctgggccccc agtggggggc ggctgctctc agcttcaccg 420
tggatgctgc tatccgggta tgggatgtct caacagagac ctgtgtcccc cttccctggt 480
ttcgaggagg tggggtgacc aactgctctg gtccccagac ggcagcaaaa tcctggctac 540
cactccttca gctgtctttc gagtctggga ggcccagatg tggacttgtg agaggtggcc 600

tactctatca gggcgctgtc agactggctg ctggagccca gatggcagcc gactgctgtt 660
cactgtattg ggagagccac tgatttactc cctgtctttt ccagaacgtt gtggtgaggg 720
aaaggggtgc gttggaggtg caaagtcagc aacgattgtg gcagatctgt ctgagacaac 780
aatacagaca ccagatggtg aggagaggct tgggggagag gctcactcca tggtctggga 840
ccccagtggg gaacgtctgg ctgtgcttat gaaaggaaag ccaagggtac aggatggtaa 900
accagtcatc ctccttttc gcactcgaaa cagccctgtg tttgagctcc ttccctgtgg 960
cattatccag ggggagccag gagcccagcc ccagctcatc actttccatc ttccttcaac 1020
aaaggggccc tgctcagtgt gggctggtcc acaggccgaa ttgcccacat cccgctgtac 1080
tttgtcaatg cccagtttcc acgttttagc ccagtgcttg ggcgggccca ggaacccccc 1140
gctgggggtg gaggctctat tcatgacctg cccctcttta ctgagacatc cccaacctct 1200
gccccttggg accctctccc agggccacca cctgttctgc cccactcccc acattcccac 1260
ctctaagaat aaataagttt tccttttgtt ttccaaaaaa aaaaaaaaaa aaaaaaaaaa 1320
aaaaaaaaaa aaaaaaaa 1338

<210> 186
<211> 813
<212> DNA
<213> Homo sapiens

<400> 186
gaagaaggta cgctgcaggt accggtccgg aattcccggg tcgacccacg cgtccgccaa 60
aagcagacat agcttcagat gcagcttgat ccagggctca gatgccatga tcagaatcca 120
attcttgcat ctgtttcttt gggttggctt cattttcagg cagccccctt cctcatatcc 180
tcaagatggc agagacagcc catggtcttt cccttgcaga gacagatcac caggaaacaa 240
tacctctatc cctagccatg aaacagtctt gaactttatt ctgacttgat cagccaagtc 300
cctgttggaa ccatcactgc ctagcttagg cctgagacag tgctgcacct ctactaccaa 360
aggccgggct ggccttccct aaagtgtatg tgctgcgtgg gggagaggta cggatctgaa 420
ccaaaacgag ggctgtccag cgtcagcaaa tatctcccgc agtcccagtg cctccagcag 480
gaggcaaagc atcaacccct ccgtctggct cctctactga aaattccctc agcagcctca 540
caggccttag gcttgtctta gctacttctt catctacttt tttgctttct taattatttt 600
tcttttcttt tttcttattt tattttattt tattttagat ggagtttcgc tccgtcgccc 660
aggctgaagt gcagtggcgt gatcttggct cgttgcaacc tccacctccc gggttcagga 720
gaatcgcttg agccccagga ggcggaggtt gtgggaagcc aagatcgcac cactgcactc 780
cagcctgggc aacaagagca gaacgccatc tca 813

<210> 187
<211> 2081
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (538)..(538)
<223> n equals a,t,g, or c

<400> 187
gggttctcaa tggaaaaata ttggtagaca tcagcaacaa cctcaaaatc aatcaatatc 60
cagaatctaa tgcagagtac cttgctcatt tggtgccagg agcccacgtg gtaaaagcat 120
ttaacaccat ctcagcctgg gctctccagt caggagcact ggatgcaagt cggcaggtgt 180
ttgtgtgtgg aaatgacagc aaagccaagc aaagagtgat ggatattgtt cgtaatcttg 240
gacttactcc aatggatcaa ggatcactca tggcagccaa agaaattgaa aagtaccccc 300
tgcagctatt tccaatgtgg aggttcccct tctatttgtc tgctgtgctg tgtgtcttct 360
tgtttttcta ttgtgttata agagacgtaa tctaccctta tgtttatgaa aagaaagata 420
atacatttcg tatggctatt tccattccaa atcgtatctt tccaataaca gcacttacac 480
tgcttgcttt ggtttactcc ctggtgttat tgctgccatt ctacaactgt accgaggnca 540
caaaataccg tcgattccca gactggcttg accactggat gctttgccga aagcagcttg 600
gcttggtagc tctgggattt gccttccttc awgtcctctm cmcacttgtg attcctattc 660
gatattatgt acgatgraga ttgggaaact taaccgttac ccagscaata ctcaagaagg 720
agaatccatt tagcacytcy tcagcctggc tcagtgattc atatgtggct ttgggaatac 780
ttgggttttt tctgtttgta ctcttgggaa tcacttcttt gccatctgtt agcaatgcag 840
tcaactggag agagttccga tttgtccagt ccaaactggg ttatttgacc ctgatcttgt 900

gtacagccca caccctggtg tacggtggga agagattcct cagcccttca aatctcagat 960
ggtatcttcc tgcagcctac gtgttagggc ttatcattcc ttgcactgtg ctggtgatca 1020
agtttgtcct aatcatgcca tgtgtagaca acacccttac aaggatccgc agggctggga 1080
aaggaactca aaacactaga aaaagcattg aatggaaaat caatatttaa aacaaagttc 1140
aatttagctg gatttctgaa ctatggtttt gaatgtttaa agaagaatga tgggtacagt 1200
taggaaagtt tttttcttac accgtgactg agggaaacat tgcttgtctt tgagaaattg 1260
actgacatac tggaagagaa caccatttta tctcaggtta gtgaagaatc agtgcaggtc 1320
cctgactctt attttcccag aggccatgga gctgagattg agactagcct tgtggtttca 1380
cactaaagag tttccttgtt atgggcaaca tgcatgacct aatgtcttgc aaaatccaat 1440
agaagtattg cagcttcctt ctctggctca agggctgagt taagtgaaag gaaaaacagc 1500
acaatggtga ccactgataa aggctttatt aggtatatct gaggaagtgg gtcacatgaa 1560
atgtaaaaag ggaatgaggt ttttgttgtt ttttggaagt aaaggcaaac ataaatatta 1620
ccatgatgaa ttctagtgaa atgacccctt gactttgctt ttcttaatac agatatttac 1680
tgagaggaac tatttttata acacaagaaa aatttacaat tgattaaaag tatccatgtc 1740
ttggatacat acgtatctat agagctggca tgtaattctt cctctataaa gaataggtat 1800
aggaaagact gaataaaaat ggagggatat ccccttggat ttcacttgca ttgtgcaata 1860
agcaaagaag ggttgataaa agttcttgat caaaaagttc aaagaaacca gaattttaga 1920
cagcaagcta aataaatatt gtaaaattgc actatattag gttaagtatt atttaggtat 1980
tataatatgc tttgtaaatt ttatattcca aatattgctc aatatttttc atctattaaa 2040
ttaatttcta gtgtaaaaaa aaaaaaaaaa agggcggccg c 2081

<210> 188
<211> 312
<212> DNA
<213> Homo sapiens

<400> 188
aattcccggg tcgacccacg cgtccgtgat gagtggattt gtactcttac ccaggtcctg 60
agggccagcc cacccagcat ccccaccccc gatgacgctg tccctacaac tggctgaact 120
ggtgcatttt gtgtgtgcct tccagagcca gtggactggt gtgtatccaa tgatgccacc 180
tctgaaacct acagaaccac tatgctttgc atgtgtaccc tgcagggtct gagggccagg 240
ctgtctggta gctctgctcc tgggtgacag agcaagactc tgtctcaaaa aaaaaaaaaa 300
agggcggccg ct 312

<210> 189
<211> 864
<212> DNA
<213> Homo sapiens

<400> 189
ggcacgagcg gaccgggccc gcggggctgc tgcggggcga tcgggccggg ccgctgccgc 60
gccatggact cccgtgtcca gcctgagttc cagcctcact gagtggccac ccccaaagtg 120
ctgccagccg aggaagcccc cagcactgac catgtctatt atggaccaca gccccaccac 180
gggcgtggtc acagtcatcg tcatcctcat tgccatcgcg gccctggggg cctttgatcc 240
tgggctgctg gtgctacctg cggctgcagc gcatcagcca gtcagaggac gaggagagca 300
tcgtgggggа tggggagacc aaggaaccct tcctgctggt gcagtattcg gccaarggac 360
cgtgcgtgga gagaaaggcc aagctgatka mtcccaaacg gsccggaart ycacggstga 420
vccaggatgc aaaggccycc tggtccctgt ttgcaagccg gccaagargg ggctgggagg 480
ggcaaaamcc atacggatgc gctgctgtct gagaggaagg gctgacactt gctggcatgg 540
cctctgcggg tttcgtccat cgcatgcact gatgcccggg gacttggctg tcctgggctt 600
cccctcggcc tccaggtgag gctgcccatt gcaggcactg ggtaggcctg accttgctgg 660
ggctcatggc cctgtagcgc ttttgttact tgaatgtcta gctgagcctg tttttgatgg 720
agctactact gtaatgcgtg aactaacaaa cctgtgaact gtaaataggc ccctggaagc 780
acgtgcttaa gccctttttgc tgatttttaa aaatatcatc tagcgcaaaa aaaaaaaaaa 840
aaaaaaaaaa aaaaaaaaaa aaaa 864

<210> 190
<211> 1267
<212> DNA
<213> Homo sapiens

<400> 190
ggcacgagct gcaggggcgg ggcggcgcca agcgcaggga gcccggctga gtggcagccc 60
agattgaaga tggatacgtg acaatcccag ggaccgctgc actgacttca tttccttaga 120
caagacacag tgtagggccc ggcccgtgtt ggccccagga ctcctttgga atatagctgt 180
ggacaatgaa tcctgcgagc gatgggggca catcagagag catttttgac ctggactatg 240
catcctgggg gatccgctcc acgctgatgg tcgctggctt tgtcttctac ttgggcgtct 300
ttgtggtctg ccaccagctg tcctcttccc tgaatgccac ttaccgttct ttggtggcca 360
gagagaaggt cttctgggac ctggcggcca cgcgtgcagt ctttggtgtt cagagcacag 420
ccgcagctgt gggctctgct gggggaccct gtgctgcatg ccgacaaggc gcgtggccag 480
cagaactggt gctggtttca catcacgaca gcaacgggat tcttttgctt tgaaaatgtt 540
gcagtccacc tgtccaactt gatcttccgg acatttgact tgtttctggt tatccaccat 600
ctctttgcct ttcttgggtt tcttggctgc ttggtcaatc tccaagctgg ccactatcta 660
gctatgacca cgttgctcct ggagatgagc acgcccttta cctgcgtttc ctggatgctc 720
ttaaaggcgg gctggtccga gtctctgttt tggaagctca accagtggct gatgattcac 780
atgtttcact gccgcatggt tctaacctac cacatgtggt gggtgtgttt ctggcactgg 840
gacggcctgg tcagcagcct gtatctgcct catttgacac tgttccttgt cggactggct 900
ctgcttacgc taatcattaa tccatattgg acccataaga agactcagca gcttctcaat 960
ccggtggact ggaacttcgc acagccagaa gccaagagca ggccagaagg caacgggcag 1020
ctgctgcgga agaagaggcc atagctgctc cagccggggc tccggggcgg cagcagagct 1080
ggcacaccga ttctgggaag ccccgcgaat gatggctttt gaattaatga ggcagtgaat 1140
gttttgtgtt tacttctaag ggaaatacta actttctttc gcattagtat taattttgaa 1200
gtagctacaa agtattttta agaaattata attttatgac tgtcaaaaaa aaaaaaaaaa 1260
aaaaaaa 1267

<210> 191
<211> 1258
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1196)..(1196)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1200)..(1200)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1237)..(1237)
<223> n equals a,t,g, or c

<400> 191
nagatggcgc tacgtctgct gcggagggcg gcgcgcggag ctgcggcggc ggcgctgctg 60
aggctgaaag cgtctctagc agctgatatc cccagacttg gatatagttc ctcatcccat 120
cacaagtaca tcccccggag ggcagtgctt tatgtacctg gaaatgatga aaagaaaata 180
aagaagattc catccctgaa tgtagattgt gcagtgctcg actgtgagga tggagtggct 240
gcaaacaaaa agaatgaagc tcgactgaga attgtaaaaa ctcttgaaga cattgatctg 300
ggccctactg aaaaatgtgt gagagtcaac tcagtttcca gtggtctggc ggaagaagac 360
ctagagaccc ttttgcaatc ccgggtcctt ccttccagcc tgatgctacc aaaggtggaa 420
agtcctgaag aaatccagtg gtttgcagac aaattttcat tccacttaaa aggccgaaaa 480
cttgaacaac caatgaattt aatccctttt gtggaaactg caatgggttt gctcaatttt 540
aaggcagtgt gtgaagaaac cctgaaggtc gggcctcaag taggtctctt tctagatgca 600
gtcgtttttg gaggagaaga ctttcgagcc agcataggtg caacaagtag taaagaaacc 660

ctggatattc tctacgcccg gcaaaagatt gttgtcatag cgaaagcctt tggtctccaa 720
gccgtagatc tggtgtacat tgactttcga gatggagctg ggctgcttag acagtcacga 780
gaaggagccg ccatgggctt cactggtaag caggtgattc accctaacca aattgccgtg 840
gtccaggagc agttttctcc ttcccctgaa aaaattaagt gggctgaaga actgattgct 900
gcctttaaag aacatcaaca attaggaaag ggggccttta ctttccaagg gagtatgatc 960
gacatgccat tactgaagca ggcccagaac actgttacgc ttgccacctc catcaaggaa 1020
aaatgatctg ttaaatgaag ctgtcatcag gctaaagggt attgaagctg cagagggatc 1080
aacttgtgct tgccagagga cgccaatgaa gtttgaaaca ccaacaatca gagattttgt 1140
ttctgttcct cattaaatca tgagcttttg tgcccgagac tctggacgga ctgttncttn 1200
aggaatttaa ccggatggga agtttttttaa acttttncaa ccaacttttt taaggccc 1258

<210> 192
<211> 883
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (19)..(19)
<223> n equals a,t,g, or c

<400> 192
gtcaccgtgg gcgtttaant atgatccccg gctcagattc gcagactgca ctgaacttcg 60
gctctacgtt gatgaagaag aagtctgatc ctgagggtcc cgcgctgctc ttccctgaga 120
gtgaactttc catccggata ggtagagctg ggcttctttc agacaagagt gagaatggtg 180
aggcatatca gagaaagaag gcggcagcca ctggccttcc agagggtcct gctgtccctg 240
tgccttctcg agggaatctg gcacagcccg gcggcagcag ctggaggagg atcgcactgc 300
tcatcttggc catcactata cacaacgttc cagagggtct cgctgttgga gttggatttg 360
gggctataga aaagacggca tctgctacct ttgagagtgc caggaatttg gccattggaa 420
tcgggatcca gaatttcccc gagggcctgg ctgtcagcct tcccttgcga ggggcaggct 480
tctccacctg gagagctttc tggtatgggc agctgagcgg catggtggag cccctggccg 540
gggtctttgg tgcctttgcc gtggtgctgg ctgagcccat cctgccctac gctctggcct 600
ttgctgccgg tgccatggtc tacgtggtca tggacgacat catccccgaa gcccagatca 660
gtggtaatgg gaaactggca tcctgggcct ccatcctggg atttgtagtg atgatgtcac 720
tggacgttgg cctgggctag ggctgagacg cttcggaccc cgggaaaggc catacgaaga 780
aacagcagtg gttggcttct atgggacaac aagcttcttt cttcacatta aaacttttt 840
cckteetctc ttcttcaaaa aaaaaaaaaa aaaaaaactc gag 883

<210> 193
<211> 1465
<212> DNA
<213> Homo sapiens

<400> 193
ggcacgagcg agccaagttt gcaccactgc actccagcct gggcgacaga gcaagactca 60
gtctcgaaaa aaaaaaagtt ggaagcagaa gtaaaaaaca tggtaaagaa tgagaactaa 120
ataaatataa taattgagag gtctgcatta gatgtggcag ggagaacaag caaaaagaga 180
tttcagagaa gatcactgga attggcagag gccttgaagg gcagagtcta gcatacagaa 240
gatgtaaagc cacattctgt gaaggtaagt agatgtgttt acctcttttg cactgtactg 300
gtgcattatg gggtaaatrt gtattacttt tcctgtattg cttagcacag agttttgcct 360
atagcaggca ccagactgtg ggcttggtag tacatgacta ttggtgatta cagatcaaaa 420
aggacttgaa atgatcagtt taaggtcttg atgggtattg aagactcaaa ggatgatggc 480
accctgggag tgatccacag aaggacagat tatttgaaga tgttaataac taaagacaac 540
atggatgtta aatgatgaaa aaaagttgga tggaaaataa accattggat ctgcytctgg 600
agtccaagaa gaatattatt cttcctacct ccccttact ctggctcttc ctattgtagc 660
cacatgggtc agtaatgcca ttgaaaaaca aaattttaga ctaagtgggg tcgcagaaat 720
tttggtctat cttaaattga tgacatctta ttaaagaaty tattgtataa agtgtgctta 780
ttctggcatt tttttaatga agaaaaagtg taattcagtg cacatttatg aatttcaaag 840
atcaataaaa atgggcaaag tatatgaacg cataatccat agaagaagat atctgacaaa 900
tgcagttcaa taaatatttt tttaaataaa aattagcctg tggtaagaat tgaaatggag 960
aaagaaatag aaggtagcca ggttacctac agctttgtat atgacactat agagctagga 1020

ctttattcca tagatgaggg aagtctgcta aagtgtctac attgaaccca ttattttgct 1080
agcattgtag ttgatgtacc taaaacagac ttgagccggt agagtaagta ggcagacttg 1140
tccaagtgag aaaaagatga aactgtggtg aggataaaga gagaaaagga gcagatttaa 1200
gaaatattaa aacttgaaag tactaagact tgatgatgaa ctagatgtgt tagataagag 1260
atagcatgga gtctagtaaa agttctgttt ttctcactcg tgtgactgcc tcaataacac 1320
aaagcttgat aggaaataaa catgagatag cacatggatc tattacaagt ttttgaaatt 1380
gagcttgaaa agctacttca aaaaataaat tctaggccag gtgtgagycc atgcgcttga 1440
ttaaaaaaaa aaaaaaaaac tcgta 1465

<210> 194
<211> 996
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (834)..(834)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (996)..(996)
<223> n equals a,t,g, or c

<400> 194
gaattcggca gagggaatct gggctctgtg gaagaatagc acttatctgg attctggcct 60
tgtgccatga acctaaagca catccgtttg gtctgccagt aggctggtat ggcatgctgt 120
aacccctata aatattattt ctatttatcc tgctcagtgt gtttcctgta acaaatcgtt 180
caagaaactc tggtcccttc atgaacatat caagatcgtc catggatatg cagaaaagaa 240
attttcctgt gaaatttgtg agaagaaatt ctatacatcatg gctcatgtgc ggaaacacat 300
ggttgcacac acaaaagaca tgccattaca tgcgaaacct gtggaaaatc attcaaacgc 360
atatgtcact caaggtgcac tccktgcagc attctrgaga gaagcccttt agatgcgaga 420
actgtgacga aaggtttcag tacaagtacc agctacgctc ccacatgagc attcatattg 480
ggcacaaaca gttcatgtgc cagtggtgtg gcaaggattt caacatgaag cagtacttcg 540
acgaacacat gaaaacacac actggagaga aacccttat ctgtgaaatc tgtggcaaaa 600
gcttcaccag ccgccccaac atgaagagac accgcagaac tcacacaggc gagaagccct 660
atccatgtga tgtgtgtggc cagcggttcc gcttctcgaa catgcttaag gcccacaagg 720
agaagtgctt tcgggtgacc agccccgtgg aatgtgccac ctgctgtcca gatcccactt 780
acaacttccc cagccacccc agttccttct gtggtgaaca cagccacaac cccnaccctc 840
caatcaatat gaatcctgta agcactcttc ccctcgggcc atcccccacc ccttctcaca 900
ccgcacatcc acccacaccc tcaccaccca caccamcttc ccatccctcc aktccctcac 960
ctcccgccac ctccagctct ctttaagagt gagccn 996

<210> 195
<211> 413
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (248)..(248)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (328)..(328)

<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (357)..(357)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (372)..(372)
<223> n equals a,t,g, or c

<400> 195
nggcccattc gctgttgggt cttctgctag ggaggatgtc gggttcgtcg ctgcccaggg 60
ccctggccct ctcgctgttg ctggtctctg gctccctcct cccagggcca ggcgccgctc 120
agaacgtgaa gagtacaatc tggacaggat cagaagtaga gaatgaagtt gtaaagagaa 180
aggggaaaga cagaagaaag gctgcagtag tacaaggaga aaagcaggat gcaagattga 240
aggaatgnaa tctttgtttg aggagcattc cggaaaatta taagctgttc agaaagggtt 300
aattagacca gggacctttt aagttaantt cacactcaaa gttaaaataa tgttggngat 360
tcactcctgt gnaaaattgg gttagttttc atttgccctt ttaaacaaaa ctt 413

<210> 196
<211> 1369
<212> DNA
<213> Homo sapiens

<400> 196
cccacgcgtc cgcccacgcg tccggctggc aagatggcgg gaggggtgcg cccgctgmgg 60
ggcctccgcg ccttgtgtcg cgtgctgctc ttcctctcgc agttctgcat tctgtcgggc 120
ggtgaaagta ctgaaatccc accttatgtg atgaagtgtc cgagcaatgg tttgtgtagc 180
aggcttcctg cagactgtat agactgcaca acaaatttct cctgtaccta tgggaagcct 240
gtcacttttg actgtgcagt gaaaccatct gttacctgtg ttgatcaaga cttcaaatcc 300
caaaagaact tcatcattaa catgacttgc agattttgct ggcagcttcc tgaaacagat 360
tacgagtgta ccaactccac cagctgcatg acggtgtcct gtcctcggca gcgctaccct 420
gccaactgca cggtgcggga ccacgtccac tgcttgggta accgtacttt tcccaaaatg 480
ctatattgca attggactgg aggctataag tggtctacgg ctctggctct aagcatcacc 540
ctcggtgggt ttggagcaga ccgtttctac ctgggccagt ggsgggaagg cctcggcaag 600
ctcttcagct tcggtggcct gggaatatgg acgctgatag acgtcctgct cattggagtt 660
ggctatgttg gaccagcaga tggctctttg tacatttagc tgtggtgtgt gcttcagaaa 720
ggagcagggc ttagaaaaag ccctttgtc cgtagagttg atgtggtgtg agtgatatat 780
ttctatgttt ttaatgtaca gcatctgtac tttgtttgcc ttgataaagg taagataaat 840
gaaacgctga actatgctaa tctggaattt gtttttattt gcctgaaata tatttttttc 900
tgtgaaaaaa ttaaaacgta cttaagccag gagaatgaat tatacagtga ttgaaaatcc 960
atttaattcc tatgactttt gttttgtatt gcccaagtca aactacatca cttgtatctc 1020
cagcccaaat gtagtctgcc ttgaaaagtc tttcagctgt gactgcagga agtgggagtg 1080
tttttattgt tagctaattg ctgtgactgc aggaagtggg agtgtttctg ttgttggcta 1140
attgaagtta ttaggctcag cttcagtcat gtgtaagttt tgcagtgtaa tacatatgta 1200
gtctggtctg tatatatgaa aatttgaatt aaactgcaga atgtttatgt ctagttatgg 1260
tttaaatttt cttagtagta tataaaaggt aagagtactg aaaaattaat aaaattgcaa 1320
gttaaraaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaagg agggggggc 1369

<210> 197
<211> 596
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (4)..(4)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (8)..(8)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (28)..(28)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (57)..(57)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (61)..(61)
<223> n equals a,t,g, or c

<400> 197
gganaccngc tttgcccctt ggtttccnca aagctcgaat ttaccctcac taagggnacc 60
naaagctgga gctcccaccg cgttggcggc ccgctctaga actagtggac cccccgggct 120
gcaggaattc ggcacgagtc ctgacctcag gtgatccacc cacctcggct tcccaaagtg 180
ctaggattat aggcttgagc tactgtgccc ggcccatggt gtttttcttt agggctcttc 240
ctacagcctt gagaagtaga taggcatcag agtatggtac tataggaatc agaaaaattc 300
aaaacaaatg tggattaagt gtttaggctc tatgtggctc acgcagccag aatccttaag 360
tctgtgtgtt tctgtgtctc aagactgggc tcacattctg gctttgtcca taacaatgct 420
ctgggatttc agggagttcc ctcatttgta aaatgagggg gtcagagcag gtgatatcca 480
tgtttcttcc ctttctgata ttgttgtctg tggcatattc tttgtatggc gaatttaata 540
aattatatta atgtgtctct ttgaaaaaaa aaaaaaaaaa aaaaaaaaaa ctcgta 596

<210> 198
<211> 629
<212> DNA
<213> Homo sapiens

<400> 198
ggcacgagaa cctttggggc tgacacaaga tcctttagtg tttgggatga cctctttcct 60
gcagacttct tcccctatcc ctaactcatg catggaaaac gtttgtcagg ctggtttccc 120
gagcctcctg cacctcaaca tcacgctcac ccttttgggt ttagcccagt gttatttagc 180
aaatttctcc agctgcaggg aaggatcaga gcactatctt ttttttttt tttttctcct 240
ggagccagga ctgcacaagg caatggccaa atttagttga attcagccta ccatcctttg 300
ctgatgactc agctctatgc caagtactgg agccacagag atgggtcagt cccagcccct 360
gtcctcagga agcccatggt cagggaaacg ttgtagggat aagtaataga gggcagttgc 420
cttcagggct cctggtggct gctggtccct atggtgcctt gatgtgaatt agaagacggt 480
gccctttcca ggtggattca gacctacact agaacgcaca gctttgggag tgacacacag 540
gttggatttt agcacccctt gccccttggc cagaggtgcc ctgctgcacg gccatacgct 600
gcagcctcga gggacacaca ggccaaagt 629

<210> 199
<211> 2497
<212> DNA
<213> Homo sapiens

<400> 199
ctgagccact gtgcccagcc tcggctcagg tttttcaata cagtcttgac cttggcattc 60
agtatcctca cagcatggtt ctaattaact ttctagctct atttcccttt tcctgctccc 120
tctctctaca actagtcttt ctctgattgc cccgccctca acccatctaa actagacccc 180
agggaagcac cttggtcccc ttcctctctc ccactcacca tccaaccaat caccagagcc 240
tgtacattct atattttcaa catcgattca attgtctact tctttctagc ctgccctctc 300

tgactgggac tccttgagcc agcctgatca ccccaatcca tccctcacac tgtgcccatc 360
tttctgaagt aggaatctga tcacaccacc ctgctaaaaa cactctggtt ctccccacgg 420
catgtggtgc ccttgtatag ctggcaaagc cttgcatggc acggccccag cctgtgcttc 480
aactcaattg cccgactctc tccagctctg ctgagccacc taagtcacag atggtttctc 540
ctctcatctc tgctctcttc catgtgccat ttctgtggct tggaatgttc ttccctcatt 600
ctctttctgg ccctttcccg tcacacctta gacgtgcatc ttcctctcga aaacctctag 660
tgaagcctcc cagggccagg cagtaccctc ctctggcttc ttctggatac agaggaagaa 720
tctgagcatc gattctccat ctcagcaggc ctctgtgtgc ctgctgactc cgactagacc 780
agagatccgt aaggacaggg atcgagtttt ttttctttta attcactgcc tcaaaaatcc 840
tctgtgcatt acctattcat cctcttctct cccttaacct gaaccagtga tcttactgtc 900
tccatcattg ttttttttctt ttcttttctt ttctttttttt tttttgaggt ggagtctggc 960
tcttcaccca ggctggagtg cagtgatgcg atctcgactc actgcaacct ccatctcctg 1020
ggttcaagcg attctcctgc ctcagcctcc ccagtagctg ggattacagg catgcgctac 1080
catccccaac taatttttgc ctccataatt ttgccttttc tagaatgtca tacaggtgga 1140
attactcagt atgctgcctt tttcagattg gcttctttca cttagtaata tgcttgtttt 1200
ttgagacagg gtcttgctct gtcgcccagg ctagagtgtg gtggtgcgat cttagctcac 1260
tgaaacctcc acctcccagg ttcaagtgac tctcctgcct cagcctcccg agtagctggg 1320
actacaggca cgtgccacca tacccggcta atttgtggat ttttagtaca gacggggttt 1380
cgtcatgttg gccagggtgt tgttgaattc ctgacctcaa gtgatccacc tgcctcagcc 1440
tcccaaagtg ttgcgattac aggtgtgagc cactgcgcca agcctcattt agtaatatgc 1500
atttaaactt tctccatgtc tttaatggct tgatagctca tttatttta tcatggaata 1560
tttcattgtc tggatggacc acagtttatt tctccattca cctactgaag gacatctcgg 1620
ttgcttctaa gttttggcaa ttatgaataa agctgctata accatcaagt gcaggttttt 1680
gtgtggacct attatcaact aattcgggta aatctcaagg agtgcaattg ctggatcaca 1740
cagtaagagt gtgtttagtt ttaagtggct gtgccatttt gcattcccac cagcaatgaa 1800
tgagagtttc tgttgctcca cattctcact accattcggt gttgtcagtg ttttgcattt 1860
tggccattct agtaggtgtt tacatggtat ctagtcattt gaatgggcat atgatgtgga 1920
acatcttttt ttttttaatt ttattattat tatactttaa gttttagggt acatgtgcac 1980
aacgtgcagg tttgttacat atgtatacat gtgccatgtt ggtgtgctgc acccattaac 2040
tagtcattta gcattaggta tatctcctaa tgctattgga acatcttttc atgtgtttat 2100
ttgccatctg tatatcttcc ctgatgagtt ggggatgcat tctttccatc tcagagtccc 2160
cagaaactaa catagcagtt ggtacagagt tggtgctcaa caaacatcag cttaggaact 2220
atgtcctatg ttttttttgtt ttttttttttt tttaaaaagg aatgtgagct gttcccaaaa 2280
cgtatgtcct tcccccatgc ctctaccctg cccttccaca aactttctga tcttcagcac 2340
acactaccca accatcaagg ctgagacttc ccgtggccag cagtgtctca tgctggcttc 2400
aagccccaca gcactgcttt tttcaacttc tcttgtggtt tagactgtct ttagcccagc 2460
aagagaattc gatatcaagc ttatcgatac cgtcgac 2497

<210> 200
<211> 1217
<212> DNA
<213> Homo sapiens

<400> 200
tctggaacct ctctcttaat tcatatttcc cgtaagtctg tccatctgtt gtgtggaatc 60
tcagtttgtg atattggata gatgcaaata agcaaagctg ttacttttca tagtttcaaa 120
tgaaaaactc aacatcacta ctgtataaat tattttctag tctatctgtg tttatttta 180
aattcctttt actattctat acattgcaca ttgctctggg ggtaaaaatc cartataaac 240
cattagctca ttttattgac cattcttgta ttcagcaagt atcccaagta cagtggtcca 300
taccttgaat tttttttcac tttttaagtg agatataatt tacataccat aacaacttag 360
tgggtttcag ttatttcaaa tacaaggttg twcatatatc atcactgtct aattccagaa 420
cattttattt ttatttttttt tcagcagtgg ggtcctgcca tgttgcccag gctggtcttg 480
aactcctggg ctcaagtgat cctcctgcct cagtctccca aagtcctggg attacaggtg 540
tgcgccacca cacccaccct caaaacattt ttatttccta aaaaagaaac cccacatcca 600
taggcagttc cacattccgt tcttcctatg atccagctct tggcagctac tatagttkgt 660
ttyctgtttc tgtggatttg tctattctgg acatagcatg taattggagt catacaatat 720
atggcttttt gtgcctggct tctttcactt agcataatgt ttttaagatt cattcatgtt 780
gtagcattat cagcactttg tttcttttat ggctaaataa cactgcattg tgtgsacata 840
ccacattttg tttatccgtt aatcagttga tggatatttg ggttgtttcc acttcggggc 900
tattatggat gatgcttctc tgaatatttg tgtacaagtt tttgtgtgga catttgtttt 960
tagttcactt gagtatgtac ctaggatgga attactgggt catgtggtaa ctgttttaat 1020

ttcgtaggaa ctgccaaatt gtttcctaaa gtggctacgg tattttacat tcccatcagt 1080
actgtatgac agttccgttt atccacatcc actccaacac ttgttgttat ctgttttgat 1140
tatataatag ctattttagt gggtatgaag tcgtatttca aaaaaaaaag gaattcgata 1200
tcaagcttat cgatacc 1217

<210> 201
<211> 1563
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (14)..(14)
<223> n equals a,t,g, or c

<400> 201
aattcggcac gagncagaaa cctgcggaaa atggtagcga tggcggctgg gccgagtggg 60
tgtctggtgc cggcgtttgg gctacggttg ttgttggcga ctgtgcttca agcggtgtct 120
gcttttgggg cagagttttc atcggaggca tgcagagagt taggcttttc tagcaacttg 180
ctttgcagct cttgtgatct tctcggacag ttcaacctgc ttcagctgga tcctgattgc 240
agaggatgct gtcaggagga agcacaattt gaaaccaaaa agctgtatgc aggagctatt 300
cttgaagttt gtggatgaaa attgggaagg ttccctcaag tccaagcttt tgttaggagt 360
gataaaccca aactgttcag aggactgcaa atcaagtatg tccgtggttc agaccctgta 420
ttaaagcttt tggacgacaa tgggaacatt gctgaagaac tgagcattct caaatggaac 480
acagacagtg tagaagaatt cctgagtgaa aagttggaac gcatataaat cttgcttaaa 540
ttttgtccta tccttttgtt accttatcaa atgaaatatt acagcaccta gaaaataatt 600
tagttttgct tgcttccatt gatcagtctt ttacttgagg cattaaatat ctaattaaat 660
cgtgaaatgg cagtatagtc catgatatct aaggagttgg caagcttaac aaaacccatt 720
ttttataaat gtccatcctc ctgcatttgt tgataccact aacaaaatgc tttgtaacag 780
acttgcggtt aattatgcaa atgatagttt gtgataattg gtccagtttt acgaacaaca 840
gatttctaaa ttagagaggt taacaagaca gatgattact atgcctcatg tgctgtgtgc 900
tctttgaaag gaatgacagc agactacaaa gcaaataaga tatactgagc ctcaacagat 960
tgcctgctcc tcagagtctc tcctattttt gtattaccca gctttctttt taatacaaat 1020
gttatttata gtttacaatg aatgcactgc ataaaaactt tgtagcttca ttattgtaaa 1080
acatattcaa gatcctacag taagagtgaa acattcacaa agatttgcgt taatgaagac 1140
tacacagaaa acctttctag ggatttgtgt ggatcagata catacttggc aaatttttga 1200
gttttacatt cttacagaaa agtccattta aaagtgatca tttgtaagac caaaatataa 1260
ataaaaagtt tcaaaaatct atctgaattt ggaattcttc tggtttgttc tttcatgttt 1320
aaaaatgatg tttttcaatg catttttttc atgtaagccc ttttttagc caaaatgtaa 1380
aaatggctgt aatatttaaa acttataaca tcttattgtt ggtaatagtg ctttatattt 1440
gtctgatttt atttttcaaa gtttttttcat ttatgaacac attttcattg gtatattatt 1500
taaggaatat ctcttgatat agaattttta tattaaaaat gatttttctt tgcttaaaaa 1560
aaa 1563

<210> 202
<211> 756
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (230)..(230)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (755)..(755)
<223> n equals a,t,g, or c

<400> 202
gaattccaat gtccacaggt gatgggagag atgctgagaa agggtggcca gtgagtgagg 60

aggaaaacca gaggagtgtg tatcctgggt accctgaatg tgatgagcga caagctgtcc 120
cccagcactg tgccattgct tctcccagtt ctcttcaaag tcaccatcct gcttcagcgt 180
gtgtgcccag aagatagccc ttcctcttct gtgcttccag aatccgtagn cagggaatag 240
gaatacatgg acaagtagca tgcagtgcag tgagaatgta taacaacaga tgactctggg 300
gaccaaaatc aaatggggcc agctacaaag agggcaggaa atccccacag gtgattttac 360
tgtgaggaat tttatgaggt tcagcatcat atattgttag gagaaaatgc tgttttgata 420
agcagagata tgagaaaagt aaacgggaac tatgatttag agatctcatc tgrttacttt 480
gtcctattcy cagtttwatt actaaagagc agtaaagcca aggagaaagt agtaaagatt 540
agatgaatgg ttagcatgtg aaacctgaaa ggaaccagag tgatttccct cgaggaacaa 600
atgcacttct cttacatatg aaagatgatg tgttctgtgt tcccatagaa tctagggaaa 660
gaaaaagtga gcagatactc tgatatgagc aatataactt aggtgtaaaa aaaaaaggaa 720
ttcgatatca agcttatcga taccgtcgac ctcgna 756

<210> 203
<211> 1402
<212> DNA
<213> Homo sapiens

<400> 203
ccagtgtcgg tctatccaaa aaatgtacta acagatatgt aaaccctgat gaatacagta 60
tgtgttatga gaagtggccc aacgaagcag ctcatccaag tgagattctg aagttgggct 120
ggcgagtaca cgaatggctt tcttactaga gagaagtggg accctgctaa tctgtagcat 180
gtggtggcat catggttact caaatatcac tggaacagaa ggtgaaagaa gaaatctgaa 240
gagaaataaa acaaattttc ggcggttcca agatggccga ataggaacag ctccagtcta 300
cagctcccag tgtgagagat gcagaagatg ggtgatttct gcatttccaa ctgagcaaac 360
ggcacaccag aagattatat cccatgcctg gctgggaggg tcccatgccc acggagcctc 420
gctcattgct agcacagcag tctgagatcc atctgcaagg tggcagtgag gctgggggag 480
gggcacccac cattgctgag gcttgagtag gtaaacgaag cagccaggaa gctcgaactg 540
ggtggagccc accgcagctc aaggaggcct gcctacctct gtagactcca cctctcgggg 600
cagggcatag ccaaacaaaa ggcagcagaa acctctgcag acttaaatgt ccctgtctga 660
cagctttgaa gtgagtagtg gatctcccag cacggagttt gagatctgag aacggacaga 720
ctgccccctc aagtgggtcc ctgacccctg agtagcctaa ctgggaggca ccctccagta 780
ggggcagact gacacctcac acagctgggt acccctctga gatgaagctt ccagaggaac 840
aatcaggcag caacatttgc tgttcagcaa tatttgctgt tctgcagcct ctgctgctga 900
tacccaggca aacagggtct gcagtggacc tccagcaaac tccaacagac tggcagctaa 960
gggtcctgac tgttagaaga aaactaacaa acagaaagga catccacacc aaaaccccat 1020
ctgtaagtca ccatcatcaa agaccaaagg tagataaaac cacaaagatg gggaaaaaac 1080
agagcagaaa agctgaaaac tctaaaaatc agagcacctc tccccctcca aaggaacaca 1140
gctcctcgcc agcaacggaa caaagctgga tggagaatga ctttgacgag ttgagagaag 1200
aaggcttcag aagatcaaac ttctccaagc taaaggagga agttcgaacc catcgcaaag 1260
aagctaaaaa ccctgaaaaa agattagacg aatggctaac tagaataacc aatatagaga 1320
agtccttaaa tgacctgatg gagctgaaaa acatggcgcg agaactacat gacaaatgca 1380
caagcttatc gataccgtcg ac 1402

<210> 204
<211> 1417
<212> DNA
<213> Homo sapiens

<400> 204
ttttttttg attaaaaaaa tttaaaaaat tataaaatga tgtcctatat gagtttaata 60
catgacgttg gaggagcata gagatagacc tagactaggc atgtgtatgt gtgtgtgtgc 120
atgtgtgtat gcatgcatgc ttatgcatgt gtgtgtgcat gcatgcttgt gtgtgtgtgt 180
gtgtgtgtgt gtagagcctt ggtcatcccg acagagcaaa gacacaggag ggtggcacat 240
ggaagaacaa gtgactccac cctcccttgc acagttaaaa tctggccaag tgagagggga 300
gatgggagag gggagagggg agaaaggaga agaggcactg actggagggg ctgaagcttt 360
gtccctcctg ggcaggcgtt ctccatccac acccctcttc ttggatagag aggataagca 420
ggccaaagat gcacgaaacc tgagttccac tgtagctcca gacttctaga aaagtcaaca 480
gcccctgtat ctctagctga tcctctgttg ttcaatgtct gcattaccgc actgggagac 540
acttgacaga ttgggcctgc cgcaggccat agcagacatt gggcagccct agaacgaagc 600
tgactgtcct tggaatgtgc cacaggggtg tgacgccccg gccaactcca gtgctgccta 660

aaatggcctc ttgcaacatt cccctctctt catcttaaat cagggacttg aagccacaaa 720
atggcaaata cacagttctg gcagtcgttt tgagtattgg agaaatcgct ctggccatct 780
gttttgtctc cagcatgttt ctcacggaat atccacggat atatccatgg atataacaga 840
catcctgcca aggcagagct tggctcttga gaactcggca agctcagtgc ttgcctggat 900
tcctgcctca tgtcccatcc agtgtttgga gaaaagctct gagagaaaga tgaatgtctg 960
aggccacaca gcctagaagt agtcaagagc acaggctcta gaactagccc cacgtgggct 1020
gaaatcccag caccagcgcc tgccggctgt gtgatgtagg agagcttctt accagctctg 1080
tgcctcactt gtctcacttg taaaatgaga ataagaattg gccgggctcg gtggctcacg 1140
cttgtaattc cagcacttcg ggaggctgag gtgggcggat cacttgaagt caggagttca 1200
agaccagtct ggccaacgtg gtggaaaccc cgtctctgcc aaaaatacaa aaattagcca 1260
ggcgtggtgg cgggcacctg cagtctcagc tactcaaaag gctgaagcag gagaatcgct 1320
tgaacctggg aggtggaggc tgtcagtgag ccaagatcac accactgcac tgcagcctgg 1380
gtgacagagc aagactctgt ctcaaaaaaa aaaaagg 1417

<210> 205
<211> 1965
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (333)..(333)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1961)..(1961)
<223> n equals a,t,g, or c

<400> 205
ggatcctcgc ggcggcggcg gtgcttacag cctgagaaga gcgtctcgcc cgggagcggc 60
ggcggccatc gagacccacc caaggcgcgt ccccctcggc ctcccagcgc tcccaagccg 120
cagcggccgc gcccccttcag ctagctcgct cgctcgctct gcttccctgc tgccggctgc 180
gcatggcgtt ggcgttggcg gcgctggcgg cggtcgagcc ggcctgcggc agccggtacc 240
agcagttgca gaatgaagaa gagtctggag aacctgaaca ggctgcaggt gatgctcctc 300
caccttacag cagcatttct gcagagagcg cancatattt tgactacaag gatgagtctg 360
ggtttccaaa gccccccatct tacaatgtag ctacaacact gcccagttat gatgaagcgg 420
agaggaccaa ggctgaagct actatccctt tggttcctgg gagagatgag gattttgtgg 480
gtcgggatga ttttgatgat gctgaccagc tgaggatagg aaatgatggg attttcatgt 540
taacttttt catggcattc ctctttaact ggattgggtt tttcctgtct ttttgcctga 600
ccacttcagc tgcaggaagg tatggggcca tttcaggatt tggtctctct ctaattaaat 660
ggatcctgat tgtcaggttt tccacctatt tccctggata ttttgatggt cagtactggc 720
tctggtgggt gttccttgtt ttaggctttc tcctgtttct cagaggattt atcaattatg 780
caaaagttcg gaagatgcca gaaactttct caaatctccc caggaccaga gttctcttta 840
tttattaaag atgttttctg gcaaaggcct tcctgcattt atgaattctc tctcaagaag 900
caagagaaca cctgcaggaa gtgaatcaag atgcagaaca cagaggaata atcacctgct 960
ttaaaaaaat aaagtactgt tgaaaagatc atttctctct atttgttcct aggtgtaaaa 1020
ttttaatagt taatgcagaa ttctgtaatc attgaatcat tagtggttaa tgtttgaaaa 1080
agctcttgca atcaagtctg tgatgtatta ataatgcctt atatattgtt tgtagtcatt 1140
ttaagtagca tgagccatgt ccctgtagtc ggtagggggc agtcttgctt tattcatcct 1200
ccatctcaaa atgaacttgg aattaaatat tgtaagatat gtataatgct ggccatttta 1260
aaggggtttt ctcaaaagtt aaacttttgt tatgactgtg tttttgcaca taatccatat 1320
ttgctgttca agttaatcta gaaatttatt caattctgta tgaacacctg gaagcaaaat 1380
catagtgcaa aaatacattt aaggtgtggt caaaaataag tctttaattg gtaaataata 1440
agcattaatt ttttatagcc tgtattcaca attctgcggt accttattgt acctaaggga 1500
ttctaaaggt gttgtcactg tataaaacag aaagcactag gatacaaatg aagcttaatt 1560
actaaaatgt aattcttgac actctttcta taattagcgt tcttcacccc caccccccacc 1620
cccacccccc ttatttttcct tttgtctcct ggtgattagg ccaaagtctg ggagtaagga 1680
gaggattagg tacttaggag caaagaaaga agtagcttgg aacttttgag atgatcccta 1740
acatactgta ctacttgctt ttacaatgtg ttagcagaaa ccagtgggtt ataatgtaga 1800
atgatgtgct ttctgcccaa gtggtaattc atcttggttt gctatgttaa aactgtaaat 1860

acaacagaac attaataaat atctcttgtg tagcaccttt aaaaaaaaaa aaaaaaaaaa 1920
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa naaaa 1965

<210> 206
<211> 529
<212> DNA
<213> Homo sapiens

<400> 206
acgcgtccga ttacttacgt gctcctggct gggatggcac tgggcattca gaaaaggttc 60
tccccggagg tgctgggcct gtgtgcaagc acagcgctgg tgtgggtggt gatggaggtg 120
ctggccctgc tcctgggcct ctacctggcc accgtgcgca gtgacctgag cacctttcac 180
ctgctggcct acagtggcta caaatacgtg ggaatgatcc tcagtgtgct cacggggctg 240
ctgttcggca gcgatggcta ctacgtggcg ctggcctgga cctcatcggc gctcatgtac 300
ttcattgtgc gctctttgcg gacagcagcc ctgggccccg acagcatggg gggccccgtc 360
ccccggcagc gtctccagct ctacctgact ctgggagctg cagccttcca gcccctcatc 420
atatactggc tgactttcca cctggtccgg tgacccctg gccccagatg gcactgagtt 480
tttcattcat tgaagatttg atttccttga aaaaaaaaaa aaaaaaaaa 529

<210> 207
<211> 1146
<212> DNA
<213> Homo sapiens

<400> 207
cccgtccaca atgcagcaga ctcttcccaa ggccacctag caagcaaggt tgatcggatc 60
atctaaactg gccgcctcct gaatatttca ctgaatcctg gcgttcatgt tgaagcagac 120
aaaatgagaa aggaggaggg cattgctcac ctctcaatag ctttttttcgt tcaagttcta 180
tgtctttatc agctcttgcc tgtgatttta ccccaattca accttgggag tgggaagaat 240
atgaacagat aacccttggc ctaacagctc catcaaacct ccttgagagc aactacctag 300
gccaggctag tgagtgcttt gtgaggaagc tggtcagaag gttccctcaa ctccttcctg 360
gtcctcctgg acactgcaga aaagacttag gggatcccca gcagaggcca attgctctcc 420
ttccttccct gccccaccag gaaaggaata acgtccacag acttgaagca gatagtgaag 480
tagatctgtg agaggttcta ggtacttagt gtgtagactt tgacgaatat ttctcaagtt 540
gggagccctt gttaaaaatg atgtttaagg gagtggttgg ggggaagatg aaggcatgga 600
ggaggaagaa gagaaggaag cccttgccat ataaaattca tgcagactaa acagtttccc 660
tgacagaata aataaagtgg atgctacccc actccagaat caaaagcaat ttaattaaag 720
tctcttaagt tgtaaagagt tttaaatgat ccgtgttgaa ggcgaatsct gcyaaatgca 780
gtgggtctga cgtcagctgc cgggcctggg ctgggaggcc atttgctatt ctgtttaagg 840
caggctggat tgtcttattt tggaaccagc ttggtggggg gtttgctttg ctactgcttc 900
tgagccctga gcttcaaagg ctgaaattaa tggtgaacaa aattgtgcgg ctctggccat 960
cccatgcggg caagcccatt gagggttatc attaagtaaa gaaataaaga gggggaaaaa 1020
agcctgcctg ttccaaaaac ctcatcagat aatgacctca gtgattgggt tttcattacc 1080
aaacagcatc cagagattat caacccatag aagaagggag gggaaaaaaa aaaaaaaaaa 1140
aaattc 1146

<210> 208
<211> 1346
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (537)..(537)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (880)..(880)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1115)..(1115)
<223> n equals a,t,g, or c

<400> 208
ggcagaggct tgtgaagggt aaagtttaaa cccctctgct tagcccctgc ctccagcctc 60
tgccaggagt aatgtgctcc catagtactc tgatccactt gtatttggtg cttccttttt 120
tttttctttt ccttccttcc tcctttcctt tcccttccty ttcctsttcc tccattcttc 180
cctccctccg tcttcctcca ttcttccctc cctccctatt cctccattct tccctccctc 240
cctccctctc acatccttta ggactcagca tcacctcctc taggcagtct ttcctggayt 300
accaccaytt atgcacaaaa cacctaagca ytaccttatg tggcctcatt tatcactgct 360
taaatatttt ttawacacgt gctgtgatgt ggcacatgca ggtgtcattc ttgakgatcc 420
actggttatt gccttgaggg gatgacaact gcccggtagg gtwacctggt gtgactgcac 480
ctaaaacagc aataccaaag ggcccattgc cagttctgtc actgaccagc tggggcntct 540
gagtatatcc cttaaccact ttggacctta atttggcatc tgtcaaatga gatggtggaa 600
cttgaggaac tctaaggccc ctactgtgca ggtcttatta atgattacaa cagcagcagc 660
agccagtgtt tactgaggac ttacaaagca ccaagcactt tgcctatcct aatccttaca 720
tcaactctac gaagttagta tggttactat ccctatttta cagatgagga gactaaggct 780
aagagaggtt atatgacttg accacaaggt cataataaag aaacagattt gaatccaggc 840
attctgactt tactgttctt agccacataa tgggcacasn ttygacacac rgttttgtgt 900
actgtttggt ggtcactcac agactccatc ccagactctg catgaaccat ccctgttcta 960
catttttaag gctcaaactg gagtctgggt gaaacctggg gacagaagac tgctatagtc 1020
acaattatta gagggaaatg ggtgaggacc agtggccagc tctgttcatg aacctttgac 1080
aattctcaca gagagtcttg ctttggacag agacnactta cgttgctgtt ttcagttacc 1140
ctctttagga ggggagagta ggcctgagtc atgcttcaga cacagattaa aatcagattt 1200
ggtaccaggt gcagtggttc acgcctgtaa tcccagcact ttgggaggct gagttaggag 1260
tatcacttga ggccagaagt ttgagagcag cctgggcgac atagtgagac atcctctctc 1320
tttaaaaaaa aaaaaaaaaa actcga 1346

<210> 209
<211> 1974
<212> DNA
<213> Homo sapiens

<400> 209
ggcacgagtt gggagcagct ctgcgtgcgg ggcctcagag aatgaggccg gcgttcgccc 60
tgtgcctcct ctggcaggcg ctctggcccg ggccgggcgg cggcgaacac cccactgccg 120
accgtgctgg ctgctcggcc tcgggggcct gctacagcct gcaccacgct accatgaagc 180
ggcaggcggc cgaggaggcc tgcatcctgc gaggtggggc gctcagcacc gtgcgtgcgg 240
gcgccgagct gcgcgctgtg ctcgcgctcc tgcgggcagg cccagggccc ggaggggggct 300
ccaaagacct gctgttctgg gtcgcactgg agcgcaggcg ttcccactgc accctggaga 360
acgagccttt gcggggtttc tcctggctgt cctccgaccc cggcggtctc gaaagcgaca 420
cgctgcagtg ggtggaggag ccccaacgct cctgcaccgc gcggagatgc gcggtactcc 480
aggccaccgg tggggtcgag cccgcaggct ggaaggagat gcgatgccac ctgcgcgcca 540
acggctacct gtgcaagtac cagtttgagg tcttgtgtcc tgcgccgcgc cccggggccg 600
cctctaactt gagctatcgc gcgcccttcc agctgcacag cgccgctctg gacttcagtc 660
cacctgggac cgaggtgagt gcgctctgcc ggggacagct cccgatctca gttacttgca 720
tcgcggacga aatcggcgct cgctgggaca aactctcggg cgatgtgttg tgtccctgcc 780
ccgggaggta cctccgtgct ggcaaatgcg cagagctccc taactgccta gacgacttgg 840
gaggctttgc ctgcgaatgt gctacgggct tcgagctggg gaaggacggc cgctcttgtg 900
tgaccagtgg ggaaggacag ccgacccttg gggggaccgg ggtgcccacc aggcgcccgc 960
cggccactgc aaccagcccc gtgccgcaga gaacatggcc aatcagggtc gacgagaagc 1020
tgggagagac accacttgtc cctgaacaag acaattcagt aacatctatt cctgagattc 1080
ctcgatgggg atcacagagc acgatgtcta cccttcaaat gtcccttcaa gccgagtcaa 1140
aggccactat caccccatca gggagcgtga tttccaagtt taattctacg acttcctctg 1200
ccactcctca ggctttcgac tcctcctctg ccgtggtctt catatttgtg agcacagcag 1260
tagtagtgtt ggtgatcttg accatgacag tactggggct tgtcaagctc tgctttcacg 1320
aaagcccctc ttcccagcca aggaaggagt ctatgggccc gccgggcctg gagagtgatc 1380
ctgagcccgc tgctttgggc tccagttctg cacattgcac aaacaatggg gtgaaagtcg 1440
gggactgtga tctgcgggac agagcagagg gtgccttgct ggcggagtcc cctcttggct 1500

ctagtgatgc atagggaaac aggggacatg ggcactcctg tgaacagttt ttcacttttg 1560
atgaaacggg gaaccaagag gaacttactt gtgtaactga caatttctgc agaaatcccc 1620
cttcctctaa attcccttta ctccactgag gagctaaatc agaactgcac actccttccc 1680
tgatgataga ggaagtggaa gtgcctttag gatggtgata ctgggggacc gggtagtgct 1740
ggggagagat attttcttat gtttattcgg agaatttgga gaagtgattg aacttttcaa 1800
gacattggaa acaaatagaa cacaatataa tttacattaa aaaataattt ctaccaaaat 1860
ggaaaggaaa tgttctatgt tgttcaggct aggagtatat tggttcgaaa tcccagggaa 1920
aaaaataaaa ataaaaaatt aaaggattgt tgataaaaaa aaaaaaaaaa aaaa 1974

<210> 210
<211> 890
<212> DNA
<213> Homo sapiens

<400> 210
aattcggcac gagattcact aaacactgca atacaagctt ggcaacagaa caaatgccct 60
gaggtagagg agttggtctt cagccatttt gtgatctgta atgacacaca ggagacactg 120
cggtttggcc aggtggatac tgatgaaaat attctgctgg cgagtctcca cagtcaccag 180
tacagctggc gctctcacaa atccccacag ctgttacaca tctgtattga aggttggggc 240
aactggcgtt ggtcagagcc tttcagtgtg gaccatgccg ggacttttat tagaacaatt 300
cagtacaggg gtcgaactgc ttctctcatc atcaaggttc agcaactcaa tggagtacaa 360
aaacagatta tcatctgtgg aagacagatc atctgtagtt acttgtctca aagcatagaa 420
ctaaaagtcg ttcagcatta cattggtcaa gatggacaag ctgtagttcg ggaacatttt 480
gactgcctca cagccaaaca gaaattgcct tcgtacatac tagaaaacaa tgaactgacg 540
gagctgtgtg tgaaggccaa aggagatgaa gactggtcaa gagatgtgtg cctggaatcc 600
aaagcccctg agtacagcat tgtcattcag gtgccatctt caaacagttc cattatttat 660
gtctggtgca cagttttgac tttagaaccc aactctcaag tgcaacaacg aatgattgtg 720
ttcagccctc tttttatcat gaggagtcat cttccagacc ccattatcat acatttggag 780
aaaaggagtc tgggattgag tgaaacacaa attattccag gaaaagggca ggaaaaacca 840
ctgcaaaaca tagaacctga ccttgtacat cacctgacat tccaagcaag 890

<210> 211
<211> 1043
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (987)..(987)
<223> n equals a,t,g, or c

<400> 211
gaagctggag ctccaccgcg gtggcggccg ctctagaact agtggatccc ccgggctgag 60
gaattcggca cgagctttcc cctaagtttt cttatcttca ggctacagaa ttattgagat 120
tactctcaac cattcctcat gttagaaact ctttctcaat ttatttccat cctctttgtc 180
cttctctgga taatctcaga tttgatactg tgttttctta aatgtggtaa tcccggaact 240
ctagatatgg ttcttcctat ttggactaat cagtatacac attccagtag atccattttg 300
tcctttatct agatacagta tttctagtag cttgaaactc atttgccttt taaaagttgt 360
tttaggatta aaaatcacaa accaaatatc cactgtcctc aagagaatca cctaacaccc 420
ataaggattc ttgtagactc atggtaaagg ggtagctatt gttttatatc agatagcagg 480
agtagctatt cttttatatc agataaaaca cattaaagca acatgaatag gcatttgtta 540
aaagaagata tacaaatagt caacacatat aaagaaattc tcaacatcac taatgatcag 600
ggaaatacaa attaaaacca cgatgacata caccttatcc cagccagaat ggccattatg 660
aaaaagtaaa aacaaaacaa aaaaaacaga tgttggcgtg gatatggtaa aaagggaatt 720
gcttatacac tgctggtgag aatgtaaatt agtacaagct gtgtggaaaa cagtatggag 780
agttcaagta gatctaccac tttatctggc gttctcacta ctggctatct attaaaagga 840
aaataagtcc ctatgtcaaa aaagacacct acatgtctat gtttattgca gcacaattca 900
caattgcaaa gatatggaac cagcctaagt ccacatttaa ctgatgagtg gataaaggaa 960
atgtgtgtgt atsmtcacca tggttgncaa aaagagaccc gttgcctcct gtaaccagac 1020
actcaggctt tccaggagcc cag 1043

<210> 212
<211> 1079
<212> DNA
<213> Homo sapiens

<400> 212
ggcacgaggt gttagaaagt tttcgaagca gtgtgagtct tgtacctttg tggtcctgtc 60
tcacagacac ctgtctattc cctgaccctt ttaaatgcta actttctgcc tgtaggaaat 120
cttccctttg tgcttaggtc tttttcttct gtgagcttta gataaacaac ctagtgttta 180
aacttttttaa taagggattc atttttttaat acatgagaat tcatttcaaa attttggttt 240
tagttattta ttttattcta cttggctctt tttcagacag atgttctctc ctggattgta 300
aaagtcgaat tcaaaggatt tttatttgta atatacttaa cctttctctt gtaagttgcc 360
atctgtgtag atacagcttt gattgcctga caagaggaaa atgtttccca ttatcttttc 420
ctgcctgaac tatacggtca cttgtgttcc agcatagtgg ttcttaaccc tcatagtgtg 480
tcagaatcac tttgcagagc ttttaaaaac tctagatgcc tggggaccac cccaaagact 540
ccattttgtt gtcatgggtc aaagcacagt cttctagttt gcagctagtg ttgagtacaa 600
ctagagttta acccagttga attttagttt aatcttggct ggtcttgaag atgttagtaa 660
tctctattca tttttttkga aaagtaccaa tgaratcaga aagttaatta gaaaacatct 720
agttgaatcc cctgttttta atagatgggg aaaccaagac ccagagaata taatccaaag 780
ctacctgtca cataggccac aatttctttt ccaatattct gttcttcgct gttcttctaa 840
tttgcagaac tcctctttaa aaaacctttg gagaatgtat tggcctcata ccctcttcct 900
tcagcctgaa agacatgcac ctgtcactta tttatgatat ttaaatgcaa cctctagaac 960
aggggtgtcc aatcttctgg cttccctggg ccacattgga agaagaaatg tcctgggcca 1020
cacataaaat acactaatga tagccgatga acttaaaaaa aaaaaaaaaa aaactcgta 1079

<210> 213
<211> 2103
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2101)..(2102)
<223> n equals a,t,g, or c

<400> 213
ttcctcgtag cgagcctagt ggcgggtgtt tgcattgaaa cgtgagcgcg acccgacctt 60
aaagagtggg gagcaaaggg aggacagagc cctttaaaac gaggcgggtg gtgcctgccc 120
ctttaagggc ggggcgtccg gacgactgta tctgagcccc agactgcccc gagtttctgt 180
cgcaggctgc gaggaaaggc ccctaggctg ggtctgggtg cttggcggcg gcggcttcct 240
ccccgctcgt cctccccggg cccagaggca cctcggcttc agtcatgctg agcagagtat 300
ggaagcacct gactacgaat gctatccgtg cgagaacagc tattccacga gaggatccgc 360
gagtgtatta tatcaacact tctgtttgca acactgtaca tcctctgcca catcttcctg 420
acccgcttca agaagcctgc tgagttcacc acagggtgtc ctgggccggg tctmtgagac 480
agtggtgatg ttgatgctcc tcactctgct ggtgctaggt atggtgtggg tggcatcagc 540
cattgtggac aagaacaagg ccaacagaga gtcactctat gacttttggg agtactatct 600
cccctacctc tactcatgca tctccttcct tggggttctg ctgctcctgg ctgctggaag 660
acctggagga gcagctgtac tgctcagcct ttgaggaggc agccctgacc cgcaggatct 720
gtaatcctac ttcctgctgg ctgcctttag acatggagct gctacacaga caggtcctgg 780
ctctgcagac acagagggtc ctgctgggta tgtggcttcg tagggcttgg gatacctggg 840
tttccccaag gagagtagcc cctggttcca ggtgcttgct gacagcctcc catccctgca 900
cagagaagag gcggaaggct tcagcctgkc aacggaacct gggctacccc ctggctatgc 960
tgtgcttgct ggtgctgacg ggcctgtctg tgctcattgt ggccatccac atcctggagc 1020
tgctcatcga tgaggctgcc atgccccgag gcatgcaggg tacctcctta ggccaggtct 1080
ccttctccaa gctgggctcc tttggtgccg tcattcaggt tgtactcatc ttttacctaa 1140
tggtgtcctc agttgtgggc ttctatagct ctccactctt ccggagcctg cggcccagat 1200
ggcacgacac tgccatgacg cagataattg ggaactgtgt ctgtctcctg gtcctaagct 1260
cagcacttcc tgtcttctct cgaaccctgg ggctcactcg ctttgacctg ctgggtgact 1320
ttggacgctt caactggctg ggcaatttct acattgtgtt cctctacaac gcagcctttg 1380
caggcctcac cacactctgt ctggtgaaga ccttcactgc agctgtgcgg gcagagctga 1440
tccgggcctt tgggctggac agactgccgc tgcccgtctc cggtttcccc caggcatcta 1500

ggaagaccca gcaccagtga cctccagctg ggggtgggaa ggaaaaaact ggacactgcc 1560
atctgctgcc taggcctgga gggaagccca aggctacttg gacctcagga cctggaatct 1620
gagagggtgg gtggcagagg ggagcagagc catctgcact attgcataat ctgagccaga 1680
gtttgggacc aggacctcct gcttttccat acttaactgt ggcctcagca tggggtaggg 1740
ctgggtgact gggtctagcc cctgatccca aatctgttta cacatcaatc tgcctcactg 1800
ctgttctggg ccatccccat agccatgttt acatgatttg atgtgcaata gggtggggta 1860
ggggcaggga aaggactggg ccagggcagg ctcgggagat agattgtctc ccttgcctct 1920
ggcccagcag agcctaagca ctgtgctatc ctggaggggc tttggaccac ctgaaagacc 1980
aaggggatag ggaggaggag gcttcagcca tcagcaataa agttgatccc agggtttgct 2040
ttgttttttt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2100
nna 2103

<210> 214
<211> 1212
<212> DNA
<213> Homo sapiens

<400> 214
gccaagcttg gcacgargtt ggtggcggcg tccggaggtg ctggtttgtt ctcggtgaac 60
ggcgcgcggg gtctctcctg agtgcgagct acgggacctt cgccatgccg gggatggtac 120
tcttcggccg gcgctgggcc atcgccagcg acgacttggt cttcccaggg ttcttcgagc 180
tggtcgtgcg agtgctgtgg tggattggca ttctgacgtt gtatctcatg cacagaggaa 240
agctggactg tgctggtgga gccttgctca gcagttactt gatcgtcctc atgattctcc 300
tggcagttgt catatgtact gtgtcagcca tcatgtgtgt cagcatgaga ggaacgattt 360
gtaaccctgg accgcggaag tctatgtcta agctgcttta catccgcctg gcgctgtttt 420
ttccagagat ggtctgggcc tctctggggg ctgcctgggt ggcagatggt gttcagtgcg 480
acaggacagt tgtaaacggc atcatcgcaa ccgtcgtggt cagttggatc atcatcgctg 540
ccacagtggt ttccattatc attgtctttg accctcttgg ggggaaaatg gctccatatt 600
cctctgccgg ccccagccac ctggatagtc atgattcaag ccagttactt aatggcctca 660
agacagcagc tacaagcgtg tgggaaacca gaatcaagct cttgtgctgt tgcattggga 720
aagacgacca tactcgggtt gcttyttcga gtacggcaga gcttttctca acctactttt 780
cagacacaga tctggtgccc agcgacattg cggcgggcct cgccctgctt catcagcaac 840
aggacaatat caggaacaac caagacctgc ccaggtggtc tgccatgccc cagggagctc 900
ccaggaagct gatctggatg cagaattaga aaactgccat cattacatgc agtttgcagc 960
agcggcctat gggtggsccc tctacatcta cagaaacccc ctcacggggc tgtgcaggay 1020
tggtggtgac tgaaattagc tggacatggt tgcacacacc tgtaatcaca gctactcggg 1080
aggttgaggc gggagaatcg cttgaaccag ggagttggag gttgcagtga gtggagatca 1140
caccattgcc ctgcagccta agcaacagag caagattctg tctcaaaaaa aaaaaaaaaa 1200
aaaaaactcg ag 1212

<210> 215
<211> 616
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (17)..(17)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (580)..(580)
<223> n equals a,t,g, or c

<400> 215
cmgctrctra gcaactnagt gggatscccc gggctgcagg aattcggcac gaggagaacg 60
gctgcacgtg ggagatgctc cgtggatgtt tgtagaacgc tggcttccgt gtttcctcgt 120
tgtggctgtg gtggtgtggg tctttgcctg tggacccgtg gaagacaaag aagacagttt 180
tggatggtca agctattttc ttgcttcagg gctccctccc ctgctttttg aagcctcaca 240
aaccaggact gtgagggcag gaaggcttgg ggtctttgtg tgctgagcct cattagggtt 300

ttaagaacct ccctcctttc atctctagct tacgagaggg atgattcatt atcttccctc 360
ctcaggctgc agtagaagca gacagtctct gcctccctgc ttgcctttcc tccctcccat 420
tcactgttga ttattgccct caagaataac aggttgccca gctactcgag argcttaagt 480
gggaggattg cttgacccca ggagttcgag gctgcagtga gctatgatcg cttcactgcg 540
ctatagcctg gcagacacag agagacccta tctcaagcan acagacaaac aaaaaaaaaa 600
aaaaaaaaaa ctcgag 616

<210> 216
<211> 1144
<212> DNA
<213> Homo sapiens

<400> 216
gcacacatac gtatgcatat aaggattatc atatataaat ttatataaca atttttatgc 60
atgagtgtga ataaatatat gcatatatat gtctgtatat gtaaacataa tgcatatagt 120
aatttacata tatctgtgtg tatatatgtg tgtggcacag tcacacacac acacacaaat 180
atgtatacag atgcttcctg gcttacaata ggatttcatc ctgataaatt catcgtaaat 240
caaaagtatt gcaagttgaa aatgcatttc ataccccagt aagttcatca tttgktcaaa 300
agtattgtaa gtcagaatac atttgacatc tggataagtc cattataaag tcaaaacatt 360
ttaagtctaa tcattgtaat ttgggtaccg tctatgtaga tacgtaaatc atacattaag 420
ggtgactagg tgccaggttg aatgttatga aaatgaattt caagtctcac aggcacattc 480
acccattaca aatatgtacc acattcacct attacaaata tgtacacatg tatgtgttca 540
tgttcatact acaatggcag agttgcataa ttgtgacaga aatcaaatgg cttacaataa 600
ctaaggcatt tctacatagc cttttaaagt aaaaagttta ttcattgttg gtctacataa 660
cgtggaggaa tttgtagcgg acaggctatt acagtcagtg aattgaaagg aagggagaag 720
ttgggggaga ctagtagctt tttgaaggta ttattttaga gatttatgaa kttttggaga 780
acaagggatg aggaaaaagt attgaagaat ttgggagagc aggatatcaa ttagtttctg 840
actttattgg gaatgcagat cagagaaagg ctgggataga aaactgaaat aataattata 900
gccttcggtg aatatcagca ggactgatgg gactataggg agggtagact aggtgataga 960
gcccattgtg gcagtttcgg taggacatca ttggtgtata cgtatatgtt atttgtgatt 1020
ttgtttatct ttttttaata agcaaaagga aaagtgtcct gatatgtttt ggctttgtga 1080
ccccatccga atctcacctt gaattgtaac aaagttttac catgttaaac aggctagtct 1140
cgta 1144

<210> 217
<211> 1649
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1249)..(1249)
<223> n equals a,t,g, or c

<400> 217
agctccaccg cggtggcggc cgctctagaa ctagtggatc ccccgggctg caggaattcg 60
gcacgaggga tctgtgtggc atggtatgtg tgtttatgtg tattgtgggt gtctgtgtgg 120
catgctgtgc gtgtgtgtat tgtggatgtt tactgtcccg ggcagtagaa aggacgtcgg 180
ggaagcagcc ccagcatcag ggacaggcca ggagtgcaga atgcatggaa gctggtcagg 240
tcggagcctg ggatgaagga agcacagaga tgcaagggtg ccagggccca tggaaccaag 300
agccgatgat caaggccaca gtgcacacag ccctggaggc aaaggacata ttcatttcac 360
aaggattaaa aagcatgggc caaggctggg ccccaggcca ggactgggga tacagagtgg 420
atcagtcccc atccctgccc ccaggtgctt acccacaccc attcacctca caggtttccc 480
caccccagcc ccttggcgag ctcctcctca ttcctcaaar cgtcgctkag gtcacgctcc 540
ttcccgaggc ctctccccat cctctaaaac accctctccc tgctgcccac ttgcagcaca 600
gtcagagagc tccgtggcct gtttccactg gactgagtct tctgggggggt gctggtgcag 660
agcagarccc tgggctggga gtcccggcac ctcgttccac tccctcaccc acagcctcgc 720
tgtttaacct caggcaggcc gtgtmcctcc tcagcctcac tttccccttg tgtaaaatga 780
gggaagggac tgcgccttct aagccatctt tcagcttaaa acctctttga ccttctatct 840
ggctaatgga ggtgctgacc aggggcaaga agggatttga aaaacgcttt gaaaaattca 900
tagcaggagg caaaggagaa agagtcttta ttttcgtaga gcgggaggca ggaggagtta 960

tggacagagg ctgtcgatga aaaggacagc atctcagagc actttgtggc atttaatgtc 1020
taatgcctcc tcccattaaa gcagtggcat caaatattta ccaaagcagc attaaaaatt 1080
aacctttacc atggggatgt ataaaggccc taagttccct gagaagtgac cgaacatcag 1140
gagggtaaag tgacaggaag gaaggctaca agcgggttgt gaataatgga agcccccaaa 1200
ggtcccccaa cacagctccc tgttgacccc actcccaaag ccagggcanc ctccggccgt 1260
gtctctgcag aggctcccag cccttcggag actcccagag ggcctgcagg ataaggacag 1320
gccctcagct gggcatccac agccttccat ggcctggccc tgcctctctg ggcagctggg 1380
atctgtagga tggaaaggaa tgagtctgtc ggagttggaa gagaccaggg gaggaagtgg 1440
ggagtggtcc gggcactgga aatagcacgt gcagaggcac tgaggcagag acagctgcac 1500
atcaatccat cagaagagca gccaggtggc atgagtgtgg gggaggaagg aagcgcagga 1560
ggggacaggt gggagatgca ggtaggtctg actgtgcagg gccatggtaa gatgtgggct 1620
tctcggtcca gggacagggg tgccctcga 1649

<210> 218
<211> 520
<212> DNA
<213> Homo sapiens

<400> 218
gagaaggact ttatgcaggg aagtgacgca ggacacggag ggactcatat ttaccgagct 60
ttggtgcagt ggcccctggc ctgggtattc tatttaagcc atgcaaaaac ccattgggga 120
gaagagttaa ggttttcctt ccgcaggaaa aacttgaggc tcagagaggc tatgagacat 180
gagacatgcc aggtcacaca gctggtagct ggcaaagctg actccaacct gtgtctgagg 240
gactctgaaa cctggttctg gcccccactc tgggcagcct gctcctctct acaagccact 300
gcctgcagat taagcagtcc tagcaaaggc ctgggagcat ccagagagtg cccctggctg 360
gcgagtggta gagcagcctt ggtttccttc ctttgaccct caaggatcac aggagtgtca 420
cccagaagta acttaactta tgagtgtttt atgaacagga aaagcaggaa aaggggtaaa 480
gtcacatgat ttcacaacca aacagcctgt aaactcgtgc 520

<210> 219
<211> 1042
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (222)..(222)
<223> n equals a,t,g, or c

<400> 219
gaatcggcac gaggaaatat tactgaattt tcttttatta tcaaatacaa atttagcata 60
tcctatgtaa aatgctgatt gccctttttct gcatattatt tcagatcttg ttttctatac 120
ccacaaggat tttctatata tttctcataa acaagagagt ccacatattt actacttacc 180
ttatgagtga acaaaaaaat cacgattggg ttcgcagaac tncaaagttg caccgtgtgt 240
ggctcattag tggaaaaatg ctgctggttg cagatataaa ggctctgatc aggtggctgt 300
ggggccctaa tccagaatga gcacagttat tttgatcaat ggagtctaac ctagtcctcc 360
cccaaggttc aaaatgtcct ctggtgcttg caattttctt acagtatttt tttctaattg 420
ataccaagct gggactctcc tggtatatca tatttggaaa tgaaaagtga aacaaatgag 480
aattttcctt ttgcgttggt gaatgcatac agtgatttaa gtttgggtgc atttctttca 540
gtctgttgat tgttctagga atcgatgctc acagatcaat gagtcatgtc caatttcata 600
aacaactgcc tggggtgagt gtggcctcat aaatgtgaac aaatagtaat ggagtggcaa 660
tcaaacctaa agtgttactg caaatcatgc catgctgaaa gaagaaacat ctcaaaaaga 720
gaataaacat ttttagggtc gggtgtggtg gttcatgcct ataatatcag cactttggga 780
ggccaaggca gaaggattgc ttgaggctag gagttggaga ccagcctgag taacatagtg 840
agaccccagt ccttacaaaa aaaaaaaaaa attaacaaag gattgtggtg catgcctgta 900
gtcttagcta ctcgggaggc tgaggaggga agacaacttt aacccgggag ttcaaggttr 960
cagtgctatg attgcaccat cgcgttccag ccttggtgac agagcaagac tctgtctcaa 1020
aaaaaaaaaa aaaaaactcg aa 1042

<210> 220
<211> 536

<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (536)..(536)
<223> n equals a,t,g, or c

<400> 220
ggacgagtgg ggagctggaa ggaggatgga gtgggaagat aatcttccct tggagttcag 60
ctgtcccgtg accaaactcc tctctgtccc cagctggact cctctagatg ctcagatgct 120
ccttctcttc tttccttctc tgtcacacca ttcttctgtt ccttggctct tctgctcatc 180
tccttgtgga gscawaggtt tggggtttat atgagtacag gataggtgac atggtggatc 240
aaaaggcaac attttgtgtg caaaaacagg aatgcctgtt cccattaggg tcatgggttk 300
ccagggttga gggtggggcc tttgctaggg aaccaccctc ttctacccag tattttcctg 360
tctcctgtct gtatcaatag gtacacaata twtattaaat taatkaatga ctatacatta 420
tgaaatggga aatgcaaggt ataaaggaga attgctgtcc ttgaaaagaa atttagtttg 480
ttttttgtt gagatggagt cttgctctaa gctagagtgc agaatgtaat caaggn 536

<210> 221
<211> 796
<212> DNA
<213> Homo sapiens

<400> 221
ggcacgaggt gacgtgtttc tgcatctgtt gccatgacaa gctccctgct tcacccattg 60
ctgtatcccc agcacctctc tcactgcctg gcaagggaaa gcactcagaa gacgctgaat 120
gaccargtag agtgatgggt tgtacagcac tgttactcct tttccatctc tgtgtcccat 180
gtgaacctta tggcacccat gagaaggagc ttgtaccagg tttatacttt ctagtttaca 240
gatgagaaaa caggatcaga gtggtacaga tattggtcta agtcacagag aaagtgaatt 300
gtaaaagcag aaacagagca caggctgcct gacttctagt ccagtgcttt ttgctcaaat 360
tgcctcttat ttctcaggtt attcttgaaa tggcagatgg ggattctgtt taatgaaaca 420
aaagtgacaa ttctttcttt cttggagaga aggtggagac agggtctcac tctatcacac 480
aggctggagt gcagtggctc aatcatggct cactgcagcc tcaatctcct gggctcaagt 540
gattcttcca ccttagcctc cttgactcac tgggactaca ggtgcacacc accatacctg 600
gctaattttt aaagtttttt gtagagacag ggtctcacta tattgtgcat tctggtcttg 660
aactcctggt cccaagtgat cttcctgcct cggctttcca aagtgctgga attacaggca 720
tcacccccat gcctagcctg aaaattcttt ctatgtcctt aacatcttct ttcccagtat 780
ttctccatcc actcga 796

<210> 222
<211> 1037
<212> DNA
<213> Homo sapiens

<400> 222
ggcacgagct cgtgccraat tcggcacgag ggtcatagtc cacagaggta aaagttaaca 60
attctgatgc tcttgtatgt gcataccaga ggctctaggg aagaattccc tctttctttc 120
ttccaccttc ttgtggctgc tggcattctt tggcttgtgg tcacatcact cctatcttga 180
aggccagcat cttcaaatct gtttcttctt cacatagcct tctgtgtgtg cagtgccctc 240
tacctctctc ttataaagac atttgtgatt aaatggaggg tttaggataa tctcgtcaag 300
atccttaact taatcacaac tgcaaaaacc tctttcccaa ataaggtaac attcacaggt 360
tccagggatt aggacctatt atctttggta agtattattc agcctaccac aatagctaaa 420
acaattctga aaaagaagaa taaagtgaga gaaatcagtt tatctgattt cgatacttat 480
tgtatagcta tggtaaataa ggctgcatgg tattaaagaa aggacatata tgaatgaaac 540
agaatagagg acccagaaat agacccacac aaaggagccc aaattatttt taaccaaggt 600
agaagacaat ttattggagg aaagacagcc ttttcaacaa atggtactat aacaattaga 660
tatccatagg caaaaaaaaa aaaaagaatc ttgatctaag gctcacacct tatataaaat 720
aatattaaac tcatggccag gcacagtgac tcatgcctat aatcccaata cactgggagg 780
ctgaggcaag agtatcactt gaggccaggg gttcaagact agcctgggca acacagtgaa 840
actctatctc tacaaaaaaa ttataaacta gctgggcatg gtggcacatg cctgtagtca 900

caactactca cgaggctgag aagatcactt aagctgagtt gttcaaggtt ctaatgagct 960
acaatcgtgc cactgcactc cagcctaggt gacagacaaa gaccccatct caaaaaaaaa 1020
aaaaaaaaaa actcgta 1037

<210> 223
<211> 1110
<212> DNA
<213> Homo sapiens

<400> 223
gaattcggca cgagcttggt tcgggggga gcaaaatcca gaatctgcta aacaccaatg 60
ctgtcactca gagtttgtgt atctgctgtc tgtggagctc tggaccaggc ttgagggacg 120
cctggggttt ccacccacat ctggggcaaa ccagaccccc aagtcactga catgtcggtt 180
tttctactaa tcacgttggc tttggcaatt ctgtatataa taagaagtat tgtgttctca 240
cttgcacttk ggcagaacgg ttcactccaa ggctgaatga ctgccacgga ccatccccca 300
gcaggggtcc tggggtttag tggtttgatt ctgagcacct ctamgcamag agccccttag 360
tgggttccct aactggacgg ctaaccctgs tgtggaatct gactkkwtct ggaccgaaga 420
ggacaggctg ctctggagaa atccttgggc cttgtgcctg atgctggctc gggccaccct 480
ggccaccctc ccttcatgcc ccatgggacc aggcagcagc atgggagggg gcagcttcca 540
gaacaccctt ctgctagggg ctkctggcct ccctgctggc acggccacat ccatggtctg 600
agtgtgtggt tggaatgttt tatcaacacc agtcctcaca gcttccccag atgagcgaag 660
gggaagggga tggtgtgtgg ggggattgcc tcccttgagg ccccccagct cccaggatac 720
ttgctggcgg agctctgcct gcggtggagg ccctatgact tgacctccat cttctccctg 780
ggcccctcgc tggccctcac tggcaggggc tcctgcacgc ctgcaaggcc agagcctccc 840
gccaggtgca ggagaagtaa atgcaggcca gagataaatc gtatttccct ctaactcgga 900
tgtggagtga gaggaaggaa gcaggagtgg agctgagtgt tagtgagagg tggctgagaa 960
ggcggggtcc cgcttcttgc ttccttgggc atttgctgta ggtgctgggt ttcagcctgg 1020
aagggtgcag cctctgcact aagtctggtt tggtgaacgt tcatggcccc caatataaac 1080
agtgttctgg gcgttctttg tgactctcga 1110

<210> 224
<211> 841
<212> DNA
<213> Homo sapiens

<400> 224
gggctgcagg aattcggcac gagctcgtgc cgactctcag agcagggaac agcgggggaa 60
aatgtttaca ctccatgcac aatctgtgct tccagtccct caccctatgt ggcccaatag 120
ctggctggat ttcacactta attggtattt ttttctgcct tcttcccctg cccccactga 180
ctcctctcct ctccctttga ttgtactcaa ggttctgggg cctgggccct gggtgggtac 240
caacagctgc tcgctgttcc catgtcctct ctccagcttt gctgtgtttc tctgctacct 300
aatctcagtg actgtgaaag gacattgtgt ctgagccatg gccagccgct ggctggcccc 360
ctgatctgcc ccccttctat tgtttggatg gccatctcct gctgggcctc cctgactgta 420
aaatctctgt actgtttgtt aggtttttgg tgggaggctg tgataagttc caatgagctg 480
ccacttccct ggatatgtca agaagctgat ggcaacttgg ccaattctgg cagatatcag 540
gcccccagtt cagccccagt caccctcttt tacacatgtg ggtcaaccac tgtgtgctca 600
gagggtcagt cccttcctct gctgtgtttt tcttgagtcc ttgcactcac ttcccctgcc 660
ccagtcacga tgacccctaa agcttccttt gcccttgctt tctagggcat ccctagtgaa 720
ggggcaaacc tgagatttct ccgtggacct gacagccaag gcagggcact gtctcctgag 780
gccagtgcca gcacgtgcat ggttcacaga aaaggatcct gggctcagaa tctcgagggg 840
g 841

<210> 225
<211> 2128
<212> DNA
<213> Homo sapiens

<400> 225
gtctacctcc gggctgaaac gtcaccatgc ctccccacag acagacggat ggacagatgg 60
gcctccctgc acctgctctg tgggtgtggg ggctcctgct cagcagcagt ttccagaccc 120
ttctccctgc tttccccaag ccacccgcct tgaatctggg gtgctctacc agacccatcc 180

cctcatttct aaagatttga gccactagtc gtgtccctct ccctcagaaa tgccttggtg 240
acacttggct gctttcaact cttccaccca tctgcctctt ggtctcatct ttaccttctg 300
ctaaaggtcc tgaccccCac ccccgccacg ccatggggca ccccatggtg gtgcgtcctt 360
gggagcagct ctgtcccttt ccccgtggcc tttgccccgc ctcctatgac ttcgattccc 420
acctgtcccc gacccctggg accactgacc gggcccgatc accctgtcac tgccctgtca 480
tctgcttacc ccacacggtg ctctgctgac ccaggtcttg ctgtctccca acagccccac 540
gaggcttccc gtcgctcctg gacactgcag gctgagcccg ctgccccgcc gcctccatga 600
ggaaggcttt tcctctgtga gccccaggcc acccctttccc tcctttaagt aattacttaa 660
gtcccttgcc agggccctcc cagtaccctt tctaaagaca cccctgcccc agcatgctgc 720
aggctcctgc tccactttcc tctcaggccc tcgtcgctgt ggtgctgcct ttgttttctg 780
tctctgccac ggcaggggGt cagctccttg gaggtggggc ttctgccctt gctgtaccac 840
tgcctggcac acagtaggtg ctcaataaag acttgcaggg tgagctgcct gaagaatagt 900
caccagaggc cagaaatgtc tagagctctg ccggtagggt gactggccga ggagcctggc 960
ctgcatgtgt gcgtgtgtgt gtgtgtgtgt gtgtgtgtga gtcagggttt atatgcaggt 1020
gtctacagga gacatgctgg gttctgtgct gggtgtgagg aatatgggag cagaacccca 1080
gggaggtggc agagacttgg gggccaaagg gctggggtgc agggggGcaa cagccaggtg 1140
ccactggcca ccccagccgc agggagccct gcccaccctc caggtgcctg gatgtccaac 1200
ctcactgcta ttcccacctc aagccaggcc tggagatgga ggccccatga ctcagccagg 1260
gccggtttgc agctgcggct gacccagacg ggcgggcagc ccccagcccc cgggcctgca 1320
cccaggacag ggccgccctc cctccctccc ccgcttctgg ctcctaggac aggattctct 1380
gaattcagct cccctgaggc tggggccagg ttggaggcca ggcctggggg ctctgggctg 1440
gggtcccaga taggggctgg gcggccaggc ttggaatctg gaatccagcc ccattcctgg 1500
catctgcagg agcctcgtgg ggagggagac ttgggatgga cttcaaccag ccagggctgg 1560
attcttgccc cggaacctgc attcctgggg cagccaaggg atccttccca cttctgggcc 1620
cagcttggcc ctgcctggca ttcgaggccc atctggggct tgggggtgtc tccccaactc 1680
tcagacataa ggacaccctt ccaagcttgt tccttcacct ggcggggccc tgagccccac 1740
acccctcccc tgtcctttct ccatccgaca tcaagcgcct ccctgcctct gctcgcacag 1800
tctctgagat ggggaactca gcacctcaca ggtgggccca gctctggtgc tgtctgtgtt 1860
gggggagctg gggcagcccc caaaagacct tggagacaga ccctcagagg caggagcaga 1920
ggctggcagt ggatgctgtg cctggaggcc ttgagggcga ggtgtgatga tgaggcccag 1980
gctgcagggc tctttctggc tctccagctc cggagaacaa gggatttcct cctgctctgc 2040
ccaccctccc cagccagtgc atgctcagcc tcagcaccgc acctgggcgc cctccatgat 2100
ctgccccacc tggacacatg gctcgagg 2128

<210> 226
<211> 956
<212> DNA
<213> Homo sapiens

<400> 226
gggctgcagg aattcggcac gagcagagac ccccaccccc cagctgtcct gatgccccaa 60
gccaaaacat aattcctggc agctccccca ctccccctcc ccctcactct tctgccaccc 120
agagcttggc ccgcctccaa cagcccatgt tctaattctg cagtttccag aagcccaccc 180
tcaaacccag gtcacttccc cagcccctcc agcttctagt ccccgggtcg tgcccatcct 240
caccttcctg ggctgaaaca ccacattagg cacccagatg cctctgcatc tgaaaatctc 300
acaagcctgg atgtccctga cgccacccac tccggttctc tttctctttc tcagcctcct 360
gtgggctcgg ttttttctgt ccaggcttaa atgcccaggt ggctgtctct gctggccctt 420
acttctctca cggggatcct cagcggcacc ctgggcttca gtccccatgg atggagcagc 480
ccacgccgcc atctcagccc caggcctgag tgtccagctg cttcccagac aacttgcaag 540
tccctcggcc aacactgagc tcagagtcct cctcctccct gccagggtgc gccactacct 600
tccctccagt tttcaccagg tcttgggttc atcctgactc cctccttctt ctctccccgt 660
ccctgccaca cctcactgct cacaagaaag acatcactgt gtccgttctc ctttttttctt 720
ttcttttctt ttttttttTt ttttttgaga cagggtttcg ctctgtcttc caggctggag 780
tacagtggtg cgatcttggc tcactgcctc ccaggttcaa aaaattctca tgcctcagcc 840
ttccaagtag ctgggactac aggcacgcgc taccacaccc agttacattt ttttgtgtat 900
ttttagtaga gatggctttt gccatgttgg ccatggctgg tctcaaactc ctggcc 956

<210> 227
<211> 742
<212> DNA
<213> Homo sapiens

<400> 227
gaaacctcag gcaagttcct ggccatcccc aggcctcatt ttcccatcag gaagaaggaa 60
ataagcacac ctgtctcccc agtctccctg cctggctcac tgggcaggca aatgtgtggg 120
aggtgattgc aaaggtacca gatttgccaa atatacgctt gcaattaaat ccaaaggcct 180
gtcccacagt tgcttgactt tttttaaagg ccaatttatc ctccttttctt aaagactaaa 240
caatttttcc acttcattta ttaaaataaa gctctttaac ttgcacgctt ttagacaaaa 300
gcaacagtac tctgaaatga ccccatcact tctcagtgag aagctgtgct ccctgttctt 360
tgtgcttctt gggattgcaa gtgcggcctt tgtgagtgct ctgtgggcct ggagcagcca 420
cacggaaagg ctcacagctg aacccagcag tagcatcacc tgccttt ccc caccctggtt 480
ttttttccct ttctaatttg gggtcctctt atagctcctc aaatacaatg tactcgtgtc 540
cctcagagcc actgcacaga ctgtcccctc tccctaaaga gaccccgctc ttatcctccc 600
cctcccctac ccmacccagt cagccagctg aactctggtt catcttctgc atccgggtga 660
aaggtcacct tccttgccag tcaaccccca ccctcccact gcagtcatca gagatgagca 720
gcctctaaaa cctgccctcg ag 742

<210> 228
<211> 1298
<212> DNA
<213> Homo sapiens

<400> 228
ggcacgagct gagcccagcc cggcctgcca tcctggcaag ccagggcagc atggaggtag 60
cacagagtgg cacccagcca gcgtgaatgc ataagaatct gcacgtgaca cagaagaaag 120
tctcttcatg aagtaggttt cactggtccc agccaaaccc tgtggcatgt ggccctttct 180
gcacctgctg aacatgccat tcaccttgac ccaggtagtg gcctcaccct cctcttgctc 240
aaactggaaa cctcagcatc ctgaaatgcc tcctccccaa atccattgca cacatgtgtg 300
cctgtgtatg cgtgtgtgtg cacgtgtatg aacccagccc ccagctgccc actccattgc 360
cctaaacag gcccctcctt ggtgtcacct ggcacatctc cactggaagc caaatggata 420
tttctaaact gaaatctggt cccacctcag aacccttcc acagttccct taaagttcct 480
ttcctcattt acatcaggat cttcacaatg gggacccctg gtcacctccc aacccaacaa 540
acgctccaaa tgagccgcca ctgcagaaac tcattatggc ccgggcagga ctggcacatc 600
caagtatctg accaggctgt tccatctgcc aggcaggtcc tgccctctct ccacccacct 660
gtctaacccc tgcatcctca agaccctact tagctatggc cctgtgtgaa aggtccctcc 720
ccatgtaccc acagccattt gttctctctc atgtggccct aacaggctgg ggttcctgga 780
gactccatgg ggagccaggc atgaagatgg catataccca tgtgtcactc cccagaacgt 840
gagctgcctg ccctggcacc atacacaaag ggactgacag ccccagaatc ccaaggggtg 900
cacctatgca tatgggaaag gcatgtttac gggtgagaat ggtccatcgt tgggcttcag 960
gaggcatctg acctgacgca cgcctttgtc actttgtcct tgtggcctgt tgaaatgcca 1020
ctcctgcttt acaaattcac caactgttgc atgagtcatt tccacctcaa tgagtaccag 1080
gtccttgagg atggggaaaa gtaagccacc actgtggggg tcctgggctc ctaggtgcag 1140
aagaggctcc agaaacaggc caggtcgtgg gccatgaccc cacactagcc ctctggtccc 1200
tcacacgggt ggattggggg gctgtgtcac gggatcttag gatcttcaag acaaagaccc 1260
aggacaagaa cacaagccca ctcccattct tcacaggc 1298

<210> 229
<211> 748
<212> DNA
<213> Homo sapiens

<400> 229
ggcacgagcg aaactgtttt ccaatgtggc tgaaccactc tgcatttcca ccagtaatga 60
gaatgagagt tgctgttgct ccacggcctc accagcattt ggtggtgtca gtgtcttgga 120
ttttagccat cctaataagt gttagtggct atcattgttt tcatttgcaa ttctcttaca 180
tggtgtkgaa catctttccc catgtttatt tgtcatctgc atatcttctt cggccagtta 240
tctgttcaga tcttttgccc gtttttgttt gcttgcatgt ttgtttgtgt ttgatttttt 300
aaagaaagct ttttttatta ttgagttgta atagtgcttg tatagtgtgg ataacagttc 360
tctatcagat aggtcttttg caaatatttt ccccaatctg tggactgtct tctcattctt 420
ttgataaatg gctttaaaat aataatctgg ccgggcgcag tggctcatgc ctgtaattcc 480
agcactttgg gaggccaagg gcagatcatc tgaggtcggg agttcgagac cagcctgacc 540
aacatggaga aaccccatct ctactaaaaa tataaaatta gtcgggcgtg gaggcacatg 600

cctgtaatcc cagctacttg agaggctgag acaggagaat ctcttgaacc cgggaggtgg 660
aggttgcagt gagccgaaat cgtgccactg tattccagcc tggacaataa gagcaaaact 720
ccatctcaaa aaaaaaaaaa aactcgag 748

<210> 230
<211> 297
<212> DNA
<213> Homo sapiens

<400> 230
ggcacgaggt gtgtttgtgt gtgtgtgtgg tgtgtgtatg tgtgtggtgt gtgtatgtgt 60
gtggtgtatg tgtgtgtgtg gtgtatgtgt gtgtttgtgt gtgtgtggtg tgtgtatgtg 120
tatttctttg aatgagaaat tggctcccat gattatggag ctgacaactc ccaaggtctg 180
caggcagcaa gctggaggcc caggagggcc ggtggtgtgg ctgcagccag tgtctgaagg 240
cctgagaacc aggagggcgg gtggtgcagc tgcagtgtga aagccggcag gctcgga 297

<210> 231
<211> 699
<212> DNA
<213> Homo sapiens

<400> 231
gattcggcac gagaaacttt taaatcttta gttatttctt aatacttaga acacttaaac 60
aaaactttac aaaacaaaag agcagaataa ttagatcctt tcaggagaat atgacttttt 120
tttcctaagc acactggacc atagaggaag accaaaggaa tgtacagttg cctgctcctt 180
cctgacttgc tgtatttgac tctgtcccca ctggtggtgg caatgctatt aaccccacac 240
tttaacgtgg caaatcccca gaatctgttg gctggtctct ggctagagaa tgagcacagt 300
ttcaccctta tggctccaga aagagcaaga acacaccact gccagccaga agagagaaaa 360
gtcttgttct gtctctttcc cattgtccca aatagccaag cacaggttca accaccccaa 420
atgccaccct tctgctgtgc agcagccaag gaaaagaccc aggaggagca gctccaagaa 480
cctctgggca gtcagtgccc agatacttgc cccaattctt tgtgtccaag ccacactcag 540
ctgacaaaag ccaacacttt gtctctcttt ttttttttt ctttttttt gagcagagtt 600
tcactcttgt cacccaggct ggagtgcaat ggcaggatct tggctcattg caacctccac 660
ctcccgggtt caagcaattc tcctgtctca gcctctcga 699

<210> 232
<211> 1894
<212> DNA
<213> Homo sapiens

<400> 232
ggcacgagca gtctacctgg aaattgtcac attatacaaa tgtcaacttt tgtgtgtgtg 60
tgtgtgtttt gttttgtttt gcggtcagag gcaagggcta aaagaaagca agatcagaga 120
aataccaaga ggtgtttact gactaaaggg caaagggatc tatcagttaa ccaaagcaag 180
ataaatagaa ctgccaatta actttatatt ctcagaagca gtgagcaaag aacgctgcct 240
gaacaatgaa agtgttgctg caactttcat atttgctgtt gtctgcatgt aatttgtttc 300
cttttacata gaaatatgtg gtattaacag agggatgtga ttagaatacc agcggaagct 360
ctctttgata ggagacacac aggcaggtgc ctaacagcct atggagatca ggacagtttc 420
tctccagtaa actcacaaat tgtggggacc atgatctgct taataagtaa aagggcaatg 480
gggccaagat tacaatgttg aaaacatcca ggcttcccac ctggagtcct ggcctcacag 540
taataataag aataaagatg tattgagata tatctagacc taactatata aatagacaga 600
tagatataca cacatacaca cactgtgcta agatgcttca catgaactcc ctcatttcac 660
cctcaaacaa ccacagggta gatggtttat caccgtttta gagataagaa aactccagtt 720
agtacgtcac tgaagatcta cacagtgacg tagatgttgt gatagacatt tcttaaaaat 780
attccaatta atcctcagaa cacctgtgag aagtatacta aatatactaa gctccatttt 840
atgaatgagg aatcagagtc aaggagacga gataacatgt cccaggtgac ggtattagcg 900
gtcatagcag gatttgagcc cagctctgtc tgtcttcaaa actcatgttt aggagactct 960
tctgctttcc accaaagccc ttgatttgaa cctttgctct ctcctgaatc cacacttctc 1020
ctgaaggagg agcaaggtgg agatgggata gggcacagga tggctgactc tctgactgga 1080
gggcctaaga aaccccactt tgacacacac acagaaaact gtgccctggg tgggggtgtg 1140
gggcttcatg agaaaatcaa gtagcaagag agagtcttaa catgcttaga tggcatgtgc 1200

ctgttctcct gatttaatgg atgagaaaac tgagatccag ggcaagggca gtgagatagt 1260
gagggtctct tagaatgagt acagccttca gggacccacc ccatgtaccc gtgggatcaa 1320
gacgagccag aggatacctc ctaagtaaga acagaaggaa cagaaaaccc ttaaggtttg 1380
ttgttgttgt tgtgacagaa tctcgctctg ttgcccaggc tggagagcag tggcacagtc 1440
tcggctcact gcaacttctg cctcccaggt tcaagcgatt ctcctgcctc accctcccga 1500
gtagctggga ttacaggcac ccgccaccat gcctggctaa tttttgtatt tttaatacag 1560
acgaggtttc accatgttgg ccaggctggt ctcaaactcc tgacctcaag tgatccaccc 1620
accccggcct cccaaagtgc tgggattaca ggcgtgagcc accgcacctg gcctgaaaac 1680
acgtatcata cttgctatgt gccagacaca attctaacca cttttccaca gattaactca 1740
gccttcaaac aatcctaaaa agtaggtatg attatttcct gcattttaca gccaaagaaa 1800
ctgaagcaca gagagattaa gaggacttgt gcaaggtcat ggagggctat agtcctaccc 1860
tctgaagtaa gttaaaccct ctccagaaaa agcc 1894

<210> 233
<211> 1355
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1327)..(1327)
<223> n equals a,t,g, or c

<400> 233
gcccctgctg gatggcactg tgggtaacct gcatcctttc actgtgcaca tggttctcat 60
gcctttacgg agcagactcc ttggcaaata aatgcctcag tgcaggagcc acacgcaagg 120
catttccctt ctgtgtcctc tttcgtgatc ttgaggtggg acttgggttt gaaggctttg 180
tcactcacct ggcatgcaaa ctcttttgtt attgtgaact ctctgacagt gctttaagtc 240
tggggcacga ataaataatt ttccacacag ctcacaactg tagggcttac atccagtgtg 300
tgtgcgttat gtctgtgtgt gtatccttat ttttttgaga cggagtctcc ctctgtcacc 360
caggctggag tgcagtggcg cgatctcggc tcactgcaac ctccgcctcc tgggttcaaa 420
cgattctcct gcctcagcct cccgagtagc tgggattaca ggcacccacc amcacgcctg 480
gctaattttt gtatttttag tagagatggg gtttctccat gttggtcagg ctggtctcga 540
tttcctgacc ttgtgatccg cctgcctcgg cctcccaaag tgctgtgatt ataggtgtga 600
cacaccacac ccggtcctgt gtatgttttg agacggagtc tcactctgtc acccaggctg 660
aagtgcagtg gcaggatctc ttctcactgc aacctccacc tcctgggctc aagtgattct 720
cctgcctcag cctcccaagt agctggtatt tcagacttgc accatgatgc ctggctactt 780
tttatatttt tagtagagac ggagtttcac cagcctggtc tcgaactcct gacctcaagt 840
gatccaccca ccttggcctc ccaaagtact gggattacag acatgagcca tcacgcccgg 900
cccctaagtg gatttttagg cattctttca ggtgggcctc tgtggtgaaa ccttttgtgc 960
acatttcaca aacggcttct ccgctgtgtg gcatttctca gctttctcca ctgccttcac 1020
aggaaacttc ttcccgcact cctggccgac gtcgctccct aggtgactgt gcggcaaaag 1080
ctcagacctc aggacactgg tggctgttgt ccagcctagt gtctgcttac cccgcactca 1140
tcccgtagtc acacgtgaag gcttgagggg tctggaactt cctggccgta gcaatggact 1200
ttctgaactt tcttgctctt tcagaattgc gttttgaccc tgagtgtggt cgtgggtgac 1260
tcgccggcct cccgccccgg ggtgtggtgc ctttgttctg agtcatcaca agtgccatca 1320
tcctgancct agcwtctttc agatcaccct ctcga 1355

<210> 234
<211> 802
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (23)..(23)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (40)..(40)

<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (56)..(56)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (59)..(59)
<223> n equals a,t,g, or c

<400> 234
ctcacttaaa agggaacaaa aanctggaag ctcccacgcn ggttggcggc ccgctnttna 60
actagtggaa tccccccggg ttgcaggatt cggcasgaga gaagaccgag gtggccgagg 120
cgctgaccaa ggtgggtccc tgtctgctgc acaaccacaa acctacctct gacccccagc 180
cccaagcctt gtcactctgg cacagactgg tcccagtgtc aggcagacct ctgagcctgg 240
tcacagactg accccttcct tctggataca ggctgatctt tgtcacaggc cacagacctc 300
tggacctctg gtcccagcca taagtggact gacctctctt tatggctgta tccctgctgt 360
tctggatgct cctgggggca gtgcctatag ctcagggtca tcctgagatt cagctcctgg 420
agtctgagag ttgtggccac agcgcagagg gtccttggcg gggggggcctg cgctgtccgc 480
tgcagcctgg gctctgagca gtgctatccc tagaccttac tcaggggatc ctctgaactc 540
tggccctgcc ctgcagcttg agctattttt gcacagcttt gcggtgcatg gcttttaaat 600
ggctccataa gcagcaggct ttctgcggtg attttttttt ccatctcaca ccgtatcccc 660
tccttgtctc ccctcccctg tctccgaggg tccatctctc tgggtctctt cttgtctctc 720
ctcacctcct cccgaccttt ctgcccttcc tcatctcttg gggcctgacc ctgcaggctg 780
aggctggccg catggagctc ga 802

<210> 235
<211> 1382
<212> DNA
<213> Homo sapiens

<400> 235
cccacgcgtc cgctgaattg cggccgtatg cgcggctctg tggagtgcac ctggggttgg 60
gggcactgtg cccccagccc cctgctcctt tggactctac ttctgtttgc agccccattt 120
ggcctgctgg gggagaagac ccgccagctg cttgagtttg acagcaccaa cgtgtccgat 180
acggcagcaa agcctttggg aagaccatat cctccatact ccttggccga tttctcttgg 240
aacaacatca ctgattcatt ggatcctgcc accctgagtg ccacatttca aggccacccc 300
atgaacgacc ctaccaggac ttttgccaat ggcagcctgg ccttcagggt ccaggccttt 360
tccaggtcca gccgaccagc ccaacccccc cgcctcctgc acacagcaga cacctgtcag 420
ctagaggtgg ccctgattgg agcctctccc cggggaaacc gttccctgtt tgggctggag 480
gtagccacat tgggccaggg ccctgactgc ccctcaatgc aggagcagca ctccatcgac 540
gatgaatatg caccggccgt cttccagttg gaccagctac tgtggggctc cctcccatca 600
ggctttgcac agtggcgacc agtggcttac tcccagaagc cgggggggccg agaatcagcc 660
ctgccctgcc aagcttcccc tcttcatcct gccttagcat actctcttcc ccagtcaccc 720
attgtccgag ccttctttgg gtcccagaat aacttctgtg ccttcaatct gacgttcggg 780
gcttccacag gccctggcta ttgggaccaa cactacctca gctggtcgat gctcctgggt 840
gtgggcttcc ctccagtgga cggcttgtcc ccactagtcc tgggcatcat ggcagtggcc 900
ctgggtgccc cagggctcat gctgctaggg ggcggcttgg ttctgctgct gcaccacaag 960
aagtactcag agtaccagtc cataaattaa ggcccgctct ctggagggaa ggacattact 1020
gaacctgtct tgctgtgcct cgaaactctg gaggttggag catcaagttc cagccggccc 1080
cttcactccc ccatcttgct tttctgtgga acctcagagg ccagcctcga cttcctggag 1140
acccccaggt ggggcttcct tcatactttg ttgggggact ttggaggcgg gcaggggaca 1200
gggctattga taaggtcccc ttggtgttgc cttcttgcat ctccacacat ttcccttgga 1260
tgggacttgc aggcctaaat gagaggcatt ctgactggtt ggctgccctg gaaggcaaga 1320
aaatagattt attttttttc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1380
aa 1382

<210> 236
<211> 791

<212> DNA
<213> Homo sapiens

<400> 236
cccacgcgtc cggttctcct gcttgccatc aatggagtga cagagtgttt cacatttgct 60
gccatgagca aagaggaggt cgacaggtac aattttgtga tgctggccct gtcctcctca 120
ttcctggtgt tatcctatct cttgacccgt tggtgtggca gcgtgggctt catcttggcc 180
aactgcttta acatgggcat tcggatcacg cagagccttt gcttcatcca ccgctactac 240
cgaagagccc ccacaggccc ctggctggcc tgcacctatc gccagtcctg ctcgggacat 300
ttgccctcag tggtggggtt actgctgttt cggaggtatt cctctgctgt gagcagggct 360
ggccagccag actggcacac attgctgtgg gggccttctg tctgggagca actctcggga 420
cagcattcct cacagagacc aagctgatcc atttcctcag gactcagtta ggtgtgccca 480
gacgcactga caaaatgacg tgacttcagg gaagcctgga cacccgaggc acctggacca 540
gctatgggta gttctgtggg tggaacacat tctgtgtaag agccccactg agggctctgc 600
agcggagtga cagcaacccc agagatgagg caccagagag tgccactgca tgagacacct 660
gtgaccattc gaagtctgaa atgcgggggg ggagtttcat ttttaagtga agaccaaaag 720
ccctttaaaa ataatagttt tttatcattt tatagtaaaa aaaaaaaaaa aaaaaaaaaa 780
agggcggccg c 791

<210> 237
<211> 2163
<212> DNA
<213> Homo sapiens

<400> 237
cgcccacgcg tccgaggcgg cggagcccca gccccaccca gtgcggagcg cgccgcgagc 60
cccgccgyaa gctgagcgcc tccgcccgcc aggcgcgccg gcgccgggcc atgtactcgg 120
ggaaccgcag cggcggccac ggctactggg acggcggcgg ggccgcgggc gctgaggggc 180
cggcgccggc ggggacactg agccccgcgc ccctcttcag ccccggcacc tacgagcgcc 240
tggcgctgct gctgggctcc attgggctgc tgggcgtcgg caacaacctg ctggtgctcg 300
tcctctacta caagttccag cggctccgca ctcccactca cctcctcctg gtcaacatca 360
gcctcagcga cctgctggtg tccctcttcg gggtcacctt taccttcgtg tcctgcctga 420
ggaacggctg ggtgtgggac accgtgggct gcgtgtggga cgggtttagc ggcagcctct 480
tcgggattgt ttccattgcc accctaaccg tgctggccta tgaacgttac attcgcgtgg 540
tccatgccag agtgatcaat ttttcctggg cctggagggc cattacctac atctggctct 600
actcactggc gtgggcagga gcacctctcc tgggatggaa caggtacatc ctggacgtac 660
acggactagg ctgcactgtg gactggaaat ccaaggatgc caacgattcc tcctttgtgc 720
ttttcttatt tcttggctgc ctggtggtgc ccctgggtgt catagcccat tgctatggcc 780
atattctata ttccattcga atgcttcgtt gtgtggaaga tcttcagaca attcaagtga 840
tcaagatttt aaaatatgaa aagaaactgg ccaaaatgtg ctttttaatg atattcacct 900
tcctggtctg ttggatgcct tatatcgtga tctgcttctt ggtggttaat ggtcatggtc 960
acctggtcac tccaacaata tctattgttt cgtacctctt tgctaaatcg aacactgtat 1020
acaatccagt gatttatgtc ttcatgatca gaaagtttcg aagatccctt ttgcagcttc 1080
tgtgcctccg actgctgagg tgccagaggc ctgctaaaga cctaccagca gctggaagtg 1140
aaatgcagat cagacccatt gtgatgtcac agaaagatgg ggacaggcca aagaaaaaag 1200
tgactttcaa ctcttcttcc atcattttta tcatcaccag tgatgaatca ctgtcagttg 1260
acgacagcga caaaaccaat gggtccaaag ttgatgtaat ccaagttcgt cctttgtagg 1320
aatgaagaat ggcaacgaaa gatggggcct taaattggat gccacttttg gactttcatc 1380
ataagaagtg tctggaatac ccgttctatg taatatcaac agaaccttgt ggtccagcag 1440
gaaatccgaa ttgcccatat gctcttgggc ctcaggaaga ggttgaacaa aaacaaattc 1500
ttttaattca acgggtgctt tacataatga aaaaaccact tgtggcacac gatgggcatc 1560
taacatcatc atcttctaat gtgttggaga ttttcatttc aaatatattt tttaaattac 1620
tctattttcc aaaacacgta atgcattttt ctcgaaaata ccttactgta aaaataactg 1680
tcgcgtacac atgtgtgaag tagctagaac atactgaatt ttttttgtac tgttggactc 1740
tattcagtgt catgtcctat atctgatcaa gttatcaagg agataattct agaatgaaaa 1800
agaaaatcct cttgttggaa acaaaagacg ttttatatgt gcagtatgac aaagaggagt 1860
ttcagagaca actttgaatc cttgtcagcc tggagaccag caccagagga atctacaagg 1920
caaactccca tatatttgct tcccccaaat tgctgcccct acagactcaa agctcttttt 1980
ctttgttttg ttgtttctct aaaaatttac tgttctttgt cgatgctata taagccaggg 2040
agttctaaga cgccagctct ttgagatttg ctcattcccc tgtatttccc acatatatat 2100
tacatatacc cgctaataaa tttatgtttg ttttaaaaaa aaaaaaaaaa aactcgaggg 2160

ggg 2163

<210> 238
<211> 2087
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<400> 238
ncccacgcgt ccgctgttgc tcaaaggaaa taggagttgg tgtgcttgtg accaaggggt 60
tacacttcca gcttttaaaa ttctccttta catgtgctca gtgttttgtt ttgtgttttg 120
gtttctgttt tttattttaa ttcccacatt gggcacaaga atcagaatat ggatagctag 180
tttaagaaac ttttgtgggt gcactgtagc atagatgaca gaatttgatg ttcccccccat 240
ctccaattca gttcagggca ttccacagtt aaacagaaat gggaacgtgg ggctcttata 300
aatgaaatgg gcgctcacag ttttggtttt cagctcttca tgtctgtaag tgtgctttgg 360
gggaggctat gtctgtatgg tcgattctca gttatcacat ttgcctctcc tcccactacc 420
ttcatggaca ttcagtgctg tttcgcactg cagttagaga gaagggacgg acagttggtg 480
acactcagcc acattgctac ttttatctgt tctggtaaga agttagatag atggtagatt 540
gaagcaattg ggtagaatta gttgggggaa tatttatgag ttgctgtgtt tgttgattag 600
ttccatctct ttcccatttt aactgagaat tgattatata tagctctaag tatataggta 660
tttaaacaac cccacaagcg gctgtatcag taacatttat taattccact atagtgaggg 720
aggatttcca ttctaaatac cttattttga gggatttata aaacttagtt gtaaaagaga 780
aagcccacat agtgggaata aattgcttca gccatttta gtatttgaga gcactaggga 840
agatgtttag tagctgtgtg gatgcctttt ttcacaccct gtctattgaa tgctgcatcc 900
attcacgaag ttaaatgtta catgcagtta gtccttaatg tggactggat ctgtactttt 960
gttttggatt aaaacattta aagatttttg aagtgcagct actccccacg tggcatttga 1020
tacacataaa agtcatactg tgtgtgcaca aagagtacat ggattttcca gcatattgct 1080
ttaaaaaatt atataaactg ttaaaatatt aacacctcag gctacctgct gtattctgtc 1140
ccattgaccc ctggaattgg atttactgca agtgattgat aattcaatta tgtggctttt 1200
ccccttaat cttgccattt aaattacagt agaaagacaa aatcaagtaa aataaagtgt 1260
tagataatag aaagagtgtt aagaccagcc cacttttctc atgtttatgt tctttcattt 1320
ggaccaagaa tctccgcatg gaggttgatt tgccactggg gactttggct aagactatta 1380
ggtttgcttt caactagatg ttcctgagac aagcagaggg acactgcaat tccccttcca 1440
tgcctgctgt tctcccccat gtaagtcttc tttgaaatta acggatgtgt ctcctttgga 1500
acagccccat aacaaaagag aactactgat ctgagcatag gaaagtagag gctctaccac 1560
ttttcagttg aaaaagcaag actttctctg tgtttctgaa acaaggcata atgttgtcac 1620
agaatcagag atccagtctc acttttccac aaatctccaa atctccagtc ttatcttgtg 1680
tgctctaatg gtttggttca atccctttcc aactcttgtt ttcaaagcat ggggcctgag 1740
tgttctccac tcctcctaag aaaggagctt gggtggaagg gaccatgctg acctcctcca 1800
tcagagggct cttccagtag tattctcgga tgcaacctcc atttctcagt taccattatt 1860
tcctgtatca gctttgtcct tcctggaggg atgcacagtg atccggccca ccactgttgt 1920
tgtcttgtgc ttctgctctt tcctatggtt tcaggttatt ttctgggttt cccctattct 1980
tcttttattt ccttttttct ttatatttgc tttcctttct actgctttta gatttgcagg 2040
agatgcaagt ttcagctcaa tgtttggctt ctctcaatat ggaaatt 2087

<210> 239
<211> 830
<212> DNA
<213> Homo sapiens

<400> 239
ggcacgagta aggactgtgt tctttatgca tttcttgatc caggcatggc agttcctctt 60
ttcctgtaca tattcacact cctgccactt ctacccttc tcttatccct ctgcttttca 120
cctctgactg taaaaagaag tagcagttcc gaaagcaaga gttccctatg aacacggaag 180
aagacattgg caacttttga gtacaacaac tatatttaat agagtaattt aagaacatca 240
gccagtgaat tttatacaag atagtgaaag agaaaaggaa gattaattag gggtagttta 300
ggatgccatt aaatagccta gaattagggg agtagtcgtt gaatagaaag gaggccacaa 360

atttgaggga tataagctaa gaattggtaa gccaagaaga aggaaaaggt ttgggcagta 420
aggataatga ggaacaaaat agagaactca gaagcaatat ctgactgtta tcattggaag 480
aatttttttg cttgcttgag gctggatatt gaagtggatc aggatacttg agtgactatc 540
tgatgggctt ttggaactag ctctcaagag gtgaaaatta gctttttttt ctttttcttt 600
ctttttttt ttttttgagg caaggtctca ctgttgttga ggctgaacct cctgggctca 660
agcagttgtc ccattgcagc ctcctcagat actctgtaag ccaaggcagg gggaatattt 720
tgtgctcagt agtttgaggc tgtggtgagc taagatcaca ctgctgtgct cacttcagcc 780
tgggcaacac agtgaaaccc cgtctccatc tgtttaaaaa aaaaaaaaaa 830

<210> 240
<211> 1939
<212> DNA
<213> Homo sapiens

<400> 240
gaacacaaac atgcagtctg tagcagatgg taataggctg ayatattaca cttgttgatg 60
taaatctgat aggtttcttt ctctccaagg acagcttttt aaatatttaa cagtatcaat 120
aatttttcag tttctgtgag aattttataa tttataattt gcagacttaa tgtataatct 180
attttgtcct aacaattaca aatatatttt ttatttcaga ttrtatatat tcctaccaga 240
tggagataat tacagcttta aaaatttttа ttttttcatt ttatttcaca cattgacatt 300
aaatttttat ggacacataa taactgtaca tatatatggg gtagaatgtg atgttttaat 360
acatgtactc aatgtgtaat gatcaaatca gggtaatttg cataatgatt tttctgtagg 420
gagaaaattc aaaatctact cttctggcta ttttcaaata tataatatgt tattgttaac 480
tatactcatc ctactatgca ataggacacc agaacttatt cctgggttct acatccgtta 540
aggcaaccaa ggattggaaa tattggaaaa aaaaattgcg tctgtactga acatgtacag 600
actttttтct tgtccttatt ccttacacaa tatagtacaa taactatttg catgacattt 660
acatcggata ttatgagtga tctagagttg atatgaagta tatgggagga tgtgcaaagg 720
tgatgtgcaa atactatgtc attttatatc agggacttga gtatcctttg ttaycctcag 780
gagatcctga aacyagtccc ccatggatac tgagggctga ctgtatagtc ctatcctcac 840
ggaactttca ttctaatgrg ggaagactga ctataaacaa aatatatgta ataggtggtg 900
gtaagtaccg tggagaagta acaaatgggg caaagtgagt tatacagctc catycttaga 960
aaccttggag tacttttctt agtttatact cgtggtggtt tccttttgtc tcctttatta 1020
catgggactc tgacatgtgc ccatagctag ggtggcagta ggatctaccc gaaaagcgtc 1080
ctgctgatac aggaccaaag catcctgttg ttctcgagcc tataaaaaga gctaatggtc 1140
ttgcttctct taactgtggc ctcctacact gtgttttgga tgattggtga tgtcttggat 1200
attctgtttc tttggaactt tgaatataca acactttact agggaattag caatggaagc 1260
agagcaaaga tgtacagagg aaacaatgcr taactctgat ggaattgaag tcatgaggca 1320
gcagagagct taaattasag ctttaaaaat ttttatttтt tagagggaat ttamttggga 1380
gtaacagcag taatagttaa cggagccaga atgcttgagt catataattg caaagcagag 1440
ttgggagcaa cagatgctaa agagtagttg ctgtagttcc tctttgggtc gtaggagcag 1500
ttgtcatrtt mctatayagc tactgcatga agaagagttc ttagtgaggc ctgggtgaac 1560
agctcttctt agtattctgt gtgaccccat tygacctttt aacaaatccc taagtaaata 1620
aatagcccct maggwaaact aagtttttct ctgctgtttt tttgcttgag agagctataa 1680
ctgtaataga cttatatttc tgaacatttt agtgcttgcc aatatttggt aatatttatg 1740
tttcctatat ttgtaatgaa cattcttctt cmggtacatt tyttgttaaa ttattgttts 1800
atgsataaaa gttcaccttt tattgtataa aattgactca gattaattta tacacattga 1860
caatgggtaa atagagtttt tcagattatt aaaagctgaa ggatgcccat gtaagcaaaa 1920
aaaaaaaaaa aaaactcga 1939

<210> 241
<211> 1126
<212> DNA
<213> Homo sapiens

<400> 241
ggcacgagat tgcctacaaa tgtcagaggt ataatggttt ggttttcatg ctggcttctc 60
acacagtcca tcacagtgat tcttggagcc agagggaggt atggaagact gtgtgttctc 120
caagggaggc actgtggtct ggtggataag agtgggagtc ccaatccttt ctccgcagat 180
gtgctagctg tgcactctgg gcaagtttct cactctcctg agcctcagcg tctttatcaa 240
tatgacgaga ataaatacag cacctgccta cctcatgggg ttgtttcagc agtcaatgag 300
atcatgtata tgaagcattt agtataccta gcacctaata aaagctcaac aaccagtagt 360

cttattacta acaaaatgga gctagaagga tgcattagtt taaacaaaat cttgaggcag 420
atactgggag tacctgtctt tattcttcaa cttgagtctc ctcccagttt gtttggataa 480
aaactcaaat gtaatatttt taatttgggt aaaagaactt ctgagaaagg gttgaacatc 540
tatccacttg ccttttttatg cctagggaac tagagatact tgttggcggc atcgcaaatg 600
ttgctgactt atgaagtact gcagtatctg aataccttttt tgtaggataa tctaaagttt 660
ccaaaaaata gtatagtgtt gtagtgaaga acttggactc ttaagccaga ttattttgtt 720
cagattcaga aatcccctcc actccaccca ctggctgtat agccttgccc aaatcactga 780
atctctgtgt gtctgcgtcc tggtgtgtga aatgaggaca atagtagcta ttgggtaggg 840
ttggcctggg gtctaagtga tgactgcctg taaggtgttt agaacagtat ttggtaaaca 900
actggcactc aatcagtgtt gctgtgatta tgatgattta ttccaaggtt gcttgctttc 960
cagtacatca tagactacta cttgaccaaa tttactagca atggagtacc tgaaagtttt 1020
acatgtgcac atttgcatga aaaccccaca aaatttccct ttgaacagtg aaggggacgg 1080
cacaaagata attcttggca ctaagcttaa aaaaaaaaaa aaaaaa 1126

<210> 242
<211> 851
<212> DNA
<213> Homo sapiens

<400> 242
gctcccacag ataattgaga atatgcagta tttggttttc tgtgtctgct ttagtttgcc 60
taggatattg gcttctagct gcatccatgt tgcagcaaaa gacacaattt tattctattt 120
tatggctgtg tagtattcca tggtgtgtat gtaccacatt ttctttatac agtccaccat 180
tgatgggcac cagggttgat tttatgtctt taaatatgtg ctgcaatgag aaaaaacata 240
ttttctacaa aatgatagaa gtttaaaagg acaagtttat gggttagcta attggcttcc 300
cattttattc tctaattctc ttatattgac acttcttgag atttaatgtt gtttgccagg 360
aacatggtac tggtattgtg ttggtaaaca gtaagcggta gaaacaatgg tgataacata 420
gattcataca caatgtgctt ttaattcttt gaaaaaatag aataaattca ggagtgaatt 480
gctttgtaag ttgttatttt taaaacttac ctgcaatgaa agaggactgt cctcctcgca 540
gaactagaga agggtgacaa gccatctccc tattcactga ttggattccc agtgctacta 600
gttttgtgtt actgaaaatc acttgagata attctgttct atgtgcaaaa aagcmaaaaa 660
gtagaattta gaaatccagg cctgctaata gctattagcc atctatttat tgttctgatt 720
ttttttttt tttttgagat ggaatctcgt tccagcctag gcgacagagt aagacctgtc 780
tcaaaaaaaa aaaaaaaaaa aaacctcgtg ccgaattcga tatcaagctt atcgataccg 840
tcgacctcga g 851

<210> 243
<211> 1462
<212> DNA
<213> Homo sapiens

<400> 243
ggccatcggc ggggcagtcg cgggatgcgc ccgggagcca cagcctgagc tttagcccat 60
gaggaggatg tgaccgggac tgagtcagga gccctctgga agcatggaga ctgtggtgat 120
tgttgccata ggtgtgctgg ccaccatctt tctggcttcg tttgcagcct tggtgctggt 180
ttgcaggcag cgctactgcc ggccgcgaga cctgctgcag cgctatgatt ctaagcccat 240
tgtggacctc attggtgcca tggagaccca gtctgagccc tctgagttag aactggacga 300
tgtcgttatc accaaccccc acattgaggc cattctggag aatgaagact ggatcgaaga 360
tgcctcgggt ctcatgtccc actgcattgc catcttgaag atttgtcaca ctctgacaga 420
gaagcttgtt gccatgacaa tgggctctgg ggccaagatg aagacttcag ccagtgtcag 480
cgacatcatt gtggtggcca agcggatcag ccccagggtg gatgatgttg tgaagtcgat 540
gtaccctccg ttggacccca aactcctgga cgcacggacg actgccctgc tcctgtctgt 600
cagtcacctg gtgctggtga caaggaatgc ctgccatctg acgggaggcc tggactggat 660
tgaccagtct ctgtcggctg ctgaggagca tttggaagtc cttcgagaag cagccctagc 720
ttctgagcca gataaaggcc tcccaggccc tgaaggcttc ctgcaggagc agtctgcaat 780
ttagtgccta caggccagca gctagccatg aaggcccctg ccgccatccc tggatggctc 840
agcttagcct tctacttttt cctatagagt tagttgttct ccayggctgg agagttcagc 900
tgtgtgtgca tagtaaagca ggagatcccc gtcagtttat gcctcttttg cagttgcaaa 960
ctgtggctgg tgagtggcag tctaatacta cagttagggg agatgccatt cactctctgc 1020
aagaggagta ttgaaaactg gtggactgtc agctttattt agctcaccta gtgttttcaa 1080
gaaaattgag ccaccgtcta agaaatcaag aggtttcaca ttaaaattag aatttctggc 1140

ctctctcgat cggtcagaat gtgtggcaat tctgatctgc attttcagaa gaggacaatc 1200
aattgaaact aagtaggggt ttcttctttt ggcaagactt gtactctctc acctggcctg 1260
tttcatttat ttgtattatc tgcctggtcc ctgaggcgtc tgggtctctc ctctcccttg 1320
caggtttggg tttgaagctg aggaactaca aagttgatga tttctttttt atctttatgc 1380
ctgcaatttt acctagctac cactaggtgg atagtaaatt tatacttatg tttccctcaa 1440
aaaaaaaaaa aaaaaactcg ag 1462

<210> 244
<211> 2410
<212> DNA
<213> Homo sapiens

<400> 244
ccacgcgtcc gcttcgacga cgacacctgc agaagtgcgg agcccgccat gccgcgccac 60
ctctcgggac tgctcctgct gctctggccg ctgctgctgc tgctgccgcc gacccccgcc 120
gcccccggcc ccctggcccg cccgggtttg cggaggctgg gcacgcgggg cccaggggc 180
agtcccgggc gccgccctgt ctctgctgtc cccacccgcg cgccctattc cggggccggc 240
cagcccggcg gggcccgagg cgcaggtgtt tgcaggagca ggcccttgga tttggtgttc 300
atcatcgata gttcccgcag tgtgcggccc ctggagttca ccaaagtgaa gacctttgtc 360
tcccagataa ttgacactct ggacattggg gcggcagata cacgggtggc agtggtgaac 420
tatgctagca ccgtgaagat tgagttccat ctccagaccc actcagataa acagtccttg 480
aaacaggctg tggctcggat cacacccctg tctacaggca ccatgtccgg cctggctatc 540
cagacagcaa tggatgaggc cttcacggtg gaggcaggag ctcgggggcc cacttccaac 600
atccctaagg tggccatcat cgtgacagat gggaggcccc aggaccaggt gaatgaggtg 660
gcggctcggg cccgggcatc tggtattgaa ctctacgccg tgggcgtgga ccgggcagac 720
atggagtccc tcaagatgat ggccagcgag cccctagacg agcacgtttt ctatgtggag 780
acctacgggg tcattgagaa actctcctct agattccagg aaacctttg cgctctggac 840
ccgtgtgtgc ttggcacaca ccggtgccag cacgtgtgtg tcagtgatgg ggaaggcaag 900
caccactgtg agtgcagcca aggctactcc ttgaacgccg atcagaagac gtgttcagct 960
atcgataagt gtgctctgaa cactcacggt tgtgaacaca tctgtgtgaa cgacagaact 1020
ggctcttacc actgtgagtg ctacgaaggt tacaccctga accaagacag gaagacttgt 1080
tcggctcaag accaatgtgc ctttggtaca catggctgcc agcacatttg tgtaaatgac 1140
agagatgggt cccatcactg tgaatgctac gagggttata ctctgaatgc tgacaacaaa 1200
acgtgttcag ttcgcagcga gtgtgctggg ggctcgcacg gctgccagca cctgtgtgtg 1260
gacgacgggc ccgcggccta tcactgcgat tgtttccccg gctacaccct gaccgaagac 1320
cggaggacgt gcgcagccat tgaagaagca cgaagactcg tctctacaga agatgcttgt 1380
gggtgtgaag ccaccctggc cttccaggag agggccagct catatctgca gagactgaat 1440
gccaaactcg atgatatttt gggcaagttg caagcagatg cgtatggaca aatacatcgt 1500
tgaattactc agatttttca cctggatata cggagagctt ggtctattta atatttttgc 1560
atacttcaat gttcctgcta ataatttgcc attgcaaatg ctttaatatt actggataag 1620
tagtatgagg atcttctaga gaatcagtag gacataaacg ttcacatcct taagagcaaa 1680
ctttagtgtc tctaagctat gactgtgaaa tgattcatgg ggaatagaat gaaaagtttg 1740
gtatctcttt atttaccaat tgagccattt aatttttaaa tgtttatatt agtaagataa 1800
ccattcttac aatgggaact ttttatctat tttctcttga tagtatttat agtataaacc 1860
agttttatta ttgagagtgt aaattataca agtatttaca cataaaaaag ttcatataat 1920
tgaggtaaat ataatttaga actgtttctt taatgctttg ttttttgctc acttttgct 1980
ggaatatcac tgaagctgtg atcaggggat tataacacat atcaagatca agtgaacact 2040
acatgaaata ttgtaagaaa cacataacta aagactttag ttttgaatta agtgttataa 2100
cttcttacca agttttggta aaaaatccta cattatcttt actgtttcac tttaggattc 2160
aatcaagaaa attatatact tataaatatt gatctaaaaa gttaacaaca aacccaatgt 2220
cgccatttta aagtttaagc ttaacttttc ttcacttaca tatttagtat atgtatttta 2280
tttttccgct tgaaagctta tagctcttag gagaaaacca tcctttaaat tgtgactact 2340
catttttct gtttgtattg tctttagtat aataaaaagt tactatcttt ataaaaaaaa 2400
aaaaaaaaaa 2410

<210> 245
<211> 2131
<212> DNA
<213> Homo sapiens

<400> 245

tcgacccacg cgtccgcgga cgcgtgggcg gacgcgtggg cgcggcctcc cggcgctcgg 60
ctccgacccc gccgccgcca ccatgcagcc ccccagcctg ctgctgctcg tcctcgggct 120
gctcgctgcg cccgccgccg cgctcgtccg aatcccgctg cacaagttca cctctgtgcg 180
ccggaccatg tcggagttgg ggggccccgt ggaggatctg atcgccagag gccccatttc 240
aaaatacgcc cagggggtgc ccagtgtggc ggggggtccc gttccggagg tgctcaggaa 300
ctacatggac gcgcagtact acggggagat cggcatcggg acgcccccgc agtgcttcac 360
cgtcgtcttt gacacgggct cctccaacct gtgggtcccc tcgatccact gcaagctgct 420
ggacatcgcc tgctggatcc accacaagta caacagcggc aagtccagca cctacgtgaa 480
gaacggcacc agcttcgaca tccactacgg ctccggcagc ctctccgggt acctgagcca 540
ggacaccgtg tcggtgccct gtaagtcggg tctgtcgagc ctggctggcg tcaaggtgga 600
gaggcagacg ttcggggaag ccaccaagca gccgggcatc accttcatcg cggccaagtt 660
cgacggcatc ctgggcatgg cctacccccg catctcggtc aacaatgtgc ttcccgtctt 720
tgataacctg atgcagcaga agctggtgga gaagaacatc ttctctttct acctgaacag 780
ggaccccggc gcgcagcctg ggggtgagct catgctgggc ggcacagact ccaagtacta 840
caagggtccc ctgtcctacc tcaacgtgac ccgcaaggcg tactggcagg tccacatgga 900
acaggtggac gtgggcagca gcctgaccct gtgcaagggg ggctgcgagg ccatcgtgga 960
cacgggcacc tcgctcatcg tgggccccgt ggacgaggtg cgcgagctgc agaaggccat 1020
cggggccgtg ccgttgatcc agggcgagta catgatcccc tgtgagaagg tgtccacctt 1080
gcccgaggtc accctgacgc tgggcggcaa accctacaag ctgtcgtcag aggactacac 1140
gctcaaggtg tcgcagggcg ggaagtccat ctgcttgagc ggcttcatgg gcatggacat 1200
ccccccgccc ggcgggccgc tctggatcct gggggacgtc ttcatcggcc gctactacac 1260
cgtgttcgac cgggaccaga accgcgtggg cctggccgag gccaccaggc tctagctgcc 1320
cgcccgctgg ggaggacggg gtccggcagg aggaggctgg ccgccccgcc ctcccggcca 1380
cccctgccgc acacactcac gctcagactc acactcaaag cccagctctg caggcgccgg 1440
gctgtcgggc tgccgttttg ttctgtggtt tccccggcct tggtgtgtct gtctgtctag 1500
tagagggcgg ggtgcggggc agcagccact aggctgaccc cgagtctgga gccacgtcac 1560
tgactgggaa gccccagcct ggctcggccg cccatcgtct tgcacgcggg acccccctccc 1620
ccggcccagg tagttccccc ccccccccccc agcccgtgct tcgggggcct ggctgcccag 1680
gcaggacttc tggactgagc ccccacccca ggccaggctg ttctctgggc ttctcctcct 1740
ggggtctggt ctggggtcca gagcggggca ctgctggcct gtcttcccgt gtggcccatc 1800
gtggaaggga cccgccgagg cccaaggaca agcaggaagg gcttggaagg gtcgggactc 1860
agggacaaaa ggcagccttg tgatgccttt ggggtcctcc tggggcttga ccccatctag 1920
gagggcattt gctggtgccg ggttggggaa gaaggggagg gggggctgg tgccaccttc 1980
tgtgagcttt tcccctcttg agtgaccagg agccgaagtg aacgtggaaa tacagtcgtc 2040
tgggcctcaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2100
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa a 2131

<210> 246
<211> 2406
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1934)..(1934)
<223> n equals a,t,g, or c

<400> 246
ccacgcgtcc gcggcggcga aggcaacaat taaggccccc aggtggactg gcagcgcccg 60
ctgatgctac tactgcagtc tttatttttt cccatgagct gggggtcggg tgggggaggg 120
aaagggaggg atgaccttcc tagggagaag cccacgacct gtcctgtctt tgatcgcctc 180
tttgacattt ttgccaaaat accactagtg gaaagtcagg ctagctgtgc tcgtattgga 240
atagcagcct cacactggcg tctggactgt tctgtagatg gaatgcaagc ggactgtctg 300
tctttaatct aacttattgc tagagaatag ggttttaaga cgaaaagaaa actgaaacgg 360
gattggccct cattcagtga gttctgtggt tccagtaagg atttgtatgt acatacgctc 420
ttgtcttacg ttttgggtac tcttgtctca tctgttttag ctgtgcgttt cttttcaggg 480
tgtactcgac cagccatgga ctagtgtaaa tcccgaacgg acagacttgg aacataaggc 540
gcgttgatcc ttatggttta ggcctggcca gtttcccgag tctcggatta gctgacagta 600
ttaacactaa attgcagttt acagtatttc tacatgacag ccatacgtaa catcaagcca 660
ttgattgtgt attttccttt gctagtttac tttggctttg catccgtagt cagccttatc 720
caggttgggt tttgctgttc gccgtctccc aggccacaag gcttgcctga ggggaatcgc 780

agctcctttt aggttttggt attaggtgct tggcaggtgg ctgtgggatt tgtacccttc 840
ttcctcttaa ctcaaatcca ccgcaaaaat gatgaatcac tttaatagaa acgttaaaca 900
ccacaaaaat agagaaaatt caggtctgta tgtcattgat tgtgttgata ttttcagaga 960
actcctgatt tttaagctgc cacgctcctt cctcagggat cacgctgcca tcactcttga 1020
gtgttccccg ctggaccttc tgctggtggc tctcgggacg gtggagacgc cgttgagctg 1080
gagaagctgg gcagtcatct tgaggaaggt tgtggtgcag tgtgtggaaa tttaggtgct 1140
agaagcttac tggtagaaaa acccaaaagg aagagaagag ctcttctgtt cataagcgct 1200
ctgtccgatt tcgggagcct cgtaagcatg tccgtttttc ctccccggaa acactccttc 1260
cctaagcagt tgttgtagga aaacgaacta aaggcattat cagataataa atcactccta 1320
tttgaccaag acttttttcta catttttttt ttttcttttt aatgaaagca tcaaagcgag 1380
agagtccttt ctctcttgta cagttgacac atgctctgga atcgaaggaa actacgttgc 1440
tgtttccaca aatttgttct cagtttagcc ttaggtcctt cattcttatt ttggaaaaat 1500
ctgtctgaaa aacgtgacct gtcgagtgtg tgttcagcct ttctttacaa gaccagaaac 1560
ggtgtgaact cccgagatat ggaggtaata acgccagact cgctttgttg gttgctgcgg 1620
tttagtcaag gagaggtatg aggaataatt gaggaaacac tgactgttgc tttttgctct 1680
ttaccagaat cggacttaag agttgggaaa tgagtatgtg tgacaggatc caggtgaccg 1740
tgaggatgag aacagtgatg ccctggagca tggcacagtc tacccagcat gactttcctt 1800
agaaggttcc ctccatacgc tagagcaaaa gtcccaatta actgaaccct agcagaacta 1860
gaagagagct gtacagcttt tgtgccatca ccggggccct aaagtcaatg ccatggatgg 1920
gaaattatgg gggnttgggg gggaggggta ggtggggctt tccttaactt atcttcatgt 1980
ccagtgagca gtgttttgtc cttccttgta gcctttggaa atgatttact ggaattacaa 2040
aacctatttt ttcttttaaa tttcagcttt ggctctggct gctttttaga ataatgcaag 2100
ataacagtta tacctgaggg ctaaaaatga agagggaacg ggagacttga tatttaagca 2160
gcttgaatgg tttcttttct tttctttatt tttaaagaaa tgcacttgcc tctgatactg 2220
tctctccagt gaaatgatta ctcctccatt actctattga tacaatattg tgcatgctag 2280
tgttgtattt ctatacagta gcttgaaatt tattaactta tactgtaggt gttatgtatt 2340
cctatgacaa aaaaaattaa gtcttcaaat tttaaaaaaa aaaaaaaaaa aaaaaaaaaa 2400
aaaaaa 2406

<210> 247
<211> 1491
<212> DNA
<213> Homo sapiens

<400> 247
ccacgcgtcc gggagccatg gcgccgtccg ggccgctgct gctggtgctg ctcgtgccgc 60
tggccgccgc gcgggccggg ccctacttcc gtcccggccg gggctgccgc ctgcccctgc 120
gggggggacca gctgtcgggg ctggggcgca ggacctaccc ccggccgcac gagtacctgt 180
ccccatctga cctgcccaag agctgggact ggcgcaacgt gaacggggtc aactatgcca 240
gtgccaccag gaaccagcat atcccccagt actgtggctc ctgctgggcc cacggcagca 300
ccagtgccat ggcgggaccg gatcaacatc aagagaaagg gggcgtggcc ctccaccctg 360
ctgtccgtgc agcacgtcct cgactgcgcc aacgcgggct cctgtgaggg gggcaacgac 420
ctgccggtgt ggaggtacgc ccatgagcac ggcatcccgg acgagacctg caacaactac 480
caggctaagg accaggaatg caacaagttc aaccagtgtg gaacatgcac ggaattcaag 540
gagtgccact acatccagaa ctacacgctc tggaaagtgg gtgactacgg ctccctctcc 600
ggcagggaga agatgatggc ggaaatctat gccaacggcc ccatcagctg cggtatcatg 660
gccacggaga agatggtgaa ctacacggga ggcatctacg cggagtacca ggatcaggcc 720
tacataaacc acgtcatttc tgtggtcggc tggggcgtca gcgacggcac ggagtactgg 780
gttgtccgga attcgtgggg ggaaccgtgg ggggagcacg gctggatgag gattgtgacc 840
agcacctata aagacgggca gggcgccagt tacaacctcg ctgtcgagga cacctgtacg 900
tttggggacc ccatcgttta agggacaggt ctccccagaa gagcagtgtt atcgtgaacc 960
ataatcaggg ggtcctatcg ctctgggcac tgggttggtt ccaccatggt ctgaagggac 1020
tggggactgg catcaaacgt gtctgatggc tgctcgcggc cccgtgcgcc cagaagggag 1080
aaggggcgcc tgtcagcaca cagcctgccg cggcgccggc cgggagcgcg ctcctgggga 1140
agagtctgca atgggacggc tgagagcccc gggccggcca ctgccctgcc ccagtgtctg 1200
cctggccacc gtgtgatccg caaggcccaa acgatgtgac tgccaagctc ctctgtccct 1260
gatttggtgt ttcctgtctg gcagctgtgg tccatgatgt ggtgcggaag cccaggcttc 1320
tcaaagctct tacgttgcct gggattcggt gggggggagt cgggggggtgg agggagaaga 1380
cggccctgtg agattgccca agtgatgaat aaagtacgtg accccgcaaa aaaaaaaaaa 1440
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa a 1491

<210> 248
<211> 571
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (249)..(249)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (548)..(548)
<223> n equals a,t,g, or c

<400> 248
tcgacccacg cgtccggggg cgtacgcggg caagatggag gcgactacgg ctggtgtggg 60
ccggctagag gaagaggcgt tgcggcgaaa ggaacggctg aaggccctac gggagaaaac 120
cgggcgcaag gtgagaagtg tggagtgagg gtcgcagttg aggcgtccag cgttcggggt 180
ccgggtcgcg cttgaggaga gcaaagggct aataaggaaa gacagctgcc gagggcgcgc 240
atgccgggnc gctaacgcat gcgcgagaag acgggcgccc tcccacgatg tctggggctg 300
cttggcgtgg gactcctctg gcgctggtgc ggtcgtcgcg cacgcgcggg ggtgggcaar 360
gcatggtcag cgacccgcag tccatctgac tcctgcttcc cgggtgttgc tcgtgtaggt 420
atctagggct gcctgtaggt tcagatgctt gttgggttag gcgtgatttg ttccgttcct 480
ctatggccta gctggtcttt aacccccgcc ttcgattctg agtcagacag actccccagt 540
tcgggcangc aattcccttg gaacaagggc a 571

<210> 249
<211> 2499
<212> DNA
<213> Homo sapiens

<400> 249
caccagcacc ccgcccagag cagtgccgct gcccaaatcc tcgcaggcag ctcatcaacg 60
caattgcaac tccggctgga gccccggacc tgcaagcctg ggtgtccgtg ggtccgtctg 120
cccagccatc tgctggtggc acctctccct cctgccgcct ccctcggtga accccacctt 180
gcagaagtgc agctcgcccg gagcagccca ggagctcagc atgcgtcccc caggcttcag 240
gaacttcttg ctgctggcgt cctcccttct ctttgctggg ttgtcagctg ttcctcaaag 300
cttctcgcca tctctgagga gctggccggg cgccgcctgc aggctgtccc gggccgagtc 360
ggagcgacgc tgccgcgcac ctgggcagcc cccgggggcc gcgctgtgcc acggccgggg 420
ccgctgcgac tgcggcgtct gcatctgcca cgtgactgag ccgggcatgt tcttcgggcc 480
cctgtgtgag tgccatgagt gggtgtgcga gacctacgac gggagcacct gtgcaggcca 540
tggtaagtgt gactgtggca agtgcaagtg tgaccaggga tggtatgggg atgcttgcca 600
gtacccaact aactgtgact tgacaaagaa gaaaagtaac caaatgtgca agaattcaca 660
agacatcatc tgctctaatg caggtacatg tcactgtggc aggtgtaagt gtgataattc 720
agatggaagt ggacttgtgt atggtaaatt ttgtgagtgt gacgatagag aatgcataga 780
cgatgaaaca gaagaaatat gtggaggcca tgggaagtgt tactgtggaa actgctactg 840
caaggctggt tggcatggag ataaatgtga attccagtgc gatatcaccc cctgggaaag 900
caagcgaaga tgcacgtctc cagatggcaa aatctgcagt aacagaggga cttgtgtatg 960
tggtgaatgt acctgtcacg atgttgatcc gactggggac tggggagata ttcatgggga 1020
cacctgtgaa tgtgatgaga gggactgtag agctgtctat gaccgatatt ctgatgactt 1080
ctgttcaggt catggacagt gtaattgcgg aagatgtgac tgcaaagcag gctggtatgg 1140
gaagaagtgt gagcacccac agtcctgcac gctgtcagct gaggagagca tcaggaagtg 1200
ccagggaagc tcggatctgc cttgctctgg gaggggtaaa tgtgaatgtg gcaaatgcac 1260
ctgctatcct ccaggagatc gccgggtgta tggcaagact tgtgagtgtg atgatcgccg 1320
ctgtgaagac ctcgatggtg tggtctgtgg aggccacggc acatgttcct gtggtcgctg 1380
tgtttgtgag agaggatggt ttggaaagct ctgccaacat ccgcggaagt gtaacatgac 1440
ggaagaacaa agcaagaatc tgtgtgaatc agcagatggc atattgtgct cggggaaggg 1500
ttcttgtcat tgtgggaagt gcatttgttc tgctgaagag tggtatattt ctggggagtt 1560
ctgtgactgt gatgacagag actgcgacaa acatgatggt ctcatttgta cagggaatgg 1620
aatatgtagc tgtggaaact gtgaatgctg ggatggatgg aatggaaatg catgtgaaat 1680

ctggcttggc tcagaatatc cttaacaatt acatgagaga ggtctggatt cttatttttt 1740
ctgggccatt agaacatata aatgcgaagg aaaccatgta tattcaccac taggacaggt 1800
taaaaagacc attgtatgtt tttctatttc tgaattacga atgaaatccg agtacctatt 1860
agaaatgagt tatgcaaatt tagatgcaaa taacattaga aaaaaaagat tcttccataa 1920
ttaacataag tggttcctaa cgagagcaat ttttccaccc aaaagtcatt tggcaacatc 1980
tacagacaat tttgattgtc acactgggtc gggtaggaag gtatgctgca gacatttggt 2040
gggtagaggc cagggatgct gctgagcatc ccgcagtgta caggacagcc cccaaacaag 2100
gaattatcca gccccaaatg ccaatagggc tcagactgag aaacattgag ttatatggct 2160
attagaaatc cacattctta cacaagaaag accatattag aatctaagga aaacatgcat 2220
attcacatta attaatcgat cagatttttc cagaattccg tatcagtcac cattttaata 2280
tggggacaat gaagacaagc acacaggagg tagaatatca gagtggggct ggatcaaggg 2340
caaaaactgg tcattaagtc atctgacatt aaatcattta gccactaagt tatttgtgta 2400
ctctcacttt aaactcacca aagaagattc tcttaaagaa attatgaaaa atgtacaatt 2460
taacatttta aataaatagt gacagaagtt gtttaaaaa 2499

<210> 250
<211> 3530
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (30)..(30)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (59)..(59)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (79)..(79)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (3465)..(3465)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (3471)..(3471)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (3485)..(3485)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (3487)..(3487)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (3505)..(3505)
<223> n equals a,t,g, or c

<400> 250

gacatgaagc caaccggcac ccggccccan atttgttata acagtactct aatttgaanc 60
catgataaaa ataaccatnc atttgtaaat ccacagagga ccctggtgaa ttcctaacac 120
atattttctg tcttgttaag ctgttgaatt gcatcatggt ggagaaatgt gtaaatagaa 180
gtaatgatct tggtgtttgt aaaaggggta tttgaaaggt tcccgaaagt gtgaggggge 240
tgatagcaga tctgcagctt ctccccccgt gcactaaagc caatcataat tctttctacc 300
tggtttgtgt catcctccat taggagaccc catcttcaga accaatggag gaagaggaag 360
atgacgactt ggagctgttt ggtggctatg atagtttccg gagttataac agcagtgtgg 420
gcagtgagag cagctcctat ctggaggagt caagtgaagc agaaaatgag gatcgggaag 480
caggggaact gccgacctcc ccgctgcatt tgctcagccc tgggactcct cgctccttgg 540
atggcagtgg ttctgagcca gctgtctgtg agatgtgtgg tatcgtgggt acaagggaag 600
ccttcttctc caagaccaag aggttctgca gcgtctcctg ctccaggagc tactcctcca 660
actccaagaa agccagtatc ttggctaggt tacagggaaa accaccgacc aaaaaagcca 720
aagtcctgca caaggctgcc tggtctgcca aaattggagc cttcctccac tctcaaggga 780
caggacagct ggcagatggg acaccaacag gacaagacgc tctggtcttg ggcttcgact 840
gggggaagtt cctgaaggat cacagttaca aggctgctcc cgtcagctgt ttcaagcacg 900
tcccactcta tgaccagtgg gaggatgtga tgaaagggat gaaggtggag gtgctcaaca 960
gtgatgctgt gctccccagc cgggtgtact ggatcgcctc tgtcatccag acagcagggt 1020
atcgggtgct gcttcggtat gaaggctttg aaaatgacgc cagccatgac ttctggtgca 1080
acctgggaac agtggatgtc caccccattg gctggtgtgc catcaacagc aagatcctag 1140
tgcccccacg gaccatccat gccaagttca ccgactggaa gggctacctc atgaaacggc 1200
tggtgggctc caggacgctt cccgtggatt tccacatcaa gatggtggag agcatgaagt 1260
acccctttag gcagggcatg cggctggaag tggtggacaa gtcccaggtg tcacgcactc 1320
gcatggctgt ggtggacaca gtaatcgggg gtcgcctacg gctcctctac gaggatggtg 1380
acagtgacga cgacttctgg tgccacatgt ggagcccccc gatccaccca gtgggttggt 1440
cacgacgtgt gggccacggc atcaagatgt cagagaggcg aagtgacatg gcccatcacc 1500
ccaccttccg gaagatctac tgtgatgccg ttccttacct cttcaagaag gtacgagcag 1560
tctacacaga aggcggttgg tttgaggaag ggatgaagct ggaggccatt gacccccctga 1620
atctgggcaa catctgcgtg gcaactgtct gtaaggttct cctggatgga tacctgatga 1680
tctgtgtgga cgggggccc tccacagatg gcttggactg gttctgctac catgcctctt 1740
cccacgccat cttcccggcc accttctgtc agaagaatga cattgagctc acaccgccaa 1800
aaggttatga ggcacagact ttcaactggg agaactactt ggagaagacc aagtcgaaag 1860
ccgctccatc gagactcttt aacatggatt gcccaaacca tggcttcaag gtgggcatga 1920
agctggaggc cgtggacctg atggagcccc ggctcatctg tgtggccacg gtgaaacgag 1980
tggtgcatcg gctcctcagc atccactttg acggctggga cagcgagtac gaccagtggg 2040
tggactgcga gtccccagac atctaccccg tcggctggtg tgagctcacc ggctaccagc 2100
tccagcctcc tgtggccgca gaaccggcca caccgctgaa ggccaaagag gccacaaaga 2160
agaaaaagaa acagtttggg aagaaaagga aaagaatccc gcccactaag acgcgacccc 2220
tcagacaggg gtccaagaag cccctgctgg aggacgaccc tcagggtgcc aggaagatct 2280
cgtcggagcc tgttcctggc gagatcattg ctgtgcgtgt gaaggaagag catctagacg 2340
tggcctcgcc cgacaaggct tcaagtccag agctgcctgt ctccgtcgag aacatcaagc 2400
aggaaacaga cgactgagcc ttcctgcctc cagcctggct tctagctgga agccagccca 2460
gcgtttctct accaccacca ccatgcctcc acctgacttt ggcttggaga ctgatcctct 2520
ctgtgtaaat tctgcccggt gctgtgaagg ctggacggtg gaggacctgc tggggtctcc 2580
tgggacccgc ctgttgcttc tgccctcccc tgtggaaagg tctatatgac gggccgcctg 2640
aggccccaga actcgtctgt gaaccacctt ttccagccag agttcccaaa gctggaacgc 2700
tagctgcctg ctcttcctta agatggcctc cccccgaccc gccacggccc tcagttgcca 2760
gggatggggc caccactgtc acactgtgga atacaagaca gtgaactctg tctgcctgaa 2820
cgagtcatgt aaattaagtt ctagagcagc tctctgagca ggataaggtc ccctgacagt 2880
gagttgtgtg gtgggggcag cctctgcctc aaaaattcac caagcagaat gcctctcagc 2940
ctcatgtgtt ggtcctctgc tcctcctagc tccccaggga tgttggggac ccagcttgtc 3000
tcggcagcta agaagcagtg accaggatgt ggattttggc gacctgtgtg gtggccttga 3060
gctgctttct gtgtttgtga ggactgactc ccatttccta aaggaaatgc ccccggggag 3120
gacattggga ggaagatggc ctgagtgtgc actttggctc tgctacctgc tcctgaagcc 3180
ccgctaaaaa taattcatcc aagattcctt tgtagttaaa gggtccagtt ctgactggag 3240
cctctagaga gctgggcttg tatgttcttt tggccttttg ttcctaccta aatgaagaaa 3300
ccatgcctgg aggggccgtg aacacagaac cctcaagaca aggatgacag agctggagga 3360
cacatctagc tgccattgca acctcactgg gctccccaga ctctgtgtgt gagaaattaa 3420
acccccctgct tgcttgagtc ccgtttgtta aggattcttc tattnccttg ncagatttgt 3480
gttcngnacc ccacccccce acctngtggt attcggttca gaaagggcca 3530

<210> 251

<211> 1145
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (386)..(386)
<223> n equals a,t,g, or c

<400> 251
aattcggcac gaggacatat tggccattta ctctactaat aaaagagtac tatctactca 60
gtgtcattta ctgttactgt agtaattaat gcctttggaa gaatcttttg aaatagttct 120
caaattggta ccactacttg gtttggaatt attttttttt cttttcataa tcaatggtta 180
tataaatgta tattgtccta gtcagtattt tatatatgct aaggactcac tagctggctt 240
ggcactaata cctcaataaa aggaatactt cttttggaat catgaaacaa aagtgartaa 300
acctccaagt tatttttcca accaaccttc tttgaaaaat cttggatgag tcactcaaat 360
caagacatgt tataaaatta tctgtnattt tggtagaaca tatacattgt yctaataata 420
atttycaaat attcagtgka acygtaagka tgagaataca ggttgaatat cycttatcca 480
aaatgcttgg gaccagaagt cttttggatt ycaaattttt aaatatttac atcatactta 540
ccagtttaac atccctaatt caaaaattca aaattcagaa tgctccaata atcgtttcct 600
ttgascatca tgtcagtgct caaaaagttg cagattttga ggtatttcag atttttgaat 660
taggaagact caacttgtac tatcattcta tagactttat gattgggtag actacatgag 720
tattgaaccc agaaatcatt gtctagcaaa agccagtata gtgattaatt accctgtgac 780
tattatataa tgttcaaaaa agctaacata ttagaatgtc cttagcgtgc agagagcaaa 840
cagagacaaa aagaaaagtt accctgaaaa gtttgtcaga aaaatagaat atcagacgct 900
raactactca tccagaattt tgtcraaaaa gaaaaataag ataaaattca ctggtagaca 960
aaaagtagta acataccagt ttgtaatttc tcagtttcaa accatgaata tgtatttgta 1020
taccaaaaat catttcagga gtcagagaag gaggatatgc cttttatgtg gagactttaa 1080
acataaaatt ggaaaaaaaa aaaaaaaaaa actcgtaggg ggggtcccgt acccaatcgt 1140
cctgt 1145

<210> 252
<211> 2214
<212> DNA
<213> Homo sapiens

<400> 252
gcagtcgcag catgctttcc gaggaagccg gtgttgccga gattgccaaa atgctttgga 60
gtttttaact gaatctaaga aaagtccaaa atagatttga gactgtaaaa acagaaactg 120
cagcaagggg gattcagtgc caatgcatca acaaaaaaga caaccagagt tagtggaagg 180
aaatcttcct gttttcgtgt tccccacgga gctcatattt tatgcagatg atcagtcaac 240
acataagcaa gtgttgacac tgtacaatcc ctatgagttt gccttaaagt tcaaagtttt 300
gtgtactact ccaaataagt atgttgtcgt tgatgctgca ggtgcagtaa agcctcagtg 360
ttgtgtggat attgtgattc gtcatcgaga tgttcgatcc tgtcactatg gtgtaataga 420
caaattccgt ctccaagttt ccgagcaaag ccaaaggaag gctttgggga agaaaagagg 480
ttgttgctac tcttctccca tcagcaaaag aacaacaaaa ggaagaagag gaaaaaagat 540
taaaggraca tttaackgaa aktttatttt ttgagcagtc gtttcaacca ggtcttatca 600
caatggccat acttagaaca tgagcaagga tttcaattga cttctgaagt aaatctgtct 660
tgaaaatatg aatgtggact gccttttatc tctatttcac tccattaaca tgcaacaaac 720
tattgaatga tttcaaataa ttgcaaatgt ataatatata ttttaaatta taatttaatt 780
tgaaggactg cagaacatta ttttacagac agcaaggatg cttctgagtg acacctagga 840
aattatttga agaaattctt tttatatcta yacctgttgt gtaagaaact ttaaaacatt 900
kgttattttc tcacctttt ttctaattca ctttgattgc taggggtcat gtatgcttcg 960
aagttacagg actaaaagag caaactgacc ggcctaaaac taaaatgaca tttattccct 1020
agctacaaac atcagcgtta ttatgttaat tataccttgc cctctatcat tataaatggt 1080
tgccatggtg tttctaaaaa taagtgtttt accattaatg tgtagagggc aaacaaagca 1140
taaagtacta agggatcatg cttatcctag ggtctcacag aagagaggac atatttaatt 1200
aatcttgtga attacagaac aggttgtggt ccagacacca agaatcatag gggtttttt 1260
ttaaaaaacc taatagaagt agggtgacct ctctctttgg tctaagagtt ctaaaggaag 1320
gtaggcatct gtttaattag ttggttcacc ctggctttac ctctggttaa tgctttgtgt 1380
taataggaag gaaaaatcac tttatctttt cttccaagcc cctccctgcc tgacttaccc 1440

agactgggat taccagatac caggtgattt atgtggagat gatttttcac ctttaaactc 1500
taagccaagt gtaagaaact cttgatagct atgtctattt tatatcagtc actgagactt 1560
ttttttaagt ttttatttat tattaagaca actttgccaa aaaagtcccc taagcacaac 1620
tatttacatt tctttatagc ctcttctgat ctctaacaca tatgcagttt taactgttat 1680
tttcatagta actgatcttt tgtctaagga tttttacctg aaagcacaat gtattgagtc 1740
tcttgaaaat catctttcag atctttttac agaatgaact tatgcactgc tactgtagta 1800
ttctcaagga atatatgtaa acacaaatgt atgcctgagg ttggtttttg cagaaaacag 1860
tctctgcttc taaaaacttc tatgtctagt cttccatagg aaatcctcac tgtttaacca 1920
tgtgaggagc ctaagtcatt aaacggatca tgtctgtaca ttgtgtaatg aatgaaaagc 1980
acataaatgt aatctacttt gaactttgta aaaatgatgt gtggaggcta ttcttgtttc 2040
tccatctcaa gtcctgtgtg tgcacgtgtg tgcaagtgca catgtgtgtg tgtaataaca 2100
cattgtaaag aacagaaatt actttaaaaa ataaacagaa atggagacct gaaaaaaaaa 2160
aaaaaaaaaa aaaaaaaaaa aaaaaaaaac tcgaggggggg gtcccgtacc caat 2214

<210> 253
<211> 2527
<212> DNA
<213> Homo sapiens

<400> 253
ctcttgctac cttcccggcg cagagaaccc cggctgctca gcgcgctccg gggtcatgga 60
gatccccggg agcctgtgca agaaagtcaa gctgagcaat aacgcgcaga actggggaat 120
gcagagagca accaatgtca cctaccaagc ccatcatgtc agcaggaaca agagaggtca 180
ggtggtgggg accagaggtg gctttcgtgg ttgcacagtt tggctaacag gcttgtctgg 240
agcgggaaag actactgtga gcatggcctt ggaggagtac ctggtttgtc atggtattcc 300
atgctacact ctggatggtg acaatattcg tcaaggtctc aataaaaatc ttggctttag 360
tcctgaagac agagaagaga atgttcgacg catcgcagaa gttgctaaac tgtttgcaga 420
tgctggctta gtgtgcatca caagtttcat atcaccttac actcaggatc gcaacaatgc 480
aaggcaaatt catgaaggtg caagtttacc gtttttgaa gtatttgttg atgctcctct 540
gcatgtttgt gaacagaggg atgtcaaagg actctacaaa aaagcccggg caggagaaat 600
taaaggtttc actgggatcg attctgaata tgaaaagcca gaggcccctg agttggtgct 660
gaaaacagac tcctgtgatg taaatgactg tgtccagcaa gttgtggaac ttctacagga 720
acgggatatt gtacctgtgg atgcatctta tgaagtaaaa gaactatatg tgccagaaaa 780
taaacttcat ttggcaaaaa cagatgcgga aacattacca gcactgaaaa ttaataaagt 840
ggatatgcag tgggtgcagg ttttggcaga aggttgggca accccattga atggctttat 900
gagagagagg gagtacttgc agtgccttca ttttgattgt cttctggatg gaggtgtcat 960
taacttgtca gtacctatag ttctgactgc gactcatgaa gataaagaga ggctggacgg 1020
ctgtacagca tttgctctga tgtatgaggg ccgccgtgtg gccattcttc gcaatccaga 1080
gtttttgag cacaggaaag aggagcgctg tgccagacag tggggaacga catgcaagaa 1140
ccacccctat attaagatgg tgatggaaca aggagattgg ctgattggag gagatcttca 1200
agtcttggat cgagtttatt ggaatgatgg tcttgatcag tatcgtctta ctcctactga 1260
gctaaagcag aaatttaaag atatgaatgc tgatgctgtc tttgcatttc aactacgcaa 1320
cccagtgcac aatggacatg ccctgttaat gcaggatacc cataagcaac ttctagagag 1380
gggctaccgg cgccctgtcc tcctcctcca ccctctgggt ggctggacaa aggatgacga 1440
tgttcctttg atgtggcgta tgaagcagca tgctgcagtg ttggaggaag gagttctgaa 1500
tcctgagacg acagtggtgg ccatcttccc atctcccatg atgtatgctg gaccaactga 1560
ggtccagtgg cattgcagag cacggatggt tgcaggagcc aacttttaca ttgttggacg 1620
agaccctgct ggcatgcctc atccagaaac agggaaggat ctttatgagc caagtcatgg 1680
tgccaaagtg ctgacgatgg cccctggttt aatcactttg gaaatagttc cctttcgagt 1740
tgcagcttac aacaagaaaa agaagcgtat ggactactat gactctgaac accatgaaga 1800
ctttgaattt atttcaggaa cacgaatgcg caaacttgct cgagaaggcc agaaaccacc 1860
tgaaggtttc atggctccca aggcttggac cgtgctgaca gaatactaca aatccttgga 1920
gaaagcttag gctgttaacc cagtcactcc acctttgaca cattactagt aacaagaggg 1980
gaccacatag tctctgttgg catttctttg tggtgtctgt ctggacatgc ttcctaaaaa 2040
cagaccattt tccttaactt gcatcagttt tggtctgcct tatgagttct gttttgaaca 2100
agtgtaacac actgatggtt ttaatgtatc ttttccactt attatagtta tattcctaca 2160
atacaatttt aaaattgtct ttttatatta tatttatgct tctgtgtcat gatttttttca 2220
agctgttata ttagttgtaa ccagtagtat tcacattaaa tcttgctttt tttcccctta 2280
aaaaaagaaa aaaattacca aacaataaac ttggctagac cttgttttga ggattttaca 2340
agacctttgt agcgattaga ttttttttct acattgaaaa tagaaactgc ttcctttctt 2400
ctttccagtc agctattggt ctttccagct gttataatct aaagtattct tatgatctgt 2460

gtaagctctg aatgaacttc tttactcaat aaaattaatt ttttggcttc ttaaaaaaaa 2520
aaaaaaa 2527

<210> 254
<211> 978
<212> DNA
<213> Homo sapiens

<400> 254
ggcacgagca cttaatctca ggtgaacgca tcacttgcca aactgttgga atgctatttg 60
tgttttgttg cactgttttt ttcgtttgtt tgtttgttta tttggttggc tttttggaga 120
gggaaatttg gaaacgggac atacacaaaa gttacacacc cacattccct ttttatcatg 180
acatacaaga agaaactagc agagctaaga atggagtgaa gaaaggcagt atggcaggca 240
ccagcaaaga gttgagggct gttgctctta aaaattattt tttttattat tattttgaaa 300
gtatggaagt tttccattca ctggggaaag gagggaaaag tgcatttatt tttatacaga 360
gttacttaat tacctccaaa acacatatgt tggaaatcgc ttttgctggt gcaaagtata 420
ttaatgagca ggaatacata cattgaggtt atgaatagag agctcaattt gtacctttgc 480
tgtcttgctc aagcttggta tggcatgaaa actcgacttt attccaaaag taacttcaaa 540
atttaaaata ctagaacgtt tgctgcgata aatcttttgg atttttgtgt ttttctaatg 600
agaatactgt ttttcattac ctaaagaaca atttgctaaa catgagaaat cactcacttt 660
gattatgtat agattacata ggaagaacaa tcacatcagt aagttatagt ttatattaaa 720
ggtaattttc tgttggctca taacaaatat accagcattc atgatagcat ttcagcattt 780
tccaaggtac caagtgtact tattttgttg ttgttgttgt tgttgtattt tagaaggaat 840
tcagctctga tgtttttaaa gaaaaccagc atctctgatg ttgcaacata cgtgtaaaat 900
gggtgttaca tctatcctgc catttaaccc cacagttaat aaagtggctg aaaataataa 960
aaaaaaaaaa aaaaaaaa 978

<210> 255
<211> 813
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (283)..(283)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (691)..(691)
<223> n equals a,t,g, or c

<400> 255
gcaggaattt ctacctatat ttccttcctt actgtgttgt gtgtgtttgt atgtgtgtgt 60
gtttaatttg tagcatttgc cagtttctgt ggtgtaaata ctcccactac agctgttttc 120
aagctaacat tgtgatacca caaaaaatgg aattgggaag gcacaatcaa gattaacaag 180
ccagtttaga ccaagacaat ttttctgccc tattagttgg gcacaagtta gaaaggctga 240
tagtatctca tgttggaaag gtgagagaga aggccctcat gcnttattaa tggcatatgc 300
attgaagtgc cctgtttgag ggcatgctgt tagtaacttt taaaatatga gatgtcatac 360
tttttgactg aaaatacaac tcttgtagga ttctatttta tagaactact taggtgcata 420
aatatacaaa aataactgtc attgcagcat tatttgtaat agtggaaaca gaagacttttt 480
cattaataag agaatggtta ggccagatcc agtggctcac acctgtaatc ccaacatttt 540
gggaatccaa ggcaggagga tcgctttagc ctaggagttg gagaccagca tgggcaacat 600
aacaagacct tgtctctact aaaaaaaaat aataataatt agtctggcat ggtggcacac 660
ctgtactccc agctacttgg gaggctgggg ncaaggagga ttgcttgagc ccaggagatt 720
gaggctgcag tgaactgtga tcacaccact gcacaccagc ctgggtgaca cagcaaaact 780
ctgtctcaaa aaaaaaaaaa aaaaaaactc gta 813

<210> 256
<211> 665
<212> DNA

<213> Homo sapiens

<400> 256
ggcacgagaa actccagtta atgccattta ttttgcttct tgtttgctta acctccctgc 60
cttctagggg ttataatgag aagaaactaa cagacaatat tcagtgtgag atttttcaag 120
ttctttatga agaagccaca gcatcctaca aggaagaaat cgtgcatcag ctgcccagta 180
ataaaccaga agagctagaa aataatgtag atcagatctt gaaatggatt gagcagtgga 240
tcaaagatca taactcttga cttataaggc tagctactta ataatcactc ttgttgatat 300
ctctgccgac atcatagaaa ttgttcaagt gtcagtaaca ctttattaaa atcatgttgc 360
agaaccagca ggtggatagt atataggttt atgcctgtgt ttcttttctc catgagaaag 420
ctaaacatga aatataatga atatagtaat tattaaggga ttgagacaaa aactgtgatt 480
ttaatactta aattgctaaa gaataaataa atctgacaaa atgggtggat atcttttaag 540
tttattacag aaaaaaatgc agatgatctc ttaaaataaa actaaagata aagcaaaaaa 600
aaaaaaaaaa aaaactcgta ggggggggcyc cggtacccaa tcgccctatg agtgagtcgt 660
attac 665

<210> 257
<211> 1739
<212> DNA
<213> Homo sapiens

<400> 257
ggcacgagag atcctcagga tatctttagc caaaggaaaa gctccgcatt cccacctggg 60
gggaaagctg gattgccatg ggcacgaagt agtggtgcag agtccctggc catcctgaat 120
atccagaatg gtgtttctga agttcttctg catgagtttc ttctgccacc tgtgtcaagg 180
ctacttcgat ggcccccctct acccagagat gtccaatggg actctgcacc actacttcgt 240
gcccgatggg gactatgagg agaacgatga ccccgagaag tgccagctgc tcttcagggt 300
gagtgaccac aggcgctgct cccaggggga ggggagccag gttggcagcc tgctgagcct 360
caccctgcgg gaggagttca ccgtgctggg ccaccaggtg gaggatgctg ggcgcgtgct 420
ggagggcatc agcaaaagca tctcctacga cctagacggg gaagagagct atggcaagta 480
cctgcggcgg gagtcccacc agatcgggga tgcctactcc aactcggaca aatccctcac 540
tgagctggag agcaagttca agcagggcca ggaacaggac agccggcagg agagcaggct 600
caacgaggac tttctgggaa tgctggtcca caccaggtcc ctgctgaagg agacactgga 660
catctctgtg gggctcaggg acaaatacga gctgctggcc ctcaccatta ggagccatgg 720
gacccgacta ggtcggctga aaaatgatta tcttaaagta taggtggaag gatacaaatg 780
ctagaaagag ggaatcaaat cagccccgtt ttggagggtg ggggacagaa gatggggcta 840
catttccccc atacctacta ttttttttata tcccgatttg cactttgaga atacatctaa 900
ggtcatcttt caaaagagaa aaattggaca cttgagtgac tttgttttta gttttgtttt 960
tgtacattat ttatgtgatt gttatggaat tgtcacctgg aaagaacaat tttaagcaat 1020
gtcatttcta gatgggtttc taattctgca gagacacccg tttcagccac atctaaaaga 1080
gcacagttta tgtggtgcgg aattaaactt ccccatcctg cagattatgt ggaaataccc 1140
aaagataata gtgcatagct cctttcagcc tctagccttc actcctgggc tccaaaagct 1200
atcccagttg cctgtttttc aaatgaggtt caaggtgctg ctttgcatgc ctgccaaccc 1260
atggaagttg tttcttactt cttttctctc ttatttatta accatggtct gagagttgtt 1320
tttgttctat gtaacagtat tgccacaaaa ctataggcaa atcgtgtttg cagggagatt 1380
tctgatgcct ctgtgggtgt gtgtaagtta aagtggccac atttaagaag gccaagcttt 1440
gtagtggttg cacagtcaca ctgatatgct gatttgctct ttctcattgt atgtctatgc 1500
tttgtcatca gtgctatagt aaattacaaa gaaataggta gattgtatga acatacccac 1560
aaatgcctat gatttaggtt accaatgtat tctttctcat ttggggtttt gcttctgtct 1620
gtctgtttat tggaaacttg tacttcaagt agggggaatc ctaattctaa taactcctta 1680
gctaagtttt attattcagg caataaacat gttttcatgt aaaaaaaaaa aaaaaaaaa 1739

<210> 258
<211> 1139
<212> DNA
<213> Homo sapiens

<400> 258
ggcacgaggt cactcctaat gtaggatggg acgattgccc caagctctgt cgtgagtggt 60
tgattgacgg ttttcttaag ggaacaatgc tgggaaagat gataggcgcc cgccactgac 120
ccctcccgcc tccctgcccc tccagtaaac tcccacacaa aatagcagta tgaggtgtgg 180

ggaaataatc ttggcctccg tcctgggttt acttttgact ctgccaccta caagctgtca 240
cctgaacaag tcctttccgt tcctgtgtct tccctggtca caagctctaa gcctgaaccc 300
acactctggg aatgaagcag ggtagcggcc tctgcttcag caactctgag gggtctacct 360
tgggtgggga gttggcctca tccagagggc tgctggaggg ccaagacaag gctctggtgg 420
ggaggtgtgc tgagagggga ttgcttatcc caccaccagc ttttctgggg gaggtgggga 480
agtgatggtt aaaaaatgga gttcctgcta tcagccatgt cctgatgaat tggaaagtcc 540
ccttctttct cctttcctct tgcatctcct gcctgcttcc cctgcctgcc ctcctgtgac 600
atgtgccctc tccagcaggt atgtcacaca gcaccccaag ggaagggcag tgtaacgctc 660
ttttccatga tggactacca cagccagagg aagacaggcc ttcccttctt ttctagttct 720
ttttggtttg aaaacaaggc actcttattt tcccccttcca agaagctggt ggttcacacg 780
ggccagcaca cacattatca aagacctagt ttgtttctag taaatgagtc cattgaagtg 840
ggagccttgg ccgggcaagg tggctcacac ctgtaatccc agcactttgg gaggccgaga 900
tgggtggatt gagatcgaga ccatcctggt caacatggtg aaaccctgtc tctactaaaa 960
atacaaaaat tagctgggcg tggtgacaca cacctgtagt cccagctact caggaggctg 1020
aggcaggaga atcgcttgaa cctgggaggc ggaggtaaca gtgagccgag attgcgccac 1080
tgcactccag cctgggcgac agagtgagac tgtctctcca aaaaaaaaaa aaaaaaaaa 1139

<210> 259
<211> 1677
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1012)..(1012)
<223> n equals a,t,g, or c

<400> 259
ggtgcagtgg tgccatcaca gttcactgca gccttgacct cccgggctca agcaatcctc 60
ccacctcagc cacttgagta gctgagacct cagatatgtg ccatcacacc cagctgattt 120
tttaaaatta attttttgta gagatagggt ctcatatgtt gcccatgctg gtctcaaact 180
actgggttca aatgatcctc ctgcctcagc cttccaaagt actgggatta caggcatgag 240
ccaccatgcc gggctgggag gcggaatttt gttcagtcta aagataagct ttttcatagc 300
tctggctgta gtgggaggga gcagaggagt gaatgattgt cagttgggag ggtgcagagt 360
gggctcctgc cctagggtgr aggtragggt ggcttaggtg asmcamcaca gaggccctgt 420
tcagccccac gtcccctccc tgtgctccct cctcctctct cctctcctgc aggcgtggra 480
ggtatcatca ttcagcagat ttcaccagag gcagtggagg aggcaggtac ctgagccaga 540
attcagaatg tcttattctc cacttgactc tgccactaac ttgttgtgca actttgggcc 600
tttccccagg ccttcatttt cttttctttt ctttttcttt ytttttttt gaggcggagt 660
ctcgctatgt tgcccaggct ggagtgcagt ggcgcagcat catctcggct cactgcaagc 720
tccaccttct gagttcacgc cattctactg cctcagcctc ccgagtagcc gggactgcag 780
gcrcccacca ccacgcccgg cttatttttt gtatttttag tagagacagg gtttcaccac 840
gttagccaag atggtctcga tctcctgacc tcgtgatcca cccgcctggg cttcccaaag 900
tgctgggatt acaggcgtga gccactgcgc ccggccattt tcttaaatat ctaataaaaa 960
atatatagca aatgcagttt ttaaactacg acaatatgac cacgcaaaag antattatct 1020
tccaagactg ctggtccaag gaaaagtcag taataaagtg gaagcattgt agcttatgga 1080
atgactggtt asatttggga gaagccttag caataatcta gaatctgcat agataataca 1140
tctgaggatt gggctttgtg gtttacaaag catttttttt tcctcttttg atcccagccg 1200
tttgtctgga ctgatacaaa gcatttttat tagtttgtct tattcaatcc tcacaccacc 1260
tcaaatttac agaggatatg gatctggtta atttgtatga ctatgtaacc tcatgtcagt 1320
ccacagcact gcctggaggt gggtagaggt ggtcctgggc tggaatccca gccccagtgg 1380
gaccttgagc aagttacttt agctgtctgc acctaaattt cctcactggc aaaacaggaa 1440
tactggtggt tcacacctgc aattccagca ctttgggagg ctgaggtggg aggattgctt 1500
gagtccagaa gttcaaaacc agactgggca acatagcaag accatctcta caaaaattaa 1560
ataaataaaa catttacaag ggttgtggtg aagattaaat gagatcactc acgaaaaagc 1620
tcagcagacc ctgatgtgca gtaggtgctc aataaatgtt agccagcaaa aaaaaag 1677

<210> 260
<211> 2648
<212> DNA
<213> Homo sapiens

<400> 260
ggcacgagct tgtaggtact cattgaggtt tattgtgtaa gatgaatgaa tgttgcaaat 60
tcctaaacat gtgattcaga tgcccaatct tactctgtta ctttatgaaa atttttaaa 120
gctatatgat gttatatcaa aatatgttgt tatactttag gataatcggt gtgttagccc 180
tgaatttcag cataagtccc attttttttcc atgggagtct aggaaagcta tatgtttatt 240
cagcagcaaa atacagtttg gaacttaaat aaactattga tcaatttctg gtcttatgct 300
agaaggaata aagcatcaag aaaaagaaaa gatttgctgt caagaccagg aaaatttgac 360
aatagagtat tagaatgcag gaaatgaggg gaagtggaaa ggcagcaagt aggagagaaa 420
aagtgcaggg acagtagaaa gtgaatgtag gagctttctg acccatgcac ttcaggaacg 480
caattcatcc ctaaaatgct gtttgctgtc ttaggttgca agtaaccaaa ttaaaaccag 540
tttgaaagta gagtgagaca gctgtcatca taagagtcat ttgatctgtt taaaggtggc 600
tgcttgtatg cagggaccaa cagtcatgtc cagggcagca gctggtgcac acttcaagca 660
cagaccataa gagctacccc aggcagcacc tgctaccaat agtgcaaaca actcagagag 720
acctcgttgg cataagggaa tactctctcc tttctgagta aagagcaagt agaactaaag 780
gtttcacatt ttaaacatac tttacattcc tcctcttctg gggctcaagc ctacttttgg 840
gccaaagcgg atgttatatc tgacatagag tcctcggagc agcagttgtt cctgaaagtt 900
ccttttgca tctttgtgcc tcatgcagtg gcttacaggt caaccagact tctcccctga 960
cttttgatgt gtaagagctt gtgtttcaaa tgggtttggt tttcttaatg tcaccctagg 1020
ttggtggaaa ggagagtaaa tggaaatggg gggagcaggg tcccctgggg aggtttaaac 1080
agatggaagt caattgtctc ttgagaatag aggaggctat tgagttttca ttccacactc 1140
tgctcctgtt ctgtcagcaa agaacaagga ctactctcca gcaattgctt tccactggac 1200
tcccccaccc cggctcccac aaaaacctag ggatcaactt agttcactcc aaattagaaa 1260
atttaatagt catttgtttc ttcttgtcca cagggagaac cattttcttt ccttctttca 1320
aaattgccca ggtcttgtga agggttatta acaccagaaa gaaatacatt ttaataagct 1380
taaatctcat ttctacatga aaccatcaga ttttagtact gcaatatttt gatccctctg 1440
tcttttaggc tctgacacca aaattgccat aatgaaggtg tttcacttct tctcatttat 1500
ttttatggga tcttttattc ccaaatgcct tttcatccca gccaaaggga gaaatgttga 1560
tagatctgcc atcaagaagg ttccaaagct ggcctgtcag gttttctgtt tccttgttta 1620
ttatctttga acttttgttt taaatgtttt aaacacttat ttaccatgta actaaatgcc 1680
tgatagcatt gaaagtactt tatgggtttt aatttattta atgctcatga aaccctatga 1740
ggtaggtact gatattattt ttatttttact gatgaggaaa gtgaagcaaa gagaagtgaa 1800
atgaaaggta gtgagtgatg ggaccagggt ttggacatgg gcagtctggc tctaaaatgt 1860
atgcttttaa ctactatgta atgctgcctc accaacaact tgtctcacaa attgatattc 1920
tggatcagag gatgtcgact ggcctgcaaa tgtattttgt atggctcata cacagttcag 1980
aagttttaaa aatttacata gaaatctgca tttcctgact tcttttgaaa atgggaatac 2040
caaacatcat taggcttgaa ttcccaatac ggcaacaaca gctgagcaac aagcagctgt 2100
ttagactagg caccttccgt tcattccagc ccacaatgca gatcatagta tcgacttaaa 2160
tttcctgcct gccttagaga agcttctgag cttgtgacct ctattctagc tgctctatga 2220
atggacgctg ccccagtaca gcgaggacct gctgcaaaat gcatttctta gtcttcaata 2280
cttattcctc cttgtaactg gatttctggt aagttatgtc tcatggtgga tctgccccaa 2340
agatggagac tgaatggcag tgagtcactc gccctggcct ccattgttct ggagaaggtt 2400
ccagccacat ggttgatgtc agctggtttt ccagagccag agctgggttg caggacagac 2460
acacctgcat ctaatagtga aaggcaaagt tgaaaggcca agaccagcct gaggtctgag 2520
ggaccaaggg cttcacagag gccagaagtt cagaggtgga cataaaaggt gttaggagaa 2580
taaggaagtg aaaagaacat agtacagtgt atcagaggag gagctccagg ctggcaaata 2640
tcactccc 2648

<210> 261
<211> 1084
<212> DNA
<213> Homo sapiens

<400> 261
ggcacgagcc accatgcccg gcctagatta aaaatttgaa gacatattct ctactatgag 60
ccaatgaaat tactcatttt gtttctatcc catttgctgt cccttgcttt tggaattttg 120
tgtcttagtg tgactgtgat tctttctctc cttttgtctt tcagcaaacg gggattcagc 180
gtccgatcct ttggaacagg gactcacgtg aagcttccag gaccagctcc cgacaagccc 240
aatgtttatg atttcaaaac cacatatgac cagatgtaca atgatcttct taggaaagac 300
aaagaactct atacacagaa tgggatttta catatgctgg acagaaataa gagaatcaag 360
ccccggccag aaagattcca gaactgcaaa gacctgtttg atctgatcct cacttgcgaa 420

gagagagtgt atgaccaggt ggtggaagat ctgaattcca gagaacagga gacctgccag 480
cccgtgcacg tggtcaatgt ggacatccag gacaaccacg aggaggccac cctgggggcg 540
tttctcatct gtgagctctg ccagtgtatc cagcacacgg aagacatgga gaacgagatc 600
gacgagctgc tgcaggagtt cgaggagaag agtggccgca cctttctgca caccgtctgc 660
ttctactgag cccagcgccc gcatggagcc gcctctggag cttcctgttg ttcatacttt 720
ttccttcctg acatttgttt ttacttacag gtgttctgct ggtgacggta gcattaccca 780
aataaactgt gcatatgaaa tgggagagga gatgccaaaa cgccagatga aagcaatcaa 840
gtttcttctt ttccactttt acttatgagc gggatattga ttacaaagtt tttcttcttt 900
aaccaaaaag gaaagacaac ggtttgtgtg cacttcccga catacctgtg tcttcgtgtg 960
cctgccttcc ctccctcctc cccaccgggc cggactgtac agagccctgc tgcggcgtgt 1020
taggaatgac ctggaattgt caataaacag atgctgctgt caaaaaaaaa aaaaaaaaaa 1080
aaaa 1084

<210> 262
<211> 1217
<212> DNA
<213> Homo sapiens

<400> 262
cggcacgagg ttgaatgtta gccctggagg agatccatgt cttactcgct ctttctggcc 60
cttctgtctt ttgcctctgc aattcttttt gtagctggca cgatagcagg gactgggggt 120
ctatcctttc atggtattgc tacaatattt gtccttactg gaaaatggta acatccgggt 180
ctgatttaat tggcattaca cttacacagg gactctgagc acccccgtca ccacaccaga 240
cagtggacca gttttcacag ctacaaagag ctagaaatgt gtttaacatc atccagtgca 300
tcccctaatt caaaaccatc ctcactaatc aatcatattc acccataaat attacaaatg 360
agattgattc catctcaaga caatttgtca aatacttaat tttcttcctg gatgattcta 420
cttactggat attttagaaa gagaaatgtc tgagataaaa tccctcacat ttactcaata 480
taacaaatta ctgtttctac tcctatttctg agtagtgctt ctgaagattg tttgctgtag 540
tgttgtcttt gataaaatga atgtcagtag tgagcctttt agagatacca tgctcagaaa 600
tcctctttgg gatcagaaga tacctaaaat tctccccttt tgcccacttg gttagatgag 660
tgatatattc tttggatcct gcaaagaaga gattggtttc ttttcttttc tggtggtggt 720
agtggttgta tctgtggctg tgatggttgt tgttacttgt ctctctctct ctctggctct 780
ggcttttgct ttcctgctag tgttctttct ctttccaaac aaatagttaa attaaacgtg 840
agcttctgaa ttgtacttgt tcatactttc aaaacataac agattaataa aaatagatgt 900
gtcctgattt aaaacatgcc ccctggaaag gcatgctgta ttatgaaatc atgataatat 960
aactgcatta ttacatggca gtataaatat tagtctgttg aattcatttg tccaattgta 1020
taactttgtg gagcagtgtt ttgacctttg atacataatt ctggagcaag tggagtggtt 1080
gcaggcagat gagacagtgt tatatcagga tttttcaatc aactttagtt ggaggcctgg 1140
caattacaaa catcttcaga tgtttctgta accattataa atatgaaaaa aacctcttca 1200
aaaaaaaaaa aaaaaaa 1217

<210> 263
<211> 2072
<212> DNA
<213> Homo sapiens

<400> 263
cccacgcgtc cggcgtttta cgcaggctgt ggcagcgacg cggtccccag cctgggtaaa 60
gatggcccca tggccccga agggcctagt cccagctgtg ctctggggcc tcagcctctt 120
cctcaacctc ccaggaccta tctggctcca gccctctcca cctccccagt cttctccccc 180
gcctcagccc catccgtgtc atacctgccg gggactggtt gacagcttta acaagggcct 240
ggagagaacc atccgggaca actttggagg tggaaacact gcctgggagg aagagaattt 300
gtccaaatac aaagacagtg agacccgcct ggtagaggtg ctggagggtg tgtgcagcaa 360
gtcagacttc gagtgccacc gcctgctgga gctgagtgag gagctggtgg agagctggtg 420
gtttcacaag cagcaggagg ccccggacct cttccagtgg ctgtgctcag attccctgaa 480
gctctgctgc cccgcaggca ccttcgggcc ctcctgcctt ccctgtcctg ggggaacaga 540
gaggccctgc ggtggctacg ggcagtgtga aggagaaggg acacgagggg gcagcgggca 600
ctgtgactgc caagccggct acgggggtga ggcctgtggc cagtgtggcc ttggctactt 660
tgaggcagaa cgcaacgcca gccatctggt atgttcggct tgttttggcc cctgtgcccg 720
atgctcagga cctgaggaat caaactgttt gcaatgcaag aagggctggg ccctgcatca 780
cctcaagtgt gtagacattg atgagtgtgg cacagaggga gccaactgtg gagctgacca 840

attctgcgtg aacactgagg gctcctatga gtgccgagac tgtgccaagg cctgcctagg 900
ctgcatgggg gcagggccag gtcgctgtaa gaagtgtagc cctggctatc agcaggtggg 960
ctccaagtgt ctcgatgtgg atgagtgtga gacagaggtg tgtccgggag agaacaagca 1020
gtgtgaaaac accgagggcg gttatcgctg catctgtgcc gagggctaca agcagatgga 1080
aggcatctgt gtgaaggagc agatcccaga gtcagcaggc ttcttctcag agatgacaga 1140
agacgagttg gtggtgctgc agcagatgtt ctttggcatc atcatctgtg cactggccac 1200
gctggctgct aagggcgact tggtgttcac cgccatcttc attggggctg tggcggccat 1260
gactggctac tggttgtcag agcgcagtga ccgtgtgctg gagggcttca tcaagggcag 1320
ataatcgcgg ccaccacctg taggacctcc tcccacccac gctgccccca gagcttgggc 1380
tgccctcctg ctggacactc aggacagctt ggtttatttt tgagagtggg gtaagcaccc 1440
ctacctgcct tacagagcag cccaggtacc caggcccggg cagacaaggc ccctggggta 1500
aaaagtagcc ctgaaggtgg ataccatgag ctcttcacct ggcggggact ggcaggcttc 1560
acaatgtgtg aatttcaaaa gtttttcctt aatggtggct gctagagctt tggcccctgc 1620
ttaggattag gtggtcctca caggggtggg gccatcacag ctcctcctg ccagctgcat 1680
gctgccagtt cctgttctgt gttcaccaca tccccacacc ccattgccac ttatttattc 1740
atctcaggaa ataaagaaag gtcttggaaa gttaaaaggc atcagtctta ctacctgtcc 1800
caccaccccc accttaggga aatgtcctag aatcctggga aattgagggc ttctttgatg 1860
gtgagtggag aaaagataga ggagaaggtt gcccctgaag tgctgttagg agaaggagga 1920
tagaggaatc agccttagga gggttccatg ccagctgtca tttggcaaag gaccctggac 1980
agatgacttt tgcctctgaa cttcactctt ctctttcctc aaatgggctt cataatgctt 2040
tccactcagg cttaacatga gaattaaatg ag 2072

<210> 264
<211> 2543
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2538)..(2538)
<223> n equals a,t,g, or c

<400> 264
ctccgttgga aacttgggct gagtaccgcg gcgggcgcga gcraggcgcc ctagacatct 60
tctccctccc ttgcctcaga tttattgcta aacatgggtg cattttgga taaacccaaa 120
actgaaaaac ataatgctca tggtgctggg aatggtttac gttatggcct gagcagcatg 180
caaggatgga gagtggaaat ggaagatgca cacacagctg ttgtaggtat tcctcacggc 240
ttggaagact ggtcattttt tgcagtttat gatggtcatg ctggatcccg agtggcaaat 300
tactgctcaa cacatttatt agaacacatc actactaacg aagactttag ggcagctgga 360
aaatcaggat ctgctcttga gctttcagtg gaaaatgtta agaatggtat cagaactgga 420
tttttgaaaa ttgatgaata catgcgtaac ttttcagacc tcagaaacgg gatggacagg 480
agtggttcaa ctgcagtggg agttatgatt tcacctaagc atatctactt tatcaactgt 540
ggtgattcac gtgctgttct gtataggaat ggacaagtct gcttttctac ccaggatcac 600
aaaccttgca atccaaggga aaaggagcga atccaaaatg caggaggcag cgtgatgata 660
caacgtgtta atggttcatt agcagtatct cgtgctctgg gggactatga ttacaagtgt 720
gttgatggca agggcccaac agaacaactt gtttctccag agcctgaggt ttatgraatt 780
ttaagagcag aagaggatga atttatcatc ttggcttgtg atgggatctg ggatgttatg 840
agtaatgagg agctctgtga atatgttaaa tctaggcttg aggtatctga tgacctggaa 900
aatgtgtgca attgggtagt ggacacttgt ttacacaagg gaagtcgaga taacatgagt 960
attgtactag tttgcttttc aaatgctccc aaggtctcag atgaagcggt gaaaaaagat 1020
tcagagttgg ataagcactt ggaatcacgg gttgaagaga ttatggagaa gtctggcgag 1080
gaaggaatgc ctgatcttgc ccatgtcatg cgcatcttgt ctgcagaaaa tatcccaaat 1140
ttgcctcctg ggggaggtct tgctggcaas cgtaatgtta ttgaagctgt ttatagtaga 1200
ctgaatccac atagagaaag tgatgggggt gctggagatc tagaagaccc atggtagcct 1260
taaaaacctt ctaaaatgct tttrattctg aaaattgggg gaaaaaactt ttaatcacaa 1320
ttttcttcaa tacaagggga aaatattctt gcggattccc aacgttttgt gatatgagca 1380
gaaaatcatt agcatttccc atcatttgtt catatttgtg ttttctgaca gttgccactt 1440
gtagcattgc ctgtactaca gtatttttg ccaacctcag gcatactcgt tacatctgta 1500
ttgaactttc ggccctagaa accagtggag ttatttcacc acaaatcaac aatgtgcctg 1560
aggtgcatgg gaaatatagt tagctatact ctgaaaatac attatgtttt ttttctttaa 1620
acaaaacaca caacatgtaa gcatgtaaga gtaaagaatt gtatgatatg ttcctttttt 1680

cagttcacca agttggaagc cttttgcagc tctgtggctt ggaatttcat ttgagcaatt 1740
tctataggat atgtatttat tattgattgt tatttaawww wwttccamtt ttacctgtat 1800
taccaaactg ggttctccaa taatgtccaa attgtaatgt tgccttgctt caagataaag 1860
tgtatttggg aataatatta taaacccttm caaattttat gcatgtatct actgcatcct 1920
tcaactctca ctagaaaatc ttttgaaacc aaatggatta atttatggct atttataatt 1980
tgctttgaca tctcactgtt ggaaattttt taaagatgag atttgccttt ataatgtaaa 2040
ttgtgatttt tgttttacat gtgggtttct atagttttaa ttttttcagc ttttaagata 2100
cgagttttgt gtaatttggt atttttaatc atttatgtta ttttaaaagc tcagaatatc 2160
acattgaaat tactataaat acatttaaaa ttatctattt tagatctaag gaaatactac 2220
agagatattt tcatgggttc agtaacttttt cattttataa cattgggcac ggtacagagt 2280
gattgtcaca taaggtactt gaagatttat tagtttaatt ctatttttac agtaaccttg 2340
aattcttctg agttttgcat gtattaaatt caattaatgc tgaacatgaa gagtaaagta 2400
tttatctgaa agaagtttct gggttaggag aagtaatgaa tgtatccatt tgtacatggt 2460
ttacatgttg tggatgcttt gtaaacattt tcctgtatgt ttaaattgtg tttcagcagg 2520
atgtagttgc ccttgtgnag gtt 2543

<210> 265
<211> 559
<212> DNA
<213> Homo sapiens

<400> 265
gattcggcac gagctgaagc cctgggtgcc actgctggcc cagcagggag gaggttgctg 60
ctgctcgggc tgaagtgagg tgtgggtctg gctgggcctc cagtttccca cctgggcctt 120
gattgtgagg aaggcctggc ctggctgcag aagcccagaa gcacctgagt aggagagttc 180
ctttgtccca cctgcagctc attcaagcct gtgcatgggg gttggggtcc tcaggatctt 240
gctttcctgt ttaggggagg cagccccaaa gagtgctggg accagtttgg agagtgctaa 300
ggaatgctgg tctgcagcga ccctacttgt gctctgcgtc ctctgccaac tgcagcatgg 360
gtgaacatct gtacatctgt ccccataatg aaaatggcct cagcaaataa caaaaatatt 420
accatttagc aatcaggcac ttattaaaag cctggcccaa taaacttaaa aaaaaaaaaa 480
aaaaactcga ggggggggccc ggtacccaat tcgccctata gtgagtcgta ttacgcgsgs 540
tcamtggccg tcgtttaca 559

<210> 266
<211> 1676
<212> DNA
<213> Homo sapiens

<400> 266
ggcacgaggg gacttcagaa ccacagaact gagatgataa atgagtggtg tttcaagttg 60
ctaagtttgt ggtcatttgc ttacagtaat tgtaaactaa tacacaagtg taagtttgtt 120
ttcttaaaga agaaaaaaac ggggaaggag gtaagtgtta aaggatcaaa actctgacaa 180
aaggctggtt gcagaacatg acaggttgtt gcactggaaa ctatttgtca tgcaagttta 240
tgttaaaata agtagctttt gaggactttc atttttggtc ttgtaaacat gccatttaat 300
attgtccmac tgataatact ttttgcaaac agaaactgtt aaaaccttta aagcaaatat 360
tactgtagag aagaagtaat gtgttatgaa actgtgagga tactaagaag gatcctactt 420
aagtttcttc agcataaata aacttgagcg tttcgaccac tgttactgag aatgaaatta 480
tttcttaatc acttttaatg aggtaaaatt tacatacgat aaaatgcacc aattttaaag 540
tatagtttaa tgagcttgca cagatgtaaa tatctgttta acttctactt aatcaagata 600
tagaatattt ccacaatgcc aaaattgcca ttgacccccc tccccttctt tcacccaact 660
gcagacccca ggtcaccacc aacctactct tgctcaatat agatttaatg tgatgtgtct 720
tttctagagt tttatgtcaa tagaattgta cactatgcac tcttccatgc ctggctttct 780
ttgctcagca graggtgttt agattaattc agtagttcat ttctttctag taatgaatag 840
gatcacatta tacattatac cacagagtgt gcatccatta ctttgtkgat tgatatttgg 900
gtcatttcca ggttttggct attgtgaata aaactgcctt gactattcct gwacaagtct 960
ttgtattaag gaacatacgt tttattttct cttgaggaag ttcctagcaa taagattgct 1020
gggtcatatg gtaggtatat atttagcttt aaaagcaact aagtgctttc caaagtgact 1080
gtacaattta acattcctac ctgaaatgta agagaattcc agttgctcca cattcttgtc 1140
aacccttggt agcatcagtc tctttaagaa ttctaatgga tatgtaatat ggactatagg 1200
tttaatttgc atttctctgt tgactaatga tgttgcacaa cttttcatat gtctatcaac 1260
cattcttgca tcttctttta tgaaatgtct gttcaaatca tttgtccact ttttattgtg 1320

tcattttatt cagttgtaag agttctttac atattctgga aacaagtcct ctgtcacata 1380
tataggtact ttgaaaatct gtgctttgcc tttacatttt tttaatggta acttttaag 1440
agtagatagt tttggttttg atgaaattca acttatcagt ttttcagtta tagtatgtat 1500
ttttatgacc catctaagaa gcatctgtct acccagagtt gcaaagatat ccctttttctt 1560
actagaaata ttatagtttt atttaccatt gcttctatga tacattttaa gttaattttt 1620
gtgtattaaa tgaataaaaa gttgaagttc aaaaaaaaaa aaaaaaaact cgtagg 1676

<210> 267
<211> 1747
<212> DNA
<213> Homo sapiens

<400> 267
ccacgcgtcc ggctacctgt gcatcgtgct gctcatgctg ctgctgctca tcttctggat 60
cgcgccggcc catgggccca ccaacatcat ggtctacatc agcatctgct ccttgctggg 120
cagtttcacc gtgccttcca ccaagggcat cgggctggcg gcccaagaca tcttgcataa 180
caacccgtcc agtcagagag ccctctgcct gtgcctggta ctcctggccg tgctcggctg 240
cagcatcatc gtccagttca ggtacatcaa caaggcgctg gagtgcttcg actcctcggt 300
gttcggggcc atctactacg tcgtgtttac cacgctggtc ctgctggcct cagccatcct 360
cttccgggag tggagcaacg tgggcctggt ggacttcttg gggatggcct gtggattcac 420
gaccgtctcc gtggggattg tccttataca ggtgttcaaa gagttcaatt tcaaccttgg 480
ggagatgaac aaatctaata tgaaaacaga ctagattgca ataggagctt ggatggttcg 540
aggaataggc attggaggtg gtttctggcc gtgattggat gtgaagtaga agaggtcctc 600
gatcatggtg ttagaattga ctggatagta acaggtggtc tggtggatag cggggagcat 660
ggctcagcac cagagcagag gcccagcagc ctctgcagcc caaacgtccc aacggtgcct 720
ggaccatctc ttctgatgag acgaatctca ttttcatttc cattaacctg gaagctttca 780
tgaatatttc ttctttaaaa cattttaaca ttatttaaac agaaaaagat gggctctttc 840
tgggtaggtg gtacatgata gcagagatat ttttacttag attactttgg gaatgagaga 900
ttgtgtcttg aactctgcac tgtacaggat gtgtctgtag ttgtgttagt ttgcattaag 960
catgtataca ttcaagtatg tcatccaaat aagaggcata tcattgaatt gtttttaatc 1020
ctctgacaag ttgactcttc gacccccacc cccacccaag acattttaat agtaaataga 1080
gagagagaga agagttaatg aacatgaggt agtgttccac tggcaggatg acttttcaat 1140
agctcaaatc aatttcagtg cctttatcac ttgaattatt aacttaattt gactcttaat 1200
gtgtatatgt tcttagatta gaataatgca acttcgagta tgctttaata tttcaatatt 1260
caagttacaa atgtataagg cagttagaaa taatacagtc acatgtcact taatgatagg 1320
gaaacattct gagaaatgca ttgtaaggtg actttattgt gtgaacatca tggagtgcac 1380
ttatacaaac ctagatggga cacctatgac ccacccaggc cagatggtac agcctgttgc 1440
tcctgggcca cacacctgta cagcatgtga ctgcactgaa taccgcaggc aattgtaaca 1500
cagtggtgag tatttgtgtt tacaaacata ggaaaggtac agtaaaacta tggtattaca 1560
atgttatggg accaccgtca tgtaagtggt atgtctttga cagaaacatg gttacgtggt 1620
tcatgactgt atattcactg gaagatagtc aagactaaag acacattaga gcaaattgac 1680
ccctttaaca tgtgattatt gtccaattaa agacagttga tttaagtagc aaaaaaaaaa 1740
aaaaaaa 1747

<210> 268
<211> 1251
<212> DNA
<213> Homo sapiens

<400> 268
gacccacgcg tccgagcaaa cccaggaagg tgtggcgtcc ccgcttcgcg ccaagatggt 60
gctggtgctg cgccatcctt tgtgtgcccg ggaaagggcg ttccgggagc cgggtcgggg 120
gctcctgact cgcactgggc agcatgacgg tgcgccggct gtcactgctg tgccgggacc 180
tctgggcgct gtggctgctg ctgaaggccg gcgcagtacg tggggcgcgg gcaggtcctc 240
gcctccccgg aaggtgttgt ggggcgacat gcggggacgc cgggcggggg tggacgttct 300
gggcccagcc ctgtcctcag aggctgctgg ggcagaagcc cggggctggg ggatgccggg 360
gatgggtgtt ggggtgggtg cctccgagac cagaggagcc ctgttccttg gcagggaagg 420
tgtgcacggg ccttgcccga tggatggttt agggccatgg ccctggggtc cctggtgagc 480
agtggggccg cctctgccct tggcctgtga gggactgtct gtgctggtcc cagaaggctg 540
ggatcacctt tccactggct cctttgttcg aggtttttca tagacaggct atgtggacaa 600
atgagggcag cgcccacgtc tggctggtgg aggggctgcg gctcctcctt ggaggggacg 660

cctggccact gctgtcccca caatggggcc acccgtggtg caaggcgtga caagctgccc 720
tctctaggta agcaggactt gggaggcccc tggccaagcc tgtggacccg gctgggcggc 780
ctctgtggtc tcaggtttgg gtgtgtttgg tctggtcagg gctcaggggc tgctggtcca 840
cactggcccc atcctgacaa ttggagcttt ggggcaaggt ccctggagaa ggggtcacgt 900
cgggaggaaa cagcctgggt tttgttgatg cttttctaag aatggagtac tcgttttcaa 960
gagatttgtc ctaattatat tttccagcgg gtacttatgc caagtattga tgaataattc 1020
ataaaataag catctttgtg aattttagtg aatcagacct taactatcaa cggcaatgaa 1080
tgaacatcta aagtttccaa ttttaaagta aagaactggc tgggtacagc agttcacgcc 1140
tgtaatccca gcactttggg aggccaaggc tagaggatcg cttgagccca ggagtttgag 1200
atcagcctgg gcaacatacc aagacctcat ctgttaaaaa aaaaaaaaaa a 1251

<210> 269
<211> 1539
<212> DNA
<213> Homo sapiens

<400> 269
cgatggcccc gcggccgctc tagaaagtcc cgttttttttt ttttttttttt ttttttttttt 60
ttttagagta cgttctgcat tttatttytg caggcaacac tttgctcacc agcaagaaca 120
cagcccragg aagggaccca ataacctttc aaaacscaaa ctgctkcctg cggtgagggc 180
ccagggtcct ccacggagag gacaggcatc ttcctttccc accaggaagg agtcagcccg 240
gagcctctgc tatgtgcaag gcggtgtgca agcaccggct gcrgctyttt gctgtctctt 300
ctttctcttt ggggctgggc tgggtgtgcg ttctggtgct gatgctttgg cctgtgaggc 360
tgagcttggc acctcgaccc gttcaattac agcaacgaag aagccactgc tgagtgtggt 420
ctcaggggag gcccggaggc agtgctcggc acccgggaac gtgctcaggc ctcggtgggg 480
ccaggcaggc agggcgggag ctagcctgaa ggcgcccggg ttctgctgca gcgcatctcg 540
caccacgtct tcattctcct cctggcagag ggagcacgtg gagtagacga gccgctgcag 600
ggaagggaaa gtgagcgcgt ggcacagggc tcgctgctgg aaccctgcca gggcatgcag 660
acgcaccggg ctaggtgtgc ctgccccggg ctcctccagc tgtctgctcg gcatacccga 720
gccactgcag gaaggatcca gcaggayrta gtggacctca ygrtagcgyg gatcyraggg 780
ggagaccgcc aggaagtcct cctcagccag ytcacagcar gagacgccag cccrggccag 840
cagcgtggcc atggatgcca gccgcttggc atccaggtca aaggcaaaga tcttcccttg 900
gttcttcaga agagcagcca agtgactggt cttattgcct ggggcggcac aggcatcgat 960
gacatgggag cctggcgggg ggtccagcag catggctggg agacagctgg ccctgtcctg 1020
cagaatgagg tgtccggccc ggtacagtgg gtgttcatgc agatctgtct gggcgggaaa 1080
caccagcagc tccggcatca aggggtccag gagaaaatgc ttccccttga gggctcgtaa 1140
gtcatcgagg ctggaagccc gaccctgata ggagaaacct tgtctcttga aataatcaac 1200
tacatcatcg gagcaggtct tgagagtgtt cacacgcaca aatcgaggca gctgggaggc 1260
tggaccaggc ctggatccca cttccaacag gtcctcattc cggctcacac cccgatgaac 1320
cttgagccga gccaactcag ccttgagcct cgcctggtgc cggcccaaca gagccttcca 1380
tcggcccca ccccctcgaa agccctttcc caacaacaac tcatacacta gcaccttggc 1440
caggtgcggc cgctctagag gatccctcga ggggcccaag cttacgcgtg catgcgacgt 1500
catagctctc tccctagagt gagtcgaatg aggttcata 1539

<210> 270
<211> 2077
<212> DNA
<213> Homo sapiens

<400> 270
cccacgcgtc cgcggacgcg tgggcggacg cgtgggtagg ccgcgagctt agtcctggga 60
gccgcctccg tcgccgccgt cagagccgcc ctatcagatt atcttaacaa gaaaaccaac 120
tggaaaaaaa aatgaaattc cttatcttcg cattttcgg tggtgttcac cttttatccc 180
tgtgctctgg gaaagctata tgcaagaatg gcatctctaa gaggactttt gaagaaataa 240
aagaagaaat agccagctgt ggagatgttg ctaaagcaat catcaaccta gctgtttatg 300
gtaaagccca gaacagatcc tatgagcgat tggcacttct ggttgatact gttggaccca 360
gactgagtgg ctccaagaac ctagaaaaag ccatccaaat tatgtaccaa aacctgcagc 420
aagatgggct ggagaaagtt cacctggagc cagtgagaat accccactgg gagaggggag 480
aagaatcagc tgtgatgctg gagccaagaa ttcataagat agccatcctg ggtcttggca 540
gcagcattgg gactcctcca gaaggcatta cagcagaagt tctggtggtg acctctttcg 600
atgaactgca gagaagggcc tcagaagcaa gagggaagat tgttgtttat aaccaacctt 660

acatcaacta ctcaaggacg gtgcaatacc gaacgcaggg ggcggtggaa gctgccaagg 720
ttggggcttt ggcatctctc attcgatccg tggcctcctt ctccatctac agtcctcaca 780
caggtattca ggaataccag gatggcgtgc ccaagattcc aacagcctgt attacggtgg 840
aagatgcaga aatgatgtca agaatggctt ctcatgggat caaaattgtc attcagctaa 900
agatgggggc aaagacctac ccagatactg attccttcaa cactgtagca gagatcactg 960
ggagcaaata tccagaacag gttgtactgg tcagtggaca tctggacagc tgggatgttg 1020
ggcagggtgc catggatgat ggcggtggag cctttatatc atgggaagca ctctcactta 1080
ttaaagatct tgggctgcgt ccaaagagga ctctgcggct ggtgctctgg actgcagaag 1140
aacaaggtgg agttggtgcc ttccagtatt atcagttaca caaggtaaat atttccaact 1200
acagtctggt gatggagtct gacgcaggaa ccttcttacc cactgggctg caattcactg 1260
gcagtgaaaa ggccagggcc atcatggagg aggttatgag cctgctgcag cccctcaata 1320
tcactcaggt cctgagccat ggagaaggga cagacatcaa cttttggatc caagctggag 1380
tgcctggagc cagtctactt gatgacttat acaagtattt cttcttccat cactcccacg 1440
gagacaccat gactgtcatg gatccaaagc agatgaatgt tgctgctgct gtttgggctg 1500
ttgtttctta tgttgttgca gacatggaag aaatgctgcc taggtcctag aaacagtaag 1560
aaagaaacgt tttcatgctt ctggccagga atcctgggtc tgcaactttg gaaaactcct 1620
cttcacataa caatttcatc caattcatct tcaaagcaca actctatttc atgctttctg 1680
ttattatctt tcttgatact ttccaaattc tctgattcta gaaaaaggaa tcattctccc 1740
ctccctccca ccacatagaa tcaacatatg gtagggatta cagtgggggc atttctttat 1800
atcacctctt aaaaacattg tttccacttt aaaagtaaac acttaataaa tttttggaag 1860
atctctgatt tttatgtgtt catttatgaa cattaaatat gaaaatatta tggtttatat 1920
tatttattga aggagtagag gaattactca actttagtat gctcttaatt gaatatatgg 1980
aggcatttga ctttctaatt tgtatatttt tatattatgt gaattttaaa aatgagcttt 2040
ggaatttttt aatttataga aaaaaaaaaa aaaaaaa 2077

<210> 271
<211> 805
<212> DNA
<213> Homo sapiens

<400> 271
ggcacgaggt ccctaattgt cttgtaccta gccctagggt gaccagggca ggggaatcat 60
ggcgagaagc gtaagggcct gatgaagaag gtgtgctggg tgtgggctct agcccacttg 120
gttttgtgtg agaggtggct gacagcaggt tgtttgctgt atgtaggagt tatccagccc 180
tgcaagggca gtccctccag tgtctgcaaa gcccgaagat gtctgcatcc aaaatacaga 240
ataaaaagat atggttacta caagtactca gtaagactga taatctgtca tcatcatcct 300
catgccctta aagcagagct aactgatgat taatatatgc ttctatgtta acagtcttgg 360
actttattaa tggtgggtgg aagttaactt aatgtatgta tgcaaactaa aaagtggcat 420
ccttttcatt aatgacccaa ccattattca agagctatgt ctagttaggg acttcagact 480
tttgaaagaa atgaagaaat aatgccagat acatgggctc gcacttggaa tcccagctac 540
ttgggggacc gaggtgggag gaccgcttga gcccaggagt tcgagaccag cctgggcaac 600
atagcgaaac cctgcctcag ttttaaaaaa gaaaaaaaga agtagtgaag aaattggaaa 660
ggattctgag aagaaatatg caaggtggaa aagagcctag aaagaaaggt gacagatgct 720
gggatttggt cgtcagaaga gatatctagg aaatagcatg gcagccctca agtactagct 780
ccacttaaaa aaaaaaaaaa aaaaa 805

<210> 272
<211> 2108
<212> DNA
<213> Homo sapiens

<400> 272
ggcacgaggg agacctaaac acagtcacca tgaagctggg ctgtgtcctc atggcctggg 60
ccctctacct ttcccttggt gtgctctggg tggcccagat gctactggct gccagttttg 120
agacgctgca gtgtgaggga cctgtctgca ctgaggagag cagctgccac acggaggatg 180
acttgactga tgcaagggaa gctggcttcc aggtcaaggc ctacactttc agtgaaccct 240
tccacctgat tgtttcctat gactggctga tcctccaagg tccagccaag ccagtttttg 300
aaggggacct gctggttctg cgctgccagg cctggcaaga ctggccactg actcaggtga 360
ccttctaccg agatggctca gctctgggtc cccccgggcc taacagggaa ttctccatca 420
ccgtggtaca aaaggcagac agcgggcact accactgcag tggcatcttc cagagccctg 480
gtcctgggat cccagaaaca gcatctgttg tggctatcac agtccaagaa ctgtttccag 540

cgccaattct cagagctgta ccctcagctg aaccccaagc aggaggcccc atgaccctga 600
gttgtcagac aaagttgccc ctgcagaggt cagctgcccg cctcctcttc tccttctaca 660
aggatggaag gatagtgcaa agcaggggge tctcctcaga attccagatc cccacagctt 720
cagaagatca ctccgggtca tactggtgtg aggcagccac tgaggacaac caagtttgga 780
aacagagccc ccagctagag atcagagtgc agggtgcttc cagctctgct gcacctccca 840
cattgaatcc agctcctcag aaatcagctg ctccaggaac tgctcctgag gaggcccctg 900
ggcctctgcc tccgccacca accccatctt ctgaggatcc aggcttttct tctcctctgg 960
ggatgccaga tcctcatctg tatcaccaga tgggccttct tctcaaacac atgcaggatg 1020
tgagagtcct cctcggtcac ctgctcatgg agttgaggga attatctggc caccggaagc 1080
ctgggaccac aaaggctact gctgaataga agtaaacagt tcatccatga tctcacttaa 1140
ccaccccaat aaatctgatt ctttattttc tcttcctgtc ctgcacatat gcataagtac 1200
ttttacaagt tgtcccagtg ttttgttaga ataatgtagt taggtgagtg taaataaatt 1260
tatataaagt gagaattaga gtttagctat aattgtgtat tctctcttaa cacaacagaa 1320
ttctgctgtc tagatcagga atttctatct gttatatcga ccagaatgtt gtgatttaaa 1380
gagaactaat ggaagtggat tgaatacagc agtctcaact gggggcaatt ttgcccccca 1440
gaggacattg ggcaatgttt ggagacattt tggtcattat acttgggggg ttgggggatg 1500
gtgggatgtg tgtgctactg gcatccagta aatagaagcc aggggtgccg ctaaacatcc 1560
tataatgcac agggcagtac cccacaacga aaaataatct ggcccaaaat gtcagttgta 1620
ctgagtttga gaaaccccag cctaatgaaa ccctaggtgt tgggctctgg aatgggactt 1680
tgtcccttct aattattatc tctttccagc ctcattcagc tattcttact gacataccag 1740
tctttagctg gtgctatggt ctgttcttta gttctagttt gtatcccctc aaaagccatt 1800
atgttgaaat cctaatcccc aaggtgatgg cattaagaag tgggcctttg ggaagtgatt 1860
agatcaggag tgcagagccc tcatgattag gattagtgcc cttatttaaa aaggccccag 1920
agagctaact caccettcca ccatatgagg acgtggcaag aagatgacat gtatgagaac 1980
caaaaaacag ctgtcgccaa acaccgactc tgtcgttgcc ttgatcttga acttccagcc 2040
tccagaacta tgagaaataa aattctgttg tttgtaagct aaaaaaaaaa aaaaaaaaaa 2100
aaaaaaaa 2108

<210> 273
<211> 1182
<212> DNA
<213> Homo sapiens

<400> 273
ggcacgagcc cccagcacat ggaagccctg ttacagtccc tcgtgatagt cttgcttggg 60
ttcaaatcct tcttaagtga agagctgggc tctgaggttt tgaacctact gacaaataaa 120
cagtatgagt tgctttcaaa gaaccttcgc aagaccagag agttgtttgt tcatggctta 180
cctggatcag ggaagactat cttggctctt aggatcatgg agaagatcag gaatgtgttt 240
cactgtgaac cggctaacat tctctacatc tgtgaaaacc agcccctgaa gaagttggtg 300
agtttcagca agaaaaacat ctgccagcca gtgacccgga aaaccttcat gaaaaacaac 360
tttgaacaca tccagcacat tatcattgat gacgctcaga atttccgtac tgaagatggg 420
gactggtatg ggaaagcaaa gttcatcact cagacagcaa gggatggccc aggagttctc 480
tggatctttc tggactactt tcagacctat cacttgagtt gcagtgcctc ccccctccct 540
cagaccagta tccaagagaa gagatcaaca gagtggtccg caatgcaggt ccaatagcta 600
attacctcaa caagtaatgc agaagcccga caaaatcctc cacctaacct ccccccctggg 660
tccctggtga tgctctatga acctaaatgg gctcaaggtg tcccaggcaa cttagagatt 720
attgaagact tgaacttgga ggagatactg atctatgtag cgaataaatg ccgttttctc 780
ttgcggaatg gttattctcc gaaggatatt gctgtgcttt tcaccaaagc aagtgaagtg 840
gaaaaatata aagacaggct tctaacagca atgaggaaga gaaaactgtc tcagctccat 900
gaggagtctg atctgttact acagatcggt gatgcgtcgg atgttctaac cgatcacatt 960
gtgttggaca gtgtctgtcg attttcaggc ctggaaagaa atatcgtgtt tggaatcaat 1020
ccaggagtag ccccaccggc tggggcctac aatcttctgc tctgtttggc ttctagggca 1080
aaaagacatc tgtatattct gaaggcttct gtgtgacagg aaacccaagc ctaagaaaca 1140
attaagtggt tctcatctct aaaaaaaaaa aaaaaaaaaa aa 1182

<210> 274
<211> 1146
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (5)..(5)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (857)..(857)
<223> n equals a,t,g, or c

<400> 274
tccancatta tgggatacat tgatgatcca gacaaatatc atcagggttt tgaattgttg 60
ctgtcagcct tgggtgatcc ctcagaaaga gtagttagtg ctacacatca agtatttta 120
ccagcttacg ctgcgtggac tacagaactt ggaaatttac agtctcatct tatacttaca 180
ctactgaaca agattgaaaa acttctcagg gaaggagaac atggactgga tgaacacaaa 240
ctccacatgt atctttctgc cttgcagtcc ttgatcccat ctctctttgc attagtgcta 300
cagaatgcac ctttctccag caaagccaag cttcatggtg aagtgccaca gatagaagtg 360
actaggtttc ctcggcctat gtcgcctctt caagatgtgt ccactattat cggaagtcgt 420
gagcaattgg cagtgctgct gcaactttat gactaccagc tagaacaaga gggtacaaca 480
ggctgggaga gtttactgtg ggttgtcaat caattgttgc cacaacttat agaaatagtt 540
ggcaaaatta atgttacttc aactgcctgt gtccatgaat tctccagatt tttctggcgc 600
ctttgccgga catttggcaa aatttttaca aacactaagg taaaacctca gttccaggag 660
attttaagac tatctgaaga aaacattgat tcctcagcag gaaatggggt cctcactaaa 720
gctacagtcc ccatttatgc aacaggagtc cttacgtgtt atattcagga agaagaccga 780
aaactgttag ttggattctt agaagatgta atgacgctgc tttcattatc tcatgctcct 840
cttgatagcc tgaaggnttc ttttgtggaa ttgggtgcaa accaggccta ccatgagtta 900
ctattaactg ttttgkggta tggkgtkgkc catacttcag cactcgtgag gtgtactgct 960
gctagaatgt ttgagctgtt ggtgaagggg gtgaatgaaa ctctggtagc tcagagggtt 1020
gttcctgctc tcattactct ctccagtgac cctgaaatct ctgtcaggat tgccacaatt 1080
ccagcctttg gsactattat ggaaacagta attcaaagag agttgctgga aagagtgaaa 1140
atgcag 1146

<210> 275
<211> 1998
<212> DNA
<213> Homo sapiens

<400> 275
ggcacgagaa caatttccct tgtacataat atacttatgt acttatacca ttgactctgt 60
aagataaaag tcttagaaat ggggttgcca agtcaaaggg tctatgcatt taacacaggg 120
aatgagtact gtcacgtggc ttctgaaact gtttacccag tttatgttcc caccaacagt 180
gtctaattcc catacctgtg ctaggtatta tgtctttaat ttttgtctga ttatttcatt 240
taattttaat ttccattatc actggtgagg ttgggcttct gttcagtttt tttgtcattt 300
atgtttcttt tgtgaattgc cttttcctat gctttgtgca tttttctctt ggggtttgtc 360
tttttaaaat tgatatacag gtgttctcta taatatagat attctgccac tatatgcaaa 420
tgatcttcca atttatttat ttatttgaaa cagagtttca ctcttgtcac caggttggag 480
tgcagaggtg cgatcttggc tcactgcaac ctccacctcc caagttcaag cgattttcct 540
gcctcagcct ccctagtaac tgggattaca ggtgccctgc caccatgccc ggctaatttt 600
tgtatttttg gtagagacgg ggttttgcca tgttggccag gctggcctcg aactcctgac 660
ttcaggtgat ctgcccacct cagcctccca aagtgctggg attacaggcc tgagctaccg 720
caccggcccc aatttatttc ttttaactta gtttatggtg cctttagctg tacaaaagtt 780
actaattttt agtcaaatat ccagcttttc ctttagggct tcttatatgt cctgatccaa 840
ggattatttt ttaaaaattc ttccgtattt tctcctataa tattcatagg ttactttaca 900
attagatttt taatacatct cctaactttt tcatatagta tgaggtatcc atttttaaaa 960
aatggatatc cagttgtgcc catatgtctt ttccactcat ctgaaatgcc accattatca 1020
tattttcaat tttcatgtgc acgtgggtct gttttcaaac ttggagattc tcttccactg 1080
atatatgtct attcttgtgc cagtggttta actgctattg ctttatagta tattttgata 1140
tcttcttttc aaaaggatac tcttgtgtat tctttttttc atcttgtgta ttctcatcca 1200
ttttccagaa aaccacagaa tcaactttaa gtttcatttc attaagtcag attagtgaga 1260
gctgattttc tgtgtatcat gttcattcag aaacatagtc tatctctcca tttaggggca 1320
cttgttttat attttctttc taacacgtat tttgttgggt ttattgtacc ttttttttt 1380

ttaacttcag attcaggggg gtgcacgtgc aggtttgtta cctgagtata cgatatgata 1440
ctgaggttgg agtatgaatg atgccattac ccaggtactg ggcataatac ccaatagtta 1500
gtttttcaac ccttgccctt ctccctctct cctccctcta gtagtcccca gtttctaata 1560
ctgccatctc catgttcatg agaacccagt gtttagctcc cacttataag tgagagcatg 1620
ttgcatttgg ttttctgttc ctgccatatc ctttgtaggg acatggatga aattggaaaa 1680
catcattctc agtaaactat cgcaagaaca aaaaaccaaa caccacatat tctcactcat 1740
aggtgggaat tgacaatggg aacacatgga cacaggaagg ggaacatcac actctgggga 1800
ctgttgtggg gttggcggag gggggaggga tagcattggg agatatacct aatgctagat 1860
gacgagttag tgggtgcagt gcagcagcat ggcacatgta tacatatgta actaacctgc 1920
acaatgtgca catgtaccct aaaacttaaa gtataatata aaaaaaaaaa agaacaaaac 1980
ttaaaaaaaa aaaaaaaa 1998

<210> 276
<211> 777
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (274)..(274)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (278)..(278)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (295)..(295)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (676)..(676)
<223> n equals a,t,g, or c

<400> 276
ggcagagctc aggtaagarg caaaattact agaatattca ctctcactga aaatgagtaa 60
aaacctaact tagatgaaaa tccttatctt gttcattttt attcctggcc ttttggttga 120
gaagaatggg ccagaccatg tgtgtgtgtg tatgtgtgtg cgtgtgtgtg tgtgtgcgca 180
cttgggttta tttatatgag ccggtaaaat ttcgttcacc attaatttat gttaatttac 240
caacttctta aatgagaaca gtgagaattt tctncatngt taataataca ctggncagtg 300
catatatgca tcacgaagag aggattttcc cattgataat agatttccaa atacatcttc 360
ctgctttaag attttaatat atggatttat atataaaaac tagttaagtc attggaaaag 420
caaactgtca wccttctctt atttgagawc tcaactttag aaagtctatg ttctcaacta 480
cagaaaataa tttttagacc agctaacttt cagatttctg cagtgcttat tttctcccag 540
ttgagggttg gtttttgttt gtttgtttgt ttgtttgttt ttcctgatta aaaagtaaga 600
atacggccag gcgcgatagc tcatgccttt aatcccagca ttttgggagg ccgaggaggg 660
cagatcacct gaggtncagg agttcgagac cagcctggct aacatggtga aacccagttt 720
ctactaaaaa aaaaaaaaaa aaacttcgag ggggggtccc ggtacctaat cgtccct 777

<210> 277
<211> 600
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (553)..(553)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (560)..(560)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (589)..(589)
<223> n equals a,t,g, or c

<400> 277
gaattcggca cgagcggcac gagccgagat cgttctgggg ctgctggtat ggacgcttat 60
tgctggaact gagtacttcc gggtccccgc atttggctgg gtcatgtttg tagctgtatt 120
ttactgggtc ctcaccgtst tcttcctcat tatctacata acaatgacct acaccaggat 180
tccccaggtg ccctggacaa cagtgggcct gtgctttaac ggcagtgcct tcgtcttgta 240
cctctctgcc gctgttgtag atgcatcttc cgtctccccct gagaaggaca gtcacaactt 300
caacagctgg gcggcctcat cgttctttgc cttcctggtc accatctgct acgctggaaa 360
tacatatttc agttttawag catggagawc caggaccata cagtgattta ccattttgat 420
aattaaaagg aaaaaaaaag gaagactctc actgtaaaaa cagctgtagg tataatgtat 480
attcccagag aattgtattt aactaattaa tgtttttttat attcttaaat ttgctcacaa 540
attgtggttt gtnacaattn aactgggtta ctttatttgg caagtgttnt aggcttttaa 600

<210> 278
<211> 970
<212> DNA
<213> Homo sapiens

<400> 278
ctcgtgccga attcggcacg aggtgcccag gctctcaggg cagagggtcc agtgtgatca 60
ctttgcatgg cctctctccc ctcctgagct tgtgccaggg ccccagggct gacctggaga 120
ggaaaawggc agagggtgaa gatggggtgt ctggtttggg gaccatcctg gccccccttg 180
tcactgttgg catctcttct gcacagtggc attgctggga ggtgcttact gtgcctattc 240
aaggggctgg cagccgcagc ctcactgcag atcagggact tggcttcccg gttgaccaca 300
ggtccaagaa cctgcagggt ccagcctccc ccccatcccc agtcttcccc accctggccc 360
ggccctccag gtgcagaaac atgcaggccc ctctccagga ctgtgggagg agtgtgtccc 420
tcagactggc ctgtgtcctg gctcctctta ccacctcttc cagaggttgt cacctgcagc 480
tgccccagga taaaggcaag gccagagagg actcctgaac tcctgtgtgc ctggggtggc 540
aggggcaaac atagccaact ggtggcctga gcggggccat ggtgargaca cccttggtgg 600
cttgtcccac atcaagctgg gargtgacac tgaggatgca ttagtctgca gcgtatgata 660
aaaacggcat ttcaggccag gcgtggtggc tcatgcctgt caccccagca ccttgggagg 720
ccgaggtggg cagatcacat gaggtcagga ctttgagacc agcctggcca acatggtgaa 780
aactcatctg tactaaaaaa acaaaaatta tgtgggttgg tggtgtgtgc ctgtaatccc 840
agctacttgg gaggctgagg caggagaatc acttgaacct gggaggcgga ggctacaacg 900
agccgagatt gcaccactgc actccagcct gatccgtctc aaaaaaaaaa aaaaaaaaaa 960
aaaaactcga 970

<210> 279
<211> 1388
<212> DNA
<213> Homo sapiens

<400> 279
ggcacgaggt aagttgcaag gtacacccac gggtgattta tcactcttac aaagatgata 60
actaatgaag accgcatcta gaatgctctt actggagatg gtttacagag cattttaat 120
catcatactt agatttatat taatatttct tttcaaacta aattattcca aactgtgccc 180
tgagatacca tttggcctca agttcttttc tttcgtctgt attaaggtgc aaataaaaaa 240
gactagtagg aaaagaaggc cttatttatg aaggttgtct atagctctga gcttggtagc 300
tacataaaat gagtaataac ctaaataagt aaaactaatg aagatctaac tagattactt 360
tgcttaatat taacatttta cccgcccccc gccgtgaaac atttggcaga tgttctgcag 420
gactcatgag gacattggtg gctacagctg cttctggcac tgccccccca acccccagt 480

gaggtgaact tctttacaca tccagcaagc tttagttatc ttcttctccc atttgagata 540
actgtggcta caagaatctc agttaaatca gatgtttaaa ttaggtgcca aaaaatctta 600
cagacactga actaatactt aaatcaagga acacttcagt tctccataaa atctggtgcc 660
attttccaaa gaaacagagg atctttgttt cacacccgtg gtactggaat tgcaacagtg 720
aggcattcta gctctcacat gccaatgcga gtggcattca ttcttgctca ctcatttctg 780
cttctcattg tcacacttgg aggctctttg ggggtatgtt tcagttgatc tgagaaactg 840
ggtgttacca atttactaga gagtttctta aaatgtatct gaaacaaact attaatgggc 900
attctgtggt ggtaaaacca ggcaacgcct ccctacacta tctgtccttt cagagctaag 960
aatctgttat tttgaattgt tcacgaagag tgattctgac tctgcttcag tgcacacttt 1020
acaaaccatc gagcctcatc aaaggagtga gttgagctga ggaattagag taaagaatac 1080
aggtatagtg ccgggcgtgg tgctcacgcc tgtaatccca acattttggg aggacaagga 1140
gggtggatca cctgaggtca ggagttcgag accagcctga ccaacatgga gaaaccctgt 1200
ctttactaaa aatacaaaat tagctggacg tggtggcaca tgcctgtgat cacagctact 1260
caggaggctg aggcaggaga atcgcttgaa cccaggaggc ggaggttgtg gtgagccgag 1320
atcacgtcac tgcactccag cctgggcaac aagagtgaaa ttccatctca aaaaaaaaaa 1380
aaaaaaaa 1388

<210> 280
<211> 649
<212> DNA
<213> Homo sapiens

<400> 280
ggcacaggga agtgtcaagc gggcgctccc ccatctccgc cgctattacc actgaacccg 60
gacccccctac ccaggtccag ggccagccgc catgacgaac gtgtactcct tggatgggat 120
tctggtgttt ggtttgctct ttgtttgcac ctgtgcctac ttcaagaaag tacctcgtct 180
caaaacctgg ctgctatcag agaagaaggg tgtttggggt gtgttttaca aagccgctgt 240
gattggaacc aggctgcatg ctgctgtggc aattgcttgt gttgtaatgg ccttttacgt 300
cctgtttata aaatgaattc caaagcaccc aagtcatcaa ctgccaacca aggggacggg 360
gatgaagaac ctgttggaga cctgaaccca gtgtaggaga gttcagctga aatcatcggt 420
ccccaggatg acaccacagc atctgcccct gctatatgtg gggaaaactc atggtcacga 480
acattattta tgcttcaggg gactacagaa agccagcttc ctttgatcta tgtgtaaatc 540
agtccttggc agagtgcata taatgtccgg ataaattaca cccctcggtg ataagattac 600
atacctcctt cataaaaacc tgtaaaaaaa aaaaaaaaaa aaaaaaaaa 649

<210> 281
<211> 1699
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (9)..(9)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1692)..(1692)
<223> n equals a,t,g, or c

<400> 281
ggcatcttnt atttagcaca atgtttttaa ggtttattca tgttgtagca aggtacgcaa 60
ttgtttttca tttaaagaaa aagtctcaat gctattacaa ttttccatat tctttgcacc 120
tgtggtctgt ctccctaaat atagcccctt tatgaaggag gaatgcaaag ctgatccaac 180
tagagactac aaattccttt atatttatat agaaaggggc acatagtaat gaattggaag 240
ccatatccaa gctagaatca tctagattta gtgagattga ctagtgcaac ccaatttttt 300
gcactcatcc cctgtccatc aggtacctgg aaatgattry aawgattttg aactaggtta 360
ctggtataat catactgctg ttgagattag caggcaaatt accaagttag ttttttattg 420
gaggggggaga ggtcaatgtg tgagggtgca tagtggagac tggggaccag gctgacaaag 480
atgaattgtt ttaggtagtg atgactttga ggtaatggga taagtgagtg aaaatgactg 540
gttggcgttg gagatgggat ggagatggag cttggagaaa aagaatagca ctagtaaatg 600

gatttagcta gacaaaggag atttacccta ttccatttag cacagtgagg agaggctaga 660
cagctaggat gcaataaaaa aaatttaat gagaaatgtg tgtggtagat taattttatt 720
aatctcaagt tatagattaa aaaatttaag taccacataa atgccatttg cctttgctaa 780
tgttacattt ttatgaagaa ggagccttgc ataaagaatg atataatgga cttttgggac 840
ttgagggaga agcttgggag ggggggtaaa ggataaaaga catattgggt gctgtgtgta 900
cactgcttgg gtgacaagtg gactaaaatc tcagaaatca ccactaaaga acttatctac 960
ataaccaaaa atcacctgta ccccagaaac tattgaaata aaaaaaaaga aggggacttg 1020
gacagatagc cgtattcttt gccaaattat agttacattc tgctcatggg ggattaggag 1080
gttcaatgga agaaaggccc cactcagctt tctcccctct taaaatgttg ccttgtaaat 1140
tagggaattt tgcataaagc tctgaccttt acttccaagg cctttactga gaatgggttt 1200
ggatacttgg agatagatcc tgactcccta tccctcctag atctttattt atcctatttg 1260
gaacccaggg aaatggcctt aaagctgatg aaccacaggg tgtccaagtc atggagctat 1320
tgaggttctc cccaagtatc ttttaaattg ctgcatttgg gatgggcgca gtggcttaca 1380
cctgaaatcc cagcactttg ggaggctaag ttgggaggat tgcttgggtc tgggagttta 1440
aggccagcct gggctagatg gtgagcctct gtctctattt aagaaaatta gaaattagcc 1500
aggcatggtg acacaccagc tacttataat gctgaggcag gaggatcact tgagcccagg 1560
agtttgcggc agacagtgag ctatgattgt gccactgtac tccagcctgg gtgacagagc 1620
aagaccctgt ctcttattta aaaaaaaaaa aaaaaaaaaa actcgagggg gggcccgtac 1680
ccaatcgcct tncatgatg 1699

<210> 282
<211> 1782
<212> DNA
<213> Homo sapiens

<400> 282
tgccgagcct ctttggtagc aggaggctgg aagaaaggac agaagtagct ctggctgtga 60
tggggatctt actgggcctg ctactcctgg ggcacctaac agtggacact tatggccgtc 120
ccatcctgga agtgccagag agtgtaacag gaccttggaa aggggatgtg aatcttccct 180
gcacctatga ccccctgcaa ggctacaccc aagtcttggt gaagtggctg gtacaacgtg 240
gctcagaccc tgtcaccatc tttctacgtg actcttctgg agaccatatc cagcaggcaa 300
agtaccaggg ccgcctgcat gtgagccaca aggttccagg agatgtatcc ctccaattga 360
gcaccctgga gatggatgac cggagccact acacgtgtga agtcacctgg cagactcctg 420
atggcaacca agtcgtgaga gataagatta ctgagctccg tgtccagaaa ctctctgtct 480
ccaagcccac agtgacaact ggcagcggtt atggcttcac ggtgccccag ggaatgagga 540
ttagccttca atgccaggct cggggttctc ctcccatcag ttatatttgg tataagcaac 600
agactaataa ccaggaaccc atcaaagtag caaccctaag taccttactc ttcaagcctg 660
cggtgatagc cgactcaggc tcctatttct gcactgccaa gggccaggtt ggctctgagc 720
agcacagcga cattgtgaag tttgtggtca aagactcctc aaagctactc aagaccaaga 780
ctgaggcacc tacaaccatg acatacccct tgaaagcaac atctacagtg aagcagtcct 840
gggactggac cactgacatg gatggctacc ttggagagac cagtgctggg ccaggaaaga 900
gcctgcctgt ctttgccatc atcctcatca tctccttgtg ctgtatggtg gtttttacca 960
tggcctatat catgctctgt cggaagacat cccaacaaga gcatgtctac gaagcagcca 1020
gggcacatgc cagagaggcc aacgactctg gagaaaccat gagggtggcc atcttcgcaa 1080
gtggctgctc cagtgatgag ccaacttccc agaatctggg caacaactac tctgatgagc 1140
cctgcatagg acaggagtac cagatcatcg cccagatcaa tggcaactac gcccgcctgc 1200
tggacacagt tcctctggat tatgagtttc tggccactga gggcaaaagt gtctgttaaa 1260
aatgccccat taggccagga tctgctgaca taattgccta gtcagtcctt gccttctgca 1320
tggccttctt ccctgctacc tctcttcctg gatagcccaa agtgtccgcc taccaacact 1380
ggagccgctg ggagtcactg gctttgccct ggaatttgcc agatgcatct caagtaagcc 1440
agctgctgga tttggctctg ggcccttcta gtatctctgc cgggggcttc tggtactcct 1500
ctctaaatac cagagggaag atgcccatag cactaggact tggtcatcat gcctacagac 1560
actattcaac tttggcatct tgccaccaga agacccgagg gaggctcagc tctgccagct 1620
cagaggacca gctatatcca ggatcatttc tctttcttca gggccagaca gcttttaatt 1680
gaaattgtta tttcacaggc cagggttcag ttctgctcct ccactataag tctaatgttc 1740
tgactctctc ctggtgctca ataaatatct aatcataaca gc 1782

<210> 283
<211> 1205
<212> DNA
<213> Homo sapiens

<400> 283
ggcagagctt ttgtgcagca ccctttaaag ggtgactcgt cccacttgtg ttctctctcc 60
tggtgcagag ttgcaagcaa gtttatcgga gtatcgccat gaagttcgtc ccctgcctcc 120
tgctggtgac cttgtcctgc ctggggactt tgggtcaggc cccgaggcaa aagcaaggaa 180
gcactgggga ggaattccat ttccagactg gagggagaga ttcctgcact atgcgtccca 240
gcagcttggg gcaaggtgct ggagaagtct ggcttcgcgt cgactgccgc aacacagacc 300
agacctactg gtgtgagtac agggggcagc ccagcatgtg ccaggctttc gctgctgacc 360
ccaaatctta ctggaatcaa gccctgcagg agctgaggcg ccttcaccat gcgtgccagg 420
gggccccggt gcttaggcca tccgtgtgca gggaggctgg accccaggcc catatgcagc 480
aggtgacttc cagcctcaag ggcagcccag agcccaacca gcagcctgag gctgggacgc 540
catctctgag gcccaaggcc acagtgaaac tcacagaagc aacacagctg ggaaaggact 600
cgatggaaga gctgggaaaa gccaaaccca ccacccgacc cacagccaaa cctacccagc 660
ctggacccag gcccggaggg aatgaggaag caaagaagaa ggcctgggaa cattgttgga 720
aacccttcca ggccctgtgc gcctttctca tcagcttctt ccgagggtga caggtgaaag 780
acccctacag atctgacctc tccctgacag acaaccatct ctttttatat tatgccgctt 840
tcaatccaac gttctcacac tggaagaaga gagtttctaa tcagatgcaa cggcccaaat 900
tcttgatctg cagcttctct gaagtttgga aaagaaacct tcctttctgg agtttgcaga 960
gttcagcaat atgataggga acaggtgctg atgggcccaa gagtgacaag catacacaac 1020
tacttattat ctgtagaagt tttgctttgt tgatctgagc cttctatgaa agtttaaata 1080
tgtaacgcat tcatgaattt ccagtgttca gtaaatagca gctatgtgtg tgcaaaataa 1140
aagaatgatt tcagaaaaaa aaaaaaaaaa aaactcgggg ggggccggta cccattygcc 1200
ccaag 1205

<210> 284
<211> 462
<212> DNA
<213> Homo sapiens

<400> 284
gaattcggca cgagctgggc tcaagtgatc ctcctgccga ggcctcccaa attgctggga 60
ctgcagctgt gagccaccat gcccagcctt aacttggttt taagacctct gatttgcctt 120
gcctcaatta cctccttttct tatttttctt cctttgttga ctctcatact ctgttctcct 180
aattctcccc cttttccact ccctgcccac cctgaaagac acacacacac acaataagtg 240
ggtggagtaa gaagtcaacg gagttggata taagcattcc tgcttttctg acatctccag 300
tgtcttggag aacaaggatt ctagaatgag ggctcctcat tatgcttcct ttcaacattt 360
tttctctgtg ttacttaagc tttcacccca agcatgtttg acagagagcc agtgcattcc 420
ccttactttt tacaaaaata aaaaaaaaaa aaaaaaactc ga 462

<210> 285
<211> 809
<212> DNA
<213> Homo sapiens

<400> 285
ggcacgagga gaatcatggg cctctggctg ggcatgctgg cctgtgtctt cctggcaact 60
gctgcctttg ttgcttatac tgcccggctg gactggaagc ttgctgcaga ggaggctaag 120
aaacattcag gccggcagca gcagcagaga gcagagagca ctgcaaccag acctgggcct 180
gagaaagcag tcctatcttc agtggctaca ggcagttccc ctggcattac cttgacaacg 240
tattcaaggt ctgagtgcca cgtggacttc ttcaggactc cagaggaggc ccacgccctt 300
tcagctccta ccagcagact atcagtgaaa cagctggtca tccgccgtgg ggctgctctg 360
ggggcggcgt cagccacact gatggtgggg ctcacggtca ggatcctagc caccaggcac 420
tagcaaagaa gcttggaaat agaaagccag gagtggctgt ccccagtatg caaacacacc 480
acggtctgcc ctgcaaaaac accaatgggg tctagtgcag gtggacactt tgaaccactc 540
ctcaaaaaaa gaactttggc tgattccttg tggtgacact cagaggggtc tgaacagact 600
tgacaattct gttctggtca agctggagtt ttcttctgtg acttggactg ctctacagaa 660
gacatcagcc aactgcacga gtcagagtcc agggattgtc actattatta ataatgtaaa 720
tggcttcaaa tgggacactg cagataaaat cacaaaaacc actgttatat taaagattac 780
acatttcctg gaaaaaaaaa aaaaaaaaa 809

<210> 286

<211> 1151
<212> DNA
<213> Homo sapiens

<400> 286
ggcacgagtg tcaatgaaag tgtttctaat gcaactgcga ttgactccca gatagctaga 60
agtttgcaca tcccactcac ccaggatata gctggtgacc caagctatga aattagcaaa 120
cagagactca gtattgtcat tggcgtggtt gctggcatta tgacggtgat tctaatcatc 180
ttaattgtag tgatggcaag gtactgcagg tccaaaaata aaaatggcta tgaagccggc 240
aaaaaagatc acgaagactt ttttacaccc caacagcatg acaaatctaa aaagcctaaa 300
aaggacaaga aaaacaaaaa atctaagcag cctctctaca gcagcattgt cactgtggag 360
gcttctaagc caaatggaca gaggtatgat agtgtcaatg agaagctgtc agacagccca 420
agcatggggc gatacaggtc cgttaatggt gggcccggca gtcctgacct ggcaaggcat 480
tacaaatcta gttccccatt gcctactgtt cagcttcatc cccagtcacc aactgcagga 540
aaaaaacacc aggccgtaca agatctacca ccagccaaca catttgtggg agcaggagac 600
aacatttcaa ttggatcaga tcactgctct gagtacagct gtcaaaccaa taacaagtac 660
agcaaacaga tgcgtctaca tccatacatt actgtgtttg gctgaattcc actctaatat 720
gatgctccat tatgcaccat actgtgatga cctttctact ccgaaacctg ctggagcctg 780
cccttggccg tggggtgtca gccaatcact gcttgttcca cttgttgtac attttatttt 840
tgagtctttt tctttctcat atacagaaaa atagtatgaa aataaaataa atgtatgaaa 900
cagtattaat gcagaaatgt gctactaatg gatgtctgag tcaccagaaa ttccattctt 960
aaagaggcgg ttagcaccta ttagacgtaa cagtgatgtc ttttaaaaaa tccaaaagca 1020
tattgcaaca ataagtttga gactttgtgt gaacaaaggg aaattcagcc tcttatgtct 1080
ttgtctttaa tacattaaat actgattttg aataaaaatc taaattgatc aataaaaaaa 1140
aaaaaaaaaa a 1151

<210> 287
<211> 308
<212> DNA
<213> Homo sapiens

<400> 287
ggcacgaggc ggcgctgcga ggacccatgc agctgacgct ggggggcgcg gccgtgggcg 60
cgggcgccgt gctggccgcc agcctgctct gggcgtgcgc cgtgggcctc tacatggggc 120
agctggagct ggacgtggag ctggtgcccg aggacgacgg gacggcctcc gcggaaggcc 180
ctgatgaggc gggtcggccg ccacccgagt gagcgacacg gccgtggggc ctggcaggcg 240
ctggacagcg cccgaggact gggacattaa acctgacctc ccctcctcca aaaaaaaaaa 300
aaaaaaaa 308

<210> 288
<211> 1303
<212> DNA
<213> Homo sapiens

<400> 288
aggttaaatg cgtacttttc taacctttgt tattttgaaa gttattctga tattcctatc 60
cagttgtgcc tcatttacta gaaatttgct cacatggcca aatgatgtat ccacagaaca 120
atttgaaact agacctttg gaagcgaact cctacaaact gtcatcaatg ttagcagaac 180
ttgagcaaag acctcaaccc agccatcctt gtagtaattc catcttcagg tggagggaaa 240
aggtaacatt taaggagact ggttgtaatt tcttgattgg gcctgctggg tggagtggct 300
taaagtagca tcagggcaaa aaaggtgtta ggaattctat gtgatattaa tattcatgca 360
gttagttaag aagataaatg ttttwatttt tcttttgagc acaataacaa gagctagaca 420
aaaccgaata cattctgtgt acaccaaact tctatgagaa gctaaaaaac acttttgatt 480
tcttctttct catcatacct gaatttcatc ctttggatgt gcttttacag taaaatttct 540
attaaattga aattttaata ttcgttcaga cctaaattat aagattttgt ggtatgtatt 600
agtctcatct gtttaagatg gtgcctaatg cagataatgc atcagtacag ctctgaaatg 660
cttgtagcta tttttattac tgatcagaag ggggaactgt aatcatcttg tgaagggaca 720
gttttctaag gctcaagagc tcgaaaacaa tctcaatcat ttacagggtt gtgatcattt 780
cacttgcatt aagccaacta aagttgtatt tgtaaaagta atgctatgaa tattactatt 840
tgacctagac acataggtta gaattggaaa cacaggctat aaagtatagt aattgtgtaa 900
ttgtgaaaat attaaggctt caactcaaaa ctgaaacaca gtagggctta gaaatctttg 960

aattatttat acccctcagt ttaaaaactt ccagtccagg cgcagtggct catgcctgta 1020
atcccagaac tttgggaggc caaggcaggc ggatcacctg aggtcaggag ttcgagagca 1080
gcctggctga cacggtgaaa ccccgtctct actaagaata caaaaattag ccaggcatgg 1140
tggtgggcac ctgtaatccc agctacgggg gaggctgagg caggagaatc acttgaaccc 1200
gggaggtgga ggttgtagtg ggccaagatc atgccactgc actccagcct gggtgaacag 1260
ggcaagactc tgtctaaaaa aaaaaaaaaa aaaaactcgt agg 1303

<210> 289
<211> 4412
<212> DNA
<213> Homo sapiens

<400> 289
aacattagat ctcaatgaaa accagaatgg aacccttca ctatcataaa ctcatttata 60
aaagtgccca tgatgaatag caagaagtac ccagtggccc atctcattga ccaaacttag 120
aaagccaagg tggggcatct gcagctctcc cacaatctga gtttgtgttg atccttgtac 180
cccacaacct gaaacatctt cttatatata tcgagcgagc tctcagccct tctgttttca 240
aggccatcat ggagaaactg gagatgtcca agttccagcc cactctccta acactacccc 300
gcatcaaaga gactaagcca gactatgggg gaaagggaga taagaaggat cctggaactt 360
taaagaggga aagagtgaga ttcagaaatc gccaggactg gactttaagg gacgtcctgt 420
gtcagcacaa gggactggca cacacagaca cacgagaccg aggagaaact gcagacaaat 480
ggagatacaa agacttagaa ggacagctcc tttcacctca tcctacttgt ccagaaggta 540
aaaagacaca gccagaaaga aaaggcatcg gctcagctct cagatcagga caggctgtgg 600
atctgtggcg gtactctgaa agctggagct gcagcacacc ccttttgtat tgctcaccct 660
cggtaaagag agagagggct gggaggaaaa gtagttcatc taggaaactg tcctgggaac 720
caaacttctg atttcttttg caaccctctg cattccatct ctatgagcca ccattggatt 780
acacaatgac atggagaatg ggaccccgtt tcactatgct gttggccatg tggctagtgt 840
gtggatcaga accccacccc catgccacta ttagaggcag ccacggagga cggaaagtgc 900
ctttggtttc tccggacagc agtaggccag ctcggtttct gaggcacact gggaggtctc 960
gcggaattga gagatccact ctggaggaac caaaccttca gcctctccag agaaggagga 1020
gtgtgcccgt gttgagacta gctcgcccaa cagagccgcc agcccgctcg gacatcaatg 1080
gggccgccgt gagacctgag caaagaccag cagccagggg ctctccgcgt gagatgatca 1140
gagatgaggg gtcctcagct cggtcaagaa tgttgcgttt cccttcgggg tccagctctc 1200
ccaacatcct tgccagcttt gcagggaaga acagagtatg ggtcatctca gcccctcatg 1260
cctcggaagg ctactaccgc ctcatgatga gcctgctgaa ggacgatgtg tactgtgagc 1320
tggcggagag gcacatccaa cagattgtgc tcttccacca ggcaggtgag gaaggaggca 1380
aggtgagaag gatcaccagc gagggccaga tcctggagca gcccctggac cctagcctca 1440
tccctaagct gatgagcttc ctgaagctgg agaagggcaa gtttggcatg gtgctgctga 1500
agaagacgct gcaggtggag gagcgctatc catatcccgt taggctggaa gccatgtacg 1560
aggtcatcga ccaaggcccc atccgtagga tcgagaagat caggcagaag ggctttgtcc 1620
agaaatgtaa ggcctctggt gtagagggcc aggtggtggc ggaggggaat gacggtggag 1680
ggggagcagg aaggccaagc ctgggcagcg agaagaagaa agaggaccca aggagagcac 1740
aagtcccacc aaccagagag agtcgggtga aggtcctgag aaaactggcc gccactgcac 1800
cagctttgcc ccaacctccc tcaaccccca gagccaccac ccttcctcct gccccagcca 1860
caacagtgac tcggtccacg tcccgggcgg taacagttgc tgcaagacct atgaccacca 1920
ctgcctttcc caccacgcag aggccctgga ccccctcacc ctcccacagg ccccctacaa 1980
ccactgaggt gatcactgcc aggagaccct cagtttcaga gaatctttac cctccatccc 2040
ggaaggatca gcacagggag aggccacaga caaccaggag gcccagcaag gccaccagct 2100
tggagagctt cacaaatgcc cctcccacca ccatctcaga acccagcaca agggctgctg 2160
gcccaggccg tttccgggac aaccgcatgg acaggcggga acatggccac cgagacccaa 2220
atgtggtgcc aggtcctccc aagccagcaa aggagaaacc tcccaaaaag aaggcccagg 2280
acaaaattct tagtaatgag tatgaggaga agtatgacct cagccggcct actgcctctc 2340
agctggagga cgagctgcag gtggggaatg ttcccccttaa aaaagcaaag gagtctaaaa 2400
agcatgaaaa gcttgagaaa ccagagaagg agaagaaaaa aaagatgaag aatgagaacg 2460
cagacaagtt acttaagagt gaaaagcaaa tgaagaagtc tgagaaaaag agcaagcaag 2520
agaaagagaa gagcaagaag aaaaaaggag gtaaaacaga acaggatggc tatcagaaac 2580
ccaccaacaa acacttcacg cagagtccca agaagtcagt ggccgacctg ctggggtcct 2640
ttgaaggcaa acgaagactc cttctgatca ctgctcccaa ggctgagaac aatatgtatg 2700
tgcaacaacg tgatgaatat ctggaaagtt tctgcaagat ggctaccagg aaaatctctg 2760
tgatcaccat cttcggccct gtcaacaaca gcaccatgaa aatcgaccac tttcagctag 2820
ataatgagaa gcccatgcga gtggtggatg atgaagactt ggtagaccag cgtctcatca 2880

gcgagctgag gaaagagtac ggaatgacct acaatgactt cttcatggtg ctaacagatg 2940
tggatctgag agtcaagcaa tactatgagg taccaataac aatgaagtct gtgtttgatc 3000
tgatcgatac tttccagtcc cgaatcaaag atatggagaa gcagaagaag gagggcattg 3060
tttgcaaaga ggacaaaaag cagtccctgg agaacttcct atccaggttc cggtggagga 3120
ggaggttgct ggtgatctct gctcctaacg atgaagactg ggcctattca cagcagctct 3180
ctgccctcag tggtcaggcg tgcaattttg gtctgcgcca cataaccatt ctgaagcttt 3240
taggcgttgg agaggaagtt gggggagtgt tagaactgtt cccaattaat gggagctctg 3300
ttgttgagcg agaagacgta ccagcccatt tggtgaaaga cattcgtaac tattttcaag 3360
tgagcccgga gtacttctcc atgcttctag tcggaaaaga cggaaatgtc aaatcctggt 3420
atccttcccc aatgtggtcc atggtgattg tgtacgattt aattgattcg atgcaacttc 3480
ggagacagga aatggcgatt cagcagtcac tggggatgcg ctgcccagaa gatgagtatg 3540
caggctatgg ttaccatagt taccaccaag gataccagga tggttaccag gatgactacc 3600
gtcatcatga gagttatcac catggatacc cttactgagc agaaatatgt aaccttagac 3660
tcagccagtt tcctctgcag ctgctaaaac tacatgtggc cagctccatt cttccacact 3720
gcgtactaca tttcctgcct ttttctttca gtgtttttct aagactaaat aaatagcaaa 3780
ctttcaccta ttcatgagtt attattgaaa cctcaaatca taaagacatt taaaagaatt 3840
gtttttctaa ctggaggggc tctagtgcta aataatagta ctgaaaattg atattatttt 3900
ccttttctta tatgaaggac cttatttggc atataaaatt ttataaaata tgtatttaaa 3960
gctttttctt atttttgta ttaattggta agtgaaaact ctgttaaaga tcacaccaca 4020
atgttttcaa gaaacatctg aaaagataaa acaaagaaca aataacttat aatacttact 4080
taaattgaca ctttttgaaa tgccagtctg aaaataatta agatatctct gctttgtatg 4140
agtttctttt atgaaacttg ataccacggg agtccagtaa tattggccac aaaagccaga 4200
gaaagtacca agcccagctt tgttatcata gccacttcct gccctgcttc tgttattttt 4260
agtgtttttt cagatataaa tcggggtcca ggaaatcctc accagaatct ggcactgcag 4320
ccaaaggcga tacttccaga gttctagtag gctgctatgg aatttctggc atgaaaattc 4380
ttgacccctc acactttacc ccctgtacag ca 4412

<210> 290
<211> 1907
<212> DNA
<213> Homo sapiens

<400> 290
ggcacagggg aatcatcgtg tgatgtgtgt gctgcctttg tgagtgtgtg gagtcctgct 60
caggtgttag gtacagtgtg tttgatcgtg gtggcttgag gggaaccctt gttcagagct 120
gtgactgcgg ctgcactcag agaagctgcc cttggctgct cgtagcgccg ggccttctct 180
cctcgtcatc atccagagca gccagtgtcc gggaggcaga aggtaccggg gcagctactg 240
gaggactgtg cgggcctgcc tgggctgccc cctccgccgt ggggccctgt tgctgctgtc 300
catctatttc tactactccc tcccaaatgc ggtcggcccg cccttcactt ggatgcttgc 360
cctcctgggc ctctcgcagg cactgaacat cctcctgggc ctcaagggcc tggccccagc 420
tgagatctct gcagtgtgtg aaaaagggaa tttcaacgtg gcccatgggc tggcatggtc 480
atattacatc ggatatctgc ggctgatcct gccagagctc caggcccgga ttcgaactta 540
caatcagcat tacaacaacc tgctacgggg tgcagtgagc cagcggctgt atattctcct 600
cccattggac tgtggggtgc ctgataacct gagtatggct gaccccaaca ttcgcttcct 660
ggataaactg ccccagcaga ccggtgaccg tgctggcatc aaggatcggg tttacagcaa 720
cagcatctat gagcttctgg agaacgggca gcgggcgggc acctgtgtcc tggagtacgc 780
cacccccttg cagactttgt ttgccatgtc acaatacagt caagctggct ttagcgggga 840
ggataggctt gagcaggcca aactcttctg ccggacactt gaggacatcc tggcagatgc 900
ccctgagtct cagaacaact gccgcctcat tgcctaccag gaacctgcag atgacagcag 960
cttctcgctg tcccaggagg ttctccggca cctgcggcag gaggaaaagg aagaggttac 1020
tgtgggcagc ttgaagacct cagcggtgcc cagtacctcc acgatgtccc aagagcctga 1080
gctcctcatc agtggaatgg aaaagccccc ccctctccgc acggatttct cttgagaccc 1140
agggtcacca ggccagagcc tccagtggtc tccaagcctc tggactgggg gctctcttca 1200
gtggctgaat gtccagcaga gctatttcct tccacagggg gccttgcagg gaagggtcca 1260
ggacttgaca tcttaagatg cgtcttgtcc ccttgggcca gtcatttccc ctctctgagc 1320
ctcggtgtct tcaacctgtg aaatgggatc ataatcactg ccttacctcc ctcacggttg 1380
ttgtgaggac tgagtgtgtg gaagtttttc ataaactttg gatgctagtg tacttagggg 1440
gtgtgccagg tgtctttcat ggggccttcc agacccactc cccacccttc tcccccttcct 1500
ttgcccgggg acgccgaact ctctcaatgg tatcaacagg ctccttcgcc ctctggctcc 1560
tggtcatgtt ccattattgg ggagccccag cagaagaatg gagaggagga ggaggctgag 1620
tttggggtat tgaatccccc ggctcccacc ctgcagcatc aaggttgcta tggactctcc 1680

tgccgggcaa ctcttgcgta atcatgacta tctctaggat tctggcacca cttccttccc 1740
tggcccctta agcctagctg tgtatcggca cccccacccc actagagtac tccctctcac 1800
ttgcggtttc cttatactcc acccctttct caacggtcct tttttaaagc acatctcaga 1860
ttaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaggg cggccgc 1907

<210> 291
<211> 1476
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (69)..(69)
<223> n equals a,t,g, or c

<400> 291
ncctatttct gcttactgtg ttaccagaga gcctgggggt ctggatccta tctggccccg 60
tcaggtggna ttgccaaatg agcagttctc ttgccccagt ccctttcctg tgctataaat 120
aagccccatg tttatttttct tatgttattg aaatgagcac ttgtgatttg ggcctctttt 180
gaggagtcca gagagcgtcc atccggtgcc tggtgagggc cctgcatggc tggctgctgt 240
ctgaagctat ttggagtcct ctccctgtgt tttctatgtg gcttaatttc aatagaaagg 300
gttatatgca accctgtatc tgctgatttt caggtttcaa ctttctgcca gcgtcactgc 360
ctgcttagaa gtaaagttat gtttctcatt aaggggataa cagccacaat tgaggtaatt 420
aacgaaaatt gtacattggt ggcagcacct cctataggat ttccaatagt ctttctctag 480
tagatcattg ggggctcacc ttgatctcct ctcttctgtc taccctgcac caaaatacct 540
tgtcctgttt tctggatata gttccaataa ttttttttcct aacagccttt ttgtcaccag 600
ttggtttgat atcttacaac ttggccaaat gagggttcca ttaactccat cttgtctaat 660
gcatggagaa ttcaaggatt tttttttcc tcttttcata gcaccttcca gttgccagtt 720
gtaccctggc ccttctttgg aagtcataat gatgaatatc cattaataag agattgatgc 780
tctttcaact ctcatgtcat ctataccatc tcagtggaga ggatgacttt ggatgaggtt 840
ggaatagaaa ggaaacattt ggaagtccac tgcagtgtat tatatgctgt gtggaagtct 900
gggggttagg aaatacctgg agggagaact tcctaagaaa tgatttttgg ttcttttagg 960
ccttaacagc acaataaaag tatcccatga gaccattatg agcaggacac gacattgttt 1020
cacaccttgg gctgtgacta tttacttctc ggtacagatt actctggtta aatcactcag 1080
taaagaaatc ttttcatgct cacaatctga acctgaaggc tattactgaa gagaattgca 1140
tctgacaaca aaatttaatt tacttccaga gaaaggacca gaagaaagta aattttcatt 1200
tatgttttta agtctattgt cttaaaaaga ttcttttccc ttaaaaaata aaaaaacctg 1260
atgtgatggg ttccttcagt caacaaatac ttattgagca gttattgtgt gccagatact 1320
gttcttggtg tgaggatatg gcactgaaca aaacaatgta cctactttcg tcaagcttac 1380
attctagtga ggaagataac caaaacaagt gactgaatat aatttcaaat gtcaataaat 1440
gctgtgaaga aaataaagca gagtattata tgtaaa 1476

<210> 292
<211> 861
<212> DNA
<213> Homo sapiens

<400> 292
gaattcggca cgagcctgag tcaacttgat atccaagctt tttacttcaa ttatctggca 60
agattacata gactgtcaaa gtttgtgaaa gtttagcaag aaaactgtct tactcacaga 120
accacaggac taactgactg aaccacactc caccatttgc ccctatttcc aggcgttatg 180
gtcaccctgt agtttctaat ctgtatagat gtgtagagca tgcctcttcc ctcttccttt 240
ccctcccctg ttttcctttc ctcttgccct ttcttaatgt ctgtytctat tggcttcttg 300
atcttggtct ttaatgttca tccttaagct tgcttctctc ttcagactac tgattcagcc 360
tcttgcattt tctttcaact tgggccaaaa aaacaggcaa cattttcttc ctccactacc 420
tcatcatcat ccaatttatt cctttagttt atattaccac aactctccta aacgtcccaa 480

gtctattatt aagtctaaca acttagcttc gaacctcaat ccaagcatct gacaacacac 540
tgaaatgtgc aagcaagagt cccwatggcc gggtgcagtg gctcatgcct gtaatcccag 600
cactttggga ggccaaggtg ggatcacctg aggtcgggag ttcgggacca gcctggccag 660
tatggtgaag ccatgtctmw actaaaaata caaaattagc cggacattgt ggtgcacgtc 720
tgtcatccca gcaaggcagg cgaatcgctt gaacccggga ggcggaggtt gcggtgagcc 780
gggatcgtgc cattgcactc cagcctggtc aacagagcga gactccgcct cattaaaaaa 840
aaaaaaaaaa aaaactcgta g 861

<210> 293
<211> 587
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (587)..(587)
<223> n equals a,t,g, or c

<400> 293
natttctcac aatgacaaat tctcaaatat tgctaatagt actgtggatt ttcctacatt 60
ggtaaattga aggaattgct aaatgctgaa ttcagcaacc agtttgagat tgttgaaaat 120
aaagattgtt tctttttcaa tgcaagttca cagatcactg gagttctagc tacagtttgt 180
tctagaccag aggttgcaga tatttttgtc ctataaagag acacatggtt aatatttttg 240
gctttgtgag ttgtatagtt ttccgttgta gctgttcagc tctgctacat gaaagcaacc 300
atagaccata ccttaacaag tggtcacttt tgagtaccaa taaaacttta tttagaaata 360
acagagggct ggatttggtc ctagtttgct gaacccttttt ctagatgaag gctcctcttg 420
ccaagactgg ctccctacct tggctgacaa attctcactt tgggacttag tcattgttgc 480
tgctctctgt tattttgcat gtcttttctc atgtttaggt gctgtgtctt aatacttttt 540
tcttacattt aatttaacaa tcattactga gcgctggtat gtctagn 587

<210> 294
<211> 477
<212> DNA
<213> Homo sapiens

<400> 294
gaattcggca cgaggtgagt atggcttttg tcttccatct tgctcagggt actttggaac 60
cgctatacat tgcaggagct tagcttctgg ttaccatggt ttgcttccag agcaacaagc 120
ctagtacttc aacatggaga caattatctt ttgtttttgt tttgttttgt ttgttttgtc 180
ttggccatgc ctttttgagt ttacctttttt atattttgtc catcattgcc atgtgtttgg 240
agcagtgggc gttccataac atgaactcac tgtaccatca cgaatgggaa gtaaggggaa 300
accttatcca tgtggatttt actcttccct gattccctaa attgggtttg caaaatacta 360
ctgtgcactt tcttgatgat tcgggcttat ctttatgact gtctgtkttt gtgtcagact 420
gtaaagaagt ataaaagtct ttagcttgaa aaaaaaaaaa aaaaaaaaaa aactcga 477

<210> 295
<211> 1930
<212> DNA
<213> Homo sapiens

<400> 295
ggcacgagca gaaatgaaaa attacttgag tgggatgagt aggaaaaaaa gtggtagtgt 60
cattcaattc cagaggaaga gatgaattta atggtgaggt tactggcatt gggactaata 120
tcagggatga tgtctaatat tactcaatca cattcaagta aaatatcagc ctttggtatc 180
ttcattggac cagaacagtt tctttagatc ttcttatttc tctttcaagc ttcaacctta 240
aataataggc cattgtgtag cagaaaaaac tttaaactta gaagtagaaa tctataatca 300

aatcctcagc caacttaaaa acagttgtgt gaccttggat aagtcccata gccggactgc 360
attctctaaa ccagcagcta taacgtttcc tacctcatta gagtgtggtg tgaatgaaaa 420
tgtgaagaat gcctaaaaca gagtcaggcc ttgaatgcat tagaaagttt caggcagcca 480
ctcattccat caccctgtct cactctttct agtgacccag ggtcacttac ctgtttttct 540
taatacaccc caagtctttc tcttgcctct ctttgtagac cagaattatt cttgtgttca 600
tcaatatgga ttgagtcaaa aattttcaag atctacctga cttattactt caaggatcca 660
tcatcctctg gcttccattt ttttgtattt ctataggcat ggattcaaag gggatatctg 720
actggctcag gctagatcca gatgaactcc tcctacattt gttgtccatc ctggtccaat 780
cagtggcagc taagggagct cagtcacttg tttgaagttt gcccagtcaa ggggctgtgg 840
aaggaagagg aagttaatct gagacaggat tgtgacaggc agaccaataa acatgtctgt 900
ttacaatcta aatattcata aaattccaat cccccaaatt ctcccacata tgtatgctct 960
tgtattcccc tgagatagga agggaggcat gctcataacc ccattttaca gatgggaaga 1020
ataaagtgcc aggaatactg gtccctccat tagggtcact taatgagcca ctggtgaaac 1080
aagaaataaa tccgaattga gagcttagac tgcctggtct cctgttaaca attaagactg 1140
caaaaatttc aaaccatatc gcatgcacaa taaatactgc atctgaatca attgtagaga 1200
caaagacaga ggcacaggga gaagacagat ctatccaagg tcactcaagt gaggaaataa 1260
accagcttaa aatagacttc tgtctcagca gcattgtgct ttcactcctg ggcaacttcc 1320
tgcctataca gcaacattaa tgccagcaag gaaggaacct gagggttaaa tccttggccc 1380
cagccccaga tagcaataca gaaccccacc cccgtaattc agtcaataaa tagatgtccc 1440
tttcatacaa gtttcagaaa acacagttaa tatacaacca ctactcacaa attaaataag 1500
ttatcttact gtaaaggata taactatttt attatctttg caattaaaat gaaatatgct 1560
aaaggtagaa gcaatacaaa acagctgctg ccagaagttt caataaaaga tcactactgg 1620
gcacccttat aactgtggga ccattaggag atttaaatgt cttcttcact ttgcccacgg 1680
tagggagtga ggctgcactg agaaacatca ctggcatgag gtctaattgc ctgccctatg 1740
attaatgttg ccaagtgaat tcagaagttg tcacagttct catcctatgg tccaggctca 1800
tttataaaat agagcaaagg gagcccagtg ctttgagaat gccaatgcaa aattataata 1860
attacttatt acatgataca gttgttaaag tattttctgt gttgttcaaa aaaaaaaaaa 1920
aaaaactcga 1930

<210> 296
<211> 791
<212> DNA
<213> Homo sapiens

<400> 296
ggcacgagct gcatttgatc tcattcttta gtccaatgta agtaagagta aaacaatgac 60
atttaaggcc accaggctat tctcattttt ggaaaaatgc tggattacat taccagcata 120
ttaaatgaga atatcaaggt gtaatatctc cctagaaatt gtctcacctt caatactatt 180
gacatttttg gacctgataa ttttgttgtg ggctctagcc tcatgttata ggaggtttac 240
cagttttcct gccctaaact taccggatgt gaatagcaca ctccactacc tacagcagta 300
aaaactaaaa ttgtctctaa acattgacaa attgtccctg gtagtgaaaa tcacccctgg 360
ttgagaccgt gttgttgaaa ataaaacaaa aactttcaca tcaataaata tgttaggctg 420
tgtatgttaa ggattaacat taagacaata tggagcaagc actacatgaa agcagtgacg 480
attggggaat tagtggcaca ttatcctaat agttaatata gtgactgtaa tatctaaata 540
tcatcctata gagtttttct tagatttttt cattagtata acaggatgtt gtgtatgtta 600
cactgtatat actgttattt tgagagacaa ttttgggaat tttgccaagg tattttcaat 660
tataggtctt taatacattc taagcaagtg ggtctcaaaa atgggaattt tacaccccac 720
attcttcttc ccatccggtg gacatttgtc aatgtgcgca aatatttctg attaaaaaaa 780
aaaaaaaaaa a 791

<210> 297
<211> 2425
<212> DNA
<213> Homo sapiens

<400> 297
cgctgccgat cgccgggagg acccccgcct cgccgaagac gggcggggca agccgagcct 60
cacggggtcc ccggagctgg gccgggcctc cagatggaga aggcgcaacg gggagttctt 120
gagtaagcca gagcggtgtc cagcgcggtg tagccgcagc cgccgctgtc aggcgcagca 180
acggacaacc ccgtagaagt cggtcggcag gtcctctcca acccgccgct accgcgccgc 240
tgtgggagag accccagcag gagcccaagg gcagctacgg gggcgcgaag gccgctggcg 300

```
ccgcctcggc cagcccttcc cgcgcggttc cactgcctta aggatgacag tcgtagggaa   360
ccctcgaagt tggagctgcc agtggttgcc aatcctgata ctgttgctgg gcacaggcca   420
tgggccaggg gtggaaggcg tgacacacta caaggccggc gaccctgtta ttctgtatgt   480
caacaaagtg ggaccctacc ataaccctca ggaaacttac cactactatc agcttccagt   540
ctgctgccct gagaagatac gtcacaaaag ccttagcctg ggtgaagtgc tggatgggga   600
ccgaatggct gagtctttgt atgagatccg ctttcgggaa aacgtggaga agagaattct   660
gtgccacatg cagctcagtt ctgcacaggt ggagcagctg cgccaggcca ttgaagaact   720
gtactacttt gaatttgtgg tagatgactt gccaatccgg ggctttgtgg gctacatgga   780
ggagagtggt ttcctgccac acagccacaa gataggactc tggacccatt tggacttcca   840
cctagaattc catggagacc gaattatatt tgccaatgtt tcagtgcggg acgtcaagcc   900
ccacagcttg gatgggttac gacctgacga gttcctaggc cttacccaca cttatagcgt   960
gcgctggtct gagacttcag tggagcgtcg gagtgacagg cgccgtggtg acgatggtgg  1020
tttctttcct cgaacactgg aaatccattg gttgtccatc atcaactcca tggtgcttgt  1080
gtttttactg gtgggttttg tggctgtcat tctaatgcgt gtgcttcgga atgacctggc  1140
tcggtacaac ttagatgagg agaccacctc tgcaggttct ggtgatgact ttgaccaggg  1200
tgacaatggc tggaaaatta tccatacaga tgtcttccgc ttccccccat accgtggtct  1260
gctctgtgct gtgcttggcg tgggtgccca gttcctggcc cttggcactg gcattattgt  1320
catggcactg ctgggcatgt tcaatgtgca ccgtcatggg gccattaact cagcagccat  1380
cttgttgtat gccctgacct gctgcatctc tggctacgtg tccagccact tctaccggca  1440
gattggaggc gagcgttggg tgtggaacat cattctcacc accagtctct tctctgtgcc  1500
tttcttcctg acgtggagtg tggtgaactc agtgcattgg gccaatggtt cgacacaggc  1560
tctgccagcc acaaccatcc tgctgcttct gacggtttgg ctgctggtgg gctttcccct  1620
cactgtcatt ggaggcatct ttgggaagaa caacgccagc ccctttgatg caccctgtcg  1680
caccaagaac atcgcccggg agattccacc ccagccctgg tacaagtcta ctgtcatcca  1740
catgactgtt ggaggcttcc tgcctttcag tgccatctct gtggagctgt actacatctt  1800
tgccacagta tggggtcggg agcagtacac tttgtacggc atcctcttct ttgtcttcgc  1860
catcctgctg agtgtggggg cttgcatctc cattgcactc acctacttcc agttgtctgg  1920
ggaggattac cgctggtggt ggcgatctgt gctgagtgtt ggctccaccg gcctcttcat  1980
cttcctctac tcagttttct attatgcccg gcgctccaac atgtctgggg cagtacagac  2040
agtagagttc ttcggctact ccttactcac tggttatgtc ttcttcctca tgctgggcac  2100
catctccttt ttttcttccc taaagttcat ccggtatatc tatgttaacc tcaagatgga  2160
ctgagttctg tatggcagaa ctattgctgt tctctccctt tcttcatgcc ctgttgaact  2220
ctcctaccag cttctcttct gattgactga attgtgtgat ggcattgttg ccttcccttt  2280
tgccctttgg gcattccttc cccagagagg gcctggaaat tataaatctc tatcacataa  2340
ggattatata tttgaacttt ttaagttgcc tttagttttg gtcctgattt ttctttttac  2400
aattaccaaa ataaaattta ttaag                                        2425

<210> 298
<211> 1543
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (76)..(76)
<223> n equals a,t,g, or c

<400> 298
cttgactgtg ttttattatt tcatggcttg tatgagtgtg actgggtgtg tttctttagg    60
gttctgattg ccagtnattt tcatcaataa gtcttgcaaa gaatgggatt gtcattcttc   120
acttcagcac agttctagtc ctgcttctct ggagtagggt tgttgagtaa ggttgcttgg   180
gttgtgcatt gcacaagggc acatggctgt gaggtgtatc ctggcggggg gctgtctacc   240
tgcagtgagg ggcacctttt ctgttttgct caaaggcatg tataagccaa tgggtgacct   300
tatttcctgt gtcttcaggt gtgtggcagg gggcctgggg tggggaggtg gggcgagcga   360
gcagtgtgtg gaaagccttg ttgtcacctg aagcacgcca ggtccagatt gaccaatggt   420
tttctcactt cagggccmac ccacgccccc tttctgctga ggtttgggtg ccatctagtg   480
gtgggatggg acttggttga ctacatttaa ggtaaggtgg acccagcaac tcccagaaac   540
aactccgggg acaccactcc ccatcacact ccacaccgag cctggtgccc ggtctgtgcc   600
cgagctcagc gggaccagga agggatgggc cctgccaggg ttgcccctgc actgtgcatt   660
ctcgcctggg aggcacaagt tctttcatct gcttttcctt cagaggtgct gagcccacgc   720
catagcccct gtgggatggt gggggagggg gcgacccgaa caacagtgca gtcggtatcg   780
```

agattgggga gaggagcgag tccaaggaga aggtcatgag tttcttttta ctcgtgttga 840
ataataacaa taacaataac aatatggaaa ccaccgcaaa cttggagaaa agttgtaagc 900
acagtaaaga gaagcttcct tctgagtcac ttgagtggtt gccgttctgg ccctgcaccc 960
tctgtgcttt gggacggcgt ccaacccgca ttcatgtcag gagtgagtcg cacgtggctt 1020
tgtggtcatg gcgacttaat ctgcctggac ggtggctccg tctccctggg cttagacgac 1080
cttggcactt ctggagataa gcccatggct cccaggttgt gttcatgtga cgtttccttg 1140
tggtaggttc tgggtctgcg ttttgtctag gagtgtcaca ggatggacac tgcctcctgg 1200
caggggctgc ccaatgcagt tagcctcctg ctggtgttct ctcttgttgc ttggtgaagg 1260
tggccctggt cagcttctcc actgcccagt gaacgacccc tttgtaatga atgagtgggg 1320
aggtagtgtg aagcgatgcc aatatcccat ccctgtcaaa ctgcctttac tttttccttc 1380
cttccttgct cccacctgtg tggatcctgg tcccttcttg tattcagggc tgtggtctgt 1440
tatgacattt actctcaggc tcaggtcctg cttgtttggc ccgtgggagc cccttcttct 1500
gccttttgtg ttkttttggt atgtacctac attatttaac tgg 1543

<210> 299
<211> 1021
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (248)..(248)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1004)..(1004)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1014)..(1014)
<223> n equals a,t,g, or c

<400> 299
ttcggcagag cccttgcgcg ctcttgaata cctgckttct gtagcgctag ttctcttcaa 60
gatttgctta gtgtcatttc atttcggttt cttttctcgc catgtttttc tgtcggaatt 120
acggttcgtt ttggttctat gtactctcta aaatgttatc gtttttcatt tgtctactaa 180
ttttcgtgca tttgttacta ctgagtttct taatatctga ctggcctccg cccacgggct 240
ctgcaganca taaaatactc aggctgatgg tagtgcagag actctccctc cttgatcagc 300
gcaaacgttg gtctgaggct tgagggatgg agcaacattt tcttggctgt gtgaagcggg 360
cttgggattc cgcagaggtg gcgccagagc cccagcctcc acctattgtg agttcagaag 420
atcgtgggcc gtggcctctt cctttgtatc cagtactagg agagtactca ctggacagct 480
gtgatttggg actgctttcc agcccttgct ggcggctgcc cggagtctac tggcaaaacg 540
gactctctcc tggagtccag agcaccttgg aaccaagtac agcgaagccc actgagttca 600
gttggccggg gacacagaag cagcaagarg cacccgtaga akargtgggg caggcagarg 660
aacccgacag actcaggctc crgcagcttc cctggagcag tcctctccat ccytgggaca 720
gacagcagga caccgaggtc tgtgacagcg ggtgcctttt ggaacgccgc catcctcctg 780
ccctccagcc gtggcgccac ctcccgggtt tctcagactg cctggagtgg attcttcgcg 840
ttggttttgc cgcgttctct gtactctggg cgtgctgttc acggatctgt ggagctaagc 900
agccttagat agcagcagaa ggctttttgg attctcctcc ttgaaaagat tctcagttac 960
caaacgtctc cacctagaaa ataaaaatac attaagatgt tganaaaaaa aaanaaaaaa 1020
a 1021

<210> 300
<211> 727
<212> DNA
<213> Homo sapiens

<400> 300
gctggtatct ccagtgtttg ggtttagctc caacttacag gttaggacca gcttttctgc 60

aggtgttgac cagcaatttc ctgcggcatt tacttcttga taacaagagt gagaagatag 120
agacagggca gatagacact taagagtaaa atgtattaac acaaaggctc tggccgcccc 180
cctacaaagg aggccatgga accgatggaa ctgatggagg aaatgctggg actgtgggtc 240
agtgctgaca cacccatggc catacgtttg gtcttcttgg ccttggctgg gctggtggat 300
gggaagccag tatggatcac cttgtggatg gatgcaaaga gaccaaactt ggcgggcact 360
ggaagtacct ggggaagcag gagagactca cactgctgtc atggccccac agcctggagc 420
ctcccctgcc tcctctgcct cttcagagcc cagcagaaag acagagaaag aagcctcctt 480
ggggttccat tacccacact ccaaggtgga aatctttcag atggttagat gatgaaggta 540
gtagaaggca aggatgattg ggagtagaag gaagagtgac aggctagcat gagctgtgca 600
gcagcaagat tccatatgag caaagttcag aaagtgrgmm aaaaggacca agttggatct 660
cctcctaacc ctgacctgca tgatatgggt gtgagaagct tcaactgaga aagctgctga 720
gaaagta 727

<210> 301
<211> 2801
<212> DNA
<213> Homo sapiens

<400> 301
ccacgcgtcc gcgagcccgg ggcgggtgga cgcggactcg aacgcagttg cttcgggacc 60
caggaccccc tcgggcccga cccgccagga aagactgagg ccgcggcctg ccccgcccgg 120
ctccctgcgc cgccgccgcc tcccgggaca gaagatgtgc tccagggtcc ctctgctgct 180
gccgctgctc ctgctactgg ccctggggcc tggggtgcag ggctgcccat ccggctgcca 240
gtgcagccag ccacagacag tcttctgcac tgcccgccag gggaccacgg tgccccgaga 300
cgtgccaccc gacacggtgg ggctgtacgt ctttgagaac ggcatcacca tgctcgacgc 360
aggcagcttt gccggcctgc cgggcctgca gctcctggac ctgtcacaga accagatcgc 420
cagcctgccc agcggggtct tccagccact cgccaacctc agcaacctgg acctgacggc 480
caacaggctg catgaaatca ccaatgagac cttccgtggc ctgcggcgcc tcgagcgcct 540
ctacctgggc aagaaccgca tccgccacat ccagcctggt gccttcgaca cgctcgaccg 600
cctcctggag ctcaagctgc aggacaacga gctgcgggca ctgcccccgc tgcgcctgcc 660
ccgcctgctg ctgctggacc tcagccacaa cagcctcctg gccctggagc ccggcatcct 720
ggacactgcc aacgtggagg cgctgcggct ggctggtctg gggctgcagc agctggacga 780
ggggctcttc agccgcttgc gcaacctcca cgacctggat gtgtccgaca accagctgga 840
gcgagtgcca cctgtgatcc gaggcctccg gggcctgacg cgcctgcggc tggccggcaa 900
cacccgcatt gcccagctgc ggcccgagga cctggccggc ctggctgccc tgcaggagct 960
ggatgtgagc aacctaagcc tgcaggccct gcctggcgac ctctcgggcc tcttcccccg 1020
cctgcggctg ctggcagctg cccgcaaccc cttcaactgc gtgtgccccc tgagctggtt 1080
tggcccctgg gtgcgcgaga gccacgtcac actggccagc cctgaggaga cgcgctgcca 1140
cttcccgccc aagaacgctg gccggctgct cctggagctt gactacgccg actttggctg 1200
cccagccacc accaccacag ccacagtgcc caccacgagg cccgtggtgc gggagcccac 1260
agccttgtct tctagcttgg ctcctacctg gcttagcccc acagcgccgg ccactgaggc 1320
ccccagcccg ccctccactg ccccaccgac tgtagggcct gtcccccagc cccaggactg 1380
cccaccgtcc acctgcctca atgggggcac atgccacctg gggacacggc accacctggc 1440
gtgcttgtgc cccgaaggct tcacgggcct gtactgtgag agccagatgg ggcaggggac 1500
acggcccagc cctacaccag tcacgccgag gccaccacgg tccctgaccc tgggcatcga 1560
gccggtgagc cccacctccc tgcgcgtggg gctgcagcgc tacctccagg ggagctccgt 1620
gcagctcagg agcctccgtc tcacctatcg caacctatcg ggccctgata agcggctggt 1680
gacgctgcga ctgcctgcct cgctcgctga gtacacggtc acccagctgc ggcccaacgc 1740
cacttactcc gtctgtgtca tgcctttggg gcccgggcgg gtgccggagg gcgaggaggc 1800
ctgcggggag gcccatacac ccccagccgt ccactccaac cacgccccag tcacccaggc 1860
ccgcgagggc aacctgccgc tcctcattgc gcccgccctg gccgcggtgc tcctggccgc 1920
gctggctgcg gtgggggcag cctactgtgt gcggcggggg cgggccatgg cagcagcggc 1980
tcaggacaaa gggcaggtgg ggccaggggc tgggcccctg gaactggagg gagtgaaggt 2040
ccccttggag ccaggcccga aggcaacaga ggcggtggag aggccctgcc cagcgggtct 2100
gagtgtgaag tgccactcat gggcttccaa ggcctggcct cagtcacccc ttcacgcaaa 2160
gccctacatc taagccagag agagacaggg cagctgggcc gggtttcagc cagtgagatg 2220
ccagcccctt cctgctgcca caccacgtaa gttctcagtc ccaacctcgg ggatgtgtgc 2280
agacagggct gtgtgaccac agctgggccc tgttccctct ggacctcggt ctcctcatct 2340
gtgagatgct gtggcccagc tgacgagccc taacgtcccc agaaccgagt gcctatgagg 2400
acagtgtccg ccctgccctc cgcaacgtgc agtccctggg cacggcgggc ctgccatgtg 2460
ctggtaacgc atgcctgggc cctgctgggc tctcccactc caggcggacc ctgggggcca 2520

gtgaaggaag ctcccggaaa gagcagaggg agagcgggta ggcggctgtg tgactctagt 2580
cttggcccca ggaagcgaag gaacaaaaga aactggaaag gaagatgctt taggaacatg 2640
ttttgctttt tttaaatata tatatattta taagagatcc tttcccattt attctgggaa 2700
gatgtttttc aaactcagag acaaggactt tggtttttgt aagacaaacg atgatatgaa 2760
ggccttttgt aagaaaaaaa aaaaaaaaaa aaaaaaaaaa a 2801

<210> 302
<211> 1341
<212> DNA
<213> Homo sapiens

<400> 302
caggaattcg gcacgagagt ctgtggtcct ctgtatctca acttttttcat cttaaaaaaa 60
caaatagggt tgtgtgtgtg gctggtggtc ataaggtcct ttctggctct aataacctga 120
gcttctgtta tgaagctggg acccttagag cctcaggatg atcctctgtt tgtttgtgaa 180
gccccaatca ggtgctaagc accatagtgg cacttagctg aagctcctct gtaactcctg 240
tgggccctgc cttgcccacc cccgacagct gctgcagtgc tcctgagcag cacaggcctg 300
atggagcttc tggagaagat gctggccctc accttggcaa aggcagattc tcccaggact 360
gcactcctct gctctgcctg gctgctcact gcctccttct ctgcccagca gcacaagggc 420
agtttgcagg ttcaccagac actctctgtg gaaatggacc aagtattgaa ggctctcagc 480
tttccaaaga aaaaggctgc actactctca gctgccatct tatgcttcct gcggacagcc 540
ctgcgacaaa gctttttcctc tgccctggta gccctggtgc cctcaggggc ccagccactg 600
ccagccacca aggacactgt cctagctcca ctgcgaatgt cgcaagtccg gtccctggtc 660
attgggctgc agaacctcct ggtgcagaag gaccctctat tgtcccaggc ctgtgttggc 720
tgcctggagg ccttgcttga ctacctggat gcccggagcc cagacattgc tctccacgtg 780
gcctcccagc cttggaatcg gtttttgctg tttaccctct tggatgctgg agagaattcc 840
ttcctcagac ctgagatttt gaggctcatg accctgttta tgcggtaccg gagtagcagt 900
gtcctctctc atgaagaggt gggtgatgtt ctgcaaggtg tggctttggc tgacctgtct 960
accctctcga acaccacact ccaggccctg catggcttct tccagcagct ccagagcatg 1020
ggacacctgg ctgaccacag catggcccag accctgcagg cctccttgga gggccttccc 1080
cctagcacct cctcaggcca gccacccctg caggacatgc tctgcctggg aggggtggct 1140
gtatccctgt cccacatcag aaactgatcc tcaggacttg aaggcccaga agtggagaga 1200
gaatgagacc tggagacaaa gggcataatt gttggggaaa tggatgacag ctgaagctat 1260
tcatatggag ccatatactc tattgttgaa atagaataag gaaataaaat gatacactca 1320
cataaaaaaa aaaaaaaaaa a 1341

<210> 303
<211> 839
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<400> 303
ngaacccaga agatgctgcc tctcctgatc atctgtctcc tgcctgccat tgaagggaag 60
aactgcctcc gctgctggcc agaactgtct gccttgatag actatgacct gcagatcctc 120
tgggtgaccc cagggccacc cacagaactt tctcaaagta ttcactcctt gttcctagag 180
gataataatt ttctcaaacc ctggtacctt gatcgtgacc atttggaaga agaaacagcc 240
aaattcttca ctcaagtaca ccaagccatt aaaacgttac gagatgataa aacagtactt 300
ctggaagaga tctacacgca caagaatctc tttactgaga ggctgaataa gatatctgat 360
gggctgaagg agaagggagc cccacccctc tccatgaatg ccttcccggc tccatctcct 420
acttgcaccc cagaacccct tggctctgtc tgcctcccca gcacctcagt ttctctacct 480
tctcaccctc cctggcagcc tgcaatgagt cctgtgccag gaaccggcgg acctccctgt 540
gggctgtgag tctcagcagt gctctactcc tggccatagc tggagatgtt tcttttactg 600
gcaaaggaag aaggaggcag taaaggaaca gggcagcccg catgtcttcc agaagtgaac 660
agaggccgca gctaccaccg tcacaaagtt cactcatctc tgggtcccgg tgaccccatc 720
cccccatacc ctccatcctg ggtcctgggg ccccaaagct ctgaggccta ggagactgcg 780
ctgtctcgtg gtttgcctac tcctacacct ttgtaaagag tctcttcatt aaaacccct 839

<210> 304
<211> 1022
<212> DNA
<213> Homo sapiens

<400> 304
cgctcctgcc gccgggaccc tcgacctcct cagagcagcc ggctgccgcc ccgggaagat 60
ggcgaggagg agccgccacc gcctcctcct gctgctgctg cgctacctgg tggtcgccct 120
gggctatcat aaggcctatg ggttttctgc cccaaaagac caacaagtag tcacagcagt 180
agwgtaccaa gaggctattt tagcctgcaa aaccccaaag aagactgttt sctccagatt 240
agagtggaag aaactgggtc ggagtgtctc ctttgtctac tatcaacaga ctcttcaagg 300
tgattttaaa aatcgagctg agatgataga tttcaatatc cggatcaaaa atgtgacaag 360
aagtgatgcg gggaaatatc gttgtgaagt tagtgcccca tctgagcaag gccaaaacct 420
ggaagaggat acagtcactc tggaagtatt agtggctcca gcagttccat catgtgaagt 480
accctcttct gctctgagtg gaactgtggt agagctacga tgtcaagaca aagaagggaa 540
tccagctcct gaatacacat ggtttaagga tggcatccgt ttgctagaaa atcccagact 600
tggctcccaa agcaccaaca gctcatacac aatgaataca aaaactggaa ctctgcaatt 660
taatactgtt tccaaactgg acactggaga atattcctgt gaagcccgca attctgttgg 720
atatcgcagg tgtcctggga aacgaatgca agtagatgat ctcaacataa gtggcatcat 780
agcagccgta gtagttgtgg ccttagtgat ttccgtttgt ggccttggtg tatgctatgc 840
tcagaggaaa ggctactttt caaaagaaac ctccttccag aagagtaatt cttcatctaa 900
agccacgaca atgagtgaaa atgatttcaa gcacacaaaa tcctttataa tttaaagact 960
ccactttaga gatacaccaa agccaccgtt gttacacaag ttattaaact attataaaac 1020
tc 1022

<210> 305
<211> 1028
<212> DNA
<213> Homo sapiens

<400> 305
gcatgatcct gtggaacaca gtttgggatc atagatgtga attaagacac caccgagata 60
cgggctgtga ggttcatacc gtgctgatag cactcgtggt gtctgtgaaa tgtgggtaag 120
acattcaaac ctggttttga tactggaaac tcttccttta aaactgtgac catgatttca 180
ttcagcccct ccacacccct atgtctgcct tgtttcagag tgagttttct atggagcctg 240
tggccctttt gcagcccacc tggtggcttc ttaatgtaac tcttcccctg gtcgcctgga 300
gtggaccact catctgcagg cctctcctgc atggggaggg taggcaggga gcagcatgtc 360
tgcaggggtg aacctttgct cttctgtcag gcgaggccca ggctgcacca gccacctgcc 420
acatggtgac agtgccacgg gccctgcgta tggcccctgc aaccgtgctc tggcgggcac 480
acctggctgc tgcaggccaa ggccgctgtt cagtgaagag tcccatgttt agtatggact 540
aaagtcccat gtttagccay tgccccagtc tcccgtgacc ccagaaacca ggtcactgga 600
ccacagtgcc agatcctcat cacgccggtg agcacctaga agtgagaaca ctgtattcct 660
acaatgtaca cttggatatt tctccttatt tagtttctag tgaaacaaat caagtaagga 720
actatcttta gtttagatgg aattatttgt ttttaattgt tgccgtattc atctatatag 780
ctaatatttc aagataagta atgaacaaaa cctgtctaaa ccttttgttt ccaatgaatg 840
aaagtcatgc actttattta taggctctat gttttggctt ctgcagtact tttattatct 900
atacataatt tggccaaaaa taagaaattg gaaagaatga aatgtttagt ttatagtaga 960
agaaagatga tgacactaag ttgtgaaaat atgttgtgat ttttatgaaa taaactcacg 1020
gcacgtag 1028

<210> 306
<211> 450
<212> DNA
<213> Homo sapiens

<400> 306
ttttttttact cgaaaaaatg tttaatagaa tttaaaattt taacttcagg gaatttggaa 60
gttcaatcat tctcaaagag gctgtaagga tgattaaaat cctgaaggaa gccattgaag 120
aaacttcctt ctgctctttc tggaggatct cttttcaatt atctattcat catatatttc 180
ttatcttctg tgcacaattg acaactcttc tttacagcac attcctctty attcccatct 240

cttggtttct gattgttcct ggggctgtgg ataaaaccat tctctgagaa gctgataagc 300
aattggatga gaaagargga gargaaaact ggcaggarga tctggsccca tgcccgcagc 360
cagcacatct ctcttcagac ctggtgaccc cagccactgg gaacctggca ggcaccagct 420
acagtgttgg acactgctcg tgccgaattc 450

<210> 307
<211> 531
<212> DNA
<213> Homo sapiens

<400> 307
gttctaattc actgcccaca gccctgctga taaaagcaaa gctcatctct gccgtgctgc 60
agggaaccct atttccttcc cctgcagctc agccacctcc tcctctcagg tctgccagcc 120
atgaaacttc tttacctgtt tcttgccatc cttctggcca tagaagaacc agtgatatca 180
ggcaaacgcc acatccttcg atgcatgggt aacagtggaa tttgtagggc ctcttgcaaa 240
aagaacgaac agccctacct ctattgcaga aattgtcagt cctgctgcct ccagtcctac 300
atgaggataa gcatttctgg caaagaggaa aataccgact ggtcttatga gaagcagtgg 360
ccaagactac cttgagtgct ggtgattacc attctcaagc tctctgggca cagagacctg 420
ctgtcaaccc ccctcattaa aattcatgtg cctgctaaaa aaaaaaaaaa aaaaaaaaaa 480
aaamaaaaaa aaaaaaaama maawaamwaa amawaaaaaa aaaaactcga g 531

<210> 308
<211> 808
<212> DNA
<213> Homo sapiens

<400> 308
tgcaggaatt cggcacgaga ttacaacaca tcagaacaaa atgttatgga ctaccatgga 60
gcagaaatcg tgagccttcg tttgctgtca ctagtaaaag aagaatttct ttttctcagc 120
cccaacctag attcacatgg actgaaatgt gcatcttctc ctcatgggct ggttatggtt 180
ggagttgctg ggactgtcca tcgaggaaac acttgtttgg gcatttttga acaaattttt 240
ggactcatcc gctgcccttt tgtggagaat acttggaaaa tcaaatttat caacctgaaa 300
attatgggag agagttccct tgctcctgga acattaccga aaccatctgt taaatttgaa 360
caaagtgatc tagaggcctt ttataatgta atcactgtat gtggtaccaa tgaagtacga 420
cataatgtaa agcaggcttc ggatagtgga actggggacc aagtttgagg tagtggaaat 480
gagacattgc tgaacaaaag agaactgggt ttacctgacc ctctaaagcg ctaagtactg 540
tcagcctgaa aaaaatcttc tatacagaaa ctcttccaaa tactatatca gtaatgtctg 600
aatgatttca gatgtgaaaa ttgacatatt ttagttgaaa tacctttctg gactacagac 660
ttacatatca tgtgaatact tacctatttc tacccgagtt gcagcaagta ttctgaaagc 720
ttaatgcaaa taaatcccac tttagatctt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 780
aaaaaaaaaa aaaaaaaaaa aaaaaaac 808

<210> 309
<211> 1898
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1398)..(1398)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1428)..(1428)
<223> n equals a,t,g, or c

<400> 309
ggcacgaggt ctccatggcg ttagaagtct tgatgctcct cgctgtcttg atttggaccg 60
gtgctgagaa cctccatgtg aaaataagtt gctctctgga ctggttgatg gtctcagtta 120
tcccagttgc agaaagcaga aatctgtata tatttgcgga tgaattacat ctgggaatgg 180

gctgccctgc aaatcggata catacatatg tatatgagtt tatatatctt gttcgtgatt 240
gtggcatcag gacaagggta gtttctgagg aaactctcct ttttcaaacc gagctgtact 300
ttaccccaag gaatatagat catgaccctc aggaaatcca tttggagtgt tccacctcta 360
ggaaatcagt gtggcttaca ccagtttcta ctgagaatga aataaaattg gatcctagtc 420
cttttattgc tgactttcag acaacagcag aagagttagg attattatct tctagtccaa 480
acttgctctg agctaaagga gaaatggaaa cttgaagctg gtgttatgta ttttgcagga 540
aaacagtttc atttttcat agcaaaaata tagttggtgt atatctctcc ttaagtctct 600
ggtttctaaa aaccctactt cagtaaaggt cctgattagt tgattagtga atgtgtattt 660
ctaaatattt gtattcagta ggggtatggc tgattaattt aacattaact attaggtaat 720
tcatattata catttaagtt ctttctgttc tgtgtagaag attcagaaat atgtcttcaa 780
agacaatgac ttgatctaat tgataagaac ctccaataaa tatgttctaa tatttttcag 840
gaagaataaa gaatagagag agacatataa atgtgcaaga ggcaaaactt tgagcatagt 900
gtaaaattta acatattaac tctcacgaaa ggcaaaatcc ttttatgtgc agatacttta 960
attcatgtag attttcctat taatcagtaa agttgaatcc taacaataat gccatgtgac 1020
aacctattta gattattcca gaattaaatt caatttattt tctagagctc aagtaaccac 1080
tactttaact gaaatttgat gttaggtttc ccttgttcct ccgaatggtt cttccacact 1140
caaaataatt gaatggttga gttggttaag caaagagtta tcctgccacc taagagcatt 1200
cattaaatga ttatttatta ccacctactt tatactatct tcctttcttt aaacatggag 1260
tctaaatatg taatatatca aaaaatactt ctgatttggt agatttctta tatcaagggt 1320
gagaattgaa ctgtgccatt ggctattcaa tagcttattg aatgtatgtt ttggatgcca 1380
catcctcctg gaagcaantt ttgccaagat actgtttatt attatttnta attaaagtga 1440
tactattcca ttttcaatta aatgctgtct gtagctgtta acttgtcaga taaagaattt 1500
gaccctgtca tagtgaacat ctgtctttac cagttaacat gcagctaaga ggtaatactt 1560
ctatgggact tcctaagggt cagaatatgg tacaagtaca ttgcgataaa ttatttaatc 1620
ttcttaaaga gtgaaatata tcatgattat cccaatttta cagataagca aacagaggtt 1680
aaatcatttg cctgagtcac ataacttgtt ggtgttggtt caagatttaa aatagggcaa 1740
tctgccttta gatctgtctc tatactctct ctttgtatat tagccactat actctactgc 1800
ttggaatcat cttaagttgc tgaactttag ttctctagaa aacaattgct attcaagcag 1860
ttatacaact ctcaataaaa cttaaagttg aaaaaaaa 1898

<210> 310
<211> 813
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (16)..(16)
<223> n equals a,t,g, or c

<400> 310
gaatcccccc gggctncaag gaatttcggc aacgagggac tacagtgagg acgaaatcta 60
ccgcttcaac agcccccctgg acaagaccaa cagccttatc tggaccacga ggaccacaag 120
gaccaccaaa gactcagcct ttcacatcat gtcccacgag agcccaggca tcgagtggct 180
ctgtctggag aatgccccat gctatgacaa tgttccccaa ggcatctttg cccctgaatt 240
cttcttcaag gtgttggtga gcaatagagg agtggacacg agcacctact gcaactacca 300
gctcaccttc ctgctgcaca tccacgggct gccactcagt cccaagcggg ccctttttcat 360
catcatggtg tcagctagcg tgtttgtggg cctggtgatc ttctacatcg ccttctgcct 420
cctgtggccc ctcgtggtga agggctgcac gatgatccgg tggaagataa acaacctcat 480
tgcctcagaa tcctactaca cctacgcctc catttccgga atctcgagca tgccatctct 540
gagacattcc aggatgggct ccatgttcag ctccaggatg acagaggaca gggctgaacc 600
caaggaagcc gtggagagac agttgatgac ctgagtgtcc cacctgcccc agcccccagt 660
tactgtcacg cctctcttat gaggcccatc ttgaagatgc aacctgtcac ccagcccagg 720
cctctctttc tgttttgctt gatgtttact tctcgttcag actcaaataa agccttttttt 780
caggaccaaa aaaaaaaaaa aaaaaaactc gag 813

<210> 311
<211> 703
<212> DNA
<213> Homo sapiens

<400> 311
gaattcggca cgagtgcgcg ggcaccacgg cggtttttcg acgctggcgg tggacgcagg 60
cagcatggac cacggttgct gggcggatgg ggagcgtcta tggtcagttg ccttagaagt 120
ggtgagatgg gaagctgcag ttggaagacc ctggaggatg cctgacaagg ggatgtctga 180
cacatgattg gagctctttt tgaaatgttt cttgcccttc ctggagcaga ggagccatta 240
tttatgcagg tacatcgaag tcttttgacc tccatacagt gattatgctt gtcatcgctg 300
gtggtatcct ggcggccttg ctcctgctga tagttgtcgt gctctgtctt tacttcaaaa 360
tacacaacgc gctaaaagct gcaaaggaac ctgaagctgt ggctgtaaaa aatcacaacc 420
cagacaaggt gtggtgggcc aagaacagcc aggccaaaac cattgccacg gagtcttgtc 480
ctgccctgca gtgctgtgaa ggatatagaa tgtgtgccag ttttgattcc ctgccacctt 540
gctgttgcga cataaatgag ggcctctgag ttaggaaagg tgggcacaaa aatcttcatg 600
agcaatactt cttagtagat tgttttgtta ttcaaatcaa gttctagtgt ttttatgtga 660
gattatataa tttacagtgt tgttttatat acttttgaat aaa 703

<210> 312
<211> 848
<212> DNA
<213> Homo sapiens

<400> 312
ggcacgagca ctactgtaag agctggtcag tgaatgtggt tgcagcatgg cctttgggca 60
agaagtaacc catttaacta aaaccagctg gttggcccca ctcagattta tcaaagggtt 120
actgggtccc tgggggtgga tattgcttat attagactta gaatagcata ctgttttaat 180
attatatgaa ctaaaatgtt tctttaaaaa aagagtggtc tgttaatgga tttatgtagt 240
ggtcaagaat ttagacttca gagtcaaata aacctatatc agtcctagtc ctacagttta 300
ctaattgtga gatgtcaagc aagtttttga actcctctaa gcctctgttt tcttatctat 360
aaattaataa atgaatgaat cgggttgagt gaatatttag taaattctta gtacatacta 420
gttatttgta actgtgagac tggttttttg gtatggtttt cacatttggg agtagaaata 480
ccacttccta aagtctgttt tatctcaaat tctctatcca ggcatagtgt aaagtgaaat 540
acctagattt cttgattaat atacagataa tggccagacg ccatggctaa aacctgtgac 600
gctagcactt cggaaggctg aggcgggcgg atcacttgag gtcaggagtt ggagaccagc 660
ctggcaaaca tggcgaaacc ctgtctctac taaaaataca aaaattagct ggatgtggtg 720
gcaggtgtct gtaatcccag ctacttagga ggctgagaca ggagaactcc ttgagaattg 780
ctccactgcc ctccagcctg ggcaacagag tgagacactt catctcaaaa aaaaaaaaaa 840
aaaaaaaa 848

<210> 313
<211> 1061
<212> DNA
<213> Homo sapiens

<400> 313
aattcggcac gagagaagga aatacatcaa aatgcccaca ttggttatct gtagaggata 60
gaatgaaaga tggctttatt ctcttgtttg ctcttattaa agcaatcaga tggtgcttct 120
cctgtactca gagccctggc tgcttcctgc ctggcctctc ctgcgggctg ctgtggaacc 180
agaaaagcct taaacggaaa tgtgggagag aaggttggat tcactttcat gtctttccag 240
ggttgtgacc cctcaagtcc tggttgcctt tgctgttctc tattaccttc aaacagccag 300
ctcgtcttta tttctttttt agttttgtcg gggttggctt gatagatgtt agtccatcat 360
agccagatgt gtctagcctt gtcttttgaa tgcaagattt aggatgtggg tacttagctg 420
ttagtggaca tcagagtcac tagtcaggat gaaagagttc ttggctttaa ctcccagaaa 480
ttctggtaac gtcatgtata gtgacggccg catgtctaac aggtggccag gtaagtcttt 540
tggggtggtc tgtgaatcac agtttgggag acattgactt ttagggagtt tgttctgaat 600
tcactagata atagagatat aatacagagc tttgaaagct ggtgtcttga tgacagagcc 660
gtggcaatgg ggagggttga ggaggtggct gttgggcctg tctcctggtg agagttgaaa 720
gggcctgaac tcaagcagag gcctcagaac cgaaaggtgg tggaaggatg cagcaagagg 780
cgccacacag gagtactctg cgccctggca gggtctgaat acacgtggga gtggtgagag 840
ggagaacttt aagtccaggt tttgtgcctc agtgacttag tgtggccata tcattagaaa 900
tgtgttgagg ccgggcacag tggctcatgt ctgtaatccc agcactttga gaggctgagg 960
caggaggatg gcttgaggcc aggagtttaa aaccagcctg gacaacatag tgagagcctg 1020
tctctacaaa aaaaaaaaaa aaaaactcga gggggggccc g 1061

<210> 314
<211> 818
<212> DNA
<213> Homo sapiens

<400> 314
aaaacttgag tatgttgagg gaaggaatat atatatatct gggagagaat ggatacgttt 60
tgtttttctg aaatggaatt agaaagatgt tcagttgtct tgtgcattct tgcaaacctt 120
gcagttttga gagccctgtt tctgccttgt atcattttcc actgtgtatc kgattctagg 180
agcgtgaaca gggagacaaa ggtgaagttt gtgcacacct ctgtccatgg ggtgggtcat 240
agctttgtgc agtcmgcttt caaggctttt gmccttgttc cycctgaggc tgttcctgaa 300
cagaaagatc cggatcctga gtttccaaca gtgaaatacc cgaatcccga agaggggaaa 360
ggtgtcttgg taacctaatt ttttttaaa ttatgaaatc tgcttttata ttcaaaacta 420
ttactgtcaa gtaaaataca tttttatgtg ttttcattgt gctgaagaaa aactaatttc 480
agcatggaaa tatgtatgtt tggctgggtg cagcgtctca tgtctgtaat cccagcactt 540
tgggagacca aggcaggcag atcacttgag gtcaggtgtt cgagaacagc ctggccaaca 600
tggcaaaacc ctgtctctac taaaaataca aaaattagct gggtgtggtg gtacatgcct 660
gtaatcccag ccacttggga ggctgaggca ctagaattgt ttgaacctga gagatggagg 720
ttgcagtgag ctgagattgc accactgcac tccagcctgg gtgacagggt gacagagcga 780
gactctgtct caaaaaaaaa aaaaaaaaaa aactcgag 818

<210> 315
<211> 534
<212> DNA
<213> Homo sapiens

<400> 315
agcccttcgt ggccggcttt gccgtcatca ccgcggccca ggacgtgtgg atgctgctgg 60
ggggccgcct cctcaccggc ctggcctgcg gtgttgcctc cctagtggcc ccggtgagtg 120
tcccgtctct cgagtgtcct gtctcgcggc ctgagaccga gggggagtgg gacaaaccgc 180
tccccaggcc tgggggcgcg gctccccctg gcgggacctt ctgggtgcca ggcttgaagt 240
ccctgcgtta tctcgcggtc cctcccgtcg accctgggaa ggatcctact gttctctcca 300
ttttacactg aggtcatgac atgcagtctc ggaaaggtga agtcctttgc ccaggcgagg 360
tccacagcta gtcagagggg aagcagttgc aggaacccag ggttgtccca cttagccgtg 420
cccytctttt gctctgcaaa ctgcggatga tccacaggag cccactccct acattttggt 480
tttcatccct ggcttcgggg tcaatgactg caattagcag gaagttcctg tcct 534

<210> 316
<211> 1032
<212> DNA
<213> Homo sapiens

<400> 316
tgcaggaatt cggcacgagg cgggccggga cgggcatggc cctgctgctg tgcctggtgt 60
gcctgacggc ggcgctggcc cacggctgtc tgcactgcca cagcaacttc tccaagaagt 120
tctccttcta ccgccaccat gtgaacttca agtcctggtg ggtgggcgac atccccgtgt 180
caggggcgct gctcaccgac tggagcgacg acacgatgaa ggagctgcac ctggccatcc 240
ccgccaagat cacccgggag aagctggacc aagtggcgac agcagtgtac cagatgatgg 300
atcagctgta ccaggggaag atgtacttcc ccgggtattt ccccaacgag ctgcgaaaca 360
tcttccggga gcaggtgcac ctcatccaga acgccatcat cgaaagccgc atcgactgtc 420
agcaccgctg tggtaagcaa ggctccgtcc aggctgaggg gcgtgccggt ggcagctcgg 480
ggccctggag gctgagggga gccctggcgg ctcttgtacg tgtttcaggc atcttccagt 540
acgagaccat ctcctgcaac aactgcacag actcgcacgt cgcctgcttt ggctataact 600
gcgagtcctc ggcgcagtgg aagtcagctg tccagggcct cctgaactac ataaataact 660
ggcacaaaca ggacacgagc atgagcctgg tatcgccagc cttaaggtgt ctggagcccc 720
cacacttggc caacctgacc ttggaagatg ctgctgagtg tctcaagcag cactgacagc 780
agctgggcct gccccagggc aacgtggggg cggagactca gctggacagc ccctgcctgt 840
cactctggag ctgggctgct gctgcctcag gacccctct ccgaccccgg acagagctga 900
gctggccagg gccaggaggg cgggagggag ggaatggggg tgggctgtgc gcagcatcag 960
cgcctgggca ggtccgcaga gctgcgggat gtgattaaag tccctgatgt ttaaaaaaaa 1020
aaaaaaaaaa ac 1032

<210> 317
<211> 978
<212> DNA
<213> Homo sapiens

<400> 317
gctcacaaga taatatctct tgccttttc ctctcggagt gttcctgcgg tttgtgatct 60
ctcttagctc tggtagcctg ttcaggcctt aaggtatctg ttcggtatta tgtggtcaag 120
tagctgggac cacaggatca caacaccacg tctggctaat ttttttttt ttttttttt 180
ttttttttt gtagagatgg ggtttcgcta tgttggccag gctggtctca aactcctggc 240
ctcaagcaat cttccagcct tggcctccca aagtgctggg attacaggtg tgagccacca 300
cktctggctt ggagggctta ttaaaacmcc gattcttagc ctcaccccca gagtttctgg 360
ttagtaggtc ttggcagggc tggagaattk gaatttccac accttccttg gtgatgtgtt 420
gttggtagtt cagggagtac atgtgagagg aaccgtttag atagkaaaaa ctgcaaacct 480
gaagaagaat agaagaatcc ttattctgkg ctctcttaga tttagtttcc tcatctatga 540
tcaataacta ttcatttctt cctcatttcc aataacgatt tgctgctttt aagagcaaga 600
gatcactttt ccttcatgtt gttttgctag tggcaaatca gaaatggttt cgccagtatt 660
cactgatctt gtaatcactc tcggaatcca gctgcatctc tagtgtagag ttttgggtca 720
acaagaataa wrmwgagctt aaagaattgg actcagactc ttgaagtcag gggttgatga 780
gaaggtggct ctaatctatt cattcaacaa cttcctattg agcacctgct atgtgccagg 840
tgctgttcta gccactaaga tagagcaggt aataacatag ggccattgtc cttatggaat 900
ttgtattgta gtggggtgaa taaaaaaggg cagtctaggt ggggcccgga aaaaaaaaaa 960
aaaaaaaaaa aaactcga 978

<210> 318
<211> 1466
<212> DNA
<213> Homo sapiens

<400> 318
ggcacgagtg cctcaaagac tattatttgg gaggatctag tgcaaatgtt agtaatgtgg 60
atattgtgta gtgtcccagg atattaatgt ttttagcctc ttggctttta ttctgtattg 120
ttgccccaaa agatgatgct cacttatctt tcatccagtg taaggatatc tggaaagaca 180
acagaaagta tagctgtttt catttcaaaa gtgatcagct gcttgagcta gcaagcaagg 240
cttgcactag cttccaggcg cagtcacgca gtttcacagc aggcgcggtt ccctcggagc 300
acccagagct gccctgcggt agtcagcagt tgtgctgtgg ctgcactgcc aggctgggtg 360
gcargtggat cggagccagc agatgtggct caggaagtgc cttcttggcc tctccttaat 420
ctctttcaga stctgtgggc ccttgattgc actgtgggtt gtttcagact ccagtattag 480
gagactgaac cccttggtgg ttttttggtg tgtgtgtgct gagmtgggtt gaggacatgt 540
taagcaggtg gggtgcytcc cctgggtttg ctccgggtgg tacctgtggt gtggggtggt 600
tctgagtagt tctggcccca ctgctggagt atctgcccay tcagtttgtg agatggcagg 660
gcttcatcct ggtctggtgc ctcatttttct tctttagcag tgggcttaga accaatgcag 720
attcccaagt taagtatttt ttctgtagct taattattac aggcttctgg tacctaagcc 780
ctttcttact ttctgttctg aggggaagag aagataatgt tgtttctccg ccccccccgg 840
agtggcccca ggaccttgca tggcatttgc agcatttgca gcgtgcttgg gtttgcttta 900
ctagggtgaa agtgttgcac cccccagcac ccacaaaggc acctctgctc accctccggt 960
gaggttctga ctggccctgg gacatcacst gctccaggat cctatgtggc tcatcccagg 1020
agagatgtgg gagggaaggg gaaaaaaggc ttacatttgc tgagtggaat tcatgtagat 1080
ctgagttccg cattgattcc taagctgcag agcccttatg ccttggctgt tttgtgaatg 1140
ttagtcggtc ttaacctttt tcaccgagtt agcattggct gtctcaggag gctcacagct 1200
cctgctcctc ctccagggga gtgcgccctc ctcctctgtc ggtagctgtc aggtgcccct 1260
ttcctctgca gcagactgtc ctgggtcctt gcctggcctt ccccttacac gtgagcctgc 1320
agcttcattc acagcccctg tgtagaaaga taggcactaa aagcagctga ctggcagccc 1380
tagaaacatg aagggtttca tttatagttt cagtcctttt ccttctttcg agccttaatt 1440
taaaaaaaaa aaaaaaaaaa ctcgta 1466

<210> 319
<211> 1430
<212> DNA
<213> Homo sapiens

<400> 319
ggcacgagca cttatgtgtt tggcattctc cgtcatcatt ctggccgggg cgggcagttc 60
taggagttgg aactcagtcc tggtggaaaa ggaagtcgtg gagggagggc tagggccgtg 120
ggggaactgc tctgctgagc ctcttcctca cctgctgctt cctaggacta acctgaaagg 180
ctaaggtacc aggctgaagt cagtgctcag aaaaccaatc gtcattcttt ggggtttttt 240
ttcttgaaga gccactttct ctttaccttg ttctagcctg ttggaggtag ggtttctgca 300
attccaaagg ccgtacacag cctctcacca tcagaccact ttttaaggct cttcgttcat 360
acctagctcg aagattcact tcctcaggaa gccattttag ttacaaatct gggaaaactt 420
aaaatgcttt cattgtgcca tgttttctgt tgcagcttca gtaccgtacc tagtggtcag 480
gcatacttac aagtttcttt ttacagtaac cccttgtgga catctaataa atggtcatta 540
ttttttagta ctagtttgtt ttcctgaaca ctgtaagatc tgtgactgac gtttgatacc 600
ttaaagcagt gccatataat aactacccac tatttgttct ttatttctgt cagataaaaa 660
tgttctatgt agtgtctaca gtcatttttt ttttaactag aatttagatt tggaagtagt 720
ttttctatta gttgatttgc atgaaataca aaattaggaa aaggcttatt ccacctcaac 780
ctagttgaac tattaatgat ttttttttt ttttgaggat ttgggctctt tctagataga 840
aaatcaccct gaacttctag ctttgcattg tgaagtgagc atcatgaaga tgagaaaatg 900
ttgggagatc atttttgcaa agggcataat agtcggcatt cagatatgag ttaactgcag 960
agggaaaatt gcaagctgtc atgttggcct tgttcctctc aaccttctgg taacctaaca 1020
agctcctaca ggttgtatgt gaaattgcaa gatgattata tagccctgtt gaatttacaa 1080
ccagatcttg ctttcaaacc attattagcc aagggtttga ttccacacct gtgttcatgg 1140
atttttggt attagacatt gctgtaactc tgttttcact ttttcatctg ttatcttggc 1200
tcacttaagg gagaaggtat cagcagccta ggaccacttg gtttctgttt ttatgtttca 1260
tagttcatgg ctgataaaaa ttacctgtcc ttaggccgag tgcagtgcct cacacctgta 1320
atcccagcac tttgggaggc cgaggtgagt agatcacctg agatcaggag ttcgagacca 1380
gcctggacaa caagagcaaa actccatctc caaaaaaaaa aaaaaaaaaa 1430

<210> 320
<211> 1499
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (52)..(52)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (66)..(66)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (84)..(84)
<223> n equals a,t,g, or c

<400> 320
agcttattgc aaagacaaat gtttgaagtg tttgttgaga tttcctgttg tncttcctga 60
ggcagncaca gcataagctc tttnaccctc tacttctcag cacataagct ttcttaccat 120
ctatcactgg agtcaggggt gaggggagga ccgcatgaca gttggttaat atacacttat 180
tttttggcaa aaacgttttc tctgggacca gaatgatctt gatactgaaa aaatttctag 240
tgctagatcc tctttctaag tgtgaaagga cttatctgga atgctccaga atgatcccaa 300
gtgttgagct gagagggacc tggcagcaga atctgattat tgaaaagtgg caattgttga 360
tttattgaag acagaataat aactcagcag aactgttatg ttgagctgaa cccgacctcc 420
ttcagccgaa tcatgcaaga atgcctgctg catggctgtt gctgctactt attaaggctt 480
ggtgttctgg gcacagtgca atgcatttct acatggttga tcctcacagc aaatgaacaa 540
cacaggctta aggaaacaag caactctcaa agtcctgcag tgagtagagc ttagctgttg 600
gtagtcaaca tgccacgcga ttcggragtt gagcctgtct ccagaggtta gagatgttca 660
gtttcctctt aaggttctta cgtagatttt tttcatgact ttatctacat cctccttaaa 720
tttacgtttt tagtccttac tggctcttga tatcaccagt tttgttgtta ttagtaattt 780

ctaactgccc taaatttgtc tgttttaaga ttcaagggat gatacctcag tctgttatct 840
ggaatatggt ttacaaatcc atttttctc ttcaaggctt tgaaaacatt gacattgtct 900
cctcctaaca tttttatttg tcttgcagac tcctaattta tttaatttat cgttaggaag 960
acgacttttc tgtcttttga tgattttagc tgcccttctc tagaccttgc tgattccatt 1020
atctttacca agaattgaaa gtgaaagtgg catttgtcat agaatgccat ggtcttattc 1080
caaagtatct taggatggaa caatacaagg cataatatgg ggtcagtgag gtttgttaca 1140
cgagtgaatg accaacaaca ctactgtctg ttcaaaccca gtctgaaggg tgaatcagac 1200
cgaccattgg ccgtgagggt ctggactgct cagtattatc tcaaggatat caagggttat 1260
tggaaactgt gtgatcaaag gggctccatg actttatgca gggattcagt agggagccaa 1320
gaaggttgag aatagttcag agaccagagt ctaagaccaa tcaagaagaa tggatcaatt 1380
agagatatga attctggtgc ttatattttt gtggagctgg ttgtgagata aaaggtcaag 1440
cctaccagac tgaaaagtgt atgtgaaagc tctttaaaaa aaaaaaaaaa aaactcgag 1499

<210> 321
<211> 549
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (474)..(474)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (484)..(484)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (528)..(528)
<223> n equals a,t,g, or c

<400> 321
gaattcggca gagcagatgc ttcccactag agaagctaag aagctgtggc agccacascc 60
gggacagggc ctggcctcca gcccagggct ttccctgatg tccagcctca gctgcctctt 120
cctgcctcat cccacccgca agaggwgctg gggaccarag acagagacac aaactccatt 180
tgaatgtgaa ccttggcacc atggagatgc tcagggtgag cccagtctgc tctctcatta 240
gtatgaattt ccttgtgttt ctgtctctct cctcttccct ggtatcagct gctggkccca 300
ggtttccttc cagagaggag cgggggggtgg gtggggtggt gctgattaaa tctgaggaca 360
tgacattgrg cgagagaagc aaggggagct gstgacctcc ctggatggat aaccatcagg 420
aggcggtarc agagtycama taccatcacc ttctcctgca gatgttggtt cagncacttt 480
cctnctacca cagatgggct atgtgtttca aagcagaaga gcagagangg cagagaaccc 540
cagctggtt 549

<210> 322
<211> 904
<212> DNA
<213> Homo sapiens

<400> 322
ggcacgagat cgtcttgtga caagacttgc tgagaagcac cttaaaattc actgtgagcc 60
acattttgtc ttttactgtc tcatcggata gggtagatca atgtccttta ctgtagcaga 120
gactctctca tgggcaggac catcatggaa agttctgact acatcaagaa aggcgccaat 180
gtctcacctg tgcttggggt caggcagcag gctgtgatgc cggtgcctct ctggttggta 240
ctgtggttct gcttcctgtt atatgtagcc tcacgaagga cctttggatt agccaattac 300
atgcccctac cctgagcttc ttccccagct ctttgacttc ctggacattg gtgaatatcc 360
tgaataagca aaagggataa aattcataga aatatggtgg caaaaatata caacttcagc 420
ccagttcttt gggtccatgt tggtaaggag tccagttggc aagacaagct gcccaaggaa 480
gtgcctcaga agtctgggtc aaagaggagg gccagatctg ttctgtgaga ccctatgtga 540
ttgttatatt tttaaataat atataattaa gcaggacaaa ttaaatactc catggctttg 600

gggaaattgt tgctttaaag tcctggaatg gggctgggca cggtggctca tgcctattaa 660
tcccagcact ttgggaagcc aaagtgggtg gatcacctga ggtcaggagt tcaagaccag 720
cctggccaac atggcaaaac cctgtccatg gtggtgtgcg aggctgaggc aagaaaatcg 780
cttgaacccg agaggcagag gttgcagtga cctgagattg cgccactgca ctccaacctg 840
ggtgacagaa tgagactccg tctcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 900
aaaa 904

<210> 323
<211> 3435
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (760)..(760)
<223> n equals a,t,g, or c

<400> 323
cgagcagcat cagaaagtac gawtctgctc tgagggcgra tgraaaatga agawtctgac 60
gtaaagcctc cagactkgcc aaacccaatg aatgctacct cccagtttcc tcagcctcag 120
cactttgcag ctttggcctc cgtctgcctc gggatatcac agagctgccc gagtgragta 180
ggggtacccc ttctacatgg ccatgggctt cccagggtat gacctctcgg ctgatgacat 240
agctgggaag tttcagttca gccggggcat gcgccgcagt tacgacgcag ggttcaagct 300
gatggtagtg gaatatgctg agagtaccaa caactgccag gctgccaagc agtttggagt 360
attggaaaaa aacgttcgag actggcgcaa agtgaagcca cagcttcaaa acgcccacgc 420
catgcggcgg gcattccgag gccccaakaa tgggaggttt gctctggtgg accagcgtgt 480
ggccgaatat gtcagataca tgcaggccaa aggggacccc atcacccggg aggcgatgca 540
gctgaaagct ctcgaaatcg cccaggaaat gaacattcca gagaaagggt tcaaggcaag 600
cttgggttgg tgtcgaagaa tgatgagaag gtatgacctg tctctgaggc ataaagtgcc 660
cgtgccccag cacctgccgg aagacctgac tgagaaactc gtcacttacc agcgcagtgt 720
cctggctctg cgcagggcgc atgactatga ggtagctcan atggggaatg cagatgagac 780
gcccatttgt ttagaggtgc catcacgggt aactgttgat aaccagggcg aaaagcctgt 840
cttggtcaag acaccaggca gggaaaaact gaaaatcaca gcaatgcttg gtgtcttggc 900
tgatggragg aagttaccac cgtacatcat tttragggga acatatatcc ccccggggaa 960
gtttcccagt gggatggaaa ttcgctgcca ccggtatggg tggatgactg aagacttgat 1020
gcaggactgg ttggaagtgg tgtggagacg gaggacagga gcagtgccca agcagcgagg 1080
gatgctgatc ttgaatggct tccggggcca tgccacagat tccgtgaaga actccatgga 1140
aagcatgaac actgacatgg tgatcatscc agggggtctg acctcacagc ttcaggtgct 1200
ggatgtcgtg gtctacaagc cactgaatga cagtgtgcgg gcccagtact ccaactggct 1260
tctggctggg aacctggcgc tgagcccaac cgggaatgct aagaagccac ccctgggcct 1320
ctttctggag tgggtcatgg tcgcgtggaa tagcatctca agtgagtcca tcgtccaagg 1380
gttcaagaag tgccatatct ccagcaactt ggaggaggaa gacgatgtcc tgtgggaaat 1440
cgagagtgag ttgccaggag gaggagaacc accaaaagat tgtgacaccg aaagcatggc 1500
tgagagcaac tgaagggaaa gggaaagcaa atggaactct gatttaaaca gctggggatg 1560
aaattcctca agatgattat tcctgaaagt gtggatgcgc tggatgcgca gggaacatca 1620
ggaaaaggcc acggggctct gaacagcccc ggtccagaca gcagcctgta catccatccc 1680
aggacacagc ccagcccctc cccacaccat acaaggtatc agaaaagtct aggacctatc 1740
atttcatcag agacatgatc agaaaagaaa ctgcttctgc cccatttctt gttttggaga 1800
ttactccatc tgtccatcaa aagaaacctg taaatatgaa agaacaaagg ttatttcctg 1860
gagaaaagac aatttattca acaccaacaa gggactcatc atatgggcac aactctggtg 1920
tccttctatg gagaaaacct caagtaaagt tttattctgc ctttgaaaat gcttccaaaa 1980
gtagaccctg tccccacaca ggtcaagact acagagaagg ctttgtagaa atgtgtcacc 2040
tatgtacacc tgctacttac acatttcctc ttttggaaaa atgagatact tagaataaca 2100
agaaaattaa gacatactgg cctggtgcca gcagatggct tttctataga caaactaggt 2160
tagtgtggaa gatataggtt aaaataaact atgctgtttt atttatcttc ccaacctgat 2220
tggcagctag actttttag ggtctcattt aatggccctg ttttttcat tattatattt 2280
aatgataggg caggatttcg tatgcaagct cttgtttctc aggctgcctg cagaagaagt 2340
cgctataaat tatctgttgt ctacatggta caaggcccat tgactcatct gatgcttgtt 2400
ttgttaattt ctttaatatt tttatcacgg ggcagtggga gggcttgggc ttttagccac 2460
agctgtttta agacttctga tctcctgccc tgcaggaata ggtgggaagt cattgaattt 2520
ttacactata gtaatttgca ttcccacata agtttgagtg ttacgaaaac attcctttaa 2580

agggatctgt gctacacaaa atatgccagg acctcacaga caaagccatt gctagaaatg 2640
tcattccaat gatcagatct ggaaacaggc tgccataacc acttttcctt cttgtagact 2700
cagctcacct gtatatttaa actgttcttg gcatcttgaa acacctattt ctactcaggt 2760
actcattgtc ctgttactga ttcacctttc tgatcctttt caaccagttt tcccccaagg 2820
ggggaaattt tacttaacct ctagtatttg aacaactcaa tatttgaatt gttgccccat 2880
ttgcttttac ctgtactgta ttcttggtca tctcaaatgg cgtctaaacc cagctacttt 2940
gcattccaga agtttccatt ccctccaatt ccacctaatt tttcatctgt cctagttact 3000
ggctctttct tcatgtctta tttctcttgc tttgggagct taaaagattt tacaagacct 3060
aattttgggt tccttccttg gagccatagt taccctgcca agaagagtag aaaatgggtt 3120
caactcctgt ttcgctccac caacacctct gtgagtctca tcatcagctg agcgatgatg 3180
ccttacaggt tgcatagcac tggaactttc ctagagtaac ggctctgctg ccagggtttc 3240
tctgggctca ttcttccact gacttaatta tgatctatgc ctaacagagc cccagtacaa 3300
ctattttgca gaatggctgt taccctagaa ttactatagc acatattgag atatagttgt 3360
actccctagt agataggaac tgaccccaac aataaacttt gataataaag amaaaaaaaa 3420
aaaaaaaaaa aaaaa 3435

<210> 324
<211> 1481
<212> DNA
<213> Homo sapiens

<400> 324
ggcacgagcc tggcagagag actctgaaat gagggattag aggtgttcaa ggagcaagag 60
cttcagcctg aagacaaggg agcagtccct gaagacgctt ctactgagag gtctgccatg 120
gcctctcttg gcctccaact tgtgggctac atcctaggcc ttctggggct tttgggcaca 180
ctggttgcca tgctgctccc cagctggaaa acaagttctt atgtcggtgc cagcattgtg 240
acagcagttg gcttctccaa gggcctctgg atggaatgtg ccacacacag cacaggcatc 300
acccagtgtg acatctatag cacccttctg ggcctgcccg ctgacatcca ggctgcccag 360
gccatgatgg tgacatccag tgcaatctcc tccctggcct gcattatctc tgtggtgggc 420
atgagatgca cagtcttctg ccaggaatcc cgagccaaag acagagtggc ggtagcaggt 480
ggagtctttt tcatccttgg aggcctcctg ggattcattc ctgttgcctg gaatcttcat 540
gggatcctac gggacttcta ctcaccactg gtgcctgaca gcatgaaatt tgagattgga 600
gaggctcttt acttgggcat tatttcttcc ctgttctccc tgatagctgg aatcatcctc 660
tgcttttcct gctcatccca gagaaatcgc tccaactact acgatgccta ccaagcccaa 720
cctcttgcca caaggagctc tccaaggcct ggtcaacctc ccaaagtcaa gagtgagttc 780
aattcctaca gcctgacagg gtatgtgtga agaaccaggg gccagagctg gggggtggct 840
gggtctgtga aaaacagtgg acagcacccc gagggccaca ggtgagggac actaccactg 900
gatcgtgtca gaaggtgctg ctgaggatag actgactttg gccattggat tgagcaaagg 960
cagaaatggg ggctagtgta acagcatgca ggttgaattg ccaaggatgc tcgccatgcc 1020
agcctttctg ttttcctcac cttgctgctc ccctgcccta agtccccaac cctcaacttg 1080
aaaccccatt cccttaagcc aggactcaga ggatcccttt gccctctggt ttacctggga 1140
ctccatcccc aaacccacta atcacatccc actgactgac cctctgtgat caaagaccct 1200
ctctctggct gaggttggct cttagctcat tgctggggat gggaaggaga agcagtggct 1260
tttgtgggca ttgctctaac ctacttctca agcttccctc caaagaaact gattggccct 1320
ggaacctcca tcccactctt gttatgactc cacagtgtcc agactaattt gtgcatgaac 1380
tgaaataaaa ccatcctacg gtatccaggg aacagaaagc aggatgcagg atgggaggac 1440
aggaaggcag cctgggacat ttaaaaaaaa aaaaaaaaaa a 1481

<210> 325
<211> 652
<212> DNA
<213> Homo sapiens

<400> 325
gaattcggca cgagcaacag tggggcactc tgctcccagg caggtcccac tgggctgagc 60
cgcacagcct ggctttgggc ttccctgact gcaccaccca catcasctgc ctctagccct 120
taamatacaa aacttccccc agtcactggc cgccaggctg agttgggggа tgtgttacat 180
ccctgggtcc actggggggc agtgttggcc atggtgttgg tgctggctct gccgagaggc 240
gttggagtgg ctgtgtgggg cggtgagcgc cggcccagcc tgatggaacc cactgtacca 300
ggcccaggcc tcagcctctg agaaggactt ccctgtgtca ctcactcata catgtcctca 360
ggacgtgaag acatttcagc agaccaaagt ttccttcgaa tttccttcga atcgtccaga 420

tacttggaga catctcctcc tcacctgtgg ggtgctgggg cagtcctagg cgtgggggca 480
gatgggtgga cagctgctgc tgccctgctg ggggtgggca gcccttggag cacacagtgg 540
tgaagacatt cctgaatatg tctcaggctg tagaaatctt attttgtgga aagattttag 600
agaatcatca aaataaactt ttaccaaata aaaaaaaaaa aaaaaaactc ga 652

<210> 326
<211> 1711
<212> DNA
<213> Homo sapiens

<400> 326
ggcacgagcg ctcctgtcct gccactgagg gacccggtta ccaaccctca tgtagctcag 60
tttgcccatc tgtcccggtg ctaacacaca gttctcggga gactttcccc attcccagag 120
gagtagtgcg aaatgcgtgt acctctagtc ttaagctggg cgtttgtatt agttgggttt 180
tctggtgtct atttagcaag tgaaagtttc tggttccctc cttcactgtg tgacctgact 240
agtcctcctg gattgcattt atggaagttt atacgagacc tagtttccat ggaggaactc 300
actgattccg cgagggagat ggggtactgg atgatggtct tcagccttaa ggctatgttt 360
ccagtgtcct ctgggtgttt ccaagagcgg caagaaacga ataaatctct gacccttctc 420
aggtgcagcc agagagacac tagcccactg atggacggac agacgtgggc aagggtccgt 480
gtcactaaac cacccaccac tgccacagct gcctacaaca gacacatcag atgacactcc 540
gggcaaataa atgattttca ctgaggactt actggtttta ataataggtc ctggtgtaga 600
gaagtccctc aacctattgt gcaacgagtt ttgagaagcg ggtaagctgt atgttttgtg 660
gttttgtttc ataaattcat ctacaggaag accaatattg actgaatgaa gctttcattt 720
aaagagctaa aatatgcttt gtgtttttat atgtggatac tactttaaac ctaacgacta 780
ttcattgtat catagcttgt gatgtattct gctcatggct tttaaggtaa attgtgccat 840
gatccactgc cattctaatt gctttaacaa gtcattacca cactactgtt acatcttaat 900
tatgcataca gacaggtaga cttgttttac atatgtgaac taactagttg tcaaagcaaa 960
tgcagattgt attctgcaag taaagtcttt ttctctctga aatttctagg gatgttcttt 1020
aagtgaaatt catattaaaa ctgaagattt tagttacaag aactgagtgc agattaagtc 1080
tttgtgattc aacatagtca agatacaact gtggatattt catggaagta tgcaataaaa 1140
tgtctctacc tggaaaaatc tatcaagcag cgtcacagta ctgaatttga aaccagaaat 1200
actgggtttt tatataaatg cttcatagat ttgttttatg ataaagggca cataactctc 1260
ctaaacctca caccacctct tgaataggta taataagtcc acatcaatgc tgatgcctta 1320
gctattatta aactcttaca gtatgatgta aagtgaaagt acaatgtaag atcattccta 1380
ggccaacttt gaccagtttt atacagaaac atgtgccaac ttttctgttt gcaaggataa 1440
tatcaaagca aacaccagaa agttatatct ttgatgcatt ttttcaaaat catacacata 1500
atacacaaac caaagacaaa tgatgaatat tacgtcagaa aatataaagt cttccccttt 1560
cttcttttgc caagaaagtc caatattttc accattttta tgcacacaat caactttatt 1620
taagctggaa gttaatgtct cattgttttc attgttctaa ataaacacct tttcccttga 1680
gtattgctct aaaaaaaaaa aaaaaaaaaa a 1711

<210> 327
<211> 2058
<212> DNA
<213> Homo sapiens

<400> 327
ggcacgagct caaagagtaa gaatccaagt gtgtgacatt acatagcttt gcatctatgg 60
aaacctaaat cataattgtt tccactgccc aattatgttc cttttcataa catttactat 120
tctggctata tttatcatag aacctaggaa ccttagagtt gacctgaatc taattaaatt 180
tcagacctcc tggccaaaga ccctagtgga agagcaaaac taaatcaaca tattaccaat 240
ctcaagtatt tctctgagga cccagaccac tgacttttg ttgtcatttt caggttgatc 300
ctataactgt atgttctaca atatctgtgc tccaccagct cagtgaggaa tcaacggaat 360
atcaaaagta aatattggtc accatatacc ttttggtact agtctacgaa ataattggct 420
gaggaactgt ttcatattaa agaaaagcta aaagcaatgt gtgatcttag attagaccta 480
tgattggaat gtatgtatat tttatataca aaatattgag gaaattgaca aaatttaaat 540
acagaatatg gattagataa taggaatgta tcaaggtcaa tatttaaaaa gataatttca 600
acttttattt tattcagtgg gtacatgtgc agactttgtt ttacatagta cccaacagtt 660
tttcaacgct tatcccccac cctctagtaa tctgcagtgt ctattattgt catcttcgtg 720
gctattgtac atgggattcc atacttgatt ttgctctcaa catgaacatt attggtgtag 780
agaaatgcca ctaagttttg tacgttgctt ttgtatcctg aaactttgct aaagttattt 840

atcatttcca ggagcctttc gttggagtct ttagggtttt ctagttagag agtcatcagt 900
gaagagagat aatttgactt cttcttttcc tttttgggtg ccttttactt ctttctcttc 960
cctgattgct ctggctaggg tttctaacat caaatttttt gatgttgatc attatactgt 1020
agttatgcag gggaatgtct ttgttctttc taaagaacat tcaatgttaa acattgaaat 1080
gtttaacaat gaaagatcat tatatgtaat ttactctcaa atggtcaagg gagaggagag 1140
agaaagagac agagagaaag aataagaaaa gagagtgagt aaatggggca aaatgcaaac 1200
aatttgtcaa tctatgtaaa atgtttacaa gagttctgtg ttacattttt gcaactcttc 1260
tgtatgttta aaataatgtt aaaataacaa ttttcccaaa tgtcaaatgt tgccacatac 1320
aagcatttat gagcatggaa aatgtggctt ctgaatgata ggatacaaaa tctggtgatg 1380
agcgaataca ctgaatatat caagattgag ttgccatctt agaaggagaa tattagctat 1440
aaatcacatg atgaatacat caatattaaa tagactagaa aaccaataat tataaggtca 1500
caagagtgca ataaacatga attatctcca ttgcatgtat tttcatctct acttgccagt 1560
tttatgagat tcagtcccca atatattttc aattaattca acatagaaga ttcacttcta 1620
gtatgttttc aaattgtttc aaaccctgac catcttttg attgctctac cttccaaaag 1680
aaaagaaggg aacactaatt ttctttcctg atttacttca ttgttttctt ctgttagatt 1740
aactttacct ataaaagatt gtctcttgac tttatatata tatatatgtg tgtgtgtgtg 1800
tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg tatttgaaga ggacatgtgc ctccataaaa 1860
ggaaataaaa tgagagaata cattattgat tttgtgaaat caaaatattt gaattatggt 1920
ttctcaatat tcaaaaactc ttgcagtttc tgtacttatt tcttctgatg catagagttt 1980
cggggactac atatgtttca caaccaaaga tatccacttg aaataaaaac attataaagt 2040
taaaaaaaaa aaaaaaaa 2058

<210> 328
<211> 963
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2)..(2)
<223> n equals a,t,g, or c

<400> 328
tncagaggcc ctgcggagtt gttcagaacc ccaactctct ctggctggct acccccctgaa 60
ctactgggtc tctggaccca ttgtgcccag ccacccccaa aagccctcag gcgagagctg 120
cctgaggagg caccgctgag gaggaaagga gaaagattga agttccaagt gagattgaga 180
gatctcccta gaggcagctg aagaggagaa gtcccgcatc agcctcatcc caccagaaga 240
acggtggtaa gcggccaggc tccgtggrag ccagggccca magcccttgg ccagktkgtg 300
gaaacagctg ctgggatggg tatgcccctt gtcactgtca cagctgccac cttccctact 360
ctctcatgtc ctcctagggc ctggcctgag gtggaggcgc cagaagctcc tgcattgccc 420
gtggtgcctg aactccctga ggtgcccatg gagatgcctt tggtgctgcc cccagagctc 480
gagctgctct cactggaagc agtgcacagg taccaggrag gtggcacctt gatggggtgg 540
acccgggctg aagcctctgc taatggttct tgatccctat agggcagtgg cactggagyt 600
gcaggctaac agggagcccg acttcagcag cctggtgtca mctctcagcc cccgcaggat 660
ggctgcccgg gtcttctamc tgctcctggg tgartgtatg catgtgtgtg tgtgtatgtk 720
gggcagggac acagagacca gaggcccgta cagggactcc cccgacctgc cctctcctcg 780
cctcttgacc agtgctctca gcgcaacaga ttcttcacgt gaaacaagaa aagccatatg 840
gtcgcctcct gatccagccg gggcccagat tccactgagg ttagagtcca tttacaaagc 900
tgccaggaaa ccggccactt ctagtaaacc acgtcgtgcc tcactgaaaa aaaaaaaaaa 960
agg 963

<210> 329
<211> 1134
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1134)..(1134)
<223> n equals a,t,g, or c

<400> 329
ncgccccgga ctcttctcag ttgagagtgc ggttcctggg caggtttcca caccagttcc 60
tttccgcgtc cttcggccct ggctctggct gcctggcgga ggtggggtag catttgtcat 120
ttgcacactg ctggctttat ctttggggct gcaccccgag gcaacaaatg caggatgctc 180
tgtcacccac atgtccacca ccatctggtt tgccttttgg ctactttgac tttctcctta 240
aatgcttcct gtgctgagca aacattccac agccagcaga gcaatggaga gttcatggcc 300
actcttccca gtatcagcaa gcaatttggg gtgatcgttt ggaagcctca gaggaaagat 360
gtcatcaggc ttcctgtggc tttgtccttc agcagtgggg ctcggcttgc tttcacctgc 420
cttaggaaga tttctggctt ccgagctctg atatggggag aagataaggg ctgggatctt 480
tgagtctgcc cctagctggg tatgtgcgtc cggtgtgcgg gccttggagt ttttggtaat 540
gactcacttg tgctctttct gggatctgtc tccctcccac atgaccccgt ggggtccctg 600
aatgactgtt ttagagtacc catgtgggtt ccctgagtca cagcagggga tgtttaataa 660
ggaggttagc actgagcttg gggacgtgct gtcacaccag caggacgctg caggaaggag 720
caggctactt cctttcttga cgtgcaaata actcgtatag gctaatcaac aggcttataa 780
gttaaaaggg ctaccgctcg gccccttggg gattccatcc cctcctctgt aacttggaga 840
tgtttgtttc tgctgcagac tcagagggtt gcgatgaaga gtggtgggac tgagttgaga 900
agcttatccc ttcgctgggt gggaggtttc taattgcccc gttctttggg ggatccttaa 960
gtccagcttc caggtggggg cagcgatagg accaagttct cctagtagtc tctgggaagc 1020
cacttgaggg aagctgccgg tcatcccatg cacccattgg tcttctccag caggccctgt 1080
aggtcgtcca tgttccatgc cttctgggtt cttgggggag aaggaagctg ttgn 1134

<210> 330
<211> 1991
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (300)..(300)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (353)..(353)
<223> n equals a,t,g, or c

<400> 330
gcgacgctcg gcccgaagat ggcggccgaa tggggcggag gagtgggtta ctcgggctca 60
ggcccggccg gagccggtgg cgctggagcg ggtctgtgtg ggtccgaagc gttttactcc 120
tgttgggcgg gctccgggcc agcgccacat ctactcccgt ctccttgggc agttcccctc 180
cctgccggca ccacgtcccc tctgacactg aggtcataaa taaagttcat cttaaggcaa 240
atcatgtggt caagagagat gttgatgagc atttaagaat caagactgtc tatgataaan 300
tgktgaasag ttgctccctg agaaaaagaa tcttgtaaag aacaagcttc tcncacawgc 360
gatttcttat ttagagaaga cttttcaggt ccgtcgacct gcgggcacta tcttacttag 420
cagacaatgt gcaacaaacc aatacctccg gaaggaaaac gatcctcaca ggtactgcac 480
cggggagtgt gccgcacaca caaagtgcgg ccccgttatt gttcctgagg aacatctcca 540
gcaatgccgg gtctaccgtg ggggtaagtg gcctcatgga gcagtgggtg tgccagacca 600
agaaggcatc tcagatgcag actttgttct ttacgttggt gctctggcca ccgagagatg 660
cagccatgaa aacatcatct cttatgcagc ctattgtcag caggaagcaa acatggacag 720
gccaatagca ggatatgcta acctgtgtcc aaatatgatc tctacccagc ctcaggagtt 780
tgttgggatg ctgtccacag tgaaacatga ggttattcat gccctgggtt tctctgctgg 840
gctgtttgca ttctaccatg ataaagatgg aaatcctctc acttcaagat ttgcagatgg 900
cctyccacct tttaattata gtctgggatt atatcaatgg agtgataaag tagttcgaaa 960
agtgragaga ttatgggatg ttcgagataa taagatagtt cgtcacactg tgtatctcct 1020
ggtaacgcct cgtgttgttg aggaagcacg aaaacatttt gattgtccag ttctagaggg 1080
aatggaactt gaaaatcaag gtggtgtggg cactgagctc aaccattggg aaaaaaggtt 1140

attagagaat gaagcgatga ctggttctca cactcagaat cgagtactct ctcgaatcac 1200
tctggcatta atggaggaca ctggctggta taaagcaaat tacagcatgg ctgagaagtt 1260
agactggggc cgaggaatgg gctgtgactt tgtcaggaag agctgtaaat tctggattga 1320
tcagcagaga caaaagagac agatgctgag cccttactgt gacacgctca gaagtaaccc 1380
actgcagcta actttgcagac aggaccagag agcagttgcc gtgtgtaatt tgcagaagtt 1440
ccctaagcct ttaccacagg aataccagta ctttgatgaa ctcagtggaa tacctgcaga 1500
agatttgcct tattatggtg gctccgtgga aattgctgac tactgscctt tcagtcagga 1560
attcagttgg catttaagtg gtgaatatca gcgcagctca gattgtagaa tattggaaaa 1620
tcaaccagaa atttttaaga actatggcgc tgaaaagtat ggacctcatt ccgtttgtct 1680
aattcagaaa tcagcattcg ttatggagaa gtgtgagagg aagctgagtt acccagactg 1740
gggaagcgga tgctatcagg tttcttgttc tcctcaaggt ctgaaagttt gggtccaaga 1800
tacttcatat ttgtgtagtc gggctgggca ggtcctccct gtcagtatcc agatgaatgg 1860
ctggattcac gatggaaacc tgctctgccc atcatgttgg gacttctgtg agctctgtcc 1920
tccagaaaca gatcctccag ccactaacct gacccgagct ctgccacttg atctttgttc 1980
ctgttcctcg a 1991

<210> 331
<211> 2398
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1874)..(1874)
<223> n equals a,t,g, or c

<400> 331
attgcttagt ttgatgtgtc ttgctttaaa tccatttatt tcaacaagct taaagagatt 60
ttttttaat ggagatgatt taattttaac aatctgtgat tttctctgaa tcgaacttgt 120
gttttggcac ctttcaatct gtggtaacaa atgacaagaa gggtgcaatt cttccttccc 180
ttgtgcaggg attttgcctc ccccttctc ccagatgaaa gatatttggg tctctagaat 240
aactgtggta cagttagctc cagagtgttt tctttctgga ggcagtttag acaacagcct 300
caagtagtgc ttttgttaaa aatatacatg tttttaaaag tgcttgtatt tctaatattc 360
ttttctcctt tctcttctag tctgttctct ggggaggcag taaggggccg tggagctggc 420
ctcggcctcg gcatcgggag aggctggact tcctgtctct ctgtgctgaa tggctgcgat 480
ggcgcccgct ctcactgacg cagcagctga agcacaccat atccggttca aactggctcc 540
cccatcctct accttgtccc ctgggcagtg ccgaaaataa cggcaacgcc aacatcctta 600
ttgctgccaa cggaaccaaa agaaaagcca ttgctgcaga ggatcccagc ctagatttcc 660
gaaataatcc taccaaggaa gacttgggaa agctgcaacc actggtggca tcttatctct 720
gctctgatgt aacatctgtt ccctcaaagg agtctttgaa gttgcaaggg gtcttcagca 780
agcagacagt ccttaaatct catcctctct tatctcagtc ctatgaactc cgagctgagc 840
tgttggggag acagccagtt ttggagtttt cyttagaaaa tcttagaacc atgaatacga 900
gtggtcagac agctctgcca caagcacctg taaatgggtt ggctaagaaa ttgactaaaa 960
gttcaacaca ttctgatcat gacaattcca cttccctcaa tgggggaaaa cgggctctca 1020
cttcatctgc tcttcatggg ggtgaaatgg gaggatctga atctggggac ttgaaggggg 1080
gtatgmccaa ttgcactctt ccacatagaa gccttgatgt agaacacaca attttgtata 1140
gcaataatag cactgcaaac aaatcytctg tcaattccat ggaacagccg gcacttcaag 1200
gaagcagtag attatcacct ggtacagact ccagctctaa cttggggggt gtcaaattgg 1260
agggtaaaaa gtctcccctg tcttccattc ttttcagtgc tttagattct gacacaagga 1320
taacagcttt actgcggcga caggctgaca ytgagagccg tgcccgcaga ttacaaaagc 1380
gcttacaggt tgtgcaagcc aagcaggttg agaggcatat acaacatcag ctgggtggat 1440
ttttggagaa gactttgagc aaactgccaa acttggaatc sttgagacca cggagccagt 1500
tgatgctgac tcgaaaggct gaagctgcct tgagaaaagc tgccagtgag accaccactt 1560
cagagggact tagcaacttt ctgaaaagca attcaatttc agaagaattg gagagattta 1620
cagctagtgg catagccaac ttgaggtgca gtgaacaggc atttgattca gatgtcactg 1680
acagtagttc aggaggggag tctgatattg aagaggaaga actgaccaga gctgatcccg 1740
agcagcgtca tgtacccctg tgagtagacc tcatgcatga tagcattctt gagaaatgtt 1800
ggcacaagga agaatgaatg aatcgccatt atggagagaa tgtgtttsttt gtacataggt 1860
gtytagttcy gttngttttt tccctgatgt tgggtagatg agtgcatata catgctagtg 1920
aagaagggga agatactttg ctgtagggtt gtattgttgt agtctaaatg gtggtaattt 1980
ccttttgaag tctaagaaaa ataactagga gacatcttat gtgtaaaatt gtactagtac 2040

ctctttaaga gtgaatttag atttcttttg aaactatata taggacatga taagttaatg 2100
gcctgattgt tgagattttg ttgtttccag taagcaggga caaatgctga gttgacctag 2160
ttacctttgt aggaaattac agttgctttt gattgaactt tcagcagaga gcacacccag 2220
tcttcaattt taacacttga gattttctta cattttaagg actgacaatt agaaaatgct 2280
tcagaatatt taatacatcg cctccaagca cagtctagtt tcacaacctg actctcttcc 2340
tattaaaaaa aaaaaaaaaa aactcgrggg ggggcccgta cccaatcgcc cctcatga 2398

<210> 332
<211> 1505
<212> DNA
<213> Homo sapiens

<400> 332
gcaccatggc cacgcccctg gaggatgttg gcaagcaggt gggtaggtct tgtctgcttc 60
ctgtggccct gatgggtccc tgcagagcct cacgctgctt gtcgctcctt gtcctcttcc 120
ctccaggtgt ggcggggcgc cctgctcctg gcagactaca tcctgttccg acaggacctc 180
ttccgaggat gtacagcgct ggagctcggg gccggcacgg ggctcactag catcatcgca 240
gccaccatgg cacggaccgt ttattgtaca ggtaatgagg tgacatctca ggctgcaggg 300
aagtagtcac cttcacaaag catgcactga ctgtataaaa aaagaggcag aggcaatgga 360
aattggatgt tagctgctgt tgattttgcc atcctggtcc cctggccctc tccactctcc 420
atttttctc agtgacatca aaatgaccca gcaatacgca ctcagcagca gcagcgtcac 480
ccagtggcta taaggccatt gagcttcagg aggtgcctag cgcccctgct ggtacctctc 540
tccccactcc tgagaaagag caaatatctc caaaaacagg aggaatatac ccttttagaa 600
gcctttgaaa gcaagtttat tatttttttc ctgggtatag aagccttgcc cattctttgt 660
aggaggtttt taaaacagta cataaaaatt actcataatt ttacaatccc tagattgaat 720
caacaatatg caacttatgg gtcacctccc gtgtgccact catttctaga tgtaggaggc 780
cctgcggtga atggagctga ctaggcactg ccctcagggc gcttacgttg taagaatctc 840
ctccaaatga tagctgaaat caagctgcag cagcactgta ttctgctgaa aatgttgaaa 900
aacatttta agagcatttt ctttttaaa tatgtatata tttaggggt acaagtgcgg 960
gtttctgatg tgcagctata ttgcagtgat gacatccgtc tgggctttta gtggaccttc 1020
cactcaaata gtgracattg tacccaatag ggaagcttta atcccccacc cctyccaccg 1080
tgtcacctty tggaatcccc agtgtctgtg tttccactca gtatgtccat gtttacccat 1140
tgtttagctc ccactcataa gtgagaacat tttaagagca ttttctcatg ccattaaaaa 1200
attattatat aggccaggtg cggtggctga catctgtaat cccagccctt tgggaggctg 1260
aggcaggcag atcacctgag gtcaggagtt tgagaacagc caggccaaca tggtgaaacc 1320
ctgtctgtac taaaaataca agaattaacc agatgtggta gcggcgggca cctgtaattc 1380
cagctacttg ggaggcttga acctgggagg cagaggttgc agtgagctga gattgcacca 1440
ctgcactcca gtctgggcca cagagtgaga ctctgtctca aaaaaaaaaa aaaaaaaaac 1500
tcgag 1505

<210> 333
<211> 1193
<212> DNA
<213> Homo sapiens

<400> 333
cagccccgcc ttctctacac aggaaagctc agtggccccc aagccaggat gtcccaagct 60
tgggtccccg gcctcgcgcc caccttgctg ttcagcctgc tggctggccc ccaaaagatt 120
gcagccaaat gtggtctcat ccttgcctgc cccaaaggat tcaaatgctg tggtgacagc 180
tgctgccagg agaacgagct cttccctggc cccgtgagga tcttcgtcat catcttcctg 240
gtcatcctgt ccgtcttttg catctgtggc ctggctaagt gcttctgtcg caactgcaga 300
gagccggagc cagacagccc agtggattgc cgggggcccc tggaactgcc ctccatcatc 360
cccccagaga gggtcagagt atccctttct gcgcccccac ccccctacag tgaggtgatt 420
ctgaagccca gcctgggccc aactcccaca gagccacccc ctccctacag cttcaggcct 480
gaagaatata ccggggatca gaggggcatt gacaacccgg ccttctgagt cacctcctgc 540
ctggaatctt gccatcagca acctcctccc cagtgcctcc tggatcaagc tagagactgc 600
tggcacccca ggaatgtccc tgcccatcct gccgtgtctc tgttcattct tggatttaac 660
ttattacttt ttctgcttct gtttccaccc cagctgcctc tcttgtcctg agggttaggc 720
tggagtgaca gtttccgccc acccccagc ccaagaaaga ggctgccgga aagaaaatgc 780
tgaccattgg aggtgcccaa cagtagaatg ggctactgtg aggggtagta agagccccat 840
ttctggaggt atgcaaatct tgactggaca gccagctctg agattttatc agggcacttc 900

tatacctgtg ggacattgga ctggatgagc cctgagccag cttccactcc tacctgaata 960
gagaactcac tgcacccacc cacaacacat gataaacaca tgtcctcact gaatgttact 1020
gattgcggct gagggcctgc ctctggctgt gtggggaggt gggtggagag gtgagcccag 1080
gcactgctga ggggtgcggt gatggggtcg ctgcgccgca atcccaccac tgatgagcca 1140
cctgggaggt ctgggaggcc agtccatcca tgggccgccc tcggagagag gct 1193

<210> 334
<211> 868
<212> DNA
<213> Homo sapiens

<400> 334
gactgactat agggaaagct ggtacgcctg caggtaccgg tccggaattc cgggtcgacc 60
cacgcgtccg ctgaatttag gagacttttt acccaggggc aaaaggctct tagggtaatg 120
agatggatgg tggcccaggt gcattttcca gggcctgggt tctccagatc ccgtggcttc 180
tgttgagtgg aggcaacttt gctctgtgtg aacctcgccc ctgtccctct gccgggcacc 240
cctggcagga agcaggactc ccatcctcac cctgacttag actgtcctct gagtcagctc 300
ctctccaaga caggagtggg cagccctggg cagtcttctg gccccttgct aaagtgaggg 360
scaggaagct ggggctgccc tccagaaagc cggggtaggr actctgaaaa atacctcctc 420
taaacggaag cagggytctc cagttccact tggcgccccc tcccacaagg cccttcctcc 480
ctgaggaccc caccccccta ccccttcccc agcagccttt ggaccctcac ctctctccgg 540
tgtccgtggg tcctcagccc agggtgagct gcagtcaggc gggatgggac gggcaggcca 600
gaggtcagcc agctcctagc agagaagagc cagccagacc ccaaccctgt ctcttgtcca 660
tgcccttgt gatttcagtc ttggtagact tgtatttgga gttttgtgct tcaaagtttt 720
tgtttttgtt tgtttggttt ttgttttgag ggggtggggg gggatacaga gcagctgatc 780
aatttgtatt tatttatttt aacattttac taaataaagc caaataaagc ctcaaaaaaa 840
aaaaaaaaaa aaaaaaaagg gcggccgc 868

<210> 335
<211> 853
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (75)..(75)
<223> n equals a,t,g, or c

<400> 335
naaggcaaat ttcttcctca gtcgtgtggc aggccctgag caggcagctg ggtgtccccg 60
ctcagatcca ggccncgaat gggctgggcg ggttgcagaa gccatcacct gagctaccca 120
gggtgggatc cctggccccg acctctgtcc tgacacgccc caagcggcag caacaaagcc 180
ccaattggcc tgggcctggg caggaggagc tgggccgggt gccagatact gggatcagcc 240
actgcagctc cctgagcact ctctacagag acgcggaccc cagacatgag gaggctcctc 300
ctggtcacca gcctggtggt tgtgctgctg tgggaggcag gtgcagtccc agcacccaag 360
gtccctatca agatgcaagt caaacactgg ccctcagagc aggacccaga gaaggcctgg 420
ggcgcccgtg tggtggagcc tccggagaag gacgaccagc tggtggtgct gttccctgtc 480
cagaagccga aactcttgac caccgaggag aagccacgag gtcagggcag gggccccatc 540
cttccaggca ccaaggcctg gatggagacc gaggacaccc tgggccgtgt cctgagtccc 600
gagcccgacc atgacagcct gtaccaccct ccgcctgagg aggaccaggg cgaggagagg 660
ccccggttgt gggtgatgcc aaatcaccag gtgctcctgg gaccggagga agaccaagac 720
cacatctacc acccccagta gggctccagg ggccatcact gcccccgccc tgtcccaagg 780
cccaggctgt tgggactggg accctcccta ccctgcccca gctagacaaa taaaccccag 840
caggccgggt tat 853

<210> 336

<211> 2561
<212> DNA
<213> Homo sapiens

<400> 336
cccgagaggc ccggttcctt taggccgcct gcccgcctcc agctctcggg gtcggctcca 60
ggaggcgccc tcaggagagg ggcgggcgct ctattccaga gaccgagtgg cagggcggcc 120
actgtggcgg ggctctttcc ccgtttcgcc tcagctaccc ctcagctccg gtagtcgcca 180
gtccggggtc gtcgccgttt ggggcgggag ctgctcggcc ccgccgccgt ccccgtcgcc 240
gcttccgggt ccaggccccc cgggccgcct gccgccgtca tgaggctgcg ggtgcggctt 300
ctgaagcgga cctggccgct ggaggtgccc gagacggagc cgacgctggg gcatttgcgc 360
tcgcacctga ggcagtccct gctgtgcacc tgggggtaca gttctaatac ccgatttaca 420
attacattga actacaagga tcccctcact ggagatgaag agaccttggc ttcatatggg 480
attgtttctg gggacttgat atgtttgatt cttcaagatg acattccagc gcctaatata 540
ccttcatcca cagattcaga gcattcttca ctccagaata atgagcaacc ctctttggcc 600
accagctcca atcagactag catgcaggat gaacaaccaa gtgattcatt ccaaggacag 660
gcagcccagt ctggtgtttg gaatgacgac agtatgttag ggcctagtca aaattttgaa 720
gctgagtcaa ttcaagataa tgcgcatatg gcagagggca caggtttcta tccctcagaa 780
cccatgctct gtagtgaatc ggtggaaggg caagtgccac attcattaga gaccttgtat 840
caatcagctg actgttctga tgccaatgat gccttgatag tgttgataca tcttctcatg 900
ttggagtcag gttacatacc tcagggcacc gaagccaaag cactgtccat gccggagaag 960
tggaagttga gcggggtgta taagctgcag tacatgcatc ctctctgcga gggcagctcc 1020
gctactctca cctgtgtgcc tttgggaaac ctgattgttg taaatgctac actaaaaatc 1080
aacaatgaga ttagaagtgt gaaaagattg cagctgctac cagaatcttt tatttgcaaa 1140
gagaaactag gggaaaatgt agccaacata tacaaagatc ttcagaaact ctctcgcctc 1200
tttaaagacc agctggtgta tcctcttctg gcttttaccc gacaagcact gaacctacca 1260
gatgtatttg ggttggtcgt cctcccattg gaactgaaac tacggatctt ccgacttctg 1320
gatgttcgtt ccgtcttgtc tttgtctgcg gtttgtcgtg acctctttac tgcttcaaat 1380
gacccactcc tgtggaggtt tttatatctg cgtgattttc gagacaatac tgtcagagtt 1440
caagacacag attggaaaga actgtacagg aagaggcaca tacaaagaaa agaatccccg 1500
aaagggcggt ttgtgatgct cctgccatcg tcaactcaca ccattccatt ctatcccaac 1560
cccttgcacc ctaggccatt tcctagctcc cgccttcctc caggaattat cgggggtgaa 1620
tatgaccaaa gaccaacact tccctatgtt ggagacccaa tcagttcact cattcctggt 1680
cctggggaga cgcccagcca gtttcctcca ctgagaccac gctttgatcc agttggccca 1740
cttccaggac ctaaccccat cttgccaggg cgaggcggcc ccaatgacag atttcccttt 1800
agacccagca ggggtcggcc aactgatggc cggctgtcat tcatgtgatt gatttgtaat 1860
ttcatttctg gagctccatt tgtttttgtt tctaaactac agatgtcaac tccttggggt 1920
gctgatctcg agtgttattt tctgattgtg gtgttgagag ttgcactccc agaaaccttt 1980
taagagatac atttatagcc ctaggggtgg tatgacccaa aggttcctct gtgacaaggt 2040
tggccttggg aatagttggc tgccaatctc cctgctcttg gttctcctct agattgaagt 2100
ttgttttctg atgctgttct taccagatta aaaaaaagtg taaattacat tggtggtctt 2160
gacttttatt acagaaagat atgtagtaaa tattcagaac agatacacaa tgttacttgg 2220
acatttcaga attatcagag aacatagcat aggcagataa tttttgtaag ggttttctgt 2280
ttgtttgttt ttttttttt tagcagcgct ctgtcttcta ataaaggcct gatttatgaa 2340
atgaatgaaa acagagctag tttggttgaa ctggacttgg ggtgggtgct ttggctacac 2400
acctactcaa atccacctct tctctcgact tctctctctc tgcagctctt tcttgggttc 2460
tgtggtggaa ctttctgggc tgtgaagcaa tgctgttgaa aggccatttg gtattaggga 2520
ctcctgtttg tggctcctgg gatgaggtgg ttatgatttt g 2561

<210> 337
<211> 1502
<212> DNA
<213> Homo sapiens

<400> 337
gctgattacc tttatgttgg tttctcttat tatttgtctc ttgctagatc tgctaaacca 60
acccagcttg ctcagagatc tcatattgaa gcaacataca ggcaatccac atctttcttt 120
ccctttgaag tatagtcatt ggatgggatg agggacaggg cctgttgggt tcacagggcc 180
ttgcactgca tgggcacata cttaaaagct cttgtgcatg gaatccctgt ctgttagcca 240
caggcctctt tagctctata cattcaaaat aactactgta gtagaaaata gataagcttc 300
agctgagttg gcttttgata gtggaaaaaa aacaaaattt gacttttttat ggccaaaatt 360

ccttgttgac agctgtgatg ttctaatatg atttgggaat atgtcagtct acagaacctg 420
catcctgtaa aaacaccttt ggggtagacg ataaaagtca tttttaaggc aaatacttac 480
catgtgactt tttattacca aatgcatcag tagtggagct ggtatgttgt ttcataggat 540
ggaaacatta gaagtccaga gaaaaataaa ttttaaaaaa aggtggaaaa gttacggcaa 600
acctgagatt tcagcataaa atctttagta tgaagtgaga gaaagaagag ggaggctggt 660
tctgttgctc gtatcaatag gttatctgtg tccctcatct tggtgttaca gtgttatttc 720
tgtcagtatt atgaatatgt ggttgaccca tcctgtcaaa tgtaccaaca ttttcgaaag 780
aattcattca aatctcttat gccaacagaa aagttccttc ttgtttaata tctctttacc 840
tcagtcctac attttgattc tctggaggag attttagctt gtcttaaaaa gccaaatttg 900
gagtcatcaa gcctgctgaa cctgatgggg cagcttttg aacagctttc tggaagtaag 960
aacttcagtt gaaaagccct ttgatcgctt cagcccggga catgcccttc agatggctta 1020
ttctcagtaa agctttatgt agactgtgac actgtatatg tgtgactcgt acaactttga 1080
cgtgtttctg aagtggttta atcgtatttg ttattagctt ctttgtggaa atgcaatttt 1140
tatactaaaa acattgctta tttgcaatgc aatatgttat aaatttgttg tttatattac 1200
tggtattagt cttagcctaa tgaacctaat tatttttctt tctgtattct ttgcttcctc 1260
aaatagcatc tgcagcaatt ggaatgagaa atccagatat gtgtttcaag tagtacattg 1320
cctgaatcac aaatcacttg atcacagtat tgtatataat ccctgatcct atttgtttca 1380
ttttattgta aattcccatt tgcatcaaaa cctaatgata gtgattggta agtaaaaaca 1440
aatggtgtat tgcttttcat aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaactcg 1500
ag 1502

<210> 338
<211> 3308
<212> DNA
<213> Homo sapiens

<400> 338
ccacgcgtcc ggcccagggc tgtctgtctc caaagcccaa ccataactca catccccatt 60
ccagctcctc tgggtgagtc tgttcccccc cagcctcact ttccttatcc tgtcaaatga 120
aggatttgga atgacttaag ttattcaagc aacaaacact tactgaattg tcttgccact 180
tccagggtga cattatggag ttctgtgatt ctgcaagagg ccagagggga caaggtcaag 240
tgggtgttca cctggccccc catcttcctc ctgtgcgtca ccattcccaa ctgcagcaag 300
ccccgctggg agaagttctt catggtcacc ttcatcaccg ccacgctgtg gatcgctgtg 360
ttctcctaca tcatggtgtg gctggtgact attatcggat acacacttgg gatcccggat 420
gtcatcatgg gcattacttt cctggcagca ggacaagtgt ccagactgca tggccagcct 480
aattgtggcg agacaaggcc ttggggacat ggcagtctcc aacaccatag aagcaacgtg 540
tttgacatcc tggtaggact tggtgtaccg tggggcctgc agaccatggt tgttaattat 600
ggatcaacag tgaagatcaa cagccggggg ctggtctatt ccgtggtcct gttgctgggc 660
tctgtcgctc tcaccgtcct cggcatccac ctaaacaagt ggcgactgga ccggaagctg 720
ggtgtctacg tgctggttct ctacgccatc ttcttgtgct tctccataat gatagagttt 780
aacgtcttta ccttcgtcaa cttgccgatg tgccgggaag acgattagcg ctgagtcgcg 840
gcccctggga gctgatctgg acaccctgtg acactggcgt cctcctctcc cctccttccc 900
ccaccacagg tctctcctgc ataggcagcc actgtccgtt ctttcacaca ctggaaggaa 960
gagccatcgt ggtctttgtc tggccacagc caagctgctg ggcatcctcc tcctccttgg 1020
agttccaccc ctgcaaggct ggatttgggg gccattatct gagcagcttc aaagacccct 1080
gagctgccaa ccacggagat gtgccaagca tctcatctct cctgcacact ttagtcagaa 1140
ggacttctgc atgcagtttg tctttctgtt ctgcaggcag cttcagaatt gaggtcattt 1200
gtgagcacaa gatctcatag ggcaggtgca aaataggaat gttgttctca agtgtcacct 1260
ccagcccaga ggtggttcct taggcagcat gtgctcctgg gagcctctga cttttgctgg 1320
aagcacccac agtttggaag gggcaagacc tcaacctgtt ggggtttagg gcccatgatg 1380
gcagacattc tacccctttt cctggaaaaa ctggaagaat gaaaataatt tttttctgtg 1440
gaagagagaa aatgagtgaa tattcttctc acttttattg atgcattcag agaataagca 1500
atgaaatatt aaaaaatgaa acatcatata ggtcatcata cttgaaaatt atcattccat 1560
atgaaaggat catgatacac accaaaaaag taatgatcgt aaagacacaa atcctctgta 1620
tgccatcttg cattggcact gaggtgtttg gtttggaata gggaaaaaga gacaggatct 1680
cgctgtgttc cccaggtagg tcttgaactc ctggcctcaa gtgatcctcc tgccttgacc 1740
tcccaaagtg ctggattaca agcgtgagcc cctgcacccg gcccaagcag ttgcttcttt 1800
ttttctcttt ttttttttt ttgagatgga gcctcactct gttgcccagg ctggagtgca 1860
gtggcgcgat ctccactcac tgcaagctcc gcctcccggg ttcatgccat tctcctgcct 1920
cagcctcccg agtagctggg actacaggcg cctgccacca cacccagcta atttttgta 1980
tttttggtac agacagggtt tcaccgtgtt agccaggatg gtcttgatct ctgatctcgg 2040

atccgccacc ccggcctcca aagtgctgga ttacaagcgt gagccaccgg gccccgccaa 2100
gcagttgctt cttatgcaac atgttgggtg ggacttgtcc acgggccagg ccaataaaat 2160
tcttaatcct gcagagaggc agtaccctca tcaccccatc actggaaaac aaatgtttaa 2220
gctatcaaga gagggaatgt gcagcttggt tctagatgca tggtttggag gatctacctt 2280
tggcctaaag ggaatgtccc aaacaacaga gccttctttg ctgtcactcc agaattctct 2340
acacagaatt tcccaagtcc attcaggaca gacgcgcagt cctctttcaa tggaagaaga 2400
gaggactttt cccctcctga aaaatgactg gagtgtgaac aaggcagctc tgtttttcta 2460
aataagttgt tcttgtgagt tttttctggc cactgggcat ctctgccctc acttttcatc 2520
cctgccctct aagctgcaga ccccatgacc acactgtctg cttccttgag cttcccgcac 2580
gaggcttgca cctgggggac ctggagaccc tgcggacaga actgtggctg agccactgtg 2640
gccaactctt ggggagctcc acagtggggg ttgctggtct gtgaggctga gtctccattt 2700
cagagcacac actccctggc agggcgcctc cgcctgtgtc tcctgcccag cagccgccag 2760
cagggaatag ttgctggtgt ctgagcacaa agagagcttt gattacctag agaggaaaaa 2820
ggctgtcagc cagatgcagc caggcccagg ggtagataca ggagttgcta aggaaggggc 2880
cgagccagga gaggccaggc agatccacaa agcccaaggg gatgcaggct gggtgtggtt 2940
tctgagggaa cctaccaaat agcaggtaga tggaatcaga ggactcttgt gtcctgaaag 3000
aacctcctta aaaacaacta aaaccaagaa cttctggggc tgttcacaca ttgttcaagt 3060
caccccaaga tcgttctggc acgctgagct gaacaccacc atctttgttc attctctctc 3120
taatgggcaa agcaggatca tcgagttgaa aagttgtaaa taatgaggat atttatcccg 3180
ctatttattt tttcaataac tgtgacctcc tgcactgtga atgctctgtg acatgagatt 3240
cttagtttaa taaaactgtc attaaatttg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 3300
aaaaaaaa 3308

<210> 339
<211> 2950
<212> DNA
<213> Homo sapiens

<400> 339
cccggctccc gcccgctccc agccgggccc cccagcggtc ggcgggacgg ctcccggctg 60
cagtctgccc gcccgccccg cgcgggggcc gagtcgcgaa gcgcgcctgc gacccggcgt 120
ccgggcgcgc tggagaggac gcgaggagcc atgaggcgcc agctgcgaag gtggcggcgc 180
tgctgctcgg gctgctcttg gagtgcacag aagccaaaaa gcattgctgg tatttcgaag 240
gactctatcc aacctattat atatgccgct cctacgagga ctgctgtggc tccaggtgct 300
gtgtgcgggc cctctccata cagaggctgt ggtacttctg gttccttctg atgatgggcg 360
tgcttttctg ctgcggagcc ggcttcttca tccggaggcg catgtacccc ccgccgctga 420
tcgaggagcc agccttcaat gtgtcctaca ccaggcagcc cccaaatccc ggcccaggag 480
cccagcagcc ggggccgccc tattacacyg acccaggagg accggggatg aaccctgtcg 540
ggaattccat ggcaatggct ttccaggtcc cacccaactc accccagggg agtgtggcct 600
gcccgccccc tccagcctac tgcaacacgc ctccgccccc gtacgaacag gtagtgaagg 660
ccaagtagtg gggtgcccac gtgcaagagg agagacagga gagggccttt ccctggcctt 720
tctgtcttcg ttgatgttca cttccaggaa cggtctcgtg ggctgctaag ggcagttcct 780
ctgatatcct cacagcaagc acagctctct ttcaggcttt ccatggagta caatatatga 840
actcacactt tgtctcctct gttgcttctg tttctgacgc atctgtgctc tcacatggta 900
gtgtggtgac agtccccgag ggctgacgtc cttacggtgg cgtgaccaga tctacaggag 960
agagactgag aggaagaagg cagtgctgga ggtgcaggtg gcatgtagag gggccaggcc 1020
gagcatccca ggcaagcatc cttctgcccg ggtattaata ggaagcccca tgccgggcgg 1080
ctcagccgat gaagcagcag ccgactgagc tgagcccagc aggtcatctg ctccagcctg 1140
tcctctcgtc agccttcctc ttccagaagc tgttggagag acattcagga gagagcaagc 1200
cccttgtcat gtttctgtct ctgttcatat cctaaagata gacttctcct gcaccgccag 1260
gaaagggtag cacgtgcagc tctcaccgca gatggggcct agaatcaggc ttgcttggag 1320
gcctgacagt gatctgacat ccactaagca aatttattta aattcatggg aaatcacttc 1380
ctgccccaaa ctgagacatt gcattttgtg agctcttggt ctgatttgga gaaaggactg 1440
ttacccattt ttttggtgtg tttatggaag tgcatgtaga gcgtcctgcc ctttgaaatc 1500
agactgggtg tgtgtcttcc ctggacatca ctgcctctcc agggcattct caggcccggg 1560
ggtctccttc cctcaggcag ctccagtggt gggttctgaa gggtgctttc aaaacggggc 1620
acatctggct gggaagtcac atggactctt ccagggagag agaccagctg aggcgtctct 1680
ctctgaggtt gtgttgggtc taagcgggtg tgtgctgggc tccaaggagg aggagcttgc 1740
tgggaaaaga caggagaagt actgactcaa ctgcactgac catgttgtca taattagaat 1800
aaagaagaag tggtcggaaa tgcacattcc tggataggaa tcacagctca ccccaggatc 1860
tcacaggtag tctcctgagt agttgacggc tagcggggag ctagttccgc cgcatagtta 1920

tagtgttgat gtgtgaacgc tgacctgtcc tgtgtgctaa gagctatgca gcttagctga 1980
ggcgcctaga ttactagatg tgctgtatca cggggaatga ggtgggggtg cttatttttt 2040
aatgaactaa tcagagcctc ttgagaaatt gttactcatt gaactggagc atcaagacat 2100
ctcatggaag tggatacgga gtgatttggt gtccatgctt ttcactctga ggacatttaa 2160
tcggagaacc tcctggggaa ttttgtggga gacacttggg aacaaaacag acaccctggg 2220
aatgcagttg caagcacaga tgctgccacc agtgtctctg accaccctgg tgtgactgct 2280
gactgccagc gtggtacctc ccatgctgca ggcctccatc taaatgagac aacaaagcac 2340
aatgttcact gtttacaacc aagacaactg cgtgggtcca aacactcctc ttcctccagg 2400
tcatttgttt tgcattttta atgtctttat tttttgtaat gaaaaagcac actaagctgc 2460
ccctggaatc gggtgcagct gaataggcac ccaaaagtcc gtgactaaat ttcgtttgtc 2520
tttttgatag caaattatgt taagagacag tgatggctag ggctcaacaa ttttgtattc 2580
ccatgtttgt gtgagacaga gtttgttttc ccttgaactt ggttagaatt gtgctactgt 2640
gaacgctgat cctgcatatg gaagtcccrc ttcggtgaca tttcctggcc attcttgttt 2700
ccattgtgtg gatggtgggt tgtgcccact tcctggagtg agacagctcc tggtgtgtag 2760
aattcccgga gcgtccgtgg ttcagagtaa acttgaagca gatctgtgca tgcttttcct 2820
ctgcaacaat tggctcgttt ctctttttg ttctcttttg ataggatcct gtttcctatg 2880
tgtgcaaaat aaaaataaat ttgggcaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2940
aaaaaaaaag 2950

<210> 340
<211> 1769
<212> DNA
<213> Homo sapiens

<400> 340
agaaaaattg cagggaccca ccccagactt gtgagtgcga gtgaagcagg agcagccctg 60
gccatcactg tttctttgac gtgtacatcc catcctgaga tgcagctggg ctgggagccg 120
ccacctgggt ggatctgatt cctggatttc cccatcctgg ggasaggtga cccatcctgt 180
tctcctcctt aggtccatgt gaaatctgar gtccttgctg tcaagttgtc acaagaaata 240
aactacgcaa agagcctcta ctatgaacag cagcttatgt taagactcag cgaaaaccga 300
gagcagctgg agctggactc ctgaagcccc gctgctgaga tgggcgctcc cgacacagcg 360
cagacccacc aggaggaaag aggcccagct ctcagctgac gatggaggca gaaccggagt 420
cgggtttggg gaagttgtca aggaatgagg gaaagtaaat cctcatgagg aaaagtacaa 480
atggaaatcg tattaatttg tgaggcaggg agttatttta gattatggga aataattttt 540
aaaggtattg gttaaataac gtttaaaaac atgtactgag atgaatctaa tttttagatt 600
gccctgtatt ttgttaacat gtatatatgt acaacagtgt gtttgtaaat atataggaac 660
gtttctgaac agggtctgtg ctatgtgtaa aggtttgtta actgtaaagt aatataaagt 720
tatattggat cttctattgc actaattcta gatgtctaat tcaggatact gtctatagaa 780
aggcattctt aaaagttaaa gaatgttacg tcttagtttt ggagactaaa gtattcccag 840
taaagtgggt tgaggtgagg gctgtggtcc tgaaagggac gcctttgaca tcgtggctgt 900
ccagttgggc tgtgagctgt ggcacccagg actggcgctg gcccttcaga aggatctagg 960
agaggggctt gggagcccac ttttaatttc tcacccccat tttacaaaga gtgcttagat 1020
tcttacaaat tatgatgtaa gttatccatt tggctttttc ctaactagtc ttaccaaact 1080
taggggaaa cctgtgctcc attaccacat gggtgcaagt cagcattgta agttttctca 1140
ggttattatt attagagagg ttggaaacat tggtaaactc tgttgattga gaaggaaaaa 1200
aaaagtccca ttgaactgtt gcaacaaatc agaaatccac ataaaagtgc tctcctgcct 1260
gggcagcaac aaccaagaac aaagccccgg gactgttttc tttttaataa agccacaggc 1320
aggcatcgta gctccacagc ccgaggggac acaggatgga aaccccagga tgagaaggga 1380
gcagggagag ttccagaaag ggggatgaaa taggagtatt aaaaagctgc gttggtaagt 1440
ttttcatgga accaagattt gacaaaggca tctcttatcc ttggttttaa attcctgctg 1500
ggagcaaggc ctggtatgag cgccctgggt cttgtttttg gtgtttcgct tttctgtaag 1560
gattaagcag atagggagaa gggaaaaggg gcctcacttt agaatgaatg agtcaccttg 1620
tgatttttaa atttttattt taataaagct aatcaatttc taaaaaaaaa aaaaaaaaaa 1680
aaaaaaaggg cggccgctct agaggatccc tcgaggggcc caagcttacc gtgcatgcga 1740
cggtatagct ctctcctata gtgagccta 1769

<210> 341
<211> 1317
<212> DNA
<213> Homo sapiens

<400> 341
ccacgcgtcc ggacgccgcc acctccggaa caagccatgg tggcggctac ggtggcagcg 60
gcgtggctgc tcctgtgggc tgcggcctgc gcgcagcagg agcaggactt ctacgacttc 120
aaggcggtca acatccgggg caaactggtg tcgctggaga agtaccgcgg atcggtgtcc 180
ctggtggtga atgtggccag cgagtgcggc ttcacagacc agcactaccg agccctgcag 240
cagctgcagc gagacctggg cccccaccac ttcaacgtgc tcgccttccc ctgcaaccag 300
tttggccaac aggagcctga cagcaacaag gagattgaga gctttgcccg ccgcacctac 360
agtgtctcat tccccatgtt tagcaagatt gcagtcaccg gtactggtgc ccatcctgcc 420
ttcaagtacc tggcccagac ttctgggaag gagcccacct ggaacttctg gaagtaccta 480
gtagccccag atggaaaggt ggtaggggct tgggacccaa ctgtgtcagt ggaggaggtc 540
agaccccaga tcacagcgct cgtgaggaag ctcatcctac tgaagcgaga agacttataa 600
ccaccgcgtc tcctcctcca ccacctcatc ccgcccacct gtgtggggct gaccaatgca 660
aactcaaatg gtgcttcaaa gggagagacc cactgactct ccttccttta ctcttatgcc 720
attggtccca tcattcttgt gggggaaaaa ttctagtatt ttgattattt gaatcttaca 780
gcaacaaata ggaactcctg gccaatgaga gctcttgacc agtgaatcac cagccgatac 840
gaacgtcttg ccaacaaaaa tgtgtggcaa atagaagtat atcaagcaat aatctcccac 900
ccaaggcttc tgtaaactgg gaccaatgat tacctcatag ggctgttgtg aggattagga 960
tgaaatacct gtgaaagtgc ctaggcagtg ccagccaaat aggaggcatt caatgaacat 1020
tttttgcaca taaaccaaaa aataacttgt tatcaataaa aacttgcatc caacatgaat 1080
ttccagccga tgataatcca ggccaaaggt ttagttgttg ttatttcctc tgtattattt 1140
tcttcattac aaaagaaatg caagttcatt gtaacaatcc aaacaatacc tcacgatata 1200
aaataaaaat gaaagtatcc tcctcaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1260
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaa 1317

<210> 342
<211> 1677
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (537)..(537)
<223> n equals a,t,g, or c

<400> 342
ccccccgggt cgacccacgc gtccggactt tttttatttt agctattcca gggggtttga 60
agtagtactg cattgtgatt ttaatttgca tttccctgat gattaatagt gataagcata 120
ttttcatata atatttacca tttatttatc ttcttgtttg aaatatctgt tcaagtctta 180
tgcccatttt aatgggacag tttttctgtt tattattgat tcatattatt gacttatagt 240
aatattttat gaattgatct ctttattatt atgaaatgyt tctttttatt tgtggtaata 300
ctcatcatca tgaaatctaa tttgtctgat attattatag ccacttatac ttactgtata 360
cctgattatt ttttccatac ctttatcttc aatttatctg tatatttgaa ttcaaagttc 420
atctcttgag cctgaaagta ataagcacct tgaacccgga tctttatatc taaatatgat 480
tctccagtaa aatttatcag ggttctctgg acaagtggct gattgattgt agagcangga 540
taagaagagt atatgctgaa cctgaatcat ttttgtggtg ccaaaagtaa ggaagtacac 600
aaaaaaattg agaagatatc awgaaatgca caaaaactaa cctgaagtga ctctyaatga 660
ccatatctkg gacaatttga gtaaaaaaat aagtaacaat aatggatgat atcttataag 720
ataatataaa acaaatatca atgagtctat gatgatatag aattagaatg tataaatggg 780
aggaagggga aaattctttg cttaagcaga ataataatta attaatataa aaagaataat 840
ggaaatggta gaaatagaaa gtcaacattt ggcaagcacc acagtaataa ttgttgcagg 900
caagaatcat caatggatgc taaagtttgt gagaaaaagt ttgatgagaa atgggctatt 960
tacataacct caaaggcttt tcccacaaga tactgttaat tacaaagggg aaaatattga 1020
gaaacatgga agacagcacc ttaaccaaat gattgaagtt aataccatta gtaatgcaac 1080
aaatcagtat cgtgtgcctc ctgatatgat gcactgagaa gggcacaagc atcaccttta 1140
tggtattctt gcaaaaaatg cataatctaa attcaaccat gaagaaatat tagaaggatg 1200
ttctatgact agtcagtact gctcaaaaat gtcaagatta tgaaagacaa agaaagacta 1260
aggtactttc cagatttaaa gaaattaaat agacaggact actaaatgca atatatgagt 1320
ctgaattgga ccctggacta aaattaggca gacagttggt gaattttgag tcaagtctgt 1380
agagtagtta atagtatttc tggttttgat catcataata tggttattta agatgttaac 1440
atttggtgga tctgggtgaa aagtatatga ggattctctc gcagtatttt tgcaattttt 1500
ttaaatctga aattctttta aaatgagaag ttggctgggc acagtggctc acacctgtaa 1560

tcccagcact ttgaaacacc aaggcaggag actcgcttga gcccaggagt ttgagaccat 1620
cctgcgtaag atggcaagac tccatctctt taaaaaaaaa aaaaaaaggg cggccgc 1677

<210> 343
<211> 1604
<212> DNA
<213> Homo sapiens

<400> 343
ccacgcgtcc ggcagacaca ggcacttatt cattcatctc attgaaaagc tacgagttgg 60
ttccttattg cctctccata atagaaaaac tctttaatga gctctctttt tgtttttcaa 120
atcagatatg caaagaagct cataacaatt ttttttaaaa atgcaaaaca agaatctcca 180
attatgggag caaaatcttc agcttctggg ttcctgtctc actgaggaaa tggatttgaa 240
atggcaagga ggaaatgagg aggcaaactt tcatgtctat tttagttttc caatgcagtc 300
ctatttcctt tggactttgt ataaacaagg aaaggacagt tgttagttca gttattacag 360
ataacctgtg tctttaaagt aaatgtatct taaataagta ggactcccat aaatgactac 420
acttttcaa aatatgactc cccagcttat aacaagaata atagcaaaca tcactttatt 480
aagcaattac tatgtaaaag acacttagtg cttagcacac actggaaata ttgttgactg 540
gctatatttt ccccagaaat cccatttctg aaagcctatt acaaagaaat aaaatcatca 600
gtataacaaa ggagtgtgtg tgtgtgtggg tgtgagtgtg tgtgggtgtg agtgtgtggg 660
gggtgtgagt gtgtgtgggt gtgagagtgt gtgtgtgagt gtgagtgtgt gtgtgtgtaa 720
gtgcacacac atgttgtagt attgttcata gtggcaaaaa ctagaaacaa agtgaatatt 780
gataacatgg gcacagatga caaattatat ctccaaatta tgaaacagaa tccagccatt 840
aaaatcagag ctttgccacg tgactaggat gaagttacaa aaagtattgt tgagtgagaa 900
aagcaggata cataggatac atggaattga gtataatatg atttcttttt ttttttttt 960
gagatggagt ctcgctctgt cactcaggct ggagtgcagt ggcacaatct cagctcactg 1020
caacctccgc ctcccggatt caagcaattc tcctccctca gcctcctgag tagctgggac 1080
taccgtcacc tgccaccacg ccccagctaa tttttgtatt tttagtagag atgggctttc 1140
accatattgg tcacgctgat ctcaaaatcc tgacctcagg tgatccacct gcctcagcct 1200
cccaaagtgc tgggattaca gtcgtgagcc actgcacctg gccgatttct tttttaaaat 1260
gatcaaaaaa ccatttatat gtgggaatat agctatatac ttttattatt gaattaccat 1320
ggaaaaaaac atggaagagg gaggccaagg caggagaatc acttgaggcc caggagtttg 1380
agaccagcct gggcaacaaa gcgagaccct catctctact aaaaatacaa aaattacctg 1440
ggcctggtga cacatgcctg taatcccagc tactcagaag actaaggcaa gtgaatcgct 1500
tgaacccgag acgtggaggt tgcagtgaag tgagccaaga tcgcgccgtt gcactccagc 1560
ctggtgacag agtgagagtc tttctcaaaa aaaaaaaaaa aaaa 1604

<210> 344
<211> 1699
<212> DNA
<213> Homo sapiens

<400> 344
acgcgtccgc gccaagggag caggacggag ccatggaccc cgccaggaaa gcaggtgccc 60
aggccatgat ctggactgca ggctggctgc tgctgctgct gcttcgcgga ggagcgcagg 120
ccctggagtg ctacagctgc gtgcagaaag cagatgacgg atgctccccg aacaagatga 180
agacagtgaa gtgcgcgccg ggcgtggacg tctgcaccga ggccgtgggg gcggtggaga 240
ccatccacgg acaattctcg ctggcagtgc ggggttgcgg ttcgggactc cccggcaaga 300
atgaccgcgg cctggatctt cacgggcttc tggcgttcat ccagctgcag caatgcgctc 360
aggatcgctg caacgccaag ctcaacctca cctcgcgggc gctcgacccg gcaggtaatg 420
agagtgcata cccgcccaac ggcgtggagt gctacagctg tgtgggcctg agccgggagg 480
cgtgccaggg tacatcgccg ccggtcgtga gctgctacaa cgccagcgat catgtctaca 540
agggctgctt cgacggcaac gtcaccttga cggcagctaa tgtgactgtg tccttgcctg 600
tccggggctg tgtccaggat gaattctgca ctcgggatgg agtaacaggc ccagggttca 660
cgctcagtgg ctcctgttgc caggggtccc gctgtaactc tgacctccgc aacaagacct 720
acttctcccc tcgaatccca ccccttgtcc ggctgccccc tccagagccc acgactgtgg 780
cctcaaccac atctgtcacc acttctacct cggccccagt gagacccaca tccaccacca 840
aacccatgcc agcgccaacc agtcagactc cgagacaggg agtagaacac gaggcctccc 900
gggatgagga gcccaggttg actggaggcg ccgctggcca ccaggaccgc agcaattcag 960
ggcagtatcc tgcaaaaggg gggccccagc agccccataa taaaggctgt gtggctccca 1020
cagctggatt ggcagccctt ctgttggccg tggctgctgg tgtcctactg tgagcttctc 1080

cacctggaaa tttccctctc acctacttct ctggccctgg gtacccctct tctcatcact 1140
tcctgttccc accactggac tgggctggcc cagcccctgt ttttccaaca ttcccccagta 1200
tccccagctt ctgctgcgct ggtttgcggc tttgggaaat aaaataccgt tgtatatatt 1260
ctgccagggg tgttctagct ttttgaggac agctcctgta tccttctcat ccttgtctct 1320
ccgcttgtcc tcttgtgatg ttaggacaga gtgagagaag tcagctgtca cggggaaggt 1380
gagagagagg atgctaagct tcctactcac tttctcctag ccagcctgga ctttggagcg 1440
tggggtgggt gggacaatgg ctccccactc taagcactgc ctcccctact ccccgcatct 1500
ttggggaatc ggttccccat atgtcttcct tactagactg tgagctcctc gagggcaggg 1560
accgtgcctt atgtctgtgt gtgatcagtt tctggcacat aaatgcctca ataaagattt 1620
aattactttg taaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1680
aaaaaaaaaa aaaaaaaaa 1699

<210> 345
<211> 831
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (5)..(5)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (10)..(11)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (15)..(15)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (27)..(27)
<223> n equals a,t,g, or c

<400> 345
catcnacggn naccnctact ataggtnaag ctggtacgcc tgcaggtacc ggtccggaat 60
tcccgggtcg acccacgcgt ccgggggaaw tcccagtcga tttttccaag cagtactccg 120
cttcctggat gtgtttgtct ctcttggctg cactggcctg ctctgctgga gacacatggg 180
cttcagaagt tggcccagtt ctgagtaaaa gttctccaag actgataaca acctgggaga 240
aagttccagt tggtaccaat ggaggagtta cagtggtggg ccttgtctcc agtctccttg 300
gtggtacctt tgtgggcatt gcatacttcc tcacacagct gatttttgtg aatgatttag 360
acatttctgc cccgcagtgg ccaattattg catttggtgg tttagctgga ttactaggat 420
caattgtgga ctcatactta ggggctacaa tgcagtatac tgggttggat gaaagcactg 480
gcatggtggt caacagccca acaaataakg caaggcacat agcagggaaa cccattcttg 540
ataacaacgc agtgaatctg ttttcttctg ttcttattgc cctcttgctc ccaactgctg 600
cttggggttt ttggcccagg gggtgaactt tatttcattt ccmcaggttg aaactgaatg 660
ggcagttcat gktaaaatcm cttttcatgg aaagagctct atgtaacagc ataataaaac 720
tgsctaccta gcagcaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaagggcg 780
gccgctctag aggatccaag cttacgtacg cgtgcatgcg acatcatagc t 831

<210> 346
<211> 801
<212> DNA
<213> Homo sapiens

<400> 346
ggcacgaggg aaggtgaggg gagaaaatgc ccctggaaag ggttaagggc caggacagga 60
atggggcagg aggtgcacgg atcctgctgg gcactgggag caggggcgg ccaaaggcag 120

tgggtgggca ggtccatgcc tcccctggcc ccccagctct gcagggcagt gttcctggtt 180
cctatcttgc tgctgctgca ggtgaagcct ctgaacggga gcccaggccc caaagatggg 240
agccagacag agaaaacgcc ctctgcagac cagaatcaag aacagttcga agagcacttt 300
gtggcctcct cagtgggtga gatgtggcag gtggtggaca tggcccagca ggaagaagac 360
cagtcgtcca agacggcagc tgttcacaag cactctttcc acctcagctt ctgctttagt 420
ctggccagtg tcatggtttt ctcaggaggg ccattgaggc ggacattccc aaatatccaa 480
ctctgcttca tgctcactca ctgaccctcc ctccctcctg ggctccaggt cacaactccc 540
aaaggagatg caggcatggc tctctgcctc tgatcaccat cactgtatct caaggttcag 600
cagcagagat accagttgcc atcagtgcta actgactgcc tctccaggtt cggagtttca 660
tctcccaggg ccagagacag cagacccaca tccttctctc ccacacctct cctggttttg 720
ttcaggacag cagattagag gcaggaggca atgacaataa aataacgata aaatcctgaa 780
aacaaaaaaa aaaaaaaaaa a 801

<210> 347
<211> 2709
<212> DNA
<213> Homo sapiens

<400> 347
ggcacgagat ttcctacagg tgaaacgcca tcattaggat tcactgtaac gttagtgcta 60
ttaaactcac tagcattttt attaatggcc gttatctaca ctaagctata ctgcaacttg 120
gaaaaagagg acctctcaga aaactcacaa tctagcatga ttaagcatgt cgcttggcta 180
atcttcacca attgcatctt tttctgccct gtggcgtttt tttcatttgc accattgatc 240
actgcaatct ctatcagccc cgaaataatg aagtctgtta ctctgatatt ttttccatgc 300
ctgcttgcct gaatccagtc ctgtatgttt tcttcaaccc aaagtttaaa gaagactgga 360
agttactgaa gcgacgtgtt accaagaaaa gtggatcagt ttcagtttcc atcagtagcc 420
aaggtggttg tctggaacag gatttctact acgactgtgg catgtactca catttgcagg 480
gcaacctgac tgtttgcgac tgctgcgaat cgtttctttt aacaaagcca gtatcatgca 540
aacacttgat aaaatcacac agctgtcctg cattggcagt ggcttcttgc caaagacctg 600
agggctactg gtccgactgt ggcacacatt cggcccactc tgattatgca gatgaagaag 660
attcctttgt ctcagacagt tctgaccagg tgcaggcctg tggacgagcc tgcttctacc 720
agagtagagg attcccttg gtgcgctatg cttacaatct accaagagtt aaagactgaa 780
ctactgtgtg tgtaaccgtt tcccccgtca accaaaatca gtgtttatag agtgaaccct 840
attctcatct ttcatctggg aagcacttct gtaatcactg cctggtgtca cttagaagaa 900
ggagaggtgg cagtttattt ctcaaaccag tcattttcaa agaacaggtg cctaaattat 960
aaattggtga aaaatgcaat gtccaagcaa tgtatgatct gtttgaaaca aatatatgac 1020
ttgaaaagga tcttaggtgt agtagagcaa tataatgtta gtttttttctg atccataaga 1080
agcaaattta tacctatttg tgtattaagc acaagataaa gaacagctgt taatattttt 1140
taaaaattct atttttaaaa tgtgattttc tataactgaa gaaaaatatc ttgctaattt 1200
tacctaatgt ttcatccttt aatctcagga caacttactg cagggccaaa aaagggactg 1260
tcccagctag acctgtgaga gtatacatag gcattacttt attatgtttt cacttgccat 1320
ccttgacata agagaactat aaattttgtt taagcaattt ataaatctaa aacctgaaga 1380
tgtttttaaa acaatattaa cagctgttag gttaaaaaaa tagctggaca tttgttttca 1440
gtcattatac attgctttgg tccaatcagt aatttttttct taagtgtttt gtgattacac 1500
tactagaaaa aaagtaaaag gctaattgct gtgtgggttt agtcgatttg gctaaactac 1560
taactaatgt gggggtttaa tagtatctga gggatttggt ggcttcatgt aatgttctca 1620
ttaatgaata cttcctaata tcgttggctc tactaatatt ttccaatttg ctgggatgtc 1680
acctagcaat agcttggatt atatagaaag taaactgtgg tcaatacttg catttaatta 1740
gacgaaacgg ggagtaatta tgacacgaag tacttaatgt ttatttctta gtgagctgga 1800
ttatcttgaa cctgtgctat taaatggaaa tttccataca tcttccccat actatttttt 1860
ataaaagagc ctattcaata gctcagaggt tgaactctgg ttaaacaaga taatatgtta 1920
ttaataaaaa tagaagaaga aagaataaag cttagtcctg tgtcttttaa aaattaaaaa 1980
ttttacttga ttccccatct atgggcttta gacctattac tgggtggagt cttaaagtta 2040
taattgttca atatgttttt tgaacagtgt gctaaatcaa tagcaaaccc actgccatat 2100
tagttattct gaatatacta aaaaaatcca gctagattgc agtttaataa ttaaactgta 2160
catactgtgc atataatgaa tttttatctt atgtaaatta tttttagaac acaagttggg 2220
aaatgtggct tctgttcatt tcgtttaatt aaagctacct cctaaactat agtggctgcc 2280
agtagcagac tgttaaattg tggtttatat acttttttgca ttgtaaatag tctttgttgt 2340
acattgtcag tgtaataaaa acagaatctt tgtatatcaa aatcatgtag tttgtataaa 2400
atgtgggaag gatttattta cagtgtgttg taattttgta aggccaacta tttacaagtt 2460
ttaaaaattg ctatcatgta tatttacaca tctgataaat attaaatcat aacttggtaa 2520

gaaactccta attaaaaggt tttttccaaa attcaggtta ttgaaaactt ttcattttat 2580
tcatttaaaa actagaataa cagatatata aaagtgttaa tctttgtgct atatggtatg 2640
aaatacaata ttgtactcag tgttttgaat tattaaagtt tctagaaagc aaaaaaaaaa 2700
aaaaaaaaa 2709

<210> 348
<211> 813
<212> DNA
<213> Homo sapiens

<400> 348
ggcacgagat cattttctgt cccctcctat cttaggctga ccggttccct gatgtgttac 60
ctgcttctgc tactgatcca aactgcagaa cttctcattc atccccaagg cctccaggca 120
gtatccaatg gggaatcagc tctaaaagga accagaccaa cgttttccag ccccttcatt 180
ctggtgactg aggggaggaa agaatgggag ggggtattct tgtctagtgg atggaaagga 240
aacacactgt caaattacta tatctccttg gttttctatt acagtagaat tctccagcca 300
tatttttatt gtctatgggg gaagttggag atggtgacct tgattagaag tgtctggagg 360
gggataaatg gaggggataa gatttcagtt ggttttggaa aatgttaaag tcttaaaata 420
atgcgtccca tctgaagaat tttttctaaa accagagttt ataaaaatat cactgataca 480
gcctgccccc tcatttccct gccacaggag atgtcttgga ctagagacac ttgtttaata 540
atagcttgtc tctgatattc ccagtagctt ccctctgtgt gaggaaagga tagaaatgtt 600
caggacatca tcatacaggc tcctcatcta caaagttcca gtagcagtga cgcctacacg 660
gaagacttgg aactgcaaac aggctggggt cacctcagtg acatctgacg ctgtccaacc 720
agaagttcga tttttgttct gggggtgaag gaggaaacag actgtactaa aggactaaaa 780
taatttgtct atactaaaaa aaaaaaaaaa aaa 813

<210> 349
<211> 2288
<212> DNA
<213> Homo sapiens

<400> 349
ccacgcgtcc gggggctgca aggacctgag ctcagcttcc gccccagcca gggaagcggc 60
aggggaaagc accggctcca ggccagcgtg ggccgctctc tcgctcggtg cccgccgcca 120
tgtgggccgt cctgaggtta gccctgcggc cgtgtgcccg cgcctctccc gccgggccgc 180
gcgcctatca cggggactcg gtggcctcgc tgggcaccca gccggacttg ggctctgccc 240
tctaccagga gaactacaag cagatgaaag cactagtaaa tcagctccat gaacgagtgg 300
agcatataaa actaggaggt ggtgagaaag cccgagcact tcacatatca agaggaaaac 360
tattgcccag agaaagaatt gacaatctca tagacccagg gtctccattt ctggaattat 420
cccagtttgc aggttaccag ttatatgaca atgaggaggt gccaggaggt ggcattatta 480
caggcattgg aagagtatca ggagtagaat gcatgattat tgccaatgat gccaccgtca 540
aaggaggtgc ctactaccca gtgactgtga aaaaacaatt acgggcccaa gaaattgcca 600
tgcaaacagg ctcccctgca tctacttagt tgattcggga ggagcatact tacctcgaca 660
agcagatgtg tttccagatc gagaccactt tggccgtaca ttctataatc aggcaattat 720
gtcttctaaa aatattgcac agatcgcagt ggtcatgggc tcctgcaccg caggaggagc 780
ctatgtgcct gccatggctg atgaaaacat cattgtacgc aagcagggta ccattttctt 840
ggcaggaccc cccttggtta aagcggcaac tggggaagaa gtatctgctg aggatcttgg 900
aggtgctgat cttcattgca gaaagtctgg agtaagtgac cactgggctt tggatgatca 960
tcatgccctt cacttaacta ggaaggttgt gaggaatcta aattatcaga agaaattgga 1020
tgtcaccatt gaaccttctg aagagccttt atttcctgct gatgaattgt atggaatagt 1080
tggtgctaac cttaagagga gctttgatgt ccgagaggtc attgctagaa tcgtggatgg 1140
aagcagattc actgagttca aagcctttta tggagacaca ttagttacag gatttgctcg 1200
aatatttggg tacccagtag gtatcgttgg aaacaacgga gttctctttt ctgaatctgc 1260
aaaaaagggt actcactttg tccagttatg ctgccaaaga aatattcctc tgctgttcct 1320
tcaaaacatt actggattta tggttggtag agagtatgaa gctgaaggaa ttgccaagga 1380
tggtgccaag atggtggccg ctgtggcctg tgcccaagtg cctaagataa ccctcatcat 1440
tgggggctcc tatggagccg gaaactatgg gatgtgtggc agagcgtata gcccaagatt 1500
tctctacatt tggccaaatg ctcgtatctc agtgatggga ggagagcagg cagccaatgt 1560
gttggccacg ataacaaagg accaaagagc ccgggaagga aagcagttct ccagtgctga 1620
tgaagcggct ttaaaagagc ccatcattaa gaagtttgaa gaggaaggaa acccttacta 1680
ttccagcgca agggtatggg atgatgggat cattgatcca gcagacacca gactggtctt 1740

gggtctcagt tttagtgcag ccctcaacgc accaatagag aagactgact tcggtatctt 1800
caggatgtaa ctggaataaa ggatgttttc tgttggacat gtactgaaaa ttaacacatg 1860
tagtagcctt aaaatttag acttctcgaa catgaggctg ttacagtaat ttttttaaca 1920
ctgtgcattg tacttttcta ccttaaaaaa atcagtgagg atatttattt aatgaacatc 1980
aattcctttt aaattttctt agagaaattt ctctgtggct cagttttacc acccataaag 2040
cggagacagt aatttatggt atcctttctg acccacaaag tatgaaaagt tctgtaatct 2100
gtaaactcag ttctgtaatc tgtattattg agatgattaa tataaagttg tattttcact 2160
gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2220
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2280
aaaaaaaa 2288

<210> 350
<211> 3758
<212> DNA
<213> Homo sapiens

<400> 350
ccacgcgtcc gctttttctc aggatgaata ttttcctggc cgactcattg atccttggta 60
caaataaact tctggaagac ccagagagag gaaaacacag gagaaattga gcgatgtacg 120
tacatcaaat accactactc ctcagcaacc atccccagga acctcacttt caatatcacg 180
aagaccatcc gtcaggatga gtggcatgcc ctacacctgc gcagaatgac ggctggcttc 240
atgggcatgg cggtggccat catcctcttt ggctggatca tcggcgtgct gggctgctgc 300
tgggaccgag gccttatgca gtacgtggca ggctgctctt cctcatggga gggaaaacag 360
tggaattaaa gagtgtctgc cccagcccgg cagggtgaag taggatgggg aaaacgttct 420
caccagaccc tgggacttct atgctgcagc atcgtgacct gaggggtgga tgcagttgcc 480
acagctcttt gaggcaaagg ccccgatgct ctgtggacag cctcaggctt gggatggatt 540
tggcagtgag gaacttattg taacagaaga aagtcatcca agatgcctga ggaaagaaac 600
cttcaattga gccagccggc tggaaaatgt ggccaagaaa accgcagaga ccaatgttcg 660
gaggagaaaa ccagaaagag gggcctgcct ggccccttg atcctttatg gccgattccg 720
tggacattgc tgctcctcac gccggcagcc ctctcttgag tacctcaatt gcagtctcca 780
gaccctcacc ccgcaggcat tcctgggtcg gtgtcccagt cggtcacagt catggatcct 840
ctgcagagca gtagaaagtc gggaggggcc cgtgcccatg gtcaggaaag gagcggcagg 900
aggaaagagg agcatgagaa ctcagaagaa attgtaccta ctcagaaggt ggagtgagga 960
tagacgttcc cagattcaaa ggcatcatga agtgtcatga caagatagaa aagactttgg 1020
gctggccaag aaggaactgg ataaaattat gagtgaggta cagcaggtgg gaacagtgtc 1080
actgaaccct atcaacagca gagcatgaga acgtgaattc ctgctgctgg ggaggcaatg 1140
aaatgatatg ggccttcaga tgtctatgaa tcctgaccca ccgtgggtgc cagttttcaa 1200
gagggcttcc catcaaatat tgtgcgcaaa ggatggatgg atgaaaggaa gagtgagcca 1260
ataaacgagg gaacgccggg aaaggcagcc tcaagccggt gggccctggc acccccaccg 1320
tccctgagca tcgagccggt tcccgccccg gcccgaactg gcccgcgcgc gctcgcagcc 1380
ccgcggcgga acccgagggc ggcggcagcg gttccttgaa cgagccgggg aatctggagg 1440
gagcacacag gaaaggcaga gccgcgagct ggaccagcgg caaatctcta gaagatgacg 1500
ggttctttaa aacgcttcga aatcactgga agaaaactac agctgggctc tgcctgctga 1560
cctggggagg ccattggctc tatggaaaac actgtgataa cctcctaagg agagcagcct 1620
gtcaagaagc tcaggtgttt ggcaatcaac tcattcctcc caatgcacaa gtgaagaagg 1680
ccactgtttt ctcaatcctg cagcttgcaa aggaaaagcc aggactctat ttgaaaaaaa 1740
tgctgcccga ttttacattt atctggcatg gatgtgacta ttgtaagaca gattatgagg 1800
gacaagccaa gaaactcctg gaactgatgg aaaacacgga tgtgatcatt gttgcaggag 1860
gagatgggac actgcaggag gttgttactg gtgttcttcg acgaacagat gaggctacct 1920
tcagtaagat tcccattgga tttatcccac tgggagagac cagtagtttg agtcataccc 1980
tctttgccga aagtggaaac aaagtccaac atattactga tgccacactt gccattgtga 2040
aaggagagac agttccactt gatgtcttgc agatcaaggg tgaaaaggaa cagcctgtat 2100
ttgcaatgac cggccttcga tggggatctt tcagagatgc tggcgtcaaa gttagcaagt 2160
actggtatct tgggcctcta aaaatcaaag cagcccactt tttcagcact cttaaggagt 2220
ggcctcagac tcatcaagcc tctatctcat acacgggacc tacagagaga cctcccaatg 2280
aaccagagga gacccctgta caaaggcctt ctttgtacag gagaatatta cgaaggcttg 2340
cgtcctactg ggcacaacca caggatgccc tttcccaaga ggtgagcccg gaggtctgga 2400
aagatgtgca gctgtccacc attgaactgt ccatcacaac acggaataat cagcttgacc 2460
cgacaagcaa agaagatttt ctgaatatct gcattgaacc tgacaccatc agcaaaggag 2520
actttataac tataggaagt cgaaaggtga gaaaccccaa gctgcacgtg gagggcacgg 2580
agtgtctcca agccagccag tgcactttgc ttatcccgga gggagcaggg ggctctttta 2640

gcattgacag tgaggagtat gaagcgatgc ctgtggaggt gaaactgctc cccaggaagc 2700
tgcagttctt ctgtgatcct aggaagagag aacagatgct cacaagcccc acccagtgag 2760
cagcagaaga caagcactct gagaccacac tttaggccac cggtgggacc aaaagggaac 2820
aggtgcctca gccatcccaa cagtgtcgtc agagggtccc cagggcattt tcatggcaag 2880
taccctctg cccccactcc agcagtgctt cccaaagtgt gctctgtcac ctgctttgca 2940
atcggcttcc attagcgcat gttttatttt ggtgtgacgg ttggccctcc taaacacgga 3000
ctttcctcag gctggttcaa gacggaaaag gactttcttc tgttttcttc caaagtgcaa 3060
ccacagtgga gagcccacgg tgggcttagc ctgcctaggc ccttccattt ctcttctttg 3120
accgtgctag gaattccagg aaagtgcatt cctgccctgg tgacctttte ctatgtctag 3180
gctcctccac aggtgctgct attttgtgag ctccggctcc tgtttagctt ttatttcagt 3240
tctaacctca gtccagaaac atatgtgagg ttgtttccct cttcagccac ggctacaata 3300
ccggaaaatg ctagttttta tttatttttt taagtagtgc ttcctaaatg gtttgcatga 3360
gagccacctg gggtacatgt tgaaaactta tttggggtct accccaaacc taataaccca 3420
aatttgggga tggggcccag gaatatgcat ttttaaaaag tcatctgccc ttcccaggtg 3480
attctgtaag ttgtccctca actgtacttg gagaaatcgt gttttaaagc agtagtccac 3540
aaagtattct gctcatgtgc ccccaaaagt attttgaaaa atcatgtata ccctcaccca 3600
tctaagttga tatctaaaat tttatctaag ttggtatcta aaatttttca tgggaagtta 3660
aatagttgac aaagtatgta tttgctggtg tcgtgtaaat attggtattt taaaataaaa 3720
actgttacat cactaaaaaa aaaaaaaaaa aaaaaaaa 3758

<210> 351
<211> 1534
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1212)..(1212)
<223> n equals a,t,g, or c

<400> 351
tcgaagatag gttcgagacg gtggatgttg cagctgatca tgcagttggg ttcggtgctg 60
ctcacacgct gccccttttg gggctgcttc agccagctca tgctgtacgc tgagagggct 120
gaggcacgcc ggaagcccga catcccagtg ccttacctgt atttcgacat gggggcagcc 180
gtgctgtgcg ctagtttcat gtcctttggc gtgaagcggc gctggttcgc gctgggggcc 240
gcactccaat tggccattag cacctacgcc gcctacatcg ggggctacgt ccactacggg 300
gactggctga aggtccgtat gtactcgcgc acagttgcca tcatcggcgg ctttcttgtg 360
ttggccagcg gtgctgggga gctgtaccgc cggaaacctc gcagccgctc cctgcagtcc 420
accggccagg tgttcctggg tatctacctc atctgtgtgg cctactcact gcagcacagc 480
aaggaggacc ggctggcgta tctgaaccat ctcccaggag gggagctgat gatccagctg 540
ttcttcgtgc tgtatggcat cctggcccct ggcctttctg tcaggctact acgtgaccct 600
cgctgcccag atcctggctg tactgctgcc ccctgtcatg ctgctcattg atggcaatgt 660
tgcttactgg cacaacacgc ggcgtgttga gttctggaac cagatgaagc tccttggaga 720
gagtgtgggc atcttcggaa ctgctgtcat cctggccact gatggctgag ttttatggca 780
agaggctgag atgggcacag ggagccactg agggtcaccc tgccttcctc cttgctggcc 840
cagctgctgt ttatttatgc tttttggtct gtttgtttga tcttttgctt ttttaaaatt 900
gttttttgca gttaagaggc agctcatttg tccaaatttc tgggcttcag cgcttgggag 960
ggcaggaacc ctggcactaa tgctgtacaa ggtttttttc ctgttaggaa gaacttgagg 1020
ccagctgccc actgagtctt ctgtccctga agaaagggag tattgggcag ggcttgggat 1080
ccggctactg agagtgggag agtgggagac agaggaagga agatggagat tggaagtgag 1140
caaatgtgaa aaattcctct ttgaacctgg cagatgcagc taaactctgc agtagtgttt 1200
ggagactgtg anagggagtg tgtgtgttga cacatgtgga tcaggcccag gaagggcaca 1260
ggggctgagc actacagaag tcacatgggt tctcagggta tgccaggggc agaaacagta 1320
ccggctctct gtcactcacc ttgagagtag agcagaccct gttctgctct gggctgtgaa 1380
ggggtggagc aggcagtggc cagctttgcc cttcctgctg tctctgtttc tagctccatg 1440
gttggcctgg tgggggtgga gttccctccc aaacaccaga ccacacagtc ctccaaaaat 1500
aaacatttta tatagacaaa aaaaaaaaaa aaaa 1534

<210> 352
<211> 2664
<212> DNA

<213> Homo sapiens

<400> 352
ggttgctggc ccaggtgagc gggcgcgctg gtccaggtga gcgggcgcgt ccccgcgacg 60
gcgctgcctg cccgaggcgg ttcacgtaaa gacagcgaga tcctgagggc cagccgggaa 120
ggaggcgtgg atatggagct ggctgctgcc aagtccgggg cccgcgccgc tgcctagcgc 180
gtcctgggga ctctgtgggg acgcgccccg cgccgcggct cggggacccg tagagcccgg 240
cgctgcgcgc atggccctgc tctcgcgccc cgcgctcacc ctcctgctcc tcctcatggc 300
cgctgttgtc aggtgccagg agcaggccca gaccaccgac tggagagcca ccctgaagac 360
catccggaac ggcgttcata agatagacac gtacctgaac gccgccttgg acctcctggg 420
aggcgaggac ggtctctgcc agtataaatg catgacggat ctaagccttt cccacgttat 480
ggttataaac cctccccacc gaatggatgt ggctctccac tgtttggtgt tcatcttaac 540
attggtatcc cttccctgac aaagtgttgc aaccaacacg acaggtgcta tgaracctgt 600
ggcaaaagca agaatgactg tgatgaagaa ttccagtatt gcctctccaa gatctgccga 660
gatgtacaga aaacactagg actaactcag catgttcagg catgtgaaac aacagtggag 720
ctcttgtttg acagtgttat acatttaggt tgtaaaccat atctggacag ccaacgagcc 780
gcatgcaggt gtcattatga agaaaaaact gatctttaaa ggagatgccg acagctagtg 840
acagatgaag atggaagaac ataacctttg acaaataact aatgttttta caacataaaa 900
ctgtcttatt tttgtgaaag gattattttg agaccttaaa ataatttata tcttgatgtt 960
aaaacctcaa agcaaaaaaa gtgagggaga tagtgagggg agggcacgct tgtcttctca 1020
ggtatcttcc ccagcattgc tcccttactt agtatgccaa atgtcttgac caatatcaaa 1080
aacaagtgct tgtttagcgg agaattttga aaagaggaat atataactca attttcacaa 1140
ccacatttac caaaaaaaga gatcaaatat aaaattcatc ataatgtctg ttcaacatta 1200
tcttatttgg aaaatgggga aattatcact tacaagtatt tgtttactat gaaattttaa 1260
atacacattt atgcctagaa ggaacggact ttttttttct attttaatta cacataatat 1320
gtaattaaag tacaacataa tatgttgttt ctctgtagcc cgttgagcat atgagtaagt 1380
cacatttcta ttaggactac ttmcaaggac aaggtttcca tttttccagt tgtaaaattg 1440
gaaccatcag ctgataacct cgtagggagc aaccccagga tagctaagtg ttatgtaata 1500
tgcctagaag gtgatgtgaa tgcgattcag aagcatagcc actcccattt tatgagctac 1560
tcacatgaca aatgtcatct tttgctataa cctttgccaa gttagagaaa agatggattt 1620
aatgagataa atgaaaagat atttamccta atatatcaag gcactatttg ctgttatgct 1680
ttgttattta tttcccagca cttgttcctt attgtagatt ttttaaagac tgtaaccttt 1740
tactaactgt ggtcttacta aaatttgtgc ttgatactgc ttttcaaaaa gcctttaatt 1800
agagccaaaa ggatggaaaa ggcaagatat aaatgccttt tatagatctc ttatttacat 1860
tgaaaattat taccatatgt ttagagcaaa tccaagaaaa cttcaacagc ttctgaagat 1920
gtctatgaat gttgaaaact tttcaatctc ttggaatgct cagttatgtt cctagaccgg 1980
tctttgctga ctactggttg ttaacctttc cctagcctgg gacctcaagc catatatatc 2040
ctttgggtga cccatggcca aagttattaa gatgaactga ctttcaaagt cagagaagga 2100
cagcataggg agaggcggtt atttgtaagt cattacaggt agaacagggc agaaggaaaa 2160
gtatgttctg gagaaagggc catgttccta actttggaga tatgtcattg ccgggaacct 2220
agtatcttcc aacttgaatt ggtggcagct gttccagtga gacaaggcac atgtatgcct 2280
tgtggctaag tgagcaaact gggtttccac ttaaatgttt gggaccctca attgattctt 2340
tatttcaaac ctttataaaa ggtacagttt tgtaagccat tattaataat taatgcttat 2400
cggctgggca cagtggctca cacctataat cccagcactt gggaggctga ggcggttgga 2460
tcacttgagg tcaggagttt gagaccagct ggccaacatg gtgaaacagc gtctctacta 2520
aaaatacaaa aatttgccgg gcgtggtggc gcatgcttat agtctcagct actcaggaag 2580
ctgaggtacg agaatcactt gaacccagga ggtggaggtt gcagtgagct gagattgtgc 2640
cactgcactg cagcctggct cgag 2664

<210> 353
<211> 1508
<212> DNA
<213> Homo sapiens

<400> 353
ggcacagaga tagagcggca acctcggaag tgcggacggg tgggcctata tagatgttga 60
ggtgcggagg ccgtgggctt ttgttgggcc tggctgtagc cgcagcagcg gtaatggcag 120
cacggcttat gggctggtgg ggtccccgcg ctggctttcg ccttttcata ccggaggagc 180
tgtctcgcta ccgcggcggc ccaggggacc cgggcctgta cttggcgttg ctcggccgtg 240
tctacgatgt gtcctccggc cggagcacta cgagcctggg tcccactata gcggcttcgc 300
aggccgagac gcatccagag ctttcgtgac cggggactgt tctgaagcag gcctcgtgga 360

tgacgtatcc gacctgtcag ccgctgagat gctgacactt cacaattggc tttcattcta 420
tgagaagaat tatgtgtgtg ttgggagggt gacaggacgg ttctacggag aggatgggct 480
gcccaccccg gcactgaccc aggtagaagc tgcgatcacc agaggcttgg aggccaacaa 540
actacagctg caagagaagc agacattccc gccgtgcaac gcggagtgga gctcagccag 600
gggcagccgg ctctggtgct cccagaagag tggaggtgtg agcagagact ggattggcgt 660
ccccaggaag ctgtataagc caggtgctaa ggagccccgc tgcgtgtgtg tgagaaccac 720
cggcccccct agtggccaga tgccggacaa ccctccacac agaaatcgtg gggacctgga 780
ccacccaaac ttggcagagt acacaggctg cccaccgcta gccatcacat gctcctttcc 840
actctaagcc gtagcctctt ctgttaataa cacacagaga gctctgccaa gcacctgagt 900
aggcccttga cacttgtgtg ccctgggatg cctcctggcg cgaatcagga gggtctggaa 960
ggactctggc tatattctgc aaatgtggct catgcccctt accgtggctc ggcgttgtgg 1020
tgcctgaggg acagccggcc acctgcccag tactggtcag cttttcaaca ctattccctt 1080
tgacctactg gccatcttcc tcacagccct cagatatcaa cgggcacaaa taagaccaac 1140
tcaatttcca cttgaattta caaccaaaag cctgctgagt tgattacagc tgggccaata 1200
cagtacgagg caataacaaa ttagtgtggg ttgatttctgg aattggaaaa gcttttgctt 1260
gtatggatac agcaaatcca gatgtctctg aacaaagcaa caatttaaag caacgacatt 1320
ttctgtcctt taagcactta aaatcaggtg tggtgtgttt tcaaaggcag aagtctgcat 1380
tttgagcaaa aggtggcttc ccagctctaa caaggtaact ggttagcatg acattaaagc 1440
ttgggcaagg cttcaaactt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1500
aactcgag 1508

<210> 354
<211> 1076
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1029)..(1029)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1037)..(1037)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1040)..(1040)
<223> n equals a,t,g, or c

<400> 354
ggcacgaggg gaaagccatg ctcccaggac tccttccttg cagccttaaa tcggtctgta 60
cggaaaattc cgcgccttag aaacccacgc ttgggtgtaa cttattattg ttcttcctga 120
cctacttcct gtttatcact tccgggttca tcattttggc atttcggtga tcgggttgga 180
actattgaag cccgctttca ggttcttttc cccattttcc ctttgaaagg aagacttctg 240
gcttctccta aatctccgtt ctctgggtaa ggggagtcca agcctctgtc atgaggaacg 300
gaaatgcgag ggcctcgggt gttactctaa aatccgccct cagcttgcac gccggaagct 360
gcgattcctg cagcggaaga ggcgtgatct ggccttcgac tcgctatgtc cactaacaat 420
atgtcggacc cacggaggcc gaacaaagtg ctgaggtaca agcccccgcc gagcgaatgt 480
aacccggcct tggacgaccc gacgccggac tacatgaacc tgctgggcat gatcttcagc 540
atgtgcggcc tcatgcttaa gctgaagtgg tgtgcttggg tcgctgtcta ctgctccttc 600
atcagctttg ccaactctcg gagctcggag gacacgaagc aaatgatgag tagcttcatg 660
ctgtccatct ctgccgtggt gatgtcctat ctgcagaatc ctcagcccat gacgccccca 720
tggtgatacc agcctagaag ggtcacattt tggaccctgt ctatccacta ggcctgggct 780
ttggctgcta aacctgctgc cttcagctgc catcctggac ttccctgaat gaggccgtct 840
cggtgccccc agctggatag agggaacctg gccctttcct agggaacacc ctaggcttac 900
ccctcctgcc tcccttcccc tgcctgctgc tgggggagat gctgtccatg tttctagggg 960
tattcatttg ctttctcgtt gaaacctgtt gttaataaag tttttcactc tgaaaaaaaa 1020
aaaaaaaana raaaacncgn gggggggccc ggaacccaat tcsccggata gtgagt 1076

<210> 355
<211> 943
<212> DNA
<213> Homo sapiens

<400> 355
ggcacgagct ccgcccggcc ccgaggggct ctccccggag gctcagcccc ctctgctccc 60
catgggcaac tgccaggcag ggcacaacct gcacctgtgt ctggcccacc acccacctct 120
ggtctgtgcc actttgatcc tgctgctcct tggcctctct ggcctgggcc ttggcagctt 180
cctcctcacc cacaggactg gcctgcgcac cctgacatcc cccaggactg ggtctctttt 240
ttgagatctt ttggccagct gaccctgtgt cccaggaatg ggacagtcac agggaagtgg 300
cgagggtctc acgtcgtggg cttgctgacc accttgaact tcggagacgg tccagacagg 360
aacaagaccc ggacattcca ggccacagtc ctgggaagtc agatgggatt gaaaggatct 420
tctgcaggac aactggtcct tatcacagcc agggtgacca cagaaaggac tgcaggaacc 480
tgcctatatt ttagtgctgt tccaggaatc ctaccctcca gccagccacc catatcctgc 540
tcagaggagg gggctggaaa tgccaccctg agccctagaa tgggtgagga atgtgttagt 600
gtctggagcc atgaaggcct tgtgctgacc aagctgctca cctcggagga gctggctctg 660
tgtggctcca ggctgctggt cttgggctcc ttcctgcttc tcttctgtgg ccttctctgc 720
tgtgtcactg ctatgtgctt ccacccgcgc cgggagtccc actggtctag aacccggctc 780
tgagggcact ggcctagttc ccgacttgtt tctcaggtgt gaatcaactt cttgggcctt 840
ggctctgagt tggaaaaggt tttagaaaaa gtgaagagct ggaatgtggg ggaaaataaa 900
aagctttttt gcccaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 943

<210> 356
<211> 1566
<212> DNA
<213> Homo sapiens

<400> 356
cgcgtccggc gcccggcagc tgtccaccga tcccggccac cgccccggc caccccacc 60
ccgcgagccc atggaggctc cgggaccccg cgccttgcgg actgcgctct gtggcggctg 120
ttgctgcctc ctcctatgtg cccagctggc tgtggctggt aaaggagctc gaggctttgg 180
gaggggagcc ctgatccgcc tgaatatctg gccggcggtc caaggggcct gcaaacagct 240
ggaggtctgt gagcactgcg tggagggaga cagagcgcgc aatctctcca gctgcatgtg 300
ggagcagtgc cggccagagg agccaggaca ctgtgtggcc caatctgagg tggtcaagga 360
aggttgctcc atctacaacc gctcagaggc atgtccagct gctcaccacc accccaccta 420
tgaaccgaag acagtcacaa cagggagccc cccagtccct gaggcccaca gccctggatt 480
tgacggggcc agctttatcg gaggtgtcgt gctggtgttg agcctacagg cggtggcttt 540
ctttgtgctg cacttcctca aggccaagga cagcacctac cagacgctgt gagtacctgg 600
ccagcagcaa gtacctgagt cccagctcac ctcctggttc ctgccccacc gttccccttc 660
agtacccagg gtgctgtctt ctccatgggc aagccctcag gacggtgaca gcgtgctcca 720
tgtgagccac acccctttg tctcctccag ttggggtgtt tcctttgtca gatgttggct 780
gggaccagga ctcagcctgg gccagtctag gagcccagct gagccctcct gtgtcttttc 840
ccttcatgct gccagcaggg aagagaacca gtaggtgcca gcccaggcaa gcctgtggcc 900
cgcgtttctg tggctgtggg caggagctgg gccttgtgtc tagttgggtt ttgctctgag 960
aaggggagct gtgcctgagg ccctctgtgt gccgtgtgtg ctgtggggcg ggtcgccaca 1020
gcctgtgtta aagtgtttgc tcttcctctg ctgcctcctc tcgaggcagg gggtccttgg 1080
ctggctgagg cagtgtcacc ttcctgagtg tcctctttgg cctctgcaga atctgacccc 1140
tttgggcctg gactccatcc tgagggcaaa ggaggatgca gagggtggcc tctgggcacc 1200
cttgtgggta agcgggggcc gggggcggga aaaactctgg ccgccagttt ttggctcctg 1260
cgggcaccaa gcaggctcag tgtctgatgc ctgacatctc ctcctgtcct gggcctggaa 1320
cctgcagctg agaaaatccc tcaaccacct cgtctcctcc atcgcccctg ctgggccccc 1380
cagcctgaca gtgggttgta tgcctgcctc tttccaccaa ctggcctggg cactgccccc 1440
aaataaagga actctgcact gcaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1500
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1560
aaaaaa 1566

<210> 357
<211> 1067
<212> DNA
<213> Homo sapiens

<400> 357
taccggtccg gaattcccgg gtcgacccac gcgtccggcg cccggcagct gtccaccgat 60
cccggccacc gyccccggcc acccccaccc cgcgagccca tggaggctcc gggaccccgc 120
gccttgcgga ctgcgctctg tggcggctgt tgctgcctcc tcctatgtgc ccagctggct 180
gtggctggta aaggagctcg aggctttggg aggggagccc tgatccgcct gaatatctgg 240
ccggcggtcc aaggggcctg caaacagctg gaggtctgtg agcactgcgt ggagggagac 300
agagcgcgca atctctccag ctgcatgtgg gagcagtgcc ggccagagga gccaggacac 360
tgtgtggccc aatctgaggt ggtcaaggaa ggttgctcca tctacaaccg ctcagaggca 420
tgtccagctg ctcaccacca ccccacctat gaaccgaaga cagtcacaac agggagcccc 480
ccagtccctg aggcccacag ccctggattt gackgggcca gctttatcgg aggtgtcgtg 540
ctggtgttga gcctacaggc ggtggctttc tttgtgctga cttcctcaag gccaaggaca 600
gcacctacca gacgctgtga gtacctggcc agcagcaagt acctgagtcc cagctcacyt 660
ctggttcctg cccacgttcc cttcagtacc cagggtgctg tcttctccac tggcaagccc 720
tcaggacggt gacagcgtgc tycatgtgag ccacacccct tttgtctyct ccagttgggg 780
tgtttccttt gtcagatgtt ggctgggacc aggactcagc ctgggccagt ctaggagccc 840
agctgagccc tcctgtgtct tttcccttca tgctgccagc agggaagaga accagtaggt 900
gccagcccag caacctgtgg cccgcgtttc tgtggctgtg ggcaggagct gggccttgtg 960
tctagttggg ttttgctctg agaaggggag ctgtgctgag gccctctgtg tgccgtgtgt 1020
gctgtggggc gggtcgccac agcctgtgtt aaagtgtttg ctcttcc 1067

<210> 358
<211> 1021
<212> DNA
<213> Homo sapiens

<400> 358
ggcacgagga ttctaggaca gggatggggg tgcagcactg atccaggacc cagaatggag 60
gcatcatgga gggtccccgg ggatggctgg tgctctgtgt gctggccata tcgctggcct 120
ctatggtgac cgaggacttg tgccgagcac cagacgggaa gaaaggggag gcaggaagac 180
ctggcagacg ggggcggcca ggcctcaagg gggagcaagg ggagccgggg gcccctggca 240
tccggacagg catccaaggc cttaaaggag accaggggga acctgggccc tctggaaacc 300
ccggcaaggt gggctaccca gggcccagcg gccccttcg gagcccgtgg catcccggga 360
attaaaggca ccaagggcag cccaggaaac atcaaggacc agccgaggcc agccttctcc 420
gccattcggc ggaacccccc aatggggggc aacgtggtca tcttcgacac ggtcatcacc 480
aaccaggaag aaccgtacca gaaccactcc ggccgattcg tctgcactgt acccggctac 540
tactacttca ccttccaggt gctgtcccag tgggaaatct gcctgtccat cgtctcctcc 600
tcaaggggcc aggtccgacg ctccctgggc ttctgtgaca ccaccaacaa ggggctcttc 660
caggtggtgt caggggcat ggtgcttcag ctgcagcagg gtgaccaggt ctgggttgaa 720
aaagacccca aaaagggtca catttaccag ggctctgagg ccgacagcgt cttcagcggc 780
ttcctcatct tcccatctgc ctgagccagg gaaggacccc ctcccccacc cacctctctg 840
gcttccatgc tccgcctgta aaatgggggc gctattgctt cagctgctga agggaggggg 900
ctggctctga gagccccagg actggctgcc ccgtgacaca tgctctaaga agctcgtttc 960
ttagacctct tcctggaata aacatctgtg tctgtgtctg ctgaaaaaaa aaaaaaaaaa 1020
a 1021

<210> 359
<211> 1086
<212> DNA
<213> Homo sapiens

<400> 359
ggattctagg acagggatgg gggtgcagca ctgatccagt tgacaacagg aggcagaggc 60
atcatggagg gtccccgggg atggctggtg ctctgtgtgc tggccatatc gctggcctct 120
atggtgaccg aggacttgtg ccgagcacca gacgggaaga aaggggaggc aggaagacct 180
ggcagacggg ggcggccagg cctcaagggg gagcaagggg agccgggggc ccctggcatc 240
cggacaggca tccaaggcct taaaggagac caggggggaac ctgggccctc tggaaacccc 300
ggcaaggtgg gctacccagg gcccagcggc cccctcggag cccgtggcat cccgggaatt 360
aaaggcacca agggcagccc aggaaacatc aaggaccagc cgaggccagc cttctccgcc 420
attcggcgga acccccccaat ggggggcaac gtggtcatct tcgacacggt catcaccaac 480
caggaagaac cgtaccagaa ccactccggc cgattcgtct gcactgtacc cggctactac 540

tacttcacct tccaggtgct gtcccagtgg gaaatctgcc tgtccatcgt ctcctcctca 600
aggggccagg tccgacgctc cctgggcttc tgtgacacca ccaacaaggg gctcttccag 660
gtggtgtcag ggggcatggt gcttcagctg cagcagggtg accaggtctg ggttgaaaaa 720
gaccccaaaa agggtcacat ttaccagggc tctgaggccg acagcgtctt cagcggcttc 780
ctcatcttcc catctgcctg agccagggaa ggacccccctc ccccacccac ctctctggct 840
tccatgctcc gcctgtaaaa tgggggcgct attgcttcag ctgctgaagg gaggggggctg 900
gctctgagag ccccaggact ggctgccccg tgacacatgc tctaagaagc tcgtttctta 960
gacctcttcc tggaataaac atctgtgtct gtgtctgctg aaaaaaaaaa aaaaaaaaaa 1020
aaaaaaaaaa aaaaaaaaaa aaaaaactcg agggggggcc cggtacccaa ttcgccgtat 1080
aatgag 1086

<210> 360
<211> 2078
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1177)..(1177)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1187)..(1187)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2057)..(2057)
<223> n equals a,t,g, or c

<400> 360
ggcacgagga gttgtgcaga tacctggctg agagctggct caccttccag attcacctgc 60
aggagctgct gcagtacaag aggcagaatc cagctcagtt ctgcgttcga gtctgctctg 120
gctgtgctgt gttggctgtg ttgggacact atgttccagg gattatgatt tcctacattg 180
tcttgttgag tatcctgctg tggcccctgg tggtttatca tgagctgatc cagaggatgt 240
acactcgcct ggagcccctg ctcatgcagc tggactacag catgaaggca gaagccaatg 300
cyctgcatca caaacacgac aagaggaagc gtcaggggaa gaatgcaccc ccaggaggtg 360
atgagccact ggmagagaca gagagtgaaa gcgaggcaga gctggctggc ttctccccag 420
tggtggatgt gaagaaaaca gcattggcct tggccattta cagactcaga gctgtcagat 480
gaggaggctt ctatcttgga gagtggtggc ttctccgtat cccgggccac aactccgcag 540
ctgactgatg tctccgagga tttggaccag cagagcctgc caagtgaacc agaggagacc 600
ctaagccggg acctagggga gggagaggag ggagagctgg cccctcccga agacctacta 660
ggccgtcctc aagctctgtc aaggcaagcc ctggactcgg aggaagagga agaggatgtg 720
gcagctaagg aaaccttgtt gcggctctca tccccctcc actttgtgaa cacgcacttc 780
aatggggcag ggtccccccm agatggagtg aaatgctccc ctggaggacc agtggagaca 840
ctgagccccg agacagtgag tggtggcctc actgctctgc ccggcaccct gtcacctcca 900
ctttgccttg ttggaagtga cccagccccc tcccttcca ttctcccacc tgttccccag 960
gactcacccc agcccctgcc tgcccctgag gaagaagagg cactcaccac tgaggacttt 1020
gagttgctgg atcaggggga gctggagcag ctgaatgcag agctgggctt ggagccagag 1080
acaccgccaa aacccccctga tgctccaccc ctggggcccg acatccattc tytggtacat 1140
cagaccaaga agctcaggcc gtggcagagc catgagncca gccgttnagg aaggagctgc 1200
aggcacagta gggcttcttg gctaggagtg ttgctgtttc ctcctttgcc taccactctg 1260
gggtggggca gtgtgtgggg aagctggctg tcggatggta gctattccac cctctgcctg 1320
cctgcctgcc tgctgtcctg ggcatggtgc agtacctgtg cctaggattg gttttaaatt 1380
tgtaaataat tttccatttg ggttagtgga tgtgaacagg gctagggaag tccttcccac 1440
agcctgcgct tgcctccctg cctcatctct attctcattc cactatgccc caagccctgg 1500
tggtctggcc ctttcttttt cctcctatcc tcagggacct gtgctgctct gccctcatgt 1560
cccacttggt tgtttagttg aggcacttta taatttttct cttgtcttgt gttcctttct 1620
gctttatttc cctgctgtgt cctgtcctta gcagctcaac cccatccttt gccagctcct 1680
cctatcccgt gggcactggc caagctttag ggaggctcct ggtctgggaa gtaaagagta 1740

aacctggggc agtgggtcag gccagtagtt acactcttag gtcactgtag tctgtgtaac 1800
cttcactgca tccttgcccc attcagcccg gcctttcatg atgcaggaga gcagggatcc 1860
cgcagtacat ggcgccagca ctggagttgg tgagcatgtg ctctctcttg agattaggag 1920
cttccttact gctcctctgg gtgatccaag tgtagtggga ccccctacta gggtcaggaa 1980
gtggacacta acatctgtgc aggtgttgac ttgaaaaata aagtgttgat tggctagaaa 2040
aaaaaaaaaa aaaattnctg cggtccgcaa gggaattc 2078

<210> 361
<211> 2494
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (920)..(920)
<223> n equals a,t,g, or c

<400> 361
ggagatgttt aaggattacc cgccagccat aaaaccatcc tacgatgtgc tgctgctgct 60
gctgctgcta gtsytcctsc tgcaggccgg cctcaacacg ggcaccgcca tccagtgygt 120
gcgcttcaag gtcagtgcaa ggctgcaggg tgcatcctgg gacacccaga acggcccgca 180
ggagcgcctg gctggggagg tggccaggag ccccctgaag gagttcraca aggagaaagc 240
ctggagagcc gtcgtggtgc aaatggccca gtgaccccca gacgcggaaa ccgggtggca 300
gckcccagcc tggccccaag catggaaacg cacaacccct aatcgccctg agctactgct 360
tctaacacct cttttccctt gtgtgagggc aaaccaggct gcaggtgggg ttttcacttc 420
ctagggtagt ttaattttaa aataggccaa tgttggctag tctgtgcctc agtgagatca 480
gtcagctccg agtggctccc gtgtcgtaac agcaggagca tggccgcaac ttcccaggcc 540
gaggaagggc ccccggctcg gcctcttgag agccccaccc ctgaactggc cccagctcct 600
cttcctgcct ctctcatggc ttgggctgga gtgggctctc tggacctgac cagactgtgg 660
gtccctgcgt ctcctgccca ctctgaccgg gcttcctccc tccacgctta gggtctgtcc 720
cgggtactca gtcagcccag tgggatctta cccacttccc tgcaaggtgc acctgcccca 780
ggctcaggct gcccagcggc tcttcctgga cagtgagagc agggctgggc gcctctgtcc 840
tggcccggga gccgcagggg cccctcctcc agagcctggg cgcaagcgac acaggctgcc 900
gctgctctcc aggtgaaatn cacaccagtc cacgccgggt cgcctgccct gtctccctac 960
ttagacccag tcattctaga gggatccamc gccamactgg ccggcccacg tcctgggtgc 1020
tgtcatgccc agcttggagt gccacgtggc cgctgcccac gtcccgggca ctgtcatgcc 1080
cagcttggag tgccacatgg ccgctgccca cgtcccgggc actgtcatgc ccagcttgga 1140
gtgccacgtg gccgctgctg tgacaggcag tgttcttggg ggtggggctg catccaaggc 1200
tttgtaaacc ggctggacca cgtctccctg gccccagtga ccgggggaag ctgagcccct 1260
ccctcctgtg tttgctccca ttactcaaaa tgcaggacag atcaggtcag agcccaggaa 1320
ttctcacagg ttcacccagc gccctctacc tcctagcaag tactttgtct tgatcctcac 1380
tgagaaggcc ccagggcagt ggtcttctcc atctccgctg ttttggggtc ttagggtaca 1440
gcccaggcgg tcactgccca cctgccaggc tgcagggaca gttgggtgtg agaataacac 1500
tggctttggg tagtgccatg gccaggagtg ggtttccctg cgtctcctcg tcccgagggc 1560
gcctgggtcc tcccagctga cggcagtaaa tccacagtga gttggggcga ctgtgaaact 1620
ggaatgctgt tactttgata attactttcc agcaggtgtt ttccttcaca atggttttgt 1680
ttctttcctt ctgatctgag aagacatgaa cgttttctct tcaccgccgt ggggtgtatt 1740
gactggtccc ccatgggctg ctggaaaggc ccggagatgc atctgtggcc tggggccatc 1800
aagatcaaag aaccaggagg cctgggagat gcagctggat ggggcggcct gcagaccctg 1860
ccaggggctt tgaggaccct cccaggtttc ccactgcgga acaggagtga ctctggctgc 1920
caagatacct tcatggtgtt catgacaagt ggaatcatta ttttcaacca ttgaaggggg 1980
atgcaggcaa gacaccttcc cagctgctcc tagaggggac aagccaggcc ctctctgcag 2040
tcctcggcag ctccggaagg acacagtcag gggccgggca aacactttgg ccacagcccc 2100
aaacaagcgc caccgtggga gaggagaggc tgctgtcact ggtaccggat gcagacccca 2160
ccctgtctgc aggccacccc cacctccctg cagctttgag gctggcgggg tctgctcctg 2220
ggaatggggt gggagccaca gggacgaccc ggggcgggct gatgtcttct tgggggcaga 2280
ccagagagct caagtttcag agtcagaatt aggcacttgg agcgtttttg ctggcttgca 2340
ctttcttatt ttcttatttt agagcgctta aaaaatccgg aaaaatgggg tttaaaagaa 2400
ctgtctcttt cagtctacat ttttgtttaa tacgcttgag caataaacgc tgacttgcag 2460
acgtgaaaaa aaaaaaaaaa aaaaaaaaac tcga 2494

<210> 362
<211> 807
<212> DNA
<213> Homo sapiens

<400> 362
cccacgcgtc cggacgtcct gatagatcct ctgctccaat aggcaactcc ggccttccct 60
gccctgacct ggaacctctg ggagggctgc agagtaagtg ccgcctctgc gctccgacgg 120
aggcacgagg cctgtggagt aggtccctct gttccgacag gtgcgacact tggcgctcca 180
tgcttgcggg tgccgggagg cctggcctcc cccagggccg ccacctctgc tggttgctct 240
gtgctttcac cttaaagctc tgccaagcag aggctcccgt gcaggaagag aagctgtcag 300
caagcacctc aaatttgcca tgctggctgg tggaagagtt tgtggtagca gaagagtgct 360
ctccatgctc taatttccgg gctaaaacta cccctgagtg tggtcccaca ggatatgtag 420
agaaaatcac atgcagctca tctaagagaa atgagttcaa aagctgccgg ttcagctttg 480
aatggaacaa cgcttatttt ggaagttcga aaggggctgt cgtgtgtgtg gccctgatct 540
tcgcttgtct tgtcatcatt cgtcagcgac aattggacag aaaggctctg gaaaaggtcc 600
ggaagcaaat cgagtccata tagctacatt ccacccttgt atcctgggtc ttagagaccc 660
tatctcagac agtgaaagtg aaatggactg atttgcactc ttggttcttt ggagccttgt 720
ggtggaatcc ccttttcccc atcttcttct ttcagatcat taatgagcag aataaaaaga 780
gtaaaatggt aaaaaaaaaa aaaaaaa 807

<210> 363
<211> 845
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (4)..(5)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (823)..(823)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (845)..(845)
<223> n equals a,t,g, or c

<400> 363
ntanntaatg gcacatctcc ccttctattg ggaacacaag ctggagctcc accgcggtgg 60
cggccgctct agaactagtg gatcccccgg gctgcaggaa ttcggcacga ggtcaaggca 120
aaaatgggtc aggtttggag agttccccca ctccttttga gtgttcaggt tttccttacc 180
atggctcatg ctttccatca agcaccagag ttgcagtggc ttggcctctg gttctgggtg 240
aggttatttg caggtggaga cgggggggctg cacctgaaca tttctagtgt caccctccct 300
ctccttcatg ggaaacagct ctccagggaa gtaccttcct gccaggggaa gccaaggctg 360
ggccggccgc cctacaagga gccacaggat tgcagccatg ggtgccacct ttcatggaag 420
gggagattta tgggctttcc tggaaccccc aggctgtcct ggccaagagg aaagaggtgg 480
ttacttcagg agtttgacct tagttagata actaaaagaa tacatttccc ctccctttc 540
tttatttcct caataaaaat gtacaaagta tcacccttct ccatgcccca atctgtgtta 600
aagtcacaat ctatgggtgt agttctggga ttctgtcaaa ttctccttcc tgctctccaa 660
aatggacaat tgtcgtaggg accacatgcc cccagaatac aatggcctct gtgktctact 720
ggggtcaagc ctgctagaac tcagcattca tgacaggggs taagtgtgca tgaaktgaca 780
ctgactacag stargaaagc caggcgcaca aatgsccctt tcncccaag ggccggtctt 840

tccan 845

<210> 364
<211> 738
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (3)..(3)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (8)..(8)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (566)..(566)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (680)..(680)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (684)..(684)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (703)..(703)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (715)..(715)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (717)..(717)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (731)..(731)
<223> n equals a,t,g, or c

<400> 364
ccnctgtnct ggccctctat catttgcctg cctttagacc tgcctcaagg atatggcagc 60
gctagccttt agctyccaca gcacggatgg gggtgatgcc agttagaagt gggtagtgaa 120
cgtttgctga gctgttcact gtttmtctct tctctttgga agcacctctc cgagccatgt 180
gagccccctg atgccaccga gcaggggcag cttcatgacc gatgtctggc tgaggctgtg 240
gcggacactc tcggggttgt ctgcaggaga gcaagccagg aggacatggg cctggacgac 300
acggcctcgc agcaaagtgt gtcagacgag cagtgacggg cgtgcggccg ggcggggagg 360
ctggctcccc cacacctccc acctgcattg ctctccctcg tgctccccaa atcaccacaa 420
ccaaccaata ccgcratcca tgagggactc ctcctgtgga aaaggagagc tgttccagaa 480

cacagaactg atctcaggtt tttgaaaaaa aaaaaaaaaa aactcgaggg ggggcccggt 540
acccaattcg ccctatagtg agtcgnatta caattcactg gcgtcgtttt acaacgtcgt 600
gactgggaaa accctggcgt tacccaactt aatcgccttg cagcacatcc ccctttcgcc 660
agctggcgta ataagcgaan aggnccggac cgatcggcct ttnccaacag ttggngnagc 720
ctgaaatggg ngaatggg 738

<210> 365
<211> 1145
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (9)..(9)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (410)..(410)
<223> n equals a,t,g, or c

<400> 365
caggcagang ggctgagtca caggcacagg tgaggaactc aactcaaact cctctctctg 60
ggaaaacgcg gtgcttgctc ctcccggagt ggccttggca gggtgttgga gccctcggtc 120
tgccccgtcc ggtctctggg gccaaggctg ggtttccctc atgtatggca agagctctac 180
tcgtgcggtg cttcttctcc ttggcataca gctcacagct ctttggccta tagcagctgt 240
ggaaatttat acctcccggg tgctggaggc tgttaatggg acagatgctc ggttaaaatg 300
cactttctcc agctttgccc ctgtgggtga tgctctaaca gtgacctgga attttcgtcc 360
tctagacggg ggacctgagc agtttgtatt ctactaccac atagatcccn ttccaaccca 420
tgagtgggcg gtttaaggac cgggtgtctt gggatgggaa tcctgagcgg tacgatgcct 480
ccatccttct ctggaaactg cagttcgacg acaatgggac atacacctgc caggtgaaga 540
acccacctga tgttgatggg gtgatagggg asatccggct cagcgtcgtg cacactgtac 600
gcttctctga gatccacttc ctggctctgg ccattggctc tgcctgtgca ctgatgatca 660
taatagtaat tgtagtggtc ctcttccagc attaccggaa aaagcgatgg gccgaaagag 720
ctcataaagt ggtggagata aaatcaaaag aagaggaaag gctcaaccaa gagaaaaagg 780
tctctgttta tttagaagac acagactaac aattttagat ggtaaggttc acaaataggt 840
tgatttcttt cttcagcttt ctgacatgtc cagcccatct ctaatgagga ctcccagatc 900
atcactttat ggctgttarg tgtttcccat atgaaattag aggagctggg tcagggagac 960
aaaagtcttc tattagtctt atggatagct cctccttgag tgtattttgt gcaaaagatt 1020
aagaagctgg actctactgc cattaaagct gagagaatcc taaggttatt tgtggcttcg 1080
gggttatatt tattactact actactaata aatattcaac aagtaaataa atctttttta 1140
aatca 1145

<210> 366
<211> 3113
<212> DNA
<213> Homo sapiens

<400> 366
gttattaatg accgctgagc aggcagcacc atgtcagtgt gacaactgaa tcgggtgaac 60
gatgcaccac taaccaccat ggaaacaagg aaaaataaag ccagctcaca ggatctctct 120
tcactggatt gagagcctca gcctgccgac tgagaaaaag agttccagga aaaagaagga 180
atcccggctg cagcctcctg ccttccttta tattttaaaa tagagagata agattgcgtg 240
catgtgtgca tatctatagt atatattttg tacactttgt tacacagaca cacaaatgca 300
cctatttata ccgggcaaga acacaaccat gtgattatct caaccaagga actgaggaat 360
ccagcacgca aggacatcgg aggtgggcta gcactgaaac tgcttttcaa gcatcatgct 420
gctattcctg caaatactga agaagcatgg gatttaaata ttttacttct aaataaatga 480
attactcaat ctcctatgac catctataca tactccacct tcaaaaagta catcaatatt 540
atatcattaa ggaaatagta accttctctt ctccaatatg catgacattt ttggacaatg 600
caattgtggc actggcactt atttcagtga agaaaaactt tgtggttcta tggcattcat 660
catttgacaa atgcaagcat cttccttatc aatcagctcc tattgaactt actagcactg 720

actgtggaat ccttaagggc ccattacatt tctgaagaag aaagctaaga tgaaggacat 780
gccactccga attcatgtgc tacttggcct agctatcact acactagtac aagctgtaga 840
taaaaaagtg gattgtccac ggttatgtac gtgtgaaatc aggccttggt ttacacccag 900
atccatttat atggaagcat ctacagtgga ttgtaatgat ttaggtcttt taactttccc 960
agccagattg ccagctaaca cacagattct tctcctacag actaacaata ttgcaaaaat 1020
tgaatactcc acagactttc cagtaaacct tactggcctg gatttatctc aaaacaattt 1080
atcttcagtc accaatatta atgtaaaaaa gatgcctcag ctcctttctg tgtacctaga 1140
ggaaaacaaa cttactgaac tgcctgaaaa atgtctgtcc gaactgagca acttacaaga 1200
actctatatt aatcacaact tgctttctac aatttcacct ggagccttta ttggcctaca 1260
taatcttctt cgacttcatc tcaattcaaa tagattgcag atgatcaaca gtaagtggtt 1320
tgatgctctt ccaaatctag agattctgat gattggggaa aatccaatta tcagaatcaa 1380
agacatgaac tttaagcctc ttatcaatct tcgcagcctg gttatagctg gtataaacct 1440
cacagaaata ccagataacg ccttggttgg actggaaaac ttagaaagca tctcttttta 1500
cgataacagg cttattaaag taccccatgt tgctcttcaa aaagttgtaa atctcaaatt 1560
tttggatcta aataaaaatc ctattaatag aatacgaagg ggtgatttta gcaatatgct 1620
acacttaaaa gagttgggga taaataatat gcctgagctg atttccatcg atagtcttgc 1680
tgtggataac ctgccagatt taagaaaaat agaagctact aacaacccta gattgtctta 1740
cattcacccc aatgcatttt tcagactccc caagctggaa tcactcatgc tgaacagcaa 1800
tgctctcagt gccctgtacc atggtaccat tgagtctctg ccaaacctca aggaaatcag 1860
catacacagt aaccccatca ggtgtgactg tgtcatccgt tggatgaaca tgaacaaaac 1920
caacattcga ttcatggagc cagattcact gttttgcgtg gacccacctg aattccaagg 1980
tcagaatgtt cggcaagtgc atttcaggga catgatggaa atttgtctcc ctcttatagc 2040
tcctgagagc tttccttcta atctaaatgt agaagctggg agctatgttt cctttcactg 2100
tagagctact gcagaaccac agcctgaaat ctactggata acaccttctg gtcaaaaact 2160
cttgcctaat accctgacag acaagttcta tgtccattct gagggaacac tagatataaa 2220
tggcgtaact cccaaagaag ggggtttata tacttgtata gcaactaacc tagttggcgc 2280
tgacttgaag tctgttatga tcaaagtgga tggatctttt ccacaagata acaatggctc 2340
tttgaatatt aaaataagag atattcaggc caattcagtt ttggtgtcct ggaaagcaag 2400
ttctaaaatt ctcaaatcta gtgttaaatg gacagccttt gtcaagactg aaaattctca 2460
tgctgcgcaa agtgctcgaa taccatctga tgtcaaggta tataatctta ctcatctgaa 2520
tccatcaact gagtataaaa tttgtattga tattcccacc atctatcaga aaaacagaaa 2580
aaaatgtgta aatgtcacca ccaaaggttt gcaccctgat caaaaagagt atgaaaagaa 2640
taataccaca acacttatgg cctgtcttgg aggccttctg gggattattg gtgtgatatg 2700
tcttatcagc tgcctctctc cagaaatgaa ctgtgatggt ggacacagct atgtgaggaa 2760
ttacttacag aaaccaacct ttgcattagg tgagctttat cctcctctga taaatctctg 2820
ggaagcagga aaagaaaaaa gtacatcact gaaagtaaaa gcaactgtta taggtttacc 2880
aacaaatatg tcctaaaaac caccaaggaa acctactcca aaaatgaaca aaaaaaaaaa 2940
aagcgaaaga ctgcagttgt gctaaaaaca aaacaaaaca aacaaacaaa caaaaaagta 3000
aaaaaagatt actttcgaga gagaagttta agcttcacca atggctggct cctggaccaa 3060
tgggaaatat gttacaactt tcaggcattt tttaagtgaa ctttttttt ttt 3113

<210> 367
<211> 1651
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1648)..(1648)
<223> n equals a,t,g, or c

<400> 367
ggggacatgt ctgggcacaa ggaaaggcaa gcaatggagg cagcaagagc ccttggcagc 60
aagtttccat caccttgcc tgccagtgtg tgagaggcgc agaggggcag tgagcaggtg 120
acatgcagct tccagatacc cacacactgc ttttctcccg cccagctccc accccagtta 180
attgagatgg gattgtttct ctttctggtt tcttcctaag cccctctctc atattcctgg 240
tgtgcttatg gcctggcaca ccttgtgaaa cagaaaccca agctcctcat ttcggagctg 300
ggatttcgat tggctatctg cctccctaac caagctgtcc cttccacctc atccctagag 360
tcaccctctg gtctcatcaa catccagtgg gcatttcagy ggcccaggat ccttcmaatt 420
gcagatataa agcatcagga ccccacacct gggatggaag cttctaggaa ttaatgaagc 480
cccagtagag gtgagggtaa acctaaaacg ggctggatag ggcctctccc aaggccctat 540

ggaaaggtga tgggaaactg ggggctgagg cctcatccta ggagacccct ggagggaccc 600
acttacccta gataggcagc ggaggccaga aactggaaaa cagccactca ttgtcggtgc 660
attaccgtga gcaccacctg tagggactct gttggcctcc agccgtcgtc acacgttcct 720
gacaaccaca aaagttcatt tgagggtgcc cagtcagctg actttgcttc caccaggaat 780
acccacctgg ccctggtcct tctgctgagc tacaggaggc attcccaggg tcttagcaaa 840
aacaacccct caaataggcc cagtgcctac aactctagag aggtttcaga tggtattgga 900
gacccagaga agttaactga ctttcccaaa agtcacccac tgtaaatggc agacagatct 960
caaacccaca tctgakcctg agtccagtgt tttttctcta gtatcatcat tgtcccttaa 1020
atgtgtttga cacatcatag tttacaaatc accttcactc atattctctc actactcatc 1080
agtcatgaat tcagccaatg agaagggctc agagaggtta actaaccagc cacgctgttt 1140
acatggggca tagactgctt catgaacgct tgactgcagc tttgccttcc tcatgccctc 1200
aaaaaggaag gagctgacca aagcttacta taccatagct ggggtctggg acccccagcc 1260
aggtctcaca gatgatctgg gaatggcctc cctgttgctc tcaggggtcc ggcagtcaca 1320
cagaagagtc aggttgaaat cttggcaaga ctttggtgtg gctttgggaa ctgggtttaa 1380
cctcttgggg acttcaccaa gacagtggca aaggacacca cctacagctt ccagtgcctc 1440
tctactctcc cacctgtgct cctggggttg aatgagacca gaagcagctg ggacaagatt 1500
tggaaagata aagagagcca ggagacaaga ccttgagaga agcasaggtc tggctggctg 1560
ctgscctctg gtggcgacaa tgggtgacac tgtaaacccc tctgcaaggc gacactctcc 1620
cctgactatt caggraggga agaagcantt g 1651

<210> 368
<211> 4909
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2488)..(2488)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2493)..(2493)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2512)..(2512)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2523)..(2523)
<223> n equals a,t,g, or c

<400> 368
gcgtccggtg gtggcggcgg cgcaagggtg agggcggccc cagaacccca ggtaggtaga 60
gcaagaagat ggtgtttctg cccctcaaat ggtcccttgc aaccatgtca tttctacttt 120
cctcactgtt ggctctctta actgtgtcca ctccttcatg gtgtcagagc actgaagcat 180
ctccaaaacg tagtgatggg acaccatttc cttggaataa aatacgactt cctgagtacg 240
tcatcccagt tcattatgat ctcttgatcc atgcaaacct taccacgctg accttctggg 300
gaaccacgaa agtagaaatc acagccagtc agcccaccag caccatcatc ctgcatagtc 360
accacctgca gatatctagg gccaccctca ggaagggagc tggagagagg ctatcggaag 420
aacccctgca ggtcctggaa caccccccctc aggagcaaat tgcactgctg gctcccgagc 480
ccctccttgt cgggctcccg tacacagttg tcattcacta tgctggcaat ctttcggaga 540
ctttccacgg attttacaaa agcacctaca gaaccaagga aggggaactg aggatactag 600
catcaacaca atttgaaccc actgcagcta gaatggcctt tccctgcttt gatgaacctg 660
ccttcaaagc aagtttctca atcaaaatta gaagagagcc aaggcaccta gccatctcca 720
atatgccatt ggtgaaatct gtgactgttg ctgaaggact catagaagac cattttgatg 780
tcactgtgaa gatgagcacc tatctggtgg ccttcatcat ttcagatttt gagtctgtca 840
gcaagataac caagagtgga gtcaaggttt ctgtttatgc tgtgccagac aagatgaatc 900

aagcagatta tgcactggat gctgcggtga ctcttctaga attttatgag gattatttca 960
gcataccgta tcccctaccc aaacaagatc ttgctgctat tcccgacttt cagtctggtg 1020
ctatggaaaa ctggggactg acaacatata gagaatctgc tctgttgttt gatgcagaaa 1080
agtcttctgc atcaagtaag cttggcatca caatgactgt ggcccatgaa ctggcccacc 1140
agtggtttgg gaacctggtc actatggaat ggtggaatga tctttggcta aatgaaggat 1200
ttgccaaatt tatggagttt gtgtctgtca gtgtgaccca tcctgaactg aaagttggag 1260
attatttctt tggcaaatgt tttgacgcaa tggaggtaga tgctttaaat tcctcacacc 1320
ctgtgtctac acctgtggaa aatcctgctc agatccggga gatgtttgat gatgtttctt 1380
atgataaggg agcttgtatt ctgaatatgc taagggagta tcttagcgct gacgcattta 1440
aaagtggtat tgtacagtat ctccagaagc atagctataa aaatacaaaa aacgaggacc 1500
tgtgggatag tatggcaagt atttgcccta cagatggtgt aaaagggatg gatggctttt 1560
gctctagaag tcaacattca tcttcatcct cacattggca tcaggaaggg gtggatgtga 1620
aaaccatgat gaacacttgg acactgcaga ggggttttcc cctaataacc atcacagtga 1680
gggggaggaa tgtacacatg aagcaagagc actacatgaa gggctctgac ggcgccccgg 1740
acactgggta cctgtggcat gttccattga cattcatcac cagcaaatcc gacatggtcc 1800
atcgattttt gctaaaaaca aaaacagatg tgctcatcct cccagaagag gtggaatgga 1860
tcaaatttaa tgtgggcatg aatggctatt acattgtgca ttacgaggat gatggatggg 1920
actctttgac tggccttta aaaggaacac acacagcagt cagcagtaat gatcgggcaa 1980
gtctcattaa caatgcattt cagctcgtca gcattgggaa gctgtccatt gaaaaggcct 2040
tggatttatc cctgtacttg aaacatgaaa ctgaaattat gcccgtgttt caaggtttga 2100
atgagctgat tcctatgtat aagttaatgg agaaaagaga tatgaatgaa gtggaaactc 2160
aattcaaggc cttcctcatc aggctgctaa gggacctcat tgataagcag acatggacag 2220
acgagggctc agtctcagag cgaatgctgc ggagtgaact actactcctc gcctgtgtgc 2280
acaactatca gccgtgcgta cagagggcag aaggctattt cagaaagtgg aaggaatcca 2340
atggaaactt gagcctgcct gtcgacgtga ccttggcagt gtttgctgtg ggggcccaga 2400
gcacagaagg ctgggatttt ctttatagta aatatcagtt ttctttgtcc agtactgaga 2460
aaagccaaat tgaatttgcc ctctgcanac ccnaaaataa ggaaaagctt cnatggctac 2520
tanatgaaag ctttaaggga gataaaataa aaactcagga gtttccacaa attcttacac 2580
tcattggcag gaacccagta ggatacccac tggcctggca atttctgagg aaaaactgga 2640
acaaacttgt acaaaagttt gaacttggct catcttccat agcccacatg gtaatgggta 2700
caacaaatca attctccaca agaacacggc ttgaagaggt aaaaggattc ttcagctctt 2760
tgaaagaaaa tggttctcag ctccgttgtg tccaacagac aattgaaacc attgaagaaa 2820
acatcggttg gatggataag aattttgata aaatcagagt gtggctgcaa agtgaaaagc 2880
ttgaacgtat gtaaaaattc ctcccttgcc aggttcctgt tatctctaat caccaacatt 2940
ttgttgagtg tattttcaaa ctagagatgg ctgttttggc tccaactgga gatacttttt 3000
tcccttcaac tcatttttg actatccctg tgaaaagaat agctgttagt ttttcatgaa 3060
tgggctatcg ctaccatgtg ttttgttcat cacaggtgtt gccctgcaac gtaaacccaa 3120
gtgttgggtt ccctgccaca gaagaataaa gtaccttatt cttctcattt tatagtttat 3180
gcttaagcac ccgtgtccaa aaccctgtac cccatgttta tcattcataa actgtttcat 3240
cagtctcctc gaaagactct gaatagtcga ctactgaaca atgaacacct ggatctgaga 3300
ctaagccgga cgatgactgg gttaaagctc tcccggctca cccctccaga cccgctgccc 3360
atccctcttc cttgctccat gcccaggggc tgacttgtaa aggccaagtc atcaagcttt 3420
cttgcccttt ggatgttggt cagtggggag ccggagagct ggagctgggg tcggaggagg 3480
tagtaggtgg aggtgttctt ccctgattcc cttgcgggat gcctcgggct ggcctcccct 3540
gagggtctta gctccgagag gggaccctct tttccacaca gccttctcca cctctggatt 3600
ttggtaactg ctcccctcctc atcccttcag gattagtggc ctcagtggga gtctggcttt 3660
tactagtcct ggcggacttg tggtttctac ataatgtgct cgcacttttg caaaaaatct 3720
ttttatagaa ccctcctcag ataattctga gtgtctgtca tctatttccc tgactggtac 3780
agtatctctt ctgaaaaagc agagtgcatt caagtctgta ggaaaaccct tttcttaggg 3840
aggtgatttt ttttctctct ctgcttctta tttggcctac tttacaattt ctaactaact 3900
agttattggc atttactgac agtaaattat tgcagtcacc aataaatgat agtacattgt 3960
gaaacaaaat atttgctcat attagcaaat aggacattct ttggctttga agtctttctt 4020
ttgtgaagac ttcacacacg gttgcttcag cacacagttg ctgctcaggt tttatgtata 4080
gatgataata atagaaagca cagtttacta acatggtaaa ccaacggagt tcaagtcaag 4140
tcagttaata ccctaagaat tagattttat ttcttattct gaaaacttgc tacacaggga 4200
cttatctaac ccatagtgtg ctctgttgct gacttgattc aagttgcagc gtgttttgcg 4260
ctgactctaa ggtgcggaaa tcctcacacc tggcaaagga gaattcaaac tgaacttttt 4320
gaatataagg caaaaacttc aagataaggg aatatgattg atgattggta cgaaaaatgt 4380
caaaaatgtg ttcccctaat acacgacaaa atagagtgac ttctggacat aaatctgcca 4440
tttattaaac cattcactac aacaaataaa taggtataaa agtggaattg gaatttttat 4500
acttatttgt tgtagtgaat ggtttaataa aaatagaaat cactggtaat ttccacccca 4560

aactaaacta tttcccttct tttaaaaaaa tacacaacca agattttaat gtaaaatatt 4620
ttgctttaat tgtattttat gccttgatta atgaaacatg gaaatattga ttttcagttt 4680
tggtcacctg aggaacctat ctttgtttgc ttttggaaaa gcccattttc taaacagata 4740
caatattgcc acaacaatgt gcagaaacct ttttgataat aaaaaattgt tctttgcctc 4800
taaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 4860
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaa 4909

<210> 369
<211> 2242
<212> DNA
<213> Homo sapiens

<400> 369
tcgacccacg cgtccgggct gccatggcgg cggcgggccg gctcccgagc tcctgggccc 60
tcttctcgcc gctcctcgca gggcttgcac tactgggagt cgggccggtc ccagcgcggg 120
cgctgcacaa cgtcacggcc gagctctttg gggccgaggc ctggggcacc cttgcggctt 180
tcggggacct caactccgac aagcagacgg atctcttcgt gctgcgggaa agaaatgact 240
taatcgtctt tttggcagac cagaatgcac cctattttaa acccaaagta aaggtatctt 300
tcaagaatca cagtgcattg ataacaagtg tagtccctgg ggattatgat ggagattctc 360
aaatggatgt ccttctgaca tatcttccca aaaattatgc caagagtgaa ttaggagctg 420
ttatcttctg gggacaaaat caaacattag atcctaacaa tatgaccata ctcaatagga 480
cttttcaaga tgagccacta attatggatt tcaatggtga tctaattcct gatatttttg 540
gtatcacaaa tgaatccaac cagccacaga tactattagg agggaattta tcatggcatc 600
cagcattgac cactacaagt aaaatgcgaa ttccacattc tcatgcattt attgatctga 660
ctgaagattt tacagcagat ttattcctga cgacattgaa tgccaccact agtaccttcc 720
agtttgaaat atgggaaaat ttggatggaa acttytstgw magtacymta ttggaaaaac 780
ctcaaaatat gatggtggtt ggacagtcag catttgcaga ctttgatgga gatggacaca 840
tggatcattt actgccaggc tgtgaagata aaaattgcca aaagagtacc atctacttag 900
tgagatctgg gatgaagcag tgggttccag tcctacaaga tttcagcaat aagggcacac 960
tctggggctt tgtgccattt gtggatgaac agcaaccaac tgaaatacca attccaatta 1020
cccttcatat tggagactac aatatggatg gctatccaga cgctctggtc atactaaaga 1080
acacatctgg aagcaaccag caggcctttt tactggagaa cgtcccttgt aataatgcaa 1140
gctgtgaaga ggcgcgtcga atgtttaaag tctactggga gctgacagac ctaaatcaaa 1200
ttaaggatgc catggttgcc accttctttg acatttacga agatggaatc ttggacattg 1260
tagtgctaag taaaggatat acaaagaatg attttgccat tcatacacta aaaaataact 1320
ttgaagcaga tgcttatttt gttaaagtta ttgttcttag tggtctgtgt tctaatgact 1380
gtcctcgtaa gataacaccc tttggagtga atcaacctgg accttatatc atgtatacaa 1440
ctgtagatgc aaatgggtat ctgaaaaatg gatcagctgg ccaactcagc caatccgcac 1500
atttagctct ccaactacca tacaacgtgc ttggtttagg tcggagcgca aattttcttg 1560
accatctcta cgttggtatt ccccgtccat ctggagaaaa atctatacga aaacaagagt 1620
ggactgcaat cattccaaat tcccagctaa ttgtcattcc ataccctcac aatgtccctc 1680
gaagttggag tgccaaactg tatcttacac caagtaatat tgttctgctt actgctatag 1740
ctctcatcgg tgtctgtgtt ttcatcttgg caataattgg cattttacat tggcaggaaa 1800
agaaagcaga tgatagagaa aaacgacaag aagcccaccg gtttcatttt gatgctatgt 1860
gacttgcctt taatattaca taatggaatg gctgttcact tgattagttg aaacacaaat 1920
tctggcttga aaaaatagggg gagattaaat attatttata aatgatgtat cccatggtaa 1980
ttattggaaa gtattcaaat aaatatggtt tgaatatgtc acaaggtctt ttttttaaa 2040
gcactttgta tataaaaatt tgggttctct attctgtagt gctgtacatt tttgttcctt 2100
tgtggaatgt gttgcatgta ctccagtgtt tgtgtattta taatcttatt tgcatcatga 2160
tgatggaaaa agttgtgtaa ataaaaataa ttaaatgagc aggaaaaaaa aaaaaaaaaa 2220
aaaaaaaaaa aagggcggcc gc 2242

<210> 370
<211> 2381
<212> DNA
<213> Homo sapiens

<400> 370
ccacgcgtcc cgcaaggcca gttctagtgt agagagaaaa aggagccggc agcggctctt 60
acgcgtcccg gggctgcgcg ccactctctc ggccggtaac gcggtgcttt gcggctgtcg 120
tcaagcgcgg cgttgggccg gcgggcgggg gctgaggggc tgccatggcg gcggcgggcc 180

ggctcccgag ctcctgggcc ctcttctcgc cgctcctcgc agggcttgca ctactgggag 240
tcgggccggt cccagcgcgg gcgctgcaca acgtcacggc cgagctcttt ggggccgagg 300
cctggggcac ccttgcggct ttcggggacc tcaactccga caagcagacg gatctcttcg 360
tgctgcggga aagaaatgac ttaatcgtct ttttggcaga ccagaatgca ccctatttta 420
aacccaaagt aaaggtatct ttcaagaatc acagtgcatt gataacaagt gtagtccctg 480
gggattatga tggagattct caaatggatg tccttctgac atatcttccc aaaaattatg 540
ccaagagtga attaggagct gttatcttct ggggacaaaa tcaaacatta gatcctaaca 600
atatgaccat actcaatagg acttttcaag atgagccact aattatggat ttcaatggtg 660
atctaattcc tgatattttt ggtatcacaa atgaatccaa ccagccacag atactattag 720
gagggaattt atcatggcat ccagcattga ccactacaag taaaatgcga attccacatt 780
ctcatgcatt tattgatctg actgaagatt ttacagcaga tttattcctg acgacattga 840
atgccaccac tagtaccttc cagtttgaaa tatgggaaaa tttggatgga aacttctctg 900
tcagtactat attggaaaaa cctcaaaata tgatggtggt tggacagtca gcatttgcag 960
actttgatgg agatggacac atggatcatt tactgccagg ctgtgaagat aaaaattgcc 1020
aaaagagtac catctactta gtgagatctg ggatgaagca gtgggttcca gtcctacaag 1080
atttcagcaa taagggcaca ctctggggct ttgtgccatt tgtggatgaa cagcaaccaa 1140
ctgaaatacc aattccaatt acccttcata ttggagacta caatatggat ggctatccag 1200
acgctctggt catactaaag aacacatctg gaagcaacca gcaggccttt ttactggaga 1260
acgtcccttg taataatgca agctgtgaag aggcgcgtcg aatgtttaaa gtctactggg 1320
agctgacaga cctaaatcaa attaaggatg ccatggttgc caccttcttt gacatttacg 1380
aagatggaat cttggacatt gtagtgctaa gtaaaggata tacaaagaat gattttgcca 1440
ttcatacact aaaaaataac tttgaagcag atgcttattt tgttaaagtt attgttctta 1500
gtggtctgtg ttctaatgac tgtcctcgta gataacaccc tttggagtga atcaacctgg 1560
accttatatc atgtatacaa ctgtagatgc aaatgggtat ctgaaaaatg gatcagctgg 1620
ccaactcagc caatccgcac atttagctct ccaactacca tacaacgtgc ttggtttagg 1680
tcggagcgca aattttcttg accatctcta cgttggtatt ccccgtccat ctggagaaaa 1740
atctatacga aaacaagagt ggactgcaat cattccaaat tcccagctaa ttgtcattcc 1800
ataccctcac aatgtccctc gaagttggag tgccaaactg tatcttacac caagtaatat 1860
tgttctgctt actgctatag ctctcatcgg tgtctgtgtt ttcatcttgg caataattgg 1920
cattttacat tggcaggaaa agaaagcaga tgatagagaa aaacgacaag aagcccaccg 1980
gtttcatttt gatgctatgt gacttgcctt taatattaca taatggaatg gctgttcact 2040
tgattagttg aaacacaaat tctggcttga aaaaataggg gagattaaat attatttata 2100
aatgatgtat cccatggtaa ttattggaaa gtattcaaat aaatatggtt tgaatatgtc 2160
acaaggtctt ttttttaaa gcactttgta tataaaaatt tgggttctct attctgtagt 2220
gctgtacatt tttgttcctt tgtggaatgt gttgcatgta ctccagtgtt tgtgtattta 2280
taatcttatt tgcatcatga tgatggaaaa agttgtgtaa ataaaaataa ttaaatgagc 2340
aggaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa a 2381

<210> 371
<211> 2921
<212> DNA
<213> Homo sapiens

<400> 371
ccacgcgtcc ggatttctga ggttctgcaa acaggccacc ctgcagttct gtgtggtgaa 60
gccactcatg gcggtcagca ctgtggtcct ccaggccttc ggcaagtacc gggatgggga 120
ctttgacgtc accagtggct acctctacgt gaccatcatc tacaacatct ccgtcagcct 180
ggccctctac gccctcttcc tcttctactt cgccacccgg gagctgctca gcccctacag 240
ccccgtcctc aagttcttca tggtcaagtc cgtcatcttt ctttccttct ggcaaggcat 300
gctcctggcc atcctggaga agtgtggggc catccccaaa atccactcgg cccgcgtgtc 360
ggtgggcgag ggcaccgtgg ctgccggcta ccatgacttc atcatctgtg tggagatgtt 420
ctttgcagcc ctggccctgc ggcacccctt cacctacaac gtctatgctg acaagaggct 480
ggacgcacaa ggccgctgtg cccccatgaa gagcatctcc agcagcctca aggagaccat 540
gaacccgcac gacatcgtgc aggacgccat ccacaacttc tcacctgcct accagcagta 600
cacgcagcag tccaccctgg agcctgggcc cacctggcgt ggtggcgccc acggcctctc 660
ccgctcccac agcctcagtg gcgcccgcga caacgagaag actctcctgc tcagctctga 720
tgatgaattc taggtgcggg ctgcagtggc ggaagtgctg gcgccatagc cacggtcagg 780
ctgtgcccca cctccagcct caccaccagg ccaggaggca gctggcacag tgctcacgcc 840
gcctttattt attggaccag aaacactcac atgtcgcttc cagaggaacg ggggacagcc 900
aggctcgccc atgggccttc aggaatattt atacatggcc cagcctgcac tgcccgggcg 960
agggcagagg acactgggag caaggcttat gcccctgctg cccgtcctgt gctgggggca 1020

tgctgggacc agccgcaccc aggccccaat gcttgtgtgt ggaccagcgg ctgcagcctt 1080
ctagcccctc ctccccgcga gactctcagg ctgaggtcgg caagccgtgg ctcccccaca 1140
caccgtgcaa taccctgtct gacctgggct cttcccgcct gcatcccttc cctgtccacc 1200
tttgtccagt gctagattca cctcaccccg ggcaggagtg gggatgtggg cgctctgtgg 1260
tcctcccctc ctgacccagg cctctgtggc atgctgcaag gatcagagcc agacaccagg 1320
agtcacaggc cccacccagg aagggcattc agggcccctg ggcaccgctt ctgttgaagc 1380
aggggcttct gggcccctgg gtatccccac ctgtcgtggc cacacctctg cctgcctcat 1440
gcccccttccc ctggcctacc aaggacagcc cacagcccgc actgccggct cacttgggtc 1500
cttcctcgat agctttgggc agagcccttg cttcctggct gcttcagggc tcaggggctc 1560
ccagccctcc ttcccaggct gatgctgggt cctctctctc tttggggctt ctccctcccg 1620
tttcagggga aaggtctgag tctccacgtt tcagaccagc ttctgggggа aggcagtccg 1680
gcagggagac cgggaggggt ggccacacag tggggagctg ggaggtgggg ggaatggtcc 1740
cagactcctc tcggggcccc tatccacaca gggcctggtg ttctacccca tctggcccct 1800
ggcccatctc ttctgtgcct tagtcacata tgaaagcgcc cctccctggc tccccatctg 1860
tcccacacgc tccctggggc tcttagttca gctgctggca ctcgcaggat cctgcagtgc 1920
tgggcccaga gcccttggac aggcctcagg agtggtcagg accaccaagc ccctcctctc 1980
cccctccaca cctctagacc tggggcctcc ggaaccccca gcaggctggg cttatactag 2040
ctcctgactt aggaagagcc tcgtgtcaca acacgtgtcc ctacaggcaa agtgtcctgg 2100
catttaaaac ccagattatc cctgggtttg ggctgcagtc acctggagaa gctggtaggg 2160
taagggagag ggaccctgcc ggtgttcatg gggattcttt cttttggtcc ttcctggaat 2220
gaacaggttc cctccctgcc acctgtgagg agagttgggg cccagccgtc ttcctggcct 2280
ccttcctttc ctcgtggcag aggcctgcat gtgggtgcca gaggccagct ctcccccctcc 2340
atcttggggg ggcggagcag ttgggcccaa gctgcccggg agggtgggtg cagacacagg 2400
ctgaggacca gccctggccc tgccccgcca tctgctttca ccaagctgtc tctccaccgt 2460
ggcttccctt ctccctccag gccaaagtgc tgctgattcc cactcccttg gttttcgcct 2520
gcccagcgtt gctgtttgcg tggagggtgg ggggagctca gtggcaggga atcagcggtc 2580
cgtggggtcg tggggacggg aacatgtgcc cgaccgctcc atcccctcct cctccttagg 2640
atgcataacc taccttgtct ttttttttt aattttcttt ccaggtagag tagctctttg 2700
tacataaaga atacttgaaa aattaattgt atgatgtatg agaagacaga gtctcctagt 2760
tttgtatctt gttgtatgac tgccatgagt tccaccagaa agccactcta ttttggtctc 2820
tgtgacattt taaatgcgtg acagaagtga gcaaataaag tgaggaagaa atctaaaaaa 2880
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaag g 2921

<210> 372
<211> 1259
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (4)..(4)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (18)..(18)
<223> n equals a,t,g, or c

<400> 372
gggntacaaa agctgganct ccaccgcggt ggcggccgct ctagaactag tggatccccc 60
gggctgcagg aattcggcac gagtccacac agggcctggt gttctacccc atctggcccc 120
tggcccatct cttctgtgcc ttagtcacat atgaaagcgc ccctccctgg ctccccatct 180
gtcccacacg ctccctgggg ctcttagttc agctgctggc actcgcagga tcctgcagtg 240
ctgggcccag agcccttgga caggcctcag gagtggtcag gaccaccaag cccctcctct 300
cccctccac acctctagac ctggggcctc cggaaccccc agcaggctgg gcttatacta 360
gctcctgact taggaagagc ctcgtgtcac aacacgtgtc cctacaggca aagtgtcctg 420
gcatttaaaa cccagattat ccctgggttt gggctgcagt cacctggaga agctggtagg 480
gtaagggaga gggaccctgc cggtgttcac tggggattct ttcttttggt ccttcctgga 540
atgaacaggt tccctccctg ccacctgtga ggagagttgg ggcccagccg tcttcctggc 600
ctccttcctt tcctcgtggc agaggcctgc atgtgggtgc cagaggccag ctctcccccct 660
ccatcttggg ggggcggagc agttgggccc aagctgcccg ggagggtggg tgcagacaca 720

ggctgaggac cagccctggc cctgccccgc catctgcttt caccaagctg tctctccacc 780
gtggcttccc ttctccctcc aggccaaagt gctgctgatt cccactccct tggttttcgc 840
ctgcccagcg ttgctgtttg cgtggagggt gggggggagct cagtggcagg gaatcagcgg 900
tccgtggggt cgtggggacg ggaacatgtg cccgaccgct ccatcccctc ctcctcctta 960
ggatgcataa cctaccttgt ctttttttt ttaaattttc tttccaggta gagtagctct 1020
ttgtacataa agaatacttg aaaaattaat tgtatgatgt atgagaagac agagtctcct 1080
agttttgtat cttgttgtat gactgccatg agttccacca gaaagccact ctattttggt 1140
ctctgtgaca ttttaaatgc gtgacagaag tgagcaaata aagtgaggaa gaaatctata 1200
tatgagataa tatagattgt attgaaaaaa aaaaaaaaaa aaaaaaaaaa aaactccga 1259

<210> 373
<211> 1314
<212> DNA
<213> Homo sapiens

<400> 373
atgcggcagc tcttctatga ccctgacgag tgcgggctga tgaagaaggg gggcttgtac 60
ttcagtgact tctggaataa gctggacgtc ggcgcaatct tgctcttcgt ggcagggctg 120
acctgcaggc tcatcccggc gacgctgtac cccgggcgcg tcatcctctc tctggacttc 180
atcctgttct gcctccggct catgcacatt tttaccatca gtaagacgct ggggcccaag 240
atcatcattg tgaagcggat gatgaaggac gtcttcttct tcctcttcct gctggctgtg 300
tgggtggtgt ccttcggggt ggccaagcag gccatcctca tccacaacga gcgccgggtg 360
gactggctgt tccgagggcc gtctaccact cctacctcac catcttcggg cagatcccgg 420
gctacatcga cggtgtgaac ttcaacccgg agcactgcag ccccaatggc accgaccct 480
acaagcctaa gtgccccgag agcgacgcga cgcagcagag ccggccttcc ctgagtggct 540
gacggtcctc ctactctgcc tctacctgct cttcaccaac atcctgctgc tcaacctcct 600
catcgccatg ttcaactaca ccttccagca ggtgcaggag cacacggacc agatttggaa 660
gttccagcgc catgacctga tcgaggagta ccacggccgc cccgccgtgc cgcccccgtt 720
gatcctcttc agccacctgc agctcttcat caagagggtg gtcctgaaga ctccggccaa 780
gaggcacaag cagctcaaga acaagctgga gaagaacgag gaggcggccc tgctatcctg 840
ggagatctac ctgaaggaga actacctcca gaaccgacag ttccagcaaa agcagcggcc 900
cgagcagaag atcgaggaca tcagcaataa ggttgacgcc atggtggacc tgctggacct 960
ggacccactg aagaggtcgg gctccatgga gcagaggttg gcctccctgg aggagcaggt 1020
ggcccagaca gcccgagccc tgcactggat cgtgaggacg ctgcgggcca gcggcttcag 1080
ctcggaggcg gacgtcccca ctctggcctc ccagaaggcc gcggaggagc cggatgctga 1140
gccgggaggc aggaagaaga cggaggagcc gggcgacagc taccacgtga atgcccggca 1200
cctcctctac cccaactgcc ctgtcacgcg cttccccgtg cccaacgaga aggtgccctg 1260
ggagacggag ttcctgatct atgacccacc cttttacacg gcagagagga agga 1314

<210> 374
<211> 468
<212> DNA
<213> Homo sapiens

<400> 374
gtgagaagat aatcctgaga ggctgcatcc tgagaaatac cagctggtgt tttggaatgg 60
ttatttttgc aggtcctgac actaaactaa tgcagaatag tggtaagaca aagtttaaaa 120
ggacaagcat tgatagattg atgaatactc tagtactatg gatttttggg tttctgatat 180
gcttgggaat tattcttgca ataggaaatt caatctggga gagtcaaact ggggaccaat 240
tcagaacttt cctcttttgg aatgaaggag agaagagctc tgtgttctcc ggattcttaa 300
cattctggtc atatattatt attctcaata cagttgtacc catttcctta tatgtgagtg 360
tggaagtaat tcgtctagga cacagttatt ttataaactg ggaccggaag atgtattaty 420
ctcgaaaagc aatacctgca gtggctcgaa cgaccacgct caatgagg 468

<210> 375
<211> 181
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature

<222> (178)..(178)
<223> n equals a,t,g, or c

<400> 375
ggtcagtgtg cagatagcct tggataccag ktactggact ttcattaatc acgtcttcat 60
ctgggggagc attgccattt atttctccat tttatttaca atgcacagta atggcatctt 120
tggcatcttc ccaaaccagt ttccatttgt tggtaatgca cgacattccc tgacccanaa 180
g 181

<210> 376
<211> 612
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (47)..(47)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (534)..(534)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (537)..(537)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (563)..(563)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (565)..(565)
<223> n equals a,t,g, or c .

<220>
<221> misc_feature
<222> (591)..(591)
<223> n equals a,t,g, or c

<400> 376
cagtctgggc ttaagaaacc accagaagaa cccaaaccag aaatgcncaa gtgtaaatgc 60
aaaaattctt atagaagaaa tagcataaga atttgcacat tcggaaataa gaccaccttc 120
catgaacaag gagaagcctt tggagatatc taaactgtgc aaatgaatag tcgctggcta 180
agactgcttg caatccttcc tggccgctga tgccaacacc aatgtgagca cttttaatca 240
tgctgacatc attggctcca tcwccaatgg ccaaagtaac agcatttctg tacttcttca 300
ccagctctac cacttgggct ttctggagtg gagtgaccct gcagcaaatt acagtcttac 360
acatgcaagc aagttctagg agatcattct tgacatcact ttctagggca tgagccaaac 420
tgtggccatt tatgattaag gcataatctc ctgttatggt ttcttctaca atagaatcca 480
actccagctg ctgctttttt tcacaaacta catggccatt ggaaaaattt ctgnttngtc 540
caaacaaatt ttgttttgaa atnangagtt cttctctcac ttccacagca nttattccct 600
gctataggga gg 612

<210> 377
<211> 1024
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (29)..(29)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (986)..(986)
<223> n equals a,t,g, or c

<400> 377
tgctttcctg agttcttctc tcacttccnc agcattattc cctgctatcc caaacmcatc 60
attcatgtcg tcagtcagca tgttgcaggc ataaccgatg ttgatgscag tttcttgttt 120
gtctcctgtt aggacccaga tcttaatatt ggctagtgat aaacttgtaa ctgtttcaat 180
aacaccctcc tgtaacttat cttctacagc agtggcacct agtagcatca aatctctttc 240
aatttcttca tatagcccag ctattcgttc atcctctct tctgtggcaa cattcgcatc 300
ttcaagcatc ttatgccact ctttaaagta cttgtcatcc aggtctctgt atgcgatggc 360
caaggtccga aggccttccc ctgcaaattc actgaggtgg tctgacgtca aagacaaaag 420
gacttcattg gaaggatsaa gtttctcaaa cagaatagta tctgctcctt tggaataaag 480
ctttatctgt ccttctgggt ttcgarctat gacagacatc ctttttctgg tgttgttgaa 540
atccaaaaag gcaagtaatt gataagtaac tagtgttccc aattcttcta ttgttatggt 600
ctctggggtc cgggatttaa aratgaaccc aaaatttcta gcggcagtca ctagagcccc 660
ttcatcaggt gactgaactt ggtaaatcag ctctcctgcg ctattctctt ctgacattac 720
agtgtggcag agagcaagta acctaaggaa ttcatgaact ttgggatcac ccattttaat 780
ggattccatc agattgtggt caaagaactg aaattctcta tccgcttgag atttgactga 840
gaaatccaca ggctcttttt cctgagttat ttctgtcttc tgatccaggt catcatgtac 900
ttcaccatag attctcccat taatggaaca tcttttaaag gtcatgatgt tttgagtgag 960
ggtacccgtt ttgtcggaga aaatgnactc aatctgcccc agttcttcat tgagcgtggt 1020
cgtt 1024

<210> 378
<211> 366
<212> DNA
<213> Homo sapiens

<400> 378
gacgcgtggg agctcattat ccatcaaact cactcargtg wcacytgagt gagtttgatg 60
gataatgagc taatgtgata tctataggtc acaatttttt aaaaccaaaa ttttcaagtc 120
tgggataatc tttcctaaat gggatcaaat gaaataatat gtgtaaaaga gtcaaatgca 180
gtcctttacc atagtaactg cctatggacg ttgtctttcc cttacatgcc tgcctacact 240
taaccagatg ttggttttca agtctaatkt gtcattagtt tcaccacatt kgctcacttt 300
tkgtaacatt tttgcaagat ttgaaaactt tcagtaaatg ttttggcact attggtaaaa 360
aaaaaa 366

<210> 379
<211> 519
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (371)..(371)
<223> n equals a,t,g, or c

<400> 379
cctggttagg gtcctacagg gaaataaaat tataaccgtg gaggtacatt tctctaccag 60
aaagcaaaaa taaagcatca tgtcttaatg gttttctaca aatcaacttc taattctaca 120
gagtccttaa tctggtccct attaaattct tggtcagaca aagttacatt tcccaagaga 180
gtcaggtgac acttgagtga gtttgatgga taatgagcta atgtgatatc tataggtcac 240
aatttttaa aaccaaaatt ttcaagtctg ggataatctt tcctaaatgg gatcaaatga 300

aataatatgt gtaaaagagt caaatgcagt cctttaccat agtaactgcc tatggacgtt 360
gtctttccct nacatgcctg cctacactta accagatgtt ggttttcaat gtctaatttg 420
tcattagttt caccacattt gctcactttt tgtaacattt ttgcaagatt tgaaaacttt 480
cagtaaatgt tttggcacta ttggtaaaaa aaaaaaaaa 519

<210> 380
<211> 1867
<212> DNA
<213> Homo sapiens

<400> 380
cccacgcgtc cgggccacag cagagacagt ggagggcagt ggagaggacc gcgctgtcct 60
gctgtcacca agagctggag acaccatctc ccaccgagag tcatggcccc attggccctg 120
cacctcctcg tcctcgtccc catcctcctc agcctggtgg cctcccagga ctggaaggct 180
gaacgcagcc aagacccctt cgagaaatgc atgcaggatc ctgactatga gcagctgctc 240
aaggtggtga cctgggggct caatcggacc ctgaagcccc agagggtgat tgtggttggc 300
gctggtgtgg ccgggctggt ggccgccaag gtgctcagcg atgctggaca caaggtcacc 360
atcctggagg cagataacag gatcgggggc cgcatcttca cctaccggga ccagaacacg 420
ggctggattg gggagctggg agccatgcgc atgcccagct ctcacaggat cctccacaag 480
ctctgccagg gcctggggct caacctgacc aagttcaccc agtacgacaa gaacacgtgg 540
acggaggtgc acgaagtgaa gctgcgcaac tatgtggtgg agaaggtgcc cgagaagctg 600
ggctacgcct tgcgtcccca ggaaaagggc cactcgcccg aagacatcta ccagatggct 660
ctcaaccagg ccctcaaaga cctcaaggca ctgggctgca gaaaggcgat gaagaagttt 720
gaaaggcaca cgctcttgga atatcttctc ggggagggga acctgagccg gccggccgtg 780
cagcttctgg gagacgtgat gtccgaggat ggcttcttct atctcagctt cgccgaggcc 840
ctccgggccc acagctgcct cagcgacaga ctccagtaca gccgcatcgt gggtggctgg 900
gacctgctgc cgcgcgcgct gctgagctcg ctgtccgggc ttgtgctgtt gaacgcgccc 960
gtggtggcga tgacccaggg accgcacgat gtgcacgtgc agatcgagac ctctcccccg 1020
gcgcggaatc tgaaggtgct gaaggccgac gtggtgctgc tgacggcgag cggaccggcg 1080
gtgaagcgca tcaccttctc gccgccgctg ccccgccaca tgcaggaggc gctgcggagg 1140
ctgcactacg tgccggccac caaggtgttc ctaagcttcc gcaggccctt ctggcgcgag 1200
gagcacattg aaggcggcca ctcaaacacc gatcgcccgt cgcgcatgat tttctacccg 1260
ccgccgcgcg agggcgcgct gctgctggcc tcgtacacgt ggtcggacgc ggcggcagcg 1320
ttcgccggct tgagccggga agaggcgttg cgcttggcgc tcgacgacgt ggcggcattg 1380
cacgggcctg tcgtgcgcca gctctgggac ggcaccggcg tcgtcaagcg ttgggcggag 1440
gaccagcaca gccagggtgg ctttgtggta cagccgccgg cgctctggca aaccgaaaag 1500
gatgactgga cggtccctta tggccgcatc tactttgccg gcgagcacac cgcctacccg 1560
cacggctggg tggagacggc ggtcaagttg ctgcgcgccg ccatcaagat caacagccgg 1620
aaggggcctg catcggacac ggccagcccc gaggggcacg catctgacat ggaggggcag 1680
gggcatgtgc atggggtggc cagcagcccc tcgcatgacc tggcaaagga agaaggcagc 1740
caccctccag tccaaggcca gttatctctc caaaacacga cccacacgag gacctcgcat 1800
taaagtattt tcggaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1860
aaaaaaa 1867

<210> 381
<211> 1722
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (401)..(401)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (695)..(695)
<223> n equals a,t,g, or c

<400> 381
gggaccgcgc tgtcctgctg tcaccaagag ctggagacac catctcccac cgagagtcat 60

ggccccattg gccctgcacc tcctcgtcct cgtccccatc ctcctcagcc tggtggcctc 120
ccaggactgg aaggctgaac gcagccaaga ccccttcgag aaatgcatgc aggatcctga 180
ctatgagcag ctgctcaagg tcaccatcct ggaggcagat aacaggatcg ggggccgcat 240
cttcacctac cgggaccaga wyacgggctg gattggggag ctgggagcca tgcgcatgcc 300
cagctctcac aggatcctcc acaagctctg ccagggcctg gggctcaacc tgaccaagtt 360
cacccagtac gacaagaaca cgtggacgga ggtgcacgaa ntgaagctgc gcaactatgt 420
ggtggagaag gtgcccgaga agctgggcta cgccttgcgt ccccaggaaa agggccactc 480
gcccgaagac atctaccaga tggctctcaa ccaggccctc aaagacctca aggcactggg 540
ctgcagaaag gcgatgaaga agtttgaaag gcacacgctc ttggaatatc ttctcgggga 600
ggggaacctg agccggccgg ccgtgcagct tctgggagac gtgatgtccg aggatggctt 660
cttctatctc agcttcgccg aggccctccg ggccnacagc tgcctcagcg acagactcca 720
gtacagccgc atcgtgggtg gctgggacct gctgccgcgc gcgctgctga gctcgctgtc 780
cgggcttgtg ctgttgaacg cgcccgtggt ggcgatgacc cagggaccgc acgatgtgca 840
cgtgcagatc gagacctctc ccccggcgcg gaatctgaag gtgctgaagg ccgacgtggt 900
gctgctgacg gcgagcggac cggcggtgaa gcgcatcacc ttctcgccgc gctgccccgc 960
cacatgcagg aggcgctgcg gaggctgcac tacgtgccgg ccaccaaggt gttcctaagc 1020
ttccgcaggc ccttctggcg cgaggagcac attgaaggcg gccactcaaa caccgatcgc 1080
ccgtcgcgca tgattttcta cccgccgccg cgcgagggcg cgctgctgct ggcctcgtac 1140
acgtggtcgg acgcggcggc agcgttcgcc ggcttgagcc gggaagaggc gttgcgcttg 1200
gcgctcgacg acgtggcggc attgcacggg cctgtcgtgc gccagctctg ggacggcacc 1260
ggcgtcgtca agcgttgggc ggaggaccag cacagccagg gtggctttgt ggtacagmcg 1320
ccggcgctct ggcaaaccga aaaggatgac tggacggtcc cttatggccg catctacttt 1380
gccggcgagc acaccgccta cccgcacggc tgggtggaga cggcggtcaa gtcggcgctg 1440
cgcgccgcca tcaagatcaa cagccggaag gggcctgcat cggacacggc cagccccgag 1500
gggcacgcat ctgacatgga ggggcagggg catgtgcatg gggtggccag cagcccctcg 1560
catgacctgg caaaggaaga aggcagccac cctccagtcc aaggccagtt atctctccaa 1620
aacacgaccc acacgaggac ctcgcattaa agtattttcg gaaaaaaaaa aaaaaaaaaa 1680
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaagggcgg cc 1722

<210> 382
<211> 2042
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2001)..(2001)
<223> n equals a,t,g, or c

<400> 382
ggtcagcttt catctcgtcc tatctttgtt caggcaaact tctctagttc tgttttaata 60
ggcatatttg ttaggtctgt tttttgaaat cctctttttt acattgttta aagataatgc 120
cttggctaaa aagcctgctt cacttttccc tgtttttagt tgttttctcc acattggcag 180
taaagagcct tggcgtccca gtagcagcag gttctccttt ttgtattgtg gatgttttgc 240
atttcatact gttgtgaaga gtggctttga tcatacatgt tgttggtata tttgccyttt 300
tgctgggggt gtgagaagaa ccagagatga gcagaggtac acccagtaga cttcccagcc 360
tgcagagcct cccgggaaga gcttccgtgt tcaggtgctt ggggccccwc cctaggagcc 420
tgwctcwcag tcagagcwgg gtcccggctt gygttcagga ttttgaaaca tttgtawggt 480
gattttgttg tttctacacc tttctcctca tctttttttt tttgtagtta atcgttacta 540
ataacagaaa agacattttt ggcatggtaa ttggcacaaa gtgaataatt gttgaataga 600
tgacttttga ggctttcaaa attcgagtgt ccataaaatc catccagagc cacctggttc 660
ctttttttga accacttaac gtaattctgg aaaaccttga ctgtgggtct taagtttggt 720
ggattgctgc ttctcactgg ctgacctttg gaggtcgcat atttcaggat gtgattccac 780
ttaggctcca tttcacctga cactgcaatt ctgtgccttc agagggattt gttattgcga 840
atgatgtgga caacaagcgc tgctacctgc tcgtccatca agccaagagg ctgagcagcc 900
cctgcatcat ggtggtcaac catgatgcct ccagcatacc caggctccag atagatgtgg 960
acggcaggaa agagatcctc ttctatgatc gaattttatg tgatgtccct tgcagtggag 1020
acggcactat gagaaaaaac attgatgttt ggaaaaagtg gaccacctta aatagcttgc 1080
agctacatgg cttacagctg cggattgcaa cacgcggggc tgaacagctg gctgaaggtg 1140
gaaggatggt gtattccacg tgttcactaa accctattga ggatgaagca gtcatagcat 1200
ctttactgga aaaaagtgaa ggtgctttgg agcttgctga tgtgtctaat gaactgccag 1260

ggctgaagtg gatgcctgga atcacacagt ggaaggtaat gacgaaagat gggcagtggt 1320
ttacagactg ggacgctgtt cctcacagca gacacaccca gatccgacct accatgttcc 1380
ctccgaagga cccagaaaag ctgcaggcca tgcacctgga gcgatgcctt aggatattac 1440
cccatcatca gaatactgga gggtttttg tggcagtatt ggtgaaaaaa tcttcaatgc 1500
cgtggaataa acgtcagcca aagcttcagg gtaaatctgc agagaccaga gaaagcacac 1560
agctgagccc tgcagatctc acagaaggga aacccacaga tccctctaag ctggaaagtc 1620
cgtcattcac aggaactggt gacacagaaa tagctcatgc aactgaggat ttagagaata 1680
atggcagtaa gaaagatggc gtgtgtggtc ctcctccatc aaagaaaatg aagttatttg 1740
gatttaaaga agatccattt gtatttattc ctgaagatga cccattattt ccacctattg 1800
agtaaggatt cagccttttt aattattcat ttaaagaaat ttactataga gtatcaaatg 1860
tacaactgat cacatgtaac cattgttttg tatgtagttc tgtctagctt ttttttttt 1920
ttaacctttt taactgcata ttagagcagg atgaaacttt agaggttact caatctttta 1980
atttaaggag aaagtaaaca nttactttgt gaacatgata gataaaaaaa aactggaccg 2040
gg 2042

<210> 383
<211> 308
<212> DNA
<213> Homo sapiens

<400> 383
ggaggcagga ccttgtccta ttcattaatc ttgcccctca acagttattt tcagaggggc 60
aagaagtgtt tcagggttct tggcccttgt ttgaccagtc gtcctaaccc tcrtgtcttg 120
ggtcattgtt gttrtaatct ggggttacct tttggaaggt catggggtac ccttttgcaa 180
aagttatggg ccctmtcctt ggaaactgca cacacaccat gcagcttaca attcagggag 240
ttcacaggtc tacagaatcc tgggaaactc tccatgtccg gttctaatcc attgtagctt 300
cagtggga 308

<210> 384
<211> 1568
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1550)..(1550)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1564)..(1564)
<223> n equals a,t,g, or c

<400> 384
ctcatcagcc ctatgaggta gggaggtagg tattattatc acccttgtta gttttttgt 60
tttgttttgt tttccagatg agagaatcat tgctcacaga agtgaagtaa cttttccaag 120
gtcatacaat cagtaagtgg caggcaagga ctgaaatcca agttgttacc ctccaaagtc 180
cctgctctga gaactggagg aattctttat caaatctaaa atcctctttt agscctgtct 240
gctttaatat tccggtcttt attgatcctt ctcttctcta aamcttcagc tgtcagtata 300
aaaatcaagg aatttagcmc ttgttattgt gtgamcagct tcttgtctct cctgtactgt 360
aagtgggtct agggattttt attctttaaa tatccccctg tactcagtag atctttggga 420
gamcaagctc ataggcttct aataattctt tctttgactg ccagctgaat tagacagaag 480
gtaagtcctg ctgccgtgtc gtgcctaacc ccatctttat ttcctgtgct gttagagaac 540
agtctttttct tggctggaac aaatactaca gcctgctcaa ctagctaata tgtattgagt 600
tcttartatg ttccaaggac tgctctaagt attttatata tattaactca ctgaatctta 660
aataccctat gagctaagtc ctatttttat ccccatttta caaaagagga aactgaatgt 720
accagtgcat cagtatttga ctgagtaaat gaatgactgc tttgctgatg gatagtatta 780
ttagcaacaa ccctacaaat atgatgttat gtttgcatca tgcagtacag ctttatgtac 840
cttatgtcat tgtcactcat gattagcaaa taggcacgaa catccctatt ttatagaaga 900
ggaamccatg gctctaagag ggtgagtgat tctcaacagt cacatgccat ctgtatcctt 960
cagtaaacaa ggtatttggt ccattccagg atcgggggca agagagatgg gagggcctcg 1020

gtgagaaaca ctcatattca caaaaggtac tagatagata gacagataaa taaataaata 1080
gagataaaag ctagtaatag cagagatttg atgggaattc agatctttga ttcctagtcc 1140
agtgctcttt cttttatgta aggtgatggg aagcaagtct taggtccaga tctggcagct 1200
gctttgattt aggatcttaa gccagaagca gcagcgccct aaacaaaaag catcatttta 1260
acttctctgc atttctcaca ttctcaacaa tgaccatgcc ctactttcat aattaaaaac 1320
aaacaaataa acagaggggg caaaatgcat ccttctgagt gggctggggc ttgtagaggg 1380
attcttgggt ttgctctggg atgtctttgg gcccctgcac ttgtgggcac tctgatttat 1440
ccccacaggc cacctggccc accttatggg ctgaggaggg cttgatgggc ggaggsaagc 1500
agagctgagg agctggggag gagctggaaa ggactgctag aaggttccan tgaagctaca 1560
atgngtag 1568

<210> 385
<211> 865
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (13)..(13)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (20)..(20)
<223> n equals a,t,g, or c

<400> 385
accgcagcct gcngggctcn agcattccty tsgcytcagc ctcctgakta gctgggaccm 60
cagytccact aattttgaag ttttttkggt agacatgaag tctccctgtg ttgcccgggc 120
tggtctcaaa ctcctgacct caagcagtcc tcctgtcttg gcctctggaa atgctgggat 180
tacaggcgtg agccactgtg ctggcctctt ttttcttttt ctttttttt aaggttttta 240
tttgttaaat gggaagtctg tgccatcaac tgagcattgt attttctcct tagtaagagc 300
ctgggtgggc cactgggaga gaactataca ttaaatgtaa gtagcctctg ggtagagagc 360
ccctggctgg tttcctttcc tttctctcct tttctctact ttggtgtctg gaggcatttc 420
ccagactcca gtttcttacc accctcacgg attttgctat tgtattatca cctcctttat 480
cattcccaaa attgacttta tggagactca ttaaaagaaa gaatcatcgg ccgggagcgt 540
kgctcacgcc acgaaggcgg gcgaatcacc tgaggtgcgg agttcgtgac cagcctgacc 600
aaaacagaga aaccccatct ctactaaaca atacaaaatt agctgggcgt ggtggtgcac 660
gcctgtaatc ccagctactg gggaggctgg gacgggagaa tcacttgaac ccgggaggca 720
gaggttgcag tgaccaaaga tcgcactatt gcactccagc ctgggcaaca agagcaaaac 780
tctatctcaa aaaaaaaaaa aaaaaaaaaa aaaagggcgg ccgctctaga ggatccctcg 840
aggggcccaa gcttaggcgt gcatg 865

<210> 386
<211> 1687
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1568)..(1568)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1652)..(1652)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1654)..(1654)

<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1660)..(1661)
<223> n equals a,t,g, or c

<400> 386
ccacgcgtcc gggcagtggg gtgagggcac acaagcagtt cagggtccca gcaggaagtg 60
gggctgcagg gccggggtgg gtcctgggcc tggccatcag gcagcctagc aggttgttct 120
gggcatggag ggggcctggt gtggctgagg gcatgcccag ggctccctgg aggatcccgc 180
tctgtgccct gcccaccctg tgcctgggga gccctctgcc ctcacagccc acccacccca 240
ttttctatga ccacagagct ccgacctgga agatggctca cccaggaggt cccaggagct 300
ctcactcccc caggggacct ggaggacacc cagctctcag acaaaggctg ccttgccggc 360
gggggagcc cgaaacagcc ctttgcagct ctgcaccagg agcaggtttt gcggaacccc 420
catgtaaggc ttccccgggg tggggtcctc ccagccgtgg gcctcagggt gaccgatcac 480
agggagagtg gctccctgcc ctgggcaccc cctgcggtgg ccccgacgac agctgaggag 540
tgaccacaag gtctctgccc acagtgctcg gggtgcggtg tctgggctgc gaagtggatc 600
cccctccttt cttgggcact gcagcagctt gggggggctttt ttggacgtgg atgtgcctgg 660
tcctggtttc ccgagggcct ttacagtgga tgaggaggtg aacacaggga gtcctgagag 720
caagcaccac ctcgggcttt ggtgtagaaa caatggcccg gaccccaggc cggagccgtg 780
gcttggcctc ctgggtgtgt cttggcatct gaaatgcagg ctacccacac cggctcacct 840
ccaggggtac aggcaggtcc cacagggaga gcttggcgct gagctgaggc tgtctgggct 900
cctcgcctcc caaccagtct gcagttacag gggccagtgg atgggcgggt gagaaggacg 960
ggttccctca ggggagccgg ccggagcccg agccttcccc cttctccagg acgcaggcct 1020
gagcagcggg gagccgcccg agaaggagcg gcggcgcctc aaagagagtt ttgagaacta 1080
ccgcaggaag cgcgccctca ggaagatgca gaaaggatgg cggcagggtg gaggaggacc 1140
gggagaacac cacgggcagc gacaacaccg acactgaggg ctcctagccg cagcagccgc 1200
aggccccgac cagggcacac ccaccggccc ggcctcctgc cacccggggg tgccgacgcc 1260
ctggggcgca gacttccccg agccgtcgct gacttggcct ggaacgagga atctggtgcc 1320
ctgaaaggcc cagccggact gccgggcatt ggggccgttt gttaagcggc actcattttg 1380
cggaggccat gcgggtgctc accaccccca tgcacacgcc atctgtgtaa cttcaggatc 1440
tgttctgttt caccatgtaa cacacaatac atgcatgcat tgtattagtg ttagaaaaca 1500
cagctgcgta aataaacagc acgggtgacc cgcaaaaaaa aaaaaaaaaa aaaaaaaaaa 1560
aaaaaaanaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1620
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa ananaaaaan naaaaaaaaa aaaaaaaaaa 1680
aaaaaaa 1687

<210> 387
<211> 570
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (5)..(5)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (16)..(16)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (496)..(496)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (523)..(523)

<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (531)..(531)
<223> n equals a,t,g, or c

<400> 387
ttccngtgcc actatngaat gtacgcctgc aggtaccggt ccggaattcc cgggtcgacc 60
cacgcgtccg ggcagtgggg tgagggcaca caagcagttc agggtcccag caggaagtgg 120
ggctgcaggg ccggggtggg tcctgggcct ggccatcagg cagcctagca ggttgttctg 180
ggcatggagg gggcctggtg tggctgaggg catgcccagg gctccctgga ggatcccgct 240
ctgtgccctg cccaccctgt gcctggggag ccctctgccc tcacagccca cccaccccat 300
ttwctatgac cacagagctc cgacctggaa gatggctcac ccaggaggtc ccaggagctc 360
tcactccccc aggacctgga rgacacccag ctctcagaca aargctgcct tgccggcggg 420
gggagcccga aacagccctt tgcagctctg caccaggagc aggttttgcg gaaccccccat 480
gtaaggcttc cccggngtgg ggtcctccag ccgtgggcct canggtgacc natcacaggg 540
agagtggctc cctgtcctgg gcaccccctg 570

<210> 388
<211> 1752
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1099)..(1099)
<223> n equals a,t,g, or c

<400> 388
aaggtacgcc tgcaggtacc ggtccggaat tcccgggtcg acccacgcgt ccgtccagga 60
cagagagtgc acaaactacc cagcacagcc ccctccgccc cctctggagg ctgaagaggg 120
attccagccc ctgccaccca cagacacggg ctgactgggg tgtctgcccc ccttgggggg 180
gggcagcaca gggcctcagg cctgggtgcc acctggcacc tagaagatgc ctgtgccctg 240
gttcttgctg tccttggcac tgggccgaag cccagtggtc ctttctctgg agaggcttgt 300
ggggcctcag gacgctaccc actgctctcc gggcctctcc tgccgcctct gggacagtga 360
catactctgc ctgcctgggg acatcgtgcc tgctccgggc cccgtgctgg cgcctacgca 420
cctgcagaca gagctggtgc tgaggtgcca gaaggagacc gactgtgacc tctgtctgcg 480
tgtggmtgtc cacttggccg tgcatgggca ctgggaagag cctgaagatg aggaaaagtt 540
tggaggagca gctgacttag gggtggagga gcctaggaat gcctctctcc aggcccaagt 600
cgtgctctcc ttccaggcct accctactgc ccgctgcgtc ctgctggagg tgcaagtgcc 660
tgctgccctt gtgcagtttg gtcagtctgt gggctctgtg gtatatgact gcttcgaggc 720
tgccctaggg agtgaggtac gaatctggtc ctatactcag cccaggtacg agaaggaayt 780
caaccacaca cagcagctgc ctgactgcag ggggctcgaa gtctggaaca gcatcccgag 840
ctgctgggcc ctgccctggc tcaacgtgtc agcagatggt gacaacgtgc atctggttct 900
gaatgtctct gaggagcagc acttcggcct ctccctgtac tggaatcagg tccagggccc 960
cccaaaaccc cggtggcaca aaaacctgac tggaccgcag atcattacct tgaaccacac 1020
agacctggtt ccctgcctct gtattcaggt gtggcctctg gaacctgact ccgttagacg 1080
aacatctgcc ccttcaggna ggacccccgc gcacaccaga acctctggca agccgcccga 1140
ctgcgactgc tgaccctgca gagctggctg ctggacgcac cgtgctcgct gcccgcagaa 1200
gcggcactgt gctggcgggc tccgggtggg gacccctgcc agccactggt cccaccgctt 1260
tcctgggaga aygtcactgt ggacaaggtt ctcgagttcc cattgctgaa aggccaccct 1320
aacctctgtg ttcaggtgaa cagctcggag aagctgcagc tgcaggagtg cttgtgggct 1380
gactccctgg ggcctctcaa agacgatgtg ctactgttgg agacacgagg cccccaggac 1440
aacagatccc tctgtgcctt ggaacccagt ggctgtactt cactacccag caaagcctcc 1500
acgagggcag ctcgccttgg agagtactta ctacaagacc tgcagtcagg ccagtgtctg 1560
cagctatggg acgatgactt gggagcgcta tgggcctgcc ccatggacaa atacatccac 1620
aagcgctggg ccctcgtgtg gctggcctgc ctactctttg cctgcgcttt ccctcatcct 1680
ccttctcaaa aaggatcacg cgaaagggtg gctgaggctc ttgaaacagg acgtccgctc 1740
gggggcggcc gc 1752

<210> 389
<211> 536
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (508)..(508)
<223> n equals a,t,g, or c

<400> 389
ggtcgaccca cgcgtccgcc cacgcgtccg gcttccttaa tgtaatttaa accctggcaa 60
acattcttta gaaaccaaga ggaaagaaag aacaaatatc aaaaaagaca tagaatttaa 120
tattgataca atttcacctc taaaatggat ttgaagaaat gcaactttat atcaaaaaat 180
gtcatctgat ttcctttgtt tctttttaa attatgtaat cagatgattt tatgtttttt 240
tttcagggga gcggaatatt ggtttctttt acttgttgtt ttcagttttc tctgccattc 300
atgtttcttt tttgtgttca gtgtttcaaa tacaatttgt atttaaggat tttaaaatac 360
caaactgtaa ctgagtacag tggatcgttt tctgttagga tgttaatatt atacaatgaa 420
atctataaag tgttgtcaat ttgattattg acacatataa catgtttaca aataaactgt 480
ggtattgatc aaaaaaaaaa aaaaaaancc cgggggggc cccggaaccc aatccc 536

<210> 390
<211> 716
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (630)..(630)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (710)..(710)
<223> n equals a,t,g, or c

<400> 390
gcctcagcgg ccgggcccac ggccccgagc agccatgctg ggcgcgcggg cctggttggg 60
ccgcgtcctt ctgctgcccc gcgccggtgc aggcctcgcc gcragccgca ggtgtcctgg 120
agtctggccc aggacctggc cccacaggag tcccagcagg ggtagctcct cccgggacaa 180
ggaccgaagt gcgacggtca gtagttcagt gcccatgcct gctggaggga aaggaagcca 240
tccttcatct acaccccaga gggtccccaa ccgcctgatc cacgagaagt caccatacct 300
cctacaacat gcctacaatc ctgtggactg gtacccctgg ggacaggaag ccttcgacaa 360
ggccaggaag gaaaacaagc cgattttcct ctcagtcggg tactccacct gccactggtg 420
ccacatgatg gaagaggagt ccttccagaa tgaggagatt ggccgcctgc tcagtgagga 480
ctttgtgagt gtgaaggtag accgtgagga gcggcctgac gtggacaagg tgtacatgac 540
gttcgtgcag gccaccagca gcggcggggg ctggcccatg aatgtgtggc tgactcccaa 600
cctccagccc tttgtcgggg gcactatttn cctcctgaag gatggcttga mccgagtsgg 660
ttccgcacag tgttkctgag aatacgagaa cartggaaac agaacaagan caccct 716

<210> 391
<211> 2716
<212> DNA
<213> Homo sapiens

<400> 391
ggccgggccc acggcmccga gcagccatgc tgggcgcgcg ggcctggttg ggccgcgtcc 60
ttctgctgcc ccgcgccggt gcaggcctcg ccgcgagccg caggtctgcc tgcagtccca 120
cttccaggct gaactccctg aggtctctga ttccctaggt gtcctggagt ctggcccagg 180
acctggcccc acaggagtcc cagcaggggt agctcctccc gggacaagga ccgaagtgcg 240
acggtcagta gttcagtgcc catgcctgct ggagggaaag gaagccatcc ttcatctaca 300

ccccagaggk tccccaaccg cctgatccac gagaagtcac catacctcct acaacatgcc 360
tacaatcctg tggactggta cccctgggga saggaagcct tygacaaggc caggaaggaa 420
aacaagccga ttttcctctc agtcgggtac tccacctgcc actggtgcca catgatggaa 480
gaggagtcct tccagaatga ggagattggc cgcctgctca gtgaggactt tgtgagtgtg 540
aaggtagacc gtgaggagcg gcctgacgtg gacaaggtgt acatgacgtt cgtgcaggcc 600
accagcagcg gcgggggctg gcccatgaat gtgtggctga ctcccaacct ccagcccttt 660
gtcgggggca cctatttccc tcctgaggat ggcttgaccc gagtcggctt ccgcacagtg 720
ttgctgagaa tacgagaaca gtggaaacag aacaagaaca ccctgctaga aaatagccag 780
cgtgtcacca ctgccctgct ggcccgatca gagatcagcg tgggtgaccg ccagctgccg 840
ccctctgccg ccaccgtgaa caatcgctgc ttccagcagc tggatgaggg ctatgatgag 900
gaatacggtg gcttcgctga ggcccccaag tttcccacgc cggtgatcct gagcttcctg 960
ttctcctact ggctcagcca tcgactgact caggatggct ctcgggccca gcagatggcc 1020
ttgcataccc tgaaaatgat ggctaacggg ggcatccggg accatgtggg gcagggcttt 1080
caccgctact ccacagaccg ccagtggcac gtccctcact ttgagaagat gctctatgac 1140
caggcacagc tcgctgtggc ctattcgcag gccttccagc tctctggtga tgaattctac 1200
tctgacgtgg ccaaaggcat cctgcagtac gtggctcgga gcctgagcca ccggtccgga 1260
ggcttctata gcgcagarga tgcagactcg gcccccagagc ggggccagcg gcccaaagag 1320
ggcgcctact atgtgtggac ggtcaaagag gttcagcagc tcctcccgga gcctgtgttg 1380
ggtgccaccg agccgctgac ctcaggccag ctcctcatga agcactacgg cctcacagag 1440
gctggtaaca tcagccccag tcaggacccc aaggggagc tgcagggcca gaatgtgctg 1500
accgtccggt actcgctgga gctgactgct gcccgctttg gcttggatgt ggaggccgtg 1560
cggaccttgc tcaattcagg gctggagaag ctcttccagg cccggaagca tcggcccaag 1620
ccgcacctgg acagcaagat gctggctgcc tggaatggct tgatggtgtc aggctatgct 1680
gtgactgggg ctgtcctggg ccaagacagg ctgatcaact atgccaccaa tggtgccaag 1740
ttcctgaagc ggcacatgtt tgatgtggcc agtggccgcc tgatgcggac ctgctacacc 1800
ggccctgggg ggactgtgga gcacagcaac ccaccctgct ggggcttcct ggaggactac 1860
gccttcgtgg tgcggggcct gctggacctg tatgaggcct cacaggagag tgcgtggctc 1920
gagtgggctc tgcggctgca ggacacacag gacaggctct tttgggactc ccagggtggc 1980
ggctacttct gcagtgaggc tgagctgggg gctggcctgc ccctgcgtct gaaggacgac 2040
caggatggag cagagcccag cgccaattcc gtgtcagccc acaacctgct ccggctgcat 2100
ggcttcacgg gccacaagga ctggatggac aagtgtgtgt gcctattgac cgccttttcc 2160
gagcgcatgc gtcgtgtccc ggtggcgttg cccgagatgg tccgcgccct ctcagcccag 2220
cagcagaccc tcaagcagat cgtgatctgt ggagaccgtc aggccaagga caccaaggcc 2280
ctggtgcagt gcgtccactc tgtctacatt cctaacaagg tgctgattct ggctgatggg 2340
gacccctcga gcttcctgtc ccgccagctg cctttcctga gtaccctccg acggttggaa 2400
gaccaggcca ctgcatatgt gtgtgagaat caagcctgct cagtgcccat cactgatccc 2460
tgcgaattac gaaaactact acatccatga ctgccccaac ccccttgggg tggggcagaa 2520
ggtgaagcat cccaactgac tagagactca ggccctgcag ggccctatag aacctgtggc 2580
catccctgag caccctgcca ccaggtgacc tcggccatac tcactgcccc ccttgggcac 2640
ccactcaccc tagaataaac ttaacagtgt cccgtggtaa aaaaaaaaaa aaaaaaaaaa 2700
aaaaaagggc ggccgc 2716

<210> 392
<211> 2409
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (694)..(694)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (716)..(716)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (755)..(755)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (761)..(761)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (791)..(791)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (808)..(808)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (880)..(880)
<223> n equals a,t,g, or c

<400> 392
ccacgcgtcc ggcgagacgc gttcaccacc atatgcactg ttgtcaactc ccctggagat 60
gcgcccaagc cccacaggaa gccttcctcc tctgcctcct cttcctcatc ctcgtcctcg 120
ttctccttgg atgcagccgg ggcctccctg gccacactcc ctggaggctc catcctgcag 180
ccgcggccct ccttgccccc ctcctccacg atgcacttgg ggcctgtggt ttccaaggcc 240
ctgagtacct cttgccttgt ttgctgcctc tgccaaaacc cggccaactt caaggacctt 300
ggggacctct gtgggcccta ctaccctgaa cactgcctcc ccaaaaagaa gccaaaactc 360
aaggagaagg tgcggccaga aggcacctgt gaggaggcct cgctgccgct tgagagaaca 420
ctcaaaggtc ccgagtgtgc agctgccgcc actgccggga agccccccag gcctgacggc 480
ccagctgacc cggccaagca gggcccactg cgcaccagtg cccggggcct gtcccggagg 540
ctgcagagct gctactgctg tgatggccgg gaggatgggg gcgaggaggc agccccagcc 600
gacaagggtc gcaaacatga gtgcagcaag gaggctccgg cagagcccgg cggggaggcc 660
caggagcact gggtgcatga ggcctgtgcc gtgnggaccg gcggcgtcta cctggnggcc 720
gggaagctct ttgggctgca ggaggccatg aaggnggccg nggacatgat gtgttccagc 780
tgccaagaag ncggggccac catcgggngc tgccacaaag gatgcctcca cacctaccac 840
tacccgtgtg ccagcgatgc aggttgcata ttcatcgaan agaacttttc tttgaaatgt 900
cccaaacata agaggctgcc gtagtaatcc accccaacgg ccggaggagc cgccggagcc 960
cgcctgcccg cccgccgccg aaggagagga gccgcctgcg cagcccccgg gcctttgagc 1020
tgctcccagc gctggtccag agccgatcct tgatccgggt cccggatcgt ggatccggcc 1080
gcctagggct cagacttgcg gccccgggtt gggaggaaaa cccgttccgg agccgcctgc 1140
tcccggaacc ggacggcaca gggcgttctt gcccacccca ggggccaggc ttgcggaggg 1200
ggagcccgcg gagcggccag actccccggg gcgctcagcc tccggcgagg gtgggagacg 1260
gctttgtcct ggggacactt tccctctgga atctcaagac gacgtggcac acattccacg 1320
tgggtgctgc cgccacccca gtcggtcgtg gcgtgcagct gggagccctg ggcttggggg 1380
tgggggtcga aacagtactg gaagaggcgg agggcggctc ctagctccgt ggactaggcg 1440
ggggagaaag gaagcctttc tgagagcggg ctaggccggc actggagagg ccggagcctt 1500
tggaacaaac cgtgcggaac gcgtccaggg gccttcccgc ccagcctttg ccagatctct 1560
cgtgcggttc gggcaaagcc ggggtagacc tgggctatgc tcagttaggg gttgcgggat 1620
ccccgagtgt gggcgggact gggacaccct ttggcctctg tttgtcccct ttccagtcct 1680
ccaccccacc cctggagccc agcctgggag cgcaaaaccc aagaagcggc cagaacgcac 1740
ctccggctcc ggcggacgcg cgaccgttgt gcaccaccag ggaccgccgc gcctactctg 1800
cacgggagca gggacagcgc tagatttcgt gtacaaaacc tgtgtacccc tctatatata 1860
tgttacatag aatgtatata tgttgggaac atgctcgctt ctcccgtgtg tcgccgccgt 1920
gcgtcgtgcg cccgcaacag agccccaacc gggcctttgc cgggtaaggg gctaccgcga 1980
cgccacttgt ccacgcagcc accaccggcc cgggccagtc cctgccagtc cgtccgcctg 2040
tccgtccgtg tcctcagctc tgtccacgct tcgataggcc tgacgcagcc cccagcccag 2100
ggccgcccta gcaacttcct gtacatatga ctgtaaaatg gtaaacgtgt gtattatatc 2160
tggcctcgtt atatagtgta tatatatgta tacatataca tatatataat atatatgaag 2220
actgtaaatg ttaagacgac tagtgttctt attagtatat tgcttcacac tgaagattgt 2280
gtgtatcgag ctgtttctaa aagatgttta ttttccttaa gagtaaaaaa cagtcattgc 2340

attcagaaaa aaaaaaaaaa aaaaagtcaa taaagataca acgattgttt tggaaaaaaa 2400
aaaaaaaaa 2409

<210> 393
<211> 737
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (21)..(21)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (369)..(369)
<223> n equals a,t,g, or c

<400> 393
nagagggaag agagaaaaag ntacaatgct tcgccgtycg sctktmcgkc csygtcctca 60
gctctgtcca cgcttcgata ggcctgacgc agcccccagc ccagggccgc cctagcaact 120
tcctgtacat atgactgtaa aatggtaaac gtgtgtatta tatctggcct cgttatatag 180
tgtatatata tgtatacata tacatatata taatatatat gaagactgta aatgttaaga 240
cgactagtgt tcttattagt atattgcttc acactgaaga ttgtgtgtat cgagctgttt 300
ctaaaagatg tttatttttcc ttaagagtaa aaaacagtca ttgcattcag aaaaaaaaaa 360
aaaaaaaang tcaataaaga tacaacgatt gttttggaaa atctgcagcc cgtggattcc 420
gaccagattc agctgggagc cgggccaggc tttaggttgg ggaatgggaa tgaagggagg 480
ggctgggggg gggggcatga atggagtcag ggagtcggcc tttcacagaa caggaaacct 540
cccccgcccc tgtgcccccc ctccagtgtg gcggcaggtc gggagggagg aggcttcttt 600
gctgtgagat gaccaggggc cgggatgggg gaggtgagac gtgccagact tcttgcaggg 660
agacccaagc tgtagctcct gtcccacaac aggtcctgga agtcagtcca tcctcccgtg 720
ccacccaggg acctaat 737

<210> 394
<211> 1471
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (798)..(798)
<223> n equals a,t,g, or c

<400> 394
tttctgaatg caatgactgt tttttactct taaggaaaat aaacatcttt tagaaacagc 60
tcgatacaca caatcttcag tgtgaagcaa tatactaata agaacactag tcgtcttaac 120
atttacagtc ttcatatata ttatatatat gtatatgtat acatatatat acactatata 180
acgaggccag atataataca cacgtttacc attttacagt catatgtaca ggaagttgct 240
agggcggccc tgggctgggg gctgcgtcag gcctatcgaa gcgtggacag agctgaggac 300
acggacggac aggcggacgg actggcaggg actggcccgg gccggtggtg gctgcgtgga 360
caagtggcgt cgcggtagcc ccttacccgg caaaggcccg gttggggctc tgttgcgggc 420
gcacgacgca cggcggcgac acacgggaga agcgagcatg ttcccaacat atatacattc 480
tatgtaacat atatatagag gggtacacag gttttgtaca cgaaatctag cgctgtccct 540
gctcccgtgc agagtaggcg cggcggtccc tggtggtgca caacggtcgc gcgtccgccg 600
gagccggagg tgcgttctgg ccgcttcttg ggttttgcgc tcccaggctg ggctccaggg 660
gtggggtgga ggactggaaa ggggacaaac agaggccaaa gggtgtccca gtcccgccca 720

cactcgggga tcccgcaacc cctaactgag catagcccar gtctaccccg gctttgcccg 780
aaccgcacga gagatctngc aaargctggg cggraaggcc cctgracgcg ttccgcacgg 840
tttgttccaa aggctccggc ctytccagtg ccggcctagc ccgctctcag aaaggcttcc 900
tttctccycc gcctagtcca cggagctagg agccgccctc cgcctcttcc agtactgttt 960
cgacccccac ccccaagccc agggctccca gctgcacgcc acgaccgact ggggtggcgg 1020
cagcacccac gtggaatgtg tgccacgtcg tcttgagatt ccagagggaa agtgtcccca 1080
ggacaaagcc gtctcccacc ctcgccggag gctgagcgcc ccggggagtc tggccgctcc 1140
gcgggctccc cctccgcaag cctggccccc ggggtgggca agaacgccct gtgccgtccg 1200
gttccgggag cagkcggctc cggaacgggt tttcctccca acccggggcc gcaagtctga 1260
gccctaggcg gccggatcca cgatccggga cccggatcaa ggatcggctc tggaccagcg 1320
ctgggagcag ctcaaaggcc cgggggctgc gcaggcggct cctctccttc ggcggcgsgc 1380
gggcaggcgg gctccggcgg ctcctmcgrc cgttggggtg gattactacg gcagcctctt 1440
atgtttggga catttcaaag gggaattctc t 1471

<210> 395
<211> 3302
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (3274)..(3274)
<223> n equals a,t,g, or c

<400> 395
tcgacccacg cgtccgcgac ccacgcgtcc gggggggaggt aactgcagta agtcccgctt 60
ggccctggag tccacgcgga ttttcgaagc tggggctggc aagaggccgc tggacaccac 120
gctccagtcg tcagcccact tcctagctga acagcgcgag gcggcggcag cgagccgggt 180
cccaccatgg ccgcgaatta ttccagtacc agtacccgga gagaacatgt caaagttaaa 240
accagctccc agccaggctt cctggaacgg ctgagcgaga cctcgggtgg gatgtttgtg 300
gggctcatgg ccttcctgct ctccttctac ctaattttca ccaatgaggg ccgcgcattg 360
aagacggcaa cctcattggc tgaggggctc tcgcttgtgg tgtctcccga cagcatccac 420
agtgtggctc cggagaatga aggaaggctg gtgcacatca ttggcgcctt acggacatcc 480
aagcttttgt ctgatccaaa ctatggggtc catcttccgg ctgtgaaact gcggaggcac 540
gtggagatgt accaatgggt agaaactgag gagtccaggg agtacaccga ggatgggcag 600
gtgaagaagg agacgaggta ttcctacaac actgaatgga ggtcagaaat catcaacagc 660
aaaaacttcg accgagagat tggccacaaa aaccccagtg ccatggcagt ggagtcattc 720
ayggcaacag ccccctttgt ccaaattggc aggtttttcc tctcgtcagg cctcatcgac 780
aaagtcgaca acttcaagtc cctgagccta tccaagctgg aggaccctca tgtggacatc 840
attcgccgtg gagacttttt ctaccacagc gaaaatccca agtatccaga gktgggagac 900
ttgcgtgtct ccttttccta tgctggactg agcggcgatg accctgacct gggcccagct 960
cacgtggtca ctgtgattgc ccggcagcgg ggtgaccagc tagtcccatt ctccaccaag 1020
tctggggata ccttactgct cctgcaccac ggggacttct cagcagagga ggtgtttcat 1080
agagaactaa ggagcaactc catgaagacc tggggcctgc gggcagctgg ctggatggcc 1140
atgttcatgg gcctcaacct tatgacacgg atcctctaca ccttggtgga ctggtttcct 1200
gttttccgag acctggtcaa cattggcctg aaagcctttg ccttctgtgt ggccacctcg 1260
ctgaccctgc tgaccgtggc ggctggctgg ctcttctacc gacccctgtg ggccctcctc 1320
attgccggcc tggcccttgt gcccatcctt gttgctcgga cacgggtgcc agccaaaaag 1380
ttggagtgaa aagaccctgg cacccgcccg acacctgcgt gagccctagg atccaggtcc 1440
tctctcacct ctgacccagc tccatgccag agcaggagcc ccggtcaatt ttggactctg 1500
cacyccctct cctcttcagg ggccagactt ggcagcatgt gcaccaggtt ggtgttcacc 1560
agctcatgtc ttccccacat ctcttcttgc cagtaagcag ctttggtggg cagcagcagc 1620
tcatgaatgg caagctgaca gcttctcctg ctgtttcctt cctctcttgg actgagtggg 1680
tacggccagc cactcagccc attggcagct gacaacgcag acacgctcta cggaggcctg 1740
ctgataaagg gctcagcctt gccgtgtgct gcttctcatc actgcacaca agtgccatgc 1800
tttgccacca ccaccaagca catctgtgat cctgaagggc ggccgttagt cattactgct 1860
gagtcctggg tcaccagcag acacactggg catggacccc tcaaagcagg cacacccaaa 1920
acacaagtct gtggctagaa cctgatgtgg tgtttaaaag agaagaaaca ctgaagatgt 1980
cctgaggaga aaagctggac atatactggg cttcacactt atcttatggc ttggcagaat 2040
ctttgtagtg tgtgggatct ctgaaggccc tatttaagtt tttcttcgtt actttgctgc 2100
ttcatgtgta ctttcctacc ccaagaggaa gttttctgaa ataagattta aaaacaaaac 2160

aaaaaaaaca cttaatattt cagactgtta caggaaacac cctttagtct gtcagttgaa 2220
ttcagagcac tgaaaggtgt taaattgggg tatgtggttt gattgataaa aagttacctc 2280
tcagtatttt gtgtcactga gaagctttac aatggatgct tttgaaacaa gtatcagcaa 2340
aaggatttgt tttcactctg ggaggagagg gtggagaaag cacttgcttt catcctctgg 2400
catcggaaac tcccctatgc acttgaagat ggtttaaaag attaaagaaa cgattaagag 2460
aaaaggttgg aagctttata ctaaatgggc tccttcatgg tgacgccccg tcaaccacaa 2520
tcaagaactg aggcctgagg ctggttgtac aatgcccacg cctgcctggc tgctttcacc 2580
tgggagtgct ttcgatgtgg gcacctgggc ttcctagggc tgcttctgag tggttctttc 2640
acgtgttgtg tccatagctt tagtcttcct aaataagatc cacccacacc taagtcacag 2700
aatttctaag ttccccaact actctcacac ccttttaaag ataaagtatg ttgtaaccag 2760
gatgtcttaa atgattcttt gtgtaccttt tctgtcatat tcagaaaccg ttttgtgcct 2820
gctgggagta attcctttag caattaagta tttggtagct gaataagggg tcagaacttc 2880
tgaaaccaga gatctgtaat catctctatt ggcctggggt gcctgtgcta taaatgagtt 2940
tcttcacatg aaaaacacag ccagcccaag atgacttatc tgggtttagg attcaatagt 3000
attcactaac tgcttattac atgagcaatt tcatcaaatc tccaaactct taaaggatgc 3060
tttcggaaaa cacgctgtat acctagatga tgactaaatg caaaatcctt gggctttggt 3120
ttttttctag taaggatttt aaataactgc cgacttcaaa agtgttctta aaacgaaaga 3180
taatgttaag aaaaatttga aagctttgga aaaccaaatt tgtaatatca ttgtattttt 3240
tattaaaagt tttgtaataa atttctaaat tatnaaaaaa aaaaaaaaaa aaaaaaaaaa 3300
aa 3302

<210> 396
<211> 2227
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (289)..(289)
<223> n equals a,t,g, or c

<400> 396
cggacgcgtg ggtcgaccca cgcgtccggg aaaaarggaa aaratgccgt gtaaaatctc 60
gttctgtgtc tgaattgccg taggctcaga tcttcatttg aggttctgtg tctgaattgc 120
cgtaggctca gatcttcatt tgaggttatg ttctataagt taacgttgat cttgtgtgag 180
ctttcggtag ctggagtaac acaggcggcc tcacagcgac ctctccagcg ccttccaagg 240
cacatctgca gccagcgtaa tcctcctggg agatgcctcc tcaaggccnt gctccagacc 300
acgtggggar ggcctgacar ccaattccca ggctgtcccc acccttgrag agtgacccta 360
aacgctagac agatggggaa tgggaaagaa aagaaagctg cagacctcaa gttaaaattc 420
cctcaaaaac gtttttattt atctgctttt tctgaaagga taaaggcttt ttgaaaatta 480
ttttctaaca aataacatga acacttctag aaaccctaga aaaacacaaa gtattcaaaa 540
tagaaagaaa aattacccat tactctttaa gccagcatta tccattgcgg tgcttttgga 600
gttgggtgag gccgtagcct ctgccaagtc aaggagcccg gtggtggctg tggcattcct 660
gcagggttgt tttttttttct ttgagatgga gtctcactct tgtcacccca gctggaatgt 720
ggtggtgtaa acagctcact gcagccttga ccctgaggct caagcgatcc ttctgccttg 780
gcctcctgag tagctgggat cccaggcgag agtcaccaca ccctgtccat gttcctgcag 840
gtcttgatat gcgaggacgc tgtgtcttcc ctgccacatt ttcttcttct ttcttgagac 900
agacccttgc tccatcaccc aggccagagt gtggtsgtgc gaacacggct cactgcagcc 960
tcgaccctca ggctcaagcg atcctcacgc ctcggacccc caaagtgctg ggatcacagg 1020
cgagagtcac catgctggcc tgaatcttca gggtatttta cggttgaagt gtcacttact 1080
tarccatscc tgtttcaaga gtgtaggtgg tcaccctgtc tctgycgctg acctggcctg 1140
gaccctcggc tgtgagaggg aggggtgggc tgggctggag gaacctraag ccctcgtgat 1200
gtcacaagcc catctggctg ggcatcccct gctgtgtcct gagctgcaca tgccccaggt 1260
ggcccccaca gcagaggcga gccactgrag ggtgragggc ttccacggac ggtcttcagg 1320
ggragaagaa gggcccaggc ccccaggaga ctcaggagac cagagcctgg ggtcaggggc 1380
tyagcagggg ctyarccagg gctggatgtc cggagccagc cccgmagccc tgkgktcttt 1440
gttcttcgca ctcccaccgt ccgtgtgaac agctccagcc ccacctgcgc ctccctgtgc 1500
tgggctccat cagggagccc agaagacgtg tgtgcttctg aaattgggtc cctacatgcc 1560
tttgtcccag tgcaccttgc tccttccatt tactatcgag atttaaatgc ctgttttctc 1620
cccagaggtt gacggatata ttcagacgtt acgacacgga tcaggacggc tggattcagg 1680
tgtcgtacga acagtacctg tccatggtct tcagtatcgt atgaccctgg cctctcgtga 1740

agagcagcac aacatggaaa gagccaaaat gtcacagttc ctatctgtga gggaatggag 1800
cacaggtgca gttagatgct gttcttcctt tagattttgt cacgtgggga cccagctgta 1860
catatgtgga taagctgatt aatggttttg caactgtaat agtagctgta tcgttctaat 1920
gcagacattg gatttggtga ctgtctcatt gtgccatgag gtaaatgtaa tgtttcaggc 1980
attctgcttg caaaaaaatc tatcatgtgc ttttctagat gtctctggyt ctatagtgca 2040
aatgctttta ttagccaata ggaattttaa aataacatgg aacttacaca aaaggctttt 2100
catgtgcctt actttttaa aaaggagttt attgtattca ttggaatatg tgacgtaagc 2160
aataaaggga atgttagacg tgtaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2220
aaaaaaa 2227

<210> 397
<211> 2214
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (289)..(289)
<223> n equals a,t,g, or c

<400> 397
cggacgcgtg ggtcgaccca cgcgtccggg aaaaarggaa aaratgccgt gtaaaatctc 60
gttctgtgtc tgaattgccg taggctcaga tcttcatttg aggttctgtg tctgaattgc 120
cgtaggctca gatcttcatt tgaggttatg ttctataagt taacgttgat cttgtgtgag 180
ctttcggtag ctggagtaac acaggcggcc tcacagcgac ctctccagcg ccttccaagg 240
cacatctgca gccagcgtam tcctcctggg agatgcctcc tcaaggccnt gctccagacc 300
acgtgggrar ggcctgacaa gccaattccc aggctgtccc caccttgra gagtgaccct 360
aaacgctaga cagatgggga atgggaaaga aaagaaagct gcagacctca agttaaaatt 420
ccctcaaaaa cgtttttatt tatctgcttt ttctgaaagg ataaaggctt tttgaaaatt 480
attttctaac aaataacatg aacacttcta gaaaccctag aaaaacacaa agtattcaaa 540
atagaaagaa aaattaccca ttactcttta agccagcatt atccattgcg gtgcttttgg 600
agttgggtga ggccgtagcc tctgccaagt caaggagccc ggtggtggct gtggcattcc 660
tgcagggttg ttttttttc tttgagatgg agtctcactc ttgtcacccc agctggaatg 720
tggtggtgta aacagctcac tgcagccttg accctgaggc tcaagcgatc cttctgcctt 780
ggcctcctga gtagctggga tcccaggcga gagtcaccac accctgtcca tgttcctgca 840
ggtcttgata tgcgaggacg ctgtgtcttc cctgccacat tttcttcttc tttcttgaga 900
cagacccttg ctccatcacc caggccagag tgtggtsgtg cgaacacggc tcactgcagc 960
ctcgaccctc aggctcaagc gatcctcacg cctcggaccc ccaaagtgct gggatcacag 1020
gcgagagtca ccatgctggc ctgaatcttc agggtatttr cggttgargt gycacttact 1080
tarccatscc tgtttcaaga gtgtaggtgg tcaccctgtc tctgccgctg acctggcctg 1140
gaccctcggc tgtgagaggg aggggtgggc tgggctggag gaacctraag ccctcgtgat 1200
gtcacaagcc catctggctg ggcatcccct gctgtgtcct gagctgcaca tgccccaggt 1260
ggcccccaca gcagaggcga gccactgrag ggtgragggc ttccacggac ggtcttcagg 1320
ggragaagaa gggcccaggc ccccaggaga ctcaggagac cagagcctgg ggtcaggggc 1380
tmagcagggg ctyarccagg gctggatgtc cggagccagc cccgmagccc tgkgktcttt 1440
gttcttcgca ctcccaccgt ccgtgtgaac agctccagcc ccacctgcgc ctccctgtgc 1500
tgggctccat cagggagccc agaagacgtg tgtgcttctg aaattgggtc cctacatgcc 1560
tttgtcccag tgcaccttgc tccttccatt tactatcgag atttaaatgc ctgttttctc 1620
cccagaggtt gacggatata ttcagacgtt acgacacgga tcaggacggc tggattcagg 1680
tgtcgtacga acagtacctg tccatggtct tcagtatcgt atgaccctgg cctctcgtga 1740
agagcagcac aacatggaaa gagccaaaat gtcacagttc ctatctgtga gggaatggag 1800
cacaggtgca gttagatgct gttcttcctt tagattttgt cacgtgggga cccagctgta 1860
catatgtgga taagctgatt aatggttttg caactgtaat agtagctgta tcgttctaat 1920
gcagacattg gatttggtga ctgtctcatt gtgccatgag gtaaatgtaa tgtttcaggc 1980
attctgcttg caaaaaaatc tatcatgtgc ttttctagat gtctctggtt ctatagtgca 2040
aatgctttta ttagccaata ggaattttaa aataacatgg aacttacaca aaaggctttt 2100
catgtgcctt actttttaa aaaggagttt attgtattca ttggaatatg tgacgtaagc 2160
aataaaggga atgttagacg tgtaaaaaaa aaaaaaaaaa aaaaaaaaaa aaag 2214

<210> 398
<211> 1145

<212> DNA
<213> Homo sapiens

<400> 398
tttttttttt tttttttttt ttgactgaac taagtggctt ttttattaga gaaagccaga 60
attacaaaag acttcccttt tcttggggta tggctgtctc agcacaatac tcaacataac 120
tgcagaactg atgtggctca ggcaccctgg ttttaattcc ttgaggatct ggcaattggc 180
ttacgcaaaa ggtcaccatt tgaggtcctg ccttactaat tatgtgctgc ccaacaacta 240
aatttgtaat ttgtttttct ctagtttgag cagggtctga atttttcat ttatttcctt 300
ttttgccagc agacagactt gagtctgtaa agacaagcaa atacactgac agaagtttac 360
catagtttct aaaatgtaaa aaagaaaacc cccaaaagac tcaagaaaat tagaccacaa 420
attttgcatt gttcattgta gcactattgg taataaaata acaaatgttt gtgcattttt 480
atgtgaagat ccttctcgta tttcatttgg aaagatgagc aagaggtctg cttccttcat 540
tttacttccc cttctgtttt tgaaaggcag tttcgccaag cttaatgcaa gaatatctga 600
ctgtttagaa gaaagatatt gccacaatct ctggatggtt ttccagggtt gtgttattac 660
tgagcttcat ctttccagaa tgagcaaaac actgtccagt ctttgttacg attttgtaat 720
aaatgtgtac attttttta aatttttgga catcacatga ataaaggtat gtatgtacga 780
atgtgtatat attatatata tgacatctat tttggaaaat gtttgccctg ctgtacctca 840
tttttaggag gtgtgcatgg atgcaatata tgaaaatggg acattctgga actgctggtc 900
aggggacttt gtcgccctgt gcactaaaag ggccagattt tcagcagcca aggacatcca 960
tacccaagtg aatgtgatgg gacttaaaag aagtgaactg agacaattca ctctggctgt 1020
ttgaacagca gcgtttcata ggaagagaaa aaaagatcaa tcttgtattt tctgaccaca 1080
taaaggcttc ttctctttgt aataaagtag aaaagctctc ctcaaaaaaa aaaaaaaaaa 1140
aaaaa 1145

<210> 399
<211> 717
<212> DNA
<213> Homo sapiens

<400> 399
ggcacgagct agctgccgcc acccgaacag cctgtcctgg tgccccggct ccctgccccg 60
cgcccagtca tgaccctgcg cccctcactc ctcccgctcc atctgctgct gctgctgctg 120
ctcagtgcgg cggtgtgccg ggctgaggct gggctcgaaa ccgaaagtcc cgtccggacc 180
ctccaagtgg agaccctggt ggagccccca gaaccatgtg ccgagcccgc tgcttttgga 240
gacacgcttc acatacacta cacgggaagc ttggtagatg gacgtattat tgacacctcc 300
ctgaccagag accctctggt tatagaactt ggccaaaagc aggtgattcc aggtctggag 360
cagagtcttc tcgacatgtg tgtgggagag aagcgaaggg caatcattcc ttctcacttg 420
gcctatggaa aacggggatt tccaccatct gtcccagcgg atgcagtggt gcagtatgac 480
gtggagctga ttgcactaat ccgagccaac tactggctaa agctggtgaa gggcattttg 540
cctctggtag ggatggccat ggtgccagcc ctcctgggcc tcattgggta tcacctatac 600
agaaaggcca atagacccaa agtctccaaa aagaagctca aggaagagaa acgaaacaag 660
agcaaaaaga aataataaat aataaatttt aaaaaaaaaa aaaaaaaaaa aaaaaaa 717

<210> 400
<211> 713
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (27)..(27)
<223> n equals a,t,g, or c

<400> 400
ccgcgggaac gctgtcctgg ctgccgncac ccgaacagcc tgtcctggtg ccccggctcc 60
ctgccccgcg cccagtcatg accctgcgcc cctcactcct cccgctccat ctgctgctgc 120
tgctgctgct cagtgcggcg gtgtgccggg ctgaggctgg gctcgaaacc gaaagtcccg 180
tccggaccct ccaagtggag accctggtgg agcccccaga accatgtgcc gagcccgctg 240
cttttggaga cacgcttcac atacactaca cgggaagctt ggtagatgga cgtattattg 300
acacctccct gaccagagac cctctggtta tagaacttgg ccaaaagcag gtgattccag 360

gtctggagca gagtcttctc gacatgtgtg tgggagagaa gcgaagggca atcattcctt 420
ctcacttggc ctatggaaaa cggggatttc caccatctgt cccagcggat gcagtggtgc 480
agtatgacgt ggagctgatt gcactaatcc gagccaacta ctggctaaag ctggtgaagg 540
gcattttgcc tctggtaggg atggccatgg tgccaccctc ctgggcctca ttgggtatca 600
cctatacaga aaggccaata gacccaaagt ctccaaaaag aagctcaagg aagagaaacg 660
aaacaagagc aaaaagaaat aataaataat aaattttaaa aaacttaaaa aaa 713

<210> 401
<211> 802
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (337)..(337)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (359)..(359)
<223> n equals a,t,g, or c

<400> 401
ggtgggtgac cagagagtcc tgtctatcct aggaggagaa cattcagccc aaatcccagc 60
cccatcatgc acagatcaga gccatttctg aaaatgtcgc tgctgattct gcttttcctg 120
ggattggcag aagcctgtac tcctcgtgaa gtcaacttgc tgaaagggat cataggtctc 180
atgagcagac tgtcaccgga tgagatccta ggcttgctga gcctccaagt actgcatgaa 240
gaaacaagtg gctgcaagga ggaagttaaa cccttctcag gcaccacccc atccaggaaa 300
ccactcccca agagggaaga acacgtggaa yttcctngaa atgcgsctac atggtgrtng 360
acctacctct tcgtatccta caacaaaggg gactggttca ctttttcctc ccaagtgtta 420
ctgccaytac tgtaacttgg aactggacat cagggatgat ccctgctgtt ctttctagtg 480
agcctgctcc atctcagctt agccttcaca aggcctccat ctcccaggca ttctaacctc 540
tgaagaaagc tctctgtccc ctggactgcc tgtgtggagg gtaatgaact gggtccttta 600
aggaatggca cctgggtgcc cagaggcatg gccagaaggt gtctgtgggg gccatgcctt 660
agggggatgc acccagggcg gctgagagag caactgcagg agtttcccct aaaatctctc 720
ctccagatcg ttctcgaact ttccccacta cttccataat aaaatgtata cttgttgaaa 780
aaaaaaaaaa aaaaaactcg ag 802

<210> 402
<211> 1186
<212> DNA
<213> Homo sapiens

<400> 402
gaattcggca cgagattgaa tgttccagat aatccctttc ccagtcctgc ctgacatctg 60
ggtaggggggt ttgtccctgg aattctggga cactggctgg ggtttgagga gagaagccag 120
tacctacctg gctgcaggat gaagctggcc agtggcttct tggttttgtg gctcagcctt 180
gggggtggcc tggctcagag cgacacgagc cctgacacgg aggagtccta ttcagactgg 240
ggccttcggc acctccgggg aagctttgaa tccgtcaata gctacttcga ttcttttctg 300
gagctgctgg gagggaagaa tggagtctgt cagtacaggt gccgatatgg aaaggcacca 360
atgcccagac ctggctacaa gccccaagag cccaatggct gcggctccta tttcctgggt 420
ctcaaggtac cagaaagtat ggacttgggc attccagcaa tgacaaagtg ctgcaaccag 480
ctggatgtct gttatgacac ttgcggtgcc aacaaatatc gctgtgatgc aaaattccga 540
tggtgtctcc amtcgatctg ctctgacctt aagcggagtc tgggctttgt ctccaaagtg 600
gaagcctgtg attccctggt tgacactgtg ttcaacaccg tgtggacctt gggctgccgc 660
ccctttatga atagtcagcg ggcagcttgc atctgtgcag aggaggagaa ggaagagtta 720
tgaggaagaa gtgattcctt cctggttttg agtgacacca cagctgtcag ccttcaagat 780
gtcaagtctt cgartcagcg tgactcattc gttcttccaa cagtttggac accacaaagc 840
aggagaaagg gaacattttt ctacagctgg aaagtgagtc ctatcctttg aggaaatttg 900
aaaaaagaca tggagtggtt tgaaagctac tcttcattta agactgctct ccccaaccaa 960
gacacatttg cctggaaatt cagttcttag cttaaagact aaaatgcaag caaaccctgc 1020

aattcctgga cctgatagtt atattcatga gtgaaattgt ggggagtcca gccatttggg 1080
aggcaatgac tttctgctgg cccatgtttc agttgccagt aagcttctca catttaataa 1140
agtgtacttt ttagaacatt tggaaaaaaa aaaaaaaaaa actcga 1186

<210> 403
<211> 470
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (444)..(444)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (458)..(458)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (469)..(470)
<223> n equals a,t,g, or c

<400> 403
ctgcaggaat tcggcacgag cggcacgagt gccaatacaa ctgctgtcgc cctcaatgcg 60
ccagcccacc ctgcaaggct cctaccacct ggacccgcag tagccctcct actgctccgg 120
gggagctgca gtctctgttg ctgccaccaa ccgcataagg cgagctgcaa agccatgcca 180
tctgcaggct ccaatgtacc atagatgact cctcctcttc ctcctcctcc agcctggctt 240
ggagcagcta gatgggcaaa gctagaaaag cctaaaacgg gatgcaggga gtggtagcat 300
tagagcctca ccttgtcacg ctggccactg ggtggcaggg accagtttca gcaaaggcac 360
tcacacccac cctccaaagt ccagcctctm mttctggcaa aagctggcca ggaactgggg 420
cccagggtga gtgggtgtgc tttnccaaaa accagggnag gttatagcnn 470

<210> 404
<211> 1821
<212> DNA
<213> Homo sapiens

<400> 404
ggaattcggc acgagcgtgg atccaagatg gcgacggcga tggattggtt gccgtggtct 60
ttactgcttt tctccctgat gtgtgaaaca agcgccttct atgtgcctgg ggtcgcgcct 120
atcaacttcc accagaacga tcccgtagaa atcaaggctg tgaagctcac cagctctcga 180
acccagctac cttatgaata ctattcactg cccttctgcc agcccagcaa gataacctac 240
aaggcagaga atctgggaga ggtgctgaga ggggaccgga ttgtcaacac ccctttccag 300
gttctcatga acagcgagaa gaagtgtgaa gttctgtgca gccagtccaa caagccagtg 360
accctgacag tggagcagag ccgactcgtg gccgagcgga tcacagaaga ctactacgtc 420
cacctcattg ctgacaacct gcctgtggcc acccggctgg agctctactc caaccgagac 480
agcgatgaca agaagaagga aagtgatatc aaatgggcct ctcgctggga cacttactga 540
ccatgagtga cgtccagatc cactggtttt ctatcattaa ctccgttgtt gtggtcttct 600
tcctgtcagg tatcctgagc atgattatca ttcggaccct ccggaaggac attgccaact 660
acaacaagga ggatgacatt gaagacacca tggaggagtc tgggtggaag ttggtgcacg 720
gcgacgtctt caggcccccc ccagtacccc atgatcctca gctccctgct gggctcaggc 780
attcagctgt tctgtatgat cctcatcgtc atctttgtag ccatgcttgg gatgctgtcg 840
ccctccagcc ggggagctct catgaccaca gcctgcttcc tcttcatgtt catgggggtg 900
tttggcggat tttctgctgg ccgtctgtac cgcactttaa aaggccatcg gtggaagaaa 960
ggagccttct gtacggcaac tctgtaccct ggtgtggttt ttggcatctg cttcgtattg 1020
aattgcttca tttggggaaa gcactcatca ggagcggtgc cctttcccac catggtggct 1080
ctgctgtgca tgtggttcgg gatctccctg cccctcgtct acttgggcta ctacttcggc 1140
ttccgaaagc agccatatga caaccctgtg cgcaccaacc agattccccg gcagatcccc 1200
gagcagcggt ggtacatgaa ccgatttgtg ggcatcctca tggctgggat cttgccttcg 1260

gcgccatgtt catcgagctc ttcttcatct tcagtgctat ctgggagaat cagttctatt 1320
acctctttgg cttcctgttc cttgttttca tcatcctggt ggtatcctgt tcacaaatca 1380
gcatcgtcat ggtgtacttc cagctgtgtg cagaggatta ccgctggtgg tggagaaatt 1440
tcctagtctc cgggggctct gcattctacg tcctggttta tgccatcttt tatttcgtta 1500
acaagtgact gcagcgccaa gcggcatcca ccaagcatca agttggagaa aagggaaccc 1560
aagcagtaga gagcgatatt ggagtctttt gttcattcaa atcttggatt ttttttttc 1620
cctaagagat tctcttttta gggggaatgg gaaacggaca cctcataaag ggttcaaaga 1680
tcatcaattt ttctgacttt ttaaatcatt atcattatta tttttaatta aaaaaatgcc 1740
tgtatgcctt tttttggtcg gattgtaaat aaatatacca ttgtcctaca aaaaaaaaaa 1800
aaaaaaactc gagggggggc c 1821

<210> 405
<211> 1094
<212> DNA
<213> Homo sapiens

<400> 405
ccacgcgtcc ggtgcacggc gacgtcttca ggccccccca gtaccccatg atcctcagct 60
ccctgctggg ctcaggcatt cagctgttct gtatgatcct catcgtcatc tttgtagcca 120
tgcttgggat gctgtcgccc tccagccggg gagctctcat gaccacagcc tgcttcctct 180
tcatgttcat gggggtgttt ggcggatttt ctgctggccg tctgtaccgc actttaaaag 240
gccatcggtg gaagaaagga gccttctgta cggcaactct gtaccctggt gtggtttttg 300
gcatctgctt cgtattgaat tgcttcattt ggggaaagca ctcatcagga gcggtgccct 360
ttcccaccat ggtggctctg ctgtgcatgt ggttcgggat ctccctgccc ctcgtctact 420
tgggctacta cttcggcttc cgaaagcagc catatgacaa ccctgtgcgc accaaccaga 480
ttccccggca gatccccgag cagcggtggt acatgaaccg atttgtgggc atcctcatgg 540
ctgggatctt gcccttcggc gccatgttca tcgagctctt cttcatcttc agtgctatct 600
gggagaatca gttctattac ctctttggct tcctgttcct tgttttcatc atcctggtgg 660
tatcctgttc acaaatcagc atcgtcatgg tgtacttcca gctgtgtgca gaggattacc 720
gctggtggtg gagaaatttc ctagtctccg ggggctctgc attctacgtc ctggtttatg 780
ccatctttta tttcgttaac aagctggaca tcgtggagtt catcccctct ctcctctact 840
ttggctacac ggccctcatg gtcttgtcct tctggctgct aacgggtacc atcggcttct 900
atgcagccta catgtttgtt cgcaagatct atgctgctgt gaagatagac tgattggagt 960
ggaccacggc caagcctgct ccgtcctcgg acaggaagcc accctgcgtg ggggactgca 1020
ggcacgcaaa ataaaataac tcctgctcgt ttggaatgta aaaaaaaaaa aaaaaaaaaa 1080
aaaaaaaaaa aaaa 1094

<210> 406
<211> 1932
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (293)..(293)
<223> n equals a,t,g, or c

<400> 406
ggcacgaggc cgccctgggt gtcagcggct cggctcccgc gcacgctccg gccgtcgcgc 60
asctcggcac ctgcaggtcc gtgcgtcccg cggctggcgc ccctgactcc gtcccggcca 120
gggagggcca tgatttccct cccggggccc ctggtgacca acttgctgcg gtttttgttc 180
ctggggctga gtgccctcgc gccccctcg cgggcccagc tgcaactgca cttgcccgcc 240
aaccggttgc aggcggtgga gggaggggaa gtggtgcttc cagcgtggta cancttgcac 300
ggggaggtgt cttcatccca gccatgggag gtgccctttg tgatgtggtt cttcaaacag 360
aaagaaaagg aggatcaggt gttgtcctac atcaatgggg tcacaacaag caaacctgga 420
gtatccttgg tctactccat gccctcccgg aacctgtccc tgcggctgga gggtctccag 480
gagaaagact ctggccccta cagctgctcc gtgaatgtgc aagacaaaca aggcaaatct 540
aggggccaca gcatcaaaac cttagaactc aatgtactgg ttcctccagc tcctccatcc 600
tgccgtctcc agggtgtgcc ccatgtgggg gcaaacgtga ccctgagctg ccagtctcca 660
aggagtaagc ccgctgtcca ataccagtgg gatcggcagc ttccatcctt ccagactttc 720
tttgcaccag cattagatgt catccgtggg tctttaagcc tcaccaacct ttcgtcttcc 780

atggctggag tctatgtctg caaggcccac aatgaggtgg gcactgccaa tgtaatgtga 840
cgctggaagt gagcacaggg cctggagctg cagtggttgc tggagctgtt gtgggtaccc 900
tggttggact ggggttgctg gctgggctgg tcctcttgta ccaccgccgg ggcaaggccc 960
tggaggagcc agccaatgat atcaaggagg atgccattgc tccccggacc ctgccctggc 1020
ccaagagctc agacacaatc tccaagaatg ggacccttтc ctctgtcacc tccgcacgag 1080
ccctccggcc accccatggc cctcccaggc ctggtgcatt gacccccacg cccagtctct 1140
ccagccaggc cctgccctca ccaagactgc ccacgacaga tggggcccac cctcaaccaa 1200
tatcccccat ccctggtggg gtttcttcct ctggcttgag ccgcatgggt gctgtgcctg 1260
tgatggtgcc tgcccagagt caagctggct ctctggtatg atgaccccac cactcattgg 1320
ctaaaggatt tggggtctct ccttcctata rgggtcacct ctagcacaga ggcctgagtc 1380
atgggaaaga gtcacactcc tgacccttag tactctgccc ccacctctct ttactgtggg 1440
aaaaccatct cagtaagacc taagtgtcca ggagacagaa ggagaagagg aagtggatct 1500
ggaattggga ggagcctcca cccacccctg actcctcctt atgaagccag ctgctgaaat 1560
tagctactca ccaagagtga ggggcagaga cttccagtca ctgagtctcc caggcccct 1620
tgatctgtac cccacccta tctaacacca cccttggctc ccactccagc tccctgtatt 1680
gatataacct gtcaggctgg cttggttagg ttttactggg gcagaggata gggaatctct 1740
tattaaaact aacatgaaat atgtgttgtt ttcatttgca aatttaaata aagatacata 1800
atgtttgtat garaaaaaaa aaaaaaaaaa aaaaagggcg gccgctctag aggatccctc 1860
gaggggccca agcttacgcg tgcatgcgac gtcatagctc tctccctata gtgagtcgta 1920
ttataagcta gg 1932

<210> 407
<211> 711
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (345)..(345)
<223> n equals a,t,g, or c

<400> 407
ggcacgagcg aagaccctgt tcggaccctg ccccgattcc agactcaggt agatcgtcgg 60
cataccctct accgtggaca ccaggcagcc ctggggctga tggagagaga tcaggtatcc 120
cccagggagt aggggctacc ttgaggggat gatagacctc ccccactccc agtgkkactc 180
tggaaatatg aaggaactag ggagtggaag agatttcaga gctggggaga ggagttcctc 240
ccttcaaagc cagcaactgc ctttggggaa tgtcgggggg tctctccttt ctcctgcttg 300
tttraggtgg tacacagtcc ccccttcamc tggsgggaag ctgtnccgga caractcatc 360
tcagctttcc cttggggcag gatcgggggc agcagctcca gcagaaacag caggatctgg 420
agcaggaagg cctcgaggcc acacaggggc tgctggccgg cgagtgggcc ccacccctct 480
ggragctggg cagcctcttc caggccttcg tgaagaggga gagccaggct tatgcgtaag 540
cttcatagct tctgctggcc tggggtggac ccaggacccc tggggcctgg gtgccctgag 600
tggtggtaaa gtggagcaat cccttcacgc tccttggcca tgttctgagc ggccagcttg 660
gcctttgcct taataaatgt gctttatttt caaaaaaaaa aaaaaaaaac t 711

<210> 408
<211> 973
<212> DNA
<213> Homo sapiens

<400> 408
ggcacgagcc cagcggaagc caagccacca ggcccccccag cgtccacgcg gagcatgaac 60
attgaggatg gcgcgtgccc gcggctcccc gtgcccccccg ctgccgcccg gtaggatgtc 120
ctggccccac ggggcattgc tcttcctctg gctcttctcc ccacccctgg gggccggtgg 180
aggtggagtg gccgtgacgt ctgccgccgg agggggctcc ccgccggcca cctcctgccc 240
cgtggcctgc tcctgcagca accaggccag ccgggtgatc tgcacacgga gagacctggc 300
cgaggtccca gccagcatcc cggtcaacac gcggtacctg aacctgcaag agaacggcat 360
ccaggtgatc cggacggaca cgttcaagca cctgcggcac ctggagattc tgcagctgag 420
caagaacctg gtgcgcaaga tcgaggtggg cgccttcaac gggctgccca gcctcaacac 480
gctggagctt tttgacaacc ggctgaccac ggtgcccacg caggccttcg agtacctgtc 540
caagctgcgg gagctctggc tgcggaacaa ccccatcgag agcatccccct cctacgcctt 600

caaccgcgtg ccctcgctgc ggcgcctgga cctgggcgag ctcaagcggc tggaatacat 660
ctcggaggcg gccttcgagg ggctggtcaa cctgcgctac ctcaacctgg gcatgtgcaa 720
cctcaaggac atccccaacc tgacggccct ggtgcgcctg gaggagctgg agctgtcggg 780
caaccggctg gacctgatcc gcccgggctc cttccagggt ctcaccagcc tgcgcaagct 840
gtggctcatg cacgcccagg tagccaccat cgagcgcaac gccttcgacg acctcaagtc 900
gctggaggag ctcaacctgt cccacaacaa cctgatgtcg ctgccccacg acctcttcac 960
gcccctgcac cgc 973

<210> 409
<211> 984
<212> DNA
<213> Homo sapiens

<400> 409
gaattcggca cgagcccagc ggaagccaag ccaccaggcc ccccagcgtc cacgcggagc 60
atgaacattg aggatggcgc gtgcccgcgg ctccccgtgc cccccgctgc cgcccggtag 120
gatgtcctgg ccccacgggg cattgctctt cctctggctc ttctccccac ccctgggggc 180
cggtggaggt ggagtggccg tgacgtctgc cgccggaggg ggctccccgc cggccacctc 240
ctgccccgtg gcctgctcct gcagcaacca ggccagccgg gtgatctgca cacggagaga 300
mctggccgag gtcccagcca gcatcccggt caacacgcgg tacctgaacc tgcaagagaa 360
cggcatccag gtgatccgga cggacacgtt caagcacctg cggcacctgg agattctgca 420
gctgagcaag aacctggtgc gcaagatcga ggtgggcgcc ttcaacgggc tgcccagcct 480
caacacgctg gagctttttg acaaccggct gaccacggtg cccacgcagg ccttcgagta 540
cctgtccaag ctgcgggagc tctggctgcg gaacaacccc atcgagagca tcccctccta 600
cgccttcaac cgcgtgccct cgctgcggcg cctggacctg ggcgagctca agcggctgga 660
atacatctcg gaggcggcct tcgargggct ggtcaacctg cgctacctca acctgggcat 720
gtgcaacctc aaggacatcc ccaactgacg gccctggtgc gcctggagga gctggagctg 780
tcgggcaacc ggctggacct gatccgcccg ggctccttcc agggtctcac cagcctgcgc 840
aagctgtggc tcatgcacgc ccaggtagcc accatcgagc gcaacgcctt cgacgacctc 900
aagtcgctgg aggagctcaa cctgtcccac aacaacctga tgtcgctgcc ccacgacctc 960
ttcacgcccc tgcaccgcct cgta 984

<210> 410
<211> 553
<212> DNA
<213> Homo sapiens

<400> 410
gtgtgccgga tttggttagc tgagcccacc gagaggcgcc tgcaggatga aagctctctg 60
tctcctcctc ctccctgtcc tggggctgtt ggtgtctagc aagaccctgt gctccatgga 120
agaagccatc aatgagagga tccaggaggt cgccggctcc ctaatattta gggcaataag 180
cagcattggc ctggagtgcc agagcgtcac ctccaggggg gacctggcta cttgcccccg 240
aggcttcgcc gtcaccggct gcacttgtgg ctccgcctgt ggctcgtggg atgtgcgcgc 300
cgagaccaca tgtcactgcc agtgcgcggg catggactgg accggagcgc gctgctgtcg 360
tgtgcagccc tgaggtcgcg cgcagtggca acagcgcggg cggaggcggc tccaggtccg 420
gagggttgcg ggggagctgg aaataaacct ggagatgatg atgatgatga tgatggaaaa 480
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 540
aaaaaaaaaa aaa 553

<210> 411
<211> 1614
<212> DNA
<213> Homo sapiens

<400> 411
ggtgattggt agttactatg tggggacaca attacttggg ctgaaataat ccacctgttg 60
tggttggggt cctctggggc attccagggt gagaggttgt cactgccacc tgggccatgt 120
gggccggcac cagcattttg tggttacgaa ttctacagtc acaaatatct ttgggcaaat 180
ccccttctat acctcaaggc agcttttggt ttgcaacccc actggccaga gggaagggcc 240
agtcacttgg ctctctcact gccctgcgcc ccagatggtt ctagggctgc tgttttccct 300
tggccctgcc aacaccactg tttttacttc tgctcattgg ctgagtgcag tggttcctgg 360

aagccagtgg cacgtttccc cgcgtagctc gcttatccca cagcacacac ccaagggttc 420
tgttgctaac acgctgaatt aattctttgc tcatcttaca gagtgtgttt tgactgcccc 480
catttctgag gccttgtaag gccagagctt tgttgcttca tcggcaggtt gggacttaga 540
tggccgtgaa tgtttcctct ctgctgctgc agtaagtaag tgcccgcacc atagtgtgtt 600
tggaggctga agttgaagcg aggctgtgag gggagatgga cgtgtgagga gggatgatgg 660
ggcttgagca aagtggggga ggggcaaagc agttggccca acacattccc cacccctttg 720
agaggtctga ggcctgcaga cctggctcgg agcccacctg gtagtcctca gactgtgtgt 780
gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt gtaaaagaga gaagttgtgg 840
agaaatgggg ggctgattct gctcagattc atcaggatga gtagaaggca cccagctctc 900
accctggcct gacatgtgtg tccctgagca ggttacagtc ctctctgagc ctctgcttcc 960
catctggacc ctgctgggca gggcttctga gctccttagc actagcagga ggggctccag 1020
gggccctccc tccatggcag ccaggacagg actctaaaat gaggacagca gagctcgtgg 1080
ggggctccca cggacccgcc gtgggcccag gggaggcaga gcctgagcca acagcagtgg 1140
tgctgtggac cgtggatcct gagggtggcc tggggcaagt accggctgag ggtccaggtg 1200
ggctttgtgt acctttgggt cctggggccc tggtgacttg gactccaggt tagagtcaag 1260
tgacaggaga aaggctggtg gggccctgtg cttccgactt catttcgagt gatggcagtt 1320
cccaggaagg aatccacagc tgacggtggc tgacagatca gagaatggaa ggcgaggcag 1380
gcgggcgtct gcgtgacctc aggtgcttgg ggcccagcag acccagagaa ccatttccac 1440
taggccaggg tgccggaagt gtccacaggt cttagattcc ctgttcagat gaaaagattt 1500
gtgcctttaa tgataaaagt gatctgcata gagtcaaaaa ttcaagccat gggtataaaa 1560
tgcaagtaaa atccctgccc tcacctatcc caccctacta cacagagatg tcct 1614

<210> 412
<211> 1087
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (14)..(14)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (55)..(55)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (63)..(64)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (174)..(174)
<223> n equals a,t,g, or c

<400> 412
caagttaaag taangtggcc ccggcaacca ataagtgttg tttttggaag ggctngaaag 60
ttnnaaagcg agggcttgta aaggggaaga tgggaccgtt gtgaaggaag gatgattggg 120
gctttgaagc aaaagtgggg gaaggggaca aaggcagttg gcccaacaca ttcnccaccc 180
ctttgagagg tctgaggcct gcagacctgg ctcggagccc acctggtagt cctcagactg 240
tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg tgtgtgtaaa agagagaagt 300
tgtggagaaa tgggggggctg attctgctca gattcatcag gatgagtaga aggcacccag 360
ctctcaccct ggcctgacat gtgtgtccct gagcaggtta cagkcctctc tgagcctctg 420
cttcccatct ggaccctgct gggcagggct tctragctcc ttagcactag caggaggggc 480
tccaggggcc ctccctccat ggcagccagg acaggactct aaaatgagga cagcagagct 540
cgtgggggggc tcccacggac ccgcckctggg cccaggggag gcagagcctg agccaacagc 600
agtggtgctg tggaccgtgg atcctgaggg tggcctgggg caagtaccgg ctgagggtcc 660
aggtgggctt tgtgtacctt tgggtcctgg ggccctggtg acttggactc caggttagag 720
tcaagtgaca ggagaaaggc tggtggggcc ctgtgcttcc gacttcattt cgagtgatgg 780

cagttcccag gaaggaatcc acagctgacg gtggctgaca gatcagagaa tggaaggcga 840
ggcaggcggg cgtctgcgtg acctcaggtg cttggggccc agcagaccca gagaaccatt 900
tccactaggc cagggtgccg gaagtgtcca caggtcttag attccctgtt cagatgaaaa 960
gatttgtgcc tttaatgata aaagtgatct gcatagagtc aaaaattcaa gccatgggta 1020
taaaatgtca agtaaaatcc ctgccctcac ctatcccacc ctactacaca gagatgtcct 1080
ctcgagg 1087

<210> 413
<211> 1201
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (66)..(66)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1182)..(1182)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1184)..(1184)
<223> n equals a,t,g, or c

<400> 413
gaattccgga acaaawgcyg gagctccacc gcggtggcgg ccgctctaga actagtggat 60
cccctnkgct gcaggaattc ggcacgagct gctgtctgtg cttcgggatc ctgccctcca 120
gaagtcctcc aaggcttggt acttgctgcg tgtccaggtc ctgcagctgg tggcagctta 180
ccttagcctc ccgtcaaaca acctctcaca ctccctgtgg gagcagctct gtgcccaagg 240
ctggcagaca cctgagatag ctctcataga ctcccataag ctcctccgaa gcatcatcct 300
cctgctgatg ggcagtgaca ttctctcaac tcagaaagca gctgtggaga catcgttttt 360
ggactatggt gaaaatctgg tacaaaaatg gcaggttctt tcagaggtgc tgagctgctc 420
agagaagctg gtctgccacc tgggccgcct gggtagtgtg agtgaagcca aggccttttg 480
cttggaggcc ctaaaactta caacaaagct gcagatacca cgccagtktg ccctgttcct 540
ggtgctgaag ggcgagctgg agctggcccg caatgacatt gatctctgtc agtcggacct 600
gcagcaggtt ctgttcttgc ttgagtcttg cacagagttt ggtggggtga ctcagcacct 660
ggactctgtg aagaaggtcc acctgcagaa ggggaagcag caggcccagg tcccctgtcc 720
tccacagctc ccagaggagg agctcttcct aagaggccct gctctagagc tggtgccact 780
gtggccaagg agcctggccc catagcacct tctacaaact cctccccagt cttgaaaacc 840
aagccccagc ccatacccaa cttcctgtcc cattcaccca cctgtgactg ctcgctctgc 900
gccagccctg tcctcacagc agtctgtctg cgctgggtat tggtcacggc aggggtgagg 960
ctggccatgg gccaccaagc ccagggtctg gatctgctgc aggtcgtgct gaagggctgt 1020
cctgaagccg ctgagcgcct cacccaagct ctccaagctt ccctgaatca taaaacaccc 1080
ccctccttgg ttccaagcct cttggatgag atttggctaa gcatacacac tgttgcactg 1140
gagggcctga accagccatc aaacgagagc ctgcagaagg tncncagtaa ggctgaagtt 1200
t 1201

<210> 414
<211> 628
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (567)..(567)
<223> n equals a,t,g, or c

<220>

<221> misc_feature
<222> (596)..(596)
<223> n equals a,t,g, or c

<400> 414
ttgggaagct ggtmcscctg caggtaccgg tccggaattc ccgggtcgac ccacgcgtyc 60
gttccagatt caattgaaag tgcattgcag ggtgatgaaa gatgtgtgct tgatactatg 120
cgtttggttg accttctctt ggtgctatta tttgaaggac gaaaagcttt gccaaagtct 180
agtgctggat ctacaggcag aatcccagga ctccggagat tagatagttc tggggagcgc 240
tcacatcggc agcttataga ttgtattcga agtaaagata ccgatgcact tatagatgca 300
attgacacag gaggtcagaa aatatttttt taaatataaa aagaaagttg tgagataacc 360
atataggcag tttctagttt tcggacagta ctcttagaaa tccagataac aaagtggcac 420
cccttcgata ttctccccta tccctgtgca taattatgta attatcagct tggttcttgg 480
tgaaacctga ataaatgctt tttgatgcaa aaaaaaaaaa aaaagaaaaa taaaaaaaaa 540
agataaaaaa aaaccttaaa aaaaaanaaa aaaaaaaaaa aaaaaaaaaa gaaaanaaaa 600
aaaaaaaaca aaaaaaaaaa aaaaaaaa 628

<210> 415
<211> 425
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (367)..(367)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (380)..(380)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (408)..(408)
<223> n equals a,t,g, or c

<400> 415
atcgtgctca agtacatcat ggctggttgc cccttgtttc tgggtaatct ctgggatgtg 60
actgaccgcg acattgaccg ctacacggaa gctctgctgc aaggctggct tggaagcagg 120
cccagggccc cccttctcta ctatgtaaac caggcmcgcc aagctccccg actcaagtat 180
cttattgggg ctgcacctat acctatggct tgcctgtctc tctgcggtaa ccccatggag 240
ctgtcttatt gatgctagaa gcctcataac tgttctacct ccaaggttag atttaatcct 300
taggataact cttttaaagt gattttcccc agtgttttat atgaaacatt tccttttgat 360
ttaaccncag ataataaagn tacatccatt taaaaaaaaa aaaaaaancc cgagggggggg 420
cccgg 425

<210> 416
<211> 1191
<212> DNA
<213> Homo sapiens

<400> 416
gctgggctgg aacacaagar cccacagggc tgccgtccac actctcccgg tcagagtcct 60
gggaccacat ggggacgctg ccatggcttc ttgccttctt cattctgggt ctccaggctt 120
gggatactcc caccatcgtc tcccgcaagg agtgggggggc aagaccgctc gcctgcaggg 180
ccctgctgac cctgcctgtg gcctacatca tcacagacca gctcccaggg atgcagtgcc 240
agcagcagag cgtttgcagc cagatgctgc gggggttgca gtcccattcc gtctacacca 300
taggctggtg cgacgtggcg tacaacttcc tggttgggga tgatggcagg gtgtatgaag 360
gtgttggctg gaacatccaa ggcttgcaca cccagggcta caacaacatt tccctgggca 420
tcgccttctt tggcaataag ataagcagca gtcccagccc tgctgccttа tcagctgcag 480

agggtctgat ctcctatgcc atccagaagg gtcacctgtc gcccaggtat attcagccac 540
ttcttctgaa agaagagacc tgcctggacc ctcaacatcc agtgatgccc agraaggttt 600
gccccaacat catcaaacga tctgcttggg aagccagaga gacacactgc cctaaaatga 660
acctcccagc caaatatgtc atcatcatcc acaccgctgg cacaagctgc actgtatcca 720
cagactgcca gactgtcgtc cgaaacatac agtcctttca catggacaca cggaactttt 780
gtgacattgg atatcaataa ggccaggcgt ggcggcgatt acgtctgtaa tcccaggact 840
ttgggaggcc aaggcgggca gatcacttca ggccaggaat tcaagagcag cctggccaat 900
atggcgaaac tctgtctcta ctgaaaacaa acaaacaaac aaacaaacaa acaaagaaac 960
aacaaaaatt agccgggtgt ggtggcacac gcctgtagtc ccagctactc aggaggctga 1020
ggcataagaa ttgcttgaac cctggaggcg gaggttgcag tgagctgaga ttgggccacc 1080
gcactccagt ctgggagaca gagtgagact gtctcaaaac aacaacaaaa aaatccctaa 1140
cataatctca aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa agggcggccg c 1191

<210> 417
<211> 1626
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (525)..(525)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (542)..(542)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (562)..(562)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (607)..(607)
<223> n equals a,t,g, or c

<400> 417
ccacgcgtcc gacgcggcgc acgcggcagt cctgatggcc cggcatgggt taccgctgct 60
gcccctgctg tcgctcctgg tcggcgcgtg gctcaagcta ggaaatggac aggctactag 120
catggtccaa ctgcagggtg ggagattcct gatgggaaca aattctccag acagcagaga 180
tggtgaaggg cctgtgcggg aggcgacagt gaaacccttt gccatcgaca tatttcctgt 240
caccaacaaa gatttcaggg attttgtcag ggagaaaaag tatcggacag aagctgagat 300
gtttggatgg agctttgtct ttgaggactt tgtctctgat gagctgagaa acaaagccac 360
ccagccaatg aagtctgtac tctggtggct tccagtggaa aaggcatttt ggaggcagcc 420
tgcaggtcct ggctctggca tccgagagag actggagcac ccagtgttac acgtgagctg 480
gratgacgcc cgtgcctaat gtgcytkgsg ggggraaacg actgncccac sggagggaag 540
antggggagt ttttccgccc gnaggggggc ttgaarggtc caagtttacc ccatgggggg 600
aactggnttc cagccaaacc gcaccaacct gtggcaggga aagttcccca agggagacaa 660
agctgaggat ggcttccatg gagtctcccc agtgaatgct ttccccgccc agaacaacta 720
cgggctctat gacctcctgg ggaacgtgtg ggagtggaca gcatcaccgt accaggctgc 780
tgagcaggac atgcgcgtcc tccgggggggc atcctggatc gacacagctg atggctctgc 840
caatcaccgg gcccgggtca ccaccaggat gggcaacact ccagattcag cctcagacaa 900
cctcggtttc cgctgtgctg cagacgcagg ccggccgcca ggggagctgt aagcagccgg 960
gtggtgacaa ggagaaaagc cttctagggt cactgtcatt ccctggccat gttgcaaaca 1020
gcgcaattcc aagctcgaga gcttcagcct caggaaagaa cttccccttc cctgtctccc 1080
atccctctgt ggcaggcgcc tctcaccagg gcaggagagg actcagcctc ctgtgttttg 1140
gagaaggggc ccaatgtgtg ttgacgatgg ctgggggcca ggtgtttctg ttagaggcca 1200
agtattattg acacaggatt gcaaacacac aaacaattgg aacagagcac tctgaaaggc 1260
catttttaa gcattttaaa atctattctc tccccctttc tccctggatg attcaggaag 1320

ctgmacattg tttcctcaag gcagaatttt cctggttctg ttttctcagc cagttgctgt 1380
ggaaggagaa tgctttcttt gtggcctcat ctgtggtttc gtgtccctct gaaggaaact 1440
agtttccact gtgtaacagg cagacatgta actatttaaa gcacagttca gtcctaaaag 1500
ggtctgggag aaccagatga tgtactaggt gaagcattgc attgtgggaa tcacaaagca 1560
aatagtactc cagaaagacc ctgtctcaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1620
aaaaaa 1626

<210> 418
<211> 2351
<212> DNA
<213> Homo sapiens

<400> 418
ccacgcgtcc ggcagaagca gcagcagcag aagacacagc gccggtccag gaggcggctc 60
gagctgttcg taaagtcgcc cgacagcttt ttctccgtag tatgcgagtt gacaaaacag 120
ccagagaaca gggctcccca ttacaatctt ttcgagatct tttcccttgc taaccggatc 180
tgatttgtgc gaaaacatgc cttgcacttg tacctggagg aactggagac agtggattcg 240
acctttagta gcggtcatct acctggtgtc aatagtggtt gcggttcccc tatgcgtgtg 300
ggaattacag aaactggagg ttggaataca caccaaggct tggtttattg ctggaatctt 360
tttgctgtga ctattcctat atcactgtgg gtgatattgc aacacttagt gcattataca 420
caacctgaac tacaaaaacc aataataagg attctttggg atggtaccta tttacagttt 480
tagatagttg gatagctttg aaatatcccg gaattgcaat atatgtggat acctgcagag 540
aatgctatga agcttatgta atttacaact ttatgggatt ccttaccaat tatctaacta 600
accggtatcc aaatctggta ttaatccttg aagccaaaga tcaacagaaa catttccctc 660
ctttatgttg ctgtccacca tgggctatgg gagaagtatt gctgtttagg tgcaaactaa 720
gtgtattaca gtacacagtt gtcagacctt tcaccaccat cgttgcttta atctgtgagc 780
tgcttggtat atatgacgaa gggaacttta gcttttcaaa tgcttggact tatttggtta 840
taataaacaa catgtcacag ttgtttgcca tgtattgtct cctgctcttt tataaagtac 900
taaaagaaga actgagccca atccaacctg ttggcaaatt tctttgtgta aagctggtgg 960
tttttgtttc tttttgattt ggcgtttacc ttttcctaac atataggcaa gcagtagtta 1020
ttgctttgtt ggtaaaagtt ggcgttattt ctgaaaagca tacgtgggaa tggcaaactg 1080
tagaagctgt ggccaccgga ctccaggatt ttattatctg tattgagatg ttcctcgctg 1140
ccattgctca tcattacaca ttctcatata aaccatatgt ccaagaagca gaagagggct 1200
catgctttga ttcctttctt gccatgtggg atgtctcaga tattagagat gatatttctg 1260
aacaagtaag gcatgttgga cggacagtca ggggacatcc caggaaaaaa ttgtttcccg 1320
aggatcaaga tcaaaatgaa catacaagtt tattatcatc atcatcacaa gatgcaattt 1380
ccattgcttc ttctatgcca ccttcaccca tgggtcacta ccaagggttt ggacacactg 1440
tgactcccca gactacacct accacagcta agatatctga tgaaatcctt agtgatacta 1500
taggagagaa aaaagaacct tcagataaat ccgtggattc ctgaacagta tggaaaagca 1560
aactgtgcaa ctactacatt atatcattac ctggtatccc atggattttg tgcttgggac 1620
agaccataaa tgatggaaaa tgtcaacaca aaaatagctg aaagccaggt acaactactg 1680
catttatata tgtaagtttt gtatatcaaa aataattggt ctaaatttcc tagacttaga 1740
cttgatttct taacattagg gtatcgcata ctcaaatggt agacaatgac cccaactaaa 1800
tcttcctgat gttacactgc tttatcaaga ggatggactt ttttttttt gagacagaca 1860
gagtcttgct ctgtcaccca ggctggagtg cagtggcgca atctcgggtc actgcaagct 1920
ctgcctccca agttcatgcc attctcctgc ctcagcctc ccaagtagct gggactacag 1980
gcacctgcca ccatgcccag ctaatttttt ttttttcagt agagacaggg tctcaccatg 2040
ttagccagga tggtcttgat ctgacctcgt gatccgccga cctcggcctc ccaaagtgct 2100
ggaattacag gcgtgagcca ctgcgcctgg ccaagaatgg acatttttta aaaaaacatc 2160
agtacttcct accactgctg catgagtata atgctccgga attatcagaa agcataatgc 2220
agaaatacga attagtggaa cttaatcatg tgccatataa gcttacctaa caaacagtta 2280
tatccctatt cctcaactga atgtctttca ataaataaga atttatcatt taaaaaaaaa 2340
aaaaaaaaaa a 2351

<210> 419
<211> 1001
<212> DNA
<213> Homo sapiens

<400> 419
cgcgctggaa ccctgtggcg gcggccatgg ccatatggcg ctgcccgcct ggctgcagcc 60

aggtatagga agaatgcgta tcttttcatc tattacttaa tccagttctg tggccactct 120
tggatattta caaatatgac agtcagattc ttttcatttg gaaaaggtaa aactccgaaa 180
cagtttttt atttttaact tttaatcctt gttttcacct catcctgctt atattaaatt 240
tctacacacc tcaaccttct accacgggat acagattcaa tggttgacac tttttatgct 300
attggacttg tgatgcgact ttgccaatcc gtatctctcc tggaactgct gcacatatat 360
gttggcattg agtcaaacca tcttctccca aggtttttgc agctcacaga aagaataatc 420
atccttttg tggtgatcac cagtcaagag gaagtccaag agaaatatgt ggtgtgtgtt 480
ttattcgtct tttggaatct attggatatg gttaggtaca cttatagcat gttatcagtc 540
ataggaatat cctatgctgt cttgacatgg ctcagtcaaa cactatggat gccaatttat 600
cctttgtgtg ttcttgctga agcatttgcc atctatcaat cgctgcctta ttttgaatca 660
tttggcactt attccaccaa gctgcccttt gacttatcca tctatttccc atatgtgctg 720
aaaatatatc tcatgatgct ctttataggt atgtatttta cctacagtca tctatactca 780
kaaagaagag acatcctcgg aatctttccc attaaaaaaa agaagatgtg aagtacagca 840
ttccagtgtg acacgagaaa agacaggctg tggattcagt gcagtaaata aaacacagga 900
agtattctgg tggaaaaaaa aaaaaaaaaa aaaaaaaaar aaraaaaaaa aawaaaaaaa 960
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa a 1001

<210> 420
<211> 669
<212> DNA
<213> Homo sapiens

<400> 420
ccacgcgtcc ggacactttt tatgctattg gacttgtgat gcgactttgc caatccgtat 60
ctctcctgga actgctgcac atatatgttg gcattgagtc aaaccatctt ctcccaaggt 120
ttttgcagct cacagaaaga ataatcatcc tttttgtggt gatcaccagt caagaggaag 180
tccaagagaa atatgtggtg tgtgttttat tcgccttttg gaatctattg gatatggtta 240
ggtacactta tagcatgtta tcagtcatag gaatatccta tgctgtcttg acatgggctc 300
agtcaaacac tatggatgcc aatttatcct ttgtgtgttc ttgctgaagc atttgccatc 360
tatcaatcgc tggcttattt tgaatcattt ggcacttatt ccaccaagct gccctttgac 420
ttatccatct atttcccata tgtgctgaaa atatatctca tgatgctctt tataggtatg 480
tattttacct acagtcatct atactcagaa agaagagaca tcctcggaat ctttcccatt 540

aaaaaaaaga agatgtgaag tacagcattc cagtgtgaca cgagaaaaga caggctgtgg 600
attcagtgca gtaaataaaa cacaggaagt attctggtgg aaaaaaaaaa aaaaaaaaaa 660
aaaaaaaaa 669

<210> 421
<211> 417
<212> DNA
<213> Homo sapiens

<400> 421
ccacgcgtcc gctcctctag aggctccaca tgaagtccca gtgctacagt cctagttatt 60
ttgccttctt ctgcctggtt ttctttcaga tcacctcagc cagttctcag acacttaggg 120
gacatgttct ctgcaggacc actctgaggg actcttctgc atattgctga cctgagagga 180
tggcctcaga gctgacttgg gcaatcctcc ccaacaggaa ggggagacat tgcctgccac 240
tgaggaaaca ggtcatgaag gtggagataa gctgcaaggg gcgaagcaac tttatgtcag 300
tggaaaacgt gtctctttaa agctgctatg tgaacagctt ttacagtcat taaatttacc 360
taaactaagg ttaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaa 417

<210> 422
<211> 1949
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1130)..(1130)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1948)..(1948)
<223> n equals a,t,g, or c

<400> 422
gctacgccgt gggcacttcc tcaacgacct gtgcgcgtcc atgtggttca cctacctgct 60
gctctacctg cactcggtgc gcgcctacag ctcccgcggc gcgggctgct gctgctgctg 120
ggccaggtgg cgacgggctg tgcacaccgc tcgtgggcta cgaggccgac cgcgccgcca 180
gctgctgcgc ccgctacggc ccgcgcaagg cctggcacct ggtcggcacc gtctgcgtcc 240
tgctgtcctt ccccttcatc ttcagcccct gcctgggctg tggggcggcc acgccgagtg 300
ggctgccctc ctctactacg gcccgttcat cgtgatcttc cagtttggct gggcctccac 360
acagatctcc cacctcagcc tcatcccgga gctcgtcacc aacgaccatg agaaggtgga 420
gctcacggca ctcaggtatg cgttcaccgt ggtggccaac atcaccgtct acggcgccgc 480
ctggctcctg ctgcacctgc agggctcgtc gcgggtggag cccacccaag acatcagcat 540
cagcgaccag ctgggggccc aggacgtgcc cgtgttccgg aacctgtccc tgctggtggt 600
gggtgtcggc gccgtgttct cactgctatt ccacctgggc acccgggaga ggcgccggcc 660
gcatgcggag gagccaggcg agcacacccc cctgttggcc cctgccacgg cccagcccct 720
gctgctctgg aagcactggc tccgggagcc ggctttctac caggtgggca tactgtacat 780
gaccaccagg ctcatcgtga acctgtccca gacctacatg gccatgtacc tcacctactc 840
gctccacctg cccaagaagt tcatcgcgac cattcccctg gtgatgtacc tcagcggctt 900
cttgtcctcc ttcctcatga agcccatcaa caagtgcatt gggaggaaca tgacctactt 960
ctcaggcctc ctggtgatcc tggcctttgc cgcctgggtg gcgctggcgg agggactggg 1020
tgtggccgtg taygcagcgg ctgtgctgct gggtgctggc tgtgccacca tcctcgtcac 1080
ctcgctggcc atgacggccg acctcatcgg tccccacacg aacagcggan ckttcgtgta 1140
cggctccatg agcttcttgg ataaggtggc caatgggctg gcagtcatgg ccatccagag 1200
cctgcaccct tgcccctcag agctctgctg cagggcctgc gtgagctttt accactgggc 1260
gatggtggct gtgacgggcg gcgtgggcgt ggccgctgcc ctgtgtctct gtagcctcct 1320
gctgtggccg acccgcctgc gacgctggga ccgtgatgcc cggccctgac tcctgacagc 1380
ctcctgcacc tgtgcaaggg aactgtgggg acgcacgagg atgccccca gggccttggg 1440
gaaaagcccc cactgccct cactcttctc tggaccccca ccctccatcc tcacccagct 1500
cccgggggtg gggtcgggtg agggcagcag ggatgcccgc cagggacttg caaggacccc 1560
ctgggttttg agggtgtccc attctcaact ctaatccatc ccagccctct ggaggatttg 1620
gggtgccct ctcggcaggg aacaggaagt aggaatccca gaagggtctg ggggaaccct 1680
aaccctgagc tcagtccagt tcacccctca cctccagcct gggggtctcc agacactgcc 1740
agggccccct caggacggct ggagcctgga ggagacagcc acggggtggt gggctgggcc 1800
tggaccccac cgtggtgggc agcagggctg cccggcaggc ttggtggact ctgctggcag 1860
caaataaaga gatgacggca aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1920
aaaaaaaaaa agggggggg gctagttnt 1949

<210> 423
<211> 1487
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (78)..(78)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (948)..(948)
<223> n equals a,t,g, or c

<400> 423
ccgctgctga taactatggc atccccggg cctgcaggaa ttcggcacgg agctacggcg 60
ccgcctggct cctgctgnca cctgcaggct cgtcgcgggt ggagcccacc caagacatca 120
gcatcagcga ccagctgggg ggccaggacg tgcccgtgtt ccggaacctg tccctgctgg 180
tggtgggtgt cggcgccgtg ttctcactgc tattccacct gggcacccgg gagaggcgcc 240
ggccgcatgc ggasgagcca ggcgagcaca ccccctgtt ggcccctgcc acggcccagc 300

ccctgctgct ctggaagcac tggctccggg agcsggcttt ctaccaggtg ggcatactgt 360
acatgaccac caggctcatc gtgaacctgt cccagaccta catggccatg tacctcacct 420
actcgctcca cctgcccaag aagttcatcg cgaccattcc cctggtgatg tacctcagcg 480
gcttcttgtc ctccttcctc atgaagccca tcaacaagtg cattgggagg aacatgacct 540
acttctcagg cctcctggtg atcctggcct ttgccgcctg ggtggcgctg gcggagggac 600
tgggtgtggc cgtgtacgca gcggctgtgc tgctgggtgc tggctgtgcc accatcctcg 660
tcacctcgct ggccatgacg gccgacctca tcggtcccca cacgaacagc ggagckttcg 720
tgtacggctc catgagcttc ttggataagg tggccaatgg gctggcagtc atggccatcc 780
agagcctgca cccttgcccc tcagagctct gctgcagggc ctgcgtgagc ttttaccact 840
gggcgatggt ggctgtgacg ggcggcgtgg gcgtggccgc tgccctgtgt ctctgtagcc 900
tcctgctgtg gccgacccgc ctgcgacgct gatgagacct gcacgcantg gctcacagca 960
gcacgatttg tgacagcccg aggcggagaa caccgaacac ccagtgaagg tgaggggatc 1020
agcacggcgc ggccacccac gcacccacgc gctggaatga gactcagcca caaggaggtg 1080
cgaagctctg acccaggcca cagtgcggat gcaccttgag gatgtcacgc tcagtgagag 1140
acaccagaca cagaagggta cgctgtgatc ccacttctat gaaatgtcca ggacagacca 1200
atccacagaa tcagggagag gattcgtggg tgccgggact ggggaggggg acctgggggt 1260
gactaggtga cataatgggg acagggctgc cttctgggtg atgagaatgt tctggaatca 1320
gatgggatgg ctgcacggcg tggtgaaggt actgaacgcc acctcactgt aagacggtag 1380
attttgtatt ttaccacaat aaacaaaaca aaacaaaacc aaaaaaaaaa aaaaaaaaaa 1440
aaaaaaaagg aattcgatat caagcttatc gataccgtcg acctcga 1487

<210> 424
<211> 1525
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (78)..(78)
<223> n equals a,t,g, or c

<400> 424
ccgctgctga taactatggc atcccccggg cctgcaggaa ttcggcacgg agctacggcg 60
ccgcctggct cctgctgnca cctgcaggct cgtcgcgggt ggagcccacc caagacatca 120
gcatcagcga ccagctgggg ggccaggacg tgcccgtgtt ccggaacctg tccctgctgg 180
tggtgggtgt cggcgccgtg ttctcactgc tattccacct gggcacccgg gagaggcgcc 240
ggccgcatgc ggasgagcca ggcgagcaca ccccccctgtt ggcccctgcc acggcccagc 300
ccctgctgct ctggaagcac tggctccggg agcsggcttt ctaccaggtg ggcatactgt 360
acatgaccac caggctcatc gtgaacctgt cccagaccta catggccatg tacctcacct 420
actcgctcca cctgcccaag aagttcatcg cgaccattcc cctggtgatg tacctcagcg 480
gcttcttgtc ctccttcctc atgaagccca tcaacaagtg cattgggagg aacatgacct 540
acttctcagg cctcctggtg atcctggcct ttgccgcctg ggtggcgctg gcggagggac 600
tgggtgtggc cgtgtacgca gcggctgtgc tgctgggtgc tggctgtgcc accatcctcg 660
tcacctcgct ggccatgacg gccgacctca tcggtcccca cacgaacagc ggactktcgt 720
gtacggctcc atgagcttct tggataaggt ggccaatggg ctggcagtca tggccatcca 780
gagcctgcac ccttgcccct cagagctctg ctgcagggcc tgcgtgagct tttaccactg 840
ggcgatggtg gctgtgacgg gcggcgtggg cgtggccgct gccctgtgtc tctgtagcct 900
cctgctgtgg ccgacccgcc tgcgacgctg ggaccgtgat gcccggccct gactcctgac 960
agcctcctgc acctgtgcaa gggaactgtg gggacgcacg aggatgcccc ccarggcctt 1020
ggggaaaagc ccccactgcc cctcactctt ctctggaccc ccaccctcca tcctcaccca 1080
gctcccgggg gtggggtcgg gtgagggcag cagggatgcc cgccagggac ttgcaaggac 1140
cccctgggtt ttgagggtgt cccattctca actctaatcc atcccagccc tctggaggat 1200
ttggggtgcc cctctcggca gggaacagga agtaggaatc ccagaagggt ctgggggaac 1260
cctaaccctg agctcagtcc agttcacccc tcacctccag cctgggggtc tccagacact 1320
gccagggccc cctcaggacg gctggagcct ggaggagaca gccacggggt ggtgggctgg 1380
gcctggaccc caccgtggtg ggcagcaggg ctgcccggca ggcttggtgg actctgctgg 1440
cagcaaataa agagatgacg gcaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1500
aaaaaaaaaa aaacccaccg tccgc 1525

<210> 425
<211> 1050

<212> DNA
<213> Homo sapiens

<400> 425
ccacgcgtcc ggccagccag tccgcccgtc cggagcccgg ctcgctgggg cagcatggcg 60
gggtcgccgc tgctctgggg gccgcgggcc gggggcgtcg gccttttggt gctgctgctg 120
ctcggcctgt ttcggccgcc ccccgcgctc tgcgcgcggc cggtaaagga gccccgcggc 180
ctaagcgcag cgtctccgcc cttggctaga ctggcgctcc tcgccgcttc cggcggtcag 240
tgccccgagg tgaggcggcg ggggcggtgc agacctggcg cgggcgctgg cgcatctgct 300
ggagccgaac gtcaggagcg ggcgcgggcc gaggcgcaga ggctgaggat cagcaggcgc 360
gcgtcctggc gcagctgctg cgcgtctggg gcgccccccg caactctgat ccggctctgg 420
gcctggacga cgaccccgac gcgcctgcag cgcagctcgc tcgcgctctg ctccgcgccc 480
gccttgaccc tgccgcccta gcagcccagc ttgtccccgc gcccgtcccc gccgcggcgc 540
tccgaccccg gcccccggtc tacgacgacg gccccgcggg cccggatgct gaggaggcag 600
gcgacgagac acccgacgtg gaccccgagc tgttgaggta cttgctggga cggattcttg 660
cgggaagcgc ggactccgag ggggtggcag ccccgcgccg cctccgccgt gccgccgacc 720
acgatgtggg ctctgagctg ccccctgagg gcgtgctggg ggcgctgctg cgtgtgaaac 780
gcctagagac cccggcgccc caggtgcctg cacgccgcct cttgccaccc tgagcactgc 840
ccggatcccg tgcaccctgg gacccagaag tgcccccgcc atcccgccac caggactgct 900
ccccgccagc acgtccagag caacttaccc cggccagcca gccctctcac ccgaggatcc 960
ctacccccctg gccccacaat aaacatgatc tgaagcagca aaaaaaaaaa aaaaaaaaaa 1020
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1050

<210> 426
<211> 718
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (678)..(678)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (687)..(687)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (699)..(699)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (708)..(708)
<223> n equals a,t,g, or c

<400> 426
natccccctg gctgcaggaa ttcggcacga ggaactctga gcaccgtggc ttccagcatc 60
aatgccttgg caacagtgac ctttgaggat tttgtcaaga gctgttttcc tcatctctcc 120
gacaagctga gcacctggat cagtaaaggc ttatgtctct tatttggcgt gatgtgtacc 180
tctatggctg tggctgcatc tgtcatggga ggtgttgtgc aggcttccct cagcattcac 240
ggcatgtgtg gaggaccaat gctgggctta ttctccctgg gaatcgtgtt ccctttgtg 300
aattggaagg gtgcactagg aggtcttctt actggaatca ccttgtcatt ttgggtggcc 360
attggggcct tcatttaccc tgcaccagcc tctaagacat ggcctttgcc tctatcaaca 420

gaccaatgta tcaaatcaaa tgtgacagca acagggcctc cagtactatc cagcagacct 480
ggaatagctg atacctggta ctcgatctcc tacctttact acagtgcagt gggctgctta 540
ggatgcattg ttgctggagt aatcatcagc ctcataacag gtcgccaaag aggtgaggat 600
attcaaccac tggttaatta gaccagtttg taatttaatt tgcttttggt ctaagaaagt 660
acaaaaccac tatgctgngt gtggagntca gcatgacant ggggacanag caggaaaa 718

<210> 427
<211> 614
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (52)..(52)
<223> n equals a,t,g, or c

<400> 427
aatcccaaag gttgtcttta aatatttctc aaaagagaaa gccttgaaag angcatacaa 60
tagagtaaaa atwaattacc agtatttatt attagaaaag atagaaagac agacaaatca 120
gtggaggaat taaaacagag aaactggagt ttataaaaca gagcccaatc cttgccttct 180
ctccctccac tcaaatagaa aaggagaatg gagaaagaga aagaaggtat taggctacag 240
tttataagag agatgagaaa aaaatacatt tgggaataga gggaaagggt caaaaggggt 300
cacatttgga gaaatatctg aaaatgagaa ggagcagaat ttttggaaac atttttaaa 360
gtctggcaac gctaattaag ctgttgatct aaggatttgc aaattgagag gtgcaattat 420
tttccaaatg atttgtgaca ctcttattaa ttagaatata tattctgtga atattgaaat 480
ctgagccaaa actagttagc tttattaata tcttagggaa agaagagaga aagaaagagg 540
gagggagaga gagaaagaaa gaaagaaaga aagaaagaaa gaaagaaaga aaaaaaaaaa 600
aaaaaaactc gtag 614

<210> 428
<211> 1194
<212> DNA
<213> Homo sapiens

<400> 428
gagcccagca acgtgcaagg ggaaagggga caggattctg gatggccatt tgcttcactg 60
ggatgcaaaa cctcttttga gtactagaat cagtatttct tcttccatct ctgctgtacc 120
tgagaagaaa tggccaaacg caccttctct aacttggaga cattcctgat tttcctcctt 180
gtaatgatga gtgccatcac agtggccctt ctcagcctct tgtttatcac cagtgggacc 240
attgaaaacc acaaagattt aggaggccat ttttttttcaa ccacccaaag ccctccagcc 300
acccagggct ccacagccgc ccaacgctcc acagccaccc agcattccac agccacccag 360
agctccaaca gccaactcaa acttctccag tgcctttaac cccagagtct cctctatttc 420
agaacttcag tggctaccat attggtgttg gacgagctga ctgcacagga caagtagcag 480
atatcaattt gatgggctat ggcaaatccg gccagaatgc acagggcatc ctcaccaggc 540
tatacagtcg tgccttcatc atggcagaac ctgatgggtc caatcgaaca gtgtttgtca 600
gcatcgacat aggcatggta tcccaaaggc tcaggctgga ggtcctgaac agactgcaga 660
gtaaatatgg ctccctgtac agaagagata atgtcatcct gagtggcact cacactcatt 720
caggtcctgc aggatatttc cagtataccg tgtttgtaat tgccagtgaa ggatttagca 780
atcaaacttt tcagcacatg gtcactggta tcttgaagag cattgacata gcacacacaa 840
atatgaaacc aggcaaaatc ttcatcaata aaggaaatgt ggatggtgtg cagatcaaca 900
gaagtccgta ttcttacctt caaaatccgc agtcagagag agcaaggtat tcttcaaata 960
cagacaagga aatgatagtt ttgaaaatgg tagatttgaa tggagatgac ttgggcctta 1020
tcagtttttc attcagcaag tctgcactag ggacctacta tgagccacgc aatacttcct 1080
tggaatgatg tattccctgg ccttgaaata aggaatctag tacccatgtt tgtgctactg 1140
gaatgaatcc attaaactct ctgagactca aaaaaaaaaa aaaaaaaaaa aaaa 1194

<210> 429
<211> 2334
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2278)..(2278)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2290)..(2290)
<223> n equals a,t,g, or c

<400> 429
gggagtgtgg ctgcagaacc caggtggcag ggctttcctc aggcccctta ctcctgacct 60
ggacgaggcc ggggcttcct caaggaggct ctctgactgc cacccctgcc tgcctgcccg 120
gccctgcaca acatgcagcc ctccggcctc gagggtcccg gcacgtttgg tcggtggcct 180
ctgctgagtc tgctgctcct gctgctgctg ctccagcctg taacctgtgc ctacaccacg 240
ccaggccccc ccagagccct caccacgctg ggcgccccca gagcccacac catgccgggc 300
acctacgctc cctcgaccac actcagtagt cccagcaccc agggcctgca agagcaggca 360
cgggccctga tgcgggactt cccgctcgtg gacggccaca acgacctgcc cctggtccta 420
aggcaggttt accagaaagg gctacaggat gttaacctgc gcaatttcag ctacggccag 480
accagcctgg acaggcttag agatggcctc gtgggcgccc agttctggtc agcctatgtg 540
ccatgccaga cccaggaccg ggatgccctg cgcctcaccc tggagcagat tgacctcata 600
cgccgcatgt gtgcctccta ttctgagctg gagcttgtga cctcggctaa agctctgaac 660
gacactcaga aattggcctg cctcatcggt gtagagggtg gccactcgct ggacaatagc 720
ctctccatct tacgtacctt ctacatgctg ggagtgcgct acctgacgct cacccacacc 780
tgcaacacac cctgggcaga gagctccgct aagggcgtcc actccttcta caacaacatc 840
agcgggctga ctgactttgg tgagaaggtg gtggcagaaa tgaaccgcct gggcatgatg 900
gtagacttat cccatgtctc agatgctgtg gcacggcggg ccctggaagt gtcacaggca 960
cctgtgatct tctcccactc ggctgcccgg ggtgtgtgca acagtgctcg gaatgttcct 1020
gatgacatcc tgcagcttct gaagaagaac ggtggcgtcg tgatggtgtc tttgtccatg 1080
ggagtaatac agtgcaaccc atcagccaat gtgtccactg tggcagatca cttcgaccac 1140
atcaaggctg tcattggatc caagttcatc gggattggtg gagattatga tggggccggc 1200
aaattccctc aggggctgga agacgtgtcc acatacccag tcctgataga ggagttgctg 1260
agtcgtggct ggagtgagga agagcttcag ggtgtccttc gtggaaacct gctgcgggtc 1320
ttcagacaag tggaaaaggt acaggaagaa aacaaatggc aaagcccctt ggaggacaag 1380
ttcccggatg agcagctgag cagttcctgc cactccgacc tctcacgtct gcgtcagaga 1440
cagagtctga cttcaggcca ggaactcact gagattccca tacactggac agccaagtta 1500
ccagccaagt ggtcagtctc agagtcctcc ccccacatgg ccccagtcct tgcagttgtg 1560
gccaccttcc cagtccttat tctgtggctc tgatgaccca gttagtcctg ccagatgtca 1620
ctgtagcaag ccacagacac cccacaaagt tcccctgttt gcaggcacaa atatttcctg 1680
aaataaatgt tttggacata gaaaaaaaaa aaaaaaaaag ggcggccgct ctagaggatc 1740
cctcgagggg cccaagctta cgcgtgcatg cgacgtcata gctctctccc tatagtgagt 1800
cgtattataa gctaggcact ggccgtcgtt ttacaacgtc gtgactggga gatctgctag 1860
cttgggatct ttgtgaagga accttacttc tgtggtgtga cataattgga caaactacct 1920
acagagattt aaagctctaa ggtaaatata aaatttttaa gtgtataatg tgttaaacta 1980
gctgcatatg cttgctgctt gagagttttg cttactgagt atgatttatg aaaatattat 2040
acacaggagc tagtgattct aattgtttgt gtattttaga ttcacagtcc caaggctcat 2100
ttcaggcccc tcagtcctca cagtctgttc atgatcataa tcagccatac cacatttgta 2160
gaggttttac ttgctttaaa aaacctycca cacctccccc tgaacctgaa acataaaatg 2220
aatgcaattg gtggtggtaa cttggttaat ggagcttata atggtaccaa taaagcantg 2280
catcacaaan ttcccaaata aagcattttt tcctggaatt taaatggggg ttgg 2334

<210> 430
<211> 759
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (16)..(16)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (22)..(22)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (36)..(36)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (51)..(52)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (57)..(58)
<223> n equals a,t,g, or c

<400> 430
ggattaacaa attttncaca cnaggaaaac aggttnttga cccaattagg nnttttnnca 60
aaaaagctta tttttaggtt gacacttatt agaagttacg ccttgcaggt taccggttcc 120
ggaattcccg ggtcgaaccc caaggggttc gcggacccca gacatgagga ggctcctcct 180
ggtcaccagc ctggtggttg tgctgctgtg ggaggcaggt gcagtcccag cacccaaggt 240
ccctatcaag atgcaagtca aacactggcc ctcagagcag gacccagaga aggcctgggg 300
cgcccgtgtg gtggagcctc cggagaagga cgaccagctg gtggtgctgt tccctgtcca 360
gaagccgaaa ctcttgacca ccgaggagaa gccacgaggt cagggcaggg gccccatcct 420
tccaggcacc aaggcctgga tggagaccga ggacaccctg ggccgtgtcc tgagtcccga 480
gcccgaccat gacagcctgt accaccctcc gcctgaggag gaccagggcg aggagaggcc 540
ccggttgtgg gtgatgccaa atcaccaggt gctcctggga ccggaggaag accaagacca 600
catctaccac ccccagtagg gctccagggg ccatcactgc ccccgccctg tcccaaggcc 660
caggctgttg ggactgggac cctccctacc ctgccccagc tagacaaata aaccccagca 720
ggccgggaaa aaaaaaaaaa aaaaaaaaag ggcggccgc 759

<210> 431
<211> 647
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (525)..(525)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (578)..(578)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (581)..(581)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (620)..(620)
<223> n equals a,t,g, or c

<220>

<221> misc_feature
<222> (629)..(630)
<223> n equals a,t,g, or c

<400> 431
gtgaaacgcc tgggctcaag ctgattcacc tgcctccacc tcccacagtg ctgggattac 60
aaacatgatc ccccacgccc agccaacaca aaacttctga tgctctgttt tctcatctgt 120
gaactggagc taaggctaag tggtctgtct gtttaataag agtttgaatc agatggcctg 180
gcatgaagag tcactggcct gagagaatgt caggggcatt tgtaaatgtg taaagggctg 240
aaaaatcctg agggattatt attattgcta ttgttgttat tattcacaga cacatycaac 300
agccattgtc tgcctcctta tctgtcatgc tttctgcacg agcgtcagcc tgagcttcaa 360
tctgtgtgta tatctgcagc ttacgtcctt gcacccctcc agaacccagt ttcatccttg 420
taggtttttc craagcagga tttgcacaag tggcgtgttt tcttaagtat ttattttgca 480
ggccatttac tcggcatggc tatttttaca gtgggtaagg agcanggcta aaaataactt 540
agctcataac cagacaggtt ctgcatttga cattacgngg nattcatttg catcccattt 600
ggtcgccttt ctggttaacn ggtagaatnn aagaaagctc acccgaa 647

<210> 432
<211> 1321
<212> DNA
<213> Homo sapiens

<400> 432
gcgggggga ggaggagggg gaggagggag cggagatctc ggggctcgga gccggccgcc 60
gctccgctcc gatcgctgtg gggcttggtt ttttgggggt ggggggggcgg gggggctcag 120
atatggaggc aaatgggagc caaggcacct cgggcagcgc caacgactcc cagcacgacc 180
ccggtaaaat gtttatcggt ggactgagct ggcagacctc accagatagc cttagagact 240
attttagcaa atttggagaa attagagaat gtatggtcat gagagatccc actacgaaac 300
gctccagagg cttcggtttc gtcacgttcg cagacccagc aagtgtagat aaagtattag 360
gtcagcccca ccatgagtta gattccaaga cgattgaccc caaagttgca tttcctcgtc 420
gagcgcaacc caagatggtc acaagaacaa agaaaatatt tgtaggcggg ttatctgcga 480
acacagtagt ggaagatgta aagcaatatt tcgagyagtt tkgcaaggtg gaagatgcaa 540
tgctgatgtt tgataaaact accaacaggc acagagggtt tggctttgtc acttttgaga 600
atgaagatgt tgtggagaaa gtctgtgaga ttcatttcca tgaaatcaat aataaaatgg 660
tagaatgtaa gaaagctcag ccgaaagaag tcatgttccc acctgggaca agaggccggg 720
cccggggact gccttacacc atggacgcgt tcatgcttgg catggggatg ctgggtgagt 780
ctggacagga ccgcaggtca ccatggactg ggagggctat ggaggcctct actcccaact 840
gggtcaccta ccagtggggc aaactgcttc acctttctaa gcctcagttt ccttgtctgt 900
agatgaggat gataattccc cgttccaaga cagttgtgat gattaagtgt gggtgtgtgt 960
gtgtgcatgc atgtgtgtgt gtgtgtgtgt gtgtttgtat ttataatatt gccccatgcc 1020
tggcttatag gatatgttag actattttct ctcttttcca tctccttcct caaaagaagg 1080
aaaagtcccc ctctatctgc ctcagccctc tcatctgagt gggagttytt aagatgtaag 1140
gactcctggc tgacttgact tgtgtgggct aaggctacgt tttctaaaac ttgggagagg 1200
agggaagtgg taagggtggg cgataatcct gtctatttaa atgattaaca tttttctctt 1260
gggatatcaa aatttgcatt taaatggatg ttttaaatag cctgttttac tctttatttg 1320
c 1321

<210> 433
<211> 1636
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1624)..(1624)
<223> n equals a,t,g, or c

<400> 433
tcgacccacg cgtccggctg agtgtgagct gagcctgccc caccaccaag atgatcctga 60
gcttgctgtt cagccttggg ggccccctgg gctgggggct gctgggggca tgggcccagg 120
cttccagtac tagcctctct gatctgcaga gctccaggac acctggggtc tggaaggcag 180

aggctgagga caccagcaag gaccccgttg gacgtaactg gtgcccctac ccaatgtcca 240
agctggtcac cttactagct ctttgcaaaa cagagaaatt cctcatccac tcgcagcagc 300
cgtgtccgca gggagctcca gactgccaga aagtcaaagt catgtaccgc atggcccaca 360
agccagtgta ccaggtcaag cagaaggtgc tgacctcttt ggcctggagg tgctgccctg 420
gctacacggg ccccaactgc gagcaccacg attccatggc aatccctgag cctgcagatc 480
ctggtgacag ccaccaggaa cctcaggatg gaccagtcag cttcaaacct ggccaccttg 540
ctgcagtgat caatgaggtt gaggtgcaac aggaacagca ggaacatctg ctgggagatc 600
tccagaatga tgtgcaccgg gtggcagaca gcctgccagg cctgtggaaa gccctgcctg 660
gtaacctcac agctgcagtg atggaagcaa atcaaacagg gcacgaattc cctgatagat 720
ccttggagca ggtgctgcta ccccacgtgg acaccttcct acaagtgcat ttcagcccca 780
tctggaggag ctttaaccaa agcctgcaca gccttaccca ggccataaga aacctgtctc 840
ttgacgtgga ggccaaccgc caggccatct ccagagtcca ggacagtgcc gtggccaggg 900
ctgacttcca ggagcttggt gccaaatttg aggccaaggt ccaggagaac actcagagag 960
tgggtcagct gcgacaggac gtggaggaac gcctgcacgc ccagcacttt accctgcacc 1020
gctcgatctc agagctccaa gccgatgtgg acaccaaatt gaagaggctg cacaaggctc 1080
akgaggcccc agggaccaat ggcagtctgg tgttggcaac gcctggggct ggggcaaggc 1140
ctgagccgga cagcctgcag gccaggctgg gccagctgca gaggaacctc tcagagctgc 1200
acatgaccac ggcccgcagg gaggaggagt tgcagtacac cctggaggac atgagggcca 1260
ccctgacccg gcacgtggat gagatcaagg aactgymctc cgaatcggac gagactttcg 1320
atcagattag caagktgkwg cggcaggtgg aggagctgca ggtgaaccac acggcgctcc 1380
gtgagctgcg cgtgatcctg atggagaagt ctctgatcat ggaggagaac aaggaggagg 1440
tggagcggca gctcctggag ctcaacctca cgctgcagca cctgcagggt ggcatgccga 1500
cctcatcaag tacgtgaagg actgcaattg ccagaagctc tatttagacc tggacgtcat 1560
ccgggagggc agagggacgc cacgcgtgcc ctggaggaga cccaggtgag cctggacgar 1620
cggnggcaag ctggac 1636

<210> 434
<211> 645
<212> DNA
<213> Homo sapiens

<400> 434
tcgacccacg cgtccgccaa aagcagacat agcttcagat gcagcttgat ccagggctca 60
gatgccatga tcagaatcca attcttgcat ctgtttcttt gggttggctt cattttcagg 120
cagccccctt cctcatatcc tcaagatggc agagacagcc catggtcttt cccttgcaga 180
gacagatcac caggaaacaa tacctctatc cctagccatg aaacagtctt gaactttatt 240
ctgacttgat cagccaagtc cctgttggaa ccatcactgc ctagcttagg cctgagacag 300
tgctgcacct ctactaccaa aggccgggct ggccttccct aaagtgtatg tgctgcgtgg 360
gggagaggta cggatctgaa ccaaaacgag ggctgtccag cgtcagcaaa tatctcccgc 420
agtcccagtg cctccagcag gaggcaaagc atcaacccct ccgtctggct cctctactga 480
aaattccctc agcagcctca caggccttag gcttgtctta gctacttctt catctacttt 540
tttgctttct taattatttt tcttttcttt tttcttattt tattttattt tattttagat 600
ggagtttcgc tccgtcgccc aggctgaagt gcagtttcag acatg 645

<210> 435
<211> 1084
<212> DNA
<213> Homo sapiens

<400> 435
ggatggcgct acgtctgctg cggagggcgg cgcgcggagc tgcggcggcg gcgctgctga 60
ggctgaaagc gtctctagca gctgatatcc ccagacttgg atatagttcc tcatcccatc 120
acaagtacat cccccggagg gcagtgcttt atgtacctgg aaatgatgaa aagaaaataa 180
agaagattcc atccctgaat gtagattgtg cagtgctcga ctgtgaggat ggagtggctg 240
caaacaaaaa gaatgaagct cgactgagaa ttgtaaaaac tcttgaagac attgatctgg 300
gccctactga aaaatgtgtg agagtcaact cagtttccag tggtctggcg gaagaagacc 360
tagagaccct tttgcaatcc cgggtccttc cttccagcct gatgctacca aaggtggaaa 420
gtcctgaaga aatccagtgg gcagtgtgtg aagaaaccct gaaggtcggg cctcaagtag 480
gtctctttct agatgcagtc cgtttttgga ggaraagact ttcgagccac ataggtgcam 540
caagtartaa agaaaccctg gatawtctct acgcccggca aaagattgtt gtcatagcga 600
aagcctttgg tctccaagcc gtaratctgg kgkacattga ctttcgagat ggarctkggc 660

tgcttagaca gtcacgagaa ggagccgcca tgggcttcac tggtaagcag gtgattcacc 720
ctaaccaaat tgccgtggtc caggagcagt tttctccttc ccctgaaaaa attaagtggg 780
ctgaagaact gattgctgcc tttaaagaac atcaacaatt aggaaagggg gcctttactt 840
tccaagggag tatgatcgac atgccattac tgaagcaggc ccagaacact gttacgcttg 900
ccacctccat caaggaaaaa tgatctgtta aatgaagctg tcatcaggct aaagggtatt 960
gaagctgcag agggatcaac ttgtgcttgc cagaggacgc caatgaagtt tgaaacacca 1020
acaatcagag attttgtttc tgttcctcat taaatcatga gcttttgtgc cgagaaaaaa 1080
aaaa 1084

<210> 436
<211> 1168
<212> DNA
<213> Homo sapiens

<400> 436
ggcacgagcc cccgcccccc ccctccctcc cctcccttcc ccggccccgg ctctggcccc 60
ggcccattcg ctgttgggtc ttctgctagg gaggatgtcg ggttcgtcgc tgcccagcgc 120
cctggccctc tcgctgttgc tggtctctgg ctccctcctc ccagggccag gcgccgctca 180
gaacgtgaga gtacaatctg gacaggatca gaagtagaga atgaagttgt aagagaaagg 240
gaaagacaga agaaaggctg cagtagtaca aggagaaaag caggatgcaa gaatgaggaa 300
tgaatctttg tttgaggagc atccggaaaa atataagctg tcagaaagag taaatagacc 360
agggacctct aaagtaaatt cacacatcaa agttaaaata atgttggaga atcacctcct 420
gtgaaaaatt ggcttagctt tcagtatgcc tctttaaaca aaacattatc attttataca 480
aatttttaaa atgttgttca taatatggag tttaatttta agcaccttag ataatgcatt 540
tgttagcttg tttgtgaaat ttttatggat tttttttttc aaaattccta attttagttg 600
gtaaggatta acttcgggaa gacaggaaac ccctccagta aaattaattg gttataaatg 660
gttacatatt ttaggcttat atacataaca aaacttctaa ctgaatttaa aagtgatctt 720
gtgtaaaaac attattctag tgatattgat gtctaaattt aaaagagtga atacacaagt 780
aaaatatatc tgctttttaa ggatctattc agtttaggaa ggagagtcaa aatttgtatt 840
taatttcaat ttattatatt gtctgaaact gaaagtaggc ctaacttttg tttgcttttg 900
tgtatgtaca aaggcaaaca tttatcaatc aactcttatt aatttgagat tattttgacc 960
tgattgctca gaacttttgt ctatctgtat agaaatgggg ttttctaaat atttaaagaa 1020
tttcctacgt atgtaaattt acttgcacac agtaagttag gggagacatt taatattcct 1080
cagatacctg ctgttttctt gttgtgtttc ttgtttttca aataaataaa ctgagtgtta 1140
tctgttcatt aaaatagaat gtagtcag 1168

<210> 437
<211> 1776
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1748)..(1748)
<223> n equals a,t,g, or c

<400> 437
agccactgtg cccagcctcg gctcaggttt ttmaatacag tcttgacctt ggcattcagt 60
atcctcacag catggttcta attaactttc tagctctatt tccctttcc tgctccctct 120
ctctacaact agtctttctc tgattgcccc gccctcaacc catctaaact agaccccagg 180
gaagcacctt ggtccccttc ctctctccca ctcaccatcc aaccaatcac cagagcctgt 240
acattctata ttttcaacat cgattcaatt gtctacttct ttctagcctg ccctctctga 300
ctgggactcc ttgagccagc ctgatcaccc caatccatcc ctcacactgt gcccatcttt 360
ctgaagtagg aatctgatca caccamcctg ctaaaaacac tctggttctc cccacggcat 420
gtggtgccct tgtatagctg gcaaagcctt gcatggcacg gccccagcct gtgcttcaac 480
tcaattgccc gactctctcc agctctgctg agccacctaa gtcacagatg gtttctcctc 540
tcatctctgc tctcttccat gtgccatttc tgtggcttgg aatgttcttc cctcattctc 600
tttctggccc tttcccgtca caccttagac gtgcatcttc ctctcgaaaa cctctagtga 660
agcctcccag ggccaggcag taccctcctc tggcttcttc tggatacaga ggaagaatct 720
gagcatcgat tctccatctc agcaggcctc tgtgtgcctg ctgactccga ctagaccaga 780
gatccgtaag gacagggatc gagtttttt tcttttaatk cactgcctca aaaatcctct 840

gtgcattacc tattcatcct cttctctccc ttaacctgaa ccagtgatct tactgtctcc 900
atcattgttt ttttcttttc ttttcttttc ttttttttt ttgaggtgga gtctggctct 960
tcacccaggc tggagtgcag tgatgcgatc tcgactcact gcaacctcca tctcctgggt 1020
tcaagcgatt ctcctgcctc agcctcccca gtagctggga ttacaggcat gcgctaccat 1080
ccccaactaa tttttgcctc cataattytg ccttttstag aatgtcatac aggtggaatt 1140
actcagtatg ctgccttttt cagattggct tctttcactt agtaatatgs tygtttttg 1200
agacagggtc ttgctctgtc gcccaggcta gagtgtggtg gtgcgatctt agctcactga 1260
aacctccacc tcccaggttc aagtgaytct sctgcctcag cctcccgagt agctgggact 1320
acaggcacgt gccaccatac ccggctaatt tgtggatttt tagtacagac ggsgtttcgt 1380
catgttggcc agtgtgytgt tgaattcctg acctcaagtg atccacctgc ctcagcctcc 1440
caaagtgttg cgattacagg tgtgagccac tgcgccaagc ctcatttagt aataygcatt 1500
taaactttct ccatgkcttt aatggcttga tagctcattt atttttatca wggaatattt 1560
cattgtctgg atggaccaca gtttatttct ccattcacct actgaaggac atctcggttg 1620
cttctaagtt ttggcaatta tgaataaagc tgctataacc atcaagtgca ggtttttgtg 1680
tggacctatt atcaactaat tcgggtaaat ctcaaggagt gcaattgctg gatccacagt 1740
aagagtgngt ttagttttaa gtgcttggcc attttc 1776

<210> 438
<211> 784
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (6)..(6)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (32)..(32)
<223> n equals a,t,g, or c

<400> 438
ngagtntaat tgctggatca cacagtaaga gngtggttag ttttaagtgg ctgtgccatt 60
ttgcattccc accagcaatg aatgagagtt tctgttgctc cacattctca ctaccattcg 120
gtgttgtcag tgttttgcat tttggccatt ctagtaggtg tttacatggt atctagtcat 180
ttgaatgggc atatgatgtg gaacatcttt ttttttttat tttwttatta ttatacttta 240
agttttaggg tacatgtgca caaygtgcag gttwgttaca tatgtataca tgtgccatgy 300
tggtgtgctg cacccaytaa ctcgtcatyt agcattaggt atatctccya atgctattgg 360
aacatctttt catgtgttta tttgccatct gtatatcttc cctgatgagt tggggatgca 420
ttctttccat ctcagagtcc ccagaaacta acatagcagt tggtacagag ttggtgctca 480
acaaacatca gcttaggaac tatgtcctat gttttttttgt ttttttttt ttttaaaaag 540
gaatgtgagc tgttcccaaa acgtatgtcc ttcccccatg cctctaccct gcccttccac 600
aaactttctg atcttcagca cacactaccc aaccatcaag gctgagactt cccgtggcca 660
gcagtgtctc atgctggctt caagccccac agcactgctt ttttcaactt ctcttgtggt 720
ttagactgtc tttagcccag caagagaatt cgatatcaag cttatcgata ccgtcgacct 780
cgag 784

<210> 439
<211> 699
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (12)..(12)

<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (30)..(30)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (46)..(46)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (66)..(66)
<223> n equals a,t,g, or c

<400> 439
ggttcatgct tnaaccccat ttgctggatn ctgctttgac cctgtntccc tgtactggtg 60
ttatgngaat cctggcacac attgctatcc cactctgaga ggmcwtgagc aaagaamccc 120
cagtrgcaga agccacattg tgctcaggtc ttagttctaa caaacaccat tccccattaa 180
aaggaaccag gctccttaga gaaatggatg attccagggc tgtggcaggg taggtacaag 240
atgaacctaa agtgtcgttt tataccagaa agtaagaaag tattaaagtg tttaaaaaag 300
tgatgggagc atatcacaag gattcagaag ggataccaac tggctaaatc tggaacaatt 360
tgatcaccaa agtaagtaca ataataaatt ctaagctatt gaagtaaagg catttattat 420
gtgtagtaat aataaataga taatgagaga gaaatgagga ctcatgctta cagtaaaatg 480
ccaggagctg actggcataa atgtggaagg aaggctggag tgggaaaatt attattttgc 540
aaccatcatg gtaattacca gatcagataa ggatcaacag atgccaaatc tagggcaaat 600
ttgatgagga gcagaatatt tgcactgtct ttgagagttt ctcccagaga tcacttattt 660
gttgtaaaaa aaaagaaaaa aaaaaaaaaa aaactcgag 699

<210> 440
<211> 616
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (3)..(3)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (592)..(592)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (611)..(611)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (613)..(613)
<223> n equals a,t,g, or c

<400> 440
agngacagca gttccctggc ttctggaagg agtgtcggtc tatccaaaaa atgtactaac 60
agatatgtaa accctgatga atacagtatg tgttatgaga agtggcccaa cgaagcagct 120
catccaagtg agattctgaa gttgggctgg cgagtacacg aatggctttc ttactagaga 180
gaagtgggac cctgctaatc tgtagcatgt ggtggcatca tggttactca aatatcactg 240

gaacagaagg tgaaagaaga aatctgaaga gaaataaaac aaattttcgg cggttccaag 300
atggccgaat aggaacagct ccagtctaca gctcccagtg tgagagatgc agaagatggg 360
tgatttctgc atttccaact gagcaaacgg sacaccagaa gattatatcc catgcctggc 420
tgggagggtc ccatgcccac ggagcctcgc tcattgctag cacagcagtc tgagatccat 480
ctgcaaggtg ggcagtawgg ctggsggagg ggcacccacc attgctgagg cttgagtagg 540
taaacgaagc arycaggaag ctcgaactgg gtggagccca ccgcaactca angaggcctg 600
gctacctctg nanact 616

<210> 441
<211> 1842
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (67)..(67)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (98)..(98)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (212)..(212)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1838)..(1838)
<223> n equals a,t,g, or c

<400> 441
gcgaccgcgc ccttcagcta gctcgctcgc tcgctctgct tccctgctgc cggctgcgca 60
tggcttnggc gttggcggcg ctggcggcgg ctcgagcngc ctgcgsagcc ggtaccagca 120
gttgcagaat gaagaagagt ctggagaacc tgaacaggct gcaggtgatg ctcctccacc 180
ttacagcagc atttctgcag agagcgcaca tnattttgac tacaaggatg agtctgggtt 240
tccaaagccc ccatcttaca atgtagctac aacactgccc agttatgatg aagcggagag 300
gaccaaggct gaagctacta tccctttggt tcctgggaga gatgaggatt ttgtgggtcg 360
ggatgatttt gatgatgctg accagctgag gataggaaat gatgggattt tcatgttaac 420
ttttttcatg gcattcctct ttaactggat tgggtttttc ctgtcttttt gcctgaccac 480
ttcagctgca ggaaggtatg gggccatttc aggatttggt ctctctctaa ttaaatggat 540
cctgattgtc aggttttcca cctatttccc tggatatttt gatggtcagt actggctctg 600
gtgggtgttc cttgttttag gctttctcct gtttctcaga ggatttatca attatgcaaa 660
agttcggaag atgccagaaa ctttctcaaa tctccccagg accagagttc tctttattta 720
ttaaagatgt tttctggcaa aggccttcct gcatttatga attctctctc aagaagcaag 780
agaacacctg caggaagtga atcaagatgc agaacacaga ggaataatca cctgctttaa 840
aaaaataaag tactgttgaa aagatcattt ctctctattt gttcctaggt gtaaaatttt 900
aatagttaat gcagaattct gtaatcattg aatcattagt ggttaatgtt tgaaaaagct 960
cttgcaatca agtctgtgat gtattaataa tgccttatat attgtttgta gtcattttaa 1020
gtagcatgag ccatgtccct gtagtcggta gggggcagtc ttgctttatt catcctccat 1080
ctcaaaatga acttggaatt aaatattgta agatatgtat aatgctggcc attttaaagg 1140
ggttttctca aaagttaaac ttttgttatg actgtgtttt tgcacataat ccatatttgc 1200
tgttcaagtt aatctagaaa tttattcaat tctgtatgaa cacctggaag caaaatcata 1260
gtgcaaaaat acatttaagg tgtggtcaaa aataagtctt taattggtaa ataataagca 1320
ttaatttttt atagcctgta ttcacaattc tgcggtacct tattgtacct aagggattct 1380
aaaggtgttg tcactgtata aaacagaaag cactaggata caaatgaagc ttaattacta 1440
aaatgtaatt cttgacactc tttctataat tagcgttctt caccccccacc cccacccca 1500
ccccccttat tttccttttg tctcctggtg attaggccaa agtctgggag taaggagagg 1560
attaggtact taggagcaaa gaaagaagta gcttggaact tttgagatga tccctaacat 1620

actgtactac ttgcttttac aatgtgttag cagaaaccag tgggttataa tgtagaatga 1680
tgtgctttct gcccaagtgg taattcatct tggtttgcta tgttaaaact gtaaatacaa 1740
cagaacatta ataaatatct cttgtgtagc acctttaaa aaaaaaaaaa aaaaaaaaaa 1800
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaanaa aa 1842

<210> 442
<211> 1963
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (335)..(335)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1959)..(1959)
<223> n equals a,t,g, or c

<400> 442
ggatcctcgc ggcggcggcg gtgcttacag cctgagaaga gcgtctcgcc cgggagcggc 60
ggcggccatc gagacccacc caaggcgcgt ccccctcggc ctcccagcgc tcccaagccg 120
cagcggccgc gcccccttcag ctagctcgct cgctcgctct gcttccctgc tgccggctgc 180
gcatggcktt ggcgttggcg gcgctggcgg cggtcgagcc gcctgcgcag ccggtaccag 240
cagttgcaga atgaagaaga gtctggagaa cctgaacagg ctgcaggtga tgctcctcca 300
ccttacagca gcatttctgc agagagcgca gcatnatttt gactacaagg atgagtctgg 360
gtttccaaag cccccatctt acaatgtagc tacaacactg cccagttatg atgaagcgga 420
gaggaccaag gctgaagcta ctatcccttt ggttcctggg agagatgagg attttgtggg 480
tcgggatgat tttgatgatg ctgaccagct gaggatagga aatgatggga ttttcatgtt 540
aacttttttc atggcattcc tctttaactg gattgggttt ttcctgtctt tttgcctgac 600
cacttcagct gcaggaaggt atggggccat ttcaggattt ggtctctctc taattaaatg 660
gatcctgatt gtcaggtttt ccacctattt ccctggatat tttgatggtc agtactggct 720
ctggtgggtg ttccttgttt taggctttct cctgtttctc agaggattta tcaattatgc 780
aaaagttcgg aagatgccag aaactttctc aaatctcccc aggaccagag ttctctttat 840
ttattaaaga tgttttctgg caaaggcctt cctgcattta tgaattctct ctcaagaagc 900
aagagaacac ctgcaggaag tgaatcaaga tgcagaacac agaggaataa tcacctgctt 960
taaaaaaata aagtactgtt gaaaagatca tttctctcta tttgttccta ggtgtaaaat 1020
tttaatagtt aatgcagaat tctgtaatca ttgaatcatt agtggttaat gtttgaaaaa 1080
gctcttgcaa tcaagtctgt gatgtattaa taatgcctta tatattgttt gtagtcattt 1140
taagtagcat gagccatgtc cctgtagtcg gtaggggggca gtcttgcttt attcatcctc 1200
catctcaaaa tgaacttgga attaaatatt gtaagatatg tataatgctg gccattttaa 1260
aggggttttc tcaaaagtta aacttttgtt atgactgtgt ttttgcacat aatccatatt 1320
tgctgttcaa gttaatctag aaatttattc aattctgtat gaacacctgg aagcaaaatc 1380
atagtgcaaa aatacattta aggtgtggtc aaaaataagt ctttaattgg taaataataa 1440
gcattaattt tttatagcct gtattcacaa ttctgcggta ccttattgta cctaagggat 1500
tctaaaggtg ttgtcactgt ataaaacaga aagcactagg atacaaatga agcttaatta 1560
ctaaaatgta attcttgaca ctctttctat aattagcgtt cttcaccccc acccccaccc 1620
ccacccccct tattttcctt ttgtctcctg gtgattaggc caaagtctgg gagtaaggag 1680
aggattaggt acttaggagc aaagaaagaa gtagcttgga acttttgaga tgatccctaa 1740
catactgtac tacttgcttt tacaatgtgt tagcagaaac cagtgggtta taatgtagaa 1800
tgatgtgctt tctgcccaag tggtaattca tcttggtttg ctatgttaaa actgtaaata 1860
caacagaaca ttaataaata tctcttgtgt agcaccttta aaaaaaaaaa aaaaaaaaaa 1920
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaana aaa 1963

<210> 443
<211> 1487
<212> DNA
<213> Homo sapiens

<220>

<221> misc_feature
<222> (1470)..(1470)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1487)..(1487)
<223> n equals a,t,g, or c

<400> 443
gcgaccgcgc ccctttcagc tagctcgctc gctcgctctg cttccctgct gccggctgcg 60
catggckwtg gcgttggcgg cgctggcggc ggtcgagccg gcctgcgcag ccggtaccag 120
cagttgcaga atgaagaaga gtctggagaa cctgaacagg ctgcaggtga tgctcctcca 180
ccttacagca gcatttctgc agagagcgca gttttccacc tatttccctg gatattttga 240
tggtcagtac tggctctggt gggtgttcct tgttttaggc tttctcctgt ttctcagagg 300
atttatcaat tatgcaaaag ttcggaagat gccagaaact ttctcaaatc tccccaggac 360
cagagttctc tttatttatt aaagatgttt tctggcaaag gccttcctgc atttatgaat 420
tctctctcaa gaagcaagag aacacctgca ggaagtgaat caagatgcag aacacagagg 480
aataatcacc tgctttaaaa aaataaagta ctgttgaaaa gatcatttct ctctatttgt 540
tcctaggtgt aaaatttaa tagttaatgc agaattctgt aatcattgaa tcattagtgg 600
ttaatgtttg aaaaagctct tgcaatcaag tctgtgatgt attaataatg ccttatatat 660
tgtttgtagt cattttaagt agcatgagcc atgtccctgt agtcggtagg gggcagtctt 720
gctttattca tcctccatct caaaatgaac ttggaattaa atattgtaag atatgtataa 780
tgctggccat tttaaagggg ttttctcaaa agttaaactt ttgttatgac tgtgtttttg 840
cacataatcc atatttgctg ttcaagttaa tctagaaatt tattcaattc tgtatgaaca 900
cctggaagca aaatcatagt gcaaaaatac atttaaggtg tggtcaaaaa taagtcttta 960
attggtaaat aataagcatt aatttttat agcctgtatt cacaattctg cggtacctta 1020
ttgtacctaa gggattctaa aggtgttgtc actgtataaa acagaaagca ctaggataca 1080
aatgaagctt aattactaaa atgtaattct tgacactctt tctataatta gcgttcttca 1140
cccccacccc caccccccacc ccccttattt tccttttgtc tcctggtgat taggccaaag 1200
tctgggagta aggagaggat taggtactta ggagcaaaga aagaagtagc ttggaacttt 1260
tgagatgatc cctaacatac tgtactactt gcttttacaa tgtgttagca gaaaccagtg 1320
ggttataatg tagaatgatg tgctttctgc ccaagtggta attcatcttg gtttgctatg 1380
ttaaaactgt aaatacaaca gaacattaat aaatatctct tgtgtagcac ctttaaaaaa 1440
aaaaaaaaaa aaaaaaaaaa aaaaaaaaan cccgggggggg ggccccn 1487

<210> 444
<211> 1653
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (67)..(67)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (212)..(212)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1636)..(1636)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1653)..(1653)
<223> n equals a,t,g, or c

<400> 444
gcgaccgcgc ccttcagcta gctcgctcgc tcgctctgct tccctgctgc cggctgcgca 60
tggcttnggc gttggcggcg ctggcggcgg ctcgagccgc ctgcgsagcc ggtaccagca 120
gttgcagaat gaagaagagt ctggagaacc tgaacaggct gcaggtgatg ctcctccacc 180
ttacagcagc atttctgcag agagcgcaca tnattttgac tacaaggatg agtctgggtt 240
tccaaagccc ccatcttaca atgtagctac aacactgccc agttatgatg aagcggagag 300
gaccaaggct gaagctacta tccctttggt tcctgggaga gatgaggatt ttgtgggtcg 360
ggatgatttt gatgatgctg accagctgag gataggaaat gatgggattt tcatgttaac 420
ttttttcatg gcattcctct ttaactggat tgggtttttc ctgtcttttt gcctgaccac 480
ttcagctgca ggaaggtatg gggccatttc aggatttggt ctctctctaa ttaaatggat 540
cctgattgtc aggttttcca cctatttccc tgcatttatg aattctctct caagaagcaa 600
gagaacacct gcaggaagtg aatcaagatg cagaacacag aggaataatc acctgcttta 660
aaaaaataaa gtactgttga aaagatcatt tctctctatt tgttcctagg tgtaaaattt 720
taatagttaa tgcagaattc tgtaatcatt gaatcattag tggttaatgt ttgaaaaagc 780
tcttgcaatc aagtctgtga tgtattaata atgccttata tattgtttgt agtcatttta 840
agtagcatga gccatgtccc tgtagtcggt agggggcagt cttgctttat tcatcctcca 900
tctcaaaatg aacttggaat taaatattgt aagatatgta taatgctggc cattttaaag 960
gggttttctc aaaagttaaa cttttgttat gactgtgttt ttgcacataa tccatatttg 1020
ctgttcaagt taatctagaa atttattcaa ttctgtatga acacctggaa gcaaaatcat 1080
agtgcaaaaa tacatttaag gtgtggtcaa aaataagtct ttaattggta aataataagc 1140
attaattttt tatagcctgt attcacaatt ctgcggtacc ttattgtacc taagggattc 1200
taaaggtgtt gtcactgtat aaaacagaaa gcactaggat acaaatgaag cttaattact 1260
aaaatgtaat tcttgacact ctttctataa ttagcgttct tcacccccac ccccacccc 1320
acccccctta ttttcctttt gtctcctggt gattaggcca aagtctggga gtaaggagag 1380
gattaggtac ttaggagcaa agaaagaagt agcttggaac ttttgagatg atccctaaca 1440
tactgtacta cttgctttta caatgtgtta gcagaaacca gtgggttata atgtagaatg 1500
atgtgctttc tgcccaagtg gtaattcatc ttggtttgct atgttaaaac tgtaaataca 1560
acagaacatt aataaatatc tcttgtgtag caccttttaw aaaaaaaaaa aaaaaaaaaa 1620
aaaaaaaaaa aaaaancccg ggggggggcc ccn 1653

<210> 445
<211> 1830
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (67)..(67)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (97)..(97)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (211)..(211)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1813)..(1813)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1830)..(1830)
<223> n equals a,t,g, or c

<400> 445

gcgaccgcgc ccttcagctå gctcgctcgc tcgctctgct tccctgctgc cggctgcgca 60
tggcttnggc gttggcggcg ctggcggcgg tcgagcngcc tgcgsagccg gtaccagcag 120
ttgcagaatg aagaagagtc tggagaacct gaacaggctg caggtgatgc tcctccacct 180
tacagcagca tttctgcaga gagcgcacat nattttgact acaaggatga gtctgggttt 240
ccaaagcccc catcttacaa tgtagctaca acactgccca gttatgatga agcggagagg 300
accaaggctg aagctactat ccctttggtt cctgggagag atgaggattt tgtgggtcgg 360
gatgattttg atgatgctga ccagctgagg ataggaaatg atgggatttt catgttaact 420
tttttcatgg cattcctctt taactggatt gggtttttcc tgtcttttg cctgaccact 480
tcagctgcag gaaggtatgg ggccatttca ggatttggtc tctctctaat taaatggatc 540
ctgattgtca ggttttccac ctatttccct ggatattttg atggtcagta ctggctctgg 600
tgggtgttcc ttgttttagg ctttctcctg tttctcagag gatttatcaa ttatgcaaaa 660
gttcggaaga tgccagaaac tttctcaaat ctccccagga ccagagttct ctttatttat 720
taaagatgtt ttctggcaaa ggccttcctg catttatgaa ttctctctca agaagcaaga 780
gaacacctgc aggaagtgaa tcaagatgca gaacacagag gaataatcac ctgctttaaa 840
aaaataaagt actgttgaaa agatcatttc tctctatttg ttcctaggtg taaaatttta 900
atagttaatg cagaattctg taatcattga atcattagtg gttaatgttt gaaaaagctc 960
ttgcaatcaa gtctgtgatg tattaataat gccttatata ttgtttgtag tcattttaag 1020
tagcatgagc catgtccctg tagtcggtag ggggcagtct tgctttattc atcctccatc 1080
tcaaaatgaa cttggaatta aatattgtaa gatatgtata atgctggcca ttttaaaggg 1140
gttttctcaa aagttaaact tttgttatga ctgtgttttt gcacataatc catatttgct 1200
gttcaagtta atctagaaat ttattcaatt ctgtatgaac acctggaagc aaaatcatag 1260
tgcaaaaata catttaaggt gtggtcaaaa ataagtcttt aattggtaaa taataagcat 1320
taatttttta tagcctgtat tcacaattct gcggtacctt attgtaccta agggattcta 1380
aaggtgttgt cactgtataa aacagaaagc actaggatac aaatgaagct taattactaa 1440
aatgtaattc ttgacactct ttctataatt agcgttcttc acccccaccc ccacccccac 1500
ccccttatt ttccttttgt ctcctggtga ttaggccaaa gtctgggagt aaggagagga 1560
ttaggtactt aggagcaaag aaagaagtag cttggaactt ttgagatgat ccctaacata 1620
ctgtactact tgcttttaca atgtgttagc agaaaccagt gggttataat gtagaatgat 1680
gtgctttctg cccaagtggt aattcatctt ggtttgctat gttaaaactg taaatacaac 1740
agaacattaa taaatatctc ttgtgtagca ccttttaaaa aaaaaaaaaa aaaaaaaaaa 1800
aaaaaaaaaa aancccgggg gggggccccn 1830

<210> 446
<211> 2027
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (294)..(294)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1976)..(1976)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1981)..(1981)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1985)..(1985)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2021)..(2021)
<223> n equals a,t,g, or c

<400> 446
ggcacgagtt gggagcagct ctgcgtgcgg ggcctcagag aatgaggccg gcgttcgccc 60
tgtgcctcct ctggcaggcg ctctggcccg ggccgggcgg cggcgaacac cccactgccg 120
accgtgctgg ctgctcggcc tcgggggcct gctacagcct gcaccacgct accatgaagc 180
ggcaggcggc cgaggaggcc tgcatcctgc gaggtggggc gctcagcacc gtgcgtgcgg 240
gcgccgagct gcgcgctgtg ctcgcgctcc tgcgggcagg cccagggccc ggaggggct 300
ccaaagacct gctgttctgg gtcgcactgg agcgcaggcg ttcccactgc amcctggaga 360
acgagccttt gcggggtttc tcctggctgt cctccgaccc cggcggtctc gaaagcgaca 420
cgctgcagtg ggtggaggag ccccaacgct cctgcaccgc gcggagatgg gtacttccag 480
gccaccggtg gggtcgagcc cgcagctgga aggagatgcg atgccacctg ygcgccaacg 540
ctacctgtgc aagtaccagt ttgaggtctt gtgtcctgcg ccgcgccccg gggccgcctc 600
taacttgagc tatcgcgcgc ccttccagct gcacagcgcc gctctggact tcagtccacc 660
tgggaccgag gtgagtgcgc tctgccgggg acagctcccg atctcagtta cttgcatcgc 720
ggacgaaatc ggcgctcgyt gggacaaact ytcgggcgat gtgttgtgtc cctgccccgg 780
gaggtacctc cgtgctggca aatgcgcaga gctccctaac tgcctagacg acttgggagg 840
ctttgcctgc gaatgtgcta cgggcttcga gctggggaag gacggccgct cttgtgtgac 900
cagtggggaa ggacagccga cccttggggg gaccggggtg cccaccaggc gcccgccggc 960
cactgcaacc agccccgtgc cgcagagaac atggccaatc agggtcgacg agaagctggg 1020
agagacacca cttgtccctg aacaagacaa ttcagtaaca tctattcctg agattcctcg 1080
atggggatca cagagcacga tgtctaccct tcaaatgtcc cttcaagccg agtcaaaggc 1140
cactatcacc ccatcaggga gcgtgatttc caagtttaat tctacgactt cctctgccac 1200
tcctcaggct ttcgactcct cctctgccgt ggtcttcata tttgtgagca cagcagtagt 1260
agtgttggtg atcttgacca tgacagtact ggggcttgtc aagctctgct ttcacgaaag 1320
cccctcttcc cagccaagga aggagtctat gggcccgccg ggctggagag tgatcctgaa 1380
gcccgctgct ttgggctcca gttctgcaca ttgcacaaac aatggggtga aagtcgggga 1440
ctgtgatctg cgggacagag cagagggtgc cttgctggcg gagtcccctc ttggctctag 1500
tgatgcatag ggaaacaggg gacatgggca ctcctgtgaa cagttttca cttttgatga 1560
aacggggaac caagaggaac ttacttgtgt aactgacaat ttctgcagaa atccccttc 1620
ctctaaattc cctttactcc actgaggagc taaatcagaa ctgcacactc cttccctgat 1680
gatagaggaa gtggaagtgc ctttaggatg gtgatactgg gggaccgggt agtgctgggg 1740
agagatattt tcttatgttt attcggagaa tttggagaag tgattgaact tttcaagaca 1800
ttggaaacaa atagaacaca atataattta cattaaaaaa taatttctac caaaatggaa 1860
aggaaatgtt ctatgttgtt caggctagga gtatattggt tcgaaatccc agggaaaaaa 1920
ataaaaataa aaaattaaag gattgttgat aaaaaaaaaa aaaaagggcg gccgcnctag 1980
ngggnccaag ctttacgtac gcgggcatgc gacgtcaagc ncttcca 2027

<210> 447
<211> 699
<212> DNA
<213> Homo sapiens

<400> 447
aattcggcac gagttacagg cataagccac catgcttggt cctcattata ttttaacaca 60
ccccttcat tatttctaaa tgctggaaag ttctttatta cattgagcta cagttcattt 120
tgccttaata gtcacaaact taatcctaat taaatacata cctttcccct aagttttctt 180
atcttcaggc tacagaatta ttgagattac tctcaaccat tcctcatgtt agaaactctt 240
tctcaattta tttccatcct ctttgtcctt ctctggataa tctcagattt gatactgtgt 300
tttcttaaat gtggtaatcc cggaactcta gatatggttc ttcctatttg gactaatcag 360
tatatacatt ccagtagatc cattttgtcc tttatctaga tacagtattt ctagtagctt 420
gaaasycatt gccttttaaa agttgtttta ggattaaaaa tcacaaacca aatatccact 480
gtcctcaaga gaatcaccta acacccataa ggattcttgt agactcatgg taaaggggta 540
gctattgttt tatatcagat agcaggagta gctattcttt tatatcagat aaaacacatt 600
aaagcaacat gaataggcat ttgttaaaag raggatattc caaatagtca acacatatta 660
aaggaattcc ccaaccatcc actaaatgat ccaggggaa 699

<210> 448
<211> 1649
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1249)..(1249)
<223> n equals a,t,g, or c

<400> 448
agctccaccg cggtggcggc cgctctagaa ctagtggatc ccccgggctg caggaattcg 60
gcacgaggga tctgtgtggc atggtatgtg tgtttatgtg tattgtgggt gtctgtgtgg 120
catgctgtgc gtgtgtgtat tgtggatgtt tactgtcccg ggcagtagaa aggacgtcgg 180
ggaagcagcc ccagcatcag ggacaggcca ggagtgcaga atgcatggaa gctggtcagg 240
tcggagcctg ggatgaagga agcacagaga tgcaagggtg ccagggccca tggaaccaag 300
agccgatgat caaggccaca gtgcacacag ccctggaggc aaaggacata ttcatttcac 360
aaggattaaa aagcatgggc caaggctggg ccccaggcca ggactgggga tacagagtgg 420
atcagtcccc atccctgccc ccaggtgctt acccacaccc attcacctca caggtttccc 480
caccccagcc ccttggcgag ctcctcctca ttcctcaaar cgtcgctkag gtcacgctcc 540
ttcccgaggc ctctccccat cctctaaaac accctctccc tgctgcccac ttgcagcaca 600
gtcagagagc tccgtggcct gtttccactg gactgagtct tctggggggt gctggtgcag 660
agcagarccc tgggctggga gtcccggcac ctcgttccac tccctcaccc acagcctcgc 720
tgtttaacct caggcaggcc gtgtmcctcc tcagcctcac tttccccttg tgtaaaatga 780
gggaagggac tgcgccttct aagccatctt tcagcttaaa acctctttga ccttctatct 840
ggctaatgga ggtgctgacc aggggcaaga agggatttga aaaacgcttt gaaaaattca 900
tagcaggagg caaaggagaa agagtcttta ttttcgtaga gcgggaggca ggaggagtta 960
tggacagagg ctgtcgatga aaaggacagc atctcagagc actttgtggc atttaatgtc 1020
taatgcctcc tcccattaaa gcagtggcat caaatattta ccaaagcagc attaaaaatt 1080
aacctttacc atggggatgt ataaaggccc taagttccct gagaagtgac cgaacatcag 1140
gagggtaaag tgacaggaag gaaggctaca agcgggttgt gaataatgga agcccccaaa 1200
ggtcccccaa cacagctccc tgttgacccc actcccaaag ccagggcanc ctccggccgt 1260
gtctctgcag aggctcccag cccttcggag actcccagag ggcctgcagg ataaggacag 1320
gccctcagct gggcatccac agccttccat ggcctggccc tgcctctctg ggcagctggg 1380
atctgtagga tggaaaggaa tgagtctgtc ggagttggaa gagaccaggg gaggaagtgg 1440
ggagtggtcc gggcactgga aatagcacgt gcagaggcac tgaggcagag acagctgcac 1500
atcaatccat cagaagagca gccaggtggc atgagtgtgg gggaggaagg aagcgcagga 1560
ggggacaggt gggagatgca ggtaggtctg actgtgcagg gccatggtaa gatgtgggct 1620
tctcggtcca gggacagggg tgccctcga 1649

<210> 449
<211> 1570
<212> DNA
<213> Homo sapiens

<400> 449
ggatctgtgt ggcatggtat gtgtgtttat gtgtattgtg ggtgtctgtg tggcatgctg 60
tgcgtgtgtg tattgtggat gtttactgtc ccgggcagta gaaaggacgt cggggaagca 120
gccccagcat cagggacagg ccaggagtgc agaatgcatg gaagctggtc aggtcggagc 180
ctgggatgaa ggaagcacag agatgcaagg gtgccagggc ccatggaacc aagagccgat 240
gatcaaggcc acagtgcaca cagccctgga ggcaaaggac atattcattt cacaaggatt 300
aaaaagcatg ggccaaggct gggccccagg ccaggactgg ggatacagag tggatcagtc 360
cccatccctg cccccaggtg cttacccaca cccattcacc tcacaggttt ccccacccca 420
gcccccttggc gagctcctcc tcattcctca aaacgtcgct gaggtcacgc tccttcccga 480
ggcctctccc catcctctaa aacaccctct ccctgctgcc cacttgcagc acagtcagag 540
agctccgtgg cctgtttcca ctggactgag tcttctgggg ggtgctggtg cagagcagag 600
ccctgggctg ggagtcccgg cacctcgttc cactccctca cccacagcct cgctgtttaa 660
cctcaggcag gccgtgtccc tcctcagcct cactttcccc ttgtgtaaaa tgagggaagg 720
gactacgcct tacatcttca gcttaaacct ctttgacctt ctatctggct aatggaggtg 780
ctgaccaggg gcaagaaggg atttgaaaaa cgctttgaaa aattcatagc aggaggcaaa 840
ggagaaagag tctttatttt cgtagagcgg gaggcaggag gagttatgga cagaggctgt 900
cgatgaaaag gacagcatct cagagcactt tgtggcattt aatgtctaat gcctcctccc 960
attaaagcag tggcatcaaa tatttaccaa agcagcatta aaaattaacc tttaccatgg 1020
ggatgtataa aggccctaag ttccctgaga agtgaccgaa catcaggagg gtaaagtgac 1080
aggaaggaag gctacaagcg ggttgtgaat aatggaagcc cccaaaggtc ccccaacaca 1140
gctccctgtt gaccccactc ccaaagccag ggcagcctcc ggccgtgtct ctgcagaggc 1200

tcccagccct tcggagactc ccagagggcc tgcaggataa ggacaggccc tcagctgggc 1260
atccacagcc ttccatggcc tggccctgcc tctctgggca gctgggatct gtaggatgga 1320
aaggaatgag tctgtcggag ttggaagaga ccaggggagg aagtggggag tggtccgggc 1380
actggaaata gcacgtgcag aggcactgag gcagagacag ctgcacatca atccatcaga 1440
agagcagcca ggtggcatga gtgtggggga ggaaggaagc gcaggagggg acaggtggga 1500
gatgcaggta ggtctgactg tgcagggcca tggtaagatg tgggcttctc ggtccaggga 1560
caggggtgcc 1570

<210> 450
<211> 774
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (618)..(618)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (715)..(715)
<223> n equals a,t,g, or c

<400> 450
gtctacctcc gggctgaaac gtcaccatgc ctccccacag acagacggat ggacagatgg 60
gcctccctgc acctgctctg tgggtgtggg ggctcctgct cagcagcagt ttccagaccc 120
ttctccctgc tttccccaag ccacccgcct tgaatctggg gtgctctacc agacccatcc 180
cctcatttct aaagatttga gccactagtc gtgtccctct ccctcagaaa tgccttggtg 240
acacttggct gctttcaact cttccaccca tctgcctctt ggtctcatct ttaccttctg 300
ctaaaggtcc tgacccccac ccccgccacg ccatggggca ccccatggtg gtgcgtcctt 360
gggagcagct ctgtcccttt ccccgtggcc tttgccccgc ctcctatgac ttcgattccc 420
acctgtcccc gacccctggg accactgacc gggcccgatc accctgtcac tgccctgtca 480
tctgcttacc ccacacggtg ctctgctgac ccaggtcttg ctgtctccca ayagccccac 540
gaggcttycc gtcgctcctg gacactrmag gctgagcccg ctgccccgcc gcctccatga 600
ggaaggcttt tcctctgnga gccccaggcc acccttccc tcctttaagt aattacttaa 660
gtcccttgcc agggccctcc cagtaccctt tctaaagaca cccctgcccc agcangctgc 720
aggctcctgc tccactttcc tctcaggccc tcgtcgctgt ggtgctgcct ttga 774

<210> 451
<211> 1396
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1187)..(1187)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1325)..(1325)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1327)..(1327)
<223> n equals a,t,g, or c

<400> 451
cctcgagcca tgtgtccagg tggggcagat catggagggc gcccaggtgc ggtgctgagg 60
ctgagcatgc actggctggg gagggtgggc agagcaggag gaaatccctt gttctccgga 120

gctggagagc cagaaagagc cctgcagcct gggcctcatc atcacacctc gccctcaagg 180
cctccaggca cagcatccac tgccagcctc tgctcctgcc tctgagggtc tgtctccaag 240
gtcttttggg ggctgcccca gctcccccaa cacagacagc accagagctg ggcccacctg 300
tgaggtgctg agttccccat ctcagagact gtgcgagcag aggcagggag gcgcttgatg 360
tcggatggag aaaggacagg ggaggggtgt ggggctcagg gccccgccag gtgaaggaac 420
aagcttggaa gggtgtcctt atgtctgaga gttggggaga cacccccaag ccccagatgg 480
rcctcgaatg ccaggcaggg ccaagctggg cccagaagtg ggawggwtcc cttggctgcc 540
ccaggaatgc aggttccggg gcaagaatcc agccctggct ggttgaagtc catcccaagt 600
ctccctcccc acgaggctcc tgcagatgcc aggaatgggg ctggattcca gattccaagc 660
ctggcsgccc agccccctatc tgggacccca gcccagagcc cccaggcctg gcctccaacc 720
tggccccagc ctcaggggag ctgaattcag agaatcctgt cctaggagcc agaagcgggg 780
gagggaggra gggcggccct gtcctgggtg caggcccggg ggctgggggy tgcccgcccg 840
tctgggtcag ccgcagctgc aaaccggccc tggctgagtc atggsgcctc catctccagg 900
gcctggcttg aggtggggaa tagcagtgag gttggacatc caggcacctg agggtgggca 960
gggctccctg cggctggggt ggccagtggc acctggctgt tgcccccctg caccccagcc 1020
ctttggcccc caagtctctg ccacctccct ggggttctgc tcccatattc ctcacaccca 1080
gcacagaacc cagcatgtct cctgtagaca cctgcatata aaccctgact cacacacaca 1140
cacacacaca cacacacgca cacatgcagg ccaggctcct cggccangtc accctaccgg 1200
cagagctcta gacatttctg gcctctggtg actattcttc aggcagctca ccctgcaagt 1260
ctttattgag cacctactgt gtgccaggca gtggtacagc aagggcagaa gccccacctc 1320
caagnanctg aacccctgcc gtggcagaga cagaaaacaa aggcagcacc acggcgacga 1380
gggctaaaga gaacgc 1396

<210> 452
<211> 1397
<212> DNA
<213> Homo sapiens

<400> 452
tcgacccacg cgtccgctga attgcggccg tatgcgcggc tctgtggagt gcacctgggg 60
ttgggggcac tgtgccccca gccccctgct cctttggact ctacttctgt ttgcagcccc 120
atttggcctg ctgggggaga agacccgcca gctgcttgag tttgacagca ccaacgtgtc 180
cgatacggca gcaaagcctt tgggaagacc atatcctcca tactccttgg ccgatttctc 240
ttggaacaac atcactgatt cattggatcc tgccaccctg agtgccacat ttcaaggcca 300
ccccatgaac gaccctacca ggacttttgc caatggcagc ctggccttca gggtccaggc 360
cttttccagg tccagccgac cagcccaacc ccctcgcctc ctgcacacag cagacacctg 420
tcagctagag gtggccctga ttggagcctc tccccgggga aaccgttccc tgtttgggct 480
ggaggtagcc acattgggcc agggccctga ctgcccctca atgcaggagc agcactccak 540
cgaacgatga atatgcaccg gccgtcttcc agttggacca gctactgtgg ggctccctcc 600
catcaggctt tgcacagtgg cgaccagtgg cttactccca gaagccgggg ggccgagaat 660
cagccctgcc ctgccaagct tcccctcttc atcctgcctt agcatactct cttccccagt 720
cacccattgt ccgagccttc tttgggtccc agaataactt ctgtgccttc aatctgacgt 780
tcggggcttc cacaggccct ggctattggg accaacacta cctcagctgg tcgatgctcc 840
tgggtgtggg cttccctcca gtggacggct tgtccccact agtcctgggc atcatggcag 900
tggccctggg tgccccaggg ctcatgctgc taggggggcgg cttggttctg ctgctgcacc 960
acaagaagta ctcagagtac cagtccataa attaaggccc gctctctgga gggaaggaca 1020
ttactgaacc tgtcttgctg tgcctcgaaa ctctggaggt tggagcatca agttccagcc 1080
ggcccttca ctcccccatc ttgcttttct gtggaacctc agaggccagc ctcgacttcc 1140
tggagacccc caggtggggc ttccttcata ctttgttggg ggactttgga ggcgggcagg 1200
ggacagggct attgataagg tccccttggt gttgccttct tgcatctcca cacatttccc 1260
ttggatggga cttgcaggcc taaatgagag gcattctgac tggttggctg ccctggaagg 1320
caagaaaata gatttatttt ttttcamaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1380
aaaaaaaggg cggccgc 1397

<210> 453
<211> 1368
<212> DNA
<213> Homo sapiens

<400> 453
ctgaattgcg gccgtatgcg cggctctgtg gagtgcacct ggggttgggg gcactgtgcc 60

cccagccccc tgctcctttg gactctactt ctgtttgcag ccccatttgg cctgctgggg 120
gagaagaccc gccagctgct tgagtttgac agcaccaacg tgtccgatac ggcagcaaag 180
cctttgggaa gaccatatcc tccatactcc ttggccgatt tctcttggaa caacatcact 240
gattcattgg atcctgccac cctgagtgcc acatttcaag gccaccccat gaacgaccct 300
accaggactt ttgccaatgg cagcctggcc ttcaggtcca ggccttttcc aggtccagcc 360
gaccagccca acccccctcgc ctcctgcaca cagcagacac ctgtcagcta gaggtggccc 420
tgattggagc ctctccccgg ggaaaccgtt ccctgtttgg gctggaggta gccacattgg 480
gccagggccc tgactgcccc tcaatgcagg agcagcactc catcgacgat gaatatgcac 540
cggccgtctt ccagttggac cagctactgt ggggctccct cccatcaggc tttgcacagt 600
ggcgaccagt ggcttactcc cagaagccgg ggggccgaga atcagccctg ccctgccaag 660
cttcccctct tcatcctgcc ttagcatact ctcttcccca gtcacccatt gtccgagcct 720
tctttgggtc ccagaataac ttctgtgcct tcaatctgac gttcggggct tccacaggcc 780
ctggctattg ggaccaacac tacctcagct ggtcgatgct cctgggtttg ggcttccctc 840
cagtggacgg cttgtcccca ttagtcctgg gcatcatggc agtggcctgg gtgccccagg 900
gctcatgctg ctaggggggcg gcttggttct gctgctgcac cacaagaagt actcagagta 960
ccagtccata aattaaggcc cgctctctgg agggaaggac attactgaac ctgtcttgct 1020
gtgcctcgaa actctggagg ttggagcatc aagttccagc cggccccttc actcccccat 1080
cttgcttttc tgtggaacct cagaggccag cctcgacttc ctggagaccc ccaggtgggg 1140
cttccttcat actttgttgg gggactttgg aggcgggcag gggacagggc tattgataag 1200
gtcccccttgg tgttgccttc ttgcatctcc acacatttcc cttggatggg acttgcaggc 1260
ctaaatgaga ggcattctga ctggttggct gccctggaag gcaagaaaat agatttattt 1320
tttttcaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaa 1368

<210> 454
<211> 1763
<212> DNA
<213> Homo sapiens

<400> 454
ccacgcgtcc gattcaagtg atcaagattt taaaatatga aaagaaactg gccaaaatgt 60
gctttttaat gatattcacc ttcctggtct gttggatgcc ttatatcgtg atctgcttct 120
tggtggttaa tggtcatggt cacctggtca ctccaacaat atctattgtt tcgtacctct 180
ttgctaaatc gaacactgta tacaatccag tgatttatgt cttcatgatc agaaagtttc 240
gaagatccct tttgcagctt ctgtgcctcc gactgctgag gtgccagagg cctgctaaag 300
acctaccagc agctggaagt gaaatgcaga tcagacccat tgtgatgtca cagaaagatg 360
gggacaggcc aaagaaaagt gactttcaac tcttcttcca tcatttttat catcaccagt 420
gatgaatcac tgtcagttga cgacagcgac aaaaccaatg ggtccaaagt tgatgtaatc 480
caagttcgtc ctttgtagga atgaagaatg gcaacgaaag atggggcctt aaattggatg 540
ccacttttgg actttcatca taagaagtgt ctggaatacc cgttctatgt aatatcaaca 600
gaaccttgtg gtccagcagg aaatccgaat tgcccatatg ctcttgggcc tcaggaagag 660
gttgaacaaa aacaaattct tttaattcaa cgggtgcttt acataatgaa aaaaccactt 720
gtggcacacg atgggcatct aacatcatca tcttctaatg tgttggagat tttcatttca 780
aatatatttt ttaaattact ctattttcca aaacacgtaa tgcatttttc tcgaaaatac 840
cttactgtaa aaataactgt cgcgtacaca tgtgtgaagt agctagaaca tactgaattt 900
ttttttgtac tgttggactc tattcagtgt catgtcctat atctgatcaa gttatcaagg 960
agataattct agaatgaaaa agaaaatcct cttgttggaa acaaaagacg ttttatatgt 1020
gcagtatgac aaagaggagt ttcagagaca actttgaatc cttgtcagcc tggagaccag 1080
caccagagga atctacaagg caaactccca tatatttgct tcccccaaat tgctgcccct 1140
acagactcaa agctcttttt ctttgttttg ttgtttctct aaaaatttac tgttctttgt 1200
cgatgctata taagccaggg agttctaaga cgccagctct ttgagatttg ctcattcccc 1260
tgtatttccc acatatatat tacatatacc cgctaataaa tttatgtttg tttttctctt 1320
gtcaatctgt cttttgttat aggggcccca gccaaggaac ctaaagtggg tagaaggaaa 1380
aattattttt tctttcccta caaactgaac atggattatt agaactcaag gttttcattg 1440
acaatataga aaagaaacac tgaatcattt tattttattg cccaattttt atttcttata 1500
tgactctagt gtttcatctt cataattaat catgtttgaa ggatttctga gtgactcagc 1560
agcctgttaa agaaggatga accaaagaaa acatttcact aaatgtgctt ttaaaaatca 1620
agtgtattgc tggttctgct gcagtatgta gtcgaagaat aaattagtaa attgcttctg 1680
agggtctgaa attgaataaa gtaatggctt tgtatttcta taaaaaaaaa aaaaaaaaaa 1740
aaaaaaaaaa aaaaaaaaaa aaa 1763

<210> 455

<211> 1274
<212> DNA
<213> Homo sapiens

<400> 455
gcccacgcgt ccgctgttgc tcaaaggaaa taggagttgg tgtgcttgtg accaaggggt 60
tacacttmca gcttttaaaa ttctccttta catgtgctca gtgttttgkt ttgtgttttg 120
gtttctgttt tttattttaa ttcccacatt gggcacaaga atcagaatat ggatagctag 180
tttaagaaac ttttgtgggt gcactgtagc atagatgaca gaatttgatg ttccccccat 240
ctccaattca gttcagggca ttccacagtt aaacagaaat gggaacgtgg ggctcttata 300
aatgaatggg cgctcacagt tttggttttc agctcttcat gtctgtaagt gtgctttggg 360
graggctatg tctgtatggt cgattctcag ttatcacatt tgcctctcct cccactacct 420
tcatgamcat tcagtgctgt tcgcactgca gttagagaga agggacggac agttggtgac 480
actcagccac attgctactt ttatctgttc tggtaagaag ttagatagat ggtagattga 540
agcaattggg tagaattagt tgggggaata tttatgagtt gctgtgtttg ttgattagtt 600
ccatctcttt cccattttaa ctgagaattg attatatata gctctaagta tataggtatt 660
taaacaaccc cacaagcggc tgtatcagta acatttatta attccactat agtgagggag 720
gatttccatt ctaaatacct tattttgagg gatttataaa acttagttgt aaaagagaaa 780
gcccacatag tgggaataaa ttgcttcagc cattttagt atttgagagc actagggaag 840
atgtttagta gctgtgtgga tgccttttt cacaccctgt ctattgaatg ctgcatccat 900
tcacgaagtt aaatgttaca tgcagttagt ccttaatgtg gactggatct gtacttttgt 960
tttggattaa aacatttaaa gatttttgaa gtgcagctac tccccacgtg catttgmtac 1020
acataaaagt catactgtgt gtgcacaaag agtacatgga ttttccagca taytgcttta 1080
aaaaattata taaactgtta aaatattaac acctcaggct acctgctgta ttctgtccca 1140
ttgacccctg gaattggatt tactgcaagt gattgataat tcaattatgt ggcttttccc 1200
ctttaatctt gccatttaaa ttacagtaga aagacaaaat caagtaaaat aaagtgttag 1260
ataatagaaa gagt 1274

<210> 456
<211> 1124
<212> DNA
<213> Homo sapiens

<400> 456
gattgcctac aaatgtcaga ggtataatgg tttggttttc atgctggctt ctcacacagt 60
ccatcacagt gattcttgga gccagaggga ggtatggaag actgtgtgtt ctccaaggga 120
ggcactgtgg tctggtggat aagagtggga gtcccaatcc tttctccgca gatgtgctag 180
ctgtgcactc tgggcaagtt tctcactctc ctgagcctca gcgtctttat caatatgacg 240
agaataaata cagcacctgc ctacctcatg gggttgtttc agcagtcaat gagatcatgt 300
atatgaagca tttagtatac ctagcaccta ataaaagctc aacaaccagt agtcttatta 360
ctaacaaaat ggagctagaa ggatgcatta gtttaaacaa aatcttgagg cagatactgg 420
gagtacctgt ctttattctt caacttgagt ctcctcccag tttgtttgga taaaaactca 480
aatgtaatat ttttaatttg ggtaaaagaa cttctgagaa agggttgaac atctatccac 540
ttgccttttt atgcctaggg aactagagat acttgttggc ggcatcgcaa atgttgctga 600
cttatgaagt actgcagtat ctgaatacct ttttgtagga taatctaaag tttccaaaaa 660
atagtatagt gttgtagtga agaacttgga ctcttaagcc agattatttt gttcagattc 720
agaaatcccc tccactccac ccactggctg tatagccttg cccaaatcac tgaatctctg 780
tgtgtctgcg tcctggtgtg tgaaatgagg acaatagtag ctattgggta gggttggcct 840
ggggtctaag tgatgactgc ctgtaaggtg tttagaacag tatttggtaa acaactggca 900
ctcaatcagt gttgctgtga ttatgatgat ttattccaag gttgcttgct ttccagtaca 960
tcatagacta ctacttgacc aaatttacta gcaatggagt acctgaaagt tttacatgtg 1020
cacatttgca tgaaaacccc acaaaatttc cctttgaaca gtgaagggga cggcacaaag 1080
ataattcttg gcactaagct taaaaaaaaa aaaaaaaaac tcga 1124

<210> 457
<211> 2409
<212> DNA
<213> Homo sapiens

<400> 457
ccacgcgtcc gcttcgacga cgacacctgc agaagtgcgg acccgccatg ccgcgccacc 60

tctcgggact gctcctgctg ctctggccgc tgctgctgct gctgccgccg acccccgccg 120
cccccggccc cctggcccgc ccgggtttgc ggaggctggg cacgcggggc ccaggggca 180
gtcccgggcg ccgccctggc tctgctgtcc ccacccgcgc gccctattcc ggggccggcc 240
agcccggcgg ggcccgaggc gcaggtgttt gcaggagcag gcccttggat ttggtgttca 300
tcatcgatag ttcccgcagt gtgcggcccc tggagttcac caaagtgaag acctttgtct 360
cccagataat tgacactctg gacattgggg cggcagatac acgggtggca gtggtgaact 420
atgctagcac cgtgaagatt gagttccatc tccagaccca ctcagataaa cagtccttga 480
aacaggctgt ggctcggatc acacccctgt ctacaggcac catgtccggc ctggctatcc 540
agacagcaat ggatgaggcc ttcacggtgg aggcaggagc tcgggggccc acttccaaca 600
tccctaaggt ggccatcatc gtgacagatg ggaggcccca ggaccaggtg aatgaggtgg 660
cggctcgggc ccgggcatct ggtattgaac tctacgccgt gggcgtggac cgggcagaca 720
tggagtccct caagatgatg gccagcgagc ccctagacga gcacgttttc tatgtggaga 780
cctacggggt cattgagaaa ctctcctcta gattccagga aacctttgc gctctggacc 840
cgtgtgtgct tggcacacac cggtgccagc acgtgtgtgt cagtgatggg gaaggcaagc 900
accactgtga gtgcagccaa ggctactcct tgaacgccga tcagaagacg tgttcagcta 960
tcgataagtg tgctctgaac actcacggtt gtgaacacat ctgtgtgaac gacagaactg 1020
gctcttacca ctgtgagtgc tacgaaggtt acaccctgaa ccaagacagg aagacttgtt 1080
cggctcaaga ccaatgtgcc tttggtacac atggctgcca gcacatttgt gtaaatgaca 1140
gagatgggtc ccatcactgt gaatgctacg agggttatac tctgaatgct gacaacaaaa 1200
cgtgttcagt tcgcagcgag tgtgctgggg gctcgcacgg ctgccagcac ctgtgtgtgg 1260
acgacgggcc cgcggcctat cactgcgatt gtttccccgg ctacaccctg accgaagacc 1320
ggaggacgtg cgcagccatt gaagaagcac gaagactcgt ctctacagaa gatgcttgtg 1380
ggtgtgaagc caccctggcc ttccaggaga gggccagctc atatctgcag agactgaatg 1440
ccaaactcga tgatattttg ggcaagttgc aagcagatgc gtatggacaa atacatcgtt 1500
gaattactca gatttttcac ctggatatac ggagagcttg gtctatttaa tatttttgca 1560
tacttcaatg ttcctgctaa taatttgcca ttgcaaatgc tttaatatta ctggataagt 1620
agtatgagga tcttctagag aatcagtagg acataaacgt tcacatcctt aagagcaaac 1680
tttagtgtct ctaagctatg actgtgaaat gattcatggg gaatagaatg aaaagtttgg 1740
tatctcttta tttaccaatt gagccattta atttttaaat gtttatatta gtaagataac 1800
cattcttaca atgggaactt tttatctatt ttctcttgat agtatttata gtataaacca 1860
gttttattat tgagagtgta aattatacaa gtatttacac ataaaaaagt tcatataatt 1920
gaggtaaata taatttagaa ctgtttcttt aatgctttgt tttttgctca ctttttgctg 1980
gaatatcact gaagctgtga tcaggggatt ataacacata tcaagatcaa gtgaacacta 2040
catgaaatat tgtaagaaac acataactaa agactttagt tttgaattaa gtgttataac 2100
ttcttaccaa gttttggtaa aaaatcctac attatcttta ctgtttcact ttaggattca 2160
atcaagaaaa ttatatactt ataaatattg atctaaaaag ttaacaacaa acccaatgtc 2220
gccattttaa agtttaagct taacttttct tcacttacat atttagtata tgtattttat 2280
ttttccgctt gaaagcttat agctcttagg agaaaaccat cctttaaatt gtgactactc 2340
atttttttctg tttgtattgt ctttagtata ataaaaagtt actatcttta taaaaaaaaa 2400
aaaaaaaaa 2409

<210> 458
<211> 876
<212> DNA
<213> Homo sapiens

<400> 458
caggtaccgg tccggaattc ccgggtcgac ccacgcgtcc gcttcgacga cgacacctgc 60
araagtgcgg acccgccatg ccgcgccacc tctcgggact gctcctgctg ctctggccgc 120
tgctgctgct gctgccgccg acccccgccg cccccggccc cctggcccgc ccgggtttgc 180
ggaggctggg cacgcggggc ccagggggyw ktcccgkkcg ccgccctgkc tctgctgtcc 240
ccacccgcgc gccctattcc ggggccggcc agcccggcgg kgcccgaggc gcaggtgttt 300
gcaggagcag gcccttggat ttggtgttca tcatcgatag ttcccgcagt gtgcggcccc 360
tggagttcac caaagtgaag acctttgtct cccagataat tgacactctg gacattgggg 420
cggcagatac acgggtggca gtggtgaact atgctagcac cgtgaagatt garttccawc 480
tccagaccca ctcagataaa cagtccttga aacaggctgt ggctcggatc acacccctgt 540
ctacaggcac catgtccggc ctggctatcc agacagcaat ggatgargcc ttcacggtgg 600
aggcaggagc tcgggggccc acttycaaca tccctaaggt ggccatcatc gtgacagatg 660
ggaggcccca ggaccaggtg aatgargtgg cggctcgggc ccgggcatct ggtattgaac 720
tctacgccgt gggcgtggac csggcaraca tggagtccct tcaagatgaa tggccagcga 780
agcccctaga cgagcacgtt ttctatgtgg agacctacgg ggtyattgag aaaccttcct 840

ytagattcca ggaaaccctt ttgcgctctt ggaacc 876

<210> 459
<211> 1586
<212> DNA
<213> Homo sapiens

<400> 459
tttattatac taaagmcaat acaamcagaa aaaatgagta gtcacaattt aaaggatggt 60
tttctcctaa gagctataag ctttcaagcg gaaaaataaa atacatatac taaatatgta 120
agtgaagaaa agttaagctt aaactttaaa atggcgacat tgggtttgtt gttaactttt 180
tagatcaata tttataagta tataattttc ttgattgaat cctaaagtga aacagtaaag 240
ataatgtagg attttttacc aaaacttggt aagaagttat aacacttaat tcaaaactaa 300
agtctttagt tatgtgtttc ttacaatatt tcatgtagtg ttcacttgat cttgatatgt 360
gttataatcc cctgatcaca gcttcagtga tattccagca aaaagtgagc aaaaarcaaa 420
gcattaaaga aacagttcta aattatattt acctcaatta tatgaacttt tttatgtgta 480
aatacttgta taatttacac tctcaataat aaaactggtt tatactataa atactatcaa 540
gagaaaatag ataaaaagtt cccattgtaa gaatggttat cttactaata taaacattta 600
aaaattaaat ggctcaattg gtaaataaag agataccaaa cttttcattc tattccccat 660
gaatcatttc acagtcatag cttagagaca ctaaagtttg ctcttaagga tgtgaacgtt 720
tatgtcctac tgattctcta gaagatcctc atactactta tccagtaata ttaaagcatt 780
tgcaatggca aattattagc aggaacattg aagtatgcaa aaatattaaa tagaccaagc 840
tctccgtata tccaggtgaa aaatctgagt aattcaacga tgtatttgtc catacgcatc 900
tgcttgcaac ttgcccaaaa tatcatcgag tttggcattc agtctctgca gatatgagct 960
ggccctctcc tggaaggcca gggtggcttc acacccacaa gcatcttctg tagagacgag 1020
tcttcgtgct tcttcaatgg ctgcgcacgt cctccggtct tcggtcaggg tgtagccggg 1080
gaaacaatcg cagygatagg ccgcgggccc gtcgtccaca cacaggtgct ggcagccgtg 1140
cgagccmmca gcacactcgc tgcgaactga acacgttttg ttgtcagcat tcagagtrka 1200
assctcgtag matwmacagt gatgggaccc atctctgtca tttacacaaa tgtgctggca 1260
gmcatgtgta ccaaaggcac attggtcttg agccgaacaa gtcttcctgt cttggttcag 1320
ggtgtaacct tcgtagcact cacagtggta agagccagtt ctgtcgttca cacagatgtg 1380
ttcacaaccg tgagtgttca gagcacactt atcgatagct gaacacgtct tctgatcggc 1440
gttcaaggag tagccttggc tgcactcaca gtggtgcttg ccttccccat cactgacacm 1500
cacgtgctgg caccggtgtg tgccaarcac acacgggwcc agagcgcaaa aggtttcctg 1560
gaatctagag gagagtttgg caattt 1586

<210> 460
<211> 1011
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2)..(2)
<223> n equals a,t,g, or c

<400> 460
cnccctttttt ttttttttttt ttttttttttt ttttttttttt ttttttttttt ttttttttttt 60
ttgcagctta aaagcatttt attaagcatt tttggatgtt gcttcctacc acttaagaat 120
aaaaaatgca ttttaataaa aacaaatcta tactgaagtc attttccttt gtgagaggaa 180
atatgaatga aatacattca tacttaaaaa cagagtattt tactgccaaa actttaaata 240
tctcaagagc ataccacatt ttaaacacat tatggtcatg tagctatttc aatattcctg 300
ggagtggtgg gcaattagcc tgtctatggc ttaggatctg tttccatgct tgcttcctga 360
gcttcttcta cctctgagag tttttcatca ttttccaatg tttgctgaag ttcatggatg 420
gtactaagaa gaacatgaaa ctgtttccgt ctcaattcca gcttatcttc aacactttct 480
ttaatgtgtg aaagatgctc taattctttt cccagagcct ctagttcctt taatgtctca 540
tgcctgtctg gatggtgctg aatcactttt gccaaagcat catattcttg gcgatttttt 600
cgtattcgtt ttgcttgaag aatttgcttt ttgcactcag caatttttc atgtgctcca 660
gctatgctac attctatttc cttgtaaatt ttttcataat tttccatttc tctgagattc 720
atatcatata ctagtaaagt tttgcccatt gaaaattcac attgagacag cgtgctcagc 780
atacgttggt actggctata tccctcttcc tgggacccag agttgcacca tttaatgaaa 840

ctcttcacta gcagattaat tctccgatca tctccagcac catctccatc aatgaggaga 900
cgcttccgta taattcgtcg tcagtcacgg ctcccatggc gtgcgcggcg gcggcggcgg 960
gcaagctgag gcggcggttg gcggcggcgg cggaggtcaa actcccacaa t 1011

<210> 461
<211> 427
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (230)..(230)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (290)..(290)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (338)..(338)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (381)..(381)
<223> n equals a,t,g, or c

<400> 461
tcgacccacg cgtccgcgga cgcgtgggcg gacgcgtggg cgcggcctcc cggcgctcgg 60
ctccgacccc gccgccgcca ccatgcagcc ccccagcctg ctgctgctcg tcctcgggct 120
gctcgctgcg cccgccgccg cgctcgtccg aatcccgctg cacaagttca cctctgtgcg 180
ccggaccatg tcggagttgg ggggccccgt ggaggatctg atcgccagan gccccatttc 240
aaaatacgcc caggggggtgc ccagtgtggc ggggggtccc gttccggagn tgctcaagga 300
aactacatgg aacgcgcaaa tactacgggg aaaattcngg catccgggaa cgccccccg 360
caaattgctt ccacccgtcc ntccttttga aaaacggggt tccttcccaa ccttgttggg 420
ttccccc 427

<210> 462
<211> 1500
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (8)..(9)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (417)..(417)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1431)..(1432)
<223> n equals a,t,g, or c

<400> 462
tggttttnnt ttttttttt gaggcccaga cgactgtatt tccacgttca cttcggctcc 60

tggtcactca agaggggaaa agctcacaga aggtggcacc agcccccccc tccccttctt 120
ccccaacccg gcaccagcaa atgccctcct agatggggtc aagccccagg aggaccccaa 180
aggcatcaca aggctgcctt ttgtccctga gtcccgaccc ttccaagccc ttcctgcttg 240
tccttgggcc tcggcgggtc ccttccacga tgggccacac gggaagacag gccagcagtg 300
ccccgctctg gaccccagac cagaccccag gaggagaagc ccagagaaca gcctggcctg 360
gggtgggggc tcagtccaga agtcctgcct gggcagccag gcccccgaag cacgggntgg 420
gggggggggg gggaactacc tgggccgggg gagggggtcc cgcgtgcaag acgatgggcg 480
gccgagccag gctggggctt cccagtcagt gacgtggctc cagactcggg gtcagcctag 540
tggctgctgc cccgcacccc gccctctact agacagacag acacaccaag gccggggaaa 600
ccacagaaca aaacggcagc ccgacagccc ggcgcctgca gagctgggct ttgagtgtga 660
gtctgagcgt gagtgtgtgc ggcaggggtg gccgggaggg cggggcggcc agcctcctcc 720
tgccggaccc cgtcctcccc agcgggcggg cagctagagc ctggtggcct cggccaggcc 780
cacgcggttc tggtcccggt cgaacacggt gtagtagcgg ccgatgaaga cgtcccccag 840
gatccagagc ggcccgccgg gcgggggggat gtccatgccc atgaagccgc tcaagcagat 900
ggacttcccg ccctgcgaca ccttgagcgt gtagtcctct gacgacagct tgtagggttt 960
gccgcccagc gtcagggtga cctcgggcaa ggtggacacc ttctcacagg ggatcatgta 1020
ctcgccctgr atcarcggca cggccccgat ggccttctgc agctcgcgca cctcgtccac 1080
ggggcccacg atgagcgagg tgcccgtgtc cacgatggcc tcgcagcccc ccttgcacag 1140
ggtcaggctg ctgcccacgt ccacctgttc catgtggacc tgccagtacg ccttgcgggt 1200
cacgttgagg taggacaggg gacccttgta gtacttggag tctgtgccgc ccagcatgag 1260
ctcaccccca ggctgcgcgc cggggtccct gttcaggtag aaagagaaga tgttcttctc 1320
caccagcttc tgctgcatca ggttatcaaa gwcgggaagc acattgttga ccgagatgcg 1380
ggggtaggcc atgcccagga tgccgtcgaa cttggccgcg atgaaggtga nncccggctg 1440
cttggtggct tccccgaacg tctgcctctc caccttgacg ccagccaggc tcgacagacc 1500

<210> 463
<211> 1234
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1058)..(1058)
<223> n equals a,t,g, or c

<400> 463
cgccggccgc gcccacgtga ycggtccggg tgcaaacacg cgggtcagct gatccggccc 60
aactgcggcg tcatcccggc tataagcgca cggcctcggc gaccctctcc gacccggccg 120
ccgccgccat gcagccctcc agccttctgc cgctcgccct ctgcctgctg gctgcacccg 180
cctccgcgct cgtcaggatc ccgctgcaca agttcacgtc catccgccgg accatgtcgg 240
aggttggggg ctctgtggag gacctgattg ccaaaggccc cgtctcaaag tactcccagg 300
cggtgccagc cgtgaccgag gggcccattc ccgaggtgct caagaactac atggacgccc 360
agtactacgg ggagattggc atcgggacgc ccccccagtg cttcacagtc gtcttcgaca 420
cgggctcctc caacctgtgg gtcccctcca tccactgcaa actgctggac atcgcttgct 480
ggatccacca caagtacaac agcgacaagt ccagcaccta cgtgaagaat ggtacctcgt 540
ttgacatcca ctatggctcg ggcagcctct ccgggtacct gagccaggac actgtgtcgg 600
tgccctgcca gtcagcgtcg tcagcctctg ccctgggcgg tgtcaaagtg gagaggcagg 660
tctttgggga ggccaccaag cagccaggca tcaccttcat cgcagccaag ttcgatggca 720
tcctgggcat ggcctacccc cgcatctccg tcaacaacgt gctgcccgtc ttcgacaacc 780
tgatgcagca gaagctggtg gaccagaaca tcttctcctt ctacctgagc agggacccag 840
atgcgcagcc tgggggtgag ctgatgctgg gtggcacaga ctccaagtat tacaagggtt 900
ctctgtccta cctgaatgtc acccgcaagg cctactggca ggtccacctg gaccaggtgg 960
aggtggccag cgggctgacc ctgtgcaagg agggctgtga ggccattgtg gacacaggca 1020
cttccctcat ggtgggcccg gtggatgagg tgcgcganct gcagaaggcc atcggggccg 1080
tgccgctgat tcagggcgag tacatgatcc cctgtgagaa ggtgtccacc ctgcccgcga 1140
tcacactgaa gctgggaggc aaaggctaca agctgtcccc agaggactac acgctcaagg 1200
tgtcgcaggc cgggaagacc ytctgcctga gcgg 1234

<210> 464
<211> 1395
<212> DNA

<213> Homo sapiens

<220>
<221> misc_feature
<222> (1338)..(1338)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1382)..(1384)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1390)..(1390)
<223> n equals a,t,g, or c

<400> 464
tcgacccacg cgtccgggag ccatggcgcc gtccgggccg ctgctgctgg tgctgctcgt 60
gccgctggcc gccgcgcggc cgggccctac ttccgtcccg gccggggctg ccgcctgccc 120
ctgcgggggg accagctgtc ggggctgggg cgcaggacct acccccggcc gcacgagtac 180
ctgtccccat ctgacctgcc caagagctgg gactggcgca acgtgaacgg ggtcaactat 240
gccagtgcca ccaggaacca gcatatcccc cagtactgtg gctcctgctg ggcccacggc 300
agcaccagtg ccatggcgga ccggatcaac atcaagagaa agggggcgtg gccctccamc 360
ctgctgtccg tgcaacamkt cytcgaytgg cgccaacgcg ggytctgtga gggggcaack 420
acctgccggt gtsgacgtac gcccatgagc amggcatccc ggacgagacc tgcaacaact 480
accaggctaa ggaccaggaa tgcaacaagt tcaaccagtg tggaacatgc acggaattca 540
aggagtgcca ctacatccag aactacacgc tctggaaagt gggtgactac ggctccctct 600
ccggcaggga gaagatgatg gcggaaatct atgccaacgg ccccatcagc tgcggtatca 660
tggccacgga gaagatggtg aactacacgg gaggcatcta cgcggagtac caggatcagg 720
cctacataaa ccacgtcatt tctgtggtcg gctggggcgt cagcgacggc acggagtact 780
gggttgtccg gaattcgtgg ggggaaccgt gggggggagca cggctggatg aggattgtga 840
ccagcaccta taaagacggg cagggcgcca gttacaacct cgctgtcgag gacacctgta 900
cgtttgggga ccccatcgtt taagggacag gtctccccag aagagcagtg ttatcgtgaa 960
ccataatcag ggggtcctat cgctctgggc actgggttgg ttccaccatg gtctgaaggg 1020
actggggact ggcatcaaac gtgtctgatg gctgctcgcg gccccgtgcg cccagaaggg 1080
agaaggggcg cctgtcagca cacagcctgc cgcggcgccg gccgggagcg cgctcctggg 1140
gaagagtctg caatgggacg gctgagagcc ccgggccggc cactgccctg cccagtgtct 1200
gcctggccac cgtgtgatcc gcaaggccca aacgatgtga ctgcaagctt ctctgtccct 1260
gatttggtgt ttcctgtctg gcagctgtgg tccatgatgt ggtgcggaag cccaagcttc 1320
tcaaagctct tacgttgnct gggattcggt gggggggagt cgggggggtgg aaggagaaag 1380
cnnnccttgn aagat 1395

<210> 465
<211> 270
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (260)..(260)
<223> n equals a,t,g, or c

<400> 465
tgtcagcaca cagcctgccg cggcgccgcc gggagcgcgc tcctggggaa gagtctgcaa 60
tgggacggct gagagcctcg ggccggccac tgccctgccc cagtgtctgc ctggccaccg 120
tgtgatccgc aaggcccaaa cgatgtgact gccaagctcc tctgtccctg atttggtgtt 180
tcctgtctgc agctgtggtc catgatgtgg tgcggaagcc caggcttctc aaagctctta 240
cgttgctggg attcggtggn ggggartcgg 270

<210> 466

<211> 2324
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (15)..(15)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (23)..(23)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (36)..(36)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (92)..(92)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (95)..(95)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (107)..(107)
<223> n equals a,t,g, or c

<400> 466
cgccaaaccc gcctnttccc cgngcgtttg ccgtcnttta aatgccagga tcgatccagc 60
catgataaga tccattgatg agtttggcca anccncaact tagaatncag tgaaaaaaat 120
gctttatttg tgaaatttgt gatgctattg ctttatttgt aaccmttata agctgcaata 180
accaagttac camcamcaat tgcattcatt ttatgtttca ggttcagggg raggtgtggr 240
aggtttttta aagcaagtaa amcctctaca aatgtggtat gsctgattat gatcatgamc 300
agactgtgag gactgagggg cctgaaatga gccttgggac tgtgaatcta aaatacacaa 360
mcaattagaa tcactagctc ctgtgtataa tattttcata aatcatactc agtaagcaaa 420
actctcaagc agcaagcata tgcagytagt ttaacmcatt atacacttaa aaattttata 480
tttaccttag agctttaaat ctctgtaggt agtttgtcca attatgtcac accacagaag 540
taaggttcct tcacaaagat cccaagctag cttataatac gactcactat agggagagag 600
ctatgacgtc gcatgcacgc gtaagcttgg gcccctcgag ggatcctcta gagcggccgc 660
ccttttttt ttttttcat cttttattta tttattattt ttttttacta aggcacatga 720
cgtagaaata ttgaggtaca aaatgcaaat ttctgcataa gatttttaag atattcattt 780
tggaaaatga aggtgaacat catctcccag aatattcagc ttttagcttg ttttttcttt 840
tggaccagtt caaccagcaa cttgtaccta gcgatacagt cttccttgct cttggacggg 900
acacatctgg ctattttgtc ccagcggtca gaggatcccc ttgggtactg ctgcaacgcc 960
agttccagaa gtttctgttg attttgagtc cacggctcct ctgcagaccg agctctctct 1020
tttctcaggc tctcctcgtc gctggactcg ttttgttctg ctatgtcaaa gtccttctgc 1080
cgcttggctc tggacttctc ctctggctcc ggcttcgctg tagcctccag cagcctggct 1140
ggcttccgcc tccgaggccg ggcatcagtg gccccggtct cctgctcacc ggagtctccc 1200
tcctgctcct cctccgctgc caccccctct gcgtcctctc gctgggtgat catgtcatcg 1260
ggcaaggtgg tggccgtttt gatgggcctg gaattctgaa ctgtcgattt gagttcggag 1320
agtctaacca ttcctgggga gcaggtcact gaatccttca gttgcttggc tttggttgtc 1380
acatctgtca cagatcgacc caattcgtgg gcaatctttt cccatcgacc tggagtccct 1440
cctgggaact taaccatact tcttgtcagt tggctgaggt cctcttctgt ccattcaggt 1500
gcctgttttt tctgtgttcg gttcctgttt tccaaccaat catccatttg ttcctcaatt 1560

tcttctatgg aagttccatg atcataagac tgaatatatg tagtttctaa aggtgtgtat 1620
acaggaaatt caggttttgg ttttttaact ttcttctgtt tttgaagtgt ttcaagttca 1680
gttctagtca gtgcatcttc cttttccttc aatcttgttt ctttatattt agcataaaac 1740
tgcccagcat cctggatgag gtgaggtaat gcttttagtg taaggcaaaa ccaaatcccc 1800
agtttgcatg gaagcaaatc atgccactgt ggtttcatca gcaatctttc attttttttct 1860
gaagcaccga gttttgatac atccacactc ttgctgccag tctttttttt cttttctctc 1920
ttttttctac ttagtagttc atccagttgt ttttccaggt agattgacca aaccacagca 1980
taatgaccca ctgtgagaat aatgaacaag agtaatgcca gctcagcatt gctcattttt 2040
ctcacccgcc tgtagtagaa tacaggctgt cgccaatctg gaagtccatt gatcagaata 2100
tcatcatacc tctgccttcg ttcatcatcc tttaaaactt cataaatggc caccaattgt 2160
ctaaactgag tttctgcatt ttcatcttta ttcttgtctg gatgtaaagt tagtgaaagc 2220
ttacgatatg cttttctgat gtctgcagat gatgcatcct gctgcacccc gaggaactgg 2280
tagaagttga gcggacgcgt gggtcgaccc gggaattccg gacc 2324

<210> 467
<211> 2522
<212> DNA
<213> Homo sapiens

<400> 467
gccgctcgac accagcaccc cgcccagagc agtgccgctg cccaaatcct cgcaggcagc 60
tcatcaacgc aattgcaact ccggctggag ccccggacct gcaagcctgg gtgtccgtgg 120
gtccgtctgc ccagccatct gctggtggca cctctccctc ctgccgcctc cctcggtgaa 180
ccccaccttg cagaagtgca gctcgcccgg agcagcccag gagctcagca tgcgtccccc 240
aggcttcagg aacttcttgc tgctggcgtc ctcccttctc tttgctgggt tgtcagctgt 300
tcctcaaagc ttctcgccat ctctgaggag ctggccgggc gccgcctgca ggctgtcccg 360
ggccgagtcg gagcgacgct gccgcgcacc tgggcagccc ccgggggccg cgctgtgcca 420
cggccggggc cgctgcgact gcggcgtctg catctgccac gtgactgagc cgggcatgtt 480
cttcgggccc ctgtgtgagt gccatgagtg ggtgtgcgag acctacgacg ggagcacctg 540
tgcaggccat ggtaagtgtg actgtggcaa gtgcaagtgt gaccagggat ggtatgggga 600
tgcttgccag tacccaacta actgtgactt gacaaagaag aaaagtaacc aaatgtgcaa 660
gaattcacaa gacatcatct gctctaatgc aggtacatgt cactgtggca ggtgtaagtg 720
tgataattca gatggaagtg gacttgtgta tggtaaattt tgtgagtgtg acgatagaga 780
atgcatagac gatgaaacag aagaaatatg tggaggccat gggaagtgtt actgtggaaa 840
ctgctactgc aaggctggtt ggcatggaga taaatgtgaa ttccagtgcg atatcacccc 900
ctgggaaagc aagcgaagat gcacgtctcc agatggcaaa atctgcagta gcagagggac 960
ttgtgtatgt ggtgaatgta cctgtcacga tgttgatccg actggggact ggggagatat 1020
tcatggggac acctgtgaat gtgatgagag ggactgtaga gctgtctatg accgatattc 1080
tgatgacttc tgttcaggtc atggacagtg taattgcgga agatgtgact gcaaagcagg 1140
ctggtatggg aagaagtgtg agcacccaca gtcctgcacg ctgtcagctg aggagagcat 1200
caggaagtgc cagggaagct cggatctgcc ttgctctggg aggggtaaat gtgaatgtgg 1260
caaatgcacc tgctatcctc caggagatcg ccgggtgtat ggcaagactt gtgagtgtga 1320
tgatcgccgc tgtgaagacc tcgatggtgt ggtctgtgga ggccacggca catgttcctg 1380
tggtcgctgt gtttgtgaga gaggatggtt tggaaagctc tgccaacatc cgcggaagtg 1440
taacatgacg gaagaacaaa gcaagaatct gtgtgaatca gcagatggca tattgtgctc 1500
ggggaagggt tcttgtcatt gtgggaagtg catttgttct gctgaagagt ggtatatttc 1560
tggggagttc tgtgactgtg atgacagaga ctgcgacaaa catgatggtc tcatttgtac 1620
cagggaatgg aatatgtagc tgtggaaact gtgaatgctg ggatggatgg aatggaaatg 1680
catgtgaaat ctggcttggc tcagaatatc cttaacaatt acatgagaga ggtctggatt 1740
cttatttttt ctgggccatt agaacatata aatgcgaagg aaaccatgta tattcaccac 1800
taggacaggt taaaaagacc attgtatgtt tttctatttc tgaattacga atgaaatccg 1860
agtacctatt agaaatgagt tatgcaaatt tagatgcaaa taacattaga aaaaaaagat 1920
tcttccataa ttaacataag tggttcctaa cgagagcaat ttttccaccc aaaagtcatt 1980
tggcaacatc tacagacaat tttgattgtc acactgggtc gggtaggaag gtatgctgca 2040
gacatttggt gggtagaggc cagggatgct gctgagcatc ccgcagtgta caggacagcc 2100
cccaaacaag gaattatcca gccccaaatg ccaatagggc tcagactgag aaacattgag 2160
ttatatggct attagaaatc cacattctta cacaagaaag accatattag aatctaagga 2220
aaacatgcat attcacatta attaatcgat cagatttttc cagaattccg tatcagtcac 2280
cattttaata tggggacaat gaagacaagc acacaggagg tagaatatca gagtggggct 2340
ggatcaaggg caaaaactgg tcattaagtc atctgacatt aaatcattta gccactaagt 2400
tatttgtcta ctctcacttt aaactcacca aagaagattc tcttaaagaa attatgaaaa 2460

atgtacaatt taacatttta aataaatagt gacagaagtt gtttataaaa aaaaaaaaaa 2520
aa 2522

<210> 468
<211> 585
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (570)..(570)
<223> n equals a,t,g, or c

<400> 468
gcttcctgca cctggtgacg cttggcgaaa ctgaggtctc atggagaagc cccggagtat 60
tgaggagacc ccatcttcag aaccaatgga ggaagaggaa gatgacgact tggagctgtt 120
tggtggctat gatagtttcc ggagttataa cagcagtgtg ggcagtgaga gcagctccta 180
tctggaggag tcaagtgaag cagaaaatga ggatcgggaa gcaggggaac tgccgacctc 240
cccgctgcat ttgctcagcc ctgggactcc tcgctccttg gatggcagtg gttctgagcc 300
agctgtctgt gagatgtgtg gtatcgtggg tacaagggaa gccttcttct ccaagaccaa 360
gaggttctgc agcgtctcct gctccaggag ctactcctcc aactccaaga aagccagtat 420
cttggctagg ttacagggaa aaccaccgac caaaaaagcc aaagtcctkc acaaggtgcc 480
tggtctkcca aaattggagc cttcctccaa tctcaaagga caggacagct ggcaratkgg 540
acaccaacag gacaagacgc tctggtcttn ggcttcgact ggggg 585

<210> 469
<211> 4344
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (754)..(754)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2242)..(2242)
<223> n equals a,t,g, or c

<400> 469
tgagaatcct tgtggctttg attcggagtg tctgaacagg atgctgatgt ttgagtgcca 60
cccgcagtgt gtcccgcggg cragttctgc cagaaccagt gcttcaccaa gcgccagtac 120
ccagagacca agatcatcaa gacagatggc aaagggtggg gcctggtcgc caagagggac 180
atcagaaagg gagaatttgt taacgagtac gttggggagc tgatcgacga ggaggagtgc 240
atggcgagaa tcaagcacgc acacgagaac gacatcaccc acttctacat gctcactata 300
gacaaggacc gtataataga cgctggcccc aaaggaaact actctcgatt tatgaatcac 360
agctgccagc ccaactgtga gaccctcaag tggacagtga atggggacac tcgtgtgggc 420
ctgtttgccg tctgtgacat tcctgcaggg acggagctga ytttttaacta caacctcgat 480
tgtctgggca atgaaaaaac ggtctgccgg tgtggagcct ccaattgcag tggattcctc 540
ggggatagac caaagacctc gacgaccctt tcatcagagg aaaagggcaa aaagaccaag 600
aagaaaacga rgcggcgcag agcaaaaggg gaagggaaga ggcagtcaga ggacgagtgc 660
ttccgctgcg gtgatggcgg gcagctggtg ctgtgtgacc gcaagttctg caccaaggcc 720
taccacctgt cctgcctggg ccttggcaag cggnccttcg ggaagtggga atgtccttgg 780
catcattgtg acgtgtgtgg caaaccttcg acttcatttt gccacctctg ccccaattcg 840
ttctgtaagg agcaccagga cgggacagcc ttcagctgca ccccggacgg gcggtcctac 900
tgctgtgagc atgacttagg ggcggcatcg gtcagaagca ccaagactga gaagcccccc 960
ccagagccag ggaagccgaa ggggaagagg cggcggcgga ggggctggcg gagagtcaca 1020
gagggcaaat agcgccaggc ggccgcttgg ccggatccag gggcggtgca gggcggccgg 1080
ccctgcctgc gggagagggc gagcatgaac tggcccggag gacccagctc gagccgccag 1140
gacacagacg tacaggcctc ctcgggaggg agcgcctccc caccactgag ccatcctcag 1200

cagcgtccgc tgcgtctgca ctgatgaccg tctgagccca gctcagcgtt cctggacaaa 1260
cagcctcact cctcagcgtt accgccacac ttgaatttct ccgaatgtca aggttccctc 1320
ccactctatt tttttaggtt aaagttaatt ggcatatgga atgttttaat ctcctctgaa 1380
atgtgtagcg taggcttttc ccaagggtcg ctagaaactc gtcttcgcgt tgcccccttt 1440
ctggctctca gcgccgtcgc cactcgggag aggctgggtg aggcccgtgt gaggactgac 1500
cctggattcc tcgaaactgc cattgtgatc attactctgc tctttggaaa tggctgtatc 1560
atttttttgt actaatgtga attgttcctc agaaacgctt cttttccatc ctagtgagaa 1620
gctggccctg caggtggtgg cagcaatggt gttgtaagat ttcctcccgt agtttttttct 1680
cctcatggat ttgaatgaaa tgccaataac acgtccactt tcaacgtgta gtttacgcgg 1740
agcactttcg aggcctggcc gggttgggcc tacttctcac ctgggcctat cttctgaact 1800
cgctaggttc ttatcaacat ttgggggata actttgtata ttttttttcat ttggcttttc 1860
tttaccagtt tctgattttt attctcaata tatttttgct aaacctattt cacaaatcac 1920
caccgactga agtgtgtgtt tactgatgcg gccctgagct ccatggcgaa aggagtgact 1980
ttgcagggcg tgagaccgca gtctgcttag agcacaggaa gtgacaactt agggagcccc 2040
gtagggcgct gcaggccccg gggaccccag cacgtgggtc taaagagaga cggagtctag 2100
ctctcctgcc acccagagtg gcttccatct cagcactctg tgggtctggt gatggaagat 2160
gcagtctctg ctgatcacat gtgccctctg ccagggcacc tactgagagg tgcggtcctg 2220
ggggtggagg cctgcctggc angtgtgsgt gcctcgtacg tgtgttatgg gcactggtct 2280
aggccaggta tgacacccac tctyctgtga gatttcactt tagtttttaa aaggtccagt 2340
tctacagagt gagacctatc tatctgagta ctacatatgt tttaagactt ggttcttttt 2400
ttgagggatc cttgaccctg ggaagtctgg agcaccctga gaaggggggca ccatgtgtgc 2460
ctttgcccac gtgtcctgag gggctgcttg tctgggaggg agggagagaa cattcagcag 2520
caggtgcttt tttatggcct tttcttaaaa taacctaagg gggacacatc catcttgcag 2580
agaagtttac agaactcccc ttgaaaactg ctgctgaggc tcctgttaaa ttttctgtgg 2640
catcttttat gccttggtaa aaactgcagt gtctttggac ctgagagtgg ctactccgtg 2700
gttttgtgac ctgtaagcgt ggggttcagg ggtgtgtggc cctgcagggt cccacgcctc 2760
cctgagcact gactggaagt ttcactggct ggtggctgtc ccttctccca tcagggtccc 2820
cagcaaagtt aactacacag aggacccagg ggaaacgagc tgtgtagcca ctgacttgct 2880
cgcgcggccg tggcctctga ggggcactcg ccggttaaga cagggtggga gtagtgcttt 2940
ccagttcaga ctctaacttc tcccaaagtg tcctaagaaa atactggatc ggctcataga 3000
tttatgctcc ttatgatgcc ctaacttgga aggttgttct agggacaggc cgggcagtgt 3060
ccccacacac accttagagt cgaaggcccc agggccccgc tgtcacttgc ccaaaagatc 3120
ccttccggca ggtaagggac taccaatgct tacgtcaaaa cagcagaatc ggctttgcag 3180
tgcactttgg ggagcagata ttaacttatt tttgtgttgg acagtagtga aatcttgtga 3240
tttttaatcg ctttgataat acttccaaat tttatgattt ttctgaagga aataatgcaa 3300
acattttaaa tatgtttctc ccccttttcca aaaactgtta aactaatgag caagtaacac 3360
taactttgaa tgtctctaca atacccgttg ataactcagt ggagccaggc tttggggtag 3420
cggccctgag cttgcagggt ttctcgccac tggggctgac cacgccccca gctgtgaccg 3480
tgggtgtggc tggctctcgg ccctgcccag ctttgttctg aggacgtggt gacttcctga 3540
acatcagctt caatcctcca tcattaatgt gaagcaaaac acaaaaaccg ccccaatccc 3600
tcaggattcc ttggcatccg aaaccagcat ctgcacctaa acccataccc acccgtgtgc 3660
gcccacaggg ggatgtgtcc gaatgggcag cttaaaatgt ggtcacctgt gggggaaact 3720
cttcaggcac ctgaagtgag aacccagctg tccgtcctca ggccggcctt tcttccggcg 3780
acacccgtcc atggctggct gggtcccctt cgcagtgttt gtctgtcttg acatctaaac 3840
cccggcgtgt gcagtgccca tcttccagga ctaccttatt ttccagaatt aaacctgttt 3900
tataattcaa gttaatgcaa atgactgtca gttgccaaat atcttgatcc tatgagtgta 3960
gttgatgact gtttgttagt cagtagagta aaatgctgtg tccacggggt gtcacagcct 4020
caccataccc tgttgaggtg tgaaatgccc cgtcagaaat taaatacaaa cttaaatgtg 4080
cctattggtg tctaaacttc atacaatgta aggtcagatt ccttttagga atactgggtg 4140
ctgtcaccag gtttgatagt tagacttaaa aacttgaaat tcacttttttg gggggaggga 4200
tatactgaaa tagagagttg agacttgcca gttgggggaa aatagcattt aaaatggaaa 4260
gctgtgtttg gaaaattgtg tatgagtatt tttgtattaa aaacatttta aaggcttttt 4320
tcttaaaaaa aaaaaaaaaa aaaa 4344

<210> 470
<211> 1258
<212> DNA
<213> Homo sapiens

<400> 470
aaccctcact aaagggaaca aaagctggag ctccaccgcg gtggcggccg ctggctgacc 60

ggcctaaaac taaaatgaca tttattccct agctacaaac atcagcgtta ttatgttaat 120
tataccttgc cctctatcat tataaatggt tgccatggtg tttctaaaaa taagtgtttt 180
accattaatg tgtagagggc aaacaaagca taaagtacta agggatcatg cttatcctag 240
ggtctcacag aagagaggac atatttaatt aatcttgtga attacagaac aggttgtggt 300
ccagacacca agaatcatag gggtttttt ttaaaaaacc taatagaagt agggtgacct 360
ctctctttgg tctaagagtt ctaaaggaag gtaggcatct gtttaattag ttggttcacc 420
ctggctttac ctctggttaa tgcttgtgtt aataggaagg aaaaatcact ttatcttttc 480
ttccaagccc ctccctgcct gacttaccca gactgggatt accagatacc aggtgattta 540
tgtggagatg atttttcacc tttaaactct aagccaagtg taagaaactc ttgatagcta 600
tgtctatttt atatcagtca ctgagacttt tttttaagtt tttatttatt attaagacaa 660
ctttgccaaa aaagtcccct aagcacaact atttacattt ctttatagcc tcttctgatc 720
tctaacacat atgcagtttt aactgttatt ttcatagtaa ctgatctttt gtctaaggat 780
ttttacctga aagcacaatg tattgagtct cttgaaaatc atctttcaga tctttttaca 840
gaatgaactt atgcactgct actgtagtat tctcaaggaa tatatgtaaa cacaaatgta 900
tgcctgaggt tggtttttgc agaaaacagt ctctgcttct aaaaacttct atgtctagtc 960
ttccatagga aatcctcact gtttaaccat gtgaggagcc taagtcatta aacggatcat 1020
gtctgtacat tgtgtaatga atgaaaagca cataaatgta atctactttg aactttgtaa 1080
aaatgatgtg tggaggctat tcttgtttct ccatctcaag tcctgtgtgt gcacgtgtgt 1140
gcaagtgcac atgtgtgtgt gtaataacac attgtaaaga acagaaatta ctttaaaaaa 1200
taaacagaaa tggagacctg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaa 1258

<210> 471
<211> 2527
<212> DNA
<213> Homo sapiens

<400> 471
ctcttgctac cttcccggcg cagagaaccc cggctgctca gcgcgctccg gggtcatgga 60
gatccccggg agcctgtgca agaaagtcaa gctgagcaat aacgcgcaga actggggaat 120
gcagagagca accaatgtca cctaccaagc ccatcatgtc agcaggaaca agagaggtca 180
ggtggtgggg accagaggtg gctttcgtgg ttgcacagtt tggctaacag gcttgtctgg 240
agcgggaaag actactgtga gcatggcctt ggaggagtac ctggtttgtc atggtattcc 300
atgctacact ctggatggtg acaatattcg tcaaggtctc aataaaaatc ttggctttag 360
tcctgaagac agagaagaga atgttcgacg catcgcagaa gttgctaaac tgtttgcaga 420
tgctggctta gtgtgcatca caagtttcat atcaccttac actcaggatc gcaacaatgc 480
aaggcaaatt catgaaggtg caagtttacc gtttttgaa gtatttgttg atgctcctct 540
gcatgtttgt gaacagaggg atgtcaaagg actctacaaa aaagcccggg caggagaaat 600
taaaggtttc actgggatcg attctgaata tgaaaagcca gaggcccctg agttggtgct 660
gaaaacagac tcctgtgatg taaatgactg tgtccagcaa gttgtggaac ttctacagga 720
acgggatatt gtacctgtgg atgcatctta tgaagtaaaa gaactatatg tgccagaaaa 780
taaacttcat ttggcaaaaa cagatgcgga aacattacca gcactgaaaa ttaataaagt 840
ggatatgcag tgggtgcagg ttttggcaga aggttgggca accccattga atggctttat 900
gagagagagg gagtacttgc agtgccttca ttttgattgt cttctggatg gaggtgtcat 960
taacttgtca gtacctatag ttctgactgc gactcatgaa gataaagaga ggctggacgg 1020
ctgtacagca tttgctctga tgtatgaggg ccgccgtgtg gccattcttc gcaatccaga 1080
gtttttgag cacaggaaag aggagcgctg tgccagacag tggggaacga catgcaagaa 1140
ccacccctat attaagatgg tgatggaaca aggagattgg ctgattggag gagatcttca 1200
agtcttggat cgagtttatt ggaatgatgg tcttgatcag tatcgtctta ctcctactga 1260
gctaaagcag aaatttaaag atatgaatgc tgatgctgtc tttgcatttc aactacgcaa 1320
cccagtgcac aatggacatg ccctgttaat gcaggatacc cataagcaac ttctagagag 1380
gggctaccgg cgccctgtcc tcctcctcca ccctctgggt ggctggacaa aggatgacga 1440
tgttcctttg atgtggcgta tgaagcagca tgctgcagtg ttggaggaag gagttctgaa 1500
tcctgagacg acagtggtgg ccatcttccc atctcccatg atgtatgctg gaccaactga 1560
ggtccagtgg cattgcagag cacggatggt tgcaggagcc aacttttaca ttgttggacg 1620
agaccctgct ggcatgcctc atccagaaac agggaaggat ctttatgagc caagtcatgg 1680
tgccaaagtg ctgacgatgg cccctggttt aatcactttg gaaatagttc cctttcgagt 1740
tgcagcttac aacaagaaaa agaagcgtat ggactactat gactctgaac accatgaaga 1800
ctttgaattt atttcaggaa cacgaatgcg caaacttgct cgagaaggcc agaaaccacc 1860
tgaaggtttc atggctccca aggcttggac cgtgctgaca gaatactaca aatccttgga 1920
gaaagcttag gctgttaacc cagtcactcc acctttgaca cattactagt aacaagaggg 1980
gaccacatag tctctgttgg catttctttg tggtgtctgt ctggacatgc ttcctaaaaa 2040

cagaccattt tccttaactt gcatcagttt tggtctgcct tatgagttct gttttgaaca 2100
agtgtaacac actgatggtt ttaatgtatc ttttccactt attatagtta tattcctaca 2160
atacaatttt aaaattgtct ttttatatta tatttatgct tctgtgtcat gatttttttca 2220
agctgttata ttagttgtaa ccagtagtat tcacattaaa tcttgctttt tttcccctta 2280
aaaaaagaaa aaaattacca aacaataaac ttggctagac cttgttttga ggattttaca 2340
agacctttgt agcgattaga tttttttttct acattgaaaa tagaaactgc ttccttttctt 2400
ctttccagtc agctattggt ctttccagct gttataatct aaagtattct tatgatctgt 2460
gtaagctctg aatgaacttc tttactcaat aaaattaatt ttttggcttc ttaaaaaaaa 2520
aaaaaaa 2527

<210> 472
<211> 2361
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1891)..(1891)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2356)..(2356)
<223> n equals a,t,g, or c

<400> 472
ggcacgagct cgagtttttt ttttttttttt tttctatttt tgccagactc ttgatactct 60
taaaacttgt ttgtggtcag cacaacaagg aacaaaacaa agctttgaaa aaactttaac 120
atgaaaaaac gcactgacat tttttttttat ttaatatagc ctggacttta cctgcgtatg 180
cacatgctca gaattgtcta ctaggctgac tatgtatcac ctcttcagct tggatccaat 240
tgtggattta tttacaaaca tcaaatgcct tcaagccaat ccttttttgct gtatgttttg 300
cagcctactg tagtagatac gcaacagata wtgtgggaaa aaaagagata agaggaggaa 360
gctaataaga gactgtcaag attgtatacc ttcttggttt cttttaagaa tttgttgcct 420
ttctactatt acagcaaagc agcattttgt tactgactgc ctaaaatcac ttaatctcag 480
gtgaacgcat cacttgccaa actgttggaa tgctatttgt gttttgttgc actgtttttt 540
tcgtttgttt gtttgtttat ttggttggct ttttggagag ggaaatttgg aaacgggaca 600
tacacaaaag ttacacaccc acattccctt tttatcatga catacaagaa gaaactagca 660
gagctaagaa tggagtgaag aaaggcagta tggcaggcac cagcaaagag ttgagggctg 720
ttgctcttaa aaattatttt ttttattatt attttgaaag tatggaagtt ttccattcac 780
tggggaaagg agggaaaagt gcatttattt ttatacagag ttacttaatt acctccaaaa 840
cacatatgtt ggaaatcgct tttgctggtg caaagtatat taatgagcag gaatacatac 900
attgaggtta tgaatagaga gctcaatttg tacctttgct gtcttgctca agcttggtat 960
ggcatgaaaa ctcgacttta ttccaaaagt aacttcaaaa tttaaaatac tagaacgttt 1020
gctgcgataa atcttttgga tttttgtgtt tttctaatga gaatactgtt tttcattacc 1080
taaagaacaa tttgctaaac atgagaaatc actcactttg attatgtata gattacatag 1140
gaagaacaat cacatcagta agttatagtt tatattaaag gtaatttttct gttggctcat 1200
aacaaatata ccagcattca tgatagcatt tcagcatttt ccaaggtacc aagtgtactt 1260
attttgttgt tgttgttgtt gttgtatttt agaaggaatt cagctctgat gtttttaaag 1320
aaaaccagca tctctgatgt tgcaacatac gtgtaaaatg ggtgttacat ctatcctgcc 1380
atttaacccc acagttaata aagtggctga aaataatagt agctctggct tggtgcttga 1440
cctggttaaa tactgtctta aagctcatac aaaacaaata ggcttttcca taagtggcct 1500
ttaagaaaac atggaagaca attcatgttt gacaaatgct gacagggtga agaaagccca 1560
gtgtaaaaat gaatcgcgtt ttaagtgatt cggttaaaga gtttgggctc ccgtagcaaa 1620
ctaatactag ataataagga aatgggggtg aaatattttt ttattgttga atcattttgt 1680
gaatgtcccc ctcaaaaaaa gctaatggaa tatttggcat aaagggcatt tggtggtttt 1740
atttttgttt gaggggggwtt gtcagaaaat ccctttttctc tcttacgyct aactgactag 1800
ggaacaattg ttgatatgca tagcattggg aatacttgtc attatatact cttacaaata 1860
acacatgaag caagaatgac caatattctg nataattggg cactgggatc acaaaatgtg 1920
ataaaacttt aaatgtataa aactttatca aataaagttt tattttcccc tttaaaatgt 1980
atttctttag aggcattact tttttaaaaa tattggtcaa ttcctgacat aagatgtgag 2040
gttcacagtt gtattccagt attcaagata gattcctgat ttttcaatta ggaaaagtaa 2100

aatccaaaat gttagcaaaa caaagtgcaa tattaaatgt ttgctttata gattatattc 2160
tatggctgtt tgtaatttct ctttttttcc ttttttattt ggtgctgaat atgtccttgt 2220
aggctctgtt ttaagaaaac aatatgtggg aaatgattta atttttccta ttgctcttcc 2280
ttgtggaaaa taaagtgttt tgtttttttc tgttttgtaa aaaaaaaaaa aaaaaaaaaa 2340
aaaaaaaaaa aagaangaga a 2361

<210> 473
<211> 1739
<212> DNA
<213> Homo sapiens

<400> 473
ggcacgagag atcctcagga tatctttagc caaaggaaaa gctccgcatt cccacctggg 60
gggaaagctg gattgccatg ggcacgaata gtggtgcaga gtccctggcc atcctgaata 120
tccagaatgg tgtttctgaa gttcttctgc atgagtttct tctgccacct gtgtcaaggc 180
tacttcgatg gccccctcta cccagagatg tccaatggga ctctgcacca ctacttcgtg 240
cccgatgggg actatgagga gaacgatgac cccgagaagt gccagctgct cttcagggtg 300
agtgaccaca ggcgctgctc ccagggggag gggagccagg ttggcagcct gctgagcctc 360
accctgcggg aggagttcac cgtgctgggc caccaggtgg aaggatgctg ggcgcgtgct 420
ggagggcatc agcaaaagca tctcctacga cctagacggg gaagagagct atggcaagta 480
cctgcggcgg gagtcccacc agatcggggg atgcctactc caactcggac aaatccctca 540
ctgagctgga gagcaagttc aagcagggcc aggaacagga cagccggcag gagagcaggc 600
tcaacgagga ctttctggga atgctggtcc acaccaggtc cctgctgaag gagacactgg 660
acatctctgt ggggctcagg gacaaatacg agctgctggc cctcaccatt aggaccatgg 720
gacccgacta gtcggctgaa aaatgattat cttaaagtat aggtggaagg atacaaatgc 780
ttagaaagag ggaatcaaat cagccccgtt ttggaaggtg ggggacagaa aatggggcta 840
catttccccc atacctacta ttttttata tcccgatttg cactttgaga atacatctaa 900
ggtcatcttt caaaagagaa aaattggaca cttgagtgac tttgttttta gttttgtttt 960
tgaacattat ttatgtgatt gttatggaat tgtcacctgg aaagaacaat tttaagcaat 1020
gtcatttcta gatgggtttc taattctgca gagacacccg tttcagccac atctaaaaga 1080
gcacagttta tgtggtgcgg aattaaactt ccccatcctg cagattatgt ggaaataccc 1140
aaagataata gtgcatagct cctttcagcc tctagccttc actcctgggc tccaaaagct 1200
atcccagttg cctgtttttc aaatgaggtt caaggtgctg ctttgcatgc ctgccaaccc 1260
atggaagttg tttcttactt cttttctctc ttatttatta accatggtct gagagttgtt 1320
tttgttctat gtaacagtat tgccacaaaa ctataggcaa atcgtgtttg cagggagatt 1380
tctgatgcct ctgtgggtgt gtgtaagtta aagtggccac atttaagaag gccaagcttt 1440
gtagtggttg cacagtcaca ctgatatgct gatttgctct ttctcattgt atgtctatgc 1500
tttgtcatca gtgctatagt aaattacaaa gaaataggta gattgtatga acatacccac 1560
aaatgcctat gatttaggtt accaatgtat tctttctcat ttggggtttt gcttctgtct 1620
gtctgtttat tggaaacttg tacttcaagt agggggaatc ctaattctaa taactcctta 1680
gctaagtttt attattcagg caataaacat gttttcatgt aaaaaaaaaa aaaaaaaaa 1739

<210> 474
<211> 438
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (61)..(61)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (351)..(351)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (436)..(436)
<223> n equals a,t,g, or c

<400> 474
ggtcactcct aatgtaggat gggacgattg ccccaagctc tgtcgtgagt ggttgattga 60
nggttttctt aagggaacaa tgctgggaaa gatgataggc gcccgccact gacccctccc 120
gcctccctgc ccctccagta aactcccaca caaaatagca gtatgaggtg tggggaaata 180
atcttggcct ccgtcctggg tttacttttg actctgccac ctacaagctg tcacctgaac 240
aagtcctttc cgttcctgtg tcttccctgg tcacaagctc taagcctgaa cccacactct 300
gggaatgaag cagggtagcg gcctctgctt cagcaactct gaggggtcta ncttgggtgg 360
ggagttggcc tcatccagaa ggctgctgga aggccaagac aaggctctgg tggggaagtg 420
ttctgagaag ggattnct 438

<210> 475
<211> 538
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (462)..(462)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (498)..(498)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (520)..(520)
<223> n equals a,t,g, or c

<400> 475
gcttgtaggt actcattgag gtttattgtg taagatgaat gaatgttgca aattcctaaa 60
catgtgattc agatgcccaa tcttactctg ttactttatg aaaatttttt aaagctatat 120
gatgttatat caaaatatgt tgttatactt taggataatc ggtgtgttag ccctgaattt 180
cagcataagt cccatttttt tccatgggag tctaggaaag ctatatgttt attcagcagc 240
aaaatacagt ttggaactta aataaactat tgatcaattc tggtcttatg ctagaaggaa 300
taaagcatca agaaaaagaa aagattgctg tcaagaccag gaaaattgac aatagagtat 360
tagaatgcag aaatgagggg aagtggaaar gccascaagt aggagagaaa aagtgcaggg 420
acagtagaaa gtgaatgtag gagcttctga cccagcactc angaacgcaa ttcatcccta 480
aaaagctgtt gcgtctangt tgccagtaac caattaaaan ccgtttgaag tagagtga 538

<210> 476
<211> 1346
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (5)..(5)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (17)..(17)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (21)..(21)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (36)..(36)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (107)..(107)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (150)..(150)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (323)..(323)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1307)..(1307)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1337)..(1337)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1341)..(1341)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1343)..(1343)
<223> n equals a,t,g, or c

<400> 476
tcccntcaag gccgggnggc ntgttcttgg cctttncaac ttttgccttt ccactattta 60
gaatgcaggt gtgtctgtcc tgcaacccag cttctggctc tggaaancca gctgcatcac 120
ccatgtgcct ggaccttctc cagaccatgn aggcccaggc gagtgactca ctgccattca 180
gtctccatct ttgggcagat ccaccatgag acataacttc ccagaaatcc agttacaagg 240
aggaataagt attgaagact taagaaatgc attttgcagc aggtcctcgc tgtactgggg 300
cagcggtcca ttcatagagc ccngctagaa tagaggtcac aagctcagaa gcttctctaa 360
ggcaggcagg aaatttaagt cgatactatg atctgcattg tgggctggaa tgaacggaag 420
gtgcctagtc taaacagctg cttgttgctc agctgttgtt gccgtattgg gaattcaagc 480
ctaatgatgt ttggtattcc cattttcaaa agaagtcagg aaatgcagat ttctatgtaa 540
atttttaaaa cttctgaact gtgtatgagc catacaaaat acatttgcag gccagtcgac 600
atcctctgat ccagaatatc aatttgtgag acaagttgtt ggtgaggcag cattmcatag 660
tagttaaaag catacatttt agagccagac tgcccatgtc caaaccctgg tcccatcact 720
cactmcctty catttcactt ctctttgctt cactttcctc atcagtaaaa taaaaataat 780
atcagtacct acctcatagg gtttcatgag cattaaataa attaaaaccc ataaagtact 840
ttcaatgcta tcaggcattt agttacatgg taaataagtg tttaaaacat ttaaaacaaa 900
agttcaaaga taataarcaa ggaaacagaa aacctgacag gccagctttg gaaccttctt 960
gatggcagat ctatcaacat ttctcccttt ggctgggatg aaaaggcatt tgggaataaa 1020
agatcccata aaaataaatg agaagaagtg aaacaccttc attatggcaa ttttggtgtc 1080
agagcctaaa agacagaggg atcaaaatat tgcagtacta aaatctgatg gtttcatgta 1140

gaaatgagat ttaagcttat taaaatgtat ttctttctgg tgttaataac ccttcacaag 1200
acctgggcaa ttttgaaaga aggaaagaaa atggttctcc ctgtggacaa raagaaacaa 1260
atgactatta aatttttctaa tttggagtga actagggkgr ttccccnagt ttatgtggga 1320
aggtttcagt gagggtngta ngngaa 1346

<210> 477
<211> 912
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (36)..(36)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (93)..(93)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (158)..(158)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (592)..(592)
<223> n equals a,t,g, or c

<400> 477
aaaatggttc tccctgtggc aagaagaacc aaatgnctat taaattttct aatttggagt 60
gaactaagtt gatccctagg tttttgtggg agnccggggt gggggagtcc agtggaaagc 120
aattgctgga gagtagtcct tgttctttgc tgacaganca ggagcagagt gtggaatgaa 180
aactcaatag cctcctctat tctcaagaga caattgactt ccatctgttt aaacctcccc 240
aggggaccct gctcccccca tttccattta ctctcctttc caccaaccta gggtgacatt 300
aagaaaacca aacccatttg aaacacaagc tcttacacat caaaagtcag gggagaagtc 360
tggttgacct gtaagccact gcatgaggca caaagatgca aaaaggaact ttcaggaaca 420
actgctgctc cgaggactct atgtcagata taacatccgc tttggcccaa aagtaggctt 480
gagccccaga agaggaggaa tgtcmagtat gtttaaaatg tgaaaccttt agttatactt 540
gctctttact cagaaaggag agagtattcc cttatgccaa cgaggtctct gngagttgtt 600
tgcactattg gtagcaggtg ctgcctgggg tagctcttat ggtctgtgct tgaagtgtgc 660
accagctgct gccctggaca tgactgttgg tccctgcata caagcagcca cctttaaaca 720
gatcaaatga ctcttatgat gacagctgtc tcactrtact ttcaaactgg ttttaatttg 780
gttacttgca acctaagaca gcaracagca ttttagggat gaattgcgtt cctgaagtgc 840
atgggtcaga aagctcmtac attcacttty tactgtccct gcacttttтc tatcctactt 900
gctgcccttc ca 912

<210> 478
<211> 1177
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1095)..(1095)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1115)..(1115)

<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1142)..(1142)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1162)..(1162)
<223> n equals a,t,g, or c

<400> 478
agccaccatg cccggcctag attaaaaatt tgaagacata ttctctacta tgagccaatg 60
aaattactca ttttgtttct atcccatttg ctgtcccttg cttttggaat tttgtgtctt 120
agtgtgactg tgattctttc tctccttttg tctttcagca aacggggatt cagcgtccga 180
tcctttggaa cagggactca cgtgaagctt ccaggaccag ctcccgacaa gcccaatgtt 240
tatgatttca aaaccacata tgaccagatg tacaatgatc ttcttaggaa agacaaagaa 300
ctctatacac agaatgggat tttacatatg ctggacagaa ataagagaat caagccccgg 360
ccagaaagat tccagaactg caaagacctg tttgatctga tcctcacttg cgaagagaga 420
gtgtatgacc aggtggtgga agatctgaat tccagagaac aggagacctg ccagccygtg 480
cacgtggtca atgtggacat ccaggacaac cacgaggagg ccaccctggg ggcgtttctc 540
atctgtgagc tctgccagtg tatccagcac acggaagaca tggagaacga gatcgacgag 600
ctgctgcagg agttcgagga gaagagtggc cgcacctttc tgcacaccgt ctgcttctac 660
tgagcccagc gcccgcatgg agccgcctct ggagcttcct gttgttcata ctttttcctt 720
cctgacattt gtttttactt acaggtgttc tgctggtgac ggtagcatta cccaaataaa 780
ctgtgcatat gaaatgggag aggagatgcc aaaacgccag atgaaagcaa tcaagtttct 840
tcttttccac ttttacttat gagcrggata ttgattacaa agtttttctt ctttaaccaa 900
aaaggaaaga caacggtttg tgtgcacttc ccgacatacc tgtgtcttcg tgtgcctgcc 960
ttccctccct cctccccacc gggccggact gtacagagcc ctgctgcggc gtgttaggaa 1020
tgacctggaa ttgtcaataa acagatgctg ctgtcaaaaa aaaaaaaaaa aaaaaaaaaa 1080
aaaaaaaaaa raaancaaaa aaaaaaaaaa aaggnggggc cgaaggtttt ttccctttgg 1140
tnggggttat ttttggcttg gnattggcct tcgtttt 1177

<210> 479
<211> 1775
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (820)..(820)
<223> n equals a,t,g, or c

<400> 479
gcggcgcggg tgggggttgt gcgttttacg caggctgtgg cagcgacgcg gtccccagcc 60
tgggtaaaga tggccccatg gcccccgaag ggcctagtcc cagctgtgct ctggggcctc 120
agcctcttcc tcaacctccc aggacctatc tggctccagc cctctccacc tccccagtct 180
tctcccccgc ctcagcccca tccgtgtcat acctgccggg gactggttga cagctttaac 240
aagggcctgg agagaaccat ccgggacaac tttggaggtg gaaacactgc ctgggaggaa 300
gagaatttgt ccaaatacaa agacagtgag acccgcctgg tagaggtgct ggagggtgtg 360
tgcagcaagt cagacttcga gtgccaccgc ctgctggagc tgagtgagga gctggtggag 420
agctggtggt ttcacaagca gcaggaggcc ccggacctct tccagtggct gtgctcagat 480
tccctgaagc tctgctgccc cgcaggcacc ttcgggccct cctgccttcc ctgtcctggg 540
ggaacagaga ggccctgcgg tggctacggg cagtgtgaag gagaagggac acgagggggc 600
agcgggcact gtgactgcca agccggctac gggggtgagg cctgtggcca gtgtggcctt 660
ggctactttg aggcagaacg caacgccagc catctggtat gttcggcttg ttttggcccc 720
tgtgcccgat gctcaggacc tgaggaatca aactgtttgc aatgcaagaa gggctgggcc 780
ctgcatcacc tcaagtgtgt agactgtgcc aaggcctgcn taggctgcat gggggcaggg 840
ccaggtcgct gtaagaagtg tagccctggc tatcagcagg tgggctccaa gtgtctcgat 900
gtggatgagt gtgagacaga ggtgtgtccg ggagagaaca agcagtgtga aaacaccgag 960

ggcggttatc gctgcatctg tgccgagggc tacaagcaga tggaaggcat ctgtgtgaag 1020
gagcagatcc cagagtcagc aggcttcttc tcagagatga cagaagacga gttggtggtg 1080
ctgcagcaga tgttctttgg catcatcatc tgtgcactgg ccacgctggc tgctaagggc 1140
gacttggtgt tcaccgccat cttcattggg gctgtggcgg ccatgactgg ctactggttg 1200
tcagagcgca gtgaccgtgt gctggagggc ttcatcaagg gcagataatc gcggccacca 1260
cctgtaggac ctcctcccac ccacgctgcc cccagagctt gggctgccct cctgctggac 1320
actcaggaca gcttggttta tttttgagag tggggtaagc acccctacct gccttacaga 1380
gcagcccagg tacccaggcc cgggcagaca aggcccctgg ggtaaaaagt agccctgaag 1440
gtggatacca tgagctcttc acctggcggg gactggcagg cttcacaatg tgtgaatttc 1500
aaaagttttt ccttaatggt ggctgctaga gctttggccc ctgcttagga ttaggtggtc 1560
ctcacagggg tggggccatc acagctccct cctgccagct gcatgctgcc agttcctgtt 1620
ctgtgttcac cacatcccca caccccattg ccacttattt attcatctca ggaaataaag 1680
aaaggtcttg gaaagttaaa aaaaaaaaaa aaaaaaaaaa aaaaaactcg agggggggcc 1740
cgtacccaat cgccctatga tgtagtcgta ttaca 1775

<210> 480
<211> 866
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (14)..(14)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (27)..(27)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (33)..(33)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (105)..(105)
<223> n equals a,t,g, or c

<400> 480
cctggcttgc tggncaagcc ttggtgncca tgntgaacaa gttttgtgga agttctgggg 60
agactccaag aactaccagg aacagggata cgagtgccag gctgnatctc ttgctcctct 120
gcagagtcag caggcttctt ctcagagatg acagaagacg agttggtggt gctgcagcag 180
atgttctttg gcatcatcat ctgtgcactg gccacgctgg ctgctaaggg cgacttggtg 240
ttcaccgcca tcttcattgg ggctgtggcg gccatgactg gctactggtt gtcagagcgc 300
agtgaccgtg tgctggaggg cttcatcaag ggcagataat cgcggccacc acctgtagga 360
cctcctccca cccacgctgc ccccagagct tgggctgccc tcctgctgga cactcaggac 420
agcttggttt atttttgaga gtggggtaag cacccctacc tgccttacag agcagcccag 480
gtacccaggc ccgggcagac aaggcccctg gggtaaaaag tagccctgaa ggtggatacc 540
atgagctctt cacctggcgg ggactggcag gcttcacaat gtgtgaattt caaaagtttt 600
tccttaatgg tggctgctag agctttggcc cctgcttagg attaggtggt cctcacaggg 660
gtggggccat cacagctccc tcctgccagc tgcatgctgc cagttcctgt tctgtgttca 720
ccacatcccc acacccccatt gccacttatt tattcatctc aggaaataaa gaaaggtctt 780
ggaaagttaa aaaaaaaaaa aaaaaaaaaa aaaaaaactc gagggggggc ccgtacccaa 840
tcgccctatg atgtagtcgt attaca 866

<210> 481
<211> 2052
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2045)..(2045)
<223> n equals a,t,g, or c

<400> 481
tttgcttttc aaatgctccc aaggtctcag atgaagcggt gaaaaaagat tcagagttgg 60
ataagcactt ggaatcacgg gttgaagaga ttatggagaa gtctggcgag gaaggaatgc 120
ctgatcttgc ccatgtcatg cgcatcttgt ctgcagaaaa tatcccaaat ttgcctcctg 180
ggggaggtct tgctggcaas cgtaatgtta ttgaagctgt ttatagtaga ctgaatccac 240
atagagaaag tgatgggggt gctggagatc tagaagaccc atggtagcct taaaaacctt 300
ctaaaatgct tttrattctg aaaattgggg gaaaaaactt ttaatcacaa ttttcttcaa 360
tacaagggga aaatattctt gcggattccc aacgttttgt gatatgagca gaaaatcatt 420
agcatttccc atcatttgtt catatttgtg ttttctgaca gttgccactt gtagcattgc 480
ctgtactaca gtatttttg ccaacctcag gcatactcgt tacatctgta ttgaactttc 540
ggccctagaa accagtggag ttatttcacc acaaatcaac aatgtgcctg aggtgcatgg 600
gaaatatagt tagctatact ctgaaaatac attatgtttt ttttctttaa acaaaacaca 660
caacatgtaa gcatgtaaga gtaaagaatt gtatgatatg ttccttttt cagttcacca 720
agttggaagc cttttgcagc tctgtggctt ggaatttcat ttgagcaatt tctataggat 780
atgtatttat tattgattgt tatttaawtt ttttcccaat tttacctgta ttaccaaact 840
gggttctcca ataatgtcca aattgtaatg ttgccttgct tcaagataaa gtgtatttgg 900
gaataatatt ataaaccctt acaaatttta tgcatgtatc tactgcatcc ttcaactctc 960
actagaaaat cttttgaaac caaatggatt aatttatggc tatttataat ttgctttgac 1020
atctcactgt tggaaatttt ttaaagatga gatttgcctt tataatgtaa attgtgattt 1080
ttgttttaca tgtgggtttc tatagtttta atttttcag cttttaagat acgagttttg 1140
tgtaatttgg tatttttaat catttatgtt attttaaaag ctcagaatat cacattgaaa 1200
ttactataaa tacatttaaa attatctatt ttagatctaa ggaaatacta cagagatatt 1260
ttcatgggtt cagtaacttt tcattttata acattgggca cggtacagag tgattgtcac 1320
ataaggtact tgaagattta ttagtttaat tctattttta cagtaacctt gaattcttct 1380
gagttttgca tgtattaaat tcaattaatg ctgaacatga agagtaaagt atttatctga 1440
aagaagtttc tgggttagga gaagtaatga atgtatccat ttgtacatgg tttacatgtt 1500
gtggatgctt tgtaaacatt ttcctgtatg tttaaattgt gtttcagcag gatgtaattg 1560
cccttgtgtg tagttaaaat gagtcatcat ctggtccttt gtgaaatgga attcatggta 1620
ttttctgtaa cgttttcctg aagctgtttc tggagagcca cacatttaaa tacagacagc 1680
tttcctgatc atttgattta ttgtgcacct gatttttggt ctaaaaggaa ttattgccac 1740
aatatatttt atttattctt tagattttag ccttgtaagt taaagtgctt tacatgatga 1800
tgtgaaaagc tgtttgtccc tttactgggt ttgggggggtt gttaaaagat agggaatgaa 1860
gaatgcaaaa tggtttatcg ttcaaactgt ccactctgat ccaacctgt actgatagta 1920
cttcccagta tgatattgtg atgtttcata caatgcagtg aacataacca acttgttacc 1980
taaataaaga attgataaaa acagtgtgac atattaaaaa aaaggggggc ccggtaccca 2040
attcncccta ta 2052

<210> 482
<211> 1237
<212> DNA
<213> Homo sapiens

<400> 482
agcaaaccca ggaaggtgtg gcgtccccgc ttcgcgccaa gatggtgctg gtgctgcgcc 60
atcctttgtg tgcccgggaa agggcgttcc gggagccggg tcgggggctc ctgactcgca 120
ctgggcagca tgacggtgcg ccggctgtca ctgctgtgcc gggacctctg ggcgctgtgg 180
ctgctgctga aggccggcgc agtgcgtggg gcgcgggcgg gtcctcgcct ccccggaagg 240
tgttgtgggg cgacatgcgg ggacgccggg cgggggtgga cgttctgggc ccagccctgt 300
cctcagaagc tgctggggca gaagcccggg gctgggggat gccggggatg ggtgttgggg 360
tgggtgcctc cgagaccaga ggagccctgt tccttggcag ggaaggtgtg cacgggcctt 420
gcccgatgga tggtttaggg ccatggccct ggggtccctg gtgagcagtg gggccgcctc 480
tgcccttggc ctgtgaggga ctgtctgtgc tggtcccaga aggctgggat caccctttcca 540
ctggctcctt tgttcgaggt ttttcataga caggctatgt ggacaaatga gggcagcgcc 600
cacgtctggc tggtggaggg gctgcggctc ctccttggag gggacgcctg gccactgctg 660
tccccacaat ggggccaccc gtggtgcaag gcgtgacaag ctgccctctc taggtaagca 720

ggacttggga ggcccctggc caagcctgtg gacccggctg ggcggcctct gtggtctcag 780
gtttgggtgt gtttggtctg gtcagggctc aggggctgct ggtccacact ggccccatcc 840
tgacaattgg agctttgggg caaggtccct ggagaagggg tcacgtcggg aggaaacagc 900
ctgggttttg ttgatgcttt tctaagaatg gagtactcgt tttcaagaga tttgtcctaa 960
ttatattttc cagcgggtac ttatgccaag tattgatgaa taattcataa aataagcatc 1020
tttgtgaatt ttagtgaatc agaccttaac tatcaacggc aatgaatgaa catctaaagt 1080
ttccaatttt aaagtaaaga actggctggg tacagcagtt cacgcctgta atcccagcac 1140
tttgggaggc caaggctaga ggatcgcttg agcccaggag tttgagatca gcctgggcaa 1200
cataccaaga cctcatctgt taaaaaaaaa aaaaaaa 1237

<210> 483
<211> 1681
<212> DNA
<213> Homo sapiens

<400> 483
cgatggcccc gcggccgctc tagaaagtcc cgtttttttt ttttttttt ttttttttt 60
ttttagagta cgttctgcat tttatttytg caggcaacac tttgctcacc agcaagaaca 120
cagcccragg aagggaccca ataacctttc aaaacscaaa ctgctkcctg cggtgagggc 180
ccagggtcct ccacggagag gacaggcatc ttcctttccc accaggaagg agtcagcccg 240
gagcctctgc tatgtgcaag gcggtgtgca agcaccggct gcggctcttt gctgtctctt 300
ctttctcttt ggggctgggc tgggtgtgcg ttctggtgct gatgctttgg cctgtgaggc 360
tgagcttggc ayctcgaccc gttcaattac agcaacgaag aagccactgc tragygtggt 420
ctcaggggar gcccggaggc agtgctcggc acccgggaac gtgctcaggc ctcggtgggg 480
ccaggcaggc agggcgggag ctagcctgaa ggcgcccggg ttctgctgca gcgcatctcg 540
caccacgtct tcattctcct cctggcagag ggagcacgtg gagtagacga gccgctgcag 600
ggaagggaaa gtgagcgcgt ggcacagggc tcgctgctgg aaccctgcca gggcatgcag 660
acgcaccggg ctaggtgtsc ctgccccggg mtcctccagc tgtctgctcg gcatacccga 720
gccactgcag gaaggatcca gcaggayrta gtggacctca ygrtagcgyg gatcyraggg 780
ggagaccgcc aggaagtcct cctcagccag ytcacagcar gagacgccag cccrggccag 840
cagcgtggcc atggatgcca gccgcttggc atccaggtca aaggcaaaga tcttcccttg 900
gttcttcaga agagcagcca agtgactggt cttattgcct ggggcggcac aggcatcgat 960
gacatgggag cctggcgggg ggtccagcag catggctggg agacagctgg ccctgtcctg 1020
cagaatgagg tgtccggccc ggtacagtgg gtgttcatgc agatctgtct gggcgggaaa 1080
caccagcagc tccggcatca aggggtccag gagaaaatgc ttccccttga gggctcgtaa 1140
gtcatcgagg ctggaagccc gaccctgata ggagaaacct tgtctcttga aataatcaac 1200
tacatcatcg gagcaggtct tgagagtgtt cacacgcaca aatcgaggca gctgggaggc 1260
tggaccaggc ctggatccca cttccaacag gtcctcattc cggctcacac cccgatgaac 1320
cttgagccga gccaactcag ccttgagcct cgcctggtgc cggcccaaca gagccttcca 1380
tcggccccca ccccctcgaa agccctttcc caacaacaac tcatacacta gcaccttggc 1440
caggtgcggc cgcagcttct tctccgcacg gaggaggccg gcgctggcga tcacagcatc 1500
cagcacggcg gagtagcgct gcgtttcgca caccagcgcg tacagctgct tcacgttctg 1560
gaagttgctg gagtacacca acccttgat agagcctggc ggctctccac gccggccaac 1620
acgcctgcag ctgcagcata cagccccatg ttccgtcgcg ctttacggct ttgtggcaaa 1680
a 1681

<210> 484
<211> 1863
<212> DNA
<213> Homo sapiens

<400> 484
gactaggccg cgagcttagt cctgggagcc gcctccgtcg ccgccgtcag agccgcccta 60
tcagattatc ttaacaagaa aaccaactgg aaaaaaaaat gaaattcctt atcttcgcat 120
ttttcggtgg tgttcacctt ttatccctgt gctctgggaa agctatatgc aagaatggca 180
tctctaagag gacttttgaa gaaataaaag aagaaatagc cagctgtgga gatgttgcta 240
aagcaatcat caacctagct gtttatggta aagcccagaa cagatcctat gagcgattgg 300
cacttctggt tgatactgtt ggacccagac tgagtggctc caagaaccta gaaaaagcca 360
tccaaattat gtaccaaaac ctgcagcaag atgggctgga gaaagttcac ctggagccag 420
tgagaatacc ccactgggag aggggagaag aatcagctgt gatgctggag ccaagaattc 480
ataagatagc catcctgggt cttggcagca gcattgggac tcctccagaa ggcattacag 540

cagaagttct ggtggtgacc tctttcgatg aactgcagag aagggcctca gaagcaagag 600
ggaagattgt tgtttataac caaccttaca tcaactactc aaggacggtg caataccgaa 660
cgcagggggc ggtggaagct gccaaggttg gggctttggc atctctcatt cgatccgtgg 720
cctccttctc catctacagt cctcacacag gtattcagga ataccaggat ggcgtgccca 780
agattccaac agcctgtatt acggtggaag atgcagaaat gatgtcaaga atggcttctc 840
atgggatcaa aattgtcatt cagctaaaga tgggggcaaa gacctaccca gatactgatt 900
ccttcaacac tgtagcagag atcactggga gcaaatatcc agaacaggtt gtactggtca 960
gtggacatct ggacagctgg gatgttgggc agggtgccat ggatgatggc ggtggagcct 1020
ttatatcatg ggaagcactc tcacttatta aagatcttgg gctgcgtcca aagaggactc 1080
tgcggctggt gctctggact gcagaagaac aaggtggagt tggtgccttc cagtattatc 1140
agttacacaa ggtaaatatt tccaactaca gtctggtgat ggagtctgac gcaggaacct 1200
tcttacccac tgggctgcaa ttcactggca gtgaaaaggc cagggccatc atggaggagg 1260
ttatgagcct gctgcagccc ctcaatatca ctcaggtcct gagccatgga gaagggacag 1320
acatcaactt ttggatccaa gctggagtgc ctggagccag tctacttgat gacttataca 1380
agtatttctt cttccatcac tcccacggag acaccatgac tgtcatggat ccaaagcaga 1440
tgaatgttgc tgctgctgtt tgggctgttg tttcttatgt tgttgcagac atggaagaaa 1500
tgctgcctag gtcctagaaa cagtaagaaa gaaacgtttt catgcttctg gccaggaatc 1560
ctgggtctgc aactttggaa aactcctctt cacataacaa tttcatccaa ttcatcttca 1620
aagcacaact ctatttcatg ctttctgtta ttatctttct tgatactttc caaattctct 1680
gattctagaa aaaggaatca ttctcccctc cctcccacca catagaatca acatatggta 1740
gggattacag tgggggcatt tctttatatc acctcttaaa aacattgttt ccactttaaa 1800
agtaaacact taataaattt ttggaagatc tctgaaaaaa aaaaaaaaaa aaagggcggc 1860
cgc 1863

<210> 485
<211> 1134
<212> DNA
<213> Homo sapiens

<400> 485
tccatctaca gtcctcacac aggtattcag gaataccagg atggcgtgcc caagattcca 60
acagcctgta ttacggtgga agatgcagaa atgatgtcaa gaatggcttc tcatgggatc 120
aaaattgtca ttcagctaaa gatgggggca aagacctacc cagatactga ttccttcaac 180
actgtagcag agatcactgg gagcaaatat ccagaacagg ttgtactggt cagtggacat 240
ctggacagct gggatgttgg gcagggtgcc atggatgatg gcggtggagc ctttatatca 300
tgggaagcac tctcacttat taaagatctt gggctgcgtc caaagaggac tctgcggctg 360
gtgctctgga ctgcagaaga acaaggtgga gttggtgcct tccagtatta tcagttacac 420
aaggtaaata tttccaacta cagtctggtg atggagtctg acgcaggaac cttcttaccc 480
actgggctgc aattcactgg cagtgaaaag gccagggcat catggaggag gttatgagcc 540
tgctgcagcc cctcaatatc actcaggtcc tgagccatgg agaagggaca gacatcaact 600
tttggatcca agctggagtg cctggagcca gtctacttga tgacttatac aagtatttct 660
tcttccatca ctcccacgga gacaccatga ctgtcatgga tccaaagcag atgaatgttg 720
ctgctgctgt ttgggctgtt gtttcttatg ttgttgcaga catggaagaa atgctgccta 780
ggtcctagaa acagtaagaa agaaacgttt tcatgcttct ggccaggaat cctgggtctg 840
caactttgga aaactcctct tcacataaca atttcatcca attcatcttc aaagcacaac 900
tctatttcat gctttctgtt attatctttc ttgatacttt ccaaattctc tgcattctag 960
aaaaaggaat cattctcccc tccctcccac cacatagaat caacatatgg tagggattac 1020
agtgggggca tttctttata tcacctctta aaaacattgt ttccacttta aaagtaaaca 1080
cttaataaat ttttggaaga tctctgaaaa aaaaaaaaaa aaaaaaaaaa aaaa 1134

<210> 486
<211> 626
<212> DNA
<213> Homo sapiens

<400> 486
gcccacgcgt ccgcctaaac acagtcacca tgaagctggg ctgtgtcctc atggcctggg 60
ccctctacct ttcccttggt gtgctctggg tggcccagat gctactggct gccagttttg 120
agacgctgca gtgtgaggga cctgtctgca ctgaggagag cagctgccac acggaggatg 180
acttgactga tgcaagggaa gctggcttcc aggtcaaggc ctacactttc agtgaaccct 240
tccacctgat tgtgtcctat gactggctga tcctccaagg tccagccaag ccagtttttg 300

aaggggacct gctggttctg cgctgccagg cctggcaaga ctggccactg actcaggtga 360
ccttctaccg agatggctca gctctgggtc cccccgggcc taacagggaa ttctccatca 420
ccgtggtaca aaaggcagac agcgggcact accamtgcag tggcatcttc cagagccctg 480
gtcctgggat cccagaaaca gcatctgttg tggctatcac agtccaagaa ctgtttccag 540
cgccaattct ccttctacaa ggatggaagg atagtgcaaa gcaggggggc tctcctcaga 600
attccagatc cccacagctt cagaaa 626

<210> 487
<211> 152
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (41)..(41)
<223> n equals a,t,g, or c

<400> 487
cagcccagct tcatggtgac tgtgtttagg tctccctcgt nccgaattcc tgcagcccgg 60
gggatccact agttctagag cggccgccac cgcggtrgag ctccagcttt tgttcccttt 120
agtgagggtt aatttcgagc ttggcgtaat ca 152

<210> 488
<211> 1760
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1693)..(1693)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1748)..(1748)
<223> n equals a,t,g, or c

<400> 488
gggaattctc catcaccgtg gtacaaaagg cagacagcgg gcactaccac tgcagtgcat 60
cttccasagc cctggtcctg ggatcccaga aacagcatct gttgtggcta tcacagtcca 120
agaactgttt ccagcgccaa ttctcagagc tgtaccctca gctgaacccc aagcaggarg 180
ccccatgacc ctgagttgtc agacaaagtt gcccctgcag aggtcagctg cccgcctcct 240
cttctccttc tacaaggatg gaaggatagt gcaaagcagg gggctctcct cagaattcca 300
gatccccaca gcttcagaag atcactccgg gtcatactgg tgtgaggcag ccactgagga 360
caaccaagtt tggaaacaga gcccccagct agagatcaga gtgcagggtg cttccagctc 420
tgctgcacct cccacattga atccagctcc tcagaaatca gctgctccag gaactgctcc 480
tgaggaggcc cctggctctg cctccgccgc caaccccatc ttctgaggat ccaggctttt 540
cttctcctct ggggatgcca gatcctcatc tgtatcacca gatgggcctt cttctcaaac 600
acatgcagga tgtgagagtc ctcctcggtc acctgctcat ggagttgagg gaattatctg 660
gccaccrgaa gcctgggacc acaaaggcta ctgctgaata gaagtaaaca gttcatccat 720
gatctcactt aaccacccca ataaatctga ttctttattt tctcttcctg tcctgcacat 780
atgcataagt acttttacaa gttgtcccag tgttttgtta gaataatgta gttaggtgag 840
tgtaaataaa tttatataaa gtgagaatta gagtttagct ataattgtgt attctctctt 900
aacacaacag aattctgctg tctagatcag gaatttctat ctgttatatc gaccagaatg 960
ttgtgattta aagagaacta atggaagtgg attgaataca gcagtctcaa ctgggggcaa 1020
ttttgccccc aagaggacat tgggcaatgt ttggagacat tttggtcatt atacttgggg 1080
ggttgggggа tggtgggatg tgtgtgctac tggcatccag taaatagaag ccaggggtgc 1140
cgctaaacat cctataatgc acagggcagt accccacaac gaaaaataat ctggcccaaa 1200
atgtcagttg tactgagttt gagaaacccc agcctaatga aaccctaggt gttgggctct 1260
ggaaatggga ctttgtccyt tctaattatt atctctttcc agcctcattc agctattctt 1320
actgacatac cagtctttag ctggtgctat ggtctgttct ttagttctag tttgtatccc 1380

ctcaaaagcc attatgttga aatcctaatc cccaaggtga tggcattaag aagtgggcct 1440
ttgggaagtg attagatcag gagtgcagag ccctcatgat taggattagt gcccttattt 1500
aaaaaggccc cagagagcta actcaccctt ccaccatatg aggacgtggc aagaagatga 1560
catgtatgag aaccaaaaaa cagtgtcgcc aaacaccgac tctgtcgttg ccttgatctt 1620
gaacttccag cctccagaac tatgagaaat aaaattctgt tgtttgtaag ctaatccagt 1680
tgtgtaattt ggnatagtag cccaaatgga ctaggcagtt ggcctctggc cacatgatga 1740
gttatggnat gtaaaaatac 1760

<210> 489
<211> 880
<212> DNA
<213> Homo sapiens

<400> 489
ggcacgagac tggatgaaca caaactccac atgtatcttt ctgccttgca gtccttgatc 60
ccatctctct ttgcattagt gctacagaat gcacctttct ccagcaaagc caagcttcat 120
ggtgaagtgc cacagataga agtgactagg tttcctcggc ctatgtcgcc tcttcaagat 180
gtgtccacta ttatcggaag tcgtgagcaa ttggcagtgc tgctgcaact ttatgactac 240
cagctagaac aagagggtac aacaggctgg gagagtttac tgtgggttgt caatcaattg 300
ttgccacaac ttatagaaat agttggcaaa attaatgtta cttcaactgc ctgtgtccat 360
gaattctcca gatttttctg gcgcctttgc cggacatttg gcaaaatttt tacaaacact 420
aaggtaaaac ctcagttcca ggagatttta agactatctg aagaaaacat tgattcctca 480
gcaggaaatg gggtcctcac taaagctaca gtccccattt atgcaacagg agtccttacg 540
tgttatattc aggaagaaga ccgaaaactg ttagttggat tcttagaaga tgtaatgacg 600
ctgctttcat tatctcatgc tcctcttgat agcctgaagg cttcttttgt ggaattgggt 660
gcaaacccag cctaccatga gttactatta actgttttgt ggtatggtgt tgtccatact 720
tcagcactcg tgaggtgtac tgctgctaga atgtttgagg tatgtcaaca catgcctctg 780
ttggtttcaa ttataatgat ttttttttt ttgcgaagaa gaagggaatt ttttttaata 840
aaaaggcttt gcatatcaaa aaaaaaaaaa aaaaaaaaaa 880

<210> 490
<211> 1106
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (5)..(5)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (857)..(857)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1037)..(1037)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1058)..(1058)
<223> n equals a,t,g, or c

<400> 490
tccancatta tgggatacat tgatgatcca gacaaatatc atcagggttt tgaattgttg 60
ctgtcagcct tgggtgatcc ctcagaaaga gtagttagtg ctacacatca agtattttta 120
ccagcttacg ctgcgtggac tacagaactt ggaaatttac agtctcatct tatacttaca 180
ctactgaaca agattgaaaa acttctcagg gaaggagaac atggactgga tgaacacaaa 240
ctccacatgt atctttctgc cttgcagtcc ttgatcccat ctctctttgc attagtgcta 300

cagaatgcac ctttctccag caaagccaag cttcatggtg aagtgccaca gatagaagtg 360
actaggtttc ctcggcctat gtcgcctctt caagatgtgt ccactattat cggaagtcgt 420
gagcaattgg cagtgctgct gcaactttat gactaccagc tagaacaaga gggtacaaca 480
ggctgggaga gtttactgtg ggttgtcaat caattgttgc cacaacttat agaaatagtt 540
ggcaaaatta atgttacttc aactgcctgt gtccatgaat tctccagatt tttctggcgc 600
ctttgccgga catttggcaa aatttttaca aacactaagg taaaacctca gttccaggag 660
attttaagac tatctgaaga aaacattgat tcctcagcag gaaatggggt cctcactaaa 720
gctacagtcc ccatttatgc aacaggagtc cttacgtgtt atattcagga agaagaccga 780
aaactgttag ttggattctt agaagatgta atgacgctgc tttcattatc tcatgctcct 840
cttgatagcc tgaaggnttc ttttgtggaa ttgggtgcaa accaggccta ccatgagtta 900
ctattaactg ttttgkggta tggkgtkgkc catacttcag cactcgtgag gtgtactgct 960
gctagaatgt ttgagctgtt ggtgaagggg gtgaatgaaa ctctggtagc tcagagggtt 1020
gttcctgctc ttcattnact ctctccagtg gaccctgnaa atctctgtca ggattgccac 1080
aatttccagc ctttgggact atttat 1106

<210> 491
<211> 646
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (19)..(19)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (544)..(544)
<223> n equals a,t,g, or c

<400> 491
cagatgccag ggacttggnc ttcccccggt tgaaccacag gttccaagaa acctgcaggg 60
tccagcctcc cccccatccc cagtyttccc caccctggcc cggccctcca ggtgcagaaa 120
catgcaggcc cctctccagg actgtgggag gagtgtgtcc ctcagactgg cctgtgtcct 180
ggctcctctt accacctctt ccagaggttg tcacctgcag ctgccccagg ataaaggcaa 240
ggccagarag gactcctgaa ctcctgtgtg cctggggtgg caggggcaaa catagccaac 300
tggtggcctg agcggggcca tggtgargac acccttggtg gcttgtccca catcaagctg 360
ggargtgaca cttaggatgc atttttcaat attttagtgt ttgaataacg ggctawcttg 420
agaaaaaaat aatttgaatc acacatcaca ccaaaaataa attctaggtg gattttaaca 480
ctttccaaaa attattatta gtttagagac agggtctcac tccgtcgcct aggctggagt 540
gcangggtat gatcatggtt cactgcaacc ttaaactccc tggcctcata tgatcccccc 600
gggctccagc ccctccaaag ttactgggaa actaccaaac atgccc 646

<210> 492
<211> 1590
<212> DNA
<213> Homo sapiens

<400> 492
ttttttttt tttgtttaaa tgatacaact taattttatt aggacagacg ctggcggcca 60
ccagaagttt gagcctcttt ggtagcagga ggctggaaga aaggacagaa gtagctctgg 120
ctgtgatggg gatcttactg ggcctgctac tcctggggca cctaacagtg gacacttatg 180
gccgtcccat cctggaagtg ccagagagtg taacaggacc ttggaaaggg gatgtgaatc 240
ttccctgcac ctatgacccc ctgcaaggct acacccaagt cttggtgaag tggctggtac 300
aacgtggctc agaccctgtc accatctttc tacgtgactc ttctggagac catatccagc 360
aggcaaagta ccagggccgc ctgcatgtga gccacaaggt tccaggagat gtatccctcc 420
aattgagcac cctggagatg gatgaccgga gccactacac gtgtgaagtc acctggcaga 480
ctcctgatgg caaccaagtc gtgagagata agattactga gctccgtgtc cagaaacact 540
cctcaaagct actcaagacc aagactgagg cacctacaac catgacatac cccttgaaag 600
caacatctac agtgaagcag tcctgggact ggaccactga catggatggc taccttggag 660
agaccagtgc tgggccagga aagagcctgc ctgtctttgc catcatcctc atcatctcct 720

tgtgctgtat ggtggttttt accatggcct atatcatgct ctgtcggaag acatcccaac 780
aagagcatgt ctacgaagca gccagggcac atgccagaga ggccaacgac tctggagaaa 840
ccatgagggt ggccatcttc gcaagtggct gctccagtga tgagccaact tcccagaatc 900
tgggcaacaa ctactctgat gagccctgca taggacagga gtaccagatc atcgcccaga 960
tcaatggcaa ctacgcccgc ctgctggaca cagttcctct ggattatgag tttctggcca 1020
ctgagggcaa aagtgtctgt taaaaatgcc ccattaggcc aggatctgct gacataattg 1080
cctagtcagt ccttgccttc tgcatggcct tcttccctgc tacctctctt cctggatagc 1140
ccaaagtgtc cgcctaccaa cactggagcc gctgggagtc actggctttg ccctggaatt 1200
tgccagatgc atctcaagta agccagctgc tggatttggc tctgggccct tctagtatct 1260
ctgccggggg cttctggtac tcctctctaa ataccagagg gaagatgccc atagcactag 1320
gacttggtca tcatgcctac agacactatt caactttggc atcttgccac cagaagaccc 1380
gagggaggct cagctctgcc agctcagagg accagctata tccaggatca tttctctttc 1440
ttcagggcca gacagctttt aattgaaatt gttatttcac aggccagggt tcagttctgc 1500
tcctccacta taagtctaat gttctgactc tctcctggtg ctcaataaat atctaatcat 1560
aacagcaaaa aaaaaaaaaa aaaactcgag 1590

<210> 493
<211> 1179
<212> DNA
<213> Homo sapiens

<400> 493
gggctgcagg aattcggcac gagtttaaag ggtgactcgt cccacttgtg ttctctctcc 60
tggtgcagag ttgcaagcaa gtttatcgga gtatcgccat gaagttcgtc ccctgcctcc 120
tgctggtgac cttgtcctgc ctggggactt tgggtcaggc cccgaggcaa aagcaaggaa 180
gcactgggga ggaattccat ttccagactg gagggagaga ttcctgcact atgcgtccca 240
gcagcttggg gcaaggtgct ggagaagtct ggcttcgcgt tcgactgccg caacacagac 300
cagacctact ggtgtgagta caggggcag cccagcatgt gccaggcttt cgctgctgac 360
cccaaatctt actggaatca agccctgcag gagctgaggc gccttcacca tgcgtgccag 420
ggggccccgg tgcttaggcc atccgtgtgc agggaggctg gaccccaggc ccatatgcag 480
caggtgactt ccagcctcaa gggcagccca gagcccaacc agcagcctga ggctgggacg 540
ccatctctga ggcccaaggc cacagtgaaa ctcacagaag caacacagct gggaaaggac 600
tcgatggaag agctgggaaa agccaaaccc accacccgac ccacagccaa acctacccag 660
cctggaccca ggcccggagg gaatgaggaa gcaaagaaga aggcctggga acattgttgg 720
aaacccttcc aggccctgtg cgcctttctc atcagcttct tccgagggtg acaggtgaaa 780
gacccctaca gatctgacct ctccctgaca gacaaccatc tctttttata ttatgccgct 840
ttcaatccaa cgttctcaca ctggaagaag agagtttcta atcagatgca acggcccaaa 900
ttcttgatct gcagcttctc tgaagtttgg aaaagaaacc ttcctttctg gagtttgcag 960
agttcagcaa tatgataggg aacaggtgct gatgggccca agagtgacaa gcatacacaa 1020
ctacttatta tctgtagaag ttttgctttg ttgatctgag ccttctatga aagtttaaat 1080
atgtaacgca ttcatgaatt tccagtgttc agtaaatagc agctatgtgt gtgcaaaata 1140
aaagaatgat ttcagaaaaa aaaaaaaaaa aaaactcga 1179

<210> 494
<211> 819
<212> DNA
<213> Homo sapiens

<400> 494
gaattcggca cgaggagaat catgggcctc tggctgggca tgctggcctg tgtcttcctg 60
gcaactgctg cctttgttgc ttatactgcc cggctggact ggaagcttgc tgcagaggag 120
gctaagaaac attcaggccg gcagcagcag cagagagcag agagcactgc aaccagacct 180
gggcctgaga aagcagtcct atcttcagtg gctacaggca gttcccctgg cattaccttg 240
acaacgtatt caaggtctga gtgccacgtg gacttcttca ggactccaga ggaggcccac 300
gccctttcag ctcctaccag cagactatca gtgaaacagc tggtcatccg ccgtggggct 360
gctctggggg cggcgtcagc acactgatgg tggggctcac ggtcaggatc ctagccacca 420
ggcactagca aagaagcttg gaaatagaaa gccaggagtg gctgtcccca gtatgcaaac 480
acaccacggt ctgccctgca aaaacaccaa tggggtctag tgcaggtgga cactttgaac 540
cactcctcaa aaaaagaact ttggctgaty ccttgtggtg acactcagag gggtctgaac 600
agacttgaca attctgttct ggtcaagctg gagttttctt ctgtgacttg gactgctcta 660
cagaagacat cagccaactg cacgagtcag agtccaggga ttgtcactat tattaataat 720

gtaaatggct tcaaatggga cactgcagat aammycacaa aaaccactgt tatattaaag 780
attacacatt tcctggaaaa aaaaaaaaaa aaaactcga 819

<210> 495
<211> 1792
<212> DNA
<213> Homo sapiens

<400> 495
ggcacgaggt tgtttgagtt tggtttggag caaaactgag gtagtcctaa catttctggg 60
actgaatcca ggcaagagaa agaagaaaaa gaagaagaaa aagaggagga aaaagtggat 120
tacacaatga catggagaat gggaccccgt ttcactatgc tgttggccat gtggctagtg 180
tgtggatcag aaccccaccc ccatgccact attagaggca gccacggagg acggaaagtg 240
cctttggttt ctccggacag cagtaggcca gctcggtttc tgaggcacac tgggaggtct 300
cgcggaattg agagatccac tctggaggaa ccaaaccttc agcctctcca gagaaggagg 360
agtgtgcccg tgttgagact agctcgccca acagagccgc cagcccgctc ggacatcaat 420
ggggccgccg tgagacctga gcaaagacca gcagccaggg gctctccgcg tgagatgatc 480
agagatgagg ggtcctcagc tcggtcaaga atgttgcgtt tcccttcggg gtccagctct 540
cccaacatcc ttgccagctt tgcagggaag aacagagtat gggtcatctc agcccctcat 600
gcctcggaag gctactaccg cctcatgatg agcctgctga aggacgatgt gtactgtgag 660
ctggcggaga ggcacatcca acagattgtg ctcttccacc aggcaggaga ggaaggaggc 720
aaggtgagaa ggatcaccag cgagggccag atcctggagc agcccctgga ccctagcctc 780
atccctaagc tgatgagctt cctgaagctg gagaagggca agtttggcat ggtgctgctg 840
aagaagacgc tgcaggtgga ggagcgctat ccatatcccg ttaggctgga agccatgtac 900
gaggtcatcg accaaggccc catccgtagg atcgagaaga tcaggcagaa gggctttgtc 960
cagaaatgta aggcctctgg tgtagagggc caggtggtgg cggaggggaa tgacggtgga 1020
gggggagcag gaaggccaag cctgggcagc gagaagaaga aagaggaccc aaggagagca 1080
caagtcccac caaccagaga gagtcgggtg aaggtcctga gaaaactggc cgccactgca 1140
ccagcttttc cccaacctcc ctcaaccccc agagccacca cccttcctcc tgccccagcc 1200
acaacagtga ctcggtccac gtcccgggcg gtaacagttg ctgcaagacc tatgaccacc 1260
actgcctttc ccaccacgca gaggccctgg acccccctcac cctcccacag gccccctaca 1320
accactgagg tgatcactgc caggagaccc tcagtttcag agaatcttta ccctccatcc 1380
cggaaggatc agcacaggga gaggccacag acaaccagga ggcccagcaa ggccaccagc 1440
ttggagagct tcacaaatgc ccctcccacc accatctcag aacccagcac aagggctgct 1500
ggcccaggcc gtttccggga caaccgcatg gacaggcggg aacatggcca ccgagaccca 1560
aatgtggtgc caggtcctcc caagccagca aaggagaaac ctcccaaaaa gaaggcccag 1620
gacaaaattc ttagtaatga gtatgaggaa gtatgacctc agccggccta ctgcctctca 1680
gctggaggac gagctgcagg tggggaatgt tccccttaaa aaagcaaagg agtctaaaaa 1740
gcatgaaaag cttgagaaac cagagaagga gaagaaaaaa aaaaaaaaaa aa 1792

<210> 496
<211> 1673
<212> DNA
<213> Homo sapiens

<400> 496
ggcacgagag aatgggaccc cgtttcacta tgctgttggc catgtggcta gtgtgtggat 60
cagaacccca cccccatgcc actattagag gcagccacgg aggacggaaa gtgcctttgg 120
tttctccgga cagcagtagg ccagctcggt ttctgaggca cactgggagg tctcgcggaa 180
ttgagagatc cactctggag gaaccaaacc ttcagcctct ccagagaagg aggagtgtgc 240
ccgtgttgag actagctcgc ccaacagagc cgccagcccg ctcggacatc aatggggccg 300
ccgtgagacc tgagcaaaga ccagcagcca ggggctctcc gcgtgagatg atcagagatg 360
aggggtcctc agctcggtca agaatgttgc gtttcccttc ggggtccagc tctcccaaca 420
tccttgccag ctttgcaggg aagaacagag tatgggtcat ctcagcccct catgcctcgg 480
aaggctacta ccgcctcatg atgagcctgc tgaaggacga tgtgtactgt gagctggcgg 540
agaggcacat ccaacagatt gtgctcttcc accaggcagg agaggaagga ggcaaggtga 600
gaaggatcac cagcgagggc cagatcctgg agcagccccc ggaccctagc ctcatcccta 660
agctgatgag cttcctgaag ctggagaagg gcaagtttgg catggtgctg ctgaagaaga 720
cgctgcaggt ggaggagcgc tatccatatc ccgttaggct ggaagccatg tacgaggtca 780
tcgaccaagg ccccatccgt aggatcgaga agatcaggca gaagggcttt gtccagaaat 840
gtaaggcctc tggtgtagag ggccaggtgg tggcggaggg gaatgacggt ggaggggggag 900

caggaaggcc aagccagggc agcgagaaga agaaagagga cccaaggaga gcacaagtcc 960
caccaaccag agagagtcgg gtgaaggtgc tgagaaaact ggccgccact gcaccagctt 1020
ttccccaacc tccctcaacc cccagagcca ccacgcttac tcctgcccca gccacaacag 1080
tgactcggtc cacgtcccgg gcgggaaaca gatgctgcaa gacctatgac caccactggc 1140
tttcccacca cgcagaggcc ctggaccccc tcacccttcc cacaggcccc ctacaaccac 1200
tgagggtgat cactgccagg agaccctcag tttccagaga atctttaccc tccattcccg 1260
gaaggatcag cacagggaga ggccacagac aaccaggagg cccagcaagg cccaccagct 1320
tggagagctt cacaaatgcc cctcccacca ccatctcaga acccagcaca agggctgctg 1380
gcccaggccg tttccgggac aaccgcatgg acaggcggga acatggccac cgagacccaa 1440
atgtggtgcc aggtcctccc aagccagcaa aggagaaacc tcccaaaaag aaggcccagg 1500
acaaaattct tagtaatgag tatgaggaga agtatgacct cagccggcct actgcctctc 1560
agctggagga cgagctgcag gtggggaatg ttccccttaa aaaagcaaag gagtctaaaa 1620
agcatgaaaa gcttgagaaa ccagagaagg agaagaaaaa aaaaaaaaaa aaa 1673

<210> 497
<211> 2084
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (775)..(775)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2080)..(2080)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2083)..(2083)
<223> n equals a,t,g, or c

<400> 497
ggcagagggc catttcctgc aaagagccaa acccccattc ctctgtgccc ctcctctccc 60
accaagtgct ttataaaaat agctcttgtt accggaaata actgttcatt tttcactcct 120
ccctcctagg tcacactttt cagaaaaaga atctgcatcc tggaaaccag aagaaaaata 180
tgagacgggg aatcatcgtg tgatgtgtgt sctgcctttg gctgagtgtg tggagtcctg 240
ctcaggtgtt aggtacagtg tgtttgatcg tggtggcttg aggggaaccg cttgttcaga 300
gctgtgactg cggctgcact gcagagaagc tgcccttggc tgctcgtagc gccgggcctt 360
ctctcctcgt catcatccag agcagccagt gtccgggagg cagaaggtac cggggcagct 420
actggaggac tgtgcgggcc tgcctgggct gccccctccg ccgtggggcc ctgttgctgc 480
tgtccatcta tttctactac tccctcccaa atgcggtcgg cccgcccttc acttggatgc 540
ttgccctcct gggccttctc gcaggcactg aacatcctcc tgggcctcaa gggcctggcc 600
ccagctgaga tctctgcagt gtgtgaaaaa gggaatttca acgtggccca tgggctggca 660
tggtcatatt acatcggata tctgcggctg atcctgccag agctccaggc ccggattcga 720
acttacaatc agcattacaa caacctgcta cggggtgcag tgagccagcg gtgtnatatt 780
ctcctcccat tggactgtgg ggtgcctgat aacctgagta tggctgaccc caacattcgc 840
ttcctggata aactgcccca gcagaccggt gaccgtgctg gcatcaagga tcgggtttac 900
agcaacagca tctatgagct tctggagaac gggcagcggg cgggcacctg tgtcctggag 960
tacgccaccc ccttgcagac tttgtttgcc atgtcacaat acagtcaagc tggctttagc 1020
ggggaggata ggcttgagca ggccaaactc ttctgccgga cacttgagga catcctggca 1080
gatgcccctg agtctcagaa caactgccgc ctcattgcct accaggaacc tgcagatgac 1140
agcagcttct cgctgtccca ggaggttctc cggcacctgc ggcaggagga aaaggaagag 1200
gttactgtgg gcagcttgaa gacctcagcg gtgcccagta cctccacgat gtcccaagag 1260
cctgagctcc tcatcagtgg aatggaaaag ccctccctc tccgcacgga tttctcttga 1320
gacccagggt caccaggcca gagcctccag tggtctccaa gcctctggac tgggggctct 1380
cttcagtggc tgaatgtcca gcagagctat ttccttccac agggggcctt gcagggaagg 1440
gtccaggact tgacatctta agatgcgtct tgtccccttg ggccagtcat ttcccctctc 1500
tgagcctcgg tgtcttcaac ctgtgaaatg ggatcataat cactgcctta cctccctcac 1560

ggttgttgtg aggactgagt gtgtggaagt ttttcataaa ctttggatgc tagtgtactt 1620
agggggtgtg ccaggtgtct ttcatggggc cttccagacc cactccccac ccttctcccc 1680
ttccctttgcc cggggacgcc gaactctctc aatggtatca acaggctcct tcgccctctg 1740
gctcctggtc atgttccatt attggggagc cccagcagaa gaatggagag gaggaggagg 1800
ctgagtttgg ggtattgaat cccccggctc ccaccctgca gcatcaaggt tgctatggac 1860
tctcctgccg ggcaactctt gcgtaatcat gactatctct aggattctgg caccacttcc 1920
ttccctggcc ccttaagcct agctgtgtat cggcaccccc accccactag agtactccct 1980
ctcacttgcg gtttccttat actccacccc tttctcaacg gtccttttttt aaagcacatc 2040
tcagattaaa aaaaaaaaaa aaaaaaaaaa agggggggcn gcnt 2084

<210> 498
<211> 1501
<212> DNA
<213> Homo sapiens

<400> 498
ggcacgagcc tatttctgct tactgtgtta ccagagagcc tgggggtctg gatcctatct 60
ggccccgtca gggtggattg ccaaatgagc agttctcttg ccccagtccc tttcctgtgc 120
tataaataag ccccatgttt attttcttat gttattgaaa tgagcacttg tgatttgggc 180
ctcttttgag gagtccagag agcgtccatc cggtgcctgg tgagggccct gcatggctgg 240
ctgctgtctg aagctatttg gagtcctctc cctgtgtttt ctatgtggct taatttcaat 300
agaaagggtt atatgcaacc ctgtatctgc tgattttcag gtttcaactt tctgccagcg 360
tcactgcctg cttagaagta aagttatgtt tcccataagg ggataacagc cacaattgag 420
gtaattaacg aaaattgtac attggtggca gcacctccta taggatttcc aatagtcttt 480
ctctagtaga tcattggggg ctcaccttga tctcctctct tctgtctacc ctgcaccaaa 540
ataccttgtc ctgttttctg gatatagttc caataatttt tttcctaaca gccttttttgt 600
caccagttgg tttgatatct tacaacttgg ccaaatgagg gttccattaa ctccatcttg 660
tctaatgcat ggagaattca aggatttttt ttttcctctt ttcatagcac cttccagttg 720
ccagttgtac cctggccctt ctttggaagt cataatgatg aatatccatt aataagagat 780
tgatgctctt tcaactctca tgtcatctat accatctcag tggagaggat gactttggat 840
gaggttggaa tacaaaggaa acatttggaa gtccactgca gtgtattata tgctgtgtgg 900
aagtctgggg gttaggaaat acctggaggg agaacttcct aagaaatgat ttttggttct 960
tttaggcctt aacagcacaa taaaagtatc ccatgagacc attatgagca ggacacgaca 1020
ttgtttcaca ccttgggctg tgactattta cttctcggta cagattactc tggttaaatc 1080
actcagtaaa gaaatctttt catgctcaca atctgaacct gaaggctatt actgaagaga 1140
attgcatctg acaacaaaat ttaatttact tccagagaaa ggaccagaag aaagtaaatt 1200
ttcatttatg tttttaagtc tattgtctta aaaagattct tttcccttaa aaaataaaaa 1260
aacctgatgt gatgggttcc ttcagtcaac aaatacttat tgagcagtta ttgtgtgcca 1320
gatactgttc ttggtgtgag gatatggcac tgaacaaaac aatgtaccta ctttcgtcaa 1380
gcttacattc tagtgaggaa gataaccaaa acaagtgact gaatataatt tcaaatgtca 1440
ataaatgctg tgaagaaaat aaagtcagag tattatatgt aaaaaaaaaa aaaaaaaaaa 1500
a 1501

<210> 499
<211> 720
<212> DNA
<213> Homo sapiens

<400> 499
ggcacgagat ttctcacaat gacaaattct caaatattgc taatagtact gtggattttc 60
ctacattggt aaattgaagg aattgctaaa tgctgaattc agcaaccagt ttgagattgt 120
tgaaaataaa gattgtttct ttttcaatgc aagttcacag atcactggag ttctagctac 180
agtttgttct agaccagagg ttgcagatat ttttgtccta taaagagaca catggttaat 240
atttttggct ttgtgagttg tatagttttc gttgtagctg ttcagctctg ctacatgaag 300
caaccataga ccatacctta acaagtggtc acttttgagt accaataaaa ctttatttag 360
aaataacaga gggctggatt tggtcctagt ttgctgaacc cttttctaga tgaaggctcc 420
tcttgccaag actggctccc taccttggct gacaaattct cactttggga cttagtcatt 480
gttgctgctc tctgttattt tgcatgtctt ttctcatgtt taggtgctgt gtcttaatac 540
ttttttctta catttaattt aacaatcatt actgagcgct ggtatgtcta gtttcttttc 600
tcttctttcc tccttttctt ttctttttttt ctttttcttt atttgaaggc tctcactctg 660
tcactccagc ctgggtggca gaccaggacc ctgtctctaa aaaaaaaaaa aaaaaaaaaa 720

<210> 500
<211> 2460
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (172)..(172)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2457)..(2457)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2459)..(2460)
<223> n equals a,t,g, or c

<400> 500
ggatcgccgg gaggaccccc gcctcgccga agacgggcgg ggcaagccga gcctcacggg 60
gtccccggag ctgggccggg cctccagatg gagaaggcgc aacggggagt tcttgagtaa 120
gccagagcgg tgtccagcgc ggtgtagccg cagccgccgc tgtcaggcgc ancaacgggc 180
aaccccgtag aagtcggtcg gcaggtcctc tccaacccgc cgctaccgcg ccgctgtggg 240
agagacccca gcaggagccc aarggcagct acgggggcgc gaaggccgct ggcgccgcct 300
cggccagccc ttcccgcgcg gttccactgc cttaaggatg acagtcgtag ggaaccctcg 360
aagttggagc tgccagtggt tgccaatcct gatactgttg ctgggcacag gccatgggcc 420
aggggtggaa ggcgtgacac actacaaggc cggcgaccct gttattctgt atgtcaacaa 480
agtgggaccc taccataacc ctcaggaaac ttaccactac tatcagcttc cagtctgctg 540
ccctgagaag atacgtcaca aaagccttag cctgggtgaa gtgctggatg gggaccgaat 600
ggctgagtct ttgtatgaga tccgctttcg ggaaaacgtg gagaagagaa ttctgtgcca 660
catgcagctc agttctgcac aggtggagca gctgcgccag gccattgaag aactgtacta 720
ctttgaattt gtggtagatg acttgccaat ccggggcttt gtgggctaca tggaggagag 780
tggtttcctg ccacacagcc acaagatagg actctggacc catttggact tccacctaga 840
attccatgga gaccgaatta tatttgccaa tgtttcagtg cgggacgtca agccccacag 900
cttggatggg ttacgacctg acgagttcct aggccttacc cacacttata gcgtgcgctg 960
gtctgagact tcagtggagc gtcggagtga caggcgccgt ggtgacgatg gtggtttctt 1020
tcctcgaaca ctggaaatcc attggttgtc catcatcaac tccatggtgc ttgtgttttt 1080
actggtgggt tttgtggctg tcattctaat gcgtgtgctt cggaatgacc tggctcggta 1140
caacttagat gaggagacca cctctgcagg ttctggtgat gactttgacc agggtgacaa 1200
tggctggaaa attatccata cagatgtctt ccgcttcccc ccataccgtg gtctgctctg 1260
tgctgtgctt ggcgtgggtg cccagttcct ggcccttggc actggcatta ttgtcatggc 1320
actgctgggc atgttcaatg tgcaccgtca tggggccatt aactcagcag ccatcttgtt 1380
gtatgccctg acctgctgca tctctggcta cgtgtccagc cacttctacc ggcagattgg 1440
aggcgagcgt tgggtgtgga acatcattct caccaccagt ctcttctctg tgcctttctt 1500
cctgacgtgg agtgtggtga actcagtgca ttgggccaat ggttcgacac aggctctgcc 1560
agccacaacc atcctgctgc ttctgacggt ttggctgctg gtgggctttc ccctcactgt 1620
cattggaggc atctttggga agaacaacgc cagccccttt gatgcaccct gtcgcaccaa 1680
gaacatcgcc cgggagattc caccccagcc ctggtacaag tctactgtca tccacatgac 1740
tgttggaggc ttcctgcctt tcagtgccat ctctgtggag ctgtactaca tctttgccac 1800
agtatggggt cgggagcagt acactttgta cggcatcctc ttctttgtct tcgccatcct 1860
gctgagtgtg ggggcttgca tctccattgc actcacctac ttccagttgt ctggggagga 1920
ttaccgctgg tggtggcgat ctgtgctgag tgttggctcc accggcctct tcatcttcct 1980
ctactcagtt ttctattatg cccggcgctc caacatgtct ggggcagtac agacagtaga 2040
gttcttcggc tactccttac tcactggtta tgtcttcttc ctcatgctgg gcaccatctc 2100
ctttttttct tccctaaagt tcatccggta tatctatgtt aacctcaaga tggactgagt 2160
tctgtatggc agaactattg ctgttctctc cctttcttca tgccctgttg aactctccta 2220
ccagcttctc ttctgattga ctgaattgtg tgatggcatt gttgccttcc cttttgccct 2280
ttgggcattc cttccccaga gagggcctgg aaattataaa tctctatcac ataaggatta 2340

tatatttgaa ctttttaagt tgcctttagt tttggtcctg atttttcttt ttacaattac 2400
caaaataaaa tttattaaga aaaagaaaaa aaaaaaaaaa aaaaaaaagg gggggngnnn 2460

<210> 501
<211> 738
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (646)..(646)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (670)..(670)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (696)..(696)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (707)..(707)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (718)..(718)
<223> n equals a,t,g, or c

<400> 501
catcagacca cacccagcag tcagaaaaga ggtgcagggg cccgggctgg gacagtgaag 60
agtgctgggc agtctgtggt cctctgtatc tcaacttttt catcttaaaa aaacaaatag 120
ggttgtgtgt gtggctggtg gtcataaggt cctttctggc tctaataacc tgagcttctg 180
ttatgaagct gggaccctta gagcctcagg atgatcctct gtttgtttgt gaagccccaa 240
tcaggtgcta agcaccatag tggcacttag ctgaagctcc tctgtaactc ctgtgggccc 300
tgccttgccc acccccgaca gctgctgcag tgctcctgag cagcacaggc ctgatggagc 360
ttctggagaa gatgctggcc ctcaccttgg caaaggcaga ttctcccagg actgcactcc 420
tctgctctgc ctggctgctc actgcctcct tctctgccca gcagcacaag ggcagtttgc 480
aggttcacca gacactctct gtggaaatgg accargtatt gaaggctctc agctttccaa 540
agaaaaaggc tgcactactc tcaactgcca tcttatgctt cctgcggaca gccctgcgac 600
aaagcttttc ctctgcctgg aaccctggtg cccttaaggg cccagncact gcagccacca 660
aggacactgn cctaacttca ctgcgaatgt ccaagnccgg ccctggncat tgggctgnaa 720
aaacctcctg gtgcaaaa 738

<210> 502
<211> 935
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (6)..(6)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (14)..(14)

<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (16)..(16)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (50)..(50)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (95)..(95)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (101)..(101)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (139)..(139)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (176)..(176)
<223> n equals a,t,g, or c

<400> 502
ggccancttt tttntngggg aaaaaatggg acccaaaagt tatttgaaan gggctttttc 60
aagctttttc ccaaaaggaa aaaaagggtt gccantaatt nttcaaggat tgcccatctt 120
taatgctttc cttggggana agccttgcga caaaagcttt ttccttctgc cctggnagcc 180
ctggtgcctt caggggccca gccactgcca gccaccaagg acactgtcct agctccactg 240
cgaatgtcgc aagtccggtc cctggtcatt gggctgcaga acctcctggt gcagaaggac 300
cctctattgt cccaggcctg tgttggctgc ctggaggcct tgcttgacta cctggatgcc 360
cggagcccag acattgctct ccacgtggcc tcccagcctt ggaatcggtt tttgctgttt 420
accctcttgg atgctggaga gaattccttc ctcagacctg agattttgag gctcatgacc 480
ctgtttatgc ggtaccggag tagcagtgtc ctctctcatg aagaggtggg tgatgttctg 540
caaggtgtgg ctttggctga cctgtctacc ctctcgaaca ccacactcca ggccctgcat 600
ggcttcttcc agcagctcca gagcatggga cacctggctg accacagcat ggcccagacc 660
ctgcaggcct ccttggaggg ccttcccccc agcacctcct caggccagcc acccctgcag 720
gacatgctct gcctgggagg ggtggctgta tccctgtccc acatcagaaa ctgatcctca 780
ggacttgaag gcccagaagt ggagagagaa tgagacctgg agacaaaggg cataattgtt 840
ggggaaatgg atgacagctg aagctattca tatggagcca tatactctat tgttgaaata 900
gaataaggaa ataaaatgat acactcacaa aaaaa 935

<210> 503
<211> 871
<212> DNA
<213> Homo sapiens

<400> 503
ggcacgaggg aacccagaag atgctgcctc tcctgatcat ctgtctcctg cctgccattg 60
aagggaagaa ctgcctccgc tgctggccag aactgtctgc cttgatagac tatgacctgc 120
agatcctctg ggtgacccca gggccaccca cagaactttc tcaaagtatt cactccttgt 180
tcctagagga taataatttt ctcaaaccct ggtaccttga tcgtgaccat ttggaagaag 240
aaacagccaa attcttcact caagtacacc aagccattaa aacgttacga gatgataaaa 300

cagtacttct ggaagagatc tacacgcaca agaatctctt tactgagagg ctgaataaga 360
tatctgatgg gctgaaggag aaggagcccc acccctctcc atgaatgcct tcccggctcc 420
atctcctact tgcaccccag aacccccttgg cttctgtctg cctccccagc acctcagttt 480
ctctaccttc tcaccctccc tggcagcctg caatgagtcc tgtgccagga accggcggac 540
ctccctgtgg gctgtgagtc tcagcagtgc tctactcctg gccatagctg gagatgtttc 600
ttttactggc aaaggaagaa ggaggcagta aaggaacagg gcagcccgca tgtcttccag 660
aagtgaacag aggccgcagc taccaccgtc acaaagttca ctcatctctg ggtcccggtg 720
accccatccc cccataccct ccatcctggg tcctggggcc ccaaagctct gaggcctagg 780
agactgcgct gtctcgtggt ttgcctactc ctacaccttt gtaaagagtc tcttcattaa 840
aacccctctt cataaaaaaa aaaaaaaaaa a 871

<210> 504
<211> 881
<212> DNA
<213> Homo sapiens

<400> 504
gaattcggca cgagggaacc cagaagatgc tgcctctcct gatcatctgt ctcctgcctg 60
ccattgaagg gaagaactgc ctccgctgct ggccagaact gtctgccttg atagactatg 120
acctgcagat cctctgggtg accccagggc cacccacaga actttctcaa agtattcact 180
ccttgttcct agaggataat aattttctca aaccctggta ccttgatcgt gaccatttgg 240
aagaagaaac agccaaattc ttcactcaag tacaccaagc cattaaaacg ttacgagatg 300
ataaaacagt acttctggaa gagatctaca cgcacaagaa tctctttact gagaggctga 360
ataagatatc tgatgggctg aaggagaagg gagccccacc cytctccatg aatgccttcc 420
cggctccatc tcctacttgc accccagaac cccttggctc tgtctgcctc cccagcacct 480
cagtttctct accttctcac ctccctggca gcctgcaatg agtcctgtgc caggaaccgg 540
cggacctccc tgtgggctgt gagtctcagc agtgctctac tcctggccat agctggagat 600
gtttctttta ctggcaaagg aagaaggagg cagtaaagga acagggcagc ccgcatgtct 660
tccagaagtg aacagaggcc gcagctacca ccgtcacaaa gttcactcat ctctgggtcc 720
cggtgacccc atccccccat accctccatc ctgggtcctg gggccccaaa gctctgaggc 780
ctaggagact gcgctgtctc gtggtttgcc tactcctaca cctttgtaaa gagtctcttc 840
attaaaaccc ctcttcataa aaaaaaaaaa aaaaaactcg a 881

<210> 505
<211> 632
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (537)..(537)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (579)..(579)
<223> n equals a,t,g, or c

<400> 505
tttgagcact actgggtggt tagcatgatt gaggaaaaat gatgggaata agaagtggaa 60
gtggtctttg tatcacaagt tgaatttctc actttgagta gtagtgaagt cactactgta 120
agagctggtc agtgaatgtg gttgcagcat ggcctttggg caagaagtaa cccatttaac 180
taaaaccagc tggttggccc cactcagatt tatcaaaggg ttactgggtc cctgggggtg 240
gatattgctt atattagact tagaatagca tactgtttta atattatatg aactaaaatg 300
tttctttaaa aaaagagtgg tctgttaatg gatttatgta gtggtcaaga atttagactt 360
cagagtcaaa taaacctata tcagtcctag tcctacagtt tactaattgt gagatgkcaa 420
gcaagktttt gaactcctct aagcctctgk tttcttatct ataaattaat aaatgaatga 480
atcgggttga gtgaataatt aagtaaaatc ttaagacata ctagttattg gaactgngaa 540
actgggtttt ttgggaatgg gtttcacatt tgggaagtng aaataccact ttctaaaggt 600
ctggtttatc tcaaatctct atccaggcct aa 632

<210> 506
<211> 1433
<212> DNA
<213> Homo sapiens

<400> 506
ggcagagcac ttatgtkttt ggcattctcc gtcatcattc tggccggggc gggcagttct 60
aggagttgga actcagtcct ggtggaaaag gaagtcgtgg agggagggct agggccgtgg 120
gggaactgct ctgctgagcc tcttcctcac ctgctgcttc ctaggactaa cctgaaggct 180
aaggtaccag gctgaagtca gtgctcagaa aaccaatcgt cattctttgg ggtttttttt 240
cttgaagagc cactttctct ttaccttgtt ctagcctgtt ggaggtaggg tttctgcaat 300
tccaaaggcc gtacacagcc tctcaccatc agaccacttt ttaaggctct tcgttcatac 360
ctagctcgaa gattcacttc ctcaggaagc cattttagtt acaaatctgg gaaaacttaa 420
aatgctttca ttgtgccatg ttttctgttg cagcttcagt accgtaccta gtggtcaggc 480
atacttacaa gtttcttttt acagtaaccc cttgtggaca tctaataaat ggtcattatt 540
ttttagtact agtttgtttt cctgaacact gtaagatctg tgactgacgt ttgatacctt 600
aaagcagtgc catataataa ctacccacta tttgttcttt atttctgtca gataaaaatg 660
ttctatgtag tgtctacagt catttttttt ttaactagaa tttagatttg gaagtagttt 720
ttctattagt tgatttgcat gaaatacaaa attaggaaaa ggcttattcc acctcaacct 780
agttgaacta ttaatgattt ttttttttt ttgaggattt gggctctttc tagatagaaa 840
atcaccctga acttctagct ttgcattgtg aagtgagcat catgaagatg agaaaatgtt 900
gggagatcat ttttgcaaag ggcataatag tcggcattca gatatgagtt aactgcagag 960
ggaaaattgc aagctgtcat gttggccttg ttcctctcaa ccttctggta acctaacaag 1020
ctcctacagg ttgtatgtga aattgcaaga tgattatata gccctgttga atttacaacc 1080
agatcttgct ttcaaaccat tattagccaa gggtttgatt ccacacctgt gttcatggat 1140
tttttggtat tagacattgc tgtaactctg ttttcacttt ttcatctgtt atcttggctc 1200
acttaaggga gaaggtatca gcagcctagg accacttggt ttctgttttt atgtttcata 1260
gttcatggct gataaaaatt acctgtcctt aggccgagtg cagtgcctca cacctgtaat 1320
cccagcactt tgggaggccg aggtgagtag atcacctgag atcaggagtt cgagaccagc 1380
ctggacaaca agagcaaaac tccatctcca aaaaaaaaaa aaaaaaaact cga 1433

<210> 507
<211> 1369
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1351)..(1351)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1353)..(1354)
<223> n equals a,t,g, or c

<400> 507
gggcgaaggc gatgacaaag aagagtctgt tgaaaaactg gactgtcatt attcaggtca 60
tcatcctcag ccagcatctt tttgcacatt tgggagccgg cagataggaa gaggctatta 120
cgtgtttgac tccaggtgga atcgacttcg ctgcgccctc aacctcatgg tggagaagca 180
tctgaatgca cagctatggr agaaaatccc accagtgccc agtaccacct cacccatctc 240
cacacgtatt cctcaccgga caaactctgt gccgacatca caatgtggag tcagctatct 300
ggcagcagcc accgtctcta catccccagt cctgctctca tctacctgca tctccccaaa 360
tagcaaatcg gtaccagctc atggaaccac actaaatgca cagcctgctg cttcaggggc 420
gatggatcct gtgtgcagta tgcaatccag acaagtgtcc tcttcatcct catccccttc 480
cacgccctct ggcctttcct cggttccttc ctcccccatg tccaggaaac ctcagaaatt 540
gaaatccagc aaatctttga ggcccaagga gtcttctggt aacagcacta actgtcaaaa 600
tgccagtagc agtaccagtg gcggctcagg aaagaaacgc aaaaacagtt ccccactgtt 660
ggttcactct tcctcctcct cttcctcctc ctcctcttct tctcattcca tgggagtctt 720
ttaggaaaaa ctgtgtggct cactctgggc ctccctaccc ctcaacggta acatcttccc 780
atagcatcgg cctcaactgt gtgacgaata aagcaaatgc ggtgaacgtc cggcatgacc 840

agtcagggag gggccccccc accgggagcc ctgctgaatc catcaagagg atgagtgtga 900
tggtgaacag cagtgattct actctttctc ttgggccatt cattcaccag tccaatgaac 960
tgcctgtcaa ctcccacggc agtttttccc actcacacac tcctctagac aaactcatag 1020
gaaagaaaag aaagtgctca cccagctcga gcagcatcaa caacagcagc agcaaaccca 1080
caaaggttgc caaagtgcca gccrtgaaca atgtccacat gaaacacaca ggcaccatcc 1140
caggggcaca aggactgatg aacagttccc tccttcatca ggtaggaaat ggactgtgag 1200
ccccatggga atgcccattt cttctccctt aagatctttt gtcagctcag aaatgtgttt 1260
ggttgggttg gttggttggt ttgtaaacag atattcagct tcatggtgtc ttcttaaaaa 1320
aaaaaaaaaa aaaaaaaaam cycggggttc ntnnaaaggg gcccgggggg 1369

<210> 508
<211> 1598
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1067)..(1067)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1069)..(1069)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1577)..(1577)
<223> n equals a,t,g, or c

<400> 508
aggaaagaac aaaggttatt tcctggagaa aagacaattt attcaacacc aacragggac 60
tcatcatatg ggcacaactc tggtgtcctt ctatggagaa aacctcaagt aaagttttat 120
tctgcctttr aaaatgcttc caaaagtaga ccctgtcccc acacaggtca agactacaga 180
gaaggctttg tagaaatgtg tcacctatgt acacctgcta cttacacatt tcctcttttg 240
gaaaaatgag atacttagaa taacargaaa attaagacat actggcctgg tgccagcaga 300
tggcttttct atagacaaac taggttagtg tggaagatat aggttaaaat aaactatgct 360
gttttattta tcttcccaac ctgattggca gctagacttt tttagggtct catttaatgg 420
ccctgttttt ttcattatta tatttaatga tagggcagga tttcgtatgc aagctcttgt 480
ttctcaggct gcctgcagaa gaagtcgcta taaattatct gttgtctaca tggtacaagg 540
cccattgact catctgatgc ttgttttgtt aatttcttta atatttttat cacggggcag 600
tgggagggct tgggctttta gccacagctg ttttaagact tctgatctcc tgccctgcag 660
gaataggtgg gaagtcattg aatttttaca ctatagtaat ttgcattccc acataagttt 720
gagtgttacg aaaacattcc tttaaaggga tctgtgctac acaaaatatg ccaggacctc 780
acagacaaag ccattgctag aaatgtcatt ccaatgatca gatctggaaa caggctgcca 840
taaccacttt tccttcttgt agactcagct cacctgtata tttaaactgt tcttggcatc 900
ttgaaacacc tatttctact caggtactca ttgtcctgtt actgattcac ctttctgatc 960
cttttcaacc agttttcccc caaggggga aattttactt aacctctagt atttgaacaa 1020
ctcaatattt gaattgttgc cccatttgct tttacctgta ctgtatncnt ggtcatctca 1080
aatggcgtct aaacccagct actttgcatt ccagaagttt ccattccctc caattccacc 1140
taatttttca tctgtcctag ttactggctc tttcttcatg tcttatttct cttgctttgg 1200
gagcttaaaa gattttacaa gacctaattt tgggttcctt ccttggagcc atagttaccc 1260
tgccaagaag agtagaaaat gggttcaact cctgtttcgc tccaccaaca cctctgtgag 1320
tctcatcatc agctgagcga tgatgcctta caggttgcat agcactggaa ctttcctaga 1380
gtaacggctc tgctgccagg gtttctctgg gctcattctt ccactgactt aattatgatc 1440
tatgcctaac agagccccag tacaactatt ttgcagaatg gctgttaccc tagaattact 1500
atagcacata ttgagatata gttgtactcc ctagtagata ggaactgacc ccaacaataa 1560
actttgataa taaaganaaa aaaaaaaaaa actcgtag 1598

<210> 509
<211> 530

<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (517)..(517)
<223> n equals a,t,g, or c

<400> 509
gcctggcaga gagactctga aatgagggat tagaggtgtt caaggagcaa gagcttcagc 60
ctgaagacaa gggagcagtc cctgaagacg cttctactga gaggtctgcc atggcctctc 120
ttggcctcca acttgtgggc tacatcctag gccttctggg gcttttgggc acactggttg 180
ccatgctgct ccccagctgg aaaacaagtt cttatgtcgg tgccagcatt gtgacagcag 240
ttggcttctc caagggcctc tggatggaat gtgccacaca cagcacaggc atcacccagt 300
gtgacatcta tagcaccctt ctgggcctgc ccgctgacat ccaggctgcc caggccatga 360
tggtgacatc cagtgcaatc tcctccctgg cctgcattat ctctgtggtg ggcatgagat 420
gcacagtctt ctgccaggaa tcccgagcca aagacagagt ggcggtagca ggtggagtct 480
ttttcatcct tggaagcctc ctgggattca ttcctgntgc ctggaatctt 530

<210> 510
<211> 1046
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (14)..(14)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (33)..(33)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (441)..(441)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (460)..(460)
<223> n equals a,t,g, or c

<400> 510
gagaagtcag cctngcagag agactctgaa atnagggatt agaggtgttc aaggagcaag 60
agcttcagcc tgcaagacaa gggagcagtc cctgaagacg cttctactca ccactggtgc 120
ctgacagcat gaaatttgag attggagagg ctctttactt gggcattatt tcttccctgt 180
tctccctgat akctggaatc atcctctgct tttcctgctc atsccagaga aatcgctcca 240
actactacga tgcctaccaa gcccaacctc ttgccacaag gagctctcca aggcctggtc 300
aacctcccaa agtcaagagt gagttcaatt cctacagcyt gacagggtat gtgtgaagaa 360
ccaggggcca garctggggg ktggctgggt ctgtgaaaaa cagtggacag caccccgagg 420
ccacaggtga gggacattac nactggatcg tgtcagaagn tgctgctgag gatagactga 480
ctttggccat tggattgagc aaaggcagaa atgggggcta gtgtaacagc atgcaggttg 540
aattgccaag gatgctcgcc atgccagcct ttctgttttc ctcaccttgc tgstcccctg 600
ccctaagtcc ccaaccctca acttgaaacc ccattccctt aagccaggac tcagaggatc 660
cctttgccct ctggtttacc tgggactcca tccccaaacc cactaatcac atcccactga 720
ctgaccctct gtgatcaaag accctctctc tggctgaggt tggctcttag ctcattgctg 780
gggatgggaa ggagaagcag tggcttttgt gggcattgct ctaacctact tctcaagctt 840
ccctccaaag aaactgattg gccctggaac ctccatccca ctcttgttat gactccacag 900
tgtccagact aatttgtgca tgaactgaaa taaaaccatc ctacggtatc cagggaacag 960

aaagcaggat gcaggatggg aggacaggaa ggcagcctgg gacatttaaa aaaaaaaaaa 1020
aaaaaactcg agggggggcc cggtac 1046

<210> 511
<211> 819
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (786)..(786)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (819)..(819)
<223> n equals a,t,g, or c

<400> 511
aattcggcac gagctcaaag agtaagaatc caagtgtgtg acattacata gctttgcatc 60
tatggaaacc taaatcataa ttgtttccac tgcccaatta tgttcctttt cataacattt 120
actattctgg ctatatttat catagaacct aggaacctta gagttgacct gaatctaatt 180
aaatttcaga cctcctggcc aaagacccta gtggaagagc aaaactaaat caacatatta 240
ccaatctcaa gtatttctct gaggacccag accactgact ttttgttgtc attttcaggt 300
tgatcctata actgtatgtt ctacaatatc tgtgctccac cagctcagtg aggaatcaac 360
ggaatatcaa aagtaaatat tggtcaccat atacctttg gtactagtct acgaaataat 420
tggctgagga actgtttcat attaaagaaa agctaaaagc aatgtgtgat cttagattag 480
acctatgatt ggaatgtatg tatattttat atacaaaata ttgaggaaat tgacaaaatt 540
taaatacaga atatggatta gataatagga atgtatcaag gtcaatattt aaaaagataa 600
tttcaacttt tattttattc agtgggtaca tgtgcagact ttgttttaca tagtacccaa 660
cagtttttca acgcttatcc cccaccctct agtaatctgc agwgwctatt attgycatct 720
tcgtggctat tgtacatggg atccatactt gattttgctc tcaacatgaa cattattggt 780
gtaganaaat gccactaagt tttkgtacgt tggcttttn 819

<210> 512
<211> 501
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(2)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (12)..(12)
<223> n equals a,t,g, or c

<400> 512
nnccccccaa tnatattttt ccaaattaat tccaacatag gaaggattcc accttcctag 60
tatgttttca aattgtttca aacctgacct ctttttgatt gctctacctt ccaaaagaaa 120
agaagggaac actaattttc ttycctgatt tacttcattg ttttcttctg ttagattaac 180
tttacctata aaagattgtc tcttgacttt atatatatat atatgtgtgt gtgtgtgtgt 240
gtgtgtgtgt gtgtgtgtgt gtgtgtgtat ttgaagagga catgtgcctc cataaaagga 300
aataaaatga gagaatacat tattgatttt gtgaaatcaa aatatttgaa ttatggtttc 360
tcaatattca aaaactcttg cagtttctgt acttatttct tctgatgcat agagtttcgg 420
ggactacata tgtttcacaa ccaaagatat ccacttgaaa taaaaacatt ataaagttaa 480
aaaaaaaaaa aaaaactcga g 501

<210> 513

<211> 1162
<212> DNA
<213> Homo sapiens

<400> 513
ggcacgaggc gccccggact cttctcagtt gagagtgcgg ttcctgggca ggtttccaca 60
ccagttcctt tccgcgtcct tcggccctgg ctctggctgc ctggcggagg tggggtagca 120
tttgtcattt gcacactgct ggctttatct ttggggctgc accccgaggc aacaaatgca 180
ggatgctctg tcacccacat gtccaccacc atctggtttg ccttttggct actttgactt 240
tctccttaaa tgcttcctgt gctgagcaaa cattccacag ccagcagagc aatggagagt 300
tcatggccac tcttcccagt atcagcaagc aatttggggt gatcgtttgg aagcctcaga 360
ggaaagatgt catcaggctt cctgtggctt tgtccttcag catggggctc ggcttgcttt 420
cacctgcctt aggaagattt ctggcttctg agctctgata tggggagaag ataagggctg 480
ggatctttga gtctgccccc agctgggtat gtgcgtccgg tgtgcgggcc ttggagtttt 540
tggtaatgac tcacttgtgc tctttctggg atctgtctcc ctcccacatg accccgtggg 600
gtccctgaat gactgtttta gagtacccat gtgggttccc tgagtcacag caggggatgt 660
ttaataagga ggttagcact gagcttgggg acgtgctgtc acaccagcag gacgctgcag 720
gaaggagcag gctacttcct ttcttgacgt gcaaataact cgtataggct aatcaacagg 780
cttataagtt aaaagggcta ccgctcggcc ccttggggat tccatcccct cctctgtaac 840
ttggagatgt ttgtttctgc tgcagactca gagggttgcg atgaagagtg gtgggactga 900
gttgagaagc ttatcccttc gctgggtggg aggtttctaa ttgccctgtt ctttgggga 960
tccttaagtc cagcttccag gtgggggcag cgataggacc aagttctcct agtagtctct 1020
gggaagccac ttgagggaag ctgccggtca tgcccatgca cccattggtc ttctgccagc 1080
aggccctgta ggtcgtgcca tgttccatgt ccttctgggt tcttggggga gaaggaagct 1140
gttgaaaaaa aaaaaaaaaa aa 1162

<210> 514
<211> 1012
<212> DNA
<213> Homo sapiens

<400> 514
acgcgtccgg aagtgggaga ggtcgcagcc ccgccttctc tacacaggaa agctcagtgg 60
cccccaagcc aggatgtccc aagcttgggt ccccggcctc gcgcccacct tgctgttcag 120
cctgctggct ggcccccaaa agattgcagc caaatgtggt ctcatccttg cctgccccaa 180
aggattcaaa tgctgtggtg acagctgctg ccaggagaac gagctcttcc ctggccccgt 240
gaggatcttc gtcatcatct tcctggtcat cctgtccgtc ttttgcatct gtggcctggc 300
taagtgcttc tgtcgcaact gcagagagcc ggagccagac agcccagtgg attgccgggg 360
gcccctggaa ctgccctcca tcatcccccc agagagggtg attctgaagc ccagcctggg 420
cccaactccc acagagccac cccctcccta cagcttcagg cctgaagaat ataccgggga 480
tcagaggggc attgacaacc cggccttctg agtcacctcc tgcctggaat cttgccatca 540
gcaacctcct ccccagtgcc tcctggatca agctagagac tgctggcacc ccaggaatgt 600
ccctgcccat cctgccgtgt ctctgttcat tcttggattt aacttattac tttttctgct 660
tctgtttcca ccccagctgc ctctcttgtc ctgagggtta ggctggagtg acagtttccg 720
cccacccccc agcccaagaa agaggctgcc ggaaagaaaa tgctgaccat tggaggtgcc 780
caacagtaga atgggctact gtgaggggta gtaagagccc catttctgga ggtatgcaaa 840
tcttgactgg acagccagct ctgagatttt atcagggcac ttctatacct gtgggacatt 900
ggactggatg agccctgagc cagcttccac tcctacctga atagagaact cactgcaccc 960
acccacaaca catgataaac acatgtcctc actgaaaaaa aaaaaaaaaa aa 1012

<210> 515
<211> 754
<212> DNA
<213> Homo sapiens

<400> 515
ttaaccctca ctaaagggaa caaaagctgg agctccaccg cggtggcggc cgctctagaa 60
ctagtggatc ccccgggctg caggaattcg gcacgagcac tgcagctccc tgagcactct 120
ctacagagac gcggacccca gacatgagga ggctcctcct ggtcaccagc ctggtggttg 180
tgctgctgtg ggaggcaggt gcagtcccag cacccaaggt ccctatcaag atgcaagtca 240
aacactggcc ctcagagcag gacccagaga aggcctgggg cgcccgtgtg gtggagcctc 300

cggagaagga cgaccagctg gtggtgctgt tccctgtcca gaagccgaaa ctcttgacca 360
ccgaggagaa gccacgaggc accaaggcct ggatggagac cgaggacacc ctgggccgtg 420
tcctgagtcc cgagcccgac catgacagcc tgtaccaccc tccgcctgag gaggaccagg 480
gcgaggagag gccccggttg tgggtgatgc caaatcacca ggtgctcctg ggaccggagg 540
aagaccaaga ccacatctac cacccccagt aggggctcca ggggccatca ctgcccccgc 600
cctgtcccaa ggcccaggct gttgggactg ggaccctccc taccctgccc cagctagaca 660
aataaacccc agcaggccgg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 720
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 754

<210> 516
<211> 667
<212> DNA
<213> Homo sapiens

<400> 516
ggcacgagca ctgcagctcc ctgagcactc tctacagaga cgcggacccc agacatgagg 60
aggctcctcc tggtcaccag cctggtggtt gtgctgctgt gggaggcagg tgcagtccca 120
gcacccaagg tccctatcaa gatgcaagtc aaacactggc cctcagagca ggacccagag 180
aaggcctggg gcgcccgtgt ggtggagcct ccggagaagg acgaccagct ggtggtgctg 240
ttccctgtcc agaagccgaa actcttgacc accgaggaga agccacgagg caccaaggcc 300
tggatggaga ccgaggacac cctgggccgt gtcctgagtc ccgagcccga ccatgacagc 360
ctgtaccacc ctccgcctga agaggaccag ggcgaggaga ggccccggtt gtaggtgatg 420
ccaaatcacc aggtgctcct gggaccggag gaagaccaag acacatctac cacccccagt 480
aggggctcca ggggccatca atgccccccgc cctgtcccaa ggcccaggct gttgggactg 540
ggaccctccc taccctgccc cagctagaca aataaacccc agcaggccgg aaaaaaaaaa 600
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 660
aaaaaaa 667

<210> 517
<211> 2025
<212> DNA
<213> Homo sapiens

<400> 517
gcccgagagg cccggttcct ttaggccgcc tgcccgcctc cagctctcgg ggtcggctcc 60
aggaggcgcc ctcaggagag gggcgggcgc tctattccag agaccgagtg gcagggcggc 120
cactgtggcg gggctctttc cccgtttcgc ctcagctacc cctcagctcc ggtagtcgcc 180
agtccggggt cgtcgccgtt tggggcggga gctgctcggc cccgccgccg tccccgtcgc 240
cgcttccggg tccaggcccc tcgggccgcc tgccgccgtc atgaggctgc gggtgcggct 300
tctgaagcgg acctggccgc tggaggtgcc cgagacggag ccgacgctgg ggcatttgcg 360
ctcgcacctg aggcagtccc tgctgtgcac ctgggggtac agttctaata cccgatttac 420
aattacattg aactacaagg atcccctcac tggagatgaa gagaccttgg cttcatatgg 480
gattgtttct ggggacttga tatgtttgat tcttcaagat gacattccag cgcctaatat 540
accttcatcc acagattcag agcattcttc actccagaat aatgagcaac cctctttggc 600
caccagctcc aatcagacta gcatrcagga tgaacaacca agtgattcat tccaaggaca 660
ggcagcccag tctggtgttt ggaatgacga cagtatgtta gggcctagtc aaaattttga 720
agctgagtca attcaagata atgcgcatat ggcagagggc acaggtttct atccctcaga 780
acccatgctc tgtagtgaat cggtggaagg gcaagtgcca cattcattag agaccttgta 840
tcaatcagct gactgttctg atgccaatga tgccttgata gtgttgatac atcttctcat 900
gttggagtca ggttacatac ctcagggcac cgaagccaaa gcactgtcca tgccggagaa 960
gtggaagttg agcggggtgt ataagctgca gtacatgcat cctctctgcg agggcagctc 1020
cgctactctc acctgtgtgc ctttgggaaa cctgattgtt gtaaatgcac tgaacctacc 1080
agatgtattt gggttggtcg tcctcccatt ggaactgaaa ctacggatct tccgacttct 1140
ggatgttcgt tccgtcttgt ctttgtctgc ggtttgtcgt gacctcttta ctgcttcaaa 1200
tgacccactc ctgtggaggt ttttatatct gcgtgatttt cgagacaata ctgtcagagt 1260
tcaagacaca gattggaaag aactgtacag gaagaggcac atacaaagaa aagaatcccc 1320
gaaagggcgg tttgtgatgc tcctgccatc gtcaactcac accattccat tctatcccaa 1380
ccccttgcac cctaggccat ttcctagctc ccgccttcct ccaggaatta tcgggggtga 1440
atatgaccaa agaccaacac ttccctatgt tggagaccca atcagttcac tcattcctgg 1500
tcctggggag acgcccagcc agtttcctcc actgagacca cgctttgatc cagttggccc 1560
acttccagga cctaacccca tcttgccagg gcgaggcggc cccaatgaca gatttccctt 1620

tagacccagc aggggtcggc caactgatgg ccggctgtca ttcatgtgat tgatttgtaa 1680
tttcatttct ggagctccat ttgtttttgt ttctaaacta cagatgtcaa ctccttgggg 1740
tgctgatctc gagtgttatt ttctgattgt ggtgttgaga gttgcactcc cagaaacctt 1800
ttaagagata catttatagc cctaggggtg gtatgaccca aaggttcctc tgtgacaagg 1860
ttggccttgg gaatagttgg ctgccaatct ccctgctctt ggttctcctc tagattgaag 1920
tttgttttct gatgctgttc ttaccagatt aaaaaaaagt gtaaattaaa aaaaaaaaaa 1980
aaaaaactyg agggggggccc sggacccaat tsccctatag ggggc 2025

<210> 518
<211> 1020
<212> DNA
<213> Homo sapiens

<400> 518
aaactagggg aaaatgtagc caacatatac aaagatcttc agaaactctc tcgcctcttt 60
aaagaccagc tggtgtatcc tcttctggct tttacccgac aagcactgaa cctaccagat 120
gtatttgggt tggtcgtcct cccattggaa ctgaaactac ggatcttccg acttctggat 180
gttcgttccg tcttgtcttt gtctgcggtt tgtcgtgacc tctttactgc ttcaaatgac 240
ccactcctgt ggaggttttt atatctgcgt gattttcgag acaatactgt cagagttcaa 300
gacacagatt ggaagactgt acaggaagag gcacatacaa agaaaagaat ccccgaaagg 360
gcggtttgtg atgctcctgc catcgtcaac tcacaccatt ccattctatc ccaacccctt 420
gcaccctagg ccatttccta gctcccgcct tcctccagga attatcgggg gtgaatatga 480
ccaaagacca acacttccct atgttggaga cccaatcagt tcactcattc ctggtcctgg 540
ggagacgccc agccagtttc ctccactgag accacgcttt gatccagttg gcccacttcc 600
aggacctaac cccatcttgc cagggcgagg cggccccaat gacagatttc cctttagacc 660
cagcaggggt cggccaactg atggccggct gtcattcatg tgattgattt gtaatttcat 720
ttctggagct ccatttgttt ttgtttctaa actacagatg tcaactcctt ggggtgctga 780
tctcgagtgt tattttctga ttgtggtgtt gagagttgca ctcccagaaa ccttttaaga 840
gatacattta tagccctagg ggtggtatga cccaaaggtt cctctgtgac aaggttggcc 900
ttgggaatag ttggctgcca atctccctgc tcttggttct cctctagatt gaagtttgtt 960
ttctgatgct gttcttacca gattaaaaaa aagtgtaaat taaaaaaaaa aaaaaaaaaa 1020

<210> 519
<211> 3306
<212> DNA
<213> Homo sapiens

<400> 519
ccacgcgtcc ggcccagggc tgtctgtctc caaagcccaa ccataactca catccccatt 60
ccagctcctc tgggtgagtc tgttcccccc cagcctcact ttccttatcc tgtcaaatga 120
aggatttgga atgacttaag ttattcaagc aacaaacact tactgaattg tcttgccact 180
tccagggtga cattatggag ttctgtgatt ctgcaagagg ccagagggga caaggtcaag 240
tgggtgttca cctggccccc catcttcctc ctgtgcgtca ccattcccaa ctgcagcaag 300
ccccgctggg agaagttctt catggtcacc ttcatcaacg ccacgctgtg gatcgctgtg 360
ttctcctaca tcatggtgtg gctggtgact attatcggat acacacttgg gatcccggat 420
gtcatcatgg gcattacttt cctggcagca ggacaagtgt tccagactgc atggccagcc 480
taattgtggc gagacaaggc cttggggaca tggcagtctc caacaccata gaagcaacgt 540
gtttgacatc ctggtaggac ttggtgtacc gtggggcctg cagaccatgg ttgttaatta 600
tggatcaaca gtgaagatca acagccgggg gctggtctat tccgtggtcc tgttgctggg 660
ctctgtcgct ctcaccgtcc tcggcatcca cctaaacaag tggcgactgg accggaagct 720
gggtgtctac gtgctggttc tctacgccat cttcttgtgc ttctccataa tgatagagtt 780
taacgtcttt accttcgtca acttgccgat gtgccgggaa gacgattagc gctgagtcgc 840
ggcccctggg agctgatctg gacaccctgt gacactggcg tcctcctctc ccctccttcc 900
cccaccacag gtctctcctg cataggcagc cactgtccgt tctttcacac actggaagga 960
agagccatcg tggtctttgt ctggccacag ccaagctgct gggcatcctc ctcctccttg 1020
gagttccacc cctgcaaggc tggatttggg ggccattatc tgagcagctt caaagacccc 1080
tgagctgcca accacggaga tgtgccaagc atctcatctc tcctgcacac tttagtcaga 1140
aggacttctg catgcagttt gtctttctgt tctgcaggca gcttcagaat tgaggtcatt 1200
tgtgagcaca agatctcata gggcaggtgc aaaataggaa tgttgttctc aagtgtcacc 1260
tccagcccag aggtggttcc ttaggcagca tgtgctcctg ggagcctctg acttttgctg 1320
gaagcaccca cagtttggaa ggggcaagac ctcaacctgt tggggtttag ggcccatgat 1380

ggcagacatt ctacccctttt tcctggaaaa actggaagaa tgaaaataat ttttttctgt 1440
ggaagagaga aaatgagtga atattcttct cacttttatt gatgcattca gagaataagc 1500
aatgaaatat taaaaaatga aacatcatat aggtcatcat acttgaaaat tatcattcca 1560
tatgaaagga tcatgataca caccaaaaaa gtaatgatcg taaagacaca aatcctctgt 1620
atgccatctt gcattggcac tgaggtgttt ggtttggaat agggaaaaag agacaggatc 1680
tcgctgtgtt ccccaggtag gtcttgaact cctggcctca agtgatcctc ctgccttgac 1740
ctcccaaagt gctggattac aagcgtgagc ccctgcaccc ggcccaagca gttgcttctt 1800
tttttctctt ttttttttt tttgagatgg agcctcactc tgttgcccag gctggagtgc 1860
agtggcgcga tctccactca ctgcaagctc cgcctcccgg gttcatgcca ttctcctgcc 1920
tcagcctccc gagtagctgg gactacaggc gcctgccacc acacccagct aatttttgt 1980
atttttggta cagacagggt ttcaccgtgt tagccaggat ggtcttgatc tctgatctcg 2040
gatccgccac cccggcctcc aaagtgctgg attacaagcg tgagccaccg ggccccgcca 2100
agcagttgct tcttatgcaa catgttgggt gggacttgtc cacgggccag gccaataaaa 2160
ttcttaatcc tgcagagagc agtaccctca tcaccccatc actggaaaac aaatgtttaa 2220
gctatcaaga gagggaatgt gcagcttggt tctagatgca tggtttggag gatctacctt 2280
ggcctaaagg gaatgtccca aacaacagag ccttctttgc tgcactccag aattctctac 2340
acagaatttc ccaagtccat tcaggacaga cgcgcagtcc tctttcaatg gaagaagaga 2400
ggacttttcc cctcctgaaa aatgactgga gtgtgaacaa ggcagctctg tttttctaaa 2460
taagttgttc ttgtgagttt tttctggcca ctgggcatct ctgccctcac ttttcatccc 2520
tgccctctaa gctgcagacc ccatgaccac actgtctgct tccttgagct tcccgcacga 2580
ggcttgcacc tgggggacct ggagaccctg cggacagaac tgtggctgag ccactgtggc 2640
caactcttgg ggagctccac agtgggggtt gctggtctgt gaggctgagt ctccatttca 2700
gagcacacac tccctggcag ggcgcctccg cctgtgtctc ctgcccagca gccgccagca 2760
gggaatagtt gctggtgtct gagcacaaag agagctttga ttacctagag aggaaaaagg 2820
ctgtcagcca gatgcagcca ggcccagggg tagatacagg agttgctaag gaaggggccg 2880
agccaggaga ggccaggcag atccacaaag cccaagggga tgcaggctgg gtgtggtttc 2940
tgagggaacc taccaaatag caggtagatg gaatcagagg actcttgtgt cctgaaagaa 3000
cctccttaaa aacaactaaa accaagaact tctggggctg ttcacacatt gttcaagtca 3060
ccccaagatc gttctggcac gctgagctga acaccaccat ctttgttcat tctctctcta 3120
atgggcaaag caggatcatc gagttgaaaa gttgtaaata atgaggatat ttatcccgct 3180
atttattttt tcaataactg tgacctcctg cactgtgaat gctctgtgac atgagattct 3240
tagtttaata aaactgtcat taaatttgaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 3300
aaaaaa 3306

<210> 520
<211> 2194
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (441)..(441)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (987)..(987)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2034)..(2034)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2041)..(2041)
<223> n equals a,t,g, or c

<220>
<221> misc_feature

<222> (2121)..(2121)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2169)..(2169)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (2184)..(2184)
<223> n equals a,t,g, or c

<400> 520
ggcccagggc tgtctgtctc caaagcccaa ccataactca catccccatt ccagctcctc 60
tgggtgagtc tgttcccccc cagcctcact ttccttatcc tgtcaaatga aggatttgga 120
atgacttaag ttattcaagc aacaaacact tactgaattg tcttgccact tccagggtga 180
cattatggag ttctgtgatt ctgcaagagg ccagagggga caaggtcaag tgggtgttca 240
cctggcccct catcttcctc ctgtgcgtca ccattcccaa ctgcagcaag ccccgctggg 300
agaagttctt catggtcacc ttcatcamcg ccacgctgtg gatcgctgtg ttctcctaca 360
tcatggtgtg gctggtgact attatcggat acacacttgg gatcccggat gtcatcatgg 420
gcattamttt cctggcagca nggacaagtg ttccagactg catggccagc ctaattgtgg 480
cgagacaagg ccttggggac atggcagtct ccaacacyat aaraagcaac gtgtttgaca 540
tcctggtagg acttggtgta ccgtggggcc tgcagaccat ggttgttaat tatggatcaa 600
cagtgaagat caacagccgg gggctggtct attccgtggt cctgttgctg ggctctgtcg 660
ctctcaccgt cctcggcatc cacctaaaca agtggcgact ggaccggaag ctgggtgtct 720
acgtgctggt tctctacgcc atcttcttgt gcttctccat aatgatagag tttaacgtct 780
ttaccttcgt caacttgccg atgtgccggg aagacgatta gcgctgagtc gcggcccctg 840
ggagctgatc tggacaccct gtgacactgg cgtcctcctc tcccctcctt cccccaccac 900
aggtctctcc tgcataggca gccactgtcc gttctttcac acactggaag gaagagccat 960
cgtggtcttt gtctggccac aggccangct gctgggcatc ctcctcctcc ttggagttcc 1020
acccctgsaa ggcygatttg ggggccatta tctgagcagc ttcaaagacc cctgarctgc 1080
caaccacgga gatgtgccaa gcatctcatc tctcctgcac actttagtca gaaggacttc 1140
tgcatgcagt ttgtctttct gttctgcagg cagcttcaga attgaggtca tttgtgagca 1200
caagatctca tagggcaggt gcaaaatagg aatgttgttc tcaagtgtca cctccagccc 1260
agaggtggtt ccttaggcag catgtgctcc tgggagcctc tgacttttgc tggaagcacc 1320
cacagtttgg aaggggcaag acctcaacct gttggggttt agggcccatg atggcagaca 1380
ttctaccccc tttcctggaa aaactggaag aatgaaaatm attttttttct gtggaagaga 1440
gaaaatgagt gaatatyctt ctcactttta ttgatgcatt cagagaataa gcaatgaaat 1500
attaaaaaat gaaacatcat ataggtcatc atacttgaaa attatcattc catatgaaag 1560
gatcatgata cacaccaaaa aagtaatgat cgtaaagaca caaatcctct gtatgccatc 1620
ttgcattggc actgaggtgt ttggtttgga atagggaaaa agagacagga tctcgctgtg 1680
ttccccaggt aggtcttgaa ctcctggcct caagtgatcc tcctgccttg acctcccaaa 1740
gtgctggatt acaagcgtga gcccctgcac ccggcgccaa gcagttgctt ctttttttct 1800
ctttttttt ttttttgaga tggagcctca ctctgttgcc caggctggag tgcagtggcg 1860
cgatctccac tcactgcaag ctccgcctcc cgggttcatg ccattctcct gcctcagcct 1920
cccgagtagc tgggactaca ggcgcctgcc accacaccca gctaattttt tgtatttttg 1980
gtacagacag ggtttcaccg tgttagccag gatggtcttg atctctgatc tcgngatccg 2040
nccaccccgg ccttccaaag tgcttggatt acaagcgtga gccacccggg ccccgccaag 2100
caagttgctt cttatgcaac natgttgggt tggggacttg gtccacgggg cccaggccca 2160
ataaaaatnc tttaatccct gcanaagagg ccag 2194

<210> 521
<211> 1315
<212> DNA
<213> Homo sapiens

<400> 521
acgcgtccgg acgccgccac ctccggaaca agccatggtg gcggctacgg tggcagcggc 60
gtggctgctc ctgtgggctg cggcctgcgc gcagcaggag caggacttct acgacttcaa 120
ggcggtcaac atccggggca aactggtgtc gctggagaag taccgcggat cggtgtccct 180

ggtggtgaat gtggccagcg agtgcggctt cacagaccag cactaccgag ccctgcagca 240
gctgcagcga gacctgggcc cccaccactt caacgtgctc gccttccccct gcaaccagtt 300
tggccaacag gagcctgaca gcaacaagga gattgagagc tttgcccgcc gcacctacag 360
tgtctcattc cccatgttta gcaagattgc agtcaccggt actggtgccc atcctgcctt 420
caagtacctg gcccagactt ctgggaagga gcccacctgg aacttctgga agtacctagt 480
agccccagat ggaaaggtgg taggggcttg ggacccaact gtgtcagtgg aggaggtcag 540
accccagatc acagcgctcg tgaggaagct catcctactg aagcgagaag acttataacc 600
accgcgtctc ctcctccacc acctcatccc gcccacctgt gtggggctga ccaatgcaaa 660
ctcaaatggt gcttcaaagg gagagaccca ctgactctcc ttcctttact cttatgccat 720
tggtcccatc attcttgtgg gggaaaaatt ctagtatttt gattatttga atcttacagc 780
aacaaatagg aactcctggc caatgagagc tcttgaccag tgaatcacca gccgatacga 840
acgtcttgcc aacaaaaatg tgtggcaaat agaagtatat caagcaataa tctcccaccc 900
aaggcttctg taaactggga ccaatgatta cctcataggg ctgttgtgag gattaggatg 960
aaatacctgt gaaagtgcct aggcagtgcc agccaaatag gaggcattca atgaacattt 1020
tttgcacata aaccaaaaaa taacttgtta tcaataaaaa cttgcatcca acatgaattt 1080
ccagccgatg ataatccagg ccaaaggttt agttgttgtt atttcctctg tattattttc 1140
ttcattacaa aagaaatgca agttcattgt aacaatccaa acaatacctc acgatataaa 1200
ataaaaatga aagtatcctc ctcaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1260
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaa 1315

<210> 522
<211> 796
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (4)..(4)
<223> n equals a,t,g, or c

<400> 522
ggantcctca ggcgttcttt agaaggtccg cctgcaggta ccggtccgga attcccgggt 60
cgacccacgc gtycggcaga cacaggcact tattcattca tctcattgaa aagctacgag 120
ttggttcctt attgcctctc cataatagaa aaactcttta atgagctctc tttttgtttt 180
tcaaatcaga tatgcaaaga agctcataac aatttttttt aaaaatgcaa aacaagaatc 240
tccaattatg ggagcaaaat cttcagcttc tgggttcctg tctcactgag gaaatggatt 300
tgaaatggca aggaggaaat gaggaggcaa actttcatgt ctattttagt tttccaatgc 360
agtcctattt cctttggact ttgtataaac aaggaaagga cagttgttag ttcagttatt 420
acagataacc tgtgtctttа aagtaaatgt atcttaaata agtaggactc ccataaatga 480
ctacactttt tcaaaatatg actccccagc ttataacaag aataatagca aacatcactt 540
tattaagcaa ttactatgta aaagacactt agtgcttagc acacactgga aatattgttg 600
actggctata ttttccccag aaatcccatt tctgaaagcc tattacaaag aaataaaatc 660
atcagtataa caaaggagtg tgtgtgtgtg tgggtgtgag tgtgtgtggg tgtgagtgtg 720
tgggggtgtg gagtgtgtgt ggggtgtgag agtgtgtgtg tgagtgtaag tgtgtgtgtg 780
tgtaagtgca cacacg 796

<210> 523
<211> 734
<212> DNA
<213> Homo sapiens

<400> 523
gctcgtgccg ctgctgggca ctgggagcag ggggcggcca aaggcagtgg gtgggcaggt 60
ccatgcctcc cctggccccc cagctctgca gggcagtgtt cctggttcct atcttgctgc 120
tgctgcaggt gaagcctctg aacgggagcc caggccccaa agatgggagc cagacagaga 180
aaacgccctc tgcagaccag aatcaagaac agttcgaaga gcactttgtg gcctcctcag 240
tgggtgagat gtggcaggtg gtggacatgg cccagcagga agaagaccag tcgtccaaga 300
cggcagctgt tcacaagcac tctttccacc tcagcttctg ctttagtctg gccagtgtca 360
tggttttctc aggagggcca ttgaggcgga cattcccaaa tatccaactc tgcttcatgc 420
tcactcactg accctccctc cctcctgggc tccaggtcac aactcccaaa ggagatgcag 480
gcatggctct ctgcctctga tcaccatcac tgtatctcaa ggttcagcag cagagatacc 540

agttgccatc agtgctaact gactgcctct ccaggttcgg agtttcatct cccagggcca 600
gagacagcag acccacatcc ttctctccca cacctctcct ggttttgttc aggacagcag 660
attagaggca ggaggcaatg acaataaaat aacgataaaa tcctgagaac aaaaaaaaaa 720
aaaaaaaact cgag 734

<210> 524
<211> 207
<212> PRT
<213> Homo sapiens

<400> 524
Met Ile Lys His Val Ala Trp Leu Ile Phe Thr Asn Cys Ile Phe Phe
1 5 10 15

Cys Pro Val Ala Phe Phe Ser Phe Ala Pro Leu Ile Thr Ala Ile Ser
20 25 30

Ile Ser Pro Glu Ile Met Lys Ser Val Thr Leu Ile Phe Phe Pro Leu
35 40 45

Pro Ala Cys Leu Asn Pro Val Leu Tyr Val Phe Phe Asn Pro Lys Phe
50 55 60

Lys Glu Asp Trp Lys Leu Leu Lys Arg Arg Val Thr Lys Lys Ser Gly
65 70 75 80

Ser Val Ser Val Ser Ile Ser Ser Gln Gly Gly Cys Leu Glu Gln Asp
85 90 95

Phe Tyr Tyr Asp Cys Gly Met Tyr Ser His Leu Gln Gly Asn Leu Thr
100 105 110

Val Cys Asp Cys Cys Glu Ser Phe Leu Leu Thr Lys Pro Val Ser Cys
115 120 125

Lys His Leu Ile Lys Ser His Ser Cys Pro Ala Leu Ala Val Ala Ser
130 135 140

Cys Gln Arg Pro Glu Gly Tyr Trp Ser Asp Cys Gly Thr Gln Ser Ala
145 150 155 160

His Ser Asp Tyr Ala Asp Glu Glu Asp Ser Phe Val Ser Asp Ser Ser
165 170 175

Asp Gln Val Gln Ala Cys Gly Arg Ala Cys Phe Tyr Gln Ser Arg Gly
180 185 190

Phe Pro Leu Val Arg Tyr Ala Tyr Asn Leu Pro Arg Val Lys Asp
195 200 205

<210> 525
<211> 72
<212> PRT
<213> Homo sapiens

<400> 525
Met Pro Ser Ile Arg Leu Gly Leu Ser His Leu Phe Leu Thr Ala Gly
1 5 10 15

Ile Tyr Cys Leu Leu Leu Cys Ala Arg Cys Cys Ala Leu Gly Arg Gly
20 25 30

Thr Ala Trp Ala Ala Cys Pro Gly Gly Ala Cys Gly Leu Met Gly Glu
35 40 45

Ala Asp Pro Ser Pro Pro His Cys Gln Gln Gly Gln Gly Lys Ser Thr
50 55 60

His Arg Gly Leu Ile Pro Tyr Val
65 70

<210> 526
<211> 114
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (13)
<223> Xaa equals any amino acid

<400> 526
Met Ala Gly Pro Arg Ala Ser Thr Gly Pro Arg Pro Xaa Cys Leu Val
1 5 10 15

Leu Phe Leu Phe Asn Phe Ile Phe Cys Phe Met Ser Val Cys Pro Pro
20 25 30

Thr Pro Thr Pro Phe Ser Val Lys Trp Gly Ala Leu Gly Glu Ser Leu
35 40 45

Leu Pro Pro Ser Leu Ser Gln Asp Leu Pro Pro Arg His Gln Pro Ser
50 55 60

Leu Trp Thr Arg Gln Arg Ala Asp Arg Val Gly Arg Gly Leu Arg Val
65 70 75 80

Ala Arg Ala Ser Pro Pro Ala Asn Gly Pro Leu Leu Arg Pro Pro Val
85 90 95

Ser Pro Cys Pro Phe Leu Lys Gln Asn Ala Leu Val Cys Lys Pro Leu
100 105 110

Asp Ala

<210> 527
<211> 49
<212> PRT
<213> Homo sapiens

<400> 527
Met Arg Leu Cys Ser Phe Thr Lys Val Pro Met Asn Leu Phe Leu Asn
1 5 10 15

Val Ile Leu Leu Lys Phe Tyr Asn Phe Leu Phe Ser Leu Ile Leu Gly

20 25 30

Lys Ser Cys Leu Ala Ser Leu Gly Leu Cys Lys Asn Asn Lys Cys Leu
35 40 45

Ser

<210> 528
<211> 62
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (16)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (54)
<223> Xaa equals any amino acid

<400> 528
Met Val Thr Gly Phe Phe Phe Ile Leu Met Thr Val Leu Trp Phe Xaa
1 5 10 15

Arg Glu Pro Gly Phe Val Pro Gly Trp Asp Ser Phe Phe Glu Lys Lys
20 25 30

Gly Tyr Arg Thr Asp Ala Thr Val Ser Val Phe Leu Gly Phe Leu Leu
35 40 45

Phe Leu Ile Pro Ala Xaa Glu Ala Leu Leu Trp Glu Lys Glu
50 55 60

<210> 529
<211> 49
<212> PRT
<213> Homo sapiens

<400> 529
Gly Arg Lys Gly Gly Leu Ser Gly Thr Ser Phe Phe Thr Trp Phe Met
1 5 10 15

Val Ile Ala Leu Leu Gly Val Trp Thr Ser Val Pro Val Val Trp Phe
20 25 30

Asp Leu Val Val Asp Glu Gln Ile Thr Ser Gln Ser Lys Gly Leu Pro
35 40 45

Leu

<210> 530

<211> 300
<212> PRT
<213> Homo sapiens

<400> 530
Met Lys Phe Leu Leu Asp Ile Leu Leu Leu Pro Leu Leu Ile Val
1 5 10 15

Cys Ser Leu Glu Ser Phe Val Lys Leu Phe Ile Pro Lys Arg Arg Lys
20 25 30

Ser Val Thr Gly Glu Ile Val Leu Ile Thr Gly Ala Gly His Gly Ile
35 40 45

Gly Arg Leu Thr Ala Tyr Glu Phe Ala Lys Leu Lys Ser Lys Leu Val
50 55 60

Leu Trp Asp Ile Asn Lys His Gly Leu Glu Glu Thr Ala Ala Lys Cys
65 70 75 80

Lys Gly Leu Gly Ala Lys Val His Thr Phe Val Val Asp Cys Ser Asn
85 90 95

Arg Glu Asp Ile Tyr Ser Ser Ala Lys Lys Val Lys Ala Glu Ile Gly
100 105 110

Asp Val Ser Ile Leu Val Asn Asn Ala Gly Val Val Tyr Thr Ser Asp
115 120 125

Leu Phe Ala Thr Gln Asp Pro Gln Ile Glu Lys Thr Phe Glu Val Asn
130 135 140

Val Leu Ala His Phe Trp Thr Thr Lys Ala Phe Leu Pro Ala Met Thr
145 150 155 160

Lys Asn Asn His Gly His Ile Val Thr Val Ala Ser Ala Ala Gly His
165 170 175

Val Ser Val Pro Phe Leu Leu Ala Tyr Cys Ser Ser Lys Phe Ala Ala
180 185 190

Val Gly Phe His Lys Thr Leu Thr Asp Glu Leu Ala Ala Leu Gln Ile
195 200 205

Thr Gly Val Lys Thr Thr Cys Leu Cys Pro Asn Phe Val Asn Thr Gly
210 215 220

Phe Ile Lys Asn Pro Ser Thr Ser Leu Gly Pro Thr Leu Glu Pro Glu
225 230 235 240

Glu Val Val Asn Arg Leu Met His Gly Ile Leu Thr Glu Gln Lys Met
245 250 255

Ile Phe Ile Pro Ser Ser Ile Ala Phe Leu Thr Thr Leu Glu Arg Ile
260 265 270

Leu Pro Glu Arg Phe Leu Ala Val Leu Lys Arg Lys Ile Ser Val Lys
275 280 285

Phe Asp Ala Val Ile Gly Tyr Lys Met Lys Ala Gln
290 295 300

<210> 531
<211> 122
<212> PRT
<213> Homo sapiens

<400> 531
Met Cys Tyr Leu Leu Leu Leu Leu Ile Gln Thr Ala Glu Leu Leu Ile
1 5 10 15

His Pro Gln Gly Leu Gln Ala Val Ser Asn Gly Glu Ser Ala Leu Lys
20 25 30

Gly Thr Arg Pro Thr Phe Ser Ser Pro Phe Ile Leu Val Thr Glu Gly
35 40 45

Arg Lys Glu Trp Glu Gly Val Phe Leu Ser Ser Gly Trp Lys Gly Asn
50 55 60

Thr Leu Ser Asn Tyr Tyr Ile Ser Leu Val Phe Tyr Tyr Ser Arg Ile
65 70 75 80

Leu Gln Pro Tyr Phe Tyr Cys Leu Trp Gly Lys Leu Glu Met Val Thr
85 90 95

Leu Ile Arg Ser Val Trp Arg Gly Ile Asn Gly Gly Asp Lys Ile Gln
100 105 110

Leu Val Leu Glu Asn Val Lys Val Leu Lys
115 120

<210> 532
<211> 43
<212> PRT
<213> Homo sapiens

<400> 532
Met Glu His Leu Ile Arg Ser Gly Val Lys Ile Leu Phe Leu Asn Leu
1 5 10 15

Leu Leu Thr Ser Cys Thr Thr Leu Asn Glu Trp Leu Asn Phe Leu Val
20 25 30

Thr Leu Asn Cys Ser Arg Tyr Lys Met Thr Gly
35 40

<210> 533
<211> 66
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (12)
<223> Xaa equals any amino acid

<400> 533
Met Asn Leu Ser Ile Ile Leu Pro Asn Ser Phe Xaa His Leu Cys Asn
1 5 10 15

Phe Ser Leu Phe Leu Leu Pro Leu Pro Val Pro Ser Gln Pro Leu Ile
20 25 30

Cys Ser Gly Asn Tyr Gln Ser Ser Phe Cys His Tyr Arg Leu Ile Cys
35 40 45

Ile Phe Lys Glu Ile Tyr Ile His Gly Thr Ile His His Leu Cys Phe
50 55 60

Val Val
65

<210> 534
<211> 140
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (129)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (132)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (134)
<223> Xaa equals any amino acid

<400> 534
Met Phe Phe Ser Leu Pro Gly Leu Trp Gln Ile Ala Ser Phe Thr His
1 5 10 15

Asn Leu Ile Phe His Leu Trp Val Trp Gly Ser Glu Ser Gly Glu His
20 25 30

Leu Gln Ser His Asn Asp Pro Asp Thr Arg Gln Gly Gly His Ile Pro
35 40 45

Ile Arg Leu Leu Gly Glu Ser Ser Ala Ser Val Pro Gly Ser Ser Glu
50 55 60

Gly His Thr Gly Gly Pro Ala Pro Pro Arg Val Gly Gly Ser Ala Gly
65 70 75 80

Ile Ile Arg Thr His Val Val Phe Leu Val Ser Trp Pro Leu Leu Gln
85 90 95

Arg Glu Gln His Arg Leu Ser Trp Lys Leu Pro Ser Val Met Trp Gly
100 105 110

```
Asp Ser Arg Glu Pro His Leu Ala Arg Leu Asp Gln Ser Lys Trp Pro
        115                 120                 125

Xaa Ala Thr Xaa Ala Xaa Gln Tyr Leu Gly Arg Gly
    130                 135                 140
```

<210> 535
<211> 94
<212> PRT
<213> Homo sapiens

<400> 535

```
Met His Phe Phe Val Glu Ser Thr Ile Val Ser Asp Thr Leu Ile Thr
  1               5                  10                  15

Leu Ser Asn Leu Thr Phe His Lys Cys Pro Glu Tyr Glu Asn Ile Ile
             20                  25                  30

Gln Asp Leu Asn Thr Asn Tyr Gln Asn Leu Gln Leu Ser Asn Gly Arg
         35                  40                  45

Leu Arg Phe Met Leu Cys His Val Phe Ser Ser Phe Leu Phe Val Met
     50                  55                  60

Val Phe Gln Ile Val Glu Lys Glu Asn Ile Leu Phe Val Ile Ala Ser
 65                  70                  75                  80

Ala Ser Tyr Phe Cys Lys Thr Asn Tyr Ser Asn Ser Val Val
                85                  90
```

<210> 536
<211> 563
<212> PRT
<213> Homo sapiens

<400> 536

```
Met Trp Ala Val Leu Arg Leu Ala Leu Arg Pro Cys Ala Arg Ala Ser
  1               5                  10                  15

Pro Ala Gly Pro Arg Ala Tyr His Gly Asp Ser Val Ala Ser Leu Gly
             20                  25                  30

Thr Gln Pro Asp Leu Gly Ser Ala Leu Tyr Gln Glu Asn Tyr Lys Gln
         35                  40                  45

Met Lys Ala Leu Val Asn Gln Leu His Glu Arg Val Glu His Ile Lys
     50                  55                  60

Leu Gly Gly Gly Glu Lys Ala Arg Ala Leu His Ile Ser Arg Gly Lys
 65                  70                  75                  80

Leu Leu Pro Arg Glu Arg Ile Asp Asn Leu Ile Asp Pro Gly Ser Pro
                85                  90                  95

Phe Leu Glu Leu Ser Gln Phe Ala Gly Tyr Gln Leu Tyr Asp Asn Glu
            100                 105                 110
```

Glu Val Pro Gly Gly Gly Ile Ile Thr Gly Ile Gly Arg Val Ser Gly
115 120 125

Val Glu Cys Met Ile Ile Ala Asn Asp Ala Thr Val Lys Gly Gly Ala
130 135 140

Tyr Tyr Pro Val Thr Val Lys Lys Gln Leu Arg Ala Gln Glu Ile Ala
145 150 155 160

Met Gln Asn Arg Leu Pro Cys Ile Tyr Leu Val Asp Ser Gly Gly Ala
165 170 175

Tyr Leu Pro Arg Gln Ala Asp Val Phe Pro Asp Arg Asp His Phe Gly
180 185 190

Arg Thr Phe Tyr Asn Gln Ala Ile Met Ser Ser Lys Asn Ile Ala Gln
195 200 205

Ile Ala Val Val Met Gly Ser Cys Thr Ala Gly Gly Ala Tyr Val Pro
210 215 220

Ala Met Ala Asp Glu Asn Ile Ile Val Arg Lys Gln Gly Thr Ile Phe
225 230 235 240

Leu Ala Gly Pro Pro Leu Val Lys Ala Ala Thr Gly Glu Glu Val Ser
245 250 255

Ala Glu Asp Leu Gly Gly Ala Asp Leu His Cys Arg Lys Ser Gly Val
260 265 270

Ser Asp His Trp Ala Leu Asp Asp His His Ala Leu His Leu Thr Arg
275 280 285

Lys Val Val Arg Asn Leu Asn Tyr Gln Lys Lys Leu Asp Val Thr Ile
290 295 300

Glu Pro Ser Glu Glu Pro Leu Phe Pro Ala Asp Glu Leu Tyr Gly Ile
305 310 315 320

Val Gly Ala Asn Leu Lys Arg Ser Phe Asp Val Arg Glu Val Ile Ala
325 330 335

Arg Ile Val Asp Gly Ser Arg Phe Thr Glu Phe Lys Ala Phe Tyr Gly
340 345 350

Asp Thr Leu Val Thr Gly Phe Ala Arg Ile Phe Gly Tyr Pro Val Gly
355 360 365

Ile Val Gly Asn Asn Gly Val Leu Phe Ser Glu Ser Ala Lys Lys Gly
370 375 380

Thr His Phe Val Gln Leu Cys Cys Gln Arg Asn Ile Pro Leu Leu Phe
385 390 395 400

Leu Gln Asn Ile Thr Gly Phe Met Val Gly Arg Glu Tyr Glu Ala Glu
405 410 415

Gly Ile Ala Lys Asp Gly Ala Lys Met Val Ala Ala Val Ala Cys Ala
420 425 430

Gln Val Pro Lys Ile Thr Leu Ile Ile Gly Gly Ser Tyr Gly Ala Gly

435 440 445

Asn Tyr Gly Met Cys Gly Arg Ala Tyr Ser Pro Arg Phe Leu Tyr Ile
450 455 460

Trp Pro Asn Ala Arg Ile Ser Val Met Gly Gly Glu Gln Ala Ala Asn
465 470 475 480

Val Leu Ala Thr Ile Thr Lys Asp Gln Arg Ala Arg Glu Gly Lys Gln
485 490 495

Phe Ser Ser Ala Asp Glu Ala Ala Leu Lys Glu Pro Ile Ile Lys Lys
500 505 510

Phe Glu Glu Glu Gly Asn Pro Tyr Tyr Ser Ser Ala Arg Val Trp Asp
515 520 525

Asp Gly Ile Ile Asp Pro Ala Asp Thr Arg Leu Val Leu Gly Leu Ser
530 535 540

Phe Ser Ala Ala Leu Asn Ala Pro Ile Glu Lys Thr Asp Phe Gly Ile
545 550 555 560

Phe Arg Met

<210> 537
<211> 53
<212> PRT
<213> Homo sapiens

<400> 537
Met Val Gln Phe Glu Val Ile Phe Leu Leu Phe Gly Leu Cys Phe Ser
1 5 10 15

Ser Ser Ser Ser Arg Leu Val Gly Ser Gln Val Glu Asn Phe Ser Pro
20 25 30

Thr Pro Cys Ile Phe Gln Ala Phe Arg Cys Ser Ser Leu Ala Ile Ile
35 40 45

Ser Met Ser Leu Ser
50

<210> 538
<211> 421
<212> PRT
<213> Homo sapiens

<400> 538
Met Thr Val Phe Phe Lys Thr Leu Arg Asn His Trp Lys Lys Thr Thr
1 5 10 15

Ala Gly Leu Cys Leu Leu Thr Trp Gly Gly His Trp Leu Tyr Gly Lys
20 25 30

His Cys Asp Asn Leu Leu Arg Arg Ala Ala Cys Gln Glu Ala Gln Val

```
        35                  40                  45

Phe Gly Asn Gln Leu Ile Pro Pro Asn Ala Gln Val Lys Lys Ala Thr
     50                  55                  60

Val Phe Ser Ile Leu Gln Leu Ala Lys Glu Lys Pro Gly Leu Tyr Leu
 65                  70                  75                  80

Lys Lys Met Leu Pro Asp Phe Thr Phe Ile Trp His Gly Cys Asp Tyr
                 85                  90                  95

Cys Lys Thr Asp Tyr Glu Gly Gln Ala Lys Lys Leu Leu Glu Leu Met
            100                 105                 110

Glu Asn Thr Asp Val Ile Ile Val Ala Gly Gly Asp Gly Thr Leu Gln
        115                 120                 125

Glu Val Val Thr Gly Val Leu Arg Arg Thr Asp Glu Ala Thr Phe Ser
    130                 135                 140

Lys Ile Pro Ile Gly Phe Ile Pro Leu Gly Glu Thr Ser Ser Leu Ser
145                 150                 155                 160

His Thr Leu Phe Ala Glu Ser Gly Asn Lys Val Gln His Ile Thr Asp
                165                 170                 175

Ala Thr Leu Ala Ile Val Lys Gly Glu Thr Val Pro Leu Asp Val Leu
            180                 185                 190

Gln Ile Lys Gly Glu Lys Glu Gln Pro Val Phe Ala Met Thr Gly Leu
        195                 200                 205

Arg Trp Gly Ser Phe Arg Asp Ala Gly Val Lys Val Ser Lys Tyr Trp
    210                 215                 220

Tyr Leu Gly Pro Leu Lys Ile Lys Ala Ala His Phe Phe Ser Thr Leu
225                 230                 235                 240

Lys Glu Trp Pro Gln Thr His Gln Ala Ser Ile Ser Tyr Thr Gly Pro
                245                 250                 255

Thr Glu Arg Pro Pro Asn Glu Pro Glu Glu Thr Pro Val Gln Arg Pro
            260                 265                 270

Ser Leu Tyr Arg Arg Ile Leu Arg Arg Leu Ala Ser Tyr Trp Ala Gln
        275                 280                 285

Pro Gln Asp Ala Leu Ser Gln Glu Val Ser Pro Glu Val Trp Lys Asp
    290                 295                 300

Val Gln Leu Ser Thr Ile Glu Leu Ser Ile Thr Thr Arg Asn Asn Gln
305                 310                 315                 320

Leu Asp Pro Thr Ser Lys Glu Asp Phe Leu Asn Ile Cys Ile Glu Pro
                325                 330                 335

Asp Thr Ile Ser Lys Gly Asp Phe Ile Thr Ile Gly Ser Arg Lys Val
            340                 345                 350

Arg Asn Pro Lys Leu His Val Glu Gly Thr Glu Cys Leu Gln Ala Ser
        355                 360                 365
```

```
Gln Cys Thr Leu Leu Ile Pro Glu Gly Ala Gly Gly Ser Phe Ser Ile
    370                 375                 380

Asp Ser Glu Glu Tyr Glu Ala Met Pro Val Glu Val Lys Leu Leu Pro
385                 390                 395                 400

Arg Lys Leu Gln Phe Phe Cys Asp Pro Arg Lys Arg Glu Gln Met Leu
                405                 410                 415

Thr Ser Pro Thr Gln
            420
```

<210> 539
<211> 55
<212> PRT
<213> Homo sapiens

<400> 539

```
Met Pro Ser Ser Trp Leu Pro Gly Cys Phe Val Leu Leu Cys Leu Val
  1               5                  10                  15

Ala Val Gly Cys Gln Leu Arg Glu Trp Gly Val Gly Gly Val Ser Ala
            20                  25                  30

Val Gly Leu Leu Ala Leu Pro His Leu Gln Val Leu Gly Met Arg Gly
        35                  40                  45

Arg Gly Leu Ile Ser Gly Gly
    50                  55
```

<210> 540
<211> 242
<212> PRT
<213> Homo sapiens

<400> 540

```
Met Gln Leu Gly Ser Val Leu Leu Thr Arg Cys Pro Phe Trp Gly Cys
  1               5                  10                  15

Phe Ser Gln Leu Met Leu Tyr Ala Glu Arg Ala Glu Ala Arg Arg Lys
            20                  25                  30

Pro Asp Ile Pro Val Pro Tyr Leu Tyr Phe Asp Met Gly Ala Ala Val
        35                  40                  45

Leu Cys Ala Ser Phe Met Ser Phe Gly Val Lys Arg Arg Trp Phe Ala
    50                  55                  60

Leu Gly Ala Ala Leu Gln Leu Ala Ile Ser Thr Tyr Ala Ala Tyr Ile
65                  70                  75                  80

Gly Gly Tyr Val His Tyr Gly Asp Trp Leu Lys Val Arg Met Tyr Ser
                85                  90                  95

Arg Thr Val Ala Ile Ile Gly Gly Phe Leu Val Leu Ala Ser Gly Ala
            100                 105                 110
```

```
Gly Glu Leu Tyr Arg Arg Lys Pro Arg Ser Arg Ser Leu Gln Ser Thr
        115                 120                 125

Gly Gln Val Phe Leu Gly Ile Tyr Leu Ile Cys Val Ala Tyr Ser Leu
    130                 135                 140

Gln His Ser Lys Glu Asp Arg Leu Ala Tyr Leu Asn His Leu Pro Gly
145                 150                 155                 160

Gly Glu Leu Met Ile Gln Leu Phe Phe Val Leu Tyr Gly Ile Leu Ala
                165                 170                 175

Leu Ala Phe Leu Ser Gly Tyr Tyr Val Thr Leu Ala Ala Gln Ile Leu
            180                 185                 190

Ala Val Leu Leu Pro Pro Val Met Leu Leu Ile Asp Gly Asn Val Ala
        195                 200                 205

Tyr Trp His Asn Thr Arg Arg Val Glu Phe Trp Asn Gln Met Lys Leu
    210                 215                 220

Leu Gly Glu Ser Val Gly Ile Phe Gly Thr Ala Val Ile Leu Ala Thr
225                 230                 235                 240

Asp Gly
```

<210> 541
<211> 189
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (94)
<223> Xaa equals any amino acid

<400> 541

```
Met Ala Leu Leu Ser Arg Pro Ala Leu Thr Leu Leu Leu Leu Leu Met
  1               5                  10                  15

Ala Ala Val Val Arg Cys Gln Glu Gln Ala Gln Thr Thr Asp Trp Arg
             20                  25                  30

Ala Thr Leu Lys Thr Ile Arg Asn Gly Val His Lys Ile Asp Thr Tyr
         35                  40                  45

Leu Asn Ala Ala Leu Asp Leu Leu Gly Gly Glu Asp Gly Leu Cys Gln
     50                  55                  60

Tyr Lys Cys Ser Asp Gly Ser Lys Pro Phe Pro Arg Tyr Gly Tyr Lys
 65                  70                  75                  80

Pro Ser Pro Pro Asn Gly Cys Gly Ser Pro Leu Phe Gly Xaa His Leu
                 85                  90                  95

Asn Ile Gly Ile Pro Ser Leu Thr Lys Cys Cys Asn Gln His Asp Arg
            100                 105                 110
```

```
Cys Tyr Glu Thr Cys Gly Lys Ser Lys Asn Asp Cys Asp Glu Glu Phe
        115                 120                 125

Gln Tyr Cys Leu Ser Lys Ile Cys Arg Asp Val Gln Lys Thr Leu Gly
    130                 135                 140

Leu Thr Gln His Val Gln Ala Cys Glu Thr Thr Val Glu Leu Leu Phe
145                 150                 155                 160

Asp Ser Val Ile His Leu Gly Cys Lys Pro Tyr Leu Asp Ser Gln Arg
                165                 170                 175

Ala Ala Cys Arg Cys His Tyr Glu Glu Lys Thr Asp Leu
            180                 185
```

<210> 542
<211> 264
<212> PRT
<213> Homo sapiens

<400> 542

```
Met Leu Arg Cys Gly Gly Arg Gly Leu Leu Leu Gly Leu Ala Val Ala
  1               5                  10                  15

Ala Ala Ala Val Met Ala Ala Arg Leu Met Gly Trp Trp Gly Pro Arg
             20                  25                  30

Ala Gly Phe Arg Leu Phe Ile Pro Glu Glu Leu Ser Arg Tyr Arg Gly
         35                  40                  45

Gly Pro Gly Asp Pro Gly Leu Tyr Leu Ala Leu Leu Gly Arg Val Tyr
     50                  55                  60

Asp Val Ser Ser Gly Arg Arg His Tyr Glu Pro Gly Ser His Tyr Ser
 65                  70                  75                  80

Gly Phe Ala Gly Arg Asp Ala Ser Arg Ala Phe Val Thr Gly Asp Cys
                 85                  90                  95

Ser Glu Ala Gly Leu Val Asp Asp Val Ser Asp Leu Ser Ala Ala Glu
            100                 105                 110

Met Leu Thr Leu His Asn Trp Leu Ser Phe Tyr Glu Lys Asn Tyr Val
        115                 120                 125

Cys Val Gly Arg Val Thr Gly Arg Phe Tyr Gly Glu Asp Gly Leu Pro
    130                 135                 140

Thr Pro Ala Leu Thr Gln Val Glu Ala Ala Ile Thr Arg Gly Leu Glu
145                 150                 155                 160

Ala Asn Lys Leu Gln Leu Gln Glu Lys Gln Thr Phe Pro Pro Cys Asn
                165                 170                 175

Ala Glu Trp Ser Ser Ala Arg Gly Ser Arg Leu Trp Cys Ser Gln Lys
            180                 185                 190

Ser Gly Gly Val Ser Arg Asp Trp Ile Gly Val Pro Arg Lys Leu Tyr
```

```
        195                 200                 205

Lys Pro Gly Ala Lys Glu Pro Arg Cys Val Cys Val Arg Thr Thr Gly
    210                 215                 220

Pro Pro Ser Gly Gln Met Pro Asp Asn Pro Pro His Arg Asn Arg Gly
225                 230                 235                 240

Asp Leu Asp His Pro Asn Leu Ala Glu Tyr Thr Gly Cys Pro Pro Leu
                245                 250                 255

Ala Ile Thr Cys Ser Phe Pro Leu
            260
```

<210> 543
<211> 64
<212> PRT
<213> Homo sapiens

<400> 543

```
Met Pro Leu Phe Leu Phe Val Ala His Leu Ile Ser Leu Leu Leu Ala
  1               5                  10                  15

Phe Arg Arg Pro Pro Ala Ser Gln Ile Thr Pro Arg Ala Trp Thr Thr
             20                  25                  30

Glu Ile Ala Ser Cys Glu Ser Val Glu Met Val Lys Ala Leu Ser Ser
         35                  40                  45

Leu Arg Ser Arg Ala Gln Val Asn Ala Asp Phe Pro Gly His Leu Cys
     50                  55                  60
```

<210> 544
<211> 56
<212> PRT
<213> Homo sapiens

<400> 544

```
Met Leu Val Ala Pro Phe Asn Leu Leu Phe Glu Met Ala Pro Phe Asn
  1               5                  10                  15

Ile Phe Leu Phe Pro Gln Trp Gly Leu Leu Trp Leu Met Leu Tyr Leu
             20                  25                  30

Leu Tyr Val Phe Gln Ala Ser Leu Arg Thr Pro Glu Leu Thr Trp Glu
         35                  40                  45

Arg Val Arg Ser Gln Val Asp Gln
     50                  55
```

<210> 545
<211> 53

<212> PRT
<213> Homo sapiens

<400> 545
Met Leu Val Phe Leu Leu Leu Phe Ser Thr Val Thr Val Leu Cys Leu
1 5 10 15

Lys Val Val Phe Ser Leu Lys Ala Val Ala Tyr Ile Val Lys Asn Glu
20 25 30

Gly Leu Cys Leu Lys Phe Ile Ala Leu Gln Arg Val Val Ser Leu Lys
35 40 45

Ser Cys Thr Ile Lys
50

<210> 546
<211> 49
<212> PRT
<213> Homo sapiens

<400> 546
Met Asn Leu Leu Gly Met Ile Phe Ser Met Cys Gly Leu Met Leu Lys
1 5 10 15

Leu Lys Trp Cys Ala Trp Val Ala Val Tyr Cys Ser Phe Ile Ser Phe
20 25 30

Ala Asn Ser Arg Ser Ser Glu Asp Thr Lys Gln Met Met Ser Ser Phe
35 40 45

Met

<210> 547
<211> 59
<212> PRT
<213> Homo sapiens

<400> 547
Met Asn Ser Thr Leu Cys Val Val Leu Ser Leu Met Cys Met Asn Ser
1 5 10 15

Thr Leu Cys Val Val Leu Ser Leu Thr His Ser Cys Pro Ser Pro Gln
20 25 30

Val Pro Lys Val His Tyr Met Ile Phe Met Pro Leu His Leu His Ser
35 40 45

Leu Ala Leu Thr Gln Leu Ile Ile Ile Tyr Lys
50 55

<210> 548
<211> 240
<212> PRT

<213> Homo sapiens

<400> 548

```
Met Gly Asn Cys Gln Ala Gly His Asn Leu His Leu Cys Leu Ala His
  1               5                  10                  15

His Pro Pro Leu Val Cys Ala Thr Leu Ile Leu Leu Leu Leu Gly Leu
             20                  25                  30

Ser Gly Leu Gly Leu Gly Ser Phe Leu Leu Thr His Arg Thr Gly Leu
         35                  40                  45

Arg Ser Pro Asp Ile Pro Gln Asp Trp Val Ser Phe Leu Arg Ser Phe
     50                  55                  60

Gly Gln Leu Thr Leu Cys Pro Arg Asn Gly Thr Val Thr Gly Lys Trp
 65                  70                  75                  80

Arg Gly Ser His Val Val Gly Leu Leu Thr Thr Leu Asn Phe Gly Asp
                 85                  90                  95

Gly Pro Asp Arg Asn Lys Thr Arg Thr Phe Gln Ala Thr Val Leu Gly
            100                 105                 110

Ser Gln Met Gly Leu Lys Gly Ser Ser Ala Gly Gln Leu Val Leu Ile
        115                 120                 125

Thr Ala Arg Val Thr Thr Glu Arg Thr Ala Gly Thr Cys Leu Tyr Phe
    130                 135                 140

Ser Ala Val Pro Gly Ile Leu Pro Ser Ser Gln Pro Pro Ile Ser Cys
145                 150                 155                 160

Ser Glu Glu Gly Ala Gly Asn Ala Thr Leu Ser Pro Arg Met Gly Glu
                165                 170                 175

Glu Cys Val Ser Val Trp Ser His Glu Gly Leu Val Leu Thr Lys Leu
            180                 185                 190

Leu Thr Ser Glu Glu Leu Ala Leu Cys Gly Ser Arg Leu Leu Val Leu
        195                 200                 205

Gly Ser Phe Leu Leu Leu Phe Cys Gly Leu Leu Cys Cys Val Thr Ala
    210                 215                 220

Met Cys Phe His Pro Arg Arg Glu Ser His Trp Ser Arg Thr Arg Leu
225                 230                 235                 240
```

<210> 549
<211> 39
<212> PRT
<213> Homo sapiens

<400> 549

```
Met Leu Leu Leu Leu Lys Thr Leu Phe Val Thr Phe Trp Ser Thr Asn
  1               5                  10                  15
```

```
Leu Ser Ile Thr Phe Ser Asn Tyr Asn Val Lys Leu Tyr Gln Trp Gln
            20                  25                  30

Ser Tyr Ile Val Asn Gly Ser
        35
```

<210> 550
<211> 174
<212> PRT
<213> Homo sapiens

<400> 550

```
Met Glu Ala Pro Gly Pro Arg Ala Leu Arg Thr Ala Leu Cys Gly Gly
  1               5                  10                  15

Cys Cys Cys Leu Leu Leu Cys Ala Gln Leu Ala Val Ala Gly Lys Gly
            20                  25                  30

Ala Arg Gly Phe Gly Arg Gly Ala Leu Ile Arg Leu Asn Ile Trp Pro
        35                  40                  45

Ala Val Gln Gly Ala Cys Lys Gln Leu Glu Val Cys Glu His Cys Val
    50                  55                  60

Glu Gly Asp Arg Ala Arg Asn Leu Ser Ser Cys Met Trp Glu Gln Cys
65                  70                  75                  80

Arg Pro Glu Glu Pro Gly His Cys Val Ala Gln Ser Glu Val Val Lys
                85                  90                  95

Glu Gly Cys Ser Ile Tyr Asn Arg Ser Glu Ala Cys Pro Ala Ala His
            100                 105                 110

His His Pro Thr Tyr Glu Pro Lys Thr Val Thr Thr Gly Ser Pro Pro
        115                 120                 125

Val Pro Glu Ala His Ser Pro Gly Phe Asp Gly Ala Ser Phe Ile Gly
    130                 135                 140

Gly Val Val Leu Val Leu Ser Leu Gln Ala Val Ala Phe Phe Val Leu
145                 150                 155                 160

His Phe Leu Lys Ala Lys Asp Ser Thr Tyr Gln Thr Leu Ile
                165                 170
```

<210> 551
<211> 245
<212> PRT
<213> Homo sapiens

<400> 551

```
Met Glu Gly Pro Arg Gly Trp Leu Val Leu Cys Val Leu Ala Ile Ser
  1               5                  10                  15

Leu Ala Ser Met Val Thr Glu Asp Leu Cys Arg Ala Pro Asp Gly Lys
            20                  25                  30
```

```
Lys Gly Glu Ala Gly Arg Pro Gly Arg Arg Gly Arg Pro Gly Leu Lys
         35                  40                  45

Gly Glu Gln Gly Glu Pro Gly Ala Pro Gly Ile Arg Thr Gly Ile Gln
     50                  55                  60

Gly Leu Lys Gly Asp Gln Gly Glu Pro Gly Pro Ser Gly Asn Pro Gly
 65                  70                  75                  80

Lys Val Gly Tyr Pro Gly Pro Ser Gly Pro Leu Gly Ala Arg Gly Ile
                 85                  90                  95

Pro Gly Ile Lys Gly Thr Lys Gly Ser Pro Gly Asn Ile Lys Asp Gln
            100                 105                 110

Pro Arg Pro Ala Phe Ser Ala Ile Arg Arg Asn Pro Pro Met Gly Gly
        115                 120                 125

Asn Val Val Ile Phe Asp Thr Val Ile Thr Asn Gln Glu Glu Pro Tyr
    130                 135                 140

Gln Asn His Ser Gly Arg Phe Val Cys Thr Val Pro Gly Tyr Tyr Tyr
145                 150                 155                 160

Phe Thr Phe Gln Val Leu Ser Gln Trp Glu Ile Cys Leu Ser Ile Val
                165                 170                 175

Ser Ser Ser Arg Gly Gln Val Arg Arg Ser Leu Gly Phe Cys Asp Thr
            180                 185                 190

Thr Asn Lys Gly Leu Phe Gln Val Val Ser Gly Gly Met Val Leu Gln
        195                 200                 205

Leu Gln Gln Gly Asp Gln Val Trp Val Glu Lys Asp Pro Lys Lys Gly
    210                 215                 220

His Ile Tyr Gln Gly Ser Glu Ala Asp Ser Val Phe Ser Gly Phe Leu
225                 230                 235                 240

Ile Phe Pro Ser Ala
                245
```

<210> 552
<211> 61
<212> PRT
<213> Homo sapiens

```
<400> 552
Met Tyr Leu Phe Leu Lys Thr Leu Leu Ser Phe Ser Thr Leu Met Met
  1               5                  10                  15

Thr Thr Ala Leu Ser Phe Met Val Ile Thr Val Leu Trp Val Leu Leu
             20                  25                  30

Leu His Leu Leu Ala Asn Ile Cys Ile Pro Arg Lys Cys Ser Phe Ala
         35                  40                  45

Cys Phe Tyr Ile Asn Gly Ile Leu Leu His Ala Val Phe
```

50 55 60

<210> 553
<211> 54
<212> PRT
<213> Homo sapiens

<400> 553
Met Val Leu Ser Pro Trp Ala Cys Leu Phe Val Val Phe Phe Pro Tyr
1 5 10 15

Ile Gln Ser Ser Leu Arg Ser Asp Lys His Leu Gln Leu Ser Asn Ile
20 25 30

Leu Pro Thr Pro Ser His His Ile His Leu Pro Ala Ser Ile Cys Ile
35 40 45

Gln Leu Arg Ala Gly Asn
50

<210> 554
<211> 83
<212> PRT
<213> Homo sapiens

<400> 554
Met Leu Ser Leu Phe Phe Cys Phe Trp Lys Pro Ser Phe Leu Val Ser
1 5 10 15

Arg Leu Val Ile Trp Leu Gly Leu Val Cys Gly Gly Arg Ser Leu Ser
20 25 30

Trp Val Ala Leu Gly Glu Asp Tyr Leu Gly Thr Pro Ile Leu Ile Pro
35 40 45

Asn Ile His Gln Thr Cys Pro His Pro Pro Leu Trp Glu Leu Val Pro
50 55 60

Glu His Pro Cys Arg Leu Val Leu Ile Phe Ser Leu Cys Glu His Thr
65 70 75 80

His Ile Arg

<210> 555
<211> 319
<212> PRT
<213> Homo sapiens

<400> 555
Met Ser Trp Cys Cys Leu Trp Leu Cys Leu Ser Ser Val Gly Arg Thr
1 5 10 15

Gly Ser Ala Gly Pro Ser Leu Pro Phe Ser Glu Leu Cys Ser Leu Gly
20 25 30

```
Leu Leu Arg Leu Arg Pro Val Phe Ser Pro Leu His Ser Gly Pro Gly
         35                  40                  45

Lys Pro Ala Gln Phe Leu Ala Gly Glu Ala Glu Glu Val Asn Ala Phe
     50                  55                  60

Ala Leu Gly Phe Leu Ser Thr Ser Ser Gly Val Ser Gly Glu Asp Glu
 65                  70                  75                  80

Val Glu Pro Leu His Asp Gly Val Glu Glu Ala Glu Lys Lys Met Glu
                 85                  90                  95

Glu Glu Gly Val Ser Val Ser Glu Met Glu Ala Thr Gly Ala Gln Gly
            100                 105                 110

Pro Ser Arg Val Glu Glu Ala Glu Gly His Thr Glu Val Thr Glu Ala
        115                 120                 125

Glu Gly Ser Gln Gly Thr Ala Glu Ala Asp Gly Pro Gly Ala Ser Ser
    130                 135                 140

Gly Asp Glu Asp Ala Ser Gly Arg Ala Ala Ser Pro Glu Ser Ala Ser
145                 150                 155                 160

Ser Thr Pro Glu Ser Leu Gln Ala Arg Arg His His Gln Phe Leu Glu
                165                 170                 175

Pro Ala Pro Ala Pro Gly Ala Ala Val Leu Ser Ser Glu Pro Ala Glu
            180                 185                 190

Pro Leu Leu Val Arg His Pro Pro Arg Pro Arg Thr Thr Gly Pro Arg
        195                 200                 205

Pro Arg Gln Asp Pro His Lys Ala Gly Leu Ser His Tyr Val Lys Leu
    210                 215                 220

Phe Ser Phe Tyr Ala Lys Met Pro Met Glu Arg Lys Ala Leu Glu Met
225                 230                 235                 240

Val Glu Lys Cys Leu Asp Lys Tyr Phe Gln His Leu Cys Asp Asp Leu
                245                 250                 255

Glu Val Phe Ala Ala His Ala Gly Arg Lys Thr Val Lys Pro Glu Asp
            260                 265                 270

Leu Glu Leu Leu Met Arg Arg Gln Gly Leu Val Thr Asp Gln Val Ser
        275                 280                 285

Leu His Val Leu Val Glu Arg His Leu Pro Leu Glu Tyr Arg Gln Leu
    290                 295                 300

Leu Ile Pro Cys Ala Tyr Ser Gly Asn Ser Val Phe Pro Ala Gln
305                 310                 315
```

<210> 556
<211> 336
<212> PRT
<213> Homo sapiens

<400> 556

```
Met Ile Ser Tyr Ile Val Leu Leu Ser Ile Leu Leu Trp Pro Leu Val
 1               5                  10                  15

Val Tyr His Glu Leu Ile Gln Arg Met Tyr Thr Arg Leu Glu Pro Leu
            20                  25                  30

Leu Met Gln Leu Asp Tyr Ser Met Lys Ala Glu Ala Asn Ala Leu His
        35                  40                  45

His Lys His Asp Lys Arg Lys Arg Gln Gly Lys Asn Ala Pro Pro Gly
    50                  55                  60

Gly Asp Glu Pro Leu Ala Glu Thr Glu Ser Glu Ser Glu Ala Glu Leu
65                  70                  75                  80

Ala Gly Phe Ser Pro Val Val Asp Val Lys Lys Thr Ala Leu Ala Leu
                85                  90                  95

Ala Ile Thr Asp Ser Glu Leu Ser Asp Glu Glu Ala Ser Ile Leu Glu
            100                 105                 110

Ser Gly Gly Phe Ser Val Ser Arg Ala Thr Thr Pro Gln Leu Thr Asp
        115                 120                 125

Val Ser Glu Asp Leu Asp Gln Gln Ser Leu Pro Ser Glu Pro Glu Glu
    130                 135                 140

Thr Leu Ser Arg Asp Leu Gly Glu Gly Glu Glu Gly Glu Leu Ala Pro
145                 150                 155                 160

Pro Glu Asp Leu Leu Gly Arg Pro Gln Ala Leu Ser Arg Gln Ala Leu
                165                 170                 175

Asp Ser Glu Glu Glu Glu Glu Asp Val Ala Ala Lys Glu Thr Leu Leu
            180                 185                 190

Arg Leu Ser Ser Pro Leu His Phe Val Asn Thr His Phe Asn Gly Ala
        195                 200                 205

Gly Ser Pro Gln Asp Gly Val Lys Cys Ser Pro Gly Gly Pro Val Glu
    210                 215                 220

Thr Leu Ser Pro Glu Thr Val Ser Gly Gly Leu Thr Ala Leu Pro Gly
225                 230                 235                 240

Thr Leu Ser Pro Pro Leu Cys Leu Val Gly Ser Asp Pro Ala Pro Ser
                245                 250                 255

Pro Ser Ile Leu Pro Pro Val Pro Gln Asp Ser Pro Gln Pro Leu Pro
            260                 265                 270

Ala Pro Glu Glu Glu Glu Ala Leu Thr Thr Glu Asp Phe Glu Leu Leu
        275                 280                 285

Asp Gln Gly Glu Leu Glu Gln Leu Asn Ala Glu Leu Gly Leu Glu Pro
    290                 295                 300

Glu Thr Pro Pro Lys Pro Pro Asp Ala Pro Pro Leu Gly Pro Asp Ile
305                 310                 315                 320
```

His Ser Leu Val Gln Ser Asp Gln Glu Ala Gln Ala Val Ala Glu Pro
325 330 335

<210> 557
<211> 272
<212> PRT
<213> Homo sapiens

<400> 557
Met Trp Gly Asn Lys Phe Gly Val Leu Leu Phe Leu Tyr Ser Val Leu
1 5 10 15

Leu Thr Lys Gly Ile Glu Asn Ile Lys Asn Glu Ile Glu Asp Ala Ser
20 25 30

Glu Pro Leu Ile Asp Pro Val Tyr Gly His Gly Ser Gln Ser Leu Ile
35 40 45

Asn Leu Leu Leu Thr Gly His Ala Val Ser Asn Val Trp Asp Gly Asp
50 55 60

Arg Glu Cys Ser Gly Met Lys Leu Leu Gly Ile His Glu Gln Ala Ala
65 70 75 80

Val Gly Phe Leu Thr Leu Met Glu Ala Leu Arg Tyr Cys Lys Val Gly
85 90 95

Ser Tyr Leu Lys Ser Pro Lys Phe Pro Ile Trp Ile Val Gly Ser Glu
100 105 110

Thr His Leu Thr Val Phe Phe Ala Lys Asp Met Ala Leu Val Ala Pro
115 120 125

Glu Ala Pro Ser Glu Gln Ala Arg Arg Val Phe Gln Thr Tyr Asp Pro
130 135 140

Glu Asp Asn Gly Phe Ile Pro Asp Ser Leu Leu Glu Asp Val Met Lys
145 150 155 160

Ala Leu Asp Leu Val Ser Asp Pro Glu Tyr Ile Asn Leu Met Lys Asn
165 170 175

Lys Leu Asp Pro Glu Gly Leu Gly Ile Ile Leu Leu Gly Pro Phe Leu
180 185 190

Gln Glu Phe Phe Pro Asp Gln Gly Ser Ser Gly Pro Glu Ser Phe Thr
195 200 205

Val Tyr His Tyr Asn Gly Leu Lys Gln Ser Asn Tyr Asn Glu Lys Val
210 215 220

Met Tyr Val Glu Gly Thr Ala Val Val Met Gly Phe Glu Asp Pro Met
225 230 235 240

Leu Gln Thr Asp Asp Thr Pro Ile Lys Arg Cys Leu Gln Thr Lys Trp

245 250 255

Pro Tyr Ile Glu Leu Leu Trp Thr Thr Asp Arg Ser Pro Ser Leu Asn
260 265 270

<210> 558
<211> 89
<212> PRT
<213> Homo sapiens

<400> 558
Met Phe Lys Asp Tyr Pro Pro Ala Ile Lys Pro Ser Tyr Asp Val Leu
1 5 10 15

Leu Leu Leu Leu Leu Leu Val Leu Leu Leu Gln Ala Gly Leu Asn Thr
20 25 30

Gly Thr Ala Ile Gln Cys Val Arg Phe Lys Val Ser Ala Arg Leu Gln
35 40 45

Gly Ala Ser Trp Asp Thr Gln Asn Gly Pro Gln Glu Arg Leu Ala Gly
50 55 60

Glu Val Ala Arg Ser Pro Leu Lys Glu Phe Asp Lys Glu Lys Ala Trp
65 70 75 80

Arg Ala Val Val Val Gln Met Ala Gln
85

<210> 559
<211> 52
<212> PRT
<213> Homo sapiens

<400> 559
Met Tyr Leu Met Ser Phe Ser Ile His Phe Val Lys Ile Ile Cys Met
1 5 10 15

Cys Thr Ile Leu Val Leu Ser Pro Pro Val Leu Leu Lys Tyr Gln Asp
20 25 30

Ser Thr Pro Arg Pro Leu Trp Ser Gln Cys Lys Ile Pro Ile Asn Tyr
35 40 45

Leu Lys Gly Lys
50

<210> 560
<211> 51
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (23)
<223> Xaa equals any amino acid

<400> 560
Met Ala Gln His His Leu Leu Ser Ile Leu Leu Ala Ile Leu Ser Cys
1 5 10 15

Ser Ser Gln Pro Arg Gln Xaa Arg Gly Ser Gly Ala Leu Pro Cys Glu
20 25 30

Val Cys Ser Ala Val Leu Leu Thr Cys Leu Arg Lys Ile Ser Gly Ser
35 40 45

Leu Cys Val
50

<210> 561
<211> 43
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (26)
<223> Xaa equals any amino acid

<400> 561
Met Ser Asn Thr Leu Leu Ser Gln Trp Leu Leu Leu Leu Thr Leu Phe
1 5 10 15

Lys Cys Ile Ile Leu Pro Leu Asn Leu Xaa Pro Ile Ile Arg Thr Ile
20 25 30

Pro Asp Trp Ser Pro Glu Leu Gly Thr Asn Thr
35 40

<210> 562
<211> 74
<212> PRT
<213> Homo sapiens

<400> 562
Met Leu His Leu Ala Ala Met Trp Trp Ala Cys Val Thr Thr Leu Val
1 5 10 15

Phe Thr Leu Val Ser Lys Leu Phe Ile Pro Leu Lys Ser Ser Met Asp
20 25 30

Gly Glu Met Ser Leu Asp Pro His Ser Cys Val Leu Val Cys Ile Cys
35 40 45

Phe Pro Leu Arg Phe Val Phe Val Ser Cys Phe Glu Leu Tyr Leu Val
50 55 60

Gln Ser Ile Val Lys Leu Ser Gln Gln Leu.

65 70

<210> 563
<211> 169
<212> PRT
<213> Homo sapiens

<400> 563
Met Leu Ala Gly Ala Gly Arg Pro Gly Leu Pro Gln Gly Arg His Leu
1 5 10 15

Cys Trp Leu Leu Cys Ala Phe Thr Leu Lys Leu Cys Gln Ala Glu Ala
20 25 30

Pro Val Gln Glu Glu Lys Leu Ser Ala Ser Thr Ser Asn Leu Pro Cys
35 40 45

Trp Leu Val Glu Glu Phe Val Val Ala Glu Glu Cys Ser Pro Cys Ser
50 55 60

Asn Phe Arg Ala Lys Thr Thr Pro Glu Cys Gly Pro Thr Gly Tyr Val
65 70 75 80

Glu Lys Ile Thr Cys Ser Ser Ser Lys Arg Asn Glu Phe Lys Ser Leu
85 90 95

Pro Leu Ser Phe Asp Gly Thr Thr Leu Ile Leu Glu Val Arg Arg Gly
100 105 110

Cys Arg Val Cys Gly Pro Asp Leu Arg Leu Ser Cys His His Ser Ser
115 120 125

Ala Thr Ile Gly Gln Lys Gly Ser Gly Lys Gly Pro Glu Ala Asn Arg
130 135 140

Val His Ile Ala Thr Phe His Pro Cys Ile Leu Gly Leu Arg Asp Pro
145 150 155 160

Ile Ser Asp Ser Glu Ser Glu Met Asp
165

<210> 564
<211> 127
<212> PRT
<213> Homo sapiens

<400> 564
Met Gly Gln Val Trp Arg Val Pro Pro Leu Leu Leu Ser Val Gln Val
1 5 10 15

Phe Leu Thr Met Ala His Ala Phe His Gln Ala Pro Glu Leu Gln Trp
20 25 30

Leu Gly Leu Trp Phe Trp Val Arg Leu Phe Ala Gly Gly Asp Gly Gly
35 40 45

Leu His Leu Asn Ile Ser Ser Val Thr Leu Pro Leu Leu His Gly Lys

```
     50                  55                  60

Gln Leu Ser Arg Glu Val Pro Ser Cys Gln Gly Lys Pro Arg Leu Gly
 65                  70                  75                  80

Arg Pro Pro Tyr Lys Glu Pro Gln Asp Cys Ser His Gly Cys His Leu
                85                  90                  95

Ser Trp Lys Gly Arg Phe Met Gly Phe Pro Gly Thr Pro Arg Leu Ser
            100                 105                 110

Trp Pro Arg Gly Lys Arg Trp Leu Leu Gln Glu Phe Asp Leu Ser
        115                 120                 125
```

<210> 565
<211> 43
<212> PRT
<213> Homo sapiens

<400> 565

```
Met Ser Ala Leu Ser Phe Thr Ser Tyr Phe Leu Leu Leu Leu Arg Val
  1               5                  10                  15

Lys Pro Val Glu Val Ser Gly Ser Ile Pro His Pro Glu Gln Pro Asn
             20                  25                  30

Val Leu Cys Leu Val Leu Pro Thr Phe Gly Tyr
         35                  40
```

<210> 566
<211> 215
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (83)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (141)
<223> Xaa equals any amino acid

<400> 566

```
Met Tyr Gly Lys Ser Ser Thr Arg Ala Val Leu Leu Leu Leu Gly Ile
  1               5                  10                  15

Gln Leu Thr Ala Leu Trp Pro Ile Ala Ala Val Glu Ile Tyr Thr Ser
             20                  25                  30

Arg Val Leu Glu Ala Val Asn Gly Thr Asp Ala Arg Leu Lys Cys Thr
         35                  40                  45

Phe Ser Ser Phe Ala Pro Val Gly Asp Ala Leu Thr Val Thr Trp Asn
     50                  55                  60
```

```
Phe Arg Pro Leu Asp Gly Gly Pro Glu Gln Phe Val Phe Tyr Tyr His
 65                  70                  75                  80

Ile Asp Xaa Phe Gln Pro Met Ser Gly Arg Phe Lys Asp Arg Val Ser
                 85                  90                  95

Trp Asp Gly Asn Pro Glu Arg Tyr Asp Ala Ser Ile Leu Leu Trp Lys
            100                 105                 110

Leu Gln Phe Asp Asp Asn Gly Thr Tyr Thr Cys Gln Val Lys Asn Pro
        115                 120                 125

Pro Asp Val Asp Gly Val Ile Gly Asp Ile Arg Leu Xaa Val Val His
    130                 135                 140

Thr Val Arg Phe Ser Glu Ile His Phe Leu Ala Leu Ala Ile Gly Ser
145                 150                 155                 160

Ala Cys Ala Leu Met Ile Ile Ile Val Ile Val Val Val Leu Phe Gln
                165                 170                 175

His Tyr Arg Lys Lys Arg Trp Ala Glu Arg Ala His Lys Val Val Glu
            180                 185                 190

Ile Lys Ser Lys Glu Glu Glu Arg Leu Asn Gln Glu Lys Lys Val Ser
        195                 200                 205

Val Tyr Leu Glu Asp Thr Asp
    210                 215
```

<210> 567
<211> 60
<212> PRT
<213> Homo sapiens

```
<400> 567
Met Leu Tyr Trp Gly Asn Val Ala Leu Val Leu Pro Thr Pro Tyr Leu
  1               5                  10                  15

His Leu Ser Leu Thr Leu Leu Leu Ser Pro Glu Trp Leu Gly Glu Met
             20                  25                  30

Gly Arg Gly Leu Pro Trp Pro Gly His Leu Val Ala Ala Trp Leu Asp
         35                  40                  45

His Ile Ala Asn Glu Leu Gly Arg Gly Ala Ile Phe
     50                  55                  60
```

<210> 568
<211> 64
<212> PRT
<213> Homo sapiens

```
<400> 568
Met Asn Ala Ser Cys Ser Leu Ala His Phe Glu His Ser Gly Met Ser
  1               5                  10                  15
```

Val Leu Leu Val His Leu Phe Ile Ile Val Ser Thr Val Pro Ser Cys
20 25 30

Phe Lys Lys Tyr Met Ala Phe Ile Ile Tyr Pro Ala Phe Ser Cys His
35 40 45

Phe Asn Lys Ser Met Cys Leu Ile Gln Leu Leu His Ser Ser Gln Lys
50 55 60

<210> 569
<211> 79
<212> PRT
<213> Homo sapiens

<400> 569
Met Ala Cys Leu Gly Gly Leu Leu Gly Ile Ile Gly Val Ile Cys Leu
1 5 10 15

Ile Ser Cys Leu Ser Pro Glu Met Asn Cys Asp Gly Gly His Ser Tyr
20 25 30

Val Arg Asn Tyr Leu Gln Lys Pro Thr Phe Ala Leu Gly Glu Leu Tyr
35 40 45

Pro Pro Leu Ile Asn Leu Trp Glu Ala Gly Lys Glu Lys Ser Thr Ser
50 55 60

Leu Lys Val Lys Ala Thr Val Ile Gly Leu Pro Thr Asn Met Ser
65 70 75

<210> 570
<211> 47
<212> PRT
<213> Homo sapiens

<400> 570
Met Phe Tyr Pro Pro Cys Pro Phe Phe Pro Gln Leu Cys Phe Cys Ile
1 5 10 15

Phe Phe Leu Gly Lys Cys Lys Leu Ser Leu Ser Phe Met Thr Cys Glu
20 25 30

Ile Ser Val Ser Leu Glu Phe Val Arg Arg Arg Gly Asn His Ala
35 40 45

<210> 571
<211> 100
<212> PRT
<213> Homo sapiens

<220>
<221> SITE

<222> (36)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (47)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (51)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (83)
<223> Xaa equals any amino acid

<400> 571
Met Gly Met Ile Leu Val Leu Ala Ser Phe Leu Ala His Pro Val Glu
1 5 10 15

Ala Leu Ala Gln Ala Val Ala Leu Gly Gln Gln Gln Leu Ala Leu Leu
20 25 30

Gly Val Gln Xaa His Ala Val Glu Gly Phe Leu Gln Leu Gln Xaa Cys
35 40 45

Phe Ala Xaa Leu Phe Val Phe Glu Gly Ala Leu Leu Ala His Leu Gly
50 55 60

His Phe Phe Val Glu Pro Gly Ala Ala Gln Gly Gln Leu Leu Asp Leu
65 70 75 80

Gly Leu Xaa Arg Arg Glu Leu Gly Phe Gln Phe Ala Leu Leu Ala Arg
85 90 95

Phe Val Leu Gln
100

<210> 572
<211> 10
<212> PRT
<213> Homo sapiens

<400> 572
Met Gly Leu Phe Leu Phe Leu Val Ser Ser
1 5 10

<210> 573
<211> 40
<212> PRT
<213> Homo sapiens

<400> 573
Met Ile Ile Leu His Ile Val Val Cys Leu Phe Thr Ile Ser Ile Ile
1 5 10 15

Glu Glu Gln Lys Glu Glu Ile Leu Cys Ser Thr Lys Ser Gln Ala Glu
20 25 30

Lys Thr Val Thr His Ile Glu Gln
35 40

<210> 574
<211> 65
<212> PRT
<213> Homo sapiens

<400> 574
Met Leu Ser Pro Lys Ser Pro Arg Met Leu Leu Pro Cys Leu Leu Gln
1 5 10 15

Pro Leu Val Val Ala Asn Ile Pro Arg Val Pro Trp Leu Ala Asp Glu
20 25 30

Ser Leu Asn Pro Thr Pro Ile Ile Thr Trp Gln Ser Pro Cys Val Ala
35 40 45

Gln Leu Cys Pro Asn Phe Pro Phe Pro Thr Arg Thr Leu Val Thr Gly
50 55 60

Leu
65

<210> 575
<211> 108
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (62)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (63)
<223> Xaa equals any amino acid

<400> 575
Met Gly Ala Ala Lys Val Trp Gly Glu Val Gly Arg Trp Leu Val Ile
1 5 10 15

Ala Leu Ile Gln Leu Ala Lys Ala Val Leu Arg Met Leu Leu Leu Leu
20 25 30

Trp Phe Lys Ala Gly Leu Gln Thr Ser Pro Pro Ile Val Pro Leu Asp
35 40 45

Arg Glu Thr Arg His Ser Pro Arg Met Val Thr Thr Ala Xaa Xaa Thr
50 55 60

Met Ser Ser Pro Thr Trp Gly Ser Gly Gln Thr Gly Trp Cys Glu Pro

65 70 75 80

Ser Arg Thr Arg Arg Pro Cys Thr Pro Gly Thr Gly Glu Leu Pro Ser
85 90 95

Ser Gly Arg Asp Gly Ser Ser Ser Ile Thr Arg Ser
100 105

<210> 576
<211> 81
<212> PRT
<213> Homo sapiens

<400> 576
Met Asn Gln Leu Met Phe Gln Asp Leu Leu Cys Cys Leu Cys Leu Phe
1 5 10 15

Val Ile Gly Leu Ile Ser Leu Leu Arg Lys Thr Tyr Ser Cys Val Asn
20 25 30

Leu Cys Lys Val Met Leu Pro Val Lys Lys Tyr Ser Thr Val Ser Thr
35 40 45

Val Leu Cys Arg Asn Met Lys Leu Asn Gly Lys Asn Val Leu Met Phe
50 55 60

Val Val Met Leu Leu Gly Gln Trp Met Gly Lys Leu Pro Lys Leu Ser
65 70 75 80

Pro

<210> 577
<211> 941
<212> PRT
<213> Homo sapiens

<400> 577
Met Val Phe Leu Pro Leu Lys Trp Ser Leu Ala Thr Met Ser Phe Leu
1 5 10 15

Leu Ser Ser Leu Leu Ala Leu Leu Thr Val Ser Thr Pro Ser Trp Cys
20 25 30

Gln Ser Thr Glu Ala Ser Pro Lys Arg Ser Asp Gly Thr Pro Phe Pro
35 40 45

Trp Asn Lys Ile Arg Leu Pro Glu Tyr Val Ile Pro Val His Tyr Asp
50 55 60

Leu Leu Ile His Ala Asn Leu Thr Thr Leu Thr Phe Trp Gly Thr Thr
65 70 75 80

Lys Val Glu Ile Thr Ala Ser Gln Pro Thr Ser Thr Ile Ile Leu His
85 90 95

Ser His His Leu Gln Ile Ser Arg Ala Thr Leu Arg Lys Gly Ala Gly

```
            100                 105                 110

Glu Arg Leu Ser Glu Glu Pro Leu Gln Val Leu Glu His Pro Pro Gln
        115                 120                 125

Glu Gln Ile Ala Leu Leu Ala Pro Glu Pro Leu Leu Val Gly Leu Pro
    130                 135                 140

Tyr Thr Val Val Ile His Tyr Ala Gly Asn Leu Ser Glu Thr Phe His
145                 150                 155                 160

Gly Phe Tyr Lys Ser Thr Tyr Arg Thr Lys Glu Gly Glu Leu Arg Ile
                165                 170                 175

Leu Ala Ser Thr Gln Phe Glu Pro Thr Ala Ala Arg Met Ala Phe Pro
            180                 185                 190

Cys Phe Asp Glu Pro Ala Phe Lys Ala Ser Phe Ser Ile Lys Ile Arg
        195                 200                 205

Arg Glu Pro Arg His Leu Ala Ile Ser Asn Met Pro Leu Val Lys Ser
    210                 215                 220

Val Thr Val Ala Glu Gly Leu Ile Glu Asp His Phe Asp Val Thr Val
225                 230                 235                 240

Lys Met Ser Thr Tyr Leu Val Ala Phe Ile Ile Ser Asp Phe Glu Ser
                245                 250                 255

Val Ser Lys Ile Thr Lys Ser Gly Val Lys Val Ser Val Tyr Ala Val
            260                 265                 270

Pro Asp Lys Met Asn Gln Ala Asp Tyr Ala Leu Asp Ala Ala Val Thr
        275                 280                 285

Leu Leu Glu Phe Tyr Glu Asp Tyr Phe Ser Ile Pro Tyr Pro Leu Pro
    290                 295                 300

Lys Gln Asp Leu Ala Ala Ile Pro Asp Phe Gln Ser Gly Ala Met Glu
305                 310                 315                 320

Asn Trp Gly Leu Thr Thr Tyr Arg Glu Ser Ala Leu Leu Phe Asp Ala
                325                 330                 335

Glu Lys Ser Ser Ala Ser Ser Lys Leu Gly Ile Thr Met Thr Val Ala
            340                 345                 350

His Glu Leu Ala His Gln Trp Phe Gly Asn Leu Val Thr Met Glu Trp
        355                 360                 365

Trp Asn Asp Leu Trp Leu Asn Glu Gly Phe Ala Lys Phe Met Glu Phe
    370                 375                 380

Val Ser Val Ser Val Thr His Pro Glu Leu Lys Val Gly Asp Tyr Phe
385                 390                 395                 400

Phe Gly Lys Cys Phe Asp Ala Met Glu Val Asp Ala Leu Asn Ser Ser
                405                 410                 415

His Pro Val Ser Thr Pro Val Glu Asn Pro Ala Gln Ile Arg Glu Met
            420                 425                 430
```

```
Phe Asp Asp Val Ser Tyr Asp Lys Gly Ala Cys Ile Leu Asn Met Leu
        435                 440                 445

Arg Glu Tyr Leu Ser Ala Asp Ala Phe Lys Ser Gly Ile Val Gln Tyr
    450                 455                 460

Leu Gln Lys His Ser Tyr Lys Asn Thr Lys Asn Glu Asp Leu Trp Asp
465                 470                 475                 480

Ser Met Ala Ser Ile Cys Pro Thr Asp Gly Val Lys Gly Met Asp Gly
                485                 490                 495

Phe Cys Ser Arg Ser Gln His Ser Ser Ser Ser Ser His Trp His Gln
            500                 505                 510

Glu Gly Val Asp Val Lys Thr Met Met Asn Thr Trp Thr Leu Gln Arg
        515                 520                 525

Gly Phe Pro Leu Ile Thr Ile Thr Val Arg Gly Arg Asn Val His Met
    530                 535                 540

Lys Gln Glu His Tyr Met Lys Gly Ser Asp Gly Ala Pro Asp Thr Gly
545                 550                 555                 560

Tyr Leu Trp His Val Pro Leu Thr Phe Ile Thr Ser Lys Ser Asp Met
                565                 570                 575

Val His Arg Phe Leu Leu Lys Thr Lys Thr Asp Val Leu Ile Leu Pro
            580                 585                 590

Glu Glu Val Glu Trp Ile Lys Phe Asn Val Gly Met Asn Gly Tyr Tyr
        595                 600                 605

Ile Val His Tyr Glu Asp Asp Gly Trp Asp Ser Leu Thr Gly Leu Leu
    610                 615                 620

Lys Gly Thr His Thr Ala Val Ser Ser Asn Asp Arg Ala Ser Leu Ile
625                 630                 635                 640

Asn Asn Ala Phe Gln Leu Val Ser Ile Gly Lys Leu Ser Ile Glu Lys
                645                 650                 655

Ala Leu Asp Leu Ser Leu Tyr Leu Lys His Glu Thr Glu Ile Met Pro
            660                 665                 670

Val Phe Gln Gly Leu Asn Glu Leu Ile Pro Met Tyr Lys Leu Met Glu
        675                 680                 685

Lys Arg Asp Met Asn Glu Val Glu Thr Gln Phe Lys Ala Phe Leu Ile
    690                 695                 700

Arg Leu Leu Arg Asp Leu Ile Asp Lys Gln Thr Trp Thr Asp Glu Gly
705                 710                 715                 720

Ser Val Ser Glu Arg Met Leu Arg Ser Glu Leu Leu Leu Leu Ala Cys
                725                 730                 735

Val His Asn Tyr Gln Pro Cys Val Gln Arg Ala Glu Gly Tyr Phe Arg
            740                 745                 750
```

```
Lys Trp Lys Glu Ser Asn Gly Asn Leu Ser Leu Pro Val Asp Val Thr
        755                 760                 765

Leu Ala Val Phe Ala Val Gly Ala Gln Ser Thr Glu Gly Trp Asp Phe
    770                 775                 780

Leu Tyr Ser Lys Tyr Gln Phe Ser Leu Ser Ser Thr Glu Lys Ser Gln
785                 790                 795                 800

Ile Glu Phe Ala Leu Cys Arg Thr Gln Asn Lys Glu Lys Leu Gln Trp
                805                 810                 815

Leu Leu Asp Glu Ser Phe Lys Gly Asp Lys Ile Lys Thr Gln Glu Phe
            820                 825                 830

Pro Gln Ile Leu Thr Leu Ile Gly Arg Asn Pro Val Gly Tyr Pro Leu
        835                 840                 845

Ala Trp Gln Phe Leu Arg Lys Asn Trp Asn Lys Leu Val Gln Lys Phe
    850                 855                 860

Glu Leu Gly Ser Ser Ser Ile Ala His Met Val Met Gly Thr Thr Asn
865                 870                 875                 880

Gln Phe Ser Thr Arg Thr Arg Leu Glu Glu Val Lys Gly Phe Phe Ser
                885                 890                 895

Ser Leu Lys Glu Asn Gly Ser Gln Leu Arg Cys Val Gln Gln Thr Ile
            900                 905                 910

Glu Thr Ile Glu Glu Asn Ile Gly Trp Met Asp Lys Asn Phe Asp Lys
        915                 920                 925

Ile Arg Val Trp Leu Gln Ser Glu Lys Leu Glu Arg Met
    930                 935                 940
```

<210> 578
<211> 612
<212> PRT
<213> Homo sapiens

<400> 578

```
Met Ala Ala Ala Gly Arg Leu Pro Ser Ser Trp Ala Leu Phe Ser Pro
  1               5                  10                  15

Leu Leu Ala Gly Leu Ala Leu Leu Gly Val Gly Pro Val Pro Ala Arg
             20                  25                  30

Ala Leu His Asn Val Thr Ala Glu Leu Phe Gly Ala Glu Ala Trp Gly
         35                  40                  45

Thr Leu Ala Ala Phe Gly Asp Leu Asn Ser Asp Lys Gln Thr Asp Leu
     50                  55                  60

Phe Val Leu Arg Glu Arg Asn Asp Leu Ile Val Phe Leu Ala Asp Gln
 65                  70                  75                  80

Asn Ala Pro Tyr Phe Lys Pro Lys Val Lys Val Ser Phe Lys Asn His
                 85                  90                  95
```

```
Ser Ala Leu Ile Thr Ser Val Val Pro Gly Asp Tyr Asp Gly Asp Ser
          100                 105                 110

Gln Met Asp Val Leu Leu Thr Tyr Leu Pro Lys Asn Tyr Ala Lys Ser
        115                 120                 125

Glu Leu Gly Ala Val Ile Phe Trp Gly Gln Asn Gln Thr Leu Asp Pro
    130                 135                 140

Asn Asn Met Thr Ile Leu Asn Arg Thr Phe Gln Asp Glu Pro Leu Ile
145                 150                 155                 160

Met Asp Phe Asn Gly Asp Leu Ile Pro Asp Ile Phe Gly Ile Thr Asn
                165                 170                 175

Glu Ser Asn Gln Pro Gln Ile Leu Leu Gly Gly Asn Leu Ser Trp His
            180                 185                 190

Pro Ala Leu Thr Thr Thr Ser Lys Met Arg Ile Pro His Ser His Ala
        195                 200                 205

Phe Ile Asp Leu Thr Glu Asp Phe Thr Ala Asp Leu Phe Leu Thr Thr
    210                 215                 220

Leu Asn Ala Thr Thr Ser Thr Phe Gln Phe Glu Ile Trp Glu Asn Leu
225                 230                 235                 240

Asp Gly Asn Phe Ser Val Ser Thr Ile Leu Glu Lys Pro Gln Asn Met
                245                 250                 255

Met Val Val Gly Gln Ser Ala Phe Ala Asp Phe Asp Gly Asp Gly His
            260                 265                 270

Met Asp His Leu Leu Pro Gly Cys Glu Asp Lys Asn Cys Gln Lys Ser
        275                 280                 285

Thr Ile Tyr Leu Val Arg Ser Gly Met Lys Gln Trp Val Pro Val Leu
    290                 295                 300

Gln Asp Phe Ser Asn Lys Gly Thr Leu Trp Gly Phe Val Pro Phe Val
305                 310                 315                 320

Asp Glu Gln Gln Pro Thr Glu Ile Pro Ile Pro Ile Thr Leu His Ile
                325                 330                 335

Gly Asp Tyr Asn Met Asp Gly Tyr Pro Asp Ala Leu Val Ile Leu Lys
            340                 345                 350

Asn Thr Ser Gly Ser Asn Gln Gln Ala Phe Leu Leu Glu Asn Val Pro
        355                 360                 365

Cys Asn Asn Ala Ser Cys Glu Glu Ala Arg Arg Met Phe Lys Val Tyr
    370                 375                 380

Trp Glu Leu Thr Asp Leu Asn Gln Ile Lys Asp Ala Met Val Ala Thr
385                 390                 395                 400

Phe Phe Asp Ile Tyr Glu Asp Gly Ile Leu Asp Ile Val Val Leu Ser
                405                 410                 415
```

```
Lys Gly Tyr Thr Lys Asn Asp Phe Ala Ile His Thr Leu Lys Asn Asn
            420                 425                 430

Phe Glu Ala Asp Ala Tyr Phe Val Lys Val Ile Val Leu Ser Gly Leu
        435                 440                 445

Cys Ser Asn Asp Cys Pro Arg Lys Ile Thr Pro Phe Gly Val Asn Gln
    450                 455                 460

Pro Gly Pro Tyr Ile Met Tyr Thr Thr Val Asp Ala Asn Gly Tyr Leu
465                 470                 475                 480

Lys Asn Gly Ser Ala Gly Gln Leu Ser Gln Ser Ala His Leu Ala Leu
                485                 490                 495

Gln Leu Pro Tyr Asn Val Leu Gly Leu Gly Arg Ser Ala Asn Phe Leu
            500                 505                 510

Asp His Leu Tyr Val Gly Ile Pro Arg Pro Ser Gly Glu Lys Ser Ile
        515                 520                 525

Arg Lys Gln Glu Trp Thr Ala Ile Ile Pro Asn Ser Gln Leu Ile Val
    530                 535                 540

Ile Pro Tyr Pro His Asn Val Pro Arg Ser Trp Ser Ala Lys Leu Tyr
545                 550                 555                 560

Leu Thr Pro Ser Asn Ile Val Leu Leu Thr Ala Ile Ala Leu Ile Gly
                565                 570                 575

Val Cys Val Phe Ile Leu Ala Ile Ile Gly Ile Leu His Trp Gln Glu
            580                 585                 590

Lys Lys Ala Asp Asp Arg Glu Lys Arg Gln Glu Ala His Arg Phe His
        595                 600                 605

Phe Asp Ala Met
    610
```

<210> 579
<211> 267
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (172)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (175)
<223> Xaa equals any amino acid

<400> 579

```
Met Ser Glu Ile Arg Gly Lys Pro Ile Glu Ser Ser Cys Met Tyr Gly
  1               5                  10                  15

Thr Cys Cys Leu Trp Gly Lys Thr Tyr Ser Ile Gly Phe Leu Arg Phe
```

```
            20                  25                  30

Cys Lys Gln Ala Thr Leu Gln Phe Cys Val Val Lys Pro Leu Met Ala
         35                  40                  45

Val Ser Thr Val Val Leu Gln Ala Phe Gly Lys Tyr Arg Asp Gly Asp
     50                  55                  60

Phe Asp Val Thr Ser Gly Tyr Leu Tyr Val Thr Ile Ile Tyr Asn Ile
 65                  70                  75                  80

Ser Val Ser Leu Ala Leu Tyr Ala Leu Phe Leu Phe Tyr Phe Ala Thr
                85                  90                  95

Arg Glu Leu Leu Ser Pro Tyr Ser Pro Val Leu Lys Phe Phe Met Val
            100                 105                 110

Lys Ser Val Ile Phe Leu Ser Phe Trp Gln Gly Met Leu Leu Ala Ile
        115                 120                 125

Leu Glu Lys Cys Gly Ala Ile Pro Lys Ile His Ser Ala Arg Val Ser
    130                 135                 140

Val Gly Glu Gly Thr Val Ala Ala Gly Tyr Gln Asp Phe Ile Ile Cys
145                 150                 155                 160

Val Glu Met Phe Phe Ala Ala Leu Ala Leu Arg Xaa Ala Phe Xaa Tyr
                165                 170                 175

Lys Val Tyr Ala Asp Lys Arg Leu Asp Ala Gln Gly Arg Cys Ala Pro
            180                 185                 190

Met Lys Ser Ile Ser Ser Ser Leu Lys Glu Thr Met Asn Pro His Asp
        195                 200                 205

Ile Val Gln Asp Ala Ile His Asn Phe Ser Pro Ala Tyr Gln Gln Tyr
    210                 215                 220

Thr Gln Gln Ser Thr Leu Glu Pro Gly Pro Thr Trp Arg Gly Gly Ala
225                 230                 235                 240

His Gly Leu Ser Arg Ser His Ser Leu Ser Gly Ala Arg Asp Asn Glu
                245                 250                 255

Lys Thr Leu Leu Leu Ser Ser Asp Asp Glu Phe
            260                 265


<210> 580
<211> 53
<212> PRT
<213> Homo sapiens

<400> 580
Met Leu Val Leu Met Thr Thr Cys Ile Leu Ala Ala Val Cys Val His
  1               5                  10                  15

Thr Ala Gln Cys Ala Pro Asp Ser Arg Met Asp Asn Asp Cys Pro Ser
             20                  25                  30
```

His Gln Ala Gln Ile His Phe Arg Ala Ser Glu Val Arg Arg Gly Trp
35 40 45

Thr Phe Asn His Asp
50

<210> 581
<211> 196
<212> PRT
<213> Homo sapiens

<400> 581
Met Ala Phe Arg Tyr Leu Ser Trp Ile Leu Phe Pro Leu Leu Gly Cys
1 5 10 15

Tyr Ala Val Tyr Ser Leu Leu Tyr Leu Glu His Lys Gly Trp Tyr Ser
20 25 30

Trp Val Leu Ser Met Leu Tyr Gly Phe Leu Leu Thr Phe Gly Phe Ile
35 40 45

Thr Met Thr Pro Gln Leu Phe Ile Asn Tyr Lys Leu Lys Ser Val Ala
50 55 60

His Leu Pro Trp Arg Met Leu Thr Tyr Lys Ala Leu Asn Thr Phe Ile
65 70 75 80

Asp Asp Leu Phe Ala Phe Val Ile Lys Met Pro Val Met Tyr Arg Ile
85 90 95

Gly Cys Leu Arg Asp Asp Val Val Phe Phe Ile Tyr Leu Tyr Gln Arg
100 105 110

Trp Ile Tyr Arg Val Asp Pro Thr Arg Val Asn Glu Phe Gly Met Ser
115 120 125

Gly Glu Asp Pro Thr Ala Ala Ala Pro Val Ala Glu Val Pro Thr Ala
130 135 140

Ala Gly Ala Leu Thr Pro Thr Pro Ala Pro Thr Thr Thr Thr Ala Thr
145 150 155 160

Arg Glu Glu Ala Ser Thr Ser Leu Pro Thr Lys Pro Thr Gln Gly Ala
165 170 175

Ser Ser Ala Ser Glu Pro Gln Glu Ala Pro Pro Lys Pro Ala Glu Asp
180 185 190

Lys Lys Lys Asp
195

<210> 582
<211> 52
<212> PRT
<213> Homo sapiens

<400> 582

```
Met His Cys His Ser Ala Leu Gly Pro Met Ser Thr Pro Val Leu Pro
  1               5                  10                  15

Phe Ser Gly Ile Gly Leu Ala Phe Leu Cys Leu Cys Leu Ala Ala Ser
             20                  25                  30

Met Val Asp Leu Lys Cys Leu Gly Met Asn Ser Thr Leu Leu Gln Pro
         35                  40                  45

Ser Ile Lys Glu
     50
```

<210> 583
<211> 72
<212> PRT
<213> Homo sapiens

<400> 583

```
Met Ala Arg Gly Cys Val Cys Ser Leu Cys Ala Ser Val Cys Ile Phe
  1               5                  10                  15

Leu Ser Ser Leu Phe Pro Leu Leu Pro Ser Val His Ser Val Asn Ile
             20                  25                  30

Ile Ser Cys Leu Leu Leu Ser Lys Cys Phe Glu Gly Leu Glu Leu Met
         35                  40                  45

Cys Glu His Leu Tyr Gln Leu Ser Gln Leu His Val Leu His His Ile
     50                  55                  60

Phe Ser Tyr Leu Leu Cys Thr Pro
 65                  70
```

<210> 584
<211> 87
<212> PRT
<213> Homo sapiens

<400> 584

```
Met Gly Leu His Leu Arg Pro Tyr Arg Val Gly Leu Leu Pro Asp Gly
  1               5                  10                  15

Leu Leu Phe Leu Leu Leu Leu Leu Met Leu Leu Ala Asp Pro Ala Leu
             20                  25                  30

Pro Ala Gly Arg His Pro Pro Val Val Leu Val Pro Gly Asp Leu Gly
         35                  40                  45

Asn Gln Leu Glu Ala Lys Leu Asp Lys Pro Thr Val Val His Tyr Leu
     50                  55                  60

Cys Ser Lys Lys Thr Glu Ser Tyr Phe Thr Ile Trp Leu Asn Leu Glu
 65                  70                  75                  80

Leu Leu Leu Pro Val His His
                 85
```

<210> 585
<211> 40
<212> PRT
<213> Homo sapiens

<400> 585
Met Gly Pro Ser Gln Arg Glu Val Thr Val Gln Trp His Arg Ala Leu
1 5 10 15

Phe Leu Leu Pro Leu Leu Leu Leu Ser Thr Arg Thr Glu Thr Lys Asn
20 25 30

Phe Gly Phe Lys Trp Leu Lys Asp
35 40

<210> 586
<211> 525
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (210)
<223> Xaa equals any amino acid

<400> 586
Met Leu Ala Phe Pro Leu Leu Leu Thr Gly Leu Ile Ser Phe Arg Glu
1 5 10 15

Lys Arg Leu Gln Asp Val Gly Thr Pro Ala Ala Arg Ala Arg Ala Phe
20 25 30

Phe Thr Ala Pro Val Val Val Phe His Leu Asn Ile Leu Ser Tyr Phe
35 40 45

Ala Phe Leu Cys Leu Phe Ala Tyr Val Leu Met Val Asp Phe Gln Pro
50 55 60

Val Pro Ser Trp Cys Glu Cys Ala Ile Tyr Leu Trp Leu Phe Ser Leu
65 70 75 80

Val Cys Glu Glu Met Arg Gln Leu Phe Tyr Asp Pro Asp Glu Cys Gly
85 90 95

Leu Met Lys Lys Ala Ala Leu Tyr Phe Ser Asp Phe Trp Asn Lys Leu
100 105 110

Asp Val Gly Ala Ile Leu Leu Phe Val Ala Gly Leu Thr Cys Arg Leu
115 120 125

Ile Pro Ala Thr Leu Tyr Pro Gly Arg Val Ile Leu Ser Leu Asp Phe
130 135 140

Ile Leu Phe Cys Leu Arg Leu Met His Ile Phe Thr Ile Ser Lys Thr
145 150 155 160

Leu Gly Pro Lys Ile Ile Ile Val Lys Arg Met Met Lys Asp Val Phe

165 170 175

Phe Phe Leu Phe Leu Leu Ala Val Trp Val Val Ser Phe Gly Val Ala
180 185 190

Lys Gln Ala Ile Leu Ile His Asn Glu Arg Arg Val Asp Trp Leu Phe
195 200 205

Arg Xaa Ala Val Tyr His Ser Tyr Leu Thr Ile Phe Gly Gln Ile Pro
210 215 220

Gly Tyr Ile Asp Gly Val Asn Phe Asn Pro Glu His Cys Ser Pro Asn
225 230 235 240

Gly Thr Asp Pro Tyr Lys Pro Lys Cys Pro Glu Ser Asp Ala Thr Gln
245 250 255

Gln Arg Pro Ala Phe Pro Glu Trp Leu Thr Val Leu Leu Leu Cys Leu
260 265 270

Tyr Leu Leu Phe Thr Asn Ile Leu Leu Leu Asn Leu Leu Ile Ala Met
275 280 285

Phe Asn Tyr Thr Phe Gln Gln Val Gln Glu His Thr Asp Gln Ile Trp
290 295 300

Lys Phe Gln Arg His Asp Leu Ile Glu Glu Tyr His Gly Arg Pro Ala
305 310 315 320

Ala Pro Pro Pro Phe Ile Leu Leu Ser His Leu Gln Leu Phe Ile Lys
325 330 335

Arg Val Val Leu Lys Thr Pro Ala Lys Arg His Lys Gln Leu Lys Asn
340 345 350

Lys Leu Glu Lys Asn Glu Glu Ala Ala Leu Leu Ser Trp Glu Ile Tyr
355 360 365

Leu Lys Glu Asn Tyr Leu Gln Asn Arg Gln Phe Gln Gln Lys Gln Arg
370 375 380

Pro Glu Gln Lys Ile Glu Asp Ile Ser Asn Lys Val Asp Ala Met Val
385 390 395 400

Asp Leu Leu Asp Leu Asp Pro Leu Lys Arg Ser Gly Ser Met Glu Gln
405 410 415

Arg Leu Ala Ser Leu Glu Glu Gln Val Ala Gln Thr Ala Arg Ala Leu
420 425 430

His Trp Ile Val Arg Thr Leu Arg Ala Ser Gly Phe Ser Ser Glu Ala
435 440 445

Asp Val Pro Thr Leu Ala Ser Gln Lys Ala Ala Glu Glu Pro Asp Ala
450 455 460

Glu Pro Gly Gly Arg Lys Lys Thr Glu Glu Pro Gly Asp Ser Tyr His
465 470 475 480

Val Asn Ala Arg His Leu Leu Tyr Pro Asn Cys Pro Val Thr Arg Phe
485 490 495

```
Pro Val Pro Asn Glu Lys Val Pro Trp Glu Thr Glu Phe Leu Ile Tyr
            500                 505                 510

Asp Pro Pro Phe Tyr Thr Ala Glu Arg Lys Asp Ala Ala
        515                 520                 525



<210> 587
<211> 937
<212> PRT
<213> Homo sapiens

<400> 587
Met Gln Asn Ser Gly Lys Thr Lys Phe Lys Arg Thr Ser Ile Asp Arg
  1               5                  10                  15

Leu Met Asn Thr Leu Val Leu Trp Ile Phe Gly Phe Leu Ile Cys Leu
             20                  25                  30

Gly Ile Ile Leu Ala Ile Gly Asn Ser Ile Trp Glu Ser Gln Thr Gly
         35                  40                  45

Asp Gln Phe Arg Thr Phe Leu Phe Trp Asn Glu Gly Glu Lys Ser Ser
     50                  55                  60

Val Phe Ser Gly Phe Leu Thr Phe Trp Ser Tyr Ile Ile Ile Leu Asn
 65                  70                  75                  80

Thr Val Val Pro Ile Ser Leu Tyr Val Ser Val Glu Val Ile Arg Leu
                 85                  90                  95

Gly His Ser Tyr Phe Ile Asn Trp Asp Arg Lys Met Tyr Tyr Ser Arg
            100                 105                 110

Lys Ala Ile Pro Ala Val Ala Arg Thr Thr Thr Leu Asn Glu Glu Leu
        115                 120                 125

Gly Gln Ile Glu Tyr Ile Phe Ser Asp Lys Thr Gly Thr Leu Thr Gln
    130                 135                 140

Asn Ile Met Thr Phe Lys Arg Cys Ser Ile Asn Gly Arg Ile Tyr Gly
145                 150                 155                 160

Glu Val His Asp Asp Leu Asp Gln Lys Thr Glu Ile Thr Gln Glu Lys
                165                 170                 175

Glu Pro Val Asp Phe Ser Val Lys Ser Gln Ala Asp Arg Glu Phe Gln
            180                 185                 190

Phe Phe Asp His Asn Leu Met Glu Ser Ile Lys Met Gly Asp Pro Lys
        195                 200                 205

Val His Glu Phe Leu Arg Leu Leu Ala Leu Cys His Thr Val Met Ser
    210                 215                 220

Glu Glu Asn Ser Ala Gly Glu Leu Ile Tyr Gln Val Gln Ser Pro Asp
225                 230                 235                 240

Glu Gly Ala Leu Val Thr Ala Ala Arg Asn Phe Gly Phe Ile Phe Lys
```

245 250 255

Ser Arg Thr Pro Glu Thr Ile Thr Ile Glu Glu Leu Gly Thr Leu Val
260 265 270

Thr Tyr Gln Leu Leu Ala Phe Leu Asp Phe Asn Asn Thr Arg Lys Arg
275 280 285

Met Ser Val Ile Val Arg Asn Pro Glu Gly Gln Ile Lys Leu Tyr Ser
290 295 300

Lys Gly Ala Asp Thr Ile Leu Phe Glu Lys Leu His Pro Ser Asn Glu
305 310 315 320

Val Leu Leu Ser Leu Thr Ser Asp His Leu Ser Glu Phe Ala Gly Glu
325 330 335

Gly Leu Arg Thr Leu Ala Ile Ala Tyr Arg Asp Leu Asp Asp Lys Tyr
340 345 350

Phe Lys Glu Trp His Lys Met Leu Glu Asp Ala Asn Val Ala Thr Glu
355 360 365

Glu Arg Asp Glu Arg Ile Ala Gly Leu Tyr Glu Glu Ile Glu Arg Asp
370 375 380

Leu Met Leu Leu Gly Ala Thr Ala Val Glu Asp Lys Leu Gln Glu Gly
385 390 395 400

Val Ile Glu Thr Val Thr Ser Leu Ser Leu Ala Asn Ile Lys Ile Trp
405 410 415

Val Leu Thr Gly Asp Lys Gln Glu Thr Ala Ile Asn Ile Gly Tyr Ala
420 425 430

Cys Asn Met Leu Thr Asp Asp Met Asn Asp Val Phe Val Ile Ala Gly
435 440 445

Asn Asn Ala Val Glu Val Arg Glu Glu Leu Arg Lys Ala Lys Gln Asn
450 455 460

Leu Phe Gly Gln Asn Arg Asn Phe Ser Asn Gly His Val Val Cys Glu
465 470 475 480

Lys Lys Gln Gln Leu Glu Leu Asp Ser Ile Val Glu Glu Thr Ile Thr
485 490 495

Gly Asp Tyr Ala Leu Ile Ile Asn Gly His Ser Leu Ala His Ala Leu
500 505 510

Glu Ser Asp Val Lys Asn Asp Leu Leu Glu Leu Ala Cys Met Cys Lys
515 520 525

Thr Val Ile Cys Cys Arg Val Thr Pro Leu Gln Lys Ala Gln Val Val
530 535 540

Glu Leu Val Lys Lys Tyr Arg Asn Ala Val Thr Leu Ala Ile Gly Asp
545 550 555 560

Gly Ala Asn Asp Val Ser Met Ile Lys Ser Ala His Ile Gly Val Gly
565 570 575

Ile Ser Gly Gln Glu Gly Leu Gln Ala Val Leu Ala Ser Asp Tyr Ser
580 585 590

Phe Ala Gln Phe Arg Tyr Leu Gln Arg Leu Leu Leu Val His Gly Arg
595 600 605

Trp Ser Tyr Phe Arg Met Cys Lys Phe Leu Cys Tyr Phe Phe Tyr Lys
610 615 620

Asn Phe Ala Phe Thr Leu Val His Phe Trp Phe Gly Phe Phe Cys Gly
625 630 635 640

Phe Ser Ala Gln Thr Val Tyr Asp Gln Trp Phe Ile Thr Leu Phe Asn
645 650 655

Ile Val Tyr Thr Ser Leu Pro Val Leu Ala Met Gly Ile Phe Asp Gln
660 665 670

Asp Val Ser Asp Gln Asn Ser Val Asp Cys Pro Gln Leu Tyr Lys Pro
675 680 685

Gly Gln Leu Asn Leu Leu Phe Asn Lys Arg Lys Phe Phe Ile Cys Val
690 695 700

Met His Gly Ile Tyr Thr Ser Leu Val Leu Phe Phe Ile Pro Tyr Gly
705 710 715 720

Ala Phe Tyr Asn Val Ala Gly Glu Asp Gly Gln His Ile Ala Asp Tyr
725 730 735

Gln Ser Phe Ala Val Thr Met Ala Thr Ser Leu Val Ile Val Val Ser
740 745 750

Val Gln Ile Ala Leu Asp Thr Ser Tyr Trp Thr Phe Ile Asn His Val
755 760 765

Phe Ile Trp Gly Ser Ile Ala Ile Tyr Phe Ser Ile Leu Phe Thr Met
770 775 780

His Ser Asn Gly Ile Phe Gly Ile Phe Pro Asn Gln Phe Pro Phe Val
785 790 795 800

Gly Asn Ala Arg His Ser Leu Thr Gln Lys Cys Ile Trp Leu Val Ile
805 810 815

Leu Leu Thr Thr Val Ala Ser Val Met Pro Val Val Ala Phe Arg Phe
820 825 830

Leu Lys Val Asp Leu Tyr Pro Thr Leu Ser Asp Gln Ile Arg Arg Trp
835 840 845

Gln Lys Ala Gln Lys Lys Ala Arg Pro Pro Ser Ser Arg Arg Pro Arg
850 855 860

Thr Arg Arg Ser Ser Ser Arg Arg Ser Gly Tyr Ala Phe Ala His Gln
865 870 875 880

Glu Gly Tyr Gly Glu Leu Ile Thr Ser Gly Lys Asn Met Arg Ala Lys
885 890 895

```
Asn Pro Pro Pro Thr Ser Gly Leu Glu Lys Thr His Tyr Asn Ser Thr
            900                 905                 910

Ser Trp Ile Glu Asn Leu Cys Lys Lys Thr Thr Asp Thr Val Ser Ser
        915                 920                 925

Phe Ser Gln Asp Lys Thr Val Lys Leu
    930                 935
```

<210> 588
<211> 94
<212> PRT
<213> Homo sapiens

<400> 588

```
Met Leu Leu Ser Phe Tyr Cys Leu Pro Met Val Ser Ile His Ile Phe
  1               5                  10                  15

Phe Pro Cys Ala His Cys Val Tyr Leu Leu His Ile Ser Cys Ser Leu
             20                  25                  30

Gly Glu Glu Ser Phe Asn Arg Asp Thr Cys Lys Lys Asp Phe Cys Phe
         35                  40                  45

Ser Ile Gln Asn Val Asn Ser Thr Phe Leu Leu Ser Leu Ala Val Phe
     50                  55                  60

Arg Phe Ser Glu Arg Phe Ser Asp Ser Asn Phe Leu Phe Thr Thr Pro
 65                  70                  75                  80

Pro Ile Cys Ser Glu Lys Asn Gly Leu Leu Tyr His Trp Ile
                 85                  90
```

<210> 589
<211> 122
<212> PRT
<213> Homo sapiens

<400> 589

```
Met Ile Gly Gly Ile Thr Cys Ile Leu Ser Leu Ile Cys Ala Leu Ala
  1               5                  10                  15

Leu Ala Tyr Leu Asp Gln Arg Ala Glu Arg Ile Leu His Lys Glu Gln
             20                  25                  30

Gly Lys Thr Gly Glu Val Ile Lys Leu Thr Asp Val Lys Asp Phe Ser
         35                  40                  45

Leu Pro Leu Trp Leu Ile Phe Ile Ile Cys Val Cys Tyr Tyr Val Ala
     50                  55                  60

Val Phe Pro Phe Ile Gly Leu Gly Lys Val Phe Phe Thr Glu Lys Phe
 65                  70                  75                  80

Gly Phe Ser Ser Gln Ala Ala Ser Ala Ile Asn Ser Val Val Tyr Val
                 85                  90                  95
```

```
Ile Ser Ala Pro Met Ser Pro Val Phe Gly Leu Leu Val Asp Lys Thr
            100                 105                 110

Gly Lys Asn Ile Ile Trp Val Leu Cys Ala
        115                 120
```

<210> 590
<211> 567
<212> PRT
<213> Homo sapiens

<400> 590

```
Met Ala Pro Leu Ala Leu His Leu Leu Val Leu Val Pro Ile Leu Leu
  1               5                  10                  15

Ser Leu Val Ala Ser Gln Asp Trp Lys Ala Glu Arg Ser Gln Asp Pro
             20                  25                  30

Phe Glu Lys Cys Met Gln Asp Pro Asp Tyr Glu Gln Leu Leu Lys Val
         35                  40                  45

Val Thr Trp Gly Leu Asn Arg Thr Leu Lys Pro Gln Arg Val Ile Val
     50                  55                  60

Val Gly Ala Gly Val Ala Gly Leu Val Ala Ala Lys Val Leu Ser Asp
 65                  70                  75                  80

Ala Gly His Lys Val Thr Ile Leu Glu Ala Asp Asn Arg Ile Gly Gly
                 85                  90                  95

Arg Ile Phe Thr Tyr Arg Asp Gln Asn Thr Gly Trp Ile Gly Glu Leu
            100                 105                 110

Gly Ala Met Arg Met Pro Ser Ser His Arg Ile Leu His Lys Leu Cys
        115                 120                 125

Gln Gly Leu Gly Leu Asn Leu Thr Lys Phe Thr Gln Tyr Asp Lys Asn
    130                 135                 140

Thr Trp Thr Glu Val His Glu Val Lys Leu Arg Asn Tyr Val Val Glu
145                 150                 155                 160

Lys Val Pro Glu Lys Leu Gly Tyr Ala Leu Arg Pro Gln Glu Lys Gly
                165                 170                 175

His Ser Pro Glu Asp Ile Tyr Gln Met Ala Leu Asn Gln Ala Leu Lys
            180                 185                 190

Asp Leu Lys Ala Leu Gly Cys Arg Lys Ala Met Lys Lys Phe Glu Arg
        195                 200                 205

His Thr Leu Leu Glu Tyr Leu Leu Gly Glu Gly Asn Leu Ser Arg Pro
    210                 215                 220

Ala Val Gln Leu Leu Gly Asp Val Met Ser Glu Asp Gly Phe Phe Tyr
225                 230                 235                 240

Leu Ser Phe Ala Glu Ala Leu Arg Ala His Ser Cys Leu Ser Asp Arg
                245                 250                 255
```

```
Leu Gln Tyr Ser Arg Ile Val Gly Gly Trp Asp Leu Leu Pro Arg Ala
            260                 265                 270

Leu Leu Ser Ser Leu Ser Gly Leu Val Leu Leu Asn Ala Pro Val Val
        275                 280                 285

Ala Met Thr Gln Gly Pro His Asp Val His Val Gln Ile Glu Thr Ser
    290                 295                 300

Pro Pro Ala Arg Asn Leu Lys Val Leu Lys Ala Asp Val Val Leu Leu
305                 310                 315                 320

Thr Ala Ser Gly Pro Ala Val Lys Arg Ile Thr Phe Ser Pro Pro Leu
                325                 330                 335

Pro Arg His Met Gln Glu Ala Leu Arg Arg Leu His Tyr Val Pro Ala
            340                 345                 350

Thr Lys Val Phe Leu Ser Phe Arg Arg Pro Phe Trp Arg Glu Glu His
        355                 360                 365

Ile Glu Gly Gly His Ser Asn Thr Asp Arg Pro Ser Arg Met Ile Phe
    370                 375                 380

Tyr Pro Pro Pro Arg Glu Gly Ala Leu Leu Leu Ala Ser Tyr Thr Trp
385                 390                 395                 400

Ser Asp Ala Ala Ala Ala Phe Ala Gly Leu Ser Arg Glu Glu Ala Leu
                405                 410                 415

Arg Leu Ala Leu Asp Asp Val Ala Ala Leu His Gly Pro Val Val Arg
            420                 425                 430

Gln Leu Trp Asp Gly Thr Gly Val Val Lys Arg Trp Ala Glu Asp Gln
        435                 440                 445

His Ser Gln Gly Gly Phe Val Val Gln Pro Pro Ala Leu Trp Gln Thr
    450                 455                 460

Glu Lys Asp Asp Trp Thr Val Pro Tyr Gly Arg Ile Tyr Phe Ala Gly
465                 470                 475                 480

Glu His Thr Ala Tyr Pro His Gly Trp Val Glu Thr Ala Val Lys Ser
                485                 490                 495

Ala Leu Arg Ala Ala Ile Lys Ile Asn Ser Arg Lys Gly Pro Ala Ser
            500                 505                 510

Asp Thr Ala Ser Pro Glu Gly His Ala Ser Asp Met Glu Gly Gln Gly
        515                 520                 525

His Val His Gly Val Ala Ser Ser Pro Ser His Asp Leu Ala Lys Glu
    530                 535                 540

Glu Gly Ser His Pro Pro Val Gln Gly Gln Leu Ser Leu Gln Asn Thr
545                 550                 555                 560

Thr His Thr Arg Thr Ser His
                565
```

<210> 591
<211> 46
<212> PRT
<213> Homo sapiens

<400> 591
Met Pro Trp Leu Lys Ser Leu Leu His Phe Ser Leu Phe Leu Val Val
1 5 10 15

Phe Ser Thr Leu Ala Val Lys Ser Leu Gly Val Pro Val Ala Ala Gly
20 25 30

Ser Pro Phe Cys Ile Val Asp Val Leu His Phe Ile Leu Leu
35 40 45

<210> 592
<211> 66
<212> PRT
<213> Homo sapiens

<400> 592
Met Ser Trp Val Ile Val Val Ile Ile Trp Gly Tyr Leu Leu Glu Gly
1 5 10 15

His Gly Val Pro Phe Cys Lys Ser Tyr Gly Pro Ser Pro Trp Lys Leu
20 25 30

His Thr His His Ala Ala Tyr Asn Ser Gly Ser Ser Gln Val Tyr Arg
35 40 45

Ile Leu Glu Thr Leu Met Ser Gly Ser Thr His Cys Ser Phe Ser Gly
50 55 60

Thr Phe
65

<210> 593
<211> 90
<212> PRT
<213> Homo sapiens

<400> 593
Met Pro Arg Ala Pro Trp Arg Ile Pro Leu Cys Ala Leu Pro Thr Leu
1 5 10 15

Cys Leu Gly Ser Pro Leu Pro Ser Gln Pro Thr His Pro Ile Phe Tyr
20 25 30

Asp His Arg Ala Pro Thr Trp Lys Met Ala His Pro Gly Gly Pro Arg
35 40 45

Ser Ser His Ser Pro Arg Thr Trp Arg Thr Pro Ser Ser Gln Thr Lys
50 55 60

Ala Ala Leu Pro Ala Gly Gly Ala Arg Asn Ser Pro Leu Gln Leu Cys

65 70 75 80

Thr Arg Ser Arg Phe Cys Gly Thr Pro Met
85 90

<210> 594
<211> 710
<212> PRT
<213> Homo sapiens

<400> 594
Met Pro Val Pro Trp Phe Leu Leu Ser Leu Ala Leu Gly Arg Ser Pro
1 5 10 15

Val Val Leu Ser Leu Glu Arg Leu Val Gly Pro Gln Asp Ala Thr His
20 25 30

Cys Ser Pro Gly Leu Ser Cys Arg Leu Trp Asp Ser Asp Ile Leu Cys
35 40 45

Leu Pro Gly Asp Ile Val Pro Ala Pro Gly Pro Val Leu Ala Pro Thr
50 55 60

His Leu Gln Thr Glu Leu Val Leu Arg Cys Gln Lys Glu Thr Asp Cys
65 70 75 80

Asp Leu Cys Leu Arg Val Ala Val His Leu Ala Val His Gly His Trp
85 90 95

Glu Glu Pro Glu Asp Glu Glu Lys Phe Gly Gly Ala Ala Asp Leu Gly
100 105 110

Val Glu Glu Pro Arg Asn Ala Ser Leu Gln Ala Gln Val Val Leu Ser
115 120 125

Phe Gln Ala Tyr Pro Thr Ala Arg Cys Val Leu Leu Glu Val Gln Val
130 135 140

Pro Ala Ala Leu Val Gln Phe Gly Gln Ser Val Gly Ser Val Val Tyr
145 150 155 160

Asp Cys Phe Glu Ala Ala Leu Gly Ser Glu Val Arg Ile Trp Ser Tyr
165 170 175

Thr Gln Pro Arg Tyr Glu Lys Glu Leu Asn His Thr Gln Gln Leu Pro
180 185 190

Asp Cys Arg Gly Leu Glu Val Trp Asn Ser Ile Pro Ser Cys Trp Ala
195 200 205

Leu Pro Trp Leu Asn Val Ser Ala Asp Gly Asp Asn Val His Phe Gly
210 215 220

Leu Ser Leu Tyr Trp Asn Gln Val Gln Gly Pro Pro Lys Pro Arg Trp
225 230 235 240

His Lys Asn Leu Thr Gly Pro Gln Ile Ile Thr Leu Asn His Thr Asp
245 250 255

```
Leu Val Pro Cys Leu Cys Ile Gln Val Trp Pro Leu Glu Pro Asp Ser
            260                 265                 270

Val Arg Thr Asn Ile Cys Pro Phe Arg Glu Asp Pro Arg Ala His Gln
        275                 280                 285

Asn Leu Trp Gln Ala Ala Arg Leu Arg Leu Leu Thr Leu Gln Ser Trp
    290                 295                 300

Leu Leu Asp Ala Pro Cys Ser Leu Pro Ala Glu Ala Ala Leu Cys Trp
305                 310                 315                 320

Arg Ala Pro Gly Gly Asp Pro Cys Gln Pro Leu Val Pro Pro Leu Ser
                325                 330                 335

Trp Glu Asn Val Thr Val Asp Lys Val Leu Glu Phe Pro Leu Leu Lys
            340                 345                 350

Gly His Pro Asn Leu Cys Val Gln Val Asn Ser Ser Glu Lys Leu Gln
        355                 360                 365

Leu Gln Glu Cys Leu Trp Ala Asp Ser Leu Gly Pro Leu Lys Asp Asp
    370                 375                 380

Val Leu Leu Leu Glu Thr Arg Gly Pro Gln Asp Asn Arg Ser Leu Cys
385                 390                 395                 400

Ala Leu Glu Pro Ser Gly Cys Thr Ser Leu Pro Ser Lys Ala Ser Thr
                405                 410                 415

Arg Ala Ala Arg Leu Gly Glu Tyr Leu Leu Gln Asp Leu Gln Ser Gly
            420                 425                 430

Gln Cys Leu Gln Leu Trp Asp Asp Asp Leu Gly Ala Leu Trp Ala Cys
        435                 440                 445

Pro Met Asp Lys Tyr Ile His Lys Arg Trp Ala Leu Val Trp Leu Ala
    450                 455                 460

Cys Leu Leu Phe Ala Ala Ala Leu Ser Leu Ile Leu Leu Leu Lys Lys
465                 470                 475                 480

Asp His Ala Lys Gly Trp Leu Arg Leu Leu Lys Gln Asp Val Arg Ser
                485                 490                 495

Gly Ala Ala Ala Arg Gly Arg Ala Ala Leu Leu Leu Tyr Ser Ala Asp
            500                 505                 510

Asp Ser Gly Phe Glu Arg Leu Val Gly Ala Leu Ala Ser Ala Leu Cys
        515                 520                 525

Gln Leu Pro Leu Arg Val Ala Val Asp Leu Trp Ser Arg Arg Glu Leu
    530                 535                 540

Ser Ala Gln Gly Pro Val Ala Trp Phe His Ala Gln Arg Arg Gln Thr
545                 550                 555                 560

Leu Gln Glu Gly Gly Val Val Val Leu Leu Phe Ser Pro Gly Ala Val
                565                 570                 575

Ala Leu Cys Ser Glu Trp Leu Gln Asp Gly Val Ser Gly Pro Gly Ala
```

580 585 590

His Gly Pro His Asp Ala Phe Arg Ala Ser Leu Ser Cys Val Leu Pro
595 600 605

Asp Phe Leu Gln Gly Arg Ala Pro Gly Ser Tyr Val Gly Ala Cys Phe
610 615 620

Asp Arg Leu Leu His Pro Asp Ala Val Pro Ala Leu Phe Arg Thr Val
625 630 635 640

Pro Val Phe Thr Leu Pro Ser Gln Leu Pro Asp Phe Leu Gly Ala Leu
645 650 655

Gln Gln Pro Arg Ala Pro Arg Ser Gly Arg Leu Gln Glu Arg Ala Glu
660 665 670

Gln Val Ser Arg Ala Leu Gln Pro Ala Leu Asp Ser Tyr Phe His Pro
675 680 685

Pro Gly Thr Pro Ala Pro Gly Arg Gly Val Gly Pro Gly Ala Gly Pro
690 695 700

Gly Ala Gly Asp Gly Thr
705 710

<210> 595
<211> 48
<212> PRT
<213> Homo sapiens

<400> 595
Met Phe Ala Pro Cys Phe Val Asn Leu Ala Leu Phe Tyr Leu Tyr Ile
1 5 10 15

Asn Ser Cys Asn Leu Leu Asn Leu Thr Ser Ile Asp Pro Phe Gln Gln
20 25 30

Lys Gly Lys Phe Lys Met Gln Thr Leu Leu Phe Ala Lys Glu Asp Ser
35 40 45

<210> 596
<211> 200
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (144)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (149)

<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (160)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (173)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (177)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (189)
<223> Xaa equals any amino acid

<400> 596

```
Met Phe Phe Leu Leu Cys Leu Val Ala Leu Glu Ile Lys Gly Phe Thr
  1               5                  10                  15

Phe Ser Ala Arg Gly Ala Arg Asp Arg Phe Leu Asn Lys Ser Gly Pro
             20                  25                  30

Gln Pro Gly Lys Lys Met Lys Thr Thr His Cys Lys Gln Pro Leu Phe
         35                  40                  45

Ser Lys Pro Gly Gln Val Arg Gly Ala Leu Arg Lys Ala Arg Gly Arg
     50                  55                  60

Gln Glu Glu Arg Glu Ala Val Gly Met Trp Gly Gly Arg Gly His Ser
 65                  70                  75                  80

Tyr Pro Glu Tyr Ile Lys Thr Ser Glu Val Thr Glu Val Arg Asp Ser
                 85                  90                  95

Pro Lys His Pro Gln Val Gln Pro Phe Leu Thr Thr Arg Val Thr Cys
            100                 105                 110

Arg Val Pro Gly His Leu Gln Val Leu Glu Ala Leu Cys Gly Ala Trp
        115                 120                 125

Gly Ser Met Phe Lys His Ala Leu Val Val Val Gln Val Pro Arg Xaa
    130                 135                 140

Arg Gly Arg Ala Xaa Leu Gly Ser Glu Trp Gln Val Gly Gln Leu Xaa
145                 150                 155                 160

Leu Ile Leu Leu His Gly Thr Gln His Trp Ala Ala Xaa Leu Val Pro
                165                 170                 175

Xaa Leu Pro Gln Glu Ser Ile Leu Pro Ala Gln Ser Xaa Arg Val Thr
            180                 185                 190

Asn Thr Pro Gly Thr Glu Glu Thr
        195                 200
```

<210> 597
<211> 467
<212> PRT
<213> Homo sapiens

<400> 597
Met Leu Leu Leu Leu Leu Leu Pro Leu Leu Trp Gly Arg Glu Arg Val
1 5 10 15

Glu Gly Gln Lys Ser Asn Arg Lys Asp Tyr Ser Leu Thr Met Gln Ser
20 25 30

Ser Val Thr Val Gln Glu Gly Met Cys Val His Val Arg Cys Ser Phe
35 40 45

Ser Tyr Pro Val Asp Ser Gln Thr Asp Ser Asp Pro Val His Gly Tyr
50 55 60

Trp Phe Arg Ala Gly Asn Asp Ile Ser Trp Lys Ala Pro Val Ala Thr
65 70 75 80

Asn Asn Pro Ala Trp Ala Val Gln Glu Glu Thr Arg Asp Arg Phe His
85 90 95

Leu Leu Gly Asp Pro Gln Thr Lys Asn Cys Thr Leu Ser Ile Arg Asp
100 105 110

Ala Arg Met Ser Asp Ala Gly Arg Tyr Phe Phe Arg Met Glu Lys Gly
115 120 125

Asn Ile Lys Trp Asn Tyr Lys Tyr Asp Gln Leu Ser Val Asn Val Thr
130 135 140

Ala Leu Thr His Arg Pro Asn Ile Leu Ile Pro Gly Thr Leu Glu Ser
145 150 155 160

Gly Cys Phe Gln Asn Leu Thr Cys Ser Val Pro Trp Ala Cys Glu Gln
165 170 175

Gly Thr Pro Pro Met Ile Ser Trp Met Gly Thr Ser Val Ser Pro Leu
180 185 190

His Pro Ser Thr Thr Arg Ser Ser Val Leu Thr Leu Ile Pro Gln Pro
195 200 205

Gln His His Gly Thr Ser Leu Thr Cys Gln Val Thr Leu Pro Gly Ala
210 215 220

Gly Val Thr Thr Asn Arg Thr Ile Gln Leu Asn Val Ser Tyr Pro Pro
225 230 235 240

Gln Asn Leu Thr Val Thr Val Phe Gln Gly Glu Gly Thr Ala Ser Thr
245 250 255

Ala Leu Gly Asn Ser Ser Ser Leu Ser Val Leu Glu Gly Gln Ser Leu
260 265 270

Arg Leu Val Cys Ala Val Asp Ser Asn Pro Pro Ala Arg Leu Ser Trp

```
        275                 280                 285

Thr Trp Arg Ser Leu Thr Leu Tyr Pro Ser Gln Pro Ser Asn Pro Leu
    290                 295                 300

Val Leu Glu Leu Gln Val His Leu Gly Asp Glu Gly Glu Phe Thr Cys
305                 310                 315                 320

Arg Ala Gln Asn Ser Leu Gly Ser Gln His Val Ser Leu Asn Leu Ser
                325                 330                 335

Leu Gln Gln Glu Tyr Thr Gly Lys Met Arg Pro Val Ser Gly Val Leu
            340                 345                 350

Leu Gly Ala Val Gly Gly Ala Gly Ala Thr Ala Leu Val Phe Leu Ser
        355                 360                 365

Phe Cys Val Ile Phe Ile Val Val Arg Ser Cys Arg Lys Lys Ser Ala
    370                 375                 380

Arg Pro Ala Ala Asp Val Gly Asp Ile Gly Met Lys Asp Ala Asn Thr
385                 390                 395                 400

Ile Arg Gly Ser Ala Ser Gln Gly Asn Leu Thr Glu Ser Trp Ala Asp
                405                 410                 415

Asp Asn Pro Arg His His Gly Leu Ala Ala His Ser Ser Gly Glu Glu
            420                 425                 430

Arg Glu Ile Gln Tyr Ala Pro Leu Ser Phe His Lys Gly Glu Pro Gln
        435                 440                 445

Asp Leu Ser Gly Gln Glu Ala Thr Asn Asn Glu Tyr Ser Glu Ile Lys
    450                 455                 460

Ile Pro Lys
465
```

<210> 598
<211> 802
<212> PRT
<213> Homo sapiens

```
<400> 598
Met Leu Gly Ala Arg Ala Trp Leu Gly Arg Val Leu Leu Leu Pro Arg
  1               5                  10                  15

Ala Gly Ala Gly Leu Ala Ala Ser Arg Arg Cys Pro Gly Val Trp Pro
             20                  25                  30

Arg Thr Trp Pro His Arg Ser Pro Ser Arg Gly Ser Ser Ser Arg Asp
         35                  40                  45

Lys Asp Arg Ser Ala Thr Val Ser Ser Ser Val Pro Met Pro Ala Gly
     50                  55                  60

Gly Lys Gly Ser His Pro Ser Ser Thr Pro Gln Arg Val Pro Asn Arg
 65                  70                  75                  80
```

```
Leu Ile His Glu Lys Ser Pro Tyr Leu Leu Gln His Ala Tyr Asn Pro
                 85                  90                  95

Val Asp Trp Tyr Pro Trp Gly Gln Glu Ala Phe Asp Lys Ala Arg Lys
            100                 105                 110

Glu Asn Lys Pro Ile Phe Leu Ser Val Gly Tyr Ser Thr Cys His Trp
        115                 120                 125

Cys His Met Met Glu Glu Glu Ser Phe Gln Asn Glu Glu Ile Gly Arg
    130                 135                 140

Leu Leu Ser Glu Asp Phe Val Ser Val Lys Val Asp Arg Glu Glu Arg
145                 150                 155                 160

Pro Asp Val Asp Lys Val Tyr Met Thr Phe Val Gln Ala Thr Ser Ser
                165                 170                 175

Gly Gly Gly Trp Pro Met Asn Val Trp Leu Thr Pro Asn Leu Gln Pro
            180                 185                 190

Phe Val Gly Gly Thr Tyr Phe Pro Pro Glu Asp Gly Leu Thr Arg Val
        195                 200                 205

Gly Phe Arg Thr Val Leu Leu Arg Ile Arg Glu Gln Trp Lys Gln Asn
    210                 215                 220

Lys Asn Thr Leu Leu Glu Asn Ser Gln Arg Val Thr Thr Ala Leu Leu
225                 230                 235                 240

Ala Arg Ser Glu Ile Ser Val Gly Asp Arg Gln Leu Pro Pro Ser Ala
                245                 250                 255

Ala Thr Val Asn Asn Arg Cys Phe Gln Gln Leu Asp Glu Gly Tyr Asp
            260                 265                 270

Glu Glu Tyr Gly Gly Phe Ala Glu Ala Pro Lys Phe Pro Thr Pro Val
        275                 280                 285

Ile Leu Ser Phe Leu Phe Ser Tyr Trp Leu Ser His Arg Leu Thr Gln
    290                 295                 300

Asp Gly Ser Arg Ala Gln Gln Met Ala Leu His Thr Leu Lys Met Met
305                 310                 315                 320

Ala Asn Gly Gly Ile Arg Asp His Val Gly Gln Gly Phe His Arg Tyr
                325                 330                 335

Ser Thr Asp Arg Gln Trp His Val Pro His Phe Glu Lys Met Leu Tyr
            340                 345                 350

Asp Gln Ala Gln Leu Ala Val Ala Tyr Ser Gln Ala Phe Gln Leu Ser
        355                 360                 365

Gly Asp Glu Phe Tyr Ser Asp Val Ala Lys Gly Ile Leu Gln Tyr Val
    370                 375                 380

Ala Arg Ser Leu Ser His Arg Ser Gly Gly Phe Tyr Ser Ala Glu Asp
385                 390                 395                 400

Ala Asp Ser Pro Pro Glu Arg Gly Gln Arg Pro Lys Glu Gly Ala Tyr
```

405 410 415

Tyr Val Trp Thr Val Lys Glu Val Gln Gln Leu Leu Pro Glu Pro Val
420 425 430

Leu Gly Ala Thr Glu Pro Leu Thr Ser Gly Gln Leu Leu Met Lys His
435 440 445

Tyr Gly Leu Thr Glu Ala Gly Asn Ile Ser Pro Ser Gln Asp Pro Lys
450 455 460

Gly Glu Leu Gln Gly Gln Asn Val Leu Thr Val Arg Tyr Ser Leu Glu
465 470 475 480

Leu Thr Ala Ala Arg Phe Gly Leu Asp Val Glu Ala Val Arg Thr Leu
485 490 495

Leu Asn Ser Gly Leu Glu Lys Leu Phe Gln Ala Arg Lys His Arg Pro
500 505 510

Lys Pro His Leu Asp Ser Lys Met Leu Ala Ala Trp Asn Gly Leu Met
515 520 525

Val Ser Gly Tyr Ala Val Thr Gly Ala Val Leu Gly Gln Asp Arg Leu
530 535 540

Ile Asn Tyr Ala Thr Asn Gly Ala Lys Phe Leu Lys Arg His Met Phe
545 550 555 560

Asp Val Ala Ser Gly Arg Leu Met Arg Thr Cys Tyr Thr Gly Pro Gly
565 570 575

Gly Thr Val Glu His Ser Asn Pro Pro Cys Trp Gly Phe Leu Glu Asp
580 585 590

Tyr Ala Phe Val Val Arg Gly Leu Leu Asp Leu Tyr Glu Ala Ser Gln
595 600 605

Glu Ser Ala Trp Leu Glu Trp Ala Leu Arg Leu Gln Asp Thr Gln Asp
610 615 620

Arg Leu Phe Trp Asp Ser Gln Gly Gly Gly Tyr Phe Cys Ser Glu Ala
625 630 635 640

Glu Leu Gly Ala Gly Leu Pro Leu Arg Leu Lys Asp Asp Gln Asp Gly
645 650 655

Ala Glu Pro Ser Ala Asn Ser Val Ser Ala His Asn Leu Leu Arg Leu
660 665 670

His Gly Phe Thr Gly His Lys Asp Trp Met Asp Lys Cys Val Cys Leu
675 680 685

Leu Thr Ala Phe Ser Glu Arg Met Arg Arg Val Pro Val Ala Leu Pro
690 695 700

Glu Met Val Arg Ala Leu Ser Ala Gln Gln Gln Thr Leu Lys Gln Ile
705 710 715 720

Val Ile Cys Gly Asp Arg Gln Ala Lys Asp Thr Lys Ala Leu Val Gln
725 730 735

```
Cys Val His Ser Val Tyr Ile Pro Asn Lys Val Leu Ile Leu Ala Asp
            740                 745                 750

Gly Asp Pro Ser Ser Phe Leu Ser Arg Gln Leu Pro Phe Leu Ser Thr
        755                 760                 765

Leu Arg Arg Leu Glu Asp Gln Ala Thr Ala Tyr Val Cys Glu Asn Gln
    770                 775                 780

Ala Cys Ser Val Pro Ile Thr Asp Pro Cys Glu Leu Arg Lys Leu Leu
785                 790                 795                 800

His Pro
```

<210> 599
<211> 98
<212> PRT
<213> Homo sapiens

<400> 599

```
Met His Cys Cys Gln Leu Pro Trp Arg Cys Ala Gln Ala Pro Gln Glu
  1               5                  10                  15

Ala Phe Leu Leu Cys Leu Leu Phe Leu Ile Leu Val Leu Val Leu Leu
             20                  25                  30

Gly Cys Ser Arg Gly Leu Pro Gly His Thr Pro Trp Arg Leu His Pro
         35                  40                  45

Ala Ala Ala Ala Leu Leu Ala Pro Leu Leu His Asp Ala Leu Gly Ala
     50                  55                  60

Cys Gly Phe Gln Gly Pro Glu Tyr Leu Leu Pro Cys Leu Leu Pro Leu
 65                  70                  75                  80

Pro Lys Pro Gly Gln Leu Gln Gly Pro Trp Gly Pro Leu Trp Ala Leu
                 85                  90                  95

Leu Pro
```

<210> 600
<211> 365
<212> PRT
<213> Homo sapiens

<400> 600

```
Met Phe Val Gly Leu Met Ala Phe Leu Leu Ser Phe Tyr Leu Ile Phe
  1               5                  10                  15

Thr Asn Glu Gly Arg Ala Leu Lys Thr Ala Thr Ser Leu Ala Glu Gly
             20                  25                  30

Leu Ser Leu Val Val Ser Pro Asp Ser Ile His Ser Val Ala Pro Glu
         35                  40                  45
```

```
Asn Glu Gly Arg Leu Val His Ile Ile Gly Ala Leu Arg Thr Ser Lys
     50                  55                  60

Leu Leu Ser Asp Pro Asn Tyr Gly Val His Leu Pro Ala Val Lys Leu
 65                  70                  75                  80

Arg Arg His Val Glu Met Tyr Gln Trp Val Glu Thr Glu Glu Ser Arg
                 85                  90                  95

Glu Tyr Thr Glu Asp Gly Gln Val Lys Lys Glu Thr Arg Tyr Ser Tyr
            100                 105                 110

Asn Thr Glu Trp Arg Ser Glu Ile Ile Asn Ser Lys Asn Phe Asp Arg
        115                 120                 125

Glu Ile Gly His Lys Asn Pro Ser Ala Met Ala Val Glu Ser Phe Met
    130                 135                 140

Ala Thr Ala Pro Phe Val Gln Ile Gly Arg Phe Phe Leu Ser Ser Gly
145                 150                 155                 160

Leu Ile Asp Lys Val Asp Asn Phe Lys Ser Leu Ser Leu Ser Lys Leu
                165                 170                 175

Glu Asp Pro His Val Asp Ile Ile Arg Arg Gly Asp Phe Phe Tyr His
            180                 185                 190

Ser Glu Asn Pro Lys Tyr Pro Glu Val Gly Asp Leu Arg Val Ser Phe
        195                 200                 205

Ser Tyr Ala Gly Leu Ser Gly Asp Asp Pro Asp Leu Gly Pro Ala His
    210                 215                 220

Val Val Thr Val Ile Ala Arg Gln Arg Gly Asp Gln Leu Val Pro Phe
225                 230                 235                 240

Ser Thr Lys Ser Gly Asp Thr Leu Leu Leu Leu His His Gly Asp Phe
                245                 250                 255

Ser Ala Glu Glu Val Phe His Arg Glu Leu Arg Ser Asn Ser Met Lys
            260                 265                 270

Thr Trp Gly Leu Arg Ala Ala Gly Trp Met Ala Met Phe Met Gly Leu
        275                 280                 285

Asn Leu Met Thr Arg Ile Leu Tyr Thr Leu Val Asp Trp Phe Pro Val
    290                 295                 300

Phe Arg Asp Leu Val Asn Ile Gly Leu Lys Ala Phe Ala Phe Cys Val
305                 310                 315                 320

Ala Thr Ser Leu Thr Leu Leu Thr Val Ala Ala Gly Trp Leu Phe Tyr
                325                 330                 335

Arg Pro Leu Trp Ala Leu Leu Ile Ala Gly Leu Ala Leu Val Pro Ile
            340                 345                 350

Leu Val Ala Arg Thr Arg Val Pro Ala Lys Lys Leu Glu
        355                 360                 365
```

<210> 601
<211> 608
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (265)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (597)
<223> Xaa equals any amino acid

<400> 601

```
Met Val Gly Thr Lys Leu Arg Gln Thr Lys Asp Ala Leu Phe Thr Ile
  1               5                  10                  15

Leu His Asp Leu Arg Pro Gln Asp Arg Phe Ser Ile Ile Gly Phe Ser
             20                  25                  30

Asn Arg Ile Lys Val Trp Lys Asp His Leu Ile Ser Val Thr Pro Asp
         35                  40                  45

Ser Ile Arg Asp Gly Lys Val Tyr Ile His His Met Ser Pro Thr Gly
     50                  55                  60

Gly Thr Asp Ile Asn Gly Val Leu Gln Arg Ala Ile Arg Leu Leu Asn
 65                  70                  75                  80

Lys Tyr Val Ala His Ser Gly Ile Gly Asp Arg Ser Val Ser Leu Ile
                 85                  90                  95

Val Phe Leu Thr Asp Gly Lys Pro Thr Val Gly Glu Thr His Thr Leu
            100                 105                 110

Lys Ile Leu Asn Asn Thr Arg Glu Ala Ala Arg Gly Gln Val Cys Ile
        115                 120                 125

Phe Thr Ile Gly Ile Gly Asn Asp Val Asp Phe Arg Leu Leu Glu Lys
    130                 135                 140

Leu Ser Leu Glu Asn Cys Gly Leu Thr Arg Arg Val His Glu Glu Glu
145                 150                 155                 160

Asp Ala Gly Ser Gln Leu Ile Gly Phe Tyr Asp Glu Ile Arg Thr Pro
                165                 170                 175

Leu Leu Ser Asp Ile Arg Ile Asp Tyr Pro Pro Ser Ser Val Val Gln
            180                 185                 190

Ala Thr Lys Thr Leu Phe Pro Asn Tyr Phe Asn Gly Ser Glu Ile Ile
        195                 200                 205

Ile Ala Gly Lys Leu Val Asp Arg Lys Leu Asp His Leu His Val Glu
    210                 215                 220

Val Thr Ala Ser Asn Ser Lys Lys Phe Ile Ile Leu Lys Thr Asp Val
```

225 230 235 240

Pro Val Arg Pro Gln Lys Ala Gly Lys Asp Val Thr Gly Ser Pro Arg
245 250 255

Pro Gly Gly Asp Gly Glu Gly Asp Xaa Asn His Ile Glu Arg Leu Trp
260 265 270

Ser Tyr Leu Thr Thr Lys Glu Leu Leu Ser Ser Trp Leu Gln Ser Asp
275 280 285

Asp Glu Pro Glu Lys Glu Arg Leu Arg Gln Arg Ala Gln Ala Leu Ala
290 295 300

Val Ser Tyr Arg Phe Leu Thr Pro Phe Thr Ser Met Lys Leu Arg Gly
305 310 315 320

Pro Val Pro Arg Met Asp Gly Leu Glu Glu Ala His Gly Met Ser Ala
325 330 335

Ala Met Gly Pro Glu Pro Val Val Gln Ser Val Arg Gly Ala Gly Thr
340 345 350

Gln Pro Gly Pro Leu Leu Lys Lys Pro Tyr Gln Pro Arg Ile Lys Ile
355 360 365

Ser Lys Thr Ser Val Asp Gly Asp Pro His Phe Val Val Asp Phe Pro
370 375 380

Leu Ser Arg Leu Thr Val Cys Phe Asn Ile Asp Gly Gln Pro Gly Asp
385 390 395 400

Ile Leu Arg Leu Val Ser Asp His Arg Asp Ser Gly Val Thr Val Asn
405 410 415

Gly Glu Leu Ile Gly Ala Pro Ala Pro Pro Asn Gly His Lys Lys Gln
420 425 430

Arg Thr Tyr Leu Arg Thr Ile Thr Ile Leu Ile Asn Lys Pro Glu Arg
435 440 445

Ser Tyr Leu Glu Ile Thr Pro Ser Arg Val Ile Leu Asp Gly Gly Asp
450 455 460

Arg Leu Val Leu Pro Cys Asn Gln Ser Val Val Val Gly Ser Trp Gly
465 470 475 480

Leu Glu Val Ser Val Ser Ala Asn Ala Asn Val Thr Val Thr Ile Gln
485 490 495

Gly Ser Ile Ala Phe Val Ile Leu Ile His Leu Tyr Lys Lys Pro Ala
500 505 510

Pro Phe Gln Arg His His Leu Gly Phe Tyr Ile Ala Asn Ser Glu Gly
515 520 525

Leu Ser Ser Asn Cys His Gly Leu Leu Gly Gln Phe Leu Asn Gln Asp
530 535 540

Ala Arg Leu Thr Glu Asp Pro Ala Gly Pro Ser Gln Asn Leu Thr His
545 550 555 560

```
Pro Leu Leu Leu Gln Val Gly Glu Gly Pro Glu Ala Val Leu Thr Val
               565                 570                 575

Lys Gly His Gln Val Pro Val Val Trp Lys Gln Arg Lys Ile Tyr Asn
           580                 585                 590

Gly Glu Glu Gln Xaa Asp Cys Trp Phe Ala Arg Asn Met Pro Pro Asn
       595                 600                 605
```

<210> 602
<211> 56
<212> PRT
<213> Homo sapiens

<400> 602

```
Met Phe Tyr Lys Leu Thr Leu Ile Leu Cys Glu Leu Ser Val Ala Gly
  1               5                  10                  15

Val Thr Gln Ala Ala Ser Gln Arg Pro Leu Gln Arg Leu Pro Arg His
            20                  25                  30

Ile Cys Ser Gln Arg Ser Ser Ser Trp Glu Met Pro Pro Gln Gly Pro
        35                  40                  45

Ala Pro Asp His Val Gly Arg Ala
    50                  55
```

<210> 603
<211> 540
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (137)
<223> Xaa equals any amino acid

<400> 603

```
Met Val Arg Thr Asp Gly His Thr Leu Ser Glu Lys Arg Asn Tyr Gln
  1               5                  10                  15

Val Thr Asn Ser Met Phe Gly Ala Ser Arg Lys Lys Phe Val Glu Gly
            20                  25                  30

Val Asp Ser Asp Tyr His Asp Glu Asn Met Tyr Tyr Ser Gln Ser Ser
        35                  40                  45

Met Phe Pro His Arg Ser Glu Lys Asp Met Leu Ala Ser Pro Ser Thr
    50                  55                  60

Ser Gly Gln Leu Ser Gln Phe Gly Ala Ser Leu Tyr Gly Gln Gln Ser
 65                  70                  75                  80
```

```
Ala Leu Gly Leu Pro Met Arg Gly Met Ser Asn Asn Thr Pro Gln Leu
                 85                  90                  95

Asn Arg Ser Leu Ser Gln Gly Thr Gln Leu Pro Ser His Val Thr Pro
            100                 105                 110

Thr Thr Gly Val Pro Thr Met Ser Leu His Thr Pro Pro Ser Pro Ser
        115                 120                 125

Arg Gly Ile Leu Pro Met Asn Pro Xaa Asn Met Met Asn His Ser Gln
    130                 135                 140

Val Gly Gln Gly Ile Gly Ile Pro Ser Arg Thr Asn Ser Met Ser Ser
145                 150                 155                 160

Ser Gly Leu Gly Ser Pro Asn Arg Ser Ser Pro Ser Ile Ile Cys Met
                165                 170                 175

Pro Lys Gln Gln Pro Ser Arg Gln Pro Phe Thr Val Asn Ser Met Ser
            180                 185                 190

Gly Phe Gly Met Asn Arg Asn Gln Ala Phe Gly Met Asn Asn Ser Leu
        195                 200                 205

Ser Ser Asn Ile Phe Asn Gly Thr Asp Gly Ser Glu Asn Val Thr Gly
    210                 215                 220

Leu Asp Leu Ser Asp Phe Pro Ala Leu Ala Asp Arg Asn Arg Arg Glu
225                 230                 235                 240

Gly Ser Gly Asn Pro Thr Pro Leu Ile Asn Pro Leu Ala Gly Arg Ala
                245                 250                 255

Pro Tyr Val Gly Met Val Thr Lys Pro Ala Asn Glu Gln Ser Gln Asp
            260                 265                 270

Phe Ser Ile His Asn Glu Asp Phe Pro Ala Leu Pro Gly Ser Ser Tyr
        275                 280                 285

Lys Asp Pro Thr Ser Ser Asn Asp Asp Ser Lys Ser Asn Leu Asn Thr
    290                 295                 300

Ser Gly Lys Thr Thr Ser Ser Thr Asp Gly Pro Lys Phe Pro Gly Asp
305                 310                 315                 320

Lys Ser Ser Thr Thr Gln Asn Asn Asn Gln Gln Lys Lys Gly Ile Gln
                325                 330                 335

Val Leu Pro Asp Gly Arg Val Thr Asn Ile Pro Gln Gly Met Val Thr
            340                 345                 350

Asp Gln Phe Gly Met Ile Gly Leu Leu Thr Phe Ile Arg Ala Ala Glu
        355                 360                 365

Thr Asp Pro Gly Met Val His Leu Ala Leu Gly Ser Asp Leu Thr Thr
    370                 375                 380

Leu Gly Leu Asn Leu Asn Ser Pro Glu Asn Leu Tyr Pro Lys Phe Ala
385                 390                 395                 400

Ser Pro Trp Ala Ser Ser Pro Cys Arg Pro Gln Asp Ile Asp Phe His
```

405 410 415

Val Pro Ser Glu Tyr Leu Thr Asn Ile His Ile Arg Asp Lys Leu Ala
420 425 430

Ala Ile Lys Leu Gly Arg Tyr Gly Glu Asp Leu Leu Phe Tyr Leu Tyr
435 440 445

Tyr Met Asn Gly Gly Asp Val Leu Gln Leu Leu Ala Ala Val Glu Leu
450 455 460

Phe Asn Arg Asp Trp Arg Tyr His Lys Glu Glu Arg Val Trp Ile Thr
465 470 475 480

Arg Ala Pro Gly Met Glu Pro Thr Met Lys Thr Asn Thr Tyr Glu Arg
485 490 495

Gly Thr Tyr Tyr Phe Phe Asp Cys Leu Asn Trp Arg Lys Val Ala Lys
500 505 510

Glu Phe His Leu Glu Tyr Asp Lys Leu Glu Glu Arg Pro His Leu Pro
515 520 525

Ser Thr Phe Asn Tyr Asn Pro Ala Gln Gln Ala Phe
530 535 540

<210> 604
<211> 19
<212> PRT
<213> Homo sapiens

<400> 604
Met Ala Ala His Ser Val Leu Ser Phe Leu Leu Trp Thr Pro Tyr Ala
1 5 10 15

Leu Lys Ser

<210> 605
<211> 99
<212> PRT
<213> Homo sapiens

<400> 605
Met Leu Phe Phe Leu Ser Leu Phe Leu Ser Leu Leu Leu Thr Leu Ser
1 5 10 15

Leu Pro Ser Phe Leu Pro Phe Ser Phe Phe Phe Phe Ser Leu Phe Pro
20 25 30

His Leu Ser Ala Cys Leu Leu Pro Ser Leu Pro Ser Pro Pro Phe Pro
35 40 45

Leu Pro Pro Ser Leu Pro Ser Phe Leu Pro Ser Phe Leu Pro Ser Phe
50 55 60

Leu Pro Ser Leu Leu Ser Pro Ser Phe Pro Ala Phe Phe Pro Ser Phe

65 70 75 80

Cys Gln Leu Ala Arg Arg Ser Pro Arg Lys Ser Thr Gln Met Leu Gln
85 90 95

Ser Thr Ser

<210> 606
<211> 66
<212> PRT
<213> Homo sapiens

<400> 606
Met Asn Tyr Ile Phe Leu Leu Met Ala Leu Pro His Leu Ile Ala Ile
1 5 10 15

Ala Leu Thr Trp Gly Arg Tyr Ser Phe Ser Cys Leu Ala Asn Lys Glu
20 25 30

Thr Glu Phe Gln Arg Cys Gln Val Thr Cys Leu Leu His Thr Leu Gly
35 40 45

Val Leu Met Phe Asn Phe Glu Leu Arg Ser Ile Trp Leu Glu Ser Ser
50 55 60

Leu His
65

<210> 607
<211> 72
<212> PRT
<213> Homo sapiens

<400> 607
Met Arg His Thr Cys Ile Val Asn Ile Ala Ala Ser Leu Leu Val Ala
1 5 10 15

Asn Thr Trp Phe Ile Val Val Ala Ala Ile Gln Asp Asn Arg Tyr Ile
20 25 30

Leu Cys Lys Thr Ala Cys Val Ala Ala Thr Phe Phe Ile His Phe Phe
35 40 45

Tyr Leu Ser Val Phe Phe Trp Met Leu Thr Leu Gly Pro His Ala Val
50 55 60

Leu Ser Pro Gly Phe His Ser Ala
65 70

<210> 608
<211> 41
<212> PRT
<213> Homo sapiens

<400> 608
Met Ile Asn Phe Trp Pro Val Thr His Val Cys Ile Trp Leu Leu Trp
1 5 10 15

Leu Gln Ala Leu Glu Ala Arg Gly Gln Gly Ser Asn Ile Asp Cys Thr
20 25 30

Arg Asn Ser Lys Thr Val Phe Thr Ser
35 40

<210> 609
<211> 201
<212> PRT
<213> Homo sapiens

<400> 609
Met Thr Leu Arg Pro Ser Leu Leu Pro Leu His Leu Leu Leu Leu Leu
1 5 10 15

Leu Leu Ser Ala Ala Val Cys Arg Ala Glu Ala Gly Leu Glu Thr Glu
20 25 30

Ser Pro Val Arg Thr Leu Gln Val Glu Thr Leu Val Glu Pro Pro Glu
35 40 45

Pro Cys Ala Glu Pro Ala Ala Phe Gly Asp Thr Leu His Ile His Tyr
50 55 60

Thr Gly Ser Leu Val Asp Gly Arg Ile Ile Asp Thr Ser Leu Thr Arg
65 70 75 80

Asp Pro Leu Val Ile Glu Leu Gly Gln Lys Gln Val Ile Pro Gly Leu
85 90 95

Glu Gln Ser Leu Leu Asp Met Cys Val Gly Glu Lys Arg Arg Ala Ile
100 105 110

Ile Pro Ser His Leu Ala Tyr Gly Lys Arg Gly Phe Pro Pro Ser Val
115 120 125

Pro Ala Asp Ala Val Val Gln Tyr Asp Val Glu Leu Ile Ala Leu Ile
130 135 140

Arg Ala Asn Tyr Trp Leu Lys Leu Val Lys Gly Ile Leu Pro Leu Val
145 150 155 160

Gly Met Ala Met Val Pro Ala Leu Leu Gly Leu Ile Gly Tyr His Leu
165 170 175

Tyr Arg Lys Ala Asn Arg Pro Lys Val Ser Lys Lys Lys Leu Lys Glu
180 185 190

Glu Lys Arg Asn Lys Ser Lys Lys Lys
195 200

<210> 610
<211> 41

<212> PRT
<213> Homo sapiens

<400> 610
Met Pro Pro Lys Gln Ile Pro Leu Thr Ser Leu Ser Leu Leu Ala Leu
1 5 10 15

Leu Leu Phe Phe Phe Phe Lys Ile Phe Cys Leu Leu Phe Leu Phe Tyr
20 25 30

Pro Leu Pro Asp Glu Ser Glu His Phe
35 40

<210> 611
<211> 139
<212> PRT
<213> Homo sapiens

<400> 611
Met Glu Ala Val Val Phe Val Phe Ser Leu Leu Asp Cys Cys Ala Leu
1 5 10 15

Ile Phe Leu Ser Val Tyr Phe Ile Ile Thr Leu Ser Asp Leu Glu Cys
20 25 30

Asp Tyr Ile Asn Ala Arg Ser Cys Cys Ser Lys Leu Asn Lys Trp Val
35 40 45

Ile Pro Glu Leu Ile Gly His Thr Ile Val Thr Val Leu Leu Leu Met
50 55 60

Ser Leu His Trp Phe Ile Phe Leu Leu Asn Leu Pro Val Ala Thr Trp
65 70 75 80

Asn Ile Tyr Arg Tyr Ile Met Val Pro Ser Gly Asn Met Gly Val Phe
85 90 95

Asp Pro Thr Glu Ile His Asn Arg Gly Gln Leu Lys Ser His Met Lys
100 105 110

Glu Ala Met Ile Lys Leu Gly Phe His Leu Leu Cys Phe Phe Met Tyr
115 120 125

Leu Tyr Ser Met Ile Leu Ala Leu Ile Asn Asp
130 135

<210> 612
<211> 147
<212> PRT
<213> Homo sapiens

<400> 612
Met Leu Gly Leu Pro Trp Lys Gly Gly Leu Ser Trp Ala Leu Leu Leu
1 5 10 15

Leu Leu Leu Gly Ser Gln Ile Leu Leu Ile Tyr Ala Trp His Phe His
20 25 30

```
Glu Gln Arg Asp Cys Asp Glu His Asn Val Met Ala Arg Tyr Leu Pro
         35                  40                  45

Ala Thr Val Glu Phe Ala Val His Thr Phe Asn Gln Gln Ser Lys Asp
     50                  55                  60

Tyr Tyr Ala Tyr Arg Leu Gly His Ile Leu Asn Ser Trp Lys Glu Gln
 65                  70                  75                  80

Val Glu Ser Lys Thr Val Phe Ser Met Glu Leu Leu Leu Gly Arg Thr
                 85                  90                  95

Arg Cys Gly Lys Phe Glu Asp Asp Ile Asp Asn Cys His Phe Gln Glu
            100                 105                 110

Ser Thr Glu Leu Asn Asn Thr Phe Thr Cys Phe Phe Thr Ile Ser Thr
        115                 120                 125

Arg Pro Trp Met Thr Gln Phe Ser Leu Leu Asn Lys Thr Cys Leu Glu
    130                 135                 140

Gly Phe His
145
```

<210> 613
<211> 111
<212> PRT
<213> Homo sapiens

<400> 613

```
Met Lys Ser Leu Leu Phe Thr Leu Ala Val Phe Met Leu Leu Ala Gln
  1               5                  10                  15

Leu Val Ser Gly Asn Trp Tyr Val Lys Lys Cys Leu Asn Asp Val Gly
             20                  25                  30

Ile Cys Lys Lys Lys Cys Lys Pro Glu Glu Met His Val Lys Asn Gly
         35                  40                  45

Trp Ala Met Cys Gly Lys Gln Arg Asp Cys Cys Val Pro Ala Asp Arg
     50                  55                  60

Arg Ala Asn Tyr Pro Val Phe Cys Val Gln Thr Lys Thr Thr Arg Ile
 65                  70                  75                  80

Ser Thr Val Thr Ala Thr Thr Ala Thr Thr Thr Leu Met Met Thr Thr
                 85                  90                  95

Ala Ser Met Ser Ser Met Ala Pro Thr Pro Val Ser Pro Thr Gly
            100                 105                 110
```

<210> 614
<211> 79
<212> PRT
<213> Homo sapiens

<400> 614
Met Leu Arg Leu Thr Gln Thr Phe Phe Phe Ile Ser Gln Thr Leu Leu
1 5 10 15

Asp Trp Phe Leu Ala Ala Ala Leu Ala Leu Pro Asn Leu Cys Ser Pro
20 25 30

Leu Ala Ser Asn Phe Lys Ser Arg Gln Ile Ser Ser Val Pro Ile Gln
35 40 45

Pro Ser Gln Gly Thr Ser Arg Val Ala Leu Gln Ile Trp Cys Gly Ser
50 55 60

Cys Arg Met Arg Met Ser Ser Ser Thr Ile His Ile Leu Ala Leu
65 70 75

<210> 615
<211> 47
<212> PRT
<213> Homo sapiens

<400> 615
Met Leu Ile Ser Val Asp Ser Asn Val Pro Val Val Phe Leu Leu Leu
1 5 10 15

Phe Ile Leu Val Ile Leu Cys His Met Glu Cys Lys Gly His Ile Tyr
20 25 30

Ile Cys Val Cys Val Cys Val Tyr Met Tyr Ile Phe Lys Asn Ile
35 40 45

<210> 616
<211> 123
<212> PRT
<213> Homo sapiens

<400> 616
Met Lys Leu Leu Leu Leu Ala Leu Pro Met Leu Val Leu Leu Pro Gln
1 5 10 15

Val Ile Pro Ala Tyr Ser Gly Glu Lys Lys Cys Trp Asn Arg Ser Gly
20 25 30

His Cys Arg Lys Gln Cys Lys Asp Gly Glu Ala Val Lys Asp Thr Cys
35 40 45

Lys Asn Leu Arg Ala Cys Cys Ile Pro Ser Asn Glu Asp His Arg Arg
50 55 60

Val Pro Ala Thr Ser Pro Thr Pro Leu Ser Asp Ser Thr Pro Gly Ile
65 70 75 80

Ile Asp Asp Ile Leu Thr Val Arg Phe Thr Thr Asp Tyr Phe Glu Val
85 90 95

Ser Ser Lys Lys Asp Met Val Glu Glu Ser Glu Ala Gly Arg Gly Thr
100 105 110

```
Glu Thr Ser Leu Pro Asn Val His His Ser Ser
        115                 120



<210> 617
<211> 121
<212> PRT
<213> Homo sapiens

<400> 617
Met His Arg Ser Glu Pro Phe Leu Lys Met Ser Leu Leu Ile Leu Leu
  1               5                  10                  15

Phe Leu Gly Leu Ala Glu Ala Cys Thr Pro Arg Glu Val Asn Leu Leu
             20                  25                  30

Lys Gly Ile Ile Gly Leu Met Ser Arg Leu Ser Pro Asp Glu Ile Leu
         35                  40                  45

Gly Leu Leu Ser Leu Gln Val Leu His Glu Glu Thr Ser Gly Cys Lys
     50                  55                  60

Glu Glu Val Lys Pro Phe Ser Gly Thr Thr Pro Ser Arg Lys Pro Leu
 65                  70                  75                  80

Pro Lys Arg Lys Asn Thr Trp Asn Phe Leu Lys Cys Ala Tyr Met Val
                 85                  90                  95

Met Thr Tyr Leu Phe Val Ser Tyr Asn Lys Gly Asp Trp Phe Thr Phe
            100                 105                 110

Ser Ser Gln Val Leu Leu Pro Leu Leu
        115                 120



<210> 618
<211> 87
<212> PRT
<213> Homo sapiens

<400> 618
Met Thr Ala Trp Ile Leu Leu Pro Val Ser Leu Ser Ala Phe Ser Ile
  1               5                  10                  15

Thr Gly Ile Trp Thr Val Tyr Ala Met Ala Val Met Asn His His Val
             20                  25                  30

Cys Pro Val Glu Asn Trp Ser Tyr Asn Glu Ser Cys Pro Pro Asp Pro
         35                  40                  45

Ala Glu Gln Gly Gly Pro Lys Thr Cys Cys Thr Leu Asp Asp Val Pro
     50                  55                  60

Leu Ile Ser Gly Pro Asp Leu Pro Pro Ala Leu Arg Ala Ala Pro Gly
 65                  70                  75                  80

Ala Glu Ser Ala Leu Leu Gly
                 85
```

<210> 619
<211> 116
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (46)
<223> Xaa equals any amino acid

<400> 619
Met Pro Gly Gly Thr Arg Cys Arg Val Leu Leu Leu Ser Leu Thr Phe
1 5 10 15

Gly Thr Ser Met Ala Cys Gly Asn Val Gly Leu Arg Leu Cys Pro Trp
20 25 30

Thr Trp His Asn Trp Leu Leu Pro Pro His Leu Cys Ser Xaa Trp Pro
35 40 45

Cys Arg Arg Cys Cys Trp Ala Ala Ala Thr Thr His Phe Ser Trp Pro
50 55 60

Pro Trp Val Arg Ser Ala Trp Gly Pro Pro Ala Ala Trp Leu Glu Ser
65 70 75 80

Ser Gly His Pro Leu Pro Ala Val Ala Ser Cys Ser Gln Pro Pro Ala
85 90 95

Ser Ala Asp Ser Ser Arg Phe Ser Lys Val Pro Cys Cys Arg Arg Arg
100 105 110

Gly Trp Thr Arg
115

<210> 620
<211> 86
<212> PRT
<213> Homo sapiens

<400> 620
Met Pro Trp His Val Cys Phe Phe Leu Ser Gly Leu Leu Phe Pro Ser
1 5 10 15

Pro Gln Thr Ser Leu Gln His Leu Cys Leu Leu Thr Ser Leu Ile Leu
20 25 30

Gly Val Thr Ile Ser Ala Tyr Glu His Ala Ile Asn Leu Pro Ser Leu
35 40 45

Gln Asn Ser Leu Leu Thr Ser His Pro Ser Val Ala Ala Leu Ser Leu
50 55 60

Leu Ser Ser Ser Leu Gln Gln Asn Ser Leu Lys Glu Leu Leu Ala Gly
65 70 75 80

His Ser Gly Ser Leu Leu
85

<210> 621
<211> 61
<212> PRT
<213> Homo sapiens

<400> 621
Met Phe Cys Trp Ile Leu Val Cys Leu Ala Tyr Leu Lys Val Pro Leu
1 5 10 15

Leu Phe Phe Phe Phe Phe Phe Leu Ser Ala Leu Phe Cys Arg Thr Cys
20 25 30

Ser Asn Met Glu Asn Lys Ser Arg Arg Leu Ser Ser Asp Cys Tyr Leu
35 40 45

Cys Pro Lys Pro Pro Gln Thr Phe Met Leu Met Phe Tyr
50 55 60

<210> 622
<211> 352
<212> PRT
<213> Homo sapiens

<400> 622
Met Leu Cys Arg Leu Cys Trp Leu Val Ser Tyr Ser Leu Ala Val Leu
1 5 10 15

Leu Leu Gly Cys Leu Leu Phe Leu Arg Lys Ala Ala Lys Pro Ala Glu
20 25 30

Thr Pro Arg Pro Thr Ser Leu Ser Gly Ala Pro Pro Thr Pro Arg His
35 40 45

Ser Arg Cys Pro Pro Asn His Thr Val Ser Ser Ala Ser Leu Ser Leu
50 55 60

Pro Ser Arg His Arg Leu Phe Leu Thr Tyr Arg His Cys Arg Asn Phe
65 70 75 80

Ser Ile Leu Leu Glu Pro Ser Gly Cys Ser Lys Asp Thr Phe Leu Leu
85 90 95

Leu Ala Ile Lys Ser Gln Pro Gly His Val Glu Arg Arg Ala Ala Ile
100 105 110

Arg Ser Thr Trp Gly Arg Trp Gly Asp Gly Leu Gly Pro Ala Leu Lys
115 120 125

Leu Val Phe Leu Leu Gly Val Ala Gly Ser Ala Pro Pro Ala Gln Leu
130 135 140

Leu Ala Tyr Glu Ser Arg Glu Phe Asp Asp Ile Leu Gln Trp Asp Phe
145 150 155 160

```
Thr Glu Asp Phe Phe Asn Leu Thr Leu Lys Glu Leu His Leu Gln Arg
                165                 170                 175

Trp Val Val Ala Ala Cys Pro Gln Ala His Phe Met Leu Lys Gly Asp
            180                 185                 190

Asp Asp Val Phe Val His Val Pro Asn Val Leu Glu Phe Leu Asp Gly
        195                 200                 205

Trp Asp Pro Ala Gln Asp Leu Leu Val Gly Asp Val Ile Arg Gln Ala
    210                 215                 220

Leu Pro Asn Arg Asn Thr Lys Val Lys Tyr Phe Ile Pro Pro Ser Met
225                 230                 235                 240

Tyr Arg Ala Thr His Tyr Pro Pro Tyr Ala Gly Gly Gly Gly Tyr Val
                245                 250                 255

Met Ser Arg Ala Thr Val Arg Arg Leu Gln Ala Ile Met Glu Asp Ala
            260                 265                 270

Glu Leu Phe Pro Ile Asp Asp Val Phe Val Gly Met Cys Leu Arg Arg
        275                 280                 285

Leu Gly Leu Ser Pro Met His His Ala Gly Phe Lys Thr Phe Gly Ile
    290                 295                 300

Arg Arg Pro Leu Asp Pro Leu Asp Pro Cys Leu Tyr Arg Gly Leu Leu
305                 310                 315                 320

Leu Val His Arg Leu Ser Pro Leu Glu Met Trp Thr Met Trp Ala Leu
                325                 330                 335

Val Thr Asp Glu Gly Leu Lys Cys Ala Ala Gly Pro Ile Pro Gln Arg
            340                 345                 350
```

<210> 623
<211> 10
<212> PRT
<213> Homo sapiens

```
<400> 623
Gly Leu Leu Tyr Ile Met Tyr Cys Asn Ile
  1               5                  10
```

<210> 624
<211> 45
<212> PRT
<213> Homo sapiens

```
<400> 624
Met Val Lys Trp Ile Ile Leu Ser Cys Leu Ile Leu Lys Gly Lys Arg
  1               5                  10                  15
```

```
Thr Leu Asn Ser Ser Thr Phe Tyr Ala Ala Asn Lys Ser Ser Thr Ile
            20                  25                  30

Asn Arg Asn Leu Ser Trp Gln Ala Leu Pro Phe Thr His
        35                  40                  45
```

<210> 625
<211> 56
<212> PRT
<213> Homo sapiens

<400> 625

```
Met Arg Ser Tyr Phe Pro Phe Ser Val Cys Pro Phe Pro Phe Cys Ser
  1               5                  10                  15

Pro Val Phe Phe Phe Val Phe Thr Asp Val Tyr Leu Cys Phe Phe Phe
            20                  25                  30

Val Phe Ala Val Gly Arg His Leu Ser Asp Pro Phe Pro Ile Leu Phe
        35                  40                  45

Phe Thr His Lys Cys Pro Asp Val
     50                  55
```

<210> 626
<211> 38
<212> PRT
<213> Homo sapiens

<400> 626

```
Met Leu Lys Leu Ala Thr Ile Leu Leu Thr Leu Leu Leu Lys Asn Leu
  1               5                  10                  15

Asp Ala Gly Leu Thr Asp Lys Leu Ser Arg Ser Asn Phe Ile Thr Asp
            20                  25                  30

Phe Ile Leu Thr Lys Tyr
        35
```

<210> 627
<211> 44
<212> PRT
<213> Homo sapiens

<400> 627

```
Met Pro Cys His Gly Leu Leu Ala Gln Gly Leu Ser Leu Ala Pro Leu
  1               5                  10                  15

Pro Pro Trp Ala Leu Cys Cys Val Gly Val Ser Arg Ala Leu Gln Asp
            20                  25                  30

Ile Gln Gln His Pro Arg Pro Pro Ala Pro Cys Gln
        35                  40
```

<210> 628
<211> 34
<212> PRT
<213> Homo sapiens

<400> 628
Met Gln Ala Arg Trp Phe His Ile Leu Gly Met Met Met Phe Ile Trp
1 5 10 15

Ser Ser Ala His Gln Tyr Lys Cys Pro Cys Tyr Ser Arg Gln Ser Gln
20 25 30

Glu Lys

<210> 629
<211> 68
<212> PRT
<213> Homo sapiens

<400> 629
Met Val His Asn Cys Leu Leu Leu Leu Lys Phe Leu Leu Leu Phe Cys
1 5 10 15

Phe Pro Leu Ile Ser Tyr Gln Leu Met Asn Gly Ser Leu Gln Ser Leu
20 25 30

Gln Arg Leu Arg Met Ile Gln Asn Val Gln Cys Ile Val Leu Asn Lys
35 40 45

Gln Glu Ala Glu Phe Leu Met Gly Ile Ser Phe Gln Ile Tyr Asp Trp
50 55 60

Ser Leu Gly Phe
65

<210> 630
<211> 194
<212> PRT
<213> Homo sapiens

<400> 630
Met Lys Leu Ala Ser Gly Phe Leu Val Leu Trp Leu Ser Leu Gly Gly
1 5 10 15

Gly Leu Ala Gln Ser Asp Thr Ser Pro Asp Thr Glu Glu Ser Tyr Ser
20 25 30

Asp Trp Gly Leu Arg His Leu Arg Gly Ser Phe Glu Ser Val Asn Ser
35 40 45

Tyr Phe Asp Ser Phe Leu Glu Leu Leu Gly Gly Lys Asn Gly Val Cys
50 55 60

Gln Tyr Arg Cys Arg Tyr Gly Lys Ala Pro Met Pro Arg Pro Gly Tyr
65 70 75 80

```
Lys Pro Gln Glu Pro Asn Gly Cys Gly Ser Tyr Phe Leu Gly Leu Lys
                85                  90                  95

Val Pro Glu Ser Met Asp Leu Gly Ile Pro Ala Met Thr Lys Cys Cys
            100                 105                 110

Asn Gln Leu Asp Val Cys Tyr Asp Thr Cys Gly Ala Asn Lys Tyr Arg
        115                 120                 125

Cys Asp Ala Lys Phe Arg Trp Cys Leu His Ser Ile Cys Ser Asp Leu
    130                 135                 140

Lys Arg Ser Leu Gly Phe Val Ser Lys Val Glu Ala Cys Asp Ser Leu
145                 150                 155                 160

Val Asp Thr Val Phe Asn Thr Val Trp Thr Leu Gly Cys Arg Pro Phe
                165                 170                 175

Met Asn Ser Gln Arg Ala Ala Cys Ile Cys Ala Glu Glu Glu Lys Glu
            180                 185                 190

Glu Leu
```

<210> 631
<211> 79
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (23)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (45)
<223> Xaa equals any amino acid

<400> 631

```
Met Gly Cys Cys Ser Lys Lys Tyr Trp Gln Leu Leu Leu Gly Ala Ala
  1               5                  10                  15

Pro Trp Gly Val Ile Pro Xaa Leu Leu Leu Trp Met Gly Thr Arg Ala
             20                  25                  30

Pro His Phe Lys Asp Ser Val Ser Gln Gly Leu Pro Xaa Lys Ala Glu
         35                  40                  45

Glu Ser Arg Ala Asn Phe Asn Gln Phe Leu Val Leu Leu Met Pro Lys
     50                  55                  60

Glu Met Ile Val Leu Thr Ile Val His Pro Ile Val Arg Arg Ala
 65                  70                  75
```

<210> 632

<211> 162
<212> PRT
<213> Homo sapiens

<400> 632
Met Thr Ser Asn Phe Pro Phe Cys Thr Leu Ile Leu Gly Ile Ala Gln
1 5 10 15

Ala Gln Ala Cys Pro Gly Cys Pro Gly Asp Trp Pro Gly Leu Gly Ser
20 25 30

Gly Val Gly Glu Gly Leu His His Ile Arg Thr Cys Arg Thr Pro Ile
35 40 45

Pro Cys Ser Pro Pro Ala Pro Ala Ala Ala Cys Leu Gly Ser Gly His
50 55 60

Ala Arg Leu Pro Cys Val Leu Arg Leu Trp Pro Val Pro Ala Asn Leu
65 70 75 80

Ser Ser Pro Phe Arg Leu Glu Ala Leu His Cys Ser Phe Trp Ser Ser
85 90 95

Pro Leu Leu Pro Ala Pro His Leu Ala Phe Phe Gly Phe Arg Asp Leu
100 105 110

Leu Thr Asp Phe Leu Leu Ala Ala Cys Leu Leu Thr Phe Gln Lys Thr
115 120 125

Pro Leu Glu Leu Pro Met Ala Val Val His Leu Leu Val Ala Thr Pro
130 135 140

Cys Tyr Gln Met Leu Asp Asn Leu Pro Leu Pro Ser Ala Ala Ala Asn
145 150 155 160

Trp Cys

<210> 633
<211> 53
<212> PRT
<213> Homo sapiens

<400> 633
Met Ile Leu Leu Ile Ser Gln Cys Pro Leu Ser Ile Phe Ala Ala Pro
1 5 10 15

Phe Ala Leu Pro Pro Lys Gly His Cys Gly Ser Phe Ser Asp Phe His
20 25 30

Ser Gln Val Thr Leu His Lys Asn Ser Lys Leu Ile Phe Arg Ser His
35 40 45

Lys Ser Ile Leu Leu
50

<210> 634

<211> 47
<212> PRT
<213> Homo sapiens

<400> 634
Met Leu Leu Phe Ser Ser Arg Phe Ile Met Phe Leu Trp Pro Pro Val
1 5 10 15

Ser Gly Val Cys Leu Ser Phe Ile Arg Asp Arg Ser Phe Leu Pro Met
20 25 30

Cys His Phe Ile Tyr Val Leu Ile Leu Cys Asn Ser Ile Ala Leu
35 40 45

<210> 635
<211> 41
<212> PRT
<213> Homo sapiens

<400> 635
Met Ser Tyr Lys Trp Asn Ser Arg Val Cys Phe Leu Trp Ser Arg Thr
1 5 10 15

Phe His Leu Met Leu Leu Arg Leu Ile Cys Leu Val Ala Tyr Ile Ser
20 25 30

Thr Glu Val Ile Ser Phe Ile Ala Glu
35 40

<210> 636
<211> 79
<212> PRT
<213> Homo sapiens

<400> 636
Met Thr Leu Met Cys Leu Cys Leu Ser Val Thr Val Leu His Pro Leu
1 5 10 15

Arg Ser Lys Glu Arg Leu Ser Gly Thr Phe Cys Gly Tyr Ser Ser Ser
20 25 30

Trp Cys Ser Pro Ala Ser Glu Ser Ser Ser Pro Gly Ser Leu Leu Thr
35 40 45

Cys Ala Ala Ser Gly Ser His Pro Asp Cys Pro Leu Ser Gln Arg Leu
50 55 60

Leu Gly Val Gln Leu Ala Ala Leu Gly Arg Pro Gln Gly Leu Phe
65 70 75

<210> 637
<211> 292
<212> PRT
<213> Homo sapiens

<400> 637

```
Met Leu Arg Val Leu Cys Leu Leu Arg Pro Trp Arg Pro Leu Arg Ala
  1               5                  10                  15

Arg Gly Cys Ala Ser Asp Gly Ala Ala Gly Gly Ser Glu Ile Gln Val
             20                  25                  30

Arg Ala Leu Ala Gly Pro Asp Gln Gly Ile Thr Glu Ile Leu Met Asn
         35                  40                  45

Arg Pro Ser Ala Arg Asn Ala Leu Gly Asn Val Phe Val Ser Glu Leu
     50                  55                  60

Leu Glu Thr Leu Ala Gln Leu Arg Glu Asp Arg Gln Val Arg Val Leu
 65                  70                  75                  80

Leu Phe Arg Ser Gly Val Lys Gly Val Phe Cys Ala Gly Ala Asp Leu
                 85                  90                  95

Lys Glu Arg Glu Gln Met Ser Glu Ala Glu Val Gly Val Phe Val Gln
            100                 105                 110

Arg Leu Arg Gly Leu Met Asn Asp Ile Ala Ala Phe Pro Ala Pro Thr
        115                 120                 125

Ile Ala Ala Met Asp Gly Phe Ala Leu Gly Gly Gly Leu Glu Leu Ala
    130                 135                 140

Leu Ala Cys Asp Leu Arg Val Ala Ala Ser Ser Ala Val Met Gly Leu
145                 150                 155                 160

Ile Glu Thr Thr Arg Gly Leu Leu Pro Gly Ala Gly Gly Thr Gln Arg
                165                 170                 175

Leu Pro Arg Cys Leu Gly Val Ala Leu Ala Lys Glu Leu Ile Phe Thr
            180                 185                 190

Gly Arg Arg Leu Ser Gly Thr Glu Ala His Val Leu Gly Leu Val Asn
        195                 200                 205

His Ala Val Ala Gln Asn Glu Glu Gly Asp Ala Ala Tyr Gln Arg Ala
    210                 215                 220

Arg Ala Leu Ala Gln Glu Ile Leu Pro Gln Ala Pro Ile Ala Val Arg
225                 230                 235                 240

Leu Gly Lys Val Ala Ile Asp Arg Gly Thr Glu Val Asp Ile Ala Ser
                245                 250                 255

Gly Met Ala Ile Glu Gly Met Cys Tyr Ala Gln Asn Ile Pro Thr Arg
            260                 265                 270

Asp Arg Leu Glu Gly Met Ala Ala Phe Arg Glu Lys Arg Thr Pro Lys
        275                 280                 285

Phe Val Gly Lys
    290
```

<210> 638

<211> 377
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (164)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (213)
<223> Xaa equals any amino acid

<400> 638
Met Ala Thr Ala Met Asp Trp Leu Pro Trp Ser Leu Leu Leu Phe Ser
1 5 10 15

Leu Met Cys Glu Thr Ser Ala Phe Tyr Val Pro Gly Val Ala Pro Ile
20 25 30

Asn Phe His Gln Asn Asp Pro Val Glu Ile Lys Ala Val Lys Leu Thr
35 40 45

Ser Ser Arg Thr Gln Leu Pro Tyr Glu Tyr Tyr Ser Leu Pro Phe Cys
50 55 60

Gln Pro Ser Lys Ile Thr Tyr Lys Ala Glu Asn Leu Gly Glu Val Leu
65 70 75 80

Arg Gly Asp Arg Ile Val Asn Thr Pro Phe Gln Val Leu Met Asn Ser
85 90 95

Glu Lys Lys Cys Glu Val Leu Cys Ser Gln Ser Asn Lys Pro Val Thr
100 105 110

Leu Thr Val Glu Gln Ser Arg Leu Val Ala Glu Arg Ile Thr Glu Asp
115 120 125

Tyr Tyr Val His Leu Ile Ala Asp Asn Leu Pro Val Ala Thr Arg Leu
130 135 140

Glu Leu Tyr Ser Asn Arg Asp Ser Asp Asp Lys Lys Lys Glu Ser Asp
145 150 155 160

Ile Lys Trp Xaa Ser Arg Trp Asp Thr Tyr Leu Thr Met Ser Asp Val
165 170 175

Gln Ile His Trp Phe Ser Ile Ile Asn Ser Val Val Val Val Phe Phe
180 185 190

Leu Ser Gly Ile Leu Ser Met Ile Ile Ile Arg Thr Leu Arg Lys Asp
195 200 205

Ile Ala Asn Tyr Xaa Lys Glu Asp Asp Ile Glu Asp Thr Met Glu Glu
210 215 220

Ser Gly Trp Lys Leu Val His Gly Asp Val Phe Arg Pro Pro Pro Val
225 230 235 240

Pro His Asp Pro Gln Leu Pro Ala Gly Leu Arg His Ser Ala Val Leu

245 250 255

Tyr Asp Pro His Arg His Leu Cys Ser His Ala Trp Asp Ala Val Ala
260 265 270

Leu Gln Pro Gly Ser Ser His Asp His Ser Leu Leu Pro Leu His Val
275 280 285

His Gly Gly Val Trp Arg Ile Phe Cys Trp Pro Ser Val Pro His Phe
290 295 300

Lys Arg Pro Ser Val Glu Glu Arg Ser Leu Leu Tyr Gly Asn Ser Val
305 310 315 320

Pro Trp Cys Gly Phe Trp His Leu Leu Arg Ile Glu Leu Leu His Leu
325 330 335

Gly Lys Ala Leu Ile Arg Ser Gly Ala Leu Ser His His Gly Gly Ser
340 345 350

Ala Val His Val Val Arg Asp Leu Pro Ala Pro Arg Leu Leu Gly Leu
355 360 365

Leu Leu Arg Leu Pro Lys Ala Ala Ile
370 375

<210> 639
<211> 121
<212> PRT
<213> Homo sapiens

<400> 639
Met Ile Met Ala Gln Lys Ile Gly Gly Leu Thr Trp Trp Ala Ile Met
1 5 10 15

Phe Ile Ile Leu Phe Glu Ile Thr Gly Thr Ser Ser Ser Phe Leu Arg
20 25 30

Ile Asn Ala Leu Pro His Phe Ser Met Asn Arg Cys Gly Glu Ala Tyr
35 40 45

Phe Pro Phe Ser Tyr Leu Tyr Thr Ser Leu Gln Lys Gln Phe Leu Met
50 55 60

Lys Val Ser Gly Ile Val Lys Asn Leu Arg Gly Asn Asp Asp Trp Arg
65 70 75 80

Cys Phe Gly Val Phe Phe Cys Ile His Phe Leu Met Arg Lys Val Leu
85 90 95

Asn Val Val Gln Val Arg Pro Asn Tyr Tyr Leu Thr Ile Ile Gly Arg
100 105 110

Phe Tyr Val Ser Val Lys Val Phe Lys
115 120

<210> 640

<211> 26
<212> PRT
<213> Homo sapiens

<400> 640
Met Phe His Ser Ser Leu Leu Val Phe Leu Ser Leu Leu Ser Gln Glu
1 5 10 15

Ile Phe Thr Glu Tyr Asp Cys Met His Lys
20 25

<210> 641
<211> 76
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (22)
<223> Xaa equals any amino acid

<400> 641
Met Asn Arg Gly Gln Arg Leu Cys Leu Ala Phe Val Ser Leu Phe Pro
1 5 10 15

Pro Cys Asn Ser Leu Xaa Pro Pro Pro Thr Leu Phe Pro Ser Pro Leu
20 25 30

Leu Pro Leu Ser Leu Thr Ser Pro Thr Pro His Ser Leu Ser Ser Leu
35 40 45

Ala Val Ser Cys Val Cys Val Gly Val Cys Val Phe Gly Cys Val Asn
50 55 60

Val Gly Ser Ser Thr Thr Gly Phe Cys Asn Leu Gly
65 70 75

<210> 642
<211> 50
<212> PRT
<213> Homo sapiens

<400> 642
Met Tyr Ile Tyr Leu Ile His Leu Cys Met Cys Val Tyr Ile Tyr Ile
1 5 10 15

Tyr Ile Leu Leu Ile Ile Tyr Thr Leu Asp Pro Glu Pro Pro Ser Trp
20 25 30

Ser Pro Lys Leu Asp Ser His Leu Ser Leu Arg Gln Pro Ser Asn Asp
35 40 45

Arg Phe
50

<210> 643
<211> 82
<212> PRT
<213> Homo sapiens

<400> 643
Met Asn Arg Ser Thr Arg Ser Tyr Arg Cys Trp Ala Thr Trp Pro Arg
1 5 10 15

Leu Gly Trp Ala Leu Pro Cys Cys Met Asn Ser Leu Arg Lys Gly Arg
20 25 30

Lys Phe Ser Gln Ile Thr Thr Ser Leu Met Ala Ser Val Ser Ser Ala
35 40 45

Ser Met Val Ser Arg Arg Arg Arg Pro Leu Pro Lys His Pro Val Thr
50 55 60

Thr Thr Ser Thr Ala Thr Ala Leu Leu Gly Thr Ser Ser Thr Trp Ser
65 70 75 80

Lys Ser

<210> 644
<211> 64
<212> PRT
<213> Homo sapiens

<400> 644
Met Phe Met Trp Thr Ile Ser Ile Val Thr Phe Ser Ile Pro Leu Thr
1 5 10 15

Leu Pro Leu Pro Leu Arg Gly Glu Asn Lys Thr Leu Asn Gly Ser Asn
20 25 30

Ser Tyr Val Phe Tyr Phe Val Ser Glu Val Ser Lys Leu Leu Leu Leu
35 40 45

Ala Ser Phe Ser Leu Gly Gln Met Asp Val Ser Tyr Phe Pro Val Ser
50 55 60

<210> 645
<211> 390
<212> PRT
<213> Homo sapiens

<400> 645
Met Ile Ser Leu Pro Gly Pro Leu Val Thr Asn Leu Leu Arg Phe Leu
1 5 10 15

Phe Leu Gly Leu Ser Ala Leu Ala Pro Pro Ser Arg Ala Gln Leu Gln
20 25 30

```
Leu His Leu Pro Ala Asn Arg Leu Gln Ala Val Glu Gly Gly Glu Val
         35                  40                  45

Val Leu Pro Ala Trp Tyr Thr Leu His Gly Glu Val Ser Ser Ser Gln
     50                  55                  60

Pro Trp Glu Val Pro Phe Val Met Trp Phe Phe Lys Gln Lys Glu Lys
 65                  70                  75                  80

Glu Asp Gln Val Leu Ser Tyr Ile Asn Gly Val Thr Thr Ser Lys Pro
                 85                  90                  95

Gly Val Ser Leu Val Tyr Ser Met Pro Ser Arg Asn Leu Ser Leu Arg
            100                 105                 110

Leu Glu Gly Leu Gln Glu Lys Asp Ser Gly Pro Tyr Ser Cys Ser Val
        115                 120                 125

Asn Val Gln Asp Lys Gln Gly Lys Ser Arg Gly His Ser Ile Lys Thr
    130                 135                 140

Leu Glu Leu Asn Val Leu Val Pro Pro Ala Pro Pro Ser Cys Arg Leu
145                 150                 155                 160

Gln Gly Val Pro His Val Gly Ala Asn Val Thr Leu Ser Cys Gln Ser
                165                 170                 175

Pro Arg Ser Lys Pro Ala Val Gln Tyr Gln Trp Asp Arg Gln Leu Pro
            180                 185                 190

Ser Phe Gln Thr Phe Phe Ala Pro Ala Leu Asp Val Ile Arg Gly Ser
        195                 200                 205

Leu Ser Leu Thr Asn Leu Ser Ser Ser Met Ala Gly Val Tyr Val Cys
    210                 215                 220

Lys Ala His Asn Glu Val Gly Thr Ala Gln Cys Asn Val Thr Leu Glu
225                 230                 235                 240

Val Ser Thr Gly Pro Gly Ala Ala Val Val Ala Gly Ala Val Val Gly
                245                 250                 255

Thr Leu Val Gly Leu Gly Leu Leu Ala Gly Leu Val Leu Leu Tyr His
            260                 265                 270

Arg Arg Gly Lys Ala Leu Glu Glu Pro Ala Asn Asp Ile Lys Glu Asp
        275                 280                 285

Ala Ile Ala Pro Arg Thr Leu Pro Trp Pro Lys Ser Ser Asp Thr Ile
    290                 295                 300

Ser Lys Asn Gly Thr Leu Ser Ser Val Thr Ser Ala Arg Ala Leu Arg
305                 310                 315                 320

Pro Pro His Gly Pro Pro Arg Pro Gly Ala Leu Thr Pro Thr Pro Ser
                325                 330                 335

Leu Ser Ser Gln Ala Leu Pro Ser Pro Arg Leu Pro Thr Thr Asp Gly
            340                 345                 350

Ala His Pro Gln Pro Ile Ser Pro Ile Pro Gly Gly Val Ser Ser Ser
```

355 360 365

Gly Leu Ser Arg Met Gly Ala Val Pro Val Met Val Pro Ala Gln Ser
370 375 380

Gln Ala Gly Ser Leu Val
385 390

<210> 646
<211> 44
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (11)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (34)
<223> Xaa equals any amino acid

<400> 646
Met Val Leu His Cys Ile Ala Trp Leu Gln Xaa Gly Ile Ser Phe Leu
1 5 10 15

Phe Leu Phe Leu Cys Val Ile Ala Ile Gly Ala Thr Asn Phe Ala Ser
20 25 30

Pro Xaa Phe Tyr Lys Leu Val Ser Ser Gly Val Ala
35 40

<210> 647
<211> 89
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (12)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (13)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (72)
<223> Xaa equals any amino acid

<400> 647
Met Ser Gly Gly Leu Ser Phe Leu Leu Leu Val Xaa Xaa Gly Thr Gln
1 5 10 15

Ser Pro Leu His Leu Ala Gly Ser Cys Pro Gly Gln Thr His Leu Ser
20 25 30

Phe Pro Leu Gly Gln Asp Arg Gly Gln Gln Leu Gln Gln Lys Gln Gln
35 40 45

Asp Leu Glu Gln Glu Gly Leu Glu Ala Thr Gln Gly Leu Leu Ala Gly
50 55 60

Glu Trp Ala Pro Pro Leu Trp Xaa Leu Gly Ser Leu Phe Gln Ala Phe
65 70 75 80

Val Lys Arg Glu Ser Gln Ala Tyr Ala
85

<210> 648
<211> 52
<212> PRT
<213> Homo sapiens

<400> 648
Met Leu Tyr Asp Ser Asn Leu Cys Ser Val Trp His Leu Tyr Leu Ile
1 5 10 15

Leu His Leu Cys Lys Thr Phe Val Tyr Cys Gly Cys Val His Ser Ser
20 25 30

Tyr Leu Ile Ser Gly Thr Val Asn Thr Gln Tyr Phe Ile Val Gln Thr
35 40 45

Val Leu Leu Phe
50

<210> 649
<211> 66
<212> PRT
<213> Homo sapiens

<400> 649
Met Leu Leu Ile Ser Ala Val Gln Val Phe Ile Leu Leu Ser Pro Ser
1 5 10 15

Phe Tyr Leu Ile Leu Tyr Leu Leu Arg Pro Gly Gly Thr Gly Arg Gly
20 25 30

Leu Glu Pro Ile Cys Pro Ala Ala Glu Trp Gly Gly Trp Arg Asp Gly
35 40 45

Tyr Leu Trp Leu Gln Tyr Gln Glu Pro Thr Val Ser Leu Asp Asn Trp
50 55 60

Gly Asn
65

<210> 650

<211> 508
<212> PRT
<213> Homo sapiens

<400> 650

```
Met Asp Pro Lys Leu Gly Arg Met Ala Ala Ser Leu Leu Ala Val Leu
  1               5                  10                  15

Leu Leu Leu Leu Leu Glu Arg Gly Met Phe Ser Ser Pro Ser Pro Pro
             20                  25                  30

Pro Ala Leu Leu Glu Lys Val Phe Gln Tyr Ile Asp Leu His Gln Asp
         35                  40                  45

Glu Phe Val Gln Thr Leu Lys Glu Trp Val Ala Ile Glu Ser Asp Ser
     50                  55                  60

Val Gln Pro Val Pro Arg Phe Arg Gln Glu Leu Phe Arg Met Met Ala
 65                  70                  75                  80

Val Ala Ala Asp Thr Leu Gln Arg Leu Gly Ala Arg Val Ala Ser Val
                 85                  90                  95

Asp Met Gly Pro Gln Gln Leu Pro Asp Gly Gln Ser Leu Pro Ile Pro
            100                 105                 110

Pro Val Ile Leu Ala Glu Leu Gly Ser Asp Pro Thr Lys Gly Thr Val
        115                 120                 125

Cys Phe Tyr Gly His Leu Asp Val Gln Pro Ala Asp Arg Gly Asp Gly
    130                 135                 140

Trp Leu Thr Asp Pro Tyr Val Leu Thr Glu Val Asp Gly Lys Leu Tyr
145                 150                 155                 160

Gly Arg Gly Ala Thr Asp Asn Lys Gly Pro Val Leu Ala Trp Ile Asn
                165                 170                 175

Ala Val Ser Ala Phe Arg Ala Leu Glu Gln Asp Leu Pro Val Asn Ile
            180                 185                 190

Lys Phe Ile Ile Glu Gly Met Glu Glu Ala Gly Ser Val Ala Leu Glu
        195                 200                 205

Glu Leu Val Glu Lys Glu Lys Asp Arg Phe Phe Ser Gly Val Asp Tyr
    210                 215                 220

Ile Val Ile Ser Asp Asn Leu Trp Ile Ser Gln Arg Lys Pro Ala Ile
225                 230                 235                 240

Thr Tyr Gly Thr Arg Gly Asn Ser Tyr Phe Met Val Glu Val Lys Cys
                245                 250                 255

Arg Asp Gln Asp Phe His Ser Gly Thr Phe Gly Gly Ile Leu His Glu
            260                 265                 270

Pro Met Ala Asp Leu Val Ala Leu Leu Gly Ser Leu Val Asp Ser Ser
        275                 280                 285

Gly His Ile Leu Val Pro Gly Ile Tyr Asp Glu Val Val Pro Leu Thr
    290                 295                 300
```

```
Glu Glu Glu Ile Asn Thr Tyr Lys Ala Ile His Leu Asp Leu Glu Glu
305                 310                 315                 320

Tyr Arg Asn Ser Ser Arg Val Glu Lys Phe Leu Phe Asp Thr Lys Glu
                325                 330                 335

Glu Ile Leu Met His Leu Trp Arg Tyr Pro Ser Leu Ser Ile His Gly
            340                 345                 350

Ile Glu Gly Ala Phe Asp Glu Pro Gly Thr Lys Thr Val Ile Pro Gly
        355                 360                 365

Arg Val Ile Gly Lys Phe Ser Ile Arg Leu Val Pro His Met Asn Val
    370                 375                 380

Ser Ala Val Glu Lys Gln Val Thr Arg His Leu Glu Asp Val Phe Ser
385                 390                 395                 400

Lys Arg Asn Ser Ser Asn Lys Met Val Val Ser Met Thr Leu Gly Leu
                405                 410                 415

His Pro Trp Ile Ala Asn Ile Asp Asp Thr Gln Tyr Leu Ala Ala Lys
            420                 425                 430

Arg Ala Ile Arg Thr Val Phe Gly Thr Glu Pro Asp Met Ile Arg Asp
        435                 440                 445

Gly Ser Thr Ile Pro Ile Ala Lys Met Phe Gln Glu Ile Val His Lys
    450                 455                 460

Ser Val Val Leu Ile Pro Leu Gly Ala Val Asp Asp Gly Glu His Ser
465                 470                 475                 480

Gln Asn Glu Lys Ile Asn Arg Trp Asn Tyr Ile Glu Gly Thr Lys Leu
                485                 490                 495

Phe Ala Ala Phe Phe Leu Glu Met Ala Gln Leu His
            500                 505
```

<210> 651
<211> 295
<212> PRT
<213> Homo sapiens

<400> 651

```
Met Ser Trp Pro His Gly Ala Leu Leu Phe Leu Trp Leu Phe Ser Pro
  1               5                  10                  15

Pro Leu Gly Ala Gly Gly Gly Gly Val Ala Val Thr Ser Ala Ala Gly
             20                  25                  30

Gly Gly Ser Pro Pro Ala Thr Ser Cys Pro Val Ala Cys Ser Cys Ser
         35                  40                  45

Asn Gln Ala Ser Arg Val Ile Cys Thr Arg Arg Asp Leu Ala Glu Val
     50                  55                  60

Pro Ala Ser Ile Pro Val Asn Thr Arg Tyr Leu Asn Leu Gln Glu Asn
```

```
65                  70                  75                  80

Gly Ile Gln Val Ile Arg Thr Asp Thr Phe Lys His Leu Arg His Leu
                    85                  90                  95

Glu Ile Leu Gln Leu Ser Lys Asn Leu Val Arg Lys Ile Glu Val Gly
            100                 105                 110

Ala Phe Asn Gly Leu Pro Ser Leu Asn Thr Leu Glu Leu Phe Asp Asn
        115                 120                 125

Arg Leu Thr Thr Val Pro Thr Gln Ala Phe Glu Tyr Leu Ser Lys Leu
    130                 135                 140

Arg Glu Leu Trp Leu Arg Asn Asn Pro Ile Glu Ser Ile Pro Ser Tyr
145                 150                 155                 160

Ala Phe Asn Arg Val Pro Ser Leu Arg Arg Leu Asp Leu Gly Glu Leu
                165                 170                 175

Lys Arg Leu Glu Tyr Ile Ser Glu Ala Ala Phe Glu Gly Leu Val Asn
            180                 185                 190

Leu Arg Tyr Leu Asn Leu Gly Met Cys Asn Leu Lys Asp Ile Pro Asn
        195                 200                 205

Leu Thr Ala Leu Val Arg Leu Glu Glu Leu Glu Leu Ser Gly Asn Arg
    210                 215                 220

Leu Asp Leu Ile Arg Pro Gly Ser Phe Gln Gly Leu Thr Ser Leu Arg
225                 230                 235                 240

Lys Leu Trp Leu Met His Ala Gln Val Ala Thr Ile Glu Arg Asn Ala
                245                 250                 255

Phe Asp Asp Leu Lys Ser Leu Glu Glu Leu Asn Leu Ser His Asn Asn
            260                 265                 270

Leu Met Ser Leu Pro His Asp Leu Phe Thr Pro Leu His Arg Leu Glu
        275                 280                 285

Gly Gly Pro Gly Thr Gln Phe
    290                 295
```

<210> 652
<211> 56
<212> PRT
<213> Homo sapiens

```
<400> 652
Met Cys Phe Thr Gln Phe Ser Arg Ile Phe Phe Leu Thr Ser Ser Leu
  1               5                  10                  15

Thr Leu Ala Ala Cys Ala Asn His Ile Leu Ala Ala Tyr Ser Ser Ser
             20                  25                  30

Leu Ala Asp Arg Cys Val Gly Glu Lys Ser Leu Ile Val Ile Val Pro
         35                  40                  45
```

Glu Arg Ser Phe Gln Thr His Phe
50 55

<210> 653
<211> 44
<212> PRT
<213> Homo sapiens

<400> 653
Met Arg Lys Thr Ala Trp Leu Cys Phe Phe Phe Gln Leu Cys Gly Leu
1 5 10 15

Gly Gln Val Thr Ser Leu Gln Tyr Arg Asn Cys Asn Val Glu Ile Lys
20 25 30

Pro Ser Leu Val Arg Gly Thr His Arg Ser Ile Pro
35 40

<210> 654
<211> 77
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (69)
<223> Xaa equals any amino acid

<400> 654
Met Thr Gly Gln Ile Pro Arg Leu Ser Lys Val Asn Leu Phe Thr Leu
1 5 10 15

Leu Ser Leu Trp Met Glu Leu Phe Pro Ala Glu Ala Gln Arg Gln Lys
20 25 30

Ser Gln Lys Asn Glu Glu Gly Lys His Gly Pro Leu Gly Asp Asn Glu
35 40 45

Glu Arg Thr Arg Val Ser Thr Asp Lys Arg Gln Asp Tyr Trp Glu Gln
50 55 60

Leu Arg Cys Leu Xaa Glu Arg Phe Thr Ile Thr Ala Gly
65 70 75

<210> 655
<211> 108
<212> PRT
<213> Homo sapiens

<400> 655
Met Lys Ala Leu Cys Leu Leu Leu Leu Pro Val Leu Gly Leu Leu Val
1 5 10 15

Ser Ser Lys Thr Leu Cys Ser Met Glu Glu Ala Ile Asn Glu Arg Ile
20 25 30

```
Gln Glu Val Ala Gly Ser Leu Ile Phe Arg Ala Ile Ser Ser Ile Gly
         35                  40                  45

Leu Glu Cys Gln Ser Val Thr Ser Arg Gly Asp Leu Ala Thr Cys Pro
     50                  55                  60

Arg Gly Phe Ala Val Thr Gly Cys Thr Cys Gly Ser Ala Cys Gly Ser
 65                  70                  75                  80

Trp Asp Val Arg Ala Glu Thr Thr Cys His Cys Gln Cys Ala Gly Met
                 85                  90                  95

Asp Trp Thr Gly Ala Arg Cys Cys Arg Val Gln Pro
            100                 105
```

<210> 656
<211> 44
<212> PRT
<213> Homo sapiens

<400> 656

```
Met Arg Leu Arg Asn Gly Thr Val Ala Thr Ala Leu Ala Phe Ile Thr
  1               5                  10                  15

Ser Phe Leu Thr Leu Ser Trp Tyr Thr Thr Trp Gln Asn Gly Lys Gly
             20                  25                  30

Lys Glu Asn Asp Ser Glu Asn Val His Glu Met Tyr
         35                  40
```

<210> 657
<211> 327
<212> PRT
<213> Homo sapiens

<400> 657

```
Met Ala Cys Arg Lys Leu Ala Val Ala His Pro Leu Leu Leu Leu Arg
  1               5                  10                  15

His Leu Pro Met Ile Ala Ala Leu Leu His Gly Arg Thr His Leu Asn
             20                  25                  30

Phe Gln Glu Phe Arg Gln Gln Asn His Leu Ser Cys Phe Leu His Val
         35                  40                  45

Leu Gly Leu Leu Glu Leu Leu Gln Pro His Val Phe Arg Ser Glu His
     50                  55                  60

Gln Gly Ala Leu Trp Asp Cys Leu Leu Ser Phe Ile Arg Leu Leu Leu
 65                  70                  75                  80

Asn Tyr Arg Lys Ser Ser Arg His Leu Ala Ala Phe Ile Asn Lys Phe
                 85                  90                  95

Val Gln Phe Ile His Lys Tyr Ile Thr Tyr Asn Ala Pro Ala Ala Ile
            100                 105                 110
```

```
Ser Phe Leu Gln Lys His Ala Asp Pro Leu His Asp Leu Ser Phe Asp
        115                 120                 125

Asn Ser Asp Leu Val Met Leu Lys Ser Leu Leu Ala Gly Leu Ser Leu
    130                 135                 140

Pro Ser Arg Asp Asp Arg Thr Asp Arg Gly Leu Asp Glu Glu Gly Glu
145                 150                 155                 160

Glu Glu Ser Ser Ala Gly Ser Leu Pro Leu Val Ser Val Ser Leu Phe
                165                 170                 175

Thr Pro Leu Thr Ala Ala Glu Met Ala Pro Tyr Met Lys Arg Leu Ser
            180                 185                 190

Arg Gly Gln Thr Val Glu Asp Leu Leu Glu Val Leu Ser Asp Ile Asp
        195                 200                 205

Glu Met Ser Arg Arg Arg Pro Glu Ile Leu Ser Phe Phe Ser Thr Asn
    210                 215                 220

Leu Gln Arg Leu Met Ser Ser Ala Glu Glu Cys Cys Arg Asn Leu Ala
225                 230                 235                 240

Phe Ser Leu Ala Leu Arg Ser Met Gln Asn Ser Pro Ser Ile Ala Ala
                245                 250                 255

Ala Phe Leu Pro Thr Phe Met Tyr Cys Leu Gly Ser Gln Asp Phe Glu
            260                 265                 270

Val Val Gln Thr Ala Leu Arg Asn Leu Pro Glu Tyr Ala Leu Leu Cys
        275                 280                 285

Gln Glu His Ala Ala Val Leu Leu His Arg Ala Phe Leu Val Gly Met
    290                 295                 300

Tyr Gly Gln Met Asp Pro Ser Ala Gln Ile Ser Glu Ala Leu Arg Ile
305                 310                 315                 320

Leu His Met Glu Ala Val Met
                325
```

<210> 658
<211> 80
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (34)
<223> Xaa equals any amino acid

<400> 658

```
Met Asn Val Thr Ser Val Ile Leu Val Leu Ile Leu Trp Asn Val Ile
  1               5                  10                  15

Gly Val Ala Thr Trp Val His Gln Asn Thr Phe Leu Tyr Lys Arg Gln
             20                  25                  30
```

```
Met Xaa Glu Leu Lys Arg Leu Lys Asp Arg Val Phe Cys Phe Phe Val
         35                  40                  45

Leu Ile Trp Leu Leu Gly Ile Lys Ile Arg Pro Arg Ser Leu Lys Ile
     50                  55                  60

Ser Asn Arg Gly Arg Pro Leu Ile Asp Leu Lys Ser Val Asn Ser Leu
 65                  70                  75                  80
```

<210> 659
<211> 112
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (41)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (109)
<223> Xaa equals any amino acid

<400> 659

```
Met Ala Ala Leu Leu Leu Leu Pro Trp Leu Met Leu Leu Thr Gly Arg
  1               5                  10                  15

Val Ser Leu Ala Gln Phe Ala Leu Ala Phe Val Thr Asp Thr Cys Val
             20                  25                  30

Ala Gly Ala Leu Leu Cys Gly Ala Xaa Leu Leu Phe His Gly Met Leu
         35                  40                  45

Leu Leu Arg Gly Gln Thr Thr Trp Glu Trp Ala Arg Gly Gln His Ser
     50                  55                  60

Tyr Asp Leu Gly Pro Cys His Asn Leu Gln Ala Ala Leu Gly Pro Arg
 65                  70                  75                  80

Trp Ala Leu Val Trp Leu Trp Pro Phe Leu Ala Ser Pro Leu Pro Gly
                 85                  90                  95

Asp Gly Ile Thr Phe Gln Thr Thr Ala Asp Val Gly Xaa Thr Ala Ser
             100                 105                 110
```

<210> 660
<211> 91
<212> PRT
<213> Homo sapiens

<400> 660
Met Gly Asp Lys Leu Gly Met Ala Arg Ala Pro Ser Val Ala Leu Ala
1 5 10 15

Gln Leu Trp Leu Ile Cys Leu Cys Pro Glu Ser Leu Ala Ser Phe Val
20 25 30

Gln Ala Val Pro Trp Lys Val Leu Gln Pro Ser Ser Asn Arg Ser Thr
35 40 45

Asp Cys Ser Pro His Met Arg Pro Thr Cys Glu Thr Leu Gly Ser Arg
50 55 60

Lys Ala Gln Asp Leu Val Leu Asp Thr Met Cys Leu Ser Thr Asp Asp
65 70 75 80

Cys Gln Gly Leu Ile Cys Arg Gly His Arg Ser
85 90

<210> 661
<211> 223
<212> PRT
<213> Homo sapiens

<400> 661
Ala Trp Tyr Leu Leu Arg Val Gln Val Leu Gln Leu Val Ala Ala Tyr
1 5 10 15

Leu Ser Leu Pro Ser Asn Asn Leu Ser His Ser Leu Trp Glu Gln Leu
20 25 30

Cys Ala Gln Gly Trp Gln Thr Pro Glu Ile Ala Leu Ile Asp Ser His
35 40 45

Lys Leu Leu Arg Ser Ile Ile Leu Leu Leu Met Gly Ser Asp Ile Leu
50 55 60

Ser Thr Gln Lys Ala Ala Val Glu Thr Ser Phe Leu Asp Tyr Gly Glu
65 70 75 80

Asn Leu Val Gln Lys Trp Gln Val Leu Ser Glu Val Leu Ser Cys Ser
85 90 95

Glu Lys Leu Val Cys His Leu Gly Arg Leu Gly Ser Val Ser Glu Ala
100 105 110

Lys Ala Phe Cys Leu Glu Ala Leu Lys Leu Thr Thr Lys Leu Gln Ile
115 120 125

Pro Arg Gln Cys Ala Leu Phe Leu Val Leu Lys Gly Glu Leu Glu Leu
130 135 140

Ala Arg Asn Asp Ile Asp Leu Cys Gln Ser Asp Leu Gln Gln Val Leu
145 150 155 160

Phe Leu Leu Glu Ser Cys Thr Glu Phe Gly Gly Val Thr Gln His Leu
165 170 175

```
Asp Ser Val Lys Lys Val His Leu Gln Lys Gly Lys Gln Gln Ala Gln
            180                 185                 190

Val Pro Cys Pro Pro Gln Leu Pro Glu Glu Glu Leu Phe Leu Arg Gly
        195                 200                 205

Pro Ala Leu Glu Leu Val Pro Leu Trp Pro Arg Ser Leu Ala Pro
    210                 215                 220
```

<210> 662
<211> 47
<212> PRT
<213> Homo sapiens

<400> 662

```
Met Gly Val Leu Leu Leu Phe Ser Phe Phe Phe Pro Asn Gly Ser Phe
  1               5                  10                  15

Ser Pro Val Val Leu Pro Ser Tyr Phe Pro Asn Ser Ser Ser Tyr Phe
             20                  25                  30

Val Phe Cys Thr Ser Phe Trp Arg Pro Leu Ser Phe Gln Lys Gly
         35                  40                  45
```

<210> 663
<211> 243
<212> PRT
<213> Homo sapiens

<400> 663

```
Met Gly Thr Leu Pro Trp Leu Leu Ala Phe Phe Ile Leu Gly Leu Gln
  1               5                  10                  15

Ala Trp Asp Thr Pro Thr Ile Val Ser Arg Lys Glu Trp Gly Ala Arg
             20                  25                  30

Pro Leu Ala Cys Arg Ala Leu Leu Thr Leu Pro Val Ala Tyr Ile Ile
         35                  40                  45

Thr Asp Gln Leu Pro Gly Met Gln Cys Gln Gln Gln Ser Val Cys Ser
     50                  55                  60

Gln Met Leu Arg Gly Leu Gln Ser His Ser Val Tyr Thr Ile Gly Trp
 65                  70                  75                  80

Cys Asp Val Ala Tyr Asn Phe Leu Val Gly Asp Asp Gly Arg Val Tyr
                 85                  90                  95

Glu Gly Val Gly Trp Asn Ile Gln Gly Leu His Thr Gln Gly Tyr Asn
            100                 105                 110

Asn Ile Ser Leu Gly Ile Ala Phe Phe Gly Asn Lys Ile Ser Ser Ser
        115                 120                 125

Pro Ser Pro Ala Ala Leu Ser Ala Ala Glu Gly Leu Ile Ser Tyr Ala
    130                 135                 140
```

```
Ile Gln Lys Gly His Leu Ser Pro Arg Tyr Ile Gln Pro Leu Leu Leu
145                 150                 155                 160

Lys Glu Glu Thr Cys Leu Asp Pro Gln His Pro Val Met Pro Arg Lys
                165                 170                 175

Val Cys Pro Asn Ile Ile Lys Arg Ser Ala Trp Glu Ala Arg Glu Thr
            180                 185                 190

His Cys Pro Lys Met Asn Leu Pro Ala Lys Tyr Val Ile Ile Ile His
        195                 200                 205

Thr Ala Gly Thr Ser Cys Thr Val Ser Thr Asp Cys Gln Thr Val Val
    210                 215                 220

Arg Asn Ile Gln Ser Phe His Met Asp Thr Arg Asn Phe Cys Asp Ile
225                 230                 235                 240

Gly Tyr Gln
```

<210> 664
<211> 80
<212> PRT
<213> Homo sapiens

<400> 664

```
Met Lys Leu Ser Gly Met Phe Leu Leu Leu Ser Leu Ala Leu Phe Cys
  1               5                  10                  15

Phe Leu Thr Gly Val Phe Ser Gln Gly Gly Gln Val Asp Cys Gly Glu
             20                  25                  30

Phe Gln Asp Thr Lys Val Tyr Cys Thr Arg Glu Ser Asn Pro His Cys
         35                  40                  45

Gly Ser Asp Gly Gln Thr Tyr Gly Asn Lys Cys Ala Phe Cys Lys Ala
     50                  55                  60

Ile Val Lys Ser Gly Gly Lys Ile Ser Leu Lys His Pro Gly Lys Cys
 65                  70                  75                  80
```

<210> 665
<211> 301
<212> PRT
<213> Homo sapiens

<400> 665

```
Met Ala Arg His Gly Leu Pro Leu Leu Pro Leu Leu Ser Leu Leu Val
  1               5                  10                  15

Gly Ala Trp Leu Lys Leu Gly Asn Gly Gln Ala Thr Ser Met Val Gln
             20                  25                  30
```

```
Leu Gln Gly Gly Arg Phe Leu Met Gly Thr Asn Ser Pro Asp Ser Arg
         35                  40                  45

Asp Gly Glu Gly Pro Val Arg Glu Ala Thr Val Lys Pro Phe Ala Ile
     50                  55                  60

Asp Ile Phe Pro Val Thr Asn Lys Asp Phe Arg Asp Phe Val Arg Glu
 65                  70                  75                  80

Lys Lys Tyr Arg Thr Glu Ala Glu Met Phe Gly Trp Ser Phe Val Phe
                 85                  90                  95

Glu Asp Phe Val Ser Asp Glu Leu Arg Asn Lys Ala Thr Gln Pro Met
            100                 105                 110

Lys Ser Val Leu Trp Trp Leu Pro Val Glu Lys Ala Phe Trp Arg Gln
        115                 120                 125

Pro Ala Gly Pro Gly Ser Gly Ile Arg Glu Arg Leu Glu His Pro Val
    130                 135                 140

Leu His Val Ser Trp Asn Asp Ala Arg Ala Tyr Cys Ala Trp Arg Gly
145                 150                 155                 160

Lys Arg Leu Pro Thr Glu Glu Glu Trp Glu Phe Ala Ala Arg Gly Gly
                165                 170                 175

Leu Lys Gly Gln Val Tyr Pro Trp Gly Asn Trp Phe Gln Pro Asn Arg
            180                 185                 190

Thr Asn Leu Trp Gln Gly Lys Phe Pro Lys Gly Asp Lys Ala Glu Asp
        195                 200                 205

Gly Phe His Gly Val Ser Pro Val Asn Ala Phe Pro Ala Gln Asn Asn
    210                 215                 220

Tyr Gly Leu Tyr Asp Leu Leu Gly Asn Val Trp Glu Trp Thr Ala Ser
225                 230                 235                 240

Pro Tyr Gln Ala Ala Glu Gln Asp Met Arg Val Leu Arg Gly Ala Ser
                245                 250                 255

Trp Ile Asp Thr Ala Asp Gly Ser Ala Asn His Arg Ala Arg Val Thr
            260                 265                 270

Thr Arg Met Gly Asn Thr Pro Asp Ser Ala Ser Asp Asn Leu Gly Phe
        275                 280                 285

Arg Cys Ala Ala Asp Ala Gly Arg Pro Pro Gly Glu Leu
    290                 295                 300
```

<210> 666
<211> 44
<212> PRT
<213> Homo sapiens

```
<400> 666
Met Ala Ser Gly Ser Trp Thr Ser Ala Pro Gly Ile Gly Val Ile Leu
  1               5                  10                  15
```

```
Val Met Thr Val Cys Leu Ser His Cys Tyr Thr His Glu Trp Gly Leu
            20                  25                  30

Trp Gly Gly Gly Gly Thr Gln Gly Leu Thr Asp Ser
        35                  40
```

<210> 667
<211> 438
<212> PRT
<213> Homo sapiens

<400> 667

```
Met Pro Cys Thr Cys Thr Trp Arg Asn Trp Arg Gln Trp Ile Arg Pro
  1               5                  10                  15

Leu Val Ala Val Ile Tyr Leu Val Ser Ile Val Val Ala Val Pro Leu
            20                  25                  30

Cys Val Trp Glu Leu Gln Lys Leu Glu Val Gly Ile His Thr Lys Ala
        35                  40                  45

Trp Phe Ile Ala Gly Ile Phe Leu Leu Leu Thr Ile Pro Ile Ser Leu
    50                  55                  60

Trp Val Ile Leu Gln His Leu Val His Tyr Thr Gln Pro Glu Leu Gln
65                  70                  75                  80

Lys Pro Ile Ile Arg Ile Leu Trp Met Val Pro Ile Tyr Ser Leu Asp
                85                  90                  95

Ser Trp Ile Ala Leu Lys Tyr Pro Gly Ile Ala Ile Tyr Val Asp Thr
            100                 105                 110

Cys Arg Glu Cys Tyr Glu Ala Tyr Val Ile Tyr Asn Phe Met Gly Phe
        115                 120                 125

Leu Thr Asn Tyr Leu Thr Asn Arg Tyr Pro Asn Leu Val Leu Ile Leu
    130                 135                 140

Glu Ala Lys Asp Gln Gln Lys His Phe Pro Pro Leu Cys Cys Cys Pro
145                 150                 155                 160

Pro Trp Ala Met Gly Glu Val Leu Leu Phe Arg Cys Lys Leu Gly Val
                165                 170                 175

Leu Gln Tyr Thr Val Val Arg Pro Phe Thr Thr Ile Val Ala Leu Ile
            180                 185                 190

Cys Glu Leu Leu Gly Ile Tyr Asp Glu Gly Asn Phe Ser Phe Ser Asn
        195                 200                 205

Ala Trp Thr Tyr Leu Val Ile Ile Asn Asn Met Ser Gln Leu Phe Ala
    210                 215                 220

Met Tyr Cys Leu Leu Leu Phe Tyr Lys Val Leu Lys Glu Glu Leu Ser
225                 230                 235                 240

Pro Ile Gln Pro Val Gly Lys Phe Leu Cys Val Lys Leu Val Val Phe
```

245 250 255

Val Ser Phe Trp Gln Ala Val Val Ile Ala Leu Leu Val Lys Val Gly
260 265 270

Val Ile Ser Glu Lys His Thr Trp Glu Trp Gln Thr Val Glu Ala Val
275 280 285

Ala Thr Gly Leu Gln Asp Phe Ile Ile Cys Ile Glu Met Phe Leu Ala
290 295 300

Ala Ile Ala His His Tyr Thr Phe Ser Tyr Lys Pro Tyr Val Gln Glu
305 310 315 320

Ala Glu Glu Gly Ser Cys Phe Asp Ser Phe Leu Ala Met Trp Asp Val
325 330 335

Ser Asp Ile Arg Asp Asp Ile Ser Glu Gln Val Arg His Val Gly Arg
340 345 350

Thr Val Arg Gly His Pro Arg Lys Lys Leu Phe Pro Glu Asp Gln Asp
355 360 365

Gln Asn Glu His Thr Ser Leu Leu Ser Ser Ser Ser Gln Asp Ala Ile
370 375 380

Ser Ile Ala Ser Ser Met Pro Pro Ser Pro Met Gly His Tyr Gln Gly
385 390 395 400

Phe Gly His Thr Val Thr Pro Gln Thr Thr Pro Thr Thr Ala Lys Ile
405 410 415

Ser Asp Glu Ile Leu Ser Asp Thr Ile Gly Glu Lys Lys Glu Pro Ser
420 425 430

Asp Lys Ser Val Asp Ser
435

<210> 668
<211> 107
<212> PRT
<213> Homo sapiens

<400> 668
Met Val Arg Tyr Thr Tyr Ser Met Leu Ser Val Ile Gly Ile Ser Tyr
1 5 10 15

Ala Val Leu Thr Trp Leu Ser Gln Thr Leu Trp Met Pro Ile Tyr Pro
20 25 30

Leu Cys Val Leu Ala Glu Ala Phe Ala Ile Tyr Gln Ser Leu Pro Tyr
35 40 45

Phe Glu Ser Phe Gly Thr Tyr Ser Thr Lys Leu Pro Phe Asp Leu Ser
50 55 60

Ile Tyr Phe Pro Tyr Val Leu Lys Ile Tyr Leu Met Met Leu Phe Ile
65 70 75 80

```
Gly Met Tyr Phe Thr Tyr Ser His Leu Tyr Ser Glu Arg Arg Asp Ile
                85                  90                  95

Leu Gly Ile Phe Pro Ile Lys Lys Lys Lys Met
            100                 105
```

<210> 669
<211> 234
<212> PRT
<213> Homo sapiens

<400> 669

```
Met Arg Ile Arg Phe Thr Ser Pro His Pro Lys Asp Phe Pro Asp Glu
  1               5                  10                  15

Val Leu Gln Leu Ile His Glu Arg Asp Asn Ile Cys Lys Gln Ile His
             20                  25                  30

Leu Pro Ala Gln Ser Gly Ser Ser Arg Val Leu Glu Ala Met Arg Arg
         35                  40                  45

Gly Tyr Ser Arg Glu Ala Tyr Val Glu Leu Val His His Ile Arg Glu
     50                  55                  60

Ser Ile Pro Gly Val Ser Leu Ser Ser Asp Phe Ile Ala Gly Phe Cys
 65                  70                  75                  80

Gly Glu Thr Glu Glu Asp His Val Gln Thr Val Ser Leu Leu Arg Glu
                85                  90                  95

Val Gln Tyr Asn Met Gly Phe Leu Phe Ala Tyr Ser Met Arg Gln Lys
            100                 105                 110

Thr Arg Ala Tyr His Arg Leu Lys Asp Asp Val Pro Glu Glu Val Lys
        115                 120                 125

Leu Arg Arg Leu Glu Glu Leu Ile Thr Ile Phe Arg Glu Glu Ala Thr
    130                 135                 140

Lys Ala Asn Gln Thr Ser Val Gly Cys Thr Gln Leu Val Leu Val Glu
145                 150                 155                 160

Gly Leu Ser Lys Arg Ser Ala Thr Asp Leu Cys Gly Arg Asn Asp Gly
                165                 170                 175

Asn Leu Lys Val Ile Phe Pro Asp Ala Glu Met Glu Asp Val Asn Asn
            180                 185                 190

Pro Gly Leu Arg Val Arg Ala Gln Pro Gly Asp Tyr Val Leu Val Lys
        195                 200                 205

Ile Thr Ser Ala Ser Ser Gln Thr Leu Arg Gly His Val Leu Cys Arg
    210                 215                 220

Thr Thr Leu Arg Asp Ser Ser Ala Tyr Cys
225                 230
```

<210> 670
<211> 470
<212> PRT
<213> Homo sapiens

<400> 670
Met Trp Phe Thr Tyr Leu Leu Leu Tyr Leu His Ser Val Arg Ala Tyr
1 5 10 15

Ser Ser Arg Gly Ala Gly Leu Leu Leu Leu Leu Gly Gln Val Ala Asp
20 25 30

Gly Leu Cys Thr Pro Leu Val Gly Tyr Glu Ala Asp Arg Ala Ala Ser
35 40 45

Cys Cys Ala Arg Tyr Gly Pro Arg Lys Ala Trp His Leu Val Gly Thr
50 55 60

Val Cys Val Leu Leu Ser Phe Pro Phe Ile Phe Ser Pro Cys Leu Gly
65 70 75 80

Cys Gly Ala Ala Thr Pro Glu Trp Ala Ala Leu Leu Tyr Tyr Gly Pro
85 90 95

Phe Ile Val Ile Phe Gln Phe Gly Trp Ala Ser Thr Gln Ile Ser His
100 105 110

Leu Ser Leu Ile Pro Glu Leu Val Thr Asn Asp His Glu Lys Val Glu
115 120 125

Leu Thr Ala Leu Arg Tyr Ala Phe Thr Val Val Ala Asn Ile Thr Val
130 135 140

Tyr Gly Ala Ala Trp Leu Leu Leu His Leu Gln Gly Ser Ser Arg Val
145 150 155 160

Glu Pro Thr Gln Asp Ile Ser Ile Ser Asp Gln Leu Gly Gly Gln Asp
165 170 175

Val Pro Val Phe Arg Asn Leu Ser Leu Leu Val Val Gly Val Gly Ala
180 185 190

Val Phe Ser Leu Leu Phe His Leu Gly Thr Arg Glu Arg Arg Arg Pro
195 200 205

His Ala Glu Glu Pro Gly Glu His Thr Pro Leu Leu Ala Pro Ala Thr
210 215 220

Ala Gln Pro Leu Leu Leu Trp Lys His Trp Leu Arg Glu Pro Ala Phe
225 230 235 240

Tyr Gln Val Gly Ile Leu Tyr Met Thr Thr Arg Leu Ile Val Asn Leu
245 250 255

Ser Gln Thr Tyr Met Ala Met Tyr Leu Thr Tyr Ser Leu His Leu Pro
260 265 270

Lys Lys Phe Ile Ala Thr Ile Pro Leu Val Met Tyr Leu Ser Gly Phe
275 280 285

Leu Ser Ser Phe Leu Met Lys Pro Ile Asn Lys Cys Ile Gly Arg Asn

```
    290                 295                 300

Met Thr Tyr Phe Ser Gly Leu Leu Val Ile Leu Ala Phe Ala Ala Trp
305                 310                 315                 320

Val Ala Leu Ala Glu Gly Leu Gly Val Ala Val Tyr Ala Ala Ala Val
                325                 330                 335

Leu Leu Gly Ala Gly Cys Ala Thr Ile Leu Val Thr Ser Leu Ala Met
            340                 345                 350

Thr Ala Asp Leu Ile Gly Pro His Thr Asn Ser Gly Ala Phe Val Tyr
        355                 360                 365

Gly Ser Met Ser Phe Leu Asp Lys Val Ala Asn Gly Leu Ala Val Met
    370                 375                 380

Ala Ile Gln Ser Leu His Pro Cys Pro Ser Glu Leu Cys Cys Arg Ala
385                 390                 395                 400

Cys Val Ser Phe Tyr His Trp Ala Met Val Ala Val Thr Gly Gly Val
                405                 410                 415

Gly Val Ala Ala Ala Leu Cys Leu Cys Ser Leu Leu Leu Trp Pro Thr
            420                 425                 430

Arg Leu Arg Arg Ser Arg Gly Gly Glu His Arg Thr Pro Ser Glu Gly
        435                 440                 445

Glu Gly Ile Ser Thr Ala Pro Pro Pro Cys Trp Asn Glu Thr Gln Pro
    450                 455                 460

Gln Gly Gly Ala Lys Leu
465                 470
```

<210> 671
<211> 260
<212> PRT
<213> Homo sapiens

<400> 671

```
Met Ala Gly Ser Pro Leu Leu Trp Gly Pro Arg Ala Gly Gly Val Gly
  1               5                  10                  15

Leu Leu Val Leu Leu Leu Leu Gly Leu Phe Arg Pro Pro Pro Ala Leu
             20                  25                  30

Cys Ala Arg Pro Val Lys Glu Pro Arg Gly Leu Ser Ala Ala Ser Pro
         35                  40                  45

Pro Leu Ala Glu Thr Gly Ala Pro Arg Arg Phe Arg Arg Ser Val Pro
     50                  55                  60

Arg Gly Glu Ala Ala Gly Ala Val Gln Asp Leu Ala Arg Ala Leu Ala
 65                  70                  75                  80

His Leu Leu Glu Ala Glu Arg Gln Glu Arg Ala Arg Ala Glu Ala Gln
                 85                  90                  95
```

```
Glu Ala Glu Asp Gln Gln Ala Arg Val Leu Ala Gln Leu Leu Arg Val
            100                 105                 110

Trp Gly Ala Pro Arg Asn Ser Asp Pro Ala Leu Gly Leu Asp Asp Asp
        115                 120                 125

Pro Asp Ala Pro Ala Ala Gln Leu Ala Arg Ala Leu Leu Arg Ala Arg
    130                 135                 140

Leu Asp Pro Ala Ala Leu Ala Ala Gln Leu Val Pro Ala Pro Val Pro
145                 150                 155                 160

Ala Ala Ala Leu Arg Pro Arg Pro Pro Val Tyr Asp Asp Gly Pro Ala
                165                 170                 175

Gly Pro Asp Ala Glu Glu Ala Gly Asp Glu Thr Pro Asp Val Asp Pro
            180                 185                 190

Glu Leu Leu Arg Tyr Leu Leu Gly Arg Ile Leu Ala Gly Ser Ala Asp
        195                 200                 205

Ser Glu Gly Val Ala Ala Pro Arg Arg Leu Arg Arg Ala Ala Asp His
    210                 215                 220

Asp Val Gly Ser Glu Leu Pro Pro Glu Gly Val Leu Gly Ala Leu Leu
225                 230                 235                 240

Arg Val Lys Arg Leu Glu Thr Pro Ala Pro Gln Val Pro Ala Arg Arg
                245                 250                 255

Leu Leu Pro Pro
            260
```

<210> 672
<211> 95
<212> PRT
<213> Homo sapiens

<400> 672

```
Met His Leu Cys Ile Cys Ala Val Trp Val Leu Val Ala Leu Leu Arg
  1               5                  10                  15

Met His Gly Ala Ser Pro Ala Gln Thr Ser Gly Thr Arg Ser Gly Asn
             20                  25                  30

Gly Gly Cys Arg Arg His Gly Ala Gly Gln Gly Arg Gly Ala Ala Thr
         35                  40                  45

Gln Pro Leu Arg Pro Pro Arg Gly Thr Ala Ser Gly Gln Leu Met Ala
     50                  55                  60

Leu Leu Ser Ala Leu Leu Pro Arg Leu Ser Gly Ser Ser Thr Pro Met
 65                  70                  75                  80

Met Ala His Gly Arg Pro Ala Pro Pro Gln Trp Ser Arg Val Ser
                 85                  90                  95
```

<210> 673
<211> 130
<212> PRT
<213> Homo sapiens

<400> 673
Met Glu Thr Leu Gly Ala Leu Leu Val Leu Glu Phe Leu Leu Leu Ser
1 5 10 15

Pro Val Glu Ala Gln Gln Ala Thr Glu His Arg Leu Lys Pro Trp Leu
20 25 30

Val Gly Leu Ala Ala Val Val Gly Phe Leu Phe Ile Val Tyr Leu Val
35 40 45

Leu Leu Ala Asn Arg Leu Trp Cys Ser Lys Ala Arg Ala Glu Asp Glu
50 55 60

Glu Glu Thr Thr Phe Arg Met Glu Ser Asn Leu Tyr Gln Asp Gln Ser
65 70 75 80

Glu Asp Lys Arg Glu Lys Lys Glu Ala Lys Glu Lys Glu Glu Lys Arg
85 90 95

Lys Lys Glu Lys Lys Thr Ala Lys Glu Gly Glu Ser Asn Leu Gly Leu
100 105 110

Asp Leu Glu Glu Lys Glu Pro Gly Asp His Glu Arg Ala Lys Ser Thr
115 120 125

Val Met
130

<210> 674
<211> 80
<212> PRT
<213> Homo sapiens

<400> 674
Met Ser Leu Ile Trp Arg Asp Val Tyr Leu Tyr Gly Cys Gly Cys Ile
1 5 10 15

Cys His Gly Arg Cys Cys Ala Gly Phe Pro Gln His Ser Arg His Val
20 25 30

Trp Arg Thr Asn Ala Gly Leu Ile Leu Pro Gly Asn Arg Val Pro Phe
35 40 45

Cys Glu Leu Glu Gly Cys Thr Arg Arg Ser Ser Tyr Trp Asn His Leu
50 55 60

Val Ile Leu Gly Gly His Trp Gly Leu His Leu Pro Cys Thr Ser Leu
65 70 75 80

<210> 675
<211> 49
<212> PRT
<213> Homo sapiens

<400> 675
Met Phe Pro Trp Cys Val Cys Val Ile Ala Cys Ile Ser Ala Val Thr
1 5 10 15

Pro Leu Ile Gln Gly Phe Thr Phe Cys Ser Phe Ser Tyr Pro Gln Tyr
20 25 30

Ser Thr Val Arg Tyr Phe Glu Arg Glu Thr Thr Leu Thr Leu Leu Leu
35 40 45

Leu

<210> 676
<211> 41
<212> PRT
<213> Homo sapiens

<400> 676
Met Asn Leu Ser Phe Leu Ser Phe Phe Leu Phe Phe Tyr Leu Leu Trp
1 5 10 15

Ser Pro Ala Glu Ser Val Tyr Lys Lys Gly Met Val Lys Lys Asn Leu
20 25 30

Ser His Ser Ile Val Glu Lys Ile Lys
35 40

<210> 677
<211> 50
<212> PRT
<213> Homo sapiens

<400> 677
Met Met Gly Leu Leu Glu Thr Gly Asn Val Leu Phe Trp Val Trp Val
1 5 10 15

Val Val Thr Cys Val Tyr Ser Leu Tyr Ala Asn Ser Leu Asn Cys Thr
20 25 30

Asp Met Asp Cys Ala Pro Phe Tyr Met Cys Val Met Leu Gln Gln Lys
35 40 45

Cys Gln
50

<210> 678
<211> 318
<212> PRT
<213> Homo sapiens

<400> 678

```
Met Ala Lys Arg Thr Phe Ser Asn Leu Glu Thr Phe Leu Ile Phe Leu
 1               5                  10                  15

Leu Val Met Met Ser Ala Ile Thr Val Ala Leu Leu Ser Leu Leu Phe
            20                  25                  30

Ile Thr Ser Gly Thr Ile Glu Asn His Lys Asp Leu Gly Gly His Phe
        35                  40                  45

Phe Ser Thr Thr Gln Ser Pro Pro Ala Thr Gln Gly Ser Thr Ala Ala
    50                  55                  60

Gln Arg Ser Thr Ala Thr Gln His Ser Thr Ala Thr Gln Ser Ser Thr
65                  70                  75                  80

Ala Thr Gln Thr Ser Pro Val Pro Leu Thr Pro Glu Ser Pro Leu Phe
                85                  90                  95

Gln Asn Phe Ser Gly Tyr His Ile Gly Val Gly Arg Ala Asp Cys Thr
            100                 105                 110

Gly Gln Val Ala Asp Ile Asn Leu Met Gly Tyr Gly Lys Ser Gly Gln
        115                 120                 125

Asn Ala Gln Gly Ile Leu Thr Arg Leu Tyr Ser Arg Ala Phe Ile Met
    130                 135                 140

Ala Glu Pro Asp Gly Ser Asn Arg Thr Val Phe Val Ser Ile Asp Ile
145                 150                 155                 160

Gly Met Val Ser Gln Arg Leu Arg Leu Glu Val Leu Asn Arg Leu Gln
                165                 170                 175

Ser Lys Tyr Gly Ser Leu Tyr Arg Arg Asp Asn Val Ile Leu Ser Gly
            180                 185                 190

Thr His Thr His Ser Gly Pro Ala Gly Tyr Phe Gln Tyr Thr Val Phe
        195                 200                 205

Val Ile Ala Ser Glu Gly Phe Ser Asn Gln Thr Phe Gln His Met Val
    210                 215                 220

Thr Gly Ile Leu Lys Ser Ile Asp Ile Pro His Thr Asn Met Lys Pro
225                 230                 235                 240

Gly Lys Ile Phe Ile Asn Lys Gly Asn Val Asp Gly Val Gln Ile Asn
                245                 250                 255

Arg Ser Pro Tyr Ser Tyr Leu Gln Asn Pro Gln Ser Glu Arg Ala Arg
            260                 265                 270

Tyr Ser Ser Asn Thr Asp Lys Glu Met Ile Val Leu Lys Met Val Asp
        275                 280                 285

Leu Asn Gly Asp Asp Leu Gly Leu Ile Ser Phe Ser Phe Ser Lys Ser
    290                 295                 300

Ala Leu Gly Thr Tyr Tyr Glu Pro Arg Asn Thr Ser Leu Glu
305                 310                 315
```

<210> 679
<211> 55
<212> PRT
<213> Homo sapiens

<400> 679
Met Pro Gly Gly Arg Asp Gly Leu Leu Tyr Leu Tyr His Gly Tyr Ser
1 5 10 15

Ala Leu Leu Leu Trp Pro Val Ala Phe Leu His Leu Leu Phe Leu Ile
20 25 30

Leu Leu Gly Met Cys Phe Ala Cys Cys Ile Pro Thr Ser Ser Ala Pro
35 40 45

Leu His Thr Pro Trp Leu Ala
50 55

<210> 680
<211> 113
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (38)
<223> Xaa equals any amino acid

<400> 680
Met Arg Pro Leu Leu Leu Gly Gly Tyr Trp Val Leu Cys Leu Ser Val
1 5 10 15

Leu Gly His Ala Ala Leu Tyr His Phe Trp Leu Arg Glu Glu Gly Lys
20 25 30

Gly Pro Pro Gln Val Xaa Ser Val Leu Ala Leu Ala Leu Pro Ala Gly
35 40 45

Ser Cys Ala Pro Gly Leu Pro Phe Pro Gly Pro Leu Ile Pro Thr Gln
50 55 60

Leu Leu Phe Ala Leu Glu Trp Gly Thr Pro Thr Pro Leu Arg Asp His
65 70 75 80

Pro Pro His Ser Met His Ser Ala Pro Gln Asn Pro Pro Val Phe Leu
85 90 95

Gly Thr His Thr Cys Pro Pro Ser Trp Tyr Phe Arg Leu Ile Pro Gln
100 105 110

Ala

<210> 681

<211> 87
<212> PRT
<213> Homo sapiens

<400> 681
Met Asp Leu Thr Val Glu Gly Phe Gln Ser Trp Met Trp Arg Gly Leu
1 5 10 15

Thr Phe Leu Leu Pro Phe Leu Phe Phe Gly His Phe Trp Gln Leu Phe
20 25 30

Asn Ala Leu Thr Leu Phe Asn Leu Ala Gln Asp Pro Gln Cys Lys Glu
35 40 45

Trp Gln Val Leu Met Cys Gly Phe Pro Phe Leu Leu Leu Phe Leu Gly
50 55 60

Asn Phe Phe Thr Thr Leu Arg Val Val His His Lys Phe His Ser Gln
65 70 75 80

Arg His Gly Ser Lys Lys Asp
85

<210> 682
<211> 161
<212> PRT
<213> Homo sapiens

<400> 682
Met Ala Leu Ser Leu Thr Leu Cys Phe Val Met Phe Trp Thr Pro Asn
1 5 10 15

Val Ser Glu Lys Ile Leu Ile Asp Ile Ile Gly Val Asp Phe Ala Phe
20 25 30

Ala Glu Leu Cys Val Val Pro Leu Arg Ile Phe Ser Phe Phe Pro Val
35 40 45

Pro Val Thr Val Arg Ala His Leu Thr Gly Trp Leu Met Thr Leu Lys
50 55 60

Lys Thr Phe Val Leu Ala Pro Ser Ser Val Leu Arg Ile Ile Val Leu
65 70 75 80

Ile Ala Ser Leu Val Val Leu Pro Tyr Leu Gly Val His Gly Ala Thr
85 90 95

Leu Gly Val Gly Ser Leu Leu Ala Gly Phe Val Gly Glu Ser Thr Met
100 105 110

Val Ala Ile Ala Ala Cys Tyr Val Tyr Arg Lys Gln Lys Lys Lys Met
115 120 125

Glu Asn Glu Ser Ala Thr Glu Gly Glu Asp Ser Ala Met Thr Asp Met
130 135 140

Pro Pro Thr Glu Glu Val Thr Asp Ile Val Glu Met Arg Glu Glu Asn
145 150 155 160

Glu

<210> 683
<211> 348
<212> PRT
<213> Homo sapiens

<400> 683

```
Met Asn Met Thr Gln Ala Arg Val Leu Val Ala Ala Val Val Gly Leu
  1               5                  10                  15

Val Ala Val Leu Leu Tyr Ala Ser Ile His Lys Ile Glu Glu Gly His
            20                  25                  30

Leu Ala Val Tyr Tyr Arg Gly Gly Ala Leu Leu Thr Ser Pro Ser Gly
         35                  40                  45

Pro Gly Tyr His Ile Met Leu Pro Phe Ile Thr Thr Phe Arg Ser Val
     50                  55                  60

Gln Thr Thr Leu Gln Thr Asp Glu Val Lys Asn Val Pro Cys Gly Thr
 65                  70                  75                  80

Ser Gly Gly Val Met Ile Tyr Ile Asp Arg Ile Glu Val Val Asn Met
                 85                  90                  95

Leu Ala Pro Tyr Ala Val Phe Asp Ile Val Arg Asn Tyr Thr Ala Asp
            100                 105                 110

Tyr Asp Lys Thr Leu Ile Phe Asn Lys Ile His His Glu Leu Asn Gln
        115                 120                 125

Phe Cys Ser Ala His Thr Leu Gln Glu Val Tyr Ile Glu Leu Phe Asp
    130                 135                 140

Gln Ile Asp Glu Asn Leu Lys Gln Ala Leu Gln Lys Asp Leu Asn Leu
145                 150                 155                 160

Met Ala Pro Gly Leu Thr Ile Gln Ala Val Arg Val Thr Lys Pro Lys
                165                 170                 175

Ile Pro Glu Ala Ile Arg Arg Asn Phe Glu Leu Met Glu Ala Glu Lys
            180                 185                 190

Thr Lys Leu Leu Ile Ala Ala Gln Lys Gln Lys Val Val Glu Lys Glu
        195                 200                 205

Ala Glu Thr Glu Arg Lys Lys Ala Val Ile Glu Ala Glu Lys Ile Ala
    210                 215                 220

Gln Val Ala Lys Ile Arg Phe Gln Gln Lys Val Met Glu Lys Glu Thr
225                 230                 235                 240

Glu Lys Arg Ile Ser Glu Ile Glu Asp Ala Ala Phe Leu Ala Arg Glu
                245                 250                 255

Lys Ala Lys Ala Asp Ala Glu Tyr Tyr Ala Ala His Lys Tyr Ala Thr
            260                 265                 270
```

```
Ser Asn Lys His Lys Leu Thr Pro Glu Tyr Leu Glu Leu Lys Lys Tyr
        275                 280                 285

Gln Ala Ile Ala Ser Asn Ser Lys Ile Tyr Phe Gly Ser Asn Ile Pro
    290                 295                 300

Asn Met Phe Val Asp Ser Ser Cys Ala Leu Lys Tyr Ser Asp Ile Arg
305                 310                 315                 320

Thr Gly Arg Glu Ser Ser Leu Pro Ser Lys Glu Ala Leu Glu Pro Ser
                325                 330                 335

Gly Glu Asn Val Ile Gln Asn Lys Glu Ser Thr Gly
            340                 345
```

<210> 684
<211> 151
<212> PRT
<213> Homo sapiens

<400> 684

```
Met Arg Arg Leu Leu Leu Val Thr Ser Leu Val Val Val Leu Leu Trp
  1               5                  10                  15

Glu Ala Gly Ala Val Pro Ala Pro Lys Val Pro Ile Lys Met Gln Val
             20                  25                  30

Lys His Trp Pro Ser Glu Gln Asp Pro Glu Lys Ala Trp Gly Ala Arg
         35                  40                  45

Val Val Glu Pro Pro Glu Lys Asp Asp Gln Leu Val Val Leu Phe Pro
     50                  55                  60

Val Gln Lys Pro Lys Leu Leu Thr Thr Glu Glu Lys Pro Arg Gly Gln
 65                  70                  75                  80

Gly Arg Gly Pro Ile Leu Pro Gly Thr Lys Ala Trp Met Glu Thr Glu
                 85                  90                  95

Asp Thr Leu Gly Arg Val Leu Ser Pro Glu Pro Asp His Asp Ser Leu
            100                 105                 110

Tyr His Pro Pro Pro Glu Glu Asp Gln Gly Glu Glu Arg Pro Arg Leu
        115                 120                 125

Trp Val Met Pro Asn His Gln Val Leu Leu Gly Pro Glu Glu Asp Gln
    130                 135                 140

Asp His Ile Tyr His Pro Gln
145                 150
```

<210> 685
<211> 41
<212> PRT
<213> Homo sapiens

<400> 685
Met Gln Val Ala Cys Val Met Lys Val Ser Ala Gln Trp Val Cys Phe
1 5 10 15

Phe Val Val Phe Ser Pro Leu Cys Ser Ser Val Lys Cys Ala Ser Ser
20 25 30

Gly Gln Asn Arg Gly Arg Gly Asp Gln
35 40

<210> 686
<211> 44
<212> PRT
<213> Homo sapiens

<400> 686
Met Pro Leu Cys Gly Leu Tyr Cys Leu Arg Ile Leu Met Phe Pro Leu
1 5 10 15

Arg Ser Ala Asn Ser Val Pro Leu Gln Cys Leu Pro Pro Ser Ser Leu
20 25 30

Ala Asn Lys Asp Ser His Phe Arg Ala Pro Arg Lys
35 40

<210> 687
<211> 116
<212> PRT
<213> Homo sapiens

<400> 687
Met Thr Pro Leu Leu Thr Leu Ile Leu Val Val Leu Met Gly Leu Pro
1 5 10 15

Leu Ala Gln Ala Leu Asp Cys His Val Cys Ala Tyr Asn Gly Asp Asn
20 25 30

Cys Phe Asn Pro Met Arg Cys Pro Ala Met Val Ala Tyr Cys Met Thr
35 40 45

Thr Arg Thr Tyr Tyr Thr Pro Thr Arg Met Lys Val Ser Lys Ser Cys
50 55 60

Val Pro Arg Cys Phe Glu Thr Val Tyr Asp Gly Tyr Ser Lys His Ala
65 70 75 80

Ser Thr Thr Ser Cys Cys Gln Tyr Asp Leu Cys Asn Gly Thr Gly Leu
85 90 95

Ala Thr Pro Ala Thr Leu Ala Leu Ala Pro Ile Leu Leu Ala Thr Leu
100 105 110

Trp Gly Leu Leu
115

<210> 688
<211> 50
<212> PRT
<213> Homo sapiens

<400> 688
Met Pro Gly Ile Leu Ala Gly Ile Pro Val Lys Asp Leu Cys Leu Ser
1 5 10 15

Leu Leu Gln Gly Phe Arg Leu Leu Leu Leu Cys Val Cys Pro Gly Trp
20 25 30

Leu Ser Gly Trp Met Gly Gly Gln Lys Gly Ser Pro Arg Ile Val Asp
35 40 45

Ile Gly
50

<210> 689
<211> 206
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (143)
<223> Xaa equals any amino acid

<400> 689
Met Ala Ser His Gly Leu Cys Pro Cys Leu Leu Met Gly Thr Gly Trp
1 5 10 15

Gly Leu Trp Thr Leu Leu Pro Asp Leu Glu Val Met Ala Gly Lys Gly
20 25 30

Arg Met Pro Phe Ala Gly Ile Ser Val Thr Ser Gly Phe Leu Arg Ser
35 40 45

Leu Lys Arg Ala Pro Leu Pro His Thr Gly Ser Pro Asp Pro Arg Pro
50 55 60

Ser Gly Ile Trp Ser Gly Val Arg Thr Thr Ser Glu Glu Ala Gly Ala
65 70 75 80

Thr Ser Thr Gln Ile Ser Thr Ala Ala Pro Arg Phe His Ser Arg Arg
85 90 95

Lys Gly Pro Lys Arg Asn Leu Ala Pro Gln Leu Arg Val Leu Val His
100 105 110

Arg Thr Val Pro Pro Gly Gln Leu Val Tyr Ala Pro Gln Thr Val Asp
115 120 125

Ser Leu Arg Gly Thr Leu Leu Arg Pro Pro Ala Trp Leu Leu Xaa Gln
130 135 140

Val Pro Cys Phe Tyr Ser Gly Gln Pro Leu Leu Val Ser Ala Ser Val
145 150 155 160

```
Leu Cys Arg Asp Leu Met Gln Phe Leu Phe Leu Leu Lys Ser Tyr Leu
                165                 170                 175

Leu Pro Phe Leu Glu Val Cys Arg Ile Gly Trp Glu Gln Ile Gln Arg
            180                 185                 190

Ile Leu Gly Ala Gly Leu Trp Arg Gln Lys Glu Gly Asn Gly
        195                 200                 205
```

<210> 690
<211> 107
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (7)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (9)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (13)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (95)
<223> Xaa equals any amino acid

<400> 690

```
Met Ala Val Val Leu Ser Xaa Lys Xaa His Arg Gly Xaa Tyr Cys Gly
  1               5                  10                  15

Arg Thr Ser Leu Leu Leu Ser Leu Leu Ser Cys Leu Leu Leu Leu Leu
             20                  25                  30

Leu Leu Leu Leu Leu Leu Leu Trp Ser Leu Ser Glu Ile Lys Thr Leu
         35                  40                  45

Lys Leu Ile Cys Ile Leu Ser Ala Arg Asp Ala Asp Gly Ser Arg Ala
     50                  55                  60

Lys Ser His Gly Phe Gln Ile Arg Tyr Ser Ala His Ser Phe Gln Gly
 65                  70                  75                  80

His Arg Phe Leu Lys Gly Pro Gly Phe Glu Glu Met Ala Asn Xaa Glu
                 85                  90                  95

Pro Ser Glu Asn Leu Ile Trp Lys Thr Cys Met
            100                 105
```

<210> 691
<211> 55
<212> PRT
<213> Homo sapiens

<400> 691
Met Leu Pro Ser Asn Trp Ser Gly Thr Trp Ala Leu Ile Gln Leu Ser
1 5 10 15

Ile Pro Phe Thr Leu Ala Phe His Gln Pro Asn Lys Asn Gln Leu Thr
20 25 30

Gln Lys Lys Arg Lys Ala Pro Gln Gly Ser Phe Asp Pro Asp Ile Tyr
35 40 45

Ile Asp Ala Ile Gly Val Pro
50 55

<210> 692
<211> 75
<212> PRT
<213> Homo sapiens

<400> 692
Met Ser Arg Phe Ile Leu Asn His Leu Val Leu Ala Ile Pro Leu Arg
1 5 10 15

Val Leu Val Val Leu Trp Ala Phe Val Leu Gly Leu Ser Arg Val Met
20 25 30

Leu Gly Arg His Asn Val Thr Asp Val Ala Phe Gly Phe Phe Leu Gly
35 40 45

Tyr Met Gln Tyr Ser Ile Val Asp Tyr Cys Trp Leu Ser Pro His Asn
50 55 60

Ala Pro Val Leu Phe Leu Leu Trp Ser Gln Arg
65 70 75

<210> 693
<211> 97
<212> PRT
<213> Homo sapiens

<400> 693
Met Cys Lys Gly Leu Lys Asn Pro Glu Gly Leu Leu Leu Leu Leu Leu
1 5 10 15

Leu Leu Leu Phe Thr Asp Thr Ser Asn Ser His Cys Leu Pro Pro Tyr
20 25 30

Leu Ser Cys Phe Leu His Glu Arg Gln Pro Glu Leu Gln Ser Val Cys
35 40 45

Ile Ser Ala Ala Tyr Val Leu Ala Thr Pro Pro Glu Pro Ser Phe Ile
50 55 60

Leu Val Gly Phe Ser Glu Ala Gly Phe Ala Gln Val Ala Cys Phe Leu
65 70 75 80

Lys Tyr Leu Phe Cys Arg Pro Phe Thr Arg His Gly Tyr Phe Tyr Ser
85 90 95

Gly

<210> 694
<211> 187
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (167)
<223> Xaa equals any amino acid

<400> 694
Met Gly Phe Phe Leu Val Leu Val Met Glu Gln Ile Thr Leu Ala Tyr
1 5 10 15

Lys Glu Gln Ser Gly Pro Ser Pro Leu Glu Glu Thr Arg Ala Leu Leu
20 25 30

Gly Thr Val Asn Gly Gly Pro Gln His Trp His Asp Gly Pro Gly Val
35 40 45

Pro Gln Ala Ser Gly Ala Pro Ala Thr Pro Ser Ala Leu Arg Ala Cys
50 55 60

Val Leu Val Phe Ser Leu Ala Leu His Ser Val Phe Glu Gly Leu Ala
65 70 75 80

Val Gly Leu Gln Arg Asp Arg Ala Arg Ala Met Glu Leu Cys Leu Ala
85 90 95

Leu Leu Leu His Lys Gly Ile Leu Ala Val Ser Leu Ser Leu Arg Leu
100 105 110

Leu Gln Ser His Leu Arg Ala Gln Val Val Ala Gly Cys Gly Ile Leu
115 120 125

Phe Ser Cys Met Thr Pro Leu Gly Ile Gly Leu Gly Ala Ala Leu Ala
130 135 140

Glu Ser Ala Gly Pro Leu His Gln Leu Ala Gln Ser Val Leu Glu Gly
145 150 155 160

Met Ala Ala Gly Thr Phe Xaa Tyr Ile Thr Phe Leu Glu Ile Leu Leu
165 170 175

Phe His Pro Lys Phe Lys Gly Val Ser Arg Arg
180 185

<210> 695

<211> 113
<212> PRT
<213> Homo sapiens

<400> 695
Met Ile Leu Ser Leu Leu Phe Ser Leu Gly Gly Pro Leu Gly Trp Gly
1 5 10 15

Leu Leu Gly Ala Trp Ala Gln Ala Ser Ser Thr Ser Leu Ser Asp Leu
20 25 30

Gln Ser Ser Arg Thr Pro Gly Val Trp Lys Ala Glu Ala Glu Asp Thr
35 40 45

Ser Lys Asp Pro Val Gly Arg Asn Trp Cys Pro Tyr Pro Met Ser Lys
50 55 60

Leu Val Thr Leu Leu Ala Leu Cys Lys Thr Glu Lys Phe Leu Ile His
65 70 75 80

Ser Gln Gln Pro Cys Pro Gln Glu Leu Gln Thr Ala Arg Lys Ser Lys
85 90 95

Ser Cys Thr Ala Trp Pro Thr Ser Gln Cys Thr Arg Ser Ser Arg Arg
100 105 110

Cys

<210> 696
<211> 140
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (36)
<223> Xaa equals any amino acid

<400> 696
Met Phe Leu Phe Gly Gly Phe Leu Met Thr Leu Phe Gly Leu Phe Val
1 5 10 15

Ser Leu Val Phe Leu Gly Gln Ala Phe Thr Ile Met Leu Val Tyr Val
20 25 30

Trp Ser Arg Xaa Asn Pro Tyr Val Arg Met Asn Phe Phe Gly Leu Leu
35 40 45

Asn Phe Gln Ala Pro Phe Leu Pro Trp Val Leu Met Gly Phe Ser Leu
50 55 60

Leu Leu Gly Asn Ser Ile Ile Val Asp Leu Leu Gly Ile Ala Val Gly
65 70 75 80

His Ile Tyr Phe Phe Leu Glu Asp Val Phe Pro Asn Gln Pro Gly Gly
85 90 95

Ile Arg Ile Leu Lys Thr Pro Ser Ile Leu Lys Ala Ile Phe Asp Thr

100 105 110

Pro Asp Glu Asp Pro Asn Tyr Asn Pro Leu Pro Glu Glu Arg Pro Gly
115 120 125

Gly Phe Ala Trp Gly Glu Gly Gln Arg Leu Gly Gly
130 135 140

<210> 697
<211> 278
<212> PRT
<213> Homo sapiens

<400> 697
Met Gln Trp Leu Arg Val Arg Glu Ser Pro Gly Glu Ala Thr Gly His
1 5 10 15

Arg Val Thr Met Gly Thr Ala Ala Leu Gly Pro Val Trp Ala Ala Leu
20 25 30

Leu Leu Phe Leu Leu Met Cys Glu Ile Pro Met Val Glu Leu Thr Phe
35 40 45

Asp Arg Ala Val Ala Ser Asp Cys Gln Arg Cys Cys Asp Ser Glu Asp
50 55 60

Pro Leu Asp Pro Ala His Val Ser Ser Ala Ser Ser Ser Gly Arg Pro
65 70 75 80

His Ala Leu Pro Glu Ile Arg Pro Tyr Ile Asn Ile Thr Ile Leu Lys
85 90 95

Gly Asp Lys Gly Asp Pro Gly Pro Met Gly Leu Pro Gly Tyr Met Gly
100 105 110

Arg Glu Gly Pro Gln Gly Glu Pro Gly Pro Gln Gly Ser Lys Gly Asp
115 120 125

Lys Gly Glu Met Gly Ser Pro Gly Ala Pro Cys Gln Lys Arg Phe Phe
130 135 140

Ala Phe Ser Val Gly Arg Lys Thr Ala Leu His Ser Gly Glu Asp Phe
145 150 155 160

Gln Thr Leu Leu Phe Glu Arg Val Phe Val Asn Leu Asp Gly Cys Phe
165 170 175

Asp Met Ala Thr Gly Gln Phe Ala Ala Pro Leu Arg Gly Ile Tyr Phe
180 185 190

Phe Ser Leu Asn Val His Ser Trp Asn Tyr Lys Glu Thr Tyr Val His
195 200 205

Ile Met His Asn Gln Lys Glu Ala Val Ile Leu Tyr Ala Gln Pro Ser
210 215 220

Glu Arg Ser Ile Met Gln Ser Gln Ser Val Met Leu Asp Leu Ala Tyr
225 230 235 240

```
Gly Asp Arg Val Trp Val Arg Leu Phe Lys Arg Gln Arg Glu Asn Ala
                245                 250                 255

Ile Tyr Ser Asn Asp Phe Asp Thr Tyr Ile Thr Phe Ser Gly His Leu
            260                 265                 270

Ile Lys Ala Glu Asp Asp
        275
```

<210> 698
<211> 354
<212> PRT
<213> Homo sapiens

<400> 698

```
Met Trp Arg Leu Trp Pro Gly Ser Pro Leu Val Pro Leu Ser Trp Leu
  1               5                  10                  15

Trp Pro Ala Arg Ala Ala Phe Leu Ser Gly Pro Trp Thr Leu Pro Pro
             20                  25                  30

Cys Leu Pro Asp Pro Leu Leu Ala Val Pro Lys Cys Cys Leu Thr Leu
         35                  40                  45

Gly Ile His Leu Leu Pro Ala Trp Pro Gly Pro Pro Val Gly Gly Gly
     50                  55                  60

Cys Ser Gln Leu His Arg Gly Cys Cys Tyr Pro Gly Met Gly Cys Leu
 65                  70                  75                  80

Asn Arg Asp Leu Cys Pro Pro Ser Leu Val Ser Arg Arg Trp Gly Asp
                 85                  90                  95

Gln Leu Leu Trp Ser Pro Asp Gly Ser Lys Ile Leu Ala Thr Thr Pro
            100                 105                 110

Ser Ala Val Phe Arg Val Trp Glu Ala Gln Met Trp Thr Cys Glu Arg
        115                 120                 125

Trp Pro Thr Leu Ser Gly Arg Cys Gln Thr Gly Cys Trp Ser Pro Asp
    130                 135                 140

Gly Ser Arg Leu Leu Phe Thr Val Leu Gly Glu Pro Leu Ile Tyr Ser
145                 150                 155                 160

Leu Ser Phe Pro Glu Arg Cys Gly Glu Gly Lys Gly Cys Val Gly Gly
                165                 170                 175

Ala Lys Ser Ala Thr Ile Val Ala Asp Leu Ser Glu Thr Thr Ile Gln
            180                 185                 190

Thr Pro Asp Gly Glu Glu Arg Leu Gly Gly Glu Ala His Ser Met Val
        195                 200                 205

Trp Asp Pro Ser Gly Glu Arg Leu Ala Val Leu Met Lys Gly Lys Pro
    210                 215                 220

Arg Val Gln Asp Gly Lys Pro Val Ile Leu Leu Phe Arg Thr Arg Asn
225                 230                 235                 240
```

```
Ser Pro Val Phe Glu Leu Leu Pro Cys Gly Ile Ile Gln Gly Glu Pro
                245                 250                 255

Gly Ala Gln Pro Gln Leu Ile Thr Phe His Leu Pro Ser Thr Lys Gly
            260                 265                 270

Pro Cys Ser Val Trp Ala Gly Pro Gln Ala Glu Leu Pro Thr Ser Arg
        275                 280                 285

Cys Thr Leu Ser Met Pro Ser Phe His Val Leu Ala Gln Cys Leu Gly
    290                 295                 300

Gly Pro Arg Asn Pro Leu Leu Gly Val Glu Ala Leu Phe Met Thr Cys
305                 310                 315                 320

Pro Ser Leu Leu Arg His Pro Gln Pro Leu Pro Leu Gly Thr Leu Ser
                325                 330                 335

Gln Gly His His Leu Phe Cys Pro Thr Pro His Ile Pro Thr Ser Lys
            340                 345                 350

Asn Lys
```

<210> 699
<211> 60
<212> PRT
<213> Homo sapiens

<400> 699

```
Met Ile Arg Ile Gln Phe Leu His Leu Phe Leu Trp Val Gly Phe Ile
  1               5                  10                  15

Phe Arg Gln Pro Pro Ser Ser Tyr Pro Gln Asp Gly Arg Asp Ser Pro
             20                  25                  30

Trp Ser Phe Pro Cys Arg Asp Arg Ser Pro Gly Asn Asn Thr Ser Ile
         35                  40                  45

Pro Ser His Glu Thr Val Leu Asn Phe Ile Leu Thr
     50                  55                  60
```

<210> 700
<211> 232
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (36)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (67)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (70)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (71)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (82)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (92)
<223> Xaa equals any amino acid

<400> 700

```
Met Ala Ile Ser Ile Pro Asn Arg Ile Phe Pro Ile Thr Ala Leu Thr
  1               5                  10                  15

Leu Leu Ala Leu Val Tyr Ser Leu Val Leu Leu Leu Pro Phe Tyr Asn
             20                  25                  30

Cys Thr Glu Xaa Thr Lys Tyr Arg Arg Phe Pro Asp Trp Leu Asp His
         35                  40                  45

Trp Met Leu Cys Arg Lys Gln Leu Gly Leu Val Ala Leu Gly Phe Ala
     50                  55                  60

Phe Leu Xaa Val Leu Xaa Xaa Leu Val Ile Pro Ile Arg Tyr Tyr Val
 65                  70                  75                  80

Arg Xaa Arg Leu Gly Asn Leu Thr Val Thr Gln Xaa Ile Leu Lys Lys
                 85                  90                  95

Glu Asn Pro Phe Ser Thr Ser Ser Ala Trp Leu Ser Asp Ser Tyr Val
            100                 105                 110

Ala Leu Gly Ile Leu Gly Phe Phe Leu Phe Val Leu Leu Gly Ile Thr
        115                 120                 125

Ser Leu Pro Ser Val Ser Asn Ala Val Asn Trp Arg Glu Phe Arg Phe
    130                 135                 140

Val Gln Ser Lys Leu Gly Tyr Leu Thr Leu Ile Leu Cys Thr Ala His
145                 150                 155                 160

Thr Leu Val Tyr Gly Gly Lys Arg Phe Leu Ser Pro Ser Asn Leu Arg
                165                 170                 175

Trp Tyr Leu Pro Ala Ala Tyr Val Leu Gly Leu Ile Ile Pro Cys Thr
            180                 185                 190

Val Leu Val Ile Lys Phe Val Leu Ile Met Pro Cys Val Asp Asn Thr
        195                 200                 205
```

Leu Thr Arg Ile Arg Arg Ala Gly Lys Gly Thr Gln Asn Thr Arg Lys
210 215 220

Ser Ile Glu Trp Lys Ile Asn Ile
225 230

<210> 701
<211> 46
<212> PRT
<213> Homo sapiens

<400> 701
Met Thr Leu Ser Leu Gln Leu Ala Glu Leu Val His Phe Val Cys Ala
1 5 10 15

Phe Gln Ser Gln Trp Thr Gly Val Tyr Pro Met Met Pro Pro Leu Lys
20 25 30

Pro Thr Glu Pro Leu Cys Phe Ala Cys Val Pro Cys Arg Val
35 40 45

<210> 702
<211> 152
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (66)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (77)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (81)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (84)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (86)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (87)
<223> Xaa equals any amino acid

<220>

<221> SITE
<222> (93)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (103)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (110)
<223> Xaa equals any amino acid

<400> 702
Met Asp His Ser Pro Thr Thr Gly Val Val Thr Val Ile Val Ile Leu
1 5 10 15

Ile Ala Ile Ala Ala Leu Gly Ala Phe Asp Pro Gly Leu Leu Val Leu
20 25 30

Pro Ala Ala Ala Ala His Gln Pro Val Arg Gly Arg Gly Glu His Arg
35 40 45

Gly Gly Trp Gly Asp Gln Gly Thr Leu Pro Ala Gly Ala Val Phe Gly
50 55 60

Gln Xaa Thr Val Arg Gly Glu Lys Gly Gln Ala Asp Xaa Ser Gln Thr
65 70 75 80

Xaa Arg Lys Xaa Thr Xaa Xaa Pro Gly Cys Lys Gly Xaa Leu Val Pro
85 90 95

Val Cys Lys Pro Ala Lys Xaa Gly Leu Gly Gly Ala Lys Xaa Ile Arg
100 105 110

Met Arg Cys Cys Leu Arg Gly Arg Ala Asp Thr Cys Trp His Gly Leu
115 120 125

Cys Gly Phe Arg Pro Ser His Ala Leu Met Pro Gly Asp Leu Ala Val
130 135 140

Leu Gly Phe Pro Ser Ala Ser Arg
145 150

<210> 703
<211> 88
<212> PRT
<213> Homo sapiens

<400> 703
Met Val Ala Gly Phe Val Phe Tyr Leu Gly Val Phe Val Val Cys His
1 5 10 15

Gln Leu Ser Ser Ser Leu Asn Ala Thr Tyr Arg Ser Leu Val Ala Arg
20 25 30

Glu Lys Val Phe Trp Asp Leu Ala Ala Thr Arg Ala Val Phe Gly Val
35 40 45

```
Gln Ser Thr Ala Ala Ala Val Gly Ser Ala Gly Gly Pro Cys Ala Ala
     50                  55                  60

Cys Arg Gln Gly Ala Trp Pro Ala Glu Leu Val Leu Val Ser His His
 65                  70                  75                  80

Asp Ser Asn Gly Ile Leu Leu Leu
                85
```

<210> 704
<211> 340
<212> PRT
<213> Homo sapiens

<400> 704

```
Met Ala Leu Arg Leu Leu Arg Arg Ala Ala Arg Gly Ala Ala Ala Ala
  1               5                  10                  15

Ala Leu Leu Arg Leu Lys Ala Ser Leu Ala Ala Asp Ile Pro Arg Leu
             20                  25                  30

Gly Tyr Ser Ser Ser Ser His His Lys Tyr Ile Pro Arg Arg Ala Val
         35                  40                  45

Leu Tyr Val Pro Gly Asn Asp Glu Lys Lys Ile Lys Lys Ile Pro Ser
     50                  55                  60

Leu Asn Val Asp Cys Ala Val Leu Asp Cys Glu Asp Gly Val Ala Ala
 65                  70                  75                  80

Asn Lys Lys Asn Glu Ala Arg Leu Arg Ile Val Lys Thr Leu Glu Asp
                85                  90                  95

Ile Asp Leu Gly Pro Thr Glu Lys Cys Val Arg Val Asn Ser Val Ser
            100                 105                 110

Ser Gly Leu Ala Glu Glu Asp Leu Glu Thr Leu Leu Gln Ser Arg Val
        115                 120                 125

Leu Pro Ser Ser Leu Met Leu Pro Lys Val Glu Ser Pro Glu Glu Ile
    130                 135                 140

Gln Trp Phe Ala Asp Lys Phe Ser Phe His Leu Lys Gly Arg Lys Leu
145                 150                 155                 160

Glu Gln Pro Met Asn Leu Ile Pro Phe Val Glu Thr Ala Met Gly Leu
                165                 170                 175

Leu Asn Phe Lys Ala Val Cys Glu Glu Thr Leu Lys Val Gly Pro Gln
            180                 185                 190

Val Gly Leu Phe Leu Asp Ala Val Val Phe Gly Gly Glu Asp Phe Arg
        195                 200                 205

Ala Ser Ile Gly Ala Thr Ser Ser Lys Glu Thr Leu Asp Ile Leu Tyr
    210                 215                 220

Ala Arg Gln Lys Ile Val Val Ile Ala Lys Ala Phe Gly Leu Gln Ala
```

```
225                 230                 235                 240

Val Asp Leu Val Tyr Ile Asp Phe Arg Asp Gly Ala Gly Leu Leu Arg
                245                 250                 255

Gln Ser Arg Glu Gly Ala Ala Met Gly Phe Thr Gly Lys Gln Val Ile
            260                 265                 270

His Pro Asn Gln Ile Ala Val Val Gln Glu Gln Phe Ser Pro Ser Pro
        275                 280                 285

Glu Lys Ile Lys Trp Ala Glu Glu Leu Ile Ala Ala Phe Lys Glu His
    290                 295                 300

Gln Gln Leu Gly Lys Gly Ala Phe Thr Phe Gln Gly Ser Met Ile Asp
305                 310                 315                 320

Met Pro Leu Leu Lys Gln Ala Gln Asn Thr Val Thr Leu Ala Thr Ser
                325                 330                 335

Ile Lys Glu Lys
            340
```

<210> 705
<211> 64
<212> PRT
<213> Homo sapiens

<400> 705

```
Met Val Arg His Ile Arg Glu Arg Arg Arg Gln Pro Leu Ala Phe Gln
  1               5                  10                  15

Arg Val Leu Leu Ser Leu Cys Leu Leu Glu Gly Ile Trp His Ser Pro
             20                  25                  30

Ala Ala Ala Ala Gly Gly Gly Ser His Cys Ser Ser Trp Pro Ser Leu
         35                  40                  45

Tyr Thr Thr Phe Gln Arg Val Ser Leu Leu Glu Leu Asp Leu Gly Leu
     50                  55                  60
```

<210> 706
<211> 44
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (16)
<223> Xaa equals any amino acid

<400> 706

```
Met Cys Leu Pro Leu Leu His Cys Thr Gly Ala Leu Trp Gly Lys Xaa
  1               5                  10                  15
```

Val Leu Leu Phe Leu Tyr Cys Leu Ala Gln Ser Phe Ala Tyr Ser Arg
20 25 30

His Gln Thr Val Gly Leu Val Val His Asp Tyr Trp
35 40

<210> 707
<211> 20
<212> PRT
<213> Homo sapiens

<400> 707
Met Ala Cys Cys Asn Pro Tyr Lys Tyr Tyr Phe Tyr Leu Ser Cys Ser
1 5 10 15

Val Cys Phe Leu
20

<210> 708
<211> 88
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (71)
<223> Xaa equals any amino acid

<400> 708
Met Ser Gly Ser Ser Leu Pro Arg Ala Leu Ala Leu Ser Leu Leu Leu
1 5 10 15

Val Ser Gly Ser Leu Leu Pro Gly Pro Gly Ala Ala Gln Asn Val Lys
20 25 30

Ser Thr Ile Trp Thr Gly Ser Glu Val Glu Asn Glu Val Val Lys Arg
35 40 45

Lys Gly Lys Asp Arg Arg Lys Ala Ala Val Val Gln Gly Glu Lys Gln
50 55 60

Asp Ala Arg Leu Lys Glu Xaa Asn Leu Cys Leu Arg Ser Ile Pro Glu
65 70 75 80

Asn Tyr Lys Leu Phe Arg Lys Gly
85

<210> 709
<211> 221
<212> PRT
<213> Homo sapiens

<220>
<221> SITE

<222> (184)
<223> Xaa equals any amino acid

<400> 709
Met Ala Gly Gly Val Arg Pro Leu Arg Gly Leu Arg Ala Leu Cys Arg
1 5 10 15

Val Leu Leu Phe Leu Ser Gln Phe Cys Ile Leu Ser Gly Gly Glu Ser
20 25 30

Thr Glu Ile Pro Pro Tyr Val Met Lys Cys Pro Ser Asn Gly Leu Cys
35 40 45

Ser Arg Leu Pro Ala Asp Cys Ile Asp Cys Thr Thr Asn Phe Ser Cys
50 55 60

Thr Tyr Gly Lys Pro Val Thr Phe Asp Cys Ala Val Lys Pro Ser Val
65 70 75 80

Thr Cys Val Asp Gln Asp Phe Lys Ser Gln Lys Asn Phe Ile Ile Asn
85 90 95

Met Thr Cys Arg Phe Cys Trp Gln Leu Pro Glu Thr Asp Tyr Glu Cys
100 105 110

Thr Asn Ser Thr Ser Cys Met Thr Val Ser Cys Pro Arg Gln Arg Tyr
115 120 125

Pro Ala Asn Cys Thr Val Arg Asp His Val His Cys Leu Gly Asn Arg
130 135 140

Thr Phe Pro Lys Met Leu Tyr Cys Asn Trp Thr Gly Gly Tyr Lys Trp
145 150 155 160

Ser Thr Ala Leu Ala Leu Ser Ile Thr Leu Gly Gly Phe Gly Ala Asp
165 170 175

Arg Phe Tyr Leu Gly Gln Trp Xaa Glu Gly Leu Gly Lys Leu Phe Ser
180 185 190

Phe Gly Gly Leu Gly Ile Trp Thr Leu Ile Asp Val Leu Leu Ile Gly
195 200 205

Val Gly Tyr Val Gly Pro Ala Asp Gly Ser Leu Tyr Ile
210 215 220

<210> 710
<211> 39
<212> PRT
<213> Homo sapiens

<400> 710
Met Trp Leu Thr Gln Pro Glu Ser Leu Ser Leu Cys Val Ser Val Ser
1 5 10 15

Gln Asp Trp Ala His Ile Leu Ala Leu Ser Ile Thr Met Leu Trp Asp
20 25 30

Phe Arg Glu Phe Pro His Leu

35

<210> 711
<211> 62
<212> PRT
<213> Homo sapiens

<400> 711
Met Glu Asn Val Cys Gln Ala Gly Phe Pro Ser Leu Leu His Leu Asn
1 5 10 15

Ile Thr Leu Thr Leu Leu Gly Leu Ala Gln Cys Tyr Leu Ala Asn Phe
20 25 30

Ser Ser Cys Arg Glu Gly Ser Glu His Tyr Leu Phe Phe Phe Phe Phe
35 40 45

Leu Leu Glu Pro Gly Leu His Lys Ala Met Ala Lys Phe Ser
50 55 60

<210> 712
<211> 64
<212> PRT
<213> Homo sapiens

<400> 712
Met Val Ser Pro Leu Ile Ser Ala Leu Phe His Val Pro Phe Leu Trp
1 5 10 15

Leu Gly Met Phe Phe Pro His Ser Leu Ser Gly Pro Phe Pro Ser His
20 25 30

Leu Arg Arg Ala Ser Ser Ser Arg Lys Pro Leu Val Lys Pro Pro Arg
35 40 45

Ala Arg Gln Tyr Pro Pro Leu Ala Ser Ser Gly Tyr Arg Gly Arg Ile
50 55 60

<210> 713
<211> 62
<212> PRT
<213> Homo sapiens

<400> 713
Met Lys Asn Ser Thr Ser Leu Leu Tyr Lys Leu Phe Ser Ser Leu Ser
1 5 10 15

Val Phe Ile Phe Lys Phe Leu Leu Leu Phe Tyr Thr Leu His Ile Ala
20 25 30

Leu Gly Val Lys Ile Gln Tyr Lys Pro Leu Ala His Phe Ile Asp His
35 40 45

Ser Cys Ile Gln Gln Val Ser Gln Val Gln Trp Ser Ile Pro
50 55 60

<210> 714
<211> 92
<212> PRT
<213> Homo sapiens

<400> 714
Met Ala Ala Gly Pro Ser Gly Cys Leu Val Pro Ala Phe Gly Leu Arg
1 5 10 15

Leu Leu Leu Ala Thr Val Leu Gln Ala Val Ser Ala Phe Gly Ala Glu
20 25 30

Phe Ser Ser Glu Ala Cys Arg Glu Leu Gly Phe Ser Ser Asn Leu Leu
35 40 45

Cys Ser Ser Cys Asp Leu Leu Gly Gln Phe Asn Leu Leu Gln Leu Asp
50 55 60

Pro Asp Cys Arg Gly Cys Cys Gln Glu Glu Ala Gln Phe Glu Thr Lys
65 70 75 80

Lys Leu Tyr Ala Gly Ala Ile Leu Glu Val Cys Gly
85 90

<210> 715
<211> 45
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (43)
<223> Xaa equals any amino acid

<400> 715
Met Ser Asp Lys Leu Ser Pro Ser Thr Val Pro Leu Leu Leu Pro Val
1 5 10 15

Leu Phe Lys Val Thr Ile Leu Leu Gln Arg Val Cys Pro Glu Asp Ser
20 25 30

Pro Ser Ser Ser Val Leu Pro Glu Ser Val Xaa Arg Glu
35 40 45

<210> 716
<211> 103
<212> PRT
<213> Homo sapiens

<400> 716
Met Ala Phe Leu Leu Glu Arg Ser Gly Thr Leu Leu Ile Cys Ser Met

```
  1               5                  10                  15

Trp Trp His His Gly Tyr Ser Asn Ile Thr Gly Thr Glu Gly Glu Arg
             20                  25                  30

Arg Asn Leu Lys Arg Asn Lys Thr Asn Phe Arg Arg Phe Gln Asp Gly
         35                  40                  45

Arg Ile Gly Thr Ala Pro Val Tyr Ser Ser Gln Cys Glu Arg Cys Arg
     50                  55                  60

Arg Trp Val Ile Ser Ala Phe Pro Thr Glu Gln Thr Ala His Gln Lys
 65                  70                  75                  80

Ile Ile Ser His Ala Trp Leu Gly Gly Ser His Ala His Gly Ala Ser
                 85                  90                  95

Leu Ile Ala Ser Thr Ala Val
            100
```

<210> 717
<211> 73
<212> PRT
<213> Homo sapiens

```
<400> 717
Met His Ala Tyr Ala Cys Val Cys Ala Cys Met Leu Val Cys Val Cys
  1               5                  10                  15

Val Cys Val Cys Arg Ala Leu Val Ile Pro Thr Glu Gln Arg His Arg
             20                  25                  30

Arg Val Ala His Gly Arg Thr Ser Asp Ser Thr Leu Pro Cys Thr Val
         35                  40                  45

Lys Ile Trp Pro Ser Glu Arg Gly Asp Gly Arg Gly Glu Arg Gly Glu
     50                  55                  60

Arg Arg Arg Gly Thr Asp Trp Arg Gly
 65                  70
```

<210> 718
<211> 221
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (51)
<223> Xaa equals any amino acid

```
<400> 718
Met Ala Leu Ala Leu Ala Ala Leu Ala Ala Val Glu Pro Ala Cys Gly
  1               5                  10                  15

Ser Arg Tyr Gln Gln Leu Gln Asn Glu Glu Glu Ser Gly Glu Pro Glu
             20                  25                  30
```

```
Gln Ala Ala Gly Asp Ala Pro Pro Pro Tyr Ser Ser Ile Ser Ala Glu
         35                  40                  45

Ser Ala Xaa Tyr Phe Asp Tyr Lys Asp Glu Ser Gly Phe Pro Lys Pro
     50                  55                  60

Pro Ser Tyr Asn Val Ala Thr Thr Leu Pro Ser Tyr Asp Glu Ala Glu
 65                  70                  75                  80

Arg Thr Lys Ala Glu Ala Thr Ile Pro Leu Val Pro Gly Arg Asp Glu
                 85                  90                  95

Asp Phe Val Gly Arg Asp Asp Phe Asp Asp Ala Asp Gln Leu Arg Ile
            100                 105                 110

Gly Asn Asp Gly Ile Phe Met Leu Thr Phe Phe Met Ala Phe Leu Phe
        115                 120                 125

Asn Trp Ile Gly Phe Phe Leu Ser Phe Cys Leu Thr Thr Ser Ala Ala
    130                 135                 140

Gly Arg Tyr Gly Ala Ile Ser Gly Phe Gly Leu Ser Leu Ile Lys Trp
145                 150                 155                 160

Ile Leu Ile Val Arg Phe Ser Thr Tyr Phe Pro Gly Tyr Phe Asp Gly
                165                 170                 175

Gln Tyr Trp Leu Trp Trp Val Phe Leu Val Leu Gly Phe Leu Leu Phe
            180                 185                 190

Leu Arg Gly Phe Ile Asn Tyr Ala Lys Val Arg Lys Met Pro Glu Thr
        195                 200                 205

Phe Ser Asn Leu Pro Arg Thr Arg Val Leu Phe Ile Tyr
    210                 215                 220
```

<210> 719
<211> 139
<212> PRT
<213> Homo sapiens

<400> 719

```
Met Ala Leu Gly Ile Gln Lys Arg Phe Ser Pro Glu Val Leu Gly Leu
  1               5                  10                  15

Cys Ala Ser Thr Ala Leu Val Trp Val Val Met Glu Val Leu Ala Leu
             20                  25                  30

Leu Leu Gly Leu Tyr Leu Ala Thr Val Arg Ser Asp Leu Ser Thr Phe
         35                  40                  45

His Leu Leu Ala Tyr Ser Gly Tyr Lys Tyr Val Gly Met Ile Leu Ser
     50                  55                  60

Val Leu Thr Gly Leu Leu Phe Gly Ser Asp Gly Tyr Tyr Val Ala Leu
 65                  70                  75                  80

Ala Trp Thr Ser Ser Ala Leu Met Tyr Phe Ile Val Arg Ser Leu Arg
```

85 90 95

Thr Ala Ala Leu Gly Pro Asp Ser Met Gly Gly Pro Val Pro Arg Gln
100 105 110

Arg Leu Gln Leu Tyr Leu Thr Leu Gly Ala Ala Ala Phe Gln Pro Leu
115 120 125

Ile Ile Tyr Trp Leu Thr Phe His Leu Val Arg
130 135

<210> 720
<211> 42
<212> PRT
<213> Homo sapiens

<400> 720
Met Arg Lys Glu Glu Gly Ile Ala His Leu Ser Ile Ala Phe Phe Val
1 5 10 15

Gln Val Leu Cys Leu Tyr Gln Leu Leu Pro Val Ile Leu Pro Gln Phe
20 25 30

Asn Leu Gly Ser Gly Lys Asn Met Asn Arg
35 40

<210> 721
<211> 121
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (30)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (32)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (87)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (101)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (115)
<223> Xaa equals any amino acid

<400> 721

```
Met Cys Ser His Ser Thr Leu Ile His Leu Tyr Leu Val Leu Pro Phe
 1               5                  10                  15

Phe Phe Leu Phe Leu Pro Ser Ser Phe Pro Phe Pro Ser Xaa Ser Xaa
            20                  25                  30

Ser Ser Ile Leu Pro Ser Leu Arg Leu Pro Pro Phe Phe Pro Pro Ser
        35                  40                  45

Leu Phe Leu His Ser Ser Leu Pro Pro Ser Leu Ser His Pro Leu Gly
    50                  55                  60

Leu Ser Ile Thr Ser Ser Arg Gln Ser Phe Leu Asp Tyr His His Leu
65                  70                  75                  80

Cys Thr Lys His Leu Ser Xaa Thr Leu Cys Gly Leu Ile Tyr His Cys
                85                  90                  95

Leu Asn Ile Phe Xaa Thr Arg Ala Val Met Trp His Met Gln Val Ser
            100                 105                 110

Phe Leu Xaa Ile His Trp Leu Leu Pro
        115                 120
```

<210> 722
<211> 490
<212> PRT
<213> Homo sapiens

<400> 722

```
Met Arg Pro Ala Phe Ala Leu Cys Leu Leu Trp Gln Ala Leu Trp Pro
 1               5                  10                  15

Gly Pro Gly Gly Gly Glu His Pro Thr Ala Asp Arg Ala Gly Cys Ser
            20                  25                  30

Ala Ser Gly Ala Cys Tyr Ser Leu His His Ala Thr Met Lys Arg Gln
        35                  40                  45

Ala Ala Glu Glu Ala Cys Ile Leu Arg Gly Gly Ala Leu Ser Thr Val
    50                  55                  60

Arg Ala Gly Ala Glu Leu Arg Ala Val Leu Ala Leu Leu Arg Ala Gly
65                  70                  75                  80

Pro Gly Pro Gly Gly Gly Ser Lys Asp Leu Leu Phe Trp Val Ala Leu
                85                  90                  95

Glu Arg Arg Arg Ser His Cys Thr Leu Glu Asn Glu Pro Leu Arg Gly
            100                 105                 110

Phe Ser Trp Leu Ser Ser Asp Pro Gly Gly Leu Glu Ser Asp Thr Leu
        115                 120                 125

Gln Trp Val Glu Glu Pro Gln Arg Ser Cys Thr Ala Arg Arg Cys Ala
    130                 135                 140

Val Leu Gln Ala Thr Gly Gly Val Glu Pro Ala Gly Trp Lys Glu Met
145                 150                 155                 160
```

```
Arg Cys His Leu Arg Ala Asn Gly Tyr Leu Cys Lys Tyr Gln Phe Glu
                165                 170                 175

Val Leu Cys Pro Ala Pro Arg Pro Gly Ala Ala Ser Asn Leu Ser Tyr
            180                 185                 190

Arg Ala Pro Phe Gln Leu His Ser Ala Ala Leu Asp Phe Ser Pro Pro
        195                 200                 205

Gly Thr Glu Val Ser Ala Leu Cys Arg Gly Gln Leu Pro Ile Ser Val
    210                 215                 220

Thr Cys Ile Ala Asp Glu Ile Gly Ala Arg Trp Asp Lys Leu Ser Gly
225                 230                 235                 240

Asp Val Leu Cys Pro Cys Pro Gly Arg Tyr Leu Arg Ala Gly Lys Cys
                245                 250                 255

Ala Glu Leu Pro Asn Cys Leu Asp Asp Leu Gly Gly Phe Ala Cys Glu
            260                 265                 270

Cys Ala Thr Gly Phe Glu Leu Gly Lys Asp Gly Arg Ser Cys Val Thr
        275                 280                 285

Ser Gly Glu Gly Gln Pro Thr Leu Gly Gly Thr Gly Val Pro Thr Arg
    290                 295                 300

Arg Pro Pro Ala Thr Ala Thr Ser Pro Val Pro Gln Arg Thr Trp Pro
305                 310                 315                 320

Ile Arg Val Asp Glu Lys Leu Gly Glu Thr Pro Leu Val Pro Glu Gln
                325                 330                 335

Asp Asn Ser Val Thr Ser Ile Pro Glu Ile Pro Arg Trp Gly Ser Gln
            340                 345                 350

Ser Thr Met Ser Thr Leu Gln Met Ser Leu Gln Ala Glu Ser Lys Ala
        355                 360                 365

Thr Ile Thr Pro Ser Gly Ser Val Ile Ser Lys Phe Asn Ser Thr Thr
    370                 375                 380

Ser Ser Ala Thr Pro Gln Ala Phe Asp Ser Ser Ser Ala Val Val Phe
385                 390                 395                 400

Ile Phe Val Ser Thr Ala Val Val Val Leu Val Ile Leu Thr Met Thr
                405                 410                 415

Val Leu Gly Leu Val Lys Leu Cys Phe His Glu Ser Pro Ser Ser Gln
            420                 425                 430

Pro Arg Lys Glu Ser Met Gly Pro Pro Gly Leu Glu Ser Asp Pro Glu
        435                 440                 445

Pro Ala Ala Leu Gly Ser Ser Ser Ala His Cys Thr Asn Asn Gly Val
    450                 455                 460

Lys Val Gly Asp Cys Asp Leu Arg Asp Arg Ala Glu Gly Ala Leu Leu
465                 470                 475                 480
```

```
Ala Glu Ser Pro Leu Gly Ser Ser Asp Ala
                485                 490



<210> 723
<211> 105
<212> PRT
<213> Homo sapiens

<400> 723
Met Thr His Arg Arg His Cys Gly Leu Ala Arg Trp Ile Leu Met Lys
  1               5                  10                  15

Ile Phe Cys Trp Arg Val Ser Thr Val Thr Ser Thr Ala Gly Ala Leu
             20                  25                  30

Thr Asn Pro His Ser Cys Tyr Thr Ser Val Leu Lys Val Gly Ala Thr
         35                  40                  45

Gly Val Gly Gln Ser Leu Ser Val Trp Thr Met Pro Gly Leu Leu Leu
     50                  55                  60

Glu Gln Phe Ser Thr Gly Val Glu Leu Leu Leu Ser Ser Ser Arg Phe
 65                  70                  75                  80

Ser Asn Ser Met Glu Tyr Lys Asn Arg Leu Ser Ser Val Glu Asp Arg
                 85                  90                  95

Ser Ser Val Val Thr Cys Leu Lys Ala
            100                 105



<210> 724
<211> 57
<212> PRT
<213> Homo sapiens

<400> 724
Met Leu Glu Thr Leu Ser Gln Phe Ile Ser Ile Leu Phe Val Leu Leu
  1               5                  10                  15

Trp Ile Ile Ser Asp Leu Ile Leu Cys Phe Leu Lys Cys Gly Asn Pro
             20                  25                  30

Gly Thr Leu Asp Met Val Leu Pro Ile Trp Thr Asn Gln Tyr Thr His
         35                  40                  45

Ser Ser Arg Ser Ile Leu Ser Phe Ile
     50                  55



<210> 725
<211> 71
<212> PRT
<213> Homo sapiens

<400> 725
Met Arg Ile His Phe Lys Ile Leu Val Leu Val Ile Tyr Phe Ile Leu
```

```
  1               5                  10                  15

Leu Gly Ser Phe Ser Asp Arg Cys Ser Leu Leu Asp Cys Lys Ser Arg
             20                  25                  30

Ile Gln Arg Ile Phe Ile Cys Asn Ile Leu Asn Leu Ser Leu Val Ser
         35                  40                  45

Cys His Leu Cys Arg Tyr Ser Phe Asp Cys Leu Thr Arg Gly Lys Cys
     50                  55                  60

Phe Pro Leu Ser Phe Pro Ala
 65                  70
```

<210> 726
<211> 68
<212> PRT
<213> Homo sapiens

<400> 726

```
Met Leu Met Leu Leu Thr Leu Leu Val Leu Gly Met Val Trp Val Ala
  1               5                  10                  15

Ser Ala Ile Val Asp Lys Asn Lys Ala Asn Arg Glu Ser Leu Tyr Asp
             20                  25                  30

Phe Trp Glu Tyr Tyr Leu Pro Tyr Leu Tyr Ser Cys Ile Ser Phe Leu
         35                  40                  45

Gly Val Leu Leu Leu Leu Ala Ala Gly Arg Pro Gly Gly Ala Ala Val
     50                  55                  60

Leu Leu Ser Leu
 65
```

<210> 727
<211> 233
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (173)
<223> Xaa equals any amino acid

<400> 727

```
Met His Arg Gly Lys Leu Asp Cys Ala Gly Gly Ala Leu Leu Ser Ser
  1               5                  10                  15

Tyr Leu Ile Val Leu Met Ile Leu Leu Ala Val Val Ile Cys Thr Val
             20                  25                  30

Ser Ala Ile Met Cys Val Ser Met Arg Gly Thr Ile Cys Asn Pro Gly
         35                  40                  45

Pro Arg Lys Ser Met Ser Lys Leu Leu Tyr Ile Arg Leu Ala Leu Phe
     50                  55                  60
```

```
Phe Pro Glu Met Val Trp Ala Ser Leu Gly Ala Ala Trp Val Ala Asp
 65                  70                  75                  80

Gly Val Gln Cys Asp Arg Thr Val Val Asn Gly Ile Ile Ala Thr Val
                85                  90                  95

Val Val Ser Trp Ile Ile Ile Ala Ala Thr Val Val Ser Ile Ile Ile
            100                 105                 110

Val Phe Asp Pro Leu Gly Gly Lys Met Ala Pro Tyr Ser Ser Ala Gly
        115                 120                 125

Pro Ser His Leu Asp Ser His Asp Ser Ser Gln Leu Leu Asn Gly Leu
    130                 135                 140

Lys Thr Ala Ala Thr Ser Val Trp Glu Thr Arg Ile Lys Leu Leu Cys
145                 150                 155                 160

Cys Cys Ile Gly Lys Asp Asp His Thr Arg Val Ala Xaa Ser Ser Thr
                165                 170                 175

Ala Glu Leu Phe Ser Thr Tyr Phe Ser Asp Thr Asp Leu Val Pro Ser
            180                 185                 190

Asp Ile Ala Ala Gly Leu Ala Leu Leu His Gln Gln Gln Asp Asn Ile
        195                 200                 205

Arg Asn Asn Gln Asp Leu Pro Arg Trp Ser Ala Met Pro Gln Gly Ala
    210                 215                 220

Pro Arg Lys Leu Ile Trp Met Gln Asn
225                 230
```

<210> 728
<211> 66
<212> PRT
<213> Homo sapiens

<400> 728

```
Met Phe Val Glu Arg Trp Leu Pro Cys Phe Leu Val Val Ala Val Val
  1               5                  10                  15

Val Trp Val Phe Ala Cys Gly Pro Val Glu Asp Lys Glu Asp Ser Phe
             20                  25                  30

Gly Trp Ser Ser Tyr Phe Leu Ala Ser Gly Leu Pro Pro Leu Leu Phe
         35                  40                  45

Glu Ala Ser Gln Thr Arg Thr Val Arg Ala Gly Arg Leu Gly Val Phe
     50                  55                  60

Val Cys
 65
```

<210> 729
<211> 40

<212> PRT
<213> Homo sapiens

<400> 729
Met Ser Val Tyr Val Asn Ile Met His Ile Val Ile Tyr Ile Tyr Leu
1 5 10 15

Cys Val Tyr Met Cys Val Ala Gln Ser His Thr His Thr Gln Ile Cys
20 25 30

Ile Gln Met Leu Pro Gly Leu Gln
35 40

<210> 730
<211> 249
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (147)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (150)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (196)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (222)
<223> Xaa equals any amino acid

<400> 730
Met Val Cys Val Phe Met Cys Ile Val Gly Val Cys Val Ala Cys Cys
1 5 10 15

Ala Cys Val Tyr Cys Gly Cys Leu Leu Ser Arg Ala Val Glu Arg Thr
20 25 30

Ser Gly Lys Gln Pro Gln His Gln Gly Gln Ala Arg Ser Ala Glu Cys
35 40 45

Met Glu Ala Gly Gln Val Gly Ala Trp Asp Glu Gly Ser Thr Glu Met
50 55 60

Gln Gly Cys Gln Gly Pro Trp Asn Gln Glu Pro Met Ile Lys Ala Thr
65 70 75 80

Val His Thr Ala Leu Glu Ala Lys Asp Ile Phe Ile Ser Gln Gly Leu
85 90 95

Lys Ser Met Gly Gln Gly Trp Ala Pro Gly Gln Asp Trp Gly Tyr Arg
100 105 110

```
Val Asp Gln Ser Pro Ser Leu Pro Pro Gly Ala Tyr Pro His Pro Phe
        115                 120                 125

Thr Ser Gln Val Ser Pro Pro Gln Pro Leu Gly Glu Leu Leu Leu Ile
    130                 135                 140

Pro Gln Xaa Val Ala Xaa Val Thr Leu Leu Pro Glu Ala Ser Pro His
145                 150                 155                 160

Pro Leu Lys His Pro Leu Pro Ala Ala His Leu Gln His Ser Gln Arg
                165                 170                 175

Ala Pro Trp Pro Val Ser Thr Gly Leu Ser Leu Leu Gly Gly Ala Gly
            180                 185                 190

Ala Glu Gln Xaa Pro Gly Leu Gly Val Pro Ala Pro Arg Ser Thr Pro
        195                 200                 205

Ser Pro Thr Ala Ser Leu Phe Asn Leu Arg Gln Ala Val Xaa Leu Leu
    210                 215                 220

Ser Leu Thr Phe Pro Leu Cys Lys Met Arg Glu Gly Thr Ala Pro Ser
225                 230                 235                 240

Lys Pro Ser Phe Ser Leu Lys Pro Leu
                245
```

<210> 731
<211> 127
<212> PRT
<213> Homo sapiens

<400> 731

```
Met Gln Gly Ser Asp Ala Gly His Gly Gly Thr His Ile Tyr Arg Ala
  1               5                  10                  15

Leu Val Gln Trp Pro Leu Ala Trp Val Phe Tyr Leu Ser His Ala Lys
             20                  25                  30

Thr His Trp Gly Glu Glu Leu Arg Phe Ser Phe Arg Arg Lys Asn Leu
         35                  40                  45

Arg Leu Arg Glu Ala Met Arg His Glu Thr Cys Gln Val Thr Gln Leu
     50                  55                  60

Val Ala Gly Lys Ala Asp Ser Asn Leu Cys Leu Arg Asp Ser Glu Thr
 65                  70                  75                  80

Trp Phe Trp Pro Pro Leu Trp Ala Ala Cys Ser Ser Leu Gln Ala Thr
                 85                  90                  95

Ala Cys Arg Leu Ser Ser Pro Ser Lys Gly Leu Gly Ala Ser Arg Glu
            100                 105                 110

Cys Pro Trp Leu Ala Ser Gly Arg Ala Ala Leu Val Ser Phe Leu
        115                 120                 125
```

<210> 732
<211> 82
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (51)
<223> Xaa equals any amino acid

<400> 732
Met Leu Ile Ala Leu Phe Cys Ile Leu Phe Gln Ile Leu Phe Ser Ile
1 5 10 15

Pro Thr Arg Ile Phe Tyr Ile Phe Leu Ile Asn Lys Arg Val His Ile
20 25 30

Phe Thr Thr Tyr Leu Met Ser Glu Gln Lys Asn His Asp Trp Val Arg
35 40 45

Arg Thr Xaa Lys Leu His Arg Val Trp Leu Ile Ser Gly Lys Met Leu
50 55 60

Leu Val Ala Asp Ile Lys Ala Leu Ile Arg Trp Leu Trp Gly Pro Asn
65 70 75 80

Pro Glu

<210> 733
<211> 90
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (29)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (30)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (65)
<223> Xaa equals any amino acid

<400> 733
Met Leu Arg Cys Ser Phe Ser Ser Phe Leu Leu Cys His Thr Ile Leu
1 5 10 15

Leu Phe Leu Gly Ser Ser Ala His Leu Leu Val Glu Xaa Xaa Val Trp
20 25 30

Gly Leu Tyr Glu Tyr Arg Ile Gly Asp Met Val Asp Gln Lys Ala Thr
35 40 45

Phe Cys Val Gln Lys Gln Glu Cys Leu Phe Pro Leu Gly Ser Trp Val
50 55 60

Xaa Arg Val Glu Gly Gly Ala Phe Ala Arg Glu Pro Pro Ser Ser Thr
65 70 75 80

Gln Tyr Phe Pro Val Ser Cys Leu Tyr Gln
85 90

<210> 734
<211> 36
<212> PRT
<213> Homo sapiens

<400> 734
Met Gly Cys Thr Ala Leu Leu Leu Leu Phe His Leu Cys Val Pro Cys
1 5 10 15

Glu Pro Tyr Gly Thr His Glu Lys Glu Leu Val Pro Gly Leu Tyr Phe
20 25 30

Leu Val Tyr Arg
35

<210> 735
<211> 46
<212> PRT
<213> Homo sapiens

<400> 735
Met Cys Ile Pro Glu Ala Leu Gly Lys Asn Ser Leu Phe Leu Ser Ser
1 5 10 15

Thr Phe Leu Trp Leu Leu Ala Phe Phe Gly Leu Trp Ser His His Ser
20 25 30

Tyr Leu Glu Gly Gln His Leu Gln Ile Cys Phe Phe Phe Thr
35 40 45

<210> 736
<211> 34
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (27)
<223> Xaa equals any amino acid

<400> 736
Met Ser Val Phe Leu Leu Ile Thr Leu Ala Leu Ala Ile Leu Tyr Ile
1 5 10 15

Ile Arg Ser Ile Val Phe Ser Leu Ala Leu Xaa Gln Asn Gly Ser Leu

20 25 30

Gln Gly

<210> 737
<211> 82
<212> PRT
<213> Homo sapiens

<400> 737
Met Ala Ile Ser Cys Trp Ala Ser Leu Thr Val Lys Ser Leu Tyr Cys
1 5 10 15

Leu Leu Gly Phe Trp Trp Glu Ala Val Ile Ser Ser Asn Glu Leu Pro
20 25 30

Leu Pro Trp Ile Cys Gln Glu Ala Asp Gly Asn Leu Ala Asn Ser Gly
35 40 45

Arg Tyr Gln Ala Pro Ser Ser Ala Pro Val Thr Leu Phe Tyr Thr Cys
50 55 60

Gly Ser Thr Thr Val Cys Ser Glu Gly Gln Ser Leu Pro Leu Leu Cys
65 70 75 80

Phe Ser

<210> 738
<211> 57
<212> PRT
<213> Homo sapiens

<400> 738
Met Pro Pro His Arg Gln Thr Asp Gly Gln Met Gly Leu Pro Ala Pro
1 5 10 15

Ala Leu Trp Val Trp Gly Leu Leu Leu Ser Ser Ser Phe Gln Thr Leu
20 25 30

Leu Pro Ala Phe Pro Lys Pro Pro Ala Leu Asn Leu Gly Cys Ser Thr
35 40 45

Arg Pro Ile Pro Ser Phe Leu Lys Ile
50 55

<210> 739
<211> 55
<212> PRT
<213> Homo sapiens

<400> 739
Met Pro Arg Trp Leu Ser Leu Leu Ala Leu Thr Ser Leu Thr Gly Ile
1 5 10 15

```
Leu Ser Gly Thr Leu Gly Phe Ser Pro His Gly Trp Ser Ser Pro Arg
            20                  25                  30

Arg His Leu Ser Pro Arg Pro Glu Cys Pro Ala Ala Ser Gln Thr Thr
        35                  40                  45

Cys Lys Ser Leu Gly Gln His
    50                  55
```

<210> 740
<211> 59
<212> PRT
<213> Homo sapiens

<400> 740

```
Met Thr Pro Ser Leu Leu Ser Glu Lys Leu Cys Ser Leu Phe Phe Val
  1               5                  10                  15

Leu Leu Gly Ile Ala Ser Ala Ala Phe Val Ser Ala Leu Trp Ala Trp
            20                  25                  30

Ser Ser His Thr Glu Arg Leu Thr Ala Glu Pro Ser Ser Ser Ile Thr
        35                  40                  45

Cys Leu Ser Pro Pro Trp Phe Phe Phe Pro Phe
    50                  55
```

<210> 741
<211> 54
<212> PRT
<213> Homo sapiens

<400> 741

```
Met Trp Pro Phe Leu His Leu Leu Asn Met Pro Phe Thr Leu Thr Gln
  1               5                  10                  15

Val Val Ala Ser Pro Ser Ser Cys Ser Asn Trp Lys Pro Gln His Pro
            20                  25                  30

Glu Met Pro Pro Pro Gln Ile His Cys Thr His Val Cys Leu Cys Met
        35                  40                  45

Arg Val Cys Ala Arg Val .
    50
```

<210> 742
<211> 81
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (44)
<223> Xaa equals any amino acid

<400> 742
Met Arg Met Arg Val Ala Val Ala Pro Arg Pro His Gln His Leu Val
1 5 10 15

Val Ser Val Ser Trp Ile Leu Ala Ile Leu Ile Ser Val Ser Gly Tyr
20 25 30

His Cys Phe His Leu Gln Phe Ser Tyr Met Val Xaa Asn Ile Phe Pro
35 40 45

His Val Tyr Leu Ser Ser Ala Tyr Leu Leu Arg Pro Val Ile Cys Ser
50 55 60

Asp Leu Leu Pro Val Phe Val Cys Leu His Val Cys Leu Cys Leu Ile
65 70 75 80

Phe

<210> 743
<211> 80
<212> PRT
<213> Homo sapiens

<400> 743
Met Cys Val Val Cys Val Cys Val Trp Cys Met Cys Val Cys Gly Val
1 5 10 15

Cys Val Cys Leu Cys Val Cys Gly Val Cys Met Cys Ile Ser Leu Asn
20 25 30

Glu Lys Leu Ala Pro Met Ile Met Glu Leu Thr Thr Pro Lys Val Cys
35 40 45

Arg Gln Gln Ala Gly Gly Pro Gly Gly Pro Val Val Trp Leu Gln Pro
50 55 60

Val Ser Glu Gly Leu Arg Thr Arg Arg Ala Gly Gly Ala Ala Ala Val
65 70 75 80

<210> 744
<211> 180
<212> PRT
<213> Homo sapiens

<400> 744
Met Tyr Ser Cys Leu Leu Leu Pro Asp Leu Leu Tyr Leu Thr Leu Ser
1 5 10 15

Pro Leu Val Val Ala Met Leu Leu Thr Pro His Phe Asn Val Ala Asn
20 25 30

Pro Gln Asn Leu Leu Ala Gly Leu Trp Leu Glu Asn Glu His Ser Phe

```
         35                  40                  45

Thr Leu Met Ala Pro Glu Arg Ala Arg Thr His His Cys Gln Pro Glu
     50                  55                  60

Glu Arg Lys Val Leu Phe Cys Leu Phe Pro Ile Val Pro Asn Ser Gln
 65                  70                  75                  80

Ala Gln Val Gln Pro Pro Gln Met Pro Pro Phe Cys Cys Ala Ala Ala
                 85                  90                  95

Lys Glu Lys Thr Gln Glu Glu Gln Leu Gln Glu Pro Leu Gly Ser Gln
            100                 105                 110

Cys Pro Asp Thr Cys Pro Asn Ser Leu Cys Pro Ser His Thr Gln Leu
        115                 120                 125

Thr Lys Ala Asn Thr Leu Ser Leu Phe Phe Phe Phe Ser Phe Phe Leu
    130                 135                 140

Ser Arg Val Ser Leu Leu Ser Pro Arg Leu Glu Cys Asn Gly Arg Ile
145                 150                 155                 160

Leu Ala His Cys Asn Leu His Leu Pro Gly Ser Ser Asn Ser Pro Val
                165                 170                 175

Ser Ala Ser Arg
            180
```

<210> 745
<211> 53
<212> PRT
<213> Homo sapiens

```
<400> 745
Met Ser Thr Phe Val Cys Val Cys Val Phe Cys Phe Val Leu Arg Ser
  1               5                  10                  15

Glu Ala Arg Ala Lys Arg Lys Gln Asp Gln Arg Asn Thr Lys Arg Cys
             20                  25                  30

Leu Leu Thr Lys Gly Gln Arg Asp Leu Ser Val Asn Gln Ser Lys Ile
         35                  40                  45

Asn Arg Thr Ala Asn
     50
```

<210> 746
<211> 80
<212> PRT
<213> Homo sapiens

```
<400> 746
Met Ala Leu Trp Val Thr Cys Ile Leu Ser Leu Cys Thr Trp Phe Ser
  1               5                  10                  15

Cys Leu Tyr Gly Ala Asp Ser Leu Ala Asn Lys Cys Leu Ser Ala Gly
```

20 25 30

Ala Thr Arg Lys Ala Phe Pro Phe Cys Val Leu Phe Arg Asp Leu Glu
35 40 45

Val Gly Leu Gly Phe Glu Gly Phe Val Thr His Leu Ala Cys Lys Leu
50 55 60

Phe Cys Tyr Cys Glu Leu Ser Asp Ser Ala Leu Ser Leu Gly His Glu
65 70 75 80

<210> 747
<211> 51
<212> PRT
<213> Homo sapiens

<400> 747
Met Ala Val Ser Leu Leu Phe Trp Met Leu Leu Gly Ala Val Pro Ile
1 5 10 15

Ala Gln Gly His Pro Glu Ile Gln Leu Leu Glu Ser Glu Ser Cys Gly
20 25 30

His Ser Ala Glu Gly Pro Trp Arg Gly Gly Leu Arg Cys Pro Leu Gln
35 40 45

Pro Gly Leu
50

<210> 748
<211> 320
<212> PRT
<213> Homo sapiens

<400> 748
Met Arg Gly Ser Val Glu Cys Thr Trp Gly Trp Gly His Cys Ala Pro
1 5 10 15

Ser Pro Leu Leu Leu Trp Thr Leu Leu Leu Phe Ala Ala Pro Phe Gly
20 25 30

Leu Leu Gly Glu Lys Thr Arg Gln Leu Leu Glu Phe Asp Ser Thr Asn
35 40 45

Val Ser Asp Thr Ala Ala Lys Pro Leu Gly Arg Pro Tyr Pro Pro Tyr
50 55 60

Ser Leu Ala Asp Phe Ser Trp Asn Asn Ile Thr Asp Ser Leu Asp Pro
65 70 75 80

Ala Thr Leu Ser Ala Thr Phe Gln Gly His Pro Met Asn Asp Pro Thr
85 90 95

Arg Thr Phe Ala Asn Gly Ser Leu Ala Phe Arg Val Gln Ala Phe Ser

```
            100                 105                 110

Arg Ser Ser Arg Pro Ala Gln Pro Pro Arg Leu Leu His Thr Ala Asp
        115                 120                 125

Thr Cys Gln Leu Glu Val Ala Leu Ile Gly Ala Ser Pro Arg Gly Asn
    130                 135                 140

Arg Ser Leu Phe Gly Leu Glu Val Ala Thr Leu Gly Gln Gly Pro Asp
145                 150                 155                 160

Cys Pro Ser Met Gln Glu Gln His Ser Ile Asp Asp Glu Tyr Ala Pro
                165                 170                 175

Ala Val Phe Gln Leu Asp Gln Leu Leu Trp Gly Ser Leu Pro Ser Gly
            180                 185                 190

Phe Ala Gln Trp Arg Pro Val Ala Tyr Ser Gln Lys Pro Gly Gly Arg
        195                 200                 205

Glu Ser Ala Leu Pro Cys Gln Ala Ser Pro Leu His Pro Ala Leu Ala
    210                 215                 220

Tyr Ser Leu Pro Gln Ser Pro Ile Val Arg Ala Phe Phe Gly Ser Gln
225                 230                 235                 240

Asn Asn Phe Cys Ala Phe Asn Leu Thr Phe Gly Ala Ser Thr Gly Pro
                245                 250                 255

Gly Tyr Trp Asp Gln His Tyr Leu Ser Trp Ser Met Leu Leu Gly Val
            260                 265                 270

Gly Phe Pro Pro Val Asp Gly Leu Ser Pro Leu Val Leu Gly Ile Met
        275                 280                 285

Ala Val Ala Leu Gly Ala Pro Gly Leu Met Leu Leu Gly Gly Gly Leu
    290                 295                 300

Val Leu Leu Leu His His Lys Lys Tyr Ser Glu Tyr Gln Ser Ile Asn
305                 310                 315                 320
```

<210> 749
<211> 115
<212> PRT
<213> Homo sapiens

<400> 749

```
Met Leu Ala Leu Ser Ser Ser Phe Leu Val Leu Ser Tyr Leu Leu Thr
  1               5                  10                  15

Arg Trp Cys Gly Ser Val Gly Phe Ile Leu Ala Asn Cys Phe Asn Met
             20                  25                  30

Gly Ile Arg Ile Thr Gln Ser Leu Cys Phe Ile His Arg Tyr Tyr Arg
         35                  40                  45
```

```
Arg Ala Pro Thr Gly Pro Trp Leu Ala Cys Thr Tyr Arg Gln Ser Cys
     50                  55                  60

Ser Gly His Leu Pro Ser Val Val Gly Leu Leu Leu Phe Arg Arg Tyr
 65                  70                  75                  80

Ser Ser Ala Val Ser Arg Ala Gly Gln Pro Asp Trp His Thr Leu Leu
                85                  90                  95

Trp Gly Pro Ser Val Trp Glu Gln Leu Ser Gly Gln His Ser Ser Gln
            100                 105                 110

Arg Pro Ser
        115
```

<210> 750
<211> 402
<212> PRT
<213> Homo sapiens

<400> 750

```
Met Tyr Ser Gly Asn Arg Ser Gly Gly His Gly Tyr Trp Asp Gly Gly
  1               5                  10                  15

Gly Ala Ala Gly Ala Glu Gly Pro Ala Pro Ala Gly Thr Leu Ser Pro
             20                  25                  30

Ala Pro Leu Phe Ser Pro Gly Thr Tyr Glu Arg Leu Ala Leu Leu Leu
         35                  40                  45

Gly Ser Ile Gly Leu Leu Gly Val Gly Asn Asn Leu Leu Val Leu Val
     50                  55                  60

Leu Tyr Tyr Lys Phe Gln Arg Leu Arg Thr Pro Thr His Leu Leu Leu
 65                  70                  75                  80

Val Asn Ile Ser Leu Ser Asp Leu Leu Val Ser Leu Phe Gly Val Thr
                85                  90                  95

Phe Thr Phe Val Ser Cys Leu Arg Asn Gly Trp Val Trp Asp Thr Val
            100                 105                 110

Gly Cys Val Trp Asp Gly Phe Ser Gly Ser Leu Phe Gly Ile Val Ser
        115                 120                 125

Ile Ala Thr Leu Thr Val Leu Ala Tyr Glu Arg Tyr Ile Arg Val Val
    130                 135                 140

His Ala Arg Val Ile Asn Phe Ser Trp Ala Trp Arg Ala Ile Thr Tyr
145                 150                 155                 160

Ile Trp Leu Tyr Ser Leu Ala Trp Ala Gly Ala Pro Leu Leu Gly Trp
                165                 170                 175

Asn Arg Tyr Ile Leu Asp Val His Gly Leu Gly Cys Thr Val Asp Trp
            180                 185                 190

Lys Ser Lys Asp Ala Asn Asp Ser Ser Phe Val Leu Phe Leu Phe Leu
        195                 200                 205
```

```
Gly Cys Leu Val Val Pro Leu Gly Val Ile Ala His Cys Tyr Gly His
    210                 215                 220

Ile Leu Tyr Ser Ile Arg Met Leu Arg Cys Val Glu Asp Leu Gln Thr
225                 230                 235                 240

Ile Gln Val Ile Lys Ile Leu Lys Tyr Glu Lys Lys Leu Ala Lys Met
                245                 250                 255

Cys Phe Leu Met Ile Phe Thr Phe Leu Val Cys Trp Met Pro Tyr Ile
            260                 265                 270

Val Ile Cys Phe Leu Val Val Asn Gly His Gly His Leu Val Thr Pro
        275                 280                 285

Thr Ile Ser Ile Val Ser Tyr Leu Phe Ala Lys Ser Asn Thr Val Tyr
    290                 295                 300

Asn Pro Val Ile Tyr Val Phe Met Ile Arg Lys Phe Arg Arg Ser Leu
305                 310                 315                 320

Leu Gln Leu Leu Cys Leu Arg Leu Leu Arg Cys Gln Arg Pro Ala Lys
                325                 330                 335

Asp Leu Pro Ala Ala Gly Ser Glu Met Gln Ile Arg Pro Ile Val Met
            340                 345                 350

Ser Gln Lys Asp Gly Asp Arg Pro Lys Lys Lys Val Thr Phe Asn Ser
        355                 360                 365

Ser Ser Ile Ile Phe Ile Ile Thr Ser Asp Glu Ser Leu Ser Val Asp
    370                 375                 380

Asp Ser Asp Lys Thr Asn Gly Ser Lys Val Asp Val Ile Gln Val Arg
385                 390                 395                 400

Pro Leu
```

<210> 751
<211> 76
<212> PRT
<213> Homo sapiens

<400> 751

```
Met Gly Ala His Ser Phe Gly Phe Gln Leu Phe Met Ser Val Ser Val
  1               5                  10                  15

Leu Trp Gly Arg Leu Cys Leu Tyr Gly Arg Phe Ser Val Ile Thr Phe
             20                  25                  30

Ala Ser Pro Pro Thr Thr Phe Met Asp Ile Gln Cys Cys Phe Ala Leu
         35                  40                  45

Gln Leu Glu Arg Arg Asp Gly Gln Leu Val Thr Leu Ser His Ile Ala
     50                  55                  60

Thr Phe Ile Cys Ser Gly Lys Lys Leu Asp Arg Trp
```

65 70 75

<210> 752
<211> 41
<212> PRT
<213> Homo sapiens

<400> 752
Met Ala Val Pro Leu Phe Leu Tyr Ile Phe Thr Leu Leu Pro Leu Leu
1 5 10 15

Pro Phe Leu Leu Ser Leu Cys Phe Ser Pro Leu Thr Val Lys Arg Ser
20 25 30

Ser Ser Ser Glu Ser Lys Ser Ser Leu
35 40

<210> 753
<211> 35
<212> PRT
<213> Homo sapiens

<400> 753
Ile Tyr Ser Ser Gly Tyr Phe Gln Ile Tyr Asn Met Leu Leu Leu Thr
1 5 10 15

Ile Leu Ile Leu Leu Cys Asn Arg Thr Pro Glu Leu Ile Pro Gly Phe
20 25 30

Tyr Ile Arg
35

<210> 754
<211> 159
<212> PRT
<213> Homo sapiens

<400> 754
Gly Thr Arg Leu Pro Thr Asn Val Arg Gly Ile Met Val Trp Phe Ser
1 5 10 15

Cys Trp Leu Leu Thr Gln Ser Ile Thr Val Ile Leu Gly Ala Arg Gly
20 25 30

Arg Tyr Gly Arg Leu Cys Val Leu Gln Gly Arg His Cys Gly Leu Val
35 40 45

Asp Lys Ser Gly Ser Pro Asn Pro Phe Ser Ala Asp Val Leu Ala Val
50 55 60

His Ser Gly Gln Val Ser His Ser Pro Glu Pro Gln Arg Leu Tyr Gln
65 70 75 80

Tyr Asp Glu Asn Lys Tyr Ser Thr Cys Leu Pro His Gly Val Val Ser
85 90 95

```
Ala Val Asn Glu Ile Met Tyr Met Lys His Leu Val Tyr Leu Ala Pro
            100                 105                 110

Asn Lys Ser Ser Thr Thr Ser Ser Leu Ile Thr Asn Lys Met Glu Leu
        115                 120                 125

Glu Gly Cys Ile Ser Leu Asn Lys Ile Leu Arg Gln Ile Leu Gly Val
    130                 135                 140

Pro Val Phe Ile Leu Gln Leu Glu Ser Pro Pro Ser Leu Phe Gly
145                 150                 155
```

<210> 755
<211> 59
<212> PRT
<213> Homo sapiens

<400> 755

```
Met Leu Gln Gln Lys Thr Gln Phe Tyr Ser Ile Leu Trp Leu Cys Ser
  1               5                  10                  15

Ile Pro Trp Cys Val Cys Thr Thr Phe Ser Leu Tyr Ser Pro Pro Leu
             20                  25                  30

Met Gly Thr Arg Val Asp Phe Met Ser Leu Asn Met Cys Cys Asn Glu
         35                  40                  45

Lys Lys His Ile Phe Tyr Lys Met Ile Glu Val
     50                  55
```

<210> 756
<211> 226
<212> PRT
<213> Homo sapiens

<400> 756

```
Met Glu Thr Val Val Ile Val Ala Ile Gly Val Leu Ala Thr Ile Phe
  1               5                  10                  15

Leu Ala Ser Phe Ala Ala Leu Val Leu Val Cys Arg Gln Arg Tyr Cys
             20                  25                  30

Arg Pro Arg Asp Leu Leu Gln Arg Tyr Asp Ser Lys Pro Ile Val Asp
         35                  40                  45

Leu Ile Gly Ala Met Glu Thr Gln Ser Glu Pro Ser Glu Leu Glu Leu
     50                  55                  60

Asp Asp Val Val Ile Thr Asn Pro His Ile Glu Ala Ile Leu Glu Asn
 65                  70                  75                  80

Glu Asp Trp Ile Glu Asp Ala Ser Gly Leu Met Ser His Cys Ile Ala
                 85                  90                  95

Ile Leu Lys Ile Cys His Thr Leu Thr Glu Lys Leu Val Ala Met Thr
            100                 105                 110
```

```
Met Gly Ser Gly Ala Lys Met Lys Thr Ser Ala Ser Val Ser Asp Ile
        115                 120                 125

Ile Val Val Ala Lys Arg Ile Ser Pro Arg Val Asp Asp Val Val Lys
    130                 135                 140

Ser Met Tyr Pro Pro Leu Asp Pro Lys Leu Leu Asp Ala Arg Thr Thr
145                 150                 155                 160

Ala Leu Leu Leu Ser Val Ser His Leu Val Leu Val Thr Arg Asn Ala
                165                 170                 175

Cys His Leu Thr Gly Gly Leu Asp Trp Ile Asp Gln Ser Leu Ser Ala
            180                 185                 190

Ala Glu Glu His Leu Glu Val Leu Arg Glu Ala Ala Leu Ala Ser Glu
        195                 200                 205

Pro Asp Lys Gly Leu Pro Gly Pro Glu Gly Phe Leu Gln Glu Gln Ser
    210                 215                 220

Ala Ile
225
```

<210> 757
<211> 484
<212> PRT
<213> Homo sapiens

<400> 757

```
Met Pro Arg His Leu Ser Gly Leu Leu Leu Leu Leu Trp Pro Leu Leu
  1               5                  10                  15

Leu Leu Leu Pro Pro Thr Pro Ala Ala Pro Gly Pro Leu Ala Arg Pro
             20                  25                  30

Gly Leu Arg Arg Leu Gly Thr Arg Gly Pro Gly Gly Ser Pro Gly Arg
         35                  40                  45

Arg Pro Val Ser Ala Val Pro Thr Arg Ala Pro Tyr Ser Gly Ala Gly
     50                  55                  60

Gln Pro Gly Gly Ala Arg Gly Ala Gly Val Cys Arg Ser Arg Pro Leu
 65                  70                  75                  80

Asp Leu Val Phe Ile Ile Asp Ser Ser Arg Ser Val Arg Pro Leu Glu
                 85                  90                  95

Phe Thr Lys Val Lys Thr Phe Val Ser Gln Ile Ile Asp Thr Leu Asp
            100                 105                 110

Ile Gly Ala Ala Asp Thr Arg Val Ala Val Val Asn Tyr Ala Ser Thr
        115                 120                 125

Val Lys Ile Glu Phe His Leu Gln Thr His Ser Asp Lys Gln Ser Leu
    130                 135                 140

Lys Gln Ala Val Ala Arg Ile Thr Pro Leu Ser Thr Gly Thr Met Ser
```

145 150 155 160

Gly Leu Ala Ile Gln Thr Ala Met Asp Glu Ala Phe Thr Val Glu Ala
165 170 175

Gly Ala Arg Gly Pro Thr Ser Asn Ile Pro Lys Val Ala Ile Ile Val
180 185 190

Thr Asp Gly Arg Pro Gln Asp Gln Val Asn Glu Val Ala Ala Arg Ala
195 200 205

Arg Ala Ser Gly Ile Glu Leu Tyr Ala Val Gly Val Asp Arg Ala Asp
210 215 220

Met Glu Ser Leu Lys Met Met Ala Ser Glu Pro Leu Asp Glu His Val
225 230 235 240

Phe Tyr Val Glu Thr Tyr Gly Val Ile Glu Lys Leu Ser Ser Arg Phe
245 250 255

Gln Glu Thr Phe Cys Ala Leu Asp Pro Cys Val Leu Gly Thr His Arg
260 265 270

Cys Gln His Val Cys Val Ser Asp Gly Glu Gly Lys His His Cys Glu
275 280 285

Cys Ser Gln Gly Tyr Ser Leu Asn Ala Asp Gln Lys Thr Cys Ser Ala
290 295 300

Ile Asp Lys Cys Ala Leu Asn Thr His Gly Cys Glu His Ile Cys Val
305 310 315 320

Asn Asp Arg Thr Gly Ser Tyr His Cys Glu Cys Tyr Glu Gly Tyr Thr
325 330 335

Leu Asn Gln Asp Arg Lys Thr Cys Ser Ala Gln Asp Gln Cys Ala Phe
340 345 350

Gly Thr His Gly Cys Gln His Ile Cys Val Asn Asp Arg Asp Gly Ser
355 360 365

His His Cys Glu Cys Tyr Glu Gly Tyr Thr Leu Asn Ala Asp Asn Lys
370 375 380

Thr Cys Ser Val Arg Ser Glu Cys Ala Gly Gly Ser His Gly Cys Gln
385 390 395 400

His Leu Cys Val Asp Asp Gly Pro Ala Ala Tyr His Cys Asp Cys Phe
405 410 415

Pro Gly Tyr Thr Leu Thr Glu Asp Arg Arg Thr Cys Ala Ala Ile Glu
420 425 430

Glu Ala Arg Arg Leu Val Ser Thr Glu Asp Ala Cys Gly Cys Glu Ala
435 440 445

Thr Leu Ala Phe Gln Glu Arg Ala Ser Ser Tyr Leu Gln Arg Leu Asn
450 455 460

Ala Lys Leu Asp Asp Ile Leu Gly Lys Leu Gln Ala Asp Ala Tyr Gly
465 470 475 480

Gln Ile His Arg

<210> 758
<211> 410
<212> PRT
<213> Homo sapiens

<400> 758
Met Gln Pro Pro Ser Leu Leu Leu Leu Val Leu Gly Leu Leu Ala Ala
1 5 10 15

Pro Ala Ala Ala Leu Val Arg Ile Pro Leu His Lys Phe Thr Ser Val
20 25 30

Arg Arg Thr Met Ser Glu Leu Gly Gly Pro Val Glu Asp Leu Ile Ala
35 40 45

Arg Gly Pro Ile Ser Lys Tyr Ala Gln Gly Val Pro Ser Val Ala Gly
50 55 60

Gly Pro Val Pro Glu Val Leu Arg Asn Tyr Met Asp Ala Gln Tyr Tyr
65 70 75 80

Gly Glu Ile Gly Ile Gly Thr Pro Pro Gln Cys Phe Thr Val Val Phe
85 90 95

Asp Thr Gly Ser Ser Asn Leu Trp Val Pro Ser Ile His Cys Lys Leu
100 105 110

Leu Asp Ile Ala Cys Trp Ile His His Lys Tyr Asn Ser Gly Lys Ser
115 120 125

Ser Thr Tyr Val Lys Asn Gly Thr Ser Phe Asp Ile His Tyr Gly Ser
130 135 140

Gly Ser Leu Ser Gly Tyr Leu Ser Gln Asp Thr Val Ser Val Pro Cys
145 150 155 160

Lys Ser Gly Leu Ser Ser Leu Ala Gly Val Lys Val Glu Arg Gln Thr
165 170 175

Phe Gly Glu Ala Thr Lys Gln Pro Gly Ile Thr Phe Ile Ala Ala Lys
180 185 190

Phe Asp Gly Ile Leu Gly Met Ala Tyr Pro Arg Ile Ser Val Asn Asn
195 200 205

Val Leu Pro Val Phe Asp Asn Leu Met Gln Gln Lys Leu Val Glu Lys
210 215 220

Asn Ile Phe Ser Phe Tyr Leu Asn Arg Asp Pro Gly Ala Gln Pro Gly
225 230 235 240

Gly Glu Leu Met Leu Gly Gly Thr Asp Ser Lys Tyr Tyr Lys Gly Pro
245 250 255

Leu Ser Tyr Leu Asn Val Thr Arg Lys Ala Tyr Trp Gln Val His Met

```
            260                 265                 270

Glu Gln Val Asp Val Gly Ser Ser Leu Thr Leu Cys Lys Gly Gly Cys
        275                 280                 285

Glu Ala Ile Val Asp Thr Gly Thr Ser Leu Ile Val Gly Pro Val Asp
    290                 295                 300

Glu Val Arg Glu Leu Gln Lys Ala Ile Gly Ala Val Pro Leu Ile Gln
305                 310                 315                 320

Gly Glu Tyr Met Ile Pro Cys Glu Lys Val Ser Thr Leu Pro Glu Val
                325                 330                 335

Thr Leu Thr Leu Gly Gly Lys Pro Tyr Lys Leu Ser Ser Glu Asp Tyr
            340                 345                 350

Thr Leu Lys Val Ser Gln Gly Gly Lys Ser Ile Cys Leu Ser Gly Phe
        355                 360                 365

Met Gly Met Asp Ile Pro Pro Pro Gly Gly Pro Leu Trp Ile Leu Gly
    370                 375                 380

Asp Val Phe Ile Gly Arg Tyr Tyr Thr Val Phe Asp Arg Asp Gln Asn
385                 390                 395                 400

Arg Val Gly Leu Ala Glu Ala Thr Arg Leu
                405                 410
```

<210> 759
<211> 82
<212> PRT
<213> Homo sapiens

<400> 759

```
Met Leu Leu Leu Gln Ser Leu Phe Phe Pro Met Ser Trp Gly Ser Gly
  1               5                  10                  15

Gly Gly Gly Lys Gly Arg Asp Asp Leu Pro Arg Glu Lys Pro Thr Thr
             20                  25                  30

Cys Pro Val Phe Asp Arg Leu Phe Asp Ile Phe Ala Lys Ile Pro Leu
         35                  40                  45

Val Glu Ser Gln Ala Ser Cys Ala Arg Ile Gly Ile Ala Ala Ser His
     50                  55                  60

Trp Arg Leu Asp Cys Ser Val Asp Gly Met Gln Ala Asp Cys Leu Ser
 65                  70                  75                  80

Leu Ile
```

<210> 760
<211> 129
<212> PRT
<213> Homo sapiens

<400> 760
Met Ala Pro Ser Gly Pro Leu Leu Leu Val Leu Leu Val Pro Leu Ala
1 5 10 15

Ala Ala Arg Ala Gly Pro Tyr Phe Arg Pro Gly Arg Gly Cys Arg Leu
20 25 30

Pro Leu Arg Gly Asp Gln Leu Ser Gly Leu Gly Arg Arg Thr Tyr Pro
35 40 45

Arg Pro His Glu Tyr Leu Ser Pro Ser Asp Leu Pro Lys Ser Trp Asp
50 55 60

Trp Arg Asn Val Asn Gly Val Asn Tyr Ala Ser Ala Thr Arg Asn Gln
65 70 75 80

His Ile Pro Gln Tyr Cys Gly Ser Cys Trp Ala His Gly Ser Thr Ser
85 90 95

Ala Met Ala Gly Pro Asp Gln His Gln Glu Lys Gly Gly Val Ala Leu
100 105 110

His Pro Ala Val Arg Ala Ala Arg Pro Arg Leu Arg Gln Arg Gly Leu
115 120 125

Leu

<210> 761
<211> 55
<212> PRT
<213> Homo sapiens

<400> 761
Met Arg Glu Lys Thr Gly Ala Leu Pro Arg Cys Leu Gly Leu Leu Gly
1 5 10 15

Val Gly Leu Leu Trp Arg Trp Cys Gly Arg Arg Ala Arg Ala Gly Val
20 25 30

Gly Lys Ala Trp Ser Ala Thr Arg Ser Pro Ser Asp Ser Cys Phe Pro
35 40 45

Gly Val Ala Arg Val Gly Ile
50 55

<210> 762
<211> 494
<212> PRT
<213> Homo sapiens

<400> 762
Met Arg Pro Pro Gly Phe Arg Asn Phe Leu Leu Leu Ala Ser Ser Leu
1 5 10 15

Leu Phe Ala Gly Leu Ser Ala Val Pro Gln Ser Phe Ser Pro Ser Leu

```
            20                  25                  30

Arg Ser Trp Pro Gly Ala Ala Cys Arg Leu Ser Arg Ala Glu Ser Glu
        35                  40                  45

Arg Arg Cys Arg Ala Pro Gly Gln Pro Pro Gly Ala Ala Leu Cys His
    50                  55                  60

Gly Arg Gly Arg Cys Asp Cys Gly Val Cys Ile Cys His Val Thr Glu
65                  70                  75                  80

Pro Gly Met Phe Phe Gly Pro Leu Cys Glu Cys His Glu Trp Val Cys
                85                  90                  95

Glu Thr Tyr Asp Gly Ser Thr Cys Ala Gly His Gly Lys Cys Asp Cys
            100                 105                 110

Gly Lys Cys Lys Cys Asp Gln Gly Trp Tyr Gly Asp Ala Cys Gln Tyr
        115                 120                 125

Pro Thr Asn Cys Asp Leu Thr Lys Lys Lys Ser Asn Gln Met Cys Lys
    130                 135                 140

Asn Ser Gln Asp Ile Ile Cys Ser Asn Ala Gly Thr Cys His Cys Gly
145                 150                 155                 160

Arg Cys Lys Cys Asp Asn Ser Asp Gly Ser Gly Leu Val Tyr Gly Lys
                165                 170                 175

Phe Cys Glu Cys Asp Asp Arg Glu Cys Ile Asp Asp Glu Thr Glu Glu
            180                 185                 190

Ile Cys Gly Gly His Gly Lys Cys Tyr Cys Gly Asn Cys Tyr Cys Lys
        195                 200                 205

Ala Gly Trp His Gly Asp Lys Cys Glu Phe Gln Cys Asp Ile Thr Pro
    210                 215                 220

Trp Glu Ser Lys Arg Arg Cys Thr Ser Pro Asp Gly Lys Ile Cys Ser
225                 230                 235                 240

Asn Arg Gly Thr Cys Val Cys Gly Glu Cys Thr Cys His Asp Val Asp
                245                 250                 255

Pro Thr Gly Asp Trp Gly Asp Ile His Gly Asp Thr Cys Glu Cys Asp
            260                 265                 270

Glu Arg Asp Cys Arg Ala Val Tyr Asp Arg Tyr Ser Asp Asp Phe Cys
        275                 280                 285

Ser Gly His Gly Gln Cys Asn Cys Gly Arg Cys Asp Cys Lys Ala Gly
    290                 295                 300

Trp Tyr Gly Lys Lys Cys Glu His Pro Gln Ser Cys Thr Leu Ser Ala
305                 310                 315                 320

Glu Glu Ser Ile Arg Lys Cys Gln Gly Ser Ser Asp Leu Pro Cys Ser
                325                 330                 335

Gly Arg Gly Lys Cys Glu Cys Gly Lys Cys Thr Cys Tyr Pro Pro Gly
            340                 345                 350
```

```
Asp Arg Arg Val Tyr Gly Lys Thr Cys Glu Cys Asp Asp Arg Arg Cys
        355                 360                 365

Glu Asp Leu Asp Gly Val Val Cys Gly Gly His Gly Thr Cys Ser Cys
    370                 375                 380

Gly Arg Cys Val Cys Glu Arg Gly Trp Phe Gly Lys Leu Cys Gln His
385                 390                 395                 400

Pro Arg Lys Cys Asn Met Thr Glu Glu Gln Ser Lys Asn Leu Cys Glu
                405                 410                 415

Ser Ala Asp Gly Ile Leu Cys Ser Gly Lys Gly Ser Cys His Cys Gly
            420                 425                 430

Lys Cys Ile Cys Ser Ala Glu Glu Trp Tyr Ile Ser Gly Glu Phe Cys
        435                 440                 445

Asp Cys Asp Asp Arg Asp Cys Asp Lys His Asp Gly Leu Ile Cys Thr
    450                 455                 460

Gly Asn Gly Ile Cys Ser Cys Gly Asn Cys Glu Cys Trp Asp Gly Trp
465                 470                 475                 480

Asn Gly Asn Ala Cys Glu Ile Trp Leu Gly Ser Glu Tyr Pro
                485                 490
```

<210> 763
<211> 164
<212> PRT
<213> Homo sapiens

<400> 763

```
Met Thr Thr Trp Ser Cys Leu Val Ala Met Ile Val Ser Gly Val Ile
  1               5                  10                  15

Thr Ala Val Trp Ala Val Arg Ala Ala Pro Ile Trp Arg Ser Gln Val
             20                  25                  30

Lys Gln Lys Met Arg Ile Gly Lys Gln Gly Asn Cys Arg Pro Pro Arg
         35                  40                  45

Cys Ile Cys Ser Ala Leu Gly Leu Leu Ala Pro Trp Met Ala Val Val
     50                  55                  60

Leu Ser Gln Leu Ser Val Arg Cys Val Val Ser Trp Val Gln Gly Lys
 65                  70                  75                  80

Pro Ser Ser Pro Arg Pro Arg Gly Ser Ala Ala Ser Pro Ala Pro Gly
                 85                  90                  95

Ala Thr Pro Pro Thr Pro Arg Lys Pro Val Ser Trp Leu Gly Tyr Arg
            100                 105                 110

Glu Asn His Arg Pro Lys Lys Pro Lys Ser Cys Thr Arg Leu Pro Gly
        115                 120                 125

Leu Pro Lys Leu Glu Pro Ser Ser Thr Leu Lys Gly Gln Asp Ser Trp
```

```
    130                 135                 140

Gln Met Gly His Gln Gln Asp Lys Thr Leu Trp Ser Trp Ala Ser Thr
145                 150                 155                 160

Gly Gly Ser Ser
```

<210> 764
<211> 56
<212> PRT
<213> Homo sapiens

<400> 764

```
Met Pro Leu Glu Glu Ser Phe Glu Ile Val Leu Lys Leu Val Pro Leu
  1               5                  10                  15

Leu Gly Leu Glu Leu Phe Phe Phe Leu Phe Ile Ile Asn Gly Tyr Ile
             20                  25                  30

Asn Val Tyr Cys Pro Ser Gln Tyr Phe Ile Tyr Ala Lys Asp Ser Leu
         35                  40                  45

Ala Gly Leu Ala Leu Ile Pro Gln
     50                  55
```

<210> 765
<211> 40
<212> PRT
<213> Homo sapiens

<400> 765

```
Met Val Ala Met Val Phe Leu Lys Ile Ser Val Leu Pro Leu Met Cys
  1               5                  10                  15

Arg Gly Gln Thr Lys His Lys Val Leu Arg Asp His Ala Tyr Pro Arg
             20                  25                  30

Val Ser Gln Lys Arg Gly His Ile
         35                  40
```

<210> 766
<211> 624
<212> PRT
<213> Homo sapiens

<400> 766

```
Met Glu Ile Pro Gly Ser Leu Cys Lys Lys Val Lys Leu Ser Asn Asn
  1               5                  10                  15

Ala Gln Asn Trp Gly Met Gln Arg Ala Thr Asn Val Thr Tyr Gln Ala
             20                  25                  30

His His Val Ser Arg Asn Lys Arg Gly Gln Val Val Gly Thr Arg Gly
         35                  40                  45
```

```
Gly Phe Arg Gly Cys Thr Val Trp Leu Thr Gly Leu Ser Gly Ala Gly
     50                  55                  60

Lys Thr Thr Val Ser Met Ala Leu Glu Glu Tyr Leu Val Cys His Gly
 65                  70                  75                  80

Ile Pro Cys Tyr Thr Leu Asp Gly Asp Asn Ile Arg Gln Gly Leu Asn
                85                  90                  95

Lys Asn Leu Gly Phe Ser Pro Glu Asp Arg Glu Glu Asn Val Arg Arg
            100                 105                 110

Ile Ala Glu Val Ala Lys Leu Phe Ala Asp Ala Gly Leu Val Cys Ile
        115                 120                 125

Thr Ser Phe Ile Ser Pro Tyr Thr Gln Asp Arg Asn Asn Ala Arg Gln
    130                 135                 140

Ile His Glu Gly Ala Ser Leu Pro Phe Phe Glu Val Phe Val Asp Ala
145                 150                 155                 160

Pro Leu His Val Cys Glu Gln Arg Asp Val Lys Gly Leu Tyr Lys Lys
                165                 170                 175

Ala Arg Ala Gly Glu Ile Lys Gly Phe Thr Gly Ile Asp Ser Glu Tyr
            180                 185                 190

Glu Lys Pro Glu Ala Pro Glu Leu Val Leu Lys Thr Asp Ser Cys Asp
        195                 200                 205

Val Asn Asp Cys Val Gln Gln Val Val Glu Leu Leu Gln Glu Arg Asp
    210                 215                 220

Ile Val Pro Val Asp Ala Ser Tyr Glu Val Lys Glu Leu Tyr Val Pro
225                 230                 235                 240

Glu Asn Lys Leu His Leu Ala Lys Thr Asp Ala Glu Thr Leu Pro Ala
                245                 250                 255

Leu Lys Ile Asn Lys Val Asp Met Gln Trp Val Gln Val Leu Ala Glu
            260                 265                 270

Gly Trp Ala Thr Pro Leu Asn Gly Phe Met Arg Glu Arg Glu Tyr Leu
        275                 280                 285

Gln Cys Leu His Phe Asp Cys Leu Leu Asp Gly Gly Val Ile Asn Leu
    290                 295                 300

Ser Val Pro Ile Val Leu Thr Ala Thr His Glu Asp Lys Glu Arg Leu
305                 310                 315                 320

Asp Gly Cys Thr Ala Phe Ala Leu Met Tyr Glu Gly Arg Arg Val Ala
                325                 330                 335

Ile Leu Arg Asn Pro Glu Phe Phe Glu His Arg Lys Glu Glu Arg Cys
            340                 345                 350

Ala Arg Gln Trp Gly Thr Thr Cys Lys Asn His Pro Tyr Ile Lys Met
        355                 360                 365
```

```
Val Met Glu Gln Gly Asp Trp Leu Ile Gly Gly Asp Leu Gln Val Leu
    370                 375                 380

Asp Arg Val Tyr Trp Asn Asp Gly Leu Asp Gln Tyr Arg Leu Thr Pro
385                 390                 395                 400

Thr Glu Leu Lys Gln Lys Phe Lys Asp Met Asn Ala Asp Ala Val Phe
                405                 410                 415

Ala Phe Gln Leu Arg Asn Pro Val His Asn Gly His Ala Leu Leu Met
            420                 425                 430

Gln Asp Thr His Lys Gln Leu Leu Glu Arg Gly Tyr Arg Arg Pro Val
        435                 440                 445

Leu Leu Leu His Pro Leu Gly Gly Trp Thr Lys Asp Asp Asp Val Pro
    450                 455                 460

Leu Met Trp Arg Met Lys Gln His Ala Ala Val Leu Glu Glu Gly Val
465                 470                 475                 480

Leu Asn Pro Glu Thr Thr Val Val Ala Ile Phe Pro Ser Pro Met Met
                485                 490                 495

Tyr Ala Gly Pro Thr Glu Val Gln Trp His Cys Arg Ala Arg Met Val
            500                 505                 510

Ala Gly Ala Asn Phe Tyr Ile Val Gly Arg Asp Pro Ala Gly Met Pro
        515                 520                 525

His Pro Glu Thr Gly Lys Asp Leu Tyr Glu Pro Ser His Gly Ala Lys
    530                 535                 540

Val Leu Thr Met Ala Pro Gly Leu Ile Thr Leu Glu Ile Val Pro Phe
545                 550                 555                 560

Arg Val Ala Ala Tyr Asn Lys Lys Lys Lys Arg Met Asp Tyr Tyr Asp
                565                 570                 575

Ser Glu His His Glu Asp Phe Glu Phe Ile Ser Gly Thr Arg Met Arg
            580                 585                 590

Lys Leu Ala Arg Glu Gly Gln Lys Pro Pro Glu Gly Phe Met Ala Pro
        595                 600                 605

Lys Ala Trp Thr Val Leu Thr Glu Tyr Tyr Lys Ser Leu Glu Lys Ala
    610                 615                 620
```

<210> 767
<211> 131
<212> PRT
<213> Homo sapiens

```
<400> 767
Met Leu Phe Val Phe Cys Cys Thr Val Phe Phe Val Cys Leu Phe Val
  1               5                  10                  15
```

```
Tyr Leu Val Gly Phe Leu Glu Arg Glu Ile Trp Lys Arg Asp Ile His
            20                  25                  30

Lys Ser Tyr Thr Pro Thr Phe Pro Phe Tyr His Asp Ile Gln Glu Glu
        35                  40                  45

Thr Ser Arg Ala Lys Asn Gly Val Lys Lys Gly Ser Met Ala Gly Thr
    50                  55                  60

Ser Lys Glu Leu Arg Ala Val Ala Leu Lys Asn Tyr Phe Phe Tyr Tyr
65                  70                  75                  80

Tyr Phe Glu Ser Met Glu Val Phe His Ser Leu Gly Lys Gly Gly Lys
                85                  90                  95

Ser Ala Phe Ile Phe Ile Gln Ser Tyr Leu Ile Thr Ser Lys Thr His
            100                 105                 110

Met Leu Glu Ile Ala Phe Ala Gly Ala Lys Tyr Ile Asn Glu Gln Glu
        115                 120                 125

Tyr Ile His
    130
```

<210> 768
<211> 41
<212> PRT
<213> Homo sapiens

```
<400> 768
Met Cys Val Cys Leu Ile Cys Ser Ile Cys Gln Phe Leu Trp Cys Lys
  1               5                  10                  15

Tyr Ser His Tyr Ser Cys Phe Gln Ala Asn Ile Val Ile Pro Gln Lys
            20                  25                  30

Met Glu Leu Gly Arg His Asn Gln Asp
        35                  40
```

<210> 769
<211> 79
<212> PRT
<213> Homo sapiens

```
<400> 769
Met Pro Phe Ile Leu Leu Leu Val Cys Leu Thr Ser Leu Pro Ser Arg
  1               5                  10                  15

Gly Tyr Asn Glu Lys Lys Leu Thr Asp Asn Ile Gln Cys Glu Ile Phe
            20                  25                  30

Gln Val Leu Tyr Glu Glu Ala Thr Ala Ser Tyr Lys Glu Glu Ile Val
        35                  40                  45

His Gln Leu Pro Ser Asn Lys Pro Glu Glu Leu Glu Asn Asn Val Asp
    50                  55                  60
```

```
Gln Ile Leu Lys Trp Ile Glu Gln Trp Ile Lys Asp His Asn Ser
 65                  70                  75
```

<210> 770
<211> 211
<212> PRT
<213> Homo sapiens

<400> 770

```
Met Val Phe Leu Lys Phe Phe Cys Met Ser Phe Phe Cys His Leu Cys
  1               5                  10                  15

Gln Gly Tyr Phe Asp Gly Pro Leu Tyr Pro Glu Met Ser Asn Gly Thr
             20                  25                  30

Leu His His Tyr Phe Val Pro Asp Gly Asp Tyr Glu Glu Asn Asp Asp
         35                  40                  45

Pro Glu Lys Cys Gln Leu Leu Phe Arg Val Ser Asp His Arg Arg Cys
     50                  55                  60

Ser Gln Gly Glu Gly Ser Gln Val Gly Ser Leu Leu Ser Leu Thr Leu
 65                  70                  75                  80

Arg Glu Glu Phe Thr Val Leu Gly His Gln Val Glu Asp Ala Gly Arg
                 85                  90                  95

Val Leu Glu Gly Ile Ser Lys Ser Ile Ser Tyr Asp Leu Asp Gly Glu
            100                 105                 110

Glu Ser Tyr Gly Lys Tyr Leu Arg Arg Glu Ser His Gln Ile Gly Asp
        115                 120                 125

Ala Tyr Ser Asn Ser Asp Lys Ser Leu Thr Glu Leu Glu Ser Lys Phe
    130                 135                 140

Lys Gln Gly Gln Glu Gln Asp Ser Arg Gln Glu Ser Arg Leu Asn Glu
145                 150                 155                 160

Asp Phe Leu Gly Met Leu Val His Thr Arg Ser Leu Leu Lys Glu Thr
                165                 170                 175

Leu Asp Ile Ser Val Gly Leu Arg Asp Lys Tyr Glu Leu Leu Ala Leu
            180                 185                 190

Thr Ile Arg Ser His Gly Thr Arg Leu Gly Arg Leu Lys Asn Asp Tyr
        195                 200                 205

Leu Lys Val
    210
```

<210> 771
<211> 51
<212> PRT
<213> Homo sapiens

<400> 771
Met Arg Cys Gly Glu Ile Ile Leu Ala Ser Val Leu Gly Leu Leu Leu
1 5 10 15

Thr Leu Pro Pro Thr Ser Cys His Leu Asn Lys Ser Phe Pro Phe Leu
20 25 30

Cys Leu Pro Trp Ser Gln Ala Leu Ser Leu Asn Pro His Ser Gly Asn
35 40 45

Glu Ala Gly
50

<210> 772
<211> 53
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (49)
<223> Xaa equals any amino acid

<400> 772
Met Ser His His Ala Gly Leu Gly Gly Gly Ile Leu Phe Ser Leu Lys
1 5 10 15

Ile Ser Phe Phe Ile Ala Leu Ala Val Val Gly Gly Ser Arg Gly Val
20 25 30

Asn Asp Cys Gln Leu Gly Gly Cys Arg Val Gly Ser Cys Pro Arg Val
35 40 45

Xaa Val Arg Val Ala
50

<210> 773
<211> 48
<212> PRT
<213> Homo sapiens

<400> 773
Met Met Leu Tyr Gln Asn Met Leu Leu Tyr Phe Arg Ile Ile Gly Val
1 5 10 15

Leu Ala Leu Asn Phe Ser Ile Ser Pro Ile Phe Phe His Gly Ser Leu
20 25 30

Gly Lys Leu Tyr Val Tyr Ser Ala Ala Lys Tyr Ser Leu Glu Leu Lys
35 40 45

<210> 774

<211> 201
<212> PRT
<213> Homo sapiens

<400> 774
Met Lys Leu Leu Ile Leu Phe Leu Ser His Leu Leu Ser Leu Ala Phe
1 5 10 15

Gly Ile Leu Cys Leu Ser Val Thr Val Ile Leu Ser Leu Leu Leu Ser
20 25 30

Phe Ser Lys Arg Gly Phe Ser Val Arg Ser Phe Gly Thr Gly Thr His
35 40 45

Val Lys Leu Pro Gly Pro Ala Pro Asp Lys Pro Asn Val Tyr Asp Phe
50 55 60

Lys Thr Thr Tyr Asp Gln Met Tyr Asn Asp Leu Leu Arg Lys Asp Lys
65 70 75 80

Glu Leu Tyr Thr Gln Asn Gly Ile Leu His Met Leu Asp Arg Asn Lys
85 90 95

Arg Ile Lys Pro Arg Pro Glu Arg Phe Gln Asn Cys Lys Asp Leu Phe
100 105 110

Asp Leu Ile Leu Thr Cys Glu Glu Arg Val Tyr Asp Gln Val Val Glu
115 120 125

Asp Leu Asn Ser Arg Glu Gln Glu Thr Cys Gln Pro Val His Val Val
130 135 140

Asn Val Asp Ile Gln Asp Asn His Glu Glu Ala Thr Leu Gly Ala Phe
145 150 155 160

Leu Ile Cys Glu Leu Cys Gln Cys Ile Gln His Thr Glu Asp Met Glu
165 170 175

Asn Glu Ile Asp Glu Leu Leu Gln Glu Phe Glu Glu Lys Ser Gly Arg
180 185 190

Thr Phe Leu His Thr Val Cys Phe Tyr
195 200

<210> 775
<211> 44
<212> PRT
<213> Homo sapiens

<400> 775
Met Ser Tyr Ser Leu Phe Leu Ala Leu Leu Ser Phe Ala Ser Ala Ile
1 5 10 15

Leu Phe Val Ala Gly Thr Ile Ala Gly Thr Gly Gly Leu Ser Phe His
20 25 30

Gly Ile Ala Thr Ile Phe Val Leu Thr Gly Lys Trp
35 40

<210> 776
<211> 420
<212> PRT
<213> Homo sapiens

<400> 776
Met Ala Pro Trp Pro Pro Lys Gly Leu Val Pro Ala Val Leu Trp Gly
1 5 10 15

Leu Ser Leu Phe Leu Asn Leu Pro Gly Pro Ile Trp Leu Gln Pro Ser
20 25 30

Pro Pro Pro Gln Ser Ser Pro Pro Pro Gln Pro His Pro Cys His Thr
35 40 45

Cys Arg Gly Leu Val Asp Ser Phe Asn Lys Gly Leu Glu Arg Thr Ile
50 55 60

Arg Asp Asn Phe Gly Gly Gly Asn Thr Ala Trp Glu Glu Glu Asn Leu
65 70 75 80

Ser Lys Tyr Lys Asp Ser Glu Thr Arg Leu Val Glu Val Leu Glu Gly
85 90 95

Val Cys Ser Lys Ser Asp Phe Glu Cys His Arg Leu Leu Glu Leu Ser
100 105 110

Glu Glu Leu Val Glu Ser Trp Trp Phe His Lys Gln Gln Glu Ala Pro
115 120 125

Asp Leu Phe Gln Trp Leu Cys Ser Asp Ser Leu Lys Leu Cys Cys Pro
130 135 140

Ala Gly Thr Phe Gly Pro Ser Cys Leu Pro Cys Pro Gly Gly Thr Glu
145 150 155 160

Arg Pro Cys Gly Gly Tyr Gly Gln Cys Glu Gly Glu Gly Thr Arg Gly
165 170 175

Gly Ser Gly His Cys Asp Cys Gln Ala Gly Tyr Gly Gly Glu Ala Cys
180 185 190

Gly Gln Cys Gly Leu Gly Tyr Phe Glu Ala Glu Arg Asn Ala Ser His
195 200 205

Leu Val Cys Ser Ala Cys Phe Gly Pro Cys Ala Arg Cys Ser Gly Pro
210 215 220

Glu Glu Ser Asn Cys Leu Gln Cys Lys Lys Gly Trp Ala Leu His His
225 230 235 240

Leu Lys Cys Val Asp Ile Asp Glu Cys Gly Thr Glu Gly Ala Asn Cys
245 250 255

Gly Ala Asp Gln Phe Cys Val Asn Thr Glu Gly Ser Tyr Glu Cys Arg
260 265 270

Asp Cys Ala Lys Ala Cys Leu Gly Cys Met Gly Ala Gly Pro Gly Arg
275 280 285

```
Cys Lys Lys Cys Ser Pro Gly Tyr Gln Gln Val Gly Ser Lys Cys Leu
    290                 295                 300

Asp Val Asp Glu Cys Glu Thr Glu Val Cys Pro Gly Glu Asn Lys Gln
305                 310                 315                 320

Cys Glu Asn Thr Glu Gly Gly Tyr Arg Cys Ile Cys Ala Glu Gly Tyr
                325                 330                 335

Lys Gln Met Glu Gly Ile Cys Val Lys Glu Gln Ile Pro Glu Ser Ala
            340                 345                 350

Gly Phe Phe Ser Glu Met Thr Glu Asp Glu Leu Val Val Leu Gln Gln
        355                 360                 365

Met Phe Phe Gly Ile Ile Ile Cys Ala Leu Ala Thr Leu Ala Ala Lys
    370                 375                 380

Gly Asp Leu Val Phe Thr Ala Ile Phe Ile Gly Ala Val Ala Ala Met
385                 390                 395                 400

Thr Gly Tyr Trp Leu Ser Glu Arg Ser Asp Arg Val Leu Glu Gly Phe
                405                 410                 415

Ile Lys Gly Arg
            420
```

<210> 777
<211> 387
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (228)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (359)
<223> Xaa equals any amino acid

<400> 777

```
Met Gly Ala Phe Leu Asp Lys Pro Lys Thr Glu Lys His Asn Ala His
  1               5                  10                  15

Gly Ala Gly Asn Gly Leu Arg Tyr Gly Leu Ser Ser Met Gln Gly Trp
             20                  25                  30

Arg Val Glu Met Glu Asp Ala His Thr Ala Val Val Gly Ile Pro His
         35                  40                  45

Gly Leu Glu Asp Trp Ser Phe Phe Ala Val Tyr Asp Gly His Ala Gly
     50                  55                  60

Ser Arg Val Ala Asn Tyr Cys Ser Thr His Leu Leu Glu His Ile Thr
 65                  70                  75                  80
```

```
Thr Asn Glu Asp Phe Arg Ala Ala Gly Lys Ser Gly Ser Ala Leu Glu
                 85                  90                  95

Leu Ser Val Glu Asn Val Lys Asn Gly Ile Arg Thr Gly Phe Leu Lys
            100                 105                 110

Ile Asp Glu Tyr Met Arg Asn Phe Ser Asp Leu Arg Asn Gly Met Asp
        115                 120                 125

Arg Ser Gly Ser Thr Ala Val Gly Val Met Ile Ser Pro Lys His Ile
    130                 135                 140

Tyr Phe Ile Asn Cys Gly Asp Ser Arg Ala Val Leu Tyr Arg Asn Gly
145                 150                 155                 160

Gln Val Cys Phe Ser Thr Gln Asp His Lys Pro Cys Asn Pro Arg Glu
                165                 170                 175

Lys Glu Arg Ile Gln Asn Ala Gly Gly Ser Val Met Ile Gln Arg Val
            180                 185                 190

Asn Gly Ser Leu Ala Val Ser Arg Ala Leu Gly Asp Tyr Asp Tyr Lys
        195                 200                 205

Cys Val Asp Gly Lys Gly Pro Thr Glu Gln Leu Val Ser Pro Glu Pro
    210                 215                 220

Glu Val Tyr Xaa Ile Leu Arg Ala Glu Glu Asp Glu Phe Ile Ile Leu
225                 230                 235                 240

Ala Cys Asp Gly Ile Trp Asp Val Met Ser Asn Glu Glu Leu Cys Glu
                245                 250                 255

Tyr Val Lys Ser Arg Leu Glu Val Ser Asp Asp Leu Glu Asn Val Cys
            260                 265                 270

Asn Trp Val Val Asp Thr Cys Leu His Lys Gly Ser Arg Asp Asn Met
        275                 280                 285

Ser Ile Val Leu Val Cys Phe Ser Asn Ala Pro Lys Val Ser Asp Glu
    290                 295                 300

Ala Val Lys Lys Asp Ser Glu Leu Asp Lys His Leu Glu Ser Arg Val
305                 310                 315                 320

Glu Glu Ile Met Glu Lys Ser Gly Glu Glu Gly Met Pro Asp Leu Ala
                325                 330                 335

His Val Met Arg Ile Leu Ser Ala Glu Asn Ile Pro Asn Leu Pro Pro
            340                 345                 350

Gly Gly Gly Leu Ala Gly Xaa Arg Asn Val Ile Glu Ala Val Tyr Ser
        355                 360                 365

Arg Leu Asn Pro His Arg Glu Ser Asp Gly Gly Ala Gly Asp Leu Glu
    370                 375                 380

Asp Pro Trp
385
```

<210> 778
<211> 49
<212> PRT
<213> Homo sapiens

<400> 778
Met Gly Val Gly Val Leu Arg Ile Leu Leu Ser Cys Leu Gly Glu Ala
1 5 10 15

Ala Pro Lys Ser Ala Gly Thr Ser Leu Glu Ser Ala Lys Glu Cys Trp
20 25 30

Ser Ala Ala Thr Leu Leu Val Leu Cys Val Leu Cys Gln Leu Gln His
35 40 45

Gly

<210> 779
<211> 47
<212> PRT
<213> Homo sapiens

<400> 779
Met Ile Asn Glu Trp Cys Phe Lys Leu Leu Ser Leu Trp Ser Phe Ala
1 5 10 15

Tyr Ser Asn Cys Lys Leu Ile His Lys Cys Lys Phe Val Phe Leu Lys
20 25 30

Lys Lys Lys Thr Gly Lys Glu Val Ser Val Lys Gly Ser Lys Leu
35 40 45

<210> 780
<211> 159
<212> PRT
<213> Homo sapiens

<400> 780
Met Leu Leu Leu Leu Ile Phe Trp Ile Ala Pro Ala His Gly Pro Thr
1 5 10 15

Asn Ile Met Val Tyr Ile Ser Ile Cys Ser Leu Leu Gly Ser Phe Thr
20 25 30

Val Pro Ser Thr Lys Gly Ile Gly Leu Ala Ala Gln Asp Ile Leu His
35 40 45

Asn Asn Pro Ser Ser Gln Arg Ala Leu Cys Leu Cys Leu Val Leu Leu
50 55 60

Ala Val Leu Gly Cys Ser Ile Ile Val Gln Phe Arg Tyr Ile Asn Lys
65 70 75 80

Ala Leu Glu Cys Phe Asp Ser Ser Val Phe Gly Ala Ile Tyr Tyr Val
85 90 95

```
Val Phe Thr Thr Leu Val Leu Leu Ala Ser Ala Ile Leu Phe Arg Glu
            100                 105                 110

Trp Ser Asn Val Gly Leu Val Asp Phe Leu Gly Met Ala Cys Gly Phe
        115                 120                 125

Thr Thr Val Ser Val Gly Ile Val Leu Ile Gln Val Phe Lys Glu Phe
    130                 135                 140

Asn Phe Asn Leu Gly Glu Met Asn Lys Ser Asn Met Lys Thr Asp
145                 150                 155
```

<210> 781
<211> 102
<212> PRT
<213> Homo sapiens

<400> 781

```
Met Thr Val Arg Arg Leu Ser Leu Leu Cys Arg Asp Leu Trp Ala Leu
  1             5                  10                  15

Trp Leu Leu Leu Lys Ala Gly Ala Val Arg Gly Ala Arg Ala Gly Pro
             20                  25                  30

Arg Leu Pro Gly Arg Cys Cys Gly Ala Thr Cys Gly Asp Ala Gly Arg
         35                  40                  45

Gly Trp Thr Phe Trp Ala Gln Pro Cys Pro Gln Arg Leu Leu Gly Gln
     50                  55                  60

Lys Pro Gly Ala Gly Gly Cys Arg Gly Trp Val Leu Gly Trp Val Pro
 65                  70                  75                  80

Pro Arg Pro Glu Glu Pro Cys Ser Leu Ala Gly Lys Val Cys Thr Gly
                 85                  90                  95

Leu Ala Arg Trp Met Val
            100
```

<210> 782
<211> 53
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (11)
<223> Xaa equals any amino acid

<400> 782

```
Met Cys Lys Ala Val Cys Lys His Arg Leu Xaa Leu Phe Ala Val Ser
  1             5                  10                  15

Ser Phe Ser Leu Gly Leu Gly Trp Val Cys Val Leu Val Leu Met Leu
             20                  25                  30
```

Trp Pro Val Arg Leu Ser Leu Ala Pro Arg Pro Val Gln Leu Gln Gln
35 40 45

Arg Arg Ser His Cys
50

<210> 783
<211> 472
<212> PRT
<213> Homo sapiens

<400> 783
Met Lys Phe Leu Ile Phe Ala Phe Phe Gly Gly Val His Leu Leu Ser
1 5 10 15

Leu Cys Ser Gly Lys Ala Ile Cys Lys Asn Gly Ile Ser Lys Arg Thr
20 25 30

Phe Glu Glu Ile Lys Glu Glu Ile Ala Ser Cys Gly Asp Val Ala Lys
35 40 45

Ala Ile Ile Asn Leu Ala Val Tyr Gly Lys Ala Gln Asn Arg Ser Tyr
50 55 60

Glu Arg Leu Ala Leu Leu Val Asp Thr Val Gly Pro Arg Leu Ser Gly
65 70 75 80

Ser Lys Asn Leu Glu Lys Ala Ile Gln Ile Met Tyr Gln Asn Leu Gln
85 90 95

Gln Asp Gly Leu Glu Lys Val His Leu Glu Pro Val Arg Ile Pro His
100 105 110

Trp Glu Arg Gly Glu Glu Ser Ala Val Met Leu Glu Pro Arg Ile His
115 120 125

Lys Ile Ala Ile Leu Gly Leu Gly Ser Ser Ile Gly Thr Pro Pro Glu
130 135 140

Gly Ile Thr Ala Glu Val Leu Val Val Thr Ser Phe Asp Glu Leu Gln
145 150 155 160

Arg Arg Ala Ser Glu Ala Arg Gly Lys Ile Val Val Tyr Asn Gln Pro
165 170 175

Tyr Ile Asn Tyr Ser Arg Thr Val Gln Tyr Arg Thr Gln Gly Ala Val
180 185 190

Glu Ala Ala Lys Val Gly Ala Leu Ala Ser Leu Ile Arg Ser Val Ala
195 200 205

Ser Phe Ser Ile Tyr Ser Pro His Thr Gly Ile Gln Glu Tyr Gln Asp
210 215 220

Gly Val Pro Lys Ile Pro Thr Ala Cys Ile Thr Val Glu Asp Ala Glu
225 230 235 240

Met Met Ser Arg Met Ala Ser His Gly Ile Lys Ile Val Ile Gln Leu
245 250 255

```
Lys Met Gly Ala Lys Thr Tyr Pro Asp Thr Asp Ser Phe Asn Thr Val
            260                 265                 270

Ala Glu Ile Thr Gly Ser Lys Tyr Pro Glu Gln Val Val Leu Val Ser
        275                 280                 285

Gly His Leu Asp Ser Trp Asp Val Gly Gln Gly Ala Met Asp Asp Gly
    290                 295                 300

Gly Gly Ala Phe Ile Ser Trp Glu Ala Leu Ser Leu Ile Lys Asp Leu
305                 310                 315                 320

Gly Leu Arg Pro Lys Arg Thr Leu Arg Leu Val Leu Trp Thr Ala Glu
                325                 330                 335

Glu Gln Gly Gly Val Gly Ala Phe Gln Tyr Tyr Gln Leu His Lys Val
            340                 345                 350

Asn Ile Ser Asn Tyr Ser Leu Val Met Glu Ser Asp Ala Gly Thr Phe
        355                 360                 365

Leu Pro Thr Gly Leu Gln Phe Thr Gly Ser Glu Lys Ala Arg Ala Ile
    370                 375                 380

Met Glu Glu Val Met Ser Leu Leu Gln Pro Leu Asn Ile Thr Gln Val
385                 390                 395                 400

Leu Ser His Gly Glu Gly Thr Asp Ile Asn Phe Trp Ile Gln Ala Gly
                405                 410                 415

Val Pro Gly Ala Ser Leu Leu Asp Asp Leu Tyr Lys Tyr Phe Phe Phe
            420                 425                 430

His His Ser His Gly Asp Thr Met Thr Val Met Asp Pro Lys Gln Met
        435                 440                 445

Asn Val Ala Ala Ala Val Trp Ala Val Val Ser Tyr Val Val Ala Asp
    450                 455                 460

Met Glu Glu Met Leu Pro Arg Ser
465                 470


<210> 784
<211> 83
<212> PRT
<213> Homo sapiens

<400> 784
Met Lys Lys Val Cys Trp Val Trp Ala Leu Ala His Leu Val Leu Cys
  1               5                  10                  15

Glu Arg Trp Leu Thr Ala Gly Cys Leu Leu Tyr Val Gly Val Ile Gln
             20                  25                  30

Pro Cys Lys Gly Ser Pro Ser Ser Val Cys Lys Ala Arg Arg Cys Leu
         35                  40                  45

His Pro Lys Tyr Arg Ile Lys Arg Tyr Gly Tyr Tyr Lys Tyr Ser Val
```

```
     50                  55                  60

Arg Leu Ile Ile Cys His His His Pro His Ala Leu Lys Ala Glu Leu
 65                  70                  75                  80

Thr Asp Asp
```

<210> 785
<211> 359
<212> PRT
<213> Homo sapiens

<400> 785

```
Met Lys Leu Gly Cys Val Leu Met Ala Trp Ala Leu Tyr Leu Ser Leu
  1               5                  10                  15

Gly Val Leu Trp Val Ala Gln Met Leu Leu Ala Ala Ser Phe Glu Thr
             20                  25                  30

Leu Gln Cys Glu Gly Pro Val Cys Thr Glu Glu Ser Ser Cys His Thr
         35                  40                  45

Glu Asp Asp Leu Thr Asp Ala Arg Glu Ala Gly Phe Gln Val Lys Ala
     50                  55                  60

Tyr Thr Phe Ser Glu Pro Phe His Leu Ile Val Ser Tyr Asp Trp Leu
 65                  70                  75                  80

Ile Leu Gln Gly Pro Ala Lys Pro Val Phe Glu Gly Asp Leu Leu Val
                 85                  90                  95

Leu Arg Cys Gln Ala Trp Gln Asp Trp Pro Leu Thr Gln Val Thr Phe
            100                 105                 110

Tyr Arg Asp Gly Ser Ala Leu Gly Pro Pro Gly Pro Asn Arg Glu Phe
        115                 120                 125

Ser Ile Thr Val Val Gln Lys Ala Asp Ser Gly His Tyr His Cys Ser
    130                 135                 140

Gly Ile Phe Gln Ser Pro Gly Pro Gly Ile Pro Glu Thr Ala Ser Val
145                 150                 155                 160

Val Ala Ile Thr Val Gln Glu Leu Phe Pro Ala Pro Ile Leu Arg Ala
                165                 170                 175

Val Pro Ser Ala Glu Pro Gln Ala Gly Gly Pro Met Thr Leu Ser Cys
            180                 185                 190

Gln Thr Lys Leu Pro Leu Gln Arg Ser Ala Ala Arg Leu Leu Phe Ser
        195                 200                 205

Phe Tyr Lys Asp Gly Arg Ile Val Gln Ser Arg Gly Leu Ser Ser Glu
    210                 215                 220

Phe Gln Ile Pro Thr Ala Ser Glu Asp His Ser Gly Ser Tyr Trp Cys
225                 230                 235                 240
```

```
Glu Ala Ala Thr Glu Asp Asn Gln Val Trp Lys Gln Ser Pro Gln Leu
                245                 250                 255

Glu Ile Arg Val Gln Gly Ala Ser Ser Ser Ala Ala Pro Pro Thr Leu
            260                 265                 270

Asn Pro Ala Pro Gln Lys Ser Ala Ala Pro Gly Thr Ala Pro Glu Glu
        275                 280                 285

Ala Pro Gly Pro Leu Pro Pro Pro Pro Thr Pro Ser Ser Glu Asp Pro
    290                 295                 300

Gly Phe Ser Ser Pro Leu Gly Met Pro Asp Pro His Leu Tyr His Gln
305                 310                 315                 320

Met Gly Leu Leu Leu Lys His Met Gln Asp Val Arg Val Leu Leu Gly
                325                 330                 335

His Leu Leu Met Glu Leu Arg Glu Leu Ser Gly His Arg Lys Pro Gly
            340                 345                 350

Thr Thr Lys Ala Thr Ala Glu
        355
```

<210> 786
<211> 192
<212> PRT
<213> Homo sapiens

<400> 786

```
Met Glu Ala Leu Leu Gln Ser Leu Val Ile Val Leu Leu Gly Phe Lys
  1               5                  10                  15

Ser Phe Leu Ser Glu Glu Leu Gly Ser Glu Val Leu Asn Leu Leu Thr
             20                  25                  30

Asn Lys Gln Tyr Glu Leu Leu Ser Lys Asn Leu Arg Lys Thr Arg Glu
         35                  40                  45

Leu Phe Val His Gly Leu Pro Gly Ser Gly Lys Thr Ile Leu Ala Leu
     50                  55                  60

Arg Ile Met Glu Lys Ile Arg Asn Val Phe His Cys Glu Pro Ala Asn
 65                  70                  75                  80

Ile Leu Tyr Ile Cys Glu Asn Gln Pro Leu Lys Lys Leu Val Ser Phe
                 85                  90                  95

Ser Lys Lys Asn Ile Cys Gln Pro Val Thr Arg Lys Thr Phe Met Lys
            100                 105                 110

Asn Asn Phe Glu His Ile Gln His Ile Ile Ile Asp Asp Ala Gln Asn
        115                 120                 125

Phe Arg Thr Glu Asp Gly Asp Trp Tyr Gly Lys Ala Lys Phe Ile Thr
    130                 135                 140

Gln Thr Ala Arg Asp Gly Pro Gly Val Leu Trp Ile Phe Leu Asp Tyr
145                 150                 155                 160
```

```
Phe Gln Thr Tyr His Leu Ser Cys Ser Ala Ser Pro Leu Pro Gln Thr
                165                 170                 175

Ser Ile Gln Glu Lys Arg Ser Thr Glu Trp Ser Ala Met Gln Val Gln
            180                 185                 190
```

<210> 787
<211> 379
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (283)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (303)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (307)
<223> Xaa equals any amino acid

<400> 787

```
Met Gly Tyr Ile Asp Asp Pro Asp Lys Tyr His Gln Gly Phe Glu Leu
  1               5                  10                  15

Leu Leu Ser Ala Leu Gly Asp Pro Ser Glu Arg Val Val Ser Ala Thr
             20                  25                  30

His Gln Val Phe Leu Pro Ala Tyr Ala Ala Trp Thr Thr Glu Leu Gly
         35                  40                  45

Asn Leu Gln Ser His Leu Ile Leu Thr Leu Leu Asn Lys Ile Glu Lys
     50                  55                  60

Leu Leu Arg Glu Gly Glu His Gly Leu Asp Glu His Lys Leu His Met
 65                  70                  75                  80

Tyr Leu Ser Ala Leu Gln Ser Leu Ile Pro Ser Leu Phe Ala Leu Val
                 85                  90                  95

Leu Gln Asn Ala Pro Phe Ser Ser Lys Ala Lys Leu His Gly Glu Val
            100                 105                 110

Pro Gln Ile Glu Val Thr Arg Phe Pro Arg Pro Met Ser Pro Leu Gln
        115                 120                 125

Asp Val Ser Thr Ile Ile Gly Ser Arg Glu Gln Leu Ala Val Leu Leu
    130                 135                 140

Gln Leu Tyr Asp Tyr Gln Leu Glu Gln Glu Gly Thr Thr Gly Trp Glu
```

```
145                 150                 155                 160

Ser Leu Leu Trp Val Val Asn Gln Leu Leu Pro Gln Leu Ile Glu Ile
                165                 170                 175

Val Gly Lys Ile Asn Val Thr Ser Thr Ala Cys Val His Glu Phe Ser
            180                 185                 190

Arg Phe Phe Trp Arg Leu Cys Arg Thr Phe Gly Lys Ile Phe Thr Asn
        195                 200                 205

Thr Lys Val Lys Pro Gln Phe Gln Glu Ile Leu Arg Leu Ser Glu Glu
    210                 215                 220

Asn Ile Asp Ser Ser Ala Gly Asn Gly Val Leu Thr Lys Ala Thr Val
225                 230                 235                 240

Pro Ile Tyr Ala Thr Gly Val Leu Thr Cys Tyr Ile Gln Glu Glu Asp
                245                 250                 255

Arg Lys Leu Leu Val Gly Phe Leu Glu Asp Val Met Thr Leu Leu Ser
            260                 265                 270

Leu Ser His Ala Pro Leu Asp Ser Leu Lys Xaa Ser Phe Val Glu Leu
        275                 280                 285

Gly Ala Asn Gln Ala Tyr His Glu Leu Leu Leu Thr Val Leu Xaa Tyr
    290                 295                 300

Gly Val Xaa His Thr Ser Ala Leu Val Arg Cys Thr Ala Ala Arg Met
305                 310                 315                 320

Phe Glu Leu Leu Val Lys Gly Val Asn Glu Thr Leu Val Ala Gln Arg
                325                 330                 335

Val Val Pro Ala Leu Ile Thr Leu Ser Ser Asp Pro Glu Ile Ser Val
            340                 345                 350

Arg Ile Ala Thr Ile Pro Ala Phe Gly Thr Ile Met Glu Thr Val Ile
        355                 360                 365

Gln Arg Glu Leu Leu Glu Arg Val Lys Met Gln
    370                 375
```

<210> 788
<211> 48
<212> PRT
<213> Homo sapiens

```
<400> 788
Met Ser Thr Val Thr Trp Leu Leu Lys Leu Phe Thr Gln Phe Met Phe
  1               5                  10                  15

Pro Pro Thr Val Ser Asn Ser His Thr Cys Ala Arg Tyr Tyr Val Phe
             20                  25                  30

Asn Phe Cys Leu Ile Ile Ser Phe Asn Phe Asn Phe His Tyr His Trp
         35                  40                  45
```

<210> 789
<211> 41
<212> PRT
<213> Homo sapiens

<400> 789
Met Lys Ile Leu Ile Leu Phe Ile Phe Ile Pro Gly Leu Leu Val Glu
1 5 10 15

Lys Asn Gly Pro Asp His Val Cys Val Cys Met Cys Val Arg Val Cys
20 25 30

Val Cys Ala His Leu Gly Leu Phe Ile
35 40

<210> 790
<211> 100
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (92)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (96)
<223> Xaa equals any amino acid

<400> 790
Met Phe Val Ala Val Phe Tyr Trp Val Leu Thr Val Phe Phe Leu Ile
1 5 10 15

Ile Tyr Ile Thr Met Thr Tyr Thr Arg Ile Pro Gln Val Pro Trp Thr
20 25 30

Thr Val Gly Leu Cys Phe Asn Gly Ser Ala Phe Val Leu Tyr Leu Ser
35 40 45

Ala Ala Val Val Asp Ala Ser Ser Val Ser Pro Glu Lys Asp Ser His
50 55 60

Asn Phe Asn Ser Trp Ala Ala Ser Ser Phe Phe Ala Phe Leu Val Thr
65 70 75 80

Ile Cys Tyr Ala Gly Asn Thr Tyr Phe Ser Phe Xaa Ala Trp Arg Xaa
85 90 95

Arg Thr Ile Gln
100

<210> 791
<211> 142
<212> PRT
<213> Homo sapiens

<400> 791
Met Gly Cys Leu Val Trp Gly Pro Ser Trp Pro Pro Leu Ser Leu Leu
1 5 10 15

Ala Ser Leu Leu His Ser Gly Ile Ala Gly Arg Cys Leu Leu Cys Leu
20 25 30

Phe Lys Gly Leu Ala Ala Ala Ala Ser Leu Gln Ile Arg Asp Leu Ala
35 40 45

Ser Arg Leu Thr Thr Gly Pro Arg Thr Cys Arg Val Gln Pro Pro Pro
50 55 60

His Pro Gln Ser Ser Pro Pro Trp Pro Gly Pro Pro Gly Ala Glu Thr
65 70 75 80

Cys Arg Pro Leu Ser Arg Thr Val Gly Gly Val Cys Pro Ser Asp Trp
85 90 95

Pro Val Ser Trp Leu Leu Leu Pro Pro Leu Pro Glu Val Val Thr Cys
100 105 110

Ser Cys Pro Arg Ile Lys Ala Arg Pro Glu Arg Thr Pro Glu Leu Leu
115 120 125

Cys Ala Trp Gly Gly Arg Gly Lys His Ser Gln Leu Val Ala
130 135 140

<210> 792
<211> 57
<212> PRT
<213> Homo sapiens

<400> 792
Met Val Tyr Arg Ala Phe Leu Ile Ile Ile Leu Arg Phe Ile Leu Ile
1 5 10 15

Phe Leu Phe Lys Leu Asn Tyr Ser Lys Leu Cys Pro Glu Ile Pro Phe
20 25 30

Gly Leu Lys Phe Phe Ser Phe Val Cys Ile Lys Val Gln Ile Lys Lys
35 40 45

Thr Ser Arg Lys Arg Arg Pro Tyr Leu
50 55

<210> 793
<211> 74
<212> PRT
<213> Homo sapiens

<400> 793

```
Met Thr Asn Val Tyr Ser Leu Asp Gly Ile Leu Val Phe Gly Leu Leu
 1               5                  10                  15

Phe Val Cys Thr Cys Ala Tyr Phe Lys Lys Val Pro Arg Leu Lys Thr
            20                  25                  30

Trp Leu Leu Ser Glu Lys Lys Gly Val Trp Gly Val Phe Tyr Lys Ala
        35                  40                  45

Ala Val Ile Gly Thr Arg Leu His Ala Ala Val Ala Ile Ala Cys Val
    50                  55                  60

Val Met Ala Phe Tyr Val Leu Phe Ile Lys
65                  70
```

<210> 794
<211> 45
<212> PRT
<213> Homo sapiens

<400> 794

```
Met Leu Leu Gln Phe Ser Ile Phe Phe Ala Pro Val Val Cys Leu Pro
 1               5                  10                  15

Lys Tyr Ser Pro Phe Met Lys Glu Glu Cys Lys Ala Asp Pro Thr Arg
            20                  25                  30

Asp Tyr Lys Phe Leu Tyr Ile Tyr Ile Glu Arg Gly Thr
        35                  40                  45
```

<210> 795
<211> 399
<212> PRT
<213> Homo sapiens

<400> 795

```
Met Gly Ile Leu Leu Gly Leu Leu Leu Leu Gly His Leu Thr Val Asp
 1               5                  10                  15

Thr Tyr Gly Arg Pro Ile Leu Glu Val Pro Glu Ser Val Thr Gly Pro
            20                  25                  30

Trp Lys Gly Asp Val Asn Leu Pro Cys Thr Tyr Asp Pro Leu Gln Gly
        35                  40                  45

Tyr Thr Gln Val Leu Val Lys Trp Leu Val Gln Arg Gly Ser Asp Pro
    50                  55                  60

Val Thr Ile Phe Leu Arg Asp Ser Ser Gly Asp His Ile Gln Gln Ala
65                  70                  75                  80

Lys Tyr Gln Gly Arg Leu His Val Ser His Lys Val Pro Gly Asp Val
                85                  90                  95

Ser Leu Gln Leu Ser Thr Leu Glu Met Asp Asp Arg Ser His Tyr Thr
            100                 105                 110
```

```
Cys Glu Val Thr Trp Gln Thr Pro Asp Gly Asn Gln Val Val Arg Asp
        115                 120                 125

Lys Ile Thr Glu Leu Arg Val Gln Lys Leu Ser Val Ser Lys Pro Thr
    130                 135                 140

Val Thr Thr Gly Ser Gly Tyr Gly Phe Thr Val Pro Gln Gly Met Arg
145                 150                 155                 160

Ile Ser Leu Gln Cys Gln Ala Arg Gly Ser Pro Pro Ile Ser Tyr Ile
                165                 170                 175

Trp Tyr Lys Gln Gln Thr Asn Asn Gln Glu Pro Ile Lys Val Ala Thr
            180                 185                 190

Leu Ser Thr Leu Leu Phe Lys Pro Ala Val Ile Ala Asp Ser Gly Ser
        195                 200                 205

Tyr Phe Cys Thr Ala Lys Gly Gln Val Gly Ser Glu Gln His Ser Asp
    210                 215                 220

Ile Val Lys Phe Val Val Lys Asp Ser Ser Lys Leu Leu Lys Thr Lys
225                 230                 235                 240

Thr Glu Ala Pro Thr Thr Met Thr Tyr Pro Leu Lys Ala Thr Ser Thr
                245                 250                 255

Val Lys Gln Ser Trp Asp Trp Thr Thr Asp Met Asp Gly Tyr Leu Gly
            260                 265                 270

Glu Thr Ser Ala Gly Pro Gly Lys Ser Leu Pro Val Phe Ala Ile Ile
        275                 280                 285

Leu Ile Ile Ser Leu Cys Cys Met Val Val Phe Thr Met Ala Tyr Ile
    290                 295                 300

Met Leu Cys Arg Lys Thr Ser Gln Gln Glu His Val Tyr Glu Ala Ala
305                 310                 315                 320

Arg Ala His Ala Arg Glu Ala Asn Asp Ser Gly Glu Thr Met Arg Val
                325                 330                 335

Ala Ile Phe Ala Ser Gly Cys Ser Ser Asp Glu Pro Thr Ser Gln Asn
            340                 345                 350

Leu Gly Asn Asn Tyr Ser Asp Glu Pro Cys Ile Gly Gln Glu Tyr Gln
        355                 360                 365

Ile Ile Ala Gln Ile Asn Gly Asn Tyr Ala Arg Leu Leu Asp Thr Val
    370                 375                 380

Pro Leu Asp Tyr Glu Phe Leu Ala Thr Glu Gly Lys Ser Val Cys
385                 390                 395
```

<210> 796
<211> 223
<212> PRT
<213> Homo sapiens

<400> 796
Met Lys Phe Val Pro Cys Leu Leu Leu Val Thr Leu Ser Cys Leu Gly
1 5 10 15

Thr Leu Gly Gln Ala Pro Arg Gln Lys Gln Gly Ser Thr Gly Glu Glu
20 25 30

Phe His Phe Gln Thr Gly Gly Arg Asp Ser Cys Thr Met Arg Pro Ser
35 40 45

Ser Leu Gly Gln Gly Ala Gly Glu Val Trp Leu Arg Val Asp Cys Arg
50 55 60

Asn Thr Asp Gln Thr Tyr Trp Cys Glu Tyr Arg Gly Gln Pro Ser Met
65 70 75 80

Cys Gln Ala Phe Ala Ala Asp Pro Lys Ser Tyr Trp Asn Gln Ala Leu
85 90 95

Gln Glu Leu Arg Arg Leu His His Ala Cys Gln Gly Ala Pro Val Leu
100 105 110

Arg Pro Ser Val Cys Arg Glu Ala Gly Pro Gln Ala His Met Gln Gln
115 120 125

Val Thr Ser Ser Leu Lys Gly Ser Pro Glu Pro Asn Gln Gln Pro Glu
130 135 140

Ala Gly Thr Pro Ser Leu Arg Pro Lys Ala Thr Val Lys Leu Thr Glu
145 150 155 160

Ala Thr Gln Leu Gly Lys Asp Ser Met Glu Glu Leu Gly Lys Ala Lys
165 170 175

Pro Thr Thr Arg Pro Thr Ala Lys Pro Thr Gln Pro Gly Pro Arg Pro
180 185 190

Gly Gly Asn Glu Glu Ala Lys Lys Lys Ala Trp Glu His Cys Trp Lys
195 200 205

Pro Phe Gln Ala Leu Cys Ala Phe Leu Ile Ser Phe Phe Arg Gly
210 215 220

<210> 797
<211> 52
<212> PRT
<213> Homo sapiens

<400> 797
Met Pro Ser Leu Asn Leu Val Leu Arg Pro Leu Ile Cys Leu Ala Ser
1 5 10 15

Ile Thr Ser Phe Leu Ile Phe Phe Pro Leu Leu Thr Leu Ile Leu Cys
20 25 30

Ser Pro Asn Ser Pro Pro Phe Pro Leu Pro Ala His Pro Glu Arg His
35 40 45

Thr His Thr Gln

50

<210> 798
<211> 135
<212> PRT
<213> Homo sapiens

<400> 798
Met Gly Leu Trp Leu Gly Met Leu Ala Cys Val Phe Leu Ala Thr Ala
1 5 10 15

Ala Phe Val Ala Tyr Thr Ala Arg Leu Asp Trp Lys Leu Ala Ala Glu
20 25 30

Glu Ala Lys Lys His Ser Gly Arg Gln Gln Gln Gln Arg Ala Glu Ser
35 40 45

Thr Ala Thr Arg Pro Gly Pro Glu Lys Ala Val Leu Ser Ser Val Ala
50 55 60

Thr Gly Ser Ser Pro Gly Ile Thr Leu Thr Thr Tyr Ser Arg Ser Glu
65 70 75 80

Cys His Val Asp Phe Phe Arg Thr Pro Glu Glu Ala His Ala Leu Ser
85 90 95

Ala Pro Thr Ser Arg Leu Ser Val Lys Gln Leu Val Ile Arg Arg Gly
100 105 110

Ala Ala Leu Gly Ala Ala Ser Ala Thr Leu Met Val Gly Leu Thr Val
115 120 125

Arg Ile Leu Ala Thr Arg His
130 135

<210> 799
<211> 181
<212> PRT
<213> Homo sapiens

<400> 799
Met Thr Val Ile Leu Ile Ile Leu Ile Val Val Met Ala Arg Tyr Cys
1 5 10 15

Arg Ser Lys Asn Lys Asn Gly Tyr Glu Ala Gly Lys Lys Asp His Glu
20 25 30

Asp Phe Phe Thr Pro Gln Gln His Asp Lys Ser Lys Lys Pro Lys Lys
35 40 45

Asp Lys Lys Asn Lys Lys Ser Lys Gln Pro Leu Tyr Ser Ser Ile Val
50 55 60

Thr Val Glu Ala Ser Lys Pro Asn Gly Gln Arg Tyr Asp Ser Val Asn
65 70 75 80

Glu Lys Leu Ser Asp Ser Pro Ser Met Gly Arg Tyr Arg Ser Val Asn

```
                85                  90                  95

Gly Gly Pro Gly Ser Pro Asp Leu Ala Arg His Tyr Lys Ser Ser Ser
            100                 105                 110

Pro Leu Pro Thr Val Gln Leu His Pro Gln Ser Pro Thr Ala Gly Lys
        115                 120                 125

Lys His Gln Ala Val Gln Asp Leu Pro Pro Ala Asn Thr Phe Val Gly
    130                 135                 140

Ala Gly Asp Asn Ile Ser Ile Gly Ser Asp His Cys Ser Glu Tyr Ser
145                 150                 155                 160

Cys Gln Thr Asn Asn Lys Tyr Ser Lys Gln Met Arg Leu His Pro Tyr
                165                 170                 175

Ile Thr Val Phe Gly
            180
```

<210> 800
<211> 61
<212> PRT
<213> Homo sapiens

```
<400> 800
Met Gln Leu Thr Leu Gly Gly Ala Ala Val Gly Ala Gly Ala Val Leu
  1               5                  10                  15

Ala Ala Ser Leu Leu Trp Ala Cys Ala Val Gly Leu Tyr Met Gly Gln
             20                  25                  30

Leu Glu Leu Asp Val Glu Leu Val Pro Glu Asp Asp Gly Thr Ala Ser
         35                  40                  45

Ala Glu Gly Pro Asp Glu Ala Gly Arg Pro Pro Pro Glu
     50                  55                  60
```

<210> 801
<211> 58
<212> PRT
<213> Homo sapiens

```
<400> 801
Met Arg Thr Phe Leu Thr Phe Val Ile Leu Lys Val Ile Leu Ile Phe
  1               5                  10                  15

Leu Ser Ser Cys Ala Ser Phe Thr Arg Asn Leu Leu Thr Trp Pro Asn
             20                  25                  30

Asp Val Ser Thr Glu Gln Phe Glu Thr Arg Pro Phe Gly Ser Glu Leu
         35                  40                  45

Leu Gln Thr Val Ile Asn Val Ser Arg Thr
     50                  55
```

<210> 802
<211> 950
<212> PRT
<213> Homo sapiens

<400> 802

```
Met Thr Trp Arg Met Gly Pro Arg Phe Thr Met Leu Leu Ala Met Trp
  1               5                  10                  15

Leu Val Cys Gly Ser Glu Pro His Pro His Ala Thr Ile Arg Gly Ser
             20                  25                  30

His Gly Gly Arg Lys Val Pro Leu Val Ser Pro Asp Ser Ser Arg Pro
         35                  40                  45

Ala Arg Phe Leu Arg His Thr Gly Arg Ser Arg Gly Ile Glu Arg Ser
     50                  55                  60

Thr Leu Glu Glu Pro Asn Leu Gln Pro Leu Gln Arg Arg Arg Ser Val
 65                  70                  75                  80

Pro Val Leu Arg Leu Ala Arg Pro Thr Glu Pro Pro Ala Arg Ser Asp
                 85                  90                  95

Ile Asn Gly Ala Ala Val Arg Pro Glu Gln Arg Pro Ala Ala Arg Gly
            100                 105                 110

Ser Pro Arg Glu Met Ile Arg Asp Glu Gly Ser Ser Ala Arg Ser Arg
        115                 120                 125

Met Leu Arg Phe Pro Ser Gly Ser Ser Ser Pro Asn Ile Leu Ala Ser
    130                 135                 140

Phe Ala Gly Lys Asn Arg Val Trp Val Ile Ser Ala Pro His Ala Ser
145                 150                 155                 160

Glu Gly Tyr Tyr Arg Leu Met Met Ser Leu Leu Lys Asp Asp Val Tyr
                165                 170                 175

Cys Glu Leu Ala Glu Arg His Ile Gln Gln Ile Val Leu Phe His Gln
            180                 185                 190

Ala Gly Glu Glu Gly Gly Lys Val Arg Arg Ile Thr Ser Glu Gly Gln
        195                 200                 205

Ile Leu Glu Gln Pro Leu Asp Pro Ser Leu Ile Pro Lys Leu Met Ser
    210                 215                 220

Phe Leu Lys Leu Glu Lys Gly Lys Phe Gly Met Val Leu Leu Lys Lys
225                 230                 235                 240

Thr Leu Gln Val Glu Glu Arg Tyr Pro Tyr Pro Val Arg Leu Glu Ala
                245                 250                 255

Met Tyr Glu Val Ile Asp Gln Gly Pro Ile Arg Arg Ile Glu Lys Ile
            260                 265                 270

Arg Gln Lys Gly Phe Val Gln Lys Cys Lys Ala Ser Gly Val Glu Gly
        275                 280                 285
```

```
Gln Val Val Ala Glu Gly Asn Asp Gly Gly Gly Gly Ala Gly Arg Pro
    290                 295                 300

Ser Leu Gly Ser Glu Lys Lys Lys Glu Asp Pro Arg Arg Ala Gln Val
305                 310                 315                 320

Pro Pro Thr Arg Glu Ser Arg Val Lys Val Leu Arg Lys Leu Ala Ala
                325                 330                 335

Thr Ala Pro Ala Leu Pro Gln Pro Pro Ser Thr Pro Arg Ala Thr Thr
            340                 345                 350

Leu Pro Pro Ala Pro Ala Thr Thr Val Thr Arg Ser Thr Ser Arg Ala
        355                 360                 365

Val Thr Val Ala Ala Arg Pro Met Thr Thr Thr Ala Phe Pro Thr Thr
    370                 375                 380

Gln Arg Pro Trp Thr Pro Ser Pro Ser His Arg Pro Pro Thr Thr Thr
385                 390                 395                 400

Glu Val Ile Thr Ala Arg Arg Pro Ser Val Ser Glu Asn Leu Tyr Pro
                405                 410                 415

Pro Ser Arg Lys Asp Gln His Arg Glu Arg Pro Gln Thr Thr Arg Arg
            420                 425                 430

Pro Ser Lys Ala Thr Ser Leu Glu Ser Phe Thr Asn Ala Pro Pro Thr
        435                 440                 445

Thr Ile Ser Glu Pro Ser Thr Arg Ala Ala Gly Pro Gly Arg Phe Arg
    450                 455                 460

Asp Asn Arg Met Asp Arg Arg Glu His Gly His Arg Asp Pro Asn Val
465                 470                 475                 480

Val Pro Gly Pro Pro Lys Pro Ala Lys Glu Lys Pro Pro Lys Lys Lys
                485                 490                 495

Ala Gln Asp Lys Ile Leu Ser Asn Glu Tyr Glu Glu Lys Tyr Asp Leu
            500                 505                 510

Ser Arg Pro Thr Ala Ser Gln Leu Glu Asp Glu Leu Gln Val Gly Asn
        515                 520                 525

Val Pro Leu Lys Lys Ala Lys Glu Ser Lys Lys His Glu Lys Leu Glu
    530                 535                 540

Lys Pro Glu Lys Glu Lys Lys Lys Lys Met Lys Asn Glu Asn Ala Asp
545                 550                 555                 560

Lys Leu Leu Lys Ser Glu Lys Gln Met Lys Lys Ser Glu Lys Lys Ser
                565                 570                 575

Lys Gln Glu Lys Glu Lys Ser Lys Lys Lys Lys Gly Gly Lys Thr Glu
            580                 585                 590

Gln Asp Gly Tyr Gln Lys Pro Thr Asn Lys His Phe Thr Gln Ser Pro
        595                 600                 605

Lys Lys Ser Val Ala Asp Leu Leu Gly Ser Phe Glu Gly Lys Arg Arg
```

```
    610                 615                 620

Leu Leu Leu Ile Thr Ala Pro Lys Ala Glu Asn Asn Met Tyr Val Gln
625                 630                 635                 640

Gln Arg Asp Glu Tyr Leu Glu Ser Phe Cys Lys Met Ala Thr Arg Lys
                645                 650                 655

Ile Ser Val Ile Thr Ile Phe Gly Pro Val Asn Asn Ser Thr Met Lys
            660                 665                 670

Ile Asp His Phe Gln Leu Asp Asn Glu Lys Pro Met Arg Val Val Asp
        675                 680                 685

Asp Glu Asp Leu Val Asp Gln Arg Leu Ile Ser Glu Leu Arg Lys Glu
    690                 695                 700

Tyr Gly Met Thr Tyr Asn Asp Phe Phe Met Val Leu Thr Asp Val Asp
705                 710                 715                 720

Leu Arg Val Lys Gln Tyr Tyr Glu Val Pro Ile Thr Met Lys Ser Val
                725                 730                 735

Phe Asp Leu Ile Asp Thr Phe Gln Ser Arg Ile Lys Asp Met Glu Lys
            740                 745                 750

Gln Lys Lys Glu Gly Ile Val Cys Lys Glu Asp Lys Lys Gln Ser Leu
        755                 760                 765

Glu Asn Phe Leu Ser Arg Phe Arg Trp Arg Arg Arg Leu Leu Val Ile
    770                 775                 780

Ser Ala Pro Asn Asp Glu Asp Trp Ala Tyr Ser Gln Gln Leu Ser Ala
785                 790                 795                 800

Leu Ser Gly Gln Ala Cys Asn Phe Gly Leu Arg His Ile Thr Ile Leu
                805                 810                 815

Lys Leu Leu Gly Val Gly Glu Glu Val Gly Gly Val Leu Glu Leu Phe
            820                 825                 830

Pro Ile Asn Gly Ser Ser Val Val Glu Arg Glu Asp Val Pro Ala His
        835                 840                 845

Leu Val Lys Asp Ile Arg Asn Tyr Phe Gln Val Ser Pro Glu Tyr Phe
    850                 855                 860

Ser Met Leu Leu Val Gly Lys Asp Gly Asn Val Lys Ser Trp Tyr Pro
865                 870                 875                 880

Ser Pro Met Trp Ser Met Val Ile Val Tyr Asp Leu Ile Asp Ser Met
                885                 890                 895

Gln Leu Arg Arg Gln Glu Met Ala Ile Gln Gln Ser Leu Gly Met Arg
            900                 905                 910

Cys Pro Glu Asp Glu Tyr Ala Gly Tyr Gly Tyr His Ser Tyr His Gln
        915                 920                 925

Gly Tyr Gln Asp Gly Tyr Gln Asp Asp Tyr Arg His His Glu Ser Tyr
    930                 935                 940
```

His His Gly Tyr Pro Tyr
945 950

<210> 803
<211> 260
<212> PRT
<213> Homo sapiens

<400> 803
Met Leu Ala Leu Leu Gly Leu Ser Gln Ala Leu Asn Ile Leu Leu Gly
1 5 10 15

Leu Lys Gly Leu Ala Pro Ala Glu Ile Ser Ala Val Cys Glu Lys Gly
20 25 30

Asn Phe Asn Val Ala His Gly Leu Ala Trp Ser Tyr Tyr Ile Gly Tyr
35 40 45

Leu Arg Leu Ile Leu Pro Glu Leu Gln Ala Arg Ile Arg Thr Tyr Asn
50 55 60

Gln His Tyr Asn Asn Leu Leu Arg Gly Ala Val Ser Gln Arg Leu Tyr
65 70 75 80

Ile Leu Leu Pro Leu Asp Cys Gly Val Pro Asp Asn Leu Ser Met Ala
85 90 95

Asp Pro Asn Ile Arg Phe Leu Asp Lys Leu Pro Gln Gln Thr Gly Asp
100 105 110

Arg Ala Gly Ile Lys Asp Arg Val Tyr Ser Asn Ser Ile Tyr Glu Leu
115 120 125

Leu Glu Asn Gly Gln Arg Ala Gly Thr Cys Val Leu Glu Tyr Ala Thr
130 135 140

Pro Leu Gln Thr Leu Phe Ala Met Ser Gln Tyr Ser Gln Ala Gly Phe
145 150 155 160

Ser Gly Glu Asp Arg Leu Glu Gln Ala Lys Leu Phe Cys Arg Thr Leu
165 170 175

Glu Asp Ile Leu Ala Asp Ala Pro Glu Ser Gln Asn Asn Cys Arg Leu
180 185 190

Ile Ala Tyr Gln Glu Pro Ala Asp Asp Ser Ser Phe Ser Leu Ser Gln
195 200 205

Glu Val Leu Arg His Leu Arg Gln Glu Glu Lys Glu Glu Val Thr Val
210 215 220

Gly Ser Leu Lys Thr Ser Ala Val Pro Ser Thr Ser Thr Met Ser Gln
225 230 235 240

Glu Pro Glu Leu Leu Ile Ser Gly Met Glu Lys Pro Leu Pro Leu Arg
245 250 255

Thr Asp Phe Ser

260

<210> 804
<211> 84
<212> PRT
<213> Homo sapiens

<400> 804
Met Ala Gly Cys Cys Leu Lys Leu Phe Gly Val Leu Ser Leu Cys Phe
1 5 10 15

Leu Cys Gly Leu Ile Ser Ile Glu Arg Val Ile Cys Asn Pro Val Ser
20 25 30

Ala Asp Phe Gln Val Ser Thr Phe Cys Gln Arg His Cys Leu Leu Arg
35 40 45

Ser Lys Val Met Phe Leu Ile Lys Gly Ile Thr Ala Thr Ile Glu Val
50 55 60

Ile Asn Glu Asn Cys Thr Leu Val Ala Ala Pro Pro Ile Gly Phe Pro
65 70 75 80

Ile Val Phe Leu

<210> 805
<211> 35
<212> PRT
<213> Homo sapiens

<400> 805
Met Pro Leu Pro Ser Ser Phe Pro Leu Pro Val Phe Leu Ser Ser Cys
1 5 10 15

Pro Phe Leu Met Ser Val Ser Ile Gly Phe Leu Ile Leu Val Phe Asn
20 25 30

Val His Pro
35

<210> 806
<211> 55
<212> PRT
<213> Homo sapiens

<400> 806
Met Val Asn Ile Phe Gly Phe Val Ser Cys Ile Val Phe Arg Cys Ser
1 5 10 15

Cys Ser Ala Leu Leu His Glu Ser Asn His Arg Pro Tyr Leu Asn Lys
20 25 30

Trp Ser Leu Leu Ser Thr Asn Lys Thr Leu Phe Arg Asn Asn Arg Gly
35 40 45

Leu Asp Leu Val Leu Val Cys
50 55

<210> 807
<211> 78
<212> PRT
<213> Homo sapiens

<400> 807
Met Val Cys Phe Gln Ser Asn Lys Pro Ser Thr Ser Thr Trp Arg Gln
1 5 10 15

Leu Ser Phe Val Phe Val Leu Phe Cys Leu Phe Cys Leu Gly His Ala
20 25 30

Phe Leu Ser Leu Pro Phe Tyr Ile Leu Ser Ile Ile Ala Met Cys Leu
35 40 45

Glu Gln Trp Ala Phe His Asn Met Asn Ser Leu Tyr His His Glu Trp
50 55 60

Glu Val Arg Gly Asn Leu Ile His Val Asp Phe Thr Leu Pro
65 70 75

<210> 808
<211> 41
<212> PRT
<213> Homo sapiens

<400> 808
Met Asn Leu Met Val Arg Leu Leu Ala Leu Gly Leu Ile Ser Gly Met
1 5 10 15

Met Ser Asn Ile Thr Gln Ser His Ser Ser Lys Ile Ser Ala Phe Gly
20 25 30

Ile Phe Ile Gly Pro Glu Gln Phe Leu
35 40

<210> 809
<211> 58
<212> PRT
<213> Homo sapiens

<400> 809
Met Arg Ile Ser Arg Cys Asn Ile Ser Leu Glu Ile Val Ser Pro Ser
1 5 10 15

Ile Leu Leu Thr Phe Leu Asp Leu Ile Ile Leu Leu Trp Ala Leu Ala
20 25 30

Ser Cys Tyr Arg Arg Phe Thr Ser Phe Pro Ala Leu Asn Leu Pro Asp
35 40 45

```
Val Asn Ser Thr Leu His Tyr Leu Gln Gln
     50                  55


<210> 810
<211> 606
<212> PRT
<213> Homo sapiens

<400> 810
Met Thr Val Val Gly Asn Pro Arg Ser Trp Ser Cys Gln Trp Leu Pro
  1               5                  10                  15

Ile Leu Ile Leu Leu Leu Gly Thr Gly His Gly Pro Gly Val Glu Gly
             20                  25                  30

Val Thr His Tyr Lys Ala Gly Asp Pro Val Ile Leu Tyr Val Asn Lys
         35                  40                  45

Val Gly Pro Tyr His Asn Pro Gln Glu Thr Tyr His Tyr Tyr Gln Leu
     50                  55                  60

Pro Val Cys Cys Pro Glu Lys Ile Arg His Lys Ser Leu Ser Leu Gly
 65                  70                  75                  80

Glu Val Leu Asp Gly Asp Arg Met Ala Glu Ser Leu Tyr Glu Ile Arg
                 85                  90                  95

Phe Arg Glu Asn Val Glu Lys Arg Ile Leu Cys His Met Gln Leu Ser
            100                 105                 110

Ser Ala Gln Val Glu Gln Leu Arg Gln Ala Ile Glu Glu Leu Tyr Tyr
        115                 120                 125

Phe Glu Phe Val Val Asp Asp Leu Pro Ile Arg Gly Phe Val Gly Tyr
    130                 135                 140

Met Glu Glu Ser Gly Phe Leu Pro His Ser His Lys Ile Gly Leu Trp
145                 150                 155                 160

Thr His Leu Asp Phe His Leu Glu Phe His Gly Asp Arg Ile Ile Phe
                165                 170                 175

Ala Asn Val Ser Val Arg Asp Val Lys Pro His Ser Leu Asp Gly Leu
            180                 185                 190

Arg Pro Asp Glu Phe Leu Gly Leu Thr His Thr Tyr Ser Val Arg Trp
        195                 200                 205

Ser Glu Thr Ser Val Glu Arg Arg Ser Asp Arg Arg Arg Gly Asp Asp
    210                 215                 220

Gly Gly Phe Phe Pro Arg Thr Leu Glu Ile His Trp Leu Ser Ile Ile
225                 230                 235                 240

Asn Ser Met Val Leu Val Phe Leu Leu Val Gly Phe Val Ala Val Ile
                245                 250                 255

Leu Met Arg Val Leu Arg Asn Asp Leu Ala Arg Tyr Asn Leu Asp Glu
            260                 265                 270
```

```
Glu Thr Thr Ser Ala Gly Ser Gly Asp Asp Phe Asp Gln Gly Asp Asn
        275                 280                 285

Gly Trp Lys Ile Ile His Thr Asp Val Phe Arg Phe Pro Pro Tyr Arg
    290                 295                 300

Gly Leu Leu Cys Ala Val Leu Gly Val Gly Ala Gln Phe Leu Ala Leu
305                 310                 315                 320

Gly Thr Gly Ile Ile Val Met Ala Leu Leu Gly Met Phe Asn Val His
                325                 330                 335

Arg His Gly Ala Ile Asn Ser Ala Ala Ile Leu Leu Tyr Ala Leu Thr
            340                 345                 350

Cys Cys Ile Ser Gly Tyr Val Ser Ser His Phe Tyr Arg Gln Ile Gly
        355                 360                 365

Gly Glu Arg Trp Val Trp Asn Ile Ile Leu Thr Thr Ser Leu Phe Ser
    370                 375                 380

Val Pro Phe Phe Leu Thr Trp Ser Val Val Asn Ser Val His Trp Ala
385                 390                 395                 400

Asn Gly Ser Thr Gln Ala Leu Pro Ala Thr Thr Ile Leu Leu Leu Leu
                405                 410                 415

Thr Val Trp Leu Leu Val Gly Phe Pro Leu Thr Val Ile Gly Gly Ile
            420                 425                 430

Phe Gly Lys Asn Asn Ala Ser Pro Phe Asp Ala Pro Cys Arg Thr Lys
        435                 440                 445

Asn Ile Ala Arg Glu Ile Pro Pro Gln Pro Trp Tyr Lys Ser Thr Val
    450                 455                 460

Ile His Met Thr Val Gly Gly Phe Leu Pro Phe Ser Ala Ile Ser Val
465                 470                 475                 480

Glu Leu Tyr Tyr Ile Phe Ala Thr Val Trp Gly Arg Glu Gln Tyr Thr
                485                 490                 495

Leu Tyr Gly Ile Leu Phe Phe Val Phe Ala Ile Leu Leu Ser Val Gly
            500                 505                 510

Ala Cys Ile Ser Ile Ala Leu Thr Tyr Phe Gln Leu Ser Gly Glu Asp
        515                 520                 525

Tyr Arg Trp Trp Trp Arg Ser Val Leu Ser Val Gly Ser Thr Gly Leu
    530                 535                 540

Phe Ile Phe Leu Tyr Ser Val Phe Tyr Tyr Ala Arg Arg Ser Asn Met
545                 550                 555                 560

Ser Gly Ala Val Gln Thr Val Glu Phe Phe Gly Tyr Ser Leu Leu Thr
                565                 570                 575

Gly Tyr Val Phe Phe Leu Met Leu Gly Thr Ile Ser Phe Phe Ser Ser
            580                 585                 590
```

Leu Lys Phe Ile Arg Tyr Ile Tyr Val Asn Leu Lys Met Asp
595 600 605

<210> 811
<211> 62
<212> PRT
<213> Homo sapiens

<400> 811
Met Ala Val Arg Cys Ile Leu Ala Gly Gly Cys Leu Pro Ala Val Arg
1 5 10 15

Gly Thr Phe Ser Val Leu Leu Lys Gly Met Tyr Lys Pro Met Gly Asp
20 25 30

Leu Ile Ser Cys Val Phe Arg Cys Val Ala Gly Gly Leu Gly Trp Gly
35 40 45

Gly Gly Ala Ser Glu Gln Cys Val Glu Ser Leu Val Val Thr
50 55 60

<210> 812
<211> 56
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (32)
<223> Xaa equals any amino acid

<400> 812
Met Leu Ser Phe Phe Ile Cys Leu Leu Ile Phe Val His Leu Leu Leu
1 5 10 15

Leu Ser Phe Leu Ile Ser Asp Trp Pro Pro Pro Thr Gly Ser Ala Xaa
20 25 30

His Lys Ile Leu Arg Leu Met Val Val Gln Arg Leu Ser Leu Leu Asp
35 40 45

Gln Arg Lys Arg Trp Ser Glu Ala
50 55

<210> 813
<211> 90
<212> PRT
<213> Homo sapiens

<400> 813
Met Ala Ile Arg Leu Val Phe Leu Ala Leu Ala Gly Leu Val Asp Gly
1 5 10 15

Lys Pro Val Trp Ile Thr Leu Trp Met Asp Ala Lys Arg Pro Asn Leu
20 25 30

```
Ala Gly Thr Gly Ser Thr Trp Gly Ser Arg Arg Asp Ser His Cys Cys
         35                  40                  45

His Gly Pro Thr Ala Trp Ser Leu Pro Cys Leu Leu Cys Leu Phe Arg
     50                  55                  60

Ala Gln Gln Lys Asp Arg Glu Arg Ser Leu Leu Gly Val Pro Leu Pro
 65                  70                  75                  80

Thr Leu Gln Gly Gly Asn Leu Ser Asp Gly
                 85                  90
```

<210> 814
<211> 672
<212> PRT
<213> Homo sapiens

<400> 814

```
Met Cys Ser Arg Val Pro Leu Leu Leu Pro Leu Leu Leu Leu Leu Ala
  1               5                  10                  15

Leu Gly Pro Gly Val Gln Gly Cys Pro Ser Gly Cys Gln Cys Ser Gln
             20                  25                  30

Pro Gln Thr Val Phe Cys Thr Ala Arg Gln Gly Thr Thr Val Pro Arg
         35                  40                  45

Asp Val Pro Pro Asp Thr Val Gly Leu Tyr Val Phe Glu Asn Gly Ile
     50                  55                  60

Thr Met Leu Asp Ala Gly Ser Phe Ala Gly Leu Pro Gly Leu Gln Leu
 65                  70                  75                  80

Leu Asp Leu Ser Gln Asn Gln Ile Ala Ser Leu Pro Ser Gly Val Phe
                 85                  90                  95

Gln Pro Leu Ala Asn Leu Ser Asn Leu Asp Leu Thr Ala Asn Arg Leu
            100                 105                 110

His Glu Ile Thr Asn Glu Thr Phe Arg Gly Leu Arg Arg Leu Glu Arg
        115                 120                 125

Leu Tyr Leu Gly Lys Asn Arg Ile Arg His Ile Gln Pro Gly Ala Phe
    130                 135                 140

Asp Thr Leu Asp Arg Leu Leu Glu Leu Lys Leu Gln Asp Asn Glu Leu
145                 150                 155                 160

Arg Ala Leu Pro Pro Leu Arg Leu Pro Arg Leu Leu Leu Leu Asp Leu
                165                 170                 175

Ser His Asn Ser Leu Leu Ala Leu Glu Pro Gly Ile Leu Asp Thr Ala
            180                 185                 190

Asn Val Glu Ala Leu Arg Leu Ala Gly Leu Gly Leu Gln Gln Leu Asp
        195                 200                 205

Glu Gly Leu Phe Ser Arg Leu Arg Asn Leu His Asp Leu Asp Val Ser
```

```
    210                 215                 220

Asp Asn Gln Leu Glu Arg Val Pro Pro Val Ile Arg Gly Leu Arg Gly
225                 230                 235                 240

Leu Thr Arg Leu Arg Leu Ala Gly Asn Thr Arg Ile Ala Gln Leu Arg
                245                 250                 255

Pro Glu Asp Leu Ala Gly Leu Ala Ala Leu Gln Glu Leu Asp Val Ser
            260                 265                 270

Asn Leu Ser Leu Gln Ala Leu Pro Gly Asp Leu Ser Gly Leu Phe Pro
        275                 280                 285

Arg Leu Arg Leu Leu Ala Ala Ala Arg Asn Pro Phe Asn Cys Val Cys
    290                 295                 300

Pro Leu Ser Trp Phe Gly Pro Trp Val Arg Glu Ser His Val Thr Leu
305                 310                 315                 320

Ala Ser Pro Glu Glu Thr Arg Cys His Phe Pro Pro Lys Asn Ala Gly
                325                 330                 335

Arg Leu Leu Leu Glu Leu Asp Tyr Ala Asp Phe Gly Cys Pro Ala Thr
            340                 345                 350

Thr Thr Thr Ala Thr Val Pro Thr Thr Arg Pro Val Val Arg Glu Pro
        355                 360                 365

Thr Ala Leu Ser Ser Ser Leu Ala Pro Thr Trp Leu Ser Pro Thr Ala
    370                 375                 380

Pro Ala Thr Glu Ala Pro Ser Pro Pro Ser Thr Ala Pro Pro Thr Val
385                 390                 395                 400

Gly Pro Val Pro Gln Pro Gln Asp Cys Pro Pro Ser Thr Cys Leu Asn
                405                 410                 415

Gly Gly Thr Cys His Leu Gly Thr Arg His His Leu Ala Cys Leu Cys
            420                 425                 430

Pro Glu Gly Phe Thr Gly Leu Tyr Cys Glu Ser Gln Met Gly Gln Gly
        435                 440                 445

Thr Arg Pro Ser Pro Thr Pro Val Thr Pro Arg Pro Pro Arg Ser Leu
    450                 455                 460

Thr Leu Gly Ile Glu Pro Val Ser Pro Thr Ser Leu Arg Val Gly Leu
465                 470                 475                 480

Gln Arg Tyr Leu Gln Gly Ser Ser Val Gln Leu Arg Ser Leu Arg Leu
                485                 490                 495

Thr Tyr Arg Asn Leu Ser Gly Pro Asp Lys Arg Leu Val Thr Leu Arg
            500                 505                 510

Leu Pro Ala Ser Leu Ala Glu Tyr Thr Val Thr Gln Leu Arg Pro Asn
        515                 520                 525

Ala Thr Tyr Ser Val Cys Val Met Pro Leu Gly Pro Gly Arg Val Pro
    530                 535                 540
```

```
Glu Gly Glu Glu Ala Cys Gly Glu Ala His Thr Pro Pro Ala Val His
545                 550                 555                 560

Ser Asn His Ala Pro Val Thr Gln Ala Arg Glu Gly Asn Leu Pro Leu
                565                 570                 575

Leu Ile Ala Pro Ala Leu Ala Ala Val Leu Leu Ala Ala Leu Ala Ala
            580                 585                 590

Val Gly Ala Ala Tyr Cys Val Arg Arg Gly Arg Ala Met Ala Ala Ala
        595                 600                 605

Ala Gln Asp Lys Gly Gln Val Gly Pro Gly Ala Gly Pro Leu Glu Leu
    610                 615                 620

Glu Gly Val Lys Val Pro Leu Glu Pro Gly Pro Lys Ala Thr Glu Ala
625                 630                 635                 640

Val Glu Arg Pro Cys Pro Ala Gly Leu Ser Val Lys Cys His Ser Trp
                645                 650                 655

Ala Ser Lys Ala Trp Pro Gln Ser Pro Leu His Ala Lys Pro Tyr Ile
            660                 665                 670
```

<210> 815
<211> 282
<212> PRT
<213> Homo sapiens

<400> 815

```
Met Leu Ala Leu Thr Leu Ala Lys Ala Asp Ser Pro Arg Thr Ala Leu
  1               5                  10                  15

Leu Cys Ser Ala Trp Leu Leu Thr Ala Ser Phe Ser Ala Gln Gln His
             20                  25                  30

Lys Gly Ser Leu Gln Val His Gln Thr Leu Ser Val Glu Met Asp Gln
         35                  40                  45

Val Leu Lys Ala Leu Ser Phe Pro Lys Lys Lys Ala Ala Leu Leu Ser
     50                  55                  60

Ala Ala Ile Leu Cys Phe Leu Arg Thr Ala Leu Arg Gln Ser Phe Ser
 65                  70                  75                  80

Ser Ala Leu Val Ala Leu Val Pro Ser Gly Ala Gln Pro Leu Pro Ala
                 85                  90                  95

Thr Lys Asp Thr Val Leu Ala Pro Leu Arg Met Ser Gln Val Arg Ser
            100                 105                 110

Leu Val Ile Gly Leu Gln Asn Leu Leu Val Gln Lys Asp Pro Leu Leu
        115                 120                 125

Ser Gln Ala Cys Val Gly Cys Leu Glu Ala Leu Leu Asp Tyr Leu Asp
```

```
    130                 135                 140

Ala Arg Ser Pro Asp Ile Ala Leu His Val Ala Ser Gln Pro Trp Asn
145                 150                 155                 160

Arg Phe Leu Leu Phe Thr Leu Leu Asp Ala Gly Glu Asn Ser Phe Leu
                165                 170                 175

Arg Pro Glu Ile Leu Arg Leu Met Thr Leu Phe Met Arg Tyr Arg Ser
            180                 185                 190

Ser Ser Val Leu Ser His Glu Glu Val Gly Asp Val Leu Gln Gly Val
        195                 200                 205

Ala Leu Ala Asp Leu Ser Thr Leu Ser Asn Thr Thr Leu Gln Ala Leu
    210                 215                 220

His Gly Phe Phe Gln Gln Leu Gln Ser Met Gly His Leu Ala Asp His
225                 230                 235                 240

Ser Met Ala Gln Thr Leu Gln Ala Ser Leu Glu Gly Leu Pro Pro Ser
                245                 250                 255

Thr Ser Ser Gly Gln Pro Pro Leu Gln Asp Met Leu Cys Leu Gly Gly
            260                 265                 270

Val Ala Val Ser Leu Ser His Ile Arg Asn
        275                 280


<210> 816
<211> 178
<212> PRT
<213> Homo sapiens

<400> 816
Met Leu Pro Leu Leu Ile Ile Cys Leu Leu Pro Ala Ile Glu Gly Lys
  1               5                  10                  15

Asn Cys Leu Arg Cys Trp Pro Glu Leu Ser Ala Leu Ile Asp Tyr Asp
             20                  25                  30

Leu Gln Ile Leu Trp Val Thr Pro Gly Pro Pro Thr Glu Leu Ser Gln
         35                  40                  45

Ser Ile His Ser Leu Phe Leu Glu Asp Asn Asn Phe Leu Lys Pro Trp
     50                  55                  60

Tyr Leu Asp Arg Asp His Leu Glu Glu Glu Thr Ala Lys Phe Phe Thr
 65                  70                  75                  80

Gln Val His Gln Ala Ile Lys Thr Leu Arg Asp Asp Lys Thr Val Leu
                 85                  90                  95

Leu Glu Glu Ile Tyr Thr His Lys Asn Leu Phe Thr Glu Arg Leu Asn
            100                 105                 110

Lys Ile Ser Asp Gly Leu Lys Glu Lys Gly Ala Pro Pro Leu Ser Met
        115                 120                 125
```

```
Asn Ala Phe Pro Ala Pro Ser Pro Thr Cys Thr Pro Glu Pro Leu Gly
    130                 135                 140

Ser Val Cys Leu Pro Ser Thr Ser Val Ser Leu Pro Ser His Pro Pro
145                 150                 155                 160

Trp Gln Pro Ala Met Ser Pro Val Pro Gly Thr Gly Gly Pro Pro Cys
                165                 170                 175

Gly Leu
```

<210> 817
<211> 298
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (42)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (58)
<223> Xaa equals any amino acid

<400> 817

```
Met Ala Arg Arg Ser Arg His Arg Leu Leu Leu Leu Leu Arg Tyr
  1               5                  10                  15

Leu Val Val Ala Leu Gly Tyr His Lys Ala Tyr Gly Phe Ser Ala Pro
             20                  25                  30

Lys Asp Gln Gln Val Val Thr Ala Val Xaa Tyr Gln Glu Ala Ile Leu
         35                  40                  45

Ala Cys Lys Thr Pro Lys Lys Thr Val Xaa Ser Arg Leu Glu Trp Lys
     50                  55                  60

Lys Leu Gly Arg Ser Val Ser Phe Val Tyr Tyr Gln Gln Thr Leu Gln
 65                  70                  75                  80

Gly Asp Phe Lys Asn Arg Ala Glu Met Ile Asp Phe Asn Ile Arg Ile
                 85                  90                  95

Lys Asn Val Thr Arg Ser Asp Ala Gly Lys Tyr Arg Cys Glu Val Ser
            100                 105                 110

Ala Pro Ser Glu Gln Gly Gln Asn Leu Glu Glu Asp Thr Val Thr Leu
        115                 120                 125

Glu Val Leu Val Ala Pro Ala Val Pro Ser Cys Glu Val Pro Ser Ser
    130                 135                 140

Ala Leu Ser Gly Thr Val Val Glu Leu Arg Cys Gln Asp Lys Glu Gly
145                 150                 155                 160

Asn Pro Ala Pro Glu Tyr Thr Trp Phe Lys Asp Gly Ile Arg Leu Leu
```

```
                165                 170                 175

Glu Asn Pro Arg Leu Gly Ser Gln Ser Thr Asn Ser Ser Tyr Thr Met
            180                 185                 190

Asn Thr Lys Thr Gly Thr Leu Gln Phe Asn Thr Val Ser Lys Leu Asp
        195                 200                 205

Thr Gly Glu Tyr Ser Cys Glu Ala Arg Asn Ser Val Gly Tyr Arg Arg
    210                 215                 220

Cys Pro Gly Lys Arg Met Gln Val Asp Asp Leu Asn Ile Ser Gly Ile
225                 230                 235                 240

Ile Ala Ala Val Val Val Val Ala Leu Val Ile Ser Val Cys Gly Leu
                245                 250                 255

Gly Val Cys Tyr Ala Gln Arg Lys Gly Tyr Phe Ser Lys Glu Thr Ser
            260                 265                 270

Phe Gln Lys Ser Asn Ser Ser Ser Lys Ala Thr Thr Met Ser Glu Asn
        275                 280                 285

Asp Phe Lys His Thr Lys Ser Phe Ile Ile
    290                 295
```

<210> 818
<211> 46
<212> PRT
<213> Homo sapiens

<400> 818

```
Met Glu Pro Val Ala Leu Leu Gln Pro Thr Trp Trp Leu Leu Asn Val
  1               5                  10                  15

Thr Leu Pro Leu Val Ala Trp Ser Gly Pro Leu Ile Cys Arg Pro Leu
            20                  25                  30

Leu His Gly Glu Gly Arg Gln Gly Ala Ala Cys Leu Gln Gly
        35                  40                  45
```

<210> 819
<211> 65
<212> PRT
<213> Homo sapiens

<400> 819

```
Met Ile Lys Ile Leu Lys Glu Ala Ile Glu Glu Thr Ser Phe Cys Ser
  1               5                  10                  15

Phe Trp Arg Ile Ser Phe Gln Leu Ser Ile His His Ile Phe Leu Ile
            20                  25                  30

Phe Cys Ala Gln Leu Thr Thr Leu Leu Tyr Ser Thr Phe Leu Phe Ile
        35                  40                  45

Pro Ile Ser Trp Phe Leu Ile Val Pro Gly Ala Val Asp Lys Thr Ile
```

50 55 60

Leu
65

<210> 820
<211> 84
<212> PRT
<213> Homo sapiens

<400> 820
Met Lys Leu Leu Tyr Leu Phe Leu Ala Ile Leu Leu Ala Ile Glu Glu
1 5 10 15

Pro Val Ile Ser Gly Lys Arg His Ile Leu Arg Cys Met Gly Asn Ser
20 25 30

Gly Ile Cys Arg Ala Ser Cys Lys Lys Asn Glu Gln Pro Tyr Leu Tyr
35 40 45

Cys Arg Asn Cys Gln Ser Cys Cys Leu Gln Ser Tyr Met Arg Ile Ser
50 55 60

Ile Ser Gly Lys Glu Glu Asn Thr Asp Trp Ser Tyr Glu Lys Gln Trp
65 70 75 80

Pro Arg Leu Pro

<210> 821
<211> 44
<212> PRT
<213> Homo sapiens

<400> 821
Met Gly Trp Leu Trp Leu Glu Leu Leu Gly Leu Ser Ile Glu Glu Thr
1 5 10 15

Leu Val Trp Ala Phe Leu Asn Lys Phe Leu Asp Ser Ser Ala Ala Leu
20 25 30

Leu Trp Arg Ile Leu Gly Lys Ser Asn Leu Ser Thr
35 40

<210> 822
<211> 158
<212> PRT
<213> Homo sapiens

<400> 822
Met Ala Leu Glu Val Leu Met Leu Leu Ala Val Leu Ile Trp Thr Gly
1 5 10 15

Ala Glu Asn Leu His Val Lys Ile Ser Cys Ser Leu Asp Trp Leu Met
20 25 30

```
Val Ser Val Ile Pro Val Ala Glu Ser Arg Asn Leu Tyr Ile Phe Ala
         35                  40                  45

Asp Glu Leu His Leu Gly Met Gly Cys Pro Ala Asn Arg Ile His Thr
     50                  55                  60

Tyr Val Tyr Glu Phe Ile Tyr Leu Val Arg Asp Cys Gly Ile Arg Thr
 65                  70                  75                  80

Arg Val Val Ser Glu Glu Thr Leu Leu Phe Gln Thr Glu Leu Tyr Phe
                 85                  90                  95

Thr Pro Arg Asn Ile Asp His Asp Pro Gln Glu Ile His Leu Glu Cys
            100                 105                 110

Ser Thr Ser Arg Lys Ser Val Trp Leu Thr Pro Val Ser Thr Glu Asn
        115                 120                 125

Glu Ile Lys Leu Asp Pro Ser Pro Phe Ile Ala Asp Phe Gln Thr Thr
    130                 135                 140

Ala Glu Glu Leu Gly Leu Leu Ser Ser Ser Pro Asn Leu Leu
145                 150                 155
```

<210> 823
<211> 89
<212> PRT
<213> Homo sapiens

```
<400> 823
Met Val Ser Ala Ser Val Phe Val Gly Leu Val Ile Phe Tyr Ile Ala
  1               5                  10                  15

Phe Cys Leu Leu Trp Pro Leu Val Val Lys Gly Cys Thr Met Ile Arg
             20                  25                  30

Trp Lys Ile Asn Asn Leu Ile Ala Ser Glu Ser Tyr Tyr Thr Tyr Ala
         35                  40                  45

Ser Ile Ser Gly Ile Ser Ser Met Pro Ser Leu Arg His Ser Arg Met
     50                  55                  60

Gly Ser Met Phe Ser Ser Arg Met Thr Glu Asp Arg Ala Glu Pro Lys
 65                  70                  75                  80

Glu Ala Val Glu Arg Gln Leu Met Thr
                 85
```

<210> 824
<211> 94
<212> PRT
<213> Homo sapiens

```
<400> 824
Met Leu Val Ile Ala Gly Gly Ile Leu Ala Ala Leu Leu Leu Leu Ile
  1               5                  10                  15
```

```
Val Val Val Leu Cys Leu Tyr Phe Lys Ile His Asn Ala Leu Lys Ala
            20                  25                  30

Ala Lys Glu Pro Glu Ala Val Ala Val Lys Asn His Asn Pro Asp Lys
        35                  40                  45

Val Trp Trp Ala Lys Asn Ser Gln Ala Lys Thr Ile Ala Thr Glu Ser
    50                  55                  60

Cys Pro Ala Leu Gln Cys Cys Glu Gly Tyr Arg Met Cys Ala Ser Phe
65                  70                  75                  80

Asp Ser Leu Pro Pro Cys Cys Cys Asp Ile Asn Glu Gly Leu
                85                  90
```

<210> 825
<211> 39
<212> PRT
<213> Homo sapiens

<400> 825

```
Met Ala Phe Gly Gln Glu Val Thr His Leu Thr Lys Thr Ser Trp Leu
  1               5                  10                  15

Ala Pro Leu Arg Phe Ile Lys Gly Leu Leu Gly Pro Trp Gly Trp Ile
            20                  25                  30

Leu Leu Ile Leu Asp Leu Glu
        35
```

<210> 826
<211> 90
<212> PRT
<213> Homo sapiens

<400> 826

```
Met Ala Leu Phe Ser Cys Leu Leu Leu Leu Lys Gln Ser Asp Gly Ala
  1               5                  10                  15

Ser Pro Val Leu Arg Ala Leu Ala Ala Ser Cys Leu Ala Ser Pro Ala
            20                  25                  30

Gly Cys Cys Gly Thr Arg Lys Ala Leu Asn Gly Asn Val Gly Glu Lys
        35                  40                  45

Val Gly Phe Thr Phe Met Ser Phe Gln Gly Cys Asp Pro Ser Ser Pro
    50                  55                  60

Gly Cys Leu Cys Cys Ser Leu Leu Pro Ser Asn Ser Gln Leu Val Phe
65                  70                  75                  80

Ile Ser Phe Leu Val Leu Ser Gly Leu Ala
                85                  90
```

<210> 827
<211> 101
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (67)
<223> Xaa equals any amino acid

<400> 827
Met Glu Leu Glu Arg Cys Ser Val Val Leu Cys Ile Leu Ala Asn Leu
1 5 10 15

Ala Val Leu Arg Ala Leu Phe Leu Pro Cys Ile Ile Phe His Cys Val
20 25 30

Ser Asp Ser Arg Ser Val Asn Arg Glu Thr Lys Val Lys Phe Val His
35 40 45

Thr Ser Val His Gly Val Gly His Ser Phe Val Gln Ser Ala Phe Lys
50 55 60

Ala Phe Xaa Leu Val Pro Pro Glu Ala Val Pro Glu Gln Lys Asp Pro
65 70 75 80

Asp Pro Glu Phe Pro Thr Val Lys Tyr Pro Asn Pro Glu Glu Gly Lys
85 90 95

Gly Val Leu Val Thr
100

<210> 828
<211> 86
<212> PRT
<213> Homo sapiens

<400> 828
Met Leu Leu Gly Gly Arg Leu Leu Thr Gly Leu Ala Cys Gly Val Ala
1 5 10 15

Ser Leu Val Ala Pro Val Ser Val Pro Ser Leu Glu Cys Pro Val Ser
20 25 30

Arg Pro Glu Thr Glu Gly Glu Trp Asp Lys Pro Leu Pro Arg Pro Gly
35 40 45

Gly Ala Ala Pro Pro Gly Gly Thr Phe Trp Val Pro Gly Leu Lys Ser
50 55 60

Leu Arg Tyr Leu Ala Val Pro Pro Val Asp Pro Gly Lys Asp Pro Thr
65 70 75 80

Val Leu Ser Ile Leu His
85

<210> 829

<211> 246
<212> PRT
<213> Homo sapiens

<400> 829
Met Ala Leu Leu Leu Cys Leu Val Cys Leu Thr Ala Ala Leu Ala His
1 5 10 15

Gly Cys Leu His Cys His Ser Asn Phe Ser Lys Lys Phe Ser Phe Tyr
20 25 30

Arg His His Val Asn Phe Lys Ser Trp Trp Val Gly Asp Ile Pro Val
35 40 45

Ser Gly Ala Leu Leu Thr Asp Trp Ser Asp Asp Thr Met Lys Glu Leu
50 55 60

His Leu Ala Ile Pro Ala Lys Ile Thr Arg Glu Lys Leu Asp Gln Val
65 70 75 80

Ala Thr Ala Val Tyr Gln Met Met Asp Gln Leu Tyr Gln Gly Lys Met
85 90 95

Tyr Phe Pro Gly Tyr Phe Pro Asn Glu Leu Arg Asn Ile Phe Arg Glu
100 105 110

Gln Val His Leu Ile Gln Asn Ala Ile Ile Glu Ser Arg Ile Asp Cys
115 120 125

Gln His Arg Cys Gly Lys Gln Gly Ser Val Gln Ala Glu Gly Arg Ala
130 135 140

Gly Gly Ser Ser Gly Pro Trp Arg Leu Arg Gly Ala Leu Ala Ala Leu
145 150 155 160

Val Arg Val Ser Gly Ile Phe Gln Tyr Glu Thr Ile Ser Cys Asn Asn
165 170 175

Cys Thr Asp Ser His Val Ala Cys Phe Gly Tyr Asn Cys Glu Ser Ser
180 185 190

Ala Gln Trp Lys Ser Ala Val Gln Gly Leu Leu Asn Tyr Ile Asn Asn
195 200 205

Trp His Lys Gln Asp Thr Ser Met Ser Leu Val Ser Pro Ala Leu Arg
210 215 220

Cys Leu Glu Pro Pro His Leu Ala Asn Leu Thr Leu Glu Asp Ala Ala
225 230 235 240

Glu Cys Leu Lys Gln His
245

<210> 830
<211> 84
<212> PRT
<213> Homo sapiens

<220>

<221> SITE
<222> (65)
<223> Xaa equals any amino acid

<400> 830
Met Trp Ser Ser Ser Trp Asp His Arg Ile Thr Thr Pro Arg Leu Ala
1 5 10 15

Asn Phe Phe Phe Phe Phe Phe Phe Phe Phe Val Glu Met Gly Phe
20 25 30

Arg Tyr Val Gly Gln Ala Gly Leu Lys Leu Leu Ala Ser Ser Asn Leu
35 40 45

Pro Ala Leu Ala Ser Gln Ser Ala Gly Ile Thr Gly Val Ser His His
50 55 60

Xaa Trp Leu Gly Gly Leu Ile Lys Thr Pro Ile Leu Ser Leu Thr Pro
65 70 75 80

Arg Val Ser Gly

<210> 831
<211> 110
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (93)
<223> Xaa equals any amino acid

<400> 831
Met Phe Leu Ala Ser Trp Leu Leu Phe Cys Ile Val Ala Pro Lys Asp
1 5 10 15

Asp Ala His Leu Ser Phe Ile Gln Cys Lys Asp Ile Trp Lys Asp Asn
20 25 30

Arg Lys Tyr Ser Cys Phe His Phe Lys Ser Asp Gln Leu Leu Glu Leu
35 40 45

Ala Ser Lys Ala Cys Thr Ser Phe Gln Ala Gln Ser Arg Ser Phe Thr
50 55 60

Ala Gly Ala Val Pro Ser Glu His Pro Glu Leu Pro Cys Gly Ser Gln
65 70 75 80

Gln Leu Cys Cys Gly Cys Thr Ala Arg Leu Gly Gly Xaa Trp Ile Gly
85 90 95

Ala Ser Arg Cys Gly Ser Gly Ser Ala Phe Leu Ala Ser Pro
100 105 110

<210> 832
<211> 56

<212> PRT
<213> Homo sapiens

<400> 832
Met Cys Leu Ala Phe Ser Val Ile Ile Leu Ala Gly Ala Gly Ser Ser
1 5 10 15

Arg Ser Trp Asn Ser Val Leu Val Glu Lys Glu Val Val Glu Gly Gly
20 25 30

Leu Gly Pro Trp Gly Asn Cys Ser Ala Glu Pro Leu Pro His Leu Leu
35 40 45

Leu Pro Arg Thr Asn Leu Lys Gly
50 55

<210> 833
<211> 53
<212> PRT
<213> Homo sapiens

<400> 833
Met Gln Glu Cys Leu Leu His Gly Cys Cys Cys Tyr Leu Leu Arg Leu
1 5 10 15

Gly Val Leu Gly Thr Val Gln Cys Ile Ser Thr Trp Leu Ile Leu Thr
20 25 30

Ala Asn Glu Gln His Arg Leu Lys Glu Thr Ser Asn Ser Gln Ser Pro
35 40 45

Ala Val Ser Arg Ala
50

<210> 834
<211> 50
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (43)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (50)
<223> Xaa equals any amino acid

<400> 834
Met Asn Phe Leu Val Phe Leu Ser Leu Ser Ser Ser Leu Val Ser Ala
1 5 10 15

Ala Gly Pro Arg Phe Pro Ser Arg Glu Glu Arg Gly Val Gly Gly Val
20 25 30

Val Leu Ile Lys Ser Glu Asp Met Thr Leu Xaa Glu Arg Ser Lys Gly

35 40 45

Ser Xaa
50

<210> 835
<211> 32
<212> PRT
<213> Homo sapiens

<400> 835
Met Pro Val Pro Leu Trp Leu Val Leu Trp Phe Cys Phe Leu Leu Tyr
1 5 10 15

Val Ala Ser Arg Arg Thr Phe Gly Leu Ala Asn Tyr Met Pro Leu Pro
20 25 30

<210> 836
<211> 71
<212> PRT
<213> Homo sapiens

<400> 836
Met Val Gln Gly Pro Leu Thr His Leu Met Leu Val Leu Leu Ile Ser
1 5 10 15

Leu Ile Phe Leu Ser Arg Gly Ser Gly Arg Ala Trp Ala Phe Ser His
20 25 30

Ser Cys Phe Lys Thr Ser Asp Leu Leu Pro Cys Arg Asn Arg Trp Glu
35 40 45

Val Ile Glu Phe Leu His Tyr Ser Asn Leu His Ser His Ile Ser Leu
50 55 60

Ser Val Thr Lys Thr Phe Leu
65 70

<210> 837
<211> 230
<212> PRT
<213> Homo sapiens

<400> 837
Met Ala Ser Leu Gly Leu Gln Leu Val Gly Tyr Ile Leu Gly Leu Leu
1 5 10 15

Gly Leu Leu Gly Thr Leu Val Ala Met Leu Leu Pro Ser Trp Lys Thr
20 25 30

Ser Ser Tyr Val Gly Ala Ser Ile Val Thr Ala Val Gly Phe Ser Lys
35 40 45

```
Gly Leu Trp Met Glu Cys Ala Thr His Ser Thr Gly Ile Thr Gln Cys
     50                  55                  60

Asp Ile Tyr Ser Thr Leu Leu Gly Leu Pro Ala Asp Ile Gln Ala Ala
 65                  70                  75                  80

Gln Ala Met Met Val Thr Ser Ser Ala Ile Ser Ser Leu Ala Cys Ile
                 85                  90                  95

Ile Ser Val Val Gly Met Arg Cys Thr Val Phe Cys Gln Glu Ser Arg
            100                 105                 110

Ala Lys Asp Arg Val Ala Val Ala Gly Gly Val Phe Phe Ile Leu Gly
        115                 120                 125

Gly Leu Leu Gly Phe Ile Pro Val Ala Trp Asn Leu His Gly Ile Leu
    130                 135                 140

Arg Asp Phe Tyr Ser Pro Leu Val Pro Asp Ser Met Lys Phe Glu Ile
145                 150                 155                 160

Gly Glu Ala Leu Tyr Leu Gly Ile Ile Ser Ser Leu Phe Ser Leu Ile
                165                 170                 175

Ala Gly Ile Ile Leu Cys Phe Ser Cys Ser Ser Gln Arg Asn Arg Ser
            180                 185                 190

Asn Tyr Tyr Asp Ala Tyr Gln Ala Gln Pro Leu Ala Thr Arg Ser Ser
        195                 200                 205

Pro Arg Pro Gly Gln Pro Pro Lys Val Lys Ser Glu Phe Asn Ser Tyr
    210                 215                 220

Ser Leu Thr Gly Tyr Val
225                 230
```

<210> 838
<211> 37
<212> PRT
<213> Homo sapiens

<400> 838

```
Met Cys Tyr Ile Pro Gly Ser Thr Gly Gly Gln Cys Trp Pro Trp Cys
  1               5                  10                  15

Trp Cys Trp Leu Cys Arg Glu Ala Leu Glu Trp Leu Cys Gly Ala Val
             20                  25                  30

Ser Ala Gly Pro Ala
         35
```

<210> 839
<211> 133
<212> PRT
<213> Homo sapiens

<400> 839
Met Arg Val Pro Leu Val Leu Ser Trp Ala Phe Val Leu Val Gly Phe
1 5 10 15

Ser Gly Val Tyr Leu Ala Ser Glu Ser Phe Trp Phe Pro Pro Ser Leu
20 25 30

Cys Asp Leu Thr Ser Pro Pro Gly Leu His Leu Trp Lys Phe Ile Arg
35 40 45

Asp Leu Val Ser Met Glu Glu Leu Thr Asp Ser Ala Arg Glu Met Gly
50 55 60

Tyr Trp Met Met Val Phe Ser Leu Lys Ala Met Phe Pro Val Ser Ser
65 70 75 80

Gly Cys Phe Gln Glu Arg Gln Glu Thr Asn Lys Ser Leu Thr Leu Leu
85 90 95

Arg Cys Ser Gln Arg Asp Thr Ser Pro Leu Met Asp Gly Gln Thr Trp
100 105 110

Ala Arg Val Arg Val Thr Lys Pro Pro Thr Thr Ala Thr Ala Ala Tyr
115 120 125

Asn Arg His Ile Arg
130

<210> 840
<211> 42
<212> PRT
<213> Homo sapiens

<400> 840
Met Phe Leu Phe Ile Thr Phe Thr Ile Leu Ala Ile Phe Ile Ile Glu
1 5 10 15

Pro Arg Asn Leu Arg Val Asp Leu Asn Leu Ile Lys Phe Gln Thr Ser
20 25 30

Trp Pro Lys Thr Leu Val Glu Glu Gln Asn
35 40

<210> 841
<211> 85
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (68)
<223> Xaa equals any amino acid

<400> 841
Met Gly Met Pro Leu Val Thr Val Thr Ala Ala Thr Phe Pro Thr Leu
1 5 10 15

```
Ser Cys Pro Pro Arg Ala Trp Pro Glu Val Glu Ala Pro Glu Ala Pro
            20                  25                  30

Ala Leu Pro Val Val Pro Glu Leu Pro Glu Val Pro Met Glu Met Pro
        35                  40                  45

Leu Val Leu Pro Pro Glu Leu Glu Leu Leu Ser Leu Glu Ala Val His
    50                  55                  60

Arg Tyr Gln Xaa Gly Gly Thr Leu Met Gly Trp Thr Arg Ala Glu Ala
65                  70                  75                  80

Ser Ala Asn Gly Ser
                85
```

<210> 842
<211> 102
<212> PRT
<213> Homo sapiens

```
<400> 842
Met Leu Cys His Pro His Val His His His Leu Val Cys Leu Leu Ala
  1               5                  10                  15

Thr Leu Thr Phe Ser Leu Asn Ala Ser Cys Ala Glu Gln Thr Phe His
            20                  25                  30

Ser Gln Gln Ser Asn Gly Glu Phe Met Ala Thr Leu Pro Ser Ile Ser
        35                  40                  45

Lys Gln Phe Gly Val Ile Val Trp Lys Pro Gln Arg Lys Asp Val Ile
    50                  55                  60

Arg Leu Pro Val Ala Leu Ser Phe Ser Ser Gly Ala Arg Leu Ala Phe
65                  70                  75                  80

Thr Cys Leu Arg Lys Ile Ser Gly Phe Arg Ala Leu Ile Trp Gly Glu
                85                  90                  95

Asp Lys Gly Trp Asp Leu
            100
```

<210> 843
<211> 102
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (91)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (92)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (93)
<223> Xaa equals any amino acid

<400> 843
Met Gly Arg Arg Ser Gly Leu Leu Gly Leu Arg Pro Gly Arg Ser Arg
1 5 10 15

Trp Arg Trp Ser Gly Ser Val Trp Val Arg Ser Val Leu Leu Leu Leu
20 25 30

Gly Gly Leu Arg Ala Ser Ala Thr Ser Thr Pro Val Ser Leu Gly Ser
35 40 45

Ser Pro Pro Cys Arg His His Val Pro Ser Asp Thr Glu Val Ile Asn
50 55 60

Lys Val His Leu Lys Ala Asn His Val Val Lys Arg Asp Val Asp Glu
65 70 75 80

His Leu Arg Ile Lys Thr Val Tyr Asp Lys Xaa Xaa Xaa Ser Cys Ser
85 90 95

Leu Arg Lys Arg Ile Leu
100

<210> 844
<211> 56
<212> PRT
<213> Homo sapiens

<400> 844
Met Phe Leu Lys Val Leu Val Phe Leu Ile Phe Phe Ser Pro Phe Ser
1 5 10 15

Ser Ser Leu Phe Ser Gly Glu Ala Val Arg Gly Arg Gly Ala Gly Leu
20 25 30

Gly Leu Gly Ile Gly Arg Gly Trp Thr Ser Cys Leu Ser Val Leu Asn
35 40 45

Gly Cys Asp Gly Ala Arg Ser His
50 55

<210> 845
<211> 52
<212> PRT
<213> Homo sapiens

<400> 845
Met Gly Pro Cys Arg Ala Ser Arg Cys Leu Ser Leu Leu Val Leu Phe
1 5 10 15

Pro Pro Gly Val Ala Gly Arg Pro Ala Pro Gly Arg Leu His Pro Val
20 25 30

```
Pro Thr Gly Pro Leu Pro Arg Met Tyr Ser Ala Gly Ala Arg Gly Arg
         35                  40                  45

His Gly Ala His
     50
```

<210> 846
<211> 159
<212> PRT
<213> Homo sapiens

<400> 846

```
Met Ser Gln Ala Trp Val Pro Gly Leu Ala Pro Thr Leu Leu Phe Ser
  1               5                  10                  15

Leu Leu Ala Gly Pro Gln Lys Ile Ala Ala Lys Cys Gly Leu Ile Leu
             20                  25                  30

Ala Cys Pro Lys Gly Phe Lys Cys Cys Gly Asp Ser Cys Cys Gln Glu
         35                  40                  45

Asn Glu Leu Phe Pro Gly Pro Val Arg Ile Phe Val Ile Ile Phe Leu
     50                  55                  60

Val Ile Leu Ser Val Phe Cys Ile Cys Gly Leu Ala Lys Cys Phe Cys
 65                  70                  75                  80

Arg Asn Cys Arg Glu Pro Glu Pro Asp Ser Pro Val Asp Cys Arg Gly
                 85                  90                  95

Pro Leu Glu Leu Pro Ser Ile Ile Pro Pro Glu Arg Val Arg Val Ser
            100                 105                 110

Leu Ser Ala Pro Pro Pro Pro Tyr Ser Glu Val Ile Leu Lys Pro Ser
        115                 120                 125

Leu Gly Pro Thr Pro Thr Glu Pro Pro Pro Pro Tyr Ser Phe Arg Pro
    130                 135                 140

Glu Glu Tyr Thr Gly Asp Gln Arg Gly Ile Asp Asn Pro Ala Phe
145                 150                 155
```

<210> 847
<211> 50
<212> PRT
<213> Homo sapiens

<400> 847

```
Met Asp Gly Gly Pro Gly Ala Phe Ser Arg Ala Trp Val Leu Gln Ile
  1               5                  10                  15

Pro Trp Leu Leu Leu Ser Gly Gly Asn Phe Ala Leu Cys Glu Pro Arg
             20                  25                  30

Pro Cys Pro Ser Ala Gly His Pro Trp Gln Glu Ala Gly Leu Pro Ser
         35                  40                  45
```

Ser Pro
50

<210> 848
<211> 151
<212> PRT
<213> Homo sapiens

<400> 848
Met Arg Arg Leu Leu Leu Val Thr Ser Leu Val Val Val Leu Leu Trp
1 5 10 15

Glu Ala Gly Ala Val Pro Ala Pro Lys Val Pro Ile Lys Met Gln Val
20 25 30

Lys His Trp Pro Ser Glu Gln Asp Pro Glu Lys Ala Trp Gly Ala Arg
35 40 45

Val Val Glu Pro Pro Glu Lys Asp Asp Gln Leu Val Val Leu Phe Pro
50 55 60

Val Gln Lys Pro Lys Leu Leu Thr Thr Glu Glu Lys Pro Arg Gly Gln
65 70 75 80

Gly Arg Gly Pro Ile Leu Pro Gly Thr Lys Ala Trp Met Glu Thr Glu
85 90 95

Asp Thr Leu Gly Arg Val Leu Ser Pro Glu Pro Asp His Asp Ser Leu
100 105 110

Tyr His Pro Pro Pro Glu Glu Asp Gln Gly Glu Glu Arg Pro Arg Leu
115 120 125

Trp Val Met Pro Asn His Gln Val Leu Leu Gly Pro Glu Glu Asp Gln
130 135 140

Asp His Ile Tyr His Pro Gln
145 150

<210> 849
<211> 522
<212> PRT
<213> Homo sapiens

<400> 849
Met Arg Leu Arg Val Arg Leu Leu Lys Arg Thr Trp Pro Leu Glu Val
1 5 10 15

Pro Glu Thr Glu Pro Thr Leu Gly His Leu Arg Ser His Leu Arg Gln
20 25 30

Ser Leu Leu Cys Thr Trp Gly Tyr Ser Ser Asn Thr Arg Phe Thr Ile
35 40 45

Thr Leu Asn Tyr Lys Asp Pro Leu Thr Gly Asp Glu Glu Thr Leu Ala
50 55 60

```
Ser Tyr Gly Ile Val Ser Gly Asp Leu Ile Cys Leu Ile Leu Gln Asp
 65                  70                  75                  80

Asp Ile Pro Ala Pro Asn Ile Pro Ser Ser Thr Asp Ser Glu His Ser
                 85                  90                  95

Ser Leu Gln Asn Asn Glu Gln Pro Ser Leu Ala Thr Ser Ser Asn Gln
            100                 105                 110

Thr Ser Met Gln Asp Glu Gln Pro Ser Asp Ser Phe Gln Gly Gln Ala
        115                 120                 125

Ala Gln Ser Gly Val Trp Asn Asp Asp Ser Met Leu Gly Pro Ser Gln
    130                 135                 140

Asn Phe Glu Ala Glu Ser Ile Gln Asp Asn Ala His Met Ala Glu Gly
145                 150                 155                 160

Thr Gly Phe Tyr Pro Ser Glu Pro Met Leu Cys Ser Glu Ser Val Glu
                165                 170                 175

Gly Gln Val Pro His Ser Leu Glu Thr Leu Tyr Gln Ser Ala Asp Cys
            180                 185                 190

Ser Asp Ala Asn Asp Ala Leu Ile Val Leu Ile His Leu Leu Met Leu
        195                 200                 205

Glu Ser Gly Tyr Ile Pro Gln Gly Thr Glu Ala Lys Ala Leu Ser Met
    210                 215                 220

Pro Glu Lys Trp Lys Leu Ser Gly Val Tyr Lys Leu Gln Tyr Met His
225                 230                 235                 240

Pro Leu Cys Glu Gly Ser Ser Ala Thr Leu Thr Cys Val Pro Leu Gly
                245                 250                 255

Asn Leu Ile Val Val Asn Ala Thr Leu Lys Ile Asn Asn Glu Ile Arg
            260                 265                 270

Ser Val Lys Arg Leu Gln Leu Leu Pro Glu Ser Phe Ile Cys Lys Glu
        275                 280                 285

Lys Leu Gly Glu Asn Val Ala Asn Ile Tyr Lys Asp Leu Gln Lys Leu
    290                 295                 300

Ser Arg Leu Phe Lys Asp Gln Leu Val Tyr Pro Leu Leu Ala Phe Thr
305                 310                 315                 320

Arg Gln Ala Leu Asn Leu Pro Asp Val Phe Gly Leu Val Val Leu Pro
                325                 330                 335

Leu Glu Leu Lys Leu Arg Ile Phe Arg Leu Leu Asp Val Arg Ser Val
            340                 345                 350

Leu Ser Leu Ser Ala Val Cys Arg Asp Leu Phe Thr Ala Ser Asn Asp
        355                 360                 365

Pro Leu Leu Trp Arg Phe Leu Tyr Leu Arg Asp Phe Arg Asp Asn Thr
    370                 375                 380

Val Arg Val Gln Asp Thr Asp Trp Lys Glu Leu Tyr Arg Lys Arg His
```

385 390 395 400

Ile Gln Arg Lys Glu Ser Pro Lys Gly Arg Phe Val Met Leu Leu Pro
405 410 415

Ser Ser Thr His Thr Ile Pro Phe Tyr Pro Asn Pro Leu His Pro Arg
420 425 430

Pro Phe Pro Ser Ser Arg Leu Pro Pro Gly Ile Ile Gly Gly Glu Tyr
435 440 445

Asp Gln Arg Pro Thr Leu Pro Tyr Val Gly Asp Pro Ile Ser Ser Leu
450 455 460

Ile Pro Gly Pro Gly Glu Thr Pro Ser Gln Phe Pro Pro Leu Arg Pro
465 470 475 480

Arg Phe Asp Pro Val Gly Pro Leu Pro Gly Pro Asn Pro Ile Leu Pro
485 490 495

Gly Arg Gly Gly Pro Asn Asp Arg Phe Pro Phe Arg Pro Ser Arg Gly
500 505 510

Arg Pro Thr Asp Gly Arg Leu Ser Phe Met
515 520

<210> 850
<211> 45
<212> PRT
<213> Homo sapiens

<400> 850
Met Leu Val Ser Leu Ile Ile Cys Leu Leu Leu Asp Leu Leu Asn Gln
1 5 10 15

Pro Ser Leu Leu Arg Asp Leu Ile Leu Lys Gln His Thr Gly Asn Pro
20 25 30

His Leu Ser Phe Pro Leu Lys Tyr Ser His Trp Met Gly
35 40 45

<210> 851
<211> 168
<212> PRT
<213> Homo sapiens

<400> 851
Met Val Thr Phe Ile Thr Ala Thr Leu Trp Ile Ala Val Phe Ser Tyr
1 5 10 15

Ile Met Val Trp Leu Val Thr Ile Ile Gly Tyr Thr Leu Gly Ile Pro
20 25 30

Asp Val Ile Met Gly Ile Thr Phe Leu Ala Ala Gly Gln Val Ser Arg
35 40 45

Leu His Gly Gln Pro Asn Cys Gly Glu Thr Arg Pro Trp Gly His Gly

```
     50                  55                  60

Ser Leu Gln His His Arg Ser Asn Val Phe Asp Ile Leu Val Gly Leu
 65                  70                  75                  80

Gly Val Pro Trp Gly Leu Gln Thr Met Val Val Asn Tyr Gly Ser Thr
                 85                  90                  95

Val Lys Ile Asn Ser Arg Gly Leu Val Tyr Ser Val Val Leu Leu Leu
            100                 105                 110

Gly Ser Val Ala Leu Thr Val Leu Gly Ile His Leu Asn Lys Trp Arg
        115                 120                 125

Leu Asp Arg Lys Leu Gly Val Tyr Val Leu Val Leu Tyr Ala Ile Phe
    130                 135                 140

Leu Cys Phe Ser Ile Met Ile Glu Phe Asn Val Phe Thr Phe Val Asn
145                 150                 155                 160

Leu Pro Met Cys Arg Glu Asp Asp
                165
```

<210> 852
<211> 168
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (83)
<223> Xaa equals any amino acid

<400> 852

```
Met Pro Leu Leu Arg Gly Leu Leu Trp Leu Gln Val Leu Cys Ala Gly
  1               5                  10                  15

Pro Leu His Thr Glu Ala Val Val Leu Leu Val Pro Ser Asp Asp Gly
             20                  25                  30

Arg Ala Phe Leu Leu Arg Ser Arg Leu Leu His Pro Glu Ala His Val
         35                  40                  45

Pro Pro Ala Ala Asp Arg Gly Ala Ser Leu Gln Cys Val Leu His Gln
     50                  55                  60

Ala Ala Pro Lys Ser Arg Pro Arg Ser Pro Ala Ala Gly Ala Ala Leu
 65                  70                  75                  80

Leu His Xaa Pro Arg Arg Thr Gly Asp Glu Pro Cys Arg Glu Phe His
                 85                  90                  95

Gly Asn Gly Phe Pro Gly Pro Thr Gln Leu Thr Pro Gly Glu Cys Gly
            100                 105                 110

Leu Pro Ala Pro Ser Ser Leu Leu Gln His Ala Ser Ala Pro Val Arg
        115                 120                 125

Thr Gly Ser Glu Gly Gln Val Val Gly Cys Pro Arg Ala Arg Gly Glu
```

```
    130                 135                 140

Thr Gly Glu Gly Leu Ser Leu Ala Phe Leu Ser Ser Leu Met Phe Thr
145                 150                 155                 160

Ser Arg Asn Gly Leu Val Gly Cys
                165
```

<210> 853
<211> 43
<212> PRT
<213> Homo sapiens

<400> 853

```
Met Asn Leu Ile Phe Arg Leu Pro Cys Ile Leu Leu Thr Cys Ile Tyr
  1               5                  10                  15

Val Gln Gln Cys Val Cys Lys Tyr Ile Gly Thr Phe Leu Asn Arg Val
             20                  25                  30

Cys Ala Met Cys Lys Gly Leu Leu Thr Val Lys
         35                  40
```

<210> 854
<211> 187
<212> PRT
<213> Homo sapiens

<400> 854

```
Met Val Ala Ala Thr Val Ala Ala Ala Trp Leu Leu Leu Trp Ala Ala
  1               5                  10                  15

Ala Cys Ala Gln Gln Glu Gln Asp Phe Tyr Asp Phe Lys Ala Val Asn
             20                  25                  30

Ile Arg Gly Lys Leu Val Ser Leu Glu Lys Tyr Arg Gly Ser Val Ser
         35                  40                  45

Leu Val Val Asn Val Ala Ser Glu Cys Gly Phe Thr Asp Gln His Tyr
     50                  55                  60

Arg Ala Leu Gln Gln Leu Gln Arg Asp Leu Gly Pro His His Phe Asn
 65                  70                  75                  80

Val Leu Ala Phe Pro Cys Asn Gln Phe Gly Gln Gln Glu Pro Asp Ser
                 85                  90                  95

Asn Lys Glu Ile Glu Ser Phe Ala Arg Arg Thr Tyr Ser Val Ser Phe
            100                 105                 110

Pro Met Phe Ser Lys Ile Ala Val Thr Gly Thr Gly Ala His Pro Ala
        115                 120                 125

Phe Lys Tyr Leu Ala Gln Thr Ser Gly Lys Glu Pro Thr Trp Asn Phe
    130                 135                 140

Trp Lys Tyr Leu Val Ala Pro Asp Gly Lys Val Val Gly Ala Trp Asp
```

```
145                 150                 155                 160

Pro Thr Val Ser Val Glu Glu Val Arg Pro Gln Ile Thr Ala Leu Val
                165                 170                 175

Arg Lys Leu Ile Leu Leu Lys Arg Glu Asp Leu
            180                 185
```

<210> 855
<211> 52
<212> PRT
<213> Homo sapiens

<400> 855

```
Met Lys Cys Phe Phe Leu Phe Val Val Ile Leu Ile Ile Met Lys Ser
  1               5                  10                  15

Asn Leu Ser Asp Ile Ile Ile Ala Thr Tyr Thr Tyr Cys Ile Pro Asp
             20                  25                  30

Tyr Phe Phe His Thr Phe Ile Phe Asn Leu Ser Val Tyr Leu Asn Ser
         35                  40                  45

Lys Phe Ile Ser
     50
```

<210> 856
<211> 40
<212> PRT
<213> Homo sapiens

<400> 856

```
Met Arg Arg Gln Thr Phe Met Ser Ile Leu Val Phe Gln Cys Ser Pro
  1               5                  10                  15

Ile Ser Phe Gly Leu Cys Ile Asn Lys Glu Arg Thr Val Val Ser Ser
             20                  25                  30

Val Ile Thr Asp Asn Leu Cys Leu
         35                  40
```

<210> 857
<211> 346
<212> PRT
<213> Homo sapiens

<400> 857

```
Met Asp Pro Ala Arg Lys Ala Gly Ala Gln Ala Met Ile Trp Thr Ala
  1               5                  10                  15

Gly Trp Leu Leu Leu Leu Leu Leu Arg Gly Gly Ala Gln Ala Leu Glu
             20                  25                  30

Cys Tyr Ser Cys Val Gln Lys Ala Asp Asp Gly Cys Ser Pro Asn Lys
         35                  40                  45
```

```
Met Lys Thr Val Lys Cys Ala Pro Gly Val Asp Val Cys Thr Glu Ala
     50                  55                  60

Val Gly Ala Val Glu Thr Ile His Gly Gln Phe Ser Leu Ala Val Arg
 65                  70                  75                  80

Gly Cys Gly Ser Gly Leu Pro Gly Lys Asn Asp Arg Gly Leu Asp Leu
                 85                  90                  95

His Gly Leu Leu Ala Phe Ile Gln Leu Gln Gln Cys Ala Gln Asp Arg
            100                 105                 110

Cys Asn Ala Lys Leu Asn Leu Thr Ser Arg Ala Leu Asp Pro Ala Gly
        115                 120                 125

Asn Glu Ser Ala Tyr Pro Pro Asn Gly Val Glu Cys Tyr Ser Cys Val
    130                 135                 140

Gly Leu Ser Arg Glu Ala Cys Gln Gly Thr Ser Pro Pro Val Val Ser
145                 150                 155                 160

Cys Tyr Asn Ala Ser Asp His Val Tyr Lys Gly Cys Phe Asp Gly Asn
                165                 170                 175

Val Thr Leu Thr Ala Ala Asn Val Thr Val Ser Leu Pro Val Arg Gly
            180                 185                 190

Cys Val Gln Asp Glu Phe Cys Thr Arg Asp Gly Val Thr Gly Pro Gly
        195                 200                 205

Phe Thr Leu Ser Gly Ser Cys Cys Gln Gly Ser Arg Cys Asn Ser Asp
    210                 215                 220

Leu Arg Asn Lys Thr Tyr Phe Ser Pro Arg Ile Pro Pro Leu Val Arg
225                 230                 235                 240

Leu Pro Pro Pro Glu Pro Thr Thr Val Ala Ser Thr Thr Ser Val Thr
                245                 250                 255

Thr Ser Thr Ser Ala Pro Val Arg Pro Thr Ser Thr Thr Lys Pro Met
            260                 265                 270

Pro Ala Pro Thr Ser Gln Thr Pro Arg Gln Gly Val Glu His Glu Ala
        275                 280                 285

Ser Arg Asp Glu Glu Pro Arg Leu Thr Gly Gly Ala Ala Gly His Gln
    290                 295                 300

Asp Arg Ser Asn Ser Gly Gln Tyr Pro Ala Lys Gly Gly Pro Gln Gln
305                 310                 315                 320

Pro His Asn Lys Gly Cys Val Ala Pro Thr Ala Gly Leu Ala Ala Leu
                325                 330                 335

Leu Leu Ala Val Ala Ala Gly Val Leu Leu
            340                 345
```

<210> 858

<211> 165
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (127)
<223> Xaa equals any amino acid

<400> 858
Met Cys Leu Ser Leu Leu Ala Ala Leu Ala Cys Ser Ala Gly Asp Thr
1 5 10 15

Trp Ala Ser Glu Val Gly Pro Val Leu Ser Lys Ser Ser Pro Arg Leu
20 25 30

Ile Thr Thr Trp Glu Lys Val Pro Val Gly Thr Asn Gly Gly Val Thr
35 40 45

Val Val Gly Leu Val Ser Ser Leu Leu Gly Gly Thr Phe Val Gly Ile
50 55 60

Ala Tyr Phe Leu Thr Gln Leu Ile Phe Val Asn Asp Leu Asp Ile Ser
65 70 75 80

Ala Pro Gln Trp Pro Ile Ile Ala Phe Gly Gly Leu Ala Gly Leu Leu
85 90 95

Gly Ser Ile Val Asp Ser Tyr Leu Gly Ala Thr Met Gln Tyr Thr Gly
100 105 110

Leu Asp Glu Ser Thr Gly Met Val Val Asn Ser Pro Thr Asn Xaa Ala
115 120 125

Arg His Ile Ala Gly Lys Pro Ile Leu Asp Asn Asn Ala Val Asn Leu
130 135 140

Phe Ser Ser Val Leu Ile Ala Leu Leu Leu Pro Thr Ala Ala Trp Gly
145 150 155 160

Phe Trp Pro Arg Gly
165

<210> 859
<211> 122
<212> PRT
<213> Homo sapiens

<400> 859
Met Pro Pro Leu Ala Pro Gln Leu Cys Arg Ala Val Phe Leu Val Pro
1 5 10 15

Ile Leu Leu Leu Leu Gln Val Lys Pro Leu Asn Gly Ser Pro Gly Pro
20 25 30

Lys Asp Gly Ser Gln Thr Glu Lys Thr Pro Ser Ala Asp Gln Asn Gln
35 40 45

Glu Gln Phe Glu Glu His Phe Val Ala Ser Ser Val Gly Glu Met Trp

```
     50                  55                  60

Gln Val Val Asp Met Ala Gln Gln Glu Glu Asp Gln Ser Ser Lys Thr
 65                  70                  75                  80

Ala Ala Val His Lys His Ser Phe His Leu Ser Phe Cys Phe Ser Leu
                 85                  90                  95

Ala Ser Val Met Val Phe Ser Gly Gly Pro Leu Arg Arg Thr Phe Pro
            100                 105                 110

Asn Ile Gln Leu Cys Phe Met Leu Thr His
        115                 120
```

<210> 860
<211> 51
<212> PRT
<213> Homo sapiens

<400> 860

```
Met Ile Lys His Val Ala Trp Leu Ile Phe Thr Asn Cys Ile Phe Phe
  1               5                  10                  15

Cys Pro Val Ala Phe Phe Ser Phe Ala Pro Leu Ile Thr Ala Ile Ser
            20                  25                  30

Ile Ser Pro Glu Ile Met Lys Ser Val Thr Leu Ile Phe Phe Pro Cys
        35                  40                  45

Leu Leu Ala
     50
```

<210> 861
<211> 118
<212> PRT
<213> Homo sapiens

<400> 861

```
Met Cys Tyr Leu Leu Leu Leu Leu Ile Gln Thr Ala Glu Leu Leu Ile
  1               5                  10                  15

His Pro Gln Gly Leu Gln Ala Val Ser Asn Gly Glu Ser Ala Leu Lys
            20                  25                  30

Gly Thr Arg Pro Thr Phe Ser Ser Pro Phe Ile Leu Val Thr Glu Gly
        35                  40                  45

Arg Lys Glu Trp Glu Gly Val Phe Leu Ser Ser Gly Trp Lys Gly Asn
     50                  55                  60

Thr Leu Ser Asn Tyr Tyr Ile Ser Leu Val Phe Tyr Tyr Ser Arg Ile
 65                  70                  75                  80

Leu Gln Pro Tyr Phe Tyr Cys Leu Trp Gly Lys Leu Glu Met Val Thr
                 85                  90                  95

Leu Ile Arg Ser Val Trp Arg Gly Ile Asn Gly Gly Asp Lys Ile Ser
```

100 105 110

Val Gly Phe Gly Lys Cys
115

<210> 862
<211> 169
<212> PRT
<213> Homo sapiens

<400> 862
Met Trp Ala Val Leu Arg Leu Ala Leu Arg Pro Cys Ala Arg Ala Ser
1 5 10 15

Pro Ala Gly Pro Arg Ala Tyr His Gly Asp Ser Val Ala Ser Leu Gly
20 25 30

Thr Gln Pro Asp Leu Gly Ser Ala Leu Tyr Gln Glu Asn Tyr Lys Gln
35 40 45

Met Lys Ala Leu Val Asn Gln Leu His Glu Arg Val Glu His Ile Lys
50 55 60

Leu Gly Gly Gly Glu Lys Ala Arg Ala Leu His Ile Ser Arg Gly Lys
65 70 75 80

Leu Leu Pro Arg Glu Arg Ile Asp Asn Leu Ile Asp Pro Gly Ser Pro
85 90 95

Phe Leu Glu Leu Ser Gln Phe Ala Gly Tyr Gln Leu Tyr Asp Asn Glu
100 105 110

Glu Val Pro Gly Gly Gly Ile Ile Thr Gly Ile Gly Arg Val Ser Gly
115 120 125

Val Glu Cys Met Ile Ile Ala Asn Asp Ala Thr Val Lys Gly Gly Ala
130 135 140

Tyr Tyr Pro Val Thr Val Lys Lys Gln Leu Arg Ala Gln Glu Ile Ala
145 150 155 160

Met Gln Thr Gly Ser Pro Ala Ser Thr
165

<210> 863
<211> 47
<212> PRT
<213> Homo sapiens

<400> 863
Met Thr Ala Gly Phe Met Gly Met Ala Val Ala Ile Ile Leu Phe Gly
1 5 10 15

Trp Ile Ile Gly Val Leu Gly Cys Cys Trp Asp Arg Gly Leu Met Gln
20 25 30

Tyr Val Ala Gly Cys Ser Ser Ser Trp Glu Gly Lys Gln Trp Asn

35 40 45

<210> 864
<211> 203
<212> PRT
<213> Homo sapiens

<400> 864
Met Gln Leu Gly Ser Val Leu Leu Thr Arg Cys Pro Phe Trp Gly Cys
1 5 10 15

Phe Ser Gln Leu Met Leu Tyr Ala Glu Arg Ala Glu Ala Arg Arg Lys
20 25 30

Pro Asp Ile Pro Val Pro Tyr Leu Tyr Phe Asp Met Gly Ala Ala Val
35 40 45

Leu Cys Ala Ser Phe Met Ser Phe Gly Val Lys Arg Arg Trp Phe Ala
50 55 60

Leu Gly Ala Ala Leu Gln Leu Ala Ile Ser Thr Tyr Ala Ala Tyr Ile
65 70 75 80

Gly Gly Tyr Val His Tyr Gly Asp Trp Leu Lys Val Arg Met Tyr Ser
85 90 95

Arg Thr Val Ala Ile Ile Gly Gly Phe Leu Val Leu Ala Ser Gly Ala
100 105 110

Gly Glu Leu Tyr Arg Arg Lys Pro Arg Ser Arg Ser Leu Gln Ser Thr
115 120 125

Gly Gln Val Phe Leu Gly Ile Tyr Leu Ile Cys Val Ala Tyr Ser Leu
130 135 140

Gln His Ser Lys Glu Asp Arg Leu Ala Tyr Leu Asn His Leu Pro Gly
145 150 155 160

Gly Glu Leu Met Ile Gln Leu Phe Phe Val Leu Tyr Gly Ile Leu Ala
165 170 175

Pro Gly Leu Ser Val Arg Leu Leu Arg Asp Pro Arg Cys Pro Asp Pro
180 185 190

Gly Cys Thr Ala Ala Pro Cys His Ala Ala His
195 200

<210> 865
<211> 123
<212> PRT
<213> Homo sapiens

<400> 865
Met His Asp Gly Ser Lys Pro Phe Pro Arg Tyr Gly Tyr Lys Pro Ser
1 5 10 15

Pro Pro Asn Gly Cys Gly Ser Pro Leu Phe Gly Val His Leu Asn Ile

```
            20                  25                  30

Gly Ile Pro Ser Leu Thr Lys Cys Cys Asn Gln His Asp Arg Cys Tyr
        35                  40                  45

Glu Thr Cys Gly Lys Ser Lys Asn Asp Cys Asp Glu Glu Phe Gln Tyr
    50                  55                  60

Cys Leu Ser Lys Ile Cys Arg Asp Val Gln Lys Thr Leu Gly Leu Thr
65                  70                  75                  80

Gln His Val Gln Ala Cys Glu Thr Thr Val Glu Leu Leu Phe Asp Ser
                85                  90                  95

Val Ile His Leu Gly Cys Lys Pro Tyr Leu Asp Ser Gln Arg Ala Ala
            100                 105                 110

Cys Arg Cys His Tyr Glu Glu Lys Thr Asp Leu
        115                 120
```

<210> 866
<211> 91
<212> PRT
<213> Homo sapiens

<400> 866

```
Met Leu Arg Cys Gly Gly Arg Gly Leu Leu Leu Gly Leu Ala Val Ala
  1               5                  10                  15

Ala Ala Ala Val Met Ala Ala Arg Leu Met Gly Trp Trp Gly Pro Arg
            20                  25                  30

Ala Gly Phe Arg Leu Phe Ile Pro Glu Glu Leu Ser Arg Tyr Arg Gly
        35                  40                  45

Gly Pro Gly Asp Pro Gly Leu Tyr Leu Ala Leu Leu Gly Arg Val Tyr
    50                  55                  60

Asp Val Ser Ser Gly Arg Ser Thr Thr Ser Leu Gly Pro Thr Ile Ala
65                  70                  75                  80

Ala Ser Gln Ala Glu Thr His Pro Glu Leu Ser
                85                  90
```

<210> 867
<211> 23
<212> PRT
<213> Homo sapiens

<400> 867

```
Leu Gly Ser Leu Ser Thr Ala Pro Ser Ser Ala Leu Pro Thr Leu Gly
  1               5                  10                  15

Ala Arg Arg Thr Arg Ser Lys
            20
```

<210> 868
<211> 60
<212> PRT
<213> Homo sapiens

<400> 868
Met Gly Asn Cys Gln Ala Gly His Asn Leu His Leu Cys Leu Ala His
1 5 10 15

His Pro Pro Leu Val Cys Ala Thr Leu Ile Leu Leu Leu Leu Gly Leu
20 25 30

Ser Gly Leu Gly Leu Gly Ser Phe Leu Leu Thr His Arg Thr Gly Leu
35 40 45

Arg Thr Leu Thr Ser Pro Arg Thr Gly Ser Leu Phe
50 55 60

<210> 869
<211> 173
<212> PRT
<213> Homo sapiens

<400> 869
Met Glu Ala Pro Gly Pro Arg Ala Leu Arg Thr Ala Leu Cys Gly Gly
1 5 10 15

Cys Cys Cys Leu Leu Leu Cys Ala Gln Leu Ala Val Ala Gly Lys Gly
20 25 30

Ala Arg Gly Phe Gly Arg Gly Ala Leu Ile Arg Leu Asn Ile Trp Pro
35 40 45

Ala Val Gln Gly Ala Cys Lys Gln Leu Glu Val Cys Glu His Cys Val
50 55 60

Glu Gly Asp Arg Ala Arg Asn Leu Ser Ser Cys Met Trp Glu Gln Cys
65 70 75 80

Arg Pro Glu Glu Pro Gly His Cys Val Ala Gln Ser Glu Val Val Lys
85 90 95

Glu Gly Cys Ser Ile Tyr Asn Arg Ser Glu Ala Cys Pro Ala Ala His
100 105 110

His His Pro Thr Tyr Glu Pro Lys Thr Val Thr Thr Gly Ser Pro Pro
115 120 125

Val Pro Glu Ala His Ser Pro Gly Phe Asp Gly Ala Ser Phe Ile Gly
130 135 140

Gly Val Val Leu Val Leu Ser Leu Gln Ala Val Ala Phe Phe Val Leu
145 150 155 160

His Phe Leu Lys Ala Lys Asp Ser Thr Tyr Gln Thr Leu
165 170

<210> 870
<211> 210
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (139)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (187)
<223> Xaa equals any amino acid

<400> 870

```
Met Glu Ala Pro Gly Pro Arg Ala Leu Arg Thr Ala Leu Cys Gly Gly
  1               5                  10                  15

Cys Cys Cys Leu Leu Leu Cys Ala Gln Leu Ala Val Ala Gly Lys Gly
             20                  25                  30

Ala Arg Gly Phe Gly Arg Gly Ala Leu Ile Arg Leu Asn Ile Trp Pro
         35                  40                  45

Ala Val Gln Gly Ala Cys Lys Gln Leu Glu Val Cys Glu His Cys Val
     50                  55                  60

Glu Gly Asp Arg Ala Arg Asn Leu Ser Ser Cys Met Trp Glu Gln Cys
 65                  70                  75                  80

Arg Pro Glu Glu Pro Gly His Cys Val Ala Gln Ser Glu Val Val Lys
                 85                  90                  95

Glu Gly Cys Ser Ile Tyr Asn Arg Ser Glu Ala Cys Pro Ala Ala His
            100                 105                 110

His His Pro Thr Tyr Glu Pro Lys Thr Val Thr Thr Gly Ser Pro Pro
        115                 120                 125

Val Pro Glu Ala His Ser Pro Gly Phe Asp Xaa Ala Ser Phe Ile Gly
    130                 135                 140

Gly Val Val Leu Val Leu Ser Leu Gln Ala Val Ala Phe Phe Val Leu
145                 150                 155                 160

Thr Ser Ser Arg Pro Arg Thr Ala Pro Thr Arg Arg Cys Glu Tyr Leu
                165                 170                 175

Ala Ser Ser Lys Tyr Leu Ser Pro Ser Ser Xaa Leu Val Pro Ala His
            180                 185                 190

Val Pro Phe Ser Thr Gln Gly Ala Val Phe Ser Thr Gly Lys Pro Ser
        195                 200                 205

Gly Arg
    210
```

<210> 871
<211> 99
<212> PRT
<213> Homo sapiens

<400> 871
Met Glu Gly Pro Arg Gly Trp Leu Val Leu Cys Val Leu Ala Ile Ser
1 5 10 15

Leu Ala Ser Met Val Thr Glu Asp Leu Cys Arg Ala Pro Asp Gly Lys
20 25 30

Lys Gly Glu Ala Gly Arg Pro Gly Arg Arg Gly Arg Pro Gly Leu Lys
35 40 45

Gly Glu Gln Gly Glu Pro Gly Ala Pro Gly Ile Arg Thr Gly Ile Gln
50 55 60

Gly Leu Lys Gly Asp Gln Gly Glu Pro Gly Pro Ser Gly Asn Pro Gly
65 70 75 80

Lys Val Gly Tyr Pro Gly Pro Ser Gly Pro Leu Arg Ser Pro Trp His
85 90 95

Pro Gly Asn

<210> 872
<211> 245
<212> PRT
<213> Homo sapiens

<400> 872
Met Glu Gly Pro Arg Gly Trp Leu Val Leu Cys Val Leu Ala Ile Ser
1 5 10 15

Leu Ala Ser Met Val Thr Glu Asp Leu Cys Arg Ala Pro Asp Gly Lys
20 25 30

Lys Gly Glu Ala Gly Arg Pro Gly Arg Arg Gly Arg Pro Gly Leu Lys
35 40 45

Gly Glu Gln Gly Glu Pro Gly Ala Pro Gly Ile Arg Thr Gly Ile Gln
50 55 60

Gly Leu Lys Gly Asp Gln Gly Glu Pro Gly Pro Ser Gly Asn Pro Gly
65 70 75 80

Lys Val Gly Tyr Pro Gly Pro Ser Gly Pro Leu Gly Ala Arg Gly Ile
85 90 95

Pro Gly Ile Lys Gly Thr Lys Gly Ser Pro Gly Asn Ile Lys Asp Gln
100 105 110

Pro Arg Pro Ala Phe Ser Ala Ile Arg Arg Asn Pro Pro Met Gly Gly
115 120 125

Asn Val Val Ile Phe Asp Thr Val Ile Thr Asn Gln Glu Glu Pro Tyr
130 135 140

```
Gln Asn His Ser Gly Arg Phe Val Cys Thr Val Pro Gly Tyr Tyr Tyr
145                 150                 155                 160

Phe Thr Phe Gln Val Leu Ser Gln Trp Glu Ile Cys Leu Ser Ile Val
                165                 170                 175

Ser Ser Ser Arg Gly Gln Val Arg Arg Ser Leu Gly Phe Cys Asp Thr
            180                 185                 190

Thr Asn Lys Gly Leu Phe Gln Val Val Ser Gly Gly Met Val Leu Gln
        195                 200                 205

Leu Gln Gln Gly Asp Gln Val Trp Val Glu Lys Asp Pro Lys Lys Gly
    210                 215                 220

His Ile Tyr Gln Gly Ser Glu Ala Asp Ser Val Phe Ser Gly Phe Leu
225                 230                 235                 240

Ile Phe Pro Ser Ala
                245
```

<210> 873
<211> 105
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (70)
<223> Xaa equals any amino acid

<400> 873

```
Met Ile Ser Tyr Ile Val Leu Leu Ser Ile Leu Leu Trp Pro Leu Val
  1               5                  10                  15

Val Tyr His Glu Leu Ile Gln Arg Met Tyr Thr Arg Leu Glu Pro Leu
             20                  25                  30

Leu Met Gln Leu Asp Tyr Ser Met Lys Ala Glu Ala Asn Ala Leu His
         35                  40                  45

His Lys His Asp Lys Arg Lys Arg Gln Gly Lys Asn Ala Pro Pro Gly
     50                  55                  60

Gly Asp Glu Pro Leu Xaa Glu Thr Glu Ser Glu Ser Glu Ala Glu Leu
 65                  70                  75                  80

Ala Gly Phe Ser Pro Val Val Asp Val Lys Lys Thr Ala Leu Ala Leu
                 85                  90                  95

Ala Ile Tyr Arg Leu Arg Ala Val Arg
            100                 105
```

<210> 874
<211> 89
<212> PRT

<213> Homo sapiens

<220>
<221> SITE
<222> (24)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (75)
<223> Xaa equals any amino acid

<400> 874
Met Phe Lys Asp Tyr Pro Pro Ala Ile Lys Pro Ser Tyr Asp Val Leu
1 5 10 15

Leu Leu Leu Leu Leu Leu Val Xaa Leu Leu Gln Ala Gly Leu Asn Thr
20 25 30

Gly Thr Ala Ile Gln Cys Val Arg Phe Lys Val Ser Ala Arg Leu Gln
35 40 45

Gly Ala Ser Trp Asp Thr Gln Asn Gly Pro Gln Glu Arg Leu Ala Gly
50 55 60

Glu Val Ala Arg Ser Pro Leu Lys Glu Phe Xaa Lys Glu Lys Ala Trp
65 70 75 80

Arg Ala Val Val Val Gln Met Ala Gln
85

<210> 875
<211> 147
<212> PRT
<213> Homo sapiens

<400> 875
Met Leu Ala Gly Ala Gly Arg Pro Gly Leu Pro Gln Gly Arg His Leu
1 5 10 15

Cys Trp Leu Leu Cys Ala Phe Thr Leu Lys Leu Cys Gln Ala Glu Ala
20 25 30

Pro Val Gln Glu Glu Lys Leu Ser Ala Ser Thr Ser Asn Leu Pro Cys
35 40 45

Trp Leu Val Glu Glu Phe Val Val Ala Glu Glu Cys Ser Pro Cys Ser
50 55 60

Asn Phe Arg Ala Lys Thr Thr Pro Glu Cys Gly Pro Thr Gly Tyr Val
65 70 75 80

Glu Lys Ile Thr Cys Ser Ser Ser Lys Arg Asn Glu Phe Lys Ser Cys
85 90 95

Arg Phe Ser Phe Glu Trp Asn Asn Ala Tyr Phe Gly Ser Ser Lys Gly
100 105 110

Ala Val Val Cys Val Ala Leu Ile Phe Ala Cys Leu Val Ile Ile Arg

115 120 125

Gln Arg Gln Leu Asp Arg Lys Ala Leu Glu Lys Val Arg Lys Gln Ile
130 135 140

Glu Ser Ile
145

<210> 876
<211> 127
<212> PRT
<213> Homo sapiens

<400> 876
Met Gly Gln Val Trp Arg Val Pro Pro Leu Leu Leu Ser Val Gln Val
1 5 10 15

Phe Leu Thr Met Ala His Ala Phe His Gln Ala Pro Glu Leu Gln Trp
20 25 30

Leu Gly Leu Trp Phe Trp Val Arg Leu Phe Ala Gly Gly Asp Gly Gly
35 40 45

Leu His Leu Asn Ile Ser Ser Val Thr Leu Pro Leu Leu His Gly Lys
50 55 60

Gln Leu Ser Arg Glu Val Pro Ser Cys Gln Gly Lys Pro Arg Leu Gly
65 70 75 80

Arg Pro Pro Tyr Lys Glu Pro Gln Asp Cys Ser His Gly Cys His Leu
85 90 95

Ser Trp Lys Gly Arg Phe Met Gly Phe Pro Gly Thr Pro Arg Leu Ser
100 105 110

Trp Pro Arg Gly Lys Arg Trp Leu Leu Gln Glu Phe Asp Leu Ser
115 120 125

<210> 877
<211> 9
<212> PRT
<213> Homo sapiens

<400> 877
Leu Gly Lys Pro Trp Arg Tyr Pro Thr
1 5

<210> 878
<211> 91
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (84)

<223> Xaa equals any amino acid

<400> 878
Met Tyr Gly Lys Ser Ser Thr Arg Ala Val Leu Leu Leu Leu Gly Ile
1 5 10 15

Gln Leu Thr Ala Leu Trp Pro Ile Ala Ala Val Glu Ile Tyr Thr Ser
20 25 30

Arg Val Leu Glu Ala Val Asn Gly Thr Asp Ala Arg Leu Lys Cys Thr
35 40 45

Phe Ser Ser Phe Ala Pro Val Gly Asp Ala Leu Thr Val Thr Trp Asn
50 55 60

Phe Arg Pro Leu Asp Gly Gly Pro Glu Gln Phe Val Phe Tyr Tyr His
65 70 75 80

Ile Asp Pro Xaa Pro Thr His Glu Trp Ala Val
85 90

<210> 879
<211> 708
<212> PRT
<213> Homo sapiens

<400> 879
Met Lys Asp Met Pro Leu Arg Ile His Val Leu Leu Gly Leu Ala Ile
1 5 10 15

Thr Thr Leu Val Gln Ala Val Asp Lys Lys Val Asp Cys Pro Arg Leu
20 25 30

Cys Thr Cys Glu Ile Arg Pro Trp Phe Thr Pro Arg Ser Ile Tyr Met
35 40 45

Glu Ala Ser Thr Val Asp Cys Asn Asp Leu Gly Leu Leu Thr Phe Pro
50 55 60

Ala Arg Leu Pro Ala Asn Thr Gln Ile Leu Leu Leu Gln Thr Asn Asn
65 70 75 80

Ile Ala Lys Ile Glu Tyr Ser Thr Asp Phe Pro Val Asn Leu Thr Gly
85 90 95

Leu Asp Leu Ser Gln Asn Asn Leu Ser Ser Val Thr Asn Ile Asn Val
100 105 110

Lys Lys Met Pro Gln Leu Leu Ser Val Tyr Leu Glu Glu Asn Lys Leu
115 120 125

Thr Glu Leu Pro Glu Lys Cys Leu Ser Glu Leu Ser Asn Leu Gln Glu
130 135 140

Leu Tyr Ile Asn His Asn Leu Leu Ser Thr Ile Ser Pro Gly Ala Phe
145 150 155 160

Ile Gly Leu His Asn Leu Leu Arg Leu His Leu Asn Ser Asn Arg Leu
165 170 175

```
Gln Met Ile Asn Ser Lys Trp Phe Asp Ala Leu Pro Asn Leu Glu Ile
            180                 185                 190

Leu Met Ile Gly Glu Asn Pro Ile Ile Arg Ile Lys Asp Met Asn Phe
        195                 200                 205

Lys Pro Leu Ile Asn Leu Arg Ser Leu Val Ile Ala Gly Ile Asn Leu
    210                 215                 220

Thr Glu Ile Pro Asp Asn Ala Leu Val Gly Leu Glu Asn Leu Glu Ser
225                 230                 235                 240

Ile Ser Phe Tyr Asp Asn Arg Leu Ile Lys Val Pro His Val Ala Leu
                245                 250                 255

Gln Lys Val Val Asn Leu Lys Phe Leu Asp Leu Asn Lys Asn Pro Ile
            260                 265                 270

Asn Arg Ile Arg Arg Gly Asp Phe Ser Asn Met Leu His Leu Lys Glu
        275                 280                 285

Leu Gly Ile Asn Asn Met Pro Glu Leu Ile Ser Ile Asp Ser Leu Ala
    290                 295                 300

Val Asp Asn Leu Pro Asp Leu Arg Lys Ile Glu Ala Thr Asn Asn Pro
305                 310                 315                 320

Arg Leu Ser Tyr Ile His Pro Asn Ala Phe Phe Arg Leu Pro Lys Leu
                325                 330                 335

Glu Ser Leu Met Leu Asn Ser Asn Ala Leu Ser Ala Leu Tyr His Gly
            340                 345                 350

Thr Ile Glu Ser Leu Pro Asn Leu Lys Glu Ile Ser Ile His Ser Asn
        355                 360                 365

Pro Ile Arg Cys Asp Cys Val Ile Arg Trp Met Asn Met Asn Lys Thr
    370                 375                 380

Asn Ile Arg Phe Met Glu Pro Asp Ser Leu Phe Cys Val Asp Pro Pro
385                 390                 395                 400

Glu Phe Gln Gly Gln Asn Val Arg Gln Val His Phe Arg Asp Met Met
                405                 410                 415

Glu Ile Cys Leu Pro Leu Ile Ala Pro Glu Ser Phe Pro Ser Asn Leu
            420                 425                 430

Asn Val Glu Ala Gly Ser Tyr Val Ser Phe His Cys Arg Ala Thr Ala
        435                 440                 445

Glu Pro Gln Pro Glu Ile Tyr Trp Ile Thr Pro Ser Gly Gln Lys Leu
    450                 455                 460

Leu Pro Asn Thr Leu Thr Asp Lys Phe Tyr Val His Ser Glu Gly Thr
465                 470                 475                 480

Leu Asp Ile Asn Gly Val Thr Pro Lys Glu Gly Gly Leu Tyr Thr Cys
                485                 490                 495
```

```
Ile Ala Thr Asn Leu Val Gly Ala Asp Leu Lys Ser Val Met Ile Lys
            500                 505                 510

Val Asp Gly Ser Phe Pro Gln Asp Asn Asn Gly Ser Leu Asn Ile Lys
        515                 520                 525

Ile Arg Asp Ile Gln Ala Asn Ser Val Leu Val Ser Trp Lys Ala Ser
    530                 535                 540

Ser Lys Ile Leu Lys Ser Ser Val Lys Trp Thr Ala Phe Val Lys Thr
545                 550                 555                 560

Glu Asn Ser His Ala Ala Gln Ser Ala Arg Ile Pro Ser Asp Val Lys
                565                 570                 575

Val Tyr Asn Leu Thr His Leu Asn Pro Ser Thr Glu Tyr Lys Ile Cys
            580                 585                 590

Ile Asp Ile Pro Thr Ile Tyr Gln Lys Asn Arg Lys Lys Cys Val Asn
        595                 600                 605

Val Thr Thr Lys Gly Leu His Pro Asp Gln Lys Glu Tyr Glu Lys Asn
    610                 615                 620

Asn Thr Thr Thr Leu Met Ala Cys Leu Gly Gly Leu Leu Gly Ile Ile
625                 630                 635                 640

Gly Val Ile Cys Leu Ile Ser Cys Leu Ser Pro Glu Met Asn Cys Asp
                645                 650                 655

Gly Gly His Ser Tyr Val Arg Asn Tyr Leu Gln Lys Pro Thr Phe Ala
            660                 665                 670

Leu Gly Glu Leu Tyr Pro Pro Leu Ile Asn Leu Trp Glu Ala Gly Lys
        675                 680                 685

Glu Lys Ser Thr Ser Leu Lys Val Lys Ala Thr Val Ile Gly Leu Pro
    690                 695                 700

Thr Asn Met Ser
705
```

<210> 880
<211> 10
<212> PRT
<213> Homo sapiens

<400> 880
Met Gly Leu Phe Leu Phe Leu Val Ser Ser
  1   5   10

<210> 881
<211> 941
<212> PRT
<213> Homo sapiens

<220>

<221> SITE
<222> (807)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (809)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (815)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (819)
<223> Xaa equals any amino acid

<400> 881

```
Met Val Phe Leu Pro Leu Lys Trp Ser Leu Ala Thr Met Ser Phe Leu
  1               5                  10                  15

Leu Ser Ser Leu Leu Ala Leu Leu Thr Val Ser Thr Pro Ser Trp Cys
             20                  25                  30

Gln Ser Thr Glu Ala Ser Pro Lys Arg Ser Asp Gly Thr Pro Phe Pro
         35                  40                  45

Trp Asn Lys Ile Arg Leu Pro Glu Tyr Val Ile Pro Val His Tyr Asp
     50                  55                  60

Leu Leu Ile His Ala Asn Leu Thr Thr Leu Thr Phe Trp Gly Thr Thr
 65                  70                  75                  80

Lys Val Glu Ile Thr Ala Ser Gln Pro Thr Ser Thr Ile Ile Leu His
                 85                  90                  95

Ser His His Leu Gln Ile Ser Arg Ala Thr Leu Arg Lys Gly Ala Gly
            100                 105                 110

Glu Arg Leu Ser Glu Glu Pro Leu Gln Val Leu Glu His Pro Pro Gln
        115                 120                 125

Glu Gln Ile Ala Leu Leu Ala Pro Glu Pro Leu Leu Val Gly Leu Pro
    130                 135                 140

Tyr Thr Val Val Ile His Tyr Ala Gly Asn Leu Ser Glu Thr Phe His
145                 150                 155                 160

Gly Phe Tyr Lys Ser Thr Tyr Arg Thr Lys Glu Gly Glu Leu Arg Ile
                165                 170                 175

Leu Ala Ser Thr Gln Phe Glu Pro Thr Ala Ala Arg Met Ala Phe Pro
            180                 185                 190

Cys Phe Asp Glu Pro Ala Phe Lys Ala Ser Phe Ser Ile Lys Ile Arg
        195                 200                 205

Arg Glu Pro Arg His Leu Ala Ile Ser Asn Met Pro Leu Val Lys Ser
    210                 215                 220
```

```
Val Thr Val Ala Glu Gly Leu Ile Glu Asp His Phe Asp Val Thr Val
225                 230                 235                 240

Lys Met Ser Thr Tyr Leu Val Ala Phe Ile Ile Ser Asp Phe Glu Ser
                245                 250                 255

Val Ser Lys Ile Thr Lys Ser Gly Val Lys Val Ser Val Tyr Ala Val
            260                 265                 270

Pro Asp Lys Met Asn Gln Ala Asp Tyr Ala Leu Asp Ala Ala Val Thr
        275                 280                 285

Leu Leu Glu Phe Tyr Glu Asp Tyr Phe Ser Ile Pro Tyr Pro Leu Pro
    290                 295                 300

Lys Gln Asp Leu Ala Ala Ile Pro Asp Phe Gln Ser Gly Ala Met Glu
305                 310                 315                 320

Asn Trp Gly Leu Thr Thr Tyr Arg Glu Ser Ala Leu Leu Phe Asp Ala
                325                 330                 335

Glu Lys Ser Ser Ala Ser Ser Lys Leu Gly Ile Thr Met Thr Val Ala
            340                 345                 350

His Glu Leu Ala His Gln Trp Phe Gly Asn Leu Val Thr Met Glu Trp
        355                 360                 365

Trp Asn Asp Leu Trp Leu Asn Glu Gly Phe Ala Lys Phe Met Glu Phe
    370                 375                 380

Val Ser Val Ser Val Thr His Pro Glu Leu Lys Val Gly Asp Tyr Phe
385                 390                 395                 400

Phe Gly Lys Cys Phe Asp Ala Met Glu Val Asp Ala Leu Asn Ser Ser
                405                 410                 415

His Pro Val Ser Thr Pro Val Glu Asn Pro Ala Gln Ile Arg Glu Met
            420                 425                 430

Phe Asp Asp Val Ser Tyr Asp Lys Gly Ala Cys Ile Leu Asn Met Leu
        435                 440                 445

Arg Glu Tyr Leu Ser Ala Asp Ala Phe Lys Ser Gly Ile Val Gln Tyr
    450                 455                 460

Leu Gln Lys His Ser Tyr Lys Asn Thr Lys Asn Glu Asp Leu Trp Asp
465                 470                 475                 480

Ser Met Ala Ser Ile Cys Pro Thr Asp Gly Val Lys Gly Met Asp Gly
                485                 490                 495

Phe Cys Ser Arg Ser Gln His Ser Ser Ser Ser Ser His Trp His Gln
            500                 505                 510

Glu Gly Val Asp Val Lys Thr Met Met Asn Thr Trp Thr Leu Gln Arg
        515                 520                 525

Gly Phe Pro Leu Ile Thr Ile Thr Val Arg Gly Arg Asn Val His Met
    530                 535                 540
```

```
Lys Gln Glu His Tyr Met Lys Gly Ser Asp Gly Ala Pro Asp Thr Gly
545                 550                 555                 560

Tyr Leu Trp His Val Pro Leu Thr Phe Ile Thr Ser Lys Ser Asp Met
                565                 570                 575

Val His Arg Phe Leu Leu Lys Thr Lys Thr Asp Val Leu Ile Leu Pro
            580                 585                 590

Glu Glu Val Glu Trp Ile Lys Phe Asn Val Gly Met Asn Gly Tyr Tyr
        595                 600                 605

Ile Val His Tyr Glu Asp Asp Gly Trp Asp Ser Leu Thr Gly Leu Leu
    610                 615                 620

Lys Gly Thr His Thr Ala Val Ser Ser Asn Asp Arg Ala Ser Leu Ile
625                 630                 635                 640

Asn Asn Ala Phe Gln Leu Val Ser Ile Gly Lys Leu Ser Ile Glu Lys
                645                 650                 655

Ala Leu Asp Leu Ser Leu Tyr Leu Lys His Glu Thr Glu Ile Met Pro
            660                 665                 670

Val Phe Gln Gly Leu Asn Glu Leu Ile Pro Met Tyr Lys Leu Met Glu
        675                 680                 685

Lys Arg Asp Met Asn Glu Val Glu Thr Gln Phe Lys Ala Phe Leu Ile
    690                 695                 700

Arg Leu Leu Arg Asp Leu Ile Asp Lys Gln Thr Trp Thr Asp Glu Gly
705                 710                 715                 720

Ser Val Ser Glu Arg Met Leu Arg Ser Glu Leu Leu Leu Leu Ala Cys
                725                 730                 735

Val His Asn Tyr Gln Pro Cys Val Gln Arg Ala Glu Gly Tyr Phe Arg
            740                 745                 750

Lys Trp Lys Glu Ser Asn Gly Asn Leu Ser Leu Pro Val Asp Val Thr
        755                 760                 765

Leu Ala Val Phe Ala Val Gly Ala Gln Ser Thr Glu Gly Trp Asp Phe
    770                 775                 780

Leu Tyr Ser Lys Tyr Gln Phe Ser Leu Ser Ser Thr Glu Lys Ser Gln
785                 790                 795                 800

Ile Glu Phe Ala Leu Cys Xaa Pro Xaa Asn Lys Glu Lys Leu Xaa Trp
                805                 810                 815

Leu Leu Xaa Glu Ser Phe Lys Gly Asp Lys Ile Lys Thr Gln Glu Phe
            820                 825                 830

Pro Gln Ile Leu Thr Leu Ile Gly Arg Asn Pro Val Gly Tyr Pro Leu
        835                 840                 845

Ala Trp Gln Phe Leu Arg Lys Asn Trp Asn Lys Leu Val Gln Lys Phe
    850                 855                 860

Glu Leu Gly Ser Ser Ser Ile Ala His Met Val Met Gly Thr Thr Asn
```

```
865                 870                 875                 880

Gln Phe Ser Thr Arg Thr Arg Leu Glu Glu Val Lys Gly Phe Phe Ser
                885                 890                 895

Ser Leu Lys Glu Asn Gly Ser Gln Leu Arg Cys Val Gln Gln Thr Ile
            900                 905                 910

Glu Thr Ile Glu Glu Asn Ile Gly Trp Met Asp Lys Asn Phe Asp Lys
        915                 920                 925

Ile Arg Val Trp Leu Gln Ser Glu Lys Leu Glu Arg Met
    930                 935                 940
```

<210> 882
<211> 612
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (245)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (246)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (249)
<223> Xaa equals any amino acid

<400> 882

```
Met Ala Ala Ala Gly Arg Leu Pro Ser Ser Trp Ala Leu Phe Ser Pro
  1               5                  10                  15

Leu Leu Ala Gly Leu Ala Leu Leu Gly Val Gly Pro Val Pro Ala Arg
            20                  25                  30

Ala Leu His Asn Val Thr Ala Glu Leu Phe Gly Ala Glu Ala Trp Gly
        35                  40                  45

Thr Leu Ala Ala Phe Gly Asp Leu Asn Ser Asp Lys Gln Thr Asp Leu
    50                  55                  60

Phe Val Leu Arg Glu Arg Asn Asp Leu Ile Val Phe Leu Ala Asp Gln
65                  70                  75                  80

Asn Ala Pro Tyr Phe Lys Pro Lys Val Lys Val Ser Phe Lys Asn His
                85                  90                  95

Ser Ala Leu Ile Thr Ser Val Val Pro Gly Asp Tyr Asp Gly Asp Ser
            100                 105                 110

Gln Met Asp Val Leu Leu Thr Tyr Leu Pro Lys Asn Tyr Ala Lys Ser
        115                 120                 125
```

```
Glu Leu Gly Ala Val Ile Phe Trp Gly Gln Asn Gln Thr Leu Asp Pro
    130                 135                 140

Asn Asn Met Thr Ile Leu Asn Arg Thr Phe Gln Asp Glu Pro Leu Ile
145                 150                 155                 160

Met Asp Phe Asn Gly Asp Leu Ile Pro Asp Ile Phe Gly Ile Thr Asn
                165                 170                 175

Glu Ser Asn Gln Pro Gln Ile Leu Leu Gly Gly Asn Leu Ser Trp His
            180                 185                 190

Pro Ala Leu Thr Thr Thr Ser Lys Met Arg Ile Pro His Ser His Ala
        195                 200                 205

Phe Ile Asp Leu Thr Glu Asp Phe Thr Ala Asp Leu Phe Leu Thr Thr
    210                 215                 220

Leu Asn Ala Thr Thr Ser Thr Phe Gln Phe Glu Ile Trp Glu Asn Leu
225                 230                 235                 240

Asp Gly Asn Phe Xaa Xaa Ser Thr Xaa Leu Glu Lys Pro Gln Asn Met
                245                 250                 255

Met Val Val Gly Gln Ser Ala Phe Ala Asp Phe Asp Gly Asp Gly His
            260                 265                 270

Met Asp His Leu Leu Pro Gly Cys Glu Asp Lys Asn Cys Gln Lys Ser
        275                 280                 285

Thr Ile Tyr Leu Val Arg Ser Gly Met Lys Gln Trp Val Pro Val Leu
    290                 295                 300

Gln Asp Phe Ser Asn Lys Gly Thr Leu Trp Gly Phe Val Pro Phe Val
305                 310                 315                 320

Asp Glu Gln Gln Pro Thr Glu Ile Pro Ile Pro Ile Thr Leu His Ile
                325                 330                 335

Gly Asp Tyr Asn Met Asp Gly Tyr Pro Asp Ala Leu Val Ile Leu Lys
            340                 345                 350

Asn Thr Ser Gly Ser Asn Gln Gln Ala Phe Leu Leu Glu Asn Val Pro
        355                 360                 365

Cys Asn Asn Ala Ser Cys Glu Glu Ala Arg Arg Met Phe Lys Val Tyr
    370                 375                 380

Trp Glu Leu Thr Asp Leu Asn Gln Ile Lys Asp Ala Met Val Ala Thr
385                 390                 395                 400

Phe Phe Asp Ile Tyr Glu Asp Gly Ile Leu Asp Ile Val Val Leu Ser
                405                 410                 415

Lys Gly Tyr Thr Lys Asn Asp Phe Ala Ile His Thr Leu Lys Asn Asn
            420                 425                 430

Phe Glu Ala Asp Ala Tyr Phe Val Lys Val Ile Val Leu Ser Gly Leu
        435                 440                 445

Cys Ser Asn Asp Cys Pro Arg Lys Ile Thr Pro Phe Gly Val Asn Gln
```

```
    450                 455                 460

Pro Gly Pro Tyr Ile Met Tyr Thr Thr Val Asp Ala Asn Gly Tyr Leu
465                 470                 475                 480

Lys Asn Gly Ser Ala Gly Gln Leu Ser Gln Ser Ala His Leu Ala Leu
                485                 490                 495

Gln Leu Pro Tyr Asn Val Leu Gly Leu Gly Arg Ser Ala Asn Phe Leu
            500                 505                 510

Asp His Leu Tyr Val Gly Ile Pro Arg Pro Ser Gly Glu Lys Ser Ile
        515                 520                 525

Arg Lys Gln Glu Trp Thr Ala Ile Ile Pro Asn Ser Gln Leu Ile Val
    530                 535                 540

Ile Pro Tyr Pro His Asn Val Pro Arg Ser Trp Ser Ala Lys Leu Tyr
545                 550                 555                 560

Leu Thr Pro Ser Asn Ile Val Leu Leu Thr Ala Ile Ala Leu Ile Gly
                565                 570                 575

Val Cys Val Phe Ile Leu Ala Ile Ile Gly Ile Leu His Trp Gln Glu
            580                 585                 590

Lys Lys Ala Asp Asp Arg Glu Lys Arg Gln Glu Ala His Arg Phe His
        595                 600                 605

Phe Asp Ala Met
    610
```

<210> 883
<211> 456
<212> PRT
<213> Homo sapiens

<400> 883

```
Met Ala Ala Ala Gly Arg Leu Pro Ser Ser Trp Ala Leu Phe Ser Pro
  1               5                  10                  15

Leu Leu Ala Gly Leu Ala Leu Leu Gly Val Gly Pro Val Pro Ala Arg
            20                  25                  30

Ala Leu His Asn Val Thr Ala Glu Leu Phe Gly Ala Glu Ala Trp Gly
        35                  40                  45

Thr Leu Ala Ala Phe Gly Asp Leu Asn Ser Asp Lys Gln Thr Asp Leu
    50                  55                  60

Phe Val Leu Arg Glu Arg Asn Asp Leu Ile Val Phe Leu Ala Asp Gln
65                  70                  75                  80

Asn Ala Pro Tyr Phe Lys Pro Lys Val Lys Val Ser Phe Lys Asn His
                85                  90                  95

Ser Ala Leu Ile Thr Ser Val Val Pro Gly Asp Tyr Asp Gly Asp Ser
            100                 105                 110
```

```
Gln Met Asp Val Leu Leu Thr Tyr Leu Pro Lys Asn Tyr Ala Lys Ser
        115                 120                 125

Glu Leu Gly Ala Val Ile Phe Trp Gly Gln Asn Gln Thr Leu Asp Pro
    130                 135                 140

Asn Asn Met Thr Ile Leu Asn Arg Thr Phe Gln Asp Glu Pro Leu Ile
145                 150                 155                 160

Met Asp Phe Asn Gly Asp Leu Ile Pro Asp Ile Phe Gly Ile Thr Asn
                165                 170                 175

Glu Ser Asn Gln Pro Gln Ile Leu Leu Gly Gly Asn Leu Ser Trp His
            180                 185                 190

Pro Ala Leu Thr Thr Thr Ser Lys Met Arg Ile Pro His Ser His Ala
        195                 200                 205

Phe Ile Asp Leu Thr Glu Asp Phe Thr Ala Asp Leu Phe Leu Thr Thr
    210                 215                 220

Leu Asn Ala Thr Thr Ser Thr Phe Gln Phe Glu Ile Trp Glu Asn Leu
225                 230                 235                 240

Asp Gly Asn Phe Ser Val Ser Thr Ile Leu Glu Lys Pro Gln Asn Met
                245                 250                 255

Met Val Val Gly Gln Ser Ala Phe Ala Asp Phe Asp Gly Asp Gly His
            260                 265                 270

Met Asp His Leu Leu Pro Gly Cys Glu Asp Lys Asn Cys Gln Lys Ser
        275                 280                 285

Thr Ile Tyr Leu Val Arg Ser Gly Met Lys Gln Trp Val Pro Val Leu
    290                 295                 300

Gln Asp Phe Ser Asn Lys Gly Thr Leu Trp Gly Phe Val Pro Phe Val
305                 310                 315                 320

Asp Glu Gln Gln Pro Thr Glu Ile Pro Ile Pro Ile Thr Leu His Ile
                325                 330                 335

Gly Asp Tyr Asn Met Asp Gly Tyr Pro Asp Ala Leu Val Ile Leu Lys
            340                 345                 350

Asn Thr Ser Gly Ser Asn Gln Gln Ala Phe Leu Leu Glu Asn Val Pro
        355                 360                 365

Cys Asn Asn Ala Ser Cys Glu Glu Ala Arg Arg Met Phe Lys Val Tyr
    370                 375                 380

Trp Glu Leu Thr Asp Leu Asn Gln Ile Lys Asp Ala Met Val Ala Thr
385                 390                 395                 400

Phe Phe Asp Ile Tyr Glu Asp Gly Ile Leu Asp Ile Val Val Leu Ser
                405                 410                 415

Lys Gly Tyr Thr Lys Asn Asp Phe Ala Ile His Thr Leu Lys Asn Asn
            420                 425                 430

Phe Glu Ala Asp Ala Tyr Phe Val Lys Val Ile Val Leu Ser Gly Leu
```

435 440 445

Cys Ser Asn Asp Cys Pro Arg Arg
450 455

<210> 884
<211> 157
<212> PRT
<213> Homo sapiens

<400> 884
Met Val Lys Ser Val Ile Phe Leu Ser Phe Trp Gln Gly Met Leu Leu
1 5 10 15

Ala Ile Leu Glu Lys Cys Gly Ala Ile Pro Lys Ile His Ser Ala Arg
20 25 30

Val Ser Val Gly Glu Gly Thr Val Ala Ala Gly Tyr His Asp Phe Ile
35 40 45

Ile Cys Val Glu Met Phe Phe Ala Ala Leu Ala Leu Arg His Pro Phe
50 55 60

Thr Tyr Asn Val Tyr Ala Asp Lys Arg Leu Asp Ala Gln Gly Arg Cys
65 70 75 80

Ala Pro Met Lys Ser Ile Ser Ser Ser Leu Lys Glu Thr Met Asn Pro
85 90 95

His Asp Ile Val Gln Asp Ala Ile His Asn Phe Ser Pro Ala Tyr Gln
100 105 110

Gln Tyr Thr Gln Gln Ser Thr Leu Glu Pro Gly Pro Thr Trp Arg Gly
115 120 125

Gly Ala His Gly Leu Ser Arg Ser His Ser Leu Ser Gly Ala Arg Asp
130 135 140

Asn Glu Lys Thr Leu Leu Leu Ser Ser Asp Asp Glu Phe
145 150 155

<210> 885
<211> 118
<212> PRT
<213> Homo sapiens

<400> 885
Phe Leu Ser Ser Trp Gln Arg Pro Ala Cys Gly Cys Gln Arg Pro Ala
1 5 10 15

Leu Pro Leu His Leu Gly Gly Ala Glu Gln Leu Gly Pro Ser Cys Pro
20 25 30

Gly Gly Trp Val Gln Thr Gln Ala Glu Asp Gln Pro Trp Pro Cys Pro
35 40 45

Ala Ile Cys Phe His Gln Ala Val Ser Pro Pro Trp Leu Pro Phe Ser

```
     50                  55                  60

Leu Gln Ala Lys Val Leu Leu Ile Pro Thr Pro Leu Val Phe Ala Cys
 65                  70                  75                  80

Pro Ala Leu Leu Phe Ala Trp Arg Val Gly Gly Ala Gln Trp Gln Gly
                 85                  90                  95

Ile Ser Gly Pro Trp Gly Arg Gly Asp Gly Asn Met Cys Pro Thr Ala
            100                 105                 110

Pro Ser Pro Pro Pro Pro
        115
```

<210> 886
<211> 59
<212> PRT
<213> Homo sapiens

<400> 886

```
Met Met Lys Asp Val Phe Phe Phe Leu Phe Leu Leu Ala Val Trp Val
  1               5                  10                  15

Val Ser Phe Gly Val Ala Lys Gln Ala Ile Leu Ile His Asn Glu Arg
             20                  25                  30

Arg Val Asp Trp Leu Phe Arg Gly Pro Ser Thr Thr Pro Thr Ser Pro
         35                  40                  45

Ser Ser Gly Arg Ser Arg Ala Thr Ser Thr Val
     50                  55
```

<210> 887
<211> 109
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (94)
<223> Xaa equals any amino acid

<400> 887

```
Met Asn Thr Leu Val Leu Trp Ile Phe Gly Phe Leu Ile Cys Leu Gly
  1               5                  10                  15

Ile Ile Leu Ala Ile Gly Asn Ser Ile Trp Glu Ser Gln Thr Gly Asp
             20                  25                  30

Gln Phe Arg Thr Phe Leu Phe Trp Asn Glu Gly Glu Lys Ser Ser Val
         35                  40                  45

Phe Ser Gly Phe Leu Thr Phe Trp Ser Tyr Ile Ile Ile Leu Asn Thr
     50                  55                  60

Val Val Pro Ile Ser Leu Tyr Val Ser Val Glu Val Ile Arg Leu Gly
 65                  70                  75                  80
```

```
His Ser Tyr Phe Ile Asn Trp Asp Arg Lys Met Tyr Tyr Xaa Arg Lys
                85                  90                  95

Ala Ile Pro Ala Val Ala Arg Thr Thr Thr Leu Asn Glu
            100                 105
```

<210> 888
<211> 46
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (45)
<223> Xaa equals any amino acid

<400> 888

```
Ile Asn His Val Phe Ile Trp Gly Ser Ile Ala Ile Tyr Phe Ser Ile
  1               5                  10                  15

Leu Phe Thr Met His Ser Asn Gly Ile Phe Gly Ile Phe Pro Asn Gln
             20                  25                  30

Phe Pro Phe Val Gly Asn Ala Arg His Ser Leu Thr Xaa Lys
         35                  40                  45
```

<210> 889
<211> 6
<212> PRT
<213> Homo sapiens

<400> 889

```
Thr Val Ala Ile Tyr Asp
  1               5
```

<210> 890
<211> 11
<212> PRT
<213> Homo sapiens

<400> 890

```
Phe Leu Val Cys Leu Leu Leu Gly Pro Arg Ser
  1               5                  10
```

<210> 891
<211> 56
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (35)

<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (42)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (46)
<223> Xaa equals any amino acid

<400> 891
Lys Ser Gln Met Gln Ser Phe Thr Ile Val Thr Ala Tyr Gly Arg Cys
1 5 10 15

Leu Ser Leu Thr Cys Leu Pro Thr Leu Asn Gln Met Leu Val Phe Lys
20 25 30

Ser Asn Xaa Ser Leu Val Ser Pro His Xaa Leu Thr Phe Xaa Asn Ile
35 40 45

Phe Ala Arg Phe Glu Asn Phe Gln
50 55

<210> 892
<211> 53
<212> PRT
<213> Homo sapiens

<400> 892
Asn Tyr Asn Arg Gly Gly Thr Phe Leu Tyr Gln Lys Ala Lys Ile Lys
1 5 10 15

His His Val Leu Met Val Phe Tyr Lys Ser Thr Ser Asn Ser Thr Glu
20 25 30

Ser Leu Ile Trp Ser Leu Leu Asn Ser Trp Ser Asp Lys Val Thr Phe
35 40 45

Pro Lys Arg Val Arg
50

<210> 893
<211> 566
<212> PRT
<213> Homo sapiens

<400> 893
Met Ala Pro Leu Ala Leu His Leu Leu Val Leu Val Pro Ile Leu Leu
1 5 10 15

Ser Leu Val Ala Ser Gln Asp Trp Lys Ala Glu Arg Ser Gln Asp Pro
20 25 30

Phe Glu Lys Cys Met Gln Asp Pro Asp Tyr Glu Gln Leu Leu Lys Val
35 40 45

```
Val Thr Trp Gly Leu Asn Arg Thr Leu Lys Pro Gln Arg Val Ile Val
     50                  55                  60

Val Gly Ala Gly Val Ala Gly Leu Val Ala Ala Lys Val Leu Ser Asp
 65                  70                  75                  80

Ala Gly His Lys Val Thr Ile Leu Glu Ala Asp Asn Arg Ile Gly Gly
                85                  90                  95

Arg Ile Phe Thr Tyr Arg Asp Gln Asn Thr Gly Trp Ile Gly Glu Leu
            100                 105                 110

Gly Ala Met Arg Met Pro Ser Ser His Arg Ile Leu His Lys Leu Cys
        115                 120                 125

Gln Gly Leu Gly Leu Asn Leu Thr Lys Phe Thr Gln Tyr Asp Lys Asn
    130                 135                 140

Thr Trp Thr Glu Val His Glu Val Lys Leu Arg Asn Tyr Val Val Glu
145                 150                 155                 160

Lys Val Pro Glu Lys Leu Gly Tyr Ala Leu Arg Pro Gln Glu Lys Gly
                165                 170                 175

His Ser Pro Glu Asp Ile Tyr Gln Met Ala Leu Asn Gln Ala Leu Lys
            180                 185                 190

Asp Leu Lys Ala Leu Gly Cys Arg Lys Ala Met Lys Lys Phe Glu Arg
        195                 200                 205

His Thr Leu Leu Glu Tyr Leu Leu Gly Glu Gly Asn Leu Ser Arg Pro
    210                 215                 220

Ala Val Gln Leu Leu Gly Asp Val Met Ser Glu Asp Gly Phe Phe Tyr
225                 230                 235                 240

Leu Ser Phe Ala Glu Ala Leu Arg Ala His Ser Cys Leu Ser Asp Arg
                245                 250                 255

Leu Gln Tyr Ser Arg Ile Val Gly Gly Trp Asp Leu Leu Pro Arg Ala
            260                 265                 270

Leu Leu Ser Ser Leu Ser Gly Leu Val Leu Leu Asn Ala Pro Val Val
        275                 280                 285

Ala Met Thr Gln Gly Pro His Asp Val His Val Gln Ile Glu Thr Ser
    290                 295                 300

Pro Pro Ala Arg Asn Leu Lys Val Leu Lys Ala Asp Val Val Leu Leu
305                 310                 315                 320

Thr Ala Ser Gly Pro Ala Val Lys Arg Ile Thr Phe Ser Pro Pro Leu
                325                 330                 335

Pro Arg His Met Gln Glu Ala Leu Arg Arg Leu His Tyr Val Pro Ala
            340                 345                 350

Thr Lys Val Phe Leu Ser Phe Arg Arg Pro Phe Trp Arg Glu Glu His
        355                 360                 365
```

```
Ile Glu Gly Gly His Ser Asn Thr Asp Arg Pro Ser Arg Met Ile Phe
    370                 375                 380

Tyr Pro Pro Pro Arg Glu Gly Ala Leu Leu Leu Ala Ser Tyr Thr Trp
385                 390                 395                 400

Ser Asp Ala Ala Ala Ala Phe Ala Gly Leu Ser Arg Glu Glu Ala Leu
                405                 410                 415

Arg Leu Ala Leu Asp Asp Val Ala Ala Leu His Gly Pro Val Val Arg
            420                 425                 430

Gln Leu Trp Asp Gly Thr Gly Val Val Lys Arg Trp Ala Glu Asp Gln
        435                 440                 445

His Ser Gln Gly Gly Phe Val Val Gln Pro Pro Ala Leu Trp Gln Thr
    450                 455                 460

Glu Lys Asp Asp Trp Thr Val Pro Tyr Gly Arg Ile Tyr Phe Ala Gly
465                 470                 475                 480

Glu His Thr Ala Tyr Pro His Gly Trp Val Glu Thr Ala Val Lys Leu
                485                 490                 495

Leu Arg Ala Ala Ile Lys Ile Asn Ser Arg Lys Gly Pro Ala Ser Asp
            500                 505                 510

Thr Ala Ser Pro Glu Gly His Ala Ser Asp Met Glu Gly Gln Gly His
        515                 520                 525

Val His Gly Val Ala Ser Ser Pro Ser His Asp Leu Ala Lys Glu Glu
    530                 535                 540

Gly Ser His Pro Pro Val Gln Gly Gln Leu Ser Leu Gln Asn Thr Thr
545                 550                 555                 560

His Thr Arg Thr Ser His
                565
```

<210> 894
<211> 319
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (68)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (115)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (213)
<223> Xaa equals any amino acid

<400> 894

```
Met Ala Pro Leu Ala Leu His Leu Leu Val Leu Val Pro Ile Leu Leu
 1               5                  10                  15

Ser Leu Val Ala Ser Gln Asp Trp Lys Ala Glu Arg Ser Gln Asp Pro
            20                  25                  30

Phe Glu Lys Cys Met Gln Asp Pro Asp Tyr Glu Gln Leu Leu Lys Val
        35                  40                  45

Thr Ile Leu Glu Ala Asp Asn Arg Ile Gly Gly Arg Ile Phe Thr Tyr
    50                  55                  60

Arg Asp Gln Xaa Thr Gly Trp Ile Gly Glu Leu Gly Ala Met Arg Met
65                  70                  75                  80

Pro Ser Ser His Arg Ile Leu His Lys Leu Cys Gln Gly Leu Gly Leu
                85                  90                  95

Asn Leu Thr Lys Phe Thr Gln Tyr Asp Lys Asn Thr Trp Thr Glu Val
            100                 105                 110

His Glu Xaa Lys Leu Arg Asn Tyr Val Val Glu Lys Val Pro Glu Lys
        115                 120                 125

Leu Gly Tyr Ala Leu Arg Pro Gln Glu Lys Gly His Ser Pro Glu Asp
    130                 135                 140

Ile Tyr Gln Met Ala Leu Asn Gln Ala Leu Lys Asp Leu Lys Ala Leu
145                 150                 155                 160

Gly Cys Arg Lys Ala Met Lys Lys Phe Glu Arg His Thr Leu Leu Glu
                165                 170                 175

Tyr Leu Leu Gly Glu Gly Asn Leu Ser Arg Pro Ala Val Gln Leu Leu
            180                 185                 190

Gly Asp Val Met Ser Glu Asp Gly Phe Phe Tyr Leu Ser Phe Ala Glu
        195                 200                 205

Ala Leu Arg Ala Xaa Ser Cys Leu Ser Asp Arg Leu Gln Tyr Ser Arg
    210                 215                 220

Ile Val Gly Gly Trp Asp Leu Leu Pro Arg Ala Leu Leu Ser Ser Leu
225                 230                 235                 240

Ser Gly Leu Val Leu Leu Asn Ala Pro Val Val Ala Met Thr Gln Gly
                245                 250                 255

Pro His Asp Val His Val Gln Ile Glu Thr Ser Pro Pro Ala Arg Asn
            260                 265                 270

Leu Lys Val Leu Lys Ala Asp Val Val Leu Leu Thr Ala Ser Gly Pro
        275                 280                 285

Ala Val Lys Arg Ile Thr Phe Ser Pro Arg Cys Pro Ala Thr Cys Arg
    290                 295                 300

Arg Arg Cys Gly Gly Cys Thr Thr Cys Arg Pro Pro Arg Cys Ser
305                 310                 315
```

<210> 895
<211> 46
<212> PRT
<213> Homo sapiens

<400> 895
Met Pro Trp Leu Lys Ser Leu Leu His Phe Ser Leu Phe Leu Val Val
1 5 10 15

Phe Ser Thr Leu Ala Val Lys Ser Leu Gly Val Pro Val Ala Ala Gly
20 25 30

Ser Pro Phe Cys Ile Val Asp Val Leu His Phe Ile Leu Leu
35 40 45

<210> 896
<211> 64
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (7)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (27)
<223> Xaa equals any amino acid

<400> 896
Ser Trp Val Ile Val Val Xaa Ile Trp Gly Tyr Leu Leu Glu Gly His
1 5 10 15

Gly Val Pro Phe Cys Lys Ser Tyr Gly Pro Xaa Pro Trp Lys Leu His
20 25 30

Thr His His Ala Ala Tyr Asn Ser Gly Ser Ser Gln Val Tyr Arg Ile
35 40 45

Leu Gly Asn Ser Pro Cys Pro Val Leu Ile His Cys Ser Phe Ser Gly
50 55 60

<210> 897
<211> 14
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (9)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (14)
<223> Xaa equals any amino acid

<400> 897
Trp Lys Gly Leu Leu Glu Gly Ser Xaa Glu Ala Thr Met Xaa
1 5 10

<210> 898
<211> 107
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (66)
<223> Xaa equals any amino acid

<400> 898
Pro Leu Gly Arg Glu Pro Leu Ala Gly Phe Leu Ser Phe Leu Ser Phe
1 5 10 15

Ser Leu Leu Trp Cys Leu Glu Ala Phe Pro Arg Leu Gln Phe Leu Thr
20 25 30

Thr Leu Thr Asp Phe Ala Ile Val Leu Ser Pro Pro Leu Ser Phe Pro
35 40 45

Lys Leu Thr Leu Trp Arg Leu Ile Lys Arg Lys Asn His Arg Pro Gly
50 55 60

Ala Xaa Leu Thr Pro Arg Arg Arg Ala Asn His Leu Arg Cys Gly Val
65 70 75 80

Arg Asp Gln Pro Asp Gln Asn Arg Glu Thr Pro Ser Leu Leu Asn Asn
85 90 95

Thr Lys Leu Ala Gly Arg Gly Gly Ala Arg Leu
100 105

<210> 899
<211> 127
<212> PRT
<213> Homo sapiens

<400> 899
Met Pro Arg Ala Pro Trp Arg Ile Pro Leu Cys Ala Leu Pro Thr Leu
1 5 10 15

Cys Leu Gly Ser Pro Leu Pro Ser Gln Pro Thr His Pro Ile Phe Tyr
20 25 30

Asp His Arg Ala Pro Thr Trp Lys Met Ala His Pro Gly Gly Pro Arg
35 40 45

```
Ser Ser His Ser Pro Arg Gly Pro Gly Gly His Pro Ala Leu Arg Gln
     50                  55                  60

Arg Leu Pro Cys Arg Arg Gly Glu Pro Glu Thr Ala Leu Cys Ser Ser
 65                  70                  75                  80

Ala Pro Gly Ala Gly Phe Ala Glu Pro Pro Cys Lys Ala Ser Pro Gly
                 85                  90                  95

Trp Gly Pro Pro Ser Arg Gly Pro Gln Gly Asp Arg Ser Gln Gly Glu
            100                 105                 110

Trp Leu Pro Ala Leu Gly Thr Pro Cys Gly Gly Pro Asp Asp Ser
        115                 120                 125
```

<210> 900
<211> 90
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (31)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (57)
<223> Xaa equals any amino acid

<400> 900

```
Met Pro Arg Ala Pro Trp Arg Ile Pro Leu Cys Ala Leu Pro Thr Leu
  1               5                  10                  15

Cys Leu Gly Ser Pro Leu Pro Ser Gln Pro Thr His Pro Ile Xaa Tyr
             20                  25                  30

Asp His Arg Ala Pro Thr Trp Lys Met Ala His Pro Gly Gly Pro Arg
         35                  40                  45

Ser Ser His Ser Pro Arg Thr Trp Xaa Thr Pro Ser Ser Gln Thr Lys
     50                  55                  60

Ala Ala Leu Pro Ala Gly Gly Ala Arg Asn Ser Pro Leu Gln Leu Cys
 65                  70                  75                  80

Thr Arg Ser Arg Phe Cys Gly Thr Pro Met
                 85                  90
```

<210> 901
<211> 308
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (87)

<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (185)
<223> Xaa equals any amino acid

<400> 901

```
Met Pro Val Pro Trp Phe Leu Leu Ser Leu Ala Leu Gly Arg Ser Pro
  1               5                  10                  15

Val Val Leu Ser Leu Glu Arg Leu Val Gly Pro Gln Asp Ala Thr His
             20                  25                  30

Cys Ser Pro Gly Leu Ser Cys Arg Leu Trp Asp Ser Asp Ile Leu Cys
         35                  40                  45

Leu Pro Gly Asp Ile Val Pro Ala Pro Gly Pro Val Leu Ala Pro Thr
     50                  55                  60

His Leu Gln Thr Glu Leu Val Leu Arg Cys Gln Lys Glu Thr Asp Cys
 65                  70                  75                  80

Asp Leu Cys Leu Arg Val Xaa Val His Leu Ala Val His Gly His Trp
                 85                  90                  95

Glu Glu Pro Glu Asp Glu Glu Lys Phe Gly Gly Ala Ala Asp Leu Gly
            100                 105                 110

Val Glu Glu Pro Arg Asn Ala Ser Leu Gln Ala Gln Val Val Leu Ser
        115                 120                 125

Phe Gln Ala Tyr Pro Thr Ala Arg Cys Val Leu Leu Glu Val Gln Val
    130                 135                 140

Pro Ala Ala Leu Val Gln Phe Gly Gln Ser Val Gly Ser Val Val Tyr
145                 150                 155                 160

Asp Cys Phe Glu Ala Ala Leu Gly Ser Glu Val Arg Ile Trp Ser Tyr
                165                 170                 175

Thr Gln Pro Arg Tyr Glu Lys Glu Xaa Asn His Thr Gln Gln Leu Pro
            180                 185                 190

Asp Cys Arg Gly Leu Glu Val Trp Asn Ser Ile Pro Ser Cys Trp Ala
        195                 200                 205

Leu Pro Trp Leu Asn Val Ser Ala Asp Gly Asp Asn Val His Leu Val
    210                 215                 220

Leu Asn Val Ser Glu Glu Gln His Phe Gly Leu Ser Leu Tyr Trp Asn
225                 230                 235                 240

Gln Val Gln Gly Pro Pro Lys Pro Arg Trp His Lys Asn Leu Thr Gly
                245                 250                 255

Pro Gln Ile Ile Thr Leu Asn His Thr Asp Leu Val Pro Cys Leu Cys
            260                 265                 270

Ile Gln Val Trp Pro Leu Glu Pro Asp Ser Val Arg Arg Thr Ser Ala
        275                 280                 285
```

```
Pro Ser Gly Arg Thr Pro Ala His Thr Arg Thr Ser Gly Lys Pro Pro
    290                 295                 300

Asp Cys Asp Cys
305
```

<210> 902
<211> 55
<212> PRT
<213> Homo sapiens

<400> 902

```
Met Ser Ser Asp Phe Leu Cys Phe Phe Phe Lys Leu Cys Asn Gln Met
  1               5                  10                  15

Ile Leu Cys Phe Phe Phe Arg Gly Ala Glu Tyr Trp Phe Leu Leu Leu
             20                  25                  30

Val Val Phe Ser Phe Leu Cys His Ser Cys Phe Phe Phe Val Phe Ser
         35                  40                  45

Val Ser Asn Thr Ile Cys Ile
     50                  55
```

<210> 903
<211> 214
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (199)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (206)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (214)
<223> Xaa equals any amino acid

<400> 903

```
Met Leu Gly Ala Arg Ala Trp Leu Gly Arg Val Leu Leu Leu Pro Arg
  1               5                  10                  15

Ala Gly Ala Gly Leu Ala Ala Ser Arg Arg Cys Pro Gly Val Trp Pro
             20                  25                  30

Arg Thr Trp Pro His Arg Ser Pro Ser Arg Gly Ser Ser Ser Arg Asp
         35                  40                  45

Lys Asp Arg Ser Ala Thr Val Ser Ser Ser Val Pro Met Pro Ala Gly
     50                  55                  60
```

```
Gly Lys Gly Ser His Pro Ser Ser Thr Pro Gln Arg Val Pro Asn Arg
 65                  70                  75                  80

Leu Ile His Glu Lys Ser Pro Tyr Leu Leu Gln His Ala Tyr Asn Pro
                85                  90                  95

Val Asp Trp Tyr Pro Trp Gly Gln Glu Ala Phe Asp Lys Ala Arg Lys
            100                 105                 110

Glu Asn Lys Pro Ile Phe Leu Ser Val Gly Tyr Ser Thr Cys His Trp
        115                 120                 125

Cys His Met Met Glu Glu Glu Ser Phe Gln Asn Glu Glu Ile Gly Arg
    130                 135                 140

Leu Leu Ser Glu Asp Phe Val Ser Val Lys Val Asp Arg Glu Glu Arg
145                 150                 155                 160

Pro Asp Val Asp Lys Val Tyr Met Thr Phe Val Gln Ala Thr Ser Ser
                165                 170                 175

Gly Gly Gly Trp Pro Met Asn Val Trp Leu Thr Pro Asn Leu Gln Pro
            180                 185                 190

Phe Val Gly Gly Thr Ile Xaa Leu Leu Lys Asp Gly Leu Xaa Arg Val
        195                 200                 205

Gly Ser Ala Gln Cys Xaa
    210
```

<210> 904
<211> 43
<212> PRT
<213> Homo sapiens

<400> 904

```
Met Leu Gly Ala Arg Ala Trp Leu Gly Arg Val Leu Leu Leu Pro Arg
  1               5                  10                  15

Ala Gly Ala Gly Leu Ala Ala Ser Arg Arg Ser Ala Cys Ser Pro Thr
             20                  25                  30

Ser Arg Leu Asn Ser Leu Arg Ser Leu Ile Pro
         35                  40
```

<210> 905
<211> 98
<212> PRT
<213> Homo sapiens

<400> 905

```
Met His Cys Cys Gln Leu Pro Trp Arg Cys Ala Gln Ala Pro Gln Glu
  1               5                  10                  15

Ala Phe Leu Leu Cys Leu Leu Phe Leu Ile Leu Val Leu Val Leu Leu
             20                  25                  30
```

Gly Cys Ser Arg Gly Leu Pro Gly His Thr Pro Trp Arg Leu His Pro
35 40 45

Ala Ala Ala Ala Leu Leu Ala Pro Leu Leu His Asp Ala Leu Gly Ala
50 55 60

Cys Gly Phe Gln Gly Pro Glu Tyr Leu Leu Pro Cys Leu Leu Pro Leu
65 70 75 80

Pro Lys Pro Gly Gln Leu Gln Gly Pro Trp Gly Pro Leu Trp Ala Leu
85 90 95

Leu Pro

<210> 906
<211> 22
<212> PRT
<213> Homo sapiens

<400> 906
Leu Pro Arg Pro Cys Ala Pro Ser Pro Val Trp Arg Gln Val Gly Arg
1 5 10 15

Glu Glu Ala Ser Leu Leu
20

<210> 907
<211> 25
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (9)
<223> Xaa equals any amino acid

<400> 907
Cys Ala Val Arg Phe Arg Glu Gln Xaa Ala Pro Glu Arg Val Phe Leu
1 5 10 15

Pro Thr Arg Gly Arg Lys Ser Glu Pro
20 25

<210> 908
<211> 365
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (144)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (201)
<223> Xaa equals any amino acid

<400> 908

```
Met Phe Val Gly Leu Met Ala Phe Leu Leu Ser Phe Tyr Leu Ile Phe
  1               5                  10                  15

Thr Asn Glu Gly Arg Ala Leu Lys Thr Ala Thr Ser Leu Ala Glu Gly
             20                  25                  30

Leu Ser Leu Val Val Ser Pro Asp Ser Ile His Ser Val Ala Pro Glu
         35                  40                  45

Asn Glu Gly Arg Leu Val His Ile Ile Gly Ala Leu Arg Thr Ser Lys
     50                  55                  60

Leu Leu Ser Asp Pro Asn Tyr Gly Val His Leu Pro Ala Val Lys Leu
 65                  70                  75                  80

Arg Arg His Val Glu Met Tyr Gln Trp Val Glu Thr Glu Glu Ser Arg
                 85                  90                  95

Glu Tyr Thr Glu Asp Gly Gln Val Lys Lys Glu Thr Arg Tyr Ser Tyr
            100                 105                 110

Asn Thr Glu Trp Arg Ser Glu Ile Ile Asn Ser Lys Asn Phe Asp Arg
        115                 120                 125

Glu Ile Gly His Lys Asn Pro Ser Ala Met Ala Val Glu Ser Phe Xaa
    130                 135                 140

Ala Thr Ala Pro Phe Val Gln Ile Gly Arg Phe Phe Leu Ser Ser Gly
145                 150                 155                 160

Leu Ile Asp Lys Val Asp Asn Phe Lys Ser Leu Ser Leu Ser Lys Leu
                165                 170                 175

Glu Asp Pro His Val Asp Ile Ile Arg Arg Gly Asp Phe Phe Tyr His
            180                 185                 190

Ser Glu Asn Pro Lys Tyr Pro Glu Xaa Gly Asp Leu Arg Val Ser Phe
        195                 200                 205

Ser Tyr Ala Gly Leu Ser Gly Asp Asp Pro Asp Leu Gly Pro Ala His
    210                 215                 220

Val Val Thr Val Ile Ala Arg Gln Arg Gly Asp Gln Leu Val Pro Phe
225                 230                 235                 240

Ser Thr Lys Ser Gly Asp Thr Leu Leu Leu Leu His His Gly Asp Phe
                245                 250                 255

Ser Ala Glu Glu Val Phe His Arg Glu Leu Arg Ser Asn Ser Met Lys
            260                 265                 270

Thr Trp Gly Leu Arg Ala Ala Gly Trp Met Ala Met Phe Met Gly Leu
        275                 280                 285

Asn Leu Met Thr Arg Ile Leu Tyr Thr Leu Val Asp Trp Phe Pro Val
```

```
    290                 295                 300

Phe Arg Asp Leu Val Asn Ile Gly Leu Lys Ala Phe Ala Phe Cys Val
305                 310                 315                 320

Ala Thr Ser Leu Thr Leu Leu Thr Val Ala Ala Gly Trp Leu Phe Tyr
                325                 330                 335

Arg Pro Leu Trp Ala Leu Leu Ile Ala Gly Leu Ala Leu Val Pro Ile
            340                 345                 350

Leu Val Ala Arg Thr Arg Val Pro Ala Lys Lys Leu Glu
        355                 360                 365
```

<210> 909
<211> 108
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (48)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (55)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (58)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (67)
<223> Xaa equals any amino acid

<400> 909

```
Met Phe Tyr Lys Leu Thr Leu Ile Leu Cys Glu Leu Ser Val Ala Gly
  1               5                  10                  15

Val Thr Gln Ala Ala Ser Gln Arg Pro Leu Gln Arg Leu Pro Arg His
            20                  25                  30

Ile Cys Ser Gln Arg Asn Pro Pro Gly Arg Cys Leu Leu Lys Ala Xaa
         35                  40                  45

Leu Gln Thr Thr Trp Gly Xaa Pro Asp Xaa Gln Phe Pro Gly Cys Pro
     50                  55                  60

His Pro Xaa Arg Val Thr Leu Asn Ala Arg Gln Met Gly Asn Gly Lys
 65                  70                  75                  80

Glu Lys Lys Ala Ala Asp Leu Lys Leu Lys Phe Pro Gln Lys Arg Phe
                85                  90                  95

Tyr Leu Ser Ala Phe Ser Glu Arg Ile Lys Ala Phe
```

100 105

<210> 910
<211> 73
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (38)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (48)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (54)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (55)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (68)
<223> Xaa equals any amino acid

<400> 910
Met Phe Tyr Lys Leu Thr Leu Ile Leu Cys Glu Leu Ser Val Ala Gly
1 5 10 15

Val Thr Gln Ala Ala Ser Gln Arg Pro Leu Gln Arg Leu Pro Arg His
20 25 30

Ile Cys Ser Gln Arg Xaa Pro Pro Gly Arg Cys Leu Leu Lys Ala Xaa
35 40 45

Leu Gln Thr Thr Trp Xaa Xaa Pro Asp Lys Pro Ile Pro Arg Leu Ser
50 55 60

Pro Pro Leu Xaa Ser Asp Pro Lys Arg
65 70

<210> 911
<211> 81
<212> PRT
<213> Homo sapiens

<400> 911
Met Ser Lys Arg Ser Ala Ser Phe Ile Leu Leu Pro Leu Leu Phe Leu
1 5 10 15

```
Lys Gly Ser Phe Ala Lys Leu Asn Ala Arg Ile Ser Asp Cys Leu Glu
            20                  25                  30

Glu Arg Tyr Cys His Asn Leu Trp Met Val Phe Gln Gly Cys Val Ile
        35                  40                  45

Thr Glu Leu His Leu Ser Arg Met Ser Lys Thr Leu Ser Ser Leu Cys
    50                  55                  60

Tyr Asp Phe Val Ile Asn Val Tyr Ile Phe Phe Lys Phe Leu Asp Ile
65                  70                  75                  80

Thr
```

<210> 912
<211> 201
<212> PRT
<213> Homo sapiens

<400> 912

```
Met Thr Leu Arg Pro Ser Leu Leu Pro Leu His Leu Leu Leu Leu Leu
  1               5                  10                  15

Leu Leu Ser Ala Ala Val Cys Arg Ala Glu Ala Gly Leu Glu Thr Glu
            20                  25                  30

Ser Pro Val Arg Thr Leu Gln Val Glu Thr Leu Val Glu Pro Pro Glu
        35                  40                  45

Pro Cys Ala Glu Pro Ala Ala Phe Gly Asp Thr Leu His Ile His Tyr
    50                  55                  60

Thr Gly Ser Leu Val Asp Gly Arg Ile Ile Asp Thr Ser Leu Thr Arg
65                  70                  75                  80

Asp Pro Leu Val Ile Glu Leu Gly Gln Lys Gln Val Ile Pro Gly Leu
                85                  90                  95

Glu Gln Ser Leu Leu Asp Met Cys Val Gly Glu Lys Arg Arg Ala Ile
            100                 105                 110

Ile Pro Ser His Leu Ala Tyr Gly Lys Arg Gly Phe Pro Pro Ser Val
        115                 120                 125

Pro Ala Asp Ala Val Val Gln Tyr Asp Val Glu Leu Ile Ala Leu Ile
    130                 135                 140

Arg Ala Asn Tyr Trp Leu Lys Leu Val Lys Gly Ile Leu Pro Leu Val
145                 150                 155                 160

Gly Met Ala Met Val Pro Ala Leu Leu Gly Leu Ile Gly Tyr His Leu
                165                 170                 175

Tyr Arg Lys Ala Asn Arg Pro Lys Val Ser Lys Lys Lys Leu Lys Glu
            180                 185                 190

Glu Lys Arg Asn Lys Ser Lys Lys Lys
        195                 200
```

<210> 913
<211> 203
<212> PRT
<213> Homo sapiens

<400> 913
Met Thr Leu Arg Pro Ser Leu Leu Pro Leu His Leu Leu Leu Leu Leu
1 5 10 15

Leu Leu Ser Ala Ala Val Cys Arg Ala Glu Ala Gly Leu Glu Thr Glu
20 25 30

Ser Pro Val Arg Thr Leu Gln Val Glu Thr Leu Val Glu Pro Pro Glu
35 40 45

Pro Cys Ala Glu Pro Ala Ala Phe Gly Asp Thr Leu His Ile His Tyr
50 55 60

Thr Gly Ser Leu Val Asp Gly Arg Ile Ile Asp Thr Ser Leu Thr Arg
65 70 75 80

Asp Pro Leu Val Ile Glu Leu Gly Gln Lys Gln Val Ile Pro Gly Leu
85 90 95

Glu Gln Ser Leu Leu Asp Met Cys Val Gly Glu Lys Arg Arg Ala Ile
100 105 110

Ile Pro Ser His Leu Ala Tyr Gly Lys Arg Gly Phe Pro Pro Ser Val
115 120 125

Pro Ala Asp Ala Val Val Gln Tyr Asp Val Glu Leu Ile Ala Leu Ile
130 135 140

Arg Ala Asn Tyr Trp Leu Lys Leu Val Lys Gly Ile Leu Pro Leu Val
145 150 155 160

Gly Met Ala Met Val Pro Pro Ser Trp Ala Ser Leu Gly Ile Thr Tyr
165 170 175

Thr Glu Arg Pro Ile Asp Pro Lys Ser Pro Lys Arg Ser Ser Arg Lys
180 185 190

Arg Asn Glu Thr Arg Ala Lys Arg Asn Asn Lys
195 200

<210> 914
<211> 122
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (89)
<223> Xaa equals any amino acid

<220>

<221> SITE
<222> (91)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (94)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (97)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (98)
<223> Xaa equals any amino acid

<400> 914
Met His Arg Ser Glu Pro Phe Leu Lys Met Ser Leu Leu Ile Leu Leu
1 5 10 15

Phe Leu Gly Leu Ala Glu Ala Cys Thr Pro Arg Glu Val Asn Leu Leu
20 25 30

Lys Gly Ile Ile Gly Leu Met Ser Arg Leu Ser Pro Asp Glu Ile Leu
35 40 45

Gly Leu Leu Ser Leu Gln Val Leu His Glu Glu Thr Ser Gly Cys Lys
50 55 60

Glu Glu Val Lys Pro Phe Ser Gly Thr Thr Pro Ser Arg Lys Pro Leu
65 70 75 80

Pro Lys Arg Glu Glu His Val Glu Xaa Pro Xaa Asn Ala Xaa Thr Trp
85 90 95

Xaa Xaa Thr Tyr Leu Phe Val Ser Tyr Asn Lys Gly Asp Trp Phe Thr
100 105 110

Phe Ser Ser Gln Val Leu Leu Pro Leu Leu
115 120

<210> 915
<211> 194
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (138)
<223> Xaa equals any amino acid

<400> 915
Met Lys Leu Ala Ser Gly Phe Leu Val Leu Trp Leu Ser Leu Gly Gly
1 5 10 15

Gly Leu Ala Gln Ser Asp Thr Ser Pro Asp Thr Glu Glu Ser Tyr Ser

```
            20                  25                  30

Asp Trp Gly Leu Arg His Leu Arg Gly Ser Phe Glu Ser Val Asn Ser
        35                  40                  45

Tyr Phe Asp Ser Phe Leu Glu Leu Leu Gly Gly Lys Asn Gly Val Cys
    50                  55                  60

Gln Tyr Arg Cys Arg Tyr Gly Lys Ala Pro Met Pro Arg Pro Gly Tyr
65                  70                  75                  80

Lys Pro Gln Glu Pro Asn Gly Cys Gly Ser Tyr Phe Leu Gly Leu Lys
                85                  90                  95

Val Pro Glu Ser Met Asp Leu Gly Ile Pro Ala Met Thr Lys Cys Cys
            100                 105                 110

Asn Gln Leu Asp Val Cys Tyr Asp Thr Cys Gly Ala Asn Lys Tyr Arg
        115                 120                 125

Cys Asp Ala Lys Phe Arg Trp Cys Leu Xaa Ser Ile Cys Ser Asp Leu
    130                 135                 140

Lys Arg Ser Leu Gly Phe Val Ser Lys Val Glu Ala Cys Asp Ser Leu
145                 150                 155                 160

Val Asp Thr Val Phe Asn Thr Val Trp Thr Leu Gly Cys Arg Pro Phe
                165                 170                 175

Met Asn Ser Gln Arg Ala Ala Cys Ile Cys Ala Glu Glu Glu Lys Glu
            180                 185                 190

Glu Leu
```

<210> 916
<211> 67
<212> PRT
<213> Homo sapiens

```
<400> 916
Leu Gln Glu Phe Gly Thr Ser Gly Thr Ser Ala Asn Thr Thr Ala Val
  1               5                  10                  15

Ala Leu Asn Ala Pro Ala His Pro Ala Arg Leu Leu Pro Pro Gly Pro
            20                  25                  30

Ala Val Ala Leu Leu Leu Leu Leu Arg Gly Ser Cys Ser Leu Cys Cys Cys
        35                  40                  45

His Gln Pro His Lys Ala Ser Cys Lys Ala Met Pro Ser Ala Gly Ser
    50                  55                  60

Asn Val Pro
65
```

<210> 917

<211> 170
<212> PRT
<213> Homo sapiens

<400> 917
Met Ala Thr Ala Met Asp Trp Leu Pro Trp Ser Leu Leu Leu Phe Ser
1 5 10 15

Leu Met Cys Glu Thr Ser Ala Phe Tyr Val Pro Gly Val Ala Pro Ile
20 25 30

Asn Phe His Gln Asn Asp Pro Val Glu Ile Lys Ala Val Lys Leu Thr
35 40 45

Ser Ser Arg Thr Gln Leu Pro Tyr Glu Tyr Tyr Ser Leu Pro Phe Cys
50 55 60

Gln Pro Ser Lys Ile Thr Tyr Lys Ala Glu Asn Leu Gly Glu Val Leu
65 70 75 80

Arg Gly Asp Arg Ile Val Asn Thr Pro Phe Gln Val Leu Met Asn Ser
85 90 95

Glu Lys Lys Cys Glu Val Leu Cys Ser Gln Ser Asn Lys Pro Val Thr
100 105 110

Leu Thr Val Glu Gln Ser Arg Leu Val Ala Glu Arg Ile Thr Glu Asp
115 120 125

Tyr Tyr Val His Leu Ile Ala Asp Asn Leu Pro Val Ala Thr Arg Leu
130 135 140

Glu Leu Tyr Ser Asn Arg Asp Ser Asp Asp Lys Lys Lys Glu Ser Asp
145 150 155 160

Ile Lys Trp Ala Ser Arg Trp Asp Thr Tyr
165 170

<210> 918
<211> 151
<212> PRT
<213> Homo sapiens

<400> 918
His Ala Ser Gly Ala Arg Arg Arg Leu Gln Ala Pro Pro Val Pro His
1 5 10 15

Asp Pro Gln Leu Pro Ala Gly Leu Arg His Ser Ala Val Leu Tyr Asp
20 25 30

Pro His Arg His Leu Cys Ser His Ala Trp Asp Ala Val Ala Leu Gln
35 40 45

Pro Gly Ser Ser His Asp His Ser Leu Leu Pro Leu His Val His Gly
50 55 60

Gly Val Trp Arg Ile Phe Cys Trp Pro Ser Val Pro His Phe Lys Arg
65 70 75 80

```
Pro Ser Val Glu Glu Arg Ser Leu Leu Tyr Gly Asn Ser Val Pro Trp
                 85                  90                  95

Cys Gly Phe Trp His Leu Leu Arg Ile Glu Leu Leu His Leu Gly Lys
            100                 105                 110

Ala Leu Ile Arg Ser Gly Ala Leu Ser His His Gly Gly Ser Ala Val
        115                 120                 125

His Val Val Arg Asp Leu Pro Ala Pro Arg Leu Leu Gly Leu Leu Leu
    130                 135                 140

Arg Leu Pro Lys Ala Ala Ile
145                 150
```

<210> 919
<211> 236
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (55)
<223> Xaa equals any amino acid

<400> 919

```
Met Ile Ser Leu Pro Gly Pro Leu Val Thr Asn Leu Leu Arg Phe Leu
  1               5                  10                  15

Phe Leu Gly Leu Ser Ala Leu Ala Pro Pro Ser Arg Ala Gln Leu Gln
             20                  25                  30

Leu His Leu Pro Ala Asn Arg Leu Gln Ala Val Glu Gly Gly Glu Val
         35                  40                  45

Val Leu Pro Ala Trp Tyr Xaa Leu His Gly Glu Val Ser Ser Ser Gln
     50                  55                  60

Pro Trp Glu Val Pro Phe Val Met Trp Phe Phe Lys Gln Lys Glu Lys
 65                  70                  75                  80

Glu Asp Gln Val Leu Ser Tyr Ile Asn Gly Val Thr Thr Ser Lys Pro
                 85                  90                  95

Gly Val Ser Leu Val Tyr Ser Met Pro Ser Arg Asn Leu Ser Leu Arg
            100                 105                 110

Leu Glu Gly Leu Gln Glu Lys Asp Ser Gly Pro Tyr Ser Cys Ser Val
        115                 120                 125

Asn Val Gln Asp Lys Gln Gly Lys Ser Arg Gly His Ser Ile Lys Thr
    130                 135                 140

Leu Glu Leu Asn Val Leu Val Pro Pro Ala Pro Pro Ser Cys Arg Leu
145                 150                 155                 160

Gln Gly Val Pro His Val Gly Ala Asn Val Thr Leu Ser Cys Gln Ser
                165                 170                 175
```

```
Pro Arg Ser Lys Pro Ala Val Gln Tyr Gln Trp Asp Arg Gln Leu Pro
            180                 185                 190

Ser Phe Gln Thr Phe Phe Ala Pro Ala Leu Asp Val Ile Arg Gly Ser
        195                 200                 205

Leu Ser Leu Thr Asn Leu Ser Ser Ser Met Ala Gly Val Tyr Val Cys
    210                 215                 220

Lys Ala His Asn Glu Val Gly Thr Ala Asn Val Met
225                 230                 235



<210> 920
<211> 11
<212> PRT
<213> Homo sapiens

<400> 920
Met Ser Gly Gly Leu Ser Phe Leu Leu Leu Val
  1               5                  10



<210> 921
<211> 302
<212> PRT
<213> Homo sapiens

<400> 921
Met Ala Arg Ala Arg Gly Ser Pro Cys Pro Pro Leu Pro Pro Gly Arg
  1               5                  10                  15

Met Ser Trp Pro His Gly Ala Leu Leu Phe Leu Trp Leu Phe Ser Pro
             20                  25                  30

Pro Leu Gly Ala Gly Gly Gly Gly Val Ala Val Thr Ser Ala Ala Gly
         35                  40                  45

Gly Gly Ser Pro Pro Ala Thr Ser Cys Pro Val Ala Cys Ser Cys Ser
     50                  55                  60

Asn Gln Ala Ser Arg Val Ile Cys Thr Arg Arg Asp Leu Ala Glu Val
 65                  70                  75                  80

Pro Ala Ser Ile Pro Val Asn Thr Arg Tyr Leu Asn Leu Gln Glu Asn
                 85                  90                  95

Gly Ile Gln Val Ile Arg Thr Asp Thr Phe Lys His Leu Arg His Leu
            100                 105                 110

Glu Ile Leu Gln Leu Ser Lys Asn Leu Val Arg Lys Ile Glu Val Gly
        115                 120                 125

Ala Phe Asn Gly Leu Pro Ser Leu Asn Thr Leu Glu Leu Phe Asp Asn
    130                 135                 140

Arg Leu Thr Thr Val Pro Thr Gln Ala Phe Glu Tyr Leu Ser Lys Leu
145                 150                 155                 160
```

```
Arg Glu Leu Trp Leu Arg Asn Asn Pro Ile Glu Ser Ile Pro Ser Tyr
                165                 170                 175

Ala Phe Asn Arg Val Pro Ser Leu Arg Arg Leu Asp Leu Gly Glu Leu
            180                 185                 190

Lys Arg Leu Glu Tyr Ile Ser Glu Ala Ala Phe Glu Gly Leu Val Asn
        195                 200                 205

Leu Arg Tyr Leu Asn Leu Gly Met Cys Asn Leu Lys Asp Ile Pro Asn
    210                 215                 220

Leu Thr Ala Leu Val Arg Leu Glu Glu Leu Glu Leu Ser Gly Asn Arg
225                 230                 235                 240

Leu Asp Leu Ile Arg Pro Gly Ser Phe Gln Gly Leu Thr Ser Leu Arg
                245                 250                 255

Lys Leu Trp Leu Met His Ala Gln Val Ala Thr Ile Glu Arg Asn Ala
            260                 265                 270

Phe Asp Asp Leu Lys Ser Leu Glu Glu Leu Asn Leu Ser His Asn Asn
        275                 280                 285

Leu Met Ser Leu Pro His Asp Leu Phe Thr Pro Leu His Arg
    290                 295                 300
```

<210> 922
<211> 224
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (76)
<223> Xaa equals any amino acid

<400> 922

```
Met Ala Arg Ala Arg Gly Ser Pro Cys Pro Pro Leu Pro Pro Gly Arg
  1               5                  10                  15

Met Ser Trp Pro His Gly Ala Leu Leu Phe Leu Trp Leu Phe Ser Pro
             20                  25                  30

Pro Leu Gly Ala Gly Gly Gly Gly Val Ala Val Thr Ser Ala Ala Gly
         35                  40                  45

Gly Gly Ser Pro Pro Ala Thr Ser Cys Pro Val Ala Cys Ser Cys Ser
     50                  55                  60

Asn Gln Ala Ser Arg Val Ile Cys Thr Arg Arg Xaa Leu Ala Glu Val
 65                  70                  75                  80

Pro Ala Ser Ile Pro Val Asn Thr Arg Tyr Leu Asn Leu Gln Glu Asn
                 85                  90                  95

Gly Ile Gln Val Ile Arg Thr Asp Thr Phe Lys His Leu Arg His Leu
            100                 105                 110
```

```
Glu Ile Leu Gln Leu Ser Lys Asn Leu Val Arg Lys Ile Glu Val Gly
        115                 120                 125

Ala Phe Asn Gly Leu Pro Ser Leu Asn Thr Leu Glu Leu Phe Asp Asn
    130                 135                 140

Arg Leu Thr Thr Val Pro Thr Gln Ala Phe Glu Tyr Leu Ser Lys Leu
145                 150                 155                 160

Arg Glu Leu Trp Leu Arg Asn Asn Pro Ile Glu Ser Ile Pro Ser Tyr
                165                 170                 175

Ala Phe Asn Arg Val Pro Ser Leu Arg Arg Leu Asp Leu Gly Glu Leu
            180                 185                 190

Lys Arg Leu Glu Tyr Ile Ser Glu Ala Ala Phe Glu Gly Leu Val Asn
        195                 200                 205

Leu Arg Tyr Leu Asn Leu Gly Met Cys Asn Leu Lys Asp Ile Pro Asn
    210                 215                 220
```

<210> 923
<211> 108
<212> PRT
<213> Homo sapiens

<400> 923

```
Met Lys Ala Leu Cys Leu Leu Leu Leu Pro Val Leu Gly Leu Leu Val
  1               5                  10                  15

Ser Ser Lys Thr Leu Cys Ser Met Glu Glu Ala Ile Asn Glu Arg Ile
            20                  25                  30

Gln Glu Val Ala Gly Ser Leu Ile Phe Arg Ala Ile Ser Ser Ile Gly
        35                  40                  45

Leu Glu Cys Gln Ser Val Thr Ser Arg Gly Asp Leu Ala Thr Cys Pro
    50                  55                  60

Arg Gly Phe Ala Val Thr Gly Cys Thr Cys Gly Ser Ala Cys Gly Ser
65                  70                  75                  80

Trp Asp Val Arg Ala Glu Thr Thr Cys His Cys Gln Cys Ala Gly Met
                85                  90                  95

Asp Trp Thr Gly Ala Arg Cys Cys Arg Val Gln Pro
            100                 105
```

<210> 924
<211> 130
<212> PRT
<213> Homo sapiens

<400> 924

```
Ser Thr Cys Cys Gly Trp Gly Pro Leu Gly His Ser Arg Val Arg Gly
  1               5                  10                  15

Cys His Cys His Leu Gly His Val Gly Arg His Gln His Phe Val Val
            20                  25                  30

Thr Asn Ser Thr Val Thr Asn Ile Phe Gly Gln Ile Pro Phe Tyr Thr
         35                  40                  45

Ser Arg Gln Leu Leu Val Cys Asn Pro Thr Gly Gln Arg Glu Gly Pro
     50                  55                  60

Val Thr Trp Leu Ser His Cys Pro Ala Pro Gln Met Val Leu Gly Leu
 65                  70                  75                  80

Leu Phe Ser Leu Gly Pro Ala Asn Thr Thr Val Phe Thr Ser Ala His
                85                  90                  95

Trp Leu Ser Ala Val Val Pro Gly Ser Gln Trp His Val Ser Pro Arg
            100                 105                 110

Ser Ser Leu Ile Pro Gln His Thr Pro Lys Gly Ser Val Ala Asn Thr
        115                 120                 125

Leu Asn
    130
```

<210> 925
<211> 122
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (19)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (73)
<223> Xaa equals any amino acid

<400> 925

```
Lys Ala Pro Ser Ser His Pro Gly Leu Thr Cys Val Ser Leu Ser Arg
  1               5                  10                  15

Leu Gln Xaa Ser Leu Ser Leu Cys Phe Pro Ser Gly Pro Cys Trp Ala
            20                  25                  30

Gly Leu Leu Ser Ser Leu Ala Leu Ala Gly Gly Ala Pro Gly Ala Leu
         35                  40                  45

Pro Pro Trp Gln Pro Gly Gln Asp Ser Lys Met Arg Thr Ala Glu Leu
     50                  55                  60

Val Gly Gly Ser His Gly Pro Ala Xaa Gly Pro Gly Glu Ala Glu Pro
 65                  70                  75                  80

Glu Pro Thr Ala Val Val Leu Trp Thr Val Asp Pro Glu Gly Gly Leu
```

85 90 95

Gly Gln Val Pro Ala Glu Gly Pro Gly Gly Leu Cys Val Pro Leu Gly
100 105 110

Pro Gly Ala Leu Val Thr Trp Thr Pro Gly
115 120

<210> 926
<211> 223
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (132)
<223> Xaa equals any amino acid

<400> 926
Ala Trp Tyr Leu Leu Arg Val Gln Val Leu Gln Leu Val Ala Ala Tyr
1 5 10 15

Leu Ser Leu Pro Ser Asn Asn Leu Ser His Ser Leu Trp Glu Gln Leu
20 25 30

Cys Ala Gln Gly Trp Gln Thr Pro Glu Ile Ala Leu Ile Asp Ser His
35 40 45

Lys Leu Leu Arg Ser Ile Ile Leu Leu Leu Met Gly Ser Asp Ile Leu
50 55 60

Ser Thr Gln Lys Ala Ala Val Glu Thr Ser Phe Leu Asp Tyr Gly Glu
65 70 75 80

Asn Leu Val Gln Lys Trp Gln Val Leu Ser Glu Val Leu Ser Cys Ser
85 90 95

Glu Lys Leu Val Cys His Leu Gly Arg Leu Gly Ser Val Ser Glu Ala
100 105 110

Lys Ala Phe Cys Leu Glu Ala Leu Lys Leu Thr Thr Lys Leu Gln Ile
115 120 125

Pro Arg Gln Xaa Ala Leu Phe Leu Val Leu Lys Gly Glu Leu Glu Leu
130 135 140

Ala Arg Asn Asp Ile Asp Leu Cys Gln Ser Asp Leu Gln Gln Val Leu
145 150 155 160

Phe Leu Leu Glu Ser Cys Thr Glu Phe Gly Gly Val Thr Gln His Leu
165 170 175

Asp Ser Val Lys Lys Val His Leu Gln Lys Gly Lys Gln Gln Ala Gln
180 185 190

Val Pro Cys Pro Pro Gln Leu Pro Glu Glu Glu Leu Phe Leu Arg Gly
195 200 205

Pro Ala Leu Glu Leu Val Pro Leu Trp Pro Arg Ser Leu Ala Pro

210 215 220

<210> 927
<211> 8
<212> PRT
<213> Homo sapiens

<400> 927
Ala Trp Phe Leu Val Lys Pro Glu
1 5

<210> 928
<211> 83
<212> PRT
<213> Homo sapiens

<400> 928
Ile Val Leu Lys Tyr Ile Met Ala Gly Cys Pro Leu Phe Leu Gly Asn
1 5 10 15

Leu Trp Asp Val Thr Asp Arg Asp Ile Asp Arg Tyr Thr Glu Ala Leu
20 25 30

Leu Gln Gly Trp Leu Gly Ser Arg Pro Arg Ala Pro Leu Leu Tyr Tyr
35 40 45

Val Asn Gln Ala Arg Gln Ala Pro Arg Leu Lys Tyr Leu Ile Gly Ala
50 55 60

Ala Pro Ile Pro Met Ala Cys Leu Ser Leu Cys Gly Asn Pro Met Glu
65 70 75 80

Leu Ser Tyr

<210> 929
<211> 243
<212> PRT
<213> Homo sapiens

<400> 929
Met Gly Thr Leu Pro Trp Leu Leu Ala Phe Phe Ile Leu Gly Leu Gln
1 5 10 15

Ala Trp Asp Thr Pro Thr Ile Val Ser Arg Lys Glu Trp Gly Ala Arg
20 25 30

Pro Leu Ala Cys Arg Ala Leu Leu Thr Leu Pro Val Ala Tyr Ile Ile
35 40 45

Thr Asp Gln Leu Pro Gly Met Gln Cys Gln Gln Gln Ser Val Cys Ser
50 55 60

Gln Met Leu Arg Gly Leu Gln Ser His Ser Val Tyr Thr Ile Gly Trp
65 70 75 80

```
Cys Asp Val Ala Tyr Asn Phe Leu Val Gly Asp Asp Gly Arg Val Tyr
                 85                  90                  95

Glu Gly Val Gly Trp Asn Ile Gln Gly Leu His Thr Gln Gly Tyr Asn
            100                 105                 110

Asn Ile Ser Leu Gly Ile Ala Phe Phe Gly Asn Lys Ile Ser Ser Ser
        115                 120                 125

Pro Ser Pro Ala Ala Leu Ser Ala Ala Glu Gly Leu Ile Ser Tyr Ala
    130                 135                 140

Ile Gln Lys Gly His Leu Ser Pro Arg Tyr Ile Gln Pro Leu Leu Leu
145                 150                 155                 160

Lys Glu Glu Thr Cys Leu Asp Pro Gln His Pro Val Met Pro Arg Lys
                165                 170                 175

Val Cys Pro Asn Ile Ile Lys Arg Ser Ala Trp Glu Ala Arg Glu Thr
            180                 185                 190

His Cys Pro Lys Met Asn Leu Pro Ala Lys Tyr Val Ile Ile Ile His
        195                 200                 205

Thr Ala Gly Thr Ser Cys Thr Val Ser Thr Asp Cys Gln Thr Val Val
    210                 215                 220

Arg Asn Ile Gln Ser Phe His Met Asp Thr Arg Asn Phe Cys Asp Ile
225                 230                 235                 240

Gly Tyr Gln
```

<210> 930
<211> 154
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (150)
<223> Xaa equals any amino acid

```
<400> 930
Met Ala Arg His Gly Leu Pro Leu Leu Pro Leu Leu Ser Leu Leu Val
  1               5                  10                  15

Gly Ala Trp Leu Lys Leu Gly Asn Gly Gln Ala Thr Ser Met Val Gln
             20                  25                  30

Leu Gln Gly Gly Arg Phe Leu Met Gly Thr Asn Ser Pro Asp Ser Arg
         35                  40                  45

Asp Gly Glu Gly Pro Val Arg Glu Ala Thr Val Lys Pro Phe Ala Ile
     50                  55                  60

Asp Ile Phe Pro Val Thr Asn Lys Asp Phe Arg Asp Phe Val Arg Glu
 65                  70                  75                  80
```

```
Lys Lys Tyr Arg Thr Glu Ala Glu Met Phe Gly Trp Ser Phe Val Phe
                85                  90                  95

Glu Asp Phe Val Ser Asp Glu Leu Arg Asn Lys Ala Thr Gln Pro Met
            100                 105                 110

Lys Ser Val Leu Trp Trp Leu Pro Val Glu Lys Ala Phe Trp Arg Gln
        115                 120                 125

Pro Ala Gly Pro Gly Ser Gly Ile Arg Glu Arg Leu Glu His Pro Val
    130                 135                 140

Leu His Val Ser Trp Xaa Asp Ala Arg Ala
145                 150
```

<210> 931
<211> 57
<212> PRT
<213> Homo sapiens

<400> 931

```
Met Pro Cys Thr Cys Thr Trp Arg Asn Trp Arg Gln Trp Ile Arg Pro
  1               5                  10                  15

Leu Val Ala Val Ile Tyr Leu Val Ser Ile Val Val Ala Val Pro Leu
             20                  25                  30

Cys Val Trp Glu Leu Gln Lys Leu Glu Val Gly Ile His Thr Lys Ala
         35                  40                  45

Trp Phe Ile Ala Gly Ile Phe Leu Leu
     50                  55
```

<210> 932
<211> 107
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (92)
<223> Xaa equals any amino acid

<400> 932

```
Met Val Arg Tyr Thr Tyr Ser Met Leu Ser Val Ile Gly Ile Ser Tyr
  1               5                  10                  15

Ala Val Leu Thr Trp Leu Ser Gln Thr Leu Trp Met Pro Ile Tyr Pro
             20                  25                  30

Leu Cys Val Leu Ala Glu Ala Phe Ala Ile Tyr Gln Ser Leu Pro Tyr
         35                  40                  45

Phe Glu Ser Phe Gly Thr Tyr Ser Thr Lys Leu Pro Phe Asp Leu Ser
     50                  55                  60
```

Ile Tyr Phe Pro Tyr Val Leu Lys Ile Tyr Leu Met Met Leu Phe Ile
65 70 75 80

Gly Met Tyr Phe Thr Tyr Ser His Leu Tyr Ser Xaa Arg Arg Asp Ile
85 90 95

Leu Gly Ile Phe Pro Ile Lys Lys Lys Lys Met
100 105

<210> 933
<211> 37
<212> PRT
<213> Homo sapiens

<400> 933
Met Val Arg Tyr Thr Tyr Ser Met Leu Ser Val Ile Gly Ile Ser Tyr
1 5 10 15

Ala Val Leu Thr Trp Ala Gln Ser Asn Thr Met Asp Ala Asn Leu Ser
20 25 30

Phe Val Cys Ser Cys
35

<210> 934
<211> 46
<212> PRT
<213> Homo sapiens

<400> 934
Met Lys Ser Gln Cys Tyr Ser Pro Ser Tyr Phe Ala Phe Phe Cys Leu
1 5 10 15

Val Phe Phe Gln Ile Thr Ser Ala Ser Ser Gln Thr Leu Arg Gly His
20 25 30

Val Leu Cys Arg Thr Thr Leu Arg Asp Ser Ser Ala Tyr Cys
35 40 45

<210> 935
<211> 442
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (364)
<223> Xaa equals any amino acid

<400> 935
Met Trp Phe Thr Tyr Leu Leu Leu Tyr Leu His Ser Val Arg Ala Tyr
1 5 10 15

Ser Ser Arg Gly Ala Gly Cys Cys Cys Cys Trp Ala Arg Trp Arg Arg
20 25 30

```
Ala Val His Thr Ala Arg Gly Leu Arg Gly Arg Pro Arg Arg Gln Leu
         35                  40                  45

Leu Arg Pro Leu Arg Pro Ala Gln Gly Leu Ala Pro Gly Arg His Arg
     50                  55                  60

Leu Arg Pro Ala Val Leu Pro Leu His Leu Gln Pro Leu Pro Gly Leu
 65                  70                  75                  80

Trp Gly Gly His Ala Glu Trp Ala Ala Leu Leu Tyr Tyr Gly Pro Phe
                 85                  90                  95

Ile Val Ile Phe Gln Phe Gly Trp Ala Ser Thr Gln Ile Ser His Leu
            100                 105                 110

Ser Leu Ile Pro Glu Leu Val Thr Asn Asp His Glu Lys Val Glu Leu
        115                 120                 125

Thr Ala Leu Arg Tyr Ala Phe Thr Val Val Ala Asn Ile Thr Val Tyr
    130                 135                 140

Gly Ala Ala Trp Leu Leu Leu His Leu Gln Gly Ser Ser Arg Val Glu
145                 150                 155                 160

Pro Thr Gln Asp Ile Ser Ile Ser Asp Gln Leu Gly Gly Gln Asp Val
                165                 170                 175

Pro Val Phe Arg Asn Leu Ser Leu Leu Val Val Gly Val Gly Ala Val
            180                 185                 190

Phe Ser Leu Leu Phe His Leu Gly Thr Arg Glu Arg Arg Arg Pro His
        195                 200                 205

Ala Glu Glu Pro Gly Glu His Thr Pro Leu Leu Ala Pro Ala Thr Ala
    210                 215                 220

Gln Pro Leu Leu Leu Trp Lys His Trp Leu Arg Glu Pro Ala Phe Tyr
225                 230                 235                 240

Gln Val Gly Ile Leu Tyr Met Thr Thr Arg Leu Ile Val Asn Leu Ser
                245                 250                 255

Gln Thr Tyr Met Ala Met Tyr Leu Thr Tyr Ser Leu His Leu Pro Lys
            260                 265                 270

Lys Phe Ile Ala Thr Ile Pro Leu Val Met Tyr Leu Ser Gly Phe Leu
        275                 280                 285

Ser Ser Phe Leu Met Lys Pro Ile Asn Lys Cys Ile Gly Arg Asn Met
    290                 295                 300

Thr Tyr Phe Ser Gly Leu Leu Val Ile Leu Ala Phe Ala Ala Trp Val
305                 310                 315                 320

Ala Leu Ala Glu Gly Leu Gly Val Ala Val Tyr Ala Ala Ala Val Leu
                325                 330                 335

Leu Gly Ala Gly Cys Ala Thr Ile Leu Val Thr Ser Leu Ala Met Thr
            340                 345                 350
```

```
Ala Asp Leu Ile Gly Pro His Thr Asn Ser Gly Xaa Phe Val Tyr Gly
        355                 360                 365

Ser Met Ser Phe Leu Asp Lys Val Ala Asn Gly Leu Ala Val Met Ala
    370                 375                 380

Ile Gln Ser Leu His Pro Cys Pro Ser Glu Leu Cys Cys Arg Ala Cys
385                 390                 395                 400

Val Ser Phe Tyr His Trp Ala Met Val Ala Val Thr Gly Gly Val Gly
                405                 410                 415

Val Ala Ala Ala Leu Cys Leu Cys Ser Leu Leu Leu Trp Pro Thr Arg
            420                 425                 430

Leu Arg Arg Trp Asp Arg Asp Ala Arg Pro
        435                 440
```

<210> 936
<211> 309
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (26)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (84)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (111)
<223> Xaa equals any amino acid

<400> 936

```
Ala Ala Asp Asn Tyr Gly Ile Pro Arg Ala Cys Arg Asn Ser Ala Arg
  1               5                  10                  15

Ser Tyr Gly Ala Ala Trp Leu Leu Leu Xaa Pro Ala Gly Ser Ser Arg
            20                  25                  30

Val Glu Pro Thr Gln Asp Ile Ser Ile Ser Asp Gln Leu Gly Gly Gln
        35                  40                  45

Asp Val Pro Val Phe Arg Asn Leu Ser Leu Leu Val Val Gly Val Gly
    50                  55                  60

Ala Val Phe Ser Leu Leu Phe His Leu Gly Thr Arg Glu Arg Arg Arg
65                  70                  75                  80

Pro His Ala Xaa Glu Pro Gly Glu His Thr Pro Leu Leu Ala Pro Ala
                85                  90                  95

Thr Ala Gln Pro Leu Leu Leu Trp Lys His Trp Leu Arg Glu Xaa Ala
            100                 105                 110
```

```
Phe Tyr Gln Val Gly Ile Leu Tyr Met Thr Thr Arg Leu Ile Val Asn
        115                 120                 125

Leu Ser Gln Thr Tyr Met Ala Met Tyr Leu Thr Tyr Ser Leu His Leu
    130                 135                 140

Pro Lys Lys Phe Ile Ala Thr Ile Pro Leu Val Met Tyr Leu Ser Gly
145                 150                 155                 160

Phe Leu Ser Ser Phe Leu Met Lys Pro Ile Asn Lys Cys Ile Gly Arg
                165                 170                 175

Asn Met Thr Tyr Phe Ser Gly Leu Leu Val Ile Leu Ala Phe Ala Ala
            180                 185                 190

Trp Val Ala Leu Ala Glu Gly Leu Gly Val Ala Val Tyr Ala Ala Ala
        195                 200                 205

Val Leu Leu Gly Ala Gly Cys Ala Thr Ile Leu Val Thr Ser Leu Ala
    210                 215                 220

Met Thr Ala Asp Leu Ile Gly Pro His Thr Asn Ser Gly Ala Phe Val
225                 230                 235                 240

Tyr Gly Ser Met Ser Phe Leu Asp Lys Val Ala Asn Gly Leu Ala Val
                245                 250                 255

Met Ala Ile Gln Ser Leu His Pro Cys Pro Ser Glu Leu Cys Cys Arg
            260                 265                 270

Ala Cys Val Ser Phe Tyr His Trp Ala Met Val Ala Val Thr Gly Gly
        275                 280                 285

Val Gly Val Ala Ala Ala Leu Cys Leu Cys Ser Leu Leu Leu Trp Pro
    290                 295                 300

Thr Arg Leu Arg Arg
305
```

<210> 937
<211> 243
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (26)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (84)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (111)
<223> Xaa equals any amino acid

<400> 937
Ala Ala Asp Asn Tyr Gly Ile Pro Arg Ala Cys Arg Asn Ser Ala Arg
1 5 10 15

Ser Tyr Gly Ala Ala Trp Leu Leu Leu Xaa Pro Ala Gly Ser Ser Arg
20 25 30

Val Glu Pro Thr Gln Asp Ile Ser Ile Ser Asp Gln Leu Gly Gly Gln
35 40 45

Asp Val Pro Val Phe Arg Asn Leu Ser Leu Leu Val Val Gly Val Gly
50 55 60

Ala Val Phe Ser Leu Leu Phe His Leu Gly Thr Arg Glu Arg Arg Arg
65 70 75 80

Pro His Ala Xaa Glu Pro Gly Glu His Thr Pro Leu Leu Ala Pro Ala
85 90 95

Thr Ala Gln Pro Leu Leu Leu Trp Lys His Trp Leu Arg Glu Xaa Ala
100 105 110

Phe Tyr Gln Val Gly Ile Leu Tyr Met Thr Thr Arg Leu Ile Val Asn
115 120 125

Leu Ser Gln Thr Tyr Met Ala Met Tyr Leu Thr Tyr Ser Leu His Leu
130 135 140

Pro Lys Lys Phe Ile Ala Thr Ile Pro Leu Val Met Tyr Leu Ser Gly
145 150 155 160

Phe Leu Ser Ser Phe Leu Met Lys Pro Ile Asn Lys Cys Ile Gly Arg
165 170 175

Asn Met Thr Tyr Phe Ser Gly Leu Leu Val Ile Leu Ala Phe Ala Ala
180 185 190

Trp Val Ala Leu Ala Glu Gly Leu Gly Val Ala Val Tyr Ala Ala Ala
195 200 205

Val Leu Leu Gly Ala Gly Cys Ala Thr Ile Leu Val Thr Ser Leu Ala
210 215 220

Met Thr Ala Asp Leu Ile Gly Pro His Thr Asn Ser Gly Leu Ser Cys
225 230 235 240

Thr Ala Pro

<210> 938
<211> 148
<212> PRT
<213> Homo sapiens

<400> 938
Met Ala Gly Ser Pro Leu Leu Trp Gly Pro Arg Ala Gly Gly Val Gly
1 5 10 15

```
Leu Leu Val Leu Leu Leu Leu Gly Leu Phe Arg Pro Pro Pro Ala Leu
            20                  25                  30

Cys Ala Arg Pro Val Lys Glu Pro Arg Gly Leu Ser Ala Ala Ser Pro
        35                  40                  45

Pro Leu Ala Arg Leu Ala Leu Leu Ala Ala Ser Gly Gly Gln Cys Pro
    50                  55                  60

Glu Val Arg Arg Arg Gly Arg Cys Arg Pro Gly Ala Gly Ala Gly Ala
65                  70                  75                  80

Ser Ala Gly Ala Glu Arg Gln Glu Arg Ala Arg Ala Glu Ala Gln Arg
                85                  90                  95

Leu Arg Ile Ser Arg Arg Ala Ser Trp Arg Ser Cys Cys Ala Ser Gly
            100                 105                 110

Ala Pro Pro Ala Thr Leu Ile Arg Leu Trp Ala Trp Thr Thr Thr Pro
        115                 120                 125

Thr Arg Leu Gln Arg Ser Ser Leu Ala Leu Cys Ser Ala Pro Ala Leu
    130                 135                 140

Thr Leu Pro Pro
145
```

<210> 939
<211> 80
<212> PRT
<213> Homo sapiens

<400> 939

```
Met Ser Leu Ile Trp Arg Asp Val Tyr Leu Tyr Gly Cys Gly Cys Ile
  1               5                  10                  15

Cys His Gly Arg Cys Cys Ala Gly Phe Pro Gln His Ser Arg His Val
            20                  25                  30

Trp Arg Thr Asn Ala Gly Leu Ile Leu Pro Gly Asn Arg Val Pro Phe
        35                  40                  45

Cys Glu Leu Glu Gly Cys Thr Arg Arg Ser Ser Tyr Trp Asn His Leu
    50                  55                  60

Val Ile Leu Gly Gly His Trp Gly Leu His Leu Pro Cys Thr Ser Leu
65                  70                  75                  80
```

<210> 940
<211> 47
<212> PRT
<213> Homo sapiens

<400> 940

```
Ile Leu Lys Ser Glu Pro Lys Leu Val Ser Phe Ile Asn Ile Leu Gly
  1               5                  10                  15

Lys Glu Glu Arg Lys Lys Glu Gly Gly Arg Glu Arg Lys Lys Glu Arg
             20                  25                  30

Lys Lys Glu Arg Lys Lys Glu Arg Lys Lys Lys Lys Lys Asn Ser
         35                  40                  45
```

<210> 941
<211> 89
<212> PRT
<213> Homo sapiens

<400> 941

```
Met Ala Lys Arg Thr Phe Ser Asn Leu Glu Thr Phe Leu Ile Phe Leu
  1               5                  10                  15

Leu Val Met Met Ser Ala Ile Thr Val Ala Leu Leu Ser Leu Leu Phe
             20                  25                  30

Ile Thr Ser Gly Thr Ile Glu Asn His Lys Asp Leu Gly Gly His Phe
         35                  40                  45

Phe Ser Thr Thr Gln Ser Pro Pro Ala Thr Gln Gly Ser Thr Ala Ala
     50                  55                  60

Gln Arg Ser Thr Ala Thr Gln His Ser Thr Ala Thr Gln Ser Ser Asn
 65                  70                  75                  80

Ser Gln Leu Lys Leu Leu Gln Cys Leu
                 85
```

<210> 942
<211> 486
<212> PRT
<213> Homo sapiens

<400> 942

```
Met Gln Pro Ser Gly Leu Glu Gly Pro Gly Thr Phe Gly Arg Trp Pro
  1               5                  10                  15

Leu Leu Ser Leu Leu Leu Leu Leu Leu Leu Leu Gln Pro Val Thr Cys
             20                  25                  30

Ala Tyr Thr Thr Pro Gly Pro Pro Arg Ala Leu Thr Thr Leu Gly Ala
         35                  40                  45

Pro Arg Ala His Thr Met Pro Gly Thr Tyr Ala Pro Ser Thr Thr Leu
     50                  55                  60

Ser Ser Pro Ser Thr Gln Gly Leu Gln Glu Gln Ala Arg Ala Leu Met
 65                  70                  75                  80

Arg Asp Phe Pro Leu Val Asp Gly His Asn Asp Leu Pro Leu Val Leu
                 85                  90                  95
```

```
Arg Gln Val Tyr Gln Lys Gly Leu Gln Asp Val Asn Leu Arg Asn Phe
            100                 105                 110

Ser Tyr Gly Gln Thr Ser Leu Asp Arg Leu Arg Asp Gly Leu Val Gly
        115                 120                 125

Ala Gln Phe Trp Ser Ala Tyr Val Pro Cys Gln Thr Gln Asp Arg Asp
    130                 135                 140

Ala Leu Arg Leu Thr Leu Glu Gln Ile Asp Leu Ile Arg Arg Met Cys
145                 150                 155                 160

Ala Ser Tyr Ser Glu Leu Glu Leu Val Thr Ser Ala Lys Ala Leu Asn
                165                 170                 175

Asp Thr Gln Lys Leu Ala Cys Leu Ile Gly Val Glu Gly Gly His Ser
            180                 185                 190

Leu Asp Asn Ser Leu Ser Ile Leu Arg Thr Phe Tyr Met Leu Gly Val
        195                 200                 205

Arg Tyr Leu Thr Leu Thr His Thr Cys Asn Thr Pro Trp Ala Glu Ser
    210                 215                 220

Ser Ala Lys Gly Val His Ser Phe Tyr Asn Asn Ile Ser Gly Leu Thr
225                 230                 235                 240

Asp Phe Gly Glu Lys Val Val Ala Glu Met Asn Arg Leu Gly Met Met
                245                 250                 255

Val Asp Leu Ser His Val Ser Asp Ala Val Ala Arg Arg Ala Leu Glu
            260                 265                 270

Val Ser Gln Ala Pro Val Ile Phe Ser His Ser Ala Ala Arg Gly Val
        275                 280                 285

Cys Asn Ser Ala Arg Asn Val Pro Asp Asp Ile Leu Gln Leu Leu Lys
    290                 295                 300

Lys Asn Gly Gly Val Val Met Val Ser Leu Ser Met Gly Val Ile Gln
305                 310                 315                 320

Cys Asn Pro Ser Ala Asn Val Ser Thr Val Ala Asp His Phe Asp His
                325                 330                 335

Ile Lys Ala Val Ile Gly Ser Lys Phe Ile Gly Ile Gly Gly Asp Tyr
            340                 345                 350

Asp Gly Ala Gly Lys Phe Pro Gln Gly Leu Glu Asp Val Ser Thr Tyr
        355                 360                 365

Pro Val Leu Ile Glu Glu Leu Leu Ser Arg Gly Trp Ser Glu Glu Glu
    370                 375                 380

Leu Gln Gly Val Leu Arg Gly Asn Leu Leu Arg Val Phe Arg Gln Val
385                 390                 395                 400

Glu Lys Val Gln Glu Glu Asn Lys Trp Gln Ser Pro Leu Glu Asp Lys
                405                 410                 415

Phe Pro Asp Glu Gln Leu Ser Ser Ser Cys His Ser Asp Leu Ser Arg
```

420 425 430

Leu Arg Gln Arg Gln Ser Leu Thr Ser Gly Gln Glu Leu Thr Glu Ile
435 440 445

Pro Ile His Trp Thr Ala Lys Leu Pro Ala Lys Trp Ser Val Ser Glu
450 455 460

Ser Ser Pro His Met Ala Pro Val Leu Ala Val Val Ala Thr Phe Pro
465 470 475 480

Val Leu Ile Leu Trp Leu
485

<210> 943
<211> 151
<212> PRT
<213> Homo sapiens

<400> 943
Met Arg Arg Leu Leu Leu Val Thr Ser Leu Val Val Val Leu Leu Trp
1 5 10 15

Glu Ala Gly Ala Val Pro Ala Pro Lys Val Pro Ile Lys Met Gln Val
20 25 30

Lys His Trp Pro Ser Glu Gln Asp Pro Glu Lys Ala Trp Gly Ala Arg
35 40 45

Val Val Glu Pro Pro Glu Lys Asp Asp Gln Leu Val Val Leu Phe Pro
50 55 60

Val Gln Lys Pro Lys Leu Leu Thr Thr Glu Glu Lys Pro Arg Gly Gln
65 70 75 80

Gly Arg Gly Pro Ile Leu Pro Gly Thr Lys Ala Trp Met Glu Thr Glu
85 90 95

Asp Thr Leu Gly Arg Val Leu Ser Pro Glu Pro Asp His Asp Ser Leu
100 105 110

Tyr His Pro Pro Pro Glu Glu Asp Gln Gly Glu Glu Arg Pro Arg Leu
115 120 125

Trp Val Met Pro Asn His Gln Val Leu Leu Gly Pro Glu Glu Asp Gln
130 135 140

Asp His Ile Tyr His Pro Gln
145 150

<210> 944
<211> 65
<212> PRT
<213> Homo sapiens

<220>
<221> SITE

<222> (24)
<223> Xaa equals any amino acid

<400> 944
Met Cys Lys Gly Leu Lys Asn Pro Glu Gly Leu Leu Leu Leu Leu Leu
1 5 10 15

Leu Leu Leu Phe Thr Asp Thr Xaa Asn Ser His Cys Leu Pro Pro Tyr
20 25 30

Leu Ser Cys Phe Leu His Glu Arg Gln Pro Glu Leu Gln Ser Val Cys
35 40 45

Ile Ser Ala Ala Tyr Val Leu Ala Pro Leu Gln Asn Pro Val Ser Ser
50 55 60

Leu
65

<210> 945
<211> 299
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (172)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (174)
<223> Xaa equals any amino acid

<400> 945
Gly Gly Glu Glu Glu Gly Glu Glu Gly Ala Glu Ile Ser Gly Leu Gly
1 5 10 15

Ala Gly Arg Arg Ser Ala Pro Ile Ala Val Gly Leu Gly Phe Leu Gly
20 25 30

Val Gly Gly Arg Gly Gly Ser Asp Met Glu Ala Asn Gly Ser Gln Gly
35 40 45

Thr Ser Gly Ser Ala Asn Asp Ser Gln His Asp Pro Gly Lys Met Phe
50 55 60

Ile Gly Gly Leu Ser Trp Gln Thr Ser Pro Asp Ser Leu Arg Asp Tyr
65 70 75 80

Phe Ser Lys Phe Gly Glu Ile Arg Glu Cys Met Val Met Arg Asp Pro
85 90 95

Thr Thr Lys Arg Ser Arg Gly Phe Gly Phe Val Thr Phe Ala Asp Pro
100 105 110

Ala Ser Val Asp Lys Val Leu Gly Gln Pro His His Glu Leu Asp Ser
115 120 125

```
Lys Thr Ile Asp Pro Lys Val Ala Phe Pro Arg Arg Ala Gln Pro Lys
    130                 135                 140

Met Val Thr Arg Thr Lys Lys Ile Phe Val Gly Gly Leu Ser Ala Asn
145                 150                 155                 160

Thr Val Val Glu Asp Val Lys Gln Tyr Phe Glu Xaa Phe Xaa Lys Val
                165                 170                 175

Glu Asp Ala Met Leu Met Phe Asp Lys Thr Thr Asn Arg His Arg Gly
            180                 185                 190

Phe Gly Phe Val Thr Phe Glu Asn Glu Asp Val Val Glu Lys Val Cys
        195                 200                 205

Glu Ile His Phe His Glu Ile Asn Asn Lys Met Val Glu Cys Lys Lys
    210                 215                 220

Ala Gln Pro Lys Glu Val Met Phe Pro Pro Gly Thr Arg Gly Arg Ala
225                 230                 235                 240

Arg Gly Leu Pro Tyr Thr Met Asp Ala Phe Met Leu Gly Met Gly Met
                245                 250                 255

Leu Gly Glu Ser Gly Gln Asp Arg Arg Ser Pro Trp Thr Gly Arg Ala
            260                 265                 270

Met Glu Ala Ser Thr Pro Asn Trp Val Thr Tyr Gln Trp Gly Lys Leu
        275                 280                 285

Leu His Leu Ser Lys Pro Gln Phe Pro Cys Leu
    290                 295
```

<210> 946
<211> 488
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (344)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (416)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (429)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (430)
<223> Xaa equals any amino acid

<400> 946

```
Met Ile Leu Ser Leu Leu Phe Ser Leu Gly Gly Pro Leu Gly Trp Gly
  1               5                  10                  15

Leu Leu Gly Ala Trp Ala Gln Ala Ser Ser Thr Ser Leu Ser Asp Leu
            20                  25                  30

Gln Ser Ser Arg Thr Pro Gly Val Trp Lys Ala Glu Ala Glu Asp Thr
        35                  40                  45

Ser Lys Asp Pro Val Gly Arg Asn Trp Cys Pro Tyr Pro Met Ser Lys
    50                  55                  60

Leu Val Thr Leu Leu Ala Leu Cys Lys Thr Glu Lys Phe Leu Ile His
65                  70                  75                  80

Ser Gln Gln Pro Cys Pro Gln Gly Ala Pro Asp Cys Gln Lys Val Lys
                85                  90                  95

Val Met Tyr Arg Met Ala His Lys Pro Val Tyr Gln Val Lys Gln Lys
            100                 105                 110

Val Leu Thr Ser Leu Ala Trp Arg Cys Cys Pro Gly Tyr Thr Gly Pro
        115                 120                 125

Asn Cys Glu His His Asp Ser Met Ala Ile Pro Glu Pro Ala Asp Pro
    130                 135                 140

Gly Asp Ser His Gln Glu Pro Gln Asp Gly Pro Val Ser Phe Lys Pro
145                 150                 155                 160

Gly His Leu Ala Ala Val Ile Asn Glu Val Glu Val Gln Gln Glu Gln
                165                 170                 175

Gln Glu His Leu Leu Gly Asp Leu Gln Asn Asp Val His Arg Val Ala
            180                 185                 190

Asp Ser Leu Pro Gly Leu Trp Lys Ala Leu Pro Gly Asn Leu Thr Ala
        195                 200                 205

Ala Val Met Glu Ala Asn Gln Thr Gly His Glu Phe Pro Asp Arg Ser
    210                 215                 220

Leu Glu Gln Val Leu Leu Pro His Val Asp Thr Phe Leu Gln Val His
225                 230                 235                 240

Phe Ser Pro Ile Trp Arg Ser Phe Asn Gln Ser Leu His Ser Leu Thr
                245                 250                 255

Gln Ala Ile Arg Asn Leu Ser Leu Asp Val Glu Ala Asn Arg Gln Ala
            260                 265                 270

Ile Ser Arg Val Gln Asp Ser Ala Val Ala Arg Ala Asp Phe Gln Glu
        275                 280                 285

Leu Gly Ala Lys Phe Glu Ala Lys Val Gln Glu Asn Thr Gln Arg Val
    290                 295                 300

Gly Gln Leu Arg Gln Asp Val Glu Glu Arg Leu His Ala Gln His Phe
305                 310                 315                 320

Thr Leu His Arg Ser Ile Ser Glu Leu Gln Ala Asp Val Asp Thr Lys
```

325 330 335

Leu Lys Arg Leu His Lys Ala Xaa Glu Ala Pro Gly Thr Asn Gly Ser
340 345 350

Leu Val Leu Ala Thr Pro Gly Ala Gly Ala Arg Pro Glu Pro Asp Ser
355 360 365

Leu Gln Ala Arg Leu Gly Gln Leu Gln Arg Asn Leu Ser Glu Leu His
370 375 380

Met Thr Thr Ala Arg Arg Glu Glu Glu Leu Gln Tyr Thr Leu Glu Asp
385 390 395 400

Met Arg Ala Thr Leu Thr Arg His Val Asp Glu Ile Lys Glu Leu Xaa
405 410 415

Ser Glu Ser Asp Glu Thr Phe Asp Gln Ile Ser Lys Xaa Xaa Arg Gln
420 425 430

Val Glu Glu Leu Gln Val Asn His Thr Ala Leu Arg Glu Leu Arg Val
435 440 445

Ile Leu Met Glu Lys Ser Leu Ile Met Glu Glu Asn Lys Glu Glu Val
450 455 460

Glu Arg Gln Leu Leu Glu Leu Asn Leu Thr Leu Gln His Leu Gln Gly
465 470 475 480

Gly Met Pro Thr Ser Ser Ser Thr
485

<210> 947
<211> 60
<212> PRT
<213> Homo sapiens

<400> 947
Met Ile Arg Ile Gln Phe Leu His Leu Phe Leu Trp Val Gly Phe Ile
1 5 10 15

Phe Arg Gln Pro Pro Ser Ser Tyr Pro Gln Asp Gly Arg Asp Ser Pro
20 25 30

Trp Ser Phe Pro Cys Arg Asp Arg Ser Pro Gly Asn Asn Thr Ser Ile
35 40 45

Pro Ser His Glu Thr Val Leu Asn Phe Ile Leu Thr
50 55 60

<210> 948
<211> 306
<212> PRT
<213> Homo sapiens

<220>
<221> SITE

<222> (171)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (180)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (182)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (188)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (208)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (210)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (211)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (218)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (219)
<223> Xaa equals any amino acid

<400> 948
Met Ala Leu Arg Leu Leu Arg Arg Ala Ala Arg Gly Ala Ala Ala Ala
1 5 10 15

Ala Leu Leu Arg Leu Lys Ala Ser Leu Ala Ala Asp Ile Pro Arg Leu
20 25 30

Gly Tyr Ser Ser Ser Ser His His Lys Tyr Ile Pro Arg Arg Ala Val
35 40 45

Leu Tyr Val Pro Gly Asn Asp Glu Lys Lys Ile Lys Lys Ile Pro Ser
50 55 60

Leu Asn Val Asp Cys Ala Val Leu Asp Cys Glu Asp Gly Val Ala Ala
65 70 75 80

Asn Lys Lys Asn Glu Ala Arg Leu Arg Ile Val Lys Thr Leu Glu Asp
85 90 95

```
Ile Asp Leu Gly Pro Thr Glu Lys Cys Val Arg Val Asn Ser Val Ser
          100                 105                 110

Ser Gly Leu Ala Glu Glu Asp Leu Glu Thr Leu Leu Gln Ser Arg Val
        115                 120                 125

Leu Pro Ser Ser Leu Met Leu Pro Lys Val Glu Ser Pro Glu Glu Ile
    130                 135                 140

Gln Trp Ala Val Cys Glu Glu Thr Leu Lys Val Gly Pro Gln Val Gly
145                 150                 155                 160

Leu Phe Leu Asp Ala Val Arg Phe Trp Arg Xaa Arg Leu Ser Ser His
                165                 170                 175

Ile Gly Ala Xaa Ser Xaa Lys Glu Thr Leu Asp Xaa Leu Tyr Ala Arg
            180                 185                 190

Gln Lys Ile Val Val Ile Ala Lys Ala Phe Gly Leu Gln Ala Val Xaa
        195                 200                 205

Leu Xaa Xaa Ile Asp Phe Arg Asp Gly Xaa Xaa Leu Leu Arg Gln Ser
    210                 215                 220

Arg Glu Gly Ala Ala Met Gly Phe Thr Gly Lys Gln Val Ile His Pro
225                 230                 235                 240

Asn Gln Ile Ala Val Val Gln Glu Gln Phe Ser Pro Ser Pro Glu Lys
                245                 250                 255

Ile Lys Trp Ala Glu Glu Leu Ile Ala Ala Phe Lys Glu His Gln Gln
            260                 265                 270

Leu Gly Lys Gly Ala Phe Thr Phe Gln Gly Ser Met Ile Asp Met Pro
        275                 280                 285

Leu Leu Lys Gln Ala Gln Asn Thr Val Thr Leu Ala Thr Ser Ile Lys
    290                 295                 300

Glu Lys
305
```

<210> 949
<211> 40
<212> PRT
<213> Homo sapiens

<400> 949

```
Met Ser Gly Ser Ser Leu Pro Ser Ala Leu Ala Leu Ser Leu Leu Leu
  1               5                  10                  15

Val Ser Gly Ser Leu Leu Pro Gly Pro Gly Ala Ala Gln Asn Val Arg
             20                  25                  30

Val Gln Ser Gly Gln Asp Gln Lys
         35                  40
```

<210> 950
<211> 64
<212> PRT
<213> Homo sapiens

<400> 950
Met Val Ser Pro Leu Ile Ser Ala Leu Phe His Val Pro Phe Leu Trp
1 5 10 15

Leu Gly Met Phe Phe Pro His Ser Leu Ser Gly Pro Phe Pro Ser His
20 25 30

Leu Arg Arg Ala Ser Ser Ser Arg Lys Pro Leu Val Lys Pro Pro Arg
35 40 45

Ala Arg Gln Tyr Pro Pro Leu Ala Ser Ser Gly Tyr Arg Gly Arg Ile
50 55 60

<210> 951
<211> 26
<212> PRT
<213> Homo sapiens

<400> 951
Met Ser Phe Pro His Ala Ser Thr Leu Pro Phe His Lys Leu Ser Asp
1 5 10 15

Leu Gln His Thr Leu Pro Asn His Gln Gly
20 25

<210> 952
<211> 50
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (4)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (10)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (22)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (35)

<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (39)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (42)
<223> Xaa equals any amino acid

<400> 952
Val His Ala Xaa Thr Pro Phe Ala Gly Xaa Cys Phe Asp Pro Val Ser
1 5 10 15

Leu Tyr Trp Cys Tyr Xaa Asn Pro Gly Thr His Cys Tyr Pro Thr Leu
20 25 30

Arg Gly Xaa Glu Gln Arg Xaa Pro Ser Xaa Arg Ser His Ile Val Leu
35 40 45

Arg Ser
50

<210> 953
<211> 103
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (77)
<223> Xaa equals any amino acid

<400> 953
Met Ala Phe Leu Leu Glu Arg Ser Gly Thr Leu Leu Ile Cys Ser Met
1 5 10 15

Trp Trp His His Gly Tyr Ser Asn Ile Thr Gly Thr Glu Gly Glu Arg
20 25 30

Arg Asn Leu Lys Arg Asn Lys Thr Asn Phe Arg Arg Phe Gln Asp Gly
35 40 45

Arg Ile Gly Thr Ala Pro Val Tyr Ser Ser Gln Cys Glu Arg Cys Arg
50 55 60

Arg Trp Val Ile Ser Ala Phe Pro Thr Glu Gln Thr Xaa His Gln Lys
65 70 75 80

Ile Ile Ser His Ala Trp Leu Gly Gly Ser His Ala His Gly Ala Ser
85 90 95

Leu Ile Ala Ser Thr Ala Val
100

<210> 954
<211> 103
<212> PRT
<213> Homo sapiens

<400> 954
Met Leu Thr Phe Phe Met Ala Phe Leu Phe Asn Trp Ile Gly Phe Phe
1 5 10 15

Leu Ser Phe Cys Leu Thr Thr Ser Ala Ala Gly Arg Tyr Gly Ala Ile
20 25 30

Ser Gly Phe Gly Leu Ser Leu Ile Lys Trp Ile Leu Ile Val Arg Phe
35 40 45

Ser Thr Tyr Phe Pro Gly Tyr Phe Asp Gly Gln Tyr Trp Leu Trp Trp
50 55 60

Val Phe Leu Val Leu Gly Phe Leu Leu Phe Leu Arg Gly Phe Ile Asn
65 70 75 80

Tyr Ala Lys Val Arg Lys Met Pro Glu Thr Phe Ser Asn Leu Pro Arg
85 90 95

Thr Arg Val Leu Phe Ile Tyr
100

<210> 955
<211> 198
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (29)
<223> Xaa equals any amino acid

<400> 955
Met Lys Lys Ser Leu Glu Asn Leu Asn Arg Leu Gln Val Met Leu Leu
1 5 10 15

His Leu Thr Ala Ala Phe Leu Gln Arg Ala Gln His Xaa Phe Asp Tyr
20 25 30

Lys Asp Glu Ser Gly Phe Pro Lys Pro Pro Ser Tyr Asn Val Ala Thr
35 40 45

Thr Leu Pro Ser Tyr Asp Glu Ala Glu Arg Thr Lys Ala Glu Ala Thr
50 55 60

Ile Pro Leu Val Pro Gly Arg Asp Glu Asp Phe Val Gly Arg Asp Asp
65 70 75 80

Phe Asp Asp Ala Asp Gln Leu Arg Ile Gly Asn Asp Gly Ile Phe Met
85 90 95

Leu Thr Phe Phe Met Ala Phe Leu Phe Asn Trp Ile Gly Phe Phe Leu
100 105 110

```
Ser Phe Cys Leu Thr Thr Ser Ala Ala Gly Arg Tyr Gly Ala Ile Ser
        115                 120                 125

Gly Phe Gly Leu Ser Leu Ile Lys Trp Ile Leu Ile Val Arg Phe Ser
    130                 135                 140

Thr Tyr Phe Pro Gly Tyr Phe Asp Gly Gln Tyr Trp Leu Trp Trp Val
145                 150                 155                 160

Phe Leu Val Leu Gly Phe Leu Leu Phe Leu Arg Gly Phe Ile Asn Tyr
                165                 170                 175

Ala Lys Val Arg Lys Met Pro Glu Thr Phe Ser Asn Leu Pro Arg Thr
            180                 185                 190

Arg Val Leu Phe Ile Tyr
        195
```

<210> 956
<211> 106
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (3)
<223> Xaa equals any amino acid

<400> 956

```
Met Ala Xaa Ala Leu Ala Ala Leu Ala Ala Val Glu Pro Ala Cys Ala
  1               5                  10                  15

Ala Gly Thr Ser Ser Cys Arg Met Lys Lys Ser Leu Glu Asn Leu Asn
             20                  25                  30

Arg Leu Gln Val Met Leu Leu His Leu Thr Ala Ala Phe Leu Gln Arg
         35                  40                  45

Ala Gln Phe Ser Thr Tyr Phe Pro Gly Tyr Phe Asp Gly Gln Tyr Trp
     50                  55                  60

Leu Trp Trp Val Phe Leu Val Leu Gly Phe Leu Leu Phe Leu Arg Gly
 65                  70                  75                  80

Phe Ile Asn Tyr Ala Lys Val Arg Lys Met Pro Glu Thr Phe Ser Asn
                85                  90                  95

Leu Pro Arg Thr Arg Val Leu Phe Ile Tyr
            100                 105
```

<210> 957
<211> 68
<212> PRT
<213> Homo sapiens

<220>

<221> SITE
<222> (3)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (16)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (51)
<223> Xaa equals any amino acid

<400> 957
Met Ala Xaa Ala Leu Ala Ala Leu Ala Ala Ala Arg Ala Ala Cys Xaa
1 5 10 15

Ala Gly Thr Ser Ser Cys Arg Met Lys Lys Ser Leu Glu Asn Leu Asn
20 25 30

Arg Leu Gln Val Met Leu Leu His Leu Thr Ala Ala Phe Leu Gln Arg
35 40 45

Ala His Xaa Ile Leu Thr Thr Arg Met Ser Leu Gly Phe Gln Ser Pro
50 55 60

His Leu Thr Met
65

<210> 958
<211> 23
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (3)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (13)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (16)
<223> Xaa equals any amino acid

<400> 958
Met Ala Xaa Ala Leu Ala Ala Leu Ala Ala Val Glu Xaa Pro Ala Xaa
1 5 10 15

Pro Val Pro Ala Val Ala Glu
20

<210> 959
<211> 188
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (85)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (104)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (164)
<223> Xaa equals any amino acid

<400> 959
Met Arg Pro Ala Phe Ala Leu Cys Leu Leu Trp Gln Ala Leu Trp Pro
1 5 10 15

Gly Pro Gly Gly Gly Glu His Pro Thr Ala Asp Arg Ala Gly Cys Ser
20 25 30

Ala Ser Gly Ala Cys Tyr Ser Leu His His Ala Thr Met Lys Arg Gln
35 40 45

Ala Ala Glu Glu Ala Cys Ile Leu Arg Gly Gly Ala Leu Ser Thr Val
50 55 60

Arg Ala Gly Ala Glu Leu Arg Ala Val Leu Ala Leu Leu Arg Ala Gly
65 70 75 80

Pro Gly Pro Gly Xaa Gly Ser Lys Asp Leu Leu Phe Trp Val Ala Leu
85 90 95

Glu Arg Arg Arg Ser His Cys Xaa Leu Glu Asn Glu Pro Leu Arg Gly
100 105 110

Phe Ser Trp Leu Ser Ser Asp Pro Gly Gly Leu Glu Ser Asp Thr Leu
115 120 125

Gln Trp Val Glu Glu Pro Gln Arg Ser Cys Thr Ala Arg Arg Trp Val
130 135 140

Leu Pro Gly His Arg Trp Gly Arg Ala Arg Ser Trp Lys Glu Met Arg
145 150 155 160

Cys His Leu Xaa Ala Asn Ala Thr Cys Ala Ser Thr Ser Leu Arg Ser
165 170 175

Cys Val Leu Arg Arg Ala Pro Gly Pro Pro Leu Thr
180 185

<210> 960
<211> 57

<212> PRT
<213> Homo sapiens

<400> 960
Met Leu Glu Thr Leu Ser Gln Phe Ile Ser Ile Leu Phe Val Leu Leu
1 5 10 15

Trp Ile Ile Ser Asp Leu Ile Leu Cys Phe Leu Lys Cys Gly Asn Pro
20 25 30

Gly Thr Leu Asp Met Val Leu Pro Ile Trp Thr Asn Gln Tyr Ile His
35 40 45

Ser Ser Arg Ser Ile Leu Ser Phe Ile
50 55

<210> 961
<211> 44
<212> PRT
<213> Homo sapiens

<400> 961
Met Leu Cys Val Cys Val Leu Trp Met Phe Thr Val Pro Gly Ser Arg
1 5 10 15

Lys Asp Val Gly Glu Ala Ala Pro Ala Ser Gly Thr Gly Gln Glu Cys
20 25 30

Arg Met His Gly Ser Trp Ser Gly Arg Ser Leu Gly
35 40

<210> 962
<211> 44
<212> PRT
<213> Homo sapiens

<400> 962
Met Leu Cys Val Cys Val Leu Trp Met Phe Thr Val Pro Gly Ser Arg
1 5 10 15

Lys Asp Val Gly Glu Ala Ala Pro Ala Ser Gly Thr Gly Gln Glu Cys
20 25 30

Arg Met His Gly Ser Trp Ser Gly Arg Ser Leu Gly
35 40

<210> 963
<211> 57
<212> PRT
<213> Homo sapiens

<400> 963
Met Pro Pro His Arg Gln Thr Asp Gly Gln Met Gly Leu Pro Ala Pro
1 5 10 15

```
Ala Leu Trp Val Trp Gly Leu Leu Leu Ser Ser Ser Phe Gln Thr Leu
            20                  25                  30

Leu Pro Ala Phe Pro Lys Pro Pro Ala Leu Asn Leu Gly Cys Ser Thr
        35                  40                  45

Arg Pro Ile Pro Ser Phe Leu Lys Ile
    50                  55
```

<210> 964
<211> 93
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (24)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (65)
<223> Xaa equals any amino acid

<400> 964

```
Gln Val Ser Leu Pro Thr Arg Leu Leu Gln Met Pro Gly Met Gly Leu
  1               5                  10                  15

Asp Ser Arg Phe Gln Ala Trp Xaa Pro Ser Pro Tyr Leu Gly Pro Gln
            20                  25                  30

Pro Arg Ala Pro Arg Pro Gly Leu Gln Pro Gly Pro Ser Leu Arg Gly
        35                  40                  45

Ala Glu Phe Arg Glu Ser Cys Pro Arg Ser Gln Lys Arg Gly Arg Glu
    50                  55                  60

Xaa Gly Arg Pro Cys Pro Gly Cys Arg Pro Gly Gly Trp Gly Leu Pro
65                  70                  75                  80

Ala Arg Leu Gly Gln Pro Gln Leu Gln Thr Gly Pro Gly
                85                  90
```

<210> 965
<211> 172
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (170)
<223> Xaa equals any amino acid

<400> 965

```
Met Arg Gly Ser Val Glu Cys Thr Trp Gly Trp Gly His Cys Ala Pro
  1               5                  10                  15
```

```
Ser Pro Leu Leu Leu Trp Thr Leu Leu Leu Phe Ala Ala Pro Phe Gly
            20                  25                  30

Leu Leu Gly Glu Lys Thr Arg Gln Leu Leu Glu Phe Asp Ser Thr Asn
        35                  40                  45

Val Ser Asp Thr Ala Ala Lys Pro Leu Gly Arg Pro Tyr Pro Pro Tyr
    50                  55                  60

Ser Leu Ala Asp Phe Ser Trp Asn Asn Ile Thr Asp Ser Leu Asp Pro
65                  70                  75                  80

Ala Thr Leu Ser Ala Thr Phe Gln Gly His Pro Met Asn Asp Pro Thr
                85                  90                  95

Arg Thr Phe Ala Asn Gly Ser Leu Ala Phe Arg Val Gln Ala Phe Ser
            100                 105                 110

Arg Ser Ser Arg Pro Ala Gln Pro Pro Arg Leu Leu His Thr Ala Asp
        115                 120                 125

Thr Cys Gln Leu Glu Val Ala Leu Ile Gly Ala Ser Pro Arg Gly Asn
    130                 135                 140

Arg Ser Leu Phe Gly Leu Glu Val Ala Thr Leu Gly Gln Gly Pro Asp
145                 150                 155                 160

Cys Pro Ser Met Gln Glu Gln His Ser Xaa Glu Arg
                165                 170
```

<210> 966
<211> 131
<212> PRT
<213> Homo sapiens

<400> 966

```
Met Arg Gly Ser Val Glu Cys Thr Trp Gly Trp Gly His Cys Ala Pro
  1               5                  10                  15

Ser Pro Leu Leu Leu Trp Thr Leu Leu Leu Phe Ala Ala Pro Phe Gly
            20                  25                  30

Leu Leu Gly Glu Lys Thr Arg Gln Leu Leu Glu Phe Asp Ser Thr Asn
        35                  40                  45

Val Ser Asp Thr Ala Ala Lys Pro Leu Gly Arg Pro Tyr Pro Pro Tyr
    50                  55                  60

Ser Leu Ala Asp Phe Ser Trp Asn Asn Ile Thr Asp Ser Leu Asp Pro
65                  70                  75                  80

Ala Thr Leu Ser Ala Thr Phe Gln Gly His Pro Met Asn Asp Pro Thr
                85                  90                  95

Arg Thr Phe Ala Asn Gly Ser Leu Ala Phe Arg Ser Arg Pro Phe Pro
            100                 105                 110

Gly Pro Ala Asp Gln Pro Asn Pro Leu Ala Ser Cys Thr Gln Gln Thr
        115                 120                 125
```

Pro Val Ser
130

<210> 967
<211> 121
<212> PRT
<213> Homo sapiens

<400> 967
Met Cys Phe Leu Met Ile Phe Thr Phe Leu Val Cys Trp Met Pro Tyr
1 5 10 15

Ile Val Ile Cys Phe Leu Val Val Asn Gly His Gly His Leu Val Thr
20 25 30

Pro Thr Ile Ser Ile Val Ser Tyr Leu Phe Ala Lys Ser Asn Thr Val
35 40 45

Tyr Asn Pro Val Ile Tyr Val Phe Met Ile Arg Lys Phe Arg Arg Ser
50 55 60

Leu Leu Gln Leu Leu Cys Leu Arg Leu Leu Arg Cys Gln Arg Pro Ala
65 70 75 80

Lys Asp Leu Pro Ala Ala Gly Ser Glu Met Gln Ile Arg Pro Ile Val
85 90 95

Met Ser Gln Lys Asp Gly Asp Arg Pro Lys Lys Ser Asp Phe Gln Leu
100 105 110

Phe Phe His His Phe Tyr His His Gln
115 120

<210> 968
<211> 49
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (41)
<223> Xaa equals any amino acid

<400> 968
Met Gly Ala His Ser Phe Gly Phe Gln Leu Phe Met Ser Val Ser Val
1 5 10 15

Leu Trp Gly Arg Leu Cys Leu Tyr Gly Arg Phe Ser Val Ile Thr Phe
20 25 30

Ala Ser Pro Pro Thr Thr Phe Met Xaa Ile Gln Cys Cys Ser His Cys
35 40 45

Ser

<210> 969
<211> 148
<212> PRT
<213> Homo sapiens

<400> 969
Met Val Trp Phe Ser Cys Trp Leu Leu Thr Gln Ser Ile Thr Val Ile
1 5 10 15

Leu Gly Ala Arg Gly Arg Tyr Gly Arg Leu Cys Val Leu Gln Gly Arg
20 25 30

His Cys Gly Leu Val Asp Lys Ser Gly Ser Pro Asn Pro Phe Ser Ala
35 40 45

Asp Val Leu Ala Val His Ser Gly Gln Val Ser His Ser Pro Glu Pro
50 55 60

Gln Arg Leu Tyr Gln Tyr Asp Glu Asn Lys Tyr Ser Thr Cys Leu Pro
65 70 75 80

His Gly Val Val Ser Ala Val Asn Glu Ile Met Tyr Met Lys His Leu
85 90 95

Val Tyr Leu Ala Pro Asn Lys Ser Ser Thr Thr Ser Ser Leu Ile Thr
100 105 110

Asn Lys Met Glu Leu Glu Gly Cys Ile Ser Leu Asn Lys Ile Leu Arg
115 120 125

Gln Ile Leu Gly Val Pro Val Phe Ile Leu Gln Leu Glu Ser Pro Pro
130 135 140

Ser Leu Phe Gly
145

<210> 970
<211> 484
<212> PRT
<213> Homo sapiens

<400> 970
Met Pro Arg His Leu Ser Gly Leu Leu Leu Leu Leu Trp Pro Leu Leu
1 5 10 15

Leu Leu Leu Pro Pro Thr Pro Ala Ala Pro Gly Pro Leu Ala Arg Pro
20 25 30

Gly Leu Arg Arg Leu Gly Thr Arg Gly Pro Gly Gly Ser Pro Gly Arg
35 40 45

Arg Pro Gly Ser Ala Val Pro Thr Arg Ala Pro Tyr Ser Gly Ala Gly
50 55 60

Gln Pro Gly Gly Ala Arg Gly Ala Gly Val Cys Arg Ser Arg Pro Leu
65 70 75 80

```
Asp Leu Val Phe Ile Ile Asp Ser Ser Arg Ser Val Arg Pro Leu Glu
                 85                  90                  95

Phe Thr Lys Val Lys Thr Phe Val Ser Gln Ile Ile Asp Thr Leu Asp
            100                 105                 110

Ile Gly Ala Ala Asp Thr Arg Val Ala Val Val Asn Tyr Ala Ser Thr
        115                 120                 125

Val Lys Ile Glu Phe His Leu Gln Thr His Ser Asp Lys Gln Ser Leu
    130                 135                 140

Lys Gln Ala Val Ala Arg Ile Thr Pro Leu Ser Thr Gly Thr Met Ser
145                 150                 155                 160

Gly Leu Ala Ile Gln Thr Ala Met Asp Glu Ala Phe Thr Val Glu Ala
                165                 170                 175

Gly Ala Arg Gly Pro Thr Ser Asn Ile Pro Lys Val Ala Ile Ile Val
            180                 185                 190

Thr Asp Gly Arg Pro Gln Asp Gln Val Asn Glu Val Ala Ala Arg Ala
        195                 200                 205

Arg Ala Ser Gly Ile Glu Leu Tyr Ala Val Gly Val Asp Arg Ala Asp
    210                 215                 220

Met Glu Ser Leu Lys Met Met Ala Ser Glu Pro Leu Asp Glu His Val
225                 230                 235                 240

Phe Tyr Val Glu Thr Tyr Gly Val Ile Glu Lys Leu Ser Ser Arg Phe
                245                 250                 255

Gln Glu Thr Phe Cys Ala Leu Asp Pro Cys Val Leu Gly Thr His Arg
            260                 265                 270

Cys Gln His Val Cys Val Ser Asp Gly Glu Gly Lys His His Cys Glu
        275                 280                 285

Cys Ser Gln Gly Tyr Ser Leu Asn Ala Asp Gln Lys Thr Cys Ser Ala
    290                 295                 300

Ile Asp Lys Cys Ala Leu Asn Thr His Gly Cys Glu His Ile Cys Val
305                 310                 315                 320

Asn Asp Arg Thr Gly Ser Tyr His Cys Glu Cys Tyr Glu Gly Tyr Thr
                325                 330                 335

Leu Asn Gln Asp Arg Lys Thr Cys Ser Ala Gln Asp Gln Cys Ala Phe
            340                 345                 350

Gly Thr His Gly Cys Gln His Ile Cys Val Asn Asp Arg Asp Gly Ser
        355                 360                 365

His His Cys Glu Cys Tyr Glu Gly Tyr Thr Leu Asn Ala Asp Asn Lys
    370                 375                 380

Thr Cys Ser Val Arg Ser Glu Cys Ala Gly Gly Ser His Gly Cys Gln
385                 390                 395                 400

His Leu Cys Val Asp Asp Gly Pro Ala Ala Tyr His Cys Asp Cys Phe
```

405 410 415

Pro Gly Tyr Thr Leu Thr Glu Asp Arg Arg Thr Cys Ala Ala Ile Glu
420 425 430

Glu Ala Arg Arg Leu Val Ser Thr Glu Asp Ala Cys Gly Cys Glu Ala
435 440 445

Thr Leu Ala Phe Gln Glu Arg Ala Ser Ser Tyr Leu Gln Arg Leu Asn
450 455 460

Ala Lys Leu Asp Asp Ile Leu Gly Lys Leu Gln Ala Asp Ala Tyr Gly
465 470 475 480

Gln Ile His Arg

<210> 971
<211> 266
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (45)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (47)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (51)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (134)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (183)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (222)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (224)
<223> Xaa equals any amino acid

<220>
<221> SITE

<222> (255)
<223> Xaa equals any amino acid

<400> 971
Met Pro Arg His Leu Ser Gly Leu Leu Leu Leu Leu Trp Pro Leu Leu
1 5 10 15

Leu Leu Leu Pro Pro Thr Pro Ala Ala Pro Gly Pro Leu Ala Arg Pro
20 25 30

Gly Leu Arg Arg Leu Gly Thr Arg Gly Pro Gly Gly Xaa Pro Xaa Arg
35 40 45

Arg Pro Xaa Ser Ala Val Pro Thr Arg Ala Pro Tyr Ser Gly Ala Gly
50 55 60

Gln Pro Gly Gly Ala Arg Gly Ala Gly Val Cys Arg Ser Arg Pro Leu
65 70 75 80

Asp Leu Val Phe Ile Ile Asp Ser Ser Arg Ser Val Arg Pro Leu Glu
85 90 95

Phe Thr Lys Val Lys Thr Phe Val Ser Gln Ile Ile Asp Thr Leu Asp
100 105 110

Ile Gly Ala Ala Asp Thr Arg Val Ala Val Val Asn Tyr Ala Ser Thr
115 120 125

Val Lys Ile Glu Phe Xaa Leu Gln Thr His Ser Asp Lys Gln Ser Leu
130 135 140

Lys Gln Ala Val Ala Arg Ile Thr Pro Leu Ser Thr Gly Thr Met Ser
145 150 155 160

Gly Leu Ala Ile Gln Thr Ala Met Asp Glu Ala Phe Thr Val Glu Ala
165 170 175

Gly Ala Arg Gly Pro Thr Xaa Asn Ile Pro Lys Val Ala Ile Ile Val
180 185 190

Thr Asp Gly Arg Pro Gln Asp Gln Val Asn Glu Val Ala Ala Arg Ala
195 200 205

Arg Ala Ser Gly Ile Glu Leu Tyr Ala Val Gly Val Asp Xaa Ala Xaa
210 215 220

Met Glu Ser Leu Gln Asp Glu Trp Pro Ala Lys Pro Leu Asp Glu His
225 230 235 240

Val Phe Tyr Val Glu Thr Tyr Gly Val Ile Glu Lys Pro Ser Xaa Arg
245 250 255

Phe Gln Glu Thr Leu Leu Arg Ser Trp Asn
260 265

<210> 972
<211> 5
<212> PRT
<213> Homo sapiens

<400> 972
Val Leu Leu Ile Leu
1 5

<210> 973
<211> 84
<212> PRT
<213> Homo sapiens

<400> 973
Lys Met His Phe Asn Lys Asn Lys Ser Ile Leu Lys Ser Phe Ser Phe
1 5 10 15

Val Arg Gly Asn Met Asn Glu Ile His Ser Tyr Leu Lys Thr Glu Tyr
20 25 30

Phe Thr Ala Lys Thr Leu Asn Ile Ser Arg Ala Tyr His Ile Leu Asn
35 40 45

Thr Leu Trp Ser Cys Ser Tyr Phe Asn Ile Pro Gly Ser Gly Gly Gln
50 55 60

Leu Ala Cys Leu Trp Leu Arg Ile Cys Phe His Ala Cys Phe Leu Ser
65 70 75 80

Phe Phe Tyr Leu

<210> 974
<211> 115
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (50)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (70)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (86)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (100)
<223> Xaa equals any amino acid

<400> 974
Met Gln Pro Pro Ser Leu Leu Leu Leu Val Leu Gly Leu Leu Ala Ala
1 5 10 15

```
Pro Ala Ala Ala Leu Val Arg Ile Pro Leu His Lys Phe Thr Ser Val
            20                  25                  30

Arg Arg Thr Met Ser Glu Leu Gly Gly Pro Val Glu Asp Leu Ile Ala
        35                  40                  45

Arg Xaa Pro Ile Ser Lys Tyr Ala Gln Gly Val Pro Ser Val Ala Gly
    50                  55                  60

Gly Pro Val Pro Glu Xaa Leu Lys Glu Thr Thr Trp Asn Ala Gln Ile
65                  70                  75                  80

Leu Arg Gly Lys Phe Xaa His Pro Gly Thr Pro Pro Arg Lys Leu Leu
                85                  90                  95

Pro Pro Val Xaa Pro Phe Glu Lys Arg Gly Ser Phe Pro Thr Leu Leu
            100                 105                 110

Gly Ser Pro
        115
```

<210> 975
<211> 92
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (43)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (69)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (70)
<223> Xaa equals any amino acid

<400> 975

```
Leu Val Val Leu Gly Val Cys Ala Ala Gln His Glu Leu Thr Pro Arg
  1               5                  10                  15

Leu Arg Ala Gly Val Pro Val Gln Val Glu Arg Glu Asp Val Leu Leu
            20                  25                  30

His Gln Leu Leu Leu His Gln Val Ile Lys Xaa Gly Lys His Ile Val
        35                  40                  45

Asp Arg Asp Ala Gly Val Gly His Ala Gln Asp Ala Val Glu Leu Gly
    50                  55                  60

Arg Asp Glu Gly Xaa Xaa Arg Leu Leu Gly Gly Phe Pro Glu Arg Leu
65                  70                  75                  80

Pro Leu His Leu Asp Ala Ser Gln Ala Arg Gln Thr
```

85 90

<210> 976
<211> 368
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (310)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (365)
<223> Xaa equals any amino acid

<400> 976

```
Met Gln Pro Ser Ser Leu Leu Pro Leu Ala Leu Cys Leu Leu Ala Ala
  1               5                  10                  15

Pro Ala Ser Ala Leu Val Arg Ile Pro Leu His Lys Phe Thr Ser Ile
             20                  25                  30

Arg Arg Thr Met Ser Glu Val Gly Gly Ser Val Glu Asp Leu Ile Ala
         35                  40                  45

Lys Gly Pro Val Ser Lys Tyr Ser Gln Ala Val Pro Ala Val Thr Glu
     50                  55                  60

Gly Pro Ile Pro Glu Val Leu Lys Asn Tyr Met Asp Ala Gln Tyr Tyr
 65                  70                  75                  80

Gly Glu Ile Gly Ile Gly Thr Pro Pro Gln Cys Phe Thr Val Val Phe
                 85                  90                  95

Asp Thr Gly Ser Ser Asn Leu Trp Val Pro Ser Ile His Cys Lys Leu
            100                 105                 110

Leu Asp Ile Ala Cys Trp Ile His His Lys Tyr Asn Ser Asp Lys Ser
        115                 120                 125

Ser Thr Tyr Val Lys Asn Gly Thr Ser Phe Asp Ile His Tyr Gly Ser
    130                 135                 140

Gly Ser Leu Ser Gly Tyr Leu Ser Gln Asp Thr Val Ser Val Pro Cys
145                 150                 155                 160

Gln Ser Ala Ser Ser Ala Ser Ala Leu Gly Gly Val Lys Val Glu Arg
                165                 170                 175

Gln Val Phe Gly Glu Ala Thr Lys Gln Pro Gly Ile Thr Phe Ile Ala
            180                 185                 190

Ala Lys Phe Asp Gly Ile Leu Gly Met Ala Tyr Pro Arg Ile Ser Val
        195                 200                 205

Asn Asn Val Leu Pro Val Phe Asp Asn Leu Met Gln Gln Lys Leu Val
    210                 215                 220
```

```
Asp Gln Asn Ile Phe Ser Phe Tyr Leu Ser Arg Asp Pro Asp Ala Gln
225                 230                 235                 240

Pro Gly Gly Glu Leu Met Leu Gly Gly Thr Asp Ser Lys Tyr Tyr Lys
                245                 250                 255

Gly Ser Leu Ser Tyr Leu Asn Val Thr Arg Lys Ala Tyr Trp Gln Val
            260                 265                 270

His Leu Asp Gln Val Glu Val Ala Ser Gly Leu Thr Leu Cys Lys Glu
        275                 280                 285

Gly Cys Glu Ala Ile Val Asp Thr Gly Thr Ser Leu Met Val Gly Pro
    290                 295                 300

Val Asp Glu Val Arg Xaa Leu Gln Lys Ala Ile Gly Ala Val Pro Leu
305                 310                 315                 320

Ile Gln Gly Glu Tyr Met Ile Pro Cys Glu Lys Val Ser Thr Leu Pro
                325                 330                 335

Ala Ile Thr Leu Lys Leu Gly Gly Lys Gly Tyr Lys Leu Ser Pro Glu
            340                 345                 350

Asp Tyr Thr Leu Lys Val Ser Gln Ala Gly Lys Thr Xaa Cys Leu Ser
        355                 360                 365
```

<210> 977
<211> 67
<212> PRT
<213> Homo sapiens

<400> 977

```
Met Ala Pro Ser Gly Pro Leu Leu Leu Val Leu Leu Val Pro Leu Ala
  1               5                  10                  15

Ala Ala Arg Pro Gly Pro Thr Ser Val Pro Ala Gly Ala Ala Ala Cys
             20                  25                  30

Pro Cys Gly Gly Thr Ser Cys Arg Gly Trp Gly Ala Gly Pro Thr Pro
         35                  40                  45

Gly Arg Thr Ser Thr Cys Pro His Leu Thr Cys Pro Arg Ala Gly Thr
     50                  55                  60

Gly Ala Thr
 65
```

<210> 978
<211> 14
<212> PRT
<213> Homo sapiens

<400> 978
Pro Gln Gly Pro Asn Asp Val Thr Ala Lys Leu Leu Cys Pro
1 5 10

<210> 979
<211> 6
<212> PRT
<213> Homo sapiens

<400> 979
Met Leu Leu Leu Tyr Leu
1 5

<210> 980
<211> 469
<212> PRT
<213> Homo sapiens

<400> 980
Met Arg Pro Pro Gly Phe Arg Asn Phe Leu Leu Leu Ala Ser Ser Leu
1 5 10 15

Leu Phe Ala Gly Leu Ser Ala Val Pro Gln Ser Phe Ser Pro Ser Leu
20 25 30

Arg Ser Trp Pro Gly Ala Ala Cys Arg Leu Ser Arg Ala Glu Ser Glu
35 40 45

Arg Arg Cys Arg Ala Pro Gly Gln Pro Pro Gly Ala Ala Leu Cys His
50 55 60

Gly Arg Gly Arg Cys Asp Cys Gly Val Cys Ile Cys His Val Thr Glu
65 70 75 80

Pro Gly Met Phe Phe Gly Pro Leu Cys Glu Cys His Glu Trp Val Cys
85 90 95

Glu Thr Tyr Asp Gly Ser Thr Cys Ala Gly His Gly Lys Cys Asp Cys
100 105 110

Gly Lys Cys Lys Cys Asp Gln Gly Trp Tyr Gly Asp Ala Cys Gln Tyr
115 120 125

Pro Thr Asn Cys Asp Leu Thr Lys Lys Lys Ser Asn Gln Met Cys Lys
130 135 140

Asn Ser Gln Asp Ile Ile Cys Ser Asn Ala Gly Thr Cys His Cys Gly
145 150 155 160

Arg Cys Lys Cys Asp Asn Ser Asp Gly Ser Gly Leu Val Tyr Gly Lys
165 170 175

Phe Cys Glu Cys Asp Asp Arg Glu Cys Ile Asp Asp Glu Thr Glu Glu
180 185 190

Ile Cys Gly Gly His Gly Lys Cys Tyr Cys Gly Asn Cys Tyr Cys Lys
195 200 205

```
Ala Gly Trp His Gly Asp Lys Cys Glu Phe Gln Cys Asp Ile Thr Pro
    210                 215                 220

Trp Glu Ser Lys Arg Arg Cys Thr Ser Pro Asp Gly Lys Ile Cys Ser
225                 230                 235                 240

Ser Arg Gly Thr Cys Val Cys Gly Glu Cys Thr Cys His Asp Val Asp
                245                 250                 255

Pro Thr Gly Asp Trp Gly Asp Ile His Gly Asp Thr Cys Glu Cys Asp
            260                 265                 270

Glu Arg Asp Cys Arg Ala Val Tyr Asp Arg Tyr Ser Asp Asp Phe Cys
        275                 280                 285

Ser Gly His Gly Gln Cys Asn Cys Gly Arg Cys Asp Cys Lys Ala Gly
    290                 295                 300

Trp Tyr Gly Lys Lys Cys Glu His Pro Gln Ser Cys Thr Leu Ser Ala
305                 310                 315                 320

Glu Glu Ser Ile Arg Lys Cys Gln Gly Ser Ser Asp Leu Pro Cys Ser
                325                 330                 335

Gly Arg Gly Lys Cys Glu Cys Gly Lys Cys Thr Cys Tyr Pro Pro Gly
            340                 345                 350

Asp Arg Arg Val Tyr Gly Lys Thr Cys Glu Cys Asp Asp Arg Arg Cys
        355                 360                 365

Glu Asp Leu Asp Gly Val Val Cys Gly Gly His Gly Thr Cys Ser Cys
    370                 375                 380

Gly Arg Cys Val Cys Glu Arg Gly Trp Phe Gly Lys Leu Cys Gln His
385                 390                 395                 400

Pro Arg Lys Cys Asn Met Thr Glu Glu Gln Ser Lys Asn Leu Cys Glu
                405                 410                 415

Ser Ala Asp Gly Ile Leu Cys Ser Gly Lys Gly Ser Cys His Cys Gly
            420                 425                 430

Lys Cys Ile Cys Ser Ala Glu Glu Trp Tyr Ile Ser Gly Glu Phe Cys
        435                 440                 445

Asp Cys Asp Asp Arg Asp Cys Asp Lys His Asp Gly Leu Ile Cys Thr
    450                 455                 460

Arg Glu Trp Asn Met
465
```

<210> 981
<211> 161
<212> PRT
<213> Homo sapiens

<220>
<221> SITE

<222> (123)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (129)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (145)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (146)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (157)
<223> Xaa equals any amino acid

<400> 981

```
Met Thr Thr Trp Ser Cys Leu Val Ala Met Ile Val Ser Gly Val Ile
  1               5                  10                  15

Thr Ala Val Trp Ala Val Arg Ala Ala Pro Ile Trp Arg Ser Gln Val
             20                  25                  30

Lys Gln Lys Met Arg Ile Gly Lys Gln Gly Asn Cys Arg Pro Pro Arg
         35                  40                  45

Cys Ile Cys Ser Ala Leu Gly Leu Leu Ala Pro Trp Met Ala Val Val
     50                  55                  60

Leu Ser Gln Leu Ser Val Arg Cys Val Val Ser Trp Val Gln Gly Lys
 65                  70                  75                  80

Pro Ser Ser Pro Arg Pro Arg Gly Ser Ala Ala Ser Pro Ala Pro Gly
                 85                  90                  95

Ala Thr Pro Pro Thr Pro Arg Lys Pro Val Ser Trp Leu Gly Tyr Arg
            100                 105                 110

Glu Asn His Arg Pro Lys Lys Pro Lys Ser Xaa Thr Arg Cys Leu Val
        115                 120                 125

Xaa Gln Asn Trp Ser Leu Pro Pro Ile Ser Lys Asp Arg Thr Ala Gly
    130                 135                 140

Xaa Xaa Asp Thr Asn Arg Thr Arg Arg Ser Gly Leu Xaa Leu Arg Leu
145                 150                 155                 160

Gly
```

<210> 982
<211> 325

<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (10)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (136)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (186)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (234)
<223> Xaa equals any amino acid

<400> 982

```
Val Pro Pro Ala Val Cys Pro Ala Gly Xaa Phe Cys Gln Asn Gln Cys
  1               5                  10                  15

Phe Thr Lys Arg Gln Tyr Pro Glu Thr Lys Ile Ile Lys Thr Asp Gly
             20                  25                  30

Lys Gly Trp Gly Leu Val Ala Lys Arg Asp Ile Arg Lys Gly Glu Phe
         35                  40                  45

Val Asn Glu Tyr Val Gly Glu Leu Ile Asp Glu Glu Glu Cys Met Ala
     50                  55                  60

Arg Ile Lys His Ala His Glu Asn Asp Ile Thr His Phe Tyr Met Leu
 65                  70                  75                  80

Thr Ile Asp Lys Asp Arg Ile Ile Asp Ala Gly Pro Lys Gly Asn Tyr
                 85                  90                  95

Ser Arg Phe Met Asn His Ser Cys Gln Pro Asn Cys Glu Thr Leu Lys
            100                 105                 110

Trp Thr Val Asn Gly Asp Thr Arg Val Gly Leu Phe Ala Val Cys Asp
        115                 120                 125

Ile Pro Ala Gly Thr Glu Leu Xaa Phe Asn Tyr Asn Leu Asp Cys Leu
    130                 135                 140

Gly Asn Glu Lys Thr Val Cys Arg Cys Gly Ala Ser Asn Cys Ser Gly
145                 150                 155                 160

Phe Leu Gly Asp Arg Pro Lys Thr Ser Thr Thr Leu Ser Ser Glu Glu
                165                 170                 175

Lys Gly Lys Lys Thr Lys Lys Lys Thr Xaa Arg Arg Arg Ala Lys Gly
            180                 185                 190

Glu Gly Lys Arg Gln Ser Glu Asp Glu Cys Phe Arg Cys Gly Asp Gly
```

195 200 205

Gly Gln Leu Val Leu Cys Asp Arg Lys Phe Cys Thr Lys Ala Tyr His
210 215 220

Leu Ser Cys Leu Gly Leu Gly Lys Arg Xaa Phe Gly Lys Trp Glu Cys
225 230 235 240

Pro Trp His His Cys Asp Val Cys Gly Lys Pro Ser Thr Ser Phe Cys
245 250 255

His Leu Cys Pro Asn Ser Phe Cys Lys Glu His Gln Asp Gly Thr Ala
260 265 270

Phe Ser Cys Thr Pro Asp Gly Arg Ser Tyr Cys Cys Glu His Asp Leu
275 280 285

Gly Ala Ala Ser Val Arg Ser Thr Lys Thr Glu Lys Pro Pro Pro Glu
290 295 300

Pro Gly Lys Pro Lys Gly Lys Arg Arg Arg Arg Arg Gly Trp Arg Arg
305 310 315 320

Val Thr Glu Gly Lys
325

<210> 983
<211> 40
<212> PRT
<213> Homo sapiens

<400> 983
Met Val Ala Met Val Phe Leu Lys Ile Ser Val Leu Pro Leu Met Cys
1 5 10 15

Arg Gly Gln Thr Lys His Lys Val Leu Arg Asp His Ala Tyr Pro Arg
20 25 30

Val Ser Gln Lys Arg Gly His Ile
35 40

<210> 984
<211> 61
<212> PRT
<213> Homo sapiens

<400> 984
Met Gln Gly Lys Phe Met Lys Val Gln Val Tyr Arg Phe Leu Lys Tyr
1 5 10 15

Leu Leu Met Leu Leu Cys Met Phe Val Asn Arg Gly Met Ser Lys Asp
20 25 30

Ser Thr Lys Lys Pro Gly Gln Glu Lys Leu Lys Val Ser Leu Gly Ser
35 40 45

Ile Leu Asn Met Lys Ser Gln Arg Pro Leu Ser Trp Cys

50 55 60

<210> 985
<211> 131
<212> PRT
<213> Homo sapiens

<400> 985
Met Leu Phe Val Phe Cys Cys Thr Val Phe Phe Val Cys Leu Phe Val
1 5 10 15

Tyr Leu Val Gly Phe Leu Glu Arg Glu Ile Trp Lys Arg Asp Ile His
20 25 30

Lys Ser Tyr Thr Pro Thr Phe Pro Phe Tyr His Asp Ile Gln Glu Glu
35 40 45

Thr Ser Arg Ala Lys Asn Gly Val Lys Lys Gly Ser Met Ala Gly Thr
50 55 60

Ser Lys Glu Leu Arg Ala Val Ala Leu Lys Asn Tyr Phe Phe Tyr Tyr
65 70 75 80

Tyr Phe Glu Ser Met Glu Val Phe His Ser Leu Gly Lys Gly Gly Lys
85 90 95

Ser Ala Phe Ile Phe Ile Gln Ser Tyr Leu Ile Thr Ser Lys Thr His
100 105 110

Met Leu Glu Ile Ala Phe Ala Gly Ala Lys Tyr Ile Asn Glu Gln Glu
115 120 125

Tyr Ile His
130

<210> 986
<211> 173
<212> PRT
<213> Homo sapiens

<400> 986
Met Val Phe Leu Lys Phe Phe Cys Met Ser Phe Phe Cys His Leu Cys
1 5 10 15

Gln Gly Tyr Phe Asp Gly Pro Leu Tyr Pro Glu Met Ser Asn Gly Thr
20 25 30

Leu His His Tyr Phe Val Pro Asp Gly Asp Tyr Glu Glu Asn Asp Asp
35 40 45

Pro Glu Lys Cys Gln Leu Leu Phe Arg Val Ser Asp His Arg Arg Cys
50 55 60

Ser Gln Gly Glu Gly Ser Gln Val Gly Ser Leu Leu Ser Leu Thr Leu
65 70 75 80

Arg Glu Glu Phe Thr Val Leu Gly His Gln Val Glu Gly Cys Trp Ala

```
                85                  90                  95

Arg Ala Gly Gly His Gln Gln Lys His Leu Leu Arg Pro Arg Arg Gly
            100                 105                 110

Arg Glu Leu Trp Gln Val Pro Ala Ala Gly Val Pro Pro Asp Arg Gly
        115                 120                 125

Met Pro Thr Pro Thr Arg Thr Asn Pro Ser Leu Ser Trp Arg Ala Ser
    130                 135                 140

Ser Ser Arg Ala Arg Asn Arg Thr Ala Gly Arg Arg Ala Gly Ser Thr
145                 150                 155                 160

Arg Thr Phe Trp Glu Cys Trp Ser Thr Pro Gly Pro Cys
                165                 170
```

<210> 987
<211> 51
<212> PRT
<213> Homo sapiens

<400> 987

```
Met Arg Cys Gly Glu Ile Ile Leu Ala Ser Val Leu Gly Leu Leu Leu
  1               5                  10                  15

Thr Leu Pro Pro Thr Ser Cys His Leu Asn Lys Ser Phe Pro Phe Leu
            20                  25                  30

Cys Leu Pro Trp Ser Gln Ala Leu Ser Leu Asn Pro His Ser Gly Asn
        35                  40                  45

Glu Ala Gly
    50
```

<210> 988
<211> 48
<212> PRT
<213> Homo sapiens

<400> 988

```
Met Met Leu Tyr Gln Asn Met Leu Leu Tyr Phe Arg Ile Ile Gly Val
  1               5                  10                  15

Leu Ala Leu Asn Phe Ser Ile Ser Pro Ile Phe Phe His Gly Ser Leu
            20                  25                  30

Gly Lys Leu Tyr Val Tyr Ser Ala Ala Lys Tyr Ser Leu Glu Leu Lys
        35                  40                  45
```

<210> 989
<211> 10

<212> PRT
<213> Homo sapiens

<400> 989
Ile Tyr Gln His Phe Ser Leu Trp Leu Gly
1 5 10

<210> 990
<211> 4
<212> PRT
<213> Homo sapiens

<400> 990
Met Phe Lys Met
1

<210> 991
<211> 201
<212> PRT
<213> Homo sapiens

<400> 991
Met Lys Leu Leu Ile Leu Phe Leu Ser His Leu Leu Ser Leu Ala Phe
1 5 10 15

Gly Ile Leu Cys Leu Ser Val Thr Val Ile Leu Ser Leu Leu Leu Ser
20 25 30

Phe Ser Lys Arg Gly Phe Ser Val Arg Ser Phe Gly Thr Gly Thr His
35 40 45

Val Lys Leu Pro Gly Pro Ala Pro Asp Lys Pro Asn Val Tyr Asp Phe
50 55 60

Lys Thr Thr Tyr Asp Gln Met Tyr Asn Asp Leu Leu Arg Lys Asp Lys
65 70 75 80

Glu Leu Tyr Thr Gln Asn Gly Ile Leu His Met Leu Asp Arg Asn Lys
85 90 95

Arg Ile Lys Pro Arg Pro Glu Arg Phe Gln Asn Cys Lys Asp Leu Phe
100 105 110

Asp Leu Ile Leu Thr Cys Glu Glu Arg Val Tyr Asp Gln Val Val Glu
115 120 125

Asp Leu Asn Ser Arg Glu Gln Glu Thr Cys Gln Pro Val His Val Val
130 135 140

Asn Val Asp Ile Gln Asp Asn His Glu Glu Ala Thr Leu Gly Ala Phe
145 150 155 160

Leu Ile Cys Glu Leu Cys Gln Cys Ile Gln His Thr Glu Asp Met Glu
165 170 175

Asn Glu Ile Asp Glu Leu Leu Gln Glu Phe Glu Glu Lys Ser Gly Arg
180 185 190

Thr Phe Leu His Thr Val Cys Phe Tyr
195 200

<210> 992
<211> 392
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (251)
<223> Xaa equals any amino acid

<400> 992
Met Ala Pro Trp Pro Pro Lys Gly Leu Val Pro Ala Val Leu Trp Gly
1 5 10 15

Leu Ser Leu Phe Leu Asn Leu Pro Gly Pro Ile Trp Leu Gln Pro Ser
20 25 30

Pro Pro Pro Gln Ser Ser Pro Pro Pro Gln Pro His Pro Cys His Thr
35 40 45

Cys Arg Gly Leu Val Asp Ser Phe Asn Lys Gly Leu Glu Arg Thr Ile
50 55 60

Arg Asp Asn Phe Gly Gly Gly Asn Thr Ala Trp Glu Glu Glu Asn Leu
65 70 75 80

Ser Lys Tyr Lys Asp Ser Glu Thr Arg Leu Val Glu Val Leu Glu Gly
85 90 95

Val Cys Ser Lys Ser Asp Phe Glu Cys His Arg Leu Leu Glu Leu Ser
100 105 110

Glu Glu Leu Val Glu Ser Trp Trp Phe His Lys Gln Gln Glu Ala Pro
115 120 125

Asp Leu Phe Gln Trp Leu Cys Ser Asp Ser Leu Lys Leu Cys Cys Pro
130 135 140

Ala Gly Thr Phe Gly Pro Ser Cys Leu Pro Cys Pro Gly Gly Thr Glu
145 150 155 160

Arg Pro Cys Gly Gly Tyr Gly Gln Cys Glu Gly Glu Gly Thr Arg Gly
165 170 175

Gly Ser Gly His Cys Asp Cys Gln Ala Gly Tyr Gly Gly Glu Ala Cys
180 185 190

Gly Gln Cys Gly Leu Gly Tyr Phe Glu Ala Glu Arg Asn Ala Ser His
195 200 205

Leu Val Cys Ser Ala Cys Phe Gly Pro Cys Ala Arg Cys Ser Gly Pro
210 215 220

Glu Glu Ser Asn Cys Leu Gln Cys Lys Lys Gly Trp Ala Leu His His
225 230 235 240

```
Leu Lys Cys Val Asp Cys Ala Lys Ala Cys Xaa Gly Cys Met Gly Ala
                245                 250                 255

Gly Pro Gly Arg Cys Lys Lys Cys Ser Pro Gly Tyr Gln Gln Val Gly
            260                 265                 270

Ser Lys Cys Leu Asp Val Asp Glu Cys Glu Thr Glu Val Cys Pro Gly
        275                 280                 285

Glu Asn Lys Gln Cys Glu Asn Thr Glu Gly Gly Tyr Arg Cys Ile Cys
    290                 295                 300

Ala Glu Gly Tyr Lys Gln Met Glu Gly Ile Cys Val Lys Glu Gln Ile
305                 310                 315                 320

Pro Glu Ser Ala Gly Phe Phe Ser Glu Met Thr Glu Asp Glu Leu Val
                325                 330                 335

Val Leu Gln Gln Met Phe Phe Gly Ile Ile Ile Cys Ala Leu Ala Thr
            340                 345                 350

Leu Ala Ala Lys Gly Asp Leu Val Phe Thr Ala Ile Phe Ile Gly Ala
        355                 360                 365

Val Ala Ala Met Thr Gly Tyr Trp Leu Ser Glu Arg Ser Asp Arg Val
    370                 375                 380

Leu Glu Gly Phe Ile Lys Gly Arg
385                 390
```

<210> 993
<211> 63
<212> PRT
<213> Homo sapiens

<400> 993

```
Met Thr Glu Asp Glu Leu Val Val Leu Gln Gln Met Phe Phe Gly Ile
  1               5                  10                  15

Ile Ile Cys Ala Leu Ala Thr Leu Ala Ala Lys Gly Asp Leu Val Phe
             20                  25                  30

Thr Ala Ile Phe Ile Gly Ala Val Ala Ala Met Thr Gly Tyr Trp Leu
         35                  40                  45

Ser Glu Arg Ser Asp Arg Val Leu Glu Gly Phe Ile Lys Gly Arg
     50                  55                  60
```

<210> 994
<211> 69
<212> PRT
<213> Homo sapiens

<400> 994

```
Met Ser Arg Lys Ser Leu Ala Phe Pro Ile Ile Cys Ser Tyr Leu Cys
  1               5                  10                  15
```

```
Phe Leu Thr Val Ala Thr Cys Ser Ile Ala Cys Thr Thr Val Phe Phe
            20                  25                  30

Ala Asn Leu Arg His Thr Arg Tyr Ile Cys Ile Glu Leu Ser Ala Leu
        35                  40                  45

Glu Thr Ser Gly Val Ile Ser Pro Gln Ile Asn Asn Val Pro Glu Val
    50                  55                  60

His Gly Lys Tyr Ser
65
```

<210> 995
<211> 102
<212> PRT
<213> Homo sapiens

<400> 995

```
Met Thr Val Arg Arg Leu Ser Leu Leu Cys Arg Asp Leu Trp Ala Leu
  1               5                  10                  15

Trp Leu Leu Leu Lys Ala Gly Ala Val Arg Gly Ala Arg Ala Gly Pro
            20                  25                  30

Arg Leu Pro Gly Arg Cys Cys Gly Ala Thr Cys Gly Asp Ala Gly Arg
        35                  40                  45

Gly Trp Thr Phe Trp Ala Gln Pro Cys Pro Gln Lys Leu Leu Gly Gln
    50                  55                  60

Lys Pro Gly Ala Gly Gly Cys Arg Gly Trp Val Leu Gly Trp Val Pro
65                  70                  75                  80

Pro Arg Pro Glu Glu Pro Cys Ser Leu Ala Gly Lys Val Cys Thr Gly
                85                  90                  95

Leu Ala Arg Trp Met Val
            100
```

<210> 996
<211> 53
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (41)
<223> Xaa equals any amino acid

<400> 996

```
Met Cys Lys Ala Val Cys Lys His Arg Leu Arg Leu Phe Ala Val Ser
  1               5                  10                  15

Ser Phe Ser Leu Gly Leu Gly Trp Val Cys Val Leu Val Leu Met Leu
            20                  25                  30
```

```
Trp Pro Val Arg Leu Ser Leu Ala Xaa Arg Pro Val Gln Leu Gln Gln
         35                  40                  45

Arg Arg Ser His Cys
     50
```

<210> 997
<211> 472
<212> PRT
<213> Homo sapiens

<400> 997

```
Met Lys Phe Leu Ile Phe Ala Phe Phe Gly Gly Val His Leu Leu Ser
  1               5                  10                  15

Leu Cys Ser Gly Lys Ala Ile Cys Lys Asn Gly Ile Ser Lys Arg Thr
             20                  25                  30

Phe Glu Glu Ile Lys Glu Glu Ile Ala Ser Cys Gly Asp Val Ala Lys
         35                  40                  45

Ala Ile Ile Asn Leu Ala Val Tyr Gly Lys Ala Gln Asn Arg Ser Tyr
     50                  55                  60

Glu Arg Leu Ala Leu Leu Val Asp Thr Val Gly Pro Arg Leu Ser Gly
 65                  70                  75                  80

Ser Lys Asn Leu Glu Lys Ala Ile Gln Ile Met Tyr Gln Asn Leu Gln
                 85                  90                  95

Gln Asp Gly Leu Glu Lys Val His Leu Glu Pro Val Arg Ile Pro His
            100                 105                 110

Trp Glu Arg Gly Glu Glu Ser Ala Val Met Leu Glu Pro Arg Ile His
        115                 120                 125

Lys Ile Ala Ile Leu Gly Leu Gly Ser Ser Ile Gly Thr Pro Pro Glu
    130                 135                 140

Gly Ile Thr Ala Glu Val Leu Val Val Thr Ser Phe Asp Glu Leu Gln
145                 150                 155                 160

Arg Arg Ala Ser Glu Ala Arg Gly Lys Ile Val Val Tyr Asn Gln Pro
                165                 170                 175

Tyr Ile Asn Tyr Ser Arg Thr Val Gln Tyr Arg Thr Gln Gly Ala Val
            180                 185                 190

Glu Ala Ala Lys Val Gly Ala Leu Ala Ser Leu Ile Arg Ser Val Ala
        195                 200                 205

Ser Phe Ser Ile Tyr Ser Pro His Thr Gly Ile Gln Glu Tyr Gln Asp
    210                 215                 220

Gly Val Pro Lys Ile Pro Thr Ala Cys Ile Thr Val Glu Asp Ala Glu
225                 230                 235                 240

Met Met Ser Arg Met Ala Ser His Gly Ile Lys Ile Val Ile Gln Leu
                245                 250                 255
```

```
Lys Met Gly Ala Lys Thr Tyr Pro Asp Thr Asp Ser Phe Asn Thr Val
            260                 265                 270

Ala Glu Ile Thr Gly Ser Lys Tyr Pro Glu Gln Val Val Leu Val Ser
        275                 280                 285

Gly His Leu Asp Ser Trp Asp Val Gly Gln Gly Ala Met Asp Asp Gly
    290                 295                 300

Gly Gly Ala Phe Ile Ser Trp Glu Ala Leu Ser Leu Ile Lys Asp Leu
305                 310                 315                 320

Gly Leu Arg Pro Lys Arg Thr Leu Arg Leu Val Leu Trp Thr Ala Glu
                325                 330                 335

Glu Gln Gly Gly Val Gly Ala Phe Gln Tyr Tyr Gln Leu His Lys Val
            340                 345                 350

Asn Ile Ser Asn Tyr Ser Leu Val Met Glu Ser Asp Ala Gly Thr Phe
        355                 360                 365

Leu Pro Thr Gly Leu Gln Phe Thr Gly Ser Glu Lys Ala Arg Ala Ile
    370                 375                 380

Met Glu Glu Val Met Ser Leu Leu Gln Pro Leu Asn Ile Thr Gln Val
385                 390                 395                 400

Leu Ser His Gly Glu Gly Thr Asp Ile Asn Phe Trp Ile Gln Ala Gly
                405                 410                 415

Val Pro Gly Ala Ser Leu Leu Asp Asp Leu Tyr Lys Tyr Phe Phe Phe
            420                 425                 430

His His Ser His Gly Asp Thr Met Thr Val Met Asp Pro Lys Gln Met
        435                 440                 445

Asn Val Ala Ala Ala Val Trp Ala Val Val Ser Tyr Val Val Ala Asp
    450                 455                 460

Met Glu Glu Met Leu Pro Arg Ser
465                 470


<210> 998
<211> 178
<212> PRT
<213> Homo sapiens

<400> 998
Ser Ile Tyr Ser Pro His Thr Gly Ile Gln Glu Tyr Gln Asp Gly Val
  1               5                  10                  15

Pro Lys Ile Pro Thr Ala Cys Ile Thr Val Glu Asp Ala Glu Met Met
             20                  25                  30

Ser Arg Met Ala Ser His Gly Ile Lys Ile Val Ile Gln Leu Lys Met
         35                  40                  45

Gly Ala Lys Thr Tyr Pro Asp Thr Asp Ser Phe Asn Thr Val Ala Glu
```

```
     50                  55                  60

Ile Thr Gly Ser Lys Tyr Pro Glu Gln Val Val Leu Val Ser Gly His
 65                  70                  75                  80

Leu Asp Ser Trp Asp Val Gly Gln Gly Ala Met Asp Asp Gly Gly Gly
                85                  90                  95

Ala Phe Ile Ser Trp Glu Ala Leu Ser Leu Ile Lys Asp Leu Gly Leu
            100                 105                 110

Arg Pro Lys Arg Thr Leu Arg Leu Val Leu Trp Thr Ala Glu Glu Gln
        115                 120                 125

Gly Gly Val Gly Ala Phe Gln Tyr Tyr Gln Leu His Lys Val Asn Ile
    130                 135                 140

Ser Asn Tyr Ser Leu Val Met Glu Ser Asp Ala Gly Thr Phe Leu Pro
145                 150                 155                 160

Thr Gly Leu Gln Phe Thr Gly Ser Glu Lys Ala Arg Ala Ser Trp Arg
                165                 170                 175

Arg Leu
```

<210> 999
<211> 199
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (142)
<223> Xaa equals any amino acid

<400> 999

```
Met Lys Leu Gly Cys Val Leu Met Ala Trp Ala Leu Tyr Leu Ser Leu
  1               5                  10                  15

Gly Val Leu Trp Val Ala Gln Met Leu Leu Ala Ala Ser Phe Glu Thr
             20                  25                  30

Leu Gln Cys Glu Gly Pro Val Cys Thr Glu Glu Ser Ser Cys His Thr
         35                  40                  45

Glu Asp Asp Leu Thr Asp Ala Arg Glu Ala Gly Phe Gln Val Lys Ala
     50                  55                  60

Tyr Thr Phe Ser Glu Pro Phe His Leu Ile Val Ser Tyr Asp Trp Leu
 65                  70                  75                  80

Ile Leu Gln Gly Pro Ala Lys Pro Val Phe Glu Gly Asp Leu Leu Val
                85                  90                  95

Leu Arg Cys Gln Ala Trp Gln Asp Trp Pro Leu Thr Gln Val Thr Phe
            100                 105                 110

Tyr Arg Asp Gly Ser Ala Leu Gly Pro Pro Gly Pro Asn Arg Glu Phe
```

```
        115                 120                 125

Ser Ile Thr Val Val Gln Lys Ala Asp Ser Gly His Tyr Xaa Cys Ser
    130                 135                 140

Gly Ile Phe Gln Ser Pro Gly Pro Gly Ile Pro Glu Thr Ala Ser Val
145                 150                 155                 160

Val Ala Ile Thr Val Gln Glu Leu Phe Pro Ala Pro Ile Leu Leu Leu
                165                 170                 175

Gln Gly Trp Lys Asp Ser Ala Lys Gln Gly Gly Ser Pro Gln Asn Ser
            180                 185                 190

Arg Ser Pro Gln Leu Gln Lys
        195
```

<210> 1000
<211> 2
<212> PRT
<213> Homo sapiens

<400> 1000
Ser Trp
1

<210> 1001
<211> 32

<212> PRT
<213> Homo sapiens

<400> 1001
Cys Leu Glu Thr Phe Trp Ser Leu Tyr Leu Gly Gly Trp Gly Met Val
1   5   10   15

Gly Cys Val Cys Tyr Trp His Pro Val Asn Arg Ser Gln Gly Cys Arg
            20   25   30

<210> 1002
<211> 283
<212> PRT
<213> Homo sapiens

<400> 1002
Met Tyr Leu Ser Ala Leu Gln Ser Leu Ile Pro Ser Leu Phe Ala Leu
1   5   10   15

Val Leu Gln Asn Ala Pro Phe Ser Ser Lys Ala Lys Leu His Gly Glu
            20   25   30

Val Pro Gln Ile Glu Val Thr Arg Phe Pro Arg Pro Met Ser Pro Leu

```
         35                  40                  45

Gln Asp Val Ser Thr Ile Ile Gly Ser Arg Glu Gln Leu Ala Val Leu
     50                  55                  60

Leu Gln Leu Tyr Asp Tyr Gln Leu Glu Gln Glu Gly Thr Thr Gly Trp
 65                  70                  75                  80

Glu Ser Leu Leu Trp Val Val Asn Gln Leu Leu Pro Gln Leu Ile Glu
                 85                  90                  95

Ile Val Gly Lys Ile Asn Val Thr Ser Thr Ala Cys Val His Glu Phe
            100                 105                 110

Ser Arg Phe Phe Trp Arg Leu Cys Arg Thr Phe Gly Lys Ile Phe Thr
        115                 120                 125

Asn Thr Lys Val Lys Pro Gln Phe Gln Glu Ile Leu Arg Leu Ser Glu
    130                 135                 140

Glu Asn Ile Asp Ser Ser Ala Gly Asn Gly Val Leu Thr Lys Ala Thr
145                 150                 155                 160

Val Pro Ile Tyr Ala Thr Gly Val Leu Thr Cys Tyr Ile Gln Glu Glu
                165                 170                 175

Asp Arg Lys Leu Leu Val Gly Phe Leu Glu Asp Val Met Thr Leu Leu
            180                 185                 190

Ser Leu Ser His Ala Pro Leu Asp Ser Leu Lys Ala Ser Phe Val Glu
        195                 200                 205

Leu Gly Ala Asn Pro Ala Tyr His Glu Leu Leu Leu Thr Val Leu Trp
    210                 215                 220

Tyr Gly Val Val His Thr Ser Ala Leu Val Arg Cys Thr Ala Ala Arg
225                 230                 235                 240

Met Phe Glu Val Cys Gln His Met Pro Leu Leu Val Ser Ile Ile Met
                245                 250                 255

Ile Phe Phe Phe Leu Arg Arg Arg Arg Glu Phe Phe Leu Ile Lys Arg
            260                 265                 270

Leu Cys Ile Ser Lys Lys Lys Lys Lys Lys Lys
        275                 280
```

<210> 1003
<211> 286
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (204)
<223> Xaa equals any amino acid

<220>
<221> SITE

<222> (224)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (228)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (264)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (271)
<223> Xaa equals any amino acid

<400> 1003

```
Met Tyr Leu Ser Ala Leu Gln Ser Leu Ile Pro Ser Leu Phe Ala Leu
  1               5                  10                  15

Val Leu Gln Asn Ala Pro Phe Ser Ser Lys Ala Lys Leu His Gly Glu
             20                  25                  30

Val Pro Gln Ile Glu Val Thr Arg Phe Pro Arg Pro Met Ser Pro Leu
         35                  40                  45

Gln Asp Val Ser Thr Ile Ile Gly Ser Arg Glu Gln Leu Ala Val Leu
     50                  55                  60

Leu Gln Leu Tyr Asp Tyr Gln Leu Glu Gln Glu Gly Thr Thr Gly Trp
 65                  70                  75                  80

Glu Ser Leu Leu Trp Val Val Asn Gln Leu Leu Pro Gln Leu Ile Glu
                 85                  90                  95

Ile Val Gly Lys Ile Asn Val Thr Ser Thr Ala Cys Val His Glu Phe
            100                 105                 110

Ser Arg Phe Phe Trp Arg Leu Cys Arg Thr Phe Gly Lys Ile Phe Thr
        115                 120                 125

Asn Thr Lys Val Lys Pro Gln Phe Gln Glu Ile Leu Arg Leu Ser Glu
    130                 135                 140

Glu Asn Ile Asp Ser Ser Ala Gly Asn Gly Val Leu Thr Lys Ala Thr
145                 150                 155                 160

Val Pro Ile Tyr Ala Thr Gly Val Leu Thr Cys Tyr Ile Gln Glu Glu
                165                 170                 175

Asp Arg Lys Leu Leu Val Gly Phe Leu Glu Asp Val Met Thr Leu Leu
            180                 185                 190

Ser Leu Ser His Ala Pro Leu Asp Ser Leu Lys Xaa Ser Phe Val Glu
        195                 200                 205

Leu Gly Ala Asn Gln Ala Tyr His Glu Leu Leu Leu Thr Val Leu Xaa
    210                 215                 220
```

```
Tyr Gly Val Xaa His Thr Ser Ala Leu Val Arg Cys Thr Ala Ala Arg
225                 230                 235                 240

Met Phe Glu Leu Leu Val Lys Gly Val Asn Glu Thr Leu Val Ala Gln
                245                 250                 255

Arg Val Val Pro Ala Leu His Xaa Leu Ser Pro Val Asp Pro Xaa Asn
            260                 265                 270

Leu Cys Gln Asp Cys His Asn Phe Gln Pro Leu Gly Leu Phe
        275                 280                 285



<210> 1004
<211> 45
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (43)
<223> Xaa equals any amino acid

<400> 1004
Met Gln Ala Pro Leu Gln Asp Cys Gly Arg Ser Val Ser Leu Arg Leu
  1               5                  10                  15

Ala Cys Val Leu Ala Pro Leu Thr Thr Ser Ser Arg Gly Cys His Leu
             20                  25                  30

Gln Leu Pro Gln Asp Lys Gly Lys Ala Arg Xaa Asp Ser
         35                  40                  45



<210> 1005
<211> 305
<212> PRT
<213> Homo sapiens

<400> 1005
Met Gly Ile Leu Leu Gly Leu Leu Leu Leu Gly His Leu Thr Val Asp
  1               5                  10                  15

Thr Tyr Gly Arg Pro Ile Leu Glu Val Pro Glu Ser Val Thr Gly Pro
             20                  25                  30

Trp Lys Gly Asp Val Asn Leu Pro Cys Thr Tyr Asp Pro Leu Gln Gly
         35                  40                  45

Tyr Thr Gln Val Leu Val Lys Trp Leu Val Gln Arg Gly Ser Asp Pro
     50                  55                  60

Val Thr Ile Phe Leu Arg Asp Ser Ser Gly Asp His Ile Gln Gln Ala
 65                  70                  75                  80

Lys Tyr Gln Gly Arg Leu His Val Ser His Lys Val Pro Gly Asp Val
                 85                  90                  95

Ser Leu Gln Leu Ser Thr Leu Glu Met Asp Asp Arg Ser His Tyr Thr
```

```
            100                 105                 110

Cys Glu Val Thr Trp Gln Thr Pro Asp Gly Asn Gln Val Val Arg Asp
        115                 120                 125

Lys Ile Thr Glu Leu Arg Val Gln Lys His Ser Ser Lys Leu Leu Lys
    130                 135                 140

Thr Lys Thr Glu Ala Pro Thr Thr Met Thr Tyr Pro Leu Lys Ala Thr
145                 150                 155                 160

Ser Thr Val Lys Gln Ser Trp Asp Trp Thr Thr Asp Met Asp Gly Tyr
                165                 170                 175

Leu Gly Glu Thr Ser Ala Gly Pro Gly Lys Ser Leu Pro Val Phe Ala
            180                 185                 190

Ile Ile Leu Ile Ile Ser Leu Cys Cys Met Val Val Phe Thr Met Ala
        195                 200                 205

Tyr Ile Met Leu Cys Arg Lys Thr Ser Gln Gln Glu His Val Tyr Glu
    210                 215                 220

Ala Ala Arg Ala His Ala Arg Glu Ala Asn Asp Ser Gly Glu Thr Met
225                 230                 235                 240

Arg Val Ala Ile Phe Ala Ser Gly Cys Ser Ser Asp Glu Pro Thr Ser
                245                 250                 255

Gln Asn Leu Gly Asn Asn Tyr Ser Asp Glu Pro Cys Ile Gly Gln Glu
            260                 265                 270

Tyr Gln Ile Ile Ala Gln Ile Asn Gly Asn Tyr Ala Arg Leu Leu Asp
        275                 280                 285

Thr Val Pro Leu Asp Tyr Glu Phe Leu Ala Thr Glu Gly Lys Ser Val
    290                 295                 300

Cys
305
```

<210> 1006
<211> 72
<212> PRT
<213> Homo sapiens

<400> 1006

```
Met Lys Phe Val Pro Cys Leu Leu Leu Val Thr Leu Ser Cys Leu Gly
  1               5                  10                  15

Thr Leu Gly Gln Ala Pro Arg Gln Lys Gln Gly Ser Thr Gly Glu Glu
             20                  25                  30

Phe His Phe Gln Thr Gly Gly Arg Asp Ser Cys Thr Met Arg Pro Ser
         35                  40                  45

Ser Leu Gly Gln Gly Ala Gly Glu Val Trp Leu Arg Val Arg Leu Pro
     50                  55                  60
```

```
Gln His Arg Pro Asp Leu Leu Val
 65                  70


<210> 1007
<211> 121
<212> PRT
<213> Homo sapiens

<400> 1007
Met Gly Leu Trp Leu Gly Met Leu Ala Cys Val Phe Leu Ala Thr Ala
  1               5                  10                  15

Ala Phe Val Ala Tyr Thr Ala Arg Leu Asp Trp Lys Leu Ala Ala Glu
             20                  25                  30

Glu Ala Lys Lys His Ser Gly Arg Gln Gln Gln Gln Arg Ala Glu Ser
         35                  40                  45

Thr Ala Thr Arg Pro Gly Pro Glu Lys Ala Val Leu Ser Ser Val Ala
     50                  55                  60

Thr Gly Ser Ser Pro Gly Ile Thr Leu Thr Thr Tyr Ser Arg Ser Glu
 65                  70                  75                  80

Cys His Val Asp Phe Phe Arg Thr Pro Glu Glu Ala His Ala Leu Ser
                 85                  90                  95

Ala Pro Thr Ser Arg Leu Ser Val Lys Gln Leu Val Ile Arg Arg Gly
            100                 105                 110

Ala Ala Leu Gly Ala Ala Ser Ala His
        115                 120


<210> 1008
<211> 509
<212> PRT
<213> Homo sapiens

<400> 1008
Met Thr Trp Arg Met Gly Pro Arg Phe Thr Met Leu Leu Ala Met Trp
  1               5                  10                  15

Leu Val Cys Gly Ser Glu Pro His Pro His Ala Thr Ile Arg Gly Ser
             20                  25                  30

His Gly Gly Arg Lys Val Pro Leu Val Ser Pro Asp Ser Ser Arg Pro
         35                  40                  45

Ala Arg Phe Leu Arg His Thr Gly Arg Ser Arg Gly Ile Glu Arg Ser
     50                  55                  60

Thr Leu Glu Glu Pro Asn Leu Gln Pro Leu Gln Arg Arg Arg Ser Val
 65                  70                  75                  80

Pro Val Leu Arg Leu Ala Arg Pro Thr Glu Pro Pro Ala Arg Ser Asp
                 85                  90                  95
```

```
Ile Asn Gly Ala Ala Val Arg Pro Glu Gln Arg Pro Ala Ala Arg Gly
            100                 105                 110

Ser Pro Arg Glu Met Ile Arg Asp Glu Gly Ser Ser Ala Arg Ser Arg
        115                 120                 125

Met Leu Arg Phe Pro Ser Gly Ser Ser Ser Pro Asn Ile Leu Ala Ser
    130                 135                 140

Phe Ala Gly Lys Asn Arg Val Trp Val Ile Ser Ala Pro His Ala Ser
145                 150                 155                 160

Glu Gly Tyr Tyr Arg Leu Met Met Ser Leu Leu Lys Asp Asp Val Tyr
                165                 170                 175

Cys Glu Leu Ala Glu Arg His Ile Gln Gln Ile Val Leu Phe His Gln
            180                 185                 190

Ala Gly Glu Glu Gly Gly Lys Val Arg Arg Ile Thr Ser Glu Gly Gln
        195                 200                 205

Ile Leu Glu Gln Pro Leu Asp Pro Ser Leu Ile Pro Lys Leu Met Ser
    210                 215                 220

Phe Leu Lys Leu Glu Lys Gly Lys Phe Gly Met Val Leu Leu Lys Lys
225                 230                 235                 240

Thr Leu Gln Val Glu Glu Arg Tyr Pro Tyr Pro Val Arg Leu Glu Ala
                245                 250                 255

Met Tyr Glu Val Ile Asp Gln Gly Pro Ile Arg Arg Ile Glu Lys Ile
            260                 265                 270

Arg Gln Lys Gly Phe Val Gln Lys Cys Lys Ala Ser Gly Val Glu Gly
        275                 280                 285

Gln Val Val Ala Glu Gly Asn Asp Gly Gly Gly Gly Ala Gly Arg Pro
    290                 295                 300

Ser Leu Gly Ser Glu Lys Lys Lys Glu Asp Pro Arg Arg Ala Gln Val
305                 310                 315                 320

Pro Pro Thr Arg Glu Ser Arg Val Lys Val Leu Arg Lys Leu Ala Ala
                325                 330                 335

Thr Ala Pro Ala Phe Pro Gln Pro Pro Ser Thr Pro Arg Ala Thr Thr
            340                 345                 350

Leu Pro Pro Ala Pro Ala Thr Thr Val Thr Arg Ser Thr Ser Arg Ala
        355                 360                 365

Val Thr Val Ala Ala Arg Pro Met Thr Thr Thr Ala Phe Pro Thr Thr
    370                 375                 380

Gln Arg Pro Trp Thr Pro Ser Pro Ser His Arg Pro Pro Thr Thr Thr
385                 390                 395                 400

Glu Val Ile Thr Ala Arg Arg Pro Ser Val Ser Glu Asn Leu Tyr Pro
                405                 410                 415

Pro Ser Arg Lys Asp Gln His Arg Glu Arg Pro Gln Thr Thr Arg Arg
```

```
            420                 425                 430

Pro Ser Lys Ala Thr Ser Leu Glu Ser Phe Thr Asn Ala Pro Pro Thr
        435                 440                 445

Thr Ile Ser Glu Pro Ser Thr Arg Ala Ala Gly Pro Gly Arg Phe Arg
    450                 455                 460

Asp Asn Arg Met Asp Arg Arg Glu His Gly His Arg Asp Pro Asn Val
465                 470                 475                 480

Val Pro Gly Pro Pro Lys Pro Ala Lys Glu Lys Pro Pro Lys Lys Lys
                485                 490                 495

Ala Gln Asp Lys Ile Leu Ser Asn Glu Tyr Glu Glu Val
            500                 505
```

<210> 1009
<211> 554
<212> PRT
<213> Homo sapiens

<400> 1009

```
Met Gly Pro Arg Phe Thr Met Leu Leu Ala Met Trp Leu Val Cys Gly
  1               5                  10                  15

Ser Glu Pro His Pro His Ala Thr Ile Arg Gly Ser His Gly Gly Arg
             20                  25                  30

Lys Val Pro Leu Val Ser Pro Asp Ser Ser Arg Pro Ala Arg Phe Leu
         35                  40                  45

Arg His Thr Gly Arg Ser Arg Gly Ile Glu Arg Ser Thr Leu Glu Glu
     50                  55                  60

Pro Asn Leu Gln Pro Leu Gln Arg Arg Arg Ser Val Pro Val Leu Arg
 65                  70                  75                  80

Leu Ala Arg Pro Thr Glu Pro Pro Ala Arg Ser Asp Ile Asn Gly Ala
                 85                  90                  95

Ala Val Arg Pro Glu Gln Arg Pro Ala Ala Arg Gly Ser Pro Arg Glu
            100                 105                 110

Met Ile Arg Asp Glu Gly Ser Ser Ala Arg Ser Arg Met Leu Arg Phe
        115                 120                 125

Pro Ser Gly Ser Ser Ser Pro Asn Ile Leu Ala Ser Phe Ala Gly Lys
    130                 135                 140

Asn Arg Val Trp Val Ile Ser Ala Pro His Ala Ser Glu Gly Tyr Tyr
145                 150                 155                 160

Arg Leu Met Met Ser Leu Leu Lys Asp Asp Val Tyr Cys Glu Leu Ala
                165                 170                 175

Glu Arg His Ile Gln Gln Ile Val Leu Phe His Gln Ala Gly Glu Glu
            180                 185                 190
```

```
Gly Gly Lys Val Arg Arg Ile Thr Ser Glu Gly Gln Ile Leu Glu Gln
        195                 200                 205

Pro Leu Asp Pro Ser Leu Ile Pro Lys Leu Met Ser Phe Leu Lys Leu
    210                 215                 220

Glu Lys Gly Lys Phe Gly Met Val Leu Leu Lys Lys Thr Leu Gln Val
225                 230                 235                 240

Glu Glu Arg Tyr Pro Tyr Pro Val Arg Leu Glu Ala Met Tyr Glu Val
                245                 250                 255

Ile Asp Gln Gly Pro Ile Arg Arg Ile Glu Lys Ile Arg Gln Lys Gly
            260                 265                 270

Phe Val Gln Lys Cys Lys Ala Ser Gly Val Glu Gly Gln Val Val Ala
        275                 280                 285

Glu Gly Asn Asp Gly Gly Gly Gly Ala Gly Arg Pro Ser Gln Gly Ser
    290                 295                 300

Glu Lys Lys Lys Glu Asp Pro Arg Arg Ala Gln Val Pro Pro Thr Arg
305                 310                 315                 320

Glu Ser Arg Val Lys Val Leu Arg Lys Leu Ala Ala Thr Ala Pro Ala
                325                 330                 335

Phe Pro Gln Pro Pro Ser Thr Pro Arg Ala Thr Thr Leu Thr Pro Ala
            340                 345                 350

Pro Ala Thr Thr Val Thr Arg Ser Thr Ser Arg Ala Gly Asn Arg Cys
        355                 360                 365

Cys Lys Thr Tyr Asp His His Trp Leu Ser His His Ala Glu Ala Leu
    370                 375                 380

Asp Pro Leu Thr Leu Pro Thr Gly Pro Leu Gln Pro Leu Arg Val Ile
385                 390                 395                 400

Thr Ala Arg Arg Pro Ser Val Ser Arg Glu Ser Leu Pro Ser Ile Pro
                405                 410                 415

Gly Arg Ile Ser Thr Gly Arg Gly His Arg Gln Pro Gly Gly Pro Ala
            420                 425                 430

Arg Pro Thr Ser Leu Glu Ser Phe Thr Asn Ala Pro Pro Thr Thr Ile
        435                 440                 445

Ser Glu Pro Ser Thr Arg Ala Ala Gly Pro Gly Arg Phe Arg Asp Asn
    450                 455                 460

Arg Met Asp Arg Arg Glu His Gly His Arg Asp Pro Asn Val Val Pro
465                 470                 475                 480

Gly Pro Pro Lys Pro Ala Lys Glu Lys Pro Pro Lys Lys Lys Ala Gln
                485                 490                 495

Asp Lys Ile Leu Ser Asn Glu Tyr Glu Glu Lys Tyr Asp Leu Ser Arg
            500                 505                 510

Pro Thr Ala Ser Gln Leu Glu Asp Glu Leu Gln Val Gly Asn Val Pro
```

515 520 525

Leu Lys Lys Ala Lys Glu Ser Lys Lys His Glu Lys Leu Glu Lys Pro
530 535 540

Glu Lys Glu Lys Lys Lys Lys Lys Lys Lys
545 550

<210> 1010
<211> 23
<212> PRT
<213> Homo sapiens

<400> 1010
Met Leu Ala Leu Leu Gly Leu Leu Ala Gly Thr Glu His Pro Pro Gly
1 5 10 15

Pro Gln Gly Pro Gly Pro Ser
20

<210> 1011
<211> 57
<212> PRT
<213> Homo sapiens

<400> 1011
Met Ala Gly Cys Cys Leu Lys Leu Phe Gly Val Leu Ser Leu Cys Phe
1 5 10 15

Leu Cys Gly Leu Ile Ser Ile Glu Arg Val Ile Cys Asn Pro Val Ser
20 25 30

Ala Asp Phe Gln Val Ser Thr Phe Cys Gln Arg His Cys Leu Leu Arg
35 40 45

Ser Lys Val Met Phe Pro Ile Arg Gly
50 55

<210> 1012
<211> 25
<212> PRT
<213> Homo sapiens

<400> 1012
Met Val Asn Ile Phe Gly Phe Val Ser Cys Ile Val Phe Val Val Ala
1 5 10 15

Val Gln Leu Cys Tyr Met Lys Gln Pro
20 25

<210> 1013
<211> 606
<212> PRT

<213> Homo sapiens

<400> 1013

```
Met Thr Val Val Gly Asn Pro Arg Ser Trp Ser Cys Gln Trp Leu Pro
  1               5                  10                  15

Ile Leu Ile Leu Leu Leu Gly Thr Gly His Gly Pro Gly Val Glu Gly
             20                  25                  30

Val Thr His Tyr Lys Ala Gly Asp Pro Val Ile Leu Tyr Val Asn Lys
         35                  40                  45

Val Gly Pro Tyr His Asn Pro Gln Glu Thr Tyr His Tyr Tyr Gln Leu
     50                  55                  60

Pro Val Cys Cys Pro Glu Lys Ile Arg His Lys Ser Leu Ser Leu Gly
 65                  70                  75                  80

Glu Val Leu Asp Gly Asp Arg Met Ala Glu Ser Leu Tyr Glu Ile Arg
                 85                  90                  95

Phe Arg Glu Asn Val Glu Lys Arg Ile Leu Cys His Met Gln Leu Ser
            100                 105                 110

Ser Ala Gln Val Glu Gln Leu Arg Gln Ala Ile Glu Glu Leu Tyr Tyr
        115                 120                 125

Phe Glu Phe Val Val Asp Asp Leu Pro Ile Arg Gly Phe Val Gly Tyr
    130                 135                 140

Met Glu Glu Ser Gly Phe Leu Pro His Ser His Lys Ile Gly Leu Trp
145                 150                 155                 160

Thr His Leu Asp Phe His Leu Glu Phe His Gly Asp Arg Ile Ile Phe
                165                 170                 175

Ala Asn Val Ser Val Arg Asp Val Lys Pro His Ser Leu Asp Gly Leu
            180                 185                 190

Arg Pro Asp Glu Phe Leu Gly Leu Thr His Thr Tyr Ser Val Arg Trp
        195                 200                 205

Ser Glu Thr Ser Val Glu Arg Arg Ser Asp Arg Arg Arg Gly Asp Asp
    210                 215                 220

Gly Gly Phe Phe Pro Arg Thr Leu Glu Ile His Trp Leu Ser Ile Ile
225                 230                 235                 240

Asn Ser Met Val Leu Val Phe Leu Leu Val Gly Phe Val Ala Val Ile
                245                 250                 255

Leu Met Arg Val Leu Arg Asn Asp Leu Ala Arg Tyr Asn Leu Asp Glu
            260                 265                 270

Glu Thr Thr Ser Ala Gly Ser Gly Asp Asp Phe Asp Gln Gly Asp Asn
        275                 280                 285

Gly Trp Lys Ile Ile His Thr Asp Val Phe Arg Phe Pro Pro Tyr Arg
    290                 295                 300

Gly Leu Leu Cys Ala Val Leu Gly Val Gly Ala Gln Phe Leu Ala Leu
```

```
305                 310                 315                 320

Gly Thr Gly Ile Ile Val Met Ala Leu Leu Gly Met Phe Asn Val His
                325                 330                 335

Arg His Gly Ala Ile Asn Ser Ala Ala Ile Leu Leu Tyr Ala Leu Thr
            340                 345                 350

Cys Cys Ile Ser Gly Tyr Val Ser Ser His Phe Tyr Arg Gln Ile Gly
        355                 360                 365

Gly Glu Arg Trp Val Trp Asn Ile Ile Leu Thr Thr Ser Leu Phe Ser
    370                 375                 380

Val Pro Phe Phe Leu Thr Trp Ser Val Val Asn Ser Val His Trp Ala
385                 390                 395                 400

Asn Gly Ser Thr Gln Ala Leu Pro Ala Thr Thr Ile Leu Leu Leu Leu
                405                 410                 415

Thr Val Trp Leu Leu Val Gly Phe Pro Leu Thr Val Ile Gly Gly Ile
            420                 425                 430

Phe Gly Lys Asn Asn Ala Ser Pro Phe Asp Ala Pro Cys Arg Thr Lys
        435                 440                 445

Asn Ile Ala Arg Glu Ile Pro Pro Gln Pro Trp Tyr Lys Ser Thr Val
    450                 455                 460

Ile His Met Thr Val Gly Gly Phe Leu Pro Phe Ser Ala Ile Ser Val
465                 470                 475                 480

Glu Leu Tyr Tyr Ile Phe Ala Thr Val Trp Gly Arg Glu Gln Tyr Thr
                485                 490                 495

Leu Tyr Gly Ile Leu Phe Phe Val Phe Ala Ile Leu Leu Ser Val Gly
            500                 505                 510

Ala Cys Ile Ser Ile Ala Leu Thr Tyr Phe Gln Leu Ser Gly Glu Asp
        515                 520                 525

Tyr Arg Trp Trp Trp Arg Ser Val Leu Ser Val Gly Ser Thr Gly Leu
    530                 535                 540

Phe Ile Phe Leu Tyr Ser Val Phe Tyr Tyr Ala Arg Arg Ser Asn Met
545                 550                 555                 560

Ser Gly Ala Val Gln Thr Val Glu Phe Phe Gly Tyr Ser Leu Leu Thr
                565                 570                 575

Gly Tyr Val Phe Phe Leu Met Leu Gly Thr Ile Ser Phe Phe Ser Ser
            580                 585                 590

Leu Lys Phe Ile Arg Tyr Ile Tyr Val Asn Leu Lys Met Asp
        595                 600                 605
```

<210> 1014
<211> 122
<212> PRT

<213> Homo sapiens

<220>
<221> SITE
<222> (92)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (100)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (109)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (116)
<223> Xaa equals any amino acid

<400> 1014
Met Leu Ala Leu Thr Leu Ala Lys Ala Asp Ser Pro Arg Thr Ala Leu
1 5 10 15

Leu Cys Ser Ala Trp Leu Leu Thr Ala Ser Phe Ser Ala Gln Gln His
20 25 30

Lys Gly Ser Leu Gln Val His Gln Thr Leu Ser Val Glu Met Asp Gln
35 40 45

Val Leu Lys Ala Leu Ser Phe Pro Lys Lys Lys Ala Ala Leu Leu Ser
50 55 60

Thr Ala Ile Leu Cys Phe Leu Arg Thr Ala Leu Arg Gln Ser Phe Ser
65 70 75 80

Ser Ala Trp Asn Pro Gly Ala Leu Lys Gly Pro Xaa Thr Ala Ala Thr
85 90 95

Lys Asp Thr Xaa Leu Thr Ser Leu Arg Met Ser Lys Xaa Gly Pro Gly
100 105 110

His Trp Ala Xaa Lys Thr Ser Trp Cys Lys
115 120

<210> 1015
<211> 216
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (6)
<223> Xaa equals any amino acid

<220>
<221> SITE

<222> (18)
<223> Xaa equals any amino acid

<400> 1015
Cys Phe Pro Trp Gly Xaa Ala Leu Arg Gln Lys Leu Phe Pro Ser Ala
1 5 10 15

Leu Xaa Ala Leu Val Pro Ser Gly Ala Gln Pro Leu Pro Ala Thr Lys
20 25 30

Asp Thr Val Leu Ala Pro Leu Arg Met Ser Gln Val Arg Ser Leu Val
35 40 45

Ile Gly Leu Gln Asn Leu Leu Val Gln Lys Asp Pro Leu Leu Ser Gln
50 55 60

Ala Cys Val Gly Cys Leu Glu Ala Leu Leu Asp Tyr Leu Asp Ala Arg
65 70 75 80

Ser Pro Asp Ile Ala Leu His Val Ala Ser Gln Pro Trp Asn Arg Phe
85 90 95

Leu Leu Phe Thr Leu Leu Asp Ala Gly Glu Asn Ser Phe Leu Arg Pro
100 105 110

Glu Ile Leu Arg Leu Met Thr Leu Phe Met Arg Tyr Arg Ser Ser Ser
115 120 125

Val Leu Ser His Glu Glu Val Gly Asp Val Leu Gln Gly Val Ala Leu
130 135 140

Ala Asp Leu Ser Thr Leu Ser Asn Thr Thr Leu Gln Ala Leu His Gly
145 150 155 160

Phe Phe Gln Gln Leu Gln Ser Met Gly His Leu Ala Asp His Ser Met
165 170 175

Ala Gln Thr Leu Gln Ala Ser Leu Glu Gly Leu Pro Pro Ser Thr Ser
180 185 190

Ser Gly Gln Pro Pro Leu Gln Asp Met Leu Cys Leu Gly Gly Val Ala
195 200 205

Val Ser Leu Ser His Ile Arg Asn
210 215

<210> 1016
<211> 127
<212> PRT
<213> Homo sapiens

<400> 1016
Met Leu Pro Leu Leu Ile Ile Cys Leu Leu Pro Ala Ile Glu Gly Lys
1 5 10 15

Asn Cys Leu Arg Cys Trp Pro Glu Leu Ser Ala Leu Ile Asp Tyr Asp
20 25 30

Leu Gln Ile Leu Trp Val Thr Pro Gly Pro Pro Thr Glu Leu Ser Gln

35 40 45

Ser Ile His Ser Leu Phe Leu Glu Asp Asn Asn Phe Leu Lys Pro Trp
50 55 60

Tyr Leu Asp Arg Asp His Leu Glu Glu Glu Thr Ala Lys Phe Phe Thr
65 70 75 80

Gln Val His Gln Ala Ile Lys Thr Leu Arg Asp Asp Lys Thr Val Leu
85 90 95

Leu Glu Glu Ile Tyr Thr His Lys Asn Leu Phe Thr Glu Arg Leu Asn
100 105 110

Lys Ile Ser Asp Gly Leu Lys Glu Lys Glu Pro His Pro Ser Pro
115 120 125

<210> 1017
<211> 164
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (126)
<223> Xaa equals any amino acid

<400> 1017
Met Leu Pro Leu Leu Ile Ile Cys Leu Leu Pro Ala Ile Glu Gly Lys
1 5 10 15

Asn Cys Leu Arg Cys Trp Pro Glu Leu Ser Ala Leu Ile Asp Tyr Asp
20 25 30

Leu Gln Ile Leu Trp Val Thr Pro Gly Pro Pro Thr Glu Leu Ser Gln
35 40 45

Ser Ile His Ser Leu Phe Leu Glu Asp Asn Asn Phe Leu Lys Pro Trp
50 55 60

Tyr Leu Asp Arg Asp His Leu Glu Glu Glu Thr Ala Lys Phe Phe Thr
65 70 75 80

Gln Val His Gln Ala Ile Lys Thr Leu Arg Asp Asp Lys Thr Val Leu
85 90 95

Leu Glu Glu Ile Tyr Thr His Lys Asn Leu Phe Thr Glu Arg Leu Asn
100 105 110

Lys Ile Ser Asp Gly Leu Lys Glu Lys Gly Ala Pro Pro Xaa Ser Met
115 120 125

Asn Ala Phe Pro Ala Pro Ser Pro Thr Cys Thr Pro Glu Pro Leu Gly
130 135 140

Ser Val Cys Leu Pro Ser Thr Ser Val Ser Leu Pro Ser His Leu Pro
145 150 155 160

Gly Ser Leu Gln

<210> 1018
<211> 39
<212> PRT
<213> Homo sapiens

<400> 1018
Met Ala Phe Gly Gln Glu Val Thr His Leu Thr Lys Thr Ser Trp Leu
1 5 10 15

Ala Pro Leu Arg Phe Ile Lys Gly Leu Leu Gly Pro Trp Gly Trp Ile
20 25 30

Leu Leu Ile Leu Asp Leu Glu
35

<210> 1019
<211> 60
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (2)
<223> Xaa equals any amino acid

<400> 1019
Met Xaa Leu Ala Phe Ser Val Ile Ile Leu Ala Gly Ala Gly Ser Ser
1 5 10 15

Arg Ser Trp Asn Ser Val Leu Val Glu Lys Glu Val Val Glu Gly Gly
20 25 30

Leu Gly Pro Trp Gly Asn Cys Ser Ala Glu Pro Leu Pro His Leu Leu
35 40 45

Leu Pro Arg Thr Asn Leu Lys Ala Lys Val Pro Gly
50 55 60

<210> 1020
<211> 240
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (67)
<223> Xaa equals any amino acid

<400> 1020
Gly Glu Gly Asp Asp Lys Glu Glu Ser Val Glu Lys Leu Asp Cys His
1 5 10 15

Tyr Ser Gly His His Pro Gln Pro Ala Ser Phe Cys Thr Phe Gly Ser

```
            20                  25                  30

Arg Gln Ile Gly Arg Gly Tyr Tyr Val Phe Asp Ser Arg Trp Asn Arg
        35                  40                  45

Leu Arg Cys Ala Leu Asn Leu Met Val Glu Lys His Leu Asn Ala Gln
    50                  55                  60

Leu Trp Xaa Lys Ile Pro Pro Val Pro Ser Thr Thr Ser Pro Ile Ser
65                  70                  75                  80

Thr Arg Ile Pro His Arg Thr Asn Ser Val Pro Thr Ser Gln Cys Gly
                85                  90                  95

Val Ser Tyr Leu Ala Ala Ala Thr Val Ser Thr Ser Pro Val Leu Leu
            100                 105                 110

Ser Ser Thr Cys Ile Ser Pro Asn Ser Lys Ser Val Pro Ala His Gly
        115                 120                 125

Thr Thr Leu Asn Ala Gln Pro Ala Ala Ser Gly Ala Met Asp Pro Val
    130                 135                 140

Cys Ser Met Gln Ser Arg Gln Val Ser Ser Ser Ser Ser Ser Pro Ser
145                 150                 155                 160

Thr Pro Ser Gly Leu Ser Ser Val Pro Ser Ser Pro Met Ser Arg Lys
                165                 170                 175

Pro Gln Lys Leu Lys Ser Ser Lys Ser Leu Arg Pro Lys Glu Ser Ser
            180                 185                 190

Gly Asn Ser Thr Asn Cys Gln Asn Ala Ser Ser Ser Thr Ser Gly Gly
        195                 200                 205

Ser Gly Lys Lys Arg Lys Asn Ser Ser Pro Leu Leu Val His Ser Ser
    210                 215                 220

Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser His Ser Met Gly Val Phe
225                 230                 235                 240
```

<210> 1021
<211> 71
<212> PRT
<213> Homo sapiens

```
<400> 1021
Met Val Gln Gly Pro Leu Thr His Leu Met Leu Val Leu Leu Ile Ser
  1               5                  10                  15

Leu Ile Phe Leu Ser Arg Gly Ser Gly Arg Ala Trp Ala Phe Ser His
            20                  25                  30

Ser Cys Phe Lys Thr Ser Asp Leu Leu Pro Cys Arg Asn Arg Trp Glu
        35                  40                  45
```

```
Val Ile Glu Phe Leu His Tyr Ser Asn Leu His Ser His Ile Ser Leu
     50                  55                  60

Ser Val Thr Lys Thr Phe Leu
 65                  70
```

<210> 1022
<211> 140
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (136)
<223> Xaa equals any amino acid

<400> 1022

```
Met Ala Ser Leu Gly Leu Gln Leu Val Gly Tyr Ile Leu Gly Leu Leu
  1               5                  10                  15

Gly Leu Leu Gly Thr Leu Val Ala Met Leu Leu Pro Ser Trp Lys Thr
            20                  25                  30

Ser Ser Tyr Val Gly Ala Ser Ile Val Thr Ala Val Gly Phe Ser Lys
         35                  40                  45

Gly Leu Trp Met Glu Cys Ala Thr His Ser Thr Gly Ile Thr Gln Cys
     50                  55                  60

Asp Ile Tyr Ser Thr Leu Leu Gly Leu Pro Ala Asp Ile Gln Ala Ala
 65                  70                  75                  80

Gln Ala Met Met Val Thr Ser Ser Ala Ile Ser Ser Leu Ala Cys Ile
                 85                  90                  95

Ile Ser Val Val Gly Met Arg Cys Thr Val Phe Cys Gln Glu Ser Arg
            100                 105                 110

Ala Lys Asp Arg Val Ala Val Ala Gly Gly Val Phe Phe Ile Leu Gly
        115                 120                 125

Ser Leu Leu Gly Phe Ile Pro Xaa Ala Trp Asn Leu
    130                 135                 140
```

<210> 1023
<211> 86
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (33)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (43)

<223> Xaa equals any amino acid

<400> 1023
Arg Arg Phe Tyr Ser Pro Leu Val Pro Asp Ser Met Lys Phe Glu Ile
1 5 10 15

Gly Glu Ala Leu Tyr Leu Gly Ile Ile Ser Ser Leu Phe Ser Leu Ile
20 25 30

Xaa Gly Ile Ile Leu Cys Phe Ser Cys Ser Xaa Gln Arg Asn Arg Ser
35 40 45

Asn Tyr Tyr Asp Ala Tyr Gln Ala Gln Pro Leu Ala Thr Arg Ser Ser
50 55 60

Pro Arg Pro Gly Gln Pro Pro Lys Val Lys Ser Glu Phe Asn Ser Tyr
65 70 75 80

Ser Leu Thr Gly Tyr Val
85

<210> 1024
<211> 42
<212> PRT
<213> Homo sapiens

<400> 1024
Met Phe Leu Phe Ile Thr Phe Thr Ile Leu Ala Ile Phe Ile Ile Glu
1 5 10 15

Pro Arg Asn Leu Arg Val Asp Leu Asn Leu Ile Lys Phe Gln Thr Ser
20 25 30

Trp Pro Lys Thr Leu Val Glu Glu Gln Asn
35 40

<210> 1025
<211> 76
<212> PRT
<213> Homo sapiens

<400> 1025
Ile Asn Phe Thr Tyr Lys Arg Leu Ser Leu Asp Phe Ile Tyr Ile Tyr
1 5 10 15

Met Cys Val Cys Val Cys Val Cys Val Cys Val Cys Val Cys Val Tyr
20 25 30

Leu Lys Arg Thr Cys Ala Ser Ile Lys Gly Asn Lys Met Arg Glu Tyr
35 40 45

Ile Ile Asp Phe Val Lys Ser Lys Tyr Leu Asn Tyr Gly Phe Ser Ile
50 55 60

Phe Lys Asn Ser Cys Ser Phe Cys Thr Tyr Phe Phe
65 70 75

<210> 1026
<211> 91
<212> PRT
<213> Homo sapiens

<400> 1026
Met Leu Cys His Pro His Val His His His Leu Val Cys Leu Leu Ala
1 5 10 15

Thr Leu Thr Phe Ser Leu Asn Ala Ser Cys Ala Glu Gln Thr Phe His
20 25 30

Ser Gln Gln Ser Asn Gly Glu Phe Met Ala Thr Leu Pro Ser Ile Ser
35 40 45

Lys Gln Phe Gly Val Ile Val Trp Lys Pro Gln Arg Lys Asp Val Ile
50 55 60

Arg Leu Pro Val Ala Leu Ser Phe Ser Met Gly Leu Gly Leu Leu Ser
65 70 75 80

Pro Ala Leu Gly Arg Phe Leu Ala Ser Glu Leu
85 90

<210> 1027
<211> 145
<212> PRT
<213> Homo sapiens

<400> 1027
Met Ser Gln Ala Trp Val Pro Gly Leu Ala Pro Thr Leu Leu Phe Ser
1 5 10 15

Leu Leu Ala Gly Pro Gln Lys Ile Ala Ala Lys Cys Gly Leu Ile Leu
20 25 30

Ala Cys Pro Lys Gly Phe Lys Cys Cys Gly Asp Ser Cys Cys Gln Glu
35 40 45

Asn Glu Leu Phe Pro Gly Pro Val Arg Ile Phe Val Ile Ile Phe Leu
50 55 60

Val Ile Leu Ser Val Phe Cys Ile Cys Gly Leu Ala Lys Cys Phe Cys
65 70 75 80

Arg Asn Cys Arg Glu Pro Glu Pro Asp Ser Pro Val Asp Cys Arg Gly
85 90 95

Pro Leu Glu Leu Pro Ser Ile Ile Pro Pro Glu Arg Val Ile Leu Lys
100 105 110

Pro Ser Leu Gly Pro Thr Pro Thr Glu Pro Pro Pro Pro Tyr Ser Phe
115 120 125

Arg Pro Glu Glu Tyr Thr Gly Asp Gln Arg Gly Ile Asp Asn Pro Ala
130 135 140

Phe
145

<210> 1028
<211> 142
<212> PRT
<213> Homo sapiens

<400> 1028
Met Arg Arg Leu Leu Leu Val Thr Ser Leu Val Val Val Leu Leu Trp
1 5 10 15

Glu Ala Gly Ala Val Pro Ala Pro Lys Val Pro Ile Lys Met Gln Val
20 25 30

Lys His Trp Pro Ser Glu Gln Asp Pro Glu Lys Ala Trp Gly Ala Arg
35 40 45

Val Val Glu Pro Pro Glu Lys Asp Asp Gln Leu Val Val Leu Phe Pro
50 55 60

Val Gln Lys Pro Lys Leu Leu Thr Thr Glu Glu Lys Pro Arg Gly Thr
65 70 75 80

Lys Ala Trp Met Glu Thr Glu Asp Thr Leu Gly Arg Val Leu Ser Pro
85 90 95

Glu Pro Asp His Asp Ser Leu Tyr His Pro Pro Pro Glu Glu Asp Gln
100 105 110

Gly Glu Glu Arg Pro Arg Leu Trp Val Met Pro Asn His Gln Val Leu
115 120 125

Leu Gly Pro Glu Glu Asp Gln Asp His Ile Tyr His Pro Gln
130 135 140

<210> 1029
<211> 119
<212> PRT
<213> Homo sapiens

<400> 1029
Met Arg Arg Leu Leu Leu Val Thr Ser Leu Val Val Val Leu Leu Trp
1 5 10 15

Glu Ala Gly Ala Val Pro Ala Pro Lys Val Pro Ile Lys Met Gln Val
20 25 30

Lys His Trp Pro Ser Glu Gln Asp Pro Glu Lys Ala Trp Gly Ala Arg
35 40 45

Val Val Glu Pro Pro Glu Lys Asp Asp Gln Leu Val Val Leu Phe Pro
50 55 60

Val Gln Lys Pro Lys Leu Leu Thr Thr Glu Glu Lys Pro Arg Gly Thr
65 70 75 80

```
Lys Ala Trp Met Glu Thr Glu Asp Thr Leu Gly Arg Val Leu Ser Pro
                85                  90                  95

Glu Pro Asp His Asp Ser Leu Tyr His Pro Pro Pro Glu Glu Asp Gln
            100                 105                 110

Gly Glu Glu Arg Pro Arg Leu
        115
```

<210> 1030
<211> 462
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (115)
<223> Xaa equals any amino acid

<400> 1030

```
Met Arg Leu Arg Val Arg Leu Leu Lys Arg Thr Trp Pro Leu Glu Val
  1               5                  10                  15

Pro Glu Thr Glu Pro Thr Leu Gly His Leu Arg Ser His Leu Arg Gln
             20                  25                  30

Ser Leu Leu Cys Thr Trp Gly Tyr Ser Ser Asn Thr Arg Phe Thr Ile
         35                  40                  45

Thr Leu Asn Tyr Lys Asp Pro Leu Thr Gly Asp Glu Glu Thr Leu Ala
     50                  55                  60

Ser Tyr Gly Ile Val Ser Gly Asp Leu Ile Cys Leu Ile Leu Gln Asp
 65                  70                  75                  80

Asp Ile Pro Ala Pro Asn Ile Pro Ser Ser Thr Asp Ser Glu His Ser
                85                  90                  95

Ser Leu Gln Asn Asn Glu Gln Pro Ser Leu Ala Thr Ser Ser Asn Gln
            100                 105                 110

Thr Ser Xaa Gln Asp Glu Gln Pro Ser Asp Ser Phe Gln Gly Gln Ala
        115                 120                 125

Ala Gln Ser Gly Val Trp Asn Asp Asp Ser Met Leu Gly Pro Ser Gln
    130                 135                 140

Asn Phe Glu Ala Glu Ser Ile Gln Asp Asn Ala His Met Ala Glu Gly
145                 150                 155                 160

Thr Gly Phe Tyr Pro Ser Glu Pro Met Leu Cys Ser Glu Ser Val Glu
                165                 170                 175

Gly Gln Val Pro His Ser Leu Glu Thr Leu Tyr Gln Ser Ala Asp Cys
            180                 185                 190

Ser Asp Ala Asn Asp Ala Leu Ile Val Leu Ile His Leu Leu Met Leu
        195                 200                 205
```

```
Glu Ser Gly Tyr Ile Pro Gln Gly Thr Glu Ala Lys Ala Leu Ser Met
    210                 215                 220

Pro Glu Lys Trp Lys Leu Ser Gly Val Tyr Lys Leu Gln Tyr Met His
225                 230                 235                 240

Pro Leu Cys Glu Gly Ser Ser Ala Thr Leu Thr Cys Val Pro Leu Gly
                245                 250                 255

Asn Leu Ile Val Val Asn Ala Leu Asn Leu Pro Asp Val Phe Gly Leu
            260                 265                 270

Val Val Leu Pro Leu Glu Leu Lys Leu Arg Ile Phe Arg Leu Leu Asp
        275                 280                 285

Val Arg Ser Val Leu Ser Leu Ser Ala Val Cys Arg Asp Leu Phe Thr
    290                 295                 300

Ala Ser Asn Asp Pro Leu Leu Trp Arg Phe Leu Tyr Leu Arg Asp Phe
305                 310                 315                 320

Arg Asp Asn Thr Val Arg Val Gln Asp Thr Asp Trp Lys Glu Leu Tyr
                325                 330                 335

Arg Lys Arg His Ile Gln Arg Lys Glu Ser Pro Lys Gly Arg Phe Val
            340                 345                 350

Met Leu Leu Pro Ser Ser Thr His Thr Ile Pro Phe Tyr Pro Asn Pro
        355                 360                 365

Leu His Pro Arg Pro Phe Pro Ser Ser Arg Leu Pro Pro Gly Ile Ile
    370                 375                 380

Gly Gly Glu Tyr Asp Gln Arg Pro Thr Leu Pro Tyr Val Gly Asp Pro
385                 390                 395                 400

Ile Ser Ser Leu Ile Pro Gly Pro Gly Glu Thr Pro Ser Gln Phe Pro
                405                 410                 415

Pro Leu Arg Pro Arg Phe Asp Pro Val Gly Pro Leu Pro Gly Pro Asn
            420                 425                 430

Pro Ile Leu Pro Gly Arg Gly Gly Pro Asn Asp Arg Phe Pro Phe Arg
        435                 440                 445

Pro Ser Arg Gly Arg Pro Thr Asp Gly Arg Leu Ser Phe Met
    450                 455                 460
```

<210> 1031
<211> 174
<212> PRT
<213> Homo sapiens

```
<400> 1031
Met Phe Val Pro Ser Cys Leu Cys Leu Arg Phe Val Val Thr Ser Leu
  1               5                  10                  15

Leu Leu Gln Met Thr His Ser Cys Gly Gly Phe Tyr Ile Cys Val Ile
```

```
            20                  25                  30

Phe Glu Thr Ile Leu Ser Glu Phe Lys Thr Gln Ile Gly Arg Leu Tyr
        35                  40                  45

Arg Lys Arg His Ile Gln Arg Lys Glu Ser Pro Lys Gly Arg Phe Val
    50                  55                  60

Met Leu Leu Pro Ser Ser Thr His Thr Ile Pro Phe Tyr Pro Asn Pro
65                  70                  75                  80

Leu His Pro Arg Pro Phe Pro Ser Ser Arg Leu Pro Pro Gly Ile Ile
                85                  90                  95

Gly Gly Glu Tyr Asp Gln Arg Pro Thr Leu Pro Tyr Val Gly Asp Pro
            100                 105                 110

Ile Ser Ser Leu Ile Pro Gly Pro Gly Glu Thr Pro Ser Gln Phe Pro
        115                 120                 125

Pro Leu Arg Pro Arg Phe Asp Pro Val Gly Pro Leu Pro Gly Pro Asn
    130                 135                 140

Pro Ile Leu Pro Gly Arg Gly Gly Pro Asn Asp Arg Phe Pro Phe Arg
145                 150                 155                 160

Pro Ser Arg Gly Arg Pro Thr Asp Gly Arg Leu Ser Phe Met
                165                 170
```

<210> 1032
<211> 53
<212> PRT
<213> Homo sapiens

```
<400> 1032
Met Val Thr Phe Ile Asn Ala Thr Leu Trp Ile Ala Val Phe Ser Tyr
  1               5                  10                  15

Ile Met Val Trp Leu Val Thr Ile Ile Gly Tyr Thr Leu Gly Ile Pro
            20                  25                  30

Asp Val Ile Met Gly Ile Thr Phe Leu Ala Ala Gly Gln Val Phe Gln
        35                  40                  45

Thr Ala Trp Pro Ala
    50
```

<210> 1033
<211> 169
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (6)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (39)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (44)
<223> Xaa equals any amino acid

<220>
<221> SITE
<222> (71)
<223> Xaa equals any amino acid

<400> 1033
Met Val Thr Phe Ile Xaa Ala Thr Leu Trp Ile Ala Val Phe Ser Tyr
1 5 10 15

Ile Met Val Trp Leu Val Thr Ile Ile Gly Tyr Thr Leu Gly Ile Pro
20 25 30

Asp Val Ile Met Gly Ile Xaa Phe Leu Ala Ala Xaa Thr Ser Val Pro
35 40 45

Asp Cys Met Ala Ser Leu Ile Val Ala Arg Gln Gly Leu Gly Asp Met
50 55 60

Ala Val Ser Asn Thr Ile Xaa Ser Asn Val Phe Asp Ile Leu Val Gly
65 70 75 80

Leu Gly Val Pro Trp Gly Leu Gln Thr Met Val Val Asn Tyr Gly Ser
85 90 95

Thr Val Lys Ile Asn Ser Arg Gly Leu Val Tyr Ser Val Val Leu Leu
100 105 110

Leu Gly Ser Val Ala Leu Thr Val Leu Gly Ile His Leu Asn Lys Trp
115 120 125

Arg Leu Asp Arg Lys Leu Gly Val Tyr Val Leu Val Leu Tyr Ala Ile
130 135 140

Phe Leu Cys Phe Ser Ile Met Ile Glu Phe Asn Val Phe Thr Phe Val
145 150 155 160

Asn Leu Pro Met Cys Arg Glu Asp Asp
165

<210> 1034
<211> 187
<212> PRT
<213> Homo sapiens

<400> 1034
Met Val Ala Ala Thr Val Ala Ala Ala Trp Leu Leu Leu Trp Ala Ala
1 5 10 15

Ala Cys Ala Gln Gln Glu Gln Asp Phe Tyr Asp Phe Lys Ala Val Asn

```
            20                  25                  30

Ile Arg Gly Lys Leu Val Ser Leu Glu Lys Tyr Arg Gly Ser Val Ser
         35                  40                  45

Leu Val Val Asn Val Ala Ser Glu Cys Gly Phe Thr Asp Gln His Tyr
     50                  55                  60

Arg Ala Leu Gln Gln Leu Gln Arg Asp Leu Gly Pro His His Phe Asn
 65                  70                  75                  80

Val Leu Ala Phe Pro Cys Asn Gln Phe Gly Gln Gln Glu Pro Asp Ser
                 85                  90                  95

Asn Lys Glu Ile Glu Ser Phe Ala Arg Arg Thr Tyr Ser Val Ser Phe
            100                 105                 110

Pro Met Phe Ser Lys Ile Ala Val Thr Gly Thr Gly Ala His Pro Ala
        115                 120                 125

Phe Lys Tyr Leu Ala Gln Thr Ser Gly Lys Glu Pro Thr Trp Asn Phe
    130                 135                 140

Trp Lys Tyr Leu Val Ala Pro Asp Gly Lys Val Val Gly Ala Trp Asp
145                 150                 155                 160

Pro Thr Val Ser Val Glu Glu Val Arg Pro Gln Ile Thr Ala Leu Val
                165                 170                 175

Arg Lys Leu Ile Leu Leu Lys Arg Glu Asp Leu
            180                 185
```

<210> 1035
<211> 40
<212> PRT
<213> Homo sapiens

```
<400> 1035
Met Arg Arg Gln Thr Phe Met Ser Ile Leu Val Phe Gln Cys Ser Pro
  1               5                  10                  15

Ile Ser Phe Gly Leu Cys Ile Asn Lys Glu Arg Thr Val Val Ser Ser
             20                  25                  30

Val Ile Thr Asp Asn Leu Cys Leu
         35                  40
```

<210> 1036
<211> 122
<212> PRT
<213> Homo sapiens

```
<400> 1036
Met Pro Pro Leu Ala Pro Gln Leu Cys Arg Ala Val Phe Leu Val Pro
  1               5                  10                  15

Ile Leu Leu Leu Leu Gln Val Lys Pro Leu Asn Gly Ser Pro Gly Pro
```

20 25 30

Lys Asp Gly Ser Gln Thr Glu Lys Thr Pro Ser Ala Asp Gln Asn Gln
35 40 45

Glu Gln Phe Glu Glu His Phe Val Ala Ser Ser Val Gly Glu Met Trp
50 55 60

Gln Val Val Asp Met Ala Gln Gln Glu Glu Asp Gln Ser Ser Lys Thr
65 70 75 80

Ala Ala Val His Lys His Ser Phe His Leu Ser Phe Cys Phe Ser Leu
85 90 95

Ala Ser Val Met Val Phe Ser Gly Gly Pro Leu Arg Arg Thr Phe Pro
100 105 110

Asn Ile Gln Leu Cys Phe Met Leu Thr His
115 120

<210> 1037
<211> 15090
<212> DNA
<213> Homo sapiens

<400> 1037
acgttcccta cttcctgtgc tcttgcggag acgcgcgcgt cggggtttaa cgcgtttctg 60
ggccgccgta agcccggcct aggggcagct ttgactcgag agccggctat aggcgcatgg 120
aaggttccct ggaacgggag gcgccagcgg gggcgctggc cgccgtgcta aagcacagct 180
cgacgttgcc gcccgaaagc acccaggtcc ggggctacga cttcaaccgc ggtgtgaatt 240
accgcgcact gctggaggcc ttcggcacca ccggcttcca agcaaccaac ttcgggcgcg 300
ctgtacagca agtcaatgcc atggtgagga ccgggcggaa tttctaggga cgcggagggg 360
cgtggcttgt agaaccaacg cggtactaga cgggggcagc gtttccagtg gaggggatat 420
gtcttttatt tgagttgccc aatagttgga ggaaggcggg acctattctg ggcgggagtt 480
tctgtcctgg gaaggggatt ttgcactctg gtagttacat gctggtacgg taacctgagg 540
aggcgaggac tgattcttgg tgtgggggcg ggttctaggt acatttaaag ctttctggaa 600
tgggcggagc ctggggcaag acaaattaag ggaggatatg ggaggaggag cctaagtctg 660
ggcggttctt gaatttagat ttgcttttcc cagcggggaa gggaccggat ctgaaaggag 720
atgctctctg attcctaaaa gggtgggggc tggctgggcg cggtggcgca tgcctataat 780
cccagcattt tgggaagccg aggcgggtgg atcaagagaa gaggagttcg agacaagcct 840
ggccaacatg gtgaaaccct gtctctacta aaatgcaaaa aattagccgg gcatggtgtt 900
gcgcgcctgt agtcccagct actcgggagg ctgaggcagg agaatcgctt gaacccgcga 960
ggtggaggtt gcagtgagct gagattgcgc cactgcactc cagcctggtg acagagcgat 1020
actctgtctc aaaaaaaaaa aaaaaaaaag gccgggcacg gtggctcatg cctgtaatct 1080
cagcattttg ggaggccgag gcgggcggat cacctgaggt cgggagttcg agaccagcct 1140
gaccaacatg gagaaacccc gtctctacta aaatgcaaaa aattagccgg gcatggtggt 1200
gcgcgcctgt agtcccagct actcgggagg ctgaggcagg agaatcgctt gaacccggga 1260
ggtggagctt gcagtgagcc gagatcgcgc cattgcactc tagcctgggt aacaagagtg 1320
aaactccgtc caaaaaaaaa aaaaaaaggg tgggggcaaa tcctgaacgt gtgtcttgag 1380
atctggtctg ggaaggggca gagtttacac aggagatgtt ccttggtccc ctgtagaact 1440
ggtcctgtat ccctgaatgt gcagggcctg gggtgaaatc tgtttctgga gcccacctgg 1500
agtcctgagt ctgggattta aggccagtgc ttaacttgac ttggccctta ctcacagatc 1560
gagaagaagc tggaaccact gtcacaggat gaagaccagc acgcggacct gacccagagc 1620
cgccgcccac ttaccagctg caccattttc ctgggatata catccaacct catcagttca 1680
ggcatccgtg agaccattcg ctaccttgtg cagcacaaca tggtggggac ctggtgaggc 1740
cgtggccttg gcctctgggt caatgggcaa tgcagttatt gatcgtttaa gtgagatggg 1800
cagatagggg tctgttataa gcagaggaat agaatcaagt tttgttttgt agcagagctc 1860
cctcataaga gtcactggac aaggatgagg ttagaagttc tgcccagaat gagggcaggg 1920
gcttccttct tgggccaaat tcactgcctt gtggctgcag gtggacgtat tggtgaccac 1980

agctggcggc gtggaggaag acctcatcaa gtgcctggcg cccacatact tgggcgagtt 2040
tagcctcagg gggaaggagc tccgggagaa cgggatcaat aggtgagaac cctgagtggt 2100
gttgggcagg ggagctggac caagggtcct ggggcctgat gcctacatgc ctcctgttct 2160
caggatcgga aacctgctgg tgcccaatga gaattactgc aagtttgagg actggctgat 2220
gcccattctg gaccagatgg tgatggagca gaacacagag gtggggctgg ggcaacctgg 2280
aggggccagt tcagtgggag tcaggggagg catggcctga aggtcacatc ctctcctagg 2340
gtgtaaagtg gacgccttct aagatgatcg cccggctggg caaggagatc aacaacccag 2400
agtccgtgta ttactgggcc cagaaggtga ggacctaagc gggagcaaag tagccagact 2460
ttggcatgtg ttaacttatt tcatctttcc agcctcctgg ggattcagta ctgttattct 2520
cagcatcctc actcttagat gaggagactc aaacacagat aggcgtggta attttttttt 2580
tttttgagac aggatcttgc tctgtcacct aggctggagt gcagtggtgt gatcacagct 2640
cattgcagcc tcaacctcct ggggccaagc agtcctccca cctcagcctc tcgagtagct 2700
gggaccacag gcacatgcca tcatgcccag ctaattttaa aaatttttg tagagatggg 2760
ggtctccctg tgtttcccag gctggtcttg aactcctggc gtcaggcagt cctcccacct 2820
tggcctccca aagtgctggg attacaggcg tgagccactg tgcccagcca ggctaggtaa 2880
ttttgtctga agtcacacag ataactagtg gggcctcagc atccttatgc tcctcccaga 2940
ctatctctgg aacagtagag gcaacactta gcaactctcc tggggcctgg ctcagggtcc 3000
cacactccca gatgctataa aataagagct acccactccc tttaattaga gaatcagaac 3060
ctgaaaaaaa aaaaaaaaaa gctacatagt ctttttttt ttttttttt ttttgagaca 3120
gagtcttgct ctgtcgccca ggctggagtg taatggtgtg atttcagctc actgcaccct 3180
ccacctccca ggttcaagtg attctcccgc ctcaccctcc tgagtagctg ggactatagg 3240
cacccaccat catgcccggc caatttttgt atttttctac agatggggtt tcaccatgtt 3300
ggccaggctg gtcttgaact cctgacctca agtgatccac ccgccttggc ctcccaaagt 3360
gctgggatta caggggtgag ccaccacacc cagcctactt actctttctt ttttacgaga 3420
cagggtctca ttctgtttcc caggctggag tgcaatggca caataatggc tcactgctgt 3480
cttgagcttc tgggctcagt cgattctcct gcctcagcct gctgagtagc tgggactaca 3540
ggtgcgtgcc accatgcctg gctaattgtt tttgtagaga tgggaactca ccatgttgca 3600
caagctggct ctttttttt ttttgagacg gagttttgct cttgttaccc aggccagagt 3660
ccaatggcgc aatcttggct cacagcaacc tctacctcct gggttcaagc aattctcctg 3720
cctcagcatc aagttcccaa gtagctggga ttataggcat gtgccaccac ccctggctaa 3780
ttttgtattt ttagtagagg cagggtttct ccatgttggt caggctggtg tcgagctcct 3840
gacctcaggt gatccacccg cctcggcctc ccaaagtgct gggattacaa gcgtgagcca 3900
ccgcgcccgg ccacaagctg gctctttaaa aaagaattag acggccgggc acggtggctc 3960
atgcttgtaa tcccagtact ttgggggctg aggcgggtgg atcacctgaa gtcaggagtt 4020
caagaccagc ctggccaaca tggtggaacc ctgtctctac taaaaaaaca aaatgcaaaa 4080
ttagctgggc atagtggcat gcgcctgtaa tcctagctac tcgggaggct gaagcaggag 4140
aatcactgga acccaggagg cagaggttgc agtgagctga gatagtgcca ttgcactcca 4200
gcctgggcaa cgagtgaaac tccgtctcag ggaataaaaa aaaagagaga gaaacagctc 4260
agcaagctaa gaataggctg gttctttatg tgccaggcac tatactaagt gttttctgtg 4320
ggttttctca tataggcctc atctgtgaga ggtgtttctg ttatgcttat aattgaggaa 4380
acagtcctag agaaattagg caccccatcc acagtcagat agtcatatag ccagcatgga 4440
gacgaggctc tgagctccag ccactgtcct gtcatgttct ctgcagaacc acatccctgt 4500
gtttagtccc gcacttacag acggctcgct gggcgacatg atcttcttcc attcctacaa 4560
gaacccgggc ctggtcctgg acatcgttga gggtgaggcg ctagggccac agaggagagg 4620
ggaaggaggg ctggctgagt ccaaggcctg acttcggcgc tcttccccca gacctgaggc 4680
tcatcaacac acaggccatc tttgccaagt gcactgggat gatcattctg ggcgggggcg 4740
tggtcaagca ccacattgcc aatgccaacc tcatggtgag tgggggtggc gcttcggccc 4800
actctgcaga catgctgtgt ggtgggccta tgccatgtgc tgggtagaca gcatgaacta 4860
gacaggccag gatccctgct ccccgggact gatgttctag taggggagat agcaaacaag 4920
tgacatccac gtcagggggc agtcattgct acggggaata ctaaatgatg gcatgagaag 4980
agaaaggggt gctgtccaac aagaggtttt ggaaggaggc ttctggaagt gtgagctggg 5040
agcaggggtt tggggaggca tctcccagga gctatgtggt tgtctcccgt gccaggagtt 5100
tgtgctgctg tactagcatt gagcttctgg attgcaaagt tcccaggaga gggaacagcc 5160
attgcaaagg ctctggggcg cctgaagtaa tccaggaaca gctgggtacc tggtgagggg 5220
aaggtggagt ggtgagggcc aggaggtgat gcagggaggt gccacaggga gcctgctggg 5280
ccctgtgggc tgaggcgggg ctttggcttt tgcactgaga gaagtgggag aggacttgac 5340
tcgggttccc atgctccccc tggtggccat gtggtgaaca gatggtggca ggtgagtgag 5400
aactccagtc caggacagtg gtgaccatgc agggatcagg aggcaggcgg tggttggatt 5460
tggagggctt ctgaagatag agttgctggc agctcctgcc ttgcagatgg ggcagggttg 5520
ttgacacctg gctgttgggt ctggggaaac acagccatcg ttgcccagca gctctagtga 5580
ccccagacat tgacatgggc cctgtctggg agcgaatgtc tgtgaagggc ttccttcatc 5640

tgggacacac ctctcagcct gtttggctac ggtgtcctcc ctctgtgtct gtctcctgtg 5700
actggctgac tgggcccacc gtgcccccgc ctccccacag cggaacgggg ccgactacgc 5760
tgtttacatc aacacagccc aggagtttga tggctctgac tcaggtgccc gaccagacga 5820
ggctgtctcc tggggcaaga tccgggtgga tgcacagccc gtcaaggtaa gcgctggctg 5880
ggtggggcat agggtctctg ggacgatgag tgtgggtccc atggcttacc caggttcccc 5940
cctacccagg tctatgctga cgcctccctg gtcttccccc tgcttgtggc tgaaaccttt 6000
gcccagaaga tggatgcctt catgcatgag aagaacgagg actgagcggc tgcggtccca 6060
ggaaggtctt acccccctctt ctatttatta atttgcagac ccagcccctc ccctactttt 6120
tggtcagcta cgtctctaga ataagatggt atctgaagtc cttccatgtc tgtgtctcgg 6180
tccttggtcc tgttggtggg tcccctggct tcagcctgct ccatcctctg cctcataggc 6240
ctcctctcgc cagcactgga cgctgcctcc catggcggtc agcaggcagg gctctgttgg 6300
gtggtaggcc agcgactgca ccacaccgga acccacaggc agggccagag ccagcgcacc 6360
ctgtggagcg aggggtaggg agtggttatc tgtggctggg ctgtaccctg gtttctgagg 6420
tccctgggca ccccccatct cagtcctgcc tgaagccctc agtcacctct ccccgacctt 6480
cagccacctg cctctaattg cctcctagac actgcaaaat taatctacct cagactgagc 6540
ccctcagtag ctctgtccta ccaggtgttc aggccgcaag tcttgggagc ctcttattga 6600
ttttttattt tttaaaatag cagagatggg gtcttaccat gttgcccagg ctggtctcga 6660
actcctggcc tcaagtgatc ctcctgcctt ggcctcccaa agtgctagga ctacaggtgt 6720
gagccaccat gcctggcttt gggagtcttt ttctttttct gtttttttt gagatggagt 6780
cttgctctgt cgccaggctg gagtgcagtg gcgccatctg ggctcactgc aacctccgac 6840
tccctagttc aagcgattct cctgcctcag cctcccgagt aggtgggatt acaggcacgc 6900
gctaccatgc ccagctaatt tttgtatttt tagtacagat ggggtttcac catgttggcc 6960
aggatgatct ctatctcctg acctcgtgat ccacccccct cggcctccca aagtgctggg 7020
attacaggtg tgaaccacca tgcctggccg ggagtctttt tcttgtacca catgttcctc 7080
tatcagttat tcctcttggc tctgcttcta gaccatgtcc agagactgct gattttctgc 7140
cactaccatg tttggagcat gccttgctca cagcttgcct gttccctgcc accagctggg 7200
ctccatcctg tccatttggc agccccaatg atccccactt cccctggtcc caacacaatg 7260
taaacagttc ctcaagcaag ccatgcttcc tctttccacc ttgaaaatgt cccttgatgt 7320
gcctgccctc caaggcaact tctgttctac tgggcccata agaaataggt ggaacattct 7380
tgctaccttа gttcctaaag caagagcttg tccgccaagt cttcagggcc cccccggttc 7440
cctccatcct cttatgggcc ttagttcccc tggccaagcc cagcgctgat gtctcctttg 7500
ccgagattcc cccggctctg accccactac accaggatgg tctgtttctg gcctgactcc 7560
ccaccaggct gggacatgtc aaggacaggg ctcagggctt gaaaccatgc acagggatgc 7620
taagatgtag ctccagtttc ttgaatgact gcagccctat ctcacccaag gttagacatg 7680
gccgtcggct ccccccttgcc caggggtcag tgccagttgc tcggcctggc atctgcagcc 7740
cagcctgacc ccggatcttg ccgcacctgc cgccaccctg aagcctttgt ttcctgactg 7800
atgcatgcgc aggctacacc tcttaacata tgctgttccc tttgcctgga atgcccttcc 7860
tgcctcatct tctctctagc ccaagctggg cacggtgtct caggcctgta atcccagcac 7920
tttgggaggc cgaggcgggt gaatcacttg aggtcaggag tttgagacca gcctggccaa 7980
catggtgaaa ccctgtctct actaaaaata caaaaattag ccaggtatgg tggtaggggc 8040
ctgtaatccc agctactcag gaggctgaga catgagaatc acctgaaccc tgggggggaag 8100
aggttgcagt gagctgagat ggcgccactg catttgcctg ggcaatagtc tcaaaaaaag 8160
aaaaaagggc cgggtgtggt ggcttacgcc tgtaatccta gcacttggga aggctgaggt 8220
gggtggatca tgaggtcagg agtttaagac cagcctgacc aacatagtga aaccctgtct 8280
ctactaaaaa tacaaaaatt agctgggtgt ggtggcacgc acctataatc ccaactactc 8340
aggagactga ggcaggagaa tcgcttgaac ttgggaggcg gagtttacag tgagccaaga 8400
ttgcgccact gcactctagc ctgggcgaca gagcaagact tgtctcaaaa aaaaaaaaaa 8460
aaaaaaaaaa aagatcctag ccttcaggcc ctggagtgac tgaggtaagg acagggctga 8520
gatggggcag gcatctaggt atgaagtagg gctgggggca cctcacctcc accaggtccc 8580
agaagaacac cttcccgtcc tcagaacagc tgaccacatg tgtgtcacgc tcgctcaggc 8640
agcagtccag cttgtattcc tggttcttat ggcccttgta cctaagggtg gacaggatcg 8700
gggggcttgg tcctctccag gggtgggaga ggagggaagg ggatccccac gaccacaagg 8760
actcactcgc ccagcagctc ccctgtgtct ttgtccagga gccgcaatgt ggagtccagg 8820
ctggacacca gggtgcactg cccatcccgg ctgaagcagg tgcaggtgat ggggccttgg 8880
gggaagggtg ggtaggtgag tgagggtggg gtgcccctgg ttggcccccc atcttccctg 8940
cctgtcccac atccccagcc acactcactg cccacgtagt ctgagaagag ctgccccatc 9000
cttaggtcat agcgtctcac gcggccatcc acggagctgc aggagagggt agatccagcg 9060
ggaaccttga ctacactcac atggctccag gcagccctgt gccttcccag cccagtgggc 9120
ctgctcttcc agtgcacagg agtggaattc tgaagctctg gccttgagac tcaggcccag 9180
ggccaattac gtcctactcc atcatttcca agacccacac ccccttтcca agcccttgga 9240
gtccttctga ttccccctttt tcttcctttt gtttgagaca gagttttgct cttgttgctc 9300

aggctggagt gcaatggcat gatcttggct caccggaacc tctgcctccc gggttcaaga 9360
gattctcctt cctcagcctc ccgagtagat gggaatacag gcatgcacca ccacgccctg 9420
ctaattttgt atttttagta gagacggggt ttctccatgt tggtcaggct ggtctcgaac 9480
tcccaacctc aggtgatccg cccacctcag cctcccaaag tgctgggatt acaggtgtga 9540
gccaccccac ctggcccaat tccccctttt cctgcattct ccagctcctc ctcctcagta 9600
ctcagtccca ccactttccc cactacccag caccagcatc tagactgttc tggtctccct 9660
gcaccccca cagccaccag agggagcact tttcaaagta cagttgaccc atgaacaaca 9720
cggtttgaac tgaacgcgtc cacttatatg tggattttct tctgcctcta tcagctgtga 9780
gacaccaaga tcaatccctc ctcttcctcc tcctctgctt tctcaacacg aagatcttta 9840
tgacgatctc ttcacttcca cttaatgaat agaaaatata ttttttccac caggcgcggt 9900
ggctcacgcc tgtgattcca gctctttggg aggccagggc aggtggatca cgaggtcaag 9960
agatggagac cctcctggcc aacatggcga aaccccgtct ctactaaaaa tacaaaaatt 10020
agctgggcgt ggtggcacgc gactgtagtc ccagctacta gggaggctga ggcaggagaa 10080
tcgcctgaac ctagaagtta gaggttgcag tgagccgaga tcacgtcact gcactccagc 10140
ctggcaacag agcgagactg cgtctcaaaa aaaacaaaaa ttcttcctta tgattatttt 10200
tatgtattta tttatttaat ttatttactt attttgagac ggagtcttgc tctatcgccc 10260
aggagtgtag tggtgcgatg tcggctcaca gcaagctctg cctcctgggt tcactccatt 10320
ctcctgcctc agcctcctga gtagctggga ctacaggcgc ctgccactat gcccggctaa 10380
ttttttgtat ttttagtaga gacggggttt caccgtgtta gccagaatga tctcgatctc 10440
ctgacctcat gatccgcctg cctctgcctc ccaaagtgct gggattacag gcatgagcca 10500
cagcgcccgg cctatttttа tttatttttа gaaatcattt tatcttttt tttttgagat 10560
ggagtctcac tttgtcgccc aggctggagt gcagtggcac aatctcggct cactgcaacc 10620
tccaactccc gggttcaggc gattctcctg cctccgcctc ccgagtggct gggattacag 10680
gctcccgtca ccacacctgg ctaatttttg catttttagt agagacgggg tttcaccatg 10740
ttggccaggc tgatctcaac ctcctgacct caagtgatct gcccaccttg gcctcccaaa 10800
gtgctgggat tacaggtgtg agccaccgtg cccggccaga ttattattat tttgtagaca 10860
gtctgtcttt cacccagcat ggagtgcaat ggtgcctcga actcttggac tcaagtgatc 10920
cttccacttc agcctcccaa gtagctggga ttacagctgt gtgccactgt gcccagctga 10980
gagtaggttt taatctgagc atgggggcag ctatgattcc ccgtagcacc tggggtgaga 11040
ccaggtcctg gctccactca ccctgccagg atctcgtggt ctgacacctt cacactggac 11100
acgccatctc tggcctcatc cagcgtctgc actggctcag gcctccgtga gcggcaatcc 11160
caacagcgga tactggaatc aatagagcct gtgaggccag catgatggtg aggtcaggtt 11220
tggaggggga gggcagcacc ctgggccccc gtgcttaggc cccagactca ccggacagga 11280
taactgtggc ctcttcatta aactgcaccg tgttcacctt ctgagaaagt tattgccact 11340
cagaggaggc tggactttgg aggactggga taaaggcagg gttcccagtg tcggttaaag 11400
caagggcgaa ggggaggtga aaggttttgg gggaacagca aggacagggg ttggtgactg 11460
cctagcctgg catgcggagt gggggatcgt catctgggga agggatcctt acggtgtaat 11520
gggggtggcc gtgtcaccac ctatgcgcta atacgggtcc cctccactca aatgagggtc 11580
tccaggcttt cactcacccc tgcgtggccc cggaatttgc gcacgacctg ccctgatgcc 11640
acatcccaca gaaccaccgc cttgtccccg ccgccggagc agagactact gttgtcaaag 11700
gagctggagt aaaggaggag gaggatcagc atcgacctcg gatcccagcc tcagcgctcc 11760
catcccagcc tggtccccgg ctcacccggc cgcatccagc acctcgtagc cgtggccgct 11820
gtacgtccgc agcagcgtcc cccgaagcgg gttccacagc ttcagcgtct tgtcactgcc 11880
gcacgtcagg cagtaattgc catccactgg ggaacaccag gcgggggtta ctgggccgtc 11940
gatctcagga ggcgggagga ggacccggaa tgaagacgaa ggcgctcacc attaaatcgt 12000
acggctcgca ctgccccctg cccgcagtcc agcgtcttca accgtttctg cggcagctct 12060
ggaggccgcg gctttggctc agggaaagcc atgctcccag gactccttcc ttgcagcctt 12120
aaatcggtct gtacggaaaa ttccgcgcct tagaaaccca cgcttgggtg taaccttatt 12180
attgttcttc ctgacctact tcctgtttat cacttccggg ttcatcattt tggcatttcg 12240
gtgatcgggt tggaactatt gaagcccgct ttcaggttct tttccccatt ttccctttga 12300
aaggaagact tctggcttct cctaaatctc cgttctctgg gtaaggggag tccaagcctc 12360
tgtcatgagg aacggaaatg cgagggcctc gggtgttact ctaaaatccg ccctcagctt 12420
gcacgccgga agctgcgatt cctgcagcgg aagaggcgtg atctggcctt cgactcgcta 12480
tgtccactaa caatatgtcg gacccacgga ggccgaacaa agtgctgagg tgaggacccc 12540
agcgtcgtgg gcacgggttc gggttgtggg tgtggatcgg ggccctggga agcgcctgtc 12600
tatcccgggg gcaggacctg agcgcccctg accctcgagc ctgtcgcagg tacaagcccc 12660
cgccgagcga atgtaacccg gccttggacg acccgacgcc ggactacatg aacctgctgg 12720
gcatgatctt cagcatgtgc ggcctcatgc ttaaggtggg cggggttgag cttctatggg 12780
tgtagttgga cctgagaacg aggcccgggg gcgggtttgg aatgaagcgg ggtgtcttgt 12840
cattgctgat ggggcgggac ctgagatcgg ccgggagtgg ggctgcgatg acgctgggcc 12900
gagaaagccc cagtctttgg tgaagtcaag gattcgagtc aggttgggga tgtggcagat 12960

tggtctgcga gtggggccag gctttgaagc aacttggaga ggagttgtgg aaaaagggca 13020
gggtcttaag catgtgggat gtcagagtct ctcttggtcc tgagagacgc aggccagaca 13080
gtaggactag aaaccacgta tctagagtat gccatgagca ggtgggactg aggaattccg 13140
ggtggggcaa ggtcccagct gcatcagatg gaatcagtgg gcatgatctg gtgtctggaa 13200
aggtggcttc ggggactcat tgttgtgcct ttcactaacc tgcccaccca cttacctttc 13260
cctagctgaa gtggtgtgct tgggtcgctg tctactgctc cttcatcagc tttgccaact 13320
ctcggagctc ggaggacacg aagcaaatga tgagtagctt catgtgagac ttgccctaca 13380
gaacaagtga ctcttgagta aggggtgggg ggaccccagc ctggccatcc tagactgaca 13440
cctctctcct gtctcaggct gtccatctct gccgtggtga tgtcctatct gcagaatcct 13500
cagcccatga cgcccccatg gtgataccag cctagaaggg tcacattttg gaccctgtct 13560
atccactagg cctgggcttt ggctgctaaa cctgctgcct tcagctgcca tcctggactt 13620
ccctgaatga ggccgtctcg gtgcccccag ctggatagag ggaacctggc cctttcctag 13680
ggaacaccct aggcttaccc ctcctgcctc ccttcccctg cctgctgctg ggggagatgc 13740
tgtccatgtt tctaggggta ttcatttgct ttctcgttga aacctgttgt taataaagtt 13800
tttcactctg gctgtcagcc tcttctgttc agtggggtgt tcctcctacc tggcgggaag 13860
ggctctagcc ccataggcct ggtgtggggc cccagtctgg aggcttctgg ctgttcattt 13920
gcttacttca taaaccttgt gtcttaagtc aggtgctagg gacaagacag tgacttctgc 13980
cctctggcaa ctcaccagat ggccctgctg acctagataa tctaggcttt ggtttccttt 14040
ttttttttc cttttaaga aagaaaatgg tcttgatctg tcatgcaggc tgagtgcagt 14100
ggcacaatct atgttcactg cagcctcaaa ctcctgggct caagcaatcc tcccacctca 14160
gcctgccacg taactgggac cacaaatgcg tgctaccatg cccagttaat tcttgttttt 14220
tttgagacag agttttgctc ttgttgccca ggctggaggg caatggcatg atcttgatct 14280
cggctcactg caacctccgc ctcccaggtt caagtgattc tcctgcctca gtctcccaag 14340
tagctgggat tacaggcatg tgccaccatg cccagctaat ttttgtattt ttacattttg 14400
tgtaaaatta caaattttgt gttttcaaac ccgtctctac aaaacaaccc atgttgccca 14460
ggctggtctc aaactcccag gcccaagtga ttcaccagcc tggccctccc aaagtgctgg 14520
gattgcaggc ttgagccact gcgcctgccc tgggctttgt tttcttatca gagaatgaac 14580
tggtaggaat tgggaaaggc atgaaagact cggggtcctt ccccacttgt cagaccctct 14640
tttctctccg gaacacccag ggatccttct caaccaggct ggatcccatc cctggtactc 14700
caggggtatt tacccaacgt cccaatcccc acagtatagg actcttcatc agatcctcct 14760
cttaggcaag ctaggtcctt ccaggaccct agcgctgaag gtccatggga cggacaccct 14820
ggattcccat ggacacacta caccggctag gaaaacccgg ccccttagg aaaagcactt 14880
ctgctcctac cggcattaag aggcattccg tcttggaatt ccggcattaa gaggcattcc 14940
gtcttcatag cccgtgagac gccagtgtca cctttagccc aaccagtgcc ctgagggtgg 15000
cattttccta ccttcctgta acgacccccg ggattgccca gggctacagc ctctctcccg 15060
tgagcctcca gaccgcgccc tggccccgcc 15090

<210> 1038
<211> 15090
<212> DNA
<213> Homo sapiens

<400> 1038
acgttcccta cttcctgtgc tcttgcggag acgcgcgcgt cggggtttaa cgcgtttctg 60
ggccgccgta agcccggcct aggggcagct ttgactcgag agccggctat aggcgcatgg 120
aaggttccct ggaacgggag gcgccagcgg gggcgctggc cgccgtgcta aagcacagct 180
cgacgttgcc gcccgaaagc acccaggtcc ggggctacga cttcaaccgc ggtgtgaatt 240
accgcgcact gctggaggcc ttcggcacca ccggcttcca agcaaccaac ttcgggcgcg 300
ctgtacagca agtcaatgcc atggtgagga ccgggcggaa tttctaggga cgcggagggg 360
cgtggcttgt agaaccaacg cggtactaga cgggggcagc gtttccagtg gaggggatat 420
gtcttttatt tgagttgccc aatagttgga ggaaggcggg acctattctg ggcgggagtt 480
tctgtcctgg gaaggggatt ttgcactctg gtagttacat gctggtacgg taacctgagg 540
aggcgaggac tgattcttgg tgtgggggcg ggttctaggt acatttaaag ctttctggaa 600
tgggcggagc ctggggcaag acaaattaag ggaggatatg ggaggaggag cctaagtctg 660
ggcggttctt gaatttagat ttgcttttcc cagcggggaa gggaccggat ctgaaaggag 720
atgctctctg attcctaaaa gggtgggggc tggctgggcg cggtggcgca tgcctataat 780
cccagcattt tgggaagccg aggcgggtgg atcaagagaa gaggagttcg agacaagcct 840
ggccaacatg gtgaaaccct gtctctacta aaatgcaaaa aattagccgg gcatggtgtt 900
gcgcgcctgt agtcccagct actcgggagg ctgaggcagg agaatcgctt gaacccgcga 960
ggtggaggtt gcagtgagct gagattgcgc cactgcactc cagcctggtg acagagcgat 1020
actctgtctc aaaaaaaaaa aaaaaaaaag gccgggcacg gtggctcatg cctgtaatct 1080

cagcattttg ggaggccgag gcgggcggat cacctgaggt cgggagttcg agaccagcct 1140
gaccaacatg gagaaacccc gtctctacta aaatgcaaaa aattagccgg gcatggtggt 1200
gcgcgcctgt agtcccagct actcgggagg ctgaggcagg agaatcgctt gaacccggga 1260
ggtggagctt gcagtgagcc gagatcgcgc cattgcactc tagcctgggt aacaagagtg 1320
aaactccgtc caaaaaaaaa aaaaaaaggg tgggggcaaa tcctgaacgt gtgtcttgag 1380
atctggtctg ggaaggggca gagtttacac aggagatgtt ccttggtccc ctgtagaact 1440
ggtcctgtat ccctgaatgt gcagggcctg gggtgaaatc tgtttctgga gcccacctgg 1500
agtcctgagt ctgggattta aggccagtgc ttaacttgac ttggccctta ctcacagatc 1560
gagaagaagc tggaaccact gtcacaggat gaagaccagc acgcggacct gacccagagc 1620
cgccgcccac ttaccagctg caccattttc ctgggatata catccaacct catcagttca 1680
ggcatccgtg agaccattcg ctaccttgtg cagcacaaca tggtggggac ctggtgaggc 1740
cgtggccttg gcctctgggt caatgggcaa tgcagttatt gatcgtttaa gtgagatggg 1800
cagatagggg tctgttataa gcagaggaat agaatcaagt tttgttttgt agcagagctc 1860
cctcataaga gtcactggac aaggatgagg ttagaagttc tgcccagaat gagggcaggg 1920
gcttccttct tgggccaaat tcactgcctt gtggctgcag gtggacgtat tggtgaccac 1980
agctggcggc gtggaggaag acctcatcaa gtgcctggcg cccacatact tgggcgagtt 2040
tagcctcagg gggaaggagc tccgggagaa cgggatcaat aggtgagaac cctgagtggt 2100
gttgggcagg ggagctggac caagggtcct ggggcctgat gcctacatgc ctcctgttct 2160
caggatcgga aacctgctgg tgcccaatga gaattactgc aagtttgagg actggctgat 2220
gcccattctg gaccagatgg tgatggagca gaacacagag gtggggctgg ggcaacctgg 2280
aggggccagt tcagtgggag tcaggggagg catggcctga aggtcacatc ctctcctagg 2340
gtgtaaagtg gacgccttct aagatgatcg cccggctggg caaggagatc aacaacccag 2400
agtccgtgta ttactgggcc cagaaggtga ggacctaagc gggagcaaag tagccagact 2460
ttggcatgtg ttaacttatt tcatctttcc agcctcctgg ggattcagta ctgttattct 2520
cagcatcctc actcttagat gaggagactc aaacacagat aggcgtggta attttttttt 2580
tttttgagac aggatcttgc tctgtcacct aggctggagt gcagtggtgt gatcacagct 2640
cattgcagcc tcaacctcct ggggccaagc agtcctccca cctcagcctc tcgagtagct 2700
gggaccacag gcacatgcca tcatgcccag ctaattttaa aaatttttg tagagatggg 2760
ggtctccctg tgtttcccag gctggtcttg aactcctggc gtcaggcagt cctcccacct 2820
tggcctccca aagtgctggg attacaggcg tgagccactg tgcccagcca ggctaggtaa 2880
ttttgtctga agtcacacag ataactagtg gggcctcagc atccttatgc tcctcccaga 2940
ctatctctgg aacagtagag gcaacactta gcaactctcc tggggcctgg ctcagggtcc 3000
cacactccca gatgctataa aataagagct acccactccc tttaattaga gaatcagaac 3060
ctgaaaaaaa aaaaaaaaaa gctacatagt ctttttttt ttttttttt ttttgagaca 3120
gagtcttgct ctgtcgccca ggctggagtg taatggtgtg atttcagctc actgcaccct 3180
ccacctccca ggttcaagtg attctcccgc ctcaccctcc tgagtagctg ggactatagg 3240
cacccaccat catgcccggc caatttttgt atttttctac agatggggtt tcaccatgtt 3300
ggccaggctg gtcttgaact cctgacctca agtgatccac ccgccttggc ctcccaaagt 3360
gctgggatta caggggtgag ccaccacacc cagcctactt actctttctt ttttacgaga 3420
cagggtctca ttctgtttcc caggctggag tgcaatggca caataatggc tcactgctgt 3480
cttgagcttc tgggctcagt cgattctcct gcctcagcct gctgagtagc tgggactaca 3540
ggtgcgtgcc accatgcctg gctaattgtt tttgtagaga tgggaactca ccatgttgca 3600
caagctggct ctttttttt ttttgagacg gagttttgct cttgttaccc aggccagagt 3660
ccaatggcgc aatcttggct cacagcaacc tctacctcct gggttcaagc aattctcctg 3720
cctcagcatc aagttcccaa gtagctggga ttataggcat gtgccaccac ccctggctaa 3780
ttttgtattt ttagtagagg cagggtttct ccatgttggt caggctggtg tcgagctcct 3840
gacctcaggt gatccacccg cctcggcctc ccaaagtgct gggattacaa gcgtgagcca 3900
ccgcgcccgg ccacaagctg gctctttaaa aaagaattag acggccgggc atggtggctc 3960
atgcttgtaa tcccagtact ttgggggctg aggcgggtgg atcacctgaa gtcaggagtt 4020
caagaccagc ctggccaaca tggtggaacc ctgtctctac taaaaaaaca aaatgcaaaa 4080
ttagctgggc atagtggcat gcgcctgtaa tcctagctac tcgggaggct gaagcaggag 4140
aatcactgga acccaggagg cagaggttgc agtgagctga gatagtgcca ttgcactcca 4200
gcctgggcaa cgagtgaaac tccgtctcag ggaataaaaa aaaagagaga gaaacagctc 4260
agcaagctaa gaataggctg gttctttatg tgccaggcac tatactaagt gttttctgtg 4320
ggttttctca tataggcctc atctgtgaga ggtgtttctg ttatgcttat aattgaggaa 4380
acagtcctag agaaattagg caccccatcc acagtcagat agtcatatag ccagcatgga 4440
gacgaggctc tgagctccag ccactgtcct gtcatgttct ctgcagaacc acatccctgt 4500
gtttagtccc gcacttacag acggctcgct gggcgacatg atcttcttcc attcctacaa 4560
gaacccgggc ctggtcctgg acatcgttga gggtgaggcg ctagggccac agaggagagg 4620
ggaaggaggg ctggctgagt ccaaggcctg acttcggcgc tcttccccca gacctgaggc 4680
tcatcaacac acaggccatc tttgccaagt gcactgggat gatcattctg ggcgggggcg 4740

tggtcaagca ccacattgcc aatgccaacc tcatggtgag tgggggtggc gcttcggccc 4800
actctgcaga catgctgtgt ggtgggccta tgccatgtgc tgggtagaca gcatgaacta 4860
gacaggccag gatccctgct ccccgggact gatgttctag taggggagat agcaaacaag 4920
tgacatccac gtcaggggge agtcattgct acggggaata ctaaatgatg gcatgagaag 4980
agaaaggggt gctgtccaac aagaggtttt ggaaggaggc ttctggaagt gtgagctggg 5040
agcaggggtt tggggaggca tctcccagga gctatgtggt tgtctcccgt gccaggagtt 5100
tgtgctgctg tactagcatt gagcttctgg attgcaaagt tcccaggaga gggaacagcc 5160
attgcaaagg ctctgggggcg cctgaagtaa tccaggaaca gctgggtacc tggtgagggg 5220
aaggtggagt ggtgagggcc aggaggtgat gcagggaggt gccacaggga gcctgctggg 5280
ccctgtgggc tgaggcgggg ctttggcttt tgcactgaga gaagtgggag aggacttgac 5340
tcgggttccc atgctccccc tggtggccat gtggtgaaca gatggtggca ggtgagtgag 5400
aactccagtc caggacagtg gtgaccatgc agggatcagg aggcaggcgg tggttggatt 5460
tggagggctt ctgaagatag agttgctggc agctcctgcc ttgcagatgg ggcagggttg 5520
ttgacacctg gctgttgggt ctggggaaac acagccatcg ttgcccagca gctctagtga 5580
ccccagacat tgacatgggc cctgtctggg agcgaatgtc tgtgaagggc ttccttcatc 5640
tgggacacac ctctcagcct gtttggctac ggtgtcctcc ctctgtgtct gtctcctgtg 5700
actggctgac tgggcccacc gtgcccccgc ctccccacag cggaacgggg ccgactacgc 5760
tgtttacatc aacacagccc aggagtttga tggctctgac tcaggtgccc gaccagacga 5820
ggctgtctcc tggggcaaga tccgggtgga tgcacagccc gtcaaggtaa gcgctggctg 5880
ggtggggcat agggtctctg ggacgatgag tgtgggtccc atggcttacc caggttcccc 5940
cctacccagg tctatgctga cgcctccctg gtcttccccc tgcttgtggc tgaaaccttt 6000
gcccagaaga tggatgcctt catgcatgag aagaacgagg actgagcggc tgcggtccca 6060
ggaaggtctt acccccctct ctatttatta atttgcagac ccagcccctc ccctactttt 6120
tggtcagcta cgtctctaga ataagatggt atctgaagtc cttccatgtc tgtgtctcgg 6180
tccttggtcc tgttggtggg tcccctggct tcagcctgct ccatcctctg cctcataggc 6240
ctcctctcgc cagcactgga cgctgcctcc catggcggtc agcaggcagg gctctgttgg 6300
gtggtaggcc agcgactgca ccacaccgga acccacaggc agggccagag ccagcgcacc 6360
ctgtggagcg aggggtaggg agtggttatc tgtggctggg ctgtaccctg gtttctgagg 6420
tccctgggca ccccccatct cagtcctgcc tgaagccctc agtcacctct ccccgacctt 6480
cagccacctg cctctaattg cctcctagac actgcaaaat taatctacct cagactgagc 6540
ccctcagtag ctctgtccta ccaggtgttc aggccgcaag tcttgggagc ctcttattga 6600
ttttttattt tttaaaatag cagagatggg gtcttaccat gttgcccagg ctggtctcga 6660
actcctggcc tcaagtgatc ctcctgcctt ggcctcccaa agtgctagga ctacaggtgt 6720
gagccaccat gcctggcttt gggagtcttt ttctttttct gttttttttt gagatggagt 6780
cttgctctgt cgccaggctg gagtgcagtg gcgccatctg ggctcactgc aacctccgac 6840
tccctagttc aagcgattct cctgcctcag cctcccgagt aggtgggatt acaggcacgc 6900
gctaccatgc ccagctaatt tttgtatttt tagtacagat ggggtttcac catgttggcc 6960
aggatgatct ctatctcctg acctcgtgat ccacccccct cggcctccca aagtgctggg 7020
attacaggtg tgaaccacca tgcctggccg ggagtctttt tcttgtacca catgttcctc 7080
tatcagttat tcctcttggc tctgcttcta gaccatgtcc agagactgct gattttctgc 7140
cactaccatg tttggagcat gccttgctca cagcttgcct gttccctgcc accagctggg 7200
ctccatcctg tccatttggc agccccaatg atccccactt cccctggtcc caacacaatg 7260
taaacagttc ctcaagcaag ccatgcttcc tctttccacc ttgaaaatgt cccttgatgt 7320
gcctgccctc caaggcaact tctgttctac tgggcccata agaaataggt ggaacattct 7380
tgctacctta gttcctaaag caagagcttg tccgccaagt cttcagggcc cccccggttc 7440
cctccatcct cttatgggcc ttagttcccc tggccaagcc cagcgctgat gtctcctttg 7500
ccgagattcc cccggctctg accccactac accaggatgg tctgtttctg gcctgactcc 7560
ccaccaggct gggacatgtc aaggacaggg ctcagggctt gaaaccatgc acagggatgc 7620
taagatgtag ctccagtttc ttgaatgact gcagccctat ctcacccaag gttagacatg 7680
gccgtcggct ccccccttgcc caggggtcag tgccagttgc tcggcctggc atctgcagcc 7740
cagcctgacc ccggatcttg ccgcacctgc cgccaccctg aagcctttgt ttcctgactg 7800
atgcatgcgc aggctacacc tcttaacata tgctgttccc tttgcctgga atgcccttcc 7860
tgcctcatct tctctctagc ccaagctggg cacggtgtct caggcctgta atcccagcac 7920
tttgggaggc cgaggcgggt gaatcacttg aggtcaggag tttgagacca gcctggccaa 7980
catggtgaaa ccctgtctct actaaaaata caaaaattag ccaggtatgg tggtaggggc 8040
ctgtaatccc agctactcag gaggctgaga catgagaatc acctgaaccc tgggggggaag 8100
aggttgcagt gagctgagat ggcgccactg catttgcctg ggcaatagtc tcaaaaaaag 8160
aaaaaagggc cgggtgtggt ggcttacgcc tgtaatccta gcacttggga aggctgaggt 8220
gggtggatca tgaggtcagg agtttaagac cagcctgacc aacatagtga aaccctgtct 8280
ctactaaaaa tacaaaaatt agctgggtgt ggtggcacgc acctataatc ccaactactc 8340
aggagactga ggcaggagaa tcgcttgaac ttgggaggcg gagtttacag tgagccaaga 8400

ttgcgccact gcactctagc ctgggcgaca gagcaagact tgtctcaaaa aaaaaaaaaa 8460
aaaaaaaaaa aagatcctag ccttcaggcc ctggagtgac tgaggtaagg acagggctga 8520
gatggggcag gcatctaggt atgaagtagg gctgggggca cctcacctcc accaggtccc 8580
agaagaacac cttcccgtcc tcagaacagc tgaccacatg tgtgtcacgc tcgctcaggc 8640
agcagtccag cttgtattcc tggttcttat ggcccttgta cctaagggtg gacaggatcg 8700
gggggcttgg tcctctccag gggtgggaga ggagggaagg ggatccccac gaccacaagg 8760
actcactcgc ccagcagctc ccctgtgtct ttgtccagga gccgcaatgt ggagtccagg 8820
ctggacacca gggtgcactg cccatcccgg ctgaagcagg tgcaggtgat ggggccttgg 8880
gggaagggtg ggtaggtgag tgagggtggg gtgcccctgg ttggcccccc atcttccctg 8940
cctgtcccac atccccagcc acactcactg cccacgtagt ctgagaagag ctgccccatc 9000
cttaggtcat agcgtctcac gcggccatcc acggagctgc aggagagggt agatccagcg 9060
ggaaccttga ctacactcac atggctccag gcagccctgt gccttcccag cccagtgggc 9120
ctgctcttcc agtgcacagg agtggaattc tgaagctctg gccttgagac tcaggcccag 9180
ggccaattac gtcctactcc atcatttcca agacccacac ccccttccca agcccttgga 9240
gtccttctga ttcccccttt tcttcctttt gtttgagaca gagttttgct cttgttgctc 9300
aggctggagt gcaatggcat gatcttggct caccggaacc tctgcctccc gggttcaaga 9360
gattctcctt cctcagcctc ccgagtagat gggaatacag gcatgcacca ccacgccctg 9420
ctaattttgt atttttagta gagacggggt ttctccatgt tggtcaggct ggtctcgaac 9480
tcccaacctc aggtgatccg cccacctcag cctcccaaag tgctgggatt acaggtgtga 9540
gccaccccac ctggcccaat tccccctttt cctgcattct ccagctcctc ctcctcagta 9600
ctcagtccca ccactttccc cactacccag caccagcatc tagactgttc tggtctccct 9660
gcacccccca cagccaccag agggagcact tttcaaagta cagttgaccc atgaacaaca 9720
cggtttgaac tgaacgcgtc cacttatatg tggatttttct tctgcctcta tcagctgtga 9780
gacaccaaga tcaatccctc ctcttcctcc tcctctgctt tctcaacacg aagatcttta 9840
tgacgatctc ttcacttcca cttaatgaat agaaaatata ttttttccac caggcgcggt 9900
ggctcacgcc tgtgattcca gctctttggg aggccagggc aggtggatca cgaggtcaag 9960
agatggagac cctcctggcc aacatggcga aaccccgtct ctactaaaaa tacaaaaatt 10020
agctgggcgt ggtggcacgc gactgtagtc ccagctacta gggaggctga ggcaggagaa 10080
tcgcctgaac ctagaagtta gaggttgcag tgagccgaga tcacgtcact gcactccagc 10140
ctggcaacag agcgagactg cgtctcaaaa aaaacaaaaa ttcttcctta tgattatttt 10200
tatgtattta tttatttaat ttatttactt attttgagac ggagtcttgc tctatcgccc 10260
aggagtgtag tggtgcgatg tcggctcaca gcaagctctg cctcctgggt tcactccatt 10320
ctcctgcctc agcctcctga gtagctggga ctacaggcgc ctgccactat gcccggctaa 10380
ttttttgtat ttttagtaga gacggggttt caccgtgtta gccagaatga tctcgatctc 10440
ctgacctcat gatccgcctg cctctgcctc ccaaagtgct gggattacag gcatgagcca 10500
cagcgcccgg cctattttta tttatttttа gaaatcattt tatctttttt tttttgagat 10560
ggagtctcac tttgtcgccc aggctggagt gcagtggcac aatctcggct cactgcaacc 10620
tccaactccc gggttcaggc gattctcctg cctccgcctc ccgagtggct gggattacag 10680
gctcccgtca ccacacctgg ctaatttttg catttttagt agagacgggg tttcaccatg 10740
ttggccaggc tgatctcaac ctcctgacct caagtgatct gcccaccttg gcctcccaaa 10800
gtgctgggat tacaggtgtg agccaccgtg cccggccaga ttattattat tttgtagaca 10860
gtctgtcttt cacccagcat ggagtgcaat ggtgcctcga actcttggac tcaagtgatc 10920
cttccacttc agcctcccaa gtagctggga ttacagctgt gtgccactgt gcccagctga 10980
gagtaggttt taatctgagc atgggggcag ctatgattcc ccgtagcacc tggggtgaga 11040
ccaggtcctg gctccactca ccctgccagg atctcgtggt ctgacacctt cacactggac 11100
acgccatctc tggcctcatc cagcgtctgc actggctcag gcctccgtga gcggcaatcc 11160
caacagcgga tactggaatc aatagagcct gtgaggccag catgatggtg aggtcaggtt 11220
tggaggggga gggcagcacc ctgggccccc gtgcttaggc cccagactca ccggacagga 11280
taactgtggc ctcttcatta aactgcaccg tgttcacctt ctgagaaagt tattgccact 11340
cagaggaggc tggactttgg aggactggga taaaggcagg gttcccagtg tcggttaaag 11400
caagggcgaa ggggaggtga aaggttttgg gggaacagca aggacagggg ttggtgactg 11460
cctagcctgg catgcggagt gggggatcgt catctgggga agggatcctt acggtgtaat 11520
gggggtggcc gtgtcaccac ctatgcgcta atacgggtcc cctccactca aatgagggtc 11580
tccaggcttt cactcacccc tgcgtggccc cggaatttgc gcacgacctg ccctgatgcc 11640
acatcccaca gaaccaccgc cttgtccccg ccgccggagc agagactact gttgtcaaag 11700
gagctggagt aaaggaggag gaggatcagc atcgacctcg gatcccagcc tcagcgctcc 11760
catcccagcc tggtccccgg ctcacccggc cgcatccagc acctcgtagc cgtggccgct 11820
gtacgtccgc agcagcgtcc cccgaagcgg gttccacagc ttcagcgtct tgtcactgcc 11880
gcacgtcagg cagtaattgc catccactgg ggaacaccag gcgggggtta ctgggccgtc 11940
gatctcagga ggcgggagga ggacccggaa tgaagacgaa ggcgctcacc attaaatcgt 12000
acggctcgca ctgccccctg cccgcagtcc agcgtcttca accgtttctg cggcagctct 12060

ggaggccgcg gctttggctc agggaaagcc atgctcccag gactccttcc ttgcagcctt 12120
aaatcggtct gtacggaaaa ttccgcgcct tagaaaccca cgcttgggtg taaccttatt 12180
attgttcttc ctgacctact tcctgtttat cacttccggg ttcatcattt tggcatttcg 12240
gtgatcgggt tggaactatt gaagcccgct ttcaggttct tttccccatt ttccctttga 12300
aaggaagact tctggcttct cctaaatctc cgttctctgg gtaaggggag tccaagcctc 12360
tgtcatgagg aacggaaatg cgagggcctc gggtgttact ctaaaatccg ccctcagctt 12420
gcacgccgga agctgcgatt cctgcagcgg aagaggcgtg atctggcctt cgactcgcta 12480
tgtccactaa caatatgtcg gacccacgga ggccgaacaa agtgctgagg tgaggacccc 12540
agcgtcgtgg gcacgggttc gggttgtggg tgtggatcgg ggccctggga agcgcctgtc 12600
tatcccgggg gcaggacctg agcgcccctg accctcgagc ctgtcgcagg tacaagcccc 12660
cgccgagcga atgtaacccg gccttggacg acccgacgcc ggactacatg aacctgctgg 12720
gcatgatctt cagcatgtgc ggcctcatgc ttaaggtggg cggggttgag cttctatggg 12780
tgtagttgga cctgagaacg aggcccgggg gcgggtttgg aatgaagcgg ggtgtcttgt 12840
cattgctgat ggggcgggac ctgagatcgg ccgggagtgg ggctgcgatg acgctgggcc 12900
gagaaagccc cagtctttgg tgaagtcaag gattcgagtc aggttgggga tgtggcagat 12960
tggtctgcga gtggggccag gctttgaagc aacttggaga ggagttgtgg aaaaagggca 13020
gggtcttaag catgtgggat gtcagagtct ctcttggtcc tgagagacgc aggccagaca 13080
gtaggactag aaaccacgta tctagagtat gccatgagca ggtgggactg aggaattccg 13140
ggtggggcaa ggtcccagct gcatcagatg gaatcagtgg gcatgatctg gtgtctggaa 13200
aggtggcttc ggggactcat tgttgtgcct ttcactaacc tgcccaccca cttacctttc 13260
cctagctgaa gtggtgtgct tgggtcgctg tctactgctc cttcatcagc tttgccaact 13320
ctcggagctc ggaggacacg aagcaaatga tgagtagctt catgtgagac ttgccctaca 13380
gaacaagtga ctcttgagta aggggtgggg ggaccccagc ctggccatcc tagactgaca 13440
cctctctcct gtctcaggct gtccatctct gccgtggtga tgtcctatct gcagaatcct 13500
cagcccatga cgcccccatg gtgataccag cctagaaggg tcacattttg gaccctgtct 13560
atccactagg cctgggcttt ggctgctaaa cctgctgcct tcagctgcca tcctggactt 13620
ccctgaatga ggccgtctcg gtgcccccag ctggatagag ggaacctggc cctttcctag 13680
ggaacaccct aggcttaccc ctcctgcctc ccttcccctg cctgctgctg ggggagatgc 13740
tgtccatgtt tctaggggta ttcatttgct ttctcgttga aacctgttgt taataaagtt 13800
tttcactctg gctgtcagcc tcttctgttc agtggggtgt tcctcctacc tggcgggaag 13860
ggctctagcc ccataggcct ggtgtggggc cccagtctgg aggcttctgg ctgttcattt 13920
gcttacttca taaaccttgt gtcttaagtc aggtgctagg gacaagacag tgacttctgc 13980
cctctggcaa ctcaccagat ggccctgctg acctagataa tctaggcttt ggtttccttt 14040
ttttttttc ctttttaaga aagaaaatgg tcttgatctg tcatgcaggc tgagtgcagt 14100
ggcacaatct atgttcactg cagcctcaaa ctcctgggct caagcaatcc tcccacctca 14160
gcctgccacg taactgggac cacaaatgcg tgctaccatg cccagttaat tcttgttttt 14220
tttgagacag agttttgctc ttgttgccca ggctggaggg caatggcatg atcttgatct 14280
cggctcactg caacctccgc ctcccaggtt caagtgattc tcctgcctca gtctcccaag 14340
tagctgggat tacaggcatg tgccaccatg cccagctaat ttttgtattt ttacattttg 14400
tgtaaaatta caaattttgt gttttcaaac ccgtctctac aaaacaaccc atgttgccca 14460
ggctggtctc aaactcccag gcccaagtga ttcaccagcc tggccctccc aaagtgctgg 14520
gattgcaggc ttgagccact gcgcctgccc tgggctttgt tttcttatca gagaatgaac 14580
tggtaggaat tgggaaaggc atgaaagact cggggtcctt ccccacttgt cagaccctct 14640
tttctctccg gaacacccag ggatccttct caaccaggct ggatcccatc cctggtactc 14700
caggggtatt tacccaacgt cccaatcccc acagtatagg actcttcatc agatcctcct 14760
cttaggcaag ctaggtcctt ccaggaccct agcgctgaag gtccatggga cggacaccct 14820
ggattcccat ggacacacta caccggctag gaaaacccgg ccccccttagg aaaagcactt 14880
ctgctcctac cggcattaag aggcattccg tcttggaatt ccggcattaa gaggcattcc 14940
gtcttcatag cccgtgagac gccagtgtca cctttagccc aaccagtgcc ctgagggtgg 15000
cattttccta ccttcctgta acgacccccg ggattgccca gggctacagc ctctctcccg 15060
tgagcctcca gaccgcgccc tggccccgcc 15090

<210> 1039
<211> 3830
<212> DNA
<213> Homo sapiens

<400> 1039
ctgggcacgg tggctcatgc ctgtaatccc agcactttgg gaggctgagg tgggcggatc 60
acgaggtcag gagatcaaga ccatcctggc taacatggtg aaaccccgtc tctactaaaa 120
atacaaaaaa ttagctgggc gtgtggcggg cgcctgtagt cccagctact tgggaggctg 180

aggcaggaga ctggcgtgaa cccgggaggt ggagcttgta gtgagccgaa atcacaccac 240
tacactccag cctgggcgac agagcaagac tccgtctcaa aaaaaaaaaa aaaaaaaaaa 300
aagctctctg attttagctg ttaggtggga gatgggttgg aggataccaa agccagcttg 360
caggctatgg ggataaagaa aacacctgga tttcggacct actttatagg tagaggttgg 420
cagacatgct gagaaggatg gatgtggggt gtgagaaaag gggagacagc aagctgcgct 480
cctcattttt aatttttatt tatctatttt tgagacggag tttcgctctg ttgcccaggc 540
tggagtgcag tggcaccatc tcagctcact gcaacctcca cctcccgggt tcaagtgatt 600
ctcctgcctc agcctcctga gtagctggga ttatgggtgt gcgccaccac acccggctaa 660
tttttgtatt ttttagtaga gacggggttt cgccatgttg tccaggctgg tctctaactc 720
ctaacctcag gtgatctgcc ctccttggca tcccaaagtg ctgggattac aggtgtgagc 780
caccgcgccc agccccaatc cctatttttc agtctagtgg atgagtggag ggtggggccg 840
tttgctgaga tgcagaaaga tcagggatag gtggagaggg agctgagggg gcaactttga 900
ggtccaagcg aggatgtcaa ggaggatgtc tgtctcctcc aacaaggtag gctcattcca 960
gcctcacggc ttttgctgtt ctgtcttccc atgtgcagga aatggcctct ctgcatcttc 1020
acatacgggg attttctcag ccttctggct ttggctcaaa tctcacctcc ttggcgtcct 1080
tcacccatcc ctccaactaa aatcccgaac tcctccacct aaagactcaa attatcctgt 1140
ttaaatcctg attgcgctgg gcgcggtggc tcacacctgt aatcccagca ctttgggagg 1200
ccgaggcagg cagatcacct gaggtcagga gttcgagact agcctgacca acatagtgaa 1260
accccatctc tactaaaaat acaagaatta gccgggcgtg atggctcatg cctgtaatcc 1320
cagctactcg ggaggctgag gcaggagaat tgcttgaaac tgggaggcag aggttgcgat 1380
gagtggagat cgcgccattg cactccagcc tgggcaacaa gagcgaaact ctgtctccaa 1440
aaaaaacaaa aaacaaaaaa ggcctgatag cactcaccac tattgttaac tttctatctt 1500
cccaatcaga ttgtgggctc cagtagggca gggtccacat cttggtcttg ttcaccacta 1560
aatccttagt gcctagcacg gagcccacca tagagaatag actacatgaa ttgtagagtg 1620
agtgaataat cctgttggcc gtatgcactg ttaggagggt gtgtttgaga tacagatgac 1680
acccagggtc tcacattctt gcaggaggga aagagacgtc agccctgggt cccagaagag 1740
gccactgacc cagtgggagt tcagggaagg cttcccagag gaggtggagg tgacagctgc 1800
agctataagg gaaggaagaa cagagcgtta tgcagcatgt gaaggctttg gagacttgtg 1860
agggcacgaa ccgggctcac tatcccatta gacaaaagtg gctgaggaag gatgaaactg 1920
tgtctaactc tgcctggtga ccgaaatctt gtccatgggt gacgcttaag aagtgaccct 1980
cggccgggcg cagtggctca cgcctgtaat cctggcactt tgggaggcca aggcgggcgg 2040
gtcacgagtt caggagatcg agaccatcct ggctaacacg gtgaaacccc atctctacta 2100
aaaacagaaa aaattagccg ggtgtggtgg cgggcacctg tagtcccagt tactcgggag 2160
gctgaggcag gagaatggca tgaacctggg aggcagagct tgcagtgagc cgagattgcg 2220
ccactgcact ccagcctggg cgacagagcg agactctgtc tcaaaaaaaa aaaaaaaaaa 2280
aaaagtgacc ctcataaaaa aattagctgg gcacgatggt gcacactagt cggaatgctg 2340
gggtgggagg atgacctgag tccgggagtc agaggttgca gtgggccgag atcgcgtcac 2400
agcactccag cctggcgaca gagtgagacc ctatcaaaaa atagcagcag gccaggcgcg 2460
gtggctcatg cctgtaatcc cagcactttg ggaggctgag gcgggcggat cacgaggtca 2520
ggagatcgag actaccctgg ctaacacggt gaaaccccgt ctctactaaa aatacaaaat 2580
attagccggg cgtggtggcc ggcgcctgta gtcccagtta ctggggaggc tgaggcagaa 2640
gaatggcgtg aacctgggag gcggaggttg cagtgagccg agatcgtgcc actgcactcc 2700
agcctgggag acagcgcaag actctagctc aaacaaacaa acaaacaaaa cagcaacaac 2760
aacaacaaaa ccatcctccc ctcccgaggg gacagaacag aaacgaatgg gcgagtgccg 2820
ggccaagcag tgggtctcca gcaggtggca ttaaaatagg aattttggct ggggacggtg 2880
gctcacacct gtaatctcag cactttggaa agcccaggcg ggcggtcacc tgagggcaga 2940
accagcctcg ccaacatggt gaaatgccat ctctactaaa aataaaaaat tagccaggcc 3000
tggtggtggg tgtctgtaat cccagcaact cgggaggctg aggcaggaga atcgcttgaa 3060
ccaggggggc agaggttgca atgagtcaag attgcaccac cgcactccag cctgcgtaac 3120
aagagcgtgt aactcttgtc tcaaaaataa attaaataaa taaataataa aaataaaaaa 3180
gaatcttcat tcatgggaag tcgagaacac atgaaaacaa gtaaaggccg aagcgcagtg 3240
gctcacgcct gtaatcccag cactttggga ggctgaggcg ggcggataac ctgaggtcgg 3300
aagttcgaga ccagcctgac caacagggag aaaccccgcc tctactaaaa atacaaaatt 3360
agccgggcat ggcggtgcat gccagtagtc ccagctactc gggaggctga ggcaggagaa 3420
tcgcttgaac ccggaatgtg gaggttgtgg tgagctgaga tcgggcaatt gcactccagc 3480
ctgggcaaca agagcgaaac cctgtatcaa aaaaaaaaaa aagaaaaaaa aaggaagaaa 3540
aggcctaaag gcgccgggcg cggtgggtca cgcctgtaat cccagcactt tgggaggccg 3600
aggcgggcga atcacgaggt caggagatcg agaccaggtg aaaccccgtc tctactaaaa 3660
atacaaaaaa attagccggg cgtggtggtg ggcgcctgta gtcccagcta ctcgggaggc 3720
tgaggcagga gaacagcgtg aacccggaaa gcggagctgg cagtgagctg agatcgcgcc 3780
actgcactcc agcctgggtg acagagcgag actccgtctc aaaaaaaaaa 3830

<210> 1040
<211> 20245
<212> DNA
<213> Homo sapiens

<400> 1040
gcctttccag ggccggggaa ccccaggagg aagctgctga gccatgggcg cctacgcgcg 60
ggcttcgggg gtctgcgctc gcggctgcct ggactcagca ggcccctgga ccatgtcccg 120
cgccctgcgg ccaccgctcc cgcctctctg ctttttcctt ttgttgctgg cggctgccgg 180
tgctcgggcc gggggatacg aggtgagtgg ggcctccgag ctgaaacgta caggaggcag 240
agtgaaaccc agaatacagt ctagaggtgt gggtgggtct gtcctgtggg tgtctagtga 300
atggctgatg atatgacagt gtggtctgag tgcgtgcttt gtgtcattgc gaggtctggc 360
tgtgcgcatc tgagtatagg actgtgtctg attgtacctg cctccgtgtc tccgggatgc 420
ttgcctagac tttgtctgca cttaactgtg ggattggagg ggcaggaggt ggcaggggt 480
gagcagtgta tgtgtggggg gaggtgctgg ctgagagctg ggactctgga gtctgcctga 540
aattccagcc tagctcttac acttcctgag tgtgtgacgt tgggcaagtc acctatcctc 600
tctaagcctc agtgccttca tctggaaact ggggataaca tcaccccacc tcccacggtg 660
gccgtctgct gtcggcaaat gctgaacaaa catcagctac ttctattatt attttcccgg 720
agtgtgaatg agagctgccc tgtggggttg tgcaaagtgg agttgtatct atgagcacaa 780
ctatgtatgt gtgtgtcctg cctgggaggg cctggcctcc tctgcacata ggcgagatca 840
ggcctctctg agtcactcac ctctagatca agacttactc tgcagccccc gacctcgggg 900
gttattgaca aggtatgtgt gtttggggtc cctgtgcaga catgccccac agtgcagccg 960
aacatgctga acgtgcacct gctgcctcac acacatgatg acgtgggctg gctcaaaacc 1020
gtggaccagt acttttatgg aagtgagtag aggatgggga ctggtccctg ggatccccat 1080
ggtccctgta atccctctgg gtcctggaca ttagggtggg gccagtgcta ccctaatatc 1140
cagggtttgg gctcctctgt ctaggaataa ccccccttggc tctgctgttc cctgagagcc 1200
ttatccctgt tatccacagt caagaatgac atccagcacg ccggtgtgca gtacatcctg 1260
gactcggtca tctctgcctt gctggcagat cccacccgtc gcttcattta cgtggagatt 1320
gccttcttct cccgttggtg gcaccagcag acaaatgcca cacaggaagt cgtgcgagac 1380
cttgtgcgcc agggtgagcc taccccaagg aagtgaaaag aggaagccca gcccagcttc 1440
tgcttctgca tctctggttt ctgagatttg tcatgccacg tgcaagctgt ataacatgcg 1500
tgtcgctccg cctgcctgga ctctccattt ggagacctcc tatacatccc acaaagcccc 1560
acctgctgtg catcctctgg gaagcctgcc atgcaggggg cctctttccc atatctggga 1620
actatggcct gggagcgacc cctcttgtcc ttccgccaga aatgtgtaca caggcaggct 1680
ttcacattcc cagtatcacc caccctactc ccactcctgg ctctgaccgc tgaccctgac 1740
cttgcctgtc ctggcacagg gcgcctggag ttcgccaatg gtggctgggt gatgaacgat 1800
gaggcagcca cccactacgg tgccatcgtg gaccagatga cacttgggct gcgctttctg 1860
gaggacacat ttggcaatga tgggcgaccc cgtgtggcct ggcacattga ccccttcggc 1920
cactctcggg agcaggcctc gctgtttgcg caggtgcgac ccgggacctc tcttgggccc 1980
acttcttcac tcactctggc tcctccctcg cccagtcaaa ccccgccctc tccctgcaat 2040
ctcacaagga ccaggcccag gcctaggcct gttgaagccc tgccccttga gtgagccgta 2100
aagccagtgg cttttgagct ctggcctcag ccggctatgc ccagcccagg ctgacccagc 2160
tccggctggc tccgccctct cccctaatag gcccctcttg gtgttctggc cccacccact 2220
agctcgggtc ctggctcctc cctaaaccgg gtggcaagtg gatgcctagg ctgccttaaa 2280
aacaggttca ttacctgtgc tcagacccca tccatcctca ggctgtggaa gggggaacct 2340
cattcctgga gtcaggcctg ctctgcgctt tgacagtgct ggggaggtga acctgggttc 2400
tgatgttgga cccgccctct ccctgctagc ccaaggtggt gagttctgaa acttccccaa 2460
gcttggaaat aagctggagg cctctctgtt tcagccctac gtgtttttgt ttttgttttt 2520
tgagacaggg tcttgctgtc atccaggctg gagtgcagtg gtgcaatcct aactcactat 2580
agcctcaatc tcccggattc aagcgattct cctgtctcag ccccctagt agatgagact 2640
acaagagcgc accactacgc ctggctaatt tttaaatttt ttgtagacag tctgcccgtg 2700
ttgtgcaggc tggtctcaaa aactcctggg tttaagtgat cctcctgttt tggcctccca 2760
gaaggctggg atcataggca agagccacca catcgaccta gcactgcttt ttaacctgtg 2820
ctctgacctg cccctcccaa gcagagggga gtttggtggt gagagggctg ggcactaatt 2880
cacactgcct tttcctccct catccccaga tgggcttcga cggcttcttc tttgggcgcc 2940
ttgattatca agataagtgg gtacggatgc agaagctgga gatggagcag gtgtggcggg 3000
ccagcaccag cctgaagccc ccgaccgcgg acctcttcac tggtaggggg cttggtgagg 3060
gcagggccag ccatggtgcc acacactcag aagggccctg ggcttgatat ctgctctgtt 3120
gtcactgtcc tggaattcct atagtctggg aacaaaggcc ctgcatttcc ttttgcattg 3180
ggacacaaat tctgaagccc atcctgggtg ggacatggcc ggctttgaaa ccagggaagg 3240

tctgggtgat gggccacccc ttgaacttgg tgtgacctgc aggtgtgctt cccaatggtt 3300
acaacccgcc aaggaatctg tgctgggatg tgctgtgtgt cgatcagccg ctggtggagg 3360
accctcgcag ccccgagtac aacgccaagg agctggtcga ttacttccta aatgtggcca 3420
ctgcccaggt aaccctggtg tccagaacct tcgagtccgg tatatacaat acaatgagct 3480
ctttccatgg tacaggcatc ccctaacacg ttctccttat ttttaatttt tttgagacag 3540
tcttactctg tcacccaggc tggagtgcag tggtgcgatc tcggctcact gcaacctctg 3600
cctcctgggt tcaaacaagc acatccagct aatttttgta tttttgcact ggggtctcat 3660
catgttgtcc aggctggtct caaactcctg agctcaagtg atctgcttgc ctcggcctcc 3720
caaagtgccg ggattacagg catgagccac cgcacctggc ctctattttt aacatttta 3780
tttatttatt attatttttt ttttttgag acagagtctt gctctgtcac ccaggctgga 3840
gtgcagtggc atgatctcag ctcactgcaa cctccgcctc ccgggttcaa gcgattctcc 3900
tgcctcagcc tcctaagaag ctgggattag aggcacctgc caccacaccc agctaatttt 3960
tgtattttta gtagacaggg tttcgtcatg ttgaccaggc tggtcttgac ctcaggtgat 4020
ctgcccgcct caacctccca aagtgctggg attacaggtg tgggccactg tgcctagtct 4080
atttttaaca tttttattga gaattccttt tttatttttt ttagactcac tctgtcgccc 4140
aggctggagt gcagtggcac gatctcggct cactgcaacc tccacctact gggtccaagc 4200
gattcttctg cctcagcctc ccgagtagct gggattacag gtgcccacca ccatgctcgg 4260
ctaagtttta tgtcttttta gtagaaaggg ggtttcacca tattggccag gctggtctcg 4320
aactcctaac cttttgaccc acagccttgg cctctcaaag tgctgggatt acaggcgtga 4380
gccaccgcgt ccagccttta acatttttat aattaaaaaa cattattttt tcacagagat 4440
aaggtctcac catgtggccc aggctggtct caaactcctg aactcaagtg atcctcctgc 4500
cttggcctcc caaagtgcta ggatataggt gtgagccacc atgcctggca taacacgttc 4560
tccttaaaaa aatttttttt tcctttcttt aaaaattgat ggctgggcat ggtggctcac 4620
gcctataatc ccagcatttt gagaggccga gatgggcaga tcatctgaag tcaggagttc 4680
aagaccagca tagccaaaat gacgaaaccc tgtctctact aaaaatacaa aaattagtcg 4740
ggtgtggtgg cgcacgcctg taatcccagc tacttgggag gctaaggcaa gagagtcgct 4800
tgaacctggc aggtggaggt tgcagtgagc cgagatcacg tcacttcact ctagcttggg 4860
cagcagagtg aaactctgtc tcaaaaaaaa aattgtttta gattaatttt ttttttttt 4920
cttgagacag ggtcttgctg tgtggcccag gttggtctta aactcctaga ctcaagcgat 4980
cctcctgcct cagtctcctg agtagctggg attacaggtg tgagcccctg taatcatgtt 5040
ctcatgcccc ctggaggaag atgctattct attcaccatc acaatgtccc cctcctggat 5100
ttatgtgcat tcctcattag aagagatagc ataggctggg caagagatag catggcatgg 5160
tgactggatg ccctcttcta ggtagtgggt ccaagagaac tgctcaacaa ctggtggcta 5220
cttttatctg tgtccccacg ctcccaagtg ccataccccc acccatgcct gtgcacccaa 5280
catccttgac cccatataca tcaaaacaca gctatacaca gggatggccc aggatcctct 5340
ggcttcagga ctccccctctt gcctgcaggg ccggtattac cgcaccaacc acactgtgat 5400
gaccatgggc tcggacttcc aatatgagaa tgccaacatg tggttcaaga accttgacaa 5460
gctcatccgg ctggtaaatg cgcaggtcag tgcgcctacc ctgtggtacc cttgtgcaca 5520
tgtgcgcttg catccggggg ccttgggtta tgtgcatagc tctcagtgct gtctttgttt 5580
tctattgttc tattgtggtc attctataac aaatgaccac acacttagca gctcaaaaca 5640
acagaaatac attgtcttac agttctgtag gtaagaagtc cagcatgagg ccgggcgcaa 5700
tggctcatgc ctgtaatccc agcatgttgg gaggctgagc cgggcagatc acgaggtcag 5760
gaattcgaga ccagcctgac caacatggtg aaacgctgtc tctactaaaa atacagaaat 5820
tagctgggtg tgatggtgcg tgcctgtaat cccagctact cgggagcctg aggcagggga 5880
atctcttgaa tccgggaggc ggaggttgca gtgagcggag attgtaccac tgcactccag 5940
cctgggccac agagaaagac tctgtctcaa aaaaaaaaaa aaaaaaaaaa aatccagcct 6000
gagtctcacc aggctataat caaggtgttg gcaaggctgt gttccttctg cagtctctag 6060
gagagaatat aatttccttg ctttttccaa catctagaag ttacccacat tcaaaatcta 6120
ttcttggctc catcttcaaa gccagccaca tagcatcttt ctgaccctgt ttctgtaatc 6180
acatcccttt ctctcattct cacctcttct gcctctctct tccacatttt atttatttac 6240
ttagagacgg agtctcgctc tgtcgcccag gctggagtgc agtggcgtgc tctcggctca 6300
ctgcaacctc cgcctcctgg gttcaagtga ttcttctgtc tcagcctccc aagtagctgg 6360
gactacagtc gcgtgccacc acgcccagct aatttttgta tttttagtag acagggtttc 6420
accatgttgg ccaggatggt ctcgatttct tgacctcgtg atccaccccg ctcggcctcc 6480
caaggtgctg ggattacaga tgtgagccac tgtgtggcct aatttcccta ctttaagttt 6540
ggctgatgaa caacctcaat tccatctgca accttaattc ccctttgcc atgtaatcta 6600
atgtggtaat aggttctggg gatcaggaca tggacacttt tgggcagtta tcatttacc 6660
caacacagat gtgttagtgt tttgcactaa gtggcctgtg gctgtggctg tgtgcacagt 6720
cagtcactct catcagcaca gaaacttgtc tcccctctcc catctcagac acccctccc 6780
atcaatcttg tcctcactac ggtgcaatct ccattcccac cttccactcg ctcccagcac 6840
tgctatttca ccaaaacagc tcttttatgt catttatttt tatttatttt ttctttttaa 6900

aattttattt atttatttat ttattgagac aagagtcttg ctttgtcacc caggctggag 6960
tgcagtggca tgatcttgcc tcatggcaac ctctgcctcc tgggttctag tgattctcct 7020
gcctcagcct cccaagtagc tgggactaca ggcatgtgcc accaaccctg gctaatttttt 7080
gtatttttag tagaggcagg gtttcactat gttggccagg ctggtctcaa aactcctgac 7140
ctcaggtgat ccgtccgcct tggcctccca aagtgttggg attgtaatct gaggtgggcg 7200
gatcacttga agacaggagt tggagaccag cctggccaac atggtgaaac cttgtctcta 7260
ctaaaaatac tacaaattag gtgggcgtga tggcactcat ctgtaagacc agctactcgg 7320
caggctgagg caggagaatc gctggaacct gggaggcgga gtttgcagcc agctgagatc 7380
gtgccactgc actccagctt gggcgacaga gtcagactca gtctcaaaaa aaaaaaaaaa 7440
aaaaaaagtt tattgagcac ctactgtgta cattgggggа cacagctcgt gcaaaacaaa 7500
catccttttc ctcacatagg tcactttctt gttcctccac cttgctcagg tgaaagtgca 7560
cctccattca ttataaaaat tgtgtctagg ccgggcacgg tggctcatgc ctgtaatccc 7620
agcactttgg gaggctgagg cgggcggatc atgaggtcag gagatcgaga ccatcctggc 7680
taacacggtg aaactccgtc tctactaaaa aatgcaaaaa attagccggg tgtggtggcg 7740
ggcacctgta gtcccaggta ctcatgaggc tgaggctgga gaatggcgtg aacccaagag 7800
gtggagcttg cagtgagctg agattgagcc actgcactac agcctgggca acaaagtaag 7860
actccgtccc aaaaaaaaaa agttgtgttt tttggtaaca atctgacagt cctgcaaaac 7920
gattattcct gccctataat gtcacactta gtttttccac aaaagttttt aataataaag 7980
ttggaattat tgtaaaagtt tagtaaaatt tcaggtttat tcttgcatct ctgaaatcct 8040
tttaaaaaag gctagtggtc atgtttgact tcagccaaaa ttcattttca cacccaacca 8100
ttggcttgca cgccaaatat gtatttagag aaactgaacc tatgggatgc atgaatgtgc 8160
acacatgtgt ggaagtgtgg gcccccagga aggtgcggac tcccgagggc tcactccgtc 8220
gcctccccca gcagcaggca aaaggaagca gtgtccatgt tctctactcc acccccgctt 8280
gttacctctg ggagctgaac aaggccaacc tcacctggta tttggggaaa ctggggagct 8340
tgggggggtt ggcatgcccc gtgggtcatg accctgccct caatgccccc gccgctgtag 8400
gtcagtgaaa catgacgact tcttccctta cgcggatggc ccccaccagt tctggaccgg 8460
ttacttttcc agtcggccgg ccctcaaacg ctacgagcgc ctcagctaca acttcctgca 8520
ggtgggtagg agccgggcta gaggggcat gcagccccga ggcccgacag gctgggcgcc 8580
ccaacatacc cctctgcctc caggtgtgca accagctgga ggcgctggtg ggcctggcgg 8640
ccaacgtggg accctatggc tccggagaca gtgcacccct cagtaagtgt cgggcccaag 8700
aggggaagag gtttgcggct gaagttggaa accaccccta ggccgccccc ctcgagtttc 8760
ttctttttttt ttttttttttt gagacggagt ctcgatttgt ctcccaggct 8820
ggagtgcagt ggtgcgatct cggctcactg caagctccac ctcccgtgtt cacgccattc 8880
tcctgactca gcctcccgag tagctgggac tacaggcgcc caccaccacg cccggctaat 8940
tttttgtatt tttagtagag acggggtttc accatgttag ccaggatggt ctcgatctga 9000
cctcgtgatc cgcccgcctc ggtctctcaa agtgctggga ttacaggcgt gagccaccgc 9060
ccccagccgt cctcgagttc cttcttaaag cctctaagaa tcctgcccgc cagcaccgga 9120
cctttcgctt ccccttgggg tctcagctga gtcccacaga acctcaccgg actcattgtc 9180
tatgagcaga tgaggcgatg gctgtgctcc agcatcacga cgccgtcagc ggcacctccc 9240
gccagcacgt ggccaacgac tacgcgcgcc agcttgcggc aggctggggg ccttgcgagg 9300
tgcgcggggc gagacttggg agacacgggg gtggagacag gaaggggcgg ggccagggcc 9360
tgggaaaggg gacagagaca ggtgtgaggc gtagccgaga gccctgtggc ggggctacaa 9420
gggctcgtgg gggcggggct tgtaggaggc ggggaaagat acaggaacgg ggcggggctt 9480
tggaggggg aaggaggcgg ggcgtgggca agaggaggcg gagacagcta tggggtatag 9540
tcaagggcag cagggtgggg ctagaagggg ttttggggcg actcttgagg gaggcgggac 9600
agagaccgga acggggcggg gcctgaggag aggggaggag tcaggcctgg cgtcctgaac 9660
ccaccggtcc ctttgcgctc ttccgcaggt tcttctgagc aacgcgctgg cgcggctcag 9720
aggcttcaaa gatcacttca ccttttgcca acagctaaac atcagcatct gcccgctcag 9780
ccagacggcg gcgcgcgtga gccgggacgg gaggggtgga tctagggcag atgggcttta 9840
gaggggtag ttggaaaatg tttttggagg actatacagg agtgaaatta cgtgggctgc 9900
gaagctgggt cagcagagag aacaacgcat ctcgaggggg cttggcctta agtgccgtga 9960
ccacactagg accagccagg ggtgtttctg tgcaaagtgg gtgggtttgg agaaggcctg 10020
ctgtgaccca tgccctctct gacccccgcc tccccagttc caggtcatcg tttataatcc 10080
cctggggcgg aaggtgaatt ggatggtacg gctgccggtc agcgaaggcg ttttcgttgt 10140
gaaggacccc aatggcagga cagtgcccag cgatgtgagc ccaaacaacg aatattcccc 10200
cgctgggact cctcccccag tgggcatttc ctcatcgccc ccatggatat cgcctgcttc 10260
catgaatacc tcccactcat gcatatctct tccccccctct tgtatcttct ccctctgccc 10320
cttaatatca gtctcccctt gggaacatat gcctcctgtg agtggtcctc ccttttttttt 10380
tttttttga gacggagtct cgctctgtca cccaggctgg agtgcagtgg cgcgatcttg 10440
gctcacttca aactccgcct gctggattat aggcatgagc caccgtgcct ggctggtcct 10500
ccattttaat accccgcttc cccaggaaaa tttattgctg tttatggaca tctccttcat 10560

tccagaaaac gtcctccccc aaacctcttc ctcccccgag aacctgcctc aagggtttct 10620
tcccctactt cctccttcac tcccccgact ccatggtctc tccaccctcc cggtgggttt 10680
ttttttccac ctggtgaatc ttctctgcaa tcatttcctt ggaatctgac tgtcccccca 10740
ccacacacac ctccatttcc tttccccatc tcaggactct tttccttcct tgagtttttt 10800
gtctccatgc atgtatagct ttccatgggt actcttgact cagtttccct cctcctttat 10860
ccgaggtggt aatatttccc agctcagaca gccaggcgca ccctccggag ctgctgttct 10920
cagcctcact gcccgccctg ggcttcagca cctattcagt agcccaggtg cctcgctgga 10980
agccccaggc ccgcgcacca cagcccatcc ccagaagatc ctggtcccct gctttaacca 11040
tcgaaaatga ggtgagaccc catttcaatc ccctttcctg ctcctgtgac aaatttgaag 11100
tgtcatggtg agctgtgtgg actctgggtc agcaggtccc taggcttatg acctcctgtc 11160
acaactcccc tcattgtgtg tccttgagca agtgaccttt gtctgagcct cagtgtcctt 11220
tcctgggact gttatgagga cccagtgtga tcatgggtga cacttgacag acatgtcaga 11280
gttggtggca ggtggtggtt cgcaattttg gcagggacgt ttcagggaag gtgttcccga 11340
taaaggtgac atttaagata tgacctgagg gagggagccg tgtggctatt tgaaggaaga 11400
gagatccagg tggggagaga ataacaggca taaaagcctt cgagcaggag agtgtgcaga 11460
attccaggag ccacaaggag ctcagtgtgg ctgaagcagg gtgaacgggt gacaggtcag 11520
accttgaggg ccttgaggac caacaggaag actttggctt ttgccagtca ttgttgctca 11580
tgtgtctact cctagctctt tgggaggctg aagcgggagg atcacttgag cccaggagtt 11640
gtcccagcta attgggaggc ccagatggga ggtttgtttg agctggggag ttcgaggttg 11700
cagtgagtaa tgattgtccc actgtactcc atcctggcaa cagagtgaaa ccctgtctga 11760
aaagaataat aataaaatag gccaggcatc gtggattata cctgtaattc tagcaccacg 11820
ggaggctgag gtgggtggat ctactgagct caggagtttg agaccagctt gggcaacatg 11880
gtgaaaccca gtctctacaa aaaattagct gggggtggtg gtacacgtct gtaatcccag 11940
ctacttgggg gctgaggaag gaggattgct tgagcccagg tggcagaggt tgcagtgagc 12000
cgagatcatg ccactgcact ccagcctggg tgacaaagtg agaccctgtc tcaataaaat 12060
aaaataaaag aagttctgca gtaggactgt tcatgttagg aagaaaacat ctttttcata 12120
tttttattaa aataaaataa aagaagttaa aacgttccca caggcccta aaagtcttgt 12180
gagttctggc attgtggttc acacatcaga tgcccaagtt ggccctggtc cgcagcagag 12240
gagggctttg atgggactta gggtatcaca ggtgtgctct ggctgttgtg gggaacagac 12300
tgtaggcagc cagtgtggaa gtgcagggac ctggaagggg ttgactgcac tggccctgga 12360
aggccctggt aagaggtggt gaggttgaaa ataaggttgg gggggccggg cgcggtggct 12420
cacacctgta atcccagcac tttgggaggc cgaggcaggc agatcacgag gtcaggagat 12480
ggagaccatc ctggctaaca cggtgaaacc ctgactctac aaaaatacaa aaaatttagc 12540
caggcgtggt ggcgagcatc tgtagtccca gttactcggg aggctgaggc aggagaatgg 12600
cgtgaacccg gaaggcggag cttgcagtga cctgagatgg cgccactgca ttccagcctg 12660
ggcaacagag tgagactccg tctcaaaaaa aaaaaaaaga aaaaaaaaga aaaaaagaaa 12720
aggctggggt gggcacgttg gctcatgcct gtaatcccag gactttggga ggctgaggct 12780
ggcaggtcac ctgaggtcag gagtttgaga ccagcctggc caacacagtg aaacctcgtc 12840
tgtaccaaaa atacaaaaat taactgggcg tggtggtaca cacttgtagt cctagctact 12900
cgggagggag aggcaggaga atcacttgaa cccaggaggt ggaggttgca gtgagccgag 12960
atcatgccac tgcactccag cctgggggac agagcaagac tctgtctcaa aagcaaacaa 13020
aaaaaaaatc aggttgaatg gctgggtgtg gtggactgct tgagcccagg agttggacac 13080
tagccccagg caacatagtg ggacccccat ctctagaaaa caaatttaaa ttttttttt 13140
tttaatttag tagagatgga gtttcactat gttggccagg ctggtatcaa actcctcacc 13200
tcaggttatc cacccaactt ggtctcccaa agttctggga ttacaggtgt gagccaccac 13260
gctcggccct aaaaaaattt taaattgaga aaaaaagggg ccaggcgtgt tggctcatgc 13320
ctgtaatccc agcactttgg gaggctgagg ggggggtgga tcatgaggtc aggagttcga 13380
gaccagcatg gccaatattg tgaaaccctg tctctaataa aaatacaaaa attagccagg 13440
tgtggtggca tgtgcctgta gtcccagcta ttcaggaggc tgagtcagga gaattgcttg 13500
aacccgggag gcggaggttg cagtgagcca agatcacgcc actttctgca ctccagcctg 13560
ggcgatagag cgagactcag tctcaaaaaa aaaaaaaaaa caaaaaaccc aggccaggtg 13620
cagtggctca cgcctgtaat cccagccctt tgggaggcca aggcgggtgg attacctgag 13680
gtcaggagtt ggagaccagc ctgaccaaca tggcgaaacc ccgtctctac taaaaataca 13740
aaaattagcc aggcatggtg gcatgtgcct gtaatcccag ctacccagga ggctgaggca 13800
ggagaattgc tggaacccag gggcagaggc tgtagtgagc agagattgcg cccctgcact 13860
ccagcctggg cgacacagca agtttctgtc tcaaaaaaaa aaaataaaaa tccggctggg 13920
cacagtggct tatgtctgta atcctagtac tttgggaggc caaggtgagc agatcacttg 13980
agttcagggg tttgagacca gcctggccaa catggtgaaa ccctgtctct actaaaaata 14040
tgaaaattag ccaggcgggg tggtgggcac ctgtaatccc agctacttgg atagctgagg 14100
cacgagaatc acttgaaccc gggaggtggg gggtgcagtg agccaagatt gcaccactgt 14160
actctagcct gggctacaga gtgagactca gtctcaaaaa aaaaaaaaga aaaaagaaaa 14220

attaaaaaaa gaaaacacac acacatacac acacaaaccc atctgtggac ccttttctgc 14280
ccagcacatc cgggcaacgt ttgatcctga cacagggctg ttgatggaga ttatgaacat 14340
gaatcagcaa ctcctgctgc ctgttcgcca gaccttcttc tggtaaggga agatcaccag 14400
gcctgagggt ggggtggtgg tgctcggcat ggagctaggg ccccttacct gactctcacc 14460
tgccccaact ccaggtacaa cgccagtata ggtgacaacg aaagtgacca ggcctcaggt 14520
gcctacatct tcagacccaa ccaacagaaa ccgctgcctg tgagccgctg ggctcagatc 14580
cacctggtga aggtcaggga ctaggaatga tgagtgggca gttgggaatg gggaagttat 14640
ggagcccaag agggtggtgg gccatgtgta gagtgagggt aggggaggat ttacttttcc 14700
ttcagatcag tgggctaaga cccacagatc agcgggggaa atatttgagg gtccttccat 14760
agaattgata ttcatagctg gtcgtatgag agtctcccca taggacacat catacaaagc 14820
cattcacatc tgctgtggac gtttacatac ttagttttgg aaattggggg tggggcattc 14880
ccacttggcc catgaatcag gagagccaaa tatcactgct tgaagaattc accaaagtct 14940
gtagtaagag gagcttctat ctggagtgaa tatttgagag tccacccttg gattgattgg 15000
gtttgggtga gtctcagggt gaatgcctat gggtgcatct ggctaggaac agtggtttcc 15060
cagggcctct cattgatgtt tgactttcat agatgacaaa actcacattt gtccacattc 15120
aagagcctcg cgtttcatgt gagtcccttt gagatgaatg tctgcatatc tgtatatagt 15180
tttgcctgtt ctaacagagt tacccaaatt aactgtgact agaataagat agaagattat 15240
tttcttctaa caaaaagtct ggctgttagt ccagagaaag tggggtggtt ccataatcac 15300
ccaggacctc ctcttctatc ttgttgctct gccttcccca atattcagtt tccacctcat 15360
ggtccaagat agctgctgaa gctccagccg ccacatttgt gtttgagtca gtagcagagg 15420
gacaggggca aggaacattg ttgacaccac ttggatcact ttctatgggg caaactggtc 15480
actcagctac tgatagcctc agggaagact ggacaatata gtctttatcc caggtagcca 15540
tgtgccaagc tagaatccta ttctatgggg caatggtgaa caggaggcgt ttatgccacg 15600
ctcaagagtg atgtggtaag ccagatgcag tggctcatgc ctgtaatcac agcactttgg 15660
gagactgaag caggaggatc gctgagcata ggagttcaag accaggtggg agcatttgct 15720
gattaggtgc ctacatagtg atgccctgtc tcaaaaaaaa aaaaaaaaaa agaggccggg 15780
tgcagtggct cacgcctgta atcccagcac tttgcgaggc agaggcaggc agatcatctg 15840
aggtcaggag ttcaagacaa gtctggccaa catggataga aaccccgtct ctactaaaaa 15900
tacaaaaatt agccaggggt ggtggcaggt acctgcaatc cctctactcg ggaggctgag 15960
gcaggagaat tgcttgaacc caggaggcgg aggttgcagt gaggcaagat tgtgccactg 16020
cactccatcc tgggcaacaa gagcaaaact ctgtctcaaa aaaaaaaaaa gaaaaaagaa 16080
ttatgtgggc caggcgcggt ggctcacgcc tgtaatccca gcactttggg aggccgaggc 16140
gggctgatca cgaggtcagg agatcgagac catccttgct aacacggtga aaccccatct 16200
ctactaaaaa tacaaaaaat tagccgggtg tggtggcggg tgcctgtagt cccagctact 16260
cgggaggctg aggcaggaga atggtgtgaa cccgggaggc ggagcttgca gtgagccgag 16320
atcgcgccac tgcactcccg cctgggcaaa agagcgagac tccgtctcaa aaaaaaaaaa 16380
aaaaaaagaa ttatgtggcg gtgactgaag gttgaccttg atgtaggcct taatggggtt 16440
tatggccagg gttgggggac atttgtagga ctcacctctg ctcaggtaca gactgacatc 16500
cacctcaccc gtgtgcccgc agacaccctt ggtgcaggag gtgcaccaga acttctcagc 16560
ttggtgttcc caggtggttc gcctgtaccc aggacagcgg cacctggagc tagagtggtc 16620
ggtggggccg atacctgtgg ggtgagtggc acaggctggg agaggggtgt ggaagcaagg 16680
gcagaggggt ttatccaagg ctcacaacct tgccatccca ttgggtacag cgacacctgg 16740
gggaaggagg tcatcagccg ttttgacaca ccgctggaga caaagggacg cttctacaca 16800
gacagcaatg gccgggagat cctggagagg aggtgggggg tgactgagag cactgagggg 16860
gtggtctgtg gtgtgttggg gcccaggggt ggtgagggaa atttgctgat tacatgagtg 16920
tgggagacag aggacgaagg gagagtgaag ggcgggggag ccaggcaggg tgcagtggct 16980
cacgcctgta atcccagcac tttgggaagc cgaggcgggc agatcacaag gtcaggagat 17040
cgagactatc ctggctaaca tggtgaaacc ccgtctctac taaaaataca aaaaaatcag 17100
ccgggtgtgg tggcgggcac ctgtagtccc agctactcgg gaggctgagg caggagaatg 17160
gcgtgaagcc gggaggcgga gcttgcagtg agccgagatc gcgccactgc actccagcct 17220
gggtgacaga gcgagactcc atctcaaaaa aaaaaaaaaa aaaaaaagag ttggggagcc 17280
agatcccaag cctgatcagc tcacccccaa ccccaggcgg gattatcgac ccacctggaa 17340
actgaaccag acggagcccg tggcaggaaa ctactatcca gtcaacaccc ggatttacat 17400
cacggtagct ctcccccatc ctgcacctcc ccacctcgat agaaagggaa tcacccctta 17460
tctgcagcat ctcaaagctg cctggggttg gggttgactg ccctctactt tcacccttca 17520
actcccagga tggaaacatg cagctgactg tgctgactga ccgctcccag gggggcagca 17580
gcctgagaga tggctcgctg gagctcatgg tgagtgggtc agagccccat ccgagccagg 17640
gtcctcccaa cctggacccc tgctggacct tgaaggctgt ttctggccca gttctctgct 17700
ttcaggcccc actaagctga ggactccgtt tctttctttt cttctctttg agacggagtt 17760
ttgctcttgt tgtccaagct ggagtgcaat agtactatct cagctcactg caacctctgc 17820
ctcctgggtt caagtgattg tcctgcctca gccttccgag tagctgggct tacaggcaca 17880

caccatcacg cccggctaat tttggtattt ttagtagaga tggggtttca ccatgttggc 17940
caggctggtc tcgaactcct tacctcaggt gatccactca cctcggcctc ccaaagtgct 18000
gggattacag gcgtgaacca ccgctcccgg ccaaggactc catttctgtg tgtggctttt 18060
cctctccgtt tttctccatc tcctgcccag gctccctcca cgctctggcg tgccatatcc 18120
aggccccccc gttaggcatt tacctccttc cggcctggtt cccatgccta cttggatcct 18180
gcctctgctg gggttgccct accagaccct caccttcatc ctcatccgtt cctcccaccc 18240
tttaatttct tttgacattc ccacacgccc ttacccagtt tctggcccaa ggacacccac 18300
aaacccacga ctctcacccc ctcctggcca ctctcccccc aggtgcaccg aaggctgctg 18360
aaggacgatg gacgcggagt atcggagcca ctaatggaga acgggtcggg ggcgtgggtg 18420
cgagggcgcc acctggtgct gctggacaca gcccaggctg cagccgccgg acaccggctc 18480
ctggcggagc aggaggtcct ggcccctcag gtggtgctgg ccccgggtgg cggcgccgcc 18540
tacaatctcg gggctcctcc gcgcacgcag gtgaggggca gcggggtagg cagagaggac 18600
cggattgaag tctaccaggg agccgggttt gggtgcggag tttcctaggc tcagcgggga 18660
tccatttggc cataattagc cccaaaccct cgggccaacc ccatcccctg ggcagtcccc 18720
gcccagtgcc agcccagtcc caacccccct ggactgtgta gaggcacagc cctagctcat 18780
gcccctaaac caccaactca cctccggccc cgcccatttc actttagccc cgccctctca 18840
ccgcccccag gctctgtcct gcctcaccca gccccgcggc ttcagccccg ccgtaactcc 18900
caaagtctca ggtcacatca gttctgctcc atcgggactc gaaccctaag cttgggaccg 18960
acccatctcc ccattggctc agtcctccct gtcacggccc tggccgctcc tctcggctga 19020
gccttgcccc tctccggcga aaccccgccc ctacaaccta gccctgcctc ctgacctggc 19080
tcggccccgc ccttctccat ccaggccccg cccctctcca actcagcccc gccctctctc 19140
ccgcagttct cagggctgcg cagggacctg ccgccctcgg tgcacctgct cacgctggcc 19200
agctggggcc ccgaaatggt gctgctgcgc ttggagcacc agtttgccgt aggagaggat 19260
tccggacgta acctgagcgc ccccgttacc ttgaacttga gggtgagaag ggcaaaattg 19320
agaaggagat cggagagagg caagagagag ggagagaaga gaaacctggc tttgccccaa 19380
ctcatctggg cccatcccct tccccgcagg acctgttctc caccttcacc atcacccgcc 19440
tgcaggagac cacgctggtg gccaaccagc tccgcgaggc agcctccagg ctcaagtgga 19500
caacaaacac aggtggggcc ctggtcaggg gtagggaagg ggtggagtct tacctggggc 19560
cggcaggtgg gggcaatgtg tgaggcatgg gatgttggcc aggacccaaa aaggtcatga 19620
gggtatgggg cagagtccag acccaggtta ggggcttaaa ggatctgaaa tgggtgcggc 19680
aaaccaggaa tgggtcttga ggtttgtggg tgctgtttag tcccaagaac aagatttgaa 19740
aatccccatc catgtctagt tctgggaggg tgttcatcac ccctggggtc agattgaggg 19800
tacgaggaca gtggccagat tgagggtatg aggacattgg acctgggggt ggtattcggg 19860
gccggggaag caggttaaga gtctgggatt gaggccctgg agacagattc ggggatatgc 19920
agctgtgtct agacccaggg gaggaagcat cgtggggtga gtcagaggaa gtctgcacct 19980
cctcactcct ccttcccccc gcacctctcc aggccccaca ccccaccaaa ctccgtacca 20040
gctggacccg gccaacatca cgctggaacc catggaaatc cgcactttcc tggcctcagt 20100
tcaatggaag gaggtggatg gttaggtctg ctgggatggg ccctccaagc ccaagcctcc 20160
tgctccgggg gcagaccaga ctctgactct cctcttgggg ctgctgccat taaaacgcta 20220
ctactaagac tcaggtcgct ctgtg 20245

<210> 1041
<211> 9796
<212> DNA
<213> Homo sapiens

<400> 1041
gcctttccag ggccggggaa ccccaggagg aagctgctga gccatgggcg cctacgcgcg 60
ggcttcgggg gtctgcgctc gcggctgcct ggactcagca ggcccctgga ccatgtcccg 120
cgccctgcgg ccaccgctcc cgcctctctg ctttttcctt ttgttgctgg cggctgccgg 180
tgctcgggcc gggggatacg aggtgagtgg ggcctccgag ctgaaacgta caggaggcag 240
agtgaaaccc agaatacagt ctagaggtgt gggtgggtct gtcctgtggg tgtctagtga 300
atggctgatg atatgacagt gtggtctgag tgcgtgcttt gtgtcattgc gaggtctggc 360
tgtgcgcatc tgagtatagg actgtgtctg attgtacctg cctccgtgtc tccgggatgc 420
ttgcctagac tttgtctgca cttaactgtg ggattggagg ggcaggaggt ggcagggggt 480
gagcagtgta tgtgtggggg gaggtgctgg ctgagagctg ggactctgga gtctgcctga 540
aattccagcc tagctcttac acttcctgag tgtgtgacgt tgggcaagtc acctatcctc 600
tctaagcctc agtgccttca tctggaaact ggggataaca tcaccccacc tcccacggtg 660
gccgtctgct gtcggcaaat gctgaacaaa catcagctac ttctattatt attttcccgg 720
agtgtgaatg agagctgccc tgtggggttg tgcaaagtgg agttgtatct atgagcacaa 780
ctatgtatgt gtgtgtcctg cctgggaggg cctggcctcc tctgcacata ggcgagatca 840

```
ggcctctctg agtcactcac ctctagatca agacttactc tgcagccccc gacctcgggg   900
gttattgaca aggtatgtgt gtttggggtc cctgtgcaga catgccccac agtgcagccg   960
aacatgctga acgtgcacct gctgcctcac acacatgatg acgtgggctg gctcaaaacc  1020
gtggaccagt acttttatgg aagtgagtag aggatgggga ctggtccctg ggatccccat  1080
ggtccctgta atccctctgg gtcctggaca ttagggtggg gccagtgcta ccctaatatc  1140
cagggtttgg gctcctctgt ctaggaataa ccccccttggc tctgctgttc cctgagagcc  1200
ttatccctgt tatccacagt caagaatgac atccagcacg ccggtgtgca gtacatcctg  1260
gactcggtca tctctgcctt gctggcagat cccacccgtc gcttcattta cgtggagatt  1320
gccttcttct cccgttggtg gcaccagcag acaaatgcca cacaggaagt cgtgcgagac  1380
cttgtgcgcc agggtgagcc taccccaagg aagtgaaaag aggaagccca gcccagcttc  1440
tgcttctgca tctctggttt ctgagatttg tcatgccacg tgcaagctgt ataacatgcg  1500
tgtcgctccg cctgcctgga ctctccattt ggagacctcc tatacatccc acaaagcccc  1560
acctgctgtg catcctctgg gaagcctgcc atgcaggggg cctctttccc atatctggga  1620
actatggcct gggagcgacc cctcttgtcc ttccgccaga aatgtgtaca caggcaggct  1680
ttcacattcc cagtatcacc caccctactc ccactcctgg ctctgaccgc tgaccctgac  1740
cttgcctgtc ctggcacagg gcgcctggag ttcgccaatg gtggctgggt gatgaacgat  1800
gaggcagcca cccactacgg tgccatcgtg gaccagatga cacttgggct gcgctttctg  1860
gaggacacat ttggcaatga tgggcgaccc cgtgtggcct ggcacattga ccccttcggc  1920
cactctcggg agcaggcctc gctgtttgcg caggtgcgac ccgggacctc tcttgggccc  1980
acttcttcac tcactctggc tcctccctcg cccagtcaaa ccccgccctc tccctgcaat  2040
ctcacaagga ccaggcccag gcctaggcct gttgaagccc tgccccttga gtgagccgta  2100
aagccagtgg cttttgagct ctggcctcag ccggctatgc ccagcccagg ctgacccagc  2160
tccggctggc tccgccctct cccctaatag gcccctcttg gtgttctggc cccacccact  2220
agctcgggtc ctggctcctc cctaaaccgg gtggcaagtg gatgcctagg ctgccttaaa  2280
aacaggttca ttacctgtgc tcagacccca tccatcctca ggctgtggaa gggggaacct  2340
cattcctgga gtcaggcctg ctctgcgctt tgacagtgct ggggaggtga acctgggttc  2400
tgatgttgga cccgccctct ccctgctagc ccaaggtggt gagttctgaa acttccccaa  2460
gcttggaaat aagctggagg cctctctgtt tcagccctac gtgtttttgt ttttgttttt  2520
tgagacaggg tcttgctgtc atccaggctg gagtgcagtg gtgcaatcct aactcactat  2580
agcctcaatc tcccggattc aagcgattct cctgtctcag ccccctagt agatgagact  2640
acaagagcgc accactacgc ctggctaatt tttaaatttt ttgtagacag tctgcccgtg  2700
ttgtgcaggc tggtctcaaa aactcctggg tttaagtgat cctcctgttt tggcctccca  2760
gaaggctggg atcataggca agagccacca catcgaccta gcactgcttt ttaacctgtg  2820
ctctgacctg cccctcccaa gcagagggga gtttggtggt gagagggctg ggcactaatt  2880
cacactgcct tttcctccct catccccaga tgggcttcga cggcttcttc tttgggcgcc  2940
ttgattatca agataagtgg gtacggatgc agaagctgga gatggagcag gtgtggcggg  3000
ccagcaccag cctgaagccc ccgaccgcgg acctcttcac tggtaggggg cttggtgagg  3060
gcagggccag ccatggtgcc acacactcag aagggccctg ggcttgatat ctgctctgtt  3120
gtcactgtcc tggaattcct atagtctggg aacaaaggcc ctgcatttcc ttttgcattg  3180
ggacacaaat tctgaagccc atcctgggtg ggacatggcc ggctttgaaa ccagggaagg  3240
tctgggtgat gggccacccc ttgaacttgg tgtgacctgc aggtgtgctt cccaatggtt  3300
acaacccgcc aaggaatctg tgctgggatg tgctgtgtgt cgatcagccg ctggtggagg  3360
accctcgcag ccccgagtac aacgccaagg agctggtcga ttacttccta aatgtggcca  3420
ctgcccaggt aaccctggtg tccagaacct tcgagtccgg tatatacaat acaatgagct  3480
ctttccatgg tacaggcatc ccctaacacg ttctccttat ttttaatttt tttgagacag  3540
tcttactctg tcacccaggc tggagtgcag tggtgcgatc tcggctcact gcaacctctg  3600
cctcctgggt tcaaacaagc acatccagct aatttttgta tttttgcact ggggtctcat  3660
catgttgtcc aggctggtct caaactcctg agctcaagtg atctgcttgc ctcggcctcc  3720
caaagtgccg ggattacagg catgagccac cgcacctggc ctctattttt aacattttta  3780
tttatttatt attatttttt ttttttgag acagagtctt gctctgtcac ccaggctgga  3840
gtgcagtggc atgatctcag ctcactgcaa cctccgcctc ccgggttcaa gcgattctcc  3900
tgcctcagcc tcctaagaag ctgggattag aggcacctgc caccacaccc agctaatttt  3960
tgtattttta gtagacaggg tttcgtcatg ttgaccaggc tggtcttgac ctcaggtgat  4020
ctgcccgcct caacctccca aagtgctggg attacaggtg tgggccactg tgcctagtct  4080
atttttaaca tttttattga gaattccttt tttatttttt ttagactcac tctgtcgccc  4140
aggctggagt gcagtggcac gatctcggct cactgcaacc tccacctact gggtccaagc  4200
gattcttctg cctcagcctc ccgagtagct gggattacag gtgcccacca ccatgctcgg  4260
ctaagtttta tgtcttttta gtagaaaggg ggtttcacca tattggccag gctggtctcg  4320
aactcctaac cttttgaccc acagccttgg cctctcaaag tgctgggatt acaggcgtga  4380
gccaccgcgt ccagccttta acatttttat aattaaaaaa cattattttt tcacagagat  4440
aaggtctcac catgtggccc aggctggtct caaactcctg aactcaagtg atcctcctgc  4500
```

cttggcctcc caaagtgcta ggatataggt gtgagccacc atgcctggca taacacgttc 4560
tccttaaaaa aatttttttt tcctttcttt aaaaattgat ggctgggcat ggtggctcac 4620
gcctataatc ccagcatttt gagaggccga gatgggcaga tcatctgaag tcaggagttc 4680
aagaccagca tagccaaaat gacgaaaccc tgtctctact aaaaatacaa aaattagtcg 4740
ggtgtggtgg cgcacgcctg taatcccagc tacttgggag gctaaggcaa gagagtcgct 4800
tgaacctggc aggtggaggt tgcagtgagc cgagatcacg tcacttcact ctagcttggg 4860
cagcagagtg aaactctgtc tcaaaaaaaa aattgtttta gattaatttt ttttttttt 4920
cttgagacag ggtcttgctg tgtggcccag gttggtctta aactcctaga ctcaagcgat 4980
cctcctgcct cagtctcctg agtagctggg attacaggtg tgagcccctg taatcatgtt 5040
ctcatgcccc ctggaggaag atgctattct attcaccatc acaatgtccc cctcctggat 5100
ttatgtgcat tcctcattag aagagatagc ataggctggg caagagatag catggcatgg 5160
tgactggatg ccctcttcta ggtagtgggt ccaagagaac tgctcaacaa ctggtggcta 5220
cttttatctg tgtccccacg ctcccaagtg ccatacccca acccatgcct gtgcacccaa 5280
catccttgac cccatataca tcaaaacaca gctatacaca gggatggccc aggatcctct 5340
ggcttcagga ctccccctct gcctgcaggg ccggtattac cgcaccaacc acactgtgat 5400
gaccatgggc tcggacttcc aatatgagaa tgccaacatg tggttcaaga accttgacaa 5460
gctcatccgg ctggtaaatg cgcaggtcag tgcgcctacc ctgtggtacc cttgtgcaca 5520
tgtgcgcttg catccggggg ccttgggtta tgtgcatagc tctcagtgct gtctttgttt 5580
tctattgttc tattgtggtc attctataac aaatgaccac acacttagca gctcaaaaca 5640
acagaaatac attgtcttac agttctgtag gtaagaagtc cagcatgagg ccgggcgcaa 5700
tggctcatgc ctgtaatccc agcatgttgg gaggctgagc cgggcagatc acgaggtcag 5760
gaattcgaga ccagcctgac caacatggtg aaacgctgtc tctactaaaa atacagaaat 5820
tagctgggtg tgatggtgcg tgcctgtaat cccagctact cgggagcctg aggcagggga 5880
atctcttgaa tccgggaggc ggaggttgca gtgagcggag attgtaccac tgcactccag 5940
cctgggccac agagaaagac tctgtctcaa aaaaaaaaaa aaaaaaaaaa aatccagcct 6000
gagtctcacc aggctataat caaggtgttg gcaaggctgt gttccttctg cagtctctag 6060
gagagaatat aatttccttg ctttttccaa catctagaag ttacccacat tcaaaatcta 6120
ttcttggctc catcttcaaa gccagccaca tagcatcttt ctgaccctgt ttctgtaatc 6180
acatcccttt ctctcattct cacctcttct gcctctctct tccacatttt atttatttac 6240
ttagagacgg agtctcgctc tgtcgcccag gctggagtgc agtggcgtgc tctcggctca 6300
ctgcaacctc cgcctcctgg gttcaagtga ttcttctgtc tcagcctccc aagtagctgg 6360
gactacagtc gcgtgccacc acgcccagct aatttttgta tttttagtag acagggtttc 6420
accatgttgg ccaggatggt ctcgatttct tgacctcgtg atccaccccg ctcggcctcc 6480
caaggtgctg ggattacaga tgtgagccac tgtgtggcct aatttcccta ctttaagttt 6540
ggctgatgaa caacctcaat tccatctgca accttaattc ccctttgcc atgtaatcta 6600
atgtggtaat aggttctggg gatcaggaca tggacacttt tgggcagtta tcattttacc 6660
caacacagat gtgttagtgt tttgcactaa gtggcctgtg gctgtggctg tgtgcacagt 6720
cagtcactct catcagcaca gaaacttgtc tcccctctcc catctcagac acccccttcc 6780
atcaatcttg tcctcactac ggtgcaatct ccattcccac cttccactcg ctcccagcac 6840
tgctatttca ccaaaacagc tcttttatgt catttatttt tatttatttt ttctttttaa 6900
aattttattt atttatttat ttattgagac aagagtcttg ctttgtcacc caggctggag 6960
tgcagtggca tgatcttgcc tcatggcaac ctctgcctcc tgggttctag tgattctcct 7020
gcctcagcct cccaagtagc tgggactaca ggcatgtgcc accaaccctg gctaattttt 7080
gtatttttag tagaggcagg gtttcactat gttggccagg ctggtctcaa aactcctgac 7140
ctcaggtgat ccgtccgcct tggcctccca aagtgttggg attgtaatct gaggtgggcg 7200
gatcacttga agacaggagt tggagaccag cctggccaac atggtgaaac cttgtctcta 7260
ctaaaaatac tacaaattag gtgggcgtga tggcactcat ctgtaagacc agctactcgg 7320
caggctgagg caggagaatc gctggaacct gggaggcgga gtttgcagcc agctgagatc 7380
gtgccactgc actccagctt gggcgacaga gtcagactca gtctcaaaaa aaaaaaaaaa 7440
aaaaaaagtt tattgagcac ctactgtgta cattggggga cacagctcgt gcaaaacaaa 7500
catccttttc ctcacatagg tcactttctt gttcctccac cttgctcagg tgaaagtgca 7560
cctccattca ttataaaaat tgtgtctagg ccgggcacgg tggctcatgc ctgtaatccc 7620
agcactttgg gaggctgagg cgggcggatc atgaggtcag gagatcgaga ccatcctggc 7680
taacacggtg aaactccgtc tctactaaaa aatgcaaaaa attagccggg tgtggtggcg 7740
ggcacctgta gtcccaggta ctcatgaggc tgaggctgga gaatggcgtg aacccaagag 7800
gtggagcttg cagtgagctg agattgagcc actgcactac agcctgggca acaaagtaag 7860
actccgtccc aaaaaaaaaa agttgtgttt tttggtaaca atctgacagt cctgcaaaac 7920
gattattcct gccctataat gtcacactta gtttttccac aaaagttttt aataataaag 7980
ttggaattat tgtaaaagtt tagtaaaatt tcaggtttat tcttgcatct ctgaaatcct 8040
tttaaaaaag gctagtggtc atgtttgact tcagccaaaa ttcattttca cacccaacca 8100
ttggcttgca cgccaaatat gtatttagag aaactgaacc tatgggatgc atgaatgtgc 8160

acacatgtgt ggaagtgtgg gcccccagga aggtgcggac tcccgagggc tcactccgtc 8220
gcctccccca gcagcaggca aaaggaagca gtgtccatgt tctctactcc acccccgctt 8280
gttacctctg ggagctgaac aaggccaacc tcacctggta tttggggaaa ctggggagct 8340
tgggggggtt ggcatgcccc gtgggtcatg accctgccct caatgccccct gccgctgtag 8400
gtcagtgaaa catgacgact tcttccctta cgcggatggc ccccaccagt tctggaccgg 8460
ttacttttcc agtcggccgg ccctcaaacg ctacgagcgc ctcagctaca acttcctgca 8520
ggtgggtagg agccgggcta gaggggcat gcagccccga ggcccgacag gctgggcgcc 8580
ccaacatacc cctctgcctc caggtgtgca accagctgga ggcgctggtg ggcctggcgg 8640
ccaacgtggg accctatggc tccggagaca gtgcaccccct cagtaagtgt cgggcccaag 8700
aggggaagag gtttgcggct gaagttggaa accaccccta ggccgccccc ctcgagtttc 8760
ttctttttt ttttttttt ttttttttt gagacggagt ctcgatttgt ctcccaggct 8820
ggagtgcagt ggtgcgatct cggctcactg caagctccac ctcccgtgtt cacgccattc 8880
tcctgactca gcctcccgag tagctgggac tacaggcgcc caccaccacg cccggctaat 8940
ttttgtatt tttagtagag acggggtttc accatgttag ccaggatggt ctcgatctga 9000
cctcgtgatc cgcccgcctc ggtctctcaa agtgctggga ttacaggcgt gagccaccgc 9060
ccccagccgt cctcgagttc cttcttaaag cctctaagaa tcctgcccgc cagcaccgga 9120
cctttcgctt ccccttgggg tctcagctga gtcccacaga acctcaccgg actcattgtc 9180
tatgagcaga tgaggcgatg gctgtgctcc agcatcacga cgccgtcagc ggcacctccc 9240
gccagcacgt ggccaacgac tacgcgcgcc agcttgcggc aggctggggg ccttgcgagg 9300
tgcgcggggc gagacttggg agacacgggg gtggagacag gaaggggcgg ggccagggcc 9360
tgggaaaggg gacagagaca ggtgtgaggc gtagccgaga gccctgtggc ggggctacaa 9420
gggctcgtgg gggcggggct tgtaggaggc ggggaaagat acaggaacgg ggcggggctt 9480
tggaggggg aaggaggcgg ggcgtgggca agaggaggcg gagacagcta tggggtatag 9540
tcaagggcag cagggtgggg ctagaagggg ttttggggcg actcttgagg gaggcgggac 9600
agagaccgga acggggcggg gcctgaggag aggggaggag tcaggcctgg cgtcctgaac 9660
ccaccggtcc ctttgcgctc ttccgcaggt tcttctgagc aacgcgctgg cgcggctcag 9720
aggcttcaaa gatcacttca ccttttgcca acagctaaac atcagcatct gcccgctcag 9780
ccagacggcg gcgcgc 9796

<210> 1042
<211> 3844
<212> DNA
<213> Homo sapiens

<400> 1042
tcatgcctgt aatcccagca ttttgggagg ccgaggcggg cagatcacaa ggtcaggaga 60
tcaagaccat cctggctaac acggtgaaac cctgtctcta tcttagtaat actttattaa 120
ttagtctggg cgtgtggcgg gcgcctgtag tcccagctac ttgggaggct gaggcaggag 180
actggcgtga acccgggagg tggagcttgt agtgagccga aatcacacca ctacactcca 240
gcctgggcga cagagcaaga ctccgtctca aaaaaaaaaa aaaaaaaaaa aaagctctct 300
gattttagct gttaggtggg agatgggttg gaggatacca aagccagctt gcaggctatg 360
gggataaaga aaacacctgg atttcggacc tactttatag gtagaggttg gcagacatgc 420
tgagaaggat ggatgtgggg tgtgagaaaa ggggagacag caagctgcgc tcctcatttt 480
taatttttat ttatctattt ttgagacgga gtttcgctct gttgcccagg ctggagtgca 540
gtggcaccat ctcagctcac tgcaacctcc acctcccggg ttcaagtgat tctcctgcct 600
cagcctcctg agtagctggg attatgggtg tgcgccacca cacccggcta atttttgtat 660
tttttagtag agacggggtt tcgccatgtt gtccaggctg gtctctaact cctaacctca 720
ggtgatctgc cctccttggc atcccaaagt gctgggatta caggtgtgag ccaccgcgcc 780
cagccccaat ccctattttt cagtctagtg gatgagtgga gggtggggcc gtttgctgag 840
atgcagaaag atcagggata ggtggagagg gagctgaggg ggcaactttg aggtccaagc 900
gaggatgtca aggaggatgt ctgtctcctc caacaaggta ggctcattcc agcctcacgg 960
cttttgctgt tctgtcttcc catgtgcaga aatggcctct ctgcatcttc acatacgggg 1020
attttctcag ccttctggct ttggctcaaa tctcacctcc ttggcgtcct tcacccatcc 1080
ctccaactaa aatcccgaac tcctccacct aaagactcaa attatcctgt ttaaatcctg 1140
attgcgctgg gcgcggtggc tcacacctgt aatcccagca ctttgggagg ccgaggcagg 1200
cagatcacct gaggtcagga gttcgagact agcctgacca acatagtgaa accccatctc 1260
tactaaaaat acaagaatta gccgggcgtg atggctcatg cctgtaatcc cagctactcg 1320
ggaggctgag gcaggagaat tgcttgaaac tgggaggcag aggttgcgat gagtggagat 1380
cgcgccattg cactccagcc tgggcaacaa gagcgaaact ctgtctccaa aaaaaacaaa 1440
aaacaaaaaa ggcctgatag cactcaccac tattgttaac tttctatctt cccaatcaga 1500
ttgtgggctc cagtagggca gggtccacat cttggtcttg ttcaccacta aatccttagt 1560

gcctagcacg gagcccacca tagagaatag actacatgaa ttgtagagtg agtgaataat 1620
cctgttggcc gtatgcactg ttaggagggt gtgtttgaga tacagatgac acccagggtc 1680
tcacattctt gcaggaggga aagagacgtc agccctgggt cccagaagag gccactgacc 1740
cagtgggagt tcagggaagg cttcccagag gaggtggagg tgacagctgc agctataagg 1800
gaaggaagaa cagagcgtta tgcagcatgt gaaggctttg gagacttgtg agggcacgaa 1860
ccgggctcac tatcccatta gacaaaagtg gctgaggaag gatgaaactg tgtctaactc 1920
tgcctggtga ccgaaatctt gtccatgggt gacgcttaag aagtgaccct cggccgggcg 1980
cagtggctca cgcctgtaat cctggcactt tgggaggcca aggcgggcgg gtcacgagtt 2040
caggagatcg agaccatcct ggctaacacg gtgaaacccc atctctacta aaaacagaaa 2100
aaattagccg ggtgtggtgg cgggcacctg tagtcccagt tactcgggag gctgaggcag 2160
gagaatggca tgaacctggg aggcagagct tgcagtgagc cgagattgcg ccactgcact 2220
ccagcctggg cgacagagcg agactctgtc tcaaaaaaaa aaaaaaaaaa aaaagtgacc 2280
ctcataaaaa aattagctgg gcacgatggt gcacactagt cggaatgctg gggtgggagg 2340
atgacctgag tccgggagtc agaggttgca gtgggccgag atcgcgtcac agcactccag 2400
cctggcgaca gagtgagacc ctatcaaaaa atagcagcag gccaggcgcg gtggctcatg 2460
cctgtaatcc cagcactttg ggaggctgag gcgggcggat cacgaggtca ggagatcgag 2520
actaccctgg ctaacacggt gaaaccccgt ctctactaaa aatacaaaat attagccggg 2580
cgtggtggcc ggcgcctgta gtcccagtta ctggggaggc tgaggcagaa gaatggcgtg 2640
aacctgggag gcggaggttg cagtgagccg agatcgtgcc actgcactcc agcctgggag 2700
acagcgcaag actctagctc aaacaaacaa acaaacaaaa cagcaacaac aacaacaaaa 2760
ccatcctccc ctcccgaggg gacagaacag aaacgaatgg gcgagtgccg ggccaagcag 2820
tgggtctcca gcaggtggca ttaaaatagg aattttggct ggggacggtg gctcacacct 2880
gtaatctcag cactttggaa agcccaggcg ggcggtcacc tgagggcaga accagcctcg 2940
ccaacatggt gaaatgccat ctctactaaa aataaaaaat tagccaggcc tggtggtggg 3000
tgtctgtaat cccagcaact cgggaggctg aggcaggaga atcgcttgaa ccaggggggc 3060
agaggttgca atgagtcaag attgcaccac cgcactccag cctgcgtaac aagagcgtgt 3120
aactcttgtc tcaaaaataa attaaataaa taaataataa aaataaaaaa gaatcttcat 3180
tcatgggaag tcgagaacac atgaaaacaa gtaaaggccg aagcgcagtg gctcacgcct 3240
gtaatcccag cactttggga ggctgaggcg ggcggataac ctgaggtcgg aagttcgaga 3300
ccagcctgac caacagggag aaaccccgcc tctactaaaa atacaaaatt agccgggcat 3360
ggcggtgcat gccagtagtc ccagctactc gggaggctga ggcaggagaa tcgcttgaac 3420
ccggaatgtg gaggttgtgg tgagctgaga tcgggcaatt gcactccagc ctgggcaaca 3480
agagcgaaac cctgtatcaa aaaaaaaaaa aagaaaaaaa aaggaagaaa aggcctaaag 3540
gcgccgggcg cggtgggtca cgcctgtaat cccagcactt tgggaggccg aggcgggcga 3600
atcacgaggt caggagatcg agaccaggtg aaaccccgtc tctactaaaa atacaaaaaa 3660
attagccggg cgtggtggtg ggcgcctgta gtcccagcta ctcgggaggc tgaggcagga 3720
gaacagcgtg aacccggaaa gcggagctgg cagtgagctg agatcgcgcc actgcactcc 3780
agcctgggtg acagagcgag actccgtctc aaaaaaaaaa aaaaaaaaaa aaagaaagaa 3840
aggg 3844

<210> 1043
<211> 4126
<212> DNA
<213> Homo sapiens

<400> 1043
tgcagtgcag agttccttta tttgggggca gtgcccaggc cagttggtgg aaagaggcag 60
gcatacaacc cactgtcagg ctgggggggcc cagcaggggc gatggaggag acgaggtggt 120
tgagggattt tctcagctgc aggttccagg cccaggacag gaggagatgt caggcatcag 180
acactgagcc tgcttggtgc ccgcaggagc caaaaactgg cggccagagt ttttcccgcc 240
cccgcccccc gcttacccac aagggtgccc agaggccacc ctctgcatcc tcctttcccc 300
tcaggatgga gtccaggccc aaaggggtca gattctgcag aggccaaaga ggacactcag 360
gaaggtgaca ctgcctcagc cagccaagga ccccctgcct cgagaggagg cagcagagga 420
agagcaaaca ctttaacaca ggctgtggcg acccgcccca cagcacacac ggcacacaga 480
gggcctcagg cacagctccc cttctcagag caaaacccaa ctagacacaa ggcccagctc 540
ctgcccacag ccacagaaac gcgggccaca ggcttgcctg ggctggcacc tactggttct 600
cttccctgct ggcagcatga agggaaaaga cacaggaggg ctcagctggg ctcctagact 660
ggcccaggct gagtcctggt cccagccaac atctgacaaa ggaaacaccc caactggagg 720
agacaaaagg ggtgtggctc acatggagca cgctgtcacc gtcctgaggg cttgcccatg 780
gagaagacag caccctgggt actgaagggg aacggtgggg caggaaccag gaggtgagct 840
gggactcagg tacttgctgc tggccaggta ctcacagcgt ctggtaggtg ctgtccttgg 900

ccttgaggaa gtgcagcaca aagaaagcca ccgcctgtag gctcaacacc agcacgacac 960
ctccgataaa gctggccccg tcaaatccag ggctgtgggc ctcagggact gggggctcc 1020
ctgcaggggt gaggcagggc aggggtcata gcagtcactg tgaaccagga tcccagtcct 1080
accctcataa ctggcacaag taacctggag gccccggtcc tcaatatggg gtgcttaaac 1140
cctgggctcc gtttagtcca gatcccgcag gcagttggga agcgcctggt gggaggaaca 1200
gtggcagggg agggtggggt gctgtccagc cctggctctg ctcctggctt gctctgtggc 1260
ttttatgcca cccacattct ctctgggcct catgatcaca tggtccaatt ggtggcttgg 1320
accagtgact gggctcccac cctccctggg cctcaccagc ccaatagggt gaagacagag 1380
ccagaactca gaccctcccc tgctcacaat tcctttcagc cttggacctc agggttcaga 1440
gccaagatgc agacgatata gtccctttc aggactccta agccctaaga cctcagtgtc 1500
acccaatgtc agagccctca gagagggaag gagcaggggg agaagtggag gccccaactg 1560
tcaccctgct aagtgggtaa gcgaggactg gacagtgtgt gtcaggggga acatggctga 1620
gggacaggct tggccaaagt cacctcacag gacatagcca gactcacaca gggtcccctg 1680
accatctcct ctgcccctta gaaggtaggg ctttagggcc atggttgcca ggctatgcct 1740
gggtggctcc cagctgtgcc acggtacctg tccactccta gcagggattt gatttcaggc 1800
cctgggctgg gtgcccagaa cagggcaggg ctggtggatg gaagatcatt ctgggacagt 1860
ggaaaggggc ccagcctgaa ctgggtctcc ctcccagaag gtgtaagggg tggaaggagt 1920
ctgacaatat gaagggcaaa cagtggtccc agctcccgct cagggagccc cagagaagga 1980
agctgggggа tgaggagcag aagaggggag aaatgagcca catgaggctg atccggggct 2040
ccagctgagg gagctgagcc atcaataatt cagcttctga gatcggtttc tggctttaat 2100
taaccaaggg cctcttcagc catccctgcc aagtctggtg acctccagcc cctgagaggg 2160
agtgggaagc aaagggtggc attcttgcct ctactccgcc aggaacccgc cttgtgaccc 2220
tctctgggcc tggagggtgc agtaggcagg cactgaggat gtctcctgag caactcgagc 2280
cacacaccct cacctccaag gacaagtccc gaggagtgac cttgagttcc cagaactggc 2340
aatggggagg agggatggga actgtcattt cttgattgcc ttcagtgagt cagacactga 2400
agtgggcact gtacagcttc tcataaaacc tgcagagcaa ctctatgaga aaggcatcat 2460
ccaacccatt tcacagatgc ggagacaggc tccgagggag aaggcgcagg gccgaggtca 2520
cagagcatgt cagtgcctga gcccagagct gtcttcccct gcacctctgc tcctcccact 2580
gccccgtctc cagggagtac tcacctgttg tgactgtctt cggttcatag gtggggtggt 2640
ggtgagcagc tgaggagaca ggtgatccat agcaaagcag ccttcccacc ccctgactcc 2700
catcaagacc ccagccccca ctcaccgcta aacttccgat tcagatgcag ccctgtccct 2760
actctagaca tccaacatac ttgcaagccc cacacagttc cctccaccag atgtgctctc 2820
tctccatctc taccttccag gctcattact gatgccacct cctccaggaa gcactccctc 2880
tcattccctc tgaacttcca aagtccttgc tatgccttaa actagaagaa gagctaacac 2940
tcccatcccc tccacacacc tgtactaatt ttcagatgag gaaataggca gagagaggag 3000
gggacttctc agtgagctaa aggcagaact gataccgggc ccaggtatgg gtgagcaaaa 3060
tccaccgcct gagagaggct gtttcctcct gggggggcagg ctatggctgg ggagacccat 3120
gcaacttggc ttaggtgcaa gaacccccct acctggacat gcctctgagc ggttgtagat 3180
ggagcaacct tccttgacca cctcagattg ggccacacag tgtcctggtg agagaaggtg 3240
caggggggag gtttggggag aggggccagg gccttggggt tcagagctgg gggcactcaa 3300
tctggggagg gctcagctcc atacctggct cctctggccg gcactgctcc cacatgcagc 3360
tggagagatt gcgcgctctg tctccctcca cgcagtgctc acagacctcc agctgtttgc 3420
aggccccttg gaccgccggc cagatattca ggcggatcag ggctcccctc ccaaagcctc 3480
gagctccttt acctggtagt gcggtggagt gggaagggag aattcctcga agccaagctg 3540
tggcacccgc ccaccctccc acccaacact ccggtggccc tcgcccctct gcacacatct 3600
gggctctcac actcaccct ggatccccaa gccccagcgc acacctggag cttccacagc 3660
agaggtctac acacacctag agcctcccca cattcaccca gagcccctcc ctttgcatac 3720
acccggggtt cccagattca gttggagcca cctcccccag accacctgaa gctccctagg 3780
cccccacacc tggggcctat atttacacac agggctccac acagagctgg agccccctct 3840
cccacccctg gaggcctgca cttggccgga aagccccctc ccctcaagcc caggctgctc 3900
ctggggagac ggctggctga ggtgcaagct ccatccgtcc ccgtcgagcc cctagccaga 3960
ccctgccgcg agttaccagc cacagccagc tgggcacata ggaggaggca gcaacagccg 4020
ccacagagcg cagtccgcaa ggcgcggggt cccggagcct ccatgggctc gcggggtggg 4080
ggtggccggg ggcggtggcc gggatcggtg gacagctgcc gggcgc 4126

<210> 1044
<211> 341
<212> DNA
<213> Homo sapiens

<400> 1044

tttagtagag atagggtttc actatgttgg tctggctggt ctcaaactcc tgacctcaag 60
tgatccaccc gccttggcct cccaaagtgc tgggattaca ggtgtgagcc actttgcccc 120
gcctaaattt ttatttttg tagagatggg ttctcactat actgcccagg ctggtctcaa 180
actcctggct tcaaacaatc atcccgcctc agtctcccaa agtgctggaa ttacaggtgt 240
gagccactat acctcctggc cagtttttta ttttttaata tatacagggt ctcactctgt 300
cacccaggct ggagtgcagt ggcatgatct tggctcactg c 341

<210> 1045
<211> 142
<212> DNA
<213> Homo sapiens

<400> 1045
agggaggagg gatagcatta ggagatatac ctaacgtaaa tgatgagtta atgggtgcag 60
cacaccaaca tggcacatgt atacatatgt aacaaacctg cacattgtgc acatatactc 120
tagaacttag agtataataa aa 142

<210> 1046
<211> 5889
<212> DNA
<213> Homo sapiens

<400> 1046
ggttgctgtc ttcctcgtcc ctccggccct tcttcctact cagcgtctca cttttggcct 60
attttctgct ggatctctgg cagcctcgct ttctccctga cgtttcaggt gagtgtttct 120
tcattcagta agcacccatt gggtacttgc ttggtgcctg attccgctgg gtggggttaa 180
gtggcgaggg gaacgtacag caggccacct gcctcccagg catggcccac ttccttttg 240
tacggaattc cctaaaatga gaattgcccc tttcccaaac taatactact gtaggtgcag 300
tggttaagat ggtgaagtct gcagccatat tacctgggtt ccattctctg ttctgccatt 360
taccattgct gtgaccttgt aaaagtagct caatttctgt ttgtctcaat ttccttatct 420
gtaaaacaca gatgatagaa cttacttcat agagaggtga ggagaggatt aatgagttaa 480
tacacatgct atacttatga tagtgtttca catataagcc ttataaatag aacgtcagtg 540
tgtgtttttc ttgttatcca tataatttac ttagtaggtg acaggctgta tgtgagttgc 600
ttgggagata agcatgagta aaatctagtt cttatgttgg agaagggtaa tgtctaaagg 660
agacagacgc aaacaaaaac atgtaacagc tcccccattg gcatctgaag aaggtgctct 720
ggggctgcag aggagggaca actatttctg ccttggggag tgtctccagg gcccctacca 780
ctcaataatt tgccccccctc ctctctctct agcatcatcc ccagagagcc acactctgac 840
aggtgagtac aggccacctc ttgaagacaa atgcccacat cctgtcctgc ttgctggtgc 900
cagtgtcacc atggagcagg gcagtgcccc agcattgtga atgaactggt aacaagccat 960
gggtttttca tggtcctagg ctcctgtgta ggtgtttgcg tgcctgctcc ttttggggca 1020
gagggttggg tcctcctggc tttgcttcta agaccaggac agcctccttt tgagaggtgg 1080
ggtcatttgc ttttttagac taaagatatc tttggcattc tcagagggat ttaagtgtct 1140
aggaagctgg tatctgaggc ctccaggggt catgtcatgt ctccccagtg agggtgcggg 1200
gtcaggcgcc cggccgcacc tgctgagtgt gcccgagttg tgcagatacc tggctgagag 1260
ctggctcacc ttccagattc acctgcagga gctgctgcag tacaagaggc agaatccagc 1320
tcaggtaacc tcccctacat catacaacag ttcactacac tgaaggggaa tagaggtggc 1380
gggggatggg agtggagtga tataaactcc ccgcttggag accctgaaag aagaggcctg 1440
ggcgccttct tgaggcaaca ttcacagcta atccctggtg caggaggcag tctcacctca 1500
ggaaataagc ttttgatagc ctgacacttt ctcctgccaa ggcagaccag tgtgaattac 1560
aggtggtggg cattatgtat tgccagcttc ctgaattggt ggtcttgagc atcctcttaa 1620
ccaaactgga ccaccccatt ccttgagtac atacccatcc ttctaccagc tgagcagtag 1680
tttcttaccc agccgagcgg ggcgcatatc tcagcgtgat gttcttagac ttttgctctt 1740
ctctgcagtt ctgcgttcga gtctgctctg gctgtgctgt gttggctgtg ttgggacact 1800
atgttccagg gattatgatt tcctacattg tctgtgagta gggtctgtcc ctgccctatt 1860
taaagccctc tcctttcttc tttccttgga ctgacccaga gggaagacta tgctctctct 1920
gctcagtttc tgatttgtgg agatctccag ggatgcttta gtattagtaa ctgtggaaga 1980
cttacctggg gaggagggca gtggatgtgg caagaagagg ttggcacagc cttgggaaag 2040
gaccttgcct accttcagca cttcagttta gggaccagtt gaatgggggc tcttaggaaa 2100
ttggcgtagg gagctcttag ttcacgttct taacccatag tgttgagtat cctgctgtgg 2160
cccctggtgg tttatcatga gctgatccag aggatgtaca ctcgcctgga gcccctgctc 2220
atgcagctgg actacagcat gaaggcagaa gccaatgccc tgcatcacaa acacgacaag 2280

aggagtaagg ggctgcccta agccaggagg gtgaaagagc gggagggcct tggcttgggg 2340
ttcatgagat gccctggaat tgagatcttc tccagttctt tagctgtgtt tgtctccct 2400
cccatcattc atgcttggtc attgctctac tactcttgct tttctagagc gtcaggggaa 2460
gaatgcaccc ccaggaggtg atgagccact ggcagagaca gagagtgaaa gcgaggcaga 2520
gctggctggc ttctccccag tggtgaggtc cagggaaagc gggggtgtca aatagaaagc 2580
cagaggaaaa atctttctgc tttggagctg ccacctccaa aggaggtgga agccagaggt 2640
tttgggagag gggatgctcc tgataaattg gttctcttat cccctcacat gtcgtgttca 2700
tcctggttct cctgccaggt ggatgtgaag aaaacagcat tggccttggc cattacagac 2760
tcagagctgt cagatgagga ggcttctatc ttggagagtg gtggcttctc cgtatcccgg 2820
gccacaactc cgcagctgac tgatgtctcc gagggtatgg ggagcccttt gctgccctgc 2880
tccccgccac aatctttgtg ttccctacca tgggtactta ctgtgctctc tggcccactc 2940
actctctaat tctctcagct cctaaaagac cttaacacct aaggcttggc ccagctttcc 3000
atgtcttgag ttctcatcct tgaactcatt gtctgttgtg gctaatcaga ccagcagcag 3060
gcccattctt aattctttgt tctctgcaca gatttggacc agcagagcct gccaagtgaa 3120
ccagaggaga ccctaagccg ggacctaggg gagggagagg agggagagct ggcccctccc 3180
gaagacctac taggccgtcc tcaagctctg tcaaggcaag ccctggactc ggaggaagag 3240
gaagaggatg tggcagctaa ggaaaccttg ttgcggctct catccccccct ccactttgtg 3300
aacacgcact tcaatggggc agggtccccc cagatggagt gaaatgctcc cctggaggac 3360
cagtggagac actgagcccc gagacagtga gtggtggcct cactgctctg cccggcaccc 3420
tgtcacctcc actttgcctt gttggaagtg acccagcccc ctccccttcc attctcccac 3480
ctgttcccca ggactcaccc cagcccctgc ctgcccctga ggaagaagag gcactcacca 3540
ctgaggactt tgagttgctg gatcaggggg agctggagca gctgaatgca gagctgggct 3600
tggagccaga gacaccgcca aaacccccctg atgctccacc cctggggccc gacatccatt 3660
ctctggtaca gtcagaccaa gaagctcagg ccgtggcaga gccatgagcc agccgttgag 3720
gaaggagctg caggcacagt agggcttcct ggctaggagt gttgctgttt cctcctttgc 3780
ctaccactct ggggtggggc agtgtgtggg gaagctggct gtcggatggt agctattcca 3840
ccctctgcct gcctgcctgc ctgctgtcct gggcatggtg cagtacctgt gcctaggatt 3900
ggttttaaat ttgtaaataa ttttccattt gggttagtgg atgtgaacag ggctagggaa 3960
gtccttccca cagcctgcgc ttgcctccct gcctcatctc tattctcatt ccactatgcc 4020
ccaagccctg gtggtctggc cctttctttt tcctcctatc ctcagggacc tgtgctgctc 4080
tgccctcatg tcccacttgg ttgtttagtt gaggcacttt ataatttttc tcttgtcttg 4140
tgttcctttc tgctttattt ccctgctgtg tcctgtcctt agcagctcaa ccccatcctt 4200
tgccagctcc tcctatcccg tgggcactgg ccaagcttta gggaggctcc tggtctggga 4260
agtaaagagt aaacctgggg cagtgggtca ggccagtagt tacactctta ggtcactgta 4320
gtctgtgtaa ccttcactgc atccttgccc cattcagccc ggcctttcat gatgcaggag 4380
agcagggatc ccgcagtaca tggcgccagc actggagttg gtgagcatgt gctctctctt 4440
gagattagga gcttccttac tgctcctctg ggtgatccaa gtgtagtggg acccccctact 4500
agggtcagga agtggacact aacatctgtg caggtgttga cttgaaaaat aaagtgttga 4560
ttggctagaa ctgctgcctc cctgactgtg agctgccttc cacaccctgc actgcactgt 4620
gttctctcct cacccttaac ctgcttcact ccagtctgtt ctggctgttt attaccttgt 4680
tgcaaaacag ggccgaagca aggattacct tgacaaccct agcttctcct tagccatctt 4740
ccttgacagt gtgatctgtt tagtgagatt tagcatgtgt gaataaagta tatgcaggag 4800
gaaattgctt tgtcttccca atcggtagaa attcgggacc ataaaaattg tgttttacca 4860
tgtggcctac aaccttaaca ctgctttctt aagaagtctt cacccatcta catgctaaca 4920
actcactcag cctggattta tctttactgg ggaagccaaa caagcaatag aggaccttta 4980
cctgtgttag aaatgagttg gagccaagga acactgaaga aatagtatct taacagttac 5040
tgagtccatt gtatgtgctt ggctctgctc tgagtgattt atatgtatta agatttttcc 5100
tcacaggtca gatatatact gttactaact tcattttata gacaggttaa gcttcctgaa 5160
ggccacaggt cccagtaaat tgtggagcca gaacccaaac ccaagaagtt ttggcttcag 5220
caaatgcatc agacagcccc tgtccattaa tagggcacag gtaggaagat gcacaaggat 5280
gtgggaacta tagagaacca atctgatgcc ttggcttaac aaagagtgga catggcaagc 5340
cttcctcttt ggggaagaaa agcccagaac tgagcagatg gcctcccttta tgagttcatg 5400
tcctccgcct tcagctggag gtaccatatg gcgatgctac ctgtctttct gctggaggta 5460
ccatatggta atgctgcctg gctgtctgct ggaggtacca tatggtaatg ctgcctgtct 5520
ttctgaggtt gacttttatg ccatgtcttt cctaagtgtg taagaatttt tctgtttgct 5580
tcacatttga ctgagaatca ttctagggtt tgattgagcc cctgtcctgt gccactaaag 5640
gaactcgaac ttttcatcac ttagagattt cagaggggaa tggaaaaaca gttctaatca 5700
ataagcaagc aattcaagaa aaatagaatt aatcaggcaa tgactgcaac atgtcctatc 5760
tttaatctat tttcttatta agcttggaca ttgacaatag aaccagaagc ttgtagctgg 5820
atcaaaatat tctccatagg cctggagttt catgagggtc tattcttttg ttgttgttgt 5880
tttggtttt 5889

<210> 1047
<211> 191
<212> DNA
<213> Homo sapiens

<400> 1047
gggccgggga tggcgctgag cctgggcctg ggtctgggtc tgagcctagg catgagtgag 60
gccaccagtg aggcagagga ggagaggcca cggccgagcg gtgggacgcc tggccacgac 120
gctgtggctg cgctccgcgg ctgggaggcg gtgctggcgg cggcgcagcg gttgctggtg 180
tgggagaagc c 191

<210> 1048
<211> 686
<212> DNA
<213> Homo sapiens

<400> 1048
gggtttttt ttttttttt ttgagacgga gtcttgttct gttgcccagg ctggagtgca 60
atggtgcagt cttggttcac tgcaacctct gcctcccagg ttcaaacaat tctcctgcct 120
cagccgtcca agtagctggg attacaggtg catgccacga tgcctggcta ttttttgtat 180
ttttagtaga ggtggggttt caccatgttg gccaggctgg tctcgaactc ctgacctcag 240
gtgattcacc cacctcggcc tcccaaagtg ctgggattac aggtgtgagc cacggcgccc 300
agcctcatga gggtctattc tttacattca ccatggtctg atggttgcta catgtttgtc 360
tatgattttt tttttctatt atcaggtgtc ttggccggtt catgccccac gatgaaaggg 420
ccagaggttt tcatatgagt aaaagaaaaa agcagaaatg tgaaacctac aattaggcta 480
aacaaaaatc aactggaaaa gtacaggctg aggggagaag agttggctac atgtttatgt 540
taggggagga gggagtacat tttagctatg tattcaaaca gctaatagtt taatgttgct 600
gcttataaac ttaattttag gctgcattaa taaaagtgta gtctccaaaa caagaaatgt 660
gataattcta gtgtcctgtg cacgaa 686

<210> 1049
<211> 26166
<212> DNA
<213> Homo sapiens

<400> 1049
gccacgtctg caagtcagcg tttattgctc aagcgtatta aacaaaaatg tagactgaaa 60
gagacagttc ttttaaaccc catttttccg gatttttttaa gcgctctaaa ataagaaaat 120
aagaaagtgc aagccagcaa aaacgctcca agtgcctaat tctgactctg aaacttgagc 180
tctctggtct gcccccaaga agacatcagc ccgccccggg tcgtccctgt ggctcccacc 240
ccattcccag gagcagaccc cgccagcctc aaagctgcag ggaggtgggg gtggcctgca 300
gacagggtgg ggtctgcatc cggtaccagt gacagcagcc tctcctctcc cacggtggcg 360
cttgtttggg gctgtggcca aagtgtttgc ccggcccctg actgtgtcct tccggagctg 420
ccgaggactg cagagagggc ctggcttgtc ccctctagga gcagctggga aggtgtcttg 480
cctgcatccc ccttcaatgg ttgaaaataa tgattccact tgtcatgaac accatgaagg 540
tatcttggca gccagagtca ctcctgttcc gcagtgggaa acctgggagg gtcctcaaac 600
cccctggcag ggtctgcagg ccgccccatc cagctgcatc tcccaggcct cctggttctt 660
tgatcttgat ggccccaggc cacagatgca tctccgggcc tttccagcag cccatggggg 720
accagtcaat acaccccacg gcggtgaaga gaaaacgttc atgtcttctc agatcagaag 780
gaaagaaaca aaaccattgt gaaggaaaac acctgctgga aagtaattat caaagtaaca 840
gcattccagt ttcacagtcg ccccaactca ctgtggattt actgccgtca gctgggagga 900
cccaggcgcc ctcgggacga ggagacgcag ggaaacccac tcctggccat ggcactaccc 960
aaagccagtg ttattctcac acccaactgt ccctgcagcc tggcaggtgg gcagtgaccg 1020
cctgggctgt accctaagac cccaaaacag cggagatgga gaagaccgct gccctggggc 1080
cttctcagtg aggatcaaga caaagtactt gctaggaggt agagggcgct gggtgaacct 1140
gtgagaattc ctgggctctg acctgatctg tcctgcattt tgagtaatgg gagcaaacac 1200
aggagggagg ggctcagctt cccccggtca ctggggccag ggagacgtgg tccagccggt 1260
ttacaaagcc ttggatgcag ccccacccccc aagaacactg cctgtcacag cagcggccac 1320
gtggcactcc aagctgggca tgacagtgcc cgggacgtgg gcagcggcca tgtggcactc 1380
caagctgggc atgacagtgc ccgggacgtg ggcagcggcc acgtggcact ccaagctggg 1440

catgacagca cccaggacgt gggccggcca gtgtggcggt ggatccctct agaatgactg 1500
ggtctaagta gggagacagg gcaggcgacc cggcgtggac tggtgtggat ttcacctggg 1560
agagcagcgg cagcctgtgt cgcttgcgcc caggctctgg aggaggggcc cctgcggctc 1620
ccgggccagg acagaggcgc ccagccctgc tctcactgtc caggaagagc cgctgggcag 1680
cctgagcctg gggcaggtgc accttgcagg gaagtgggta agatcccact gggctgactg 1740
agtacccggg acagacccta agcgtggagg gaggaagccc ggtcagagtg ggcaggagac 1800
gcagggaccc acagtctggt caggtccaga gagcccactc cagcccaagc catgagagag 1860
gcaggaagag gagctggggc cagttcaggg gtggggctct caagaggccg agccgggggc 1920
ccttcctcgg cctgggaagt tgcggccatg ctcctgctgt tacgacacgg gagccactcg 1980
gagctgactg atctcactga ggcacagact agccaacatt ggcctatttt aaaattaaac 2040
taccctagga agtgaaaacc ccacctgcag cctggtttgc cctcacacaa gggaaaagag 2100
gtgttagaag cagtagctca gggcgattag gggttgtgcg tttccatgct tggggccagg 2160
ctgggcgctg ccacccggtt tccgcgtctg ggggtcactg ggccatttgc accacgacgg 2220
ctctccaggc tttctccttg tcgaactcct tcaggggggct cctggccacc tgcaaccgag 2280
acaggaaagg tgttacttca ccagggccac ctgtgcggcg ggaaggtgga cacgccactc 2340
ggccacaggc agcgagcagc cagcgttcag aagttttctt cgaatgtgaa ggaagtgggg 2400
aaactaaccc ctgggcctct gtggaaagag ataaaagcct tcacttcctc agtgtcccag 2460
aaacgcctgc atccccccgc gcacacacgg tttctaccga gcctgggatg gagcagccct 2520
tcactcggcc ccttgccctg gctctggggc ggggagcggg gggaggccgc ccaaggttgg 2580
gcatgtgcct gacggctgag gaagaaaaca cttaaggcag aggtaaccag atgcctccag 2640
gcaaaaggga ggacagcgcc agccccagct gtccaccctg agccccagtt gtccaccctg 2700
agccccagct gtccaccctg agccccagtt gtccaccctg agccccagcc acccaccctg 2760
agcccctggg ccccagccgt ccaccctaag ccccagccat ccaccctgag ccccagccgt 2820
ccaccctgag ccccagccgc ccaccctgag ccccaaccgc ccaccctgag cccaagccac 2880
ccaccttgag ccccagccgt ccatcctgag ccccagccgc ccaccctgag ccccagccgc 2940
ccaccctgag cccctgggac cagcagttct gggatctggg gagaacacct catgcgtctg 3000
actctgggcc ttgctggtca caacagaaac ccaggcgggt ctcatttcag gcccagggac 3060
tgccgtccta gcagggagac tgaccacagc caggaaaaat ggcagcaaag caactgagga 3120
ggcaggttaa gggaacagca gtagggaggg tggagggtgg gggcgacggg gtcagctgag 3180
aaacgagcca agggcaagag agcgtcctcc gggacttagc gggcactgga ggctctgcac 3240
caaggttctg aggccggtgg tgtgctgaac acaggagggc agggtgtgca gggcaagagc 3300
agcggccggt ccgcccagga tggcctagag gtgggggcagg actcagagcc ccgctgagtg 3360
gctgcccagg tgtttgggca tcaaggtgac agtcctagtg gtcactgcac ctgagggtca 3420
gcgggcaggt ttgcccaggg gagcaccacc aggacccgta gctcggtggg gggaagacgc 3480
tgagcctctg cctttcagat gtgggggcag caagacagta ggcagggccc gggggaacat 3540
tgttcaggca gtgacagcca gaagttgttg acaccccagc tttacggagc cccatgtgcc 3600
aggctgggtg ggcattgcct tccctgcaga accgcgtccc caccagagac cagggaagga 3660
aacttcagga cctgtgggag tcctcacaaa gccctcttct gtgtctctaa gagcaaatct 3720
gaaagcatta agtccagaat atttcccagg gatgggtctg ggtttaccca ggctttgtgt 3780
ttgtattttt aaaagacatt ttacggctgg gcgcggtggc tcacgcctgt aattccagca 3840
ctttgggagg ccaaggcagg cggatcatga ggtcaggagt tcgagaccag tctaaccaac 3900
atagtgaaac cccatctcta ctaaaaatag aaaaattagc tgggcttggt ggcgggtgcc 3960
tgtagtccca gctactcggg aggctgaggc aggagaattg cttgaaccca ggaggcggag 4020
gttgtggtga gccgtgatcg cgccactgca ctccagtctg ggtgacagac tgagactcct 4080
tctcaaaaaa aaaaaaaaaa aagaaaagaa agacatttta cttcttcggg gtttttctgg 4140
ggtgtttttа aaaatacaaa gtggcacaat gaatcttcga gggccacgtc gtgtggccct 4200
cggaggccct caccaggaca ggagccccca ccgcaggcct ctcacctccc cagcgggtgc 4260
tcctgtgggc cactcacctc cccagcaccc ctgaaaccca caggcctctc acctccctgg 4320
ctgagcaccc ctgtgggcca ctcacctccc cagtgccccc accccacagg cttctcacct 4380
ccctggctgg gccccccatg ggccactcac ctccccagca cctgcaccgc aggccactca 4440
cctccccggc tgggcacccc tgtgggctac tcacctcccc agcacccccт cccctgcag 4500
gccactcacc tccccggctg ggcacccctg tgggccactc acctccccag cttcccccca 4560
ccccacaggc ttctcacctc cctggctggg caccccccgtg ggccactcac ctccccagtg 4620
ccccctcccc ctgcaggcca ctcacctccc cagccaggcg ctcctgcggg ccgttctggg 4680
tgtcccagga tgcaccctgc agccttgcac tgaccttgaa gcgcacgcac tggatggcgg 4740
tgcccgtgtt gaggccggcc tgcagcagga gcactagcag cagcagcagc agcagcacat 4800
cgtaggatgg ctgcaggcgg aaggaggtgt gagcagagtg gcccagccgc cctccagccc 4860
aggagaccaa agctccctcg tgcccacggc cttcacaaag agcaggtgcc agggctcgag 4920
tcggagcccc agtaacccaa acgcattgct atttcaacaa cctgatgata atcattctag 4980
ctcaattaat gaggtcaatt ctgctttaaa ttccatcagc ttgtgttcaa catacaggaa 5040
taaaagtgac cgagccactg ccaggccccg tggacagtgc tggctgctag tggtcaagtc 5100

gctccacccc tcctgctcca acacgcgcaa ggctcagtcc cagagccaga gagaatgtcc 5160
gcgggaggca gaagcgctga ccgttccgtg tcagcaggat cctgagcgga ggagacaggg 5220
ggcagccgtc ctgggggggat ggggtgcaca gacccccaac agcttcaccc ctgagcacca 5280
gctgctagga aggaaggggc aggaggcagc gcggtgagct cggcagggaa gaggatggag 5340
ggagcggccg aggatgcagg gggccagaga gtgaccacgg agcacccaaa accctctgtg 5400
cccatggata gctttcccgt gttggctcaa gaaaaacaaa gcaactaaat gttaacacac 5460
aaaagagcca aacatctatc caatgtcact gctacaaaaa gtaagagaag aaacagaacg 5520
aacagctctt ctcaagttaa cataaaactt ttttttgcga cagtctccct ctgtcaccca 5580
ggctggcgtg cagtggcgcg atctcggctc gctgcaacct ctacatccca ggttcaagcg 5640
attctcctgc ctcaacctcg ccagtagctg ggattacagg tacccgccac cacgcccagc 5700
taattttcgt agttttagta gagacggggt ttcaccatgt tagccaggct ggtctcctaa 5760
cctcaggtga tctgcctgct tcggcctccc aaactgctgg gattacaggc atgtgccact 5820
acgcccggcc tggattttaa gtaattatta gaaagtctgg tacttgtgtt cccagctgga 5880
gtttaccctg gaggatggta aaggcatggg ccccatgtgg tctttgctct tcggttgttg 5940
agacaccatt tattgcaaag cctatgcttt cctcagtctc aaaaaaaaaa aatccagagc 6000
cattaaagaa aatattaatc aacttaacta tttaaaaaaa tagctttcac ataacaaaaa 6060
tcacaacaag cagaacaaga aatagccgcc aggctgagac caccatttgt atcctccatc 6120
acagatggag ctggtctccc ccggcaccag ggttagcgga aaatggtcag gagacatgag 6180
cagagtccac tgaaaaagca atgcagacgt cctcatgctt tgtaagaggt cctcgtcctc 6240
acccacattg agacggaggt gctcccaccc gtgtcaccga actccagcgt gacaccctct 6300
gtgggggggct gtggagaagt gagcaccttc acgccattgg caggagggaa ggtggacggc 6360
ccccattgag gaggtcgccg agatttatca gcatgacagc tgcacctacc ctctacccag 6420
cagtctctct cctagctgga tatcctaaag atgcgctgag gattcaaaag gaagatgcgt 6480
gcaggttgtt cacggaggag ttatttatag tagcagacgg ttggaaataa ctcagtttcc 6540
atcactaggg actggctggg ttgaccgggc agtcaggagc gatgaaggaa ttcagaagag 6600
ctctgatccc cttgggtatc gagaaaacac caggataaat tattaagttt aaaaaaacaa 6660
gcaaggggct gggcacggtg gcagaagcct cctcatccca gcactttggg aggccaaggt 6720
gggcggatcg cttgagccca ggagctcatg accagctcag gcgacagagt gagaccctgt 6780
ctctgaaaaa taaaataagt aaatacataa ttaaaaagcg aggtacatgg ctgggcacag 6840
tggctcacgt ctgtaatccc agcacttcgg gaggccaagg tgggcggatc gcttcagccc 6900
aggagctcat gaccagcccg ggcaacagag tgagaccctg tctctgaaaa ataaaataaa 6960
taaatacata actaaaaagc gaggtatatg gctgggcacg gtggctcacg tctgtaatcc 7020
tagcactttg ggaggccgag acaggcagat cacttaaggt caggagttca agaccagcct 7080
ggccaacata gtgaaaccct gtctctgcta aaagtacaaa aattagccgg gtgtgttggc 7140
atatgcctgt aatcccagat gctccggagg ctgaggcagg agaatcactt gaacccagga 7200
ggcagaggtt gcagtgagcc aagactgtgc cactgcactc cagcctggga gacagagtga 7260
gactctatct taaaaaaaaa aaaatggcaa ggtacagaat agtgattcta gtatacaagc 7320
tattttgtaa gaaagaaaaa aaaattatca tctggttgcc cataagagga gcaggtcagt 7380
caggcatgag accacagctt ttctgagctc gtcttttata gtttggcttt tgaaccacat 7440
aaatatttta tatattcaaa aaataccatt ttaaaaagaa aaaaagcacc aagccctaaa 7500
atggaataca accagaggcc attaaactta atggggtatc gaacccagag gataacccca 7560
cacagaaagg ggccgacttc gatggcgtgt ggccgtcccc tgctagcaga atgcatgctg 7620
aagataaaag ggaagcctca ggctcactca ggagatggcc cctgggtggt aatattgtct 7680
cttgtaatcg tgaacaatta tatgcatatt gtaagacaac atgaagtagg agatatatta 7740
aatgtcacag gaaacaaaat aattggagta ggagtgggtg aagcaaacac aagagaagtg 7800
aagaaaaaac cctgggccgg gtgttgtagc tcactcctgt aatcccagca cctgtgggag 7860
gccgaggacg ctatcccccc tcagacagtg actccatgcc cccatcagac agtgactcca 7920
tcccccatca gacagtgact ccattacccc attagacagt gactccatcc cccgtcagac 7980
agtgactcca tcccccgtca gacagtgact ccatcccccg tcaggcagtg actctatccc 8040
ctgtcaggca gtgactccat cccccgtcag gcagtgactc catcccccca tcaggcagtg 8100
actctatccc ctgtcaggca gtgactccat ccccctgtca ggcagtgact ccatcccccc 8160
atcaggcagt gactccatcc ccccgtcagg cagtgactcc atcccccgtc aggcagtgac 8220
tccatccccc atcagtgact ccatccccca tcagacagtg actccatccc ccatcagaca 8280
gtgactccat cccccatcag gcagtgaccc catcctccat cagacagtga ctccatccat 8340
ccatcagaca gtgactccat ccatccatca gacagtgact ccatccccca tcagacagtg 8400
actccatccc ccatcagaca gtgactccat ccccccatcag acagtgactc catcccccca 8460
tcaggcagtg actccattcc ccatcagcac acgcatgttg acctggagca aacagcttaa 8520
tacaggtctt ctaatgattt gggtgcaaaa ccacttatac tggaaaaaaa aaaacaaaaa 8580
aacaaaaaaa cactaggtat ctaagaaata catctagcta cacgtgcctg agcctcagaa 8640
gtcgtgttgg agataagctc ctactgggtc agctcaaagt aacaggactt tgaattctcc 8700
ttaaattcac ctgttaaact caatgcagtt ctgatgcaaa tccgaaaagc atgtctcata 8760

```
aacccaggac agattctaaa atgggctcag ggacagagtg ggtcccaggt ccctgtgaag   8820
caggtggtgg ccccagatac agggcggaat cgaggccccg aggccctggg gccaggctgg   8880
cattggggag cacggtcacc gctgcccagg aacagcggag gaggtgcctc ctggagctgt   8940
ccctggagcc agcgccccca gagtcccagg caaagccagc aagggccagg ccaacacgca   9000
gagcaccaca tgtctggggg gctctgaaat aaaatacaac tcacttttat ggctggcggg   9060
taatccttaa acatctccac gattctcatg atgctgaatg acagatatcc agaggctgtg   9120
aacagcagcg gagacgtgag gctgcttatg gcaatcagga cctccacctg gaaaaaaagc   9180
gcgggttgca ggaccacggc cggagcctgg gagcccagga cagcgggcgt ggccagggct   9240
gggggggcgg gcatggccgg gcactcatgg gcatagtccc aagctggttc cctgcatgac   9300
tcctgctgaa acctctgcct ttttcttttt ctttttcttt ttttttttgg ttttttttga   9360
gacaagtctc gctgtgtcgc caggctggaa tgcagtggca tgatcttggc tcactgtaac   9420
ctccgcctcc cgggttcaag tgattctcct gcctcagcct cccgagtagc tgggattaca   9480
ggcgcccgcc accacaccca gctaattttt gtatttttag tagagaccgt gttttgccac   9540
gttggtcagg ctggtcttga actcctgacc tcaggtgatc cacccacctc ggcctcccaa   9600
agtgctgtga ttacaggcat gagccaccgc gcccggcctg cctttctttc tttttgaga    9660
ggcagcctag ctgtgtagcc caggcaggag tgcggtggca caatctctga tcactgcaac   9720
ctctgcctcc tgggttcaag caattctccc gcctcggcct cttgagtagc tgggattaca   9780
gacatgcgcc accacacctg gctaattgtt ttgtattttt agtagagaca gggtttcacc   9840
atattgtcag gctggtcttc aactcctgac cttgtgatcc acccaccttg gcctcccaaa   9900
gtgctgagat tacaggcatg agcagcctgc cttttcattc acagcacagt gccacaagtt   9960
ttgaaatact taccatctag gcaaggtggc tcacatctgt aatccaagca ctttgggagg  10020
ccgaggaggg cggatcacct gaggtcacga gttcgagacc agcctggcca acatggtgaa  10080
acccccatct ctactaaaga tacaaaaact aagcgggtgt ggtggcgcat gcctgtagtc  10140
ccagctactt gggaggctga ggcaggagaa tcgcttgaac ccgggaggca gaggttacaa  10200
tgagctgaga tcgtaccact gcactccagc ctgggtgaca gagcaagact ctgtctcaaa  10260
caaacaaaac caagaaacaa aaaacattta cctgcaattc tccactcttg aaaaaatagc  10320
ccttccgcat gggtcacctc cttcactgct ctgaagtctg tccttttaac ccaccccaaa  10380
tcttcctgtt tgacccatca agtctcagag acagccttca ctcatgccaa gcatgggcag  10440
tcaccttgca aagcactcag ggtccacatt ttggcagcag tcattaacga tcgaccagtt  10500
caattgtttg cggtcagttt gtggcagttt cggccgggcg tggtggctca caccggtaat  10560
cccagcactt tgggaggttg aggtgagtgg atcacctgag gtcaggagtt cgagaccagc  10620
ctggccaaca tggtgaaacc ccgtctctac taaaaataca aaaattagcc gggcatggtg  10680
gcaggcgcct ataatcccag ctactcagga ggctgaggca agagaatcac ttgaacccgg  10740
gaggcggagg ttgcagtgag ccaagatcgt gccattgcac tccagcctgg gggacaagag  10800
cgagactgca tctcaaaaaa gaaaaaaaaa caatcgacca gccttaggag gtgcagatga  10860
tgctcagaca ctggtctcct tccaagggtt aggcacagag agcgcttcca gtgtctacac  10920
caccttgttc aggtctgcct gtccctgaga acagtccctg ctgagcgggc cagcctccac  10980
ctcccacaac cccaccttcc tcattgtgca ggccctgcag cccagtcact gcgctctctt  11040
gggctggagc ctggtcacat ggcaccaagg gagggctagg ccaggccctg gccccgctcg  11100
gtgggtccct ggcacccagg gctgaggggt tcacccacca gacacttgct gggacactct  11160
gctgccacat gactggcaat ggcacttgga aagcactaag agaaaagaaa aaggaaagat  11220
tttagaggaa atagtcgaag aagtcgaatt ccaaacatgt gccctcccac cagtgacccc  11280
tccatgcagg ctgcctggct ggcttgctgt gggggggcagg ggggatggtg cagtgcccaa  11340
aggcgcagct ggggcaggga cgggtccgca gggaagcagg ggtagcctct cagaggtttt  11400
gtgtgctctc tgttcctcaa ccattggttt aaaatttaa gcctgtagaa aagctgcaag   11460
agcagtggag ggggcatctg aggccccaaa atcaccagag tccttgacat tcatatctgt  11520
gctctctcca gctctcccag atagcctgat gcctgaacac ctgagagtgc tggctgagcc  11580
cagggcacac tcttgcacac acccaaagca ggaccacgct cgagagactc cacgtggggc  11640
cgatgtggtc catgcccaga ttcttccagt tgtcctcatc atgttctttc tttttaattt  11700
tttaataatt tttctttctt cttctccttt tttttttaa gatggagtct tgctctgtca   11760
cccaggctgg agtacggtgg cgcgatcttg actcactgca acctccacct cccaggttca  11820
agcctcctga gtagctggga ttataggcac ccaccactac accaggctaa tgtttgtatt  11880
tttagtagag acggggtttc gccttgttgg ccaggctggt ctcgaactcc tgacctcagg  11940
tgatccgccc gcctcggcct cccaaagtgc tgggattaca ggcatgagcc accgcacctg  12000
gccctggtca tgttatttct agagctgttt gtttgtttgc tcctgatccg gattcggtct  12060
gccattgagc tcgtagtctc cttgtgggtc cctgttaatc ggggagtccc tcagcctctg  12120
tcacctccgt tacctggtcg cttctggggg gtgcagccca tcagctgcag tcgggcctcc  12180
gtgtgggaca ggatttcctc atgatgagcc ttggggagcc tcggaggaga ctctgcagtg  12240
ccccagggtg tggactgccc cttcctgatg acgctgactt gactcactgg gttaggggga  12300
tctgtaggtt cctctgttgg atgggcacct cttccttttt ataaccaaga aatgcccttt  12360
tcccacttat tgtgaggagc ctgccttagt tccgcacaat gtaggcagag ggaggatgca  12420
```

tgctcttcat cctcttcatc tccccgaagg tgtccaggtg ccagcacccc agcccggcct 12480
gctggggagg gggctgcatc agccaggggc tgtggtgaga gggtgggcag gacagagatg 12540
ggctccgagc aggggagcct gggcagcagg gagaagactg gggagctgag gggctgccag 12600
tgcaaaggcc ccaagccagc tgctgaggtg ggtgtggccc tggccaggga ggctgaggtg 12660
tcaatacagg ggtctctcct gggcttggtg cttctgaaag ggccttctag ctgtaagcag 12720
cagtgagggc acaggaaggg atggtggctt cagggtggcc tattcagggc cccagtgagc 12780
catgggaggg cgggagtttc cccgttcacc cagcatggcc actccggccc ctgccctaga 12840
gggccaggaa gctcagccat aggggctggg gcagctcaat caagggccct gccctggaag 12900
ggtccaggcc tgcagcccag cccccaactc cagccccgag cacctgcctc cagcccatgg 12960
tgcagggcct gggcccctct gccgcaccca ggccagactc aggcaggtgg agctgggtcc 13020
ctcaccacgc atgcctcagc gctctcctct cctcctgggg tctcctgccc tgaagagagg 13080
gttgggagtg tgggtggatt taggggcgcc caggggggcag cacctgatgg gcagggggtg 13140
ctctccggga agatggagag agcagagcca cccccgaggc aggaggggtc tgcgggatgg 13200
gaggggcctc tgtgatgagg gctgactgca gggacaggga agggggtagg gcaagtgcct 13260
ttcattctca acttttgga ggtatgtggt ctctgtcctc cctcagcttc gggatgtaat 13320
ccctgcgttt cagaccccag ggtcagttgt acacacctgc aggcgtcatt ctctctgtca 13380
cagacccgct tgggtgggca cccatgtgag ttctctgtct cagtagctgg gcctggtcct 13440
acccctccg ggggtgtggc tctatcccag ctcggtcctg cctgggtctc tttccctctc 13500
tgagcgcctc agcagcccac taggtcgggc actggtgccc tgggggcatt gctctgtgcc 13560
tactcgcccc cacagggagc tgaaacacag ctgctgccaa tgggatgtgt ccacctggca 13620
ggcgtgggcc ccttctcggc agtccacccg gccacaccgt tcccgggcag gcgtgggccc 13680
cttctccgca gtccacccgg ccataccatt cccgggcagg cgtgggcccc ttctcggcag 13740
tccacctggc catactgctc ccaggcaggc atgggcctcg gcagcttcag gaagagcccc 13800
actgctgccc aggaggagcc tgtagctgat gctgggtgct caccattcct gctcatgtac 13860
ataagagagc aggggcaaaa tctaaaagtc cacacagcat gagacaaacc aggggctggc 13920
cgtcaacacc ggtgtgcagg ccactacgcg gcaaggtgct gagaacctcg tggggtctgc 13980
gtccggaggc aggtgggtgg tggctctggg tgggctacag gctgtgaggg gatctggggt 14040
gtggaggggt tgctctagac tcactgttct gagggaacac acctgtaatc ccagcacttt 14100
tgggggccga ggcaggcaga tcacttgagg tcaggagttc aagaccagcc tggccaacat 14160
ggcaaaaccc ggtctctact aaaaatacaa aaaaattagc tgggcatggt ggtccacgcc 14220
tgtaatccca gctacttggg aggctgaggt gggcaaatta cttgaacccg gggaggggca 14280
gaggttgtag tgaggtgata ttgagccact gcactccagc ctgggtggca gagtgagact 14340
ccatctcaaa aaaataaata aataaaataa ataaaacaat gcccatgtat tgagcatgtg 14400
gcatgtgtca ggtgctgtgt gacacatctg ctgcagtaac atttaatgta aagtaataac 14460
agaaatatgc tgcattgtat gaaacacata gtgtaatata aatgcattat atattagaaa 14520
attatataga ataataaaca tctacagcct gacattcata tgttaaaaag attagaataa 14580
taaaaataat tggtattttt ttcaggaaaa ataatataaa ataatcacac aaactaatat 14640
aaaagcagtt aatactttga ctcatttaat ccttaactcc ccagttcttc tgaagttggg 14700
ggccagcgag gaccctctgt ggtgactctc tgtctgaatg caccaagact gagctcgggg 14760
cccagccacg caggatctga gcagtgtggc ccagagcggc ggcgggcggg ccagaggggt 14820
tactcacggc cactaggatc caaaagaacg tcactgagag gtgtgggcct gaaactgagt 14880
catccacgtt cagggcaatg atccccccga ggacggcaga gatgcctgcg attacctcga 14940
cgacctggag gggacaggac agcatcggct cataaggaag tggagacacc cccagattcc 15000
cagaatgcac tgtgcagaca tggacccccа ggagcagggt ccagtgggct ggccccagat 15060
ctaaccgtgg aggagcccac ctggatggac ccccagcctc acctggccca gaccccctct 15120
gccctcagct gcggcttttc acgtccctcc tggagtaaaa tagccaaaga ggtgtttccc 15180
ccactgctgc ttttgtccac agaaactgag ggtattgacc tgacagtggt gagggcagaa 15240
aaccaagacc ctcagactcc cttccctgtc tcacagtgtg gcaggcggcg gtgctcagac 15300
cctggacccc atcgaaggga ctcgggaaaa caggcctggg gcagaagtag cttcccatag 15360
gacacaccca cccgtgccat gtgggtttgc cattgccacg gcaacactgg acgtcaccac 15420
ccctttccgt ggcaatgatc caaccacctg gacgttagca ccccttttct agaaatttct 15480
gcataatctg ccccttaatt agcatatact taaaagtggg tataaatagg aggcagagct 15540
gtctctgagc tgctgctcga ggcacctgcc ggttggagag ccctgctata ctgccactgc 15600
aaacaaagct gctgtctgtc acctccagct cgcccttgaa ttctttcctg gacaaagcca 15660
agaaccctgc tggcctaagc cctggttgtg gactcatctg cccggcacca tcagggccgc 15720
aaccagcacc gccagactca gggaggggcc gcaaccagca ccgccagact cagggagggg 15780
ccgcaaccag caccgccaga ctcagggagg ggccgcaacc agcaccgcca gactcaggga 15840
gggctgggga agaaacacac gcccgaaaac ctgctcccgt gaaggatctc tgtgagtcgc 15900
aaacacagag ctgtggccag caggaaagcc aggcataagg agtgggccag caagggcttg 15960
ggggccggaa gggacctggg cagccaggcc ttgcgtccag aaggcacaaa actccagatg 16020
cacaaataaa gctgaattcc cagccaggca cggcggctca tgcctgtaat cctagcactt 16080

tgggaggccg aggcagacgg atcgtgaggt caggagtttg agtacagcct ggccaacatg 16140
gtaaaccccg tctctactaa aaataaacaaa aattagctgg gcgtggtggc gggcacctgt 16200
aatcccagct actcgggagg ctgaggcggg agaatcgctt caactcagga ggcagaggtt 16260
gcagtgaacc aagatcacac cactgcactc tagcctgggc aacagcagga ctccatctca 16320
aaaaaaaagg aaaaaaaaaa aagaagcaga acggaaatgg aacctaagag aggactgaaa 16380
tgctaaataa ggggaagtga aggcactggg aaacacacac agacacagtc aagcacacag 16440
gaggctgtcc cattgttgga gtaaaaaggc aaaatgtcac taaatgtcac aagctagaca 16500
acaaggccaa ggcggaggga agggggacag accccgcatg gtctgtttat caaggagcgt 16560
attagaatat gaagggcaac ccccaaaaga atactgaaaa atttcccatc caaaattaga 16620
gggaaaagga aggacggagc ctctgccaat tcaaaagaag gcagggaagg agggaaaaag 16680
gcaaaatcag ggaaaatgga aaactcaaaa gatggtaaaa ataagtagaa atttatcagt 16740
aataactctc agaggaaatg ggctacattc aaaaagctag ggagagagaa tgacaagata 16800
aagaacaaaa tacagttacg tgctgcttat aacaattata ccaaagtaca aggcaagaaa 16860
agttgaaagt aagaaggaga aagaggccag gtgcggtggc tcacacctgt aatcccagca 16920
ctttggaagg cctgggtggg tggatcactt gaggtcagga gttcgagacc agcctggcca 16980
acatgccgaa accctgcctc tactaaaaat aaaataatta gccgggcgtg gtggcatgtg 17040
cctgtagtcc cagctcctca ggaggctgag gcaggagaat tacttgaacc tgggaggcag 17100
aggtggcggt gagctgagat agcaccactg caccccagcc tggctgatgg agtgagactc 17160
cgtctcaaaa aaaaaaaaaa aattcctcgg ggacaacagt gtcaactcac ctacggcagt 17220
aacaaactcc ccctaaaaat tacaggacac cagcagcacc tttcgcgata aggaaggtta 17280
ttaccaatga taccaataac agactagagt ctccacagat gaggcgcacg ccgccatgcg 17340
gtgtagacag ccaactcttc gccaactcgg aatcgaaacg tgacgtttaa tccagcctca 17400
gtcacccccg acagagtatg agagaaaaga gaaagaaggg aagttttctt actgagtaag 17460
atttcaggac ccgagcagga aatggcactt cgtccagaat gttggcgctg tcagacatgg 17520
agccctacga agaaacagaa ctgtcacccc gggtgcacgg gcacagggac tcagcactgc 17580
cgctggcatc cggccgccgt gggcagtggg tcaggtcagc ctgccgtgta gatgcgagac 17640
cgccttggag gcgcccgtgg atctttgggc ttgaggaaat gttcacacac attgtccttg 17700
catatgaaaa ttagcagatg tggtgtctcc tggtgatccc ctggggacga gcactggact 17760
gagtcaggct taggggggagg ggagggtaca gcatctgtct tcacctccct gtagccagcg 17820
gccgccaacc cctcacccag ctccagagcc cctcctggcc ggggtttctg agacccagga 17880
gagaggggtc tcatgggaat gccctggagc agcccagatc ggccctccga gggtgacgct 17940
gagacccacc tcgctcaccc tggggtgatg cctctgcacc ccctgccctg cggggtcaga 18000
agctgcaccc accttctttt tcttgcagtc ctcctcgctg gaccgtgcag cgatgatcac 18060
cgtggccgcc atgagcagct ccagcaggag cagcaggatg aggttgaagt tgatctgcca 18120
aggggcacac acgcttcagc accgggcccg cctttctcac gccaccgcgc ttcagcgtcc 18180
accggaccac ctcacgggca ggctgcgcag gactctcagc cacggtcccc acttttccca 18240
tccagggcca gctgtgaggc actgtgggct gcacactctc ctgcctcaca tgggcctttg 18300
gggtctttta gtttttaaaa ccattcttag tgcaaaggct gtacaaacac aggccagggc 18360
tggatttggc cttgggctct ggtctaccga ccccattctg aacgctcctt gttcccacaa 18420
aagccttcac ggaatgttta gagtagcttc atgcatgatt gtcaagcact gagaacataa 18480
ggtttttgg agggtaatga aacgactgca ggccctgacc gtattggcag tgacatgaat 18540
ttatatgtgt gttaatattc atagaagcat acattttaaa aagtcagtgt agctgtctga 18600
caatttttt ttttttttg agacggaggt tcgctcttgt tgcccaggct ggagagcaaa 18660
tggcgcaatc tcggctcacc gcaacctctg cctcctgggt tcaaatgatt gtcctgcctc 18720
agcctcccga gtaagctggg gttacaggca cctaccagca cgcccggcta attttgtatt 18780
tttagtagag aggggtttct ccatgttggt caggctggtc tcgaactcct gacctcaggt 18840
gttccgccca cctcggcctc ccaaagtgct gagattacag gcgtgagcca ccgcgcccgg 18900
cctgacaatt tttaaaatac atttaaaaaa gaaagagtgc agaaccacat tcaactaaaa 18960
acagagcctc gaaatatatg atgtcataac agagccacag gaagatgtag atatatcagt 19020
agaggtgggg aaggacttga aacacttttc ttagaaactg acagatcagg cagagggagg 19080
cggctcacgc ctgtgatccc agcactttgg gggaccgagg cggttggatc acctgaggtc 19140
aggagttcca gaccagcctg accaacatgg tgaaacccct tgtctactaa aaatacaaaa 19200
atcagctggg tacggtggcg cacgcctgta atcccagcta ctcgggaggc tgagacagga 19260
gaattgcttg aacccgagag gcggaggttg ccgtgagccg agatggagcc actgcactcc 19320
agtctgggcg acagagcgag actgtctcaa aaaaaaaaaa aaatgacaga tcaaaaagac 19380
aaaagcataa ggagaactct aaaattcaga aaagtgtgac attaaccttg tcttttattt 19440
tctgtatttc tggtgctttg acctctggct ccttcctgat cctgaagaga cagctcctcc 19500
cagggccagc cgacagctac agtgagtaac ttgcctctga gcagttcaga tacaagccac 19560
tgacccaggg accacacccc atctgctctc cgtcttaata aagaagcgtc acaggccggg 19620
cgcggtggct catacctgta atcccagcac tatgggaggc cgaggtggat ggatcacctg 19680
aggtcaggag tacaaggcca gcctggccaa catggtgaaa ccttgtctgt actaaaaata 19740

caaaaattag ccgagtgtgg tggcacacgc ctgtaatccc agctactcca gaggctgagg 19800
caggagaatt gcttgaaccc gggaggtaga ggttgcagtg agccgagatg gcgccactac 19860
actccagcct gggcgacaga gcgagattcc ttctcaaaaa caaaacaaaa caaaacaaaa 19920
aggcagtgtg ggtgttccca ctgggtcctc ctgtgtctgc tcatttttcc tgcccaacga 19980
gagtggccag gacatactca agcctcctcc agctttcccc aatcatcaag tgcattccac 20040
atgtcacaca aagcaggagg ccctccttgc agtatctcgg atgaggtcct ggtttccttt 20100
gggatttttg tctttttttt ttttttttt tttttgagac ggagtcttgc tctgtcttcc 20160
aggctggagt gcagtggcgc catctcggct cccacaacct ctgcccccta caatttcaca 20220
tttttgttta gaggtgcatt gaacaactgt cttacacaga ttggatgaaa catagtatta 20280
tgtcactgtt aatttttaag gactgttgga aaagacattg tttaccaata aatctgtccc 20340
gcagaatcac gagacttcaa taaagacaat tattttcttt ggatgcataa atctctcaac 20400
tttagtcaaa ctcacgagct gtgaataaca tttaccacct atttccagct caacaaacat 20460
ttgctgacac cattcgtggg agtggggctg tgggtgtcag gcgtctgcgc gaagctcgtg 20520
tgaactcacg tttattgctg atgggttcag gactagtttg catccaaacc aaattaaaca 20580
cgtagtggtc acagcaaacg tggaaacaaa caatatctga aagttgggaa tctgaaaaac 20640
aaggcaggag gggttttcct tctttgaata ataaaagaaa aaaggtaaca gataaaccac 20700
acttcaggcc attcactaaa aattatcctg attaggacat aatggtgggg agtcctgcgt 20760
gctcagcccg ctctcccctc tgtgcggcaa aggctgggct gggcaggagc tttactgtct 20820
gggggggcaac ctcgggggcc cctctcggtg ccacaacgtc tgtgcgtggg cacacacaca 20880
agcacacatg ggcacactgt ctgtcagccc ctccggcttt ctccctggca gaggctgcct 20940
gcaagctaga ctcaccacat tggcgttcct cctggagacg gtgaagctca caattgccga 21000
ggggatgcac tggaatgaaa ccggaatccc atgagcctgc cgctcacctg agcaactgag 21060
actctgaaat actctaacat ttgcgcttcc agaaggatct gaatcatatt cacaaaacag 21120
tgttgccagt ccatgcaaca cagtgggttg gcttgactag aaggccccca ggtacttctc 21180
agttttaatt ttttcttgag atggggtctc actctgttgc ccaagctgat cttaactttg 21240
ggctcaaatg atctgttcac ctcagcttcc caaagccctg cgattacagg catgagccgc 21300
tgcgcccaac ccccaggtac ttcaaaataa tttattctga aagaagtttt tatttttctg 21360
atgtgctaaa aagatatttg ttaatgaagg ctcttctagc tggataagct ttgaagccta 21420
gaatgtaact cacgcaggca caagacctgg tctttgctga aaattaccca aaaaaggaaa 21480
aagtatcagc cgggtgcagt ggctcacacc tctagtccca actactccgg aggctgagct 21540
gggaggatct cttgagccca ggagttcgag gctgcagtga gctgtgaata ctcggtgata 21600
gagtgagacc ttgtctcaaa aaaagaaaga aagaaagaaa gaaagaaaga aagaaagaaa 21660
gaaagaaaga ggaggtctgg tgcagtggct cacacctgta atcccagtac tttgggaggc 21720
tgaggcgggt ggatcagagt caggagtttg agaccagcct ggccaacata gtgaaacccc 21780
atctctacta aaaatacaaa aaaaattagc tgggcgtggt ggcgggtgcc tgtagtccca 21840
gctactcagg aggctgaggc aggagaattg cttgaaccca ggaggtggag gttgcagtga 21900
gcagagacgg cgccattgca ctccagcctg tgtgacagag caagactccg tcaaagaaag 21960
aaagaaagaa aaaaagaaag aaagaaagag gaaggaagga gcaaaggaag tagcaagact 22020
ctgcatgtga gggaggcaga aaggagtccc acagccttct tgtcctcagc cttcttgtcc 22080
ccacagggcc acaccaaggc taggagtcca gggccaggga gggaggttgg gacgtcaggg 22140
acagggaggt ggatggagtc gggccagccc aggcctgtgg cccttgccgt gcagggcctt 22200
gctcctgcag ccatgggacc ccgggccctg agtcgggggt gcaggccctg aggggctgag 22260
cacagcagtg ctgggtgagg aggcagaaga agccccgtcg gggcctgagc gaggggcaga 22320
gctagggcca ggacagccag gctcagctca gcacccactc aggtgccacg agggcccagg 22380
gtagagaaga aaggccgggg gcagggccga gtggggccaa ggctgggcgg gggtgggcac 22440
ttgcccatat ccggcagccg ctgaggctga aggggcacag ctcacagctc cactgggaca 22500
agggcggctc ccatggtgag gataaaggcc acggagaagc ttccagagag ggcagcagag 22560
tgggacgggt cacctgcccc aaagggcttt gttctaaggg agcagagacc caggacagca 22620
cggggcgggg catccacttt gtttttaaga catttcgggg gcgctgctgg ggacagtcac 22680
caacagtgtc cctagagaaa gggcaggggc cagagaccca gcaggcatgt ggaagcgaga 22740
ggaggggaga gctcgggacc agctgaagca ggaggggcgt ggggtccgcg gcttgcgggc 22800
cagaggggca tggggtccgc ggcttgcggg ccagaggggc atggggtgcg cggcttgcgg 22860
gccagagggg catggggtcc atggcttgcg ggccagagcc caggggtcag ccagcatggt 22920
gctctagctg ccgggacgct ggggaggcag tggccggggt tcacagagga ccaggggaca 22980
gcggttgtct gtcctccctt gctctgagga tcagtgggtg cctccaccgg ccttggcact 23040
gtgtaagttt ctaaaaacac aacatgaagc tttgggagga tgtggggcac aggtcccagt 23100
cccctgaggg cagatgctgc cagctctggc aggacgcagc cgcaggctca gaatcaacac 23160
gcaattccct gcacaggcgt ctgcagagca aggttcaggc ctgcttcatc agtaattctc 23220
aaaggtgatg aactctacgt gaaactaaag tcatatgaag agttttttgt ttttttcttg 23280
ttgttgttgt tttgagacga agtttcactc tcattgccca ggctggagtg cagtggcaca 23340
atctgggctc actgcaacct ccgcctccca ggttcaagcg attctcctgc ctcagcctcc 23400

tgagtagctg ggagtacagg cacccaccac cgcgcccagc taatttttgt atttttagta 23460
gagatggggt ttgtccatgt tggtcagact ggtctcaaac acctgacctc aggtgatcca 23520
cccacctcca cccctcaaag tgctggcatg acagccatga gccactgtgc ccggcccata 23580
tgaagaggtt tgaatgaggt acaggtgaca gaaacctgca catctcagaa caaagaaacc 23640
agagcacgtg ccggcgagct tgggcactgg cagaggcgtg gaggaagctg cttacagagc 23700
ctgcagcaca gcgcaagtaa tccatctcag ccgggaacac gttccccagg tacagcgaaa 23760
accccgaggt caccaggagg cagctctgca agacagcgac agaatcccag gttacaacgc 23820
gccccgtccc caggctggac cctgaccctt caacttctgc ttcactgtct gtgtattggt 23880
gactcaccca cgtcccccag catcaaccac acccgcacct gggacccgcc catcctggac 23940
tcctcctgta ggacagacgc agccccgccg cagcccagga catggaccag cctcccccag 24000
ccatgtcgga gcatggaccc cccacgctgt tatctggagg agagaagaaa ggggatctgc 24060
caatatttag agcaaggaat ggcacctctc cccacaaaat actcctgccc caacatgttg 24120
tgcgtgcagt cttccagatc ccacacccag gtccagacac gagactggaa aacaactgcc 24180
catccccctc cgtctgcaga acctaatttc cagatctgga agaagatccc tccaggcagg 24240
ggctccaggc ccaggggctc ctgagcaggg aagaccctag caggaggcag ggagggtgct 24300
ctctctcacg cacagcactg caggggtgcg gtggggaggg ggctctctct cacgcacagc 24360
acccccgggg tgagtctgag gggagtcagt atcaaaggtc actgggaccc agggtcctgg 24420
cagaggaagc gaggtctggg gcagagggga tctggcctgg gcgggggagg ggctgcgacc 24480
aagtccaggg caccaggtgg aggagggcag agcccggaga tggccaccac cacccgggag 24540
ccgcctctgt ccccagctcc gaggcagacg cctgtcttgg tggggcatgc tcaggccacg 24600
ggaggtgggc aggaccactg tgggtgctgc aggggctgcc ggcggaggcc agggcacagg 24660
gaggggagaa atcacagcct ggatctcatt ctcagcccaa gctacacgga accgggggtc 24720
cctgcataga ggcctgtcct gcagcatggc tctgagcagc tgcacacact caggcccaag 24780
tggctcctcc aatcatctct gtgcccacga ctgtgcaggg aatggccagg accccaggga 24840
aatccctcgg acatctggcg ctgcccgtcc accccagacc tgttcctttg ttccccagct 24900
ccctcccagc cggcccctga ggccctccct aggaggagga ggtccctgag gttctctctg 24960
tgagggccga cctgaaggcc tgagacgcct cctcccacct ttgcaggtga cccctcagag 25020
gaccctgggc ccccagagcc gagggtcatg gagactcctg gggcccattc atggccctgg 25080
gactgtccct accctggtgg gactaagcca caacctggag cagctcaagg ctggcacaac 25140
agacacccat aaattaataa aaataattgt gaaaacacaa gcaaaacaag ctcgtcggca 25200
tccaagagtt ctgcagcagc agggttagtc tgagagttgc tctctctgtc ccacctgggg 25260
ctccagggcg ctgcagtccg tcaccagagg gaccagatgc tcgtggccct ccaagggctt 25320
agtgtggagc tactcacccc catcagcaca gagaagaccc acgtcttgtg gctgaagcag 25380
gggggcagtc tcttcgacag ctgcaggtcg ctcggcttcg cgtctggggc atagctggcg 25440
gggtcttgcc ggccccgctc cagcgtgggc atccggtcat aggccagctc ctctctgaat 25500
ggctcctggg tcatggcact tggggacacc acagctgtgc tgaatgtaca gccacgtgtc 25560
accagttctt tatctggaat aaaattatca tcggctttgg ccactctgag gaaacttcaa 25620
taagttgttt ccaagaaata ttttttaaca aaagaaatat tgttcatact gaagtgctct 25680
aaatttgaag aagaaaatga gcacttgaat ctaaaagtga aaaagaaata actttcctag 25740
aaaaacggac ctgaatagtc tgggttcagg gtgagattct acactttaaa tgcctcattg 25800
atccatctgg gccctccagg tgcaacacct gacaacatcc atcggcaact tcgtccatga 25860
acacatcacg ccggggactc aagcacgtta aactgctcca attggtagct aaacgagaga 25920
ttgcaaaaca tgcctctact caacggctta atgtctgagc acttacctcc cccgctgctc 25980
tgccgttggg agcactggtc tctgggtgag ggacttccag caagaagtat tcacaaatga 26040
aacaaaagct cagcaaactt gagctgaagg caggggaagg agagctgctt cctgaatatc 26100
aatgagggga ggaatcgggt ggatcgtaga aatgtttcgt gttggttgtg taaaccactg 26160
cctcgg 26166

<210> 1050
<211> 7029
<212> DNA
<213> Homo sapiens

<400> 1050
ccaccaccgg ccacctgagt gtccgtgagc gggccgaggc gctcatcagg tccagcctgg 60
gctcctccac cagctccacc ctgagcttcc tcttcggcaa gaggagcttt tccagcgcgc 120
tcgtcatttc cggactctct gctgcggagg ggggcaatac cagtgacacc cagtcatcca 180
gcagcgtcaa catcgtgatg ggcccctcag ccagggctgc cagccaggcc actcgggtaa 240
ggggctgggc agggctcacc aggacaggct gggatggtgg cacgggctcc tggcctgagc 300
gtggcacctg ccttgcgttc ccacccttct gcctgcagaa ccccatcccc ttctctatgg 360
ggctcccaga gtgacaaagg acagtgatta gacacgaagt ggcttagctg ctcttgaaag 420

cagacaagat acagagcaga tatcctgtaa acgataatgc ccaggcaggc actgaaagga 480
gtcaccggat acagaggttc tgcagaactg tggccatctg ccctacaccg gggcatgacg 540
gagaatgccc tccacccatt cacacagcag gactcttctc acatgattct ggcctgaggg 600
agaggaaagg acacctgtca atgctggagt tagagcttca ctgcttctca gccaatcgat 660
ttgactttaa agctgctgag atggcccact gcttttaggt atttaaatac tagacaagga 720
gagttctaag gacttcaccc aaataagctg ttacttgtcc agaatcccaa accagctgag 780
atgaaatgaa tacttgagct tcttcagtga gaaaaaagta aataaatacc cagcagtgct 840
cctatgtgac ctggtagaca gggaaaatcg atggtgtcaa ggcaaaaatg ggtcaggttt 900
ggagagttcc cccactcctt ttgagtgttc aggttttcct taccatggct catgctttcc 960
atcaagcacc agagttgcag tggcttggcc tctggttctg ggtgaggtta tttgcaggtg 1020
gagacggggg gctgcacctg aacatttcta gtgtcaccct ccctctcctt catgggaaac 1080
agctctccag ggaagtacct tcctgccagg ggaagccaag gctgggccgg ccgccctaca 1140
aggagccaca ggattgcagc catgggtgcc acctttcatg gaaggggaga tttatgggct 1200
ttcctggaac ccccaggctg tcctggccaa gaggaaagag gtggttactt caggagtttg 1260
accttagtta gataactaaa agaatacatt tcccctccct tttctttatt tcctcaataa 1320
aaatgtacaa agtatcaccc ttctccatgc cccaatctgt gttaaagtca caatctatgg 1380
gtgtagttct gggattctgt caaattctcc ttcctgctct ccaaaatgga caattgtcgt 1440
agggaccaca tgcccccaga atacaatggc ctctgtgttc tactggggtc aagcctgcta 1500
gaactcagca ttcatgacag gggctaagtg tgcatgaagt gacactgact acagctagaa 1560
agccaggcgc acaaatgccc cttcccccca gggccgctct ttccagcgca gtcatccaga 1620
aaggcccacg tgcagagccc ctgtgtctca gatgctgctt cagttgcccg tcctgtcctc 1680
agaggccact gtgctggccc tctatcattt gacctgactt tagaacctga cctcaaggat 1740
atggcagcgc tagcctttag ctcccacagc acggatgggg gtgatgccag ttagaagtgg 1800
gtagtgaacg tttgctgagc tgttcactgt ttctctcttc tctttggaag cacctctccg 1860
agccatgtga gccccctgat gccaccgagc aggggcagct tcatgaccga tgtctggctg 1920
aggctgtggc ggacactctc ggggttgtct gcaggagagc aagccaggag gacatgggcc 1980
tggacgacac ggcctcgcag caaagtgtgt cagacgagca gtgacgggcg tgcggccggg 2040
cggggaggct ggctccccca cacctcccac ctgcattgct ctccctcgtg ctccccaaat 2100
caccacaacc aaccaatacc gcgatccatg agggactcct cctgtggaaa aggagagctg 2160
ttccagaaca cagaactgat ctcaggtttt tgaaaaaaaa aaaaaaaaaa aaaaaaaaat 2220
caaacaacaa caacaaaaaa acctcacatg atggggaaac aaaaaaaagc aacaaagaag 2280
ccacaccaca cctccctggc caggcacagc gctgcccaga gcggcacacc gcggacagca 2340
ccacacatgt tccagaatct gaaatctcaa aagccattca ctaacttaaa acaactcaac 2400
agagccatga aacaaatgcc ctgatgaaaa taagacaact gcatgttaca tcatcggcac 2460
tttatacatt actgttacca tgaaaaagaa atgaacagca gcacgtctga taccatcagc 2520
tgggcagatg cattaaggtt aaatctaagt gtcaagaaaa ccctatttct ttataatatt 2580
tatgcagctg ttaagcgtaa catggtggca gcttcacaac aagaaccgtg atcatgcatg 2640
cagtcatgtc tccagtattc tgtgaaaagc caggatacgt taggatgtga gtttagaaac 2700
tgagtccatt cggtgcatgg aaatccaccg cggagtcaca caatgctcct cactgtagtc 2760
caggcgattg gtgggccgcc agcaccctgc gggcttcaca gggacgcgtg cttgttctcc 2820
aagccccgca acccttactg tgcacacaac atcgcacaca cctttgtttt tgaaattaaa 2880
atgtttatag ttattgctgc gtccagtgtt ttgagttata ctgaagcttc tcatttctac 2940
aagtatatct tttatggtga gaacgacatt tgggtaaatt ctgagacaac ttttcccatc 3000
ttcaagaccc caggaacctg tatccttgct ggggtagagg tcccaaaatg cagtccatag 3060
agtatcactg gcctggtgaa ccatcccttt tcaaaagaca atagttagaa ggaaatactc 3120
aattttaaac agtcacacaa atttcttcaa agtatttagg atttggaaat ttgaggagag 3180
ggttggggga agggtattgt agagaatctc ttgccccttg gaaagtaaat ggtaatgctt 3240
ttctaatttt tttttttgta aactaagaat cagcaattaa taaaagcaag tgtactctat 3300
aatcacagac agaaggttct tattttcagg tcagcactcc ctagaggtgc aaactttatt 3360
taatttaaat gcagttgttt gtctaatggg aagctgatag ggccttgctg cagttctcta 3420
aggtggccaa attaaacttg gctggcagct cctgtaatcc tcttgggcaa ctttacagcc 3480
aagccccaag ggctaaatgg caggcctgga gctgtgagtg tggcctcccc acggagggtg 3540
actccttgag ttcagtgagg aaaaccacgg tgcctggcag tggtcagcca ggagtatgac 3600
tggccactcc ttaggcatcc agaagtagga aacacagaaa gcattccaca aaacggggaa 3660
tctccccaaa gagctagaaa cccaggctgg aaggaaatgg cagcgcaggc aagagagcaa 3720
gagcaccctg ggtgctcctc catcccgttt ctctggggag gttcatgagg tgcttcttca 3780
acagttattc tgttcattgc ttatcacagt tcacgagttc tcgtggcatc ttttgtgggg 3840
aggagggagg atgaaagtga cacagtgtat ctacaacact aaggtcacat taatcagata 3900
ggaatgcagt gacgctctgc accgtctatg agagcgggca tctcgagtgt gcataccgag 3960
gcacagatgt gcacacacat ccgcaggcaa ctgcacccac agagaaaagg tggcagtatt 4020
ggagtcaccc caggattctt gggggctgtt tgaccagcca tcaacagtgc agccatactt 4080

ctttttcttt tttatcgtgg tacacaactt ttatatttac aactcatgaa cttgttaatc 4140
tggtccttca tctagtcagc tatgtatcag aaaggacttc ctgcaaaatg ttatattcta 4200
agcccccatt tagaggaggc atccctaaac tgacatttct tgctagagtt gttcaaatat 4260
tctgccagta tatagctaaa gagttatttt ccagttcaag agttatttgg gggctgggca 4320
cggtggctca cgcctgtaat cccagcactt ttgtaggctg aggcaggcaa atcatgaggt 4380
caggagttcg agaccagctt ggccaacatg gtgaaacccc gtctctacta aaaatacaaa 4440
aaattagctg ggcgtggtgg cgggtgcctg taatcccagc tactcaggag gttgaggcag 4500
gagaatcgct tgaacccagg aggcggaggt tacagtgagc cgagatagca ccactgcact 4560
ccagctcaag cgacagagtg agactctgtc tcaaaaaaaa aaaaaaaaaa aagagttatt 4620
tggacacaga tcaaaatggt ttctcctcta aagataatat taaaaccata gcacttggtt 4680
ttatataaat catgtggcca atttggcatt attgattcta aattttgcag tgtgttgaaa 4740
tcatctggca agtaatttgt taaaatcatg cgatgcttca acttctttgc ccacaaaatg 4800
tgcaatgcaa tgcctgttta cttagcccac ccgtctccag cctcatctac catgctgttt 4860
tgtcccaagt cactatgcta cacaagcatc cgccatcagc acacacacag gtgtgatcca 4920
cagacacaac cttctatgaa tacggtaatt ggcaggaaaa gaagaggagc aggtctgttc 4980
cacattttcc agcccaccag cgttcccacc cccttgataa ctggagggct gggaactgag 5040
tgcctgaatt tgcagcttta ctaggatctc tccctgtcaa ggctgatcat cagagatgac 5100
actatccatt taaaagactc acccatctcc ctgcatgtgc ttaccctcac tgagaggtaa 5160
gaagaaacaa tttattaaac tattacgtgt taagcagctg gcggtatgat ctgctaagga 5220
ggaaaaggaa agaatgattt agtaaatcgt gcttcaaatc agtcctgatt cctcccatcc 5280
gaccttgtta ttctagctga gattcttcat ataagcaata catgttaatt ctgtgctttt 5340
caaattgaat tcctccctga gactcatatc caaccatctg ttagatattt tgctttgttt 5400
gaataggagg cattccaaac tcaggtataa gagaatccct gacttcaatc tgccctgctg 5460
cccccacccc accatccggc aagagctcct cacctcagcc gtggcaccga cagggaggtg 5520
gcgctcagct ctgctcctct catcctggct gcgtgcaggg aggggacggt cacgtggagt 5580
tctgccacgg cacctcttct tcctttaaat ctcagcatga cactgttgct acaggctgtg 5640
tgcgtttggc cctgagttct agttatctgt gaattcatct tatccttcat taaatgtcat 5700
tgccttacaa tacagggatt gcatctgaca tctccataca tgctccatga tcattctgtt 5760
tgactaatac aacaatcatt tcaggacctc accacaagag acactaaacg ttctttggat 5820
ttacagcagt ttatcactgc taaatgtcaa ctctgaggtc tgggggcaca aaacacacta 5880
aaaatgctaa agcctcaaga aggacgcagc agggagtgat gaaagagtga actttggagc 5940
cacgcagacg tgggttcaaa tctcctttgt caccgctatc actgtgctcc tgaacgaacc 6000
acttaaacac tccaagcttg tctctttacc gttaaaggga aagtgtgcag aagctcccgc 6060
agccccaagt gctaggggcc accctgaatc tgttccacac aagtgcatac tttcaagtag 6120
gcagtgacac tcccacccca cataagcaca actggcttca gtgataagcc cctcagacta 6180
gctatttaac tttgaaataa ccttcaccag ctttctttct catttaagac aaaatcaaag 6240
tctacaaaac agacacggct gaaacaccaa gctcaaaagg acaagcacca gaaggaacat 6300
ggcccttggt gtttcagatg catgaagggc ggaaacgcaa aacggcctcc cggaggtgcc 6360
aggaaaggct ccatcttgat ggggtcccac tccagctggg gctgaccagc tccaccacgc 6420
ctgggtgcac attgatgaca tttccccagc ctgcctccct atctcttggt tctcctgagg 6480
gctgtggtac tttcagattt acggccagga tcaggttccc aggcctttgt gggaagcctc 6540
tacccaactc agaggccgtg cctctcctgg cccactgagg catgcagccc acaccggtgt 6600
cctggtgatg gtggctggaa gtcacagcca gcctgccaga catcctgagc tcggaactca 6660
gtctccctga acagccccgc caggcaggga ctgtggaagg agatgcccac ttcctcctcc 6720
tgggcaggta gccctttga gggcttagtt cataatctat taggcctccc tgttgtggtc 6780
cctccaaggc taggcaagtc caagtcaagc ttcacaaagt tacctcggaa gaaaagcgct 6840
gaggaaagag acactgatgg aggaaccaga cctgggctgc gtgccatttt ggttttgatg 6900
tgagcccctc ccgccccatt cactgtgccc cagtgcccag cccagggctc ctcacccgcc 6960
acatgcccga cttgtccaca gttagagaga aggcacactg ctgcttatac cagtgggttt 7020
gtagccaat 7029

<210> 1051
<211> 28215
<212> DNA
<213> Homo sapiens

<400> 1051
tcctgtctgt aaccatcaga tttatttta tatttattaa gcagtaagca aacagagttg 60
ggggagatga cctaaaatgg ttttcttttg gaataatatt ttttaaaaaa tcaaataact 120
gttatcactt taagttgcat gaggctgaag ctgcacctgg agaggaattt aattttcatg 180
acatgcaaaa ctgattaggc agtgaactct ttcctcccgc ttcccctgaa cacatttata 240

```
aacttcaacg ggggtgaatt ccatctaata ctctgaaaac catttctcat ctcacagttt   300
acccaaatca tgtgcatgac tgcaagagga aataaacaag aaatctttaa gcatagataa   360
gccacaatgg atagttaatc ttgtacagac aatccagcat taaggctaat ttgatctttt   420
aaacatttta tgggaaacag ctgttgagtt ttctctagaa aagcccacaa ggttccataa   480
ccccataggc atacagcctc gacaggcagg gctccatcag gctcctcttg aactgggcac   540
tccttcacgg aaggcaggaa tgcacgtgtc ttcacttcct gctgctctgc acgcacgtca   600
cgatatctgg cagaaggtgg tttctgtttt ccttggtgac ctgtgggaag aagtgagaga   660
acaggcttca gagctccttt cctcttcttc aatcttgtgc taggtaactc tctaaaagaa   720
acgcctggaa ggctgggaga gggtgaggta tgttttgtta cccaggcagg aggcccagct   780
cttcaggagc actcagaaac aggacaggaa tcaccgagtc ccagcatcag tttctgccaa   840
gtgacagctc aaaaagtcaa agtgggtttg gagcccagac agatttcagc caaccatggg   900
gagagctgtg aagtgagtcc gacgaggcac accgggacgg atgatgggca cacaggaccc   960
ctgagcacga cctgtcctga atggaaggaa ctcaactgtt ggagtgaagc gaggaggaga  1020
gcctgggagc cagcggggcc caggagggca cccagcagag cagcagtgaa gcgcccagga  1080
ttctgggatg ctcagtcatc tacccgcctc tccacaaaca tcaagtgctc atttgaaaca  1140
tggagaagtg ggagagccag agacgtgagg gtgcctccgt acagactgtt actcaggcct  1200
cctgactgca gtgtgttctc caacacttac accattacaa aatcaaacaa aagcaacaaa  1260
gagttcacca gagctttacc cgatgatctg tttatttttc tttcactacc acaccatccc  1320
gagtgcccca gggtaaagga agggccatct ctgctcccat cacagtgcct tcctacttgg  1380
cccatataat atccatccac tcaacacacg ctgatggggt ggaagggcaa acaggagcca  1440
ggcacagaga tgcgcataga gaagcaccac aggtaaggac cctgacctca tggagctcgc  1500
agaccaggac aggacaggca tgaacaagga caatgaagga gtctgggggg caggcaggaa  1560
caggggcatg tgtggggtca ggggcaggaa aggcttccag gggtgcttaa gcctggatgt  1620
aatttcgaca ggtgaaccat ggaaaagggg ctgagccaag gttcccggta agagcaggga  1680
gtgcatgtgg aagccttctg aggttcaggg tggttgtatc tgaagagggg gcctggcata  1740
caataggtgc caatacatgt ctgaagagga gatgcagagc ggacctcgtc aattctggtt  1800
cctggcacct gctcaccctt cttggaagag tgctctggtt gtctttagga gactgtacgg  1860
tctaggaaac ttgcccccag ccaacaagtg ggcaagccag gccctggcaa cttctctgag  1920
atctgtaccc caagaggagt gactgagatc tgcaccccaa gaggagtgag ctcacgcagc  1980
aagtgccaga agctgatccc atttctactg gtcctggctg cgtcaatccc gtgatcccat  2040
ttctactggt cctggctgcg tcagtcccgt gatcccattt ctaccggtcc tggctgcgtc  2100
aatcctgtga tcccatttct actggtcctg gctgcgtcaa tcctgggcgg ctgtggctcc  2160
acttgaaatg aggacagtca gcttttcctt tggcttcatg ggacagctcc aaagcctata  2220
aggctttttg atgctgtttt cacttaagtt agccaaagtc cattcctgtt gtttgcattc  2280
aaggaatcca cctgaggtag aaaggaggcg acacagaggt gggcaccaca ggggcccttt  2340
tcttccactc tgagttcagc agtgattgca gtagcttctg cctccagcca ggctctgtga  2400
gagtggactg tgatacacag ctggagaatt tgctctggtc ttctatgaca cagtacggtg  2460
actacagagt aaataacaag gtagtgtata tttcaagata gctagaagag aagattttga  2520
atgtcatcac cacaaaaatg ataatttaaa gtgacagata tggaaattac cctgatttga  2580
tcattataca atgtatacat gcactgaaac atcacactgt accccataaa tatgtacatt  2640
atatcaatta caaattaaaa attaatttga aaattgagca gaatgcaaac actccaatat  2700
taatattttg atactccctt tgatttccct aagattattt ctgaaaatta tgcaataaaa  2760
tgttgatgtg caactctctg cagtattcac ttatgatatt ccctgttgag aaaagcacac  2820
tcccaaatgc aagaacaagg atcacagcat ctgccaacct caggagtctt tgccttatgt  2880
gaaattctag tctacttttt attcaacagc cagaattttg gttgcagaaa gcctttcctg  2940
agaagctaat tagaagaggg aactgggagc tgggagcagg aaaaggaaat aaagaagact  3000
gcagaaagaa gaaagtaatc ccaaccattc ttttttttctg cactggagcc ttaagagaaa  3060
gaaaggaagc tgagtgaacc tgaacccttg cacctgccca gtggctgtag gggggccctt  3120
ggtaagaatt tatcctgggc acagtgaaga taagactgtg agcaccatgg ggtcagaggc  3180
cacatctcat tcatcctgtg acctccagat ccaatccctt gcttattagg aatgttgggg  3240
gcccttccca cagtttcaag gaaatgcatg tggttttgtt ttgctttctt gcacatagtt  3300
gtatactaag aggcatttct tcccctgcct gctccatcca tgttttcagg tctggggttg  3360
ttaaagtcag aacataagca ggacccagta tctggtactg catctgtgcc cagcagatga  3420
gtcaagtact gtctctcgcc gtacctaggc caaccagatg agaagacaaa tttgtgatat  3480
caccacctca acttcttatt taaacaatca agaagcggga aggggagact gagcagggca  3540
tacagacact gatcatatta aacaagttag aaggcagtga ggtagcatgc aagcagcctg  3600
gaagatcaga taatatccac tcactgctgc caagaacatg tgcaccccaa ggtctaaaca  3660
agaggcttag tcatactatg aagctgccag cttgaaaaag aactaaagtt gttgataaca  3720
ttttcaatgt tatgacatta actagaaggc agcaaaatca atcaatgaca cactcattgg  3780
gatacaatgg gataaaactc aatgggatac aatggtaata acctcttaga gttctgaaaa  3840
acaaattatt gaagaaccca taagtcacct gctatgattt gactgtgtcc cccacatttc  3900
```

atgtgttgga aacttaaccc ccatgcaaat agaggtggga cctttaagag gtgattaggt 3960
catgggggca gccctcatga atggattaat gccattatag tgggagggag tgagttatgg 4020
caggactggg ttactgataa aatgatgtct ggttctccct ctctattgtt cactgctaaa 4080
actccagtgg atagaacagt acctgacata cagtgcgtgc tcaatattta ccaaatagat 4140
gaataaaaat actccatcac caatttcttc tactgatgct ttactaggta ataggaggtg 4200
ccaaagattg tatcagtgag attttatttt ccttctcagg tactgttctt tcttttcttt 4260
tttcagctat tttttttaac acatcagaga atgttatcgt tttgcctcaa ctgtcaaaca 4320
taattcttca aaagtcaaca gaggaagaaa agcccactac actcactcag agttttactc 4380
ttcccattgt tctttcttcc ttcctgatgt tccaggtctc cttttaccat ttccttttctg 4440
ataagagaac ttccctttggc cattctttta gagcagttct attatgacaa attctcttag 4500
ttttccttca tctgtgaatg tcttatagaa ttatgagtcg acagttgttt caacacttgg 4560
aaaatgtacc acctccttct ggccttcatg gtttctcctg agaaatctgc tgtcactcat 4620
attgttttta ccctataggt aaggtgctgc tttcctttca ctgctttcaa gactttaatt 4680
ttcataagtt tgactatggt atgtcttggc atgaatttga gtttatcctc ttggggttca 4740
ctgaaaatgt aggtttatgt cttttgccaa atatgacaaa aatgcagcca ttacttcttc 4800
aaacactttt tcaaccccac actcatctcc tgttactaca atgatgtgaa tgtcacatct 4860
tttgttatag tcccacaggt cccagaaact ctgttcattt tgttcattac tttttctttt 4920
aagtctgctc tttgtcaggt aatttctatt gttctacctt caagttcact gattctttct 4980
cctgtcatct ctattctgct gatgagccca ttcagtgact tttttattgg ctattgtata 5040
gttctaaaat tttcatttga ttcttctatc ttctaggttt ttgctgaaac tttccagttc 5100
ttgctgagac tatttttcat ttgtttcatg tgtatctgta attttatgaa gcatttttat 5160
gatagctgtt ttcaaatcct tgccctataa ttccactatc tgagtcacct tgctgttgag 5220
atctgctgat ggccttttct cactcaggtt taggtattcc tgattcttgg catgacaaat 5280
gattttcagt tgtgtctgtt gtgttgttcc ttaggtcctt aggttcctag ccagtctgtc 5340
tttttctctt cacttttcag gtcttcttat gcttgtatta taaataacat ccttagcagg 5400
aaaaataaac acaagtgtgt ctactctatc ttgtctaaaa ctggaagagt tctcgggtgt 5460
ttttggaaag tactctgttc acccaacgtt atgaagaata agtcaagata atattactaa 5520
tttgtgtggt atatttcccc catatcatga gctcagtctc atcttcacac tatgcatatt 5580
cattggaaag tactctgttc acccaacatt gtgaagaata agtctagata atattactaa 5640
ttcgtgtggt acatttcccc catatcacgg gctcagtctc atcttcacac tacgcatgtt 5700
cagctggtag caaggggacg ctgactctga ccccttttca tagctcattt tcttacctgg 5760
aatgttctcc cttctttttc ccatttcctc cttcaagagc caactcaaga acccccttcct 5820
ttggacacct ctccactacc actgctcaca tagatctctc ccttccctgc ccctagattt 5880
tgattgcccc atggtctgtt tttcttgagg gcagagatca tgcctcacag gtgcctaaac 5940
gatggactaa gtactgaatg tgaagggcac tctcaaaaat ggattcggat actttattgc 6000
atgtgagcaa tggaaagaac ccaaaaatat atctaatcca acacctaagt ttgcagataa 6060
agaaaatgag gttcttggcc aggcacagtg gctcatgcct ataattccaa cactttgaga 6120
ggctgaggca ggcagattgt ttcagctctt caattcgaga tcaaccccgg gcaacatggt 6180
gaaaccccat ctctacaaaa aatgcacaaa tgagtcaggt gtggtggcac atgcctgtag 6240
tcccagcttt ttgggaggct gaggtggagg atggcttcag cctaggaggc agaggatgca 6300
gtgagccaag agcatgccac tgcactccag catgggccac agagactaac cttgtctcag 6360
aaaaaaagaa aatgaggttc ttgatttata aaactggaaa aggccaggca cagtggctca 6420
cacctgtaat cccagcacag attactctgg gcaacagagc aagactctgt ccctcccccc 6480
caaaaaaata agttaaataa aaaataaaat aaaactgaaa cagaaggacc acacaaaccc 6540
caaagcaaca acaacaaaaa aaaacagggt atgtcagccc ctatctctta cttaattaac 6600
tcaaagctaa ttgttttatt tacagatcat tagaagcaat gattatcttg cctggagaat 6660
aattttgagt ctcagagagc ggaagaaatg tggtatgatc ctaagacaca aagtctgttt 6720
ctgggcatca cagtcagctc ctttcaatcc ttccttagga ctgttagatt agattagttt 6780
gtggaactag ccaatccctg gagtctaaca ctagcaattt cccggtcttc cagcctagaa 6840
gctatctgac ctcaaaacta attttctttc atgatctttc actattcatt gccttgattt 6900
ccatggaaac tctataatca caaccaaaaa tgtaaaataa gagaagacga catgaaactc 6960
tgaagaaccc cacagacttt tcagggctct caaatgtcac ctccttgaag agaccttccc 7020
tgatcgccct tgctactcct gcccccaact accacattgc ctggtttctt tatttttgcc 7080
tttatcagta tctgaaattg cttaacttat ctgttcacat ttttggtatt cagctcctcc 7140
attagaatgt aagctccatg aaagcagcgc cttggtcagt ctcgttcacc acagtatccc 7200
aagacttaga atgacaccta gcatacagta ggtgctcaat cactattgac caaatgaagg 7260
aataaataaa tcaataaaga agcgcataca tttttccaag tctggctggt ctaaccctaa 7320
tggctgttta ccaccacact ccaggattct tggtggcaac atgtggatac tccaggattc 7380
tttggtggca acatgtggat actgccagtg ggccaaggtg acatttcact cagtgattaa 7440
aatgatcatg aggaaggtgc tcacgggtac tcactctcca ctccccctga taggagtggc 7500
cctgcctgcc tgacttgttc acttggcact tgcagggcca gggagctttt aaactggggg 7560

tggggagtga ggtgtgtgag cagagctcag ccaagagcac agctaccact gactcaaaga 7620
aactaagggt aggggttggg gagaagcaat atctgactga gaggaaaaca gagggacaac 7680
agggaaagaa aggcaagaat ttagacaaag tgccagcaat gccatgagtc ccttccgact 7740
ggctcagacg ctgccactgg tcaacaagcc ctagcccctc atctctcaca tgtggtctac 7800
agcagtgctt ctcaaagtgc gggggaccta aaaaccacat gagaacttgc cagaacagat 7860
catggggcca tcccccagag tttgactcct tggaccaggg caaggcccac tcccaggtga 7920
tgcccatgct gccattctgc aagcctcaca ctgagtggca catcctacag atgcactagt 7980
gaatgtagca gccacacgag accacagagc acctcagatg tggccagtgt gactgagaat 8040
ccaaatgttt aattcaattt aaatttgatt atttatgtga ttaaataaat aattcaattt 8100
aaatatgatt aaatttatta aacataaata gcgagatgtg gctagtcgct actgttctga 8160
gcaatgcaga gagcacattt ccctcactac tgggaagttc aactggacgg tgctgctctt 8220
cagcacctgg aagctgtgtc tcccaacaca tccacagcct cttctcccca caagcacaag 8280
tgggtcagct ttaaaaggga aatctttaaa acaaaacaaa aaatatttgc ctctgtatcc 8340
caacctggcg cctttcaatc tgagaagaga taagcttaga acaagcacct tagctcaggc 8400
aattctgatg ccagagaggt cctagtgtct ggtgaggaga tggaagaaaa aagcagccag 8460
aacaactggg accgtcagga ggccccccca taagcgagtt tgtttttca tcaagtagag 8520
gtataattta agttctatac atttctagaa aattagactc acctacattt cagcatggaa 8580
gggaaaaaat gttaactcaa aaccaaagag atattttaga gccatctgct attttagatc 8640
atctgctcca tttccactga ttatggagga ctggctgtac tcacattaaa caccttcaca 8700
tccttttctgt ttctgatttc ttctacaaga gccagtggct ttcctttagg aactgggatt 8760
gtgccaagga ttatagtccc tggggtagac agcgtctgac gaacagcttg aatgaaaagc 8820
tgactgaaga gctccatctt cccaatctca tcgatgacgc acactctttg ccctgggcca 8880
ctgctgcagt cggcctgaga atgacaaaga ctttcactgg gacatcagag tcacattaat 8940
caaagggccc atgggtccca ctccccaatc actcaccaat gaggtaaaaa agacagaaac 9000
ctttttactg gatttcaaaa agtgacagca tcccacagac caccgctggt actgtgtggg 9060
aggggactgc acaagggtga gtcccaggag ctgggaatca ttaggactct tggaagctgg 9120
cagctatgcc tgtcaccagt gggatgttca aggaagtaac ggacataaat tggaataaag 9180
tcatgagaaa gagaatctga gatctaaagg atgcaattgt acttactttt ttttcccctt 9240
tagccaagac ttgtttcctt ttaattttca ctttttttcca acaacgctta tggaccagat 9300
catgaaatac acaaacatct acctagagca gttatctccc ccccagcacg tagggaatct 9360
catatggctc aaaatggaaa aaagaggcca ttattatcaa caaaggctcc catgcttgct 9420
gtctcacttt ttttaagcct gaggtatttg ggtgccactt attttctggt tgtatataaa 9480
tataaagctt gatctctgtc ttggatcccc tctctcgaat cactcactct gggggaagag 9540
aagtgctatg ctgtgaggat actcaggcag ctgacggtga ggtccacgtg gtgaggcact 9600
gaggcctcat gccaacagcc aagaggaaat gaacctgcca gcaaccacat gagcaagctt 9660
agaggcaggg ccctcccagg caagcctcag atgaccacag ccccagccaa cagcttgact 9720
gcaacctcag aaccccagct aagctgtacc tggattcctg atcctcagat actgtgtaca 9780
ataatgtgtt tgttgtttta agctgctaaa ttttgagata acttgttcca tagcaacata 9840
taactaacac acatgtcctc tatagaaagc cttcctgggg aaggctgaca ggactttggt 9900
tgattcttcc ctgggaggga caaaacagaa catgtaataa acacttcaat gaatggtgaa 9960
tgacaaatac accttatata tgtttgtata catgattatt ttgaaaactg tatgtaaagc 10020
tgatttacaa agtattcttc actacagttc tgattcctta aatgatgaca gcaatatagt 10080
cctagagggc atgtctgagt taagctagat tttgttcaaa ttccaaaagc caaagcagca 10140
tatggtacag tgtggctggt ggtagggatc agtggcaacc aggggcagcc agtgacagac 10200
ggggctgcgg gcccagatcc taaaggcctt cgaaggcaca cacagaggtg ggaatcttct 10260
cccacagccg aaagagtcta atccagggag gatcacaagt tgtgctagaa agactgctgg 10320
ctgtggagtc agaaacaaat gttagactcc ttttggaata gacaagataa gatagtgggt 10380
gtctaaaccc cagttgtgat tgcacggaag cagtacagca gtgtttttca gacttttaag 10440
taaacagtac tctattttcc tactgcatat tgtacactta tgaaatattt ttccattcat 10500
tttattagct aaaagatcaa taaggagtcc actgtaatca cccaagagag gtctgaacaa 10560
tctccgcact tctgtgtttc tgacatgctt cattttgcc tctctattaa gtttatctgt 10620
acacacgcct ggtctcccca cttagggcag gtacatggtt gtcctcgtcc gcatccttcc 10680
tggggaactc accgatgtcc cagagctgag aagtggggag ctgaaggagc aatgtcaccc 10740
tccactggtg gggtcgggga gaagggcaga gcatctatga agtaagtcac tacttattcc 10800
aagtttttcc tccaaaacga aagccatatt tgggagaaat aaaacagcta tcaaccacct 10860
gtctatgata ataaaaacag acaactgtac aagaaggttt ctgtcttcct gggggcatgc 10920
cactccaact gacccgactg ttcccaagtg ctgtggacat tttgctgccc ccagagacga 10980
agagtaattg tggatgccat tcctctggag gctgtcatct aaaagccaaa ataaaactta 11040
ttctggcacc tcaaaatgag ttttggaagg tgccaaatca gacaagaagt gatatgaaag 11100
aatgtgtgta cacatgcaca tgtatttatt tgactatata catgagggta gtaaaatgca 11160
cgtggccatg tgtaaataca cacgtacagg tagaaagtgt gtggctcttc aacaaccagc 11220

cttcctgcaa tcctctagaa cattcaccag tgaaagctca tcaacattta tttaagtttc 11280
agcacaaaag aatttggaca cacatgtata cattactttc taccaattgg aaatcctcat 11340
tttaaaacct tagcttacat aaaatcctca atctgtccag aattggggaa ttttataatc 11400
caagaacttc aggaatctca aaaataaatc tgtgattttt aattaaaaat gcaagttatt 11460
catattcagt tgagagaaag atgtcagctg ctgagccact ctgaagcatg tagacactca 11520
gcctgctttt ctaaatagta caagatcata cactcaaggt cttaaaaaaa gaaccactat 11580
aacgtgtaac atggttttat ttctatataa attcaagcaa ctttagaggg aaacaaagaa 11640
ataagtaagt aaacaaacat tcacccctt tacattgttc taaattgata gagacacaga 11700
cttagaacaa taggggccca ggtttgaaga tggtcaggaa cccctcccca acccccagtg 11760
tgaggagagt cctaatgagc tcccagagaa actccaccta cagctgctgg agtaaggagt 11820
gtgtaaaaac tgtaggtggc tctcagccac gtggtcagaa tcacgatgta cacaccatct 11880
ggggtgtaca caccaactgg ggagcaccct ttcctcccct cacagcctct cctcagagaa 11940
caacccaggc agcattgctt cctagtgcca cacctcagtc ctatgtaaca cactagcctt 12000
cctggccaca cccctcacag gcttccactt cagctgatta taaatgttca gccatgaagc 12060
gcacttttag tttccctgtt ccgggagaga agatatttcc ttagatagag tcctaaaatt 12120
gaccagccag ggataagaga agctacgaat aattttataa ctttggttac actcacctag 12180
tttgctttcc agaaagatta gaacaacaaa tatcttcgta ccagttatat cagagacctg 12240
aaaatagtgt gatttttttg ggtcctttat ttttatatgt acttttaaaa atacaaagaa 12300
catataaata taaaataatt tcatttaacc aaaatatcaa actgagagca agctaatcca 12360
agtggtcttt gccttattct gaattatttg cataataaat gtttccagtg gtattaatgt 12420
taattttagg aggactgttt ggattgtttt attttaatat cagacacaca gactagctcc 12480
tgagcttacc cacctgggac agcaagtatg gaaagtcatg aaagtgaata aggagtgtct 12540
ctcagaagtt aggcagcaaa actgcagccc ttcgccaaac agcagcaagt tctagggaag 12600
cagaaaggca aatggtgcta acagcagcca tctctgagcc agcccacaat tcctcaccca 12660
ctgaagttat tagctaaaaa tgcagggctc cggtcatatt ttatgtgtgt ttattccaag 12720
ccttcaagtc tcataatccc tttgctgtct ggtggcatat ggactgtgag tctccagggc 12780
atagccagga caaggtgtct agactgcccg atggcgcctg gtaacccggc ccttccccag 12840
tcaagaatac tccgggcaga agctgctccc ccggacatgc cagagatcct caccccggca 12900
cacagacaga ctagctctga ggctcttcct ggatgtccta aatggcctct cgggactcac 12960
aggggctcac ccacatggtc acccgactga agagcgcttg aatggtagcc atggggtttt 13020
ccaagctatc ttgggactga aacaacacct cctggctgac agtcagtcca gtgagacgga 13080
gagcccagta ctcctcgtcc tcctcatgct ctgagcactt gggactggcc tgcacatttg 13140
ggctcctggg actccatgac agattactat cccactccgg accccagctc cctggcaaac 13200
acaaaccaaa ttgtgaaggg aggctcctct caaggtactg ccatccacca cctcaattaa 13260
cttctcaaga aaataatcac tgctattgct ctgctgagca cctcctagga gccaggggcc 13320
aaggcacttt acaagcatta cattcagtcc tcccagcaac ttcacatagc aggtaacagc 13380
atctgtttca cagatgagga aaggaaatta ggcattaagg gatttactca aaactcactg 13440
agagcacagt gacagagctg gagtcaaacc agagatcacc tgacttcaaa gctctcttcc 13500
acaccctgtg tgcaatacgc ctccacactt tgattctgaa ataaagaata gcatctagga 13560
aactgaccta accacgaaga aactgctttc ctctccaata agaacgaata gcactctggt 13620
gtttagggat ctatggaggc ataggcacaa aacctcaatt tatttggagt aatcatattg 13680
ctctaaatta ctcgaaaata actcatattt tgggtctgag aataatatca ccaaaattat 13740
ttcatcaagt atggatagcg aatggcccac tgcagtaggc agatatgata aagtaaaagg 13800
acttctctcc tctaccagga gcacaccccg agaagacggt ggaagagtta tgaccaggta 13860
tcctgatatg tccaccttcc tgccagtgtt tacaaaaacc aaattaaaaa aaatttcact 13920
tgcttagtaa aaattttcat caatatttaa gcttttggta aatgtttagt atctctgata 13980
cctgataccg ttttcattag aaactgcctg aggagaaaga actgattgtt tttcctataa 14040
taaaatggtg atggcttttc taatggggag gtaaccggat acaaatagag agaagcacag 14100
cttagagtgg aaaaaagctt aaccattatg gcatttttttt tagtgcagct tcaatgtata 14160
gtaattttat gtttgttaat tactgctcac cttgctagag aaacaatttc aaaagagagt 14220
agttaaatct gcttgccaat taaggcctca agagaaaatt atttttatct taagatgatc 14280
taataaagtt tagataaaat tagaattggc taggggaaat ctgatgagga ggatgtgcat 14340
ggtctcacac tatctcccca ctcactgctc attagtgtca aagaaaaaaa tagtaactat 14400
acagtggaga aataggacaa gtccttgatc aggtaatcaa aattaatatc actaaacatc 14460
acacacctcc agatgagata ctcgagaagg atgcatcatc acttatgact tatggagtat 14520
tccagcttta tttggtcatg aggaaacatc agaaaaactc caaaagatga acgttctttt 14580
aaattggaac tatattcttt acaaatgtca atgtcctgga agacaaagaa tgactgtgga 14640
aatgttccaa attaacggag gctatggaga tgtgacaact aagtgtaaca tctggaggaa 14700
aagaaatgtt acaaagaata ttgtcaactg atgaaactag aacactaacg atagattaaa 14760
gtatttttc aatgtaagat ttacagaggt tgataactgt attgattatg taaaagcata 14820
tccttatttt taggaaaaat atactgaaca tttaggagta aagtaccttg atgattgcaa 14880

cgtattctca aatagtcacc cccttccagc ttatatattt atacacacac acaaacacac 14940
acacacacac acacacacac acacacagag agagagaata agcaaacaag gcaaatgata 15000
aacataggtg actctggata atgagagtat acaggtgttc ttgcactatt cttacactta 15060
taactttctc taagagtaaa attttatcca aatgaagtta aaaaaattgt caaaaaaaga 15120
aaacacacac gtatgtactt tctcagtacc agactcaaga aaacaaccaa ctcaccccgt 15180
atgaacttcc tcctaatgga gtgtggtttt agactgatac gcacgggagg cgagacagaa 15240
ggaaatgctg gaaatgggac aaagtgagag ggaaaaagaa aaacggcaac agtttataca 15300
aactcaaccc cagtccagct taagggacgt gtgacttaag gagcatgcaa cttttctgtg 15360
tttcttgaga gtggactgca agaagaaaga catgaaggtg tcataaccca gggcaaaagc 15420
ctgcttagca tctaaatcca cagaatctcg ccaacaatca gaaataataa agtctcagtc 15480
tctgctcaat agaaattatg aagatttgcc atgacaaatc ttgcaaaatg aactgcagag 15540
tcaacctcat gctgaatttt cacctcattt tcttatgctg attcactgca ggaatgtcct 15600
tactgacagt ttaaaaactg attttctgtt tgcgccagat agcttttaat ttccctggct 15660
gatcctgcat tacatacttg taatacatga ggtagagaaa cagaagctga gagagaacaa 15720
agaatcaaat gccacatttg ctaacagcaa tgacagaaat tctagcaatg ctgaggagct 15780
tgtcaatctt tcaagaatgg atcctgacta gaacttggtt tttctacatt ctttctaaag 15840
ccaagtggcc tgagagtgac ctaaggaaca cttccaggtc gagtctaaaa aaacaaaaac 15900
aaaatacttt tccctagaca ggagtcctct caccttcaaa ggaagtttct aagattttcc 15960
aaagcagagc ctatttcaga accaaaagta gatcctgctc tcaaaaacaa atatacttta 16020
aagacttatt ttaatcaaaa caggaaaata caaggttcaa actatgttgg ttttccctgg 16080
gtgttctgat tttagcttac tcttcctttc acagatcttt gtaaaaaatg acactgttca 16140
cctggaaaac agggctttga gtagatgtcc tttgttcttt aaaacattat aatctattgt 16200
ctccattttg tgtgagtagg agatatgttg aaaatcaata aaatgttaca tcttacattg 16260
catcaaattt taataaagca ttgagggtag ctatcaaaaa ggccattatg aaaaaggcca 16320
gcattatctt atcagccttg atcattagaa aacagaaaaa acaatcctaa ttccagtagc 16380
accagaaaat aggagagccc tatgaataac ctcaccaata aaaattttaa agaaacagat 16440
ggagaaagag aaacatgttt tgggctgtgg agaattaaga ttatctgaaa aattaagaca 16500
ccctttatgt caaaataact atagtcccaa tcactccata taagacattt tttttaatgg 16560
atagtaaagt cttgattcta tagttcactc cagctctacc acttacacaa ttagtgtgtc 16620
cctgggcaag taactttcca ttctatgcct cagtttcctc atctgtaaaa taggaataga 16680
gtgatagtgt tctgaggatt aagtgagttc atgcctggca cgtagttcgc actcaataat 16740
agtttactat tacaagtgcc accattacta cagtttctga acaaggccat tttttgaaga 16800
agaaaaataa aaacgattac catggtaatt aaaatactat ggtactgatg caaggatcaa 16860
acagatcaat ggaagagaac agataactct gaaacactat acatacaagc acacatagtt 16920
ttaatataat taattaagca taaaaaacta attagaaatg ggttatttaa caaacagttt 16980
tagtaaactg gctaaatatc tggaagaaaa tcagctgaga atctcatagc atattacact 17040
caacataatc caaatgaatt gaaaacataa atgtttaaaa aaagcatgca gaagaagaaa 17100
tatataggta aaattttata taaatttgga atagggacag acttttctct accttgaagg 17160
gaaaataatc accaaagtga agtgctaaac tgagaaaaac agaatcaata atataaaaag 17220
gctatctgct ttataaaaca tctatttaag cccaaagaaa ataaatggga agagcaatgg 17280
atgaacaact aaaattaagg aaaacttaat gaacaactga aaaacattta accccattag 17340
taactgaaaa atgcaaatca aaacaaagca gtgtgttgaa aataagtaga gtgctcaggg 17400
ctggcacagc gcagcaagac aagcacactc acaccctggc agtgggacac aaagtcaacg 17460
cagcaccatc aagaccttga aggttcacac cccaccatct cagacttcac cttttagacc 17520
ctccccaggg aaacaatcat ggctagagaa aaagattcat gtataaaggg tgctttgttg 17580
caaggttact tacaatggtg atacggaacc tgaatgctca acactgaggg agtaatagtt 17640
aaatcaaaga tgaaaactca taccatgaaa taggatgaaa ccactaaaat ctcccagctt 17700
tgaagattag catgttgtga gaccattccc atgtccctca atcatattaa gggaaacaca 17760
ccaagcctat gaaactatac ataacatttt ccctgatcct gaatgactga ataaataaac 17820
caggtataca aaaggggcag aaacaaaata agctaacatt ggctaactta gtgataagat 17880
tatgagttat tcacattgtg ttttttattt ttattttaca ttttttataa ttttttttaac 17940
catgaatatc tagaacttga atactcagga aaataacaaa tgttgacaaa taaggaaaga 18000
gttaactcat ggaatgaaaa aaattaacag tcaaccctac tagaggcttt ccaaaaacct 18060
tcctgagtct agaacactta ccacacacac tctatttttc tttatttctc acgagcgacc 18120
acgatgctca ggctccattc ctgcctaaag aaacgtaacc aggctaggca cagtggttca 18180
cgcctgtaat cccagcactt tgggaggcca aggtgggtgg atcacgaggt caggagttcg 18240
agaccagcct gaccatgatg gtgaaacccc gtctctacta aaaatacaaa aattagccag 18300
gtgcggtggc aggcacctgt aatcccagct actcgggagg ctgaggcaca agaatcgctt 18360
gaaccctgga ggtggaagtt gcagtgagct gagatggcgc cactgcactc tagcctggct 18420
gacagagcaa gactctgtct caaaaaaaaa aaaggaaaag aaaaagaaac aagaaacata 18480
accagagcag ttttgcaagg tgaacctggg ttgtgcctgg ccctcctgag cctctcctgg 18540

agctgctctt cagctcccgg ccacttttt ttttttttt ttttttttg agatggagtc 18600
ttgctctgtc acccaggctg gaatgcaatg gtgccatctt agctcactgc cacctctgct 18660
tcctgggttc aagcgattct cctgcttcag cctcctgagt acctgggaca cgggcatgtg 18720
ccaccatacc cagctgattt ttgtttttgt ttttagtaga tactgggttt caccatattg 18780
gccagcctgg tctcaaactc ctggcctgaa gttatccact cacctcagac tcccaaagag 18840
ctggggttac agacatgagc cgctgcaacc agtcccagcc acatccttac ttccccacct 18900
gcaaataggc atagccctgc ttggcctaat tagagaagta ctttttttctt attttttgt 18960
agtattaaaa cacacacaca cacatacata caaccctcaa actatctttc actcatacat 19020
attgaaattt cttacacaca atggatattt cttattatcg gaatttgtgt tttcatagat 19080
cccagcacta tgaactaata ctgtgtccct ttataaaggg tttctaacac ttccagttta 19140
cttggttgtt ttcattgcca gtatcaaaaa tggtgtgttt atactcccca gttttgttgc 19200
ctaattattt taattaatat tcttttcatt tttttcttta gtataaagac aaaacactag 19260
ttccttctcc tttcttcatt cccataaaat atgtatgatg ggagaaaaat ttctgctcca 19320
gaaaagaaat ccatgaccct gactgggtga gaatcctata ttagtccatt ttcacactgc 19380
tataactacc tgagactgga taatttataa acaaaagagg tgtaattgac tcacagttcc 19440
gcattgttgg ggaggcctca ggaaacttac aatcatggtg gaaggcagaa gggaagcaag 19500
gatattcttc acgtggcggc gggagagaga gagtgcaggg gaaactgcca cttttgaaac 19560
cactggatct catgagaact ccctcactat cgggagaaca gcatggggga aaccaccccc 19620
atgatccaat cacctccctt caggtctctc cctccacaca tggggattac aattcaagat 19680
gagatttggg tggggacaca gagccaaatc atatcaaatc ccctgccagg aacttttct 19740
acatggaatg tacatgtctg catttggcaa tcagaataca aaatgttggg agaagtctgt 19800
atttctttat tttttaatta aaaaacagat ttatgctctg atctggtcag catatgatct 19860
cttatataat cttgcatcta gacactaaac acctgtgcaa actctcctcc caggatttgg 19920
tctactctgt ctgagcaggg taagtaaaaa attctttgta ttgacccagt cagttcctaa 19980
aaccagaatc ttcacttgga atttcatttg aagtatttca cttgactttt gaacatttaa 20040
gtagagagga atgtatgtga cgggaaaaca gctaaaaaga aaagtaccat gttctctgct 20100
cccgcaaaac acagtggcca cgagagtccc cagcacagga actgagggta agttccaaga 20160
ggaaggaatt ggggaagaag gaggtgggag gaggaaacac agcgtaggaa gaaaaggaga 20220
acttggtggg ttccaagaag cacaaccccc tgctgaaaca gaccataaga taccaccagc 20280
cctctgagat tagaggatat cctcagaggc tatagctaaa atcttcagca gcctttgggc 20340
aaccaccact acatacttca gctgagctct gaatgtcaag gagcagagag gcaaagatct 20400
atgaagacag cgtgctcacc aaaaaaaatg gcaagtgcca agggcctcag cctggcatat 20460
gtgggaagtc tgattgaacc agtgtggctg aagaatggca agatgaggtc agaggttagt 20520
aaggccagat atcacagggc tacagggcct tctaggccac tggaaggact ttggacttta 20580
ttcttggtgc catagaaaac tctggatagt ttatagttgg tttttgagac aggtctgtat 20640
catttaattt tcacaaatca aagtagtaag tctgtaatag attaaatgac actcacattc 20700
cttaacatgg tccacagagc cctgcatctc atggcccccc acctcaccaa acttaccttc 20760
ttcacctgct cctgctccag ggctctgagg tctgaatgta tctgttcctg ccatttagaa 20820
tattctcccc agacctcccc accctgacac atacaaatac cccaatacta actctctctc 20880
cccaatgccc tctcacctgt tcctttctgt ttaaatgtca tcttcccaga actctttcct 20940
ggtcccttgg tctaaagtca gttcttcctg tccctccctt tcatagcacc ctgttctttt 21000
ctttcacagc attaatgacc atgacaagta taaatttact tagtgtctac ctttcccact 21060
agactaacag ttttgaaaga gtagaaacat gtctgttttg ttcatgactg tatatgcagt 21120
acttgataaa tatctgataa atagatacat aaaactacat aatcaataaa acaaaagctg 21180
gttctttgaa aagatcatct aaattgacaa acttttagac tgaccaagga aaaaagagaa 21240
gatttaaata actaaaataa agaaagaagt gacaatatca ccaatcttac aaaataaaaa 21300
gcattatggg tgaatctatg aacaactata tgccaataac ttagatactt cagatgaaat 21360
ggacaaatta ctaaaaggta caaattacca caactgattc aacaaaaaaa tacaaaatca 21420
acagacctat aaggagagat ttaattggta atttaaaagc ttctcaccaa gaaaaaccta 21480
gcccacatgg cttctctagt gaattctatc aattattcaa agaaaaatta atacgaatca 21540
ttcacaaact cttccaaaaa ttagaaaaga aggaaacact tcctaactct attagaccag 21600
tattaacctg ataccaaaac taaacaacaa tatcccaaga aaagaaagct acagaccata 21660
tcttttgtga ataaagatgc agaaatcctc aacaaaatac gcctgagtaa actctataca 21720
aataagacac agttaacatc atacataatg gtgaaagact aaatactttc tttctaagat 21780
taggaataag ataaggatgt ctactctcac cacttttatt caatgttgga ctggaggttc 21840
tagccagggt aattaggcaa gcaaatgaaa taaaaggcat tcaaagtaga aagaaagaag 21900
ccgtaagatg tcaataaagt ttttttcttt tttaaaaaag gtaatataat aatataatac 21960
gttaactgct tacagtactt ggtaggcatt caataacaac tggctattat gttcatataa 22020
tgacattttc tcttcctaaa tgtttgttgt gctgtgaaac caggttaaga catgactgtg 22080
agaagacaga ggaaagactt atctttggga atgttggtac ctgggcatca agagcctttc 22140
caaaataaaa tatttatatg tactgaattt ataggaattt atctgtagct cagagtgata 22200

gcaaattatg ttgtttatcc ttattaagac tcaatctttt caattgtaaa atgcaaaact 22260
ggggccttta agagcaaaag gcattctgtt tccatggcta gcaattccca caatacacta 22320
agagcagatg ggttcaaaaa gcagaaatca cgtactcaca ttcctcaaga cgggtagtgc 22380
caactgctca aaagaagtca ggtcgaccac atactgccca actcggcatt cacgttttcc 22440
aggtggaggc tctaacctga aggaaaagac attatgttct ttgttgaaaa actcctgtat 22500
tgatttctgg tttttagctg ctccactgag cctctggcat tccacatatg ctaaatcatc 22560
cttaaaaatg accaacacaa aatgcggtgg tctgtaaagc tgatcaggtt ttctctgctt 22620
tgaacagagc taccctgttc aaagtgtcca cacctccaac aatgggcctt gcagttatgg 22680
cagggctatc tcttaaggtc caagcagcta ctgcatcaac agtctttgaa aagtggcacc 22740
agaaacagga ctaagaatta taaagtgaga ggagtttatg acttggtgaa caagttttaa 22800
gtaaaatatc actttcttat actttttca tgtgatggtt tcattctgtt ttctttctct 22860
gagaaatccc taaaggccta agattcttga ggatagatga caacatttgg ctcaaccctg 22920
tgcccaggga gacactctca acctaaaggg aaagcagatg ggcatccaag gacccaacag 22980
agtatctgct tttggtgaat ttagctcttg ttgaaaagct cccaaagcac agatggaagg 23040
ggagcttaga taatagaaca ccacagaaat gaaatatcag tacccaactc tcgataaagg 23100
cccccgggtg ccggacaacg tgacgacatc gaatcctatt cttctccctc cctgtctgac 23160
ttcttcggta taaaatccat caacaggcac accagaggat tttaaaacct cactggcttt 23220
atggatcaat gttgtttttc caactcctaa aataaaaaaa aaaaaaaaaa aagaagaaaa 23280
gcccattagg aaacattccc ttactagagc acacacagca cttgtggact ctgaggcagc 23340
aattatggtg ggtagagaaa tgggctgtaa atggatttat gaatatgaac ttcaatttaa 23400
ttttgattgc tccaggtgct aaaaatgctt aatttcaagt agaaacaagc ataataaaaa 23460
cacgaatgat atcttgaggt ttatttttaa attgtgaaac attgttaatt ttgtcacgta 23520
cacaatccca gaatcaactg agaggttcct gatgatattc tcccatgcca tttgcatcct 23580
gtgaaatggt ttacagttcc cattttctg cccaggaagt aacactggtc acacttgagt 23640
caggggctgg gaatttaaga tttcagcttt caagagatta caaacggacc tacacttaac 23700
agtgggaaaa tcactttgtt cctcctttga cttacattgt tgtaactcct gaaaatgtgt 23760
ctcttaaata tcattagcat ccctgttaat ggtcactttc aaacttttc ataacagcaa 23820
gcctatcagg ttagcaactc cttccaacat catcttctcc agggtctcta agcatttctt 23880
caccttatc ccccacacct tccccagttt gaacctatgt acctctgccc cctcagcctc 23940
cccaccttga tccttcctgt ccatccagcc tggtcagctg actactctga tgaactcact 24000
ggtttgtaag caccaacagg tgctacctaa tatagtaata ctcatcactg acgtcatgga 24060
gccagacact gttctagcac actttggaag cattttcttg gttaagtcct cacaaccatc 24120
ctctgaggca attaccatcc ttatgcatat tttacagatg gagaaactga ggtacatggt 24180
ggttaggtat tttacccaag gctatacccc tcataaggtc catacctttc aacaggggac 24240
tttacctgtc accatgactt tttaaaatat gagccttgtt cccaatatgg atttaagtaa 24300
gtggcatcat gactacccaa caatggaaag agagagaaaa ctcctagcat gtctgcaagt 24360
gagctatttt gagatactac agagttgcaa atcatgctat ttctaagact acccactctt 24420
ttaagcctcc ttgacataaa atatgatcca ttattcttat ttaatgtatc tatcttcaca 24480
cttcacatta aaataatggc acctggcttt ctggaacatg aacagcaaca caacaggatt 24540
ctggctacag taagccacag tgagcatgca gctggtagaa ctgtgtagaa cataaaatga 24600
tgacattcta atccagccct ggccatcagt aacaactgct ttaggaaagt cactaaagaa 24660
tctgtttcat gcaagtaatg gcattgccga atgtgtaagc tgctacttct tttctgaagg 24720
gcaatttcaa tgcgcctgcc acagcaccct gtagttcatg actaggaatt catcctcagg 24780
aaacatcaac aatacaaatg tgtgaaagag gacattcact gcaacattct ttataatagc 24840
aaaacactga aaacaaccta aatgttgatt gtaagggaat gttaactcat ggcaccatgt 24900
atataatagc acataaatac acagaaatac catgcaacca ttaaaaaata tactgcttat 24960
atgtatttat tagcatggaa aatagaccac aatgtatgaa aataatatat ggaaaaagca 25020
ggttaatagc agaaaccatt ccattatgtt ttttttaaag aatggtcaag tacgtgtcta 25080
cagaaaaaaa aaatgtcaag aagaatacag aacaaagatt tacaatgttg atttctgatg 25140
ttcaaattcc ctgtgattgt cactttcttc cttaaacttt tcttgttttt tttaattctt 25200
atactgaatg ggtcttactc ttatcctaac aaaaattgcc gtttatattt tgaaaaagat 25260
aaaatggagc aacggtaact attcctgttc acaaagggta tactgtgggg actgtatgtt 25320
gtgtagaaca tagtagagca ataaatagga agcatttggg caaagtccct tttggcttct 25380
tcagctctag gaatcttctt tcagttaatt ttttcttcat tagttaagct gctaccccaa 25440
tgctgtctgg ataagaaatg acctctgctt caggagacct cgagatgata gctgtatacc 25500
aggcacaaac agatcagaaa gctctggaat tattttggtt ctggttctcc cctaagcaga 25560
tcctcagata aagattcaag tgcaggtagt ttaacctggg cagtgacaac atgatggact 25620
ggcagggaag aaattcagaa agggaaggga aggacaccag catgaggtgc actgtcaagc 25680
aagttccact gggggcagct ggagcttcaa ccccctgggg aatcctaagg gacaagtcag 25740
ggcaagtggc tcagttatcc tgtctgagga gtgagaaagt agggaatttа tcaactaact 25800
ttcaccaatc acaggttgaa ggctaatccc agggcacagg aattccctgg ctcttctggc 25860

ctgctctgtt tgcaggccaa gtgggctcca gggaccagag aaagccctcc aagatgagtc 25920
atgggtacag acagttggaa atcggaaaaa atgctaagtg ccaggggcac taagaggata 25980
tgcaacaaaa agtgacctct ttgagaggag actttacctg atggtctgaa catattgaga 26040
aaacagaaag aaactaggca aataaaaaca cctgacaata actcctaatg gggaaaaaag 26100
ttatgtgtaa aaggaaaaaa aaaaaattag agggcatggt ggtgcatgcc tgtagtacta 26160
gctactaggg aggctgaggt gggaagatgg tttgagcctg gaaggtggag gttgcagtga 26220
gccaagattg tgccactgca ctccaacctg ggcaacagag agaggccctg tctcaataag 26280
aagagggaaa aaaaagatgg gtaaggtggc tcacacttat aatcccagta ttttgggagg 26340
cccagatggg aggatcactt gaggctagga gttggagatc agcctgggca acataacaag 26400
agacaggtct ctacaaaaaa aaaaaaatac ccgggtgtgg tggcatgcgc ttgtagatcc 26460
agctattcag gaggttgaag tgggaggatc acttaagccc aggagtttga gaatgcagtg 26520
agctataact gtttcactgc actccagcct gggtgacaaa gcaagatcct gtctctaaaa 26580
taaataaata aatggaaaag aaatcataga ttactatgtg gctctgttgt gattgtcttt 26640
acatggccat aatactgtaa acattgacta atgaaaatta cgctgtaact acattaagaa 26700
gagaaggaga aaagacaaag gtgcgtgggt ttgaggacag gtttaagaga gctacactgt 26760
agaattattt gagtctttca actacgtgta ggtaagactt tgataaagca gaaacaagaa 26820
ccaccatcaa tacaatcacg gtaacaggac acctccatta ataaaacaca cagttgtctt 26880
ggggtcagcc tgctgagtat caaactgcat tccaagtttc aaataaagga ttgacaaacc 26940
aactttcaga aaacagttct ttgcaatact taggagtgac tttagatagc aggcatttct 27000
caaaccaccc tcctcctcct caccccctgc tccccaactc ccccatccaa tgcctgacaa 27060
aatcccaaag tctgcaatat tagctgtagc ctttgctact tacaactaaa cataatcatt 27120
aaaataaagt gaaagagaat tctagatcca gggttacagc ctttgatatc tgaacccaca 27180
ctaaacttca aaattagatt tgccttgcaa aggagctgaa gaaatcactt tctccactct 27240
tagcccatct atctttttt agcctatctg atgcagccta cctgtccttt ttagtaatgc 27300
ttgatacatg ggtagcgcct tggtttaaaa gcacctcctc ctacacctct catctgacct 27360
caacgctatc ctgcttctca gatgagaact ccacaggcca cagggttgag ggatctgaca 27420
gacatcagga ggggacagcg acaggaacaa gcaagagtgt ctgagaaggg ctcctgtagg 27480
taccaaagct tctccacctc tggcctcagc tgtggaggga attcgtgggg atggagatgg 27540
ggatgggggt gggggggatga acttagatgg gaaagaaagg ttacaacttc agtttcgctg 27600
tcctccaact aaaatttacc attttttttt tgcacgatca atgtagcaaa gacccacagt 27660
aaggaaatac ctgtgactat caacagaaat tagacatctc cacttcacat cgcggttgcc 27720
gcagatctct tgaaatacca tttgtgcaga ccacaacgtc aacactacag taggagttac 27780
cgctgccgct ggcccctgcg gtttctgccc ttcatcaaga agccagtcta ggacccctc 27840
acaagtgtgt tctaatcctt taggccctgt gtcttttaaa tcacgttttc cgggaaggag 27900
tacaaactct tcagactacc aagcccgcca tttaaattgg gaacttcaga ggccggagcc 27960
ctggagccgg agaccctccc cgacagcaca aggtcgcccg cagcccgcgc gccccaccc 28020
cctcgacctc ttggaggtgg ggatcccctc agggttacct gggggccccg ttaggaacac 28080
gtgccgggcc atactggtgg gcgggggtag gggttgcggt caggggagca gtccaggttg 28140
gggtcgcaat tcaggtcagg tccggaccag ggtcgcgact caggacccgc ccaccgcgtg 28200
tcgcaggccc cgccc 28215

<210> 1052
<211> 242
<212> DNA
<213> Homo sapiens

<400> 1052
tcacgaggtc aggagatcga gaccatcctg gctaacacgg tgaaaccccg tctctactaa 60
aaatacaaaa aattagccgg gcgaggtggc gggcgcctgt agtcccagct actcgggagg 120
ctgaggcagg agaatggcgt gaaccccagg gggcggagcc tgcagtgagc cgagattgcg 180
ccactgcact ccagcctggg cgacagcgag actccgtctc aaaaaaaaaa aaaaaaaaag 240
gc 242

<210> 1053
<211> 5754
<212> DNA
<213> Homo sapiens

<400> 1053
aagaccatcc tggctaacac ggtgaaaccc tgtctctact aaaaatacaa aaaattagct 60
gggtgtggtg gcgggcgcct gtagtcccag ctactctgga ggctgaggca ggagaatcgc 120

ttgaacccag gaggcggagg ttgcagtgag ccgagatcgc gccactacac tcagcctggg 180
cgacagagtg agactccgtc tcaaaaaaaa aaaaaaaatt acttagacat ggtggcacat 240
tcctttaatc ccagctactt gggaggctga ggcaggagaa tcgcttgaac ccaggaggtg 300
gaggttacag tgagccgaga tcgcaccact gtgctccaca ctccagcctg ggcaacagag 360
tgaaactctg tctcaaaaaa aaaaaaaaaa aaaaaaaaaa ggaataaagg ggatgggttt 420
gacatctgac aaaatgctgc tgctgccatc cgcttctgca aaacctcaag aatgaaatgt 480
ccttcccatg gcccacacga ggccctgcac gagctgcttc atccccttcc aaacctcctc 540
tcctctctct tcccctcctc actctgctca gacacacggg cctcctcact gttcctccaa 600
cacgccacgt gtggtctgcc ccagggcctt tgcacaggcc atgcctctgc ctggaacacc 660
tgcccccaga ttctcctatg gctgacttct cacacttggg tcttagtgca tgcatcacct 720
cctcagggag ggcccccctgc ccacccccag tgaatctagc cccattcagg acagtcatct 780
ttattatgca ctgattgtat actaagccca gagacttcaa ctgtggtttc tttttcatcc 840
tcccaataaa tccatccatc catccgttca ctcagacatg aaattctgga ccctccaatt 900
caggatctgg gccacccagt gcctagcttt ttttttttt ttttttttt tttgccgaca 960
gagtttcatt ctgtcaccca ggctggagtg cagtggtgca atctcagctc actgcaacct 1020
ccgcctcccg ggttcaagcg attctcctgc ctcagcctcc cgagtagctg ggattacagg 1080
tgtgccacca cgcccggcta atttttgtat ttgtagtaga gacggggttt caccatattg 1140
gccagactgg tcttgaacac ctgacctcag gtgatctgcc ctcctcagcc tcccaaagtg 1200
ctgggattac tacaggcatg agccactgca cccgtcagcc tacttcttgt gttcattcat 1260
tcattcattc attcattcat cattcagcaa atgtctatga gcgcctactc tgagccactg 1320
aaccagctgg gctggccctg ggggagaatc gacttcccct gcaaattcac tctcatcaga 1380
tccccaggct ggtctaggat tgtttagatg ccctcacgtt ggggaactca ttccttacta 1440
agaataacca ccaccaatac caaacagtct caagtaccac caatagtgct gagttctcag 1500
ggtgactaca gcatctgctc ccaagcccag cccagcccat atggtgtgtg ctgtgtcaaa 1560
gaacctgggt tcaaatccca tgtccttttc taacccttgg acaagccccct acccattttg 1620
tgcctcggtt tccctagctg taaaatggag atagtagtgc ctctcttgtg ggctcagcac 1680
caggcctgtt acacagctgg tgcttaataa atgtgtcctg ttacttaagg tctgatatgt 1740
gtagctcctg tcgtcgccgt ccatgggggt gagtggggtg gggaaggggt ggtttgagtt 1800
tctgcacatc aggacacgag gcgcggtcca tgcaaatgaa atgcaaatcc catgcaaata 1860
aatctctggg tggtgcaagg ctggaggtac aaggtgcacg catttggggg gcgcctggga 1920
accccatgaa tcgagcccag gcccggaggt gctgacccgc atccagcccg gctttcagtg 1980
ctcggtgtaa atgtttacac ctggccggcc gccaggctcc acgccgcccc acactaggca 2040
gccaggaggg ggaatgtaaa ctcgggctgg gggccgcggg acgctcggga ggagcccaga 2100
cggagtcgag tgtggtgggt gtgtacacgt gagttattaa acaccgactg tatgcagtga 2160
ggaggatgcc accaggcact cacagcacca agtaactggt gcccgaatgg gtaaagctca 2220
gggcattcct gggggcccac tagcgccccct gcaccagcca gaggttgaag tgaatagggt 2280
aggcagccat ggaaggctcc ctggaggagg caccctccaa ggtgagattg caaggggagt 2340
gagagctagg tacatgtgac ttcacagcct gtaatcgcca gctctttggg aggccaaagt 2400
ggaaggatcc ttgagcccag gagtttgaga ccagcctggg cacgttgtga gattcccctc 2460
tctattaaca aaaacaaaaa caaaaaaaat taaaaattag ccaggcatgg tggctcatgc 2520
ctgtagtcag tcctagctac ttgggaggct gaggtgggag gatcgcttga gcctaggagg 2580
tggaggctgc agtgagctgt gatcacacca ctgcactcca gcctgggtga cagagcaaga 2640
ccctgtctca aaaaaaaaga aagagagaga gaaagaaaga aaggaaagaa aggaagagaa 2700
aagaaagaga gaagaaaaag gaaagaaaga gagagagaga gaggaggctg ggtgcggtgg 2760
ctcatgcctg taatcccagc actttgggag gccaaggtgg gcggatcact tgagttcagg 2820
agcttgagac cagcatagct aacagggaga aaccctgtct ctattaaaaa tacaaaaatt 2880
agccagtcat gctggcaggt gcctgtaatc ccagctactc aggggggctga ggccggagaa 2940
tcgcttgaac ccgggaggca gaggttgcag tgagctgaga ttgcgccact gcactccagc 3000
ctgagggaca agagtgagac tccatctcca aaagaaaaaa agaaaaagag aaagaaaggg 3060
gagtgggagt ggggagggag ggaagaagtg ttctccatgc aaggacctat ctgtgcaaaa 3120
gcccagagct gggactccat gtccagggca gctctggtcc attgctgccc acttctgggc 3180
ctgcttatcc atctggatgg gaaacaggct cagagagggg cagagtcaat ggaggacacc 3240
agcatgtagg gaacagtgtc agccccagat tcctgcctcc agactgtcct aaacaccacc 3300
ctccccgcgc ctttgtccca cactgccacc tgccgggaat gacctctcct cctttcactc 3360
ttccccctgg ctcctcagct gcagccgctc cggcctcctt gctgttcctg ggatacgcca 3420
cactcagtct ggcctcgggg cctttgcact ggctgtgtcc cctgcctgtg atgccattct 3480
cctctgcctg gccaactcct acgtttattc aagtctggac cttgtcatcg gctcctcagg 3540
aaggcactcc gggacccccа gatgggggcg gttccctgtg actcctggca cggaggccaa 3600
ccccttcctt gttcaatggt tccttgaggg accattccca tgtgattatc gaccattcgg 3660
caggcgttca aagtcaaagg ccccacactg agtcctggcc cagcgccctg tgcccgttgg 3720
ctgctggagg gacagacggg gcgtgcggct gaccatcccg tgcccgcagg ctgaggatgc 3780

agcgctggaa ggcggcggcc ttggcctcag tgctctgcag ctccgtgctg tccatctgga 3840
tgtgtcgaga gggcctgctt ctcagccacc gcctcggacc tgcgctggtc cccctgcacc 3900
gcctgcctcg aaccctggac gcccggattg cccgcctggc ccagtgtaag ctcctcctct 3960
gtgtggggtc agataccccc aacgtaaggg gtagaatttc aggcagtgga gtgggaggtg 4020
gggggggtgt cataggtttt ttaaagatag ggccagccag ccccccttgca gggaggcagg 4080
gacagacatc ctaaaagatt attcagggca aggcatggtg gcgcctgcct ataatcccag 4140
cactttggga ggctgagaca ggaggatctc ttgagcccag gagttcatga ccagccaggg 4200
caatgtagcg agaccgccat ctctacaaaa aacttcagaa attagccagg tgtagtggcg 4260
cacgcctgta gttccagcta cttgggaggc tgaggtggga ggatcacttg agcccaagag 4320
ttcaaggctg cattgagcta tgattgcacc actatactcc agcctgagca acagagcaag 4380
attctgtctc aaaacattat aataataaat acattttcta aaaaaagatg gggtggaggg 4440
aggttgcaaa ttcccccaat ggcctggtgg agctagggtg acttctggga actggggtct 4500
ttcggctcag ctgtcacaag gaattaggct ctgccctgag gtcccgtggg ggccagatgg 4560
agattagacc tgggcattcg cctggttggc ccccgcggcg cagcaggggg ggcggtggga 4620
ggagagagag gctggatctg aggtcccagt gacctgcccc aggggacagg gaccaagggg 4680
aggcgggaga tggagcagga gctaaaaacc ggaagaaagg cccagagatt cgaaggggtg 4740
aggaggggtg gagagaggag agacggggct gggggcacag acacgggcaa aagtgctgct 4800
atagggacac agaaatgccc accctgaggg caagaccctc gcccaactcc ccaccaatcc 4860
ctaatgcctg ccccaccgca ggtgctgtgg ggtgagggtg gtgcgtgggc cctgacccct 4920
gtgcccacgc acatgtccat gcgtgcgcct gcgcgggcat ctgaggcgtg gatgccggca 4980
gggtgcgtgt gcagcgcctt tgggtgtggg ccacgagtac gcccatgtgc gcgtctgcgc 5040
ccgcccctgc cagcccacac aatcctcttt tcttgtcctt acaatgcaca agggtggcct 5100
ccagcacgag ctccacttct gtcctcccac cacttccctc tctgcaagcg gcgtgaagtc 5160
cttcctagga ctctgggaca gagacccggg cgggacccccc aaaatccagt gctccaggac 5220
ttggggtgcg gggggcaaag cacgaatgga ggaatttcag gcactgcgga gggtcagggc 5280
ccatgggcgg gtgcctgtct gccctactgc aaaaagcgag tggccactga ctccccaagt 5340
ccccatgttc taggctcctg gtggaatttc aggctgggga ccttgtgttc tagcccctgt 5400
gcaagcagcc agcccccgtt gcagggaggc agggacagac atcctaaaag atgattcatt 5460
gttgccaggt gcggtggctc acgcctgtga tcccagcact ttgggaggcc gaggtgggcg 5520
gatcacgagg tcaggagatg gagaccattc tggctaacac tgtgaaaccc tgtctctact 5580
aaaattacaa aaaaattagc cgggcgtggt ggcgggcgcc tgtagtccca gctactcggg 5640
aggctgaggc gggagaatgg cgtgaacccg ggaggcggag cttgcagtga gccgagatcg 5700
cgccactgca ctccagcctg ggcgacagag cgagactccg tctcaaaaaa aaaa 5754

<210> 1054
<211> 294
<212> DNA
<213> Homo sapiens

<400> 1054
gcgcggtggc tcacgcctgt aatcccagca ctttgggagg ctgaggcggg cggatcacga 60
ggtcaggaga tcgagaccat cctggctaac acggtgaaac cccatctcta ctaaaaatac 120
aaaaaattag ccgggcgagg tggcgggtgc ctgtagtccc agctactcgg gaggctgagg 180
caggagaatg gcgtgaaccc gggaagcgga gcttgcagtg agccgagatt gcgccattgc 240
actccagcct gggtgacagc gagactccgt ctcaaaaaaa aaaaaaaaag aagt 294

<210> 1055
<211> 196
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (106)..(106)
<223> n equals a,t,g, or c

<400> 1055
tctactaaaa atacaaaaaa ttagccgggc gtagtggcgg gcgcctgtag tcccagctac 60
ttgggaggct gaggcaggag aatggcgtga acccgggagg cggacntgca gtgagccgag 120
atcccgccac tgcactccag cctgggcgac agagcgagac tccgtctcaa aaaaaaaaaa 180
aaaaaaaaaa gaaata 196

<210> 1056
<211> 100
<212> DNA
<213> Homo sapiens

<400> 1056
ctgaggcagg agaatggcgt gaacccgaga ggcggagctt gcagtgagcc gagatcgcgc 60
cactgcactc cagcctgggc gacagagcga gactcccctt 100

<210> 1057
<211> 2364
<212> DNA
<213> Homo sapiens

<400> 1057
ctcactcctg taatcccagc actttgggag gccgaggcgg gcggatcacg aggtcaggag 60
atcgagacca tcctggctaa cacggtgaaa ccccgtctct actaaaaata caaaaaaaaa 120
attagccggg cgtggtagcg ggcgcctgta gtcccagcta ctcgggaggc tgaggcagga 180
gaatggcgtg aacctgggag gcggagcttg cagtgagccg agatcgcgcc actgcactcc 240
agcctgggcg acagagcgag actccgtctc aaaaaaaaaa aaaaaaaaaa aaaagaataa 300
agtataagag aacatgagtg aatgcctgtc atctttttt ttttttcttc aaaaacaggg 360
tctcactttg tcacccaggc tgcagtgcag tggcgcaatc atggctcact gcaacctcta 420
gcacctgggc tcaagagctc aagaggtcct accaactcag cctcccaagg agctgggact 480
acaggtgcat gccaccacac cctaaggtaa atttttgtgt ttttatagag acaggtttta 540
ccatgttgcc caggctgttc tgaaactcct gggcttaagg gatcgaccca cctccatctc 600
ccaaggcact gggattatag gcatgagcca ccgcgcctgg cctatcatca tttattcatt 660
tattcatcta tgcaaaaata ttctttgagt gcctaattgc taagcaatgg gacaagcact 720
ggcaagtcac actggcaaaa tatcatcccg ccactcaagg agcttatagg tcagctgggg 780
agacaaagaa gaacatgggc ccttgtaatg agctaagtat ggtgctaggg gaaatatcca 840
taagttatgg gaacccagag gaattcattc atttattcgt ttagtaaata tttatgtgcc 900
aaactcttgg gacccaatgg tgacctaagc agacaagaca catccaccta cagtgtttac 960
agagtagtgt gggagacaga cattaatgaa atgctcttac agacctatca ttacctattg 1020
tcatatgagt tatgaaagaa aaataacagg ccgggcatga tggctcacgc ctgtaatccc 1080
agcactttgg gagaccaagg caggtggatc acttgaggtc aggagttcaa gaccagcctg 1140
gccaacatga tgaaacccca tctctactaa aaatacaaaa aaaaaaaaat tatctgggca 1200
tggtggcagg cagctgtaat cccagctact cgggaggctg aggcaggaaa ctcgcttgaa 1260
cctgggaggc agaggttgca ctgagctgag attgcaccac tgcactccag cctgggtgac 1320
agagcaagac tctgtcaaaa aaaaaaaaaa aaaagaaagg aaggaaagga aggaaggaag 1380
gaaggaagga aatagagtgt aagaggggag cctagtgtag tctaagatga ctcaggagaa 1440
gctgtttgag ctgatgcctg aagacgggtt gcatgtaagt agttgagtag gtaaaagaga 1500
ggggtactat catatcaggg attcgggaga aaaaaaaaga gagagagaga ggggaagagt 1560
gctgtggacc cattgagctc cagcccagct ccaactctgt gggtcaggaa agactttcca 1620
gcatctaagc tgagtccaga aggatgagta ggagtgagcc agctgaggag gagctggggt 1680
ggaaggaaag cattccagag cagcagatag cttgtgcaaa ggcacacagg cagctgggtg 1740
tggtggctca cacctgtaat cccagcactg tgggaggcca agatgggtgg accgtttgag 1800
cccaggaatt caagaccaac ctggatgaca tagtgaaacc ctgtctctac caaaaaaaaa 1860
aaaaaaaaaa ttgaaaaaaa aaaagaagct gggcatggtg gcgtgcacct gtggtcccag 1920
ctacccagga aactgaggtg ggagggaagt cgaggctgta gtgaaccatg gtggcaccat 1980
tgcattccag cccgggtgac agagcaaggc cctgtacaaa aaaaaaaaaa aaaaaagcat 2040
ggaggcaaca gaacatagtg gattggaagg aaaaacaagt ggttcagacc aggtgcagtg 2100
gctcatgcct gtaatcccag cactttggga ggccgaggcg ggcagatcac gaggtcagga 2160
gatcaagacc atcctcgcta acacagtgaa accccgtctc tactaaaaat acaaaaaaat 2220
tagccaggcg tggtggtgcg tgcctgtagt cccagctact caagaggctg aggcaggaga 2280
atggcgtgaa cctgggaggc agagcttgca gtgagcggag atcatgccac tgcactccag 2340
cctgggcgac agagcaagac tcca 2364

<210> 1058
<211> 5755
<212> DNA
<213> Homo sapiens

<400> 1058
aagaccatcc tggctaacac ggtgaaaccc tgtctctact aaaaatacaa aaaattagct 60
gggtgtggtg gcgggcgcct gtagtcccag ctactctgga ggctgaggca ggagaatcgc 120
ttgaacccag gaggcggagg ttgcagtgag ccgagatcgc gccactacac tcagcctggg 180
cgacagagtg agactccgtc tcaaaaaaaa aaaaaaaatt acttagacat ggtggcacat 240
tcctttaatc ccagctactt gggaggctga ggcaggagaa tcacttgaac ccaggaggtg 300
gaggttacag tgagccgaga tcgcaccact gtgctccaca ctccagcctg ggcaacagag 360
tgaaactctg tctcaaaaaa aaaaaaaaaa aaaaaaaaaa ggaataaagg ggatgggttt 420
gacatctgac aaaatgctgc tgctgccatc cgcttctgca aaacctcaag aatgaaatgt 480
ccttcccatg gcccacacga ggccctgcac gagctgcttc atccccttcc aaacctcctc 540
tcctctctct tcccctcctc actctgctca gacacacggg cctcctcact gttcctccaa 600
cacgccacgt gtggtctgcc ccagggcctt ggcacaggcc atgcctctgc ctggaacacc 660
tgccccaga ttctcctatg gctgacttct cacacttggg tcttagtgca tgcatcacct 720
cctcagggag ggcccccctgc ccacccccag tgaatctagc cccattcagg acagtcatct 780
ttattatgca ctgattgtat actaagccca gagacttcaa ctgtggtttc tttttcatcc 840
tccccaataa atccatccat ccatccgttc actcagacat gaaattctgg accctccaat 900
tcaggatctg ggccacccag tgcctagctt ttttttttttt ttttttttttt ttttgcgaca 960
gagtttcatt ctgtcaccca ggctggagtg cagtggtgca atctcagctc actgcaacct 1020
ccgcctcccg ggttcaagcg attctcctgc ctcagcctcc cgagtagctg ggattacagg 1080
tgtgccacca cgcccggcta atttttgtat ttgtagtaga gacggggttt caccatattg 1140
gccagactgg tcttgaacac ctgacctcag gtgatctgcc ctcctcagcc tcccaaagtg 1200
ctgggattac tacaggcatg agccactgca cccgtcagcc tagcttcttt gtgttcattc 1260
attcattcat tcattcattc atcattcagc aaatgtctat gagcgcctac tctgagccac 1320
tgaaccagct gggctggccc tgggggagaa tcgacttccc ctgcaaattc actctcatca 1380
gatccccagg ctggtctagg atttgtttag atgccctcac gttggggaac tcattcctta 1440
ctaagaataa ccaccaccaa taccaaacag tctcaagtac caccaatagt gctgagttct 1500
cagggtgact acagcatctg ctcccaagcc cagcccagcc catatggtgt gtgctgtgtc 1560
aaagaacctg ggttcaaatc ccatgtcctt ttctaaccct tggacaagcc cctacccatt 1620
ttgtgcctcg gtttccctag ctgtaaaatg gagatagtag tgcctctctt gtgggctcag 1680
caccaggcct gttacacagc tggtgcttaa taaatgtgtc ctgttactta aggtctgata 1740
tgtgtagctc ctgtcgtcgc cgtccatggg ggtgagtggg gtggggaagg ggtggtttga 1800
gtttctgcac atcaggacac gaggcgcggt ccatgcaaat gaaatgcaaa tcccatgcaa 1860
ataaatctct gggtggtgca aggctggagg tacaaggtgc acgcatttgg ggggcgcctg 1920
ggaaccccat gaatcgagcc caggcccgga ggtgctgacc cgcatccagc ccggctttca 1980
gtgctcggtg taaatgttta cacctggccg gccgccaggc tccacgccgc cccacactag 2040
gcagccagga gggggaatgt aaactcgggc tgggggccgc gggacgctcg ggaggagccc 2100
agacggagtc gagtgtggtg ggtgtgtaca cgtgagttat taaacaccga ctgtatgcag 2160
tgaggaggat gccaccaggc actcacagca ccaagtaact ggtgcccgaa tgggtaaagc 2220
tcagggcatt cctgggggcc cactagcgcc cctgcaccag ccagaggttg aagtgaatag 2280
ggtaggcagc catggaaggc tccctggagg aggcaccctc caaggtgaga ttgcaagggg 2340
agtgagagct aggtacagtg actcacgcct gtaatcccag ctctttggga ggccaaagtg 2400
gaaggatagc ttgagcccag gagtttgaga ccagcctggg caacgttgtg agattccct 2460
ctctattaaa caaaaacaaa aacaaaaaaa attaaaaatt agccaggcat ggtggctcat 2520
gcctgtagtc agtcctagct acttgggagg ctgaggtggg aggatcgctt gagcctagga 2580
ggtggaggct gcagtgagct gtgatcacac cactgcactc cagcctgggt gacagagcaa 2640
gaccctgtct caaaaaaaaa gaaagagaga gagaaagaaa gaaaggaaag aaaggaagag 2700
aaaagaaaga gagaagaaaa aggaaagaaa gagagagaga gagaggaggc tgggtgcggt 2760
ggctcatgcc tgtaatccca gcactttggg aggccaaggt gggcggatca cttgagttca 2820
ggagcttgag accagcatag ctaacaggga gaaaccctgt ctctattaaa aatacaaaaa 2880
ttagccagtc atgctggcag gtgcctgtaa tcccagctac tcaggggct gaggccggag 2940
aatcgcttga acccgggagg cagaggttgc agtgagctga gattgcgcca ctgcactcca 3000
gcctgaggga caagagtgag actccatctc caaaagaaaa aaagaaaaag agaaagaaag 3060
gggagtggga gtggggaggg agggaagaag tgttctccat gcaaggacct atctgtgcaa 3120
aagcccagag ctgggactcc atgtccaggg cagctctggt ccattgctgc ccacttctgg 3180
gcctgcttat ccatctggat gggaaacagg ctcagagagg ggcagagtca atggaggaca 3240
ccagcatgta gggaacagtg tcagccccag attcctgcct ccagactgtc ctaaacacca 3300
ccctccccgc gcctttgtcc cacactgcca cctgccggga atgacctctc ctcctttcac 3360
tcttcccccct ggctcctcag ctgcagccgc tccggcctcc ttgctgttcc tgggatacgc 3420
cacactcagt ctggcctcgg ggcctttgca ctggctgtgt cccctgcctg tgatgccatt 3480
ctcctctgcc tggccaactc ctacgtttat tcaagtctgg accttgtcat cggctcctca 3540

ggaaggcact ccgggacccc cagatggggg cggttccctg tgactcctgg cacggaggcc 3600
aacccttcc ttgttcaatg gttccttgag ggaccattcc catgtgatta tcgaccattc 3660
ggcaggcgtt caaagtcaaa ggccccacac tgagtcctgg cccagcgccc tgtgcccgtt 3720
ggctgctgga gggacagacg gggcgtgcgg ctgaccatcc cgtgcccgca ggctgaggat 3780
gcagcgctgg aaggcggcgg ccttggcctc agtgctctgc agctccgtgc tgtccatctg 3840
gatgtgtcga gagggcctgc ttctcagcca ccgcctcgga cctgcgctgg tccccctgca 3900
ccgcctgcct cgaaccctgg acgcccggat tgcccgcctg gcccagtgta agctcctcct 3960
ctgtgtgggg tcagataccc ccaacgtaag gggtagaatt tcaggcagtg gagtgggagg 4020
tgggggggt gtcataggtt ttttaaagat agggccagcc agccccctg cagggaggca 4080
gggacagaca tcctaaaaga ttattcaggg caaggcatgg tggcgcctgc ctataatccc 4140
agcactttgg gaggctgaga caggaggatc tcttgagccc aggagttcat gaccagccag 4200
ggcaatgtag cgagaccgcc atctctacaa aaaacttcag aaattagcca ggtgtagtgg 4260
cgcacgcctg tagttccagc tacttgggag gctgaggtgg gaggatcact tgagcccaag 4320
agttcaaggc tgcattgagc tatgattgca ccactatact ccagcctgag caacagagca 4380
agattctgtc tcaaaacatt ataataataa atacattttc taaaaaaaga tggggtggag 4440
ggaggttgca aattccccca atggcctggt ggagctaggg tgacttctgg gaactggggt 4500
ctttcggctc agctgtcaca aggaattagg ctctgccctg aggtcccgtg ggggccagat 4560
ggagattaga cctgggcatt cgcctggttg gcccccgcgg cgcagcaggg ggggcggtgg 4620
gaggagagag aggctggatc tgaggtccca gtgacctgcc ccaggggaca gggaccaagg 4680
ggaggcggga gatggagcag gagctaaaaa ccggaagaaa ggcccagaga ttcgaagggg 4740
tgaggagggg tggagagagg agagacgggg ctgggggcac agacacgggc aaaagtgctg 4800
ctatagggac acagaaatgc ccaccctgag ggcaagaccc tcgcccaact ccccaccaat 4860
ccctaatgcc tgccccaccg caggtgctgt ggggtgaggg tggtgcgtgg gccctgaccc 4920
ctgtgcccac gcacatgtcc atgcgtgcgc ctgcgcgggc atctgaggcg tggatgccgg 4980
cagggtgcgt gtgcagcgcc tttgggtgtg ggccacgagt acgcccatgt gcgcgtctgc 5040
gcccgccccc gccagcccac acaatcctct tttcttgtcc ttacaatgca caagggtggc 5100
ctccagcacg agctccactt ctgtcctccc accacttccc tctctgcaag cggcgtgaag 5160
tccttcctag gactctggga cagagacccg ggcgggaccc ccaaaatcca gtgctccagg 5220
acttggggtg cgggggcaa agcacgaatg gaggaatttc aggcactgcg gagggtcagg 5280
gcccatgggc gggtgcctgt ctgccctact gcaaaaagcg agtggccact gactccccaa 5340
gtccccatgt tctaggctcc tggtggaatt tcaggctggg gaccttgtgt tctagccccc 5400
gtgcaagcag ccagccccgt tgcagggagg cagggacaga catcctaaaa gatgattcat 5460
tgttgccagg tgcggtggct cacgcctgtg atcccagcac tttgggaggc cgaggtgggc 5520
ggatcacgag gtcaggagat ggagaccatt ctggctaaca ctgtgaaacc ctgtctctac 5580
taaaattaca aaaaaattag ccgggcgtgg tggcgggcgc ctgtagtccc agctactcgg 5640
gaggctgagg cgggagaatg gcgtgaaccc gggaggcgga gcttgcagtg agccgagatc 5700
gcgccactgc actccagcct gggcgacaga gcgagactcc gtctcaaaaa aaaaa 5755

<210> 1059
<211> 183
<212> DNA
<213> Homo sapiens

<400> 1059
gaaaaattta gccgggcgtg gtggcgggcg catgtagtcc cggctactcg ggaggctgag 60
gcaggagaat ggcgtgaacc cgggaggcgg agcttgcagt gagccgagat ggcgccactg 120
cactccagcc tgggcgacag agcgagactc cgtctcaaaa aaaaaaaaaa aaataataat 180
gaa 183

<210> 1060
<211> 292
<212> DNA
<213> Homo sapiens

<400> 1060
tggctcaagc ctgtaatccc agcactttgg gaggtcgagg cgggcggatc acgaggtcag 60
gagatcgaga ccatcctggc taacacggtg aaaccttgtc tctactaaaa atacaaaaat 120
tagccgggca tagtggcggg cgcctgtagt cctagctact cgggaggctg aggcaggaga 180
atggcgtgaa cccgggaggt ggagcttgca gtgagctgag attgcgccac tgcactccag 240
cctgggtgac agagtgagac tccgtctcaa aaaaaaaaaa aaaattaaaa aa 292

<210> 1061
<211> 181
<212> DNA
<213> Homo sapiens

<400> 1061
caaaagttag ccgggcgtag tggcgggcgc ctgtggtccc agctactcgg gaggctgagg 60
caggagaatg gcgtgaaccc gggaggcgga gcttgcagtg agccgagatc gcgccactgc 120
actccagcct gggtgacaga gcgagactcc gtctcaaaaa aaaaaaaaaa aaaaaaagat 180
t 181

<210> 1062
<211> 123
<212> DNA
<213> Homo sapiens

<400> 1062
aggcaggaga atggcgtgaa cccgggaggc ggagcttgca gtgagccgag atcccgccac 60
tgcactccag cctgggcgac agagcgagct ccgtctcaaa aaaaaaaaaa aaaaatgctg 120
tta 123

<210> 1063
<211> 270
<212> DNA
<213> Homo sapiens

<400> 1063
tgggaggccg aggcaggtgg atcacgaggt caggagatcg agaccatcct ggctaacacg 60
gtgaaacccc gtctctacta aaaatacaaa aaattagccg ggcgtggtgg cgggcgcctg 120
tagtcccagc tactcgggag actgaggcag gagaatggcg tgaacccggg aggcggagct 180
tgcagtgagc cgagatcgcg cccctgcact ccagcctggg cgacagagcg agactccgcc 240
tcgaaaaaac aaaaacaaaa acacaaagtc 270

<210> 1064
<211> 303
<212> DNA
<213> Homo sapiens

<400> 1064
ggttgggggc tgcggccttg cgggctgcgc gagctggagg tgcgcgtgag cgagctgggc 60
ctgggctacg cgtccgacga gacggtgctg ttccgctact gcgcaggcgc ctgcgaggct 120
gccgcgcgcg tctacgacct cgggctgcga cgactgcgcc agcggcggcg cctgcggcgg 180
gagcgggtgc gcgcgcagcc ctgctgccgc ccgacggcct acgaggacga ggtgtccttc 240
ctggacgcgc acagccgcta ccacacggtg cacgagctgt cggcgcgcga gtgcgcctgc 300
gtg 303

<210> 1065
<211> 15689
<212> DNA
<213> Homo sapiens

<400> 1065
agagcccaga gagctgaacc tgcatcccgg acctgcggcg accgtcgtac accatgggcc 60
tccacctccg cccctaccgt gtggggctgc tcccggatgg cctcctgttc ctcttgctgc 120
tgctaatgct gctcgcggac ccagcgctcc cggccggacg tcacccccca gtggtgctgg 180
gtgaggcacg ggtctcgtgg tggatctgtc ggtcgggcgg gacgggccgc gggcggggct 240
gccttcccgg tctgcttctg ttccagtcac gaaatggggg agcgtattgg tatctgtctt 300
gtcacttagg tgatctagat ctgccggctc acctcccgcc atgctgggcg cgggtgtggt 360
cagctcccca cctcctgtcc tggtagaaaa tgggggtgag tgggagagtt accatctggt 420
tattcatagt tccacctgtc cgcatcattc ccaagccttg cctcccctta tcccattttt 480
aagctggaaa gacaggtgct tcagccccac tcctgaggga tggtgggggt gtgtagagtg 540

gctcctgagt tgacttctgc atcgacctgg gcctggttag gaggctgtca ccctcgaccc 600
ctccaatgcc acatatgcca gaaggcattg ctgaaaggaa cctccttagg gaaaggattg 660
ctgtcctagc tggccaccaa ctcccacaac ttatcagatg tgtggcattg cctgagggaa 720
aaggcctaag ggaaactgaa gacaactgaa gtcaggggaa agggttggga caatggccat 780
gaacctgtgt caggcaacat gcttgtactc ttaccctgcc acacatgctt ggactagact 840
atgtggaggc tcggtgacct cccctgctca ccccgctcct tgatcacaac cctggcaact 900
ctacaacggc cactgtattt ccttgcaggg atgggcaggg atgagacctc tgtctggggg 960
gccttgggtg cctcattgag gccgtcactc ccatccagag ctggtgtgtc cgtggccagc 1020
caggattcct gaaagcagag gcatctgagg catgaattac acgtggagtc tagtgcagca 1080
tgatctccat gctctttctg ctgagagtac tttaaatggg gacgatgcaa atcacagaag 1140
ggtagagttg gcaggtaggg tggtgccagg caggccccac caggagttcc cagccaggaa 1200
aagctccagg gggatactag gcccaggttc accatgggat ttgggcagac ttggccctgc 1260
ctccccaaag cttgcaggat aggaataaca gtgatcccca gagaggaagt ctgtgtgggg 1320
caagcacaga gaatccacca acccagcctg gatgggtggg tgtcaagtaa ggcttcctgg 1380
agtatatagc tggagctaag gccaggagag agtaatgggt cggggagaga cgtgagcatc 1440
tcaggctgcc tgggatcgag tcacaggagg agtggactgc acaggacttg tgactggttg 1500
ggtcatctga actttatctt gagggcctca gggagtcctg ggttggcctg cagagttcta 1560
agtctgaggg gcgtggcatt aggaagcatg tggtctgtgg cacacaaaat ggcacatagc 1620
cattttgcct ggattgatgc taaccgcact catcaattca gtcagtctgt ttatccttgg 1680
tcacagcaga agagcctcag accccaccca gaatcacaga gcagcaggag tcctaacatg 1740
cccagcttct cagggagtga ggctgctggc cttagccctg ggagacctca cggtgggcag 1800
ttggataagc agctcctggg cacagagcag ggatctgacc ttgactgtca gaagatcaga 1860
atcctctagg ggtggatcct gaaatggtgg tggaggaaag agagaccagc gatgtgatac 1920
agaagaccct gggcaagggg aagggaccat aggcaaggcc atttccacct cttgcagcct 1980
cagtctcccc atctgttaag tggaaatagt aaggctgtcc cctcccagtg ttacttgagg 2040
tgaaaggcat gtggatggct cttttcctag ttccaggcgc agatgggctc aggaagtggc 2100
cactgctatt tttaggggcc acacagcctg accagggtaa ggagcatctg agcaaagcag 2160
atctggtgac ttcctctttt accatttccc ctttggtaga gacagtgacc agggtctctg 2220
ccctgccctg cccagtccac aggcatgtca tccagaggct gtcatgacag ggactccctc 2280
cctctgcacc cataccatga agggaggtga aggcatgtgc cgcccctgcc tctcatggca 2340
ccctgaagac actgggatgg tgcccaggga gggcacgccc tgttcagggt ggatttacgg 2400
tcagttccca gtgaatgtcc aggagagcca agtgctggtt tttcactcaa tgatcatgga 2460
ccctaaacgg ggatgtgttt gggaagtggc gagagcatgg catgtggggg caggtgaggc 2520
ccgaaaggtc aatgggagta acgagactgt gaagggcttt gacgcagtgg ggagggattt 2580
gggtgtcacc agggccccag agttctgagt acactgaata ggatggctgg gatggagaga 2640
agtcacccta gggcctggac tgtggtgata atggtgctgg ttcagggtgg ctgtttccaa 2700
tacgggctcc cagccatgct agggccctcc agatgatctg ctctctggca ccttactgga 2760
ctctggcctt tagtaaggcc tgggcccttg gtaggctggc gggtgccaat gtaagcttct 2820
ctcagctgtg tttctgttca tttccctccc accagcctgt cctgcatact ttgtctggtt 2880
gaattttagc tgagtggccc agggctctgt tctgtttcct tcttcctctc tcagggcgaa 2940
caggaccctg tcttctatgt agcctgggat agctatgggt ggaagacttt tgggttcaag 3000
cctccagggt atatatcttt ttttttttt gagaccgggt cttgctctgt cacccaggct 3060
ggagggcaat ggcacgattt tggctcactg caacctctgc ctcccgggtt caagcaattc 3120
tcctgtctta ggctcctgag tagctgggat tacaggtgtg tgccaccaca ccaaggtaat 3180
tttttgtatt tttagtagag atgggctttc accatattgg ccaagctggt cttgaactcc 3240
tgaccgcaag tgatccactc acctcggcct cccaaagtgc tgggattaca ggcatgagcc 3300
cctgcgccct gcctcgaagg tatatatcta atgacaaggg ccttggccaa actttggagg 3360
ttctggaatg caaaggggtc tccaagcccc tcctcccagg cagagctccc atcggggtcc 3420
attaaccata gaaaccatgt gtagaggtgt gtctgtgttt gctgggggtg attcagacca 3480
agatctcatt taacagatac ggaaactgag gcctagtgtg gggagtgact tcaccctgaa 3540
ccccccttcca ataatctgaa tggcccagga ggatgttcca gtgaaaatcc aggagactta 3600
ctttatctgg agttggagac aatgttaggg cccttcccca aacatgtcag gcctctccca 3660
agcccccccac aggcatctct gcaccacaca gcagtagcag cttttctgca caaagatggt 3720
tccctggcct ttgggtcaag gtccctgctc tctgaatttc ctgccaccag cactgtgctt 3780
taatttgaga tgtggaactg cacaggtctg ccatattatc tgtggctctt caggggtct 3840
gctgcagaca tcaaagttct tgggagtctt gaacctgccg ggctgagggc tcacacatgt 3900
cctgtgcccc ctgcagtccc tggtgatttg ggtaaccaac tggaagccaa gctggacaag 3960
ccgacagtgg tgcactacct ctgctccaag aagaccgaaa gctacttcac aatctggctg 4020
aacctggaac tgctgctgcc tgtcatcatt gactgctgga ttgacaatat caggtggggg 4080
ctggggcaca cagaggggg tgctgctcac caacagtgcc tgagaggcct ccagagtctg 4140
ttccttctat cctcatctcg aggtcactga cctctctcct tccccaggtc ctcggtctgg 4200

tctggtctgg tctggttggc accacctctg cactcccagg cagaactaac tttcccttcc 4260
tgctgccctt gttcctctac tctccagtcc tggcctctca tgcctacaca caatttttt 4320
tttcttttat tttgggatgg agtcttgctg tgtcactcag gctggcgcca tctcagctca 4380
ctgcaacctc cgtctcccag gttcaagcga ttcttgtgcc tcagcctccc aagtagctgg 4440
gattacaggt gcccgccacc atgcctggct aatttttgt atttttagtg gagatggtgt 4500
ttcaccatgt tggccatgct ggtcttgaac tcctgagctc aagtgttctg cccaccttgg 4560
actcccaaag tgctgggatt acaggcatga gccactacgc ctgcctacac aaaatttctg 4620
tgtcccagcc cctattcaga gcctcggcat ggcccccacc cctttccttg tctgtgcctc 4680
ggcctccccc acctctccag ctgcttattc ttcttgggac atgccatgtc tttgtacctg 4740
ctgttctttt ggcctggaat ctatttctac acccttgcc tgataaatgg cttccattca 4800
ctttttttt ttttttttt tttggagacg gagttttgct cttattgccc aggctggagt 4860
gcaatggcgc gatctcggct cacaactctt ttttttttt ttaactttta ttttttgaga 4920
cagagtcttg ctctgtcgcc caggctgggt gcagtggcgc tatctcggct cactgcaagc 4980
tccgcctccc gggttcacgc cattcttctg cctcagcctc ccaagtagct gggaccacag 5040
gcgcccgcca cagtgcccgg ctaatttttt gtatttttta gtagagacag ggtttcaccg 5100
tgttaaccag gatggtctcc atctactgac cttgtgatcc gcctgcctca gcctcccaaa 5160
gtgctgggat tacaggcgtg agccaccaca cccagcccca ttcactcttt aaaacatgac 5220
cctaggccag gcatggtggc tctgctataa tcccatcact ttgggaggct gaggcagtca 5280
gatcacctga gctcaggagt tgaagaccag cctgggcaac ttggtgaaac cccatctcta 5340
ccaaaaatac aaaaaaatta gctgggcatg gtggcatgca cctgtagtcc cagctactta 5400
gggggctgag gcaggagaat tgcttgagcc agggaagcag aggttgcagt gagcagacca 5460
ctgtacccag cctgggttgc agagcaagac cctgtctcaa aacaacaaaa acctgaccct 5520
ggtccctttg tgacatgtcc cttttgactc cccagagcgg tttgcctctc ctcccaggcc 5580
ccatgcttgc ttcctctaaa catcatcatg tgcccgaatt tgtctgcagg catgtttgcc 5640
caaattgcac aggcactgta cattttatat actttctttc agttagtctt acagcaaccc 5700
cgttttgaaa taggtgctgt tttctttttt ttttttcac cagtgttact tgccaacagg 5760
tggtttttaa acctgcttta caactgcgaa atctggaggc tcaatgaggt tacaaaattg 5820
actgtgctca ctcagctaat aagtggtaga atcagaattc aaatccagaa tgtgtggcgt 5880
tgagctgagg ttccctccca ggctgagttc cgtgaaggga gggagtgtgt gtctgtttta 5940
tccttatagc agtagaacca gaaacacagt tggcgcctga taaatgtttg agctgaatgg 6000
agtctcccaa attaaaagtt tttcctggtc gggtgcggtg gctcatgcct gtaatcccag 6060
cactttggga ggctgaggtg gacagatcat gaggtcagga gttcgagact agcccggcca 6120
acacagtgaa accctgtctc tactaaaaat gcaaaaatta aggccgggca tggtggctca 6180
cgcctgtaat cccagctagt caggagtctg aggcaggaga aacgcttgaa cctgggtggt 6240
ggaagttgca gtgagctgag atcgtgccat tgtactccag cccaggtgac agtacaagac 6300
tccatctcaa aaaaaagaaa atacaaaaat acaaaaatga gccgggcgtg gtggcacacg 6360
cccatgatcc cagctactcg ggaggctgag acaggagaat cacttgaacc tgggaggcag 6420
aggttgcagt gagcagagat gggggcactg cactctagcc tgggtgacag agcgagactg 6480
tctcaaaaaa aaaaaaaaaa aaaagttttt cccagagacc cgctagctgc tcctccaggt 6540
gccctggcct gccggctgtt tgtgatgccc attttgatga ctccttcctc ctctgtgtgt 6600
tgtgtgactg gggttatttc tgggctgttg atgtgcattt ctatttttat actggggaca 6660
cagcctcagg tgctgccagt tggaggtgcc agctgatacc aagaggggcc tgtctgcctt 6720
cactgcttct ctgacccgtt tagattttca cccagcgcag aactgctttg gctttccaga 6780
acagttttct gcattttgct gtttgataat ttatttttag tagcaacaag ctactttgct 6840
atgtggtcat tgggataatc tacaaattgc cctggagaga atgggcctcc aggacctgtt 6900
atctgggtca gttgtgggga tcctgtcagc ttcagtggct gatatctaag tgggcaagtg 6960
ggactcagga ccaccagaaa ctccaggttc ctgtgttttg ggggcacatt tgcttcttca 7020
gtgtgtggcg aggccagagc aaggttccca gcctcgcaca gaggcacaag gcttttctcc 7080
tggtataagg tgtctccccc ggcccatcac cctgttccca tcatttcttc aggccttgac 7140
aaccctcttc ccacaggaga tggtgcagca gctgtgtact gagccctgag gcggggtctg 7200
tcctgtctgg ttctgtttgg cactgcagct acagaaacta tgagatcacg tgtgtggtgt 7260
tagaagctgc tgagtctgtg gtaatttatt acacagttct agaaaactaa taggctgggt 7320
gcagtggctc acacctataa tcccagcact ttgggaggct aaggcaggag gatcgcttga 7380
gcccaggagt ttgagaccag catgagcaca tagtgtggcc ctgtccctac aaaataaata 7440
aacaaataaa taaataaatt agccagacct ggtggtgcct gcctagctgt tcaggagggt 7500
gaggtaagag gatcacttga gcccaggagg ttatggctac agtgagctat gatctcctca 7560
ctgtgctgca gcctgggcaa cagagtgaga ccctgtctca aaaaagaaga agaaagaaaa 7620
gtaagaaagg gctgttaggg atcttaagtc agtagctggt ggtccatgtc ctatgtcatg 7680
gcgcttagga atttgctggg caagccctga gccttgtggc tgcagtctga cagttgatac 7740
agccctgggg tactgggagg tcataggagc atggttcatt cccttcctcc atggaggatg 7800
tgtttggagg ttggctggct gctgtgtcca atgcgcagag gaagcgggac ccaattatac 7860

ctacctgggg ccacacaagg ccttcctcct gtctctcccc accagctccc atcatttctc 7920
tgggccttgc tccttctcct acctgcctac ccacccatac agcagccctg aggcatggtg 7980
cctttctagg gtttgttttt gtttgtttgt ttgttttttt gagacagagt ttcgctctta 8040
ttgcccaggc tggagtgcag tggcgcaatc tcggctcact acacctctgc ctcccaggct 8100
caagcacttc tcctgcctca gactccggat aactgggatt acaggtacac gtcaccatgc 8160
ctggttaatt tttgtgtttt tagtagagat ggggtttcac cctgttggcc aggctggtct 8220
cgaactccta acctcaagtg atccacgtgc ctcagccttc caaagtgctg agattatagg 8280
cgtgagcccc tgtgcctggc ctagtgtgtt ttgttttgtt ttttttttt ttttgagaca 8340
gggtcttact ttgctgccca ggctggtgtg cagtggcatg atcacggctc actgcagcct 8400
caatatccca ggtgcaagtc atcctcctgc ctcagccttc caagtagctg ggaccacagg 8460
cctgcaccac catgcctggc taatttttta tttttagtag caacaaggcc tcactgtatt 8520
gcccaggctg gccttgaact cctggcctca agcattcctc ccaccttggc cttgcaaatt 8580
gttggaacta caggtgtcag ccactgcacc cggcccctgt ctggttctgt tgtgtactgc 8640
actcaccacc tccttcacct gggatacgtt gggctggcag gagctggatg caaggagatg 8700
gagcgatgga aagctgaaag agggtagact gcctcttggg gtccagtgtg aagttcacgg 8760
cagaatcagg actggtactt ccttctccca accaggtcca agaccctcat tctagagtag 8820
ggtcacgggg gagaggggaa tgttgctttg acaggggtcc tggggtcagt atttggagta 8880
agtatgcctt ggtggggtcc tcatttggat gtaattactc tgatctgtgc tttttatttt 8940
tatttattta tttatttatt tatttattta tttatttatt tttttgagac agagtcttgc 9000
tctgtcgccc aggctggagt gcagtggtgt gatctcagct cactacaacc tccgtgtcac 9060
aggttcaagc gattctcctg cctcagcctc ctgagtagct gggattacag tcgcctccca 9120
cgacacccgg ctgattttgt atctttagta gagatggggt ttcgccatgt ttgtcaggct 9180
ggtctcaaac tcctcactca ggtgacctgc cagcctcagc ctcccaaagt gctgggatta 9240
acaggcgtga gccactgcac ctgggcaatt tttgtatttt tagtagagac agggtttcac 9300
catattggcc aggctggttt caaactcctg acctcaagtg atcctcccac ctcagcctcc 9360
ctaagtgctg ggattacagg tgatctgtgc tttatcaacc tgctttgtta cttttcggtc 9420
tctcctatcc atctgaccaa acctgggcat gagaagggag tatgactcag gacatgatgc 9480
actgttggga cacaccaagc tcagtgtccc ctccgggtca ctggctcaat atcctctcac 9540
aacaggctgg tttacaacaa aacatccagg gccacccagt ttcctgatgg tgtggatgta 9600
cgtgtccctg gctttgggaa gaccttctca ctggagttcc tggaccccag caaaagcagc 9660
gtgggtatgt agcccttact caaggcctcc gggagctggg atggggtttc tgccggactg 9720
gagctggagc tggaggaact ctgctggttt gtagggacag cctgtgagct gtctctgatc 9780
agcgtgggca cagagccctg tagcattctt ccaaggacct gctagctgtc acagtctcca 9840
tgctgggcat agtgtaggtg gccggcacta gctgtatctt ttcttatcct ctgtatttct 9900
gtctacaggt tcctatttcc acaccatggt ggagagcctt gtgggctggg gctacacacg 9960
gggtgaggat gtccgagggg ctccctatga ctggcgccga gccccaagta agcaggcact 10020
ctcattccct ccctgacgtc tcgggaggta ggggtgaggt gatcatgggc accacagacc 10080
ttgggctctc cccttgtcct tggctgtctc ctgtccctgg gcctctggca tccagtctag 10140
tggtcacagc caccaccttt ggtcagtctt atcctgtcct ccatttccca ccctgggacc 10200
tctgggcctg tgagccctgg ggagaaatat aaggcttcct cccttcatgg aaggcggggg 10260
gacccagacc gctctgtttg aatgtgagca ccctcccctc ccctctcgt cttgtgtctg 10320
gcctgagaaa agctcagtgg ttccggctcc aggacccttc ccacctgacc cctgcctggc 10380
tctggcctgc agatgaaaac gggccctact tcctggccct ccgcgagatg atcgaggaga 10440
tgtaccagct gtatgggggc cccgtggtgc tggttgccca cagtatgggc aacatgtaca 10500
cgctctactt tctgcagcgg cagccgcagg cctggaagga caagtatatc cgggccttcg 10560
tgtcactggg tgcgccctgg gggggcgtgg ccaagaccct gcgcgtcctg gcttcaggta 10620
agaccctacc tggcccagcg tgggggggctg ttgccaggaa ttctgccctc tcttcccttc 10680
ctaagtgtcc tcctgggcca gcatgcctcg tgtctgtccc acggtgtgtg gggtctatgc 10740
aaatctaccc ctaaaagtcc aaagaagaaa gaggctgaca aatctagttt ctcagagaaa 10800
agcatttaat agggacatac gaatagaagc cacatctgtg tctcaggtgg gggcaagaca 10860
agatggtgga tccccacact attagccccc agacccagag cttatattct gtagggaaag 10920
ggcgactccg atgcgatgtg ttgaacattg aaggatgata acacagaggc tgttttgatt 10980
tatggttaag tacgtgcaca agaaacagta gataaagtgg aaatctcagt ggccttcctg 11040
gatctggggt taatcagaag ccaacatggt ggattagtat ccaaaatgga gttgctttgg 11100
tctccacaat gactattctc ttgggtcagc cctgtttttt ttttaatttt tatttttga 11160
gacagagtct ggttctgtca cccagactgg aatgcagtgg tgcaatcttg tctcactgca 11220
acctctgcct cccgggttca agcgattctg cctcagcctc ctgagtagct gggattacag 11280
gtgcccgcca ccatgcctgg ctaagttttg tgttttagta gagatgaggt ttcatcatgt 11340
tggccaggct ggtcttgaac tcctgacctc agatgttcca ctcgcttcgg cctcccaaag 11400
tgctgggatt acaagtgtga gccactgtgc ctggccatcc ctccctctta ccccatcctt 11460
acttcttcat ccccaccttc accgcagagg aggaaggcta gagcattttt ttttttttt 11520

tggaggcagg gtctttctca ctctgccatc caggttggag tgcagtagcg tgattttggt 11580
tcatgcaacc tccacttcc aggttcaagt gattctcctg cctcagcctc ccgggtaact 11640
gggactacag gcgcgtacca ccacacccgg ctaatttttg tatttttagt agagactggg 11700
tttcactatg ttggccgggc tagtctctaa ctcctgacct caagtcagga ggatctgcct 11760
gcctcagcct cccaaagtgc tgggattaca agcatgaacc accgcacccg gccagatttt 11820
tttgtatttt tagtagagat ggggtttcac cattttggtc aggctggtct tgaactcctg 11880
acctcaaatg atctgcccac cttgacctcc caaagttctg ggattacaag gatgagccac 11940
tgcacctggc ctctagacta cagtttttta tttatgagtt gcgcctccat ctgtgggcag 12000
cacggagcct ctgtaggcaa cacagggagg aagcaggtgc agatctggct gggcctgctt 12060
gcctggcaat tgggaaagcc acccctttta tggctcctcc cccgtctttt catgactgtt 12120
gcagctcacc agctgcagct gtagagtaga gcttcttcct ctagaaggga gctttcctcc 12180
ctctgctagg acttggggga ggcttatgga ccctcacttt gggagctatg agccagggct 12240
gtgccaagca tctcatgagc tcaagtgcct gccactgctt gacctgcttg gtctactggc 12300
attgtgattg ggtcaggccc agtgactctg agttggctgg aagacactca gatttagtga 12360
ggactcatta tagccaccac ttcggtctag cctgggcctg gagggacgga tgtgggcata 12420
ccctgagttt agacaggtag ccccggcccc tttcagagtt tctctgtgag tcccccttaga 12480
gctttgtttc aaaggctggg aagctgttct gtcctgcctt ggcagtccag gactgggtgt 12540
gtggtgcggg gaggtggaag tccgtgcacc cctaggggct ttccttgcct caggggtccc 12600
ccagccaggc cacagcaggc agagctgagg ccctacagtc agtctgagag gcctccctgc 12660
tttcagatac agggtggggt gatgggtgac catggatcct gaacaggcca gaggcccctg 12720
ttcccaagtt gcagctttta cttcctggag gcctccctga ctgccgggtg tttgtgttgt 12780
tcacattcct gtgtataggg actccgcctc catctgcagc ctcccctcgt gccctgtctc 12840
cagcacgcct ggctgcccag gtcagcgcac atgcaagtgg gtggaatgag gccacggctg 12900
gctgaacgct ggtctgagct taggaaaaga aaaactggta cacagttcag tgtcataaaa 12960
gggaaagcag aacatgtcat ctccgagttg ccaacctgct gactcacttt agactaggtc 13020
agtgcccaca ggcctgatca gcacttggag gatggtagag tttacaggca aggaagcatc 13080
ataaatcacc ctgtgggtat gtgccgcctt actccctggt gaggaaagca aaaaaaacaa 13140
aacatagctt ggatgtgtgg ttcccagatg tagcaaaaat aaagagaaac aataaaagcc 13200
aaggcaagca aactgggcaa catagcaaga ccccatctgt ataaaaagtg gaaacatttt 13260
tagcccaggc gtggtgggac gtgcttgtag ttccagctat gcaggaggct gacataggag 13320
gatcacttga acccaggagg tggaggttgt agtgagccaa gactgtacca ctgcactcca 13380
gcctgggtga cagaatgaga ccctacttca aaaaaaaaaa aaaggaaaaa tttgccaggc 13440
atgaggcatg gtggcgcata cctgtagtcc cagctactcc aaaggctgag gcgggaggat 13500
tggttgagcc tgagaggttg aggctgctgt gagccgtgat catgccatta tactccagcc 13560
tgggcaacag agtgagaccc tgtctcaaaa agaaaaaaaa agagccaagg cagggatggg 13620
agtcacagtg attacaatga tgataaccgg gtagagatgc gggactgtgg actgggcccc 13680
tggctggggt ctggcagggg cctggtggtg aacatgctgc ccaaccagct ggcattccta 13740
agcacagact gaccagagcc ttctccctgc aggagacaac aaccggatcc cagtcatcgg 13800
gcccctgaag atccgggagc agcagcggtc agctgtctcc accagctggc tgctgcccta 13860
caactacaca tggtcacctg agaaggtgtt cgtgcagaca cccacaatca actacacact 13920
gcgggactac cgcaagttct tccaggacat cggctttgaa gatggctggc tcatgcggca 13980
ggacacagaa gggctggtgg aagccacgat gccacctggc gtgcagctgc actgcctcta 14040
tggtactggc gtccccacac cagactcctt ctactatgag agcttccctg accgtgaccc 14100
taaaatctgc tttggtgacg gcgatggtac tgtgaacttg aagagtgccc tgcagtgcca 14160
ggcctggcag agccgccagg agcaccaagt gttgctgcag gagctgccag gcagcgagca 14220
catcgagatg ctggccaacg ccaccaccct ggcctatctg aaacgtgtgc tccttgggcc 14280
ctgactcctg tgccacagga ctcctgtggc tcggccgtgg acctgctgtt ggcctctggg 14340
gctgtcatgg cccacgcgtt ttgcaaagtt tgtgactcac cattcaaggc cccgagtctt 14400
ggactgtgaa gcatctgcca tggggaagtg ctgtttgtta tcctttctct gtggcagtga 14460
agaaggaaga aatgagagtc tagactcaag ggacactgga tggcaagaat gctgctgatg 14520
gtggaactgc tgtgacctta ggactggctc cacagggtgg actggctggg ccctggtccc 14580
agtccctgcc tggggccatg tgtcccccct attcctgtgg gcttttcata cttgcctact 14640
gggccctggc cccgcagcct tcctatgagg gatgttactg ggctgtggtc ctgtacccag 14700
aggtcccagg gatcggctcc tggcccctcg ggtgaccctt cccacacacc agccacagat 14760
aggcctgcca ctggtcatgg gtagctagag ctgctggctt ccctgtggct tagctggtgg 14820
ccagcctgac tggcttcctg ggcgagccta gtagctcctg caggcagggg cagtttgttg 14880
cgttcttcgt ggttcccagg ccctgggaca tctcactcca ctcctacctc ccttaccacc 14940
aggagcattc aagctctgga ttgggcagca gatgtgcccc cagtcccgca ggctgtgttc 15000
caggggccct gatttcctcg gatgtgctat tggccccagg actgaagctg cctcccttca 15060
ccctgggact gtggttccaa ggatgagagc aggggttgga gccatggcct tctgggaacc 15120
tatggagaaa gggaatccaa ggaagcagcc aaggctgctc gcagcttccc tgagctgcac 15180

ctcttgctaa ccccaccatc acactgccac cctgccctag ggtctcacta gtaccaagtg 15240
ggtcagcaca gggctgagga tggggctcct atccaccctg gccagcaccc agcttagtgc 15300
tgggactagc ccagaaactt gaatgggacc ctgagagagc caggggtccc ctgaggcccc 15360
cctaggggct ttctgtctgc cccagggtgc tccatggatc tccctgtggc agcaggcatg 15420
gagagtcagg gctgccttca tggcagtagg ctctaagtgg gtgactggcc acaggccgag 15480
aaaagggtac agcctctagg tggggttccc aaagacgcct tcacgctgga ctgagctgct 15540
ctcccacagg gtttctgtgc agctggattt tctctgttgc atacatgcct ggcatctgtc 15600
tccccttgtt cctgagtggc cccacatggg gctctgagca ggctgtatct ggattctggc 15660
aataaaagta ctctggatgc tgtaaggtg 15689

<210> 1066
<211> 384
<212> DNA
<213> Homo sapiens

<400> 1066
tatggtgctg gcatataacc agctgtcagg tctttgccca ctctgttcgc ccctgcttcc 60
tggcgcaggg agtccatgtc ctctctggtt ccccaggttt gcgagagtgg agggggacca 120
cgagctcccg atgcctctcc tgctctgcag gggaacttgc agatggccca tggcgcaggg 180
tcgagactca agcccactcc caaccccgcg cccgaactgc ccggactggc ggggtgacgc 240
tgcactctgc gcccctaaaa cgaacagatt aacccctctc ttgggaactg aacatgctga 300
cctggcctct cccggttccc cccgcatctg taaccccggg gcagagttac aggggctgac 360
tggccgcacc caggtgccct cggg 384

<210> 1067
<211> 3871
<212> DNA
<213> Homo sapiens

<400> 1067
gaggcaggac cttgtcctat tcattaatct tgcccctcaa cagttatttt cagaggggca 60
agaagtgttt cagggttctt ggcccttgtt tgaccagtcg tcctaaccct catgtcttgg 120
gtcattgttg ttataatctg gggttacctt ttggaaggtc atggggtacc cttttgcaaa 180
agttatgggc cctctccttg gaaactgcac acacaccatg cagcttacaa ttcagggagt 240
tcacaggtct acagaatcct ggaaactctc atgtccggtt ctactcattg tagcttcagt 300
ggaaccttct agcagtcctt tccagctcct ccccagctcc tcagctctgc ttccctccgc 360
ccatcaagcc ctcctcagcc cataaggtgg gccaggtggc ctgtggggat aaatcagagt 420
gcccacaagt gcaggggccc aaagacatcc cagagcaaac ccaagaatcc ctctacaagc 480
cccagcccac tcagaaggat gcattttgcc ccctctgttt atttgtttgt ttttaattat 540
gaaagtaggg catggtcatt gttgaaaatg tgagaaatgc agagaagtta aaatgatgct 600
ttttgtttag ggcgctgctg cttctggctt aagatcctaa atcaaagcag ctgccagatc 660
tggacctaag acttgcttcc catcacctta cataaaagaa agagcactgg actaggaatc 720
aaagatctga attcccatca aatctctgct attactagct tttatctcta tttatttatt 780
tatctgtcta tctatctagt acctttttgtg aatatgagtg tttctcaccg aggccctccc 840
atctctcttg cccccgatcc tggaatggac caaatacctt gtttactgaa ggatacagat 900
ggcatgtgac tgttgagaat cactcaccct cttagagcca tggtttcctc ttctataaaa 960
tagggatgtt cgtgcctatt tgctaatcat gagtgacaat gacataaggt acataaagct 1020
gtactgcatg atgcaaacat aacatcatat ttgtagggtt gttgctaata atactatcca 1080
tcagcaaagc agtcattcat ttactcagtc aaatactgat gcactggtac attcagtttc 1140
ctcttttgta aaatggggat aaaaatagga cttagctcat agggtattta agattcagtg 1200
agttaatata tataaaatac ttagagcagt ccttggaaca tattaagaac tcaatacata 1260
ttagctagtt gagcaggctg tagtatttgt tccagccaag aaaagactgt tctctaacag 1320
cacaggaaat aaagatgggg ttaggcacga cacggcagca ggacttacct tctgtctaat 1380
tcagctggca gtcaaagaaa gaattattag aagcctatga gcttgttctc ccaaagatct 1440
actgagtaca gggggatatt taaagaataa aaatccctag acccacttac agtacaggag 1500
agacaagaag ctgttcacac aataacaagt gctaaattcc ttgattttta tactgacagc 1560
tgaagtttta gagaagagaa ggatcaataa agaccggaat attaaagcag acaggcctaa 1620
aagaggattt tagatttgat aaagaattcc tccagttctc agagcaggga ctttggaggg 1680
taacaacttg gatttcagtc cttgcctgcc acttactgat tgtatgacct tggaaaagtt 1740
acttcacttc tgtgagcaat gattctctca tctggaaaac aaaacaaaac aaaaaaacta 1800
acaagggtga taataatacc tacctcccta cctcataggg ctgatgagaa gattaaaaag 1860

tacctacata aagcccttct ctgcgtgcct ggagcatggc aagggctcca tgtgaaccac 1920
tatttttttt ttttttttt aatgaaaagt catgggcagc accaaagctc agaattttgg 1980
cagtaaggaa ttatgattct acattgaaat ttgccagaag gggagctgac tgcctcatga 2040
gacatttttg aatgaggcca aaaaaggaaa caagtgtatc ctgggatttt acgagatgct 2100
aggtatgtcc ttagcactta atcctcatga ctaccctatg atgtaagtac tatctgttgt 2160
ccctatttta cagttggcca aggtcacata gctgaaacgg acttctgtgt gtcttctaac 2220
ttttgctttc aggtctggaa aaatgcaatg taaacctaga ccctctttga aatactgaag 2280
atggtaatct tatcccttcc tcactttctg ttttctaaaa taacagtcct tgttccttac 2340
aatgtctgtt ttccagattc ttagaagact ttttgcttat tttccataac tctttacttg 2400
tgatccctga atgacaccgg gggtatagca gagaatgtcc atttcctcaa agttcaaagg 2460
tcctacaaaa aatagttgct agcctggcat gatggtgtgt gcctgtagcc tcagctacct 2520
gggaggctga ggcaagagga ttgcttgagc tgaggagttt gaggctgcag cgagccatga 2580
tcacgccact gctctccagc ctggatgaca aagcaagatc acatcttaaa ataaaataaa 2640
ataaatttta aaaatatata aaaaataaaa agtggtgcca ctaagtgtcc tggacagcat 2700
tagagaaagc aagagataga agagtgcaaa cacctgaaag gaaagagatg cgggtcttcc 2760
ctctcccttg agtagccacc ggctatccct ggagcatagg agtaggattt tatcccccag 2820
cttcggcctc cccaggcagc acttcctttc tgtgctttga ctccaatttg gatggtgctc 2880
aggcgggaag taggctgggg tgggaggagt ttaggggaat atttgtcttc tctcctgttt 2940
tgccctagag attctggcca ggaagacaaa tggctagtac cacttggtcc ttttcttttc 3000
ttcttttgag acagggtctt gttctgttgc ccaggctgga gtgcagtggc gtgatcgcgg 3060
ctcaccgcag cctcccaggc tcaagcattc ctctcacctc agcctcctga gtagctggga 3120
ccacagctcc actaattttg aagtttttt ggtagacatg aagtctccct gtgttgcccg 3180
ggctggtctc aaactcctga cctcaagcag tcctcctgtc ttggcctctg gaaatgctgg 3240
gattacaggc gtgagccact gtgctggcct ctttttttctt tttctttttt tttaaggttt 3300
ttatttgtta aatgggaagt ctgtgccatc aactgagcat tgtattttct ccttagtaag 3360
agcctgggtg ggccactggg agagaactat acattaaatg taagtagcct ctgggtagag 3420
agcccctggc tggtttcctt tcctttctct ccttttctct actttggtgt ctggaggcat 3480
ttcccagact ccagtttctt accaccctca cggattttgc tattgtatta tcacctcctt 3540
tatcattccc aaaattgact ttatggagac tcattaaaag aaaaaatcat cggccgggag 3600
cggtggctca cgccacgaag gcgggcgaat cacctgaggt gcggagttcg tgaccagcct 3660
gaccaaaaca gagaaacccc atctctacta aacaatacaa aattagctgg gcgtggtggt 3720
gcacgcctgt aatcccagct actggggagg ctgagacaag agaatcactt gaacccggga 3780
ggcagaggtt gcagtgacca aagatcgcac tattgcactc cagcctgggc aacaagagca 3840
aaactctatc tcaaaaaaaa aaaaaaaaaa a 3871

<210> 1068
<211> 3872
<212> DNA
<213> Homo sapiens

<400> 1068
gaggcaggac cttgtcctat tcattaatct tgcccctcaa cagttatttt cagaggggca 60
agaagtgttt cagggttctt ggcccttgtt tgaccagtcg tcctaaccct catgtcttgg 120
gtcattgttg ttataatctg gggttacctt ttggaaggtc atggggtacc cttttgcaaa 180
agttatgggc cctctccttg gaaactgcac acacaccatg cagcttacaa ttcagggagt 240
tcacaggtct acagaatcct ggaaactctc atgtccggtt ctactcattg tagcttcagt 300
ggaaccttct agcagtcctt tccagctcct ccccagctcc tcagctctgc ttccctccgc 360
ccatcaagcc ctcctcagcc cataaggtgg gccaggtggc ctgtggggat aaatcagagt 420
gcccacaagt gcaggggccc aaagacatcc cagagcaaac ccaagaatcc ctctacaagc 480
cccagcccac tcagaaggat gcattttgcc ccctctgttt atttgtttgt ttttaattat 540
gaaagtaggg catggtcatt gttgagaatg tgagaaatgc agagaagtta aaatgatgct 600
ttttgtttag ggcgctgctg cttctggctt aagatcctaa atcaaagcag ctgccagatc 660
tggacctaag acttgcttcc catcacctta cataaaagaa agagcactgg actaggaatc 720
aaagatctga attcccatca aatctctgct attactagct tttatctcta tttatttatt 780
tatctgtcta tctatctagt acctttttgtg aatatgagtg tttctcaccg aggccctccc 840
atctctcttg cccccgatcc tggaatggac caaatacctt gtttactgaa ggatacagat 900
ggcatgtgac tgttgagaat cactcaccct cttagagcca tggtttcctc ttctataaaa 960
tagggatgtt cgtgcctatt tgctaatcat gagtgacaat gacataaggt acataaagct 1020
gtactgcatg atgcaaacat aacatcatat ttgtagggtt gttgctaata atactatcca 1080
tcagcaaagc agtcattcat ttactcagtc aaatactgat gcactggtac attcagtttc 1140
ctcttttgta aaatggggat aaaaatagga cttagctcat agggtattta agattcagtg 1200

agttaatata tataaaatac ttagagcagt ccttggaaca tattaagaac tcaatacata 1260
ttagctagtt gagcaggctg tagtatttgt tccagccaag aaaagactgt tctctaacag 1320
cacaggaaat aaagatgggg ttaggcacga cacggcagca ggacttacct tctgtctaat 1380
tcagctggca gtcaaagaaa gaattattag aagcctatga gcttgttctc ccaaagatct 1440
actgagtaca gggggatatt taaagaataa aaatccctag acccacttac agtacaggag 1500
agacaagaag ctgttcacac aataacaagt gctaaattcc ttgattttta tactgacagc 1560
tgaagtttta gagaagagaa ggatcaataa agaccggaat attaaagcag acaggcctaa 1620
aagaggattt tagatttgat aaagaattcc tccagttctc agagcaggga ctttggaggg 1680
taacaacttg gatttcagtc cttgcctgcc acttactgat tgtatgacct tggaaaagtt 1740
acttcacttc tgtgagcaat gattctctca tctggaaaac aaaacaaaac aaaaaaacta 1800
acaagggtga taataatacc tacctcccta cctcataggg ctgatgagaa gattaaaaag 1860
tacctacata aagcccttct ctgcgtgcct ggagcatggc aagggctcca tgtgaaccac 1920
tatttttttt ttttttttta atgaaaagtc atgggcagca ccaaagctca gaattttggc 1980
agtaaggaat tatgattcta cattgaaatt tgccagaagg ggagctgact gcctcatgag 2040
acatttttga atgaggccaa aaaaggaaac aagtgtatcc tgggatttta cgagatgcta 2100
ggtatgtcct tagcacttaa tcctcatgac taccctatga tgtaagtact atctgttgtc 2160
cctattttac agttggccaa ggtcacatag ctgaaacgga cttctgtgtg tcttctaact 2220
tttgctttca ggtctggaaa aatgcaatgt aaacctagac cctctttgaa atactgaaga 2280
tggtaatctt atcccttcct cactttctgt tttctaaaat aacagtcctt gttccttaca 2340
atgtctgttt tccagattct tagaagactt tttgcttatt ttccataact ctttacttgt 2400
gatccctgaa tgacaccggg ggtatagcag agaatgtcca tttcctcaaa gttcaaaggt 2460
cctacaaaaa atagttgcta gcctggcatg atggtgtgtg cctgtagcct cagctacctg 2520
ggaggctgag gcaagaggat tgcttgagct gaggagtttg aggctgcagc gagccatgat 2580
cacgccactg ctctccagcc tggatgacaa agcaagatca catcttaaaa taaaataaaa 2640
taaattttaa aaatatataa aaaataaaaa gtggtgccac taagtgtcct ggacagcatt 2700
agagaaagca agagatagaa gagtgcaaac acctgaaagg aaagagatgc gggtcttccc 2760
tctcccttga gtagccaccg gctatccctg gagcatagga gtaggatttt atccccccagc 2820
ttcggcctcc ccaggcagca cttcctttct gtgctttgac tccaatttgg atggtgctca 2880
ggcgggaagt aggctggggt gggaggagtt taggggaata tttgtcttct ctcctgtttt 2940
gccctagaga ttctggccag gaagacaaat ggctagtacc acttggtcct tttcttttct 3000
tcttttgaga cagggtcttg ttctgttgcc caggctggag tgcagtggcg tgatcgcggc 3060
tcaccgcagc ctcccaggct caagcattcc tctcacctca gcctcctgag tagctgggac 3120
cacagctcca ctaattttga agttttttg gtagacatga agtctccctg tgttgcccgg 3180
gctggtctca aactcctgac ctcaagcagt cctcctgtct tggcctctgg aaatgctggg 3240
attacaggcg tgagccactg tgctggcctc ttttttcttt ttctttttt ttaaggtttt 3300
tatttgttaa atgggaagtc tgtgccatca actgagcatt gtattttctc cttagtaaga 3360
gcctgggtgg gccactggga gagaactata cattaaatgt aagtagcctc tgggtagaga 3420
gcccctggct ggtttccttt ccttttctct cttttctcta ctttggtgtc tggaggcatt 3480
tcccagactc cagtttctta ccaccctcac ggattttgct attgtattat cacctccttt 3540
atcattccca aaattgactt tatggagact cattaaaaga aaaaatcatc ggccgggagc 3600
ggtggctcac gccacgaagg cgggcgaatc acctgaggtg cggagttcgt gaccagcctg 3660
accaaaacag agaaacccca tctctactaa acaatacaaa attagctggg cgtggtggtg 3720
cacgcctgta atcccagcta ctggggaggc tgagacaaga gaatcacttg aacccgggag 3780
gcagaggttg cagtgaccaa agatcgcact attgcactcc agcctgggca acaagagcaa 3840
aactctatct caaaaaaaaa aaaaaaaaaa ag 3872

<210> 1069
<211> 280
<212> DNA
<213> Homo sapiens

<400> 1069
tcacgcctgt aatcctagca ctttgggagg cggaggcagg cggatcacct gaggtcggga 60
gttcgagacc agcctgacca acatggagaa accccgtctc tactaacaat acaaaaaaat 120
tagccgagca tggtggcgca tgcctataat ctcagctact tgggaggctg aggcaggaga 180
atcgcttgaa cctgggaggc ggaggttgca gtgagccgag atcgcgccat tgcactccag 240
cctgggcaac aaaagcgaaa ctcggtctca aaaaaaaaaa 280

<210> 1070
<211> 8680
<212> DNA

<213> Homo sapiens

<400> 1070

cctcagcggc cgggcccacg gccccgagca gccatgctgg gcgcgcgggc ctggttgggc 60
cgcgtccttc tgctgccccg cgccggtgca ggcctcgccg cgagccgcag gtacgggcgg 120
gcgagcgggc ccctagggca ctccctgcgc ctgcctgcgg gcccagtgga gggtcttccg 180
gacaccggtc cccagtgcca gtctggacca cccctgcatg cctggccctt cccccacccc 240
cacctccggt ctgctcctga gacctggctc tggctgtaag gccctcctcc cctcctctcc 300
cgtcctcatc ccttccctcc tctcccccttc cttccagtgc agtgccagct cctcagggac 360
tgttctgaca ctgcttccag gaagccttcc ttgcacccca gtgctggatg ctgggtcaag 420
ggcctttctc caatagtacc ctgtgccctg tcacagtcct ttattgctgc atggaccttt 480
cgttatttag gtctgcctgc agtcccactt ccaggctgaa ctccctgagg tctctgattc 540
cctaggtgtc ctggagtctg gcccaggacc tggccccaca ggagtcccag caggtgggcg 600
ctgagtgagg gagtccccat gtctggtttc ctctgtttgt ccctcacctg gtcgagtccc 660
agaccctact gatcttggcc tgtccagcca ccaacagtag gctgccttcc agtggggcca 720
cacccaggcc tgccagagag atgcctccaa gcagctgctc caggaagggc cgggggaggg 780
gcctggggag gggtaagaat ggagccccaa gaaccattct gcccattgtg acccgccctg 840
acctcacagc catccttccc accgccaggc ccaggaggtt gggggagact aacctggcaa 900
ggagccccca atgagccacc tctcctcacc ccccaaaaaa cataaggggg agcacaaagg 960
ccacagtctc ccccatggtt cagaaaggtg ggttgggctg ggagcagggg tcctactggg 1020
gtgctgagtg aaatggagca ggtgctgggg ggcctgggag aaggtgggtg gaggcccctg 1080
gcttgcctga tgcaccagtc ctcgccaggg gtagctcctc ccgggacaag gaccgaagtg 1140
cgacggtcag tagttcagtg cccatgcctg ctggagggaa aggaagccat ccttcatcta 1200
caccccagag ggtccccaac cgcctgatcc acgagaagtc accatacctc ctacaacatg 1260
cctacaatcc tgtggactgg tgagcacctc tcctggggcc ctgcctggaa tcgctggggt 1320
cctgggcccc tcccagaccc cctgggctac tgagtgatgc cccaccctgc tgggtctagg 1380
taccctgggg gacaggaagc cttcgacaag gccaggaagg aaaacaagcc gattttcctc 1440
tcaggtaatg ctcccacctt ccctgatgtg ggggtgtggg cagggagtgg cagtggatgg 1500
gggagggtcc tctcggcctg gcgggtcttc caggagacta gaggccagga cgtcttccat 1560
gtagccaggg ccacttggcc agcctccctc tgacccgttg ctggcccccc gacctctccc 1620
catggccctg ttcagtcggg tactccacct gccactggtg ccacatgatg gaagaggagt 1680
ccttccagaa tgaggagatt ggccgcctgc tcagtgagga ctttgtgagt gtgaaggtag 1740
accgtgagga gcggcctgac gtggacaagg tgtacatgac gttcgtgcag gtgagcagcc 1800
ctcctcggga gtgtatgcgc cacatgggct cagagcagct cccctcaccc tcgccctctc 1860
tccgccaggc caccagcagc ggcgggggct ggcccatgaa tgtgtggctg actcccaacc 1920
tccagccctt tgtcgggggc acctatttcc ctcctgagga tggcttgacc cgagtcggct 1980
tccgcacagt gttgctgaga atacgagaac aggtgggtgt gcctccggga gttgggggac 2040
cagggtgggg gactaggaaa caagagcccc tccccctagc tgacctccag gtgtgccccc 2100
acctcccgca gtggaaacag aacaagaaca ccctgctaga aaatagccag cgtgtcacca 2160
ctgccctgct ggcccgatca gagatcagcg tgggtgaccg ccagctgccg ccctctgccg 2220
ccaccgtgaa caatcgctgc ttccagcagc tggatgaggg ctatgatgag gaatacggtg 2280
gcttcgctga ggcccccaag tttcccacgc cgggtcagtg ccccacgccc gccttagccc 2340
aggctttggc cttctgattc ctatgctggt cagggaccta ctggctcctg gcctcaccca 2400
tagcttcctg tcctcctgac tggcagtgac ctccttgccc ctagcctgtc ggtagctatc 2460
ggtgaagacc cgactgctgg tgtcagcagt gaccctctca ccttaaccta gatgatgacc 2520
ttctgtcccc tgacttggtc agttacccag tgaccctgac ttggctaatg acattctggg 2580
ctctaggggg acaagtaact tactggtcct ctgtgaacca atgatattct gacctctggc 2640
ttaggctatt accttctgtc ctgtgggttg actcttgacc tcacagcctg tccagagact 2700
gcctgttgag tgaactccca gcctctgcct ggcccaaggc ctcctgacca ccccgatctc 2760
tgtccccact ttcccattct ctcacctgca tgttcttggt gcccccacag tgatcctgag 2820
cttcctgttc tcctactggc tcagccatcg actgactcag gatggctctc gggcccagca 2880
gatggccttg catacctga aaatgatggc taacgggggc atccgggacc atgtggggca 2940
ggtgacgggc actgggtgtt ccctggaggg gcagcagggg gctgtggggt ggggcagaag 3000
ctgggactgg cctccagctt tgtatccgca cagggctttc accgctactc cacagaccgc 3060
cagtggcacg tccctcactt tgagaagatg ctctatgacc aggcacagct cgctgtggcc 3120
tattcgcagg ccttccaggt gacccctgac cccagcccag agaacaggca tctcactctg 3180
gctgcccctc ccaaggcctt cctggtgact gtggcttctc ttaatctgaa tcccctgttc 3240
cctcccatgt acccactacc caggcttccc tcccccgcct gcctcagaga atgttgccac 3300
cttccacctg ggcctcccca gtgacctctc tgttcacagt ctcctttctt ccctttctta 3360
gctctctggt gatgaattct actctgacgt ggccaaaggc atcctgcagt acgtggctcg 3420
gagcctgagc caccgggtgt gtgtccatgg tggcaggcag gcctggctgt gggaggggtt 3480

ggggcctcca ctgccctgtg ggccggggcc agccaactct cccctcccca cagtccggag 3540
gcttctatag cgcagaagat gcagactcgc ccccagagcg gggccagcgg cccaaagagg 3600
gcgcctacta tgtgtggacg gtcaaagagg ttcagcagct cctcccggag cctgtgttgg 3660
gtgccaccga gccgctgacc tcaggccagc tcctcatgaa gcactacggc ctcacagagg 3720
ctggtaacat cagccccagt caggtgagga cttctggggt cacctgacgg gccctggtgc 3780
ctgccaggcg tgtgagctcg cagacaaagg ccattctcct caggacccca agggggagct 3840
gcagggccag aatgtgctga ccgtccggta ctcgctggag ctgactgctg cccgctttgg 3900
cttggatgtg gaggccgtgc ggaccttgct caattcaggg ctggagaagc tcttccaggc 3960
ccggaagcat cggcccaagc cgcacctgga cagcaagatg ctggctgcct ggaatggtgg 4020
ggcagcacac ctgagaccga gcctgtctgt aggatccccc ttcacaaagc ccctgtcttt 4080
ccggcagcgg ctaaatgctc actctccctt gattagcgtt attattctca gttgacaaaa 4140
gaggcttaag gagcttgagt aacccgccca aggtcacgcg caagggctgg gaaccccgcc 4200
atgtctggct ttggagccca agatcttagg gatcacccat ggctccaggg aggtgttggg 4260
gcctaaggtg atagggtgga catgcctgga gggtcctggc cagcttctta ccactacttg 4320
tctctcctgg ctccaggctt gatggtgtca ggctatgctg tgactggggc tgtcctgggc 4380
caagacaggc tgatcaacta tgccaccaat ggtgccaagt tcctgaagcg gcacatgttt 4440
gatgtggcca gtggccgcct gatgcggacc tgctacaccg gccctggggg gactgtggag 4500
cacaggttgg gggctgggta gaccgggagg gcccgtctcc ccaacgcgtc cccagcctac 4560
ctctgcccta cttctcccct ccatgtggac tccagtcctg gctctgccag gtgcttgctg 4620
tgagtttgta gcttccctgg gcccatttac tcatctggga agtgggctga tggcacctgc 4680
ccaagagggt tcatctggag ggttaagtga acaaatgcgt gaaagggcct cctctgggaa 4740
aggccctctc tcctggggct ctccccagcc cctcccgtaa tgcctgtccc ccagcaaccc 4800
accctgctgg ggcttcctgg aggactacgc cttcgtggtg cggggcctgc tggacctgta 4860
tgaggcctca caggagagtg cgtggctcga gtgggctctg cggctgcagg acacacagga 4920
caagctcttt tgggactccc agggtggcgg ctacttctgc agtgaggctg agctgggggc 4980
tggcctgccc ctgcgtctga aggacggtca gtgggggtgc agggctagtc tggggtcctg 5040
ggaggtgtaa gtgcagcgtg ggtgaagagc tggtgtgggc aggagccctc ctggctttgt 5100
gtctctgcta cttattaatg gcgtgatttt tggctgctgt aatatttctg tgtctcaatt 5160
tctttttttt aaatagagac agagtcttgc tatgttgccc aggctgatct tgaaatcctg 5220
ggctcaagtg atcctcccac ctcggcctcc caaagtgctg ggattacagg catgaaccac 5280
tacactcagc gtgttttgtt tcgttccttt cttttctttt tatttccttt ctctttcttt 5340
ctttctcttt cctttcttcc tttctttctt ttctttctct ctttctttct ctttttttt 5400
ttttttgag acagggtctc actgtcaccc aggctggaat gcagtggcat gatcttggct 5460
cacagcaacc tctgcctccg gggctgaatc aattctccca cctcagcctc ctgagtagct 5520
aggactatag gcatgcacca ccatgcctgg ctaatttttt gtagagatgg gatttctcca 5580
tgttgcccag gctggtctga aactactggg ctcaagtgat ctgcccacct cggcctccca 5640
aagtgctggg attacaggcg agagccacca tgcctggcct gtttcttaat aagtaaaatg 5700
gagctaacat tggtactacc ttacagggtt gatgtaaaga tgaatgtagc tgttctgtaa 5760
acatgcttag cacagtaact gacacccatg gattcagata ttgaccaagg ctcacttggt 5820
ctctgccctc atgaagctta cagtatggta ggggagacag cgaaaatgca gtaatgatgc 5880
aaaaacacat gcacaaatgt gcagttaaaa ttgtggtgag tgccatgaag aagtaggacg 5940
ctctatgtgt gcctgctccc tatcacccat gtgccttgtc tgtggttaaa ggtttctttc 6000
ccaaaactca aattttagct cctcaaagat caggactttc tgccactgtt gtatccccag 6060
ggtctagtgt ggttctggca cattgtaagt gcttaataaa tgttaactga gtgaatgaaa 6120
gggccttggg agagaaccac agaggaggac caactcagcc tagggagaga ttagaggaca 6180
cctgtgacag gtgtcattta accaaggcct ggagggaaag aggggccatg tggccatgga 6240
gaagctgtgg agagagttca ggcataggga gcagtgcatg acaggcctgg tgcaggcagc 6300
ctgtatcctg gaggacaggc agggcccgcg tgttccagga gggcaccgag gagaatgctg 6360
aggccggcag ggcacggaag ccgtcttttt ttttttttt tcctaagaaa agaaggctgg 6420
tctcaaactc ctgggctcag gtgatcctcc cgcctcggct tcccaggtgc tgggactaca 6480
ggtgtgagcc accatgcccg gctggcaagg aggttttaag tggattgtga tctgctctgg 6540
tatggtttta aggaggtcac tctgaccact gatggagaga agtgggggtg ggggaaacag 6600
gcgaccagtt aggaggccat tactcgtgtt cagtccaggc aggcattggt gaaggctcag 6660
aggatgtgga agtatgagat ggggagacat ggtgagattt ggatctcttc tggccacagc 6720
cctggcaaga ctcacagatg gattagaagc ggagggagag ggagaggaag gggacaggat 6780
gatgccgctc tagcttgagc agctgagtgg ctggacagag gcatcagcag cgaggaggga 6840
gcctggagac caacagttga ggctaggaca ggtagagtgg agggtgccat aaaaaagaca 6900
gcaaagtact gataactgct ggagtggcat ccacacccag agcggggaag gggcaggatg 6960
ggcagggcct tttctctgtc ccgtccccca agtggccctg gatacagtcc tgggcagggt 7020
cctgggactc agtgacctgc ccttaccccc acccccctgcc tccctatgtg ctgtagacca 7080
ggatggagca gagcccagcg ccaattccgt gtcagcccac aacctgctcc ggctgcatgg 7140

cttcacgggc cacaaggact ggatggacaa gtgtgtgtgc ctattgaccg ccttttccga 7200
gcgcatgcgt cgtgtcccgg tggcgttgcc cgagatggtc cgcgccctct cagcccagca 7260
gcagaccctc aagcaggtgg ggggtgaggg catctgggct gggacctcgg gtaggaggga 7320
agttggggct gcgatggcag atgggaacag ggggtggggt tcctgggctg tccccagagc 7380
tcaggtctgt gtgtgtgcag gcacgtggcc tgtcagacag ggaggcagaa gttaatatga 7440
gtccgtggtg gctgatgaag tgtttctctg tacgtcttgg tgtcagtgta attgcttctg 7500
tccatactgt gttactggtg tgtgtgtact tccgggtgtg tgtgaccctg gaggtgtgtg 7560
tctgtgcacc tacctttgag ggggatgctg gtgtgagtgt ttgtctgtct gcatgtggat 7620
gccccatctg caggtttgcc tctgtgtctg cctgcatgcg tgtgtgtctg gtgtttgtgt 7680
gtgtggtatc tgcctctgtg tgggcatcta ctgtgtgtgt gtgtgtgtgt gtgtgtgtgt 7740
gtgtgtgtgt gtgtgtgact actctgtgtc tgtctgaatg ggtctctgtg tgctctgggt 7800
cttctgggtg tgtgtctccc catgtttgta tctgtaccat tgtgtatatg tatgacattt 7860
ccacttcggt attctcatgt gtgagtgtgt gtgtgtgttc ccacttgcca agcattaact 7920
catcctggca gctgagatga gtccctgttc cttcttagag atatacggtg gggcggaagg 7980
aggatgggga agccctggtg gtctagggct cagccctccc tcccctgaca caccggagtg 8040
acctttctat tccggtcaga tcgtgatctg tggagaccgt caggccaagg acaccaaggc 8100
cctggtgcag tgcgtccact ctgtctacat tcctaacaag gtacccatcc ctgtgagccc 8160
aatctgccac ctccccagag ctgccccctc ccatcctcag ctcctcaaca tctccttccc 8220
ctcagaatgt tgggaagagg gaacttccca gtgggccttt ctaatgggca ggtgacccca 8280
ccccggcagg tgactctccc tgctctgctg ctgccctagg tgctgattct ggctgatggg 8340
gacccctcga gcttcctgtc ccgccagctg cctttcctga gtaccctccg acggttggaa 8400
gaccaggcca ctgcatatgt gtgtgagaat caagcctgct cagtgcccat cactgatccc 8460
tgcgaattac gaaaactact acatccatga ctgccccaac ccccttgggg tggggcagaa 8520
ggtgaagcat cccaactgac tagagactca ggccctgcag ggccctatag aacctgtggc 8580
catccctgag caccctgcca ccaggtgacc tcggccatac tcactgcccc ccttgggcac 8640
ccactcaccc tagaataaac ttaacagtgt cccgtggtaa 8680

<210> 1071
<211> 8677
<212> DNA
<213> Homo sapiens

<400> 1071
cctcagcggc cgggcccacg gccccgagca gccatgctgg gcgcgcgggc ctggttgggc 60
cgcgtccttc tgctgccccg cgccggtgca ggcctcgccg cgagccgcag gtacgggcgg 120
gcgagcgggc ccctagggca ctccctgcgc ctgcctgcgg gcccagtgga gggtcttccg 180
gacaccggtc cccagtgcca gtctggacca cccctgcatg cctggccctt cccccacccc 240
acctccggtc tgctcctgag acctggctct ggctgtaagg ccctcctccc ctcctctccc 300
gtcctcatcc cttcctcct ctcccctcc ttccagtgca gtgccagctc ctcagggact 360
gttctgacac tgcttccagg aagccttcct tgcaccccag tgctggatgc tgggtcaagg 420
gcctttctcc aatagtaccc tgtgccctgt cacagtcctt tattgctgca tggacctttc 480
gttatttagg tctgcctgca gtcccacttc caggctgaac tccctgaggt ctctgattcc 540
ctaggtgtcc tggagtctgg cccaggacct ggccccacag gagtcccagc aggtgggcgc 600
tgagtgaggg agtccccatg tctggtttcc tctgtttgtc cctcacctgg tcgagtccca 660
gaccctactg atcttggcct gtccagccac caacagtagg ctgccttcca gtggggccac 720
acccaggcct gccagagaga tgcctccaag cagctgctcc aggaagggcc gggggagggg 780
cctggggagg ggtaagaatg gagccccaag aaccattctg cccattgtga cccgccctga 840
cctcacagcc atccttccca ccgccaggcc caggaggttg ggggagacta acctggcaag 900
gagcccccaa tgagccacct ctcctcaccc cccaaaaaac ataaggggga gcacaaaggc 960
cacagtctcc cccatggttc agaaaggtgg gttgggctgg gagcaggggt cctactgggg 1020
tgctgagtga aatggagcag gtgctggggg gcctgggaga aggtgggtgg aggcccctgg 1080
cttgcctgat gcaccagtcc tcgccagggg tagctcctcc cgggacaagg accgaagtgc 1140
gacggtcagt agttcagtgc ccatgcctgc tggagggaaa ggaagccatc cttcatctac 1200
accccagagg gtccccaacc gcctgatcca cgagaagtca ccatacctcc tacaacatgc 1260
ctacaatcct gtggactggt gagcacctct cctggggccc tgcctggaat cgctggggtc 1320
ctgggccccc cccagacccc ctgggctact gagtgatgcc ccaccctgct gggtctaggt 1380
acccctgggg acaggaagcc ttcgacaagg ccaggaagga aaacaagccg attttcctct 1440
caggtaatgc tcccaccttc cctgatgtgg gggtgtgggc agggagtggc agtggatggg 1500
ggagggtcct ctcggcctgg cgggtcttcc aggagactag aggccaggac gtcttccatg 1560
tagccagggc cacttggcca gcctccctct gacccgttgc tggccccctg acctctcccc 1620
atggccctgt tcagtcgggt actccacctg ccactggtgc cacatgatgg aagaggagtc 1680

cttccagaat gaggagattg gccgcctgct cagtgaggac tttgtgagtg tgaaggtaga 1740
ccgtgaggag cggcctgacg tggacaaggt gtacatgacg ttcgtgcagg tgagcagccc 1800
tcctcgggag tgtatgcgcc acatgggctc agagcagctc ccctcaccct cgccctctct 1860
ccgccaggcc accagcagcg gcgggggctg gcccatgaat gtgtggctga ctcccaacct 1920
ccagcccttt gtcgggggca cctatttccc tcctgaggat ggcttgaccc gagtcggctt 1980
ccgcacagtg ttgctgagaa tacgagaaca ggtgggtgtg cctccgggag ttgggggacc 2040
agggtggggg actaggaaac aagagccccc ccccctagct gacctccagg tgtgccccca 2100
cctcccgcag tggaaacaga acaagaacac cctgctagaa aatagccagc gtgtcaccac 2160
tgccctgctg gcccgatcag agatcagcgt gggtgaccgc cagctgccgc cctctgccgc 2220
caccgtgaac aatcgctgct tccagcagct ggatgagggc tatgatgagg aatacggtgg 2280
cttcgctgag gcccccaagt ttcccacgcc gggtcagtgc cccacgcccg ccttagccca 2340
ggctttggcc ttctgattcc tatgctggtc agggacctac tggctcctgg cctcacccat 2400
agcttcctgt cctcctgact ggcagtgacc tccttgcccc tagcctgtcg gtagctatcg 2460
gtgaagaccc gactgctggt gtcagcagtg accctctcac cttaacctag atgatgacct 2520
tctgtcccct gacttggtca gtgacccagt gaccctgact tggctaatga cattctgggc 2580
tctagggggа caagtaactt actggtcctc tgtgaaccaa tgatattctg acctctggct 2640
taggctatta cctttctgtcc tgtgggttga ctcttgacct cacagcctgt ccagagactg 2700
cctgttgagt gaactcccag cctctgcctg gcccaaggcc tcctgaccac cccgatctct 2760
gtccccactt tcccattctc tcacctgcat gttcttggtg cccccacagt gatcctgagc 2820
ttcctgttct cctactggct cagccatcga ctgactcagg atggctctcg ggcccagcag 2880
atggccttgc ataccctgaa aatgatggct aacgggggca tccgggacca tgtggggcag 2940
gtgacgggca ctgggtgttc cctggagggg cagcaggggg ctgtggggtg gggcagaagc 3000
tgggactggc ctccagcttt gtatccgcac agggctttca ccgctactcc acagaccgcc 3060
agtggcacgt ccctcacttt gagaagatgc tctatgacca ggcacagctc gctgtggcct 3120
attcgcaggc cttccaggtg acccctgacc ccagcccaga gaacaggcat ctcactctgg 3180
ctgcccctcc caaggccttc ctggtgactg tggcttctct taatctgaat cccctgttcc 3240
ctcccatgta cccactaccc aggcttccct cccccgcctg cctcagagaa tgttgccacc 3300
ttccacctgg gcctccccag tgacctctct gttcacagtc tcctttcttc cctttcttag 3360
ctctctggtg atgaattcta ctctgacgtg gccaaaggca tcctgcagta cgtggctcgg 3420
agcctgagcc accgggtgtg tgtccatggt ggcaggcagg cctggctgtg ggaggggttg 3480
gggcctccac tgccctgtgg gccggggcca gccaactctc ccctccccac agtccggagg 3540
cttctatagc gcagaagatg cagactcgcc cccagagcgg ggccagcggc ccaaagaggg 3600
cgcctactat gtgtggacgg tcaaagaggt tcagcagctc ctgccggagc ctgtgttggg 3660
tgccaccgag ccgctgacct caggccagct cctcatgaag cactacggcc tcacagaggc 3720
tggtaacatc agccccagtc aggtgaggac ttctggggtc acctgacggg ccctggtgcc 3780
tgccaggcgt gtgagctcgc agacaaaggc cattctcctc aggaccccaa gggggagctg 3840
cagggccaga atgtgctgac cgtccggtac tcgctggagc tgactgctgc ccgctttggc 3900
ttggatgtgg aggccgtgcg gaccttgctc aattcagggc tggagaagct cttccaggcc 3960
cggaagcatc ggcccaagcc gcacctggac agcaagatgc tggctgcctg gaatggtggg 4020
gcagcacacc tgagaccgag cctgtctgta ggatcccccc tcacaaagcc cctgtctttc 4080
cggcagcggc taaatgctca ctctcccttg attagcgtta ttattctcag ttgacaaaag 4140
aggcttaagg agcttgagta acccgcccaa ggtcacgcgc aagggctggg aaccccgcca 4200
tgtctggctt tggagcccaa gatcttaggg atcacccatg gctccaggga ggtgttgggg 4260
cctaaggtga tagggtggac atgcctggag ggtcctggcc agcttcttac cactacttgt 4320
ctctcctggc tccaggcttg atggtgtcag gctatgctgt gactggggct gtcctgggcc 4380
aagacaggct gatcaactat gccaccaatg gtgccaagtt cctgaagcgg cacatgtttg 4440
atgtggccag tggccgcctg atgcggacct gctacaccgg ccctgggggg actgtggagc 4500
acaggttggg ggctgggtag accgggaggg cccgtctccc caacgcgtcc ccagcctacc 4560
tctgccctac ttctcccctc catgtggact ccagtcctgg ctctgccagg tgcttgctgt 4620
gagtttgtag cttccctggg cccatttact catctgggaa gtgggctgat ggcacctgcc 4680
caagagggtt catctggagg gttaagtgaa caaatgcgtg aaagggcctc ctctgggaaa 4740
ggcccctctct cctggggctc tccccagccc ctcccgtaat gcctgtcccc cagcaaccca 4800
ccctgctggg gcttcctgga ggactacgcc ttcgtggtgc ggggcctgct ggacctgtat 4860
gaggcctcac aggagagtgc gtggctcgag tgggctctgc ggctgcagga cacacaggac 4920
aagctctttt gggactccca gggtggcggc tacttctgca gtgaggctga gctgggggct 4980
ggcctgcccc tgcgtctgaa ggacggtcag tgggggtgca gggctagtct ggggtcctgg 5040
gaggtgtaag tgcagcgtgg gtgaagagct ggtgtgggca ggagccctcc tggctttgtg 5100
tctctgctac ttattaatgg cgtgattttt ggctgctgta atatttctgt gtctcaattt 5160
ctttttttta aatagagaca gagtcttgct atgttgccca ggctgatctt gaaatcctgg 5220
gctcaagtga tcctcccacc tcggcctccc aaagtgctgg gattacaggc atgaaccact 5280
acactcagcg tgttttgttt cgttcctttc ttttcttttt atttcctttc tctttctttc 5340

tttctctttc ctttcttcct ttctttcttt tctttctctc tttctttctc ttttttttt 5400
ttttttgaga cagggtctca ctgtcaccca ggctggaatg cagtggcatg atcttggctc 5460
acagcaacct ctgcctccgg ggctgaatca attctcccac ctcagcctcc tgagtagcta 5520
ggactatagg catgcaccac catgcctggc taatttttg tagagatggg atttctccat 5580
gttgcccagg ctggtctgaa actactgggc tcaagtgatc tgcccacctc ggcctcccaa 5640
agtgctggga ttacaggcga gagccaccat gcctggcctg tttcttaata agtaaaatgg 5700
agctaacatt ggtactacct tacagggttg atgtaaagat gaatgtagct gttctgtaaa 5760
catgcttagc acagtaactg acacccatgg attcagatat tgaccaaggc tcacttggtc 5820
tctgccctca tgaagcttac agtatggtag gggagacagc gaaaatgcag taatgatgca 5880
aaaacacatg cacaaatgtg cagttaaaat tgtggtgagt gccatgaaga agtaggacgc 5940
tctatgtgtg cctgctccct atcacccatg tgccttgtct gtggttaaag gtttctttcc 6000
caaaactcaa attttagctc ctcaaagatc aggactttct gccactgttg tatccccagg 6060
gtctagtgtg gttctggcac attgtaagtg cttaataaat gttaactgag tgaatgaaag 6120
ggccttggga gagaaccaca gaggaggacc aactcagcct agggagagat tagaggacac 6180
ctgtgacagg tgtcatttaa ccaaggcctg gagggaaaga ggggccatgt ggccatggag 6240
aagctgtgga gagagttcag gcatagggag cagtgcatga caggcctggt gcaggcagcc 6300
tgtatcctgg aggacaggca gggcccgcgt gttccaggag ggcaccgagg agaatgctga 6360
ggccggcagg gcacggaagc cgtcttttt ttttttttt cctaagaaaa gaaggctggt 6420
ctcaaactcc tgggctcagg tgatcctccc gcctcggctt cccaggtgct gggactacag 6480
gtgtgagcca ccatgcccgg ctggcaagga ggttttaagt ggattgtgat ctgctctggt 6540
atggttttaa ggaggtcact ctgaccactg atggagagaa gtgggggtgg gggaaacagg 6600
cgaccagtta ggaggccatt actcgtgttc agtccaggca ggcattggtg aaggctcaga 6660
ggatgtggaa gtatgagatg gggagacatg gtgagatttg gatctcttct ggccacagcc 6720
ctggcaagac tcacagatgg attagaagcg gagggagagg gagaggaagg ggacaggatg 6780
atgccgctct agcttgagca gctgagtggc tggacagagg catcagcagc gaggagggag 6840
cctggagacc aacagttgag gctaggacag gtagagtgga gggtgccata aaaaagacag 6900
caaagtactg ataactgctg gagtggcatc cacacccaga gcggggaagg ggcaggatgg 6960
gcagggcctt ttctctgtcc cgtcccccaa gtggccctgg atacagtcct gggcagggtc 7020
ctgggactca gtgacctgcc cttacccccа cccccctgcct ccctatgtgc tgtagaccag 7080
gatggagcag agcccagcgc caattccgtg tcagcccaca acctgctccg gctgcatggc 7140
ttcacgggcc acaaggactg gatggacaag tgtgtgtgcc tattgaccgc cttttccgag 7200
cgcatgcgtc gtgtcccggt ggcgttgccc gagatggtcc gcgccctctc agcccagcag 7260
cagaccctca agcaggtggg gggtgagggc atctgggctg ggacctcggg taggagggaa 7320
gttggggctg cgatggcaga tgggaacagg gggtggggtt cctgggctgt ccccagagct 7380
caggtctgtg tgtgtgcagg cacgtggcct gtcagacagg gaggcagaag ttaatatgag 7440
tccgtggtgg ctgatgaagt gtttctctgt acgtcttggt gtcagtgtaa ttgcttctgt 7500
ccatactgtg ttactggtgt gtgtgtactt ccgggtgtgt gtgaccctgg aggtgtgtgt 7560
ctgtgcacct acctttgagg gggatgctgg tgtgagtgtt tgtctgtctg catgtggatg 7620
ccccatctgc aggtttgcct ctgtgtctgc ctgcatgcgt gtgtgtctgg tgtttgtgtg 7680
tgtggtatct gcctctgtgt gggcatctac tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg 7740
tgtgtgtgtg tgtgactact ctgtgtctgt ctgaatgggt ctctgtgtgc tctgggtctt 7800
ctgggtgtgt gtctccccat gtttgtatct gtaccattgt gtatatgtat gacatttcca 7860
cttcggtatt ctcatgtgtg agtgtgtgtg tgtgttccca cttgccaagc attaactcat 7920
cctggcagct gagatgagtc cctgttcctt cttagagata tacggtgggg cggaaggagg 7980
atggggaagc cctggtggtc tagggctcag ccctccctcc cctgacacac cggagtgacc 8040
tttctattcc ggtcagatcg tgatctgtgg agaccgtcag gccaaggaca ccaaggccct 8100
ggtgcagtgc gtccactctg tctacattcc taacaaggta cccatccctg tgagcccaat 8160
ctgccacctc cccagagctg ccccctccca tcctcagctc ctcaacatct ccttcccctc 8220
agaatgttgg gaagagggaa cttcccagtg ggcctttcta atgggcaggt gaccccaccc 8280
cggcaggtga ctctccctgc tctgctgctg ccctaggtgc tgattctggc tgatggggac 8340
ccctcgagct tcctgtcccg ccagctgcct ttcctgagta ccctccgacg gttggaagac 8400
caggccactg catatgtgtg tgagaatcaa gcctgctcag tgcccatcac tgatccctgc 8460
gaattacgaa aactactaca tccatgactg ccccaacccc cttggggtgg ggcagaaggt 8520
gaagcatccc aactgactag agactcaggc cctgcagggc cctatagaac ctgtggccat 8580
ccctgagcac cctgccacca ggtgacctcg gccatactca ctgcccccct tgggcaccca 8640
ctcaccctag aataaactta acagtgtccc gtggtaa 8677

<210> 1072
<211> 5846
<212> DNA
<213> Homo sapiens

<400> 1072

gctttatatg agcttttata tttcacagaa tggtgacttt gcatatgccc tggtgcattg 60
tgggagctgc tattgtcacg actaagacat ttcttttggg gtatccatct agccccagcc 120
tcgaaaggat ggaagcaggg cctccttgca ggaggtcatg ttgtccattt gtctgctttc 180
atacaagctg gtccaaagaa agagttctct ttcgtttgga acatctgttg ggttggaagt 240
ccttccccaa atctatctga gtccttcttg ctgcagagaa agccttcctg tgacctcatc 300
ctttccccta aatgttggga aatgctcctg agtcctgtcc ttgacacata catcttcctt 360
gggttgaggg atggggactg ggacacatgc tttgggaagg gcaggtgcag agtgatgggg 420
ctgacggggt gggggaagca gggggaggag ctgtccctct gaggcctttg ggaatcggct 480
gtgccaggca tcctcagccc tccagctaag caacacagag agccaaaaga ggctactaga 540
gacaagaagg ccttcatggg gccactgctt gtgggggatg tcagcagtgg ggaggagtga 600
agcaggaagg aaccgggaga ctggatggaa ttgctccctt cacacggtca cacatagcca 660
cacatggtca ctgggaccag agtcagctct gtctgggcag ccaggccctc agtgcaagcc 720
accagcccat ctggagggga ttagtgctcc ggccaacaag gtcagctggc cccttcctag 780
ctggagccta ctcaaccttg ccaggaagtc agagagctgg acaagtggag cccagcctgg 840
ggaggtggaa gagagggagg atggagcatg gtgaagcaca ggtggccttt ttggcagccc 900
cagccctggc tttggaacag tctgggcagt gtgccaaccc ctcttgccac tgtcgtccca 960
ttgaccctca tgaatgagtt gcgaggcagt taccttcagc ctcctatgga taaatattcg 1020
aggcccagag agggtaagag acctgcctgc gacccctcag cacttctgtt tctctctggg 1080
gtcttgaggg tacaataaag acccctaagg cttcctcttc tcgcaggagg tccaggcgca 1140
gctgtggggg agggtgccct tggtgtcttc tgtccctgca gccagtctgc tttctactcg 1200
gcagctcctc tctccctcct gggatgagat gtgcacgcga tgatgggatt ctgtaaatgg 1260
gttgggaaga aggagttacc tccttaaagg gttagttctc ccaggagtgc tcgaatttct 1320
aaaaggggca gggtcccaca taaatctcac tcagaagcag gattataaga gttcctgcag 1380
catcccttcc cctttgctgg tccctcttga gtgtgcaccc tgttctacca gcggaacacc 1440
tgcgggccag ggtcactgga gacagggcca taccgtctgg gcggtcactt aagtaacttc 1500
atcattctga gcacccccct tccttatctg aaaggtgggg ggccatccac ccagctctca 1560
gggctgttaa ggtgactaaa tgggataatg gttgtatcat ccctgagcaa agggtatcac 1620
agatgggaag attatcttag ctccgcaggg agccagatgg gctgtgaggg aggggtaaag 1680
gcagggctgg agggggctgg aggggctggc tgagcagggt atatatgggg ggggttcttc 1740
ctcaaaccca gaaaaactct tagttaggct tagtgtcttt gttgagaaac tgaggcccaa 1800
agaaaggaat ttcttgtccc tttgtttccc tttccctgcc tgaggtcatt cattcaccta 1860
acaactttgt gcccgacact agacaaggcc ctagtgagca aaatgaacat agcccctctg 1920
ggaacacaga gcctagatag ggagatgatc atttcattac tgcaaacaca aacatataat 1980
cccagcctgg gctaagtgct gtgaagttcc agacttgtgt ctggctcggt gctgtatcct 2040
aagcaccttg gcacttaagt ggcattgaaa tacttgctgg aaagaaggcc actctgagga 2100
ggtgatgtca gagctgaggc ttggagggct ggagttaaat aaagatggtt tcaggtcttc 2160
tttgccttcc ctgtaggttc tgcctctgcc tcctctctgg cactcaggct aagggtaagc 2220
atctccgact ggccatcagc cccaacatgc cgagtacagg gatcagatcc tgtcttgcgt 2280
ggccggtctc ccctaggtcc tgaacccagg gaagtgcatg tggatctcaa tttatctaga 2340
tggtgcgttt gtgcctgccc tcctttcggg catgttctag aacagagttc agtccagagc 2400
ccaggggtgg ccgggatgat ggatgagggt gtggggcctg ctgaccacca ggggacctga 2460
tcattgggct gggccagcct ctctgtcctc attttccccc ctgcaaagaa ggggtgttgg 2520
gcgtccctac ttctcgcgcc agccccgggg cctctatcct ggcgggaagg gcaggccgac 2580
ccggcagact gcggcctctc gggagggaag aaggtgtcag acgcgcggag caaccataaa 2640
tagccccccc ttcccagaag acggcacggg gttcaagact caggcgccgc atactcagaa 2700
tgagagcaga gactcccgcc aggaaaaaaa ggcacttagg ggatctgctc attagcatga 2760
aatgcaaatg agcccgcccg gcctcattta cacaactctg tgcatggatt cggcgaaagg 2820
gcaaccaggg agacgacggc gcagcagcca ctctgccact tcccccatcc cctcccccca 2880
tcggccgggg cgggaactga gacgacccca accctctgcg gtggcgggag gtgcgcgggg 2940
gctgcgtggg tggtgcagcc ttaggagagt gaacaacgcc caggggtgat ggcctcagca 3000
aagtgagggg tggtgatgga ggtcatccga cccatcccgc cgcctctccg cagtggcgca 3060
agcgccccaa aatctccgga gagggaactg actgacccac taggttccgc cgtgtctacc 3120
tctcgcagat gttggggaag tgcttcccgg cgtctaatcc tcgctgttcc cccctccacc 3180
ggcgcccagc acacccgcgg cgctccgctc ccgggtaccc acagctttct ggagtggcgc 3240
cggcggcagg agagagctag agccgactga gccccagaac tcggggaggt aggcggggca 3300
agggccgggg tctgcgcgtg cgtgtgcacg cgtggaaagc acaaacccac gagggcccgc 3360
tgccggtagg gttaaggtga gtgagtgaag gcggcagacc cgcgaagttc cagttccgcg 3420
gacactcctt ccctaagcca catagggact taagagaaac tgaggcacga agttgggggg 3480
tggcggtggt ggggactttg aaggtcgagt cgataaagcc cagctctgtg cttccgcccc 3540

ctcccacaca ctcgagaccc ccacaggttc cttcttaggg gtcctcgctc tgctccgcag 3600
cccctcctgg ggatccgggc tctgcggtcc agcgcgacct gcctggggcc acgtgttcaa 3660
gcacgaagcc cctgcgtgga gtccacgccc ttcaaaaggt ccctaggggc aaagggatga 3720
agcccaggag cgtcaatgtg aggtcaggtc cagcgggtta gggttacgag gtcagggtcg 3780
aagtctcaga attgactcgg gagtatgacc aataagccca agagatttgt ggaggccacg 3840
cccagaccat gcctacccta gcctttctcg agctccgccc gtttctccaa gactgggccc 3900
ctccagcctg aagccccacc cccaggacat ccagctccgc tccttccctt ccccagtccc 3960
gcagccaagc tcaactccag ggtgggagat taaccaggtg gagacctggg atttcgctct 4020
gggacccccc ggtgacaacc ctcacccccg tgccgcctgt ctcctttctt ccccaggccc 4080
gcccagagct gagctccgtc ctccggctgc tgcccaaatc aggggtcgtg gacaaaggat 4140
gcctggggcc tgcggcccta cgccaggacc ccgcgccgaa tactctgatt cttcgggctc 4200
cctccaaggg agtcccaaag accccaatgg ccaataggaa agtgggttcg gtctgggcag 4260
cagtctgatt ggctccagcc ttcgggagcg gacccagggg caaggggagg ggagaggggc 4320
ggtcctgggt tttggggtgg gaatcggatt ccagctgtgg ttctctccct gcgctcccgc 4380
ccgcactgcc acggcggacg gccaatgggc gcgcggctcg gggccggcgg cgtccggcga 4440
ttggctgcgg ggctgtctgg gggcggggcc gaggcttgaa gttgaagtga gggatccagc 4500
tgtggtgtgc gcggggctcc tcgccgccgc tttcgctcgc tcgctccgcg tctcggccgg 4560
aggaggaggc tgtggcgccg gcgacagcta cggcagcggc agccaccgcg gcggctgcgg 4620
cggcggcatc tccgcctcca ctcccgcccg ggactgcccc ccactgtctc cccgcccctc 4680
ccggacagtg agcccgcggc ggggcggggg aaggagccgc ccccaccccc tccaagccca 4740
cccctaaaga gatccctcct cccctccccc gccgcctggc gcggagccgg gacgatgctg 4800
acccccttaga tccggctcca gctgcgccgc gggaagaggg ggcgcccctc cccggacccc 4860
cgccctccgc cgctgccccc cttttcgttc gccctctcgg ggcggcttcg ccgaaggtag 4920
cgccgaatcc ggcaaccgga gcctgggcgc gaagcgaaga agccggaaca aagtgagggg 4980
gagccggccg gctggcccgg gaagccccag gggcgcaggg gaagcgggac tcgcgccggg 5040
cggggtttcc ctgcgccccg gcgccccgcg ggcagcatgc ccctgcgggc agggggagct 5100
gggctgaact ggccctcccg ggggctcagc ttgcgcccta gagcccacca gatgtgcccc 5160
cgccggggcc cccgggttgc gtgaggacac ctcctctgag gggcgccgct tgcccctctc 5220
cggatcgccc ggggccccgg ctggccagag gatggacgag gaggaggatg gagcgggcgc 5280
cgaggagtcg ggacagcccc ggagcttcat gcggctcaac gacctgtcgg gggccggggg 5340
cggccggggc cggggtcagc agaaaaggac ccgggcagcg cggactccga ggcggagggg 5400
ctgccgtacc cggcgctggc cccggtggtt ttcttctact tgagccagga cagccgcccg 5460
cggagctggt gtctccgcac ggtctgtaac ccatatcctt cggggcacga cggccaggcg 5520
cggggtcaga agggggacgg gccgcaccgc cgggggtcgg gggggaagaa gacccaccgc 5580
caggtgagtc gaagtgagcc cggagggtag gcggatgggg gggggggctgc cagggagggg 5640
agggggcacc agagtgggag cggagacgcg agcaggtctc gtcggtaacc cgggcttacc 5700
ccacctgcgt acacacacct cagtcttcct gggttggggg ggtggggatc caggccagga 5760
gaagagagct gtgccccgct ggctcgcagc tggacgccct ccagatgtgg tcaggggagg 5820
gtcgtcatcc tccagatgtg ggaagc 5846

<210> 1073
<211> 5848
<212> DNA
<213> Homo sapiens

<400> 1073
gctttatatg agcttttata tttcacagaa tggtgacttt gcatatgccc tggtgcattg 60
tgggagctgc tattgtcacg actaagacat ttcttttggg gtatccatct agccccagcc 120
tcgaaaggat ggaagcaggg cctccttgca ggaggtcatg ttgtccattt gtctgctttc 180
atacaagctg gtccaaagaa agagttctct ttcgtttgga acatctgttg ggttggaagt 240
ccttccccaa atctatctga gtccttcttg ctgcagagaa agccttcctg tgacctcatc 300
ctttccccta aatgttggga aatgctcctg agtcctgtcc ttgacacata catcttcctt 360
gggttgaggg atggggactg ggacacatgc tttgggaagg gcaggtgcag agtgatgggg 420
ctgacggggt gggggaagca gggggaggag ctgtccctct gaggcctttg ggaatcggct 480
gtgccaggca tcctcagccc tccagctaag caacacagag agccaaaaga ggctactaga 540
gacaagaagg ccttcatggg gccactgctt gtgggggatg tcagcagtgg ggaggagtga 600
agcaggaagg aaccgggaga ctggatggaa ttgctccctt cacacggtca cacatagcca 660
cacatggtca ctgggaccag agtcagctct gtctgggcag ccaggccctc agtgcaagcc 720
accagcccat ctggagggga ttagtgctcc ggccaacaag gtcagctggc cccttcctag 780
ctggagccta ctcaaccttg ccaggaagtc agagagctgg acaagtggag cccagcctgg 840
ggaggtggaa gagagggagg atggagcatg gtgaagcaca ggtggccttt ttggcagccc 900

cagccctggc tttggaacag tctgggcagt gtgccaaccc ctcttgccac tgtcgtccca 960
ttgaccctca tgaatgagtt gcgaaggcag ttaccttcag cctcctatgg ataaatattc 1020
gaggcccaga gagggtaaga gacctgcctg cgacccctca gcacttctgt ttctctctgg 1080
ggtcttgagg gtacaataaa gacccctaag gcttcctctt ctcgcaggag gtccaggcgc 1140
agctgtgggg gagggtgccc ttggtgtctt ctgtccctgc agccagtctg ctttctactc 1200
ggcagctcct ctctccctcc tgggatgaga tgtgcacgcg atgatgggat tctgtaaatg 1260
ggttgggaag aaggagttac ctccttaaag ggttagttct cccaggagtg ctcgaatttc 1320
taaagggggc agggtcccac ataaatctca ctcagaagca ggattataag agttcctgca 1380
gcatcccttc ccctttgctg gtccctcttg agtgtgcacc ctgttctacc agcggaacac 1440
ctgcgggcca gggtcactgg agacagggcc ataccgtctg ggcagtcact taagtaactt 1500
catcattctg agcacccccc ttccttatct gaaaggtggg gggccatcca cccagctctc 1560
agggctgtta aggtgactaa atgggataat ggttgtatca tccctgagca aagggtatca 1620
cagatgggaa gattatctta gctccgcagg gagccagatg ggctgtgagg gaggggtaaa 1680
ggcagggctg gaggggggctg gaggggctgg ctgagcaggg tatatatggg gggggttctt 1740
cctcaaaccc agaaaaactc ttagttaggc ttagtgtctt tgttgagaaa ctgaggccca 1800
aagaaaggaa tttcttgtcc ctttgtttcc ctttccctgc ctgaggtcat tcattcacct 1860
aacaactttg tgcccgacac tagacaaggc cctagtgagc aaaatgaaca tagcccctct 1920
gggaacacag agcctagata gggagatgat catttcatta ctgcaaacac aaacatataa 1980
tcccagcctg ggctaagtgc tgtgaagttc cagacttgtg tctggctcgg tgctgtatcc 2040
taagcacctt ggcacttaag tggcattgaa atacttgctg gaaagaaggc cactctgagg 2100
aggtgatgtc agagctgagg cttggagggc tggagttaaa taaagatggt ttcaggtctt 2160
ctttgccttc cctgtaggtt ctgcctctgc ctcctctctg gcactcaggc taagggtaag 2220
catctccgac tggccatcag ccccaacatg ccgagtacag ggatcagatc ctgtcttgcg 2280
tggccggtct cccctaggtc ctgaacccag ggaagtgcat gtggatctca atttatctag 2340
atggtgcgtt tgtgcctgcc ctcctttcgg gcatgttcta gaacagagtt cagtccagag 2400
cccaggggtg gccgggatga tggatgaggg tgtggggcct gctgaccacc aggggacctg 2460
atcattgggc tgggccagcc tctctgtcct cattttcccc tctgcaaaga aggggtgttg 2520
ggcgtcccta cttctcgcgc cagccccggg gcctctatcc tggcgggaag ggcaggccga 2580
cccggcagac tgcggcctct cgggagggaa gaaggtgtca gacgcgcgga gcaaccataa 2640
atagcccccc tttcccagaa gacggcacgg ggttcaagac tcaggcgccg catactcaga 2700
atgagagcag agactcccgc caggaaaaaa aggcacttag gggatctgct cattagcatg 2760
aaatgcaaat gagcccgccc ggcctcattt acacaactct gtgcatggat tcggcgaaag 2820
ggcaaccagg gagacgacgg cgcagcagcc actctgccac ttcccccatc ccctcccccc 2880
atcggccggg gcgggaactg agacgacccc aaccctctgc ggtggcggga ggtgcgcggg 2940
ggctgcgtgg gtggtgcagc cttaggagag tgaacaacgc ccaggggtga tggcctcagc 3000
aaagtgaggg gtggtgatgg aggtcatccg acccatcccg ccgcctctcc gcagtggcgc 3060
aagcgcccca aaatctccgg agagggaact gactgaccca ctaggttccg ccgtgtctac 3120
ctctcgcaga tgttggggaa gtgcttcccg gcgtctaatc ctcgctgttc ccccctccac 3180
cggcgcccag cacacccgcg gcgctccgct cccgggtacc cacagctttc tggagtggcg 3240
ccggcggcag gagagagcta gagccgactg agccccagaa ctcggggagg taggcggggc 3300
aagggccggg gtctgcgcgt gcgtgtgcac gcgtggaaag cacaaaccca cgagggcccg 3360
ctgccggtag ggttaaggtg agtgagtgaa ggcggcagac ccgcgaagtt ccagttccgc 3420
ggacactctt tccctaagcc acatagggac ttaagagaaa ctgaggcacg aagttggggg 3480
gtggcggtgg tggggacttt gaaggtcgag tcgataaagc ccagctctgt gcttccgccc 3540
cctcccacac actcgagacc cccacaggtt ccttcttagg ggtcctcgct ctgctccgca 3600
gcccctcctg gggatccggg ctctgcggtc cagcgcgacc tgcctggggc cacgtgttca 3660
agcacgaagc ccctgcgtgg agtccacgcc cttcaaaagg tccctagggg caaagggatg 3720
aagcccagga gcgtcaatgt gaggtcaggt ccagcgggtt agggttacga ggtcagggtc 3780
gaagtctcag aattgactcg ggagtatgac caataagccc aagagatttg tggaggccac 3840
gcccagacca tgcctaccct agcctttctc gagctccgcc cgtttctcca agactgggcc 3900
cctccagcct gaagccccac ccccaggaca tccagctccg ctccttccct cccccagtcc 3960
cgcagccaag ctcaactcca gggtgggaga ttaaccaggt ggagacctgg gatttcgctc 4020
tgggacccca tggtgacaac cctcaccccc gtgccgcctg tctcctttct tccccaggcc 4080
cgcccagagc tgagctccgt cctccggctg ctgcccaaat caggggtcgt ggacaaagga 4140
tgcctggggc ctgcggccct acgccaggac cccgcgccga atactctgat tcttcgggct 4200
ccctccaagg gagtcccaaa gaccccaatg gccaatagga aagtgggttc ggtctgggca 4260
gcagtctgat tggctccagc cttcgggagc ggacccaggg gcaaggggag gggagagggg 4320
cggtcctggg ttttggggtg ggaatcggat tccagctgtg gttctctccc tgcgctcccg 4380
cccgcactgc cacggcggac ggccaatggg cgcgcggctc ggggccggcg gcgtccggcg 4440
attggctgcg gggctgtctg ggggcggggc cgaggcttga agttgaagtg agggatccag 4500
ctgtggtgtg cgcggggctc ctcgccgccg ctttcgctcg ctcgctccgc gtctcggccg 4560

gaggaggagg ctgtggcgcc ggcgacagct acggcagcgg cagccaccgc ggcggctgcg 4620
gcggcggcat ctccgcctcc actcccgccc gggactgccc cccactgtct ccccgccccc 4680
cccggacagt gagcccgcgg cggggcgggg gaaggagccg cccccacccc ctccaagccc 4740
acccctaaag agatccctcc tcccctcccc cgccgcctgg cgcggagccg ggacgatgct 4800
gacccccttag atccggctcc agctgcgccg cgggaagagg gggcgccccc ccccggaccc 4860
ccgccctccg ccgctgcccc ccttttcgtt cgccctctcg gggcggcttc gccgaaggta 4920
gcgccgaatc cggcaaccgg agcctgggcg cgaagcgaag aagccggaac aaagtgaggg 4980
ggagccggcc ggctggcccg ggaagcccca ggggcgcagg ggaagcggga ctcgcgccgg 5040
gcggggtttc cctgcgcccc ggcgccccgc gggcagcatg cccctgcggg caggggagc 5100
tgggctgaac tggccctccc gggggctcag cttgcgccct agagcccacc agatgtgccc 5160
ccgccggggc ccccgggttg cgtgaggaca cctcctctga ggggcgccgc ttgcccctct 5220
ccggatcgcc cggggccccg gctggccaga ggatggacga ggaggaggat ggagcgggcg 5280
ccgaggagtc gggacagccc cggagcttca tgcggctcaa cgacctgtcg ggggccgggg 5340
gccggccggg gccggggtca gcagaaaagg acccgggcag cgcggactcc gaggcggagg 5400
ggctgccgta cccggcgctg gccccggtgg ttttcttcta cttgagccag gacagccgcc 5460
cgcggagctg gtgtctccgc acggtctgta acccatatcc ttcggggcac gacggccagg 5520
cgcggggtca gaaggggggac gggccgcacc gccgggggtc gggggggaag aagacccacc 5580
gccaggtgag tcgaagtgag cccggagggt aggcggatgg gggggggct gccagggagg 5640
ggaggggca ccagagtggg agcggagacg cgagcaggtc tcgtcggtaa cccgggctta 5700
ccccacctgc gtacacacac ctcagtcttc ctgggttggg ggggtgggga tccaggccag 5760
gagaagagag ctgtgccccg ctggctcgca gctggacgcc ctccagatgt ggtcagggga 5820
gggtcgtcat cctccagatg tgggaagc 5848

<210> 1074
<211> 6654
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (554)..(554)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (640)..(640)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (650)..(650)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (953)..(953)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (1019)..(1019)
<223> n equals a,t,g, or c

<400> 1074
gaaactgtct tctactgact gtttcaaaac cgaggccttc acatccccgg aggccctgca 60
gcctgggggg actgccctgg cgcctaagaa gaggagccgg aaaggccggg caggggccca 120
tggactctcc aaaggcccgc tggagaagcg gccctatctt ggcccggctc tgctcctgac 180
tccccgagac agggccagtg gcacacaagg ggccagtgag gacaactctg gtggaggagg 240
caagaagcca aagatggagg agctgggcct ggcctcccag cccccggagg gcaggccctg 300
ccagccccag acaagggcac agaaacagcc aggccacacc aactacagca gctattccaa 360
gcggaagcgc ctcactcggg gccgggccaa gaacaccacc tcttcaccct gtaaggggcg 420

tgccaagcga cgacgacagc agcaggtgct gcccctggat cccgcagagc ctgaaatccg 480
cctcaagtac atttcctctt gcaagcggct gaggtcagac agccggaccc ccgccttctc 540
acccttcgtg cggngtggag aagcgagacg cgttcaccac catatgcact gttgtcaact 600
cccctggaga tgcgcccaag ccccacagga agccttcctn ctctgcatcn tcttcctcat 660
cctcgtcatc gttctccttg gatgcagccg gggcgtccct ggccacactc cctggaggct 720
ccatcctgca gccgcggccc tccttgcccc tctcctccac gatgcacttg gggcctgtgg 780
tttccaaggc cctgagtacc tcttgccttg tttgctgcct ctgccaaaac ccggccaact 840
tcaaggacct tggggacctc tgtgggccct actaccctga acactgcctc cccaaaaaga 900
agccaaaact caaggagaag gtgcggccag aaggcacctg tgaggaggcc tcngctgccg 960
cttgagagaa cactcaaagg tcccgagtgt gcagctgccg ccactgccgg gaagccccnc 1020
caggcctgac ggcccagctg acccggccaa gcagggccca ctgcgcacca gtgcccgggg 1080
cctgtcccgg aggctgcaga gctgctactg ctgtgatggc cgggaggatg ggggcgagga 1140
ggcagcccca gccgacaagg gtcgcaaaca tgagtgcagc aaggaggctc cggcagagcc 1200
cggcggggag gcccaggagc actgggtgca tgaggcctgt gccgtgtgga ccggcggcgt 1260
ctacctggtg gccgggaagc tctttgggct gcaggaggcc atgaaggtgg ccgtggacat 1320
ggtaagaggc cagcccagcc agggtgggga gtgtggggtt ccaaaggaca ggcaggcagg 1380
cagtcgggga gcccccttgtt tctagtgcta cagtgtgggc caaatgtgtc tgcagtctcg 1440
ggacaatctg cagagtcctg agcctctctg gggtgtgtgg gggaagtgga ggcacccatc 1500
tggctaaggc aggtcacact cacctaccct gtcccaggag acttcccgcc ggggcccgta 1560
tgcccagcca ccgccactct cccactcacc tggcatcttc aggctccagc cccacccaga 1620
atccactggg cccctcccca tgctgtcacc ggagatgcca aggcccagag aacacgagga 1680
ctcccaagat tgaacatcag ggctgccccg ggcggtgcaa gagcaagttg cccaccctct 1740
gttcctgtct ccattgcctc tgggatgaag ctaagggctc aggaagaccc tctctggcga 1800
cacaggcttg gtgcatggac ccagtcacag ggttcctccc tctgcaggac agtccatggg 1860
gtcacacagt cacaacaggc agggcggggc agatccagac cctctcacca ttggctctga 1920
gaccagcttt ggaagccata gtcactgagc accaacatga gagagggaac tctggggctg 1980
tgccgccatg caccttttggg gctgtgacct gccctctctg tgcctccgtc ccctcgcccc 2040
taacgtgggt atgagggtgc ccatggagga ggggtcggga gggttaaaag gtgggcacct 2100
ctgagcccac cgagcacagc agccctgtga tagtcagtgc agaggggcct ggtggctctg 2160
gtgacagcag ggtgacgttc ttcgtggtgt caccacttcc ccagtaccat agagtacctc 2220
tgtgcccttc tgagggaggg gtcagtgggg gcggtggggt gcacctctcc cccggggcca 2280
tgcttctgcc cccacattca accccgactc cactgcctca tccagacttc cgtggagtga 2340
cgctcccggc tctcagcgct gtgtggtggc tctcagtggg gacgcctgca gccttctctg 2400
gcccctgccc tgagtcccat cccctccact ccttccttca acccactatg tgcggctgag 2460
gtcacagggg agccagaggg gcttggcagg ggtctccaga ggccctggac aaacactgcc 2520
tgcatctgag tgattcagtg acccagcaca gtggccccag ccggtggctt cgcccctccc 2580
cctgcccagc ctcctccccc gtcgctgcac tgcccacctg ctcctcgcag tacacccctg 2640
cagcccctct gagcagcccc tgctcctgac agttgccgtg gcattgcctg gccaaaccaa 2700
ggtcccggtg ggggcccact gtgtttgcca cccacgcctc ctagtgtgtg tcttgggcac 2760
ctgcttccca ctgcccatgg ggatggctgg agaccttctc cacgcccaga cgccctgccc 2820
acctcactcc accctccacc tcagaggaag gctggccccg acaggactcc tgcaggttcc 2880
tggtgccgcg ggccttgctt acccagcaga tggtggcctt gggcctcttc cctctcccct 2940
tcccagttag tgatttttg cctctctcct gctttctgtc tctctctgtc tctctctctc 3000
tctctctctc tctctctctc tctctctctc tctctcatta ctggctcctt cccagcgcct 3060
tgaaacaggt tcaagtctct cccgtcatca aaaaataata accctcagat caccagcccc 3120
agctggctgc cacctcccct gcttcacagc cccattcctg aaagccttgt ccccacggca 3180
tcctcggtcc cgcagcctca ccaggggctc cccgacactc acgtcccacc aggctgagat 3240
caggtcgtct ccacatcccc tgcagccagc actggccggc cgaagggagg aggggtcagc 3300
cccgagcacc gaccacccca tcctgtccct ggcccatggg tgtcttaacc gcccatgcac 3360
acacaaggtc ctgctggact gaggagacag tgtgtgttgg agaggcgcta gcttccctac 3420
accacgcggg ggctggaact tgccagccca gcccatgcct gtctgctgtg ccatgctcca 3480
gaaatggcct gacagcctgc gcaactaggg ctgccccggg aaggtcggaa ccaggaacac 3540
cctgccagac agatgggaca tcctgggaga atgggcagag tctggggctt cccagggtca 3600
cttttggctc accacccctt cctgcctcag tggcttgggg gcgccatgct ccttggagtg 3660
agaccctggt tcaaatccca gctctgccga gggctggttc catagctcca ggcgagtcac 3720
gcatgctctg agaactccac aatgtcaaac cccgttagca ggattgtggg gttctgtgga 3780
tcatgtggga cctgcctggc atgtggaagg ggcttggggt gcagctgtgt ccctggcccc 3840
agcactgcca caccctcgg taccttgacc tcacttttgc gctctggagg gcagaacctc 3900
tgagccagct ctcagggata cctttttttcc tcgatggcct tttctgggaa ctgccctcgc 3960
ctgctatctc tgagccctgc ctgcccttcc cccaaagcca tcatagaccc ctacctccta 4020
tccagatgga gcctggccat ggaatgcttg gggtgagagg gacccatagc gggctccggg 4080

cattgttagg gggctaggtg gtgtctgcag aggccccacc tgtggcaggg tttacatgcc 4140
gccacccctg ccctcctctt gggtagctgg ggtcagaagg gcctgaggcc tcactctctc 4200
tgcatcttag tttcttcaca tctaaaatgc tattcatatg cctgcctgag ggtggttggg 4260
gcctccgtgc agtaagtgga gagaagcctt cagccagagg acccccatat gcttaaacat 4320
ccagacacca agggccactc acagacagca gccggcttgt gtttcgtcat ccctttggg 4380
tcaggaactg gggacgctgg actccagatc tccaggaggc catcccagac taggcgggaa 4440
ggaggcctca gccctgagct gaaaacctga aattctagaa taaaccccag gccccactcc 4500
cagcatgggc agcggggagg ggagtgttct gacatttctc agctgctgtg gttgggatgg 4560
tgcgcccacc ctgagcatgt ggggtcctgt gggcccctac tccagcctgg aggcagctgc 4620
aggggtcaga gaccagcctg gagccctcgg gcaggttact cagcctcagc tctcattggt 4680
aacccaggta aaataacagt aatcccatca taaggttgct gtgggcatga ggcttccagc 4740
catgcctggc acataggaag ctattgtcgt ttgtttcact ggcttcgcac ttgggcagag 4800
gccgccgccc tctctgctgc cttctctacc tcacccccg cccccagcac ggtggcactg 4860
tggctctggc gcctggtgac ttctccctcc ccggcctcag gtttgcttca ctcttccaag 4920
ggccttcttg gtgtgactgt cctgtcctgg ccacgtccac tccaagcagc tggtccaggt 4980
gtggggcagc ccccaagctc agcagaggac agttttgaga cttagaggag gacggcatca 5040
gatttacatg aagtcagcca tctcaaggga ttaccacgtc accgcctcct ctcacaggtc 5100
tgagagctgg tcccctggag ggtgcaggtc tcatcctagg tagaacagtc ccagcctagc 5160
ttcaaagtgc tcctgctgcc agaaagggta gaaaaccatg ctgaatgcct tcactgttgc 5220
ctggaatggg agcctcagtt tcaccatctg taaagtgaga ttaatgaaag ggacccacag 5280
agggctgtta gagccagtag gcggccaggc gcggtggctc acgcctgtaa tcccagcact 5340
ttgggaggct gaggtgggcg gatcacgagg tcaggagatc gagaccatcc tggctaacac 5400
ggagaaaccc cgtctctact aaaaatacaa aaaattagcc tggcgtggtg gcgggcacct 5460
gtagtcccag ctactgggga ggctgaggca ggagaatggc gtgaacccgg gaggcggagc 5520
ttgcagtgag ccaagattgt gccactgctc tctagcctgg gcaacagagc aagactccat 5580
ctcaaaagca aaagaaaaaa gagccagtag gccaggcgct atgtcttaca cctgtaatcc 5640
cagcactttg ggaggcctag gcaggcagat cacctgaggt cgggagttcg agaccagcct 5700
ggccgacaca gtgaaactcc gtctctacta aaaatacaaa aattagctgg gcatggcagc 5760
acatgcctgt aatcccagct actcgggagg ctaaggcagg agaatcactt gaacacagga 5820
ggcagcggtt gccgtgagcg gagatcacac cattgcactc cagccccggg gggacagagt 5880
gaaattctgt ctcaaaaaaa aaaaaaaaaa aaaaaagcaa gccagtgggc aaggacacac 5940
accacgccca gcacaccaga agcatgcagc agatgctggc tggtagccac agccatggta 6000
gtaactggca tcactggccc aagggggtct ccctacccaa tgtaccagcc cagagggtgc 6060
taaatgaccc atgtttgtgg gcatgtgtac cccagtgctg aacctccttc tggtagattt 6120
tcaagcacca ttttggagaa gggaggcagg gaccacaggg ggccagccag cctgtacagg 6180
ttttttgtgt tttttttgtt tgtttgtttg tttgtttttt gaggcagggt ctcactcttg 6240
cccaggctgg agtacaggca gtggcgtcat ctcggctcac tgcagcctca acctcccagg 6300
ctgcagcaat cctcccacct caccttcctg agtagctggg actacaggca cacaccacca 6360
accctcacta ttttttgtag agacagtttc accatgttgc ccaggctggt atcaaactcc 6420
tggactcagg cgatcctccc accttggcct cccagagtgc tgggattaca ggcatgagcc 6480
actgcacctg gcctaccagc ctgtaaagct tgagggctgg gctccaactg gagactcacc 6540
tgcctttcct ttctcttcat cagatgtgtt ccagctgcca agaagccggg gccaccattg 6600
ggtgctgcca caaaggatgc ctccacacct accactaccc gtgtgccagc gatg 6654

<210> 1075
<211> 6650
<212> DNA
<213> Homo sapiens

<400> 1075
gaaactgtct tctactgact gtttcaaaac cgaggccttc acatccccgg aggccctgca 60
gcctgggggg actgccctgg cgcctaagaa gaggagccgg aaaggccggg caggggccca 120
tggactctcc aaaggcccgc tggagaagcg gccctatctt ggcccggctc tgctcctgac 180
tccccgagac agggccagtg gcacacaagg ggccagtgag gacaactctg gtggaggagg 240
caagaagcca aagatggagg agctgggcct ggcctcccag cccccggagg gcaggccctg 300
ccagccccag acaagggcac agaaacagcc aggccacacc aactacagca gctattccaa 360
gcggaagcgc ctcactcggg gccgggccaa gaacaccacc tcttcaccct gtaaggggcg 420
tgccaagcga cgacgacagc agcaggtgct gcccctggat cccgcagagc ctgaaatccg 480
cctcaagtac atttcctctt gcaagcggct gaggtcagac agccggaccc ccgccttctc 540
acccttcgtg cgggtggaga agcgagacgc gttcaccacc atatgcactg ttgtcaactc 600
ccctggagat gcgcccaagc cccacaggaa gccttcctcc tctgcctcct cttcctcatc 660

ctcgtcctcg ttctccttgg atgcagccgg ggcctccctg gccacactcc ctggaggctc 720
catcctgcag ccgcggccct ccttgccccc ctcctccacg atgcacttgg ggcctgtggt 780
ttccaaggcc ctgagtacct cttgccttgt ttgctgcctc tgccaaaacc cggccaactt 840
caaggacctt ggggacctct gtgggcccta ctaccctgaa cactgcctcc ccaaaaagaa 900
gccaaaactc aaggagaagg tgcggccaga aggcacctgt gaggaggcct cgctgccgct 960
tgagagaaca ctcaaaggtc ccgagtgtgc agctgccgcc actgccggga agccccccag 1020
gcctgacggc ccagctgacc cggccaagca gggcccactg cgcaccagtg cccggggcct 1080
gtcccggagg ctgcagagct gctactgctg tgatggccgg gaggatgggg gcgaggaggc 1140
agccccagcc gacaagggtc gcaaacatga gtgcagcaag gaggctccgg cagagcccgg 1200
cggggaggcc caggagcact gggtgcatga ggcctgtgcc gtgtggaccg gcggcgtcta 1260
cctggtggcc gggaagctct ttgggctgca ggaggccatg aaggtggccg tggacatggt 1320
aagaggccag cccagccagg gtggggagtg tggggttcca aaggacaggc aggcaggcag 1380
tcggggagcc ccttgtttct agtgctacag tgtgggccaa atgtgtctgc agtctcggga 1440
caatctgcag agtcctgagc ctctctgggg tgtgtggggg aagtggaggc acccatctgg 1500
ctaaggcagg tcacactcac ctaccctgtc ccaggagact tcccgccggg gcccgtatgc 1560
ccagccaccg ccactctccc actcacctgg catcttcagg ctccagcccc acccagaatc 1620
cactgggccc ctccccatgc tgtcaccgga gatgccaagg cccagagaac acgaggactc 1680
ccaagattga acatcagggc tgccccgggc ggtgcaagag caagttgccc accctctgtt 1740
cctgtctcca ttgcctctgg gatgaagcta agggctcagg aagaccctct ctggcgacac 1800
aggcttggtg catggaccca gtcacagggt tcctccctct gcaggacagt ccatggggtc 1860
acacagtcac aacaggcagg gcggggcaga tccagaccct ctcaccattg gctctgagac 1920
cagctttgga agccatagtc actgagcacc aacatgagag agggaactct ggggctgtgc 1980
gccatgcacc tttggggctg tgacctgccc tctctgtgcc tccgtcccct cgcccctaac 2040
gtgggtatga gggtgcccat ggaggagggg tcgggagggt taaaaggtgg gcacctctga 2100
gcccaccgag cacagcagcc ctgtgatagt cagtgcagag gggcctggtg gctctggtga 2160
cagcagggtg acgttcttcg tggtgtcacc acttccccag taccatagag tacctctgtg 2220
cccttctgag ggaggggtca gtgggggcgg tggggtgcac ctctcccccg gggccatgct 2280
tctgccccca cattcaaccc cgactccact gcctcatcca gacttccgtg gagtgacgct 2340
cccggctctc agcgctgtgt ggtggctctc agtggggacg cctgcagcct tctctggccc 2400
ctgccctgag tcccatcccc tccactcctt ccttcaaccc actatgtgcg gctgaggtca 2460
caggggagcc agaggggctt ggcaggggtc tccagaggcc ctggacaaac actgcctgca 2520
tctgagtgat tcagtgaccc agcacagtgg ccccagccgg tggcttcgcc cctcccccctg 2580
cccagcctcc tcccccgtcg ctgcactgcc cacctgctcc tcgcagtaca cccctgcagc 2640
ccctctgagc agcccctgct cctgacagtt gccgtggcat tgcctggcca aaccaaggtc 2700
ccggtggggg cccactgtgt ttgccaccca cgcctcctag tgtgtgtctt gggcacctgc 2760
ttcccactgc ccatggggat ggctggagac cttctccacg cccagacgcc ctgcccacct 2820
cactccaccc tccacctcag aggaaggctg gccccgacag gactcctgca ggttcctggt 2880
gccgcgggcc ttgcttaccc agcagatggt ggccttgggc ctcttccctc tcccccttccc 2940
agttagtgat tttttgcctc tctcctgctt tctgtctctc tctgtctctc tctctctctc 3000
tctctctctc tctctctctc tctctctctc tcattactgg ctccttccca gcgccttgaa 3060
acaggttcaa gtctctcccg tcatcaaaaa ataataaccc tcagatcacc agccccagct 3120
ggctgccacc tcccctgctt cacagcccca ttcctgaaag ccttgtcccc acggcatcct 3180
cggtcccgca gcctcaccag gggctccccg acactcacgt cccaccaggc tgagatcagg 3240
tcgtctccac atcccctgca gccagcactg gccggccgaa gggaggaggg gtcagccccg 3300
agcaccgacc accccatcct gtccctggcc catgggtgtc ttaaccgccc atgcacacac 3360
aaggtcctgc tggactgagg agacagtgtg tgttggagag gcgctagctt ccctacacca 3420
cgcgggggct ggaacttgcc agcccagccc atgcctgtct gctgtgccat gctccagaaa 3480
tggcctgaca gcctgcgcaa ctagggctgc cccgggaagg tcggaaccag gaacaccctg 3540
ccagacagat gggacatcct gggagaatgg gcagagtctg gggcttccca gggtcacttt 3600
tggctcacca ccccttcctg cctcagtggc ttgggggcgc catgctcctt ggagtgagac 3660
cctggttcaa atcccagctc tgccgagggc tggttccata gctccaggcg agtcacgcat 3720
gctctgagaa ctccacaatg tcaaaccccg ttagcaggat tgtggggttc tgtggatcat 3780
gtgggacctg cctggcatgt ggaaggggct tggggtgcag ctgtgtccct ggccccagca 3840
ctgccacacc cctcggtacc ttgacctcac ttttgcgctc tggagggcag aacctctgag 3900
ccagctctca gggatacctt ttttcctcga tggccttttc tgggaactgc cctcgcctgc 3960
tatctctgag ccctgcctgc ccttccccca aagccatcat agacccctac ctcctatcca 4020
gatggagcct ggccatggaa tgcttggggt gagagggacc catagcgggc tccgggcatt 4080
gttaggggggc taggtggtgt ctgcagaggc cccacctgtg gcagggttta catgccgcca 4140
cccctgccct cctcttgggt agctggggtc agaagggcct gaggcctcac tctctctgca 4200
tcttagtttc ttcacatcta aaatgctatt catatgcctg cctgagggtg gttggggcct 4260
ccgtgcagta agtggagaga agccttcagc cagaggaccc ccatatgctt aaacatccag 4320

acaccaaggg ccactcacag acagcagccg gcttgtgttt cgtcatccct tttgggtcag 4380
gaactgggga cgctggactc cagatctcca ggaggccatc ccagactagg cgggaaggag 4440
gcctcagccc tgagctgaaa acctgaaatt ctagaataaa ccccaggccc cactcccagc 4500
atgggcagcg gggaggggag tgttctgaca tttctcagct gctgtggttg ggatggtgcg 4560
cccaccctga gcatgtgggg tcctgtgggc ccctactcca gcctggaggc agctgcaggg 4620
gtcagagacc agcctggagc cctcgggcag gttactcagc ctcagctctc attggtaacc 4680
caggtaaaat aacagtaatc ccatcataag gttgctgtgg gcatgaggct tccagccatg 4740
cctggcacat aggaagctat tgtcgtttgt ttcactggct tcgcacttgg gcagaggccg 4800
ccgccctctc tgctgccttc tctacctcac cccccgcccc cagcacggtg gcactgtggc 4860
tctggcgcct ggtgacttct ccctccccgg cctcaggttt gcttcactct tccaagggcc 4920
ttcttggtgt gactgtcctg tcctggccac gtccactcca agcagctggt ccaggtgtgg 4980
ggcagccccc aagctcagca gaggacagtt ttgagactta gaggaggacg gcatcagatt 5040
tacatgaagt cagccatctc aagggattac cacgtcaccg cctcctctca caggtctgag 5100
agctggtccc ctggagggtg caggtctcat cctaggtaga acagtcccag cctagcttca 5160
aagtgctcct gctgccagaa agggtagaaa accatgctga atgccttcac tgttgcctgg 5220
aatgggagcc tcagtttcac catctgtaaa gtgagattaa tgaaagggac ccacagaggg 5280
ctgttagagc cagtaggcgg ccaggcgcgg tggctcacgc ctgtaatccc agcactttgg 5340
gaggctgagg tgggcggatc acgaggtcag gagatcgaga ccatcctggc taacacggag 5400
aaaccccgtc tctactaaaa atacaaaaaa ttagcctggc gtggtggcgg gcacctgtag 5460
tcccagctac tggggaggct gaggcaggag aatggcgtga acccgggagg cggagcttgc 5520
agtgagccaa gattgtgcca ctgctctcta gcctgggcaa cagagcaaga ctccatctca 5580
aaagcaaaag aaaaaagagc cagtaggcca ggcgctatgt cttacacctg taatcccagc 5640
actttgggag gcctaggcag gcagatcacc tgaggtcggg agttcgagac cagcctggcc 5700
gacacagtga aactccgtct ctactaaaaa tacaaaaatt agctgggcat ggcagcacat 5760
gcctgtaatc ccagctactc gggaggctaa ggcaggagaa tcacttgaac acaggaggca 5820
gcggttgccg tgagcggaga tcacaccatt gcactccagc cccgggggga cagagtgaaa 5880
ttctgtctca aaaaaaaaaa aaaaaaaaaa aagcaagcca gtgggcaagg acacacacca 5940
cgcccagcac accagaagca tgcagcagat gctggctggt agccacagcc atggtagtaa 6000
ctggcatcac tggcccaagg gggtctccct acccaatgta ccagcccaga gggtgctaaa 6060
tgacccatgt ttgtgggcat gtgtacccca gtgctgaacc tccttctggt agattttcaa 6120
gcaccatttt ggagaaggga ggcagggacc acaggggccc agccagcctg tacaggtttt 6180
ttgtgttttt tttgtttgtt tgtttgtttg ttttttgagg cagggtctca ctcttgccca 6240
ggctggagta caggcagtgg cgtcatctcg gctcactgca gcctcaacct cccaggctgc 6300
agcaatcctc ccacctcacc ttcctgagta gctgggacta caggcacaca ccaccaaccc 6360
tcactatttt ttgtagagac agtttcacca tgttgcccag gctggtatca aactcctgga 6420
ctcaggcgat cctcccacct tggcctccca gagtgctggg attacaggca tgagccactg 6480
cacctggcct accagcctgt aaagcttgag ggctgggctc caactggaga ctcacctgcc 6540
tttccttttct cttcatcaga tgtgttccag ctgccaagaa gccggggcca ccattgggtg 6600
ctgccacaaa ggatgcctcc acacctacca ctacccgtgt gccagcgatg 6650

<210> 1076
<211> 460
<212> DNA
<213> Homo sapiens

<400> 1076
aggctggagt gcagtggtgc gatcttggct cactgcaacc tccgcctccc gagttcaagc 60
gattctcctg cctcagcctc tcaagtagct gggactacag gcgtgcacca ccacgctcag 120
ctaatttttg tatttttttgt agagatgggg tttcactgct ttggacagga tggtctccat 180
ctcttgacct cgtgatccgc ccgcctcagc tgcctaaagt gctgggatta caggcgtgag 240
ccactgtgcc cggcccctag tagcgttttt aatgtgtggt cttgagcaag ttggttgata 300
cctctgcaca cagtttccct acctgtatga tggagatgat aatagcccct tctctgcaga 360
gctgctggga ggagagtgaa ataatgaaca ctacccacac ggtgctgcct cagtcctatt 420
ttgggtccag cctctgtgac ctctccccac acggtgctgc 460

<210> 1077
<211> 400
<212> DNA
<213> Homo sapiens

<400> 1077

accctcttca agaggatgtc ttctcccaag aaagccaagc ccaccaaggg caatggcgag 60
cctgccacaa agctcccacc cccggagacc cccgatgcct gcctcaagct cgcctctcgg 120
gcagccttcc agggggccat gaagaccaag gtgctgccac cccggaaggg ccggggcctg 180
aagctggaag ccatcgtgca gaagatcacc tcgcccagcc tcaagaagtt cgcatgtaaa 240
gcgccagggg cctctcctgg taatcctctg agcccatccc tttccgacaa agaccgtggg 300
ctcaagggtg ctgggggcag cccagtgggg gtggaagaag gcctggtaaa tgtgggcacc 360
gggcagaagc tcccaacttc tggggctgat ccgttatgca 400

<210> 1078
<211> 400
<212> DNA
<213> Homo sapiens

<400> 1078
accctcttca agaggatgtc ttctcccaag aaagccaagc ccaccaaggg caatggcgag 60
cctgccacaa agctcccacc cccggagacc cccgatgcct gcctcaagct cgcctctcgg 120
gcagccttcc agggggccat gaagaccaag gtgctgccac cccggaaggg ccggggcctg 180
aagctggaag ccatcgtgca gaagatcacc tcgcccagcc tcaagaagtt cgcatgtaaa 240
gcgccagggg cctctcctgg taatcctctg agcccatccc tttccgacaa agaccgtggg 300
ctcaagggtg ctgggggcag cccagtgggg gtggaagaag gcctggtaaa tgtgggcacc 360
gggcagaagc tcccaacttc tggggctgat ccgttatgca 400

<210> 1079
<211> 460
<212> DNA
<213> Homo sapiens

<400> 1079
aggctggagt gcagtggtgc gatcttggct cactgcaacc tccgcctccc gagttcaagc 60
gattctcctg cctcagcctc tcaagtagct gggactacag gcgtgcacca ccacgctcag 120
ctaatttttg tatttttttgt agagatgggg tttcactgct ttggacagga tggtctccat 180
ctcttgacct cgtgatccgc ccgcctcagc tgcctaaagt gctgggatta caggcgtgag 240
ccactgtgcc cggcccctag tagcgttttt aatgtgtggt cttgagcaag ttggttgata 300
cctctgcaca cagtttccct acctgtatga tggagatgat aatagcccct tctctgcaga 360
gctgctggga ggagagtgaa ataatgaaca ctacccacac ggtgctgcct cagtcctatt 420
ttgggtccag cctctgtgac ctctccccac acggtgctgc 460

<210> 1080
<211> 1122
<212> DNA
<213> Homo sapiens

<400> 1080
ccagggccca gcatcagaag ccggccgttt tgatagacgt gttccctctg cgtccttgca 60
gccttccatc tgtgctacct cccaggaagc cgaaggccgc agagtccctt tcggatggca 120
ctgggagcag gaaaatgagg tgattatggg ctgctgctcc aagaagtatt ggcagctgtt 180
gctggggcgg ctccctgggg tgtcatccct ttcttgctct tgtggatggg aaccagagca 240
ccccacttca aagactctgt aagccagggc ttaccagaga aagctgaaga gtctagggcc 300
aattttaatc agtttcttgt gcttctcatg ccaaaagaga tgattgtcct cactatagtt 360
catcctatag tgcggcgggc ctgactcgct actgccctct aatgttctgg gagagaagct 420
gttgggtctt tcctacctaa tctggtagaa atgttagaac agaggctaat ttggggaaat 480
aaatctctca attttttttga gttgctttgt gtgtgtgcgc gcgcgcatgt gtgtgtgtaa 540
ggggcagggt ctctaagaaa gaaagaaaag gaggcgagag gaggaaagaa cctgtttcag 600
tttcccaggc tctggcaagg tgactgagga agcgccaagc cccttagcct ctttgggctc 660
tggttacctc atcagtaaca ttagaaggtt ttatacatga tttatccttt tttattcagc 720
tcttatagtc tataaatctc cagtaagttg tggaaataaa ctgtcttttа aaaatcttta 780
aaaaaccatt ttccggccgg gcgcggtggc tcacgcctat aatcccagca ctttgggagg 840
ccgaggcggg tggatcacga ggtcaggaga tcgagaccat cccggctaaa acggtgaaac 900
cccgtctcta ctaaaaatac aaaacattag ccgggcgtag tggcgggcgc ctgtagtccc 960
agctacttgg gaggctgagg caggagaatg gcgtgaaccc gggaggcgga gcttgcagtg 1020
agccgagatc ccgccactgc actccagcct gggcgacaga gcgagactcc gtctcaaaaa 1080

aaaaacaaaa caaacaaaca aacaaaaaaa acaaaaaaaa aa 1122

<210> 1081
<211> 1120
<212> DNA
<213> Homo sapiens

<400> 1081
ccagggccca gcatcagaag ccggccgttt tgatagacgt gttccctctg cgtccttgca 60
gccttccatc tgtgctacct cccaggaagc cgaaggccgc agagtccctt tcggatggca 120
ctgggagcag gaaaatgagg tgattatggg ctgctgctcc aagaagtatt ggcagctgtt 180
gctggggcgg ctccctgggg tgtcatccct ttcttgctct tgtggatggg aaccagagca 240
ccccacttca aagactctgt aagccagggc ttaccagaga aagctgaaga gtctagggcc 300
aattttaatc agtttcttgt gcttctcatg ccaaaagaga tgattgtcct cactatagtt 360
catcctatag tgcggcgggc ctgactcgct actgccctct aatgttctgg gagagaagct 420
gttgggtctt tcctacctaa tctggtagaa atgttagaac agaggctaat ttggggaaat 480
aaatctctca atttttttga gttgctttgt gtgtgtgcgc gcgcgcatgt gtgtgtgtaa 540
ggggcagggt ctctaagaaa gaaagaaaag gaggcgagag gaggaaagaa cctgtttcag 600
tttcacaggc tctggcaagg tgactgagga agcgccaagc cccttagcct ctttgggctc 660
tggttacctc atcagtaaca ttagaaggtt ttatacatga tttatccttt tttattcagc 720
tcttatagtc tataaatctc cagtaagttg tggaaataaa ctgtctttta aaaatcttta 780
aaaaaccatt ttccggccgg gcgcggtggc tcacgcctgt aatcccagca ctttgggagg 840
ccgaggcagg tggatcacga ggtcaggaga tcgagaccat cccggctaaa acggtgaaac 900
cccgtctcta ctaaaataca aaacattagc cgggcgtagt ggcgggcgcc tgtagtccca 960
gctacttggg aggctgaggc aggagaatgg cgtgaacccg ggaggcggag cttgcagtga 1020
gccgagatcc cgccactgca ctccagcctg ggcgacagag cgagactccg tctcaaaaaa 1080
aaaacaaaac aaacaaacaa aaaaaaaaac aaaaaaaaaa 1120

<210> 1082
<211> 518
<212> DNA
<213> Homo sapiens

<400> 1082
atgattttta aacagatttg gcacaggagt gcctttctgg gtttagggaa gtggtggaca 60
aggcaggaga gaaccacatt catcttctcc tcttgtgttt gtcttctgtc tttcaataac 120
gtccatgaac tgtgaggtta gtgtcttggc tgagagataa gtatggcttg gcattgattc 180
ttctgttgtt acctcaagct gttttctagt ccccaagaac agcactctca gtgggtgtgg 240
aagtgggcgg gacatgaagc aatggtttta cattgcattg cctggctaca gcttggcatt 300
tctttccttt ttctttttct ttgcgtcatt gccattggtg ccactaattt tgcttccccc 360
ctcttttata acttgtttct tcgggagttg cctagagtct ctgcattata tcttatttgg 420
tattgaggca gtgtgttctt ggccaataac ctaggagatg atatctgttc atcttacagg 480
tttagtgctg gaggaattca ttaaaaataa taataaaa 518

<210> 1083
<211> 3598
<212> DNA
<213> Homo sapiens

<400> 1083
atggggcggc cctggccaga agcggaggag gtggcacccg ggaccgagct ggggtcttgg 60
aggaagagag ggtgagggga atacagtact gggggtgaga gaagggttgg acagaagagg 120
gtcgggtatc tgggcatgcg cagggccgca ggactcttgg tggggtagcg agggggacgg 180
tcccacgact gctccgaagg gccgggactc ccagtggggg cgggaccccc ggagtgcccg 240
cctgcggact cccaagcctg gagcctgggg agagggtggg cacctccgtt cccgcacacc 300
cgtccatggt gtgtgcgccg agcgtccagg agccacggcg gtgtcttcct tgcgcgtctt 360
ttacacgtgt gggggtaggc tgctcctcgg ggctgagccg tggccagggt tatggagagg 420
cccgcctctc cccagatggc gtcgtcgagc cctgactccc catgttcctg cgactgcttt 480
gtctccgtgc ccccggcctc agccatcccg gctgtgatct ttgccaagaa ctcggaccga 540
ccccgggacg aggtgcagga ggtggtgttt gtccccgcag gcactcacac tcctgggagc 600
cggctccagg tgggttagac tttatggggt gctgggaggt gtggcagatc tctgcattct 660

tttaagacct tcttccctgc tccccacacc tgggaggctg ccagaagtag tggaagagca 720
tgagctttag gtctaccaac ctggacctga gctcattatg tagcctcagt ctacctcagt 780
ttcctcttct gtaaaatggg aatgagacct tcctcaaagg gatctataag gtaattggca 840
gagtgccaca ctcgaggggc cgcccctcta tgagtggacg cttcctttct cctccctcac 900
ctccagtgca cctacattga agtggaacag gtgtcgaaga cgcacgctgt gattctgagc 960
cgtccttctt ggctatgggg ggctgagatg ggcgccaacg agcatggtgt ctgcattggc 1020
aacgaggctg tgtggacgaa ggagccagtt ggggaggggg aagccctgct gggcatggac 1080
ctactcaggt gcagaccctg cccttcctca tctgcctgac acaccagaaa tctaggggct 1140
gagttttgac ctgggcccat ccatccctcc cccagcctgg ttcacagggg cctcctcctc 1200
tctgcagact ttgcccttgt gccttcgtga agaaggctgc agcagcagcc acctttgggc 1260
ctctcctggc ccagaaatag agcagtggtt atttatttat tttcagttga aatcttacat 1320
agagtcccaa tttataaaac cagtaatagt ggatggagca gctctgggtg gagagaggtt 1380
aggggctcag gacacttctc tctctgaaac tgtgtttcag gccttttcat ggaaccctca 1440
aagcatagca catggaacca gagcattgaa agccactggc ataattgcat ttgatacgat 1500
cagtgccagc agatttgctg tgtgacttgg gcctatcacc aaacctctcc gggcctcttc 1560
tgtcccctgg agcttctgcc accagccatt gatccctctg tcacccttct gtcccttggc 1620
cctctctttt gccaggctgg ctttggaacg gagcagctct gcccaggagg ccttgcatgt 1680
gatcacaggg ttactggagc actatgggca ggggggcaac tgcctggagg atgctgcgcc 1740
attctcctac catagcacct tcctgctggc tgaccgcact gaggcgtggg tgctggagac 1800
agctgggagg ctctgggctg cacagaggat ccagggtgag gtgttccctt tctcccagct 1860
ttgggaagtg ggagagatgg taggggcagg gaggggcccg atccaggtgc aagcctgtca 1920
ggacatccag ggagatggga gatgagccca cttgggaatt ctcctcccct tcacttggtt 1980
aagtcttccg tgtgctacag cctgttgctt cctctgggaa gccttcctgg acttccctgg 2040
gtggtcaggt ttcctgctta tatgcaagca ggtacttctt tttcatcgca ttcaacacag 2100
ttgcatgctt acatttatct ctgtgattat tttgtctgcc tcccccacca aaacgtaggc 2160
tccatgaggg taggtagttc tcttctccac catgttctca gcacctcgcc cagtgcctgg 2220
catagaatag atgctcaatg gtaaatgaac cactccccga tctcctccac agaggggccc 2280
cgcaacatct ccaaccagct gagcattggc acggacatct cggcccaaca cccggagctg 2340
cggactcatg cccaggccaa gggctggtgg gatgggcagg gtgcctttga ctttgctcag 2400
atcttctccc tgacccagca gcctgtgcgc atggaggctg ccaaggcccg cttccaggca 2460
gggcgggagc tgctgcggca acggcaaggt tagtgaacgg tggaggggggc tgggggccag 2520
gagggccaca gcagtgccag ccactctccc ctcccacagc ttccccctct actccttggc 2580
agggggcatc acggcagagg tgatgatggg catcctcaga gacaaggaga gtggtatctg 2640
tatggactcg ggaggctttc gcaccacggc cagcatggtg tctgtcctgc cccaggatcc 2700
cacgcagccc tgcgtgcact ttcttaccgc cacgccagac ccatccaggt gggaagaatg 2760
agggtgggga aggctgggga gaagagagga tctgatatat ctccgtgctt ccatctgtgc 2820
ccctctaggt ctgtgttcaa acctttcatc ttcgggatgg gggtggccca ggccccccag 2880
gtgctgtccc ccacttttgg agcacaagac cctgttcgga ccctgccccg attccagact 2940
caggtagatc gtcggcatac cctctaccgt ggacaccagg cagccctggg gctgatggag 3000
agagatcagg tatcccccag ggagtagggg ctaccttgag gggatgatag acctccccca 3060
ctcccagtgg gactctggaa atatgaagga actagggagt ggaagagatt tcagagctgg 3120
ggagaggagt tcctcccttc aaagccagca actgcctttg gggaatgtcg gggggtatct 3180
cctttctcct gcttgtgtga ggtggtacac agtcccccct tcacctggcg ggaagcctgt 3240
cccggacaga ctcatctcag ctttcccttg gggcaggatc gggggcagca gctccagcag 3300
aaacagcagg atctggagca ggaaggcctc gaggccacac aggggctgct ggccggcgag 3360
tgggccccac ccctctggga gctgggcagc ctcttccagg ccttcgtgaa gagggagagc 3420
caggcttatg cgtaagcttc atagcttctg ctggcctggg gtggacccag gacccctggg 3480
gcctgggtgc cctgagtggt ggtaaagtgg agcaatccct tcacgctcct tggccatgtt 3540
ctgagcggcc agcttggcct ttgccttaat aaatgtgctt tattttctct tcagtgaa 3598

<210> 1084
<211> 5689
<212> DNA
<213> Homo sapiens

<400> 1084
tttagaatca ggtggctcac tgagctctgt attttgtttc ctggagcttt cactggtttc 60
ttcccctgag ataccccaag tgacatgaaa agcatactca gggcctagag acactttact 120
ggggatgggc ttctgtcaca ggtcagaggt ctgagaagag gggcaggccc cactcctctc 180
cactagtaga gaaaggttga cagagaatca tttcttgctt ctcttggccg tagttttggt 240
tgtgctgggg gcctcagcca cagaggcctt gggggctgtg gctgctcgtg ccccttcct 300

tccccagaaa gagctttggt ggcccctggg aatcagactg catggtttct tggtgggaga 360
ggaggcctgg ggtgaggaga cggcctcagg gactgtctcc tcccccttgcg caggagtggc 420
agaagggctg ctgtccccag ccatgggcac cccaggtagc aggggcaggt cggtgagggt 480
gggctgcatc tccatcctca gcaggtgctc tgtcagggcc gtctgttgcc ggtgctccct 540
gtgcctgctc agctcctgct ccagctcctt gaggaagcct gggaggggcc gggggtggag 600
ggtacagggt gggtggagcc ctgggctcag caggagggtc cctgggctca gggaagtctc 660
tggctggccc cttgtccctt gtgggaagga gcctgaggct ggggcccagg actgacacct 720
ggctctggcc cagatgttga tctgaacttg gggctcccct ccccggacgc cactgccacc 780
ttagcttccc tcatgtccca cagggcagag gtgggctctg gggaggctga aaaccttgga 840
aagcagggtc acctcgttct gagcagaatg ggccactcag ctctgggaac tcctcatcgc 900
ttgaggcttc atcctcctca tccgaaatcc agcgctccac cacaggctgc ccgtccaggt 960
ccaggagaag tggcagggct tctgtcacca gctcgctgca gagcagaagg agcagaggtt 1020
acccaggagg gcaccctggc gtggaggatg caaagacacg caccacagca ctcacacccg 1080
gaggggtggt ggctcatgag ctaggtagga ggtgggggag aaggtgtcat ggacaggacc 1140
ccaggtttgc aggctgagag gggtctgggc tgagttagca ggtagagctc agccatgacc 1200
tttcttccca ccctccactc cttaccggta gccatcctgg ttggtgcagc tgtttccaga 1260
caggttgagg atgagaaggc tctgggggaa ctcatctgca cacagcaaag agagaggaaa 1320
tggggttctc acttgatctt agccaaaaga ccatgaagcg atgggaatgg ggttctcata 1380
cccactttct agtccaaagc cagtacctct aggcacaacc ccttgaactc cctgaggatg 1440
aaatgtggac ctgcaggggc atggctaata gaagcatggg cagatgggtg cagaggggag 1500
ggcaggcccc acaggggatg tgtttggtga gccagggcga gtgggttcct acccagcttc 1560
aatgtttcta tcaggttctc agaaaggtcc agaaactgga ggcatgggag gtcgaggagg 1620
ttttccacct gcctgatttg gtttcctgcc agagacagga agctgtaggg gaaggaaggg 1680
gtacagaggc agagctgaat catggaacag ctggaagaaa agaggagggc acctgacacc 1740
ggggcccctg ggctaggcag ctgatgacca gtggggacac atggccttct ggggtgaggg 1800
agtagatcta ggcttgctgg tccttgactg acaaggaccc aggcttggag aaatctgaac 1860
cagttctttg ggatatggct aggttccccc aacccctctt cccctgcctg agccctggca 1920
ccacataccg caaggagggg atgcaagcca ggttctcaat ttgctggatc ttattctgca 1980
agaagaaacc gaagtgggga aaccaagctg agatcagatg cgtcaggggc cctttacggg 2040
gacaaagccc caagaccatg tctactctgc agctggagat ctggcacttt gggaatgatc 2100
accccactcc ttgaacaggt tgccactacc ttaagaaaga tgattttctt tccccatgtg 2160
gatggttaag ggtgtaaacc tggggtatct aaacctgact acgtatactc ttctgattcc 2220
acaaccaaag agtgacctgg gaatcagaaa aggaaactaa gaagccacca ggaaaacgga 2280
aagggccttg gtggtggctt gcatacacag agagaacaat gagcatacag gaacttgacg 2340
gttaaagttt ctatggggaa agttgaagcg agctgggaat actcaaccag gggaaggctg 2400
aagatcaacc aaccaccacc accaccacca aacagccttc aagtaggatc tgaatgatgt 2460
acaggaatct tcatagtttc ctcttcttca aaacaggaaa tgggctggag ctatttaacg 2520
tgaaagattt agagtagatg ccaaaaagaa cttctagatc aagagaagtg cctaaagaac 2580
agtggaagga gcacaggtca tgttcaggat ctattttgag ggaattagtt tttcaattca 2640
ggaccctatg tcattcgtct gggaatggtt taaatgaagg tctgcctgcc tgaacaccag 2700
ggaatgggca ggatgacctg gttggctcct ttcagatgag acagattagg tccacagggg 2760
tcaaggggag gggaagggtg gagaaagaag ttacccctttg cagatagaga ctgtgaagat 2820
tctggaggcc ttctaagttc ctgatagtag taatcccctc ccggtccagg cggacagtct 2880
gcagttcatc aagagtgtga aacctgggaa aagagtcagt aagggtggtg ttagagcacc 2940
actcatgtgg tctcttagca gggaggatgg gagacggagg agggaagggg tttcaaggag 3000
gggtagttgg ctgagtcatt ttaatcagat gtgagaaaca tcttgacatc ttgaggtggt 3060
gtctagatca tgaaaccggc ttgacttgca gactcgtatc tctattgtta gcactgggaa 3120
gggtgagaga gaggagtaag ggccctctgg gaaattgggg gatggcagct tatggtttct 3180
ggagagattc agaggcaaga gaaaccttcc tctggccagc ttggatggtg gaggcagggg 3240
tgggacagag atgagacact gcagaaagat ccttcctcac cttccttttg agtcgttcat 3300
ggagaaaaaa gcacttgttc catccaccca ttcattcatt ccacaacatt gctgagtgcc 3360
tactagagac aaatgacaga gtctctgccc accactaata aagaagcagg gcaggctgac 3420
catggtggct taccctgtac tcccagcact ttgggaggcc gaggcaggag gatcgctcga 3480
gcccaggagg tcgaggctgc agtgtgccat gattatgcca ctgcacttca gcctgggtga 3540
cagagcaaga ccctatgtca taaaaaaaaa aaaaaaagag gctgggcgag gtggctcact 3600
gtaatcccag cactttggga ggtcgaggtg ggtggattgc ctgaggtcag gagttcaaga 3660
ccagcctggc taacatggtg aaaccccatc tctactaaaa atacaaaaaa aattagccgg 3720
gtgtggtggc gcacacctgt agtcccagct actcgggagg ctgaggctgg agaatcgctt 3780
caactcagga ggcagacgtt gcagtgagcc gagatcacac cattgcactc cagcctgcgc 3840
aacagagtga gactccgtct caaaaaaaaa aaaaaaaaat aggaagaagg ccaaacatct 3900
atgacaagtg gataacagag gcaagtacag gggaaaggaa gaaggaggag gaagaaggga 3960

aagaaggagg aagaggaaga agaaagaaag aaagaaagaa taaggccaaa catccctgac 4020
aagtggataa cagaagcaag tacaggggac aaagggagta cataggctgt gcactaaatt 4080
cacagtagga ggaatcaggg aatgcttcct agaggaggtg acagatgagt aggcattagc 4140
catgaaggtg gggggatatg gggagaaggc atttcaagca gaaggaatag tacatgctaa 4200
tacagccctt ccgaaactcc aatatgccca tgcagattct aattcagtag atcgggtgga 4260
ggggctgaga tgctccactt ctaacaagcc ccctgtgatg ccaatgctgc tgtcctaccc 4320
ctgcaccccc tcccatccac acatactctg agtagtaagg tactaaggtg tgagtacaca 4380
gtgtgggaaa ttgtacactt gtggagagtg gccagaaata aggctgaaaa gcagaagtca 4440
actcatgctt aggcattggg atttatttgg gaggaagttt ctatcagtga atgcctgatt 4500
agatttgtta tttaaaagga tcactttggc tactcaggag gctgaagtgg gaggattgtt 4560
tgaggagttc aagaccagtc tggccaacag agcaagaccc catctctaaa aaagtaatta 4620
aaaatacttt acttttgtt tgttttagaa atagggtctc accctgttgc ccaggctggc 4680
atgcaatggc atgatcatag cttactgcag ccacaggtac ctgggttcaa gtgatcctcc 4740
tgtctcagcc acctaggact acaggtgtgc accaccatgc tcagctagtt tatttttatt 4800
ttttagagat aggattctgt ctctattgcc caggctggtc tcaaactcct gggctcaagt 4860
gatcctcctg cctcagcctc ccaaagtggt gggtgtgtag gagagaggtg aacacggcct 4920
tatctaagac agttgagtga ggatggtgaa aaagaaatgg aattattttg aagaagggaa 4980
aatcagctgg gcattaccac tgattgaatg tgtggagtaa ggagagaaac aaagatcagt 5040
tgacaaatca gtacacgtca gggacctggt catcctgagt gtttcagcct tctagcaccc 5100
cttttctccc ccatgcactc acatcttctc tgacagttcc ccatcttcag ggaaagtcaa 5160
gttccgctta gtgataaggg cttcagtgat gcagacgccc ccttcctctg gaccctgggc 5220
tgacttccct gtgaaaagat gagtccaact gtgacacttc ctcactcttg gaggccttac 5280
cccgctgttt tccaactgct ctacccaccg tcccacctcc ctactcacct ccagacatga 5340
tctaaaataa aaggctgctg gtctgaggcg ggagaggaac gaaaagagag gtcttggcgg 5400
cccctaagga tggcagaact caggatggca ggaggagaga gaaactcaga gacttaggag 5460
aggaggaaag ggggttgatt cagagaaaat tgctggggtg aggtcgaaga aaacagtaaa 5520
ttgatgtgaa gggtctggag tttgaggggt gtggaggggc tttgctggca gcaagctggg 5580
gtgttgtggg caggaatggt tgagaaagga gcagttccta ggaagccgga gtcgttgcta 5640
agagactgga cgccgagtgg ggaggtaaag gcgggctccg ttggcccgg 5689

<210> 1085
<211> 776
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (709)..(709)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (738)..(738)
<223> n equals a,t,g, or c

<400> 1085
tacaacgtcg tgactgggaa aaccctggcg ttacccaact taatcgcctt gcagcacatc 60
ccccttcgc cagctggcgt aatagcgaag aggcccgcac cgatcgccct tcccaacagt 120
tgcgcagcct gaatggcgaa tggcgcctga tgcggtattt tctccttacg catctgtgcg 180
gtatttcaca ccgcatatgg tgcactctca gtacaatctg ctctgatgcc gcatagttaa 240
gccagccccg acacccgcca acacccgctg acgcgccctg acgggcttga ctgctcccgg 300
catccgctta cagacaagct gtgaccgtct ccgggagctg catgtgtcag aggttttcac 360
cgtcatcacc gaaacgcgcg agacgaaagg gcctcgtgat acgcctattt ttataggtta 420
atgtcatgat aataatggtt tcttagacgt caggtggcac ttttcgggga aatgtgcgcg 480
gaacccctat ttgtttattt ttctaaatac attcaaatat gtatccgctc atgagacaat 540
aaccctgata aatgcttcaa taatattgcc aaaggaagag tatgagtatt caacatttcc 600
gtgtcgccct tattcccttt attgcggcat tgagcctgtc tgtttttgct cacccagaaa 660
cgctggtgaa agtaaaagat gctgaagatc agttgggtgc acgagtggng tacatcgaac 720
tggatctcaa cagcggtnag atcctcgaga ggtttcgccc ccgaagaacg tttttc 776

<210> 1086

<211> 878
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (741)..(741)
<223> n equals a,t,g, or c

<400> 1086
gaaaaccctg gcgttaccca acttaatcgc cttgcagcac atccccctttcgccagctgg 60
cgtaatagcg aagaggcccg caccgatcgc ccttcccaac agttgcgcag cctgaatggc 120
gaatggcgcc tgatgcggta ttttctcctt acgcatctgt gcggtatttc acaccgcata 180
tggtgcactc tcagtacaat ctgctctgat gccgcatagt taagccagcc ccgacacccg 240
ccaacacccg ctgacgcgcc ctgacgggct tgtctgctcc cggcatccgc ttacagacaa 300
gctgtgaccg tctccgggag ctgcatgtgt cagaggtttt caccgtcatc accgaaacgc 360
gcgagacgaa agggcctcgt gatacgccta tttttatagg ttaatgtcat gataataatg 420
gtttcttaga cgtcaggtgg cacttttcgg ggaaatgtgc gcggaacccc tatttgttta 480
tttttctaaa tacattcaaa tatgtatccg ctcatgagac aataaccctg ataaatgctt 540
caataatatt gaaaaaggaa gagtatgagt attcaacatt tccgtgtcgc ccttattccc 600
ttttttgcgg cattttgcct tcctgttttt gctcacccag aaaacgctgt gaaaagtaaa 660
gatgctgaag atcagttggg tgcacgagtg ggttacatcg aactggatct caacagcggt 720
aaaaaccttg agagttttcg nccccgagaa cgtttttcaa tgatgagcac ttttaaagtt 780
ctgctatgtg gcgcggtatt aatccctatt tacgcccggg cagaagcact cggtcgccgg 840
atacactatt ctagaatgac ttggttgagt actaacca 878

<210> 1087
<211> 150
<212> DNA
<213> Homo sapiens

<400> 1087
cgtcgtgact gggaaaaccc tggcgttacc caacttaatc gccttgcagc acatcccccc 60
ttcgccagct ggcgtaatag cgaagaggcc cgcaccgatc gcccttccca acagttgcgc 120
agcctgaatg gcgaatggcg cctgatgcgg 150

<210> 1088
<211> 1299
<212> DNA
<213> Homo sapiens

<400> 1088
ttttttttttttggcaaa taaagagtaa aacaggctat ttaaaacatc catttaaatg 60
caaattttga tatcccaaga gaaaaatgtt aatcatttaa atagacagga ttatcgccca 120
cccttaccac ttccctcctc tcccaagttt tagaaaacgt agccttagcc cacacaagtc 180
aagtcagcca ggagtcctta catcttaaga actcccactc agatgagagg gctgaggcag 240
atagaggggg acttttcctt cttttgagga aggagatgga aaagagagaa aatagtctaa 300
catatcctat aagccaggca tggggcaata ttataaatac aaacacacac acacacacac 360
acacatgcat gcacacacac acacccacac ttaatcatca caactgtctt ggaacgggga 420
attatcatcc tcatctacag acaaggaaac tgaggcttag aaaggtgaag cagtttgccc 480
cactggtagg tgacccagtt gggagtagag gcctccatag ccctcccagt ccatggtgac 540
ctgcggtcct gtccagactc acccagcatc cccatgccaa gcatgaacgc gtccatggtg 600
taaggcagtc cccgggcccg gcctcttgtc ccaggtggga acatgacttc tttcggctga 660
gctttcttac attctacctg ttaaacagaa aggcgaacaa atgagatgca aatgaattcc 720
acgtaaatgt caaatgcaga acctgtctgg ttatgagcta agttattttt agccttgctc 780
cttacccact gtaaaaatag ccatgccgag taaatggcct gcaaaataaa tacttaagaa 840
aacacgccac ttgtgcaaat cctgcttcgg aaaaacctac aaggatgaaa ctgggttctg 900
gaggggtggc aaggacgtaa gctgcagata tacacacaga ttgaagctca ggctgacgct 960
cgtgcagaaa gcatgacaga taaggaggca gacaatggct gttggatgtg tctgtgaata 1020
ataacaacaa tagcaataat aataatccct caggattttt cagcccttta cacatttaca 1080
aatgcccctg acattctctc aggccagtga ctcttcatgc caggccatct gattcaaact 1140

cttattaaac agacagacca cttagcctta gctccagttc acagatgaga aaacagagca 1200
tcagaagttt tgtgttggct gggcgtgggg gatcatgttt gtaatcccag cactgtggga 1260
ggtggaggca ggtgaatcag cttgagccca ggcgtttca 1299

<210> 1089
<211> 330
<212> DNA
<213> Homo sapiens

<400> 1089
tttttaaaaa cattttctca tttattctca cttgtttctt cttccaggga taagttttag 60
aaacatctgg ccaatttaaa aaaattacaa taggatttct ctttgaaact ctgttaagcc 120
taaaaaattc atatgaggag aattaacatc atggccattt ttaatattct cctggcatct 180
ttttctattt cataaagttc ctcaaaatag ttttacctgc ccttgttatt tcctcagaca 240
agtagataca attctttgtc agaccacaag atgttttata aatttaaaat taagccagaa 300
gtgatttaaa cagcagcaaa tctgaaaata 330

<210> 1090
<211> 3328
<212> DNA
<213> Homo sapiens

<400> 1090
ttgttttgtc tcaggttttt tttttctttt ttttttttga gagggtgtct cgctctgttg 60
acaggctgga gtacagtagc acgatctcag gccactgcaa cctctacctt ctgggttcaa 120
gagattctcc tgcctcagcc tcccaagtag ctgggactat aggcgcatgc caccacgccc 180
agctaatttt tgtatttttа gtagagacag ggtttcacca ttgttggcca agctggtctc 240
gatctctttg accttgtgat ccacccacct tggcctccca aagtcctggg attacaggcg 300
tgagccactg tgcccagcct ggctcaggtt tttcaataca gtcttgacct tggcattcag 360
tatcctcaca gcatggttct aattaacttt ctagctctat ttccctttтc ctgctccctc 420
tctctacaac tagtctttct ctgattgccc cgccctcaac ccatctaaac tagaccccag 480
ggaagcacct tggtcccctt cctctctccc actcaccatc caaccaatca ccagagcctg 540
tacattctat attttcaaca tcgattcaat tgtctacttc tttctagcct gccctctctg 600
actgggactc cttgagccag cctgatcacc ccaatccatc cctcacactg tgcccatctt 660
tctgaagtag gaatctgatc acaccaccct gctaaaaaca ctctggttct ccccacggca 720
tgtggtgccc ttgtatagct ggcaaagcct tgcatggcac ggccccagcc tgtgcttcaa 780
ctcaattgcc cgactctctc cagctctgct gagccaccta agtcacagat ggtttctcct 840
ctcatctctg ctctcttcca tgtgccattt ctgtggcttg gaatgttctt ccctcattct 900
ctttctggcc ctttcccgtc acaccttaga cgtgcatctt cctctcgaaa acctctagtg 960
aagcctccca gggccaggca gtaccctcct ctggcttctt ctggatacag aggaagaatc 1020
tgagcatcga ttctccatct cagcaggcct ctgtgtgcct gctgactccg actagaccag 1080
agatccgtaa ggacagggat cgagtttttt ttcttttaat tcactgcctc aaaaatcctc 1140
tgtgcattac ctattcatcc tcttctctcc cttaacctga accagtgatc ttactgtctc 1200
catcattgtt ttttttcttt cttttctttt cttttttttt tttgaggtgg agtctggctc 1260
ttcacccagg ctggagtgca gtgatgcgat ctcgactcac tgcaacctcc atctcctggg 1320
ttcaagcgat tctcctgcct cagcctcccc agtagctggg attacaggca tgcgctacca 1380
tccccaacta atttttgcct ccataatttt gccttttcta gaatgtcata caggtggaat 1440
tactcagtat gctgcctttt tcagattggc ttctttcact tagtaatatg tttgtttttt 1500
gagacagggt cttgctctgt cgcccaggct agagtgtggt ggtgcgatct tagctcactg 1560
aaacctccac ctcccaggtt caagtgactc tcctgcctca gcctcccgag tagctgggac 1620
tacaggcaca tgccaccata cccggctaat ttgtggattt ttagtacaga cggggtttca 1680
tcatgttggc cagggtgttg ttgaattcct gacctcaagt gatccacctg cctcagcctc 1740
ccaaagtgtt gcgattacag gtgtgagcca ctgcgccaag cctcatttag taatatgcat 1800
ttaaactttc tccatgtctt taatggcttg atagctcatt tatttttatc atggaatatt 1860
tcattgtctg gatggaccac agtttatttc tccattcacc tactgaagga catctcggtt 1920
gcttctaagt tttggcaatt atgaataaag ctgctataac catcaagtgc aggtttttgt 1980
gtggacctat tatcaactaa ttcgggtaaa tctcaaggag tgcaattgct ggatcacaca 2040
gtaagagtgt gtttagtttt aagtggctgt gccattttgc attcccacca gcaatgaatg 2100
agagtttctg ttgctccaca ttctcactac cattcggtgt tgtcagtgtt ttgcattttg 2160
gccattctag taggtgttta catggtatct agtcatttga atgggcatat gatgtggaac 2220
atctttttтt ttttaatttt attattatta tactttaagt tttagggtac atgtgcacaa 2280

cgtgcaggtt tgttacatat gtatacatgt gccatgttgg tgtgctgcac ccattaacta 2340
gtcatttagc attaggtata tctcctaatg ctattggaac atcttttcat gtgtttattt 2400
gccatctgta tatcttccct gatgagttgg ggatgcattc tttccatctc agagtcccca 2460
gaaactaaca tagcagttgg tacagagttg gtgctcaaca aacatcagct taggaactat 2520
gtcctatgtt tttttgtttt ttttttttt taaaaaggaa tgtgagctgt tcccaaaacg 2580
tatgtccttc ccccatgcct ctaccctgcc cttccacaaa ctttctgatc ttcagcacac 2640
actacccaac catcaaggct gagacttccc gtggccagca gtgtctcatg ctggcttcaa 2700
gccccacagc actgcttttt tcaacttctc ttgtggttta gactgtcttt agcccagcaa 2760
gagaattcat tgtcttatcc cccattaaac tgtacctaca ctctttgagg aaaagggtcc 2820
atcttactta aaatatttta aaaattcaca tgtgataaaa ctgatgtgta tgtgtatgag 2880
agagagagaa agagagaaca gttctatgag gcttaatgta tacatgtggc tgtgcagccc 2940
actgccccat gtcaccattt tcaattctgt cattacccct gggacaatgt cttgtcaata 3000
tacacttgag gctgggcggg gtggttcctg cctgtaatcc cacctgtaat caggagttca 3060
agaccagcct ggccaacaca gcaaaacccc gtctctacta aaaatacaaa aatttgctgg 3120
gcgtggtggc acgggcctgt aatcccagct actcaggtgg ctgaggcagg acaatcgctt 3180
gaaccgggga ggtggaggtt gcagtgagcc aagatcgtgc cactgcactc cagcctaggc 3240
aacagagcga gactctgtct caaaaatata tacatacaca cacacataca cacacacgcg 3300
caagagacac agtgagtaga aacaccga 3328

<210> 1091
<211> 3051
<212> DNA
<213> Homo sapiens

<400> 1091
ttttttttt tgagagggtg tctcgctctg ttgacaggct ggagtacagt agcacgatct 60
caggccactg caacctctac cttctgggtt caagagattc tcctgcctca gcctcccaag 120
tagctgggac tataggcgca tgccaccacg cccagctaat ttttgtattt ttagtagaga 180
cagggtttca ccattgttgg ccaagctggt ctcgatctct ttgaccttgt gatccaccca 240
ccttggcctc ccaaagtcct gggattacag gcgtgagcca ctgtgcccag cctcggctca 300
ggtttttcaa tacagtcttg accttggcat tcagtatcct cacagcatgg ttctaattaa 360
ctttctagct ctatttccct tttcctgctc cctctctcta caactagtct ttctctgatt 420
gccccgccct caacccatct aaactagacc ccagggaagc accttggtcc ccttcctctc 480
tcccactcac catccaacca atcaccagag cctgtacatt ctatattttc aacatcgatt 540
caattgtcta cttctttcta gcctgccctc tctgactggg actccttgag ccagcctgat 600
caccccaatc catccctcac actgtgccca tctttctgaa gtaggaatct gatcacacca 660
ccctgctaaa aacactctgg ttctccccac ggcatgtggt gcccttgtat agctggcaaa 720
gccttgcatg gcacggcccc agcctgtgct tcaactcaat tgcccgactc tctccagctc 780
tgctgagcca cctaagtcac agatggtttc tcctctcatc tctgctctct tccatgtgcc 840
atttctgtgg cttggaatgt tcttccctca ttctctttct ggcccctttcc cgtcacacct 900
tagacgtgca tcttcctctc gaaaacctct agtgaagcct cccagggcca ggcagtaccc 960
tcctctggct tcttctggat acagaggaag aatctgagca tcgattctcc atctcagcag 1020
gcctctgtgt gcctgctgac tccgactaga ccagagatcc gtaaggacag ggatcgagtt 1080
ttttttcttt taattcactg cctcaaaaat cctctgtgca ttacctattc atcctcttct 1140
ctcccttaac ctgaaccagt gatcttactg tctccatcat tgtttttttc ttttcttttc 1200
ttttcttttt ttttttgag gtggagtctg gctcttcacc caggctggag tgcagtgatg 1260
cgatctcgac tcactgcaac ctccatctcc tgggttcaag cgattctcct gcctcagcct 1320
ccccagtagc tgggattaca ggcatgcgct accatcccca actaattttt gcctccataa 1380
ttttgccttt tctagaatgt catacaggtg gaattactca gtatgctgcc tttttcagat 1440
tggcttcttt cacttagtaa tatgtttgtt ttttgagaca gggtcttgct ctgtcgccca 1500
ggctagagtg tggtggtgcg atcttagctc actgaaacct ccacctccca ggttcaagtg 1560
actctcctgc ctcagcctcc cgagtagctg ggactacagg cacgtgccac catacccggc 1620
taatttgtgg atttttagta cagacggggt ttcgtcatgt tggccagggt gttgttgaat 1680
tcctgacctc aagtgatcca cctgcctcag cctcccaaag tgttgcgatt acaggtgtga 1740
gccactgcgc caagcctcat ttagtaatat gcatttaaac tttctccatg tctttaatgg 1800
cttgatagct catttatttt tatcatggaa tatttcattg tctggatgga ccacagttta 1860
tttctccatt cacctactga aggacatctc ggttgcttct aagttttggc aattatgaat 1920
aaagctgcta taaccatcaa gtgcaggttt ttgtgtggac ctattatcaa ctaattcggg 1980
taaatctcaa ggagtgcaat tgctggatca cacagtaaga gtgtgtttag ttttaagtgg 2040
ctgtgccatt ttgcattccc accagcaatg aatgagagtt tctgttgctc cacattctca 2100
ctaccattcg gtgttgtcag tgttttgcat tttggccatt ctagtaggtg tttacatggt 2160

atctagtcat ttgaatgggc atatgatgtg gaacatcttt ttttttttaa ttttattatt 2220
attatacttt aagttttagg gtacatgtgc acaacgtgca ggtttgttac atatgtatac 2280
atgtgccatg ttggtgtgct gcacccatta actagtcatt tagcattagg tatatctcct 2340
aatgctattg gaacatcttt tcatgtgttt atttgccatc tgtatatctt ccctgatgag 2400
ttggggatgc attctttcca tctcagagtc cccagaaact aacatagcag ttggtacaga 2460
gttggtgctc aacaaacatc agcttaggaa ctatgtccta tgtttttttg ttttttttt 2520
tttttaaaaa ggaatgtgag ctgttcccaa aacgtatgtc cttcccccat gcctctaccc 2580
tgcccttcca caaactttct gatcttcagc acacactacc caaccatcaa ggctgagact 2640
tcccgtggcc agcagtgtct catgctggct tcaagcccca cagcactgct tttttcaact 2700
tctcttgtgg tttagactgt ctttagccca gcaagagaat tcattgtctt atcccccatt 2760
aaactgtacc tacactcttt gaggaaaagg gtccatctta cttaaaatat tttaaaaatt 2820
cacatgtgat aaaactgatg tgtatgtgta tgagagagag agaaagagag aacagttcta 2880
tgaggcttaa tgtatacatg tggccgtgca gcccactgcc ccatgtcacc attttcaatt 2940
ctgtcattac ccctgggaca atgtcttgtc aatatacact tgaggctggg cggggtggtt 3000
cctgcctgta atcccacctg taatcaggag ttcaagacca gcctggccaa c 3051

<210> 1092
<211> 3029
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(1)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (4)..(4)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (150)..(150)
<223> n equals a,t,g, or c

<400> 1092
ntancccatt gtgcccagcc tggctcaggt ttttcaatac agtcttgacc ttggcattca 60
gtatcctcac agcatggttc taattaactt tctagctcta tttccctttt cctgctccct 120
ctctctacaa ctagtctttc tctgattgcn ccgccctcaa cccatctaaa ctagacccca 180
gggaagcacc ttggtcccct tcctctctcc cactcaccat ccaaccaatc accagagcct 240
gtacattcta tattttcaac atcgattcaa ttgtctactt ctttctagcc tgccctctct 300
gactgggact ccttgagcca gcctgatcac cccaatccat ccctcacact gtgcccatct 360
ttctgaagta ggaatctgat cacaccaccc tgctaaaaac actctggttc tccccacggc 420
atgtggtgcc cttgtatagc tggcaaagcc ttgcatggca cggccccagc ctgtgcttca 480
actcaattgc ccgactctct ccagctctgc tgagccacct aagtcacaga tggtttctcc 540
tctcatctct gctctcttcc atgtgccatt tctgtggctt ggaatgttct tccctcattc 600
tctttctggc cctttcccgt cacaccttag acgtgcatct tcctctcgaa aacctctagt 660
gaagcctccc agggccaggc agtaccctcc tctggcttct tctggataca gaggaagaat 720
ctgagcatcg attctccatc tcagcaggcc tctgtgtgcc tgctgactcc gactagacca 780
gagatccgta aggacaggga tcgagttttt tttcttttaa ttcactgcct caaaaatcct 840
ctgtgcatta cctattcatc ctcttctctc ccttaacctg aaccagtgat cttactgtct 900
ccatcattgt ttttttcttt tcttttcttt tctttttttt ttttgaggtg gagtctggct 960
cttcacccag gctggagtgc agtgatgcga tctcgactca ctgcaacctc catctcctgg 1020
gttcaagcga ttctcctgcc tcagcctccc cagtagctgg gattacaggc atgcgctacc 1080
atccccaact aatttttgcc tccataattt tgccttttct agaatgtcat acaggtggaa 1140
ttactcagta tgctgccttt ttcagattgg cttctttcac ttagtaatat gtttgttttt 1200
tgagacaggg tcttgctctg tcgcccaggc tagagtgtgg tggtgcgatc ttagctcact 1260
gaaacctcca cctcccaggt tcaagtgact ctcctgcctc agcctcccga gtagctggga 1320
ctacaggcac atgccaccat acccggctaa tttgtggatt tttagtacag acggggtttc 1380
atcatgttgg ccagggtgtt gttgaattcc tgacctcaag tgatccacct gcctcagcct 1440

cccaaagtgt tgcgattaca ggtgtgagcc actgcgccaa gcctcattta gtaatatgca 1500
tttaaacttt ctccatgtct ttaatggctt gatagctcat ttatttttat catggaatat 1560
ttcattgtct ggatggacca cagtttattt ctccattcac ctactgaagg acatctcggt 1620
tgcttctaag ttttggcaat tatgaataaa gctgctataa ccatcaagtg caggtttttg 1680
tgtggaccta ttatcaacta attcgggtaa atctcaagga gtgcaattgc tggatcacac 1740
agtaagagtg tgtttagttt taagtggctg tgccattttg cattcccacc agcaatgaat 1800
gagagtttct gttgctccac attctcacta ccattcggtg ttgtcagtgt tttgcatttt 1860
ggccattcta gtaggtgttt acatggtatc tagtcatttg aatgggcata tgatgtggaa 1920
catcttttttt ttttttaattt tattattatt atactttaag ttttagggta catgtgcaca 1980
acgtgcaggt ttgttacata tgtatacatg tgccatgttg gtgtgctgca cccattaact 2040
agtcatttag cattaggtat atctcctaat gctattggaa catcttttca tgtgtttatt 2100
tgccatctgt atatcttccc tgatgagttg gggatgcatt ctttccatct cagagtcccc 2160
agaaactaac atagcagttg gtacagagtt ggtgctcaac aaacatcagc ttaggaacta 2220
tgtcctatgt ttttttgttt ttttttttttt ttaaaaagga atgtgagctg ttcccaaaac 2280
gtatgtcctt cccccatgcc tctaccctgc ccttccacaa actttctgat cttcagcaca 2340
cactacccaa ccatcaaggc tgagacttcc cgtggccagc agtgtctcat gctggcttca 2400
agccccacag cactgctttt ttcaacttct cttgtggttt agactgtctt tagcccagca 2460
agagaattca ttgtcttatc ccccattaaa ctgtacctac actctttgag gaaaagggtc 2520
catcttactt aaaatatttt aaaaattcac atgtgataaa actgatgtgt atgtgtatga 2580
gagagagaga aagagagaac agttctatga ggcttaatgt atacatgtgg ctgtgcagcc 2640
cactgcccca tgtcaccatt ttcaattctg tcattacccc tgggacaatg tcttgtcaat 2700
atacacttga ggctgggcgg ggtggttcct gcctgtaatc ccacctgtaa tcaggagttc 2760
aagaccagcc tggccaacac agcaaaaccc cgtctctact aaaaatacaa aaatttgctg 2820
ggcgtggtgg cacgggcctg taatcccagc tactcaggtg gctgaggcag gacaatcgct 2880
tgaaccgggg aggtggaggt tgcagtgagc caagatcgtg ccactgcact ccagcctagg 2940
caacagagcg agactctgtc tcaaaaatac atacatacac acacacatac acacacacgc 3000
gcaagagaca cagtgagtag aaacaccga 3029

<210> 1093
<211> 224
<212> DNA
<213> Homo sapiens

<400> 1093
gaccaacatg gtgaaaccct gtctctacta aaaacacaaa atttagctgg gtgtggtggt 60
gcgcacctgt aatcccagct actcaggaag ctgaggcagg agaatcactt gaacctggta 120
ggtggaggtt gcagtgagct gagatcatgc cactgcactc cagcctgggt gacagagcga 180
gactctctct ccaaaaaaaa aaaaaaaaac ctagaccaga tgca 224

<210> 1094
<211> 468
<212> DNA
<213> Homo sapiens

<400> 1094
tcagcattaa aatttgggga aaaaaatgtt tgaagatcaa tgaaaaatag cactggactc 60
tatatttact tatataagat ttttttttta aatcttgatg aaaatttta ttaggctaga 120
attgcagagc tgcaagagaa ttctgagatc aacaggtctt tttccttcat ttaccagctg 180
agaaacttgg ggtcatagga gattaagatt gtttatctta ccagttgaat tcaatacttt 240
cagaaataat tgttagaatt cagtgaaagt tattctctta aaagtacact gcttttcagc 300
tcctatcaag tgtttcccta tgcttccaca atcctgatta tcaatttggg tatgggccac 360
tctgggaaag gctgtcaaat gtttattcta gaatccagca actcccagat gtccatctcc 420
atctcaggtt ctggtcaaag tctgatgtag caaagaaaca gagtaaca 468

<210> 1095
<211> 222
<212> DNA
<213> Homo sapiens

<400> 1095
ccaacatggt gaaaccctgt ctctactaga aacacaaaat ttagctgggt gtggtggtgc 60

gcacctgtaa tcccagctac tcaggaagct gaggcaggag aatcacttga acctggtagg 120
tggaggttgc agtgagctga gatcatgcca ctgcactcca gcctgggtga cagagcgaga 180
ctctctctcc aaaaaaaaaa aaaaaaacct agaccagatg ca 222

<210> 1096
<211> 468
<212> DNA
<213> Homo sapiens

<400> 1096
tcagcattaa aatttgggga aaaaaatgtt tgaagatcaa tgaaaaatag cactggactc 60
tatatttact tatataagat ttttttttta aatcttgatg aaaattttta ttaggctaga 120
attgcagagc tgcaagagaa ttctgagatc aacaggtctt tttccttcat ttaccagctg 180
agaaacttgg ggtcatagga gattaagatt gtttatctta ccagttgaat tcaatacttt 240
cagaaataat tgttagaatt cagtgaaagt tattctctta aaagtacact gcttttcagc 300
tcctatcaag tgtttcccta tgcttccaca atcctgatta tcaatttggg tatgggccac 360
tctgggaaag gctgtcaaat gtttattcta gaatccagca actcccagat gtccatctcc 420
atctcaggtt ctggtcaaag tctgatgtag caaagaaaca gagtaaca 468

<210> 1097
<211> 224
<212> DNA
<213> Homo sapiens

<400> 1097
gaccaacatg gtgaaaccct gtctctacta aaaacacaaa atttagctgg gtgtggtggt 60
gcgcacctgt aatcccagct actcaggaag ctgaggcagg agaatcactt gaacctggta 120
ggtggaggtt gcagtgagct gagatcatgc cactgcactc cagcctgggt gacagagcga 180
gactctctct ccaaaaaaaa aaaaaaaaac ctagaccaga tgca 224

<210> 1098
<211> 1854
<212> DNA
<213> Homo sapiens

<400> 1098
ttttttttttt gagactataa acatatatat acacgtagta ttttctatgg ttgccaattc 60
ttatgctaga tgttagcatt acaaattcgt ataaaatctg tgtccgcctt catagtccaa 120
caacaaacgt ttgctgagtg tagaactccc aggagttctc tcatggacac aacagccaca 180
ctcaccctca cattagctgg cagaggccct ttataccagt gatacgcttg ggccaagggc 240
ccctgggttg aaaatcatta ggtagacacc atccagtgcc ctgtctcatg tgctgaacag 300
ggctagtaat gccgactttc actttgggag gccaagtcgg gtggatcact tgaggccagg 360
aggtcaggac cagctagcca acatggtaaa accctgtctc tactaaaaat acaaaaatta 420
gctgggcatg gtggcatatg cctatagtgc cagctactca ggaggctgag gcatgagaat 480
cacttgtacc caggaggccg aggtttcagt gagccaagat catgccacta cactccagcc 540
tgggtgacag agtgatatag atctcaaaaa aaaaaaaaaa aagtgtcaac ctttacttct 600
attttatcaa gttcttgttc cagcctgtcc ttttcaaaag ataccctcct tggtaaagat 660
tccaaagttt tgggttttct ttaaatgtat gcatccaatg tctttttcat ttcattaagg 720
tcaaataaat atttgtcctg ggtttccaat aaggtatttg agattttcct gtgccataat 780
gactgtattt ggtacaggca aggcaatata ctaaggtctc tctacagatc ttgaaaatca 840
gatcagcctt ggaggatgaa attagtaaca actaatacac cctggaggac accagccctt 900
tggaaggcat tcattggaag agactagaaa agcagttgag gttgggagtt tctcatttca 960
ggcaaagtga caagggagtg gtatcagaaa atacgatctt aactaagaaa gctagaacct 1020
atatcactct agaagactgt tcacaaacgg tagcagggcc catgtgcagc ttggaaagag 1080
gaagcttaat gtgcaaaaat ttaatatccc tgcaactctc tggaaattgg caagatggtc 1140
cctcagaaga gcagatctgt gtggtgagtg agatatcaca gctccatgag gtgaacacca 1200
aaccttccaa tcatcagttg tctcccatgt acttatggag aatggtagac aaaactcact 1260
gaactgcttc atttgtacat tgatctcttg tgaccttgct ttgtgggagt tagtcccaga 1320
gaatctttat aaactggcaa gattttctga cctaaagagg taggatctgt ggaaaatgat 1380
gacctaccaa agtacaaatc tagagaactg aggtttggag aacatgaaaa ccatggtcaa 1440
acacgtgaag gcctgccact gggaagagga attcaactag caatacacag gcccaactaa 1500

tatgtaagaa agacactaca aagtagtagt taagaacaca ggctctggag ccaaacgact 1560
tggctctaac acttactggc tccatgacct tgaacaactt aggttccatg tgccttaatt 1620
tctccatctg ttaaataaag tgattgtgaa gatttaatga gataatccaa ataaatgctt 1680
agtacaatgt atggaacaca gcaagttctc aagagactag ccattacatc attattatcc 1740
aaagaagaaa cagaccaccc tgtaagattt ggaagggagc tcccccagga ctcctcccac 1800
cccctgccag gggtacagag agactagttt attgagggcc aaacacaaaa cttg 1854

<210> 1099
<211> 1583
<212> DNA
<213> Homo sapiens

<400> 1099
ggatctgtgt ggcatggtat gtgtgtttat gtgtattgtg ggtgtctgtg tggcatgctg 60
tgcgtgtgtg tattgtggat gtttactgtc ccgggcagta gaaaggacgt cggggaagca 120
gccccagcat cagggacagg ccaggagtgc agaatgcatg gaagctggtc aggtcggagc 180
ccgggatgaa ggaagcacag agatgcaagg gtgccagggc ccatggaacc aagagccgat 240
gatcaaggcc acagtgcaca cagccctgga ggcaaaggac atattcattt cacaaggatt 300
aaaaagcatg ggccaaggct gggccccagg ccaggactgg ggatacagag tggatcagtc 360
cccatccctg cccccaggtg cttacccaca cccattcacc tcacaggttt ccccacccca 420
gcccccttggc gagctcctcc tcattcctca aaacgtcgct gaggtcacgc tccttcccga 480
ggcctctccc catcctctaa aacaccctct ccctgctgcc cacttgcagc acagtcagag 540
agctccgtgg cctgtttcca ctggactgag tcttctgggg ggtgctggtg cagagcagaa 600
ccctgggctg ggagtcccgg cacctcgttc cactccctca cccacagcct cgctgtttaa 660
cctcaggcag gccgtgtccc tcctcagcct cactttcccc ttgtgtaaaa tgagggaagg 720
gactgcgcct tctaagtcat ctttcagctt aaaacctctt tgaccttcta tctggctaat 780
ggaggtgctg accaggggca agaagggatt tgaaaaacgc tttgaaaaat tcatagcagg 840
aggcaaagga gaaagagtct ttattttcgt agagcgggag gcaggaggag ttatggacag 900
aggctgtcga tgaaaaggac agcatctcag agcactttgt ggcatttaat gtctaatgcc 960
tcctcccatt aaagcagtgg catcaaatat ttaccaaagc agcattaaaa attaaccttt 1020
accatgggga tgtataaagg ccctaagttc cctgagaagt gaccgaacat caggagggta 1080
aagtgacagg aaggaaggct acaagcgggt tgtgaataat ggaagccccc aaaggtcccc 1140
caacacagct ccctgttgac cccactccca aagccagggc agcctccggc cgtgtctctg 1200
cagaggctcc cagcccttcg gagactccca gagggcctgc aggataagga caggccctca 1260
gctgggcatc cacagccttc catggcctgg ccctgcctct ctgggcagct gggatctgta 1320
ggatggaaag gaatgagtct gtcggagttg gaagagacca ggggaggaag tggggagtgg 1380
tccgggcact ggaaatagca cgtgcagagg cactgaggca gagacagctg cacatcaatc 1440
catcagaaga gcagccaggt ggcatgagtg tgggggagga aggaagcgca ggaggggaca 1500
ggtgggagat gcaggtaggt ctgactgtgc agggccatgg taagatgtgg gcttctcggt 1560
ccagggacag gggtgccctc gag 1583

<210> 1100
<211> 2128
<212> DNA
<213> Homo sapiens

<400> 1100
tctacctccg ggctgaaacg tcaccatgcc tccccacaga cagacggatg gacagatggg 60
cctccctgca cctgctctgt gggtgtgggg gctcctgctc agcagcagtt tccagaccct 120
tctccctgct ttccccaagc cacccgcctt gaatctgggg tgctctacca gacccatccc 180
ctcatttcta aagatttgag ccactagtcg tgtccctctc cctcagaaat gccttggtga 240
cacttggctg ctttcaactc ttccacccat ctgcctcttg gtctcatctt taccttctgc 300
taaaggtcct gacccccacc cccgccacgc catggggcac cccatggtgg tgcgtccttg 360
ggagcagctc tgtccctttc cccgtggcct ttgccccgcc tcctatgact tcgattccca 420
cctgtccccg acccctggga ccactgaccg ggcccgatca ccctgtcact gccctgtcat 480
ctgcttaccc cacacggtgc tctgctgacc caggtcttgc tgtctcccaa cagccccacg 540
aggcttcccg tcgctcctgg acactgcagg ctgagcccgc tgccccgccg cctccatgag 600
gaaggctttt cctctgtgag ccccaggcca ccctttccct cctttaagta attacttaag 660
tcccttgcca gggccctccc agtacccttt ctaaagacac ccctgcccca gcatgctgca 720
ggctcctgct ccactttcct ctcaggccct cgtcgctgtg gtgctgcctt tgttttctgt 780
ctctgccacg gcaggggggtc agctccttgg aggtggggct tctgcccttg ctgtaccact 840

gcctggcaca cagtaggtgc tcaataaaga cttgcagggt gagctgcctg aagaatagtc 900
accagaggcc agaaatgtct agagctctgc cggtagggtg actggccgag gagcctggcc 960
tgcatgtgtg cgtgtgtgtg tgtgtgtgtg tgtgtgtgag tcagggttta tatgcaggtg 1020
tctacaggag acatgctggg ttctgtgctg ggtgtgagga atatgggagc agaaccccag 1080
ggaggtggca gagacttggg ggccaaaggg ctggggtgca ggggggcaac agccaggtgc 1140
cactggccac cccagccgca gggagccctg cccaccctcc aggtgcctgg atgtccaacc 1200
tcactgctat tcccacctca agccaggcct ggagatggag gccccatgac tcagccaggg 1260
ccggtttgca gctgcggctg acccagacgg gcgggcagcc cccagccccc gggcctgcac 1320
ccaggacagg gccgccctcc ctccctcccc cgcttctggc tcctaggaca ggattctctg 1380
aattcagctc ccctgaggct ggggccaggt tggaggccag gcctgggggc tctgggctgg 1440
ggtcccagat aggggctggg cggccaggct tggaatctgg aatccagccc cattcctggc 1500
atctgcagga gcctcgtggg gagggagact tgggatggac ttcaaccagc cagggctgga 1560
ttcttgcccc ggaacctgca ttcctggggc agccaaggga tccttcccac ttctgggccc 1620
agcttggccc tgcctggcat tcgaggccca tctggggctt gggggtgtct ccccaactct 1680
cagacataag gacacccttc caagcttgtt ccttcacctg gcggggccct gagccccaca 1740
cccctcccct gtcctttctc catccgacat caagcgcctc cctgcctctg ctcgcacagt 1800
ctctgagatg gggaactcag cacctcacag gtgggcccag ctctggtgct gtctgtgttg 1860
ggggagctgg ggcagccccc aaaagacctt ggagacagac cctcagaggc aggagcagag 1920
gctggcagtg gatgctgtgc ctggaggcct tgagggcgag gtgtgatgat gaggcccagg 1980
ctgcagggct ctttctggct ctccagctcc ggagaacaag ggatttcctc ctgctctgcc 2040
caccctcccc agccagtgca tgctcagcct cagcaccgca cctgggcgcc ctccatgatc 2100
tgccccacct ggacacatgg ctcgaggg 2128

<210> 1101
<211> 2129
<212> DNA
<213> Homo sapiens

<400> 1101
tctacctccg ggctgaaacg tcaccatgcc tccccacaga cagacggatg gacagatggg 60
cctccctgca cctgctctgt gggtgtgggg gctcctgctc agcagcagtt tccagaccct 120
tctccctgct ttccccaagc cacccgcctt gaatctgggg tgctctacca gacccatccc 180
ctcatttcta aagatttgag ccactagtcg tgtccctctc cctcagaaat gccttggtga 240
cacttggctg ctttcaactc ttccacccat ctgcctcttg gtctcatctt taccttctgc 300
taaaggtcct gacccccacc cccgccacgc catggggcac cccatggtgg tgcgtccttg 360
ggagcagctc tgtccctttc cccgtggcct ttgccccgcc tcctatgact tcgattccca 420
cctgtccccg acccctggga ccactgaccg gggccgaatc acctgtcact gccctgtcat 480
ctgcttaccc cacacggtgc tctgctgacc caggtcttgc tgtctcccaa cagccccacg 540
aggcttcccg tcgctcctgg acaatgcagg gtgagcccga tgccccgccg cctccatgag 600
gaaggctttt cctctgtgag ccccaggcca ccctttccct cctttaagta attacttaag 660
tcccttgcca gggccctccc agtacccttt ctaaagacac ccctgcccca gcatgctgca 720
ggctcctgct ccactttcct ctcaggccct cgtcgctgtg gtgctgcctt tgttttctgt 780
ctctgccacg gcagggggtc agctccttgg aggtggggct tctgcccttg ctgtaccact 840
gcctggcaca cagtaggtgc tcaataaaga cttgcagggt gagctgcctg aagaatagtc 900
accagaggcc agaaatgtct agagctctgc cggtagggtg actggccgag gagcctggcc 960
tgcatgtgtg cgtgtgtgtg tgtgtgtgtg tgtgtgtgtg agtcagggtt tatatgcagg 1020
tgtctacagg agacatgctg ggttctgtgc tgggtgtgag gaatatggga gcagaacccc 1080
agggaggtgg cagacacttg ggggccaaag ggctggggtg caggggggca acagccaggt 1140
gccactggcc accccagccg cagggagccc tgcccacctt ccaggtgcct ggatgtccaa 1200
cctcactgct attcccacct caagcaaggc tggaaaatga aggcccacta atccgccagg 1260
ggcgggttgg cacttccggt taaccaaaac gggcgggcag ccccagcccc ctggcctgca 1320
cccaagagaa gggcggcctc cctccctccc ccgcttctgg ctcctaggac aggattctct 1380
gaattcagct cccctgaggc tggggccagg ttggaggcca ggcctggggg ctctgggctg 1440
gggtcccaga taggggctgg gcggccaggc ttggaatctg gaatccagcc ccattcctgg 1500
catctgcagg agcctcgtgg ggagggagac ttgggatgga cttcaaccag ccagggctgg 1560
attcttgccc cggaacctgc attcctgggg cagccaaggg atccttccca cttctgggcc 1620
cagcttggcc ctgcctggca ttcgaagccc atctggggct tgggggtgtc tccccaactc 1680
tcatacataa cgacaccctt ccaagcttgt tccttcacct ggcggggccc ttagccccac 1740
acccctcccc tgtcctttct ccatccgaca tcaagcgcct ccctgcctct gctcgcacag 1800
tctctgagat ggggaactca gcacctcaca ggtgggccca gctctggtgc tgtctgtgtt 1860
gggggagctg gggcagcccc caaaagacct tggagacaga ccctcagagg caggagcaga 1920

ggctggcagt ggatgctgtg cctggaggcc ttgagggcga ggtgtgatga tgaggcccag 1980
gctgcagggc tctttctggc tctccagctc cggagaacaa gggatttcct cctgctctgc 2040
ccaccctccc cagccagtgc atgctcagcc tcagcaccgc acctgggcgc cctccatgat 2100
ctgccccacc tggacacatg gctcgaggg 2129

<210> 1102
<211> 2132
<212> DNA
<213> Homo sapiens

<400> 1102
tctacctccg gcctgaaacg tcaccatgcc tccccacaga cagacggatg gacagatggg 60
cctccctgca cctgctctgt gggtgtgggg gctcctgctc agcagcagtt tccagaccct 120
tctccctgct ttccccaagc cacccgcctt gaatctgggg tgctctacca gacccatccc 180
ctcatttcta aagatttgag ccactagtcg tgtccctctc cctcagaaat gccttggtga 240
cacttggctg ctttcaactc ttccacccat ctgcctcttg gtctcatctt taccttctgc 300
taaaggtcct gacccccacc cccgccacgc cacggggcac cccatggtgg tgcgtccttg 360
ggagcagctc tgtccctttc cccgtggcct ttgccccgcc tcctatgact tcgattccca 420
cctgtccccg acccctggga ccactgaccg ggcccgatca ccctgtcact gccctgtcat 480
ctgcttaccc cacacggtgc tctgctgacc caggtcttgc tgtctcccaa cagccccacg 540
aggcttcccg tcgctcctgg acactgcagg ctgagcccgc tgccccgccg cctccatgag 600
gaaggctttt cctctgtgag ccccaggcca ccctttccct cctttaagta attacttaag 660
tcccttgcca gggccctccc agtacccttt ctaaagacac ccctgcccca gcatgctgca 720
ggctcctgct ccactttcct ctcaggccct cgtcgctgtg gtgctgcctt tgttttctgt 780
ctctgccacg gcagggggtc agctccttgg aggtggggct tctgcccttg ctgtaccact 840
gcctggcaca cagtaggtgc tcaataaaga cttgcagggt gagctgcctg aagaatagtc 900
accagaggcc agaaatgtct agagctctgc cggtagggtg actggccgag gagcctggcc 960
tgcatgtgtg cgtgtgtgtg tgtgtgtgtg tgtgtgtgtg tgagtcaggg tttatatgca 1020
ggtgtctaca ggagacatgc tgggttctgt gctgggtgtg aggaatatgg gagcagaacc 1080
ccagggaggt ggcagagact tgggggccaa agggctgggg tgcaggggg caacagccag 1140
gtgccactgg ccaccccagc cgcagggagc cctgcccacc ctccaggtgc ctggatgtcc 1200
aacctcactg ctattcccac ctcaagccag gcctggagat ggaggcccca tgactcagcc 1260
agggccggtt tgcagctgcg gctgacccag acgggcgggc agcccccagc ccccgggcct 1320
gcacccagga cagggccgcc ctccctccct cccccgcttc tggctcctag gacaggattc 1380
tctgaattca gctcccctga ggctggggcc aggttggagg ccaggcctgg gggccctggg 1440
ctggggtccc agataggggc tgggcggcca ggcttggaat ctggaatcca gccccattcc 1500
tggcatctgc aggagcctcg tggggaggga gacttgggat ggacttcaac cagccagggc 1560
tggattcttg ccccggaacc tgcattcctg gggcagccaa gggatccttc ccacttctgg 1620
gcccagcttg gccctgcctg gcattcgagg cccatctggg gcttgggggt gtctccccaa 1680
ctctcagaca taaggacacc cttccaagct tgttccttca cctggcgggg ccctgagccc 1740
cacacccctc ccctgtcctt tctccatccg acatcaagcg cctccctgcc tctgctcgca 1800
cagtctctga gatggggaac tcagcacctc acaggtgggc ccagctctgg tgctgtctgt 1860
gttgggggag ctggggcagc ccccaaaaga ccttggagac agaccctcag aggcaggagc 1920
agaggctggc agtggatgct gtgcctggag gccttgaggg cgaggtgtga tgatgaggcc 1980
caggctgcag ggctctttct ggctctccag ctccggagaa caagggattt cctcctgctc 2040
tgcccaccct ccccagccag tgcatgctca gcctcagcac cgcacctggg cgccctccat 2100
gatctgcccc acctggacac atggctcgag gg 2132

<210> 1103
<211> 290
<212> DNA
<213> Homo sapiens

<400> 1103
gatgtgtgtt tgtgtgtgtg tgtggtgtgt gtatgtgtgt ggtgtgtgta tgtgtgtggt 60
gtatgtgtgt gtgtggtgta tgtgtgtgtt tgtgtgtgtg tggtgtgtgt atgtgtattt 120
ctttgaatga gaaattggct cccatgatta tggagctgac aactcccaag gtctgcaggc 180
agcaagctgg aggcccagga gggccggtgg tgtggctgca gccggtgtct gaaggcctga 240
gaaccaggag ggcgggtggt gcagctgcag tgtgaaagcc ggcaggctcg 290

<210> 1104

<211> 96
<212> DNA
<213> Homo sapiens

<400> 1104
ccaacatggt gaaaccccgt ctctactaaa aatacaaaaa ttagccgggc atggcggcac 60
gtgcctgtaa tcccagctac tcaggaggct gaggca 96

<210> 1105
<211> 2236
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (996)..(1995)
<223> n equals a,t,g, or c

<400> 1105
tgcagggagc tgagatcgcg ccactgcatt ccagcctggg tgacagagtg agactccatc 60
tcgaaaaaaa aaaaaaaaag aatctgaggt ttaattcaag gagcagtgga agccattcat 120
tccaaattgt caggatctat gcaggtatgc ccctccctgt cctctctgag cttagggtca 180
atgcctagaa atgtatgtga ttgctaatag atttgctaca tgccaggcac tactctgagc 240
actttattcc ttcctttcta atttgtgtgc cttttatttc ttttccgtgc tttattgcat 300
tggctagggc ctccagtaca gcactgaata ggcatggtga cagcacgcag acatcccttc 360
cttgttcctg atcttaggag aaaaacattc cacttcccac tcccaccagg aaggataaga 420
ttcgctgtag ttttgggtgt tattattatt attttttgg tttgcttgag acagagtctt 480
gctctgttac ccaggctgga gtgcagtggc acaattttga ctgactacaa cctccacttc 540
tcaggttcaa gcaatcctcc tgcctcagcc tcccgagtat ctgggactac agtgtacacc 600
accacaccca gctaattttt gtatttttag tagagacagg gtttcaccat gtttgccagt 660
ctggtcttga actcctgacc tcaagtgatc tgcccgcctc ggcctcccaa agtgctggaa 720
ttacaggtgt gagccactgt gcctggccta gttttgggtg gttttttgta gatgtctttt 780
atcaagttaa gaaagtttcc ttctagttct agtttgccga gagttttctt ttttaaaatc 840
atgaatggat gttgaatttt atcaaatgct tctacattta ttgatatgat aatatcattt 900
ttctctaata actatacatt tatttaagcc tcccaacagt cttatgaggt agatactggg 960
ttcacaccaa tttaaaaaaa aaaaaaaaaa aggggnnnnn nnnnnnnnnn nnnnnnnnnn 1020
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1080
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1140
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1200
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1260
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1320
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1380
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1440
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1500
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1560
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1620
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1680
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1740
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1800
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1860
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1920
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1980
nnnnnnnnnn nnnnnacctg agtacagaag ttcaacacca tcctggccaa catggtgaaa 2040
cctgtctcta ctaaaaatac aaaaattagt tgggcatggt ggcatgtgcc tgtaattcca 2100
gctactgggg aagaggcagg agaattgctt gaatccagga gacggaaatt gcagtgagcc 2160
cgagatcatg ccactagcac tccagcctgg gtgacagagc gagactctat ctcaaaaaaa 2220
aaaaaaaaaa acaagg 2236

<210> 1106
<211> 1329
<212> DNA

<213> Homo sapiens

<400> 1106
ttttttttt ttaaaggata ttcttagtag actatatgtt cacatgactc gatattcaaa 60
tggtgcaaaa gtcactccat gagttatcta gtgctcccca ttgaaggtaa aaaatactac 120
cagttctttc tggagatttt atgcaaataa aaagaaggga cacttatgat tctcttccct 180
attactggtg gagtatgggt cactcctaat gtaggatggg atgattgccc caagctctgt 240
cgtgagtggt tgattgacgg ttttcttaag ggaacaatgc tgggaaagat gataggcgcc 300
cgccactgac ccctcccgcc tccctgcccc tccagtaaac tcccacacaa aatagcagta 360
tgaggtgtgg ggaaataatc ttggcctccg tcctgggttt acttttgact ctgccaccta 420
caagctgtca cctgaacaag tcctttccgt tcctgtgtct tccctggtca caagctctaa 480
gcctgaaccc acactctggg aatgaagcag ggtagcggcc tctgcttcag caactctgag 540
gggtctacct tgggtgggga gttggcctca tccagagggc tgctggaggg ccaagacaag 600
gctctggtgg ggaggtgtgc tgagagggga ttgcttatcc caccaccagc ttttctgggg 660
gaggtgggga agtgatggtt aaaaaatgga gttcctgcta tcagccatgt cctgatgaat 720
tggaaagtcc ccttctttct cctttcctct tgcatctcct gcctgcttcc cctgcctgcc 780
ctcctgtgac atgtgccctc tccagcaggt atgtcacaca gcaccccaag ggaagggcag 840
tgtaacgctc ttttccatga tggactacca cagccagagg aagacaggcc ttcccttctt 900
ttctagttct ttttggtttg aaaacaaggc actcttattt tccccttcca agaagctggt 960
ggttcacacg ggccagcaca cgcattatca aagacctagt ttgtttctag taaatgagtc 1020
cattgaagtg ggagccttgg ccgggcaagg tggctcacac ctgtaatccc agcactttgg 1080
gaggccgaga tgggtggatt gagatcgaga ccatcctggt caacatggtg aaaccctgtc 1140
tctactaaaa atacaaaaat tagctgggcg tggtgacaca cacctgtagt cccagctact 1200
caggaggctg aggcaggaga atcgcttgaa cctgggaggc ggaggcaaca gtgagccgag 1260
attgcgccac tgcactccag cctgggcgac agagtgagac tgtctctcca aaaaaaaaaa 1320
aaaaaaaaa 1329

<210> 1107
<211> 115
<212> DNA
<213> Homo sapiens

<400> 1107
gggcgcagtg gctcacgcct gtaatcccag cactttagga ggccaaggtg ggtggatcac 60
gaggtcagga gatcgagacc atcctggcca acatggtgaa accccatctc tacta 115

<210> 1108
<211> 3502
<212> DNA
<213> Homo sapiens

<400> 1108
cccagctccc tccccgggac cctaagagca cccccacccc cacctactat ggctccctgg 60
ccaggttctc agccttatca tctgctacac ccacgtccac ccaatgggcc tgggattcag 120
ggcaggggcc caggctcccc tcctctgtgg ctcaaacggt ggacgacttc ctgttggaga 180
agtggcgcaa gtattttcca tgtaagcccc actctgggcg gagccttccc acctgcctcc 240
tcctcctcct cttccttcct tttcttctac cctctttctc ctgctccttt tctcctcttc 300
ctcttttgca tccctttgcc acacctctcc tcccccaacg ttaccatagt ccattggtcc 360
attgactcta cctgtgggtc cctggggaag gagacattgc aggtggccct gcagccagga 420
gttctatggg ttgggacggt ttagatggag cctggctgac tggggccttt attgtggatt 480
ctggagctca gtagaaccta aaaggtcatt gtcgtcatta tcttaatagc taccatcttg 540
tgcaatacat gatgggccaa gcagtttata tatatttttt catttagttc ttaattctct 600
gaggtagtaa ttatttatcc ccattttaca gatgaggaaa ctgagtttca gagagtttaa 660
gtagtatgct ccagggtacc cagtgagtga gtaacaaact cagttgtgac cccatgtctc 720
tgtgactcca ggattctgct tggaacctct tggctgtgtg gctaattctt gcttctgagc 780
caggtggcct ccccaggtct cagccctgct gaggattatg aaaagccata aaacaaggca 840
tttgagggga aacaaaatat cttctttttg ccctaaccca aattgaaaag tagattaagt 900
tttaaaaata aaataaatag gaccattcct gtctctcacc tgtctctggc ctccagccac 960
tgaagctttt ccttttattg tttattctgg ggaggcaaga ggtgctggtg ggcagggtgg 1020
tgaccactgc ccatttctga gtcctgtccc catgctcttc cagctggcat cccgctgctc 1080
agcaacagcc ccaccccgct ggagagcagg ctgggttaca tgtctgccag gtgagcctcc 1140

ctgggggctg gttggggtgg aacgtcatag tcgagctgct cactgtgcct ccctgggcag 1200
gtggacctct gaggggagca gacctcctgg tcttacccca agaaatcagg caggcctcta 1260
gtccacagag ctgtccccgc ttgcctgggt ctgaggcgcc cctccatgac caggggaaag 1320
tcaagttcac accgccaagg tcccagtggg gaagggctgg gcttaccctg ccaacccccc 1380
gaggaagctg ccctctggcc cctgtgggga ggagtcagcc cctggtggga ccctgccccc 1440
gcccctccct ctagcccctc cagccccgga gtctggcctt tgtctttgcc cttgagctct 1500
tgtttgcttc ctgtggctcc cttattcccc cagtcctgct gagcaacatc tggagtgaga 1560
gggacaccct gtggaggaga cagacgggca attatttaaa cctgttatta attttccatt 1620
catctcattc cttgccaaat gttttccccc ctccctccct taggcagcta acagtgagta 1680
ccccccacta acccctttggc caacttgaga gctgatgctg gccaaggatt gagttgacag 1740
aggggagcgc tttgctgatg agattggcgg gagcaggcgg atgtgggagc ccagagcctt 1800
gtatcagtag cacccagcaa gggggcagag ggcctccacc actttcccgt ttgggaactg 1860
ttctggaggg gcagatgttt tgaagctttg aattgctagg gacctcggag aagctgctct 1920
ggtagctgag agaaagaggg aggaggtgac agatgtgatg gcctctgtgc atcctctgtc 1980
acttccgcgc ctcctctctc ccctcgccat gctctcctct tccttcccag tgagcagctc 2040
cggctcctac agcactccca ttcgcaagtc cctgaggcgg gcagcaccac ctttcagggc 2100
ataattgagg ccaaccggag gtggctggaa cgtgtcaaga atgaccccag gttgtatcct 2160
tttacctggt tcccaaactg ggctgggctg tggggactgt gcttgtgccc tgaggggctg 2220
aggaggatcc tgttcagcct ttgacccttt catggcccct gcctggctat gcccagcgac 2280
tgcagttttc cttcaccttg tggccagacc tctcttctct tcaacaccca agccaaaagc 2340
tactttgagc ctcctgcagc tgggccttga tgagcacaac agagtgaagg tgtatcgctt 2400
ctgaggccct gagcaggggc ttggggcagc ccagcctctc ctccacccag accaagtgcc 2460
tgaggagctg cctgccttct tccatctgag aaagcaccgt ccttcccccc ttgacttgca 2520
ggagccacca gggaccaggg ggttgagtgg aacagtaaag ccacacattc tgtgactata 2580
taacctatct caggctaaaa tgtgtggact cgtacgagct cttgtcattg acatggcaag 2640
ctgatggcgt gcggtggctg cggggtatca gggccgggag ccctttggga ggaagggagg 2700
cgttagagga gctgccttcg gaggctcagg gagtcccttt ggagctggtt gtttccttgg 2760
ccctgcagcg cactgctcgg ggctcccaag gaggttgtgt gtatggttct taattcatca 2820
ggacaaagac ccccagcatg tgtgtaccct gggacccgat ttctctgggc ccacatctat 2880
ctccaatacc tcagcctcag atcagaccct ttctttttttg tctttcttct cttaattttt 2940
aaatgcctct tttcttgagc attccatctc tctttttgac cctctcagga ttgggcttag 3000
ctgtccagag ccctgccgga gggtgctggg ggctgtccct ctgcaggcac tgtgttttcc 3060
tcaggggctg tcctcagaac acccctcctg ctccctgggg ctcctcaggg agccatttca 3120
gctggagtct caggtctcaa aaacagcttc tccgggaggc caaaaaaaga ctgggttggc 3180
ttctggtcct catgacggct tttatcctcc tgggacactt tgggtatatt catgggcatt 3240
gtttccatct gtcttttcta cctgtgccac ccctgccctg attccacggc tgcctcaggc 3300
aggcaggcaa ggagctaggc cggtgcccgg ccctggcagc aaggggtctt tgtgcagttg 3360
gagatgctgc cgttgtggca gagcgtcctg cagccccgct tccatcagca ggctctgggg 3420
tgggggcttt gcaggggatg ctctctgatg tttgttccgt tgtttaaata aaatgcactt 3480
atttttgttt ttttttttgc aa 3502

<210> 1109
<211> 2649
<212> DNA
<213> Homo sapiens

<400> 1109
cttgtaggta ctcattgagg tttattgtgt aagatgaatg aatgttgcaa attcctaaac 60
atgtgattca gatgcccaat cttactctgt tactttatga aaatttttta aagctatatg 120
atgttatatc aaaatatgtt gttatacttt aggataatcg gtgtgttagc cctgaatttc 180
agcataagtc ccatttttt ccatgggagt ctaggaaagc tatatgttta ttcagcagca 240
aaatacagtt tggaacttaa ataaactatt gatcaatttc tggtcttatg ctagaaggaa 300
taaagcatca agaaaaagaa aagatttgct gtcaagacca ggaaaatttg acaatagagt 360
attagaatgc aggaaatgag gggaagtgga aaggcagcaa gtaggagaga aaaagtgcag 420
ggacagtaga aagtgaatgt aggagctttc tgacccatgc acttcaggaa cgcaattcat 480
ccctaaaatg ctgtttgctg tcttaggttg caagtaacca aattaaaacc agtttgaaag 540
tagagtgaga cagctgtcat cataagagtc atttgatctg tttaaaggtg gctgcttgta 600
tgcagggacc aacagtcatg ttcagggcag cagctggtgc acacttcaag cacagaccat 660
aagagctacc ccaggcagca cctgctacca atagtgcaaa caactcagag agacctcgtt 720
ggcataaggg aatactctat cctttctgag taaagagcaa gtagaactaa aggtttcaca 780
ttttaaacat actttacatt cctcctcttc tggggctcaa gcctactttt gggccaaagc 840

ggatgttata tctgacatag agtcctcgga gcagcagttg ttcctgaaag ttccttttg 900
catctttgtg cctcatgcag tggcttacaa gtcaaccaga cttctcccct gacttttgat 960
gtgtaagagc ttgtgtttca aatgggtttg gttttcttaa tgtcacccta ggttggtgga 1020
aaggagagta aatggaaatg gggggagcag ggtcccctgg ggaggtttaa acagatggaa 1080
gtcaattgtc tcttgagaat agaggaggct attgagtttt cattccacac tctgctcctg 1140
ttctgtcagc aaagaacaag cactactctc cagcaattgc tttccactgg actcccccac 1200
ctcggcctcc ctacaaaaac ctagggatca acttagttca ctccaaatta gaaaatttaa 1260
tagtcatttg tttcttcttg tccacaggga gaaccatttt ctttccttct ttcaaaattg 1320
cccaggtctt gtgaagggtt attaacaccg gaaagaaata cattttaata agcttaaatc 1380
tcatttctac atgaaaccat cagattttag tactgtgata ttttggtccc tctgtctttt 1440
aggctctgac accaaaattg ccataatgaa ggtgtttcac ttcttctcat ttatttttat 1500
gggatctttt attcccaaat gccttttcat cccagccaaa gggagaaatg ttgatagatc 1560
tgccatcaag aaggttccaa agctggcctg tcaggttttc tgttttcttg tttattatct 1620
ttgaactttt gttttaaatg ttttaaacac ttatttacca tgtaactaaa tgtctgatag 1680
tattgaaaat actttgtggg ttttaattta tttaatgctc atgaaaccct atgaggtagg 1740
tactgatatt atttttattt tactgatgag gaaagtgaag caaagagaag tgaaatgaaa 1800
ggtagtgagt gatgggacca gggtttggac atgggcagtc tggctctaaa atgtatgctt 1860
ttaactacta tgtaatgctg cctcacaaac aacttgtctc acaaattgat attctggatc 1920
agaggatgtc gactggcccg caaatgtatt ttgtatggct catacacagt tcagaagttt 1980
taaaaattta catagaaatc tgcatttcct gacttctttt gaaaatggga ataccaaaca 2040
tcattaggct tgaattccca atacggcaac aacagctgag caacaagcag ctgtttagac 2100
taggcactcg ctctccaatt tccacagtcc ccaccaatgc agatcatagt atcgacttaa 2160
atttcctgcc tgccttagag aagcttctga gcttgtgacc tctattctag ctgctctatg 2220
aatggacgct gccccagtac agcgaggacc tgctgcaaaa tgcatttctt agtcttcaat 2280
acttattcct ccttgtaact ggatttctgg taagttatgt ctcatggtgg atctgcccca 2340
aagatggaga ctgaatggca gtgagtcact cgccctggcc tccattgttc tggagaaggt 2400
tccagccaca tggttgatgt cagctggttt tccagagcca gagctgggtt gcgggacaga 2460
cacacctgca tctaatagtg aaaggcaaag ttgaaaggcc aagaccagcc tgaggtctga 2520
gggaccaagg gcttcacaga ggccagaagt tcagaggtgg acataaaagg tgttaggaga 2580
ataaggaagt gaaaagaaca tagtacagtg tatcagagga ggagctccag gctggcaaat 2640
atcactccc 2649

<210> 1110
<211> 2649
<212> DNA
<213> Homo sapiens

<400> 1110
cttgtaggta ctcattgagg tttattgtgt aagatgaatg aatgttgcaa attcctaaac 60
atgtgattca gatgcccaat cttactctgt tactttatga aaatttttta aagctatatg 120
atgttatatc aaaatatgtt gttatacttt aggataatcg gtgtgttagc cctgaatttc 180
agcataagtc ccatttttt ccatgggagt ctaggaaagc tatatgttta ttcagcagca 240
aaatacagtt tggaacttaa ataaactatt gatcaatttc tggtcttatg ctagaaggaa 300
taaagcatca agaaaaagaa aagatttgct gtcaagacca ggaaaatttg acaatagagt 360
attagaatgc aggaaatgag gggaagtgga aaggcagcaa gtaggagaga aaaagtgcag 420
ggacagtaga aagtgaatgt aggagctttc tgacccatgc acttcaggaa cgcaattcat 480
ccctaaaatg ctgtttgctg tcttaggttg caagtaacca aattaaaacc agtttgaaag 540
tagagtgaga cagctgtcat cataagagtc atttgatctg tttaaaggtg gctgcttgta 600
tgcagggacc aacagtcatg ttcagggcag cagctggtgc acacttcaag cacagaccat 660
aagagctacc ccaggcagca cctgctacca atagtgcaaa caactcagag agacctcgtt 720
ggcataaggg aatactctat cctttctgag taaagagcaa gtagaactaa aggtttcaca 780
ttttaaacat actttacatt cctcctcttc tggggctcaa gcctactttt gggccaaagc 840
ggatgttata tctgacatag agtcctcgga gcagcagttg ttcctgaaag ttccttttg 900
catctttgtg cctcatgcag tggcttacaa gtcaaccaga cttctcccct gacttttgat 960
gtgtaagagc ttgtgtttca aatgggtttg gttttcttaa tgtcacccta ggttggtgga 1020
aaggagagta aatggaaatg gggggagcag ggtcccctgg ggaggtttaa acagatggaa 1080
gtcaattgtc tcttgagaat agaggaggct attgagtttt cattccacac tctgctcctg 1140
ttctgtcagc aaagaacaag cactactctc cagcaattgc tttccactgg actcccccac 1200
ctcggcctcc ctacaaaaac ctagggatca acttagttca ctccaaatta gaaaatttaa 1260
tagtcatttg tttcttcttg tccacaggga gaaccatttt ctttccttct ttcaaaattg 1320
cccaggtctt gtgaagggtt attaacaccg gaaagaaata cattttaata agcttaaatc 1380

tcatttctac atgaaaccat cagattttag tactgtgata ttttggtccc tctgtctttt 1440
aggctctgac accaaaattg ccataatgaa ggtgtttcac ttcttctcat ttatttttat 1500
gggatctttt attcccaaat gccttttcat cccagccaaa gggagaaatg ttgatagatc 1560
tgccatcaag aaggttccaa agctggcctg tcaggttttc tgttttcttg tttattatct 1620
ttgaactttt gttttaaatg ttttaaacac ttatttacca tgtaactaaa tgtctgatag 1680
tattgaaaat actttgtggg ttttaattta tttaatgctc atgaaaccct atgaggtagg 1740
tactgatatt atttttattt tactgatgag gaaagtgaag caaagagaag tgaaatgaaa 1800
ggtagtgagt gatgggacca gggtttggac atgggcagtc tggctctaaa atgtatgctt 1860
ttaactacta tgtaatgctg cctcacaaac aacttgtctc acaaattgat attctggatc 1920
agaggatgtc gactggcccg caaatgtatt ttgtatggct catacacagt tcagaagttt 1980
taaaaattta catagaaatc tgcatttcct gacttctttt gaaaatggga ataccaaaca 2040
tcattaggct tgaattccca atacggcaac aacagctgag caacaagcag ctgtttagac 2100
taggcactcg ctctccaatt tccacagtcc ccaccaatgc agatcatagt atcgacttaa 2160
atttcctgcc tgccttagag aagcttctga gcttgtgacc tctattctag ctgctctatg 2220
aatggacgct gccccagtac agcgaggacc tgctgcaaaa tgcatttctt agtcttcaat 2280
acttattcct ccttgtaact ggatttctgg taagttatgt ctcatggtgg atctgcccca 2340
aagatggaga ctgaatggca gtgagtcact cgccctggcc tccattgttc tggagaaggt 2400
tccagccaca tggttgatgt cagctggttt tccagagcca gagctgggtt gcgggacaga 2460
cacacctgca tctaatagtg aaaggcaaag ttgaaaggcc aagaccagcc tgaggtctga 2520
gggaccaagg gcttcacaga ggccagaagt tcagaggtgg acataaaagg tgttaggaga 2580
ataaggaagt gaaaagaaca tagtacagtg tatcagagga ggagctccag gctggcaaat 2640
atcactccc 2649

<210> 1111
<211> 190
<212> DNA
<213> Homo sapiens

<400> 1111
atgagaaagt aaacatacaa cacagtaaaa gttgttccaa gtatttaaaa atgttctata 60
tcttctacct tattatggct caagatatag taacttttgt ggggttttat cattgttttt 120
gttttatttt gtgaaaacat ccaagagccc gcaacagcct atagatttgc agatcctttt 180
ctttcctggg 190

<210> 1112
<211> 190
<212> DNA
<213> Homo sapiens

<400> 1112
atgagaaagt aaacatacaa cacagtaaaa gttgttccaa gtatttaaaa atgttctata 60
tcttctacct tattatggct caagatatag taacttttgt ggggttttat cattgttttt 120
gttttatttt gtgaaaacat ccaagagccc gcaacagcct atagatttgc agatcctttt 180
ctttcctggg 190

<210> 1113
<211> 21501
<212> DNA
<213> Homo sapiens

<400> 1113
gaggctctgg tcataatggc gaccacactt ttattgaata tctgttgtgt actgtccagg 60
tcttcacatt tgtcacctca tttaattctc atgttaagcc tgagtggaaa gcattatgaa 120
gcccatttga ggaaagagaa gagtgaagtt cagaggcaaa agtcatctgt ccagggtcct 180
ttgccaaatg acagctggca tggaaccctc ctaaggctga ttcctctatc ctccttctcc 240
taacagcact tcaggggcaa ccttctcctc tatcttttct ccactcacca tcaaagaagc 300
cctcaatttc ccaggattct aggacatttc cctaaggtgg gggtggtggg acaggtagta 360
agactgatgc cttttaactt tccaagacct ttctttattt cctgagatga ataaataagt 420
ggcaatgggg tgtggggatg tggtgaacac agaacaggaa ctggcagcat gcagctggca 480
ggagggagct gtgatggccc caccctgtg aggaccacct aatcctaagc aggggccaaa 540
gctctagcag ccaccattaa ggaaaaactt ttgaaattca cacattgtga agcctgccag 600

tccccgccag gtgaagagct catggtatcc accttcaggg ctacttttta ccccaggggc 660
cttgtctgcc cgggcctggg tacctgggct gctctgtaag gcaggtaggg gtgcttaccc 720
cactctcaaa aataaaccaa gctgtcctga gtgtccagca ggagggcagc ccaagctctg 780
ggggcagcgt gggtgggagg aggtcctaca ggtggtggcc gcgattatct gcccttgatg 840
aagccctcca gcacacggtc actgcgctct gacaaccagt agccagtcat ggccgccaca 900
gccccaatga agatggcggt gaacaccaag tcgcccttag cagccagcgt ggccagtgca 960
cagatgatga tgccaaagaa catctgctgc agcaccacca actcgtcttc tgtcatctct 1020
gagaagaagc ctgctgactc tgcagaggag caagagatgc agcctggcac tcgtatccct 1080
gttcctggta gttcttggag tctccccaga actcccacac acctgatcat catggccacc 1140
aggcctgccc agcaagccag gcacactaca tttactgctc aaaaccaccc tgcaaggggc 1200
agttaccatc cctgtctcac taaatgggaa agtgaggctc agagaggtaa aggggttgga 1260
cttgccaagg ccatgtggtg gacaagttgg gggcagagca tttattacgt gtatgagtct 1320
cgttccacgg tcagactgtc tggattggga tcccagcttt gcgacttgct tgccatatag 1380
ccctgggaaa gtagcttcat ctctctgcat cttcattttt acatatgtag agtggggatg 1440
agaacccaac ttccagcgtc gggttgtttc aggggttaaa tcagttaaga tggggaatgc 1500
acctagaaca gcatctgaca cagtaattgc tggggaaatg gtccctgcca tcatcgttgt 1560
gattaccctg catctcacca caccccggc ctaggacagc tctcagcagg ccagggcaaa 1620
cactggtccc attggataga tgaggaaaca ggttaaggag gcagactgat ttgatgccag 1680
gtctgattcc ctttgtaccc tggaaggtat aaggctgctg agagccaacc tggagatcag 1740
atgtagagcc cggtctcagt gcagcctcca gggggctggg tggcagtagg gatggggcag 1800
ggcctggagc tgccactgct acctggggaa ggggcttgcc tgccttctct ttgaatgagg 1860
acctcccctc tcccgcccca gggctcacct gggatctgct ccttcacaca gatgccttcc 1920
atctgcttgt agccctcggc acagatgcag cgataaccgc cctcggtgtt ttcacactgc 1980
ttgttctctc ccggacacac ctctgtctca cactcatcca catcttgagg ggagggaggg 2040
gtcagagtcc tgctagggcc ccccacccag caccctgact ccatcttgtc catctctcaa 2100
cactcccctc tgcccttgcc caggcaacat tccacccttc cttcccccac ctgcccatat 2160
tccagcctct tcaccattca tgctgggtga ggcactccca ggtgcctgtg tcccatcagc 2220
aggagactca ccgagacact tggagcccac ctgctgatag ccagggctac acttcttaca 2280
gcgacctggc cctgccccca tgcagcctag gcaggccttg gcacagtctg gagagaggag 2340
agaaagatga gggtgagatg tgcacctagg cccaggggag ccacgctcca gaagcggagg 2400
cctgggggtg ctctgaagcc tgagaagggg aaggtttgga gggacaggtg tggagcagct 2460
cttcctccac tcctcacgtc ccctcctctg cagaagtaga cactgacctc ggcactcata 2520
ggagccctca gtgttcacgc agaattggtc agctccacag ttggctccct ctgtgccaca 2580
ctcatcaatg tctgcagaga ggtgagcagg gtgagaattt caatccctat ttagtaggga 2640
agctgaagcc agagccgttg gggaatggtc ttgcctggga ttaaatggta tggcagagac 2700
tgcaagctgt ctaccaacac agaagcagac tagctggact tcaggctgcc cagccagaga 2760
ccacatttgc caacctgtct tgaagctaag tgtgtccctg tgattgagtt ctggccaaca 2820
ggatgtaaac aggagtgatg agctccaccg ttagcttggt cttaaaacaa tgcttggact 2880
cctcaatgca ctttctttcc cttctccctt cctgagtgct ggcatgtggg acacagagat 2940
gcccaggact cagcttcaac catgcagaca acgcccaagg ggatgattgt gcagtaagtt 3000
acaggaataa tctgggtact ggaatgatta tgactagcag agctcccctg ccagcctgga 3060
ctactcactt tgggactgta atatgataaa aaaaaataaa cctctaccct ctagattctt 3120
ttttttttt ttgagatgga gtttcgctct tgtcacccag gctagagtgc aatggtgtga 3180
tcttggctca ctgcaacctc tgcctcctgg attcaagcga ctctcctgcc tctgcctccc 3240
gagtagctgg gattacaggc acctgccacc atgcctggct aaatttttgt atttttagta 3300
cagacagggt tttgccatgt tggccaggct ggtctcgaac tcctgacctc aggtgatcca 3360
ccccacttca gcctctcaaa gtgctgggat tagaggcgtg agtgagctac cacacccagc 3420
caacctctat actctttaag ccacagtctt ttggggattt ttgttacagc agcttagcct 3480
ttactttagt ctatataagt ggctaggctg ggaccaaacc aagtcttgaa cccaggtttc 3540
ctgaccccaa gttcagtgtc ctcattctcc tagccaaccc ttcctcattt ttttttttt 3600
ttttttttt ttttgagatg gagtctccct ctgttgccca gactggagtg cagtggtgcg 3660
atctcggctc actgcaagct ccgcctccca ggttcatgcc cttctcctgc ctcagcctcc 3720
tgagtagctg ggactacagg cacccgccac cacgcccagc taatttttg tatttttagt 3780
tgagacaggg tttcaccatg ttagccagga tggtctcgat ctcctgatct catgatctgc 3840
ccgccttggc ctcccaaagt gctgggatta caggcgtgag ccaccgcgcc cagccccttc 3900
ctcaattttt aggacttggc caaagtaacg cctcctccaa gaagcctttc ctgattcccc 3960
atcaccactt ccactgaact agatcagagg catctctcac tgtacacagg gactatacta 4020
cacagtacct gtgtactgga ctgtaagtat ctggttactt ttctgccttc ccagccaggt 4080
tgagatctcc atgaaggtgg agactaggct agtctagccc aggcttgtgt tgagagaata 4140
aaggaccaag cccaggcccc tgaccatctt cccagaccta gctagggccc cacttaccta 4200
cacacttgag gtgatgcagg gcccagccct tcttgcattg caaacagttt gattcctcag 4260

gtcctgagca tcgggcacag gggccaaaac aagctgggtg gaatgggggc agcatgagga 4320
tgggcaggca ggtgccccat ctgcccctgc ccagtgccac acctttttggc tacctacccg 4380
aacataccag atggctggcg ttgcgttctg cctcaaagta gccaaggcca cactggccac 4440
aggcctcacc cccgtagccg gcttggcagt cacagtgccc gctgcccccct cgtgtccctt 4500
ctccttcaca ctgcccgtag ccaccgcagg gcctctctgt tcccccagga caggctgtgg 4560
gaagacacca aaccaggtga ggtcatctat acaaccttga tatacaagat aatatttttct 4620
ccctctccct ctccctctcc cttgccttcc ctccctcccc ccctcccctc cccctccccc 4680
tttccctctc cctctcccca tggcctccct ctccctctcc ccatggtctc cctctccctc 4740
tctttacacg gtctccctct gatgccaagc tgaagctgga ctgtactgct gccatctcgg 4800
ctcactgcaa cctccctgcc tgattctcct gcctcaacct gccgagtgcc tgcgattgca 4860
ggcgcgcgcc accacgcctg actggttttc gtatttttt ggtggagacg gggtttcgct 4920
gtgttggccg ggccggtctc cagctcctaa acgcgagtga tccgccagcc tcggcctccc 4980
gaggtgccgg gattgcagac ggagtctcgt tcactcagtg ctcaatggtg cccaggctgg 5040
agtgcagtgg cgtgatctcg gctcgctaca acctccacct cccagccgcc tgccttggcc 5100
tcccaaagtg ccgagattgc agcctctgcc cggccaccac cccgtctggg aagtgaggag 5160
cgtctctgcc tggcggccca tcgtctggga tatgaggagc ctctctgcca ggctgcccag 5220
tctggaaagt gaggagcgtc tctgcccggc cgccatccca tctaggaagt gaggagcgtc 5280
tctgcccggc cgcgaccccg tctgggaggt gaggagcgtc tctgcccggc cgccctgtct 5340
gagaagtgag gagcccctcc gcccggcagc cgccccgtct gggaagtgag aagtgtctcc 5400
gccgggcagc cagcccgtcc gggagggagg tgagggggtc agccccccgc ccggccagcc 5460
gccccgtccg ggaggtgagg ggcgcctctg cccggctgcc cctactggga agtgaggagc 5520
ccctctgccc ggccaccacc ccgtctggga ggtgtaccca acagctcatt gagaacgggc 5580
caggatgaca atggcggttt tgtggaatag aaaaggggga aaggtgggga aaacactgag 5640
aaatcggatg gttgctgtgt ctgtgtagaa agaagtagac acgggagact tttcattttg 5700
ttctgtacta agaaaaattc ttctgccttg ggatcctgtt gatctatgac cttatcccca 5760
accctgtgct ctctgaaaca tgtgctgtgt ccactcaggg ttaaatggat taagggcggt 5820
gcaagatgtg ctttgttaaa cagatgcttg aaggcagcat gctggttgag agtcatcacc 5880
actccttgat ctcaagtacc cagggacaca aacactgcgg aaggccgcag ggtcctctgc 5940
ctaggaaaac cagagacctt tgttcacttg tttatctgct gaccttccct ccactattgt 6000
cctatgaccc tgccaaatcc ccctctggga gaaacaccca agaatgatca ataaaaaaga 6060
caaaaaaaca aaaaaaacaa gataatattt tctgctctgc atatcagtaa acatttttgg 6120
agaagaaaat taattttaat gacataatat tttgtcataa aactgacatt tacttaacca 6180
atttcctctt gtggaacaat tagattttac agacctttta tttatttatt tatttattta 6240
tttatttatt tatttattta tttttagtga cagggtctcg ctctgtttcc caggcaatga 6300
catgatcata gctcactgca gcttcgaact cctgggctca agcaatcctc ccacctcagc 6360
ctaggggaac aacaggctgc actaccatgc cccactattt ttttttaaag agacagggtc 6420
ttgctctact acccaggctg gtctctcaaa ctcctggcct caagtgatcc tcctgcctca 6480
gcctcccaaa gtgctgggtt tacaggtacg agccactgga ccaaatattt tctttttttt 6540
ttttgagaca gagtctcgct ctgtcgccca ggctggagtg cagtggcatg atctcggctc 6600
actgcaagct ccgcctgccg ggttcatgcc attcttctgc ctcagcctcc agagtagctg 6660
ggactagagg cgcccgccac catgcccggc taatttttttg tatttttttag tagagacggt 6720
gtttcaccat gatagccacg atggtctcga tctcctgacc tcatgatcca cccaccgcag 6780
cctcccaaag tgttgggatt acaggtgtga gccaccgcgc ccagccaata ttttctttta 6840
caaagactga atttgccatc tttgtagcta gctctttatc tgtagcttca ggaaagactg 6900
ctctaaaaga ggctggtagt aagttcagct cttgtgccag gactgtgtgt gaggatggat 6960
ggcgatcatg gaggctccag gtcagcaccc gcccctcccc aggaaggtac catagtccga 7020
tctggcatgg gaaatgaagg ggctgggaag tctatcattt ctttagtaca tgatgataac 7080
tatactgcat atgactcagt ctagcccctg tgctttctcc aagcctttcc ccactgattt 7140
gcccatctcc ccagccctgt caggcaggca agaactgagg tccagagaag tttatctgag 7200
tagcctgagt tcacacagcg aactagggac agagccagga ctggatccct ggactcggtg 7260
gtcccctccc atccccaaga gcaacttaaa aactcacgaa ggcaggaggg cccgaaggtg 7320
cctgcggggc agcagagctt cagggaatct gagcacagcc actggaagag gtccggggcc 7380
tcctgctgcc tgaggcaggg gcagggtgga gggaggtggg gaggaggtgc tgagatagtg 7440
tcataagtgc tgttcccatt cccccatgcc tgaatctgtg attcaaccca gcttggacat 7500
aagacccaaa aggccatctg accaatgccc tttccccatt tggcagaagg gtaaactgag 7560
gctcaaagtg gagcgcaagt cccccggcaa gttcttagca gacctgggtt tggaaggagc 7620
acaaccagga catgggcccc agcatgcacc cccctgcttc tcggccaaat caggccttat 7680
caccaggcct cacctgtgac ccacttccag ggaaggccct ttgccactca cttgtgaaac 7740
caccagctct ccaccagctc ctcactcagc tccagcaggc ggtggcactc gaagtctgac 7800
ttgctgcaca caccctccag cacctctacc aggcgggtct cactgatcgg acagggcagg 7860
gctggtggga aacatgcccc accccaccca ccaccctcct caagtctctc tccacccttc 7920

```
ctcgtgcggt gaaaatatca aaggagaggc catgaggtat aatggaaggg gtcatggttc   7980
tgggaagcag agagacctgg gttcaaatct agtggtagat ctagtgggca agtcacttaa   8040
cctctctgaa cctctttgtt ttgtcatctg taaaatgggg atgacaatac cttccctgca   8100
ggtttgttgt aacatacatc agttcctgca tctgagcaat ggaatataat acccttgctg   8160
ggtagatatg gctaaaaata catcctataa caagtgttgg cagggatgtg gagaaattag   8220
aatcctccca cactgcaggt gggaatacaa aatggcatca ccactgtgga aaagcagttc   8280
ctcaataagt aaaacatgga attgccatag gacctgccaa ttccactact ggatatagac   8340
ccaaaagaat ggaaaacagg tgttcaaacg aaaacttgta gacaatgttc atagcagcac   8400
tattcacaac agccaaaagg tagaaacaat gcagatgtcc atcaactgat gcatggttaa   8460
acaaaatgtg gtacagccaa atgagaatat tattcagcca taaaaaggaa taagtattga   8520
tatatgctac ggtatgggtg aaccttgaaa acattatgct aagtgaaact agccagacac   8580
aaaaggccac atattttatg attccaatga aatcagcaaa tccataattt ctgcttgact   8640
aacacaaatt agtgattgcc aagagccgag ggaaggggag aatagggagt ggctgtgtaa   8700
taggtatagg atttttgggg ggggtaatga aaatgttctg gaactacata gtggtgatgg   8760
ttacacaaca ttgtaaatat tattaaatgt ctttaatggg aaatttttta tgtgtatttt   8820
accacaaata tatacatata tatatatata tacgcatata tatacgcaca tatatatacg   8880
cagacatata tgcacatata tatacacaca catatatata tacacacaca catatatata   8940
cacacatata taaatatttg atgtcttata tcctgtattt aaagggtctg gcacagtgcc   9000
tggcatatag gaggtgattt aaaaaagcaa gcaacgcagg agccattaca aagctggaag   9060
tgcctctggg gttgtcttag ccaatcccct cattcctgaa tgaggaaact caggcccggc   9120
gaaggaaaag agaaaatgac caatgttaca taataacaaa acctttattt ctagtgggca   9180
tcccagttaa gccttttcca cacttctatg aaataggcaa accaggtatt aatatcccca   9240
ttttacaggt gaagaaactg tggctctgag aggttaagaa ccgacaacca ggtctaactc   9300
tgagcctttg ctgactcctc ttccatctga ctttgaaaag ctggagggct cagggctcgc   9360
ctttctgtat ccttcccatg cctttcttta catactgact atataaatgg ctttctgtat   9420
tacatatatt gactatataa tggctttctg tatccttccc atggctttct ttacatactg   9480
actatataat gacaactctc aaattcctgt ttccaattcc tactcttttc tgaattccag   9540
atttgtatgg agtctacctg gatgtctaat ggacatttca gcccaatacg ttcaaagaac   9600
accacatccc acccctcccc taaaccttct cggtttcgca tctcaccatc ttagaaaaca   9660
gctgcactac tcacccagtt gctcaggccc aaaatctagt aagcatcttt tattctactg   9720
tttctctata cccataatga atctatcacc aggtcctatt gttctctctg caaaatatac   9780
ccagactgtg acctcttcat catgtcctcc actagatacc acactagctt gtgttgcctt   9840
tgtacctaga tgatgcactt gcctcccaaa ctggtctccc tgcttcctcc gcccttgccc   9900
cttacaatcc gtttgctaca tagcagtgtg agtaatcttt aaaggtgtag agaagacagt   9960
atcacttttt ctgctcatag ccttccaaga gcttcccatt acactccaaa aaaaatctaa  10020
actcttttct gtagccctcg aggcttaagc ctttgccttc accttctagc actctcccct  10080
tggctcactc cactccagcc acttctcaaa tacaccaagc tcagtcccat cctctgccca  10140
attccctccc tgtcacatag ctcgcttctt cacttcctgt ctctctgttc aaatgccaaa  10200
ccttgaacac cttgcctccc accgtcctgc agtctaccgt gcttcactgt ttgttcttca  10260
tctgacataa tattattcac ttactcattc actgcttgtc ttctctacta gaatgtgagc  10320
tccaggaagg gggcattttg cttgccttgt ttactgctat actatagatg ttcagtgcta  10380
tttgttgaat gaataagtgc tccccaagag ttcctagccc tacaccagca gagcagagat  10440
ttggcgggga ggggaatata cacccccttcc cccagcagcc ccttacctgt ctttgtattt  10500
ggacaaattc tcttcctccc aggcagtgtt tccacctcca aagttgtccc ggatggttct  10560
ctccaggccc tggaaacaga aaattagtaa tagctaagta cagtgcctgg cacatgctag  10620
cacttcactg ttctactgac taggaaactg aggcacagaa aggcaacctg cctagggcca  10680
tacaactagt aagagaccaa gatgaaactt aaatccacgc agatttgcat cccagagttc  10740
cccactctaa atcgctgtgt tcccctctaa cgaggctgcc ggtgcaccca ccttgttaaa  10800
gctgtcaacc agtccccggc aggtatgaca cggatggggc tgaggcgggg gagaagactg  10860
gggaggtgga gagggctgga gccagatagg tcctgggagg ttgaggaaga ggctgaggcc  10920
ccagagcaca gctgggacta ggcccttcgg gggccatggg gccatcttta cccaggctgg  10980
ggacctgcag atagagggcg tggagaggct tcactgaagg agtcaggccc cacgcgagaa  11040
agaaaaaggt ctgttctaag gtgccgtggc gctgggatct gcgttattac aagcaaaaga  11100
ggccaaactg ggtattgcag gggctgtggg gatgggtggg gaaaggcgca taagatgcaa  11160
ttccagaaga gaaataagtt atcctcgcta gcatggggtg gagaggaaag tggcctcgct  11220
ccttgacaag ggggcagaag tcagcctctt gtctgagggt ctgataaaga atattagggg  11280
ccggatccgc agaattaggg agaagagatc agattccaag tactgaagga gaggaggcca  11340
gaggggttgt cttgggggag gtgtccggaa ccccgggctt ggagggagga gcccggatcc  11400
ggatatgaag ggaagggatc agattcaggg cctcgcagaa gggcaaaggc acggcccacg  11460
agccggcaga gaaggatcca gaccctcgta ggccacggag aaggaagaag cgaccgcccc  11520
agcccgcggg cgccgtgggc cgtctcctca ccgcgtcgct gccacagcct gcgtaaaacg  11580
```

cacaaccccc acccgcgccg cagtccaggg ggcggagctt gccgcccagc caatggcgac 11640
gggccatgtg ccattacgtc accccacgcc agccaaccag aggcggcacc gagctgcacc 11700
tgtccgggct ttaaagggcc gcggggctag ggaacgacgt ttgccagccc cgccactgaa 11760
acggagacgc gtgtgggcca catgggtaga aaaacagcgt ctgcctttat ttaagtcccg 11820
tccccgcccc caggtcccgc ccctggtccc accccgcgtc ccggcgcggg agtccccggg 11880
ggatggaagt agctatccag ggctggctga agggcccggg acacttgctc cgctctctct 11940
tggagccgcc cggaacgcgg ggcgcgaggc tgctgcaggg cccccaggaa gtctggcagt 12000
tgggagggca gtgtgaagac gggcacggtg cggaaaaggg cgggtacggc gtccgggtgg 12060
agcagcctgt cgaagcaggc ccccacgtag ctgccgggcg cccggccctg caagaagtcg 12120
ggcagcacgc agctgagcga ggcgcggaag gcgtcgtgcg ggccgtgcgc cccgggcccg 12180
gacaccccat cctgtagcca ctcgctgcac agcgccaccg caccgggaga gaagagcaag 12240
accaccacgc cgccctcctg cagggtctgg cgccgctgcg cgtgaaacca agccacgggc 12300
ccctgcgcgc tcagttcacg acggctccac aggtctacgg ccacgcgcag cggcagctgg 12360
cacagggccg acgccagggc gcccaccagg cgctcgaaac ccgagtcatc ggctgagtag 12420
aggagcagag ccgcgcggcc cctggcggcc gctgccggag aaaacagatg gggagggaag 12480
aggtgagctg gcacaggcct ggctccccgg gggcggccct ccgcccagcg cttgctccca 12540
ctcacccccc gagcggacgt cctgtttcaa gagcctcagc caccctgtta ggggagaggg 12600
gcggaggcag ccagtgagct cggccgccgc tttccctcgg agaactccca cagccactct 12660
ggtcctcccc caggggaatg gggagccggg aagcgctcac ctttcgcgtg atccttttg 12720
agaaggagga tgagggaaag cgcagcggca aagagtaggc aggccagcca cacgagggcc 12780
cagcgcttgt ggatgtctgg gagacccaga gaagaagagt tagaaactta ccctccacag 12840
agaagaaaaa ctgagactta acagaaatga attgggccgg gtgcggtggc tcatgccttt 12900
atataatccc agcacttcgg gaggccgagg cgggcagatc acgaggtcag gacatcaaga 12960
ccatcctggc taacacggtg aaaccccgtc tctactaaaa atacaaaaaa ttagccgggc 13020
gtggtggcac acgcctgtaa tcccagctac tcgggaggct gaggcaagag aatcgcttga 13080
actcgggagg cagaggttgc agtgagccga gatcgcgcca ttgcactcca gcctgggcga 13140
cagggtgaga ctcctctcaa aacaaaacaa aacaaaacaa aaaacgaaga aatgatttgc 13200
ccagagtcca cagcacagtg tcagagccag tggatgaata tagctccatc tgtttagggg 13260
tctttgaata agtaatgtca ccctctgcct cagttttctc ctctgtaaag ttgtacctat 13320
gtcatagggt tggtgtgagg actaaatata ttaatacata taaagcttaa cacaatgtgt 13380
taatacatac ttaacacaat gccgagcatc ttaagtgcta aaatgtcagc tgtttttctc 13440
ccctaagcta gggttgctgg gcccttgatc ttgctgtcct gggtgtctgc aactacctgg 13500
tgtccctgcc ctgtcttttt ttttttttt ttacctccaa ttgatttgcc ttgaattgat 13560
tcatgacagc ctcagagatc ttttaaaaat ataaatttgg gccaggtgcg gtgactcacg 13620
actataatcc cagcactttg ggaggccgac gcgggcggat cacgaggtca ggagttcaag 13680
accagcctgg ccaagatggt gaaaccccat ctctactaaa aatacaaaaa ttagcagggc 13740
atggtggcag gcgcctatta atcccagcta cccgggaggc tgaggtagag aattgcttga 13800
acccgggagg cagaggttgc agttagccga gatcgcgcca ttgcactcca gcctgggcaa 13860
cagagtgaga ctctgcctca aaaataaata aaaaaataag tgtatatata tatatatatg 13920
tgtgtgtgaa atatataaaa atttgatcgt agctcctgct gctctcaaca taagatccaa 13980
atcccctaca tgtctcctgc atctttatct catgacagaa acctgcctgt ccaagaccct 14040
gtatctctac ccccttcccc tagctcagtc ttcagagttt tgctggaacc ttccccctga 14100
gcccctcacc cctcacccca cccaggtcag gtccacattg tatgcattta cagcactgaa 14160
cacttggtgg tgcttcagta gctcccactt taaatgtaag tgactggctc atgtcttgct 14220
agtcttctag gggtggggcg ggggcaagga tttatatttt tggtgttcct gcgatccctg 14280
caagctctca tcatttttg agtgaatgaa ggaatgaccc tctgtttatc tgatctcagg 14340
gaaggacaag gccattgcat gtgctgtgcc caagagtggt ccctgtcaag atccccactc 14400
ctggtacaga aaggaaaggc agttcttaca atactcacat ttgtccatgg ggcaggccca 14460
tagcgctccc aagtcatcgt cccatagctg taagatacaa acagaaccaa atccagggca 14520
ccagccaggt gttccaatat tcaccaagct ctggtggcct gatctccaaa tttccagcat 14580
caactatgca tatctcccgg ctaaggttcc tgcagctgct ctgcctttgt gctgtgccca 14640
ctgactaggg tatgacttct tccataccaa atctggctta taggaagaaa ttcttcccgg 14700
aagctctccc tggaacccaa aacttagcac ctgtaggtgt ggttatctgt ttatgggtgt 14760
ctagccaaca gtgtgctcct tggggatagg aactgtgctt cttctactct taactttccc 14820
agggctgaac ataaaataag cctaaataga cagtaggtga gtgctagttt taggcctgtt 14880
gcccctaggc attgaggtgg ggcccttctt ccaccagctc acctgcagac actggcctga 14940
ctgcaggtct tgtagtaagt actctccaag gcgagctgcc ctctgccaag ccaaaggatg 15000
ggggcactgt tacctggagg tagcaccctt agggcagcac ctaccaggct acagctgggt 15060
agaatgaggt agaggggact gggagacttt ggtgatgccg ctgaatatgg ccctggtctg 15120
agtcaccccc catgttccca gagaccggca cagggtggat ggagtgaaaa tttgaggcca 15180
gatgtgagat gcatttggag agatctgtgg aggagggtcg cccagtccta accgtggagg 15240

ctttgctggg tagtgaagta cagccactgg gttccaaggc acagagggat ctgttgtcct 15300
gggggcctcg tgtctccaac agtagcacat cgtctttgag aggccccagg gagtctggaa 15360
ggggtgagag gccactctga ccaagaccca tccttgctgg gattggccac ttgcctgcct 15420
cccatgccct gaccttcacc cctaggaggt ggccctgccc cagctgcccc caggcccaac 15480
tcaccagccc acaagcactc ctgcagctgc agcttctccg agctgttcac ctgctgggaa 15540
gagaccatgg ttagggccac taagaaaagc aaaagccaaa ggcagaaaga ccagaatggg 15600
gcaggcaaca gaaggcctgt tgggttggga atctgcactc aatctgacct gaggcagatg 15660
tggattcaag gctgggtgat taggaatcac tacatctttc tctgccccag ccttgtgaga 15720
tcatctgtat aaagcgtctt ctgaccctaa agctgttttt atgtcttacg gagcatggtt 15780
cccctctcat ctaaccttct caaagagatt cctttctcac atgaccaccc tgctaaaaat 15840
tgcaacccca gtcccacctt atccctttcc catggtattt gtatgcaatt ttaagatact 15900
atatgattta tttacaatgt ctgttgcctg cctttctcca ttacaatata agttctatga 15960
gggtagagat gttagggtct atcacaagtg cctaaaacag tgacttgtgc tgctcaaaaa 16020
atcttgaatg agtgaatttt ttttttttt gagacggagt ttcactctgt cgcccagtct 16080
cactctgtca cccaggctgg agtgcagtgg cgccctctca gctcactgca agctcagcct 16140
cccaggttca cgccattctc ctgccccagc cttcctagta gctgggacta caggtgccca 16200
ccaccacgac cggctaattt tttgtatttt tagtagagat ggggtttcac catgttagcc 16260
aggatggtct tgatgtcctg acctcgtgat ctgccctcct cggcctccca aagtgctggg 16320
attacaggcg tgagccaccg cgcctggccg gatgagtgaa tgttcttata atcacccttt 16380
gaaactgtag agcaacccat tctacaggta tggaaataga ataaggatag caataataaa 16440
agtggctaca tttatggagc atttagtctg taccgattcc taaggggaag cacttctctt 16500
atttcattgt cacaaccact ccatgaggta gttactgtat tatcatctgc attaaacaga 16560
tgaggaaact gacgttcaga gaggtgaagt gagttgccca gggtcccgcg cactactaaa 16620
gtaggcagtg gaactcccat agaggaagct ggcaaccact atgctttagc ggcccaagaa 16680
ctaagacccc cttggctggg gggtctgccc aggtccagcc tccagcccag cactatgcac 16740
ccctttctga cctgaacaca gaggttaggg tggcctttca gcaatgggaa ctcgagaacc 16800
ttctgtggaa agagaggaat gggtgggatc acaaaagggg acccccggtt ccccactctc 16860
ccctcaccac gggaggtgcc ctctgcttca cttacgtcca cagtgacgtt ctcccaggaa 16920
agcggtggga ccagtggctg gcaggggtcc ccacccggag cccgccagca cagtgccgct 16980
tctgcgggca gcgagcacgg tgcgtccagc agccagctct gcagggtcag cagtcgcagt 17040
cgggcggctt gccagaggtt ctggtgtgcg cgggggtctg caaggaaagg gcacagtcac 17100
cgcaggccag gtacccatcg ctcgcaacac cccaacccca gccccaggcc ggtcggctca 17160
ccctccctga aggggcagat gttcgtccta acggagtcag gttccagagg ccacacctgg 17220
aaaggaaatg ggggtctgct caggtcccct ccatgggcat gtgcctggcc ctctgctgga 17280
cagtggggat gcactcattc agcaggtatt tcacaaacac ttgctgggtc ttcctgcctt 17340
ttacaaaacc tggaggtgct cacatctatt cttccagcaa acataatgct gggcactggc 17400
aacatcttca ttaacaaact ttttttttt tttgagatag agtctcgctc tgtcgcccag 17460
gctggagtgc agtggtgcaa tcttggctca ctacaacctc cacctcccag gttcaagcga 17520
ttctcccatc tcagtctcct gaggagctgc gattacagga acatgccaca acggccggct 17580
aactggttaa tttttgtatt tttagtagag atggggtttc accacattga tcaggctggt 17640
ctcgaactcc tgacctcaag tgatccaccc gtctcagcct cccaaagtgt tgggattaca 17700
agcgtgagcc accgcgcctg gcccattcaa cagacttta atgagtgcct accattgtgt 17760
cttagcagta tggcaagcac aagagacctt ggataattaa atttttatta ttttttttatt 17820
ttttgagatg gaatctcact ctgttgccca ggctggagtg cagtggtgtg atctcagctc 17880
accacaacct ccgcctcctg ggttcaagtg attctcctgc ctcagcttcc caagtagcag 17940
ggactacagg cgcacatcac catgcctggc taatttttgt acttttagta gagactgggt 18000
ttcactatgt tagccaggct ggtctcaaac tcctgacctc gtgatccacc caccttggcc 18060
tcccaaagtg ctgggattac aggtgtgagc cactgtgcct ggtggataat taattttaat 18120
tcattccaca atcactttgt aagcacctgc tatgtgttgg ggaatgtgct aagttctaag 18180
gacacattca tttattcttt caacagacat ttcaagagtg cctattatgt gcatagctct 18240
atgctaagca ctagaggtaa tacattaatt tatccatcaa gcctttagtt aggaacaccg 18300
actatgtggc aggcactgtg tttggcaatg aagccattta aatcacagca tacatctcat 18360
gaacatctgc tgtgtcctat ggctgtgtta ggcagtaaca tttattcact cattcaacag 18420
tgaggacctc atactgttac cttgtttaaa aacaaaacaa ggctgggcgc ggtggctcac 18480
ccctgtaatc ccagcacttt gggaggccaa ggtgggcgga tcacgaggtc aagagatcga 18540
gaccatctgg ccaacatgct gaaaccccgt ctctactgaa aatacaaaaa ttagccgggc 18600
atggtggcat gcacttgtag tcccagctac ttgggaggct gaggcagaag aattgcttga 18660
atccaggagg cagagattgc agtgagccga gatcacgcca ctgtactcca gcctgccaat 18720
agagcgagac tctgtctcaa aaaagacaaa aaaacaaaaa aaaaacaaaa acacaaaaaa 18780
acaaaaaaca agtaggcgct atgtgcaagg ctcttgcaaa gctattacat ttgaattaga 18840
tatgatttgc ttgccttcaa ggaaatcaca aactcacact tgtagtaagg ataaaatatt 18900

tatataaatt agtaaaacac tcattcattt cataatattt attgagcatc tgttgtgtac 18960
aagaagaaat tagatgccca aataagaaag taagtgattg agctgggtgt ggtggcccat 19020
cgccacaaaa cattaaaaaa tgaaaacagg ctgggcacag tggctcacgc ctgtaatccc 19080
agcactttgg gcggccgagg cgggtggatc acgaggtcag gaatttggga ccagcctgac 19140
caacatggtg aaaccctgtc tctactaaaa atacaaaaat tagctgggca tggtggtgtg 19200
tgcctgtaat ctcagctact tgggaggctg aggcaggaga atggcttgaa cctgggaggc 19260
ggaagttgca gtgagccgag atcacgccac tgcactccat cctgggcaaa agagtgaaac 19320
tccattaaaa aaaaaaaaaa aaaaaaagga aacaattagc caggcatggt ggcgcatgcc 19380
tgcagtccca gctgcagagg ctgaggcagg aggatccctt gaacctggga gcttggggct 19440
gcaatgagac gtgttcatgc cactgcactc taccatgggt gacagagcaa aatgctgtct 19500
ctaaaaaaaa aaaaaaaatt taagaaaata aaagaaatga agtgataaat ggacaaggaa 19560
agatagaagt gcaaggggat ttggagctag gagaggccgg gtggttgggg aaaagctttg 19620
ggaaggaggt gagggcattt gaggtaatgg gaaccacctg agaaaaggca gggagctagc 19680
tgtatcttgg taagtagctc cactggatgt aacaatgttc tcatgaaggg gaatcatggg 19740
gaaaatagag tgaaaaggca ccgttggggg cagaatatgg gcccagaatg ccaggaaagt 19800
gatgggaagg gaggggagct tggaggtgtt gaaacagtct agaaaacaga tgatagagcc 19860
ctaagctgga ctgagatgga gaggaggggg aaagaaaatg agagacatta atgtcagagg 19920
taagatggat gagacctgat gaccaattaa atgtgcaatc agcggctggg cacagtgggt 19980
catgcctgta atcccagcac tttgggagga cgaggcttgt ggatcataag gtcaggagat 20040
cgagaccatc ctggctaaca cggtgaaacc ctgtctttac tgaaaataca aaaaattagc 20100
tgggcgtggt tgcaggcacc tgtagtccca gctactcagg aggctgaggc aggagaatgg 20160
cgtgaaccca ggagaagcag cttgcagtga gccgagatca cgccacggtg ctccagcctg 20220
ggcgacagag aaagactctg tcttaaaaaa aaaaaaaaaa aaagtgcaat cagggcaagc 20280
cacagtggct catgcttata atcccagcac ttggtgggag gctgaggtgg gaggatagca 20340
taagcccagg aattcagaac agcctgggta acatagcaag accccgtctc tacacaaaac 20400
aaaaaaaaac tagctgagta tggtagtgct caccagtagt tccagctact tgggaggctg 20460
agacaggagg atcacttgag cccatggggc tgaggctgca gtgtgccatg attgtgccac 20520
tgcactccag cctgggcaac agagtgagac cttgtctaaa aaaataaata aatgtacaga 20580
ggaagaggaa agagccagca tatttaagcc tgggtgtggc acacattctt ataacagccc 20640
catgaggctg ttactattat tattcccatt ttacagatga gaaacaggct cacagaggtg 20700
aagtgacttg cccaaggtta cacagctagc aaatggcaag agccaagatt caaaccagtc 20760
caagttcgta gcacatgctc tgcccgccag gggaacacaa agacagaact ggaggagtag 20820
ggaaaggttt caaggagaag gtgacatttg aatggggcca tgaagaataa gcaggagttc 20880
tgtggaggat cagggagagc attcagggaa tgtaatagac agaaggcata ggacagcaag 20940
ggtcaaggga gggccagcca ccccagggag ccacagtctc cacctcaatg aagggtttga 21000
agaatggtga gaccaggaag gcagggatca cccccatcat catcttccca ctcctcttct 21060
ggcacccagc tagactctgc tcctacctga atacagaggc agggaaccag gtctgtgtgg 21120
ttcaaggtaa tgatctgcgg tccagtctgt ggaacaaata aaggaaggag gttggagaag 21180
ataaggagga agaggaggag gccaaagtca aggaaaccag gaaggcagaa gttcccccac 21240
caattttccc ttgcttgggg tgagtcctct tcaaggatcc tctctgatat ggcactgcgt 21300
cctttgcaca ggcatcggcc tacagtggga atggacttgg gaaggggggag gcctcaccag 21360
gtttttgtgc caccggggtt ttgggggccc ctggacctga ttccagtaca gggagaggcc 21420
gaagtgctgc tcctcagaga cattcagaac cagatgcacg ttgtcaccat ctgctgacac 21480
gttgagccag ggcagggctg g 21501

<210> 1114
<211> 308
<212> DNA
<213> Homo sapiens

<400> 1114
ttttttttt ccttttttt tttttgagat ggagtctggc tctgtcgccc aggctggagt 60
gcagtggtgt gatctcggct cactgcaagc tctgcctcct ggggttcaag ccattctcct 120
gcctcaggct cccgagtagc tgggactaca ggcgcctgcc accatgccca gctgattttt 180
ttgtattttt tgtagagatg gggtttcacc gtgttagcca ggatggtctc gatctcctga 240
cctcgtgatc cgccagcctc ggcctcccaa agtgctggga ttacaggcgt gagccaccgc 300
gcccggcc 308

<210> 1115
<211> 1024
<212> DNA

<213> Homo sapiens

<400> 1115
gcggccgctg caggtcgctc agcgacgtgc gcgtgcgcgg gccggtccca cagcacgtag 60
tggaagcacc cgacggggca gccgctgcgg cttctggcag ctccctcgac agcttctcca 120
ggggttcact caagatcagt tggaacccct ggcgccacgg gctgtcatca gtggacagtc 180
tgcccctaga tgagttgccc agcacggtac agctactgcc tgccccgacc ccagcccctg 240
attctaccgc cgctcggcag ggggacggcc agggagaggt ccagccgcgc ggcaagcctg 300
gggaatcccg cagcgcctcc agtgatacca tcgagctttg aagagcggtc ctgacgcagg 360
gccaggaccc tgcccgatgc ccacatggca tggcctactg ggacagttga gcctttaaaa 420
aatgggcatc ctggccaggc gcggtggctc acgccaggaa tcccagcact ttgggaggcc 480
gaggtgggtg gaacacgagg tcaggagttc gagatcagcc tcctggtctc gaacatagcg 540
aaaccctcgt ctctactaaa aatacaaaaa aattagccag gtggcacacg cctgtagtcc 600
cagctactcg ggaggctgag gcgggagaat tgcttgaaca gggaggcaga ggttgcagtg 660
agccgagacc acgccattgc actccagcct gggtgacaag agtgagactc cgtctcaaaa 720
aaaaaaaaaa aaaaaaaaaa aaaaggcatc cccaggcctc tctacctgac ggcaaccccc 780
gggggacagc caggtttgaa ctcaccccac ccccatgccg ttttttgctt ttaatatttc 840
tatttttttt tcagccggca ttttgcacag aggccgtgtc ttatgcggaa tacagggtgg 900
gtgtgcatgg attcgggcat gaagaacagg gagcaggtgc cccagactcc ccaacgtgga 960
gtgatgagcc tcgcttgtct agattgtcct ctttgtgcca aagaaataaa cccttaggac 1020
ttgg 1024

<210> 1116
<211> 7365
<212> DNA
<213> Homo sapiens

<400> 1116
gaaagcgtgt tggccaaatc tgaatgatga aagccaatta caaactagaa aatgaaaaca 60
gaccccagat gcaaggagat gagacagtta aatttacttc ctcttttcta atctgagagg 120
tttcatgttg aagaaaatca gtgttggggt tgcaggagac ctaaacacag tcaccatgaa 180
gctgggctgt gtcctcatgg cctgggccct ctacctttcc cttggtgtgc tctgggtggc 240
ccagatgcta ctgggtaagt aaaatatttg aatattggtg tgggaatgga gctttgctta 300
ccttgggaga aaggaccaga aggaaagaaa catggactaa ttctggccct ccaaagaagc 360
agtattcagg tggaataaga agggtaggta taagaaagtt tggtgtacag gattgaatta 420
ctttctgaat ataaaaatct tccatcctga aagtcccctc tgatcatgat atcctctcta 480
gctctaatct caactctttt ctttcacttg tgagacaagt tttcttaaaa gaatagtttg 540
cacttgctat ctccacttcc tcacttctca cacgctcctc aatgcttgca gcctggcttc 600
cactggaatt ggttttgtct agggcacaac gatctctata ttgactgggt tatggcatgc 660
ttttcagttc atatcctgct ggacttctct gctgcactgg gctctgttga tcacttactc 720
cttcttgcat tctctactac cctggcttcc atggcaccat tttctccttg tactacatgg 780
acttctcttg atcccttaat agcttctctt ctcttccccc taaacactag tgttctctat 840
agttatagcc ttgcctctgt actcctcttt ctttacacaa tctccttcat gagcttattt 900
gtctgtttaa tttttgccac tataactctg tatttaagag tcccaaatca tatccccaac 960
cctaaccatg cttttgagct tcacattcaa atatcaagct tcataccaga catatctacc 1020
tacatatctc acaagtgtct ctgcaccatg tgactagagt tgaacttatc tgtccttttg 1080
gcccctgcct catctaattc attttccact ttctgatctc agctaatgac accagcatct 1140
acccttacaa ggccataaac ctcagaaaca acccagactc ttccttcttt ttcattctct 1200
aaatctgatc aatcattagg tttggccaat tttaccttct aaattgttca tagaagcagt 1260
cccttgcctg gatcatcact aatgtcttag gacaagccct catcctctat gacttgggct 1320
attccagtaa attcctaact aatctcctcg tccaaacctt gtgttcttga aatgaattct 1380
gtaccctgca gacagagtaa tttctaaaac tcaagtttac cagcccaaat tctttatcat 1440
ggcacaaaag gccaagcagc ctctactttt accctctcag ccttgtaact tatgctctaa 1500
taaatctcaa tcagttcata tttacatact cacacaccag actcttgcct gtctctaagg 1560
ctttgcttat accactatct ctacctgaaa tgagttcttt ccatggcacc ctactctcct 1620
tctccttgca aatgtgtagg taccctaaa gactcagctt aaatggtatc ttttccaggt 1680
agcttttctt gaatgcttct ttctgctcca atggctgctt gcgatacatt tttcttatta 1740
taatattttc ctacttatgc tgaaataata ttttcatcta cctgtgtctt ccactaaatt 1800
gagagctatt tgtgggtagt gacaatgttt ttttgttttt gtcttgtgat aagaactgca 1860
gacttggaat cagatactcc tgtttcaagc ccctcttcta tttaccagct ctatgtcact 1920
ttagaaaatc actttttcta tttctggttc agttttctca tttgtagaat gaaaataata 1980

atacctacca cctaaggttt attgagtgag ttcccagtaa cccaacaaga ttttatttta 2040
ttttatttta tgttttgaga cagggtctcg ctctgccacc caggctggag tgcagtggtg 2100
caatcactgc tcactgcaac cttgacctct tgggcttaag caatcgtcct atctcagcct 2160
cccaagtagc tgggaccaca ggcaagtgcc accaggcctg gccaattttt taaaaaatta 2220
tttgttgaga cagggtctct ctatgttccc caggctggtc tcaaactcct gggctcaagg 2280
gatcctccca cctcaacctc ccaaagtgct gtgattataa gcatgagcca ccacgcctgg 2340
ataagatttt atttttaaaa agaaaaaatg gagaggaggc agagcacaga tgagtgacag 2400
tggaggaact gaaaagaggt agcattacag tgaagggagc ggagaaagga tggaaagaaa 2460
acacctggta ctgatgtgat gagaattagg aagtagggag gggtcttggt aagggacatg 2520
acaaaatcaa agaagaacgc tgggctattg ggagtggaag agaataaagg caagtggggc 2580
acgaaatgac agtcagatgg agtgaagaag tatgcacatg tgaatggcca tgaggctgga 2640
ggaggggggag aatagttagg gagataaaga gcagtcccag agaagggaga aatgtcactt 2700
cccttgccta ggtctaccat gaaggtaaga gataggttga ggagatgtgg tgagaaatgg 2760
ataattctaa atttcaatct ggagcaaaga attgttccac agttactaat atggactggg 2820
aggaggggaa aaaagacaga gaaagctctg tgccactgcc agggaaaatt caagtggcag 2880
aggacattaa agtaaagatg gctgaaaagt gaagacctgc aaggggggagg aagaaaggag 2940
gagagacact gctgggtact gaaagctctt tgttagataa catattcaag gctgaggagc 3000
caagtgaagt ttgggaaaat cagaatatga aagaaagtcc ccgaggaagg tctgaggact 3060
gaagtagacc atatttgcac agtgaagtaa aaagaacatt gattttggac tcagacacac 3120
ctgcctttcc cgatccattg cttagtctct ttttaagctt tgggtatgtt aatttggttt 3180
tctaagtgtg tttctttaag attataaaat gaggataaag tcacctacct ggaaagtttg 3240
tgaggatgaa gttagatact gcacacaagt gctagcaggg tctggcaccc agtgaacatt 3300
agaatctgat gtctcccttt cattcctgtc ctatgcctcc ctgcttcgag ttaccattgt 3360
ctttgctcct ggtttcccgt accagcagct ggatgtcatg ccggtgagtt tcaccattct 3420
ttcattctct cccctccctc ttctccaaac cacagtgcat ttgctgagag cacctggacg 3480
ccagtgaatc aaggtcaaaa ctatcccccct gagacactct caggggtctt tccgaaaaaa 3540
aaaaaggttt tgatgtctta ctagtctcat tctaaaaagg atgattatcc tgggagatgg 3600
aggaaccctg tcctctttct ccaagttgca tcatcatttt ctggttctcc ctgggccatg 3660
ccctcttcag ctgccagttt tgagacgctg cagtgtgagg gacctgtctg cactgaggag 3720
agcagctgcc acacggagga tgacttgact gatgcaaggg aagctggctt ccaggtcaag 3780
gcctacactt tcagtgaacc cttccacctg attgtgtcct atggtgaggt cctgggaagg 3840
cctgagcagt gccccaaacc ccttctttca gcctcagagc ccacccagga aagtgtccct 3900
aggaaattgg ctatgggatg aggtacttcc ttcccagtct tcagcccaca gcaaccaggg 3960
tgctctaagt cctaggccct agggaagttg tcccatactc ccaaccaggg gtgagagttt 4020
acctggaccc tcagagaaag tttaggggag taggcatgct tgggggtggc ccccaaggga 4080
ggccctgggt gacactcagc tctttctctg gaccatagac tggctgatcc tccaaggtcc 4140
agccaagcca gtttttgaag gggacctgct ggttctgcgc tgccaggcct ggcaagactg 4200
gccactgact caggtgacct tctaccgaga tggctcagct ctgggtcccc ccgggcctaa 4260
cagggaattc tccatcaccg tggtacaaaa ggcagacagc gggcactacc actgcagtgg 4320
catcttccag agccctggtc ctgggatccc agaaacagca tctgttgtgg ctatcacagt 4380
ccaaggtgag agctagaagc agcattgtca tggcagggga gggtaaggag agacagggag 4440
cccaaattgt ctttctttag cctggaggta gcaagatcat caacagacta tggagcaggt 4500
tgctggcaaa tgcccaagtt gggcttcgaa agggacgaga cctcagcctt ttgaagtcat 4560
ccagccccac tcagagtcca gcatagttcc taccacccag atctatgctt cctagtgctc 4620
actgattggg tgtctggaca actatcagat ttgcccatct gtggatcttt cctagtcctg 4680
tctacttaca gaaagaactt gacagattca aatggaatct aagagagccc attcctgctg 4740
gaaacagggg aaaggaagta tgactcccca agtctcttca cctgcatgtg tctacctgta 4800
tataagatgg ctgagctctt ctttcctgcc tatctttttc ccagaactgt ttccagcgcc 4860
aattctcaga gctgtaccct cagctgaacc ccaagcagga agccccatga ccctgagttg 4920
tcagacaaag ttgcccctgc agaggtcagc tgcccgcctc ctcttctcct tctacaagga 4980
tggaaggata gtgcaaagca gggggctctc ctcagaattc cagatcccca cagcttcaga 5040
agatcactcc gggtcatact ggtgtgaggc agccactgag gacaaccaag tttggaaaca 5100
gagcccccag ctagagatca gagtgcaggg tgagttcgca tcagagtgca ggttgtctgt 5160
ttggcatgcg tgtgagtgaa aaggagggat aggataaatt gacctgtgag ctggggttca 5220
gtgtgagcag gttaagaagg gacacagagg gggcaggaac aatgggccag aatccctgat 5280
gatgagagac agcacaaata gagaacttct ccctcagact gtggtgcaca cctcaccaga 5340
ccaagagctg agccagctcc acacctgctg ccccacaagc cttagcatcc cccccaacat 5400
gctctctggg catttatagg aatttaatat ctggaatgaa gatgggatag tctgaagtct 5460
atgttcaatt ctgggagcca ctgttaagag gctgcacttg acctgaaaca ctcccagaag 5520
aggtgtccag ggtgataagg gggcttaaag tcatgtcata tgaaaaataa tggaaggggc 5580
tggagatgct atcctgaaga ggaggtgact cagaggccag cagaggtgtc ctcaaaaagc 5640

tgaaggctgg cattagcaca aggaattgga ctaatgtctt atataataaa gaggctgacc 5700
tagaaccagt taccacattc atgcttcagg gaattagatt cagccttgat agagaaagaa 5760
ctggctaata gttatagctg tccagtggtg aagcctcact gctgaagaat ttcaaacaga 5820
agtggccaag cttcagatta aaatttggac caggagggac actagagtcc tcaagtccct 5880
gctgccattg ggccccacag ccactttcag agaacaagaa agattggcca gggatgggag 5940
ggaagggcca gagtcagact tcactcttgt atgtgcctcc tgccccataa ttcaggtgct 6000
tccagctctg ctgcacctcc cacattgaat ccagctcctc agaaatcagc tgctccagga 6060
actgctcctg aggaggcccc tgggcctctg cctccgccgc caaccccatc ttctgaggat 6120
ccaggctttt cttctcctct ggggatgcca gatcctcatc tgtatcacca gatgggcctt 6180
cttctcaaac acatgcagga tgtgagagtc ctcctcggtc acctgctcat ggagttgagg 6240
gaattatctg gccaccggaa gcctgggacc acaaaggcta ctgctgaata gaagtaaaca 6300
gttcatccat gatctcactt aaccacccca ataaatctga ttctttattt tctcttcctg 6360
tcctgcacat atgcataagt acttttacaa gttgtcccag tgttttgtta gaataatgta 6420
gttaggtgag tgtaaataaa tttatataaa gtgagaatta gagtttagct ataattgtgt 6480
attctctctt aacacaacag aattctgctg tctagatcag gaatttctat ctgttatatc 6540
gaccagaatg ttgtgattta aagagaacta atggaagtgg attgaataca gcagtctcaa 6600
ctgggggcaa ttttgccccc cagaggacat tgggcaatgt ttggagacat tttggtcatt 6660
atacttgggg ggttgggggа tggtgggatg tgtgtgctac tggcatccag taaatagaag 6720
ccaggggtgc cgctaaacat cctataatgc acagggcagt accccacaac gaaaaataat 6780
ctggcccaaa atgtcagttg tactgagttt gagaaacccc agcctaatga aaccctaggt 6840
gttgggctct ggaatgggac tttgtccctt ctaattatta tctctttcca gcctcattca 6900
gctattctta ctgacatacc agtctttagc tggtgctatg gtctgttctt tagttctagt 6960
ttgtatcccc tcaaaagcca ttatgttgaa atcctaatcc ccaaggtgat ggcattaaga 7020
agtgggcctt tgggaagtga ttagatcagg agtgcagagc cctcatgatt aggattagtg 7080
cccttattta aaaaggcccc agagagctaa ctcacccttc caccatatga ggacgtggca 7140
agaagatgac atgtatgaga accaaaaaac agctgtcgcc aaacaccgac tctgtcgttg 7200
ccttgatctt gaacttccag cctccagaac tatgagaaat aaaattctgt tgtttgtaag 7260
ctattcagtt tgtgtatttt gttatagtag cccaaatgga ctaggcagtt ggcctctgcc 7320
acatgactga gtttatgata tgttaaaaat actcataaaa cagtg 7365

<210> 1117
<211> 2593
<212> DNA
<213> Homo sapiens

<400> 1117
tgggcacctg taatcccagc tagttgggag gctgaggcag gagaatgaat cgtttgaacc 60
caggaggtgg aggttgcagt gagctgagac cgcaccattg cactctagcc tgggcaacaa 120
gagcaaaact ccgtctcaaa ataaatacat acatacatac atgcatacat acatacatac 180
atacggggat taaaatagtc tagtagtgac acctgaacag agagattgat ccaagaaatg 240
aaacagaaat tccggaagtt gacctgaata cacacacaca cacacacaca cacacacaca 300
cacacacgaa ggcgtgaaag actccatgac cctcaaggta taagatgcat ttttttttt 360
tttttgagac agggtctcac tctgtcaccc agactgggtg cagtggtgta ctatcccagc 420
tcagctctac cctccatccc cccaacctcc cccaaccacc ctgagctcaa gcaattctca 480
tgcctcaacc ctcagcctca tgagtaactg ggactacagg cgtgcaccac catgcgcagc 540
taatttttg tatttttagt agagatgggt ctaaccatat tgcccaggct ggtctcgaac 600
tcctgagctc aagcgatcct cttgcttcag cctcccaaag tgctggcatt acagctgtga 660
gccaccgcac ctggccgcat tcttctaaat cacagtacat ctggctccca gtgcccaggc 720
tctcagggca gaaggtccag tgtgatcact ttgcatggcc tctctccccc cctgagcttg 780
tgccagggcc ccagggctga cctggagaag gaaaatggca gagggtgaag atggggtgtc 840
tggtttgggg accatcctgg ccccccttgt cactgttgac atctcttctg cacagtggca 900
ttgctgggag gtgcttactg tgcctattca aggggctggc agccgcagcc tcactgcaga 960
tcagggactt ggcttcccag ttgaccacag gtccaagaac ctgcagggtc cagcctcccc 1020
cccatcccca gtcttcccca ccctggcccg gccctccagg tgcagaaaca tgcaggcccc 1080
tctccaggac tgtgggagga gcgtgtccct cagactggcc tgtgtcctgg ctcctcttac 1140
cacctcttcc acaggttgtc acctgcagct gccccaggat aaaggcaagg ccagagagga 1200
ctcctgaact cctgtgtgcc tggggtggca ggggcaaaca tagccaactg gtggcctgag 1260
cggggccatg gtgaggacac ccttggtggc ttgtcccaca tcaagctggg aggtgacact 1320
gaggatgcat tagtctgcag cgtatgataa aaacggcatt tcaggccagg cgcggtggct 1380
catgcctgtc accccagcac cttgggaggc caaggtgagc agatcatatg aggtcaggac 1440
tttgagacca gcctggccaa catggtgaaa actcatctct actaaaaaaa caaaaattat 1500

gtgggttggt ggtgtgcgcc tgtaatccca gctacttggg aggctgaggc aggagaatca 1560
cttaaacctg ggaggcagag gctgcaacga gccgaaattg caccactgca ctccaggctg 1620
actccgtctc aaaaaaaaaa aaaaaaaaaa aggcatttca gttcaaatag ggaaaggata 1680
catctttctt tcttttctct ttctttcttt ctttctttct ttctttctct ttctttcttt 1740
ctttctttct ttctttcttt ttctttcctc ccttccttcc ttcctttctc tctctctctc 1800
tttctctcgt tctctctttc tttttgagat ggagtttcac tctcgctgcc caggctggag 1860
tacaatggcg tgatctcggc ttattattat tctccatgtt ggtcaggctg gtcttgaact 1920
cccaacctca ggtgatccgc ctgcgttggc ctcccaaagt gctggtgtga gccactgcac 1980
ccggcttagg atgcattttt caatatttta gtgtttgaat aacgggctaa cttgagaaaa 2040
aaataatttg aatcacacat cacaccaaaa ataaattcta ggtggatttt aacactttca 2100
aaaattatta ttattattag tttagagaca gggtctcact ccgtcgctca ggctggagtg 2160
gagtggtatg atcatggttc actgcaacct taaactcctg gcctcatatg atcctccagc 2220
ctcagcctct caaaggactg gaactacaaa catgcaccac cacgcccagc ctaggtgggt 2280
ttttaaaatc cattcaaggg cgggtgcagt ggctcacacc tgtaatccca gcattttggg 2340
aagccaaggt gggaggatca cttgagccca ggagttcgag accggcctgg gcaacatagt 2400
gagactacat ctctacaaaa aatttaaaaa tgagccaggc atggtggtgc acacctgtag 2460
tctctgctat tcaggaggct gaggcgggat cattgtttga gcccaggaga cagattgcag 2520
tgagctatga tggcaccact gcatggcagc ctgggtgaca aagggagatt cagtctcaaa 2580
aaaaaaaaaa aaa 2593

<210> 1118
<211> 149
<212> DNA
<213> Homo sapiens

<400> 1118
ggctgggtgc agtggctcac acctgtaatc ccagcacttt gggaggccga gacaggtgga 60
tcacctgaag tcaggagttt gagaccagcc tggccaacat ggtgaaaccc tgtctctact 120
aaaaatacaa aagttagcca ggcgtggtg 149

<210> 1119
<211> 8996
<212> DNA
<213> Homo sapiens

<400> 1119
gacggggttt ggccatgttg gccaggctgg tctcgaactg ctgacctcag gtgatccgcc 60
tgcctcggcc tcccaaagtg ctgggattac aggcgtattc cactgtgccc agcctgagtt 120
tctgtttaga aacaacagtc tatgatagta taatcctctc ttttttgtac acagagtaaa 180
gaggacaaat aggtgaaaga ataaatgaaa ggctggaatc ccacttcccc cgctgtccca 240
gggcattgga tattgacgga taggaggcag caaaccactc acagagccag gaagaaatga 300
aggcgttggt attgccagga ggggaagccg gctcggctga aatacgctat gaccatagca 360
aggagatact gatggagaga aaggaacaca gagagggaga ggtcacatct tggaagagga 420
agattgtgga gaggggaat gagggtctgg ggaggggctg cccatcagag aagggacctc 480
agtgttgggg tgactgtact catttggaaa ttgcgggatg gaggggtatt cgaaggtcgg 540
atgcaaatcc gagaagccag aggaagggtt ttgggtgatg ctcccaggat ggtgggctcc 600
gatgggatct ttggaggggg tgtgtctagg ttggctggtg tcaggagggt cttttgtgtg 660
ccaggcagag aactgtcccg aagagctgag agtagagggg ccaggagctt cagggctgcg 720
gccagactgt ggcccagagc tcagatccca aaggacccat aggagaggca ggggccactc 780
attcactctg caagagacca gcagaatcct gagggagatg ctgacaaatc ataaaaagac 840
caagaatagc cgggagtggc ggctcaagcc tgtgatccca gtacttttg agaggtggag 900
acaggaggat catgtgagcc caacagttcg agaacaacct gggcaacata gtgagaccct 960
gtttccacaa acatttcaaa aattagttga gcatggtggc atgtgcctag tcccagctcc 1020
tcaggaggct gaggaaagaa gattgcttga gcccaggaat tagaggctgc aatgagctat 1080
gatcatgcca ctgcactcca tcctggggag cagagctaga ttctgtctca caaaaaaaaa 1140
atttgtgggt gccaagactc aagaccatgg gagctggtcg ggcacagtgg ctgacgtcta 1200
taatctcagc actttgggag gccaaggtgg gtggattgcc tgaggtcagg tgttcaggac 1260
caacctggcc aacatggcaa aaccccgttt ctactaaaaa cacaaaaatt agccaggcgt 1320
ggtggttcat gtctgtaatc ccagctgctt ggaggctgag gcaggagaat cgcttgaacc 1380
caggaggcat cggctgcagt gagtgaagat cgagacactg ccctccagcc tgggcaacag 1440
agcaagactc tgtctcacac acacaaaaaa aaaaaaaaaa aaaagactgt aggagcatct 1500

ggtgggaggt ggtggaggga gaactgtggg tttggaagct gcgccctccc cccagccatg 1560
cgttggaaca ggaacagtta catggagaac aaccttacct tgtccgacac cctcagatct 1620
ttgtcccagg ccaggaatct tttaatgaca ggatcctctg tgattagaga gcagatgtca 1680
gtgtgagaag caggacaggg tttccgtggg agcagcaggg cagcgaggag aagtgtgcct 1740
cccgggggga agtctcagga ttgtggccgc gggtgaggtg gatgggagag gggagaatga 1800
ctttcactgg gcaagggaga gaggctcctg ctctgagact cccctgagaa gaggccgaag 1860
gaggccctgg gtgtgagaat ctacaggatg tagagctggg aatcagccag gacccccctcc 1920
agcagacacg gagggaccac tgcagagtca taaaggaatt cccatcattt cctcatgaga 1980
cagtcacaca tcagggtgtg accatggcct tggtatcccc cactatggat ggagacactt 2040
aggtttagaa aagtcagtaa gagacattaa gtttcagagg gcacagctga aaccactttc 2100
tttgtttatt gattttgttt ttctttattt gatttttatt tttatttatt tattaattta 2160
ttttgagaca gagtcttgct ctgtgggcca ggctggaatg cagtggcctg atcttggctc 2220
actgcaacct ctgcctcccg ggtttaagcg attctcctgt ctcagcctcc cgagtagctg 2280
ggattacatg catgagctac tgtgcccagc cttggttttt cttttgagac agggttttgc 2340
tctgtcaccc aggctggagt gcagtggtgt agtcatagct cactgcagcc tcaaagtcct 2400
gagttcaagc aatcctcttg cctcagcctc ccaacgtgct gggatctcag gcgggagcca 2460
ctgcgcctgg cccgaaacca agctttctta tcccaagcgc tgacctttat caagttgacc 2520
taatccttta tcatctccta agtgtccctc atgagtgatc acttcacatt cctcccacat 2580
ggagagctca cccactgggg cctatttttc ccattggaaa agtgtggtta ttggaagttt 2640
cctgtttttg gaaagaacag gattggaggt gctctctggg gtgtcctcct accaagcagc 2700
ctgttgaagg cctcgtggtg ctcagggagc acgagcgaca ctcgccgtcg cttcagcttc 2760
atcttgaggc cacacagcat ctccgccacc cagatctcct caggctcagg ggcgagcacc 2820
ttccgtggct cctcctccga ctcctcagat ttgtcccacc actccatctt ccttttccag 2880
caaaaggacc tatgcggggg gctgggatct accccagggg ctgagtaaag aaaccaggcc 2940
acggtgtaat gcttctgcag ttgatcacac tagagcccga cccaaaaccc caaaccactc 3000
tccatcctcc ccagcctcgc agactgctgg cttctccaag ccatctttcc ttctgtctgt 3060
ctcctctgct gagctccatg tgccgctcct tctcctcccc attctcccgt ttctctgtcc 3120
tcagaacact tcctcatatc cttccctggt ccctggctct ctgagtccct ttttttttt 3180
ttttttttt gttgttgttg ttgagaaaca gtcttgcttt gtggcctagg ctggagtgta 3240
gtggtgcgat cttggctcac tgcaacctct gcctcctggg ttccagtgat tctcctgcct 3300
aagcctccca agtagctggg attacaggtg cccaccagaa cgcccagctc atttttgtgc 3360
ttctagaaga gacagggttt caccatgttg gccaggctgg tctccaactc ctggcctcaa 3420
gtgatctgcc tgcctggcct cccaaagtgc tgggattaca ggtgtgagcc actgaaccct 3480
gcctcagtac ctccattctt cccacacacc ctcctcacgt gctccttcct gacttctggg 3540
cccgcccttc cttcttttt ttttttttt gagacagcgt ctcactctct cacccagaat 3600
ggaatgcagt ggcactatct tggctcaaaa caacctcttc cacctgggtt caagcgatta 3660
tcctgtctca gcctcccgag tagctgggat aacaggcatg cctggctaat ttttgtatcg 3720
ttagtataaa tgacgtttcg ctatattggt ctggttggtc tcgaacaact gacctcaagt 3780
gatccaccca tctcagcctc ccaaagtaat gggattacag gcatgagcta ccacacccgg 3840
ccttcgtttt tcttttgaca cagggttttg ctctgtcacc caggctggag tgcagtggtg 3900
cagtcatagc tcactgcagc ctcaaagtcc tgagttcaag cagtcctctt gcctcagcct 3960
cccaacgtgc taggatctca ggcgtgagcc actgcaccta gcccgaaacc aagctttctc 4020
atcccaagcg ccaaccttta tcaagtctag cctagtcctc tattgtctcc taagtgtccc 4080
tcatgagtga tcacttctga gtcctcctgc gtggagatct cacccactgg gggcgtatct 4140
ttcccattgg aaaagtgtgg ttattggaag tttcctcttt ttagaaagaa caggattgga 4200
ggtgctctct ggggtgtcct cctaccaagc tgactgttga agtccttgtg gtgctcaagg 4260
aggatgggtg acactcgctg ttgcttcagc ttcatcttga gcccacacag cgtctccact 4320
acccaggtct cctcaggctc aggggcgagc tccttctccg gctcctcctc agattcatct 4380
gaccactccc tcttcctttt ccagccaagg gacctacatg gggggctggg atctacccca 4440
ggggctgagt aaagaaacca ggccactgtg taatgcttct gcatctgatc accttagacc 4500
ccgacccaaa accccaaacc actctccatc ctccccagac tcgcagactg ctgacttctc 4560
taagccatct ttctgatttt ctcctctgct caaccccatg tgccgctcct tcccctcccc 4620
attcttctct ctctctgtcc tccgaacgct gcttcatgtc cttccctggt ccctggctct 4680
ctgagtccct ccttttttgt tttgttttgt tttgttttga cacagaatct tgctttgtca 4740
cccaggttgg agtgtagtgg tgcaatctca gctcactgca acatccatct cctggattcc 4800
atttattctt ctgcctcagc ctctcaggtg gctgggatta caggtgcctg ccataatgcc 4860
cagctcaatt ttgtactttt agtagagaca gggtttcacc atgttggcca ggctggtctc 4920
aaactcctgg cctcaagtga tccgcctgcc ttggcctccc aaagttctgg ggttacaggt 4980
gtgagccacc gcacccagcc tgaatttctc cattcttccc acacaccctc ctcaggttct 5040
ccttcctgac cgctgaccct tcttttcttt tcttttcttt ttttttttt tggagtgcag 5100
tagcgtgatc tcagctcact gcaacctctt cctcccagtc tcaagtgatt ctcctgtctc 5160

agcctcctga gtagctggga ttacaggtgt gcaccactac cacttggcta atttttatac 5220
ttttagtaga gatggggttt caccatattg gccaggctgg ccttgaactc ctgacctcag 5280
atgatccgcc cgcctcggcc tcccaaagtg ctggggttac aggcgtgagc caccgcaccc 5340
ggcccccttc cttcgtctta gtcaatccta tcccacctct tcttccacca gtcccctcac 5400
ctgatggtcc caacacttca tcatccacca cctcctggag ggggtacccc gaggtgctcc 5460
gctggggact ctgctcattc tggcggtgcg gttgacggct ggtcgtgatc tttcccgtaa 5520
tctgtcccct cttacggaac ctagtctccg ttctgtccat ggccttcttc tggacactgc 5580
taggatccag aagagtatgt tatcaattct caagcctagg agaagtcagg agtggagaac 5640
agctctgaga agatactgtt gtccaactga tctccaggca ccacggagtc cggtccctcc 5700
aatcaggaag gtcggaatct ctgatgtcat cgttcatgcc aacctggcaa ccagtttgaa 5760
aaaaaaacac atgtaactgc caggctgatc tcttgtcctg gagatcctgg gtgaatggta 5820
tctcctgcca ctgtcccaac ctcagaccat tgtccaaaag catcttcagg gactccacat 5880
ccctctgttc cctgtcccag cagaggctgt gtcctctcca ctcaaagcct gaagcatgtt 5940
ggggtctctt cgtctctgta cgtgcccatt tcagagtcca gtctggtggg agagggaaca 6000
gagtgggaaa gaaaactagg gtaagcagaa acgatgaaac cttataagag tgagattatc 6060
atgtacaaga gtgagattat catgtacaag agtgagatta tcatgtacaa gagatcccag 6120
gaatactgac ttgatgaaaa agtcacatca gagcactcag tttggcagag cttttctgct 6180
gaatgtttac tcacattcac tgtccaagat tctgtactgg gggtacatac gtcctctgcc 6240
ctaaggcaat tttgagtcca agagacattt tgaggcctaa aaatcatagg aaactgcccc 6300
tgagctcaca catatttcca atggagctca cacatatttc caatggtgtc cccaatttca 6360
gggaatccat ggattaccta agccagcccc tccagttcgg ctaagaaact ctagtctata 6420
tatcaagttt tgtatcatat gtattgctct gaactcagaa atttcccttc catttatgga 6480
ttctatgaat aaaatatcac atgtacaaaa agactaagtc gaaaaatttc agctgtgcac 6540
agtggctcat gcttgtaatc ccagcacttt gggtggccaa gggaggaaga ttgcctgagg 6600
ccagcagttc aagaccagta taggcaacat agcaagagcc catctctaaa aaaacaaaac 6660
caaaccaaat tagccaggtg tggtggctgg cacctgtgtt ccaactactt gggagactca 6720
tgtgacagga agatcacttg agcccaggag ttagaagctg cagtgagcca tgatcttgcc 6780
actgcactcc agtctgggca acacagcaag atactgtgtc aaaaaatttt tttttgataa 6840
aaaataaaag agttacatga cattcagaga ccatccaaaa aacctgcggg ttcccggctg 6900
ggctcagtgg ctcatgcctg taatcccagc actttgggag gccaaagtgg gtggatcact 6960
tgaggtcagg agtttgagac cagcctggac aacatggtga aaccccatct ctactaaaaa 7020
tacaaaaaat tagccaggca tggtggtgga tacctgtaat cgcagctact caggagaggg 7080
cgctggagaa tcacttgaac tcatggtgcg caggttgcag ggagccaaga tcgcaccatt 7140
gtgctccagc ctgggcaaca agagcaaaac tccatctcaa aaaaaataaa gaacctgcga 7200
gtgagttccc acacgttttc ctgatgggct gctgctttcc taggagtctc tcgctcatag 7260
aaaaggcaca aactgaaaga ggaagcagat cccattgctg tggaagtccc attgttagga 7320
agctctgctt ttctggagtt caaattcgca ttcatgacgc tttaaaccgt cagagctggg 7380
tgggtcctcc tacaacaaaa tcgtttgctc tctctctcct agttaacagg ctttcaaata 7440
ttagaagatc aatgttctga ccccattaaa atttctcttt tgtggaatga aaagctctga 7500
tttaacccat cttcaagcct ggtttgatgg aggaataggg gctgagtcac ctgcatttcc 7560
cctccctgca caaagtcctg ggcccagatc tggggtctgt ctctgctgag ggtggggtga 7620
accaggaagc acctcctct acatctcctt gatgaatggg tataatggtt gccatggaac 7680
tggggcttgt ttgatgacct ggggctgggt gggcctctga gagcctttat agctgattgc 7740
cttttgggag agggcaggtg ggagccccac cctgtcttat gagtcacccc aaaggtgcat 7800
gggcaggcag gtgctgggga atcggctact ccccagagct tggcgtggcc atccctgtgg 7860
cccctctggg agtctggagc ccattccctc acactggtac tctctgcagc tggggacatc 7920
tgcactagga agacaggaca cggcatggaa gctggcctct gcccagaagc catgacattc 7980
tggtcaccag cctgatgcta taaaacgagt gtcacggccg ggcatggtgg ctcacacctg 8040
taatcccagc actttaggag gccaaggcgg gtggatcatg aggtctggag ttcgagacca 8100
gcctggccaa catggcgaaa tcccgtctct actaaaaata agaacattag ccaggtgtgg 8160
tggcacatac ctgtagtccc agctcctctg gaggctgagg caggagaatc acttaaaccc 8220
aggaggcgga gattgcagtg agccgagacc acggcattgg actccaggct gggcaacaga 8280
gcacgactcc gtctcaaaaa caaaaaaaaa cgagtgtcac ctggggctac ttggccagac 8340
acagagagca aggagacatc cctattatct gtcaaaaata attgttgggg ctgagcacag 8400
tggctcatgc ctgtaatctc agcactttgg gaggtcggag caggaggact tgaggcctag 8460
agtttgagac cagcctgggc aacatagcga gcaccccatc tccagaaaaa atttaaaaat 8520
tggctgggcg cagtggctca tgcctgtaat cccagcactt tgggaggccg aggggatgg 8580
gtcatttgag gtcaggagtt tgagaccagc ctggccaaca tggtgaaacc ccatctctac 8640
taaaaataca aaaattagcc gggcatggtg gtgggcacct gtaatcctag ctacttggga 8700
ggctgaggca ggagaatcgc ttgaacccag gaggcggagg ttgtagtgag ctaggatcat 8760
gccattgtac tccagcctgg acagcaaagc tagactccat ctcaaaaaaa aaaaaaagta 8820

aaaaatttaa aaattagatg ggcatggtga catgtgcctg taatccaggt actaaggaag 8880
ctgaggtagg aggatgactt gagtctagga gttcgaggct gcagtgagct ctgatcgcac 8940
cactgcactc cagcctgagt gacacagcaa gaccctgctt caaaaaaaaa aaaaaa 8996

<210> 1120
<211> 25426
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (8427)..(8427)
<223> n equals a,t,g, or c

<220>
<221> misc_feature
<222> (22142)..(22142)
<223> n equals a,t,g, or c

<400> 1120
aagaatacaa agttccagat ggaatggttg gattcagtaa gtaacttgat ttttaaagtt 60
ttgaaaacat gatcaaaaca tactttagaa tctttcaacc aaaaaaaaaa ttttttttt 120
tctaactagt aattggcaga ggaggtgaac agatctcacg catacaacag gaatctggat 180
gcaaaataca gatagctcct ggtaatgtta cattctcatg gtattttcag tgtgactaga 240
aaactagctt ttttttttt ttaagccttc tagtaacaat aatgctactt ttaatctttt 300
gacctgaagt tatctgtttg ttttaaattg tagacagtgg tggccttcca gaaaggtcct 360
gtatgttaac tggaacacct gaatctgtcc agtaagtttg aaaaatctta aaaatctact 420
taagtaacaa cagcagaact ctttgaattt tgtctcttct ctttgttact gctttatttt 480
acactgtggt ttcgctgcca ccttccctca aagtcctcca actcctttga agtttatgcc 540
tcatgccttt ctcaggtggg gttcatcatc tgaatcatta aacacagaaa atggttaaaa 600
caactccata tctactccag tctctacttg taaagccacg tgtagcctgg agaagaatgc 660
acagtcaggt cgactggtga cacttaaaac tcagacatta agctcaagtg gactgttgtg 720
ttgcctgcat ttccctagtt ccattcactt ttccactcct ctcccaggct ctttaatact 780
gtatttcccc acctccaaat cttcagcatc taaccccacg ctctcccact taagcttatt 840
tactgagaaa atggaagcaa atgataagaa gcttttcttt ttccctacca ctaaacctac 900
cagccttcat ttttcctctg ttcacatagt actcaggtaa ttgctttcct tttgtgttcg 960
agtgcctaaa gccagccctt tcttcctact gaaggttcag cttgcagttg tactttcttc 1020
tgcattgtta gttctccctc attactaggt tttttctttt ctttttttg agacgaagtc 1080
tcgctctgtt gccaggctgg agtgcagggg cacgatctcg gctcactgca acctccgcct 1140
cccgagtagc tgggactacc ggtgcatgcc accacaccca gctaattttt gtatttttt 1200
agtagagaca gggtttcacc atgttggccg ggatggtctc aatctcttga cctcgtgatc 1260
cacccacctc ggcctcccaa agtcctggga ttacaggcgt gagccacttc ccccagcctg 1320
attttcttta tggcactttc caaataatgt gttattcatt tgacatgtta tttttactta 1380
tttaatgaaa tgaagccact ctagcaggaa ccctgtttct ttgagtgcta ttaccccatt 1440
acctagaata gcacctgcac atagttgata tttaaatatt tgttgaatga ataattgtag 1500
catatgagta agcaaaatgg tagtttaaaa atgtaaataa atcatttagt tcttggaaga 1560
atcagtttaa ttctgagata actttagcat tagagttctt tcttggaaat tttggactat 1620
tcttaaaaat aaaaattgta tatctagaaa attttttttgc ataatctctc aatctttgac 1680
ccttgatggc attttctttc agttaaaagt aaaagcattg ttaaagttag catcaaggca 1740
cctaatcctg aactgggata ggaggagtac ttggttatat tgttttatat ttctctattt 1800
gaataagctt gggtatgcta cagcttacta tttaaatatt aatttgttaa caggtcagca 1860
aaacggttac tggaccagat tgttgaaaaa ggaagaccag ctcctggctt ccatcatggc 1920
gatggaccgg gaaatgcagt tcaagaaatc atgattccag ctagcaaggc aggattagtc 1980
attggaaaag ggggagaaac tattaaacag cttcaggtat tgttattttt gtgaaatggc 2040
tacttttgat ctgttttgat gcccattttt gtccacttct tttgttaata tatattattt 2100
ctatgattgt aacaggaacg ggctggagtt aaaatggtta tgattcaaga cgggccgcag 2160
aacactggtg ctgacaaacc tcttaggatt acaggagacc catataaagt tcaagtaaac 2220
ttaactttat actttataaa gaaagagtgg gttgaatggg gttgggcaaa atatgcatga 2280
ataattaaaa tgttttgaga catgctttct aaattagcta acttttttctg ctttagcaag 2340
ccaaggaaat ggtgttagag ttaattcgtg atcaaggcgg tttcagagaa gttcggaatg 2400
agtatgggtc aagaatagga ggaaatgaag ggatagatgt aagtaaaaat acccattcag 2460

aaatggttgt atgctaattc ataaatataa tagtgttttc tgttttgtgt taagtagctc 2520
taacattgtt atccttttat ttcaccttta tactttagaa tacagaattc tatatatctt 2580
gttaccctat ttactataaa tatagaatta tatgtacttt tatgatttga ggcagatttt 2640
caggaaatgg cgctttttta aaatactttt ttttacttta aaccctgaga agctagcttt 2700
cttaatactt agtctttttt acataaggtc cccattccaa gatttgctgt tggcattgta 2760
ataggaagaa atggagagat gatcaaaaaa atacaaaatg atgctggtgt tcgcattcag 2820
tttaagccag gtgagtacat ataataatct tgtaagtgtt ggcagcagtg agttttgaca 2880
tacatttatt gtttaattaa ttttgtttct ttgttttgaa gatgatggga caacacccga 2940
aaggatagca caaataacag gacctccaga ccgatgtcaa catgctgcag aaattattac 3000
agaccttctt cgaagtgttc aggtttgata gaaagttaac attttcattt tttgttttta 3060
tggaaaagta ttttccttca tgaaatctga agttacctct atatcagagt ctgcttgatg 3120
atgctttatt aatggagaaa gtttaaattg ctttaaggta aagatcttgg agcaggaaga 3180
actactacct taagtgctac cttatttact cttgtagttt taaaaaatgt tattacttta 3240
ttagggccca gttcatctct acatttcctg atcaggtata tgagagctgg gaaaaataaa 3300
cttaataatt ttatcatgaa acaaaagtat ttctgtgctg actcttcgtt cttgtctttc 3360
cctctctata ggctggtaat cctggtggac ctggacctgg tggtcgagga agaggtagag 3420
gtcaaggcaa ctggaacatg ggaccacctg gtggactaca ggaatttaat tttattgtgc 3480
caactgggaa aactggatta ataataggaa aaggcaatgt attttaaact cttaatgttt 3540
taacacatta ttcatttttc tggacacttt ctgttgctgt cgtaaacaag tggcaatgct 3600
ttttctctga ccgtatttta gtagaaaaga attcttatgt taatatgtaa caagtaaaac 3660
ataaatgagg gatctcatgt atatttagag aaagagcagg attttaatct tactagcttc 3720
tagagaaagc gaactaagag ataattatta gcataagaaa tgtcttttga cccaaaaagt 3780
ggtttgagtg tttttgtttg tgcattttgg tttttcccga ctcatatttt aaaaatttga 3840
atgtttataa gtgtattagt ttatatttac actgctttta aaagcagtta attcaaatat 3900
tttattataa tcacattaag tttatgttta aacatactaa gtaaatgtaa atgtatttta 3960
agagaagcat gaaatgcttc ctaaaatttg attttcagtg tagaatatta aatgaaaaat 4020
cttaatacaa tattgtcaat taggatactg accaaaccat atttttaatg gcccatttaa 4080
ttgtgaccat tttcttctaa atagctccta gtacaccctt gaaaccttta gagaaattac 4140
tgtcttttga ttttaggagg tgaaaccata aaaagcataa gccagcagtc tggtgcaaga 4200
atagaacttc agagaaatcc tccaccaaat gcagatccta atatgaagtt atttacaatt 4260
cgtggcactc cacaacagat agactatgct cggcaactca tagaagaaaa gattggtgtg 4320
agtatacttt aaacttttaa tttttagtgt agacccttag actgtagtta aattaagacg 4380
tttattcaaa tacatcaaag gaaaatgtat cattactagt cagcatttat agatttcatg 4440
atatgtataa tagatacaac gtgaagattt tccagcaatg aaaataacct aattaaatgt 4500
gtagttacag gttttgagaa caaccttaca tttgggtgtg gctagataag aggagggtag 4560
tgttacctgt aggcatgata ttagtgttgg tgtaggattg tggaacatac ttgaaggaca 4620
tagttaacgg gaattcatta tttattaaga ttttactcta ctgaacccca gcgaggcaaa 4680
caagataaat cagatacatc tgccactcta cagtagaaat tcataaatcc taggttttgg 4740
actggctcac agatcatctg ggggtattaa aatgtagact atttgggtgc ttcccactcc 4800
tacacataat atacagagac agacctgact caaaatgtct gggatagggc ccagcatcta 4860
attttacata gatgtttggg tgattctggt gcacagacaa atttggaaat ttttcctcca 4920
ggaaagtttt ctgttagaac aaaaaagtat gaaacgcttt gactgctttt ttgtaagtga 4980
ggcagacagt gtcttactgg agtttttaac acaaagtgtg caggggcat cttaaattat 5040
tagaattgcc taggaaaaat tatttttggt gtttgccatg ctgtgaatgg ggtgcgtgca 5100
aaacaaggtt gacactgttt ctgtcacact tgggaagaac acaaatagat gtacaaaaga 5160
cgcttaagga acgtcttact aaatgtacac aaacattgtg agttctgttg tatggatagt 5220
ttaatggttc aaaaaatgaa gaggatgttt gtagagtaat gatagaggtt gatgccatgg 5280
caaaaaaatg aatagcactc atcttggttt tttattttac agtattagcc taacatgcat 5340
gcgtcaggat ttctgttgga ttcatggaaa aacaagatag attgttttgg agaagcaatt 5400
tggtgtggtg attaagagca tggactctgt agtcgggttg cctcagttca gaattctgtg 5460
aatcatttac tggttctgtg accttggaga agttactcag gcttttctgt gccttggttt 5520
cctcctgtaa aatgaagata atggtatcta cttcatagag ttgtagggat taaatgaatg 5580
ttcatgtgtg tgtcacttaa aagaatgcct gccacataac cctaaaaaat gttgctactt 5640
tttcagtatt atttttacta cttggaaaga ataggtcatg gatagtaagt gagagatgac 5700
agcaattgga gatttaaaga gacaagttaa tagaagaact ttaaaggtca tgaagtttag 5760
tttccctatt ttgcagtgag aaattgacga ccaaatgtag tgttagcatt ttgtccaaca 5820
tgtcgcctgg ttgtgttaac tactcagaag gagcatttta ggacagttaa gtgtaatgtc 5880
tttgttggct taaccaaaca gaaatcagtt aagcgttatt aatgatgtgg catgcatgca 5940
tgataaggat ataaaatatc ctgatttatt gaaggaatta aaaagggaat ttttgtgcta 6000
ttaaacatca tgatacatga aaggccaaaa aggatataaa ttattgatct gaatgggatt 6060
ttagtgacag aaataggttg tgaggtggat tttagtttca tagtgaaaca actagctatt 6120

aacgttatca gtgaaatgtt cagaagacga tgatacagga cccaagcggt ttgggaatat 6180
attgtcaaga cggttgtctc atgttaggca agtagatata gagagaagag ctgaagataa 6240
ggacctgatt tctgtgagta agatggaaaa agatagtaaa agtaagaatg ataaaaggaa 6300
agggaactac tgctgtccgc aaacaagcta aaggaaattt aattgctaat ttaaatttaa 6360
tttaatttaa attgcattta attgctactg ctattgattt tagtgaattt tacatgtctc 6420
attattatgg cagatgaaat agtttttgca aaatgaatga ggaaaggaag gaaaacctaa 6480
aatttgttat ttgtgactat aagagggtag aaatggatga ttatttggcc gtagagttgt 6540
ttaaccatta ctgtgttttt ctgatttttc tatgtcatcc tttttttttgt agggcccagt 6600
aaatccttta gggccacctg taccccatgg gccccatggt gtcccaggcc cccatggacc 6660
tcctgggcct ccagggcctg gaactccaat gggaccatac aaccctgcac cttataatcc 6720
tggaccacca ggcccggctc ctcagtaagt attgggttta gttctgggct ttccccaaag 6780
attctagttt tgggactgtt ttttatgctg atttttcttt tcagtggtcc tccagcccca 6840
tatgctcccc agggatgggg aaatgcatat ccacactggc agcagcaggc tcctcctgat 6900
ccaggtagaa gatgcttatt atttgtgtgt tatctgtatt attttccact cctgttacat 6960
tattaaattt tctagtgttg attctacatt tgtatgcatc accttcactc actttactct 7020
ttcaacagtg ttaggcactg cctctacccc agtgtatagg actgacatga atatgagctc 7080
tgcttttatg gaatttcttt ctacttgcct ttggcttatg agttgataca gtagaatgat 7140
aaaagctaaa agctgcagga aagagcacag tgtcataggt tttggatacc agtgctgtca 7200
aatgtgtagt atgttcattg tgacattatc tgtggaaaaa tagtttttac ttatttagaa 7260
aagtatgtga taggggctgg gcactgaggc tcacgtctgt aatcccacct attcagaagt 7320
ctgaggctga ggcttgagac cagcctgggc aatatggcaa gacccatctc taaaaaaatt 7380
tgttttaaat tagccgggca gggtggtatg tgcctgtact tgaggctgag gtgggaggat 7440
tgcttgagcc tagaagttct agattgtatt gagctgtggg cacaccattg cactcccctg 7500
ggcaacagaa tgggatccca tctcttaaaa aattatgtat atatgtaaca gtctatataa 7560
atatatatat ataacagtcc aacagagtgt taagtattgg ggcattaaac ttccaaattg 7620
tcaaataaga tatctgttct agtactcctc atatgacaac ttcatgtgag taaaaatcag 7680
gcctgtattt aataactgca tgctaaagcc caaatacgtt taattatttt ctatattcag 7740
atttattttt atcctattat attctggcat ctttccatac cctgtagttt gctttccatc 7800
ttggtcaaag agtcattctt tgaaaccaat taacatttat ttatgatcct tttttctcac 7860
ctgctaccta ccttttaggc ctctttcact cgtgtagttt caaggaaaat atactcaatt 7920
atggaatact ttctacacat aatacattta tcccaaaaaa acttgaagta atttatgtaa 7980
atgaaattgc ttgattaact tcataggaag tgtgctgttt ggaatatgat gacacagcat 8040
gacagttacc aagcatgact tgagttgtgc taggatatag gtgtgcaaag ttggggttgt 8100
gttctatagc aaaagaatgc actcccagcg taagcaacac tgatggaagg ggctcacagg 8160
gtacaggata taatactctt aacaactaat ttttggagaa tgaaagggct tttctttccc 8220
tcttgttggc tgattgggat ggtataatta atgggattga agagtttgag taggttaaaa 8280
ggcagattca tattgggtaa cttggatctg cccaagattg tatttttgaa ccactactgg 8340
ggtgttagca tgattgagga aaaatgatgg gaataagaag tggaagtggt ctttggtatt 8400
cacaagttga attcctccac ttggagntag tagtgaaatc cattactgta agagctggtc 8460
agtgaaatgt ggttgcagca tggcctttgg gcaagaagta acccatttaa ctaaaaccag 8520
ctggttggcc ccactcagat ttatcaaagg gttactgggt ccctgggggt ggatattgct 8580
tatattagac ttagaatagc atactgtttt aatattatat gaactaaaat gtttctttaa 8640
aaaaagagtg gtctgttaat ggatttatgt agtggtcaag aatttagact tcagagtcaa 8700
ataaacctat atcagtccta gtcctacagt ttactaattg tgagatgtca agcaagtttt 8760
tgaactcctc taagcctctg ttttcttatc tataaattaa taaatgaatg aatcgggttg 8820
agtgaatatt tagtaaattc ttagtacata ctagttattt gtaactgtga gactggtttt 8880
ttggtatggt tttcacattt gggagtagaa ataccacttc ctaaagtctg ttttatctca 8940
aattctctat ccaggcatag tgtaaagtga aatacctaga tttcttgatt aatatacaga 9000
taatggccag acgccatggc taaaacctgt gacgctagca cttcggaagg ctgaggcggg 9060
cggatcactt gaggtcagga gttggagacc agcctggcaa acatggcgaa accctgtctc 9120
tactaaaaat acaaaaatta gctggatgtg gtggcaggtg tctgtaatcc cagctactta 9180
ggaggctgag acaggagaac tccttgagaa ttgctccact gccctccagc ctgggcaaca 9240
gagtgagaca cttcatctca aaaaaaaaaa aaaaatacag ataatgacac tattgagata 9300
tgtaaacatc caacataaaa aagcagtaca ttgggcaatt gagaaaagtt tggcaggtgt 9360
cctaataaca ccttacaatt atattacctt gcaattttct ttttctagaa attcttgctc 9420
atttttctca aacttgacta acctttatta agcagctgag aattgctact gttcagaatg 9480
aaggtataat agaaaattta aaagttttaa ttgtatggta ttcctagtat aaaagacaat 9540
caagtttttt ctggtttcta gaagattgaa aggtctcaaa ctgttcgcac ttcagttgat 9600
gtgggagatg agtgagggtc agtcaagtgt agaggagaca acatagctaa aagccgagac 9660
acgggcatag tgatttctga aaagtacaag cactgtgttg tggctggagc ttgggtgttg 9720
aagagataca accaaaggga gagatgaggc tgaaatggaa aggataagcc aggggcttca 9780

ggctgttaaa gatgttgaat gataggctgt acttaagctt tgaacatcct gaagattgca 9840
gagaatgaag aatttcaagt aggatgacat caagtttata acattcaatg tgaaatagga 9900
tgaaatgtgg ctaatctttt ttaagatttt tatattttct cttcattgaa aataaggaca 9960
aagttcattg ttctaaaata attttctttc ttatacaggt tagtccctag aaatgttttt 10020
ctttagtcat cttctagata gagctgtttg tgcttgaggc gaaaccaatt tagaaaaaaa 10080
caagggcaca ggatggtttg agacagagca ttggatttgg agccaaaaga cctgtattca 10140
tatcccagtt atgccactca gtagttttta acctaggaaa gtcacttagt ctctgagact 10200
tggttttctt taataaaagc tgatggtgac aacaaaaata atagaaaatt taagttttca 10260
tatacttttt ttaatgttct agttaatttt gggggctgta tatttgccag agagctgggc 10320
gggggggtgg tgtgtgtgtg tgtgagagag aattacagac ttcacatgca aaccttgaac 10380
tttcatttat tttagctaag gcaggaacgg atccaaattc agcagcttgg gctgcttatt 10440
acgctcacta ttatcaacag caagcacagc caccaccagc agcccctgca ggtgcaccaa 10500
ctacaactca aactaatgga caaggtaact acagaactta ttgtatgtga aagccaaaag 10560
ttgtgcttgg aattatatat gaagtacatc actgtataat acctaaaatt tctgacatta 10620
tttaattata atttaagcag acttttcctt ttttaaattg ttactttgaa atagtttcaa 10680
actttcataa aagttgtaag aagaataccc ggagcaccca gatagcccag ctgttaatgt 10740
tttattccct tgtttactct gttaccatct atatcataca tgtgtatctg tatttatttt 10800
aaatatccat tataattagt tctgaaggaa gctaattata tccagcataa ttagttctga 10860
aagaaatcac tgaagactaa actgtagaca tgatgtcctg ttgggtactt cttcaaaaat 10920
acataaccat catacagccc tccaaatcag taagtcaaca ttgatatatt aagttcttta 10980
tatcattatg gatttctgat ttttgcagta ggttatattt ttaaagtatt tttataattt 11040
tgataatcag attatcctgg atttggccag tcagggagta tattcagggt ggtgcctata 11100
tccttttgaa atacctgtca ttcttttaag cacttccata ctgtctggca cagtaagatt 11160
gttatttttgt gctttctggg ctccagccct cgagtcagct atttcttcaa ggagctctta 11220
ttccttttag tagagtatgg tagttagaaa cgagacttga gtatgcttgt tgctactgag 11280
gtgtaattgc ttctagcttc tttcaacagg cagaactagg aaatatattt acatacatgc 11340
atacctacat acacacacca aaaaacacat aaacatcgat atatgtatat atttttaaaa 11400
actatgttca tatcaccaca tccgtttcag cattttgggg ttttcaagcc ttttcctttt 11460
ttgtacttgt ttacaaacgt gagaaacctg gtgtcctcag tgtatttcct tatttgacat 11520
gcatttactt atatgttcaa cataaccagt cttcaaacag gttggttttc ttttctgtcc 11580
accacctctg tacccccagt accttctatc tttggcactg ttagggatgc caccaccaca 11640
tagtacttcc ctcctaccct cactgtcaca ttgcaggccc ctgccagctc ctgcacccaa 11700
ggaaacggcc aaaattgcct tttaaaaact ttaattctgt tttttgtttt gttttgcttg 11760
aacaaggaga tcagcagaat ccagccccag ctggacaggt tgattatacc aaggcttggg 11820
aagagtacta caagaaaatg ggtatgtttt atacatttct tgaaaataca tacttaatta 11880
aattgaaaca aattattctc ttcaggaaga gaataattga ataaaatcac tggacttgta 11940
aacatatcaa gacagttgta aattatagtt tttaaatttg tggttatatg gcaaggaaat 12000
ttttttttct aattgcattt gtcaaccagt tattaattga aactagaaat gtccttactg 12060
gtacatacaa tattaacatt actatacttt tgacaatgac agttatatat attatcagtc 12120
taaatgacat aaggttaaat tttaatgtgt caggcgaaaa ttgtgtgtga taccattatt 12180
tttgctgcaa gataagcagg taagaagtaa tctgcagtga cggaaagtaa ccaagtgatg 12240
gaaccagaat ctggcttcaa gagggtctga gtcccaagct tgtctcccaa atttgtctct 12300
ttaggaacca tttggaacct gatactatac ttctggacaa atcactatat ttcagctgct 12360
tttgctctta gtcatttaaa attattacat accacagcta gatgtcacaa atgaaagcta 12420
aattggtaag cttggttatc cttcactagc agaaaaagaa cctataggtg gtagagtttt 12480
gtcataagag aacggtctac ttgggatttt caatgttttc tttgccaaag aatgtttctc 12540
attctccaca gaaagaaaaa tttccagaaa ggtgatgatt ttaatcttct agatgtaaaa 12600
ttacatatac ctgatgataa agttgttttg cacaactggt ttctttttaa agaaaaattg 12660
tttttcctct tagaatggct tcctaggaga gtcatgttcc gtctctttct gaggctttaa 12720
cagattatgt ttttgtgacc tagcttaggc agatctacag tagctacaat tcggcaaaaa 12780
gaaactttta acttaaaaac agcatactct gattaaggtt ggttacataa tttatttttct 12840
gaactgggat ccttttttaga atgaataggg atgctattaa taatcatgcc ctgacagcat 12900
tgtggtcagg acctgtaatc aacttaactt taattaaata gcatcaccat tttaaaagac 12960
ttgagcatga gccacgtgcg gtggcacaca cttgtagtcc cagctgcttg ggaggctaag 13020
gtggaaggat tccttgaaca caggagattg aggccagcct tggcatcata gtgagacctg 13080
gtcacgtgtt tgggttaaaa atcactaact tcaacttcta ttttctcaat gggtaatgtc 13140
ccctagatag ggtccctagt tattattaag taggtaaaaa taaaggcttg ttaatggatt 13200
taggtaatta tggaggaatg agtttggctt ctgtgcttta ttttaccata ttgattattt 13260
gtaatatggc cattaataca tttactgttt agtctttttt gtattacttt ttatgtttta 13320
ctcaaaatga gtgggtgggt ggaattctaa tttttattgt taagggaaga cattttacct 13380
tgtctttaat tttttatttt tttttaccat ttccctgcca gttagagata ctatactata 13440

ctgtcttgaa tcctctgtag gaaaacatgg catagaaata attaaataat aattagatgt 13500
taaataataa tgctgtatga ctaaagaacc tccttacccc acctttctg ttgttgttct 13560
gtagtaccac aataatcact tgttaatttt atttatttat ttatttgaga gggagtctca 13620
ctctcgccca ggctggagtg cggtggcgca atctcagctc actgcaacct ccgcctccca 13680
ggttcaagcg attctccggc ctcatactcc caagtagctg ggattacagg cgcctgctac 13740
cacatccggc tgatttttg tatatttagt agatacgggc tttcatcatg ttggccaagc 13800
tggtctcaaa ctcctgacct caggtgatcc acctgcctca gccttccaaa gtgttgggat 13860
tatgggtgtg agccactgca cccagcctca cctgttaatt ttatgagcaa aacagattag 13920
ttgggcaagt ccttcacatg catatctcgt tgttgttgtt ttttttaaga cggagtcttg 13980
gtcttactcc ccaagcaatg gtgcgatttc gtctcagtgc aacctctgct tcctgggttc 14040
aagctattct cctgcctcaa cttcccaagt agctgggatt acaggcgccc aaccacaccc 14100
agctaatttt tgtattttta gtagagacag agtttcacca tgttggccag gctggtctcg 14160
aactcctgac ctcaggtgat ccacccgcct cagcctcgca aagtgttggg attacaggtg 14220
tgagccactg cgcctggcca catgtgtata tcttaaagga aataatgcta ggtaatttag 14280
tcaggtgctt gatgagcatt tgtcatcatc atacggagtc aatttgtctt tttctataaa 14340
agttcttttt gtaaatgatt agttgcttaa ctgctttaat ttcttctagg taccttacct 14400
gtcatcagga tcttttacc acaaataaga aaccttaaag cataaaactt ggttcagtct 14460
tcacatttct taaatggaag gagaaaggga ataataggga gatatcttta tctcaaagcc 14520
aactgttgtt gacttttcca gtggcagggg tatgatgcta ggacttcaga tttcctgatt 14580
ccccatccta gtgccccttt tgccaaacta ggcaggcttt cacagctttt ggagcctaat 14640
ttaagttttt cttgttaaga acagaaaact ccattcatag attttaattt gtcattattt 14700
gcttatttac tgaaaaaaaa aaaaaactat tgaaaacagg tgtgggttaa gtttcccaaa 14760
attaggttta tatttcaaaa caattctaag ttcccaagga taacaccaaa ctaagaggat 14820
aaatttttat tttatttttt tttattttat ttttttgaga tggagccttt ccctgtcgcc 14880
caggctgaag tgcagtggca tgatctcggc tcacttgcag catccacctc ccaggttgaa 14940
gcaattcttc tgcctcagcc tcccaagtag agaaaatctt gataagattt cagaggctta 15000
taaggaacag cagtaaagat gggtgttttt aaagctagaa tacagggatt tttttaagac 15060
ccttaagaga acaaacaggg tttcaaaata gaaaggagta attcttgttt ggagaagtga 15120
agacatttgg gaaaagtttg acttgaggaa ggccattatg ataaggactg atgtggtaga 15180
ctctgaaccc tgaagaatct ggtaccttaa gcctaaagga gggtagagtg aggacttgtg 15240
ggaaaggtac agttatatgg gaagacaact gagtgtgaaa atctattcat gcaaggctgg 15300
ctcttaggct ctaatagaat cttgcaagct aactctagag caagtctttt atctttggga 15360
tgaaagaaat ttaaggctaa actttataca ttataattat aaaactataa taaatattag 15420
ataatgttct actgaagtat aaactcaact atctggcatc aaacagtaac taagccatga 15480
tcacaccact gccactgtgt tctggcctag tgtgacagag caagaccctg tctcaaaaca 15540
aaatccagta actaaagaga ggaataaggg gagcgcaagg taaggcagta catgtctgaa 15600
ggggcaggga aagagttctt tctctacttc caactgggca aaataaatca catttgccct 15660
ttagattgga agagtgaaat aagcttttct tgaacatctt ttaagattgg agtgtcaaat 15720
attaccaact tatttaccaa gaatttggtt tttcttaaag tctaaagtgt ttactattag 15780
ctttccacag ggatatagga gtttgcagag gttgtagttt tttaagggaa catcaatgaa 15840
ttttcttgat gcatatgcct gtttctacca ttttacattg ttaatttgcc tctaaaatga 15900
gtaactctta caatggggtt taaaacctga agactattga ttgctacctt gatcaggttt 15960
ggtttcaagt gtgcaccctg taagagacaa tgtgtggttt tattgctatt gtcacaccag 16020
ttttttagat attgaaacct gtttcagatt tgcttgaatt gtgtcttgta agaggaaaat 16080
gttaaactta cttcctcttt gagaacagtt atttatagaa gacaggaaaa tatgagaatt 16140
tttaatagta tatgagagtt ctctgttacc aagaaaagag ggtttttttc aggcattttt 16200
aaagaatcat aaatcttaaa ttctttcact cagttgcttt gagtctgtga cctgttttac 16260
aatggtgata gactgctttc tgaaactatg aaattggtct tgttggcatg ctcctacaaa 16320
cataaaaaga gcttcctgtg tgtccatgct ccagtatact cgtctatggt agttatttca 16380
caaagccaag cgagttacaa acgaaataaa atagtgctta agtaaagaaa ctgaatagga 16440
gaacatatac tctctcttct caattttata tttagaaaaa tataccttca gaaattgggg 16500
aaataggcat cagacactca gcttcatcat tttttaaaag tttgctgtat gcgctttata 16560
tgtatgtttt ttgtgtatga accatttcaa agtaagttgc agacaagaca gtttgctcta 16620
aataaactca atgtctgggc acagtggttg acgcctgtaa tcccaggact ttgggaggcc 16680
aaggcaggtg gatcacttga gtccaggagt tcaggaccag cctggacaac atggcaaaac 16740
cccatctcta caaaaaaaga gaaaaatgtc agctaggcat ggtgggcctg tagtcccagc 16800
tactctagag gctgaggtgg gaggatcacc tgagccctgg gaggttgagg ctgcagtgag 16860
ccatgattgc accgctgcac tccagcctgg gtggcagagt gagaccctgt ctgaaaataa 16920
ataccctcaa tattatcaca aacatacaga ctatatttaa atttccatag ttgtcaggaa 16980
tatgtctttt gtcgtctgtg tgttttgttt aattcagagt acattcaaga ttcatgcgtt 17040
gcatttcatt gctatatttc tttaatctct taattcagca aagtcacctt atttggaaaa 17100

agacctgatt gtgaaagctg agttttatgt gttttcattg atcttgttct ttattccttg 17160
tcaggttact tttaataaca ttgtgttgta attggaataa attattaata cttttaacat 17220
cttattatgt gtgtgtgtac atacacttta taggttacta atcaggaaaa agtcttggct 17280
aggtcttaat acagtcttta aatcattgcc tttaagtggg cttaaagttt ttcaaaaatg 17340
ttctttttgt aattctggaa tcgaattaag attatgccta aatctttacc ttccttagct 17400
aaagcagtgt ggatttgggg ttgattctgt ttttttacta ataatgacgc tctagaacta 17460
aaagttaacg attaattata aggcaaaaag aaaagagcgt tctttttttt tttctaattg 17520
cagagtagtt tcctgacact actaaatgaa tattttaaat aaaacaggag taattctgac 17580
cctctgtgct tttgtcttat aacctgtact tacagtggat gtaattttat attaaagttt 17640
aggggttttt ttttttggtc aacaagggca aacacaagat tattcaaagg cttgggagaa 17700
atattacaag aagcaaggta ttgtttttat tagaaatgag atgttgggct tataattgtg 17760
gttacagcaa caaagttctt ttttttcaaa ggtcaggcag ttcctgctcc gactggggct 17820
cctccaggtg gtcagccaga ttatagtgca gcctgggctg agtattatag acaacaagca 17880
gcctattatg cccagacaag tccccaggga atgccacagc atcctccagc acctcaggta 17940
taatgtaatt gctaatttgt tgatttctac tccagtctgt tttctgcatg tttactgttt 18000
gtctgtttgg gagtgtttgc cttttaaatt tttatctggc aaagtataat aactatttaa 18060
atgaagtact acggtgtatt gtttgggttt ttttgttttt tataatgctt tccagcatct 18120
gagtggtgaa tatttctgca atgcctttga ttttaaaaat aaatttttctt cccccaggga 18180
tttgcaaatc atgcaagaag ccaccaccat ttatattaac cacttttttct ttcttaaagg 18240
attcactcct gaattagctc catttcaagg attttcttta acttttttgtg tatttcttat 18300
gtatctcttc tgcacagggc caataataag aagtggacaa tacagtattt gcttcattgt 18360
gtgggggaaa aaaacctttg ttaaatatat ggatgcagac gacttgatga agatcttaat 18420
tttgtttttg gtttaaaata gtgtttcctt ttttttttttt ttttttgaaa atgtacaaaa 18480
tatctatcac tactgatagg aggttaatat ttctgtgtag aaatgaaaat tggtttgttt 18540
ttagtattta gtgtagatgt acacattcca gcaaatgtat ttgcaattat gtggttgatg 18600
ctttgtgata taaatgtact ttttcaatgt atactttcac ttttaaaatg cctgttttgt 18660
gctttacaat aaatgatatg aaacctcctg tgtcggtaag ttggatatgt gggtatttaa 18720
aggattcata atttcttagc aatgataaat taagatacat atacacaaat atataagctt 18780
tccccatgaa atattgagtt tttaaacact ggcatgtttt tccccccttg cagtatagtg 18840
gtagattgga ggatcttttc catttattgt attggctctt tcagcacaag taatcctgat 18900
atcttcattt ttttttcttc tgtttgatta aaaactgcat gtgtgtacaa tgatcttttg 18960
gcatacttcc attgcattaa cagtgaaatt tccttttata catgaccact gtttcagacc 19020
tgtactgctg ctataacagt taacctttct gttcttaatt tgataatact tgatttccaa 19080
gactgtttcg gcataactaa ttttaaacag ttttcagata gtgaatatga gtagtctaat 19140
aagaacagtt tttttccatg tgaagcaact ctttcaatgt atataatgtt agtgtgtttc 19200
tttctaaatt taggatagaa aagtgaatag tgtgcaaaaa gtatagctac attgcatctg 19260
ccattgaaac ataaatgggg tatggaaacg ttcaagcttt tttttttct ttatgcagta 19320
tagataagct ttgttttgta aatgcacaag tccaatcatt gaatcaactt aatttttta 19380
tgtacttgaa gtcattttat tactctttaa cactcatgct gaagttctga tattttgttg 19440
aaatccattg ttttactctt tgcatatttg ttggctcttt gcatattaat atattagact 19500
acatgcaaat acagtctgtc ttgccattgt ctgttgaagt gcaggtttga tccagccagt 19560
atagaactag ctctgtaggg gtgaggagga ctgtgctgtg tatcatcctt gattgtgttc 19620
cttcaaggag cattgcactg taagtacatc agaatgacaa attgcatgaa ctgcaacagt 19680
atctttttgt caatgttcca cataatgcaa atgccatacg ttgtgtgata ttatgttgga 19740
atacagtgct gatatcttgg aaaaccataa ctgcctctta atttaacata gaataataca 19800
tagttctgta ttttttttaa agtgagctta atgggtaagt atttttata tgctttagct 19860
atagctaaag aaaactgata cttaacaaag ttgaatagta ttattcactg gtgctcctaa 19920
aatattgttt ttcagtgtaa aatatgcata tcttctatat ttaatatgaa agtcttgaaa 19980
tgtatcagac agaaggggat ttcagtttgc aaataatgag caatgtagca attttaacac 20040
atttcataaa tatatatttt gtcattggtg gagagcacca tttgttgttt tgaatatact 20100
ttaaaggaag aggtacaagg acataaatgt tgagattacc tacaggatgg aaatagcagt 20160
acagttcatt gtagatattt tgaaatgttt ttgattgttt tatataacct agagtgactt 20220
cccttaccct tatttagatc tgcatatata gttctagtat gaagtttaat agttaaggag 20280
ttagctattt gttatcttta agagtagggt attgacgtga acaattgcag tattttgcat 20340
gatactgttt tatagatgac cttttaggaa agtggtgcat ttattaattg aactgaagaa 20400
gtagttcagt tgaattcagt atcataattc acaattggag gctgttgatt ttgattcatt 20460
taaggtttaa aatctttatt aattgcaaac agtgcaatta tttatacttc acagtgcctt 20520
cccagacctt ccaccttagg ttctgctgca aaaagcacca ggtaagcaca acctaaggac 20580
atatataaat aaatatttca atacattaat gttgtccctg tgaggttttt gtggttgtgt 20640
attcaaaggc aatctgctac tgcttcccca aaatgtattt tgttatttta tgctaccatc 20700
ttagtggaaa gtctgtaagt tgttaaagca actgtttaca tttctgggta atgtttttta 20760

ttttactttt tttttttat taagacaaga aaatgatgag tagattgctg cagtaattga 20820
actacatcca aatctttttg tatttttttcc ccaaatatag aagtgttaat attaagaaag 20880
gacaattaca cagttttcaa gatttaggaa atcacttgtt tagaaacttc aacagccttc 20940
acaatctgtt ttatatgatg gacagaaaat ttctttgccc tccaaaatta taatttcttt 21000
attttttttct tattcttaaa ctataataat tcagtaagga tattatgggt tagaatttta 21060
ttatgatttt tttcttagac aaaagttata tgctgaagaa ggaaaaagtt ataaggcagt 21120
atgttttgat aaaaggcatg tgcatcagtg aaatgttaac tgtatagcaa ataacctttc 21180
ataatctgta gcatcagtat ttttctgatt taataatatt taataactga cgctgcattt 21240
aatttttttg ccagtttaaa atgtttgtgt gtttttatag atgattttaa ctggtacata 21300
ttttgagtta agttgaatgt atgaaagcag catcttatca gttttgttta ttcgatttct 21360
aaaatgtgct gatcctttta aaactcctgc ttatctctgc aacaaagaaa aatattcaaa 21420
aatactgcct tcattttcac acacagtgct gaagatgctg caagcaccaa atcatagctc 21480
ataaaatcag gtcctgagat agttacccat aaagaggaat cctttgagtg tatgccattg 21540
gtgagccgat gagcatggac catagaaggg ctcaatgtag aaggtaaaat tggcaaatca 21600
taattgagaa atatgaaatg tattcccata cataatatgg tatagggtgt aatgtacctg 21660
cttttgatca cttttcattt taaagtgcta ttcacttgat cttaaatgtt ccatgaactg 21720
ttaaatttct taagttacat agttactaca ccacatttat gtgtatgtta tgttttaata 21780
gtcaatgata ggtatgtaca attgataata taaaggggct cattgaaact tgagagcctg 21840
ttgagttttg gttagttgta gattgcattt ttataaaaaa aaatacagat agattgatga 21900
taatagatat tggggcattg tttctgtctc atgagaattc ttttattcat taccataagc 21960
cttcactgat actataagca ttatttttaaa tgacgctgat cttaagtctg aaataaatgg 22020
aaagcagaaa aggtgagcca gttgatttga atgcattgga tattagtgtt agaaacaatg 22080
tatagtttag attgaaactg aactgactta tttagcactt aaacaaaaat tgacaatgtt 22140
tntagttttt tttaagacag cttagtgtgg tgatacttag aattctatgg tttgatgttt 22200
cttttagaaa tgagaagtat agttttattt tttaatataa aaaatggttt taatactaaa 22260
actagtaatt tgatactagt tgtttataaa cattgtaaaa tatatctttt aaacaaatta 22320
tcttggtagt taattcataa gggtgggttt gggtaggaat agcagagtac tttcagaggg 22380
aaaggggagt cattcagaag tgatagcatt ttatttgttt gaatactctg ccagtaaaat 22440
cagctgtact tagaaagtta tctgttgtgt agaataatga tgtagagttt actaatcagt 22500
gaggatgtct tgtttttatt ttctgcaaac tctgcctcac tttaaaatgc attataacaa 22560
tacctaatta aagataattt tggctctgaa agttacctta ttttttgttg agttagtgac 22620
ttcatttttc ttgccacaat ataagctttt gagggatttt tttaaattgg tgcttttaat 22680
aagcaaataa atcccagggt tttattttct tcagtgatac ccctatagaa actcttaaat 22740
gtattggcgc atatatatat atatattttc ttatgcatgc tcgatgcatt ttcgtcctga 22800
gaaaaatgtt ctctacagaa actacccgtg tgtaaaaaga agattggctt aaaatggcta 22860
ctgtgatggg aacagtgtct tagggagatg cagcttggac ttgaggtaaa ttgaatactt 22920
tacaactgtg gtttagagtt tgctttaatg acattgtatg taaaaggtca catgattgct 22980
gtaattttgt attcattatg gtttcctcaa taaatgtaca ttgatgacta ttataaagga 23040
gtgctttgtg ttttttatac atatattaca tggtaaaatt ttctacttga ctgggttttt 23100
ttttatgttt actgtgagaa aaaatgattt taaaaagttt taatgataaa agggtaacat 23160
ctggttgcac aagtcttaaa atacagaaag acttttaaat acagaagtta ctttatttgg 23220
gttcacgttg taaaataaaa ttgtcttcca gaaaattaaa atataaaaca acttaataga 23280
acgtaatagc taattattta caaactcatt ttaaagacta gaattttaaa tcgaaggttg 23340
tgccactttt tccctaagtc tgatacactt agatcttgaa gccttcgact atgttgaaag 23400
tgttttctct tgcgtgaact attaatagaa agtttttca ttaaaatata atttgttcag 23460
gcaagatcac aacataaatt tgctttataa atttaatata tattacatac gtttgaaaaa 23520
taacatgttt aatatcctca acactcaaca ctgtatagcc attctttaag tcctttaatt 23580
tttgtttttc tccatgctcc tccccttttc ctctgaaagg agtgacagtt ttccccaccc 23640
cgctccaatc ccaatatatc tgcttcagaa agactttgaa actacaacaa ccaaaatggt 23700
gtactactaa agaaaaagtc cactcaaatt gataggttcc aaattaatta tctcagctat 23760
ttcagcctaa ttttaggtgt aaaaagctca gaaatgacat tccttcatgc aaaataatgt 23820
attctactta ggtttgtgtg ttttttttttt gtttttgttt tttaaacata gttgctgtaa 23880
acgtctatgg gaaatacagt ctttataata ggttctgata gaataattga gtaattcccc 23940
cccataagta cattttattg actgttactg cataataggc gataaatctg atgcttattt 24000
ggaaaagaag taggcattct ttagatgagc tgtgctttga agactgttat gaaaaggaat 24060
aagaagtcag catagtggca ctcctggttt ccttttttgg ccccgccaca gaaaagatgg 24120
atgtagtaag aaagttggag tgaaagagaa agttccaggg agaggggagg ggagctagta 24180
gtcatcagct aaaaaagaga agaagaaaag tgattttaag gaaaaaaaaa ttaatagaat 24240
aaaagataaa aagagtgatt aattcttact ttcaatggta agaatacagg tactagctgc 24300
agatccttta ttgttgactg ctttacacat atactctcct ccatcttctg ggaaagtttc 24360
tggtaagtaa aggcagtaag tttctcccct ttcaatatat tgatagtctt ctccatcctg 24420

cagtatttct ccttcaaacc accatgtaat ttctggttgg gttctcctgt tactttaacc 24480
gtaaatctga ctggctcact gtctacaact gatgtgtttt taagaggctt cttgaaccat 24540
ggagctcctg atctggtttg ctcttcatct tcagcagtgg agccattcat gatgctacct 24600
tcttcctcct cctcctcttc tcttttctgt attaaaataa atgcattcag gttggcattt 24660
atagtatttt cagggcagcg atttagtaac aattttgaaa tgaaattttt ttttttaagt 24720
aaagaacata caagtgtgcc tactacaaag tgtacttaac agtacattcc agtgacttga 24780
aagaaaacca ttaaaacatt tttttaacct acctaattat aaaactatgg gttttaagag 24840
ggcatctttg gaaaataaag gatacataag cctggtacct tttgtagtgc tgcatcaatt 24900
tccctttgtt caaactgcat gcgtagtaac ttttgttctt caattcttct ttgttcttct 24960
tcttctcttg ccttagccat ttgttcaaat ctagctttca tattcacttt gtgagtaaat 25020
ggagcctcgc ttttttcttgc aggcctaaca tcaacatcat cttcctgcaa gaaagtgggc 25080
caagattaac aattgcttgc cttctaaaaa caaagaagcg ttactagttc taaaggtgtt 25140
tagaagcaca aaatgattaa catgtttata atgcatattt ttgctacact gcagacactc 25200
agatttttc taactctcca gttcaggaaa agtgatagat acatttatga agcattctct 25260
tagttataga ctttttctcc aaatgtaaag atcacaatat cactgggatc ctagcctgtt 25320
tgtcctacca actctgcttg gttttgatag cacttaactg aaaaaggtca gaatgctata 25380
cattctaaat aattgttaaa agtactccct tgattcctgt aagtcc 25426

<210> 1121
<211> 286
<212> DNA
<213> Homo sapiens

<400> 1121
tagaagaaca ggggtgaatt agagtaactg ttaagatgac attctctaaa ctccacttca 60
acttctttac agttaatgcc ttcagactgt tccattcatc atcccttctt cacttgatgt 120
gtcatcttaa atttcttaat ttaactactc aagtaataag atcatatttt ttgacatgag 180
tctgagccta gaaccttagt ttaagccatt gggagacatt agacttccat ttttattaat 240
agattatctt ttatttgtaa acaaagtatc tttcattgaa ggaaaa 286

<210> 1122
<211> 964
<212> DNA
<213> Homo sapiens

<400> 1122
ctcacaagat aatatctctt gccttttttcc tctcggagtg ttcctgcggt ttgtgatctc 60
tcttagctct ggtagcctgt tcaggcctta aggtatctgt tcggtattat gtggtcaagt 120
agctgggacc acaggatcac aacaccacgt ctggctaatt ttttttttt ttttttttt 180
tttttgtaga gatggggttt cgctatgttg gccaggctgg tctcaaactc ctggcctcaa 240
gcaatcttcc agccttggcc tcccaaagtg ctgggattac aggtgtgagc caccacgtct 300
ggcttggagg gcttattaaa acaccgattc ttagcctcac ccccagagtt tctggttagt 360
aggtcttggc agggctggag aatttgtatt tccacacctt ccttggtgat gtgttgttgg 420
tagttcaggg agtacatgtg agaggaaccg tttagatagt aaaaactgca aacctgaaga 480
agaatagaag aatccttatt ctgtgctctc ttagatttag tttcctcatc tatgatcaat 540
aactattcat ttcttcctca tttccaataa cgatttgctg cttttaagag caagagatca 600
cttttccttc atgttgtttt gctagtggca aatcagaaat ggtttcgcca gtattcactg 660
atcttgtaat cactctcgga atccagctgc atctctagtg tagagttttg ggtcaacaag 720
aataatgctg agcttaaaga attggactca gtctcttgaa gtcaggggtt gatgagaagg 780
tggctctaat ctattcattc aacaacttcc tattgagcac ctgctatgtg ccaggtgctg 840
ttctagccac taagatagag caggtaataa catagggcca ttgtccttat ggaatttgta 900
ttttagtggg gtgaataaaa aagggcagtc taggtggggc ccagaaatag aaaaatagaa 960
aaaa 964

<210> 1123
<211> 964
<212> DNA
<213> Homo sapiens

<400> 1123
ctcacaagat aatatctctt gccttttttcc tctcggagtg ttcctgcggt ttgtgatctc 60

tcttagctct ggtagcctgt tcaggcctta aggtatctgt tcggtattat gtggtcaagt 120
agctgggacc acaggatcac aacaccacgt ctggctaatt ttttttttt ttttttttt 180
tttttgtaga gatggggttt cgctatgttg gccaggctgg tctcaaactc ctggcctcaa 240
gcaatcttcc agccttggcc tcccaaagtg ctgggattac aggtgtgagc caccacgtct 300
ggcttggagg gcttattaaa acaccgattc ttagcctcac ccccagagtt tctggttagt 360
aggtcttggc agggctggag aatttgtatt tccacacctt ccttggtgat gtgttgttgg 420
tagttcaggg agtacatgtg agaggaaccg tttagatagt aaaaactgca aacctgaaga 480
agaatagaag aatccttatt ctgtgctctc ttagatttag tttcctcatc tatgatcaat 540
aactattcat ttcttcctca tttccaataa cgatttgctg cttttaagag caagagatca 600
ctttttccttc atgttgtttt gctagtggca aatcagaaat ggtttcgcca gtattcactg 660
atcttgtaat cactctcgga atccagctgc atctctagtg tagagttttg ggtcaacaag 720
aataatgctg agcttaaaga attggactca gtctcttgaa gtcaggggtt gatgagaagg 780
tggctctaat ctattcattc aacaacttcc tattgagcac ctgctatgtg ccaggtgctg 840
ttctagccac taagatagag caggtaataa catagggcca ttgtccttat ggaatttgta 900
ttttagtggg gtgaataaaa aagggcagtc taggtggggc ccagaaatag aaaaatagaa 960
aaaa 964

<210> 1124
<211> 236
<212> DNA
<213> Homo sapiens

<400> 1124
tgggtggatc acgaggtcag gagttcaaga ccagcctggc caacgtggtg aaccctcatc 60
tctaataaaa atgcaaaaat tagccaagca tgatgatgcg tttctggaat cccagctact 120
cagtgaggct gaggcaggag aatcgcttga acctgggaaa cagaggttgc agtgcactca 180
gattgtgtca ttgcactcca gcctgggcca catagtgtga ctctttcccc catccc 236

<210> 1125
<211> 236
<212> DNA
<213> Homo sapiens

<400> 1125
tgggtggatc acgaggtcag gagttcaaga ccagcctggc caacgtggtg aaccctcatc 60
tctaataaaa atgcaaaaat tagccaagca tgatgatgcg tttctggaat cccagctact 120
cagtgaggct gaggcaggag aatcgcttga acctgggaaa cagaggttgc agtgcactca 180
gattgtgtca ttgcactcca gcctgggcca catagtgtga ctctttcccc catccc 236

<210> 1126
<211> 3722
<212> DNA
<213> Homo sapiens

<400> 1126
cagatgcttc ccactagaga agctaagaag ctgtggcagc cacagccggg acagggcctg 60
gcctccagcc cagggctttc cctgatgtcc agcctcagct gcctcttcct gcctcatccc 120
acccgcaaga ggagctgggg accagagaca gagacacaaa ctccatttga atgtgaacct 180
tggcaccatg gagatgctca gggtgagccc agtctgctct ctcattagta tgaatttcct 240
tgtgtttctg tctctctcct cttccctggt atcagctgct ggccccaggt tcctccagag 300
aggagcgggg gtgggtgggg tggtgctgat taaatctgag gacatgacat tgagcgagag 360
aagcaagggg agctgctgac ctccctggat ggataaccat caggaggcgg tagcagagtc 420
cacataccat caccttctcc tgcagatgtt ggttcagcca cctttcctct accacagatg 480
ggctatgtgt tttcaaagca gaagagcaga gacggcagag aaccccagct ggttcccagg 540
caaggataat gaatacagtc ccctggaatg tgggggcctg ccgcctggcc ctccccacca 600
ccaactgccc cccttcagca gactcctctg cttccccaag caggtgggcc aggctgttgt 660
ctgggaatgc cacctgccac caggcacatg agcagccagg ccaggatgag gtgggcagca 720
gaggctgctg cagcctgggg caggggtcag cacagcatct ctccatccct gcctttgggc 780
agcccatccg cccacgcgtg gatccgccaa agcaaagccc tgccttctct ctcgcggggc 840
gctcagagtt gcacactctg ggttggtctt tgatgacacc ggccttgtgg aaggagcaaa 900
aaaacaaacc tttaatgtgg acctgcaaca ccttccattc cacttccatt atgtaatctt 960

gggagtcact caactctcca agcctcagtg ccctcctctg taaagtgagg ccgtgaatag 1020
ttccgactcc acagcattgc tgtgtggtgc aaataagaaa atacacttga cgcaccagca 1080
cgaggcctgg cacctgcctg gttcctatga tctctgtgtg ccaagccctc agccaggcaa 1140
agtgtccccg ggtttttctc cagttctatg gcattgaatc ctaacaaaac ccagcaaggg 1200
aggtgtcaca ggacttcctg gtacgcgcca ggagactgtg gctcagaaaa caggtgttga 1260
ctctgtctcg agcagtctgt aaatgtggag ttggggctca cccccgcccc caactcccat 1320
cctctagcaa aaccaaggcc ttctgtcatt gcaaatggcc tgcaaacttg agagtgattg 1380
gaaatgcatc cccaccctcc agaacccata agagacccag cgcctgagcc cacacatggg 1440
agtagctcct gagtacaggc agggcaaggg cgggaggcag gaaggcagga gccagatgat 1500
ggattagcac aggaaggagc acagcacctg gagttgcttt ttagtcttct tcccaagaac 1560
tgcatggggc tggcagggag aggaggggaa gtaggaggcc acacgacacc tggcacccat 1620
tgtatgtttt ttatttttt ttatttttt gatggggata agatttgcat gacataaaat 1680
tagccatttt aagactgact catgccttaa tcctagcact ttgggaggcc gaggtgggta 1740
cattgcttga gtccaagagt tcgagatcag cctgggcaac gtgtcaaaac ctcatctcta 1800
ctaaaaatac aaaatattag ccaagcatgg tggcacgcgc ctgtggtccc aggtactcga 1860
gaggctaaag tggaggatca cttgagcctg ggagttcaag gctgcagtga gctatgattg 1920
caccaccaca ctcccgcctg ggcagcagag cgagacccgg tctcaaaaaa aaaaaaaaaa 1980
aaaaaatcat tttcaagtga gcaattcagt ggcacttagt acattcacaa tgatgtacaa 2040
ccaccactga gttccagaat actttcatca ccccagaagg aagcctgtac ccactcacag 2100
tcactcccca ttcccctctc tcccaaccac ctgccagtca ccaatctgag ccccatctct 2160
atggatctac ctactctgga tatctcatat aaatggcatc atacaatagt tgacctctta 2220
tttagtttga tggcaagagg gggaaggagc tgctgctgga gcccctccag gccctgcctg 2280
aagcttctgc ttgtggggaa gtttctagat gctcagaggg agcagcccag tctgccctag 2340
acctttgttt acctccttct ttggggctcc gctgtgtagt ggactgggtg ccggtggtcc 2400
tgggctttgg tctcagctca gcagctgatg cagagtcctc agggaagctg ctgcacctct 2460
ctgggcccca ggggtctcgt atgtgaagcg agcggttgaa cttgtgggtc cctgttgctg 2520
cttttgcacc cccccactac tcccaataag ttctgaggag agacgggact ccctgtggta 2580
gagacaaagg gccactgctg attggagggg aggaggtcca gaagctcctt ctaaaacgga 2640
aagaaagaga ggggaagtgg ccttgacctt ggtccagcaa ggggcagtgg gccaccagac 2700
ctcgtgggtt ctctgccaac catgagagcc agtaaaaggg ataaagaagg tgaccagggc 2760
aggagcagag cccagtgtcc aggggtgcac aacggcctgc ttccctccag attgggtgca 2820
gccccagatg ggtgacacca ggatggccgt gggccctagg agtgactggg gaggaggccg 2880
cgtgtgtgtg gtgtgtgctg gccggcaggc atgtgcaggc ttctgtgtat aatctggctt 2940
gtaaattgct cggggactgt aactgcggaa agggccatag agccgcgtgg tgttattatt 3000
tatgataaag cacagaggtg cctgccaggg actagaatgg gctgagcact gcgtgcagga 3060
tggacggcaa attgaactcc aattttctgc tcggcagtct ttgttacacg ccacaaagcg 3120
ctggtacacc ggggtcacca gcctgatgaa tgtgtgttct tcctcagcgg tggctccatc 3180
tctcagcctc cgtgcagaga gcgactcgtg ctttgttttt tcctccctgc ggggcccagc 3240
cttggaatct gttcctgggc tccaaacgca gcctggacag aggggaggtc agaggccttg 3300
catggaggca ggcggctatg ggttcaaaac ccagctctgc cactgacaca catgtgactg 3360
ggtacctctc tcatctgagc ttcagatgag agaaataaaa gagaagtcct catagcactc 3420
ccctaaggag gctgggagga ttaaatgggt aaacatgcgc tgctcagtgt ggagtaggcc 3480
tttaacaaat acccatcttt ccttcttgtc cctgggctga gcagcctcgc cctgaagcca 3540
ggaaattgag gagaagcccc tgaaattggg cagacaggcc ccgtctgggg gtggtgaggt 3600
caagccccta aggacacctg ctgtccagct cagccctctt tattcaatat tgggaaacca 3660
atgctggtgt taagtcagag ccactgcccc tagctcccat cttcccccag cttccatctc 3720
tc 3722

<210> 1127
<211> 278
<212> DNA
<213> Homo sapiens

<400> 1127
ctcgatttcc aaatcaggtc acattctgag gttttgggaa ggacatgaat ttgggggaga 60
catattcaac ccaatacagg catcacctag tcttgtccca cagatgactt tattaaacat 120
cccttggctt ccatgttggg ccttactgtc attcatttgc cacatatttc ccaagcatct 180
tctttgtctc aggctctgtg cccagtgcca gggctataga aaaacaggag tcttgggccc 240
agctctcctg gcatctgtgt gatgtgttct gcttttct 278

<210> 1128

<211> 14976
<212> DNA
<213> Homo sapiens

<400> 1128
gaggggccgc gcgcacggga ggacggagag gcggaaagga tggcgctgtg acagccgggc 60
cggagccctc gcgtccccac cccgcgccct ggccgctggg cccggcggtg agtgcgcgcg 120
ggcgggggcg gcggcggcgc ggcccctccc ccgggtcccg ggcggctggg ccgcggcaga 180
ggcgggggcg ccgaggctgc gccgccgccg ccgccgcctt tgttgcgggc ccgccgggga 240
ggcgggcggc gccggctctc gccgccccgc aggtgcgctg gggccgggag ggggccaggt 300
ggggaggcgg gccgggcgga gggggcagcg gaagcgctcc cggcgcggtt ccgcggagaa 360
agggaaatgg ggcaagatgg ctggagaaat ccgaacgcgc ccgggggcgc ggcggcggtg 420
gcgcaggcgg ggcagggcgg gcggcggccc tggttgcggc accttagcgc ggggaggcgg 480
cccctcccac ctctgccccg gagccggcag ggagaccgcc gccaagttcg ggccccagct 540
gcaggcatct gaagcctaga cccatccatg ccgcgttcgc ctatcttttt tggaaatatc 600
gaaggaaccg actttgaact ccagagggat cttttctttg gaggttcccc gatgcagccc 660
tcaagatgca tccgcactcc acacctagga attgcccgcg cccatagagg gcaggagtgc 720
ggccctttgt actggccaag agtcagcgaa tagagaattt gcagcccaga ggcaatgggt 780
tatttccctg tcggggtggg ccccagccga tttctgcacc tttttgggta tccaggcata 840
accctcacta tgtttcactg actcctgcgt ttgcaaagtc ccttaaggta gaatgaccct 900
attttctgaa ccagctcgtg gacagaacct ttgaatttgg aaaatccagg caatgggcct 960
actgagccaa ccgctccgcc catgcttaac tggcttctag cacccattcc agttgagtaa 1020
gtgtccaatc tgtgttcaga caccttcact gataggaaat cagcaccttt cccctgcctc 1080
tgattcctgt ttgggtggca ctggctgtga gaaagtactg cctttctcac tgcttaaaac 1140
cttttccagg agtatttatc cactggccgg cctctgttct gccgtccagt ctctacaaac 1200
cagtctgggt tctcttcccc agatagcttt ttaaatattt gaaggcagcc agatacgtta 1260
tctacccaca gcctctctta tcataattaa acatgtcacc ctgtagcttc ctggccgact 1320
cttgtttcct tacttccctc cagcgggaac agtgcttggg gctaaagagg tttgtatgtg 1380
gctcagcctc ccccatcata ggctttgggg aggtcacagt gacacctggt ttttctgaac 1440
ctgaatcttg cttgcagaga tggagtccac agcctaccct ctcaatttga gcctgaaaga 1500
agaggaagag gaagaagaga ttcagagccg ggaactagag gacggcccgg cagacatgca 1560
gaaagtacga atctgctctg agggcggatg ggtaagtaag aaggtgtgga gtccacacag 1620
ccagcagatg caggcctgag agcccagctt gctttaagtc tcctcctcag acagacgtgg 1680
gaagtaaaaa tagcccagcc cggtgtgttt gcattcctga gaaaacagct ctgtggcttt 1740
aaaaggcagt gcaaagaatg gaggaggtgt tatggaaaca gtccctcagc catgtagctt 1800
gtcatcgttc aattggaagt cctagaagcc aggaccttgt ctctctcgtt cacccactta 1860
tcctgcactg cgtttgatgc caggcacatt gtaggcacca agtaaatgtt tgttgactta 1920
ctgctggttg aagggaacca ttttaaataa gactcgagtc attgggttga catgagaggt 1980
taggctagtt ggttctgtgt gagcacctct taccacagtt gacacaggag agctgcctgt 2040
ccagctgacc tggatagaaa tggtgggcag cagggaatac agagattcag ggtatacacg 2100
cagaatagta tgatagaggt cggtttatac aaatgcaaat gcagtagata cttatagtta 2160
cagatagtta ttcaccgtag ttactggact tcgtggtaat taggcatgaa tagtaaacat 2220
tttaaataag caacaaattg acattccttt tctctgctta ttttccgttg tgtataaaca 2280
ttgtcagtat acatagtatc ctttgcttcc atgaagagcc cctatccata caagcatggt 2340
acttctaaat tgttccctac cagaggagag aactgggatg cagaaagatt atctgccttg 2400
ccctaaggtt acacatgaac actgacattt gttcttcaaa acaggtctcc tgagctgcac 2460
ccttaaaagt aatgcatttt accatatgta tgctatacct taatttaaaa aaaaaaaaaa 2520
cagtgcaacc acaggctctc agtttgccag tctagctgtg gacaccgcgc tgcctttgtc 2580
tcatcagtgt tctttgccca ccacatcctt cttcccaatt ctgatccaag caggcgtcag 2640
gtctatttag cctggaacaa gaactcaagg cagtcaaaac tcagggcttt gaggctagat 2700
tggtcaaccc agaacatcta aatggagagc cttggagaac aggtgcaatg aaagtgaatg 2760
ttgggacagt gaggaaggag caagatgaag accaaccatg cttaggtggg aaaagaagga 2820
agtaaccaga agggctggag gagggagtcc agcagctggt ggtgctgggg attgggcatt 2880
tgtggcctcc aggcaatcag ccatccatcc acagttacca agcacagtgc tgggcgtaaa 2940
gagagactct tttcctgatg gaatttccag tcttgtgagc aaggcaggaa agtaaacata 3000
agtaatagta agcacagtgt gcagagtgca gtggtggaag tctgcaagga tgcaccagga 3060
gccaagatga ggggatgcct cattcaggct gagaactccg gggcttcctg gacaaggcct 3120
aatcttgagc agtgagcaat tttgccccca cccctggaca tttggcaaca tctagaaaca 3180
ctacccccct tccccacccc tggatatttg gcaatatctg gaaacacttt tgttggtctg 3240
acttggtggg ggtgcgttgg ggactgggag atcctcctgg catctagtgg atagaagcca 3300
ggggagctgc tagatatcta cagtgcacag gatgcccccc caccaccaca cacacacaca 3360

catacacaca caacaaagag gtaactggcc caaaatgtca gttgtgctga ggttgagaaa 3420
ccctgctcta gagcattaga agaaaagaat ctgtttttaa aatatgtatt ttggttatag 3480
agaattatgt tagggtgatc agtgaaagct tttcaagcat aagaactatg ataatatatt 3540
aggataaaat tccatagaat tgaaatagaa atacaatttt aagtagaaaa aataaaaaat 3600
gtgctttgaa ctgagtctta gtcattatgg aatcagccaa gggaagggaa gggggttgca 3660
ttccaggcaa gaggacagca caggcaaaag cactgaggag aggagcttgg gtgcagagtt 3720
aggagcagct cctgcagctg gaacctgaaa ctcatggcag ggagtggaag gggatcaggt 3780
ataggaggcc aggccagggg ccagagccag ccaggaggac atgcagtgct acgccagcga 3840
gtttgagctt tctccttagc tctgtggaat gaggccttag cccatctttc taagggaggc 3900
ctcaggctct ctacagccac catgctaagg cctgagtggc ctgctaagaa agcaaagctt 3960
tggcatcaga ctttctagct ctgtgacctt ggacaagtta cttaaccact ctgtttcctt 4020
acccataaaa gtgaggtagt gatccccatg tccctagttt agcggattca gtgagagaat 4080
atatttatat gattgagtgt cctatacagt gcttggccca tagcaggcac tccatcagtg 4140
gatcagtaca aactacccca acccctccc ccgagatccc tgcgtctttg ctgggtggct 4200
gcaaggcttt agcgaggctg tgcaaggtgt aagcacttta caacatttac cctttgagat 4260
agcattggaa tgccaacttc ctgagcagag caaggcagtg cacacaagct agaggaagaa 4320
cacttatcca gtgagccctt gatcttctga ggaaagggag gagggcaggg actgaaggtc 4380
cctacctgca aggccaagga ggggtgtctg gaggtggtac acagactgcc tgacttctca 4440
gttttgcccg gggccggccc tgtttacctt ctgctatgtt gagccagata aaaggcctct 4500
gtggagcgag gggaggcctg cgcagcaggg cctggctgaa ggatcgctcc attctcacag 4560
aggcttgctg tgaggagaat gtctaagcca ctacactgtg cctctggagc ataatgtggg 4620
cttgtttgaa gatcctccgt ggctcagtca ttaataggaa gagatgaatc ctgcaccagc 4680
ccccagcttt cttcctgcag cttcagggct cctggtacct gatgttttta ccaggcctag 4740
aatatgttac ccccctaag agtattgatg gcccctctga aatgacaggc atagacagtc 4800
ctgttcccat tttatcagca aagggaaagg gactataaat aggtatgacc tagatctgga 4860
acttcccagg gagaaaaaaa ggccaaagag acagttcttt aaaagcctgg gaattgggaa 4920
aggagtaggg tggaaaattc ctgggctgac tggctttcca gggtgaggaa gtctgaggaa 4980
agcctgaaga cgaatccatt ttacctcctc atatttcaca cttagggatg tttgtccatt 5040
cttactccaa agagtaggtt tggttttatg acagataaaa tttaatgatt ctttgaaaca 5100
gttccaagta gaacaagaga agggaaatcc agagatttgc ctagatcgta tattcaaaag 5160
cacatttttc agtgactact agctacagga agtgtcctcg gcttagggaa gcaaaaagga 5220
gtaagtacag gtcctgcttt caacaagctc agattctagt ggagggagca gacaagtcaa 5280
ccaaaagaat tctgcagtgt gatgagtgcc ccgggagtgt ggagcccagg acatttcagg 5340
gacatgtggg tgtgctcaca gcgtggcaca gagtgggctt cctcgggagc agggattttg 5400
ggctgagtcc tggaagatgg gtgggtgtca gccagaccaa gaaaggggag gccctccaag 5460
gccaggggag aatatgggcc aaggtgtggg ggcgttgggg aatggttgtt cagggaactg 5520
cacacagctg agtacaagtg gagcacagag ctggggagag ttgagggtta gtcatcaggg 5580
aggcagctgt gctcggtatt gctggatcct tggggtcagg cggtggtggc cccaaaacgc 5640
aaccccacca tttattggct atgacattag cctggaaatg agacctctcc aagcccatat 5700
tctccttgat taagtagggg catggtggct tgtgcctcta atcccagcta ctagggaggc 5760
tgaggcagga gaatggcttg aactcaggag gcagaggttg cagtgagcca agatcgtgcc 5820
actgcactcc agcctgggca acagagcaag actccatctc aaaaaaaaaa aaaaaaaata 5880
ggcgtatcta ctcctccaca ggcccattgc agggaataaa tgaagcagtt acaggccctt 5940
tcctagtacg tgcttcctat gtatgaggtg ctgtggaggt ggggagagaa caaggggct 6000
tccttgggtc agggaggaaa ggccaatgta tgtaagtgac tgttggcctg acccctgaag 6060
tggctgcagg ctatatagca tatggacact aattttctaa gctaaggaaa aacagtatca 6120
taatcaccca gacccaagat acagctttgg gaaatagctt tgaaggcaag aatacaaaat 6180
aaccagcctg aaacaagcca tccagtgcct tcttatcact aaataggatg agctttggag 6240
taggattttt aatgactgta ataagaaata cagttaaaaa caaaaagagg aggttggttt 6300
gggtggcttg gctgccttgg gctactgagg agccccctgg tgctgggcca ggaagcagag 6360
gaacagggga gggatgcagt cctttgggct ttctgcctac ctggtccagg atcaaagtga 6420
atgagtttgc tctggcatct cattacatat attaagctgt aattagccct tctttcttcc 6480
tcttcatgct cttgtggatt ggaaaggcca aatagggccc cttctctcag tggctcctcc 6540
ctgggcagct gtgggttcca agtctaacac tttggttagt acccttggaa atgcagtgcc 6600
ctggaaaccc acaaagatcc cacggagggc agtgatccta ttcagattta caaacccaac 6660
tcaccccgcc cggggccgag ggtcttttc tggggtggga gggaattggg ggtgcttgtg 6720
ttggtgggac actttgtctg ggtgtgggtg gcttaagtct tgggtcagag gtgagccgtg 6780
agcagctctc accacagtgc atgagggtgc gatgtcccat gtcctccaac cggtgatcat 6840
ggtagggagt tagttttctt ctcaaagtgc tgcttacctt atctgaactg agggtggcag 6900
ctgctgtggt gggcacagaa ggactgtgct cttgcccttg ttggcttcca gcagctgtat 6960
gaatgtggac agtccgtttt cccctgggtc agggtccctc acctgacctg tgagaggaca 7020

ggctgtgctg ggctgtctgt aaggtcctgt ccgctctgaa agtctgtctg catatgcctg 7080
tttgtcattg tgaaagggct gttcactctt ccaggtaccg gccctatttg atgaggtggc 7140
catatatttt tccgatgagg aatgggaagt tttgacggag caacaaaagg ccctctaccg 7200
ggaagtcatg aggatgaatt atgaaactgt cctgtccctg ggtaaagctg tgttttcctt 7260
tgtctcctgg aagctctgag cccagagaat tgtttccatg cctctcttct ctggtatatc 7320
caatgtccct ctctcctgaa cttagactct gcctcctcaa tgtctgtgcc catttattcc 7380
aatttttgat ttgggcagta tatcaatatt gtgtcaccct actcggcaat ccgtgctgcc 7440
tcagaactgc ccccattcaa cccaggcatt cacatttaag gataaaaacc atgtaacctt 7500
agaaatgtca ccatggatct gggcctgtgc ctcactgttc cttacgagag aaggcaggcg 7560
ttaatgttac cctgtcagcc tcagaagttt ggggacatac cctcccaaag actgtttgct 7620
cctctcccca acttccaccc caaattgata tcacacatct tatcagcaga atgtaatcat 7680
ttgaagagat ttcccagttt gcttatacag gtaccaaaat gttaattgga tcagcagctg 7740
cattcaccct tctccctgct aaatgcagtt cttttattgt tggtgccaat accatccctc 7800
attaggagag atctacccat tcctttagac agacctattt tccattatct tttttcttta 7860
agtatccctg agccttttte cccttgtttt tcacaaagaa ggggagagtg gctcttaagt 7920
attttgaagt acttattttg gtagtgctcc aggacagtaa cacacagctg ttacctattt 7980
tatttcctat aaacagaatt cccattccct aagccagaca tgatcacccg tttggaaggg 8040
gaggaggagt ctcagaattc tgacgagtgg cagctccaag gaggcacctc tgcaggtact 8100
acaagtaaag cagttcagcg tccatccagc tgggaacatt gtggagtggg attttcagtg 8160
tacattccac ggggtattta agaggtagaa ggattatggg ttttggagtt ttgaaatctc 8220
cctctttgca gtgctaaatg tgtgacagtg tgtgacaggc aactgctttt acctcagagc 8280
ttccattctt cctctatcag ctctgagtaa caagacttga tgtatgacct tgtttgtgga 8340
tgaagcaaaa tgaggcttgt gcagcatttg gtctagtgca ccttctggct gaacagggct 8400
ccctcagtgg cgtaccatgt gcctctgcaa actaagaata gtgagaggaa gcacacttcc 8460
tgagttacct ggctccctgt ccatctcata ctggatagaa aaagcaatag caatcatagc 8520
atacatttga gcaaatgtat ctaagaagta cctagtcctt tgtcaagaaa aatggttatt 8580
gaggccacag ttgaataaat atagcattgc ctccagacgg ccaaaatagt tttatctttt 8640
ctccggaagt aagagtttaa aatgccatat ttcactgact ctgagacatg tttttctccc 8700
attgctttac tgtttctgaa attgagaatg cctcttaaaa tcagtggcat gtcatagctt 8760
aattagtagt gttttctttc ttaatggcac ataatgatgc atcctacaac tgatgacatt 8820
ttagtttggg tgagataggg taatttcccc aaatcatatt caacttctgt gaccaccttc 8880
taaatataaa gtgaaacctg gttgcaccat taatgtgcaa gaactaattt tctgccttat 8940
aagcttaact ttgctaagtg tggtttttgc tgtaggtttt cttggttcta aagggatatg 9000
attcaggcca tgatgcatct ctgtaatatt atatggtagt atggttaaca tttggcttct 9060
cattcacata aaaagtattt tgatgcaaac atggccccca aattatttgg tccaagcttg 9120
gttcctctgt tgagttccca gctctgccac tttctggctt ggctaccttg gtgcattatg 9180
taacctctgt agcctcccct tcttcatctg caaagaagga acagtgatac ttagagttac 9240
tctattaaga gaactaggtg tgggtagtcc acataaattg gcatatggaa aaggacttag 9300
gcaatgttac ctgttattaa agttactact tttggtgaac ttcagattaa ggtattctta 9360
gcatttcaac ccccaaaaat cagggtataa gccattttac ttactggcat tatttttgcc 9420
cctcactatt tgtctcccag aaaatgaaga atctgacgta aagcctccag actggccaaa 9480
cccaatgaat gctacctccc agtttcctca gcctcagcac tttgacagct ttggcctccg 9540
tctgcctcgg gatatcacag agctgcccga gtggagtgag gggtaccccc tctacatggc 9600
catgggcttc ccagggtatg acctctcggc tgatgacata gctgggaagt ttcagttcag 9660
ccggggcatg cgccgcagtt acgacgcagg gttcaagctg atggtagtgg aatatgctga 9720
gagtaccaac aactgccagg ctgccaagca gtttggagta ttggaaaaaa acgttcgaga 9780
ctggcgcaaa gtgaagccac agcttcaaaa cgcccacgcc atgcggcggg cattccgagg 9840
ccccaagaat gggaggtttg ctctggtgga ccagcgtgtg gccgaatatg tcagatacat 9900
gcaggccaaa ggggacccca tcacccggga ggcgatgcag ctgaaagctc tcgaaatcgc 9960
ccaggaaatg aacattccag agaaagggtt caaggcaagc ttgggttggt gtcgaagaat 10020
gatgagaagg tatgacctgt ctctgaggca taaagtgccc gtgccccagc acctgccgga 10080
agacctgact gagaaactcg tcacttacca gcgcagtgtc ctggctctgc gcagggcgca 10140
tgactatgag gtagctcaga tggggaatgc agatgagacg cccatttgtt tagaggtgcc 10200
atcacgggta actgttgata accagggcga aaagcctgtc ttggtcaaga caccaggcag 10260
ggaaaaactg aaaatcacag caatgcttgg tgtcttggct gatgggagga agttaccacc 10320
gtacatcatt ttgaggggaa catatatccc cccggggaag tttcccagtg ggatggaaat 10380
tcgctgccac cggtatgggt ggatgactga agacttgatg caggactggt tggaagtggt 10440
gtggagacgg aggacaggag cagtgcccaa gcagcgaggg atgctgatct tgaatggctt 10500
ccggggccat gccacagatt ccgtgaagaa ctccatggaa agcatgaaca ctgacatggt 10560
gatcatccca gggggtctga cctcacagct tcaggtgctg gatgtcgtgg tctacaagcc 10620
actgaatgac agtgtgcggg cccagtactc caactggctt ctggctggga acctggcgct 10680

gagcccaacc gggaatgcta agaagccacc cctgggcctc tttctggagt gggtcatggt 10740
cgcgtggaat agcatctcaa gtgagtccat cgtccaaggg ttcaagaagt gccatatctc 10800
cagcaacttg gaggaggaag acgatgtcct gtgggaaatc gagagtgagt tgccaggagg 10860
aggagaacca ccaaaagatt gtgacaccga aagcatggct gagagcaact gaagggaaag 10920
ggaaaggtaa ccactcagga gtagatactc agtgcctttg ctgacatgtc tgtgttctac 10980
aaacaccttc tctccattat ttttctgttt ttaagttccc ttagagccta cagtgcagta 11040
gtgtagatca ggggtcccca acccccaggt cacggaccat actggtccat ggcctgtcag 11100
gaactgggct gcacagcagg aggtgagcgg caggtgagca agcattacca cctgagctcc 11160
gcccgctgtc acagcagcgg cattagattc tcataggagc acaaaccctg ttgtgaactg 11220
cacatgtgag ggatctaggt tgcaggctcc tcaatgcctg aggatctgag gcggaacagt 11280
ttcatcccaa agccatccta ccacccacta ccccgcactt cctgggtccc tgcaaaaatt 11340
gtcttccatg aaaccagtcc ctggtgccag aaaagttggg gactgctggt atagataaca 11400
gaccattagc attttctcct ttatatgaaa catttattat ttgatttatt tgtgtctatt 11460
ttgctctgtg gcttggaccc agaaacactt gtataatagg tgaaatgaac aaagaatgag 11520
ctgccagaac atctgagagc tgtaaagtta aaattatttg gacccaaaga agcatagtct 11580
gacgttgttc agttcacaca aaatttttgtc tgaaaagcca actttttttct ttcccttta 11640
aattatgctg aacatttagg gccagtatgt gtaactgaca tgctgggaca gttgtactca 11700
cttttgctgg cctgtaggac tgtgacatag ggagaacact aagtgtgtcc tccgggcctc 11760
gggtctcagt cctggagcta tctacagtat gttaccagcg agtaagaata atagcttcta 11820
cttgcttttc cctacagagt tcaggagttt taaaacgtca tcttagtctc attatgacct 11880
tcacatgggc tatgacaata atttcctgta gtcagcagat gtctgaagga agatattttt 11940
taactgaatc tttacaccaa aaaaagaaaa taaaacggtg cgtatctagg actctagtga 12000
gggctgagga caataggcct ggaatttttct gggttgagta cacaagaaga acagctttca 12060
aaggaaagta ggaatggagg cctaactgag acaacactag tgaaatgacc ccacccacct 12120
acacctccag agaggaggag gatgagcatg tacagcaggg gggacaccca caaagaacaa 12180
acaattcatt tacctgttcg ttctcatctc cctaattata aattaaattg atcctccaga 12240
cagtgtttta tatgaaggaa gaagccacct tttttacaga ggacctgaaa ccgtcaacca 12300
tcttcacaca ttctttttct ttcttttaaa gtataattag gtatttccat cttccttgct 12360
tttttctcca aatgaaatgc taatgggagc cttattttac ccacttcagc tatataagtc 12420
catctgtgtt tcaaagagtg acttatgtct cctgccttgc ttccaaatta aattgtactc 12480
atattgctga atcccattgt aattctggga tccctggaat tacaatggag caagaagttc 12540
ttactattac attcaaaatc accaaaattg ctttttttc ccccttgggt cctccttgct 12600
ttgagaaacc ccatgaatcc agcctccctt ttctgctgac ccttatattg cctgcattgg 12660
atatcaaact gaattacatt gagtttccat cttttcttca tttacctttt gcttttccct 12720
ctccttgtta gataacattt ttgtgcactt ttaatttcct aagctcctta ccacctcagg 12780
gacatgatta aaaacttcca gaagaggaaa ggagaaaaag ctatgctaag ttgcatttat 12840
gaatgttggc ctgtaatatt ggtcatgagc ttttgctctt ctagtctgcc acaattctct 12900
ctgcagctcc tgaggaagtg atgggagtag acagattcac agtgaacaag agatttggga 12960
gaccaagtgg gcataaaact acgtcttggc ctctatttgg aaatctgaat gatggaatta 13020
ttatgtttgt taaaagttat accaaaaagc caagggttaa ttcatttagg ttctctctgt 13080
tttccagcaa atggaactct gatttaaaca gctggggatg aaattcctca agatgattat 13140
tcctgaaagt gtggatgcgc tggatgcgca gggaacatca ggaaaaggcc acggggctct 13200
gaacagcccc ggtccagaca gcagcctgta catccatccc aggacacagc ccagcccctc 13260
cccacaccat acaaggtatc agaaaagtct aggacctatc atttcatcag agacatgatc 13320
agaaaagaaa ctgcttctgc cccatttctt gttttggaga ttactccatc tgtccatcaa 13380
aagaaacctg taaatatgaa agaacaaagg ttatttcctg gagaaaagac aatttattca 13440
acaccaacga gggactcatc atatgggcac aactctggtg tccttctatg gagaaaacct 13500
caagtaaagt tttattctgc ctttgaaaat gcttccaaaa gtagaccctg tccccacaca 13560
ggtcaagact acagagaagg ctttgtagaa atgtgtcacc tatgtacacc tgctacttac 13620
acatttcctc ttttggaaaa atgagatact tagaataaca agaaaattaa gacatactgg 13680
cctggtgcca gcagatggct tttctataga caaactaggt tagtgtggaa gatataggtt 13740
aaaataaact atgctgtttt atttatcttc ccaacctgat tggcagctag acttttttag 13800
ggtctcattt aatggccctg tttttttcat tattatattt aatgataggg caggatttcg 13860
tatgcaagct cttgtttctc aggctgcctg cagaagaagt cgctataaat tatctgttgt 13920
ctacatggta caaggcccat tgactcatct gatgcttgtt ttgttaattt ctttaatatt 13980
tttatcacgg ggcagtggga gggcttgggc ttttagccac agctgtttta agacttctga 14040
tctcctgccc tgcaggaata ggtgggaagt cattgaattt ttacactata gtaatttgca 14100
ttcccacata agtttgagtg ttacgaaaac attcctttaa agggatctgt gctacacaaa 14160
atatgccagg acctcacaga caaagccatt gctagaaatg tcattccaat gatcagatct 14220
ggaaacaggc tgccataacc acttttcctt cttgtagact cagctcacct gtatatttaa 14280
actgttcttg gcatcttgaa acacctattt ctactcaggt actcattgtc ctgttactga 14340

ttcacctttc tgatcctttt caaccagttt tcccccaagg ggggaaattt tacttaacct 14400
ctagtatttg aacaactcaa tatttgaatt gttgccccat ttgcttttac ctgtactgta 14460
ttcttggtca tctcaaatgg cgtctaaacc cagctacttt gcattccaga agtttccatt 14520
ccctccaatt ccacctaatt tttcatctgt cctagttact ggctctttct tcatgtctta 14580
tttctcttgc tttgggagct taaaagattt tacaagacct aattttgggt tccttccttg 14640
gagccatagt taccctgcca agaagagtag aaaatgggtt caactcctgt ttcgctccac 14700
caacacctct gtgagtctca tcatcagctg agcgatgatg ccttacaggt tgcatagcac 14760
tggaactttc ctagagtaac ggctctgctg ccagggtttc tctgggctca ttcttccact 14820
gacttaatta tgatctatgc ctaacagagc cccagtacaa ctattttgca gaatggctgt 14880
taccctagaa ttactatagc acatattgag atatagttgt actccctagt agataggaac 14940
tgaccccaac aataaacttt gataataaag acaata 14976

<210> 1129
<211> 720
<212> DNA
<213> Homo sapiens

<400> 1129
gtcttccagc attctatggt cccaccaggt gggtaggtga ctaggaattc aggccaggtc 60
ctagagagta gtgagaagtt ttccagtttg cagtttcctc tgtgctgtat gtacagccat 120
acagcctatg gaacctgaca ttgcagtggg cagcaggaca cggtcaaggc tcctagctgc 180
ctctccatct atggaactat gaaatttcac acatattccc taggcagcat taaggcccag 240
gtatattgag tagtccaaac caaaaaacta tattcgagta tcagtttaaa ttcttccaag 300
ccctaaaaat tcttacgtag tttctcacct aaaactaatg gcttgtgcca agaactgaaa 360
ctaagctatt gatttttttt taagaagtct taatctatac ataagaaatt acatacctgg 420
ccaggtgcag tagttcaggc ctgtaatcct aacaaacact ctgggaggcc aaggtgggca 480
gactgcttga gctcaggagt tcattaccag tctgggcaac atgataaaac cgtgtcttta 540
caaaaaaaaa aaattttaaa ttagccgggc atggtggtgt gaatctgtag tcccagctac 600
ttaggaggtt gcgatgggag aatcacctga gcccagaggt ccagtctgca gtgagccatg 660
atcacaccac agcactccag ctggggtgac agagtgagac cctatctcaa aaagaaaaga 720

<210> 1130
<211> 3126
<212> DNA
<213> Homo sapiens

<400> 1130
cttggcaatg tattaaacag caggccttgg agactagcac ttgagttaac acagccacca 60
caaccaccac tgccatcatc accttcccgg aaagcagcca cctgtctggc tcctggcttt 120
gtccagctgc caacctaagg catgtgccta cgcaggaggc gatgacattt tggctccacg 180
ttcaaagttg ttttttttt cctttctcat gtgttatttc taaagataac aaaggtcaaa 240
aggcatccag cgttttctgg tttctcataa gcttctggtc aatatttaat ctggtttatg 300
gatttttttt aggtcttcta gatgccttct tgaggctgct tgtggccacc cacagacact 360
tgtaaggagg agagaagtca gcctggcaga gagactctga aatgagggat tagaggtgtt 420
caaggagcaa gagcttcagc ctgaagacaa gggagcagtc cctgaagacg cttctactga 480
gaggtctgcc atggcctctc ttggcctcca acttgtgggc tacatcctag gccttctggg 540
gcttttgggc acactggttg ccatgctgct ccccagctgg aaaacaagtt cttatgtcgg 600
tgccagcatt gtgacagcag ttggcttctc caagggcctc tggatggaat gtgccacaca 660
cagcacaggc atcacccagt gtgacatcta tagcaccctt ctgggcctgc ccgctgacat 720
ccaggctgcc caggccatga tggtgacatc cagtgcaatc tcctccctgg cctgcattat 780
ctctgtggtg ggcatgagat gcacagtctt ctgccaggaa tcccgagcca aagacagagt 840
ggcggtagca ggtggagtct ttttcatcct tggaggcctc ctgggattca ttcctgttgc 900
ctggaatctt catgggatcc tacgggactt ctactcacca ctggtgcctg acagcatgaa 960
atttgagatt ggagaggctc tttacttggg cattatttct tccctgttct ccctgatagc 1020
tggaatcatc ctctgctttt cctgctcatc ccagagaaat cgctccaact actacgatgc 1080
ctaccaagcc caacctcttg ccacaaggag ctctccaagg cctggtcaac ctcccaaagt 1140
caagagtgag ttcaattcct acagcctgac agggtatgtg tgaagaacca ggggccagag 1200
ctgggggtg gctgggtctg tgaaaaacag tggacagcac cccgagggcc acaggtgagg 1260
gacactacca ctggatcgtg tcagaaggtg ctgctgagga tagactgact ttggccattg 1320
gattgagcaa aggcagaaat gggggctagt gtaacagcat gcaggttgaa ttgccaagga 1380
tgctcgccat gccagccttt ctgttttcct caccttgctg ctcccctgcc ctaagtcccc 1440

aaccctcaac ttgaaacccc attcccttaa gccaggactc agaggatccc tttgccctct 1500
ggtttacctg ggactccatc cccaaaccca ctaatcacat cccactgact gaccctctgt 1560
gatcaaagac cctctctctg gctgaggttg gctcttagct cattgctggg gatgggaagg 1620
agaagcagtg gcttttgtgg gcattgctct aacctacttc tcaagcttcc ctccaaagaa 1680
actgattggc cctggaacct ccatcccact cttgttatga ctccacagtg tccagactaa 1740
tttgtgcatg aactgaaata aaaccatcct acggtatcca gggaacagaa agcaggatgc 1800
aggatgggag gacaggaagg cagcctggga catttaaaaa aataaaaatg aaaaaaaaac 1860
ccagaaccca tttctcaggg cactttccag aattctctca tatttgtggg ctgggatcaa 1920
gcctgcagct tgaggaaagc acaaggaaag gaaagaagat ctggtggaaa gctcaggtgg 1980
cagcggactc tgactccact gaggaactgc ctcagaagct gcgatcacaa ctttggctga 2040
agcccctgcc tcactctagg gcacctgacc tggcctcttg cctaaaccac aaggctaagg 2100
gctatagaca atggtttcct taggaacagt aaaccagttt ttctagggat ggcccttggc 2160
tgggggatga cagtgtggga gctgtggggt actgaggaag acaccattcc ttgacggtgt 2220
ctaagaagcc aggtggatgt gtgtggtggc tccagtgggt gtttctactc tgccagtgag 2280
aggcagcccc ctagaaactc ttcaggcgta atggaaaatc agctcaaatg agatcaggcc 2340
cccccagggt ccacccacag agcactacag agcctctgaa agaccatagc accaagcgag 2400
ccccttcaga ttcccccact gtccatcgga agatgctcca gagtggctag agggcatcta 2460
agggctccag catggcatat ccatgcccac ggtgctgtgt ccatgatctg agtgatagct 2520
gcactgctgc ctgggattgc agctgaggtg ggagtggaga atggttccca ggaagacagt 2580
tccacctcta aggtccgaaa atgttccctt taccctggag tgggagtgag gggtcataca 2640
ccaaaggtat tttccctcac cagtctaggc atgactggct tctgaaaaat tccagcacac 2700
ctcctcgaac ctcattgtca gcagagaggg cccatctgtt gtctgtaaca tgcctttcac 2760
atgtccacct tcttgccatg ttccagctgc tctcccaacc tggaaggccg tctcccctta 2820
gccaagtcct cctcaggctt ggagaacttc ctcagcgtca cctccttcat tgagccttct 2880
ttccccactc catccctctc ctacccctcc ctcccccaac cctcaatgta taaattgctt 2940
cttgatgctt agcattcaca atttttgatt gatcgttatt tgtgtgtgtg tgtccgatct 3000
cacaagtata ttgtaaaccc ttcggtgggt gggggccata tcctagacct ctctgtatcc 3060
cccagactat ctgtaacagt gccaggcaca cagtaggtga tcaataaaca cttgttgatt 3120
gagtaa 3126

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
28 November 2002 (28.11.2002)

PCT

(10) International Publication Number
WO 2002/095010 A3

(51) International Patent Classification[7]: C07K 1/00

(21) International Application Number:
PCT/US2002/009785

(22) International Filing Date: 19 March 2002 (19.03.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/277,340	21 March 2001 (21.03.2001)	US
60/306,171	19 July 2001 (19.07.2001)	US
60/331,287	13 November 2001 (13.11.2001)	US

(71) Applicant *(for all designated States except US)*: **HUMAN GENOME SCIENCES, INC.** [US/US]; 9410 Key West Avenue, Rockville, MD 20850 (US).

(72) Inventors; and

(75) Inventors/Applicants *(for US only)*: **ROSEN, Craig, A.** [US/US]; 22400 Rolling Hill Lane, Laytonsville, MD 20882 (US). **RUBEN, Steven, M.** [US/US]; 18528 Heritage Hills Drive, Olney, MD 20832 (US).

(74) Agent: **HOOVER, Kenley, K.**; Human Genome Sciences, Inc., 9410 Key West Avenue, Rockville, MD 20850 (US).

(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— *with international search report*
— *with sequence listing part of description published separately in electronic form and available upon request from the International Bureau*

(88) Date of publication of the international search report:
12 February 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HUMAN SECRETED PROTEINS

(57) Abstract: The present invention relates to human secreted polypeptides, and isolated nucleic acid molecules encoding said polypeptides, useful for diagnosing and treating cardiovascular diseases, disorders, and/or conditions related thereto. Antibodies that bind these polypeptides are also encompassed by the present invention. Also encompassed by the invention are vectors, host cells, and recombinant and synthetic methods for producing said polynucleotides, polypeptides, and/or antibodies. The invention further encompasses screening methods for identifying agonists and antagonists of polynucleotides and polypeptides of the invention. The present invention further encompasses methods and compositions for inhibiting or enhancing the production and function of the polypeptides of the present invention.

WO 2002/095010 A3

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US02/09785

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) :C07K 1/00
US CL : 530/350, 300

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 530/350, 300

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

USPATFUL, BIOSIS, MEDLINE, DGENE, WPIDS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	Database USPATFUL on STN (Columbus, OH, USA) Accession No. 2003:72168. "64 Human Secreted Proteins", Abstract, RUBEN et al, 1999.	1-4, 13-18

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

*	Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A"	document defining the general state of the art which is not considered to be of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E"	earlier document published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&"	document member of the same patent family
"O"	document referring to an oral disclosure, use, exhibition or other means		
"P"	document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search 13 MARCH 2003	Date of mailing of the international search report 23 MAY 2003
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230	Authorized officer HOPE ROBINSON Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US02/09785

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☐ Claims Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:

3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

Please See Extra Sheet.

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.

2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.

3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:

4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
1-4, 13-18 (SEQ ID NOS: 264, 777)

Remark on Protest

☐ The additional search fees were accompanied by the applicant's protest.

☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US02/09785

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION WAS LACKING
This ISA found multiple inventions as follows:

This application contains the following inventions or groups of inventions which are not so linked as to form a single inventive concept under PCT Rule 13.1. In order for all inventions to be searched, the appropriate additional search fees must be paid.

Groups 1-513, claim(s) 1-4 and 13-18, all in part, each group directed to a polypeptide of SEQ ID NO: Y, wherein Y correlates to one of those listed in Table 1A, and corresponds to one of the cDNA clone IDs, respectively. For examples,

If group 1 is elected, this correlates to Gene No. 254, cDNA clone ID HPRBC80 of Table 1A, wherein Y is 777.

If group 2 is elected, this correlates to Gene No. 254, cDNA clone ID HPRBC80, wherein Y is 994.

Groups 514-1026, claim(s) 5-6 and 19-20, in part, drawn to an isolated antibody which binds to a protein with SEQ ID NO: Y, wherein Y correlates to one of those listed in Table 1A, and corresponds to one of the cDNA clone IDs, respectively. For examples,

If group 514 is elected, this correlates to Gene No. 254, cDNA clone ID HPRBC80 of Table 1A, wherein Y is 777.

If group 515 is elected, this correlates to Gene No. 254, cDNA clone ID HPRBC80, wherein Y is 994.

Groups 1027-1539, claim(s)7-10 and 21-32, all in part, drawn to an isolated nucleic acid of SEQ ID NO: X or a peptide of SEQ ID NO: Y, wherein X and Y are values that correlate to those listed in Table 1A, and correspond to one of the cDNA Clone IDs, respectively. For example,

If group 1027 is elected, this correlates to Gene No. 254, cDNA clone ID HPRBC80 of Table 1A, wherein X is 264 and Y is 777.

If group 1028 is elected, this correlates to Gene No. 254, cDNA clone ID HPRBC80, wherein X is 481 and Y is 994.

Groups 1540-2052, claim 11-12, in part, drawn to a use of an agonist or antagonist, wherein said agonist or antagonist binds a polypeptide 95% identical to SEQ ID NO: Y, wherein Y correlates to one of those listed in Table 1, and corresponds to one of the cDNA Clone IDs, respectively. For examples,

If group 1540 is elected, this correlates to Gene No. 254, cDNA clone ID HPRBC80 of Table 1A, wherein Y is 777.

If group 1541 is elected, this correlates to Gene No. 254, cDNA clone ID HPRBC80, wherein Y is 994.

The inventions listed as Groups 1-2052 do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The polynucleotides and polypeptides of each invention are unrelated, each to each other. Where, for example, claim 1, items (e) through (f) do not require a polynucleotide of any degree of specificity to a sequence, it is apparent that Ruben et al. (Database USPATFUL, Accession No. 2003:72168, 1999) discloses proteins with significant sequence homology to the claimed polypeptide which means that claim 1 does not escape the prior art. Thus the technical feature of the polypeptide sequence is not special and the groups are not so linked under PCT Rule 13.1. Additionally the claimed methods produce different products and/or different results which are not coextensive and which do not share the same technical feature.